

BellSouth Telecommunications, Inc.

Suite 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

July 17, 2003

Mrs. Blanca S. Bayo Director, Division of the Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 UL 18 PM 4: 52

030648-7P

Re: Approval of Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. and Access Point, Inc.

Dear Ms. Bayo:

Please find enclosed for filing and approval, an original and two copies of the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. (BellSouth) and Access Point, Inc..

If you have any questions please do not hesitate to contact Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

(KA)

all M. Crisery

RECEIVED & FILED

New

FPSC-BUREAU OF RECORDS

06460 JUL 188

## III BELLSOUTHVOLEGAgreement ......

#### Customer Name: Access Point, Inc.

Access Point, Inc. 2003 ICA	2
Table of Contents	3
General Terms and Conditions	5
Att 1 - Resale	25
Att 1 - Resale Discounts and Rates	52
Att 2 - UNEs	61
Att_2UNE_Rates	138
Att 3 - Network Interconnection	554
Att 3 - Local Interconnection Rates	584
Att 4 - Collocation - Central Office	593
Att 4 - Collocation - Remote Site	632
Att 4 - Collocation Rates	668
Att 5 - Access to Numbers and Number Portability	715
Att 6 - Ordering	719
Att 7 - Billing	726
Att 7 - ODUF ADUF EODUF CMDS Rates	744
Att 8 - Rights of Way	753
Att 9 - Performance Measurements	755
Att 10 - Disaster Recovery Plan	908
Att 11 - BFR and NBR Process	917

# INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND ACCESS POINT, INC.

#### TABLE OF CONTENTS

#### **General Terms and Conditions**

#### Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

Version 4Q02: 12/18/02

#### TABLE OF CONTENTS (cont'd)

Attachment 1 - Resale

Attachment 2 - Network Elements and Other Services

Attachment 3 - Network Interconnection

Attachment 4 - Physical Collocation

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 - Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Attachment 7 - Billing

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

Attachment 9 - Performance Measurements

Attachment 10- BellSouth Disaster Recovery Plan

Attachment 11-Bona Fide Request/New Business Request Process

Version 4Q02: 12/18/02

#### AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Access Point, Inc. ("Access Point"), a North Carolina corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Access Point or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Access Point is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Access Point wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

**WHEREAS**, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Access Point agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 ("Act")** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- 1.1 Prior to execution of this Agreement, Access Point agrees to provide BellSouth in writing Access Point's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Access Point is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Access Point will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

#### 2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

Version 4Q02: 12/18/02

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- 2.4 If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Access Point pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

#### 3. Operational Support Systems

Access Point shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

#### 4. Parity

When Access Point purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Access Point shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Access Point shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Access Point.

#### 5. White Pages Listings

5.1 BellSouth shall provide Access Point and its customers access to white pages directory listings under the following terms:

- 5.2 <u>Listings</u>. Access Point shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Access Point residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Access Point and BellSouth subscribers.
- 5.2.1 Rates. So long as Access Point provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Access Point one (1) primary White Pages listing per Access Point subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Access Point SLI are found in The BellSouth Business Rules for Local Ordering.
- Access Point authorizes BellSouth to release all Access Point SLI provided to BellSouth by Access Point to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Access Point SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Access Point for BellSouth's receipt of Access Point SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Access Point's SLI, or costs on an ongoing basis to administer the release of Access Point SLI, Access Point shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Access Point's SLI, Access Point will be notified. If Access Point does not wish to pay its proportionate share of these reasonable costs, Access Point may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Access Point shall amend this Agreement accordingly. Access Point will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Access Point under this Agreement. Access Point shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Access Point listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Access Point any complaints received by BellSouth relating to the accuracy or quality of Access Point listings.

- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. Access Point will be required to provide to BellSouth the names, addresses and telephone numbers of all Access Point customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff.
- 5.6 <u>Inclusion of Access Point End Users in Directory Assistance Database</u>. BellSouth will include and maintain Access Point subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Access Point shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford Access Point's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Access Point subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

### 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Access Point. BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Access Point End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Access Point End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Access Point</u>. Where BellSouth is providing to Access Point Telecommunications Services for resale or providing to Access Point the local switching function, then Access Point agrees that in those cases where Access Point receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Access Point End Users, and where Access Point does not have the requested information, Access Point will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise

the law enforcement agency initiating the request to redirect such request to the other Party.

#### 7. Liability and Indemnification

- Access Point Liability. In the event that Access Point consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Access Point under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Access Point for any act or omission of another Telecommunications company providing services to Access Point.

#### 7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Access Point shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached

thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 8. Intellectual Property Rights and Indemnification

8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

Version 4Q02: 12/18/02

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or

facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

#### 9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Access Point, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information</u>. Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it

confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### 10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 11. Taxes

11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

Version 4Q02: 12/18/02

- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

  Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the

providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

  Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon,

or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Access Point, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

#### 13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Access Point any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement.

The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

#### 14. Modification of Agreement

- If Access Point changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Access Point to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Access Point or BellSouth to perform any material terms of this Agreement, Access Point or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

#### 15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are

interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

#### 17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Access Point, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Access Point shall not assign this Agreement to any Affiliate or nonaffiliated entity unless either (1) Access Point pays all bills, past due and current, under this Agreement, or (2) Access Point's assignee expressly assumes liability for payment of such bills.

#### 20. Notices

Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

#### Access Point, Inc.

Richard E. Brown-CEO 1100 Crescent Green, Suite 109 Cary, NC 27511

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide Access Point notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Access Point shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Access Point. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Access Point is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Access Point as a requesting carrier under the Act).

#### 29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Access Point specifically or upon all carriers generally, such as a generic cost proceeding.

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 31. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Access Point acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision,

representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Access Point pursuant to the terms and conditions set forth in this Agreement. Access Point may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Access Point, Inc.
By: era Suindi	By: Richard Brown
By: Ma Juridi Name: Exesset R. A. Shrashi	Name: RICHARD E. BROWN
Title: Occation	Title: CHIEF EXECUTIVE OFFICE
Date: 4/24/03	Date: 4/21/03

٠..."

Attachment 1 Page 1

#### **Attachment 1**

Resale

#### **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4.	BellSouth's Provision of Services to Access Point	8
5.	Maintenance of Services	9
6.	Establishment of Service	10
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	11
9.	Line Information Database (LIDB)	15
10.	RAO Hosting	15
11.	Optional Daily Usage File (ODUF)	15
12.	Enhanced Optional Daily Usage File (EODUF)	15
Re	sale Restrictions	Exhibit A
Lir	ne Information Database (LIDB) Storage Agreemt	Exhibit B
Ор	otional Daily Usage File (ODUF)	Exhibit C
En	hanced Option Daily Usage File (EODUF)	Exhibit D
Re	sale Discounts and Rates	Exhibit E

#### RESALE

#### 1. Discount Rates

- The discount rates applied to Access Point purchases of BellSouth
  Telecommunications Services for the purpose of resale shall be as set forth in
  Exhibit E. Such discounts have been determined by the applicable Commission to
  reflect the costs avoided by BellSouth when selling a service for wholesale
  purposes.
- 1.2 The telecommunications services available for purchase by Access Point for the purposes of resale to Access Point's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Access Point, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other

services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Access Point for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.

- 3.1.1 When Access Point provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Access Point does not resell Lifeline service to any end users, and if Access Point agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21,56%.
- 3.1.2.1 In the event Access Point resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Access Point and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Access Point must provide written notification to BellSouth within 30 days prior to either providing its own operator services/ directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Access Point may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Access Point must resell services to other End Users.
- 3.2.2 Access Point cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- Access Point will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Access Point for said services.
- Access Point will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Access Point. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Access Point. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Access Point or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Access Point will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Access Point to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Access Point, BellSouth will provide Access Point with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Access Point acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Access Point acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Access Point shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Access Point to designate up to 100 intermediate telephone numbers per CLLIC, for Access Point's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Access Point acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1)

where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Access Point's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Access Point or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Access Point has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Access Point remain the property of BellSouth.
- 3.15 White page directory listings for Access Point End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Access Point must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Access Point may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Access Point provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Access Point will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Access Point per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- In the event Access Point acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Access Point that Special Assembly at the wholesale discount at Access Point's option. Access Point shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Access Point customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Access Point customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Access Point customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and Access Point shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Access Point, and Access Point shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

#### 4. BellSouth's Provision of Services to Access Point

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Access Point to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Access Point shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Access Point for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Access Point may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Access Point cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>

- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When Access Point assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Access Point.
- 4.5.4 Access Point must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Access Point or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Access Point accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Access Point will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Access Point shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth will bill Access Point for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Access Point's End Users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, Access Point will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). Access Point is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 6.1.1 If Access Point needs to change its OCN(s) under which it operates when Access Point has already bee conducting business utilizing those OCN(s), Access Point shall bear all costs incurred by BellSouth to convert Access Point Access Point to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Access Point's end user customer records. Appropriate charges will appear in the OC&C section of Access Point's bill.
- Access Point shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Access Point will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Access Point's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Access Point to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Access Point to such other CLEC. Upon completion of the conversion BellSouth will notify Access Point that such conversion has been completed.

#### 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Access Point's End User on behalf of, and at the request of, Access Point. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Access Point.
- 7.1.2 At the request of Access Point, BellSouth will disconnect a Access Point End User customer.
- 7.1.3 All requests by Access Point for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Access Point will be made solely responsible for notifying the End User of the proposed disconnection of the service.

7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Access Point when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Access Point and/or the End User against any claim, loss or damage arising from providing this information to Access Point. It is the responsibility of Access Point to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

#### 8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to Access Point end user's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 8.2.10 Process operator-assisted directory assistance calls.
- 8.2.11 Adhere to equal access requirements, providing Access Point local end users the same IXC access that BellSouth provides its own operator service.
- 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Access Point that BellSouth provides for its own operator service.

Page 12 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Access Point. Provide call records to Access Point in accordance with ODUF standards. 8.2.15 8 2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 Directory Assistance Service 8.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Access Point's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings. 8.3.3 Directory Assistance Service Updates 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.3.1.1 New end user connections 8.3.3.1.2 End user disconnections 8.3.3.1.3 End user address changes These updates shall also be provided for non-listed and non-published numbers for 8.3.3.2 use in emergencies. 8.4 Branding for Operator Call Processing and Directory Assistance 8.4.1 BellSouth's branding feature provides a definable announcement to Access Point end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Access Point's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E of this Attachment.

- 8.4.2 BellSouth offers three branding offering options to Access Point when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Access Point, the order is considered firm after ten (10) business days. Should Access Point decide to cancel the order, written notification to Access Point's BellSouth Account Executive is required. If Access Point decides to cancel after ten (10) business days from receipt of the branding order, Λcccss Point shall pay all charges per the order.
- 8.4.4 <u>Selective Call Routing using Line Class Codes (SCR-LCC)</u>
- 8.4.4.1 Where Access Point resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Access Point's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Access Point to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, Access Point specific and unique line class codes are programmed in each BellSouth end office switch were Access Point intends to service end users with customized OCP/DA branding. The line class codes specifically identify Access Point's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Access Point intends to provide Access Point-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Access Point to order dedicated transport and trunking from each BellSouth end office identified by Access Point, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Access Point Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.

- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Access Point to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding Access Point shall not be required to purchase direct trunking.
- 8.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance Access Point must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To Implement Unbranding and Custom Branding via OLNS software, Access Point must submit a manual order form which requires, among other things, Access Point's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Access Point shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Access Point's purchase of Unbranding and Custom Branding using OLNS software for any particular TOPS, all Access Point end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Access Point applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Access Point shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Call Processing platforms as set forth in Exhibit E of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Access Point requires service.

8.4.5.5 Directory Assistance customized branding uses: 8.4.5.5.1 the recording of Access Point 8.4.5.5.2 the loading of the recording in each switch. 8.4.5.6 Operator Call Processing customized branding uses: 8.4.5.6.1 the recording of Access Point 8.4.5.6.2 the loading of the recording in each switch. 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded. 9. Line Information Database (LIDB) 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B. 9.2 BellSouth will provide LIDB Storage upon written request to Access Point's Account Manager stating a requested activation date. 10. **RAO Hosting** 10.1 RAO Hosting is not required for resale in the BellSouth region. 11. **Optional Daily Usage File (ODUF)** 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment. 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date. 12. **Enhanced Optional Daily Usage File (EODUF)** 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment. 12.2 BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)**

	,	AL		FL		GA		KY		LA		MS	_	NC		SC		TN
Type of Service		Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions - ≤ 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Lınk Up Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall *Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable No																		
Grandfathere     Where availab	d servio le for re	ces can be sale, pron	resold o	only to exist	sting su de avai	bscribers o lable only	of the gr to End	andfather Users who	would	ce. have quali	fied for	the promo	otion had	d it been p	rovided	by BellSo	outh dire	ectly.
3. Some of BellSo	outh's lo	ocal excha	nge and	toll teleco	mmuni	cations ser	vices ar	e not avai	lable in	certain ce	ntral of	fices and a	reas.				,	

## LINE INFORMATION DATA BASE (LIDB)

#### RESALE STORAGE AGREEMENT

## I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Access Point.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Access Point.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by Access Point for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

#### II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Access Point and pursuant to which BellSouth, its LIDB customers and Access Point shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Access Point's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Access Point understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Access Point, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to Access Point's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
  - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Access Point has identified the billing number as one that should not be billed for collect or third number calls.

#### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of Access Point from which a call originates.

#### 4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of Access Point indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

#### 5. Fraud Control

BeilSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Access Point of fraud alerts so that Access Point may take action it deems appropriate.

#### III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Access Point pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Access Point for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

#### B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Access Point's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Access Point end user originated long distance charges and will return those charges to the interexchange carrer as not covered by the existing B&C agreement. Access Point is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between Access Point and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Access Point. It shall be the responsibility of Access Point and the B&C Customers to negotiate and arrange for any appropriate adjustments.

#### IV. Fees for Service and Taxes

- A. Access Point will not be charged a fee for storage services provided by BellSouth to Access Point, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Access Point in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

#### **Optional Daily Usage File**

- 1. Upon written request from Access Point, BellSouth will provide the Optional Daily Usage File (ODUF) service to Access Point pursuant to the terms and conditions set forth in this section.
- 2. Access Point shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Access Point customer.
- 4. Charges for ODUF will appear on Access Point's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Access Point will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in Access Point's billing system will be the responsibility of Access Point. If, however, Access Point should encounter significant volumes of errored messages that prevent processing by Access Point within its systems, BellSouth will work with Access Point to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Access Point:
  - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
  - Measured billable Local
  - Directory Assistance messages
  - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Access Point.
- 6.1.4 In the event that Access Point detects a duplicate on ODUF they receive from BellSouth, Access Point will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to Access Point via CONNECT:Direct, Connect: Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Access Point for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Access Point will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Point will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Point. Additionally, all message toll charges associated with the use of the dial circuit by Access Point will be the responsibility of Access Point. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including

modems and software, that is required on Access Point end for the purpose of data transmission will be the responsibility of Access Point.

- 6.2.3 If Access Point utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Access Point.
- 6.3 ODUF Packing Specifications
- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Point which BellSouth RAO is sending the message. BellSouth and Access Point will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Point and resend the data as appropriate.

The data will be packed using ATIS EMI records.

## 6.4 ODUF Pack Rejection

Access Point will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Access Point will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Access Point by BellSouth.

## 6.5 <u>ODUF Control Data</u>

Access Point will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Access Point received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Access Point for reasons stated in the above section.

## 6.6 ODUF Testing

6.6.1 Upon request from Access Point, BellSouth shall send test files to Access Point for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Access Point set up a production (live) file. The live test may consist of Access Point's employees making test calls for the types of services Access Point requests on the ODUF. These test calls are logged

Attachment 1 Page 24 Exhibit C

by Access Point, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

### **Enhanced Optional Daily Usage File**

- 1. Upon written request from Access Point, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Access Point pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Access Point shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on Access Point's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Access Point will be the responsibility of Access Point. If, however, Access Point should encounter significant volumes of errored messages that prevent processing by Access Point within its systems, BellSouth will work with Access Point to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Access Point:

Customer usage data for flat rated local call originating from Access Point's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Version 4Q02: 12/18/02

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

**Billing Indicators** 

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Access Point.
- 7.1.3 In the event that Access Point detects a duplicate on EODUF they receive from BellSouth, Access Point will drop the duplicate message (Access Point will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Access Point via Connect: Direct, Connect: Enterprise Client or another mutually agreed medium. The EODUF messages will be intermingled among Access Point's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Access Point for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If Access Point utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT: Enterprise Client software will be the responsibility of Access Point.
- 7.3 Packing Specifications
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

Version 4Q02: 12/18/02

Attachment 1 Page 27 Exhibit D

7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Point which BellSouth RAO is sending the message. BellSouth and Access Point will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Point and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

RESALE DISCOUN	TS AND RATES - Alabama												Attachr			bit: C
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES(\$)	• 10			Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Charge -	Charge -
		<del> </del>	<del>                                     </del>				Nonrec	urnna	Nonrecurring	Disconnect			088	Rates(\$)	I	
			<del>                                     </del>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<del>                                     </del>							7,041	0020	00.741	- JOINTAIN	COMAN	JOIN AN	JOILAN
APPLICABLE DISCOU	NTS		<del>    -</del>												<del> </del>	
Resider	nce %					16 30										<del>                                     </del>
Busines	ss %				<del></del>	16 30							-		<del> </del>	
CSAs %						16 30										
PERATIONAL SUPPO	ORT SYSTEMS (OSS) RATES					1000									-	
Electron	nic LSR				SOMEC		3 50	3 50	3 50	3 50						
Manual	LSR		<del>                                     </del>	-	SOMAN		19 99	19 99		19 99		<del> </del>				<del></del>
SELECTIVE CALL ROL	JTING USING LINE CLASS CODES (SCR-LCC)							10 00	10 00	10.00						<del> </del>
	e Routing Per Unique Line Class Code Per Request Per	† · · · ·														
Switch		i				1	84 70	84 70	14 11	14 11						
DIRECTORY ASSISTA	NCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	NARE					0110		1-1-1-1					<u> </u>	
	ng of DA Custom Branded Announcement	1			-	1	3,000 00	3,000 00				1				<del> </del>
Loading	of DA Cuslom Branded Anouncement per Switch per	-					,									
OCN							1,170 00	1,170 00				l				1
	NCE UNBRANDING VIA OLNS SOFTWARE				<u> </u>											
	of DA per OCN (1 OCN per Order)				_		420 00	420 00								
	of DA per Switch per OCN	i					16 00	16 00								
	ICE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE													
	ng of Custom Branded OA Announcement		L				7,000 00	7,000 00								
Loading per OC	of Custom Branded OA Announcement per shelf/NAV N						500 00	500 00								
Loading OCN	of OA Custom Branded Announcement per Switch per						1,170 00	1,170 00			_					
	ICE UNBRANDING VIA OLNS SOFTWARE		<del>                                     </del>		-	<del>                                     </del>	1,170 00	1,170 00				<b></b>				
	of OA per OCN (Regional)	-	<del>                                     </del>		<del></del>	<del> </del>	1,200 00	1,200 00			<del> </del>					<del> </del>
DDUF/EODUF SERVIC			+-+-		+		1,200 00	1,200 00								-
	LY USAGE FILE (ODUF)		<del> </del>		-											
	Recording, per message	-			+		0 000011					·				<del> </del>
ODUE	Message Processing, per message		<del> </del> -		-	<del>                                     </del>	0 000011									1
ODUE	Message Processing, per Magnetic Tape provisioned		1		<del></del>	<del> </del>	42 67			<del></del>		ļ				-
ODUE	Data Transmission (CONNECT DIRECT), per message		1		<del> </del>	[	0 000094				<del></del>				-	<del>                                     </del>
	PTIONAL DAILY USAGE FILE (EODUF)				+	·	0 000094									<del> </del>
	Message Processing, per message	-	+ +		-+	· · · · · · · · · · · · · · · · · · ·	0 22									<del> </del>
I ILODOF	message mocessing, per message				. l		0 22		L			l			L	L

RESALE DISCOUNT:	S AND RATES - Florida													ment: 1		bit C
										-	Svc Order	Svc ∩rder	Incremental		Incremental	
		1	i								Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Intor	1								Elec	Mannally	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per ∟SR	Order vs	Order vs	Order vs	Order vs
		m	1										Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add
			ll.													Dioc rida
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ	L			1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		_										-	·			ļ
APPLICABLE DISCOUNT		-	-			24.22					<u> </u>				<b></b>	ļ
Residence			L			21 83										
Business	%		$\perp$			16 81		_			-					<b></b>
CSAs %						16 81										<u> </u>
	T SYSTEMS (OSS) RATES										İ	ļ				
Electronic		L	L		SOMEC		3 50	3 50	3 50	3 50						
Manual LS					SOMAN		19 99	19 99	19 99	19 99		<u> </u>				
	ING USING LINE CLASS CODES (SCR-LCC)											ļ				L
	Routing Fer Unique Line Class Code Per Request Per	ł	1				1		1							1
Switch							93 55	93 55	11 46	11 46						<b>!</b>
	E CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	VARE													!
	of DA Custom Branded Announcement						3,000 00	3,000 00								ļ
	f DA Cusiom Branded Anouncement per Switch per	İ				1	!								i	
OCN							1,170 00	1,170 00								L
	E UNBRANDING via OLNS SOFTWARE											L				
	f DA per OCN (1 OCN per Order)						420 00	420 00								
	f DA per Switch per OCN						16 00	16 00			<u> </u>		1			
	E CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE									l				ļ
	of Custom Branded OA Announcement						7,000 00	7,000 00								
	Custom Branded OA Announcement per shelf/NAV		1		i								i		!	İ
per OCN		<u>.</u>	<u> </u>				500 00	500 00								
	f OA Cus om Branded Announcement per Switch per		1 1								ļ		l			
OCN			L L				1 170 00	1,170 00								
	E UNBRANDING via OLNS SOFTWARE															
	f OA per OCN (Regional)						1,200 00	1,200 00					<u> </u>			
ODUF/EODUF SERVICES		ļ	L													
	/ USAGE FILE (ODUF)											L	L			L
	cording, per message						0 0000071									L
	essage Processing, per message						0 002146									
ODUF M	essage Processing, per Magnetic Tape provisioned		<u> </u>				35 91				l					
	ita Transmission (CONNECT DIRECT), per message						0 00010375									
	ONAL DAILY USAGE FILE (EODUF)											I				
EODUF N	Message Processing, per message						0 080698									

RESALE DISCO	OUNTS AND RATES - Georgia												Attachi		L .	bit: C
															Incremental	
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i											Ełec	Man⊕ally	Manual Svc	Manual Svc	Manual Svc	Manual Sve
CATEGORY	RATE ELEMENTS	Inten	Zone	BCS	USOC			RATES(\$)			per LSR	perLSR	Order vs	Order vs	Order vs.	Order vs
		m											Electronic-	Electronic-	Electronic-	Electronic
												1	1st	Add'l	Disc 1st	Disc Add'l
						L						İ			5.00 .01	2,007,000
						Rec	Nonrec		Nonrecurring					Rates(\$)		
· ·   · -			1				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2011170				-										<b></b>	-
APPLICABLE DIS			1			20 30					-					+
	esidence %					17 30										-
	usiness %		1			17 30			-		-	<del> </del>				
	SAS %	├──	+		<del> </del>	17 30					-	<del> </del>		-	<del>                                     </del>	<del>                                     </del>
	UPPORT SYSTEMS (OSS) RATES ectronic LSR		+		SOMEC	<del> </del>	3 50	3 50	3 50	3 50	-	<del></del>				
	ectronic LSR anual LSR		+		SOMAN	<del> </del>	19 99	19 99	19 99	19 99						_
	ANUAL LSK L ROUTING USING LINE CLASS CODES (SCR-LCC)	<del> </del>	+		SUMAN	<del> </del>	15 55	19 33	19 99	19 95	<del> </del> -	-			<del> </del>	+
	elective Routing Per Unique Line Class Code Per Request Per	1	<del>  </del> -													· · · · · · · · · · · · · · · · · · ·
	witch	1				1	199 56	199 56			1					
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COETS	MADE		<del></del>		199 30	133 30				<del> </del>				+
	ecording of DA Custom Branded Announcement	JOFF	VARE			1	3,000 00	3,000 00			-					<del> </del>
	pading of DA Custom Branded Annuncement per Switch per					-	3,000 00	0,000 00			<del> </del>					
	CN		1 1				1,170 00	1,170 00			1				1	
	ISTANCE UNBRANDING via OLNS SOFTWARE						1,170 00	7,170 00		-						
	pading of DA per OCN (1 OCN per Order)	<del>                                     </del>	+ +	•			420 00	420 00			1					<del>                                     </del>
	pading of DA per Switch per OCN		+			<del> </del>	16 00	16 00			·					
OPERATOR ASSI	STANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE													
	ecording of Custom Branded OA Announcement		1				7,000 00	7,000 00								
	pading of Custom Branded OA Announcement per shelf/NAV					1	,,,,,,,	,								1
	er OCN	į.				1	500 00	500 00				ļ				1
	pading of OA Custom Branded Announcement per Switch per	† · · · ·														1
	CN	ì				1	1,170 00	1,170 00	i ·					}		
	STANCE UNBRANDING VIA OLNS SOFTWARE															
Lo	pading of OA per OCN (Regional)	<del> </del>	1				1,200 00	1,200 00	1							
ODUF/EODUF SE																
OPTIONA	L DAILY USAGE FILE (ODUF)															
lo	DUF Recording, per message						0 0001275									L
	DUF Message Processing, per message						0 0082548									
	DUF Message Processing, per Magnetic Tape provisioned						28 85				1					
OI	DUF Data Transmission (CONNECT DIRECT), per message						0 0000434									
ENHANCE	ED OPTIONAL DAILY USAGE FILE (EODUF)										l					
TEC	ODUF Message Processing, per message	I					0 0034555								l	

RESALE DISC	OUNTS AND RATES - Kentucky										_		Attachr			bit: C
i						i					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi			i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES(\$)			perLSR		Order vs	Order vs	Order vs	Order vs
		'''									'	1	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
			+			t	Nonrec	urnna	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	SCOUNTS			•						-		İ				
R	esidence %					16 79									t	
В	usiness %					15 54				•						
C	SAs %					15 54				•		<del> </del>		-		
OPERATIONAL S	SUPPORT SYSTEMS (OSS) RATES														i	<b>—</b>
E	lectronic LSR				SOMEC		3 50	3 50	3 50	3 50						
M	anual LSR				SOMAN		19 99	19 99	19 99	19 99						
SELECTIVE CALI	L ROUTING USING LINE CLASS CODES (SCR-LCC)							.,				1				
Se	elective Routing Per Unique Line Class Code Per Request Per	1				1					-		-			
Sı	witch					f I	93 53	93 53	15 58	15 58						ĺ
DIRECTORY ASS	ISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE		1											
Re	ecording of DA Custom Branded Announcement						3,000 00	3,000 00			1					
	pading of DA Custom Branded Anouncement per Switch per															
l lo	CN						1,170 00	1,170 00			i				i	1
DIRECTORY ASS	ISTANCE UNBRANDING via OLNS SOFTWARE						.,	1,			<del>                                     </del>					<del></del>
Lo	pading of DA per OCN (1 OCN per Order)				·		420 00	420 00								<del></del>
	pading of DA per Switch per OCN						16 00	16 00								<del> </del>
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													<del></del>
Re	ecording of Custom Branded OA Announcement	T					7,000 00	7.000 00								<del>                                     </del>
	pading of Custom Branded OA Announcement per shelf/NAV		<del>                                     </del>					7,000 00								<del></del>
pe	er OCN						500 00	500 00								ĺ
Lo	pading of OA Custom Branded Announcement per Switch per				-					*****						
	CN						1,170 00	1,170 00								1
OPERATOR ASSI	STANCE UNBRANDING via OLNS SOFTWARE						,	1,11000								
Lo	pading of OA per OCN (Regional)						1,200 00	1,200 00								
ODUF/ÉODUF SE							1,200 00	1,200 00								
OPTIONA	L DAILY USAGE FILE (ODUF)				-											
	DUF Recording, per message		<del>                                     </del>		<b>+</b>		0 0000136									
	DUF Message Processing, per message		<del>                                     </del>		<b>+</b> · · · · ·		0 002506									
	DUF Message Processing, per Magnetic Tape provisioned				-		35 90									
0	DUF Data Transmission (CONNECT DIRECT), per message		-   -				0 00010372								-	
	ED OPTIONAL DAILY USAGE FILE (EODUF)		1													
	ODUF Message Processing, per message		<del>                                     </del>			<del>                                     </del>	0 235889								-	

RESALE DISCOUNTS AND RATES - Louisi	ana											Attach	ment. 1	Exhit	bit: C
			1							Svc Order	Svc ∩rder	Incremental	Incremental	Incremental	
	•		1							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		.								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sve
CATEGORY RATE ELEME	NTS Inter	I Zon	e BCS	usoc			RATES(\$)			per LSR	perLSR	Order vs	Order vs.	Order vs.	Order vs
	m									po. co	par con	Electronic-		Electronic-	Electronic
				1							!	1st	Add'I	Disc 1st	Disc Add'l
							<u>-</u>	Υ			i				
					Rec	Nonrec		Nonrecurring					Rates(\$)		
			-		1	First	Add'l	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS		-									<del>├─</del>	ļ			
		-			20 72										
Residence %		-			20 72					<b>_</b>	<del> </del>				<del> </del>
Business %		_													<del></del>
CSAs %					9 05						-				<del></del>
OPERATIONAL SUPPORT SYSTEMS (OSS) RATES										ļ					<del></del>
Electronic LSR			<u> </u>	SOMEC		3 50	3 50	3 50	3 50						
Manual LSR				SOMAN		19 99	19 99	19 99	19 99	1					<del></del>
SELECTIVE CALL ROUTING USING LINE CLASS C			<u> </u>												<del></del>
Selective Routing Per Unique Line Cla	ass Code Per Request Per			1						1		1			1
Switch						82 25	82 25								
DIRECTORY ASSISTANCE CUSTOM BRANDING A		TWARE													
Recording of DA Custom Branded An						3,000 00	3 000 00								
Loading of DA Custom Branded Anou	ncement per Switch per									ļ		İ			1
OCN		_				1,170 00	1,170 00				ļ				
DIRECTORY ASSISTANCE UNBRANDING via OLNS															
Loading of DA per OCN (1 OCN per C	Order)					420 00	420 00			l					1
Loading of DA per Switch per OCN						16 00	16 00								l
OPERATOR ASSISTANCE CUSTOM BRANDING AN		WARE										1			1
Recording of Custom Branded OA An	nouncement					7,000 00	7 000 00								
Loading of Custom Branded OA Anno	uncement per shelf/NAV			1						ļ		]			
per OCN	·	Į.		j		500 00	500 00			į		j			į .
Loading of OA Custom Branded Anno	uncement per Switch per														
OCN		ł			1	1,170 00	1,170 00								1
PERATOR ASSISTANCE UNBRANDING via OLNS	SOFTWARE														
Loading of OA per OCN (Regional)		1				1,200 00	1,200 00								
DDUF/EODUF SERVICES					<del></del>										
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF Recording, per message					1	0 0000117									
ODUF Message Processing, per mes	sage				1	0 004641	-			1		1			
ODUF Message Processing, per Mag		_	1		1	48 45						1			
ODUF Data Transmission (CONNEC			1			0 00010568						1			
ENHANCED OPTIONAL DAILY USAGE FILE		_		- 1	1					<del>                                     </del>	<del> </del>	† <del></del>			
EODUF Message Processing, per me		+	+	<del></del>	+	0 250015						1			
	ssage					0 200010				J	I	L	l		

Version 4Q02 12/18/02 Page 5 of 9

RESALE DI	ISCOUNTS AND RATES - Mississippi												Attachi	ment. 1	Exhil	bit C
									•		Svc Order	Svc ∩rder	Incremental	Incremental	Incremental	Incrementa
			i									Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Mannally	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs	Order vs	Order vs.
		""										"	Electronic-		Electronic-	Electronic-
			1 1								İ		1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	-		oss	Rates(\$)		<u> </u>
		ļ				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI ICARI E	DISCOUNTS		+		<del></del>											<b></b> _
AT TEICABLE	Residence %	_	+			15 75										
	Business %				+	15 75					-					
<del></del>	CSAs %	<del> </del>	+ +		+	15 75					+					
OPERATIONA	AL SUPPORT SYSTEMS (OSS) RATES		+			15 / 5					-					
OFERATION	Electronic LSR		┽╾╌╼┼╌		SOMEC		3 50	3 50	3 50	3 50	1					
	Manual LSR	1	-		SOMAN		19 99	19 99	19 99	19 99						-
SELECTIVE C	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	_	+		SUMAN	+	19 99	19 99	19 99	19 99						
SELECTIVE C	Selective Routing Per Unique Line Class Code Per Request Per	}	+ +													
;	Switch	İ	1				85 19	85 19	14 19	14 19						
DIRECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement		T	•			3,000 00	3,000 00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170 00	1,170 00								
DIPECTORY	ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	<del> </del>	+				1,170 00	1,170 00		•••						
DIRECTORY	Loading of DA per OCN (1 OCN per Order)		+ +				420 00	420 00			<b></b>					
	Loading of DA per Switch per OCN	-	+ +		<del></del>	-	16 00	16 00								
OPERATOR A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COETI	MADE				16 00	10 00						L	-	-
OF ERATOR A	Recording of Custom Branded OA Announcement	JOFTE	VARE			-	7,000 00	7,000 00								
	Loading of Custom Branded OA Announcement per shelf/NAV						7,000 00	7,000 00							· ·	
	per OCN						500 00	500 00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170 00	1,170 00								
OPERATOR A	ASSISTANCE UNBRANDING VIZ OLNS SOFTWARE															
	Loading of OA per OCN (Regional)					•	1,200 00	1,200 00								
ODUF/EODUF						1		. ,,=====					-			
OPTIO	DNAL DAILY USAGE FILE (ODUF)							• • • •								
	ODUF Recording, per message		1 -		1		0 0000063									
	ODUF Message Processing, per message						0 004707									
	ODUF Message Processing, per Magnetic Tape provisioned						49 04									
	ODUF Data Transmission (CONNECT DIRECT), per message				1		0 00010669									
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)									•						
	EODUF Message Processing, per message				1		0 250424									

RESALE DIS	SCOUNTS AND RATES - North Carolina												Attach			bit: C
			1								Svc Order	Svc Order	Incremental		Incremental	
		1									Submitted	Submitted		Charge -	Charge -	Charge
			1 1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	Inters	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs	Order vs.	Order vs	Order vs
		m			1						po. zert	P 0 0	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'i	Disc 1st	Disc Add
		ļ	l 1			į						i			Disc ist	Disc Add
		l				Rec	Nonrecu	irring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															<u> </u>	ļ
APPLICABLE I													-		ļ	ļ
	Residence %					21 50						ļ	ļ			ļ <u> </u>
	Business %					17 60										
	CSAs %					17 60							!		ļ	
OPERATIONAL	L SUPPORT SYSTEMS (OSS) RATES														ļ	
	Electronic LSR				SOMEC	L	3 50	3 50		3 50					ļ	<u> </u>
	Manual LSR		<u> </u>		SOMAN		19 99	19 99	19 99	19 99	1				<u> </u>	ļ
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per												ļ		ļ	
l <u></u>	Switch	<u> </u>					82 25	82 25	14 14	14 14						ļ
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE												<u> </u>	<b>_</b>
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00								
	Loading of DA Custom Branded Anouncement per Switch per				1		1								1	
	OCN		<b>1</b>				1,170 00	1,170 00								<u> </u>
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE	ļ	ļ													L
	Loading of DA per OCN (1 OCN per Order)						420 00	420 00								<u> </u>
	Loading of DA per Switch per OCN	i			1		16 00	16 00								<u> </u>
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement	1					7,000 00	7,000 00	1			<u> </u>				<u> </u>
ł	Loading of Custom 3randed OA Announcement per shelf/NAV	1				1 1			1			i		i .		1
	per OCN	1					500 00	500 00								
1	Loading of OA Custom Branded Announcement per Switch per					1						1				
	OCN						1,170 00	1,170 00						1		
OPERATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE					L										
	Loading of OA per OCN (Regional)	<u> </u>					1,200 00	1,200 00								
ODUF/EODUF															ļ	
OPTIO	NAL DAILY USAGE FILE (ODUF)											ļ				
	ODUF Recording, per message						0 0003									
	ODUF Message Processing, per message						0 0032									
	ODUF Message Processing, per Magnetic Tape provisioned						54 61				ļ				L	1
	ODUF Data Transmission (CONNECT DIRECT), per message						0 00004								ļ. <u></u>	
ENHAN	NCED OPTIONAL DAILY USAGE FILE (EODUF)														<u> </u>	1
	EODUF Message Processing, per message						0 2285406		l !			L		<u> </u>	L	1

Version 4Q02 12/18/02 Page 7 of 9 58 of 920

RESALE DIS	SCOUNTS AND RATES - South Carolina													ment: 1		bit: C
		I												Incremental	Incremental	
					l.						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs	Order vs.	Order vs.	Order vs
					1						'	ļ ·	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
T			<del>  </del>				Nonrec	umna	Nonrecurring	Disconnect		L	OSS	Rates(\$)	<u> </u>	
			1 1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<del>                                     </del>													
APPLICABLE	DISCOUNTS						-									
	Residence %		1			14 80										
	Business %		1 1		<del></del>	14 80										
	CSAs %	<del>                                     </del>	1 1		***	8 98										
	L SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3 50	3 50	3 50	3 50						
	Manual LSR	<del>  -</del>	1		SOMAN		19 99	19 99								
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)		$\vdash$													
	Selective Routing Per Unique Line Class Code Per Request Per						1				-					
	Switch	[	1				84 89	84 89	14 14	14 14						1
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00								
	Loading of DA Custom Branded Anouncement per Switch per		1													
	OCN .		i l		1		1,170 00	1,170 00								
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE				i											
	Loading of DA per OCN (1 OCN per Order)				-		420 00	420 00								
	Loading of DA per Switch per OCN						16 00	16 00					-			
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000 00	7,000 00								
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				F		500 00	500 00			•					
	Loading of OA Custom Branded Announcement per Switch per															
	OCN				İ		1,170 00	1,170 00			i			ļ		
OPERATOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200 00	1,200 00								
ODUF/EODUF																
OPTIO	NAL DAILY USAGE FILE (ODUF)		1 1							_						
	ODUF Recording, per message						0 0000216									
	ODUF Message Processing, per message						0 004704	·								
	ODUF Message Processing, per Magnetic Tape provisioned						48 87									
	ODUF Data Transmission (CONNECT DIRECT), per message						0 00010863									
	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message						0 258301									

Version 4Q02 12/18/02 Page 8 of 9

RESALE DI	SCOUNTS AND RATES - Tennessee												Attachi	ment. 1	Exhil	bit. C
									•		Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inter	1 1		İ						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per L\$R	per LSR	Order vs	Order vs	Order vs	Order vs
		""	1 1									'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurning		Nonrecurring	Disconnect		L	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					16 00								-		
	Business %					16 00										
	CSAs %					16 00										
OPERATIONA	AL SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3 50	3 50	3 50	3 50						
	Manual LSR		1		SOMAN		19 99	19 99	19 99	19 99						
SELECTIVE O	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)														-	
	Selective Routing Per Unique Line Class Code Per Request Per												-			
	Switch						179 60	179 60								l
DIRECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE		1											
	Recording of DA Custom Branded Announcement		T		1		1,555 00	1,553 00	7 03	7 03						
	Loading of DA Custom Branded Anouncement per Switch per															
	OCN				į.		240 71	240 71							ŀ	į
DIRECTORY	ASSISTANCE UNBRANDING via OLNS SOFTWARE	1														
	Loading of DA per OCN (1 OCN per Order)				· ·		420 00	420 00								
	Loading of DA per Switch per OCN				1		16 00	16 00								
OPERATOR A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE		1								i i			
	Recording of Custom Branded OA Announcement						1,555 00	1,555 00								
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						240 71	240 71								l .
	Loading of OA Custom Branded Announcement per Switch per				1			_								
	OCN						240 71	240 71								
OPERATOR A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)			**			1,200 00	1,200 00			-		-			1
ODUF/ÉODUF	SERVICES				<del>                                     </del>		· · ·	,								
OPTIO	ONAL DAILY USAGE FILE (ODUF)				ļ								""			
	ODUF Recording, per message	Ì			1	l	0 0000044									
-	ODUF Message Processing, per message		1 "		1		0 0027366									
	ODUF Message Processing, per Magnetic Tape provisioned		1		1		52 75									t
	ODUF Data Transmission (CONNECT DIRECT), per message				1		0 0000339									
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		1		+			-								
	EODUF Message Processing, per message					<del> </del>	0 004					<del></del>				-

Version 4Q02 12/18/C2 Page 9 of 9

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	6
4	LOCAL SWITCHING	6
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	3
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	)
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE54	1
3	LINE INFORMATION DATABASE (LIDB)	5
)	SIGNALING	7
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE). 64	1
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 69	)
12	CALLING NAME (CNAM) DATABASE SERVICE	)
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) /ANCED INTELLIGENT NETWORK (AIN) ACCESS	l
14	BASIC 911 AND E911	2
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	5
LID	B Storage Agreement Exhibit A	
Rat		

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Access Point in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Access Point. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Access Point to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Access Point used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Access Point, and to the extent technically feasible, provide to Access Point access to its Network Elements for the provision of Access Point's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Access Point may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Access Point chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Access Point to the demarcation point associated with Access Point's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Access Point may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.
- 1.8 If Access Point reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge Access Point for any dispatching and

testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.

### 1.9 Rates

- 1.9.1 The prices that Access Point shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Access Point purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If Access Point modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Access Point in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

## 2 Unbundled Loops

### 2.1 General

- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Access Point's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Access Point can use the Special Construction process to request that BellSouth place facilities in order to meet Access Point's Loop requirements. Standard Loop intervals shall not apply to the Special Construction process.

- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to Access Point in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Access Point may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Access Point has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Access Point shall pay the recurring and non-recurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by Access Point using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If Access Point wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, Access Point may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.

#### 2.1.8 **Loop Testing/Trouble Reporting**

Access Point will be responsible for testing and isolating troubles on the Loops.

Access Point must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Access Point will be required to provide the results of the Access Point test which indicate a problem on the BellSouth provided Loop.

- Once Access Point has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Access Point reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Access Point for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

## 2.1.9 Order Coordination and Order Coordination-Time Specific

- 2.1.9.1 "Order Coordination" (OC) allows BellSouth and Access Point to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Access Point's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Access Point to order a specific time for OC to take place. BellSouth will make every effort to accommodate Access Point's specific conversion time request. However, BellSouth reserves the right to negotiate with Access Point a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Access Point may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Access Point specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

## 2.1.10 CLEC to CLEC Conversions for Unbundled Loops

2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Access Point when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Access Point's Interconnection Agreement before requesting a conversion.

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Access Point pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

## 2.1.10.4

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Access Point must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)

- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Access Point will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by Access Point. Access Point may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Access Point may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Access Point. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Access Point to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

#### 2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will

come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

- 2.3.2 BellSouth shall make available the following UDLs: 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC-3 Loop 2.3.2.11 OC-12 Loop 2.3.2.12 OC-48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Access Point will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. OC-3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in

its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC-12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup>Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

# 2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

# 2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Access Point.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by Access Point to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:

- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

# 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Access Point can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Access Point may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Access Point to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Access Point may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

# 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Access Point, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Access Point will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Access Point can use the Loop for a variety of services by attaching appropriate terminal equipment at the ends. Access Point will determine the type of service that will be provided over the Loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Access Point has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on Loops of any length.
- 2.5.6 Access Point shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Access Point desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for Access Point, Access Point will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Access Point is available at the location for which the ULM was requested, Access Point will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Access Point will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

2.6.1 Where Access Point has requested an Unbundled Loop and BellSouth uses
Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the
end user and BellSouth has a suitable alternate facility available, BellSouth will
make such alternative facilities available to Access Point. If a suitable alternative

facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Access Point (e.g. hairpinning):

- 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. Access Point will then have the option of paying the one-time SC rates to place the Loop.

# 2.7 **Network Interface Device (NID)**

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Access Point to connect Access Point's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 Access Point may access the end user's customer-premises wiring by any of the following means and Access Point shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Access Point to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Access Point may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Access Point's responsibility to ensure there is no safety hazard, and Access Point will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Access Point shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Access Point shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
  BellSouth will work with Access Point to develop specific procedures to establish
  the most effective means of implementing this section if the procedures set forth
  herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to Access Point's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Access Point may request BellSouth to do additional work to the NID on a time and material basis. When Access Point deploys its own local Loops in a multiple-line termination device, Access Point shall specify the quantity of NIDs connections that it requires within such device.

## 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

#### 2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Access Point requests a UCSL and it is not available, Access Point may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility

from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.

- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Access Point's use on this cross-connect panel. Access Point will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 For access to Voice Grade USLD and UCSL, Access Point shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Access Point's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Access Point is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Access Point's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Access Point's request for Unbundled Sub-Loops, Access Point may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Access Point will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Access Point can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Access Point's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Access Point will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Access Point requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Access Point for sub-loop pairs, expedite charges will apply for intervals less than 5 days.

2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the enduser's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

# 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Access Point will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Access Point for each pair activated commensurate to the price specified in Access Point's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide

service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the end-user is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an end-user from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.

2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

### 2.8.4 Unbundled Sub-Loop Feeder

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Access Point's loop distribution elements onto BellSouth's feeder system.

#### 2.8.4.5 Requirements

- 2.8.4.5.1 Access Point will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Access Point may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Access Point. Access Point will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder DS3 and above

- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities and shall require a Service Inquiry.
- 2.8.4 6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

#### 2.8.5 Unbundled Loop Concentration (ULC)

- 2.8.5.1 BellSouth will provide to Access Point Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
  BellSouth Loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Access Point at Access Point's collocation site. System B will allow up to 192 BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Access Point's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each Loop that is terminated onto the ULC system.

# 2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Access Point may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Access Point's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Access Point's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Access Point's demarcation point associated with Access Point's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Access Point is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Access Point's sub-loops to be placed on the USLC and transported to Access Point's collocation space at a DS1 level.

# 2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Access Point's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Access Point to utilize Dark Fiber Loops.

#### 2.8.7.2 Requirements

2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period.

BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.7.2.2 Access Point is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Access Point information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Access Point.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Access Point within twenty (20) business days after Access Point submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Access Point to connect Access Point provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

# 2.9 <u>Loop Makeup (LMU)</u>

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Access Point LMU information so that Access Point can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Access Point intends to install and the services Access Point wishes to provide. This section addresses LMU as a preordering transaction, distinct from Access Point ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Access Point LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Access Point as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its

authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.

2.9.1.5 Access Point may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Access Point and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Access Point's ability to provide advanced data services over the ordered Loop type. Further, if Access Point orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Access Point is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

## 2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Access Point may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Access Point needs further Loop information in order to determine Loop service capability, Access Point may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

### 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Access Point may reserve up to ten Loop facilities. For a Manual LMUSI, Access Point may reserve up to three Loop facilities.
- 2.9.3.2 Access Point may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Access Point. During and prior to Access Point placing an LSR, the reserved facilities are

rendered unavailable to other customers, including BellSouth. If Access Point does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

#### 2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Access Point will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Access Point does not reserve facilities upon an initial LMUSI, Access Point's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Access Point has reserved multiple Loop facilities on a single reservation, Access Point may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Access Point, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Access Point. If the ordered Loop type is not available, Access Point may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

### 3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Access Point access to the high frequency spectrum of the local Loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Access Point the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Access Point shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Access Point on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Access Point requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Access Point shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Access Point desires to continue providing xDSL service on such Loop, Access Point shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Access Point notice in a reasonable time prior to disconnect, which notice shall give Access Point an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Access Point purchases the full stand-alone Loop, Access Point may elect the type of Loop it will purchase. Access Point will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Access Point purchases a voice grade Loop, Access Point acknowledges that such Loop may not remain xDSL compatible.
- Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of High Frequency Spectrum and Splitter Space
- 3.2.1 BellSouth will provide Access Point with access to the High Frequency Spectrum as follows:

- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Access Point must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Access Point may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Access Point's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Access Point in a central office in which Access Point is located, Access Point shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Access Point shall pay the electronic or manual ordering charges as applicable when Access Point orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Access Point's data.

### 3.3 BellSouth Provided Splitter

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Access Point access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Access Point's xDSL equipment in Access Point's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Access Point with a carrier notification letter, informing Access Point of change. Access Point shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Access Point shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Access Point's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Access Point's DS0 termination point as possible. Access Point shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Access Point on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Access Point DS0 at such time that a Access Point end user's service is established.

### 3.4 **CLEC Provided Splitter**

- 3.4.1 Access Point may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Access Point may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Access Point in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Access Point may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

# 3.5 **Ordering**

- 3.5.1 Access Point shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Access Point the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Access Point access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Access Point shall pay the rates for such services, as described in Exhibit B.

# 3.6 Maintenance and Repair

- 3.6.1 Access Point shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Access Point is using a BellSouth owned splitter, Access Point may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Access Point provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Access Point will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Access Point shall inform its end users to direct data problems to Access Point, unless both voice and data services are impaired, in which event the end users should call BellSouth.

- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Access Point, BellSouth will notify Access Point. Access Point will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Access Point will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Access Point's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

# 3.7 Line Splitting

- 3.7.1 General
- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. Access Point shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Access Point will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Access Point or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Access Point for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Access Point or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Access Point or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Access Point or its authorized agent submits an LSR to BellSouth to change the Loop.

# 3.8 Provisioning Line Splitting and Splitter Space

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Access Point or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

# 3.9 Ordering

- 3.9.1 Access Point shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Access Point the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Access Point access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Access Point shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide Loop modification to Access Point on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High

Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

<u>HTTP://www.interconnection.bellsouth.com/html/unes.html</u>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment.

#### 3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Access Point will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Access Point shall inform its end users to direct data problems to Access Point, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.
- 3.10.5 If Access Point is not the data provider, Access Point shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

# 3.11 Remote Site High Frequency Spectrum

### 3.11.1 General

3.11.2 BellSouth shall provide Access Point access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.

- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Access Point the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BeilSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Access Point shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to Access Point on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Access Point requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the Loop, Access Point shall pay for the Loop to be restored to its original state.
- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Access Point desires to continue providing xDSL service on such sub-loop, Access Point shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Access Point notice in a reasonable time prior to disconnect, which notice shall give Access Point an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Access Point purchases the full stand-alone sub-loop, Access Point may elect the type of sub-loop it will purchase. Access Point will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Access Point purchases a voice grade

Loop, Access Point acknowledges that such sub-loop may not remain xDSL compatible.

- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 Provisioning of High Frequency Spectrum and Splitter Space
- 3.12.1 BellSouth will provide Access Point with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Access Point must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.
- 3.12.1.2 Access Point may provide its own splitters or may order splitters in a remote site once the Access Point has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Access Point's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.12.1.3 Once a splitter is installed on behalf of Access Point in a remote site in which Access Point is located, Access Point shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Access Point shall pay applicable for High Frequency Spectrum end-user activation.

#### 3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Access Point's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Access Point will provide a cable facility to the BellSouth FDI. BellSouth will splice the Access Point's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Access Point's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Access Point's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Access Point's Remote Terminal (RT) collocation space and routed back to the Access Point's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Access Point with a carrier notification letter informing Access Point of change. Access Point shall purchase ports on the splitter in increments of 24 ports.

3.13.3 BellSouth will install the splitter in (i) a common area close to Access Point's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Access Point's DS0 termination point as possible. Access Point shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Access Point DS0 at such time that a Access Point end user's service is established.

### 3.14 **CLEC Owned Splitter**

- 3.14.1 Access Point may at its option purchase, install and maintain splitters in its collocation arrangements. Access Point may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Access Point will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by Access Point in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Access Point may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

# 3.15 Ordering

- 3.15.1 Access Point shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Access Point the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.15.4 BellSouth will provide Access Point access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Access Point shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Access Point's data.

#### 3.16 **Maintenance and Repair**

3.16.1 Access Point shall have access for repair and maintenance purposes to any subloop for which it has access to the High Frequency Spectrum. If Access Point is using a BellSouth owned splitter, Access Point may access the sub-loop at the point where the data signal exits. If Access Point provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Access Point will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Access Point shall inform its end users to direct data problems to Access Point, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Access Point, BellSouth will notify Access Point. Access Point will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Access Point will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Access Point's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

# 4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Access Point for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Access Point for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

#### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote

switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Access Point when Access Point serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Access Point orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Access Point the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
   Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
   Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Access Point's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Access Point purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Access Point local end user, or originated by a BellSouth local end user and terminated to a Access Point local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Access Point the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier

compensation for local calls between BellSouth and Access Point shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- 4.2.7 Where Access Point purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Access Point end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Access Point the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Access Point shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Access Point the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

### 4.2.9 Unbundled Port Features

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Access Point selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Access Point will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.10 Remote Call Forwarding

4.2.10.1 As an option, BellSouth shall make available to Access Point an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Access Point will ensure that the following conditions are satisfied:

- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Access Point the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

## 4.2.11 Provision for Local Switching

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Access Point all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Access Point.

#### 4.2.12 Local Switching Interfaces.

- 4.2.12.1 Access Point shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

## 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

## 4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Access Point and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Access Point.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Access Point's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Access Point's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Access Point's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Access Point. AIN Selective Carrier Routing will provide Access Point with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Access Point shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.

- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Access Point, the routing of Access Point's end user calls shall be pursuant to information provided by Access Point and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Access Point shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Access Point end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Access Point shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Access Point's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Access Point, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Access Point following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Access Point following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Access Point following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

## 4.5 Packet Switching Capability

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services Access Point seeks to offer;
- 4.5.2.3 BellSouth has not permitted Access Point to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Access Point obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

#### 5 Unbundled Network Element Combinations

For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Access Point are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Access Point are not already combined by BellSouth in the location requested by Access Point but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Access Point are not elements that BellSouth combines for its use in its network.

#### 5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Access Point with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Access Point's collocation space in a BellSouth central office. The circuit must be connected to Access Point's switch for the purpose of provisioning circuit telephone exchange service to Access Point's enduser customers. Access Point may connect EELs within Access Point's collocation space to other transport terminating into Access Point's switch. Access Point may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Access Point's request, terminate to a CLEC's Point of Presence ("POP"). Access Point will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, Access Point shall indicate under what local usage option Access Point seeks to qualify. Access Point shall be deemed to be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit Access Point's EELs as specified in Section 5.3.3 below.

#### 5.3 Conversions from Special Access Service to EELs

- 5.3.1 Access Point may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not Access Point self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Access Point does not use the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Access Point requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, Access Point shall provide to BellSouth a certification that Access Point is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Access Point seeks to qualify for conversion of special access circuits. Access Point shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** Access Point certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at Access Point's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to

BellSouth's tariffed services. Under this option, Access Point is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Access Point can then use the Loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

- 5.3.1.2 **Option 2:** Access Point certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at Access Point's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** Access Point certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Access Point does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.2 In addition, there may be extraordinary circumstances where Access Point is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Access Point may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Access Point's records in order to verify compliance with the local usage option provided by Access Point pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Access Point shall be given thirty days written notice of BellSouth's

intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Access Point shall reimburse BellSouth for the cost of the audit. If, based on the audit, Access Point is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Access Point for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Access Point is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement.

In the event Access Point converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, Access Point shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop

5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.4.1.9 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 5.4.1.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 5.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment. 5.4.3 To the extent that Access Point requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

# 5.5 UNE Port/Loop Combinations

5.5.1 Combinations of port and Loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 5.5.3 BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Access Point if Access Point's customer has 4 or more DS0 equivalent lines.
- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.
- 5.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for Access Point's UNE port/Loop combinations. BellSouth will not bill Access Point for 911 surcharges. Access Point is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
- 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

- 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

#### 5.6 Other UNE Combinations

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Access Point in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Access Point requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

#### 5.6.2 Rates

5.6.3 The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Access Point requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent Access Point requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

# 6 Transport, Channelization and Dark Fiber

## 6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Access Point for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Access Point.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Access Point exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Access Point to connect such interoffice facilities to equipment designated by Access Point, including but not limited to, Access Point's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Access Point to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements

- specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6 1 3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

# 6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Access Point's Point of Presence ("POP") and Access Point's collocation space in the BellSouth Serving Wire Center for Access Point's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Access Point.
- 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.2 Technical Requirements
- 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Access Point designated traffic.
- 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.

- 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
- 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.2.4.1 DS0 Equivalent;
- 6.2.2.4.2 DS1;
- 6.2.2.4.3 DS3; and
- 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Access Point shall specify the termination points for Dedicated Transport.
- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

#### 6.3 Unbundled Channelization (Multiplexing)

Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Access Point may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.

Version 4Q02: 12/18/02

- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Access Point's channelization equipment must adhere strictly to form and protocol standards. Access Point must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.
- 6.4 **Dark Fiber Transport**

Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Access Point's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Access Point's POP to Access Point's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Access Point to utilize Dark Fiber Transport.

## 6.4.2 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 Access Point is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Access Point information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Access Point. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Access Point within twenty (20) business days after Access Point submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Access Point to connect Access Point provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling

instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Access Point's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Access Point.

7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

#### 8 Line Information Database (LIDB)

- The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Access Point must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Access Point any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Access Point's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

  BellSouth shall indicate to Access Point what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Access Point, BellSouth shall provide Access Point with a list of the customer data items, which Access Point would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.

- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Access Point data to the LIDB shall be solely at the direction of Access Point. Such direction from Access Point will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Access Point data upon Access Point's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Access Point customer records will be missing from LIDB, as measured by Access Point audits. BellSouth will audit Access Point records in LIDB against DBAS to identify record mismatches and provide this data to a designated Access Point contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Access Point within one business day of audit. Once reconciled records are received back from Access Point, BellSouth will update LIDB the same business day if less than 500 records are received, BellSouth will contact Access Point to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Access Point's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Access Point with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Access Point and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Access Point data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Access Point in writing.
- 8.2.13 BellSouth shall provide Access Point performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query

originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Access Point at least at parity with BellSouth Customer Data. BellSouth shall obtain from Access Point the screening information associated with LIDB Data Screening of Access Point data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Access Point under the BFR/NBR process as set forth in Attachment 11.

- 8.2.14 BellSouth shall accept queries to LIDB associated with Access Point customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Access Point shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Access Point shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

## 9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this

Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2	Signaling Link Transport
9.2.1	Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Access Point-designated Signaling Points of Interconnection that provide appropriate physical diversity.
9.2.2	Technical Requirements
9.2.3	Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
9.2.3.1	As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
9.2.3.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
9.2.4	Signaling Link Transport shall consist of two or more signaling link layers as follows:
9.2.4.1	An A-link layer shall consist of two links.
9.2.4.2	A B-link layer shall consist of four links.
9.2.4.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
9.2.4.4	No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
9.2.4.5	No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
9.2.5	Interface Requirements
9.2.5.1	There shall be a DS1 (1.544 Mbps) interface at Access Point's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

9.3

**Signaling Transfer Points (STPs)** 

- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point's shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Access Point local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Access Point local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Access Point or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Access Point database, then Access Point agrees to provide BellSouth with the Destination Point Code for Access Point database.

- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Access Point or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Access Point, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Access Point's SS7 network to exchange TCAP queries and responses with a Access Point SCP.
- 9.4.2 SS7 AIN Access shall provide Access Point SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Access Point SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Access Point SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Access Point or Access Point-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Access Point local switching systems; and,
- 9.4.3.1.2 A B-link interface from Access Point local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9 4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Access Point local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Access Point switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Access Point local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Access Point switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Access Point from any signaling point or network interconnected through BellSouth's SS7 network where the Access Point SCP has a valid signaling relationship.

## 9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

## 9.6 Local Number Portability Database

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Access Point local signaling transfer point switches or Access Point local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Access Point local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Access Point or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Access Point local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Access Point local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This

includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Access Point local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Access Point local STPs and shall not include SCCP Subsystem Management of the destination.

- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Access Point or Access Point-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Access Point local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Access Point STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Access Point local or tandem switching systems destined to any signaling point in the

BellSouth SS7 network with which the Access Point switching system has a valid signaling relationship.

# 10 Operator Services (Operator Call Processing and Directory Assistance) 10.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance. 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 10.2.1 Process 0+ and 0- dialed local calls. 10.2.2 Process 0+ and 0- intraLATA toll calls. 10.2.3 Process calls that are billed to Access Point end user's calling card that can be validated by BellSouth. 10.2.4 Process person-to-person calls. 10.2.5 Process collect calls. 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. Adhere to equal access requirements, providing Access Point local end users the 10.2.11 same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Access Point that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center

designated by Access Point.

- 10.2.15 Provide call records to Access Point in accordance with ODUF standards specified in Attachment 7.
- The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

## 10.3 <u>Directory Assistance Service</u>

- Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Access Point's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

# 10.3.3 <u>Directory Assistance Service Updates</u>

- 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.3.1.1 New end user connections;
- 10.3.3.1.2 End user disconnections;
- 10.3.3.1.3 End user address changes.
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

## 10.4 Branding for Operator Call Processing and Directory Assistance

- 10.4.1 BellSouth's branding feature provides a definable announcement to Access Point end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Access Point to have its calls custom branded with Access Point's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three branding offering options to Access Point when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Access Point, the order is considered firm after ten business days. Should Access Point decide to cancel the

order, written notification to Access Point's Local Contract Manager is required. If Access Point decides to cancel after ten business days from receipt of the custom branding order, Access Point shall pay all charges per the order.

# 10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where Access Point purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Access Point's end user calls to that provider through Selective Call Routing.
- 10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Access Point to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Access Point specific and unique line class codes are programmed in each BellSouth end office switch where Access Point intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Access Point's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Access Point intends to provide Access Point -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Access Point to order dedicated trunking from each BellSouth end office identified by Access Point, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Access Point Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Access Point to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each

BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.

- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Access Point shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Access Point must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Access Point must submit a manual order form which requires, among other things, Access Point's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Access Point shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Access Point's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Access Point end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.12 BellSouth Branding is the default branding offering.
- Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Access Point applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Access Point shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Access Point is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

## 10.4.5 Facilities Based Carrier Branding

- All Service Levels require Access Point to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Access Point requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of Access Point;
- 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of Access Point;
- the loading of the recording in each switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

#### 10.5 Directory Assistance Database Service (DADS)

- BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Access Point end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Access Point agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Access Point agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.5.2 BellSouth shall initially provide Access Point with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central

office requested. BellSouth will require approximately 30-45 days after receiving an order from Access Point to prepare the Base File.

- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Access Point's previous update. Delivery of updates will commence immediately after Access Point receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Access Point mutually develop CONNECT: Direct TM electronic connectivity. Access Point will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Access Point authorizes the inclusion of Access Point Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

# 10.6 **Direct Access to Directory Assistance Service**

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Access Point's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Access Point with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Access Point by BellSouth upon subscription to the service. Subscription to DADAS requires that Access Point utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

#### 11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Access Point access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Access Point after Access Point provides end user information for input into the ALI/DMS database.

- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Access Point requests otherwise and shall be updated if Access Point requests, provided Access Point supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.3 Interface Requirements
- The interface between the E911 Switch or Tandem and the ALI/DMS database for Access Point end users shall meet industry standards.

## 12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Access Point the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Access Point shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Access Point's access to BellSouth's CNAM Database Services and shall be addressed to Access Point's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Access Point requires interconnection from Access Point to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Access Point shall provide its own CNAM SSP. Access Point's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Access Point elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Access Point desires to query.
- 12.6 If Access Point queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the

BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- The mechanism to be used by Access Point for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Access Point in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Access Point to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Access Point CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Access Point the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Access Point. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Access Point service logic and data from unauthorized access.
- When Access Point selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Access Point to use BellSouth's SCE/SMS AIN Access to create and administer applications.

- 13.5 Access Point access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Access Point to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

#### 14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Access Point a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Access Point will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Access Point will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Access Point will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. Access Point shall install a minimum of two dedicated trunks originating from the Access Point serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Access Point will be required to provide BellSouth daily updates to the E911 database. Access Point will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available. Access Point will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Access Point shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Access Point beyond applicable charges for BellSouth trunking arrangements.

- 14.5 Basic 911 and E911 functions provided to Access Point shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

## 15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Access Point may submit LSRs electronically.

LENS Local Exchange Navigation System EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event Access Point provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Access Point will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

#### **EXHIBIT A**

#### LINE INFORMATION DATA BASE (LIDB)

#### FACILITIES BASED STORAGE AGREEMENT

#### I. Definitions

- A. Billing number a number that Access Point creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Access Point.
- C. Special billing number a ten-digit number that identifies a billing account established by Access Point.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Access Point that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Access Point.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Access Point.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by Access Point for originating line numbers.

## II. General

Version 4Q02: 12/18/02

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Access Point and pursuant to which BellSouth, its LIDB customers and Access Point shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Access Point's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Access Point understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Access Point, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Access Point's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

#### 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Access Point has identified the billing number as one that should not be billed for collect or third number calls.

# 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of Access Point from which a call originates.

## 4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of Access Point indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

#### 5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Access Point of fraud alerts so that Access Point may take action it deems appropriate.

# III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Access Point pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Access Point for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

## B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Access Point's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Access Point's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Access Point and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Access Point. It shall be the responsibility of Access Point and the B&C Customers to negotiate and arrange for any appropriate adjustments.

#### IV. Fees for Service and Taxes

- A. Access Point will not be charged a fee for storage services provided by BellSouth to Access Point as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by

Attachment 2 Page 77

Access Point in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

INBUND	DLED NETWORK ELEMENTS - Alabama												Attachi	ment <sup>,</sup> 2	Exhi	bit: B
CATEGOR		Interi	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs	Charge -	Incremen Charge Manual S Order vs
		m											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Add
							Nonrec	urring	Nonrecurring Disconnect				oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l				SOMAN	SOMAN	SOMAN
The	he "Zone" shown in the sections for stand-alone loops or loops as	part of	a comb	oination refers to Ge	ographically	Deaveraged UI	VE Zones To	view Geograph	ically Deaverag	ged UNE Zone	Designation	ns by Cen	tral Office, refe	er to Internet	Website	
	ttp://www.interconnection.bellsouth.com/become_a_clec/html/inter-					-										
SED ATIO	IOUAL CURROUT EVETENS												T			I
NO.	OTE: (1) Flactronic Service Order: CLEC should contact its contract	t nego	iator if	it prefers the state:	specific elect	ronic service o	rdering charge	s as ordered b	y the State Con	nmissions T	he electroni	c service c	rdering charg	e currently co	ontained in th	us rate
exh	xhibit is the BeliSouth regional electronic service ordering charge	CLEC	may ele	ect either the state s	pecific Comn	nission ordered	rates for the e	lectronic servi	ce ordering ch	arges, or CLE	C may elect	the rogion	al electronic s	service orderi	ng charge	
NO	OTE: (2) Any element that can be ordered electronically will be bill	ed acco	irdina 1	to the SOMEC rate is	sted in this o	ategory Pleas	e refer to BellS	outh's Busine	ss Rules for Lo	cal Ordering	(BBR-LO) to	determine	if a product of	can be ordere	d electronical	lly For
tho	nose elements that cannot be ordered electronically at present per t	he BBR	l-LO, th	ne listed SOMEC rate	ın this cate	gory reflects the	e charge that w	ould be billed	to a CLEC onc	e electronic o	ordering cap	abilities co	ome on-line fo	r that elemen	t Otherwise,	the manu
ord	rdering charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSRt	o BellSouth.							r		·		т	–
	Electronic OSS Charge, per LSR, submitted via BSTs OSS														1	
	interactive interfaces (Regional)				SOMEC		3 50		4.07	-			+		<del> </del>	1
	Manual Service Order Charge, per LSR, Disconnect Only (AL)		<b> </b>		SOMAN	ļ <del>-</del>			1 97		<del>                                     </del>		+	<del> </del>	+	+
NE SERV	EVICE DATE ADVANCEMENT CHARGE	D-UC-	Abro Fr	20 N= 4 Tc=# 0: :	n f ac	L			-				_		<del>                                     </del>	<del> </del>
NO	OTE: The Expedite charge will be maintained commensurate with I	sellSou	ITN'S FC	ALL UNE EXCEPT	on o as appli	capie		+			+		<del>                                     </del>	<del>                                     </del>	+	<del> </del>
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200 00									
	LED EXCHANGE ACCESS LOOP												<b>_</b>	ļ	1	ļ
2-V	-WIRE ANALOG VOICE GRADE LOOP				ļ						ļ		· · ·		<del> </del>	-
[	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12 58	37 81	17 56	23 49	5 30		15 66			<del></del>	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21 05	37 81	17 56	23 49	5 30		15 66 15 66		ļ		-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34 34	37 81	17 56	23 49	5 30		13 00		<del> </del> -		
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User				LIGETI		8 33	0 83			[	15 66			1	
	Premise			UEANL UEANL	URETL URET1	-	34 16	0 03		-	ł	15 66		-	<del>                                     </del>	<del> </del>
	Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEANL	URETA		19 85				<del> </del>	15 66			1	<b>-</b>
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch		<del> </del>	UEANL	IUKETA		19 03				· · · · · ·	700		<del>                                     </del>	-	
	(UVL-SL1)		1	UEANL	UREWO	1 1	15 78	8 94				15 66		1		
_	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		+	027012	OTTE TO			0 0,1			i .		1	ļ		
	providing make-up (Engineering Information - ET)			UEANL	UEANM		13 44									
	Manual Order Coordination for UVL-SL1s (per loop)		<del> </del>	UEANL	UEAMC		8 15									
	Order Coordination for Specified Conversion Time for UVL-SL1															1
i	(per LSR)			UEANL	OCOSL		18 09				1		<u> </u>			<u> </u>
2-V	-WIRE Unbundled COPPER LOOP														1	<b>.</b>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	T		UEQ	UEQ2X	11 20	34 14	15 10	21 25	4 15		15 66				<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ UEQ	UEQ2X	13 27	34 14	15 10	21 25	4 15		15 66				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	15 07	34 14	15 10	21 25	4 15		15 66	4		<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	ì	1					)				15 66	.	1		
	Premise		1	UEQ	URETL		8 33 '	0.83				15 00	4	-	<b></b>	<del>                                     </del>
	Order Coordination 2 Wire Unbundled Copper Loop - Non-		1	UEQ	USBMC		8 15	l				1				
	Designed (per loop)		+	UEW	DOBMC		0 15				<del> </del>		<del> </del>	†	+	+
i	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E I )		1	UEQ	UEQMU		13 44	l				15 66	il.		1	1
	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1	<del>                                     </del>	34 16				<del> </del>	15 66		t	1	1
-	Loop Testing - Basic 1st Half Hour	<del>                                     </del>	<del>                                     </del>	UEQ	URETA		19 85				<del>                                     </del>	15 66		1	1	1
	CLEC to CLEC Conversion Charge Without Outside Dispatch		+		3		.0 20		1		<del>                                     </del>	1	1			1
	(UCL-ND)	i		UEQ	UREWO	1	14 27	7 43			1	15 66	1			1
NBUNDL	DLED EXCHANGE ACCESS LOOP		1			1					i					
	-WIRE ANALOG VOICE GRADE LOOP										<u> </u>					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1											1
	Zone 1		1	UEPSR UEPSB	UEALS	12 58	37 81	17 56	23 49	5 30	<u> </u>	15 6€	1	ļ	<b>↓</b>	+
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12 58	37 81	17 56	23 49	5 30		15 66	1			
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<del> '</del>	SEI ON SEI GE	32,300									T		
	Zone 2		2	UEPSR UEPSB	UEALS	21 05	37 81	17 56	23 49	5 30		15 66	5			-
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	UEPSR UEPSB	LIEARC	24.05	27.04	17 56	23 49	5 30		15 66		1		
	Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSK UEPSB	UEABS	21 05	37 81	17.56	23 49	5 30	<del>                                     </del>	13 00	<del>' </del>	+		+
	Zone 3		3	UEPSR UEPSB	UEALS	34 34	37 81	17 56	23 49	5 30		15 66	i			<u> </u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	Γ		1								1	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama					,								nent: 2		brt: B
CATEGORY	RATE ELEMENTS	Inter: m	Zone	<b>E</b> CS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Charge - Manual Svc Order vs	Charge -
						Rec		curring		Disconnect				Rates (\$)	,	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP		-												ļ	ļ
2-WIR	E ANALOG VOICE GRADE LOOP		-						ļ ————			-			1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14 38	88 00	55 00	47 24	7 44		15 66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	ł	2	UEA	UEAL2	22 85	88 00	55 00	47 24	7 44		15 66				
	Ground Start Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>	ļ <u>-</u>	UEA	UEALZ	22 00	00 00	55 00	47 24	7 44		13 66	ļ		<del>                                     </del>	<del> </del>
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36 14	88 00	55 00	47 24	7 44		15 66	l			ĺ
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	۱Ť	UEA	OCOSL	1 00 17	18 09	00 00	<u></u>			1000				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l .							1							
	Battery Signaling - Zone 1	1	1	UEA	UEAR2	14 38	88 00	55 00	47 24	7 44		15 66				l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	T												
L	Battery Signaling - Zone 2		2	UEA	UEAR2	22 85	88 00	55 00	47 24	7 44		15 66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	36 14	88 00	55 00	47 24	7 44		15 66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	ocosi.		18 09									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36 36				15.66				<u> </u>
	Loop Tagging - Service Level 2 (SL2)		<u> </u>	UEA	URETL		10 45	1 03				15 66				
4-WIR	E ANALOG VOICE GRADE LOOP		1													
	4-Wire Analog Voice Grade Loop - Zone 1	ļ	1	UEA	UEAL4	25 34	131 97	94 51	59 14	14 50		15 66				
	4-Wire Analog Voice Grade Loop - Zone 2	<b> </b>		UEA	UEAL4	38 58	131 97	94 51	59 14	14 50		15 66				
	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	60 02	131 97	94 51	59 14	14 50		15 66				
	Order Coordination for Specified Conversion Time (per LSR)	<b>!</b>	1	UEA	OCOSL		18 09									
2 1400	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36 36	<del> </del>			15 66			-	<del></del>
Z-VVIR	E ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1	UDN	U1L2X	21 88	117 24	79 77	52 88	10 54		15 66				
	2-Wire ISDN Digital Grade Loop - Zone 2	1		UDN	U1L2X	32 85	117 24	79 77	52 88	10 54		15 66				<del></del>
	2-Wire ISDN Digital Grade Loop - Zone 3	<del>                                     </del>	3	UDN	U1L2X	48 55	117 24	79 77	52 88	10 54		15 66				
	Order Coordination For Specified Conversion Time (per LSR)		<del> </del>	UDN	OCOSL	70.00	18 09	. ,,,,	32.00	10 34		13 00				
	CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>	<del> </del>	UDN	UREWO	<del>- </del>	91 63	44 16	1			15 66				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP	l														
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	21 88	117 24	79 77	52 88	10 54		15 66				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	UDC2X	32 85	117 24	79 77	52 88	10 54		15 66				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	48 55		79 77								
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch	<del></del>	3	UDC	UREWO	46 55	117 24 91 63	44 16	52 88	10 54		15 66 15 66			1	⊢—
2-10/18	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDIE	LOOP		UREWU	·	9163	44 16				15 66				<del>                                     </del>
12-11/10	2 Wire Unbundled ADSL Loop including manual service inquiry	AHOLE	LOOP				-									<del></del>
1	& facility reservation - Zone 1		1	UAL	UAL2X	11 01	110 00	68 00	47 24	7 44		15 66				1
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	U/ L	UALZA	- 1101	110 00	00 00	77 24	7 44		15 00		-		<del></del>
ľ	& facility reservation - Zone 2		2	UAL	UAL2X	12 73	110 00	68 00	47 24	7 44		15 66			l	l
	2 Wire Unbundled ADSL Loop including manual service inquiry		<del>-</del> -	-	0,12,1	12,10	11000					10 00			· · · · · · · · · · · · · · · · · · ·	l
	& facility reservation - Zone 3	l	3	UAL	UAL2X	14 30	110 00	68 00	47 24	7 44		15 66				1
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL		18 09									
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1													
	facility reservator - Zone 1	L	1	UAL	UAL2W	11 01	90 00	57 00	47 24	7 44		15 66			I	1
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12 73	90 00	57 00	47 24	7 44		15 66				
	2 Wire Unbundled ADSL Loop without manual service inquiry &														T	
	facility reservation - Zone 3	L	3	UAL	UAL2W	14 30	90 00	57 00	47 24	7 44		15 66	1		1	1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 09									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 20	40 40				15 66				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8 74	110 00	68 00	47 24	7 44		15 66				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	ŲHL	UHL2X	10 17	110 00	68 00	47 24	7 44		15 66				

Version 4Q02 01/21/03 Page 2 of 416

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													ment 2		bit B
CATEG	ORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
				ļ			Rec	Nonrec		Nonrecurring			r 22		Rates (\$)		
		O Was Ush and Idea IDCI I and and a second of an area						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11 44	110 00	68 00	47 24	7 44		15 66				İ '
	_	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11 44	18 09	00 00	47 24	7 44	<del> </del>	13 00				
	1	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OCCOSE		10 09				<del> </del>			<del>                                     </del>		<del></del>
	i	and facility reservation - Zone 1		1	luh <b>L</b>	UHL2W	8 74	90 00	57 00	47 24	7 44		15 66				ĺ
		2 Wire Unbundled HDSL Loop without manual service inquiry	<b></b>	<del> </del>	0.1.2	- JOHNEZAN		50 00				1					
		and facility reservation - Zone 2		2	UHL	UHL2W	10 17	90 00	57 00	47 24	7 44		15 66	ļ			ĺ
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11 44	90 00	57 00	47 24	7 44		15 66		]		1
		Order Coordination for Specified Conversion Time (per LSR)			UHL.	OCOSL		18 09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40				15 66				
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry			l	<u> </u>											1
		and facility reservation - Zone 1		1	UHL	UHL4X	13 95	148 36	68 00	51 70	9 73	L	15 66	ļ	<b></b>		<b></b>
	Ī	4-Wire Unbundled HDSL Loop including manual service inquiry		2	l	111111111111111111111111111111111111111		,							Ę.		1
	-	and facility reservation - Zone 2		2	UHL	UHL4X	15 56	148 36	68 00	51 70	9 73		15 66		ļ		<del></del>
	i	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	LIBBAY	15 25	148 36	68 00	51 70	9 73		15.00		ŧ		1
	<del></del>	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL4X OCOSL	15 25	18 09	60 00	3170	9/3		15 66		<u> </u>		ļ
-		4-Wire Unbundled HDSL Loop without manual service inquiry			OFF	- OCCOSE		10 09					<del></del>		<del> </del>		<del></del>
		and facility reservation - Zone 1		1	UHL	UHL4W	13 95	94 00	57 00	51 70	9 73		15 66		1		ĺ
	-	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	CITE	OTIL-777	10 33	54 00	37 00	3170	310		10 00				
	l .	and facility reservation - Zone 2		2	UHL.	UHL4W	15 56	94 00	57 00	51 70	9 73		15 66				1
		4-Wire Unbundled HDSL Loop without manual service inquiry				1											· · · · · · · · · · · · · · · · · · ·
		and facility reservation - Zone 3		3	UHL	UHL4W	15 25	94 00	57 00	51 70	9 73		15 66		1		ĺ
, i		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40				15 66				
	4-WIRE	DS1 DIGITAL LOOP											l				
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82 55	252 47	157 54	44 70	11 71		15 66				
	L	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154 18	252 47	157 54	44 70	11 71		15 66				
		4-Wire DS1 Digital Loop - Zone 3		3	USL	U\$LXX	314 52	252 47	157 54	44 70	11 71		15 66				ļ
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18 09 101 09	40.05				15.00		ļ		<del></del>
	A WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<del></del>		USL	UREWO		101 09	43 05				15 66		-		-
	4-1111	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	26 09	126 27	88 80	59 14	14 50		15 66	-	<del> </del>		
		4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	35 95	126 27	88 80	59 14	14 50		15 66				
		4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	37 88	126 27	88 80	59 14	14 50		15 66				<u> </u>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26 09	126 27	88 80	59 14	14 50		15 66				<del></del>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35 95	126 27	88 80	59 14	14 50		15 66				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37 88	126 27	88 80	59 14	14 50		15 66		1		
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 09									f
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26 09	126 27	88 80	59 14	14 50		15 66				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35 95	126 27	88 80	59 14	14 50		15 66				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37 88	126 27	88 80	59 14	14 50		15 66				
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 09									
	0 101155	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 13	49 75				15 66				
	2-WIRE	Unbundled COPPER LOOP								· · · · · · · · · · · · · · · · · · ·							
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11 01	140.40	CF 00	47.04	7.44		15.00		l		1
	<del></del>	2-Wire Unbundled Copper Loop/Short including manual service			UCL	UCLPB		112 46	65 30	47 24	7 44		15 66	<u> </u>	<del> </del>		<del>                                     </del>
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12 73	112 46	65 30	47 24	7 44		15 66		Į.		1
		2 Wire Unbundled Copper Loop/Short including manual service		<del></del> -	JUL	UULFB	12 / 3	112 40	00 30	41 24	7 44	<del>                                     </del>	13 00		<del>                                     </del>		<del></del>
	1	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14 30	112 46	65 30	47 24	7 44		15 66				1
	<b>—</b>	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	14 00	8 15	8 15	71.24	. 44	<del>                                     </del>		·	<del>                                     </del>		<u> </u>
•		2-Wire Unbundled Copper Loop/Short without manual service		<del>                                     </del>				5.10	3 10				<del> </del>				
		inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11 01	91 46	54 30	47 24	7 44		15 66		!		1
		2-Wire Unbundled Copper Loop/Short without manual service															
	1	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12 73	91 46	54 30	47 24	7 44		15 66		1		1

Version 4Q02 01/21/03 Page 3 of 416

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attachment 2		Exhibit: B	
CATEG		RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svo Order vs. Electronic-	Charge - C Manual Svc Order vs Electronic-	Charge - Cha	Charge - Manual Svo Order vs Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Unbundled Copper Loop/Short without manual service			l		44.00		****	47.0.							
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14 30	91 46	54 30	47 24	7 44		15 66				
		Order Coordination for Unbundled Copper Loops (per loop)			ncr	UCLMC		8 15	8 15						ļ <u>.</u>		
		2-Wire Unbundled Copper Loop/Long - includes manual srvc		1	UCL	UCL2L	31 42	112 46	65 30	47 24	7 44		15 66		1		
		inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Long - includes manual svc			I DOL	UCL2L	3142	112 46	65 30	47 24	7 44		10 00				
		inquiry and facility reservation - Zone 2		2	luct.	UCL2L	55 01	112 46	65 30	47 24	7 44		15 66				1
		2-Wire Unbundled Copper Loop/Long - includes manual svc			000	UULZE	30 01	112 40	00 00	7127			13 00		-		
		inquiry and facility reservation - Zone 3		3	luct	UCL2L	80 00	112 46	65 30	47 24	7 44		15 66				
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	IUCL	UCLMC		8 15	8 15				- 3 00				
	1	2-Wire Unbundled Copper Loop/Long - without manual service									••	1				····	
		inquiry and facility reservation - Zone 1	F	1	UCL	UCL2W	31 42	91 46	54 30	47 24	7 44		15 66				1
		2-Wire Unbundled Copper Loop/Long - without manual service															
		inquiry and facility reservation - Zone 2	Į.	2	UCL	UCL2W	55 01	91 46	54 30	47 24	7 44		15 66				
		2-Wire Unbundled Copper Loop/Long - without manual service			i										,		
		inquiry and facility reservation - Zone 3	ı	3	UCL	UCL2W	80 00	91 46	54 30	47 24	7 44		15 66				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15								
		CLEC to CLEC Conversion Charge without outside dispatch			l	l									İ		
		(UCL-Des)			UCL	UREWO		97 23	42 48				15 66				
	4-WIRE	COPPER LOOP															-
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17 36	135 21	88 05	51 70	9 73		15 66		l		
	-	4-Wire Copper Loop/Short - including manual service inquiry		1	UCL	UCL45	17 30	135 21	88 05	51 /0	9/3		15 66			ļ	
		and facility reservation - Zone 2		2	UCL	UCL4S	20 76	135 21	88 05	51 70	9 73		15 66				
		4-Wire Copper Loop/Short - including manual service inquiry			UCL	OCE43	20 70	155 21	00 00	3170	913		13 00			<del></del>	
		and facility reservation - Zone 3		3	UCL	UCL4S	28 21	135 21	88 05	51 70	9 73		15 66				
		Order Coordination for Unbundled Copper Loops (per loop)		<u>-</u>	UCL	UCLMC		8 15	8 15	91.10							
		4-Wire Copper Loop/Short - without manual service inquiry and									-						
		facility reservation - Zone 1	1	1	UCL	UCL4W	17 36	114 21	67 05	51 70	9 73		15 66				
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 2	- 1	2	UCL	UCL4W	20 76	114 21	67 05	51 70	9 73		15 66		i		
		4-Wire Copper Loop/Short - without manual service inquiry and															
	<u>.                                    </u>	facility reservation - Zone 3	1	3	UCL	UCL4W_	28 21	114 21	67 05	51 70	9 73		15 66				
	<b>.</b>	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15								
		4-Wire Unbundled Copper Loop/Long - includes manual svc													l		
		inquiry and facility reservation - Zone 1		1	UCL	UCL4L	49 35	135 21	88 05	51 70	9 73		15 66				
		4-Wire Unbundled Copper Loop/Long - includes manual svc		_			00.45	405.04	00.05	64.70	0.70		45.00		ł		
		inquiry and facility reservation - Zone 2		2	ncr	UCL4L	92 45	135 21	88 05	51 70	9 73	-	15 66			<del> </del>	
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	127 39	135 21	88 05	51 70	9 73		15 66		1		
	1	Order Coordination for Unbundled Copper Loops (per loop)		٦	UCL	UCLAL	121 39	8 15	8 15	3170	9/3		13 00		<del> </del>	<del> </del>	<del></del>
	<del> </del>	4-Wire Unbundled Copper Loop/Long - without manual svc		-	USE	CCLIVIO		0 13		-					<del></del>		<b>-</b>
	1	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	49 35	114 21	67 05	51 70	9 73		15 66		1		
	<u> </u>	4-Wire Unbundled Copper Loop/Long - without manual svc		<u> </u>	1	155.0	40 00	11721	0. 00	31,0	5.0		.0.00		<del> </del>	<u> </u>	
	1	inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	92 45	114 21	67 05	51 70	9 73		15 66		1	Į	
		4-Wire Unbundled Copper Loop/Long - without manual svc				<del>                                     </del>										1	
		inquiry and facility reservation - Zone 3	i	3	UCL	UCL4O	127 39	114 21	67 05	51 70	9 73		15 66				ŀ
		Order Coordination for Unbundled Copper Loops (per loop)		I	UCL	UCLMC		8 15	8 15								
	L	CLEC to CLEC conversion Charge without outside dispatch		L	UCL	UREWO		97 23	42 48				15 66				
LOOP	MODIFI	CATION															
					UAL, UHL, UCL,												
	}	h		1	UEQ, ULS, UEA,			ļ							l .	1	!
		Unbundled Loop Modification, Removal of Load Coits - 2 Wire			UEANL, UEPSR,	1									[	1	1
		pair less than or equal to 18k (t		<u> </u>	UEPSB	ULM2L		0 00	0 00				15 66			ļ	
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			HOL HE 1150	LILLAGO		470 5 -	470 51				15.00		1	1	
	-	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	-	UCL, ULS, UEQ	ULM2G		170 51	170 51			-	15 66	<u> </u>	<del> </del>		<del> </del>
		Torroundied Ecop Michigation Removal of Load Colls - 4 Wife		1	1	1		i		1		1	1	l .	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama			•										ment 2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc	Charge - Manual Svc Order vs	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1								1		-			
	pair greater than 18k ft		<b>⊢</b> −	UCL	ULM4G		170 51	170 51				15 66				
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ,ULS,UEA, UEANL, UEPSR,												
	per unbundled loop	- 1		UEPSB	ULMBT		32 41	32 41	İ		l	15 66				
SUB-LOOPS			1													
Sub-L	oop Distribution															<del></del>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1											
	Up		<del> </del>	UEANL	USBSA		244 42					15 66				
	0 h 1 B. C B. 1 1 1 C-+ 11-			UEANL	USBSB		22 64					15 66				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSB		22 64					13 00				+
	Facility Sel-Up	,		UEANL	USBSC		177 45					15 66		ĺ		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		-	OLAIL	USBOO		177 43					10 00				+
- 1	Set-Up			UEANL	USBSD		55 15					15 66		]		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			02	100000							1000		<u> </u>		
1	Zone 1		1	UEANL	USBN2	11 21	65 80	30 96	45 25	6 70		15 66				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	T								ļ · · ·					1
	Zone 2		2	UEANL	USBN2	11 94	65 80	30 96	45 25	6 70	1	15 66	İ			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		T													
	Zone 3		3	UEANL	USBN2	16 86	65 80	30 96	45 25	6 70	1	15.66		l .		
							·					[				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		8 15	8 15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														ļ	}
	Zone 1		1	UEANL	USBN4	8 46	79 03	44 19	49 71	9 07		15 66				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1						1					
	Zone 2	_	2	UEANL.	USBN4	16 67	79 03	44 19	49 71	9 07		15 66				ļ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				LICONIA	20.57	70.00	44.40	40.74	9 07		15.00				
	Zone 3	ļ	3	UEANL	USBN4	32 57	79 03	44 19	49 71	907		15 66				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ı	UEANL	USBMC		8 15	8 15							1	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		<del> </del>	UEANL	USBR2	2 27	53 01	18 17		6 70	<u> </u>	15 66		<b></b>		1-
-	Odb-Ecop 2-Wile Wittabdilding NetWork Oable (INO)	<u> </u>	1	CENTE	035112		33 01	10 17	40 20	0.70	+	13 00		-		<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	!	8 15	8 15				Ì		ł		1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5 16	59 25	24 41		9 07		15 66				<b>†</b>
			1								· · · · · · · · · · · · · · · · · · ·					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8 15	8 15				ŀ		1		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6 22	65 80	30 96		6 70		5 66				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8 76	65 80	30 96		6 70		15 66				L
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11 27	65 80	30 96	45 25	6 70		15 66				
1				l	1	i								1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		١.	UEF	USBMC		8 15	8 15			<u> </u>			ļ		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6 11	79 03	44 19		9 07		15 66				<del> </del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3	UEF UEF	UC\$4X	12 61	79 03	44 19		9 07		15 66				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		1.3	UEF	UCS4X	15 36	79 03	44 19	49 71	9 07		15 66				
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		8 15	8 15					l	1	1	
Unbur	ndled Sub-Loop Modification		<del> </del>	OL1	CODING	-	0 13	0 13	<u> </u>	-	-					+
12.750	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1		+						<del>                                     </del>	<del> </del>	ļ		<del> </del>	<del> </del>
	Coil/Equip Removal per 2-W PR		1	UEF	ULM2X		175 78	5 10			1	15 66			l	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		<u> </u>					2 10		<u> </u>		1	ļ	<del>                                     </del>		t
1	Coll/Equip Removal per 4-W PR		1	UEF	ULM4X		175 78	5 10			}	15 66	1	1		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			T	1			- 10				····		İ	i	
I	Tap Removal, per PR unloaded			ŲEF	ULM4T		278 20	6 11				15 66	I	1	I	-
Unbur	ndled Network Terminating Wire (UNTW)		1						1				1	l		
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 40	30 01					15 66				I
Netwo	ork Interface Device (NID)									1				1	I	
	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		43 23	28 38	<b> </b>		1	15 66				1

UNDUNDE	D NETWORK ELEMENTS - Alabama														Exhibit B	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc	RATES (\$)						Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
		ł				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63 97	49 11				15 66				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	1	5 87	5 87			T	15 66				
	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		5 87	5 87				15 66				
UB-LOOPS			L													1
Sub-L	oop Feeder	l				i									L	Ĺ
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	}		UEA,	1 1	ļ										
.	Distribution Facility set-up			UDN UCL,UDL,UDC	USBFW		244 42					15 66				İ
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	ŀ		UEA,			1									(
	sel-up			UDN,UCL,UDL,UDC			22 64	22 64				15 66		ł	]	i
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519 95	11 32				15 66				4
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	8 03	93 00	56 48	54 51	13 67		15 66			i	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															ſ
	Grade - Zone 2		2	UÉA	USBFA	12 00	93 00	56 48	54 51	13 67		15 66			1	į.
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,													·	<b>†</b>	
	Voice Grade - Zone 3		3	UEA	USBFA	20 39	93 00	56 48	54 51	13 67	1	15 66			1	l .
	Order Coordination for Specified Conversion Time, per LSR			UEA	ocosL		18 09				i				l	
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice										1					
	Grade - Zone 1		1 1	UEA	USBFB	8 03	93 00	56 48	54 51	13 67		15 66			ļ	l .
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start Voice								1 2		1	1			<del>                                     </del>	-
	Grade - Zone 2	ŀ	2	UEA	USBFB	12 00	93 00	56 48	54 51	13 67		15 66			1	(
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	<b></b>	<del> </del>		1		30.00						_			
	Grade - Zone 3	l	3	UEA	USBFB	20 39	93 00	56 48	54 51	13 67		15 66			1	í
	Order Coordination for Specified Time Conversion, per LSR	i –		UEA	OCOSL	2000	18 09	00 40	1	10 07		1000				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	i —		02/1	00002		- 10 03				+	<del></del>				
	Voice Grade - Zone 1		1 1	UEA	USBFC	8 03	93 00	56 48	54 51	13 67		15 66				i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	-	<u> </u>	OLA .	CODI C	0 03	93 00	30 40	34 31	13 07	+	13 00			-	
	Voice Grade - Zone 2	1	2	UEA	USBFC	12 00	93 00	56 48	54 51	13 67		15 66				i .
+	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse	<del>                                     </del>	-	OLA	USBI C	12 00	- 93 00	30 46	34 51	13 07	<del></del>	15.00	-			
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	20 39	93 00	56 48	54 51	13 67		15 66			i	į .
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL	20 33	18 09	30 46	34 31	13 07	+	13.00				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		-	0.0	OCOSE	+	10 09		<b>+</b>							
	Grade - Zone 1		1 1	UEA	USBFD	19 21	107 56	70 09	62 05	17 40		15 66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	USBFD	1921	107 56	70 09	62 05	17 40	<del></del>	.2 00			ļ	<del></del>
	Grade - Zone 2		2	UEA	USBFD	23 47	107 56	70 09	62 05	17 40		15 66			1	l .
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		-	UEA	USBFD	23 47	107 56	70.09	62.05	17 40	-	ו סט רי		ļ		
i	Grade - Zone 3		3	UEA	USBFD	39 63	107 56	70 09	20.05	47.40	1 .	أممما		]		l .
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	39 63		70 09	62 05	17 40	-	15 66				
				UEA	OCOSL		18 09							-		
i	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		١ , ١		LIGHT	40.04										l .
	Grade - Zone 1		1	UEA	USBFE	19 21	107 56	70 09	62 05	17 40		15 66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	]	١ ـ ا						1					İ		
	Grade - Zone 2		2	UEA	U\$BFE	23 47	107 56	70 09	62 05	17 40		15 66		<u></u>		<b></b>
	Unbundled Sub-Loop Feeder Loop 4 Wire Loop-Start, Voice	l	1 [		j	i	1		[							l .
	Grade - Zone 3			UEA	USBFE	39 63	107 56	70 09	62 05	17 40		15 66				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18 09							L		
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	14 87	106 16	68 69		13 29		15 66				l
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	21 69	106 16	68 69	55 64	13 29		15 66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	32 51	106 16	68 69	55 64	13 29		15 66				
	Order Coordination For Specified Conversion Time, Per LSR	L		UDN	OCOSL		18 09									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	14 87	106 16	68 69	55 64	13 29		5 66				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21 69	106 16	68 69	55 64	13 29		15 66				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	32 51	106 16	68 69	55 64	13 29	1	5 66				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55 09	101 85	64 38	62 05	17 40		· 5 66				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	124 69	101 85	64 38	62 05	17 40		15 66				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	294 62	101 85	64 38		17 40		15 66		1		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	-	18 09			10				1		
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1			UCL	USBFH	5 75	83 78	46 32	53 02	10 67		15 66			j	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				- '				<del>  </del>		1				1	
- 1	2	Ì	2	UCL	USBFH	4 93	83 78	46 32	53 02	10 67	1	15 66		1	1	1

INBUNDLE	D NETWORK ELEMENTS - Alabama													ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		curring	Nonrecurring					Rates (\$)	201111	SOMAN
							First	Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1						55.00	40.07		15 66			·	
	3		3	ucr _	USBFH	3 96	83 78	46 32	53 02	10 67		15 00				<del></del>
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18 09	20.50	57 90	13 26		5 66		_		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL_	USBFJ	12 71	100 99	63 53		13 26		5 66				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	9 69	100 99	63 53	57 90	13 26		15 66				<del>                                     </del>
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	14 37	100 99	63 53	57 90	13 20		15 00			-	<del> </del>
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	ocost	40.00	18 09	64.30	62 05	17 40		15 66				+
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	<u></u>	1 1	UDL	USBFN	19 20	101 85	64 38		17 40		15 66				<del></del>
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	<u> </u>	2	UDL	USBFN	21 64	101 85	64 38 64 38		17 40	-	15 66		<del> </del>		<del> </del>
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	NDL	USBFN	23 75	101 85	64 38	62.05	17 40		13 00		<del> </del>		<del>                                     </del>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	l	1 .			40.00	404.55		62 05	17 40	1	15 66				
	Zone 1		1	UDL	USBFO	19 20	101 85	64 38	62 05	17 40	<del>  -</del>	12.00		+		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	l			1,0055				62 05	17 40		15 66				1
	Zone 2		2	UDL	USBFO	21 64	101 85	64 38	62 05	17 40		1700		•		<del> </del>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	l	1 -	l	1			1	62 05	17 40		15 66			1	1
	Zone 3		3	UDL	USBFO	23 75	101 85	64 38	62 05	17 40		13 66				+
	Order Coordination For Specified Time Conversion, per LSR		1	UDL	OCOSL		18 09	ļ				1		<del> </del>		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			İ						47.40		15.00				
1	Zone 1		1	UDL	USBFP	19 20	101 85	64 38	62 05	17 40	<u> </u>	15 66				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				i						i .	15 66	1			
	Zone 2		2	UDL	USBFP	21 64	101 85	64 38	62 05	17 40		15.66				+
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	ļ	1		1 1				1							1
	Zone 3	1	3	UDL	USBFP	23 75	101 85	64 38	62 05	17 40	ļ	15 66		-		
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18 09	_				ļ				
UB-LOOPS		l														<del> </del>
Sub-L	pop Feeder														<u> </u>	<del> </del>
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	13 55									-	+
	Sub Loop Feeder - DS3 - Facility Termination Per Month	I		UE3	USBF1	332 40	3,400 58	407_00	160 47	90 97		15 66				
	Sub Loop Feeder - STS-1 - Per Mile Per Month	1		UDLSX	1L5SL	13 55				_				<u> </u>		<del></del>
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1	1	UDLSX	USBF7	357 36	3,400 58	407 00	160 47	90 97		15 <b>6</b> 6		1		
	Sub Loop Feeder - OC-3 - Per Mile Per Month	l l	1	UDLO3	1L5SL	10 28								ļ <u> </u>		
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per						1					1		1	ļ.	
i	Month	1		UDLO3	USBF5	54 89										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	- 1		UDLO3	USBF2	538 69	3,400 58	407 00	160 47	90 97		15 66				<del></del>
	Sub Loop Feeder - OC-12 - Per Mile Per Month	ï		UDL12	1L5SL	12 66									<u> </u>	<b>↓</b>
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per							i						İ		
	Month	1	1	UDL12	USBF6	620 18			·							
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,729 00	3,400 58	407 00	160 47	90 97		15 66				<b></b>
	Sub Loop Feeder - OC-48 - Per Mile Per Month	. 1		UDL48	1L5SL	41 51					J			<del> </del>		
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month	1		UDL48	USBF9	310 30		l								—
i i	Sub Loop Feeder - OC-48 - Facility Termination Per Month	- 1		UDL48	USBF4	1,495 00	3,586 58		160 47	90 97		15 66				
	Sub Loop Feeder - OC-12 Interface On OC-48	H		UDL48	USBF8	350 09	804 67	407 00	160 47	90 97		15 66				<b>↓</b>
NBUNDLED	LOOP CONCENTRATION						I									<b>↓</b>
	Unbundled Loop Concentration - System A (TR008)			ULC	UCTBA	364 17	325 41					15 66		1		
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	43 70	135 59				1	15 66		l		
	Unbundled Loop Concentration - System A (TR303)	1		ULC	UCT3A	395 12	325 41	325 41				I	İ			
	Unbundled Loop Concentration - System B (TR303)	1		ULC	UCT3B	73 64	135 59	135 59				15 66				1
-	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	истсо	4 16	63 29	46 07	16 79	4 70	1	15 66				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite		1	1												
ì	Card)		1	UDN	ULCC1	6 60	10 54	10 48	5 39	5 36		15 66				
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1	1				1					1		T		
1	Card)			UDC	ULCCU	6 60	10 54	10 48	5 39	5 36		15 66	1	L	1	1
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	<del> </del>	_					1	1							
[	Ground Start Loop Interface (POTS Card)	1		UEA	ULCC2	1 65	10 54	10 48	5 39	5 36		15 66				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	<b>—</b>	+	<del> </del>		. 50	1	1	1				1			T
	Loop Interface (SPOTS Card)			UEA	ULCCR	9 81	10 54	10 48	5 39	5 36		15 66	l		l	
-	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	<del> </del>	+	,	3200		1	1	1				1			
ŀ	(Specials Card)	1		UEA	ULCC4	5 85	10 54	10 48	5 39	5 36	-	15 66	1		1	1

OMBONDE	LED NETWORK ELEMENTS - Alabama	1			γ							0		ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	<b>Z</b> опе	всѕ	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
						Rec	Nonre		Nonrecurring					Rates (\$)		
	TEST SIDELLE		-		HOTTO		First	Add'l	First	Add'!	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card	}		ULC	UCTTC	28 60	10 54	10 48	5 39	5 36		15 66				
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface	l		UDL	ULCC7	8 67	10 54	10 48	5 39	5 36		15 66				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop	<del>}</del>	<del> </del>	ODL	OLCC7	0.07	10 54	10 40	2 28	5 36		13 66				
	Interface	1	1	UDL.	ULCC5	8 67	10 54	10 48	5 39	5 36		15 66				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			000	0.000	- 00.	10 0-1	10 40	- 505	0.00		1300				
	Interface	•		UDL	ULCC6	8 67	10 54	10 48	5 39	5 36		15 66		į		
UNE OTHER	, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0 00									
				UEANL, UEF, UEQ, U		Ī										
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0 00	0 00							L		
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
1	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no										1					
	rate		L	UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
1	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no						0.00									
	rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL	USBFR	0 00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate  Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0 00	0.00									
	no rate			USL	CCOEF	0 00	0 00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP		<del> </del>	USE	CCOL	0.00	0 00		<del> </del>							
	E: minimum billing period of three months for DS3 and above L	ocal Lo	on						<del>!                                    </del>		<u> </u>			-		
7.5	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	Ť						<del> </del>							
ļ	month			UE3	1L5ND	8 38										
	High Capacity Unbundled Local Loop - DS3 - Facility															
1	Termination per month			UE3	UE3PX	308 98	451 52	263 94	119 49	83 58	l i	15 66				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per					ŀ										
	month			UDLSX	1L5ND	8 38								ĺ		1
	High Capacity Unbundled Local Loop - STS-1 - Facility				· ·											
ل	Termination per month		<u> </u>	UDLSX	UDLS1	319 83	451 52	263 94	119 49	83 58		15 66				
LOOP MAKE			<u> </u>						ļ l							
	Loop Makeup - Preordering Without Reservation, per working or	l	Ì		1				1							
	(spare facility queried (Manual)		<u> </u>	UMK	UMKLW	-	20 00	20 00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	ŀ	1	UMK	UMKLP		21 00	21 00								
-	Loop MakeupWith or Without Reservation, per working or	-		OWIN	UIVINLE		2100	2100			_					
	spare facility queried (Mechanized)			UMK	PSUMK		0.59	0.59								!
HIGH FREQU	UENCY SPECTRUM			Onne	1 OOM		0.00		<del>  -  </del>					<b>-</b>		
	SHARING		<u> </u>			-										
	ITTERS-CENTRAL OFFICE BASED										ì					
	Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	155 97	188 79	0.00	177 98	0 00		15 66				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38 99	188 79	0 00	177 98	0 00		15 66				
	Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSD8	12 73	377 58	0 00	355 96	0 00		15 66				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-															
	deactivation (per LSOD)			ULS	ULSDG	j	86 47	0 00	49 84	0 00	!	15 66				ţ
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM A													
	Line Sharing - per Line Activation (BST Owned splitter)	L		ULS	ULSDC	0 61	18 51	10 60	10.01	4 92		15 66				
1	Line Sharing - per Subsequent Activity per Line	l	1	l <u>-</u>	l 1	l										i
	Rearrangement(BST Owned Splitter	ļ	<u> </u>	ULS	ULSDS		16 39	8 19				15 66				ļ
1	Line Sharing - per Subsequent Activity per Line	1	1	l	1,,,,,,,	1										1
	Rearrangement(DLEC Owned Splitter	<b>⊢</b> .	├	ULS	ULSCS	2.0	16 39	8 19	<del> </del>			15 66				
1 1515	Line Shanng - per Line Activation (DLEC owned Splitter)  SPLITTING	<del></del>	-	ULS	ULSCC	0 61	47 44	19 31	20 02	9 83		15 66				ļ
	USER ORDERING-CENTRAL OFFICE BASED	ļ	-		<b> </b>				<del>  </del>							
EIAD	Line Splitting - per line activation DLEC owned splitter		-	UÉPSR UEPSB	UREO\$	0 61			<del>                                     </del>						ļ	<del> </del>
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37 01	21 19	20 02	9 83		15 66				<del></del>

OURONDER	D NETWORK ELEMENTS - Alabama			Г		,					,			ment: 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		<u> </u>				Rec	Nonrec		Nonrecurring					Rates (\$)		
	Line Splitting - per line activation BST owned - virtual	١	-	UEPSR UEPSB	UREBV	0 61	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
REMO	TE SITE HIGH FREQUENCY SPECTRUM		<del>                                     </del>	UEFOR UEFOB	UREBV	0.61	37 01	21 19	20,02	9 83	ļ	15 66				<del> </del>
	TERS-REMOTE SITE		1			<del></del>										-
OI EII	Remote Site Line Share BellSouth Owned Splitter, 24 Port		_	ULS	ULSRB	40 01	114 83	0 00	85 03	0.00	<del> </del>	15 66				<del></del>
	Remote Site Line Share Cable Pair Activation CLEC Owned at										ì	75 00			-	<del></del>
	RS and Deactivation	1		ULS	ULSTG		95 66	0.00	68 25	0 00		15 66				
END L	ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	M AKA	REMO	E SITE LINE SHARI	NG											
1	Remote Site Line Share Line Activation for End User Served at									-						
	RS, BST Splitter		_	ULS	ULSRC	0 61	37 01	21 19	20 02	9 83		15 66				
- 1	RS Line Share Line Activation for End User served at RS, CLEC Splitter	١.		ULS	ULSTC	0 61	27.04	24.42	20.00							
	Remote Site Line Share Subsequent Activity-RS BST Owned	<del></del>	<u> </u>	ULS	ULSIC	061	37 01	21 19	20 02	9 83		15 66				
1	Splitter	1	1	ULS	ULSRS		49 16	17 83				15 66		f	1	
	Remote Site Line Share Subsequent Activity-RS CLEC Owned	+-	<del>                                     </del>	020	OLORO		49 10	17 03	<del> </del>			13 00	<del>                                     </del>	<del> </del>	-	<del> </del>
	Splitter	1 1		ULS	ULSTS		49 16	17 83				15 66		ŀ		
UNBUNDLED	DEDICATED TRANSPORT				1											
NOTE:	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, abov	e DS3=four mo	nths									
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					1										
	Per Mile per month	ļ.,	ļ	U1TVX	1L5XX	0 008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1			1										
	Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade		1	U1TVX	U1TV2	21 13	40 54	27 41	16 74	6 90		15 66				
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 008838								l		
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		+	UTIVA	ILSAA	0 000000										<del></del>
1	Facility Termination			U1TVX	U1TR2	21 13	40 54	27 41	16 74	6 90		15 66		1		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	<del> </del>	<del> </del>	01111	O I I I I	2, 10	40.04	4171	1074	0 30		13 00	<b></b>			<del>                                     </del>
l i	Per Mile per month			U1TVX	1L5XX	0 008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	18 73	40 54	27 41	16 74	6 90		15 66				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month		ļ	U1TDX	1L5XX	0 008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility				l											
	Termination			U1TDX	U1TD5	15 12	40 54	27 41	16 74	6 90		15 66				ļ <u>.</u>
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 008838						1				
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			UTIDX	ILSXX	0.008838					<del></del>	<u> </u>				<del></del>
]	Termination			U1TDX	U1TD6	15 12	40 54	27 41	16 74	6 90		15 66		l		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	<del> </del>	<del> </del>	BIIBA	01100	10 12	40 04	214	1074	0 30		13 00				<del> </del>
	month			U1TD1	1L5XX	0 18						<b>!</b>				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	60 16	89 27	81 81	16 35	14 44		15 66		1		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month		1	U1TD3	1L5XX	4 09										l
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1		l											1
	Termination per month	1	<b>⊢</b>	U1TD3	U1TF3	703 52	278 75	162 76	60 20	58 46	ļ	15 66		ļ		<del></del>
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month	1	1		41.500									1		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	-	1-	U1TS1	1L5XX	4 09										
	Termination			U1TS1	U1TFS	701 37	278 75	162 76	60 20	58 46		15 66		1		1
LOCA	L CHANNEL - DEDICATED TRANSPORT	<del> </del>	<del>                                     </del>	0.101	01110	70137	21013	102 /6	00 20	20 46	-	13.00		<del>                                     </del>		<del> </del>
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir	ng pend	d = be	low DS3=one month	above DS3	four months					<u> </u>			<b></b>	<b></b>	<u> </u>
	Local Channel - Dedicated - 2-Wire Voice Grade	1	1	ULDVX	ULDV2	13 97	193 10	33 17	36 64	3 20		15 66	· ·	· ·	1	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	13 97	193 10	33 17	36 64	3 20		'5 66				
	Local Channel - Dedicated - 4-Wire Voice Grade		L	ULDVX	ULDV4	14 93	193 53	33 60		3 67		5 66				
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	35 76	177 47	153 72		15 26		'5 66				
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	49 98	177 47	153 72		15 26		-5 66				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	107 63	177 47	153 72	22 19	15 26	ļ	15 66				
	Local Channel - Dedicated - DS3 - Per Mile per month		L	ULDD3	1L5NC	6 92	l									<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring		ļ			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination	ļ		ULDD3	ULDF3	416 54	451 52	263 94	119 49	83 58	ļ	15 66			1	
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6 92										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULD\$1	ULDFS	408 49	451 52	263 94	119 49	83 58		15 66				<b></b>
DARK FIBER	·										ļ					
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1						i					1
	Thereof per month - Local Channel	ļ	ļ	UDF	1L5DC	60 32				7.2				l		
	NRC Dark Fiber - Local Channel	ļ	ļ	UDF	UDFC4		639 09	137 87	317 06	197 66		15 66				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	1	i e		1								!		1
	Thereof per month - Interoffice Channel		ļ	UDF	1L5DF	22 34				_						
	NRC Dark Fiber - Interoffice Channel	ļ	ļ	UDF	UDF14		639 09	137 87	317 06	197 66		15 66				L
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	l	1		ļ									ĺ
	Thereof per month - Local Loop			UDF	1L5DL	60 32										<b></b>
	NRC Dark Fiber - Local Loop		_	UDF	UDFL4		639 09	137 87	317 06	197 66		15 66			L	<b></b>
8XX ACCESS	S TEN DIGIT SCREENING		_													<b></b>
	8XX Access Ten Digit Screening, Per Call	ļ	<u> </u>	OHD	1	0 00056										ļ
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX				ļ											1
	Number Reserved			OHD	N8R1X		2 58	0 44				15 66				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															1
	POTS Translations			OHD			5 94	0 81	4 57	0 54		15 66				L
	8XX Access Ten Digit Screening, Per 8XX No. Established With			1												1
	POTS Translations	ļ		OHD	N8FTX		5 94	0.81	4 57	0 54		15 66				<u> </u>
1	8XX Access Ten Digit Screening, Customized Area of Service															1
	Per 8XX Number		ļ	OHD	N8FCX		2 58	1 29				15 66				1
1	8XX Access Ten Digit Screening, Multiple InterLATA CXR			1												
	Routing Per CXR Requested Per 8XX No		<u> </u>	OHD	N8FMX		3 02	1 73				15 66				1
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3 02	0 44				15 66				ĺ
ŀ	8XX Access Ten Digit Screening, Call Handling and Destination			ļ												1
	Features	1		OHD	N8FDX		2 58		<u> </u>			15 66				I
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery		<u> </u>	OHD		0 000565										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0 000565										
LINE INFORM	MATION DATA BASE ACCESS (LIDB)				_										l	i
	LIDB Common Transport Per Query			OQT		0 00002										
	LIDB Validation Per Query			oqu		0 012002										1
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34 32		42 08			15 66				i
SIGNALING			L													1
	CCS7 Signaling Connection, Per 56Kbps Facility					15 46	35 53	35 53	16 44	16 44		15 66				
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130 83										1
	CCS7 Signaling Usage, Per Call Setup Message					0 0000142				_						1
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0000569										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15 46	35 53	35 53	16 44	16 44		15 <b>66</b>				l
	CCS7 Signaling Connection, Per link (B link) (also known as D					1	1									·
	link)	<u> </u>		UDB	TPP++	15 46	35 53	35 53	16 44	16 44		15 66				l
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000142										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650 33			1							i —
	CCS7 Signaling Point Code, per Originating Point Code	ŀ														1
	Establishment or Change, per STP affected			UDB	CCAPO		29 01	29 01	35 57	35 57		15 66				l
E911 SERVIC			L.,													
	Local Channel - Dedicated - 2-wr Voice Grade					13 97	193 10	33 17	36 64	3 20		15 66				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 008838										i
l	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					- T										,
	Termination		L		1	21 13	40 54	27 41	16 74	6 90		15 66			l !	1
	Local Channel - Dedicated - DS1 - Zone 1		L			35 76	177 47	153 72		15 26		15 66				
	Local Channel - Dedicated - DS1 - Zone 2					49 98	177 47	153 72		15 26		15 66				
	Local Channel - Dedicated - DS1 - Zone 3					107 63	177 47	153 72	22 19	15 26		15 <b>66</b>				í
	Interoffice Transport - Dedicated - DS1 Per Mile					0 18										í T
				i												1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89 27	81 81	16 35	14 44	I	15 66				į.
CALLING NA	ME (CNAM) SERVICE															1
i i	CNAM For DB Owners - Service Establishment			OQV			22 95		21 11				•			i

	D NETWORK ELEMENTS - Alabama	1	1								Svc Order	Svc Order	Incremental	ment: 2	Incremental	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted, Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge - Manual Sy Order vs
						Rec	Nonrec		Nonrecurring		_			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For Non DB Owners - Service Establishment		<del></del>	OQV			22 95		21 11		i					<del> </del>
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			990 88	732 84	268 93	197 74					1	İ
	CNAM For Non DB Owners - Service Provisioning With Point		-	UQV			990 56	732 04	200 93	197 74						+
	Code Establishment			ogv			342 33	245 14	275 25	197 74	1				į.	
	CNAM for DB Owners, Per Query			ogv		0 000902	0.12.00	2.0	2.025		<del> </del>				1	<u> </u>
	CNAM for Non DB Owners, Per Query			OQV		0 000902									i	1
LNP Query Se		·				V										
[	LNP Charge Per query					0 000757										
	LNP Service Establishment Manual				-		12 52		11 51			5 66				T
	LNP Service Provisioning with Point Code Establishment						593 49	303 20	268 93	197 74		15 66				
OPERATOR C.	ALL PROCESSING															
	Oper Call Processing - Oper Provided, Per Min - Using BST											'				
	LIDB		<u> </u>			1 20										
	Oper Call Processing - Oper Provided, Per Min - Using										1					
	Foreign LIDB		<b>↓</b>		-	1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST				+						İ					
<b>—</b>	LIDB	-	-			0 20					-	ļ		<u> </u>		
[	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20					1					
INNA PROPE	RATOR SERVICES		+		<del></del>	0 20					1					
INTARD OF E	Inward Operator Services - Verification, Per Minute		+			1 15					-					<del>                                     </del>
	Inward Operator Services - Verification, 1 of Williams Inward Operator Services - Verification and Emergency Interrupt		1		+	1 10					<del> </del>					
	- Per Minute					1 15									1	
BRANDING - C	OPERATOR CALL PROCESSING		1												† · · · · · · · ·	
	y based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00				15 66				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500 00	500 00				15 66			<u> </u>	j
UNEP			<u> </u>								ļ					
	Recording of Custom Branded OA Announcement	<b></b>	<u> </u>				7,000 00	7,000 00			ļ	15 66		ļ <u></u>		
	Loading of Custom Branded OA Announcement per shelf/NAV		1			!								1	}	1
ļ	per OCN		↓				500 00	500 00				15 66				1
	nding via OLNS for UNEP CLEC		<del> </del>		·		1 000 00	4 000 00								
	Loading of OA per OCN (Regional)		+		-		1,200 00	1,200 00				15 66			1	<del> </del>
	TORY ASSISTANCE ACCESS SERVICE	1-	╄								ļ					
DIKEC	Directory Assistance Access Service Calls, Charge Per Call	<del>  -</del>			+	0 275						-				
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC\	1-		<del></del>	0.2/3			t							1
	Directory Assistance Call Completion Access Service (DACC).	1	<del> </del>							·	<del> </del>				+	
	Per Call Attempt	1				0 10			· 1			1				
NUMB	ER SERVICES INTERCEPT ACCESS SERVICE	-									-				•	<del></del>
	SSISTANCE SERVICES			·												
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing	1				0.04		_								
	Directory Assistance Data Base Service, per month	<u> </u>			DBSOF	150 00										
	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															ļ
_	Recording and Provisioning of DA Custom Branded		1													
<u> </u>	Announcement	<b></b>	<b></b>	AMT	CBADA		3,000 00	3,000 00				15 66				ļ
	Loading of Custom Branded Announcement per Switch per			l											Ì	
<u>-</u> -	OCN		<b>↓</b>	AMT	CBADC	ļ	1,170 00	1,170 00				15 66			ļ	1
UNEP		1	1					0.000.50							-	<b> </b>
<del> </del>	Recording of DA Custom Branded Announcement	-	-		+		3,000 00	3,000 00			<b> </b>	15 66			<del> </del>	+
	Loading of DA Custom Branded Announcement per Switch per OCN						4.70.00	4 470 00				15.00		1		
lint			+				1,170 00	1,170 00				15 <b>6</b> 6		-	<del> </del>	<del> </del>
Unbrai	nding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order)	<del> </del>	+		<del></del>		420 00	420 00			<del> </del>	15 66		-	<del> </del>	+
			1	1			420 00 1	420 00	4 1		i	10.00	1	I .	1	L

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attach	nent: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SELECTIVE RO			<u> </u>													
	Selective Routing Per Unique Line Class Code Per Request Per		1													
VIRTUAL COLI	Switch				USRCR		84 70	84 70	14 11	14 11		15 66				
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		<u> </u>		+											<del> </del>
	Splitting		1	UEPSR, UEPSB	VE1LS	0 03	12 30	11 80	6 03	5 44		15 66				
PHYSICAL COI				DET OIX, DET OB	102125	0 00	12 30	1100	0.03	3 44	1	1300				<del> </del>
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1								<del>                                     </del>					
	Splitting			UEPSR, UEPSB	PE1LS	0 03	12 30	11 80	6 03	5 44	1	15 66				İ
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098 91		8,590 70		J	15 66				
	End Office Establishment			SRC	SRCEO		169 88	169 88	1 70	1 70	<b> </b> _	15 66				1
AUN DELLOCA	Query NRC, per query		<u> </u>	SRC	1	0 002749										<b> </b>
AIN - BELLSU	JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,		-		-						<u> </u>					<del></del>
	Initial Setup			A1N	CAMSE		39 44	39 44	40 69	40 69		15 66			ĺ	į.
<del></del>	illinai Celap		+	A114	CANOL		35 44	35 44	40.03	40 09	<del> </del>	13 00				<del></del>
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7 83	7 83	9 09	9 09	}	5 66				[
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7 83	7 83	9 09	9 09		15 66				
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35 00	35 00	27 06	27 06		15 66				<u> </u>
	AIN SMS Access Service - Security Card, Per User ID Code,		}		1											!
	Initial or Replacement		ļ	A1N	CAMRC		41 88	41 88	1171	11 71		15 66				<u> </u>
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		-		<del> </del>	0 002188										-
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		<del> </del>		<del> </del>	0 59							<del></del>			
	Minute		1			0.73										1
AIN - BELLSO	JTH AIN TOOLKIT SERVICE		1			370					-					
	AIN Toolkit Service - Service Establishment Charge, Per State,		1													
	Initial Setup		<u> </u>	CAM	BAPSC		39 44	39 44	40 69	40 69		15 <b>6</b> 6				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202 17	4,202 17				15 66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		1	1										i
	DN, Term Attempt		-		BAPTT		7 83	7 83	9 09	9 09		15 66				<del> </del>
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per DN, Off-Hook Delay		1		BAPTD		7 83	7 83	9 09	9 09		15 66				ŀ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<del>                                     </del>		BAPID		7 03	7 03	9 09	9 09		13 00				<del></del>
	DN, Off-Hook Immediate				ВАРТМ		7 83	7 83	9 09	9 09	1	15 66				1
· · · · · · · · · · · · · · · · · · ·	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		-					0 00	İ	15 50				
	DN, 10-Digit PODP				ВАРТО		34 47	34 47	14 36	14 36		15 66				Ĺ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34 47	34 47	14 36	14 36		15 66				<b></b>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAD==											1
<del></del>	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query		<del> </del>	<del> </del>	BAPTF	0.05	34 47	34 47	14 36	14 36	ļ	15 <b>66</b>				<del></del>
<del></del>	AIN Toolkit Service - Guery Charge, Per Guery AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		_		+	0.05					<del> </del>					<del>                                     </del>
	Subscription, Per Node, Per Query				1	0 00582										1
-	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1	2 00002									l	·
	Account, Per 100 Kilobytes			L		0 05									<b></b>	<u> </u>
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		Γ													
	Subscription		ļ	CAM	BAPMS	10 17	7 83	7 83	5 50	5 50	L	15 66				<u> </u>
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			l	L					i						1
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-	CAM	BAPLS	2 87	8 66	8 66				15 66				<del> </del>
1 :	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	7 39	7 83	7 83	5 50	5 50	1	15 <b>6</b> 6				1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		<del> </del>	Oravi	IDAFDS	, 39	/ 63	/ 63	3 50	3 50	<del>                                     </del>	13 66				<del>                                     </del>
1 :	Service Subscription			CAM	BAPES	0 10	8 66	8 66			1	15 66			l	1
ENHANCED EX	TENDED LINK (EELs)				1	<u> </u>				-	† · · · · ·	1				
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for EELs pr	ovisioned as	Ordinarily Con	nbined' Networ	k Elements	Ì					
	The monthly recurring and the Switch-As-Is Charge and not t													ĺ		

UNBUNDL	ED NETWORK ELEMENTS - Alabama		,								:		Attachr			bit <sup>,</sup> B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		L	Ļ	<u> </u>			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Minimum billing is one month for DS1 and below and three more VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT					-										
2-7/1	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	ERUFF	ICE IN	(ANSPORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44		15 66				ĺ
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		<u> </u>		100											
	Transport Combination - Zone 2		2	UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44		15 66				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															Į.
	Transport Combination - Zone 3	<u>.</u>	3	UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44		15 66				Ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINDAY	al EVV	0 18	ŀ									
	per month Interoffice Transport - Dedicated - DS1 combination - Facility	-	<u> </u>	UNC1X	1L5XX											
	Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44		15 66				1
	DS1 Channelization System Per Month	i e		UNC1X	MQ1	101 06	91 04	62 57		9 79		15 66				· · · · ·
··	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 53	6 58	4 72				15 66				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1						1	•	i				·			
	Interoffice Transport Combination - Zone 1		1_1_	UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44		15 <b>6</b> 6				<b></b>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	i	1 _			22.25	20.00	55.50	47.04	7 44		15 66				
	Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1	-	2	UNCVX	UEAL2	22 85	88 00	55 00	47 24	/ 44		1000				<del>                                     </del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44		15 66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		<u> </u>	DIVOVA	OLALZ	00 14	00 00	30 00	7, 27							
	per month			UNCVX	1D1VG	0 53	6 58	4 72				15 66				ļ.
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98		15 66				
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												ļ
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50		15 66				-
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50		15 66				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50		15 66				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	UEAL4	60 02	13197	94 51	39 14	14 50	-	.3 00				<del>                                     </del>
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0 18						15 66				
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44		15 66				
	Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79		15 66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -	<u> </u>		5.15.18										1		
	per month			UNCVX	1D1VG	0 53	6 58	4 72			<u> </u>	15 <b>66</b>				
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50		15 66				ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50		15 66				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50		15 66				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 53	6 58	4 72				15 66				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98		15 66				
4-WII	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE	TRANSPORT (EEL	)							ļ	ļ			ļ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50		15 66				1
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1													
	Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50		15 66				<del></del>
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50		15 66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ι										1	_		1
1	Per Month	<u>L</u> _		UNC1X	1L5XX	0 18	1			J	<u> </u>	J	1	L	L	

NRONDLEI	NETWORK ELEMENTS - Alabama			I ···							In c	Constant		nent 2		bit; B
ATEGORY	RATE ELEMENTS	Inter:	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44		15 66				
	Channelization - Channel System DS1 to DS0 combination Per			BITOTA	10777	00 10	03 27	0101	10 03	74 44		13 00			···	
	Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79		15 66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2 4-64kbs)			UNCDX	1010D	1 12	6 58	4 72				15 66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50		15 66				
_	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		<del></del>	OIVCBX	ODE30	20 09	120 27	00 00	39 14	14 30		13 00				
i '	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50		15 66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50		15 66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 12	6 58	4 72				15 66				
	Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	DINCUX	טטוטו	1 12	6 56	4 / 2				13 00			<del> </del>	
	Is Charge		1	UNC1X	UNCCC		5 59	5 59	6 98	6 98		15 66				1
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE													
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1													
	Transport Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50		15 66				
l f	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50		15 66				
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL64	30 90	120 21	00 00	39 14	14 30		13 00			<del> </del>	
	Transport Combination - Zone 3		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50	ļ	15 66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		ļ	UNC1X	1L5XX	0 18										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			LINGAY	U1TF1	60 16	80.07	81 81	40.05	14 44		15.00				
	Channelization - Channel System DS1 to DS0 combination Per		<del> </del> -	UNC1X	U11F1	60 16	89 27	81 81	16 35	14 44	-	15 66				
	Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79		15 66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System		<b></b>													
	combination - per month (2 4-64kbs)		<u> </u>	UNCDX	1D1DD	1 12	6 58	4 72				15 66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			LINGRY		20.00	400.07	20.00	50.44			45.00			1	}
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50	<u> </u>	15 66				
] '	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50		15,66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<del>  -</del>		10000											
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50		15 66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System				1,0,00						I					
	combination - per month (2 4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	1D1DD	1 12	6 58	4 72				15 66				
	Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98		15 66				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	ĆE TR		1			0 00	, J	0.00	l					
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice						j									
	Transport - Zone 1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71		15 66		·	ļ	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	LINCIX	LIELVY	454.40	050 47	457.54	44.70	44.74		15 66				
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	-	2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71	<b> </b>	15 00				<del>                                     </del>
	Transport - Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71	1	15 <b>66</b>				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		<u> </u>	UNC1X	1L5XX	0 18										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY		22.1	22.2				_					ĺ
	Termination Per Month		1	UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44	-	15 66			ļ	-
i '	Nonrecurring Currently Combined Network Elements Switch -As- is Charge		1	UNC1X	UNCCC	1	5 59	5 59	6.98	6 98		15 66				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	ERÓFFI	CE TR		10000				0,30	0 00						<u> </u>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		T													
	11	1	1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71		15 66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															

Version 4Q02 01/21/03 Page 14 of 416

OMBONDER	D NETWORK ELEMENTS - Alabama		1											nent 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71		15 66				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		-	UNC3X	1L5XX	4 09	202 41	137 34	4470	1171		1300				
	Interoffice Transport - Dedicated - DS3 - Facility Termination per							*								
	month			UNC3X	U1TF3	703 52	278 75	162 76	60 20	58 46		15 66				
	DS3 to DS1 Channel System combination per month	<b></b>		UNC3X	MQ3	166 10	178 14	93 97	33 26	31 83		15 66				
	DS3 Interface Unit (DS1 COCf) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	UC1D1	12 70	6 58	4 72				15 66				
	Zone 1	ļ	1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71		15 66				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71		15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	ļ		UNC1X	USLXX	314 52	252 47	157 54	44 70	44.74		15.00				!
-	DS3 Interface Unit (DS1 COCI) combination per month	-	-3	UNC1X	UC1D1	12 70	6 58	4 72	44 70	11 71		15.66				-
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC	12 70	5 59	5 59	6 98	6 98		15 66				
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROFE	ICE TE		UNCCC	+	5 38	5 59	0.90	0 90		00 C'				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44		15 66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		<del> </del>	<u></u>			55 55				· · · · · · · · · · · · · · · · · · ·	- 700				
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44	-	15 66				
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per		_3	UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44		15 66				
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0 008838										
	combination - Facility Termination per month			UNCVX	U1TV2	21 13	40 54	27 41	16 74	6 90		15 66				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		5 59	5 59	6 98	6 98		15 66				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	FEROFF	ICE TE	RANSPORT (EEL)	1											
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50		15 66				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50		15 66				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60 02	131 97	94 51	50.14	14 50		15 66				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per		3				13197		59 14	14 50		15 66				
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0 008838	40.51	07.44	40.74	6.62		15.00				
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV4	18 73	40 54	27 41	16 74	6 90		15 66				
nea n	IS Charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TO	NEDCO	UNCVX	UNCCC		5 59	5 59	6 98	6 98	-	15 66				-
บองบ	High Capacity Unbundled Local Loop - DS3 combination - Per	ZE IKA	I	· (CCL)					<del>                                     </del>		-	<del> </del>				+
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	8 38										
	Facility Termination per month			UNC3X	UE3PX	308 98	451 52	263 94	119 49	83 58		15 66				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4 09	151,52	200 07	110.0	30 00	<u> </u>	1				†
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	703 52	278 75	162 76	60 20	58 46		15 66				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC3X	UNCCC		5 59	5 59	6 98	6 98		15 <b>6</b> 6				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP		10000		0 0 0 0	- 5 55	33		<del> </del>					
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	8 38				•						
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	319 83	451 52	263 94	119 49	83 58		15 66				

Version 4Q02\_01/21/03 Page 15 of 416

CHECHEL	D NETWORK ELEMENTS - Alabama	1	1		Ţ							•		ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
	,					Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ			1,00	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LILLOGY												
	per month Interoffice Transport - Dedicated - STS1 combination - Facility		-	UNCSX	1L5XX	4 09										<del> </del>
	Termination per month			UNCSX	U1TFS	701 37	278 75	160.70	00.00	<b>50.4</b> 0						[
	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	UNCOA	UTIFS	70137	2/0/5	162 76	60 20	58 46		15 66				
	Is Charge		]	uncsx	UNCCC	- 1	5 59	5 59	6 98	6 98		15 66				[
2-WIRE	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	3	0.100%	0.1000		0,00	0 05	0.55	- 0.50		13 00				<del> </del>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	i (===		-	<del>i</del>				1							
	Transport - Zone 1	]	1	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54		15 66				1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															·
	Transport - Zone 2		2	UNCNX	U1L2X	32 85	117 24	79 77	52 88	10 54		15 66				1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1													
	Transport - Zone 3		3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54		15 66				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	UNC1X	1L5XX	0 18										Ĺ
	Interoffice Transport - Dedicated - DS1 combintion - Facility		į.									-				l .
	Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44		15 66				<b></b>
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	101 06	04.04	00.57	40.54	0.70						l .
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	-		UNCIX	MQ1	101 06	91 04	62 57	10 54	9 79		15 66				<del> </del>
1	combination - per month			UNCNX	UC1CA	2 41	6 58	4 72				15 66	1			l .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<del> </del>	DIVOLVA	DOTOR		0.56	4 / 2				13 66				<del></del>
Ì	Combination - Zone 1		1	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54		15 66				l .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	0.1011/1	OTELA	2,00		1371	32.00	10 54		13 00				
	Combination - Zone 2		2	UNCNX	U1L2X	32 85	117 24	79 77	52 88	10 54		15 66				l .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport											- 000				
	Combination - Zone 3		3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54		15 66				l .
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System													•		
	combintaion- per month		<u>.                                    </u>	UNCNX	UC1CA	2 41	6 58	4 72								I
	Nonrecurring Currently Combined Network Elements Switch -As-	1					- 1									ſ
	Is Charge	L	<u> </u>	UNC1X	UNCCC		5 59	5 59	6 98	6 98		15 66				l
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)	<b></b>											L
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	LINICAV	1	00.55	252.47	457.54								i
	First DS1 Loop in STS1 Interoffice Transport Combination -	-	+-	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71		15 66				<b>i</b>
	Zone 2		2	UNC1X	USLXX	154 18	252 47	157 54	44 70	44.74						í
	First DS1 Loop in STS1 Interoffice Transport Combination -		-	UNCIA	USLA	134 10	252 47	157 54	44 /0	11 71		15 66				<del></del>
	Zone 3	i	3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71		15 66				l .
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		-	UNO IX	- JOOLAG	314 32	202 47	137 34	44.70			13 00				i .
	Per Month			UNCSX	1L5XX	4 09	1									1
	Interoffice Transport - Dedicated - STS1 combination - Facility				1											
	Termination		<u></u>	UNCSX	U1TFS	701 37	278 75	162 76	60 20	58 46		15 66				i
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	166 13	178 14	93 97	33 26	31 83		15 66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12 70	6 58	4 72								
1	Additional DS1Loop in STS1 Interoffice Transport Combination -		Ī													
	Zone 1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71		15 66	_			į .
	Additional DS1Loop in STS1 Interoffice Transport Combination -		l _		I											l .
	Zone 2		_2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71		15 66				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		١,	LINGAY		244.50										l .
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71		15 66				<del> </del>
	Nonrecurring Currently Combined Network Elements Switch -As-			ONUIA	UC1D1	12 70	6 58	4 72								<del> </del>
	Is Charge	1	1	UNCSX	UNCCC	1	5 59	5 59	6 98	6 98		15 66				1
4-WIRE	5 6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANS	PORT (FFI )	TONOCO .		5 59	0.59	0 98	0 98		13 66				<del></del>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport				1				<del> </del>							
	Combination - Zone 1		1	UNCDX	UDL56	26 09	126 27	08 88	59 14	14 50		15 66				1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		<u> </u>		1				55.17	1100		. 5 00				
	Combination - Zone 2		2	UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50		15 66				1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport					-										
1	Combination - Zone 3	1	3	UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50		15 66				1

INBUNDLE	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
		1									Svc Order	Svc ∩rder	Incremental	Incremental	Incremental	Incremen
		1			1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
				ì							Elec					Manual S
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
HEGURT	KAIE ELEMENIS	m	Zone	BCS	0300			104120 (0)			per LSR	per LSR	Order vs.	Order vs	Order vs.	Order vs
		1	i			ļ							Electronic-	Electronic-	Electronic-	Electronic
					4							i	1st	Add'i	Disc 1st	Disc Add'
			—													L
						Rec		curring		Disconnect	COME	601111		Rates (\$)	SOMAN	SOMAN
		-	l				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			l			ì					ļ .		, ,		
	Per Mile			UNCDX	1L5XX	0 008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -													, 1		Í
	Facility Termination		↓	UNCDX	U1TD5	15 12	40 54	27 41	16 74	6 90		15 66				
	Nonrecurring Currently Combined Network Elements Switch -As-	1													, 1	
	Is Charge		L	UNCDX	UNCCC		5 59	5 59	6 98	6 98		15 66				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport										İ	i				
	Combination - Zone 1	l	1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50		15 66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2	]	2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50		15 66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			<u> </u>	<u> </u>		"			•						
	Combination - Zone 3	İ	3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50		15 66		. 1	. i	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile	1		UNCDX	1L5XX	0 008838							I	. 1	į	
$\overline{}$	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	15 12	40 54	27 41	16 74	6 90		15 66		. 1	. 1	
-	Nonrecurring Currently Combined Network Elements Switch -As-			DIVODA	101100	10 12	40.04	2/ 4/	10 14	0 30		1300				
ì	Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98		15 66			.	
ITIONAL			_	UNCDX	UNCCC		5 59	5 59	. 6 98	0 98		10 00				
	NETWORK ELEMENTS		L		<u> </u>											
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each cor	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5 59	5 59	6 98	6 98		15 66	ļ			
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5 59	5 59	6 98	6 98		15 66				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1			UNC1X	UNCCC		5 59	5 59	6 98	6 98		15 66			1	
	Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>					0.00				3 00				
1	Is Charge - DS3			UNC3X	UNCCC		5 59	5 59	6 98	6 98		15 66		- 1	i	
	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	DITODA	1011000		3 33	3 33	0 90	0 30		13 00		$\rightarrow$	$\longrightarrow$	
	Is Charge - STS1			UNCSX	UNCCC		5 59	5 59	6 98	6 98		15 66				
NOTE:	Local Channel - Dedicated Transport - minimum billing period	I - Balas	w DS3-		nd shave-ferr		3 39	5 59	0 90	0 80		10 00			$\longrightarrow$	
	Local Channel - Dedicated - 2-Wire Voice Grade	I - Delo		UNCVX	ULDV2		402.40	33 17							$\longrightarrow$	
<del> </del>	Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	13 97 14 93	193 10		36 64	3 20		15 66		$\longrightarrow$	$\longrightarrow$	
	Local Channel - Dedicated - 4-Wile Voice Grade		1-1				193 53	33 60	37 11	3 67		15 66				
<del></del> -	Local Channel - Dedicated - DS1 per month Zone 1  Local Channel - Dedicated -DS1 Per Month Zone 2		-	UNC1X	ULDF1	35 76	177 47	153 72	22 19	15 26		15 66				
_				UNC1X	ULDF1	49 98	177 47	153 72	22 19	15 26		15 66				
_	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	107 63	177 47	153 72	22 19	15 26		15 66				
	Local Channel - Dedicated - DS3 - Per Mile per month		$\sqcup$	UNC3X	1L5NC	6 92										
+	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	416 54	451 52	263 94	119 49	83 58		15 66				
	Local Channel - Dedicated - STS-1- Per Mile per month		L	UNCSX	1L5NC	6 92										
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	408 49	451 52	263 94	119 49	83 58		15 66				
	al Features & Functions				T									+	$\longrightarrow$	
	PLEXERS				1											
NOTE:	minimum billing period is one month for DS1 to DS0 Channel	System	and in	iterfaces												
NOTE:	minimum billing period is three months for DS3 to DS1 and ab	ove Ch	annel	System and interfa	ices					-				$\longrightarrow$	$\longrightarrow$	
1	Channelization - DS1 to DS0 Channel System	2.3 01		UXTD1	MQ1	101 06	91 04	62 57	10 54	0.70		15 66		$\longrightarrow$	$\longrightarrow$	
1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			Un. 101	Inde 1	101 00	9104	02 3/	10 54	9 79		10 06		$\longrightarrow$		
	month (2 4-64kbs)			UDL	1D1DD	440			!		- 1	,	}	- 1	- 1	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODL	טטוטו	1 12	6 58	4 72				15 66		$\longrightarrow$		
	month			UDM	lucia.				l		!		!		Т	
				UDN	UC1CA	2 41	6 58	4 72				15 66				
			1	UEA	1D1VG	0 53	6 58	4 72				15 66				
	Voice Grade COCt - DS1 to DS0 Channel System - per month		_					_		04.00						
	DS3 to DS1 Channel System per month			UXTD3	MQ3	166 13	178 14	93 97	33 26	31 83	1	15 66		i i	1	
	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month			UXTD3 UXTS1	MQ3 MQ3	166 13 166 13	178 14 178 14	93 97 93 97	33 26 33 26	31 83	-	'5 <b>6</b> 6				
	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month					166 13	178 14	93 97				'5 <b>66</b>				
	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month			UXTS1	MQ3											

UNB	UNDLE	D NETWORK ELEMENTS - Alabama		1								,			ment 2		bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
							Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	+-	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel						FIISL	Auui	First	Auu i	SOMEC	SUMAN	JUMAN	SUMAN	SUMAN	SUMAN
		per month	ļ	1	U1TD1	UC1D1	12 70	6 58	4 72	1 1			15 66				
	Sub-L	oop Feeder		1													
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
	1	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55 09	101 85	64 38	62 05	17 40						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	124 69	101 85	64 38	62 05	17 40						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	294 62	10 <b>1</b> 85	64 38	62 05	17 40						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	ļ	4	UNC1X	USBFG				1							
UNBU		LOCAL EXCHANGE SWITCHING (PORTS)								<b></b>		ļ					
		inge Ports		0.711		L		4 31 11000		1							ļ
		. Although the Port Rate includes all available features in GA, I E VOICE GRADE LINE PORT RATES (RES)	NT, LA	& IN, t	ne desired reatures v	will need to t	oe oraerea usir	ig retail USUC		1				<del> </del>	-		<del> </del>
	2-44160	Exchange Ports - 2-Wire Analog Line Port- Res		<del> </del>	UEPSR	UEPRL	1 38	2 38	2 27	1 42	1 33	· · · · · · · · · · · · · · · · · · ·	15 66		<del> </del>		
	+	Exchange Forts - 2-Wire Analog Line Fort- Nes	-	<b>!</b>	OLI SIK	GEFINE	7 30	2.30	221	1 42	1 33		13 00				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 38	2 38	2 27	1 42	1 33		15 66				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 38	2 38	2 27	1 42	1 33		15 66				
	+	Exchange Ports - 2-Wire VG unbundled AL extended local		1	UEPSK	UEPRO	1 30	2 30	2 21	142	1 33	l	13 66		<u> </u>		
		dialing parity Port with Caller ID - Res	1	1	UEPSR	UEPAR	1 38	2 38	2 27	1 42	1 33		15 66				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEP\$R	UEPAP	1 38	2 38	2 27	1 42	1 33		15 66				
		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan		<del>                                     </del>	UEPSK	UEPAP	1 30	2 30	221	1 42	1 33		13 00				
		without Caller Id			UEPSR	UEPWA	1 38	2 38	2 27	1 42	1 33		15 66		ļ		1
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	1		UEPSR	UEPRT	1 38	2 38	2 27	1 42	1 33		15 66				
		Subsequent Activity	-		UEPSR	USASC	0 00	0 00	0 00	142	1 33		15 66		-		
	FEAT		_	<del>                                     </del>	OCI SIX	03/100	0 00	0 00	0 00				17.00	-			<del>                                     </del>
	1	All Available Vertical Features		<b>†</b>	UEPSR	UEPVF	1 98	0.00	0 00				15 66				
	2-WIR	E VOICE GRADE LINE PORT RATES (BUS)		1						1					l		
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -													l		
		Bus			UEPSB	UEPBL	1 38	2 38	2 27	1 42	1 33		15 66				
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 38	2 38	2 27	1 42	1 33		15 66				
		unsunded port with Care - 2404 ID - Bus		<del> </del>	UEFSB	UEFBC	1 30	2 30	221	1 42	1 33		13 00				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		ļ	UEPSB	UEPBO	1 38	2 38	2 27	1 42	1 33		15 66				
		Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus			UEPSB	UEPAW	1 38	2 38	2 27	1 42	1 33		15 66		l		
	-	Exhange Ports - 2-Wire VG unbundled incoming only port with			UEFOB	UEFAW	1 36	2 30	221	142	1 33		13 00				
		Caller ID - Bus			UEPSB	UEPB1	1 38	2 38	2 27	1 42	1 33		15 66				
i		Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan without Caller ID			UEPSB	UEPWB	1 38	2 38	2 27	1 42	1 33		15 66				
		2-Wire voice unbundled Incoming Only Port without Caller ID															
	J	Capability			UEPSB	UEPBE	1 38	2 38	2 27	1 42	1 33		15 66				
	<b>_</b>	Subsequent Activity			UEPSB	USASC	0.00	0 00	0 00			<b></b>	15 66				
	FEAT			ļ	UEDOO			2.00	0.00	-			15.00				
	EVCH	All Available Vertical Features  ANGE PORT RATES (DID & PBX)		-	UEPSB	UEPVF	1 98	0 00	0 00				15 66		····	-	<b></b>
	LACIL	2-Wire VG Unbundled 2-Way PBX Trunk - Res		_	UEPSE	UEPRD	1 38	31 27	14 85	13 94	0 90		15 66				<del>                                     </del>
	+	2-Wire VG Unburdled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		-	UEPSP	UEPPC	1 38	31 27	14 85	13 94	0 90	-	15 66			-	<del> </del>
	1	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	<del> </del>	+	UEPSP	UEPPO	1 38	31 27	14 85	13 94	0 90		15 66	· · · · · ·		·	<del>                                     </del>
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<del>                                     </del>	UEPSP	UEPP1	1 38	31 27	14 85	13 94	0 90		15 66				<u> </u>
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 38	31 27	14 85	13 94	0 90	† ·- · · · ·	15 66				
	T	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1 38	31 27	14 85	13 94	0 90		15 66			1	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 38	31 27	14 85	13 94	0 90		15 66				
		2-Wire Vice Unbundled 2-Way PBX Usage Port		L	UEPSP	UEPXA	1 38	31 27	14 85	13 94	0 90		15 66				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEP\$P	UEPXB	1 38	31 27	14 85	13 94	0 90		15 66				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 38	31 27	14 85	13 94	0 90		15 66				ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	L	l	UEPSP	UEPXD	1 38	31 27	14 85	13 94	0 90	L	15 66	<u></u>	1		

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment. 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l	Svc ⊖rder Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring		COLLEC	SOM AN		Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Capable Port			UEPSP	UEPXE	1 38	31 27	14 85	13 94	0 90		15 66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 38	31 27	14 85	13 94	0 90		15 66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEP\$P	UEPXM	1 38	31 27	14 85	13 94	0 90		15 66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 38	31 27	14 85	13 94	0 90		15 <b>66</b>				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 38	31 27	14 85	13 94	0 90		15 66			L	
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00				15 66				
FEAT															ļ	
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1 98	0 00	0 00				15 66				<u> </u>
EXCH	ANGE PORT RATES (COIN)				1			0.07	1.10	4.00		15.00				<del> </del>
	Exchange Ports - Coin Port	L	<u> </u>	L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	1 38	2 38	2 27		1 33	-tdth. 0	15 66		ļ	ļ	<del>                                     </del>
NOTE	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	rcuit switche	ed voice and/or	Circuit switch	ed data transm	lission by B-Ch	annels associ	ated with 2-	wire ISUN p	Now Pusines	Dogwood Pro		
	<ul> <li>Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)</li> </ul>	availai	ole only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities Will be de	termined via t	ne Bona Fit	e Requesu	New busines:	s Request Pro	Jess	
			l												-	_
EXCH	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port			ÜEPEX	UEPP2	8 05	119 31	18 74	59 90	3 76		15 66				
	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		<b></b> -	UEPEX	UEPPZ	0.00	11931	10 74	38 90	310	<del>                                     </del>	13 00				<del> </del>
	capability			UEPDD	UEPDD	60 09	202 02	95 69	72 59	2 46		15 66				
	Exchange Ports - 2-Wire ISDN Port (See Notes below )			UEPTX UEPSX	U1PMA	9 79	72 77	52 99	47 79	10 74		15 66				·
	All Features Offered			UEPTX UEPSX	UEPVF	1 98	0 00	0 00	71.73	1074		1,700				<del>                                     </del>
NOTE	: Transmission/usage charges associated with POTS circuit sv	witched	HESTE						ussion by B-Ch	annels associ	ated with 2-	wire ! DN r	orts			
NOTE	Access to B Channel or D Channel Packet capabilities will be	e everlet	ble only	v through BFR/New	Rusiness Re	quest Process	Rates for the	nacket canabi	lities will be de	termined via t	he Bona Fic	le Request/	New Business	s Request Pro	ocess	<u> </u>
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	i availai	1	UEPTX UEPSX	U1UMA	0.00	0 00	0 00	111,00 11111 00 00	terrinines vis t	No Bona i n	110-1-00-0		1		
	Exchange Ports - 4-Wire ISDN DS1 Port		<del> </del>	UEPEX	UEPEX	84 32	203 81	101 56	79 18	20 06		15 66				
LINET	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		OLI LX	OLI LA	0,02	20001	10.00		- 20 00						1
	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				+	-						-				1
ONDO	Unbundled Remote Call Forwarding Service, Area Calling, Res		<del> </del>	UEPVR	UERAC	1 38	2 38	2 27	1 42	1 33		15 66				
	Charles Achiele Call Farwarding Colvec, 7400 Calling, 1105		+	02. 711	02.0.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									····	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 38	2 38	2 27	1 42	1 33	1	15 66	ļ			
	Unbundled Remote Call Forwarding Service, InterLATA - Res		_	UEPVR	UERTE	1 38	2 38	2 27	1 42	1 33		5 66			i	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		<del> </del>	UEPVR	UERTR	1 38	2 38	2 27	1 42	1 33		15 66				1
Nоп-F	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is		ļ	UEPVR	USAC2		0 10	0 10				15 66	ļ			1
	Unbundled Remote Call Forwarding Service - Conversion with	l		LIEDVE	110000				'			15 66		ļ		1
110.00-	allowed change (PIC and LPIC)			UEPVR	USACC	ļ	0 10	0 10				5 66	-		-	+
UNBU	INDLED REMOTE CALL FORWARDING - Bus		-		+	ļ	<del> </del>	<del> </del>	<del> </del>		-	<del> </del>		<del> </del>	1	<del> </del>
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		ļ	UEPVB	UERAC	1 38	2 38	2 27	1 42	1 33		15 66				ļ. <u></u>
	Use and a point of the second	1		UEPVB	UERLC	1 38	2 38	2 27	1 42	1 33		15 66			ŀ	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	-	$\leftarrow$		UERTE		2 38	2 27	1 42	1 33		15.66	<del> </del>	-		<del> </del>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus		<del> </del>	UEPVB UEPVB	UERTR	1 38 1 38	2 38	2 27	1 42	1 33	<del> </del>	15 66	<del>                                     </del>	<u> </u>	+	+
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and		<del> </del>	OEPVB	DERIK	1 38	2 30	421	142	1 33	<del>                                     </del>	13.00	<u> </u>	<del> </del>	1	1
	Exception Local Calling	1		UEPVB	UERVJ	1 38	2 38	2 27	1 42	1 33		15 66	1		1	1
Non-F	Recurring	<del>                                     </del>	+	OCI VID	CITYS	1.30	2 30		1 42	1 35	<del>                                     </del>	15 00	<del> </del>	<del>                                     </del>		†
7,011-1	Unbundled Remote Call Forwarding Service - Conversion -		+		+			<del>                                     </del>						i		<del> </del>
	Switch-as-is			UEPVB	USAC2		0 10	0 10	1			15 66		1	}	
	Unbundled Remote Call Forwarding Service - Conversion with		1	52. 15	100,102			-								<del> </del>
	allowed change (PIC and LPIC)			UEPVB	USACC		0 10	0 10	1			15 66	ĺ		1	
INBUNDLED	LOCAL SWITCHING, PORT USAGE			-: · · -	1		1	1	1			T		1	1	
	Office Switching (Port Usage)	t	1	<u> </u>	<del>                                     </del>	1									1	
12.70	End Office Switching Function, Per MOU	1	1		1	0 0007025			<u> </u>						T .	1
-	End Office Trunk Port - Shared, Per MOU		1	<del> </del>	1	0 0001638	<del>                                     </del>		_		<u> </u>		1		<del>                                     </del>	T
													1			<del></del>
Tande	em Switching (Port Usage) (Local or Access Tandem)				1	<u> </u>		-							1	1

Version 4Q02 01/21/03

O MODUME C	D NETWORK ELEMENTS - Alabama										1-			ment: 2		bit: B
			1		1	1						1		I .	Incremental	
			1 .		1	1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs	Order vs.	Order vs.	Order vs
		m									per con	per core	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
											İ		151	Audi	Discisi	DISC AUG I
							Nonrec	currina	Nonrecurring	Disconnect			oss	Rates (\$)		4
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Tandem Trunk Port - Shared, Per MOU				1	0 0002015										
Comm	on Transport										<del> </del>	·		<del> </del>		+
100	Common Transport - Per Mile, Per MOU					0 0000023										1
	Common Transport - Facilities Termination Per MOU					0 0003224										†
UNBUNDLED 1	PORT/LOOP COMBINATIONS - COST BASED RATES													1		+
	ased Rates are applied where BellSouth is required by FCC ar	d/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swit	ching or Swite	h Ports								<u> </u>
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit	1		<del> </del>	<u> </u>	†
	ffice and Tandem Switching Usage and Common Transport Us											n Port I oo	Combinatio	ne.	<del> </del>	+
	st and additional Port nonrecurring charges apply to Not Curr															+
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	)	d Combos i or our	Territy Comb	The Combos is	ie nomecanni	g charges siva	ii be tilose idei	itinea in the i	T	i - Gancina)	Combined 3	T T		+
	ort/Loop Combination Rates			· · · · · ·								<del></del>		<del> </del>	<u> </u>	+
	2-Wire VG Loop/Port Combo - Zone 1		1	-	<del> </del>	12 70						-		<del> </del>		+
			1		<del> </del>	21 19										+
	2-Wire VG Loop/Port Combo - Zone 2		2			34 80			-			1				ļ
	2-Wire VG Loop/Port Combo - Zone 3		3		ļ	34 80									ļ ————	
UNE L	oop Rates		<b>.</b>		l	I			ļ		1		1	1	<u> </u>	<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	11 55					<u> </u>	ļ	<u> </u>			<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20 04							<u> </u>		ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 65									ļ	
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire voice unbundled port with Caller ID - res		Ĺ	UEPRX	UEPRC	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 15	40 19	19 83	24 91	6 63		15 66			1	
	2-Wire voice Grade unbundled Alabama extended local dialing															
1	parity port with Caller ID - res	ĺ		UEPRX	UEPAR	1 15	40 19	19 83	24 91	6 63		15 66			1	
	2-Wire voice unbundles res, low usage line port with Caller ID															Ī
1	(LUM)	ŀ	!	UEPRX	UEPAP	1 15	40 19	19 83	24 91	6 63		15 66			1	1
	2-Wire Voice Unbundled Alabama Residence Dialing Plan		i													1
ł	without Caller ID	l		UEPRX	UEPWA	1 15	40 19	19 83	24 91	6 63		15 66		Į.		i
	2-Wire voice unbundled Low Usage Line Port without Caller ID															1
í	Capability	İ	1	UEPRX	UEPRT	1 15	40 19	19 83	24 91	6 63		15 66				
FEATL			<del> </del>		1							t				1
1	All Features Offered	· · · · · ·	1	UEPRX	UEPVF	1 98	0 00	0.00	ļ			15 66			†	1
LOCAL	L NUMBER PORTABILITY			027717	100	1			•					<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·	+
2007.	Local Number Portability (1 per port)		1	UEPRX	LNPCX	0.35										+
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI TOX	Lin on	3 00					<del>                                     </del>			i	1	+
- HOMM	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del> </del>		1									<del> </del>		+
1	Switch-as-is			UEPRX	USAC2		0 10	0 10			]	15 66			1	
<del></del>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITIX	USACZ		0 10	0.10				, 00	<del> </del>	<del> </del>		+
	Switch with change			UEPRX	USACC		0 10	0 10				15 66			1	1
ADDIT	TONAL NRCs		-	UEFRA	USACC		0 10	0 10			<del> </del>	1500	<del> </del>	1	-	<del> </del>
ADDIT					<u> </u>						<del></del>			<del> </del>		+
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						0.00			ļ		15.00				1
<del></del>	Activity			UEPRX	USAS2	0 00	0.00	0.00				15 66			-	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		L		ļ				ļ		ļ	L		ļ		
UNE P	ort/Loop Combination Rates		1						<u> </u>							
$\vdash$	2-Wire VG Loop/Port Combo - Zone 1		1	ļ	1	12 70				ļ	ļ		-	<u> </u>	<b></b>	
	2-Wire VG Loop/Port Combo - Zone 2		2			21 19								<b></b>	ļ	
L	2-Wire VG Loop/Port Combo - Zone 3		3		<u> </u>	34 80					1		ļ		1	<del></del>
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	L		UEPBX	UEPLX	11 55										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20 04			L						1	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 65									1	
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		T	UEPBX	UEPBL	1 15	40 19	19 83	24 91	6 63		15 66	I		I	
	2-Wire voice unbundled port with Caller + E484 ID - bus	1	1	UEPBX	UEPBC	1 15	40 19	19 83	24 91	6 63		15 66	1			
	2-Wire voice unbundled port outgoing only - bus			VEPBX	UEPBO	1 15	40 19	19 83		6 63		15 66	1	1		
	2-Wire voice Grade unbundled Alabama extended local dialing		t -		+	1		1	1	1	1	<u> </u>	l	<u> </u>		
			1	I	1	1		ı	1	1	1	1		1	1	i .
	parity port with Caller ID - bus			UEPBX	UEPAW	1 15	40 19	19 83	24 91	6 63	1	15 66	1		1	1

Version 4Q02 01/21/03

JNBUNDL	ED NETWORK ELEMENTS - Alabama													ment 2		oit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled Alabama Business Dialing Plan without										ł					
	Caller ID			UEPBX	UEPWB	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	1 15	40 19	19 83	24 91	6 63		15 66	į			
1.004	Capability L NUMBER PORTABILITY		-	UEPBX	UEPBE	1 15	40 19	19 63	24 91	0.03		15 66				
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35	-					-		1		
FEAT	URES			OLI DX		- 000				-			<u> </u>			
	All Features Offered		_	UEPBX	UEPVF	1 98	0 00	0 00				15 66				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED						-									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0 10	0 10	i			15 66				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0 00	0 00		•		15 66				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/Port Combo - Zone 1		1			12 70						-				
	2-Wire VG Loop/Port Combo - Zone 2		3			21 19										
LINE .	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates		3			34 80					ļ					
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 55	-						-			
_	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	20 04					-		-			
_	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	33 65										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		۰	CELLING	OLI EX	35 05										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				1 1		<u> </u>									
	Res			UEPRG	UEPRD	1 15	69 08	32 41	37 43	6 20		15 66				
LOCA	L NUMBER PORTABILITY										-					
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0 00				15 66		Ì		
FÉAT	URES															
	All Features Offered			UEPRG	UEPVF	1 98	0.00	0 00				15 66			-	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		İ		1											
A DDI	Conversion - Switch-As-Is			UEPRG	USAC2		7 91	1 90				15 66				
AUUI	FIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDO		0.00	0.00	0.00								
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USAS2	0 00	0 00	0 00				15 66				
	Group						7 32	7 32				15 66				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				<del></del>		1 32	7 32				13 00				
	Port/Loop Combination Rates			-			+	<del> </del>								
	2-Wire VG Loop/Port Combo - Zone 1		1			12 70						-				
	2-Wire VG Loop/Port Combo - Zone 2		2			21 19										
	2-Wire VG Loop/Port Combo - Zone 3		3		"1 1	34 80										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11 55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33 65						l				
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)				<del></del>		1									
	Los Sido University Combination 2 West PDV T. 1. S. 1. S.			LIEBOV	Lucano											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX UEPPX	UEPPC	1 15	69 08	32 41	37 43	6 20		15 66				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	1 15 1 15	69 08	32 41	37 43	6 20	-	15 66				
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			UEPPA	- JUEPPI	15	69 08	32 41	37 43	6 20	<b> </b>	15 66				
	Calling Port			UFPPX	UEPA2	1 15	69 08	32 41	37 43	6 20	1	15 66 €				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 15	69 08	32 41	37 43	6 20		15 66				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 15	69 08	32 41	37 43	6 20		-5 66	<del></del>		<del> </del>	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPPX	UEPXB	1 15	69 08	32 41	37 43	6 20	<del>                                     </del>	15 66				· · · · · · · · · · · ·
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 15	69 08	32 41	37 43	6 20		15 66				

ONDOND	LED NETWORK ELEMENTS - Alabama			I .		<del></del>					0			ment: 2	+	bit B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	<del> </del>			Rec	Nonrec			g Disconnect				Rates (\$)		
		1	1		$\rightarrow$		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		l	LIEDOV	UEDVE	4.45	go on 1	00.44	07.42			45.00		!		
	Capable Port	<del> </del>		UEPPX	UEPXE	1 15	69 08	32 41	37 43	6 20		15 66	<u>-</u>			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	ł		UEPPX	UEPXL	1 15	69 08	32 41	37 43	6 20		15 66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	-	UCFFX	UEFAL	FIQ	09.00	32 41	37 43	6 20		1300		<del></del>	<del> </del>	<del> </del>
	Room Calling Port		1	UEPPX	UEPXM	1 15	69 08	32 41	37 43	6 20		15 66				i
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	<del> </del>	OLITA	OLI AMI	1 10	05 00	02 41	01 40	0 20		1700				
i	Discount Room Calling Port			UEPPX	UEPXO	1 15	69 08	32 41	37 43	6 20		15 66				ľ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	†	<del>                                     </del>	UEPPX	UEPXS	1 15	69 08	32 41				15 66				
1.00	CAL NUMBER PORTABILITY	<del>                                     </del>	+	JOEI I X	OLI XO		05 00	52 41	. 37 40	0.20					<del> </del>	
-	Local Number Portability (1 per port)	1	<u> </u>	UEPPX	LNPCP	3 15	0 00	0 00	<del> </del>	†···		15 66				1
FEA	ATURES				1											
	All Features Offered			UEPPX	UEPVF	1 98	0 00	0 00		-		15 66				
NO	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														t	
- 1	Conversion - Switch-As-Is			UEPPX	USAC2		7 91	1 90				15 66				
ADI	DITIONAL NRCs								†	† <del></del>						
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
ĺ	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0 00			i .	15 66				
l	PBX Subsequent Activity - Change/Rearrange Multiline Hunt								T	1						
	Group			1		1	7 32	7 32			ļ į	15 66				
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT	1													
UNE	E Port/Loop Combination Rates							•								
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12 70				]						
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21 19										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34 80				i						
UNE	E Loop Rates									I						
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11 55										
	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPCO	UEPLX	20 04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	]	3	UEPCÓ	UEPLX	33 65										
2-W	rire Voice Grade Line Ports (COIN)		ļ													
	2-Wire Coin 2-Way without Operator Screening and without	ł	1	l	1										1	
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Corn 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1 15	40 19	19 83	24 91	6 63		15 66				ļ
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,			LIEBOO						l					ļ	
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	4.45	40.40	40.00	04.04	2.00		45.00			ł	
	2-Wire Coin 2-Way with Operator Screening & Blocking		-	UEPCO	UEPRB	1 15	40 19	19 83	24 91	6 63		15 66			<u> </u>	
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 15	40 19	19 83	24 91	6 63		15 66			<u> </u>	
	2-Wire Coin Outward with Operator Screening and 011 Blocking	-		UEFCO	UEPCD	1 15	40 19	19 63	24 91	6 63		15.66			<u> </u>	
1	(AL, FL)			UEPCO	UEPRK	1 15	40 19	19 83	24 91	6 63	ļ	15 66			1	
	2-Wire Coin Outward with Operator Screening and Blocking		<del>                                     </del>	OLI OO	OLI IXIX	1 13	40 13	19 03	24 51	0 03		13.00				+
1	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 15	40 19	19 83	24 91	6 63	İ	15 66			1	
	2-Wire Coin Outward Operator Screening & Blocking 900/976,	<u> </u>	<b>-</b>	02.00	10211111		40.10	15 05	4731	0.00		15 00			i	<del>                                     </del>
1	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1 15	40 19	19 83	24 91	6 63		15 66				i
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)	1		UEPCO	UEPCK	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1 15	40 19	19 83	24 91	6 63		15 66				
ADE	DITIONAL UNE COIN PORT/LOOP (RC)	<u> </u>							1	1				···	l	
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 56	0.00	0 00	0 00	0 00		15 66			Ì	
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NOI	NRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1														
	Switch-as-is	L	<u></u>	UEPCO	USAC2		0 10	0 10		<u> </u>		15 66		L		
ADE	DITIONAL NRCs															
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1				T										
1	Activity	1	1	UEPCO	USAS2		0 00	0 00		I		15 66			1	

ONRONDLE	D NETWORK ELEMENTS - Alabama		,											ment: 2		bit: 🖪
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates (\$)	•	•
		<u> </u>	1			1	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI ort/Loop Combination Rates	E LINE	PORT {	RES)												ļ
UNEF	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		<del></del>	15 76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1  2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		<del></del>	24 23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			37 52										
UNE	oop Rates		1 3		+	37 32										<del> </del>
0.112.2	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14 38									<del> </del>	<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22 85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36 14										1
2-Wire	Voice Grade Line Port Rates (Res)		Ť										-			<del>  -</del>
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 38	90 38	57 27	48 66	8 77		15 66	****			
Ì	2-Wire voice unbundled port with Caller ID - res	1		UEPFR	UEPRC	1 38	90 38	57 27	48 66	8 77		15 66				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 38	90 38	57 27	48 66	8 77		15 66			<u> </u>	1
	2-Wire voice Grade unbundled Alabama extended local dialing	Γ	Ι' -								[					1
	parity port with Caller ID - res			UEPFR	UEPAR	1 38	90 38	57 27	48 66	8 77	l	15 66				
I	2-Wire voice unbundles res, low usage line port with Caller ID	1														
	(LUM)			UEPFR	UEPAP	1 38	90 38	57 27	48 66	8 77		15 66				<u> </u>
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWA	1 38	90 38	57 27	48 66	8 77		15 66				
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			1		1										
	Termination	ļ	ļ	UEPFR	U1TV2	21 13	40 54	27 41	16 74	6 90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1		l i										
	or Fraction Mile			UEPFR	1L5XX	0 008838										
FEATU														<u> </u>		
	All Features Offered		ļ	UEPFR	UEPVF	1 98	0 00	0 00				15 66				
LOCAL	L NUMBER PORTABILITY		ļ		1115011											
NOND	Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPFR	LNPCX	0 35			<u> </u>							<b></b> -
NONKI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		_		_											
	Combination - Conversion - Switch-as-is			UEPFR	USAC2	l	8 48	1 87				15 66		1		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del> </del>	UEFFR	USACZ	l	0 40	10/				15 00		<del> </del>	-	-
ĺ	Combination - Conversion - Switch-With-Change			UEPER	USACC		8 48	1 87			l i	15 66				
2-WIRE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	PORT /		UUACC		0.40	107				13 00			-	<del> </del>
	ort/Loop Combination Rates		T	T	-									ļ		<del> </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			15 76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24 23										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		••••	37 52										!
UNE L	oop Rates		1					-								1
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	14 38							•			1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22 85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36 14										
2-Wire	Voice Grade Line Port (Bus)				-											
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 38	90 38	57 27	48 66	8 77		15 66		Ì		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 38	90 38	57 27	48 66	8 77		15 66	•			
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 38	90 38	57 27	48 66	8 77	1	15 66				
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus		ļ	UEPFB	UEPAW	1 38	90 38	57 27	48 66	8 77		15 66				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 38	90 38	57 27	48 66	8 77		15 66				1
	2-Wire Voice Unbundled Alabama Business Dialing Plan without										7					
	Caller ID			UEPFB	UEPWB	1 38	90 38	57 27	48 66	8 77	<b></b>	15 66			<b></b>	ļ
LOCAL	NUMBER PORTABILITY	<b>_</b>	ļ	WEDER	LUBS									<b></b>	ļ	ļ
IMITEO	Local Number Portability (1 per port)  OFFICE TRANSPORT		<b> </b>	ÜÉPFB	LNPCX	0 35			ļ <u></u>							
INTER		<del></del>	-											L	ļ	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEBER	11477.00		40.51	A= /:						1	1	
				UEPFB	U1TV2	21 13	40 54	27 41	16 74	6 90				ļ		ļ
	Hotoroffico Transport Dedicated O.W. Verez Conda C.	1														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	1		VEPFB	1L5XX	0 008838								1		

INDUNDED NET	WORK ELEMENTS - Alabama													ment 2		bit: B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc ⊖rder Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order v
						Rec	Nonrec		Nonrecurring					Rates (\$)		1
							First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	itures Offered			UEPFB	UEPVF	1 98	0 00	0 00				15 66		ļ		
	NG CHARGES (NRCs) - CURRENTLY COMBINED												-			
	Loop / Dedicated IO Transport / 2 Wire Line Port			LIEBED	USAC2	i l	0.40	4.07						ŀ		
	nation - Conversion - Switch-as-is		1	UEPFB	USAC2		8 48	1 87				15 66				+
	Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USACC		8 48	1 87				15 66				
			<del> </del> -	UEPFB	USACC		0 40	10/			<del> </del>	00 0				1
	GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) p Combination Rates				_											+
	VG Loop/IO Tranport/Port Combo - Zone 1		1			15 76										
2-vvire	VG Loop/IO Tranport/Port Combo - Zone 1 VG Loop/IO Tranport/Port Combo - Zone 2		2	·	-	24 23										
	VG Loop/IO Tranport/Port Combo - Zone 2  VG Loop/IO Tranport/Port Combo - Zone 3		3		<del>_</del>	37 52					ļ					
UNE Loop Rat		-	3			31 32					-				<b></b>	<del>                                     </del>
	Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14 38						-				+
	Voice Grade Loop (SL2) - Zone 1 Voice Grade Loop (SL2) - Zone 2	_		UEPFP	UECF2	22 85							-	<del> </del>	<b>-</b>	+
	Voice Grade Loop (SL2) - Zone 3			UEPFP	UEČF2	36 14		· · · · · · · · · · · · · · · · · · ·							<del> </del>	
	Grade Line Port Rates (BUS - PBX)			OLFI F	OLC: 2	30 14										
2-vviie voice (	Stade Lille Fort Rates (BOS - FBX)	-				-									<u> </u>	+
Lung St	de Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 38	119 27	69 85	61 18	8 34	•	15 66				
	de Unbundled Outward PBX Trunk Port - Bus		<del> </del>	UEPFP	UEPPO	1 38	119 27	69 85	61 18	8 34		15 66		ļ	<del> </del>	<del> </del>
	de Unbundled Incoming PBX Trunk Port - Bus	<u> </u>		UEPFP	UEPP1	1 38	119 27	69 85	61 18	8 34		15 66				+
	Voice Unbundled 2-Way Combination PBX Alabama		<del> </del>	UEFFF	UEPPI	1 30	11927	09 60	01 10	0.34		13 66				+
Calling				UEPFP	UEPA2	1 38	119 27	69 85	61 18	8 34		15 66			l	
	Voice Unbundled PBX LD Terminal Ports		-	UEPFP	UEPLD	1 38	119 27	69 85	61 18	8 34	<del> </del>	*5.66				<del> </del>
	Voice Unbundled 2-Way Combination PBX Usage Port		<b></b>	UEPFP	UEPXA	1 38	119 27	69 85	61 18	8 34		15 66				<del> </del>
	Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 38	119 27	69 85	61 18	8 34		'5 66			<del> </del>	
	Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 38	119 27	69 85	61 18	8 34		5 66				<del>                                     </del>
	Voice Unbundled PBX LD Terminal Switchboard Port	-	<del> </del>	UEPFP	UEPXD	1 38	119 27	69 85	61 18	8 34		5 66				+
	Voice Unbundled PBX LD Terminal Switchboard IDD			OLITI	OCF AD	130	115 27	08 03	01 10	0.34		73 66			-	<del>                                     </del>
Capab				UEPFP	UEPXE	1 38	119 27	69 85	61 18	8 34		15 66				
	Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI II	TOLI AL	1 30	11321	09 05	01 10	0.54		73 00	-	· · · · · · · · · · · · · · · · · · ·		+
	strative Calling Port			UEPFP	UEPXL	1 38	119 27	69 85	61 18	8 34		15 66	ì			
	Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI II	OLI AL	1 30	11327	03 03	0110	0.04	<del> </del>	13 00				<del> </del>
	Calling Port			UEPFP	UEPXM	1 38	119 27	69 85	61 18	8 34		15 66				
	Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	OLI II	OLI AW	1 30		09 00	01 10	0.54		13 00				+
	nt Room Calling Port			UEPFP	UEPXO	1 38	119 27	69 85	61 18	8 34		15 66				
	Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 38	119 27	69 85	61 18	8 34		15 66				+
	ER PORTABILITY		<b></b>	02111	- OL: NO	100	11021	03 00	01 10			1300	<del></del>			<del> </del>
	Number Portability (1 per port)		<b>—</b>	UEPFP	LNPCP	3 15	0 00	0.00				15 66				+
INTEROFFICE			t	ou	2111 01	0 10		- 0 00				10 00				+
	ice Transport - Dedicated - 2 Wire Voice Grade - Facility					<del> </del>					<b>-</b>					+
Termin				UEPFP	U1TV2	21 13	40 54	27 41	16 74	6 90	1		1			
	fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<del> </del>	02711	011172	21101	70 07		1077	0.30						+
	ction Mile			UEPFP	1L5XX	0 008838							1			
FEATURES	NOT THE			02111	120700	0 000000			-		<del>                                     </del>					+
	itures Offered		<del> </del>	UEPFP	UEPVF	1 98	0 00	0.00		-	i	15 66		<b> </b>		
	NG CHARGES (NRCs) - CURRENTLY COMBINED			02111	921 11		000	0.00	-		-	10 00				+
	Loop / Dedicated IO Transport / 2 Wire Line Port		<b>†</b>			- 1										
	nation - Conversion - Switch-as-is			UEPFP	USAC2	1	8 48	1 87				15 66				
	Loop / Dedicated IO Transport / 2 Wire Line Port		<del> </del>		00.102		- 0,0					70.00				<del>                                     </del>
	nation - Conversion - Switch with change	1		UEPFP	USACC		8 48	1 87			1	15 66	1		[	
	OOP COMBINATIONS - COST BASED RATES		1			<del></del>						15.00				<b>†</b>
	GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<b>†</b>													
	p Combination Rates						†				<del>                                     </del>					1
2-Wire	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22 40							<b></b>			<b>—</b>
	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30 88									1	<b>†</b>
	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44 17										<b>†</b>
UNE Loop Rat		1	Ť													
	Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UEÇD1	14 38			<b> </b>				<u> </u>	l	1	1
	Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	22 85						<del></del>	<del> </del>	<del>                                     </del>	<del> </del>	+

ONBONDLE	D NETWORK ELEMENTS - Alabama	т										0.0.	6		ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		T
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	36 14									+	-
	ort Rate Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8 02	207 31	73 74	107 14	11 20		15 66				
NONRE	CURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<u> </u>	OLITA.		02,0	- 0 02	20.0.									· ·
- IVOIVILE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -									i i							
	Switch-as-is			UEPPX		USAC1		7 31	1 87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	Ì	1			l I	Į.	1									
	with BellSouth Allowable Changes	1	1	UEPPX		USA1C		7 31	1 87	-							<del> </del>
	ONAL NRCs		+	UEPPX		USAS1		26 78	26 78								
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk one Number/Trunk Group Establisment Charges		+	ULFPA		00/01		20 / 0	20 / 0	<del> </del>						t	<u> </u>
reiepn	DID Trunk Termination (One Per Port)	<del> </del>	+	UEPPX		NDT	0 00	0 00	0 00	-							
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0 00								
1	DID Numbers, Non- consecutive DID Numbers , Per Number	1	1	UEPPX		ND5	0 00	0 00	0 00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0 00	0 00	0 00								
	Reserve DiD Numbers			UEPPX		NDV	0 00	0 00	0 00			1					
LOCAL	NUMBER PORTABILITY											<u> </u>					
	Local Number Portability (1 per port)	I		UEPPX		LNPCP	3 15	0 00	0 00			-					
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E PORT														
UNE Po	ort/Loop Combination Rates	-	-				-										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	١.	UEPPB	UEPPR		27 28	İ			1						
	UNE Zone 1  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	+-'-	ULFFB	ULFFR		21 20		-	_		-					
ţ	UNE Zone 2		2	UEPPB	UEPPR		37 86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	+	+-	04111	OL: III		5. 55								•		
	UNE Zone 3		3	ŲEPPB	UEPPR		53 84										
UNE L	pop Rates	<del> </del>	1			1											
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 03				]				<b>.</b>		
		1								1							
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		29 62						<u> </u>		1		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45 60					-			<del></del>		
UNE P	ort Rate		-	LIEDOD	UEPPR	UEPPB	8 24	190 01	132 76	100 67	21 28	-	15 66	<u> </u>	ļ · · · · ·	<del> </del>	-
NOND	Exchange Port - 2-Wire ISDN Line Side Port  CURRING CHARGES - CURRENTLY COMBINED	+	+	DEPPB	UEPPR	DEPPB	8 24	190 01	132 /6	100 67	21 20		13 00			-	<del> </del>
NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	<del> </del>	+			-					<del>                                     </del>						
	Combination - Conversion		1	LIEPPR	UEPPR	USACB	0 00	38 51	27 02		!		15 66				
ADDIT	IONAL NRCs	+	†			007.02											
	NUMBER PORTABILITY		†														
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								
B-CHA	NNEL USER PROFILE ACCESS:													<b></b>			
	CVS/CSD (DMS/5ESS)			VEPPB	UEPPR	U1UCA	0 00	0 00	0 00		<b></b>			ļ	<b></b>	ļ	<b></b>
	CVS (EWSD)	-	1	UEPPB	UEPPR	U1UCB	0 00	0 00	0 00	<b> </b>		ļ			ļ	-	<del> </del>
	CSD	L	T	UEPPB	UEPPR	U1UCC	0 00	0 00	0 00		<del> </del>	-	<del> </del>	1	<del>                                     </del>	<del> </del>	<del>                                     </del>
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	U,MS,	N)	LIEDDO	UEPPR	U1UCD	0 00	0 00	0 00		ļ	-	<del> </del>	<del> </del>		1	+
	CVS/CSD (DMS/5ESS) CVS (EWSD)	+	+	UEPPB UEPPB	UEPPR	U1UCE	0.00	0 00	0.00	<del> </del>			<del>                                     </del>	<del>                                     </del>		+	<del> </del>
<del></del>	CSD (EWSD)	+	+	UEPP8	UEPPR	U1UCF	0.00	0.00	0.00	<del>                                     </del>	<del> </del>	<u> </u>	<del></del>			1	+
USER	TERMINAL PROFILE	+	+	125.15	J_111	13.55		2 30	2 30	1			1		<u> </u>	1	
Julia	User Terminal Profile (EWSD only)	<b>†</b>	$t^{-}$	UEPPB	<b>UEPPR</b>	U1UMA	0 00	0 00	0 00			-			<b>†</b>	İ	
VERTI	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1 98	0 00	0.00	1							
INTER	OFFICE CHANNEL MILEAGE			L											ļ		<b>_</b>
	Interoffice Channel mileage each, including first mile and															1	1
	facilities termination	1	1	UEPPB		M1GNC	21 14	40 54	27 41	16 74	6 90			<del></del>	-	ļ	
	Interoffice Channel mileage each, additional mile	1		UEPPB	UEPPR	M1GNM	0 008838	0 00	0 00		ļ	1	0 00	1		<del> </del>	
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	-	1		ļ				-	ļ	-	ļ	1	<del>                                     </del>	1	<del> </del> -
UNE P	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+	<del> </del>		1				<del> </del>		<del> </del>	<del> </del>	<del> </del>		+	<del> </del>
	Zone 1	1	1	UEPPP		1	166 87					1			1		

NRONDLE	D NETWORK ELEMENTS - Alabama	r									Section Control	6 Oud		ment. 2	-	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring		00000	001144		Rates (\$)	2011	COMAN
	AW DOA De tot Lee (AW ICDN DOA Dested Total Dest. LINE		<b> </b>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		238 50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		398 85										
LINE	oop Rates		-	OLITI	-+	330 00								-		
ONLL	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	82 55										
1	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	154 18										
- + -	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	314 52										,
UNE P	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	84 32	456 28	259 10	123 88	31 77		:5 66				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port				1				"							
	Combination - Conversion -Switch-as-is	L	<u></u>	UEPPP	USACP	0 00	119 07	78 56				15 66			L	
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-							<u> </u>								
	Inward/two way Tel Nos (except NC)			UEPPP	PR7TF		0 49						L	<u> </u>		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			1												
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11 51									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -								]						İ	
	Subsequent Inward Tel Numbers		ļ	UEPPP	PR7ZT		23 02									
LOCA	L NUMBER PORTABILITY		L													
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
INTER	FACE (Provsioning Only)															
	Voice/Data		ļ	UEPPP	PR71V	0 00	0 00	0 00								
	Digital Data			UEPPP	PR71D	0 00	0 00	0 00							<b></b>	
	Inward Data		_	UEPPP	PR71E	0 00	0 00	0 00								
New o	r Additional "B" Channel		-	UEPPP	PR7BV	0 00	14 53									
	New or Additional - Voice/Data B Channel		-	UEPPP	PR7BF	0 00	14 53				<u> </u>					
	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	14 53							-		
CALL	TYPES			UEFFF	PR/BD	0.00	14 35									
CALL	Inward		<del>                                     </del>	UEPPP	PR7C1	0 00	0.00	0 00			<del></del>					l
	Outward			UEPPP	PR7C0	0 00	0 00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Intero	ffice Channel Mileage			OLI III	111100	- 0 00	- 000									
	Fixed Each Including First Mile		<del> </del>	UEPPP	1LN1A	60 34	89 27	81 81	16 35	14 44		15 66				
	Each Airline-Fractional Additional Mile		<del>                                     </del>	UEPPP	1LN1B	0 18										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			·					1							
UNE P	ort/Loop Combination Rates		1													
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	142 64	1									
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214 26										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374 61										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82 55										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	154 18										L
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314 52									L	
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	60 09	454 49	253 23	117 29	14 17		15 66				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		129 49	67 02	ļ			15 66			L	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												I			
	- Conversion with DS1 Changes		<u> </u>	UEPDC	USAWA		129 49	67 02				15 66	ļ	1	<b></b>	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				j l				1			_				
	- Conversion with Change - Trunk		<u> </u>	UEPDC	USAWB		129 49	67 02				15 66			ļ <u>-</u>	
ADDIT	IONAL NRCs	<u> </u>	<u> </u>								-		<b>!</b>		1	<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1	1	1					1		1	1	4	1	I	1

MOUNDEL	D NETWORK ELEMENTS - Alabama													ment. 2		bit 🖾
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec			Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14 48	14 48				15 66			ļ	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	ł		Ì												
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14 48	14 48				15 66				L
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID		<u> </u>	UEPDC	UTTOU		14 48	14 48	İ			15 66				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Chan	ì		_			- 1					l		l		
	Activation / Chan - 2-Way DID w User Trans		ļ	UEPDC	UDTTE		14 48	14 48				15 66		ļ <u>.</u>		
	AR 8 ZERO SUBSTITUTION		<u> </u>		4											
	B8ZS -Superframe Format		<u> </u>	UEPDC	CCOSF		0.00	600 00								ļ
	B8ZS - Extended Superframe Format		-	UEPDC	CCOEF		0 00 [	600 00			ļ					
Alterna	te Mark Inversion		<u> </u>		1,,,,,,,,,,											<u> </u>
	AMI-Superframe Format		-	UEPDC	MCOSF		0 00	0 00			ļ <u></u>					<b>└</b>
	AMI - Extended SuperFrame Format			UEPDC	мсоро		0 00	0.00								
leleph	one Number/Trunk Group Establisment Charges		ļ								ļ					
	Telephone Number for 2-Way Trunk Group		ļ	UEPDC	UDTGX	0 00										
_	Telephone Number for 1-Way Outward Trunk Group		_	UEPDC	UDTGY	0 00						ļ				ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00										ļ
	DID Numbers for each Group of 20 DID Numbers	<u> </u>	ļ <u> </u>	UEPDC	ND4	0.00	0 00									-
	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPDC	ND5	0 00	0.00									1
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00								<u> </u>
	Reserve DID Numbers ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	D - 1-1	L	UEPDC	NDV	0 00	0 00	0 00			1					ļ
Deuica		Digital	Loop	With 4-Wire DUITS	Trunk Port						<del> </del>					-
1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	60 16	89 27	81 81	16 35			45.00			i	ŀ
-	Termination)			UEPDC	ILNOI	01 10	89 27	81 81	16 35	14 44		15 66				ļ
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0 18	0 00	0 00								1
-	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	-	<del> </del>	OLFDG	ILINOA	0 10	0 00	0.00								ļ
	Termination)		[	UEPDC	1LNO2	0 00	0 00	0 00								1
1	Interoffice Channel Mileage - Additional rate per mile - 9-25		<del> </del>	OEFDC	ILNOZ	0 00	0 00				<del> </del>					-
1	miles		1	UEPDC	1LNOB	0 18	0 00	0 00								i
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		_	GET DO	I.E.N.O.D	V-19-	500	0 00			·					<del>                                     </del>
1	Termination)		1	UEPDC	1LNO3	0 00	0 00	0.00	0 00							1
	Tommatory		<del> </del> -	021 00	7.2.100	0 00	- 0 00		0.00		İ				-	<del>                                     </del>
- 1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 18	0 00	0 00							İ	
-	Local Number Portability, per DS0 Activated		<del> </del>	UEPDC	LNPCP	3 15	0 00	0.00	0.00		<del> </del>					├
	Central Office Termininating Point			UEPDC	CTG	0 00	- 000	0.00	0 00		-			-		<del>                                     </del>
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT		<del>                                     </del>	GEI DO	- 010	0 00					-				<b></b>	<del> </del>
System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations												<del></del>	-	<del></del>
Each S	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												<b>†</b>
	S1 Loop	1,7,1.2.2.	1													<u> </u>
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82 55	0 00	0.00								<del>                                     </del>
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	154 18	0 00	0 00							i	t
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	314 52	0 00	0 00								<b>†</b>
	SO Channelization Capacities (D4 Channel Bank Configuration	15)									1					
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101 40	0 00	0.00								<del> </del>
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202 80	0 00	0 00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405 60	0 00	0 00			1					
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	608 40	0 00	0.00			i i					
	192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	811 20	0 00	0 00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,014 00	0 00	0.00						T		T
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,216 80	0 00	0 00							T	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622 40	0 00	0 00			T					1
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,028 00	0 00	0 00								T
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433 60	0 00	0 00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839 20	0 00	0 00								
															<del> </del>	
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	ı Chanı	reliztio	n with Port - Conv.	ersion Charge	Based on a Sys	stem							1		

DURONDLE	D NETWORK ELEMENTS - Alabama		,											nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interr m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
_	NRC - Conversion (Currently Combined) with or without		₩		-		First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150 48	8 36				15 66			i	l
Systen	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat				130 40	0.30				13 00				
	lot Currently Combined) in all states, except in Density Zone 1														1	
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port												780.2			
	and Assoc Fea Activation			UEPMG	VUMD4	0 00	716 11	468 04	148 75	17 65		15 66				
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent		]		20005			200.00								
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0 00	0 00	600 00								
	Subsequent Activity Only	ĺ	!	UEPMG	CCOEF	0 00	0 00	600 00								
Alterna	ate Mark Inversion (AMI)	-		02, 1910	3000	- 550	0.00	000 00							<del> </del>	<del> </del>
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00								<del>                                     </del>
	Extended Superframe Format			UEPMG	MCOPO	0 00	0.00	0 00								
Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchar	nge Ports															
1											1					
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 15	0.00	0 00	0 00	0 00	<del></del>	15 66				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 15	0 00	0 00	0 00	0.00	1	15 66				
1	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 15	0.00	0 00	0 00	0.00		15 66				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 05	0.00	0 00	0 00	0.00		15 66		-		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			ULFFX	OLF DIVI	0 03	0 00	0 00	0 00	0.00		13 00				
	(AL, KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPÇY	1 15						15 66				
	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1 15						15 66				
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only)			UEPPX	UEPA4	1 15	0 00	0 00				15 66				
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only)	İ		UEPPX	UEPA3	1 15	0 00	0 00								
Feature	e Activations - Unbundled Loop Concentration		-	UEPPX	UEPAS		0 00	0.00				15 66				
reatti	Feature (Service) Activation for each Line Port Terminated in D4				1											-
	Bank			UEPPX	1PQWM	0 56	54 55					15 66				
	Feature (Service) Activation for each Trunk Port Terminated in										-	- 755				
	D4 Bank			UEPPX	1PQWU	0 56	77 03					15 66				[
Teleph	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)		<u> </u>	UEPPX	NDT	0 00	0 00	0 00								
<del></del>	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0.00								
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0 00	0 00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00				-			-	-
	Number Portability		<b></b> -	ULFFA	INDY	0 00	0 00	0 00								-
	Local Number Portability - 1 per port		<b>†</b>	UEPPX	LNPCP	3 15	0 00	0 00								
FEATU	RES - Vertical and Optional					<u>× '</u> -' <u>×</u>	5 30									<b>-</b>
	Switching Features Offered with Line Side Ports Only				1		1				<u> </u>					
	All Features Available			UEPPX	UEPVF	1 98	0 00	0 00								
	2-Wire Voice Unbundled Alabama Business Dialing Plan without		7													
IDIANDI ED C	Caller ID		$\sqcup$	UEPBX	UEPWB	14 00	90 00	90 00				15 66				
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES				لببيا											
2 Fast	Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co	and/or	otate C	ommission rule to	provide Unbi	indied Local Sw	ritching or Sw	Alena Habi	diad Dark		E.b.t.					
3. Fnd	Office and Tandem Switching Usage and Common Transport	Lieane	ratos in	the Port costion of	f this rate cate	bit shall applied	to the Stand	-Alone Unburi	gled Port Section	on of this Rate	EXPIDIT.	nun Danti -	an Cambus st			
4 Tho	first and additional Post representation observes and common transport	usaye i	Cam'	and Comban 5	Comments C	on snan apply	o all combina	itions of loop/	port network el	ements excep	TOF UNE C	OIR PORTLO	op Combinati	ons		<u> </u>
anniu a	first and additional Port nonrecurring charges apply to Not Cu ilso and are categorized accordingly	irrently	Combi	nea Compos For	Currently Col	noined Combo	s, tne nonrecu	rring charges	snall be those	identified in t	ne Nonrecui	mng - Curre	ntly Combine	ed sections	Additional NR	Cs may
	ilso and are categorized accordingly ket Rates for Unbundled Centrex Port/Loop Combination will i	ha roc	afi afari	on an Industrial C	ann Danin+	d fumber		-				-				ı
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ve nego	Juated	on an individual C	ase basis, unt	i rumner notice										
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	L	-		_						ļ					ļ .

ADUNDER	D NETWORK ELEMENTS - Alabama										Sun Our	Cum Ond	Incremental	nent 2		bit 🖪
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order v
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	No. of the control of	ļ			<del>   </del>		First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Non-Design)  [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		-				<del> </del>	•	-				<del>                                     </del>	
	Non-Design		1	UEP91		12 70					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del> </del>													_
	Non-Design		2	UEP91		21 19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		34 80									ļ	
UNE	Port/Loop Combination Rates (Design)		-													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP91		15 53					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+	ULFSI		10 00					1					+
	Design		2	UEP91		24 00									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															<b></b>
	Design		3	UEP91		37 29										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11 55										
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20 04										-
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33 65 14 38										
-	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<b></b>	1 2	UEP91 UEP91	UECS2 UECS2	22 85										<del> </del>
+	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	36 14										+
UNÉ			<del>  -</del> -	OLI 31	- DEGGE	50 14										
	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		l	UEP91	UEPYA	1 15	40 19	19 83	24 91	6 63		- 5 66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1													1	
-	Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPYH	1 15	40 19	19 83	24 91	6 63		15 66		ļ	<b></b>	
	Center)2 Basic Local Area			UEP91	UEPYM	1 15	90 38	57 27	48 66	8 <b>7</b> 7		15 66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI ST	OLY TW		30 80	01 Z1	40 00			13 00	·		<del>                                     </del>	<del> </del>
l	Term - Basic Local Area			UEP91	UEPYZ	1 15	90 38	57 27	48 66	8 77		15 66		İ		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		T													
	- Basic Local Area			UEP91	UEPY9	1 15	40 19	19 83	24 91	6 63		15 66				
1	2-Wire Voice Grade Port Terminated on 800 Service Term -										ļ					
1	Basic Local Area		-	UEP91	UEPY2	1 15	40 19	19 83	24 91	6 63		15 66	ļ		ļ	
AL, K	Y, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex )		-	UEP91	UEPQA	1 15	40 19	19 83	24 91	6 63	ļ	15 66	<del>  -</del>			
-	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)		+	UEP91	UEPQB	1 15	40 19	19 83	24 91	6 63	-	15 66			-	+
+	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91	UEPQH	1 15	40 19	19 83		6 63		15 66			<u> </u>	<del> </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02, 5.	102. 4.1	1.0	-10 15	.5 00								<del>                                     </del>
	Center)2			UEP91	UEPQM	1 15	90 38	57 27	48 66	8 77		15 66				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															T
	Term	L		UEP91	UEPQZ	1 15	90 38	57 27	48 66	8 77		15 66	l			
1							40						]		1	1
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	<del> </del>	UEP91 UEP91	UEPQ9 UEPQ2	1 <b>15</b>	40 19 40 19	19 83 19 83	24 91 24 91	6 63 6 63	<del> </del>	15 66 15 66	1			<del> </del>
Local	Switching	-	-	UEP91	UEPQ2	1 15	40 19	19 83	24 91	6 63	<del>                                     </del>	15 66			1	+
Local	Centrex Intercom Funtionality, per port		+	UEP91	URECS	0 5488			+ +		<u> </u>				<b> </b>	<del> </del>
Local	Number Portability	t	<del> </del>						† †							<b>†</b>
	Local Number Portability (1 per port)		T	UEP91	LNPCC	0 35										
Featu	res				1											I
	All Standard Features Offered, per port			UEP91	UEPVF	1 98										
_	All Select Features Offered, per port		-	UEP91	UEPVS	0 00	405 52		ļ				ļ		ļ	<del></del>
NARS	All Centrex Control Features Offered, per port			UEP91	UEPVC	1 98					ļ			<del> </del>	ļ	+
NARS	Unbundled Network Access Register - Combination	-	-	UEP91	UARCX	0.00	0 00	0 00	<del> </del>		<del> </del>		l		1	+
-	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Indial		-	UEP91	UAR(X UAR1X	0 00	0 00	0 00			1	ļ	<del> </del>	<del> </del>	1	+
			4	[ V = [ 2 ]	IVANIA	0.00	0.00				1	1	1	I .	1	1

JNBUNDLED	NETWORK ELEMENTS - Alabama													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					I J	Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscella	aneous Terminations															
2-Wire T	Frunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8 05	119 31	18 74	59 90	3 76		15 66				
Interoffi	ce Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21 13	40 54	27 41	16 74	6 90		15 66				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 008838										l
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations				1 1	-				-						
- 1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
																<del></del>
1 1	Feature Activation on D-4 Channel Bank FX fine Side Loop Slot			UEP91	1PQW6	0 56								1		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				<del> </del>						· !					<u> </u>
	Slot			UEP91	1PQW7	0 56			[		[				1	
	Feature Activation on D-4 Channel Bank Centrex Loop Stot -				1											1
	Different Wire Center			UEP91	1PQWP	0 56			l i			·				
				<u></u>	1				1							
- 1 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 56	1		! i			.				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		<del></del>	021 01	1		-		<del>  </del>						<del></del>	
	Slot			UEP91	1PQWQ	0 56					l i	·				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										!
	curring Charges (NRC) Associated with UNE-P Centrex		_	OLF	II GWA	0.00			1						-	-
	Conversion - Currently Combined Switch-As-Is with allowed		-		+ +				<del>                                     </del>						-	-
	conversion - Currently Complined Switch-As-is with allowed changes, per port		1	UEP91	USAC2	ĺ	0 10	0 10	]			15 66				i
	Conversion of Existing Centrex Common Black		<del> </del> -	UEP91	USACN		37 75	16 58	1			15 66				-
	New Centrex Standard Common Block	-		UEP91	M1ACS	0 00	667 21	10 36	<del> </del>			15 66		<del></del>	<del> </del>	
	New Centrex Standard Common Block	-	-	UEP91	M1ACC	0 00	667 21		<del>  </del>			15 66				
									<del> </del>						ļ	
	Secondary Block, per Block		-	UEP91	M2CC1	0 00	78 02		<del>                                     </del>			15 66				
	NAR Establishment Charge, Per Occasion CENTREX - 5ESS (Valid in All States)	-	-	UEP91	URECA	0 00	72 73					15 66			-	
			<b>├</b>						1							
	/G Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1											
	rt/Loop Combination Rates (Non-Design)				ļ											<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.		1 1										1	
	Non-Design		1	UEP95	1 1	12 70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i	1						1						1	
	Non-Design		2	UEP95		21 19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	Ì	1		1 1				1							i
	Non-Design		3	UEP95		34 80			<u> </u>							
	rt/Loop Combination Rates (Design)				1										l	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i	1						1							
	Design		1	UEP95		15 53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		1 1											1
	Design		2	UEP95		24 00			<u></u>		<u> </u>				L	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95	<u> </u>	37 29			L		<u>.                                    </u>		L		I	1
UNE Lo																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UEC\$1	11 55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		- 3	UEP95	UECS1	33 65			1							1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14 38										T
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UEC\$2	22 85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36 14										
UNE Po					1				1							
All State	98	l														T
	2-Wire Voice Grade Port (Centrex.) Basic Local Area			UEP95	UEPYA	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 15	40 19	19 83	24 91	6 63		15 66				<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1							30				
	Area			UEP95	UEPYH	1 15	40 19	19 83	24 91	6 63		15 66				
1 1	2-Wire Voice Grade Port (Centrex from diff Serving Wire				<del>  -: :::</del>	- 10										· · · · · · · · · · · · · · · · · · ·
	Center)2 Basic Local Area		1	UEP95	UEPYM	1 15	90 38	57 27	48 66	8 77	ıi	15 66		l	ŀ	

NEGNATE	D NETWORK ELEMENTS - Alabama												Attach	ment 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	- · · · · · · · · · · · · · · · · · · ·	Nonrec	RATES (\$)	N	g Disconnect		Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge -	Incremental Charge -	
			<del> </del>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		+				riist	Auoi	Filst	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
	Term - Basic Local Area			UEP95	UEPYZ	1 15	90 38	57 27	48 66	8 77	1	15 66				•
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	02.00		1 10	30 00	01 21		- 077		10 00				
	- Basic Local Area			UEP95	UEPY9	1 15	40 19	19 83	24 91	6 63		15 66			l	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	~~~	1		1021.70		70.70	10 00	2401	0.00	<del> </del>	.0 00	-			
	Basic Local Area			UEP95	UEPY2	1 15	40 19	19 83	24 91	6 63	Į.	15 66	ļ			
AL, K	Y, LA, MS, SC, & TN Only		<del></del> -	102.00	022			10 00	2701	0 00	<del></del>			<del> </del>		
	2-Wire Voice Grade Port (Centrex.)		<del> </del>	UEP95	UEPQA	1 15	40 19	19 83	24 91	6 63		15 66		1		
	2-Wire Voice Grade Port (Centrex 800 termination)		†	UEP95	UEPQB	1 15	40 19	19 83	24 91	6 63		15 66		1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPQH	1 15	40 19	19 83	24 91	6 63	†·-	15 66		<del> </del>		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1			. , ,	10 10	10 00	2.0.	- 000		13 00				•
	Center)2		1	UEP95	UEPQM	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1						-10 00		<del> </del>	1,700				
	Term			UEP95	UEPQZ	1 15	90 38	57 27	48 66	8 77	İ	15 66			İ	
			1	02.00	102:02		00.00	5, 2,	1000	071		15 00				<del></del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1 15	40 19	19 83	24 91	6 63		5 66				
-	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 15	40 19	19 83	24 91	6 63		15 66				
Local	Switching			02: 00			10.10	10 00	2401	0.00		17.00		<del> </del>		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 5488					<u> </u>					
Local	Number Portability		-	52.700	0.1200	0 0 100					+					
	Local Number Portability (1 per port)		+	UEP95	LNPCC	0 35						-				
Featur			<del>                                     </del>	02.100	2.11.00	- 000	-							<del>                                     </del>		
1 (-	All Standard Features Offered, per port		_	UEP95	UEPVF	1 98										
	All Select Features Offered, per port		<del> </del>	UEP95	UEPVS	0 00	405 52									
_	All Centrex Control Features Offered, per port		<u> </u>	UEP95	UEPVC	1 98	400 02			-				-		
NARS				021 33	- DEF VO	1 30										
11	Unbundled Network Access Register - Combination		<del> </del>	UEP95	UARCX	0 00	0.00	0.00			-					
	Unbundled Network Access Register - Indial		<del> </del>	UEP95	UAR1X	0 00	0 00	0 00								
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0.00						l		
Miscel	llaneous Terminations	****		02.700	- Criticox	- 500	0 00				<del> </del>	-		<del>                                     </del>	-	
	Trunk Side		_							• • • • • • • • • • • • • • • • • • • •						
	Trunk Side Terminations, each			UEP95	CEND6	8 05	119 31	18 74	59 90	3 76		15 66		<del> </del>		
4-Wire	Digital (1 544 Megabits)						.,,,,,			<b>V</b> 10	<del> </del>	1000		<del></del>		
	IDS1 Circuit Terminations, each		T	UEP95	M1HD1	60 09	202 02	95 69	72 59	2 46		5 66				
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	14 46		7200			15 66		<del> </del>		
Interof	ffice Channel Mileage - 2-Wire		<u> </u>		-		,,,,,					1,700		1		<del></del>
	Interoffice Channel Facilities Termination	_		UEP95	MIGBC	21 13	40 54	27 41	16 74	6 90	<del>                                     </del>	15 66		····		
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 008838						1		1		
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е	<u> </u>									1				
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		ļ —	UEP95	1PQWS	0.56								-		
			1													
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 56						!		i		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop						-									
	Slot		1	UEP95	1PQW7	0.56								1		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -									-						
	Different Wire Center			UEP95	1PQWP	0 56						i				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 56						[				
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop					***							-			
	Slot			UEP95	1PQWQ	0.56	1									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 56					1			1		
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex						+									
	NRC Conversion Currently Combined Switch-As-Is with allowed		t - :				• • • • • • • • • • • • • • • • • • • •									
	changes, per port		1 :	UEP95	USAC2		0 10	0 10				15 66				
	Conversion of Existing Centrex Common Block, each	•	1	UEP95	USACN		37 75	16 58			<del></del>	15 66			<del></del>	
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667 21	10 30			<del> </del>	15 66				
	New Centrex Customized Common Block		1	UEP95	M1ACC	0 00	667 21					15 66		<del> </del>		
	NAR Establishment Charge, Per Occasion		+	UEP95	URECA	0 00	72 73					15 66		+		

ONDONDL	ED NETWORK ELEMENTS - Alabama	,	,	· · · · · · · · · · · · · · · · · · ·		,								ment: 2		oit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc ⊖rder Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
			ļ			Rec	Nonrec			Disconnect				Rates (\$)		
LINIE	P CENTREX - DMS100 (Valid in All States)				+	-	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		-	<u> </u>					ļ			<b></b>	ļ	<b> </b>
	Port/Loop Combination Rates (Non-Design)		-		+						-					<del></del>
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		-	<del>                                     </del>										
ļ	Non-Design		1	UEP9D	1	12 70				i				1		i .
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	† ·	02.05		12.70					<del> </del>			<del> </del>		
	Non-Design		2	UEP9D		21 19										l .
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							-								(
	Non-Design		3	UEP9D		34 80										i
UNE	Port/Loop Combination Rates (Design)								·		1		-			i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		1	UEP9D		15 53										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		24 00										i.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					i
	Design		3	UEP9D		37 29					1					
UNE	Loop Rate	<u> </u>	ļ <u>.</u>								1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11 55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ		UEP9D	UEC\$1	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33 65								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-		UEP9D	UECS2	14 38 22 85									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<del> </del>	3	UEP9D UEP9D	UECS2 UECS2	36 14								l		
LINE	Port Rate	╀	-	UEF9D	UECSZ	30 14										
ALI S	STATES	+	+		<del> </del>	<del>  </del>					_			-	-	· · · · · · · · · · · · · · · · · · ·
	2-Wire Voice Grade Port (Centrex.) Basic Local Area	<del>                                     </del>	•	UEP9D	UEPYA	1 15	40 19	19 83	24 91	6 63	+	15 66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	į –	02.00	102	1	.0 10	75 55	2-101		-	13 00		-		
	Area	l		UEP9D	UEPYB	1 15	40 19	19 83	24 91	6 63		15 66				i
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		1													
	Area	1	1	UEP9D	UEPYC	1 15	40 19	19 83	24 91	6 63		15 66				i
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local										1					i e
	Area	<u> </u>	<u> </u>	UEP9D	UEPYD	1 15	40 19	19 83	24 91	6 63		15 66				i
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		ì													í
	Area		<u> </u>	UEP9D	UEPYE	1 15	40 19	19 83	24 91	6 63	]	15 66		ļ		i
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		İ						i							i
	Area		<b></b>	UEP9D	UEPYF	1 15	40 19	19 83	24 91	6 63		15 66				i .
1	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local														]	Í
	Area		-	UEP9D	UEPYG	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			LIEDOD	LIEDVE		40.40	40.00								i
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1 15	40 19	19 83	24 91	6 63		15 66				
	Area			UEP9D	UEPYU	1 15	40.40	19 83	24.04	6.00		15.00			l .	i
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		<del> </del>	DEPAD	DEPYU	1 15	40 19	19 83	24 91	6 63	-	15 66				
	Area			UEP9D	UEPYV	1 15	40 19	19 83	24.04	6.63		15.00			1	i
<del></del>	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	_	<del> </del>	OELAD	UEPTV	1 15	40 19	19 63	24 91	6 63		15 66			1	<del></del>
	Area			UEP9D	UEPY3	1 15	40 19	19 83	24 91	6 63		15 66			1	i
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLF 3D	ULF 13	113	40 15	18 63	24 81	_ 0.03	+	13 60			-	<i></i>
	Area			UEP9D	UEPYH	1 15	40 19	19 83	24 91	6 63		15 66			1	(
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	<b>—</b> —	<del> </del>		100,111		70 15	15 65	<del>-731</del>	0.03	<del> </del>	13,00	<del></del>		1	<u> </u>
	Indication))3 Basic Local Area	l		UEP9D	UEPYW	1 15	40 19	19 83	24 91	6 63		15 66				i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3				1	' ' '				- 30	+			1		
	Basic Local Area			UEP9D	UEPYJ	1 15	40 19	19 83	24 91	6 63		15 66		1		i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		ļ													
	2 Basic Local Area	L		UEP9D	UEPYM	1 15	90 38	57 27	48 66	8 77		15 66		<u> </u>		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3					İ										
	Basic Local Area	L	<u></u>	UEP9D	UEPYO	1 15	90 38	57 27	48 66	8 77		15 66		<u> </u>		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	l														
!	Basic Local Area		1	UEP9D	UEPYP	1 15	90 38	57 27	48 66	8 77	1	15 66		1		i .

DIADOIADEE	D NETWORK ELEMENTS - Alabama												Attachi	ment. 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		M	RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec First	Add'l	Nonrecurring First	Add'	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3						1/191	Auu	71131	Auu	SOME	JUMAN	SUMAN	SUMAN	SUMAN	SUMAN
į.	Basic Local Area			UEP9D	UEPYQ	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3														1	
	Basic Local Area			UEP9D	UEPYR	1 15	90 38	57 27	48 66	8 77		15 66				
į	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3 Basic Local Area			LIEBOD	UEDVC	4.45	00.00	F7.07	40.00	0.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1 15	90 38	57 27	48 66	8 77		15 66				<del></del>
	Basic Local Area			UEP9D	UEPY4	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02,00			00 00	0, 2,	.0 00			.,,,,,	-	_		
	Basic Local Area			UEP9D	UEPY5	1 15	90 38	57 27	48 66	8 77		15 66				
T	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3					1										
	Basic Local Area		<u> </u>	UEP9D	UEPY6	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY7											1
	Basic Local Area  2: Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY/	1 15	90 38	57 27	48 66	8 77		15 66				
	Term		1	UEP9D	UEPYZ	1 15	90 38	57 27	48 66	8 77		15 66			1	
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	OLF 3D	OLF 12	1 13	90 30	5/ 2/	40 00	671		13 66				-
	Basic Local Area			UEP9D	UEPY9	1 15	40 19	19 83	24 91	6 63		15 66			]	Ì
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1 15	40 19	19 83	24 91	6 63		:5 66				
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1 15	40 19	19 83	24 91	6 63		5 66				ļ. <u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1 15	40 19	19 83	24 91	6 63		5 66				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPQD	1 15	40 19	19 83	24 91	6 63		5 66				<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3  2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQE	1 15 1 15	40 19 40 19	19 83 19 83	24 91 24 91	6 63 6 63		15 66 5 66				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1 15	40 19	19 83	24 91	6 63		5 66				
-	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1 15	40 19	19 83	24 91	6 63		15 66				<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp												-			
	Indication)3			UEP9D	UEPQW	1 15	40 19	19 83	24 91	6 63		15 66	L			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				I											
	2			UEP9D	UEPOM	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPOP	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1 15	90 38	57 27	48 66	8 77		15 66				
	The rese state of the control of the reserve, o			OC1 35	OEI WW	1 10	30 30	3/ 2/	40 00	011		13 00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1 15	90 38	57 27	48 66	8 77		15 66				
					_						·					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1 15	90 38	57 27	48 66	8 77		15 66				
	L		!													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5		00.00			0.77						ļ
	2-Wile Voice Grade Fort (Centrevollier SWC /EBS-M3206)2, 3			UEP9U	UEPQS	1 15	90 38	57 27	48 66	8 77		15 66			<u> </u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1 15	90 38	57 27	48 66	8 77		15.66				ł
	- The season of Control of the Fibrary Contro			04.55	OLI GO	1 13	30 00	3/ 2/	40 00	077		13.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1 15	90 38	57 27	48 66	8 77		15 66				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							<u> </u>	.5 50	<b></b>						
	Term			UEP9D	UEPQZ	1 15	90 38	57 27	48 66	8 77		15 66				
1																
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 15	40 19	19 83	24 91	6 63		15 66				1

NR	ONDLE	D NETWORK ELEMENTS - Alabama										,		+	ment: 2		bit: B
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
							Rec	Nonrec		Nonrecurring	Disconnect	1		oss	Rates (\$)		
							Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local	Switching	ļ		ļ												
	Local	Centrex Intercom Funtionality, per port Number Portability	ļ	<del> </del>	UEP9D	URECS	0 5488				_					ļ	ļ
	Local	Local Number Portability (1 per port)	<del> </del>		UEP9D	LNPCC	0 35										ļ
-	Featur		<del>                                     </del>		(OLF 9D	LINFOC	0.33										<del> </del>
		All Standard Features Offered, per port	1		UEP9D	UEPVF	1 98							<del>-</del>			<del>                                     </del>
		All Select Features Offered, per port	T		UEP9D	UEPVS	0.00	405 52						-			
		All Centrex Control Features Offered, per port		}	UEP9D	UEPVC	1 98										1
	NARS		L	<b></b>													
		Unbundled Network Access Register - Combination		ļ	UEP9D	UARCX	0 00	0 00	0 00								<u> </u>
		Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	1	-	UEP9D UEP9D	UAR1X	0 00	0.00	0 00								
	Miscel	Innouncied Network Access Register - Outdial  Ianeous Terminations	<del> </del>		OEP9D	UAROX	0 00	0 00	0 00	<del> </del>		<del>                                     </del>		ļ		ļ	
		Trunk Side	<del> </del>	<del> </del>	+	+	<b></b>			<del> </del>		-		<del>                                     </del>		<del>                                     </del>	<del></del>
	1	Trunk Side Terminations, each	<del>                                     </del>	<b>†</b>	UEP9D	CEND6	8 05	119 31	18 74	59 90	3 76	<del>                                     </del>	15 66				
	4-Wire	Digital (1 544 Megabits)	1	†	1	1								·			
		DS1 Circuit Terminations, each			UEP9D	M1HD1	60 09	202 02	95 69	72 59	2 46	Ī	15 66				
		DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14 46					15 66				
	Interof	fice Channel Mileage - 2-Wire	ļ <u></u>														
		Interoffice Channel Facilities Termination		-	UEP9D	MIGBC	21 13	40 54	27 41	16 74	6 90		15 66				
		Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	MIGBM	0 008838										
		e Activations (DSU) Centrex Loops on Channelized DS1 Service	1			_			<del>-</del>								-
	104 0116	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del> </del>	1	UEP9D	1PQWS	0.56			-							
_		T saleto Felivation on E. Folialina Bank ochirex 2000 olot			<u> </u>	11 0110	0.30					-					<del> </del>
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0 56					i					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		i													
		Siot			UEP9D	1PQW7	0 56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center	ļ	ļ	UEP9D	1PQWP	0 56										
		Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP9D	1PQWV	0 56					I					
	+	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	-	-	UEP9D	TPQWV	0.56										
		Slot			UEP9D	1PQWQ	0.56							:			
	-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 56						-				
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		†										-			
		NRC Conversion Currently Combined Switch-As-Is with allowed		1													
		changes, per port			UEP9D	USAC2		0 10	0 10				15 66				
_		Conversion of existing Centrex Common Block, each	<u> </u>	ļ <u>.</u>	UEP9D	USACN		37 75	16 58				15 66				
		New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D	M1ACS	0 00	667 21					15 66				
		NAR Establishment Charge, Per Occasion			UEP9D UEP9D	M1ACC URECA	0 00	667 21 72 73					15 66 15 66				
_	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEPSD	URECA	0.00	1273		<del> </del>			15 66				
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-			-							_			-
	UNE P	ort/Loop Combination Rates (Non-Design)		1		-						-			••		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		1				-								
		Non-Design		1	UEP9E		12 70										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						-			-						
		Non-Design		2	UEP9E		21 19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		,	LIEDOE		0.00	ŀ									
	LINE D	ort/Loop Combination Rates (Design)		3	UEP9E		34 80										
	UIAL FI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<del> </del>	$\vdash$						<del> </del>							+
		Design		1	UEP9E		15 53									:	1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	1	<del>                                     </del>	10 30						<del> </del>				<del></del>
		Design	1	2	UEP9E		24 00										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		37 29										1
	UNE L	oop Rate	1														

ARONDER	D NETWORK ELEMENTS - Alabama										İ	Attachi	ment 2	Exhil	bit: B
TEGORY	RATE ELEMENTS	Interi m Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge
					Rec	Nonrec		Nonrecurring					Rates (\$)		
	2.88-2-1/2-2-2-2-1-1-2-2-2-2-2-2-2-2-2-2-2-2	·	LIEDOE			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2-Wire Voice Grade Loop (SL 1) - Zone 1		UEP9E	UECS1	11 55										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP9E	UECS1	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP9E UEP9E	UECS1	33 65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	UEP9E	UECS2	14 38			ļ							
	2-Wire Voice Grade Loop (SL 2) - Zone 2	3	UEP9E UEP9E	UECS2	22 85										L
TIME D	ort Rate	3	UEPSE	UECS2	36 14										
	., KY, LA, MS, & TN only	<del></del>		<del></del>											ļ
AL, FL	2-Wire Voice Grade Port (Centrex ) Basic Local Area		UEP9E	UEPYA	4.45			ļ							
-	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		UEP9E	UEPYA	1 15	40 19	19 83	24 91	6 63		15 66				L
	Area	1	LIFERE	UEPYB	4.45										1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<del></del>	UEP9E	DEPAR	1 15	40 19	19 83	24 91	6 63		15 66				<del> </del>
	Area		LIEBOE	LIEDVAL		40.40	40.00								1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		UEP9E	UEPYH	1 15	40 19	19 83	24 91	6 63		15 66				
		i l	LIEBOE	luena.											1
	Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		UEP9E	UEPYM	1 15	90 38	57 27	48 66	8 77		15 66				ļ
1	Term - Basic Local Area		LIEBOE												ĺ
_			UEP9E	UEPYZ	1 15	90 38	57 27	48 66	8 77		15 66				
İ	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEDOE	LUEDVO	4.45		40.00								
-	2-Wire Voice Grade Port Terminated on 800 Service Term -		UEP9E	UEPY9	1 15	40 19	19 83	24 91	6 63		15 66				L
	Basic Local Area		LIEBOE	LUEBVO											1
A1 1/3	/, LA, MS, & TN Only		UEP9E	UEPY2	1 15	40 19	19 83	24 91	6 63		15 66				
AL, K			Liffort												ļ
	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)		UEP9E	UEPQA	1 15	40 19	19 83	24 91	6 63		15 66				L
			UEP9E	UEPQB	1 15	40 19	19 83	24 91	6 63		15 66				
-	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		UEP9E	UEPQH	1 15	40 19	19 83	24 91	6 63		15 66				ļ
	Center)2		UEP9E	utno	4.45										
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-	UEPSE	UÉPQM	1 15	90 38	57 27	48 66	8 77		15 66				
	Term		UEP9E	LIEBOT I	4.6										ĺ
	Telli	<u> </u>	UEPSE	UEPQZ	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		UEP9E	UEPQ9	1 15	40 19	19 83	24 91	0.00		15 66				
	2-Wire Voice Grade Port Terminated in 800 Service Term		UEP9E	UEPQ2	1 15	40 19	19 83	24 91	6 63						
Locat	Switching		OEF 9E	UCFU2	1 15	40 19	19 63	24 91	6 63		15 66				<del></del>
Locus	Centrex Intercom Funtionality, per port		UEP9E	URECS	0 5488			<del> </del>							<b></b>
Locat	Number Portability		OLF 3L	OREC3	0 3400										
Local	Local Number Portability (1 per port)		UEP9E	LNPCC	0 35										<del></del>
Featur			OLI SL	LINECC	0 33		<u> </u>								<del></del>
- Cutan	All Standard Features Offered, per port	<del>                                     </del>	UEP9E	UEPVF	1 98										├
_	All Select Features Offered, per port	<del></del>	UEP9E	UEPVS	0 00	405 52		<del> </del>							
	All Centrex Control Features Offered, per port	<del></del>	UEP9E	UEPVS	1 98	400 02			<del></del>		-				
NARS		-	OCI SC	JLF VC	1 30										
117,110	Unbundled Network Access Register - Combination		UEP9E	UARCX	0 00	0 00	0 00	ļ							<b></b>
1	Unbundled Network Access Register - Indial	<del>                                     </del>	UEP9E	UAR1X	0 00	0 00	0 00						- <del></del>	i	<del></del>
	Unbundled Network Access Register - Outdial		UEP9E	UAROX	0.00	0 00	0 00								
Miscel	laneous Terminations		UEFSE	JUANUX	000		0 00								₩
	Trunk Side														<del> </del>
	Trunk Side Terminalions, each	<b></b>	UEP9E	CEND6	8 05	119 31	18 74	59 90	3 76		15 66				<del> </del>
4-Wire	Digital (1 544 Megabits)		00.30	DENDO	9 05	11931	10 /4	39 90	3/6		13 00				<del>                                     </del>
	DS1 Circuit Terminations, each	<del>                                     </del>	UEP9E	M1HD1	60 09	202 02	95 69	72 59	2 46		15.60				<del>                                     </del>
+	DS0 Channel Activated Per Channel		UEP9E	M1HD0	0 00	14 46	90 09	12 59	∠ 46		15 66 5 66				<b>—</b>
Interof	fice Channel Mileage - 2-Wire	<del>-   -</del>	OLI DE	- IMITI DO	0.00	14 40		<del> </del>			2 00		<del></del>		<del></del>
1	Interoffice Channel Facilities Termination	<b>—</b>	UEP9E	MIGBC	21 13	40 54	27 41	16 74	6 90		15 66				<b>—</b>
1	Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	UEP9E	MIGBM	0 008838	40 34	21 41	10 /4	6 90		13 00				<del></del>
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		OCI OL	IVIIGOIVI	0 000036										<del>                                     </del>
D4 Ch	annel Bank Feature Activations	<u> </u>		1											<del></del>
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9E	1PQWS	0 56					<del> </del>					<del></del>
	Service Dank Connex 2009 Glot	<del>                                     </del>	J-1 V-	1, 2,42	0.30					<b></b>					<del></del>
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		UEP9E	1PQW6	0 56			1							í

MOUNDL	ED NETWORK ELEMENTS - Alabama	r												ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Man⊪ally		Charge -	Incremental Charge - Manual Svc Order vs	Charge
													Electronic- 1st	Electronic- Add'!	Etectronic- Disc 1st	Electron Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ			7100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop						ŀ									
	Slot		ļ	UEP9E	1PQW7	0 56										ŀ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0 56										
				<b>!</b>		į										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 56										1
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop		ł	l	1	[										
	Slot			UEP9E	1PQWQ	0 56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP9E	1PQWA	0 56			L							
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex										ļ			_		
1	NRC Conversion Currently Combined Switch-As-Is with allowed				1						İ					
	changes, per port		ļ	UEP9E	USAC2		0 10	0 10				15 66				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37 75	16 58				15 66				
_	New Centrex Standard Common Block		ļ	UEP9E	M1ACS	0.00	667 21					15 66				
	New Centrex Customized Common Block		ļ	UEP9E	M1ACC	0 00	667 21					15 66				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	72 73					15 66				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		ł													
	Non-Design		1	UEP93		12 70									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l													
	Non-Design		2	UEP93		21 19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1 1		-				1					
	Non-Design		3	UEP93		34 80					}					
UNE	Port/Loop Combination Rates (Design)							· · · -								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP93		15 53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		24 00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															T
	Design		3	UEP93		37 29										
UNE	Loop Rate													-		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11 55									· · · · · ·	_
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33 65				-						<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14 38					!					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22 85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36 14										<del></del>
UNE	Port Rate						•					-		•••		
AL, K	Y, LA, MS, & TN only														-	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local								2.01							<del></del>
	Area			UEP93	UEPYB	1 15	40 19	19 83	24 91	6 63		15 66			ł	ĺ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						10.15		2,0.	0.00		- 5 00				<del> </del>
	Area			UEP93	UEPYH	1 15	40 19	19 83	24 91	6 63		15 66				ĺ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					- 1.15		10 00	2101	0 00		-500				
1	Center)2 Basic Local Area			UEP93	UEPYM	1 15	90 38	57 27	48 66	8 77		15 66				İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1		55 55	<u> </u>	4000	017	<del>  </del>	1300		-		├
	Term - Basic Local Area			UEP93	UEPYZ	1 15	90 38	57 27	48 66	8 77		15 <b>66</b>				İ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-		00	122, 12	- 10	30 30	31 21	40 00	011	<del>  </del>	13 00		-		<del></del>
	- Basic Local Area			UEP93	UEPY9	1 15	40 19	19 83	24 91	6 63		15 66				Í
	2-Wire Voice Grade Port Terminated on 800 Service Term -		<b></b> -		GC: 13		40 19	19 03	24 91	0 03	<del>  </del>	100 €			<del>                                     </del>	-
	Basic Local Area			UEP93	UEPY2	1 15	40 19	19 83	24 91	6 63		15 66				ĺ
_	2-Wire Voice Grade Port (Centrex.)		-	UEP93	UEPQA	1 15	40 19	19 83	24 91	6 63	<del>                                     </del>	15 66			l	<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPOB	1 15	40 19	19 83			<u> </u>					ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1 15			24 91	6 63		15 66				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 33	Jerun	1.15	40 19	19 83	24 91	6 63	<b>├</b>	15 66				<del> </del>
ı	Center)2		}	UEP93	UEPQM	1 15	90 38	57 27	48 66	8 77		15 66			i	1

IDONOLLI	O NETWORK ELEMENTS - Alabama		-											ment: 2		bit: B
EGORY	RATE ELEMENTS	Intera m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs	Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs	Charge Manual Order v
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Ad
		-			<del>-  </del>		Nonrecu	ırıına	Nonrecurring	Disconnect			OSS	Rates (\$)		<u>i</u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1 15	90 38	57 27	48 66	8 77		15 66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1 15	40 19	19 83	24 91	6 63		15 66				
	2-Wire Voice Grade Port Terminated in 60 Meganink of equivalent			UEP93	UEPQ2	1 15	40 19	19 83	24 91	6 63	<del> </del>	15 66				<del></del>
Local S	Switching			021 00			79 10	10 00	24 01	0 00		1300				<del> </del>
	Centrex Intercom Funtionality, per port	<del></del>	-	UEP93	ÜRECS	0 5488	<del></del>									
	lumber Portability			04, 00	011.200	0.00					· ·					
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										····
Feature		-									<u> </u>					
	All Standard Features Offered, per port			UEP93	UEPVF	1 98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1 98					1					
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0 00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0 00	0 00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0 00	0 00	0.00								
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8 05	119 31	18 74	59 90	3 76		15 66			-	
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	60 09	202 02	95 69	72 59	2 46		15 66				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0 00	14 46					15 66				
Interoff	ice Channel Mileage - 2-Wire									-						
	Interoffice Channel Facilities Termination			UEP93	MIGBC	21 13	40 54	27 41	16 74	6 90		15 66				
	Interoffice Channel mileage, per mile or fraction of mile	1 .		UEP93	MIGBM	0 008838										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations												7			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 56										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										-
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	1	1 1	UEP93	1PQW7	0 56			}							ĺ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				·   ···-											
	Different Wire Center			UEP93	1PQWP	0 56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	1														
	Slot	1		UEP93	1PQWQ	0 56					L	i i				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0 56										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port	ļ		UEP93	USAC2		0 10	0 10				15 66				ļ
	Conversion of Existing Centrex Common Block, each	ļ		UEP93	USACN		37 75	16 58				15 66				
	New Centrex Standard Common Block	<b>.</b>		UEP93	M1ACS	0.00	667 21					5 66				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667 21					15 66				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0 00	72 73					15 66				L
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage	Ll	ļ													
INote 3	- Requires Specific Customer Premises Equipment	1	1								1					

INBUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BĊS	usoc			RATES (\$)				Svc ⊕rder Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec		curring		g Disconnect				Rates (\$)		
		L	l	J	1		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zon	e" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographicall	y Deaveraged Ul	NE Zones To	view Geograp	hically Deaver	aged UNE Zon	e Designatio	ns by Centr	al Office, refe	er to Internet	Website.	
	w interconnection bellsouth com/become_a_clec/html/inter	connec	tion,n	im .	т	1										
	Electronic Service Order: CLEC should contact its contract	ct nego	tiator i	f it prefers the state	specific elec	tronic service of	rdering charg	 es as ordered b	ov the State Co	mmissions T	he electron	C Service or	dering charg	e currently co	ntained in th	ic rate
exhibit is	the BellSouth regional electronic service ordering charge	CLEC	may el	ect either the state s	pecific Com	mission ordered	rates for the	electronic serv	nce orderina c	haroes, or CLE	C may elect	the regiona	electronic s	service orderi	na charae	
NOTE. (2	Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate I	isted in this	category Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	If a product	can be ordere	d electronical	ly For
those ele	ements that cannot be ordered electronically at present per t	he BBR	t-LO, ti	ne histed SOMEC rate	e in this cate	gory reflects the	e charge that	would be billed	to a CLEC on	ice electronic d	ordering cap	abilities coi	me on-line fo	r that elemen	Otherwise.	the manua
ordering	charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR	o BellSouth			-									
	fanual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1 83					I		Γ''
	lectronic OSS Charge, per LSR, submitted via BST's OSS	İ														
	nteractive interfaces (Regional)		ļ		SOMEC		3 50		ļ	ļ						
	ATE ADVANCEMENT CHARGE				<u> </u>	L.,					<u> </u>					
NOIE	he Expedite charge will be maintained commensurate with	BellSou	ith's F	OC No 1 Tariff, Secti	on 5 as appl	icable										
	INE Expedite Charge per Circuit or Line Assignable USOC, per bay	1		ALL UNE EXCEPT UNE-P	SDASP		200 00	t		ŀ					ĺ	
	CHANGE ACCESS LOOP			UNLSF	SUASE	·	200 00									
	ANALOG VOICE GRADE LOOP		├			<del>                                     </del>										
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10 69	49 57	22 83	25 62	6 57		11 90		-		
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15 20	49 57	22 83	25 62	6 57	<del> </del>	11 90			-	
2-	-Wire Anatog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26 97	49 57	22 83	25 62	6 57	1	11 90				
	Inbundled Miscellaneous Rate Element, Tag Loop at End User		· -													
	remise			UEANL	URETL	]	8 33	0 83				11 90				
	oop Testing - Basic 1st Half Hour			UEANL	URET1		48 65				l .	11 90				
	oop Testing - Basic Additional Half Hour			UEANL	URETA		23 95					11 90				
	LEC to CLEC Conversion Charge Without Outside Dispatch					1 1		i								
	JVL-SL1)		ļ	UEANL	UREWO		15 78	8 94				11 90				
	Inbundled Voice Loop, Non-Design Voice Loop, billing for BST roviding make-up (Engineering Information - E I )		1	UEANL	UFANM	!	10.10			1						
	Industry (Engineering information - E.)  Industry (Engineering information - E.)	<b></b>		UEANL	UEANM	1	13 49 9 00									
- 10	Order Coordination for Specified Conversion Time for UVL-SL1			DEANL	DEANC	<del>                                     </del>	900									
	per LSR)			UEANL	OCOSL		23 02									
	Inbundled COPPER LOOP			02.414	00002		20 02									
2-	-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7 69	44 98	20 90	19 65	5 09	<del></del>	11 90				
	Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	10 92	44 98	20 90	19 65	5 09		1 90				
2	Wire Unbundled Copper Loop - Non-Designed - Zone 3	-	3	UEQ	UEQ2X	19 38	44 98	20 90	19 65	5 09		11 90				
	inbundled Miscellaneous Rate Element, Tag Loop at End User										1					
	remise			UEQ	URETL		8 33	0.83				11 90				
	Order Coordination 2 Wire Unbundled Copper Loop - Non- lesigned (per loop)			UEQ	USBMC		9 00				i					
	Inbundled Copper Loop, Non-Design Cooper Loop, billing for	-	$\vdash \vdash$	UEU	DOBMC	<del>  </del>	9 00				-					ļ
	ST providing make-up (Engineering Information - E I)			UEQ	UEQMU		13 49					11 90				
	oop Testing - Basic 1st Half Hour			UEQ	URET1	+	48 65		-			11 90				
	oop Testing - Basic Additional Half Hour			UEQ	URETA		23 95					11 90				
С	LEC to CLEC Conversion Charge Without Outside Dispatch					1		-								
	JCL-ND)			UEQ	UREWO	ļ	14 27	7 43				11 90				
	CHANGE ACCESS LOOP															
	NALOG VOICE GRADE LOOP															
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		l . "			1										
	one 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57		11 90				
2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 1			HERÉR HERÉR	LIEARS	40.00	10.57	20.00	25.55							
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEAB\$	10 69	49 57	22 83	25 62	6 57		11 90		<u> </u>	<u> </u>	
	one 2		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57		11 90		}		
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI ON OEFOB	UEALS	15 20	49 57	22 83	23 62	657		1190				
	one 2		2	UEPSR UEPSB	UEABS	15 20	49 57	22 83	25 62	6 57		11 90				
2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1	1.5 20		21.03	20 02			1.30				
Z	one 3		3	UEPSR UEPSB	UEALS	26 97	49 57	22 83	25 62	6 57		11 90				
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				T					1						
1 17	one 3		3	UEPSR UEPSB	UEABS	26 97	49 57	22 83	25 62	6 57	1	11 90		ŀ		1

ONBONDER	ED NETWORK ELEMENTS - Florida														ment: 2		bit. B
ATEGORY	RATE ELEMENTS	interi m	Zone		BCS	usoc			RATES (\$)			1	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
			1				Rec	Nonrec			Disconnect	1			Rates (\$)		
				ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP		<u> </u>														
2-WIR	RE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA		UEAL2	12 24	135 75	82 47	63 53	12 01		11 90				
İ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	ÜΕΑ		UEAL2	17 40	135 75	82 47	63 53	12 01		11 90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			JE: (		702.102		10010	<u> </u>	- 55 65	12.01		130				
	Ground Start Signaling - Zone 3		3	UEA		UEAL2	30 87	135 75	82 47	63 53	12 01		11 90				Ĺ
	Order Coordination for Specified Conversion Time (per LSR)			UEA		OCOSL		23 02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											ì					
	Battery Signaling - Zone 1		1	UEA		UEAR2	12 24	135 75	82 47	63 53	12 01	i	11 90				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA		UEAR2	17 40	135 75	82 47	63 53	12 01		11 90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1					,201		17.00				
	Battery Signaling - Zone 3		3	UEA		UEAR2	30 87	135 75	82 47	63 53	12 01		11 90				
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA		OCOSL		23 02									
	CLEC to CLEC Conversion Charge without outside dispatch		L	UEA		UREWO		87 71	36 35				11 90				1
<del></del>	Loop Tagging - Service Level 2 (SL2)		ـــــــــ	UEA		URETL		10 45	1 03				11 90				<u> </u>
4-WIR	E ANALOG VOICE GRADE LOOP		ļ			<del> </del>				ļ							<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 1			UEA		UEAL4	18 89	167 86	115 15		15 56		11 90				ļ
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA		UEAL4	26 84	167 86	115 15	67 08	15 56		11 90				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA		UEAL4	47 62	167 86	115 15	67 08	15 56		11 90				
-	Order Coordination for Specified Conversion Time (per LSR)			UEA		OCOSL		23 02	20.25								ļ
2 18/10	CLEC to CLEC Conversion Charge without outside dispatch IE ISDN DIGITAL GRADE LOOP			UEA		UREWO		87 71	36 35				11 90				
Z-VVIR	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN		U1L2X	19 28	147 69	94 41	20.00	10.71	<b>-</b>	4.00				
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN		U1L2X	27 40	147 69		62 23			1 90				
<del></del>	2-Wire ISON Digital Grade Loop - Zone 2  2-Wire ISON Digital Grade Loop - Zone 3		3	UDN		U1L2X	48 62	147 69	94 41 94 41	62 23 62 23	10 71		11 90				<b></b>
-	Order Coordination For Specified Conversion Time (per LSR)		3-	UDN		OCOSL	46 62	23 02	94 41	62 23	10 71		11 90				
-	CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO		91 61	44 15			-	11 90				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP			QDIV		OKEVVO		9101	44 15				1190				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			<del> </del>		-						-					
	1		1	unc		UDC2X	19 28	147 69	94 41	62 23	10 71		11 90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC		UDC2X	27 40	147 69	94 41	62 23	10 71		11 90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone																
	3		3	UDC		UDC2X	48 62	147 69	94 41	62 23	10 71		1190				i
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDC		UREWO		91 61	44 15				11 90				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP			ļi											
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL		UAL2X	8 30	149 53	103 85	75 05	15 63		11 90				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL		UAL2X	11 80	149 53	103 85	75 05	15 63		11 90				
	2 Wire Unbundled ADSL Loop including manual service inquiry		-			J. ILLA	1100	149 33	100 00	/505	10 03		1190			-	
	& facility reservation - Zone 3		3	UAL		UAL2X	20 94	149 53	103 85	75 05	15 63		11 90				í
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23 02									
1	2 Wire Unbundled ADSL Loop without manual service inquiry &					1											
	facility reservation - Zone 1		1	UAL		UAL2W	8 30	124 83	71 12	60 64	9 12		11 90				í
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL		UAL2W	11 80	124 83	71 12	60 64	9 12		11 90				İ
	2 Wire Unbundled ADSL Loop without manual service inquiry &		· ·														
	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UAL		UAL2W	20 94	124 83	71 12	60 64	9 12		1 90				·
	CLEC to CLEC Conversion Charge without outside dispatch		<b>⊢</b>	UAL.		OCOSL		23 02	40.00	ļ		L					
2-WIP	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	000	UAL		UREWO		86 19	40 39	ļ		L	11 90				
2-7711	2 Wire Unbundled HDSL Loop including manual service inquiry	HOLE L	-JUP			1				<u> </u>		<b></b>			L		
	& facility reservation - Zone 1	u -	1	UHL		UHL2X	7 22	159 09	113 41	75 05	15 63		11 90				<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry		_			1	1										
	& facility reservation - Zone 2		2	UHL		UHL2X	10 26	159 09	113 41	75 05	15 63	L	11 90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	nent· 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Incrementa Charge -
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
	2 Wire Unbundled HDSL Loop including manual service inquiry		-	·····			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& facility reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63		11 90			l	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02			10 00		1100			-	
	2 Wire Unbundled HDSt. Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	7 22	134 40	80 69	60 64	9 12		11 90				
	2 Wire Unbundled HDSL Loop without manual service inquiry	İ	١.		I j											
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry		2_	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12		11 90				<b></b>
	and facility reservation - Zone 3		3	UHL	UHL2W	18 21	134 40	80 69	60 64	9 12		11 90				1
	Order Coordination for Specified Conversion Time (per LSR)		۲	UHL	OCOSL	10 21	23 02	00 09	00 64	9 12		1190			<del></del>	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39				11 90			<del> </del>	
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP												1	
	4 Wire Unbundled HDSL Loop including manual service inquiry														1	
	and facility reservation - Zone 1		1	UHL	UHL4X	10 86	193 31	138 98	77 15	12 61		11 90				
ı	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 2		2	UHL	UHL4X	15 44	193 31	138 98	77 15	12 61		11 90				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61		11 90				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL.	27 39	23 02	138 98	// 15	12 61		11 90				
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OCOGL		23 02									
	and facility reservation - Zone 1		1	UHL	UHL4W	10 86	168 62	115 47	62 74	11 22		11 90			1	ł
	4-Wire Unbundled HDSL Loop without manual service inquiry						700 02					- 1 30				<del>                                     </del>
	and facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22		11 90			•	İ
	4-Wire Unbundled HDSL Loop without manual service inquiry													•		
	and facility reservation - Zone 3		3	UHL	UHL4W	27 39	168 62	115 47	62 74	11 22		11 90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02									
4 MIDI	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP		<u> </u>	UHL	UREWO		86 12	40 39				11 90				
4-441KI	4-Wire DS1 Digital Loop - Zone 1		1	HISI	USLXX	70 74	313 75	181 48	61 22	13 53		1 90				<b></b>
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	100 54	313 75	181 48	61 22	13 53		11 90				
	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	178 39	313 75	181 48	61 22	13 53		11 90				<b></b>
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23 02	101.10								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101 07	43 04				11 90				
4-WIRI	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP													_		
	4 Wire Unbundled Digital 19 2 Kbps		1		UDL19	22 20	161 56	108 85	67 08	15 56		11 90				
	4 Wire Unbundled Digital 19 2 Kbps 4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	31 56	161 56	108 85	67 08	15 56		11 90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL19 UDL56	55 99 22 20	161 56	108 85	67 08	15 56		11 90				
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	31 56	161 56 161 56	108 85 108 85	67 08 67 08	15 56 15 56		11 90 11 90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56	55 99	161 56	108 85	67 08	15 56		11 90		-		_
	Order Coordination for Specified Conversion Time (per LSR)	-		UDL	OCOSL		23 02	100.00	. 0, 00	10 00		11 30				
	4 Wire Unburidled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	22 20	161 56	108 85	67 08	15 56		11 90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	31 56	161 56	108 85	67 08	15 56	<u> </u>	11 90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55 99	161 56	108 85	67 08	15 56		11 90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 02									
2-141101	CLEC to CLEC Conversion Charge without outside dispatch E Unbundled COPPER LOOP		<u> </u>	UDL	URĒWO		102 11	49 74				11 90				
2-17 IKI	2-Wire Unbundled Copper Loop/Short including manual service				1											
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 63		11 90			1	1
	2-Wire Unbundled Copper Loop/Short including manual service		<u> </u>		TOLI D	0.30	140 30	102 02	73 03	19 03		11 90				<del></del>
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 80	148 50	102 82	75 05	15 63		11 90				1
	2 Wire Unbundled Copper Loop/Short including manual service				T- 1											
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20 94	148 50	102 82	75 05	15 63		11 90			l .	I
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
	2-Wire Unbundled Copper Loop/Short without manual service				1	T										
	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLPW	8 30	123 81	70 09	60 64	9 12		11 90				
					1		<b>I</b>		ı <b>i</b>		1	1			ı	1

UNBUNDLE	D NETWORK ELEMENTS - Florida		,		,						, , , ,			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES (\$)	Monroover	g Disconnect	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
			-			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service				1			71001			0020		COMPAN	COMPAN	COMPAN	JOHNAN
	inquiry and facility reservation - Zone 3		3	JCL	UCLPW	20 94	123 81	70 09	60 64	9 12		11 90				1
	Order Coordination for Unbundled Copper Loops (per loop)	·		JCL	UCLMC		9 00	9 00	-							
	2-Wire Unbundled Copper Loop/Long - includes manual srvc															
	inquiry and facility reservation - Zone 1		1 1	JCL	UCL2L	17 42	148 50	102 82	75 05	15 63		11 90				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 2		2	JCL	UCL2L	24 76	148 50	102 82	75 05	15 63		11 90				L
İ	2-Wire Unbundled Copper Loop/Long - includes manual svc				1											
	inquiry and facility reservation - Zone 3			JCL	UCL2L	43 94	148 50	102 82	75 05	15 63		11 90				
	Order Coordination for Unbundled Copper Loops (per loop)			JCL	UCLMC		9 00	9 00								<b></b>
1	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		,	JCL	UCL2W	17 42	400.04	70.00	00.04						ŀ	1
	2-Wire Unbundled Copper Loop/Long - without manual service		' '	JCL	UCLZW	17 42	123 81	70 09	60 64	9 12	<b>—</b>	11 90				-
	inquiry and facility reservation - Zone 2		2	JCL	UCL2W	24 76	123 81	70 09	60 64	9 12		11 90				1
	2-Wire Unbundled Copper Loop/Long - without manual service		-	JOL	- OCLZVV	24 70	123 01	70 09	00 64	9 12		1190				<del> </del>
	inquiry and facility reservation - Zone 3		3	JCL	UCL2W	43 94	123 81	70 09	60 64	9 12	i i	11 90				1
	Order Coordination for Unbundled Copper Loops (per loop)			JCL	UCLMC	1007	9 00	9 00	0004	J 12		. 1 30				1
	CLEC to CLEC Conversion Charge without outside dispatch				3320			5 00								
	(UCL -Des)			JCL	UREWO	ļ	97 21	42 47				11 90				1
4-WIRE	COPPER LOOP		1				***									
	4-Wire Copper Loop/Short - including manual service inquiry		1													
	and facility reservation - Zone 1		1 1	JCL	UCL4S	11 83	177 87	132 76	77 15	17 73		11 90				ĺ
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	JCL	UCL4S	16 81	177 87	132 76	77 15	17 73		11 90				1
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3			JCL	UCL4S	29 82	177 87	132 76	77 15	17 73		11 90				
	Order Coordination for Unbundled Copper Loops (per loop)			JCL	UCLMC		9 00	9 00								
	4-Wire Copper Loop/Short - without manual service inquiry and		١. ا													1
	facility reservation - Zone 1  4-Wire Copper Loop/Short - without manual service inquiry and		1	JCL	UCL4W	11 83	153 18	100 03	62 74	11 22		11 90				
	facility reservation - Zone 2		2 1	JCL	UCL4W	16 81	153 18	100 03	62 74	11 22		44.00				1
-	4-Wire Copper Loop/Short - without manual service inquiry and		- "		OCL4W	10 01	103 16	100 03	62 /4	11 22		11 90				
	facility reservation - Zone 3		3 1	JCL	UCL4W	29 82	153 18	100 03	62 74	11 22		11 90				1
	Order Coordination for Unbundled Copper Loops (per loop)			JCL	UCLMC	25 02	9 00	9 00	02/4	11.22		1130				
	4-Wire Unbundled Copper Loop/Long - includes manual svc				10000		- 300	300								<del>                                     </del>
	inquiry and facility reservation - Zone 1		1 1 1	JCL	UCL4L	31 10	177 87	132 76	77 15	17 73		11 90				ĺ
	4-Wire Unbundled Copper Loop/Long - includes manual svc				1							.,,,,,,			-	
	inquiry and facility reservation - Zone 2		2	JCL	UCL4L	44 20	177 87	132 76	77 15	17 73		11 90				1
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 3			JCL	UCL4L	78 42	177 87	132 76	77 15	17 73		11 90				ĺ
	Order Coordination for Unbundled Copper Loops (per loop)		Į į	JCL	UCLMC		9 00	9 00								(
ŀ	4-Wire Unbundled Copper Loop/Long - without manual svc															i
	inquiry and facility reservation - Zone 1		1 1	JCL	UCL4O	31 10	153 18	100 03	62 74	11 22		11 90				l .
	4-Wire Unbundled Copper Loop/Long - without manual svc		l . l.		1											ĺ
	inquiry and facility reservation - Zone 2		2	JCL	UCL4O	44 20	153 18	100 03	62 74	11 22		11 90				<u> </u>
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		_  .	101		70.10	450.40									1
	Order Coordination for Unbundled Copper Loops (per loop)			JCL JCL	UCL4O UCLMC	78 42	153 18 9 00	100 03	62 74	11 22	ļ. <b>.</b>	11 90				Ĺ
	CLEC to CLEC Conversion Charge without outside dispatch			JCL			97 21	9 00			$\vdash$	11.00				<b></b>
OOP MODIFIC			<del>  </del>	JOL	UREWO		97.27	42 47	·			11 90				<del>                                     </del>
			<del> -  </del> ,	JAL. UHL. UCL.	+											
				JEQ, ULS, UEA,												Í
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			JEANL, UEPSR.		1	ļ									í
1	pair less than or equal to 18k ft			JEPSB	ULM2L	ŀ	0.00	0.00			[ ]	11 90				1
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		<del>   </del>		JEINEL	1	0.00	0.00		-	<del>                                     </del>	(1 30				
	greater than 18k ft		į li	JCL, ULS, UEQ	ULM2G	1	343 12	343 12				11 90				í
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		l l		<del> </del>	1	3.0 .2	J.0 .E								
	less than or equal to 18K ft		l li	JHL, UCL	ULM4L 1		0 00	0.00			i l	11 90				1

UNDUNDLE	D NETWORK ELEMENTS - Florida		1		<del></del> -						Sun Onder	Cun Oud		ment. 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
		ļ	_			Rec	Nonrec		Nonrecurring		201150	0014411		Rates (\$)		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		_				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	pair greater than 18k ft			UCL	ULM4G		343 12	343 12				11 90				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10 52	10 52				11 90				
SUB-LOOPS	<u> </u>		<del> </del>													
Sub-Li	oop Distribution		ऻ—													ļ
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	<u> </u>		UEANL	USBSA		487 23					11 90				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6 25					11 90				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder									•						
	Facility Set-Up	- 1	<u> </u>	UEANL	USBSC	<u>.</u>	169 25					11 90				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı	ļ	UEANL	USBSD		38 65					11 90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6 46	60 19	21 78	47 50	5 26		11 90				
	Zone 2		2	UEANL	USBN2	9 18	60 19	21 78	47 50	5 26		11 90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26		11 90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		}	UEANL	USBMC		9 00									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															i -
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60		11 90				
	Zone 2		2	UEANL	USBN4	10 47	68 83	30 42	49 71	6 60		11 90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18 58	68 83	30 42	49 71	6 60		11 90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00									
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 96	51 84	13 44	47 50	5 26		11 90				
	· · · · · · · · · · · · · · · · · · ·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		9 00									
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9 37	55 91	17 51	49 71	6 60		11 90				
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	]	9 00						:			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UC\$2X	5 15	60 19	21 78	47 50	5 26	-	11 90				<del> </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7 31	60 19	21 78	47 50	5 26		11 90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12 98	60 19	21 78	47 50	5 26		11 90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	5 36	68 83	30 42	49 71	6 60		11 90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7 61	68 83	30 42	4971	6 60		11 90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS4X	13 51	68 83	30 42	49 71	6 60		11 90				-
							33.55	00 42	1,5,7,			1100				
Unbun	Order Coordination for Unbundled Sub-Loops, per sub-toop pair added Sub-Loop Modification			UEF	USBMC		9 00									
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10 11					11 90	-			
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10 11	-				11 90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15 58					11 90				
Unbun	dled Network Terminating Wire (UNTW)		<b>†</b>				15 50			***************************************		1130				<del></del>
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 4572	18 02					11 90				<del></del>
	rk Interface Device (NID)															
1	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71 49	48 87				11.90				

CHOONDEE	D NETWORK ELEMENTS - Florida		T	Τ							Suo Ordan	Sun Order	Incremental	ment: 2 Incremental		Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Mannally		Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16 UNDC2		113 89 7 63	89 07 7 63			ļ	11 90 11 90			<b> </b>	<del> </del>
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC4		7 63	7 63				1190			<del> </del>	<del> </del>
SUB-LOOPS	Network interface Device Cross Conflect - 44V	-		DENTA	UNDC4		7 03	7 03	<del></del>		<del> </del>	1130		<del></del>		-
	pop Feeder		<del>                                     </del>												· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW	-	487 23					11 90				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC	USBFX		6 25	6 25				11 90				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522 41	11 32				11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1				00.75	F4 0.	50.5	42.07		11.00				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	-	+ 1	UEA	USBFA	6 41	92 75	51 24	58 45	13 07		11 90		<b> </b>		-
	Grade - Zone 2		2	UEA	USBFA	9 10	92 75	51 24	58 45	13 07		11 90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	<del>                                     </del>	+	V-7	OOD! A	310	32 /3	31 24	30 43	13 07		1180		<del> </del>	<del>                                     </del>	
	Voice Grade - Zone 3		3	UEA	USBFA	16 15	92 75	51 24	58 45	13 07		11 90				
1	Order Coordination for Specified Conversion Time, per LSR		Ť	UEA	OCOSL		23 02	0,21			<b> </b>	.,, 50			1	<b> </b>
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		<del>                                     </del>												1	
	Grade - Zone 1	l	1	UEA	USBFB	6 41	92 75	51 24	58 45	13 07		11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice						20.75		50.45			44.00				
	Grade - Zone 2	-	2	UEA	USBFB	9 10	92 75	51 24	58 45	13 07	-	11 90			-	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	16 15	92 75	51 24	58 45	13 07		11 90				
	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	10 13	23 02	51.24	36 43	13 07		1190				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			ULA	OCOSE		23 02		<del></del>		<del> </del>				1	
	Voice Grade - Zone 1		1	UEA	USBFC	6 41	92 75	51 24	58 45	13 07		11 90				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		<u> </u>	02.1	000.0			5.2.	00.10							
1	Voice Grade - Zone 2	ļ	2	UEA	USBFC	9 10	92 75	51 24	58 45	13 07	ŀ	11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3	,	3	UEA	USBFC	16 15	92 75	51 24	58 45	13 07		11 90		L .		
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23 02									<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice				l l									•		1
	Grade - Zone 1		1	UEA	USBFD	12 47	106 92	64 46	63 54	14 83		11 90				<b>!</b>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	17 73	100.00	04.40	62.54	44.00		11 90		f		1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		+	UEA	USBFD	17 73	106 92	64 46	63 54	14 83	1	1190				1
	Grade - Zone 3		3	UEA	USBFD	31 45	106 92	64 46	63 54	14 83		11 90		İ		1
	Order Coordination For Specified Conversion Time, Per LSR		+	UEA	OCOSL	0.40	23 02	01 10	03 54		<del>                                     </del>			-		1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		T												1	1
	Grade - Zone 1	L	1_1_	UEA	USBFE	12 47	106 92	64 46	63 54	14 83	L	11 90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	17 73	106 92	64 46	63 54	14 83		11 90			1	1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_													
- <del></del>	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UEA UEA	USBFE OCOSL	31 45	106 92	64 46	63 54	14 83	ļ	11 90	_		<b> </b>	<b> </b>
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	<b></b>	1	UDN	USBFF	14 83	23 02 109 71	66 68	60 21	12 49		11 90		<del> </del>	-	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 1	<u> </u>		UDN	USBFF	21 07	109 71	66 68	60 21	12 49	<del>                                     </del>	11 90	-		+	1
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	37 39	109 71	66 68	60 21	12 49		11 90		<del> </del>	<del> </del>	<del> </del>
	Order Coordination For Specified Conversion Time, Per LSR		T -	UDN	OCOSL	5. 55	23 02	00 00	33 21	12 43				· · · · · ·		1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14 83	109 71	66 68	60 21	12 49		11 90		1		<b> </b>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21 07	109 71	66 68	60 21	12 49		11 90		1		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	37 39	109 71	66 68	60 21	12 49		11 90				Ī
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	42 59	133 77	78 02	85 16	21 21		11 90	-			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	60 53	133 77	78 02	85 16	21 21		1190				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	ļ	3	USL	USBFG	107 39	133 77	78 02	85 16	21 21	ļ	11 90			ļ	<b></b>
	Order Coordination For Specified Conversion Time, Per LSR	<del> </del>	-	USL	OCOSL	2.70	23 02	10.0:		10.00	ļ	11.00				<del> </del>
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	-	1	UCL	USBFH	3 76	85 27	42 24	58 54	10 82		11 90	ļ			ļ
. I	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	1	1	UCL	USBFH	5 35	85 27	42 24	58 54	10 82	I	11 90	l	1	1	I

Version 4Q02 12/18/02 Page 43 of 416

UNDUNDLE	D NETWORK ELEMENTS - Florida												Attachi	ment; 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted			Incremental Charge -	Incremen Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	lists add Catalana Fanda I and Catalana		1				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
I	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1 .								1				l	1
	3		3	UCL	USBFH	9 49	85 27	42 24	58 54	10 82		11 90				
	Order Coordination For Specified Conversion Time, per LSR		<b>⊢.</b>	UCL	OCOSL		23 02									
<del>-</del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	7 32	99 66	57 20	60 98	12 28		11 90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL UCL	USBFJ	10 40	99 66	57 20	60 98	12 28		11 90				
		-			USBFJ	18 46	99 66	57 20	60 98	12 28		11 90				
	Order Coordination For Specified Conversion Time, per LSR	<del></del>		UCL	OCOSL		23 02									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	<u> </u>		UDL	USBFN	14 48	100 62	58 16	63 54	14 83		1 1 90				į
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2		ÜSBFN	20 59	100 62	58 16	63 54	14 83		11 90				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	36 53	100 62	58 16	63 54	14 83		11 90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	l	1		1						7					
	Zone 1		1	UDL	USBFO	14 48	100 62	58 16	63 54	14 83		11 90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	l	1	l <u>-</u> .	1									-		
	Zone 2	L	2	UDL	USBFO	20 59	100 62	58 16	63 54	14 83		11 90			L	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	36 53	100 62	58 16	63 54	14 83		11 90			ľ	
	Order Coordination For Specified Time Conversion, per LSR		l	UDL	OCOSL		23 02								i -	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	14 48	100 62	58 16	63 54	14 83		11 90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	20 59	100 62	58 16	63 54	14 83		11 90				İ
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -								3001	1400		- 1130			ł <del></del>	-
1	Zone 3		1 3	UDL	USBFP	36 53	100 62	58 16	63 54	14 83	}	11 90			İ	
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23 02	00 10	- 00 04	14 03		11.30				
UB-LOOPS			_	352	100001	-	20 02									
	op Feeder	_			+ +											
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15 69				•						
	Sub Loop Feeder - DS3 - Facility Termination Per Month	i		UE3	USBF1	347 59	3,402 59	407 15	166 83	94 58		1 90				
	Sub Loop Feeder - STS-1 - Per Mile Per Month	i		UDLSX	1L5SL	15 69	3,402 33	407 13	100 03	94 58		1190				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	402 09	3,402 59	407 15	166 83	04.50						
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11 90	3,402 59	407 15	166 83	94 58		11 90				
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	'		UDLU3	ILDOL	11 90										
	Month			UDLO3	USBF5	60.00										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	<del>'</del>				62 98	2 400 50					_				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDLO3	USBF2	547 22	3,402 59	407 15	166 83	94 58		11 90				
<del></del>	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			UDL12	1L5SL	14 65										l
	Month	١.	[	UDL12	1		1	İ	- 1		Ι Τ	Т				ì ——
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	!			USBF6	502 47										1
<del></del>	Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL12	USBF3	1,577 00	3,402 59	407 15	166 83	94 58		11 90				
	Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per		$\vdash \vdash$	UDL48	1L5SL	48 06										
	Month		[	UDI 40	1											
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		$\vdash$	UDL48	USBF9	251 80										1
	Sub-Loop Feeder - OC-48 - Facility Termination Per Month	<u> </u>		UDL48	U\$BF4	1,589 00	3,588 59	407 15	168 35	95 43		11 90				
ELINDI ED I	Sub Loop Feeder - OC-12 Interface On OC-48 OOP CONCENTRATION			UDL48	USBF8	331 15	804 98	407 15	168 35	95 43		11 90				
							_									<u> </u>
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449 49	359 42	359 42				1 90				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53 44	149 76	149 76		-		1190				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487 33	359 42	359 42				11 90				
	Unbundled Loop Concentration - System B (TR303)			ULÇ	UCT3B	90 05	149 76	149 76				1190				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTÇO	5 04	71 70	51 52	18 49	4 82		1190				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite								12 /0							
	Card)			UDN	ULCC1	8 00	16 59	16 50	6 77	6 73	l	11 90	1			
	Unbundled Loop Concentration - UDC Loop Interface (Brite			**				10 00		- 0,3		., 90				
	Card)		[	UDC	ULCCU	8 00	16 59	16 50	6 77	6 73		11 90				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or				1-2000	5 50	10 33	10 30	011	073		1190				
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 00	16 59	16 50			]			1		
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	-			02002	200	10 39	UC 01	6 77	6 73		11 90				
	Loop Interface (SPOTS Card)			UEA	ULCCR	11 90	40.50	40.50			1					
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface		<del>                                     </del>	<u> </u>	JECON .	1130	16 59	16 50	6 77	6 73		11 90				
	(Specials Card)			UEA	ULCC4								1			

OMBONDLED IN	ETWORK ELEMENTS - Florida	,												ment: 2		bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
	bundled Loop Concentration - TEST CIRCUIT Card		<b>└</b>	ULC	UCTTC	34 68	16 59	16 50	6 77	6 73		11 90				
	bundled Loop Concentration - Digital 19 2 Kbps Data Loop erface	1	1	UDL	ULCC7	40.54	40.50	10.50		0.70					ì	
	bundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	DLCC7	10.51	16 59	16 50	6 77	6 73		11 90				ļ
	erface			UDL	ULCC5	10 51	16 59	16 50	6 77	6 73	1	11 90				
	bundled Loop Concentration - Digital 64 Kbps Data Loop		<del></del>		OECCO.	10.01	10 55	10 30	077	013		11 30				
	erface			UDL	ULCC6	10 51	16 59	16 50	677	6 73		11 90				
JNE OTHER, PROV	VISIONING ONLY - NO RATE											- 100		<del> </del>		
	- Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0 00	0 00									<del>                                     </del>
	TW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE.	0 00	0.00	_								
		·		UEANL, UEF, UEQ, U												·
	bundled Contract Name, Provisioning Only - No Rate	L		ENTW	UNECN	0 00	0 00							1		
INE OTHER, PROV	VISIONING ONLY - NO RATE															
	bundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL. UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	bundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				İ						1	Į				1
rate	bundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	ļ	<u> </u>	UEA,UDN,UCL,UDC	USBFQ	0 00	0.00		L					L	l	L
irate												l			:	
	bundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR	0 00	0 00									
	bundled DS1 Loop - Superirame Format Option - no rate	├		USL	CCOSF	0.00	0 00									
	rate		ļ	USL	CCOEF	0 00	0 00		ľ					l		
	NBUNDLED LOCAL LOOP		_	03L	CCOEF	- 000	0,00								_	
NOTE, min	imum billing period of three months for DS3 and above Li	ocal Lo	00													
High	h Capacity Unbundled Local Loop - DS3 - Per Mile per	Cui Lo	T		_							-				-
mor	nth			UE3	1L5ND	10 92										
Ten	h Capacity Unbundled Local Loop - DS3 - Facility mination per month		İ	UE3	UE3PX	386 88	556 37	343 01	139 13	96 84		11 90				
Hig	h Capacity Unbundled Local Loop - STS-1 - Per Mile per			UDLSX	1L5ND	10 92										
	h Capacity Unbundled Local Loop - STS-1 - Facility			OBEOX	TLOND	10 32			<del></del>		<del></del>					
	mination per month			UDLSX	UDLS1	426 60	556 37	343 01	139 13	96 84		11 90		]	1 83	
OOP MAKE-UP			<del>                                     </del>	ODEGA	OBLO?	720 00	330 37	343 01	100 10	90 04	+	11.90			103	<del></del>
	p Makeup - Preordering Without Reservation, per working or are facility queried (Manual)			UMK	UMKLW		52 17	52 17				-				
	p Makeup - Preordering With Reservation, per spare facility		├	OWIN	CIVINLY		52 17	52 17								
	ened (Manual)			UMK	UMKLP	I	55 07	55,07				l				ŀ
	pp MakeupWith or Without Reservation, per working or		_	Divire	OWNE			35,07	<del></del>					<del></del>		
	are facility queried (Mechanized)			UMK	PSUMK		0 6784	0 6784								
IIGH FREQUENCY							0 010+	00104						<del></del>		<del>                                     </del>
LINE SHAR	RING															
SPLITTERS	S-CENTRAL OFFICE BASED		T													
Line	e Sharing Splitter, per System 96 Line Capacity - True up							-								
	nding approval by PSC	R		ULS	ULSDA	119 72	379 13	0 00	347 90	0 00		11 90			ŀ	i
	e Sharing Splitter, per System 24 Line Capacity - True up															
	nding approval by PSC	R		ULS	ULSDB	29 93	379 13	0 00	347 90	0 00		11 90				
Line	e Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8 33	379 13	0 00	347 90	0 00		11 90				
	e Sharing-DLEC Owned Splitter in CO-CFA activator-		Ì													
	ectivation (per LSOD)			ULS	ULSDG		173 66	0 00	97 42	0.00		11 90		<u>L</u> .		
	ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM													
Line	e Sharing - per Line Activation -(BST Owned Splitter)		<u> </u>	ULS	ULSDC	0 61	29 68	21 28	19 57	9 61		11 90				
	e Sharing - per Subsequent Activity per Line Rearrangement ue up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21 68	16 44				11 90				
- Tri	e Sharing - per Subsequent Activity per Line Rearrangement ue up pending approval by PSC(DLEC Owned Splitter)	R		uls	ULSCS		21 68	16 44				11 90				
	e Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47 44	19 31	20 67	12 74		11 90			t	

DINDUNDLE	ED NETWORK ELEMENTS - Florida		1	1				• •					Attachr			oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
					1	Rec	Nonrec		Nonrecurring					Rates (\$)		
L INIE	ORI ITTING		<u> </u>				First	Ađd'I	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
	SPLITTING JSER ORDERING-CENTRAL OFFICE BASED		—		1 1											
END				HEDOD HEDOD	UPFOR	0.04										
<del></del>	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB UEPSR UEPSB	UREOS	0 61 0 61	29 68	24.00	10.57	0.64		14.00				
	Line Splitting - per line activation BST owned - virtual		<del> </del>	UEPSR UEPSB	UREBV	1 134	29 68	21 28 21 28	19 57 19 57	9 61 9 61		11 90 11 90				
REMO	TE SITE HIGH FREQUENCY SPECTRUM	,	<del>                                     </del>	UEFSK UEFSB	UKEBV	1 104	29 00	21 20	19 37	961		1190				
	TERS-REMOTE SITE		<del> </del>		+											
<u> </u>	Remote Site Line Share BellSouth Owned Splitter, 24 Port	1	_	ULS	ULSRB	46 07	114 81	0 00	86 20	0.00	<del> </del>	11 90				
	Remote Site Line Share Cable Pair Activation CLEC Owned at		1		- OCOND		11401	0 00	- 00 20	0 00	-	1130				
	RS and deactivation	1	}	uls	ULSTG		95 64	0 00	69 19	0 00		11 90				
END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	M AKA	REMOT	E SITE LINE SHAF			5001		50.0	0 00						
	Remote Site Line Share Line Activation for End User Served at	' ' '	T				-			***						
	RS, BST Splitter	I	<u>L</u> _	ULS	ULSRC	0 61	40 00	22 00	19 57	9 61		11 90				
	RS Line Share Line Activation for End User served at RS, CLEC					- 1										
	Splitter		<u> </u>	ULS	ULSTC	0 61	40 00	22 00	19 57	9 61		11 90				
ı	Remote Site Line Share Subsequent Activity-RS BST Owned											Ċ				
	Splitter	1		ULS	ULSRS		49 15	17 83				11 90			l	
	Remote Site Line Share Subsequent Activity-RS CLEC Owned															
	Splitter	ı	-	ULS	ULSTS		49 15	17 83				11 90				
	DEDICATED TRANSPORT	L.,,,														
NOTE	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu ROFFICE CHANNEL - DEDICATED TRANSPORT	m billin	g perio	d - below D\$3=one	e month, abov	DS3=four moi	nths									
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month		i	U1TVX	1L5XX	0 0091									1	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		ļ	UTIVA	ILSAA	0.0091										
	Facility Termination		İ	U1TVX	U1TV2	25 32	47 35	31 78	18 31	7 03		11 90				
	Interoffice Channel - Dedicated Transpor I- 2-Wire Voice Grade			OTTVX	OTIVE	25 52	47 33	31 10	1031	7 03		11 90				
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0091	i									
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bal -				120/01								_			
	Facility Termination			U1TVX	U1TR2	25 32	47 35	31 78	18 31	7 03		11 90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -								1,00	, 50						
	Per Mile per month			U1TVX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1									_		
	- Facility Termination			U1TVX	U1TV4	22 58	47 35	31 78	18 31	7 03		11 90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0 0091									į	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		i													
	Termination			U1TDX	U1TD5	18 44	47 35	31 78	18 31	7 03		11 90			İ	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
_	per month			U1TDX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			LIATEN												
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	18 44	47 35	31 78	18 31	7 03		11 90				
1	month			U1TD1	1L5XX	0.4050										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטווטו	- irpxx	0 1856										
	Termination			U1TD1	U1TF1	88 44	105 54	98 47	21 47	40.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-		0177	00 44	103 54	96 47	2147	19 05		11 90				
	month			U1TD3	1L5XX	3 87			ĺ							
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	- 120/01	307										
	Termination per month		1	U1TD3	U1TF3	1,071 00	335 46	219 28	72 03	70 56		11 90				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	300.40	215 20	12 00	70 30		1130				
	month			U1TS1	1L5XX	3 87	ļ									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1											
	Termination			U1TS1	U1TFS	1,056 00	335 46	219 28	72 03	70 56		11 90			'	
LOCAL	L CHANNEL - DEDICATED TRANSPORT							2.0 20	12 30	10 00		11 30			-	
NOTE.	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d = bel	ow DS3=one mont	h, above DS3=	four months										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1	ULDVX	ULDV2	19 66	265 84	46 97	37 63	4 00		1 90		_		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX	ULDV2	27 94	265 84	46 97	37 63	4 00		11 90		-		
1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	49 58	265 84	46 97	37 63	4 00		11 90				

UNBUNDLE	D NETWORK ELEMENTS - Florida	**	,	,						<del>_</del>				ment 2		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN		Rates (\$)	COMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -	-		ļ			First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Zone 1		1	ULDVX	ULDR2	19 66	265 84	46 97	37 63	4 00		11 90		1		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		<u> </u>	1020171										·		
	Zone 2		2	ULDVX	ULDR2	27 94	265 84	46 97	37 63	4 00		11 90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -															
	Zone 3		3	ULDVX	ULDR2	49 58	265 84	46 97	37 63	4 00		11 90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX	ULDV4 ULDV4	20 45 29 06	266 54 266 54	47 67 47 67	44 22 44 22	5 33 5 33		11 90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		3	ULDVX	ULDV4	29 U6 51 56	266 54	47 67		5 33		1190			<del> </del>	
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36 49	216 65	183 54		16 95		11 90				
<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	51 85	216 65	183 54		16 95		11 90	<b></b>	<del></del>	1	
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	92 00	216 65	183 54		16 95		1190		1		
	Local Channel - Dedicated - DS3 - Per Mile per month		Ť	ULDD3	1L5NC	8 50					1		l		1	
	Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3	ULDF3	531 91	556 37	343 01	139 13	96 84		11 90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8 50										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULD\$1	ULDFS	540 69	556 37	343 01	139 13	96 84		11 90				
DARK FIBER			<u> </u>												ļ	
i l	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		ł	l							}				1	
	Thereof per month - Local Channel			UDF	1L5DC	55 04	754.04	400.00			<u> </u>	14.00			<del> </del>	
	NRC Dark Fiber - Local Channel		-	UDF	UDFC4		751 34	193 88				11 90			<u> </u>	ļ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			Upr	1L5DF	26 85									1	1
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF UDF	UDF14	20 00	751 34	193 88				11 90		-	ł	<del>                                     </del>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		<del> </del>	IUDF	UDF 14		731 34	193 00				1130	<del> </del>	<del> </del>		<del> </del>
1 1	Thereof per month - Local Loop			UDF	1L5DL	55 04				ļ				[		
	NRC Dark Fiber - Local Loop			UDF	UDFL4		751 34	193 88				11 90		•	<del> </del>	
8XX ACCESS	TEN DIGIT SCREENING		$\vdash$		-									-		
	8XX Access Ten Digit Screening, Per Call		1	OHD		0 0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															1
	Number Reserved		1	OHD	N8R1X	1	4 15	0 70				11 90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O														İ	ì
	POTS Translations		ļ	OHD			8 78	1 18	5 77	0.70		11 90				
	8XX Access Ten Digit Screening, Per 8XX No Established With													ļ		
	POTS Translations			OHD	N8FTX		8 78	1 18	5 77	0 70		11 90				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	NBFCX		4 15	2 07		ĺ		11 90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		-	OUD	NOFUA	ļ	4 15	2 07	<del>                                     </del>	<del> </del>		1190	<del>                                     </del>	<del>                                     </del>	+	
	Routing Per CXR Requested Per 8XX No		Ì	ОНД	N8FMX		4 85	2 78	1	1		1190		1		
<del>                                     </del>	BXX Access Ten Digit Screening, Change Charge Per Request		t	OHD	N8FAX		4 85	0 70		1	<u> </u>	11 90	<del> </del>		<del>                                     </del>	
	8XX Access Ten Digit Screening, Call Handling and Destination								<u> </u>	1		1	· · · · · · · · · · · · · · · · · · ·		1	<del> </del>
	Features			OHD	N8FDX		4 15	4 15	<u> </u>			11 90		L		
			}			]										
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	ļ		OHD		0 0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		1								1		1	}	1	1
I INF INFORM	query			OHD		0 0006252							-	ļ	-	1
LINE INFORM	ATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query	1	+	ООТ		0 0000203			<b>+</b>		<del> </del>	<del></del>		<b>}</b>		-
	LIDB Validation Per Query		<del> </del>	logu		0 0000203							-	-	+	<del> </del>
	LIDB Originating Point Code Establishment or Change	_	1	OQT, OQU	NRPBX	0.0130939	55.13	55 13	55 13	55,13		11 90	<del>                                     </del>	1	<u> </u>	<del> </del>
SIGNALING (C	CCS7)		+	041,040	III DA	<del> </del>	30.10	55 15	00 10	30.13		11.30	<del> </del>	-	<del> </del>	1
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135 05			<del> </del>		<b></b>	<del>                                     </del>		<del> </del>	1	
<del>                                     </del>	CCS7 Signaling Usage, Per TCAP Message		-	UDB	1	0 0000607									1	†
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	17 93	43 57	43 57	18 31	18 31		11 90			1	
	CCS7 Signaling Connection, Per link (B link) (also known as D			T		1			1						1	
	link)	L		UDB	TPP++	17 93	43 57	43 57	18 31	18 31		11 90	1		1	
L	CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000152					l		L		1	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694 32			ļ				l		ļ	1
	CCS7 Signaling Point Code, per Originating Point Code					1								1	1	
	Establishment or Change, per STP affected	L	1	UDB	CCAPO		46 03	46 03	46 03	46 03		11 90		l	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc ⊖rder Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Boo	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
E911 SERVIC	Ē															
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21 94	265 84	46 97	37 63	4 00		1 90				<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		T			29 62	265 84	46 97	37 63	4 00		1 90				<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		Π			57 22	265 84	46 97	37 63	4 00		11 90				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		L			0 0091										ļ
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					25 32	47 35	31 78	18 31	7 03		1190		:		
	Local Channel - Dedicated - DS1 - Zone 1					35 28	216 65	183 54	21 47	19 05		1 90				
	Local Channel - Dedicated - DS1 - Zone 2					47 63	216 65	183 54	21 47	19 05		11 90				
	Local Channel - Dedicated - DS1 - Zone 3					92 01	216 65	183 54	21 47	19 05		11 90				
	Interoffice Transport - Dedicated - DS1 Per Mile		1			0 1856									<u></u>	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88 44	105 54	98 47	21 47	19 05		11 90				
CALLING NA	ME (CNAM) SERVICE		1		-1											
	CNAM For DB Owners - Service Establishment		1	QQV			25 35	25 35	19 01	19 01		11 90		-		
	CNAM For Non DB Owners - Service Establishment			OQV			25 35	25 35	19 01	19 01		11 90				
	CNAM For DB Owners - Service Provisioning With Point Code		1													
	Establishment CNAM For Non DB Owners - Service Provisioning With Point			oqv		ļ	1,592 00	1,177 00	352 36	259 09		11 90			_	-
i	Code Establishment			ogv			546 51	393 82	358 06	259 09		11 90		Į.		
	CNAM for DB Owners, Per Query		1	OQV	<del> </del>	0 001024	0.001		520 00	200,00					†	
	CNAM for Non DB Owners, Per Query	<del></del>	<u> </u>	oov		0 001024		-			·			1		
LNP Query Se		<del>                                     </del>	+	-	<del> </del> -										_	
	LNP Charge Per guery		T	oqv		0 000852	1		-							
	LNP Service Establishment Manual						13 83	13 83	12 71	12 71		1 90				
-	LNP Service Provisioning with Point Code Establishment						655 50	334 88	297 03	218 40		11 90			l	
OPERATOR C	ALL PROCESSING															
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 20										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB			-	-	0 20										
<del></del>	Oper Call Processing - Fully Automated, per Call - Using	_	-		-										<del> </del>	<u> </u>
	Foreign LIDB	L	1			0 20										
INWARD OPE	RATOR SERVICES	<u> </u>	-										<del></del>			
	Inward Operator Services - Verification, Per Call					1 00									-	<del> </del>
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1 95										
	OPERATOR CALL PROCESSING		ļ								ļ					<del></del>
Facilit	ty based CLEC	<del> </del>	-				7.000.00	7 000 55			<b>_</b>		<del></del>	ļ	ļ	+
·	Recording of Custom Branded OA Announcement	<del> </del>	1		CBAOS	<b></b> -	7,000 00	7,000 00			ļ	11 90	<del>-</del>		<del> </del>	<del></del>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500 00	500 00				11 90				
UNEP	CLEC										<u> </u>			ļ	<u> </u>	
	Recording of Custom Branded OA Announcement		<u> </u>				7,000 00	7,000 00				11 90				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN		1				500 00	500 00				11 90				
Unbra	anding via OLNS for UNEP CLEC	Í														1
	Loading of OA per OCN (Regional)		1				1,200 00	1,200 00				11 90			L	
	ASSISTANCE SERVICES					<u></u>									L	
DIREC	CTORY ASSISTANCE ACCESS SERVICE	L			1						<u> </u>	1	ļ	ļ	ļ	4
	Directory Assistance Access Service Calls, Charge Per Call	<u> </u>	ļ			0 275							<del> </del>		+	+
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)	1	<b></b>		<del> </del>			<del> </del>	<b> </b>	<b></b>		<del></del>		+	<del></del>
	Directory Assistance Call Completion Access Service (DACC),		1													
DIDECTORY	Per Call Attempt	ļ	-			0 10				ļ				ļ	<del> </del>	+
	ASSISTANCE SERVICES CTORY ASSISTANCE DATA BASE SERVICE (DADS)	<del> </del>		<del> </del>		<del> </del>	ļ		+		<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	+
DIREC		<del></del>	1	<del>  </del>	1				ļ	<del> </del>	<del>                                     </del>	<del> </del>	<b> </b>	<del> </del>	+	+
	Directory Assistance Data Base Service Charge Per Listing	٠	1			0 04					i	L	ــــــــــــــــــــــــــــــــــــــ			

Version 4Q02 12/18/02 Page 48 of 416

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		ort; B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
					-	Rec	Nonrec		Nonrecurring		201150			Rates (\$)		
	Directory Assistance Data Base Service, per month				DBSOF	150 00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BRANDING -	DIRECTORY ASSISTANCE				DBSOF	150 00										
	ty Based CLEC				-											
	Recording and Provisioning of DA Custom Branded		<del></del>													
	Announcement			AMT	CBADA		3,000 00	3,000 00				11 90				
	Loading of Custom Branded Announcement per Switch per							-,								_
	OCN			AMT	CBADC		1,170 00	1,170 00			!	11 90				
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00				11 90				
	Loading of DA Custom Branded Announcement per Switch per										i					
	OCN						1,170 00	1,170 00				11 90				
Unbra	inding via OLNS for UNEP CLEC		<u> </u>													
	Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN		L				420 00	420 00				11 90				
SELECTIVE R							16 00	16 00				11 90				
SELECTIVE	Selective Routing Per Unique Line Class Code Per Request Per				-		· · · · · · · · · · · · · · · · · · ·									
	Switch		'		USRCR		93 55	93 55	11 46	11 46		11 90		:		
VIRTUAL COL		•			OSKOK	· · · · · · · · · · · · · · · · · · ·	93 33	90 00	1140	11 40	<del> </del>					
VIIKTOAL GOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			_	+	<del>   </del>										
	Splitting			UEPSR, UEPSB	VE1LS	0 0502	11 57					11 90				
PHYSICAL CO				02, 01, 02, 02	172,20	0 0002					<del> </del>	11 50	-			
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				_						-					
	Splitting			UEPSR, UEPSB	PE1LS	0 0276	8 22	7 22	5 74	4 58		11 90				
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,444 00		7,737 00			11 90				
	End Office Establishment			SRC	SRCEO		187 36	187 36	0 69	0 69		1190				
	Query NRC per guery			SRC		0 0031868	_									
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE				1											
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43 56	43 56	44 93	44 93		11 90				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP	1	201									
<del></del>	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8 64 8 64	8 64 8 64	10 03	10 03 10 03		11 90				
	AIN SMS Access Service - User Identification Codes - Per User			Alla	CAMIF		0 04	0 04	10 03	10 03		1190				
1	ID Code		ŀ	A1N	CAMAU		38 66	38 66	29 88	29 88		11 90				
	AIN SMS Access Service - Security Card, Per User ID Code,	-			O/ WILL		30 00	30 00	25 00	25 00		1130				
ı	Initial or Replacement			A1N	CAMRC		75 10	75 10	12 93	12 93		11 90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				1	0 0028		1,55	12.00	72.00		00				
	AIN SMS Access Service - Session, Per Minute					0 7809										
	AIN SMS Access Service - Company Performed Session, Per												-			
	Minute					0 4609									ı	
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge Per State,															
	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC		43 56	43 56	44 93	44 93		11 90				
	AIN Toolkit Service - Training Session, Per Customer  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,439 00	8,439 00			ļ	11 90				
1	DN, Term Attempt				BAPTT	{	8 64	8 64	10 03	40.00		14.00				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		190111		0 04	8 64	10 03	10 03	-	11 90				
1	DN, Off-Hook Delay				BAPTD		8 64	8 64	10 03	10 03		11 90		j		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1			3 04	10 00	10 03		11 80				
	DN, Off-Hook Immediate				ВАРТМ		8 64	8 64	10 03	10 03	:	1 <b>1 9</b> 0				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1		~~~~	- 554	10 00	10 00		11 30	-		<del></del>	
	DN, 10-Digit PODP				BAPTO		38 06	38 06	15 86	15 86		11 90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1						·					
	DN CDP				BAPTC		38 06	38 06	15 86	15 86		11 90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF	L	38 06	38 06	15 86	15 86		11 90			· [	
	AIN Toolkit Service - Query Charge, Per Query	- 1			1	0 0535927										

JNBUNDLI	ED NETWORK ELEMENTS - Florida													ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		No.	RATES (\$)	Nonrecurring		Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l  Rates (\$)	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			ļ			Rec	First	curring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI To all a Consent Time di Ninda Charasa Des AMI Tapilles	-	_				FIISL	Augi	riist	Auu	SOMEC	SOMAI	30111711	JOHIAN	30111711	Johnan
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0 0000000					i					<del></del>
	Account, Per 100 Kilobyles	l	1			0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1														
	Subscription	l		CAM	BAPMS	8 34	8 64	8 64	6 08	6 08		11 90				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	I													1	
	Subscription			CAM	BAPLS	3 73	9 56	9 56				11 90				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	İ	l												İ	
	Subscription		-	CAM	BAPDS	4 73	8 64	8 64	6 08	6 08		11 90				
1	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPES	0 12	9 56	9 56				11 90				
HANCED	Service Subscription  EXTENDED LINK (EELs)	-	<del> </del>	CAIVI	DAFES	0 12	3 30	930				11 30				
	The monthly recurring and non-recurring charges below will	anniv a	nd the	Switch-As-Is Charg	e will not an	l ly for EELs nro	visioned as 1	i Ordinarily Com	bined' Networ	k Flements						
	. The monthly recurring and the Switch-As-Is Charge and not t															
	Minimum billing is one month for DS1 and below and three m				T											
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				-											
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	Γ	T													
	Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81		11 90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			-												1
	Transport Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81		11 90			ļ	ļ
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1	i			ĺ									1	
	Transport Combination - Zone 3		3	NUCAX	UEAL2	30 87	127 59	60 54	42 79	2.81		1190				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		l	UNC1X	1L5XX	0 1856										
_	per month Interoffice Transport - Dedicated - DS1 combination - Facility		<u> </u>	UNGTX	1L5XX	0 1856									-	
- 1	Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11 90				
	DS1 Channelization System Per Month			UNC1X	MQ1	146 77	51 83	10 75	43.01	11 93		11 90			<del> </del>	
<del></del>	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 38	12 16	8 77	6 71	4 84		11 90				
_	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1	0110171	1.2	1 50		0.,,		1.5.1						
	Interoffice Transport Combination - Zone 1	ļ	1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81		11 90			1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1														i	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81		11 90			İ	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81		11 90				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		1		1	1										
_	per month	<u> </u>	ļ	UNCVX	1D1VG	1 38	12 16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		ł	UNC1X	UNCCC	1	8 98	8 98	8 98	8 98					1	
4-WIR	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR		UNCCC		0 90	0 90	0 90	6 90		11 90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		T	ANOI ON (EEE)												
	Transport Combination - Zone 1		1 1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81		11 90			f	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1													
	Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81		11 90				į.
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice					, i										
	Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81		11 90			i	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	ĺ	1													
	Per Month		<u> </u>	UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			LINGAY	LIATEA				<u></u> _	.=					1	
	Channelization - Channel System DS1 to DS0 combination Per	<b>-</b>	-	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11 90				ļ
	Month			UNC1X	MQ1	146 77	51 83	10 75				11 90			1	i
-	Voice Grade COCI - DS1 to DS0 Channel System combination -		<u> </u>	014017	IVIQI	140 //	3183	10 /5				11.90			<del>                                     </del>	<del> </del>
	per month			UNCVX	1D1VG	1 38	12 16	8 77	6 71	4 84		11 90			1	1
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1.2170	, 30	12 10	- 577	071	+ 04		1130		-	1	1
	Interoffice Transport Combination - Zone 1		1	UNÇVX	UEAL4	18 89	127 59	60 54	42 79	2 81		11 90			I	1
	Additional 4-Wire Analog Voice Grade Loop in same DS1		Ė		1			55 04							<del> </del>	<del>                                     </del>
1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81		11 90			1	1

ONDONDE	ED NETWORK ELEMENTS - Florida		,		,									nent: 2		bit B
				1									Incremental			
					1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
ATEGORY	2475 51 51151172	Interi	_		1						Elec	Man⊍ally	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs.
												1	Electronic-	Electronic-	Electronic-	Electronic
												l	1st	Add'l	Disc 1st	Disc Add
— т			+										L			l
<del></del>			<del> </del>			Rec	Nonre			Disconnect				Rates (\$)		
	Additional 4-Wire Analog Voice Grade Loop in same DS1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 3		1 2	UNCVX		47.00	427.50		40.70							
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVA	UEAL4	47 62	127 59	60 54	42 79	2 81		11,90				
	per month	1		UNCVX	1D†VG	1 38	12 16	8 77	6 71	4 84						ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	DINCVA	IDIVG	1 30	12 16	011	871	4 64	<u> </u>	11 90				<del></del>
	Is Charge	İ	1	UNC1X	UNCCC	i	8 98	8 98	8 98	8 98		11 90				1
4-WIF	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE		01.000		0.50	0 30	0.50	0.80		11 90				<del></del>
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	1													<del></del>
	Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	281		11 90		Ť		ĺ
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice						121 00		72.10	201		1130				<del></del>
	Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81		11 90				l .
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1														
	Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81		11 90				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile									-						
	Per Month	ł	1	UNC1X	1L5XX	0 1856										1
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11 90		i		i
	Channelization - Channel System DS1 to DS0 combination Per							-								
	Month			UNC1X	MQ1	146 77	51 83	10 75				11 90				l .
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	]							-							
	month (2 4-64kbs)			UNCDX	1D1DD	2 10	12 16	8 77	671	4 84		11 90				l .
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1													
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		11 90				l .
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	ŀ														
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81		11 90				l .
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		İ													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81		11 90				<u></u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															[
	combination per month (2 4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2 10	12 16	8 77	6 71	4 84		11.90				į.
	is Charge			LINGAN										i		į.
4-WIE	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	DEELCE	UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
- 1110	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)	-											
	Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	40.70	0.04		44.00				į.
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<del>  '-</del>	UNUDA	CDL04	22 20	127 39	60 34	42 79	2 81		11 90				<del> </del>
	Transport Combination - Zone 2	!	2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81		14.00	Į			į.
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	OHODA	GDE04	3130	127 09	60 34	42 /9		-	11 90				
	Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81		11 90				į.
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				-		127 03	00 04	72 / 3	201		11 30				r
	Per Month			UNC1X	1L5XX	0 1856										į.
	Interoffice Transport - Dedicated - DS1 combination - Facility		T													
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11 90		j		l
	Channelization - Channel System DS1 to DS0 combination Per		T						-							
	Month			UNC1X	MQ1	146 77	51 83	10 75				11 90				Į.
	OCU-DP COCI (data) - DS1 to DS0 Channel System												-			
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	12 16	8 77	6 71	4 84		11 90		[		ı
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1				"				_	-				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81		11 90				ı
1	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81		11 90				I
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		١.			Τ.										
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2.81		11 90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															_ <del></del> _
	combination - per month (2 4-64kbs)		<u> </u>	UNCDX	1D1DD	2 10	12 16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge		1	10.004	l <b></b>											
4 18/15	IS Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	DOCC		UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-4416	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	:KUFFI	UE TRA	ANSPURT (EEL)							]					
	Transport - Zone 1		1	LINICAV	1101.302							- 1		- 1		
	Hallaport - Zolle			UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45		11 90		i	i	

HOUNDE	D NETWORK ELEMENTS - Florida			T								_		nent 2		ort. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs Efectronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
-					4	Rec	Nonred First	curring Add'i	Nonrecurring First		SOMEC	2011411	OSS	Rates (\$)		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice				1		FIRST	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		11 90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856						, and the second				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge					30 44										
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA	UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>	I CICH (LLL)	1			-								
	1 First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45		11 90				
_	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90				
	]3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		11 90				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071 00	314 45	130 88	20.00	45.00						
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211 19	115 60	59 93	38 60 5 45	18 23 0 00		11 90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13 76	12 16	8 77	6 71	4 84	-	11 90			_	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45		11 90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		11 90	-			
	DS3 Interface Unit (DS1 COCI) combination per month		<u>-</u> -	UNC1X	UC1D1	13 76	12 16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8 98	8 98	8 98							
2-WIRI	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL.)	DIVCCC		0 90	8 98	8 98	8 98		11 90				
1	2-WireVG Loop used with 2-wire VG Interoffice Transport				1											
	Combination - Zone 1  2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81		11 90				
<del>  -</del> -	Combination - Zone 2  2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81		11 90				
	Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81		11 90				
-	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		_	UNCVX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	25 32	94 70	52 59	50 49	21 53		11 90			·	
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)	1		3 30	0.90	0.96	0.90	<del>  </del>	1130				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81		11 90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	281		11 90				-
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3			UNCVX	UEAL4	47 62	127 59	60 54	42 79	281		11 90			-	
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		Ť	UNCVX	1L5XX	0 0091	127 38	00 54	42/9			1190				
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4		04.70			A4						
	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNUVA		22 58	94 70	52 59	50 49	21 53		11 90				
	Is Charge		,	UNCVX	UNCCC		8 98	8 98	8 98	8 98		11 90				

Version 4Q02 12/18/02

MOUNDER	D NETWORK ELEMENTS - Florida		_				_							ment 2		bit: B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring				oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10 92										
-	High Capacity Unbundled Local Loop - DS3 combination -			DIVESA	ILSIND	10 92									-	
ì	Facility Termination per month			UNC3X	UE3PX	386 88	249 97	162 05	67 10	26 82		11 90			1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 combination - Facility							_								
	Termination per per month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-	ĺ														
0704	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED ST\$1 INTEROFF	105 75		UNC3X	UNCCC		8 98	8 98	8 98	8 98		11 90				
8181	High Capacity Unbundled Local Loop - STS1 combination - Per	FICE IN	IANSP	ORT (EEL)											-	
	Mile per month			UNCSX	1L5ND	10 92									i	
	High Capacity Unbundled Local Loop - STS1 combination -			CHOOK	120/12	10 02										
	Facility Termination per month	1		UNCSX	UDLS1	426 60	249 97	162 05	67 10	26 82		11 90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month			UNCSX	1L5XX	3 87										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month			UNCSX	U1TF\$	1,056 00	314 45	_130 88	38 60	18 23	-	11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98		11 90				
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI	\	UNCOA	UNCCC		0.90	0.90	0 90	0 90		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	I (LLL		-	1				<u> </u>	_				<del></del>		
	Transport - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81		11 90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81		11 90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination												-			
	Transport - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81		11 90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11 90		l		
	Channelization - Channel System DS1 to DS0 combination -		_	UNCIA	OTIFI	60 44	174 40	122 46	45 61	. 17 95		1190		<b></b>		
	per month			UNC1X	MQ1	146 77	51 83	10 75				11 90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System											1.00				-
	combination - per month			UNÇNX	UC1CA	3 66	12 16	8 77	6 71	4 84		11 90			1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81		11 90				
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2			LINGUN												
+	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81		11 90				
	Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81		1190				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		<u> </u>	0.10101	0121	10 02	127 00	00 00	42.75			,130				
	combintaion- per month		1	UNCNX	UC1CA	3 66	12 16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 1500	Is Charge	<u> </u>		UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)	I											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45		14.00				İ
	First DS1 Loop in STS1 Interoffice Transport Combination -			UNCIA	035.00	70 74	217 75	121 62	5144	14 45		11 90				
	Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90			ļ	1
	First DS1 Loop in STS1 Interoffice Transport Combination -				1				0.141	11 10		1130				
	Zone 3	L	3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		11 90		ĺ		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile				T											
	Per Month			UNCSX	1L5XX	3 87										
	Interoffice Transport - Dedicated - STS1 combination - Facility		-													
+-	Termination		<u> </u>	UNCSX	U1TFS	1,056 00	314 45	130 88	38 60	18 23		11 90				
+-	STS1 to DS1 Channel System confination per month		-	UNCSX	MQ3	211 19	20 06	31 66	5 45	0 00		44.55			<del></del>	
+	DS3 Interface Unit (DS1 COCI) combination per month  Additional DS1Loop in STS1 Interoffice Transport Combination -	-		UNC1X	UC1D1	13 76	12 16	8 77	6,71	4 84		11 90				
	Zone 1	I	1	UNC1X	USLXX	70 74		121 62	ı l		1	11 90	I	I	I	1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment. 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			)	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Ald a Post of Otto I was a Company of the Company o		ļ	<del></del>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90				1
	Additional DS1Loop in STS1 Interoffice Transport Combination -		+ -	DINC IX	103LX	100 34	217 75	121 02	5144	14 45		1190				<del> </del>
	Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		11 90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13 76	12 16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	L	1	UNCSX	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-W	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE '	TRANS	PORT (EEL)										L	<del></del>	L
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81		11 90				1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		+-'	UNCDA	UDLSG	22 20	127 39	60 34	42 /9	201		1190			<del> </del>	
	Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81		11 90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		✝¯		1-200	5.00		35 34	'- '-			- 55		<b>†</b>	<del> </del>	
	Combination - Zone 3	l	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81		11 90				Į
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile		ļ	UNCDX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					40.44			==							
	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53		11 90		ļ	ļ	
	Is Charge			UNCDX	UNCCC		8 98	8 98	8 98	8 98		11 90			j	
4-W	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	TRANS		1011000		0 30	0 30	0.50	0 30		1 7 30		<del> </del>		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	(222,	1				· · · · · ·							
	Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81		11 90			ļ	
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81		11 90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport					55.00						44.00			1	
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-	3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81		11 90			<del> </del>	
	Per Mile			UNCDX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			DITODA	12570	0 0031										
	Facility Termination			UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8 98	8 98	8 98	8 98		11 90				
	L NETWORK ELEMENTS		<u></u>	L	, L <u>, , , , , , , , , , , , , , , , , ,</u>											
	n used as a part of a currently combined facility, the non-recurr															
	en used as ordinarily combined network elements in All States, t recurring Currently Combined Network Elements "Switch As Is"					As is Charge d	oes not							<del> </del>	-	
14011	Nonrecurring Currently Combined Network Elements Switch -As-		Tone	pplies to each con	ioniation;						-					
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8 98	8 98	8 98	8 98		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-													1		
	Is Charge - 56/64 kbps			UNCDX	UNCCC		8 98	8.98	8 98	8 98		11 90				<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge - DS1			UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90			ļ <u>-</u>	<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3		1	UNC3X	UNCCC		8 98	8 98	8 98	8 98		11 90		-		
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCSA	UNCCC		0 90	0 90	8 90	5 95		11.90		<u> </u>		
	Is Charge - STS1			UNCSX	UNCCC		8 98	8 98	8 98	8 98		11 90				
том	E. Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3			months			3 50							
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		1	UNCVX	ULDV2	19 66	265 84	46 97	37 63	4 00		11 90				
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	27 94	265 84	46 97	37 63	4 00		11 90				
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCVX	ULDV2	49 58	265 84	46 97	37 63	4 00		11 90			ļ	
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1	<u> </u>	1 1	UNCVX	ULDV4	20 45	266 54	47 67	44 22	5 33		11 90	L	<del> </del>	1	<u> </u>
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade Zone3		3	UNCVX	ULDV4 I	29 06 51 56	266 54 266 54	47 67 47 67	44 22 44 22	5 33 5 33		11 90 11 90		ļ	<b>!</b>	<u> </u>
	Local Channel - Dedicated - 4-Wire Voice Grade Zones  Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36 49	216 65	183 54		16 95		11 90			<del> </del>	<del>                                     </del>
	Local Channel - Dedicated - DS1 Per Month Zone 2		2	UNC1X	ULDF1	51 85	216 65	183 54	24 30	16 95		11 90			<del> </del>	<del> </del>
	Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	92 00	216 65	183 54	24 30	16 95		11 90			<u> </u>	<del>                                     </del>
	Local Channel - Dedicated - DS3 - Per Mile per month		ΤŤ	UNC3X	1L5NC	8 50	2	,,,,,							1	
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	531 91	556 37	343 01	139 13	96 84		11 90		L	1	1

Version 4Q02 12/18/02 Page 54 of 416

INRONDLE	D NETWORK ELEMENTS - Florida													ment. 2		bit 🖪
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs
						Rec	Nonrec First	urnng Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	8 50	11131	Auu i	11131	Addi	SOMEC	30.MAIT	SOMAN	SOWAN	JOHAN	SOWAN
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	540 69	556 37	343 01	139 13	96 84		11 90			-	
	al Features & Functions											· ·				
	PLEXERS															
	minimum billing period is one month for DS1 to DS0 Channel								1							
NOTE	minimum billing period is three months for DS3 to DS1 and at	bove Cl	hannel			140 77	121.10	71.00	4.00							
	Channelization - DS1 to DS0 Channel System  OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UXTD1	MQ1	146 77	101 42	71 62	11 09	10 49		11 90				
	month (2 4-64kbs)			UDL	1D1DD	2 10	10 07	7 08				1190				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3 66	10 07	7 08				11.00		1		
-	month   Voice Grade COCI - DS1 to DS0 Channel System - per month		<del> </del> -	UEA	1D1VG	1 38	10 07	7 08	<del>                                     </del>			11 90		<del>                                     </del>	<del> </del>	<del></del>
	DS3 to DS1 Channel System per month			UXTD3	MQ3	211 19	199 28	118 64	40 34	39 07		11 90		1		
	STS1 to DS1 Channel System per month		$\vdash$	UXTS1	MQ3	211 19	199 28	118 64	40 34	39 07		1 90		<b>†</b>	<del> </del>	<del> </del>
	DS3 Interface Unit (DS1 COCI) used with Loop per month		<b>-</b>	USL	UC1D1	13 76	10 07	7 08	.5.07	22 07	<del> </del>	11 90			<del>                                     </del>	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13 76	10 07	7 08				11 90				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		1	OLDO!	00.01	10.70						11.00				
	per month			U1TD1	UC1D1	13 76	10 07	7 08	1			11 90		l		
	pop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			UNC1X	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			UNC1X	USBFG	42 59	133 77	78 02	85 16	21 21						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	60 53	133 77	78 02	85 16	21 21				ļ		
_	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4			UNC1X UNC1X	USBFG USBFG	107 39	133 77	78 02	85 16	21 21						
IRLINDI ED I	LOCAL EXCHANGE SWITCHING(PORTS)		+	UNCIX	USBEG							<u> </u>				-
	nge Ports		_													
	Although the Port Rate includes all available features in GA, F	Y, LA	& TN, t	ne desired feature	es will need to b	e ordered usin	g retail USOCs	1								
	VOICE GRADE LINE PORT RATES (RES)		T				<u> </u>									
	Exchange Ports - 2-Wire Analog Line Port- Res			UEP\$R	UEPRL	1 40	3 74	3 63	1 88	1 80		11 90		l		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 40	3 74	3 63	1 88	1 80		11 90				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 40	3 74	3 63	1 88	1 80		11 90				
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF	1 40	3 74	3 63	1 88	1 80		11 90				
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area		<u> </u>				·									
	Calling Plan, without Caller ID capability  Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA9	1 40	3 74	3 63	1 88	1 80		11 90				
	dialing port for use with CREX7 and Caller ID  Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA1	1 40	3 74	3 63	1 88	1 80		11 90				
	dialing port for use with CREX7, without Caller ID capability		ļ	UEPSR	UEPA8	1 40	3 74	3 63	1 88	1 80		11 90				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 40	3 74	3 63	1 88	1 80		11.90				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEP\$R	UEPRT	1 40	3 74	3 63	1 88	1 80		11 90				
F= : -	Subsequent Activity		ļ	UEPSR	USASC	0 00	0 00	0 00			<u> </u>	11 90				
FEATU			ļ	UCDCD	LIEDVE	2.55	0.00				<b></b>					ļ
2-WIDE	All Available Vertical Features  VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	2 26	0 00	0 00			<del> </del>	11 90		1	-	
2-11/10	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEBER	ILEDO	4.40	271	2.55	4.50	4.55		44.00				<del> </del>
<u> </u>	Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80		11 90			-	<del> </del>
<del></del>	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 40	3 74	3 63	1 88	1 80	<del> </del>	11 90				<del></del>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exhange Ports - 2-Wire VG unbundled incoming only port with		-	UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80		11 90				
	Caller ID - Bus		1	UEPSB	UEPB1	1 40	3 74	3 63	1 88	1 80		11 90				

Version 4Q02 12/18/02 Page 55 of 416

UNBUNDLED N	NETWORK ELEMENTS - Florida												Attachi	ment 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental		Incremental Charge -	Incremen Charge
			ļ				Nonre	rurring	Nonrecurring	Disconnect				Rates (\$)	Disc ist	Disc Add
<del></del>					+	Rec	First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-1	Wire voice unbundled Incoming Only Port without Caller ID															
	apability			UEPSB	UEPBE	1 40	3 74	3 63	1 88	1 80		11 90				
	ubsequent Activity		· · · ·	UEPSB	USASC	0.00	0 00	0.00				1190				
FEATURE			<b>.</b>													
All	l Available Vertical Features			UEPSB	UEPVF	2 26	0 00	0.00				11 90				
	GE PORT RATES (DID & PBX)															L
	Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 40	39 06	18 18	12 35	0 7187		11 90				
	Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 40	39 06	18 18	12 35	0 7187		11 90				
	Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 40	39 06	18 18	12 35	0 7187		11 90				
	Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	<b>1</b> 40	39 06	18 18	12 35	0 7187		1 90		ļ		<u> </u>
	Wire Analog Long Distance Terminal PBX Trunk - Bus	1		UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187	I	11 90		ļ	ļ	ļ
	Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187		11 90		1	<del> </del>	ļ
	Wire Vice Unbundled 2-Way PBX Usage Port	ļ		UEPSP	UEPXA	1 40	39 06	18 18	12 35	0 7187		11 90		-		ļ
	Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	<b>!</b>	UEPSP	UEPXB	1 40	39 06	18 18	12 35	0 7187		11 90		1	ļ	ļ
	Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 40 1 40	39 06	18 18	12 35	0 7187		11 90		1		
	Wire Voice Unbundled PBX LD Terminal Switchboard Port Wire Voice Unbundled PBX LD Terminal Switchboard IDD	-	<u> </u>	UEPSP	UEPXD	1 40	39 06	18 18	12 35	0 7187		11 90				
Ca	apable Port			UEPSP	UEPXE	1 40	39 06	18 18	12 35	0 7187		11 90				
Ad	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Iministrative Calling Port			UEPSP	UEPXL	1 40	39 06	18 18	12 35	0 7187		1 90				
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1										1	
	oom Calling Port			UEPSP	UEPXM	<b>1</b> 40	39 06	18 18	12 35	0 7187		11 90				
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														l	
	scount Room Calling Port		ļ	UEPSP	UEPXO	1 40	39 06	18 18	12 35	0 7187		1 90				
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPSP	UEPXS	1 40	39 06	18 18	12 35	0 7187		11 90				
	ubsequent Activity		<b>-</b>	UEPSP	USASC	0 00	0 00	0.00				11 90				
FEATURE			ļ	LIEBOR LIEBOE	1.50.5	0.00	0.00				-	14.00			l	
	I Available Vertical Features SE PORT RATES (COIN)		ļ .	UEPSP UEPSE	UEPVF	2 26	0 00	0.00				11 90				<u> </u>
	xchange Ports - Coin Port				<del> </del>	1 40	3 74	3 63	1 88	1 80		11 90				
	ransmission/usage charges associated with POTS circuit s	l		will also apply to s	reut cuitcho						atod with 2	. 00	orte		<u> </u>	
	ccess to B Channel or D Channel Packet capabilities will be													c Request Pro	rese	
	CAL EXCHANGE SWITCHING(PORTS)	1	T	y amough birrances	Justiness ne	100000	reaces for the		I I I I I I I I I I I I I I I I I I I	I I I I I I I I I I I I I I I I I I I	iie Boile i ii	ic reciposal	TOW BUSINESS	I	1	
	GE PORT RATES															
	xchange Ports - 2-Wire DID Port		<u> </u>	UEPEX	UEPP2	8 73	78 41	15 82	41 94	4 26		11 90			1 83	
	schange Ports - DDITS Port - 4-Wire DS1 Port with DID			<del> : : </del>	- <del>   </del>					····	† · · · · ·				1	1
	apability	1		VEPDD	UEPDD	54 95	151 11	77 75	48 81	3 10		1 90			1 83	1
	xchange Ports - 2-Wire ISDN Port (See Notes below )	<b>—</b> —	<u> </u>	UEPTX UEPSX	U1PMA	8 83	46 83	50 68	27 64	11 93		1 90			1 83	
	l Features Offered			UEPTX UEPSX	UEPVF	2 26	0 00	0.00				1 90		<del> </del>	1 83	
NOTE Tr	ansmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	rcuit switche	d voice and/or	circuit switch	ed data transm	ission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts	· · · · · · · · · · · · · · · · · · ·		
NOTE: Ad	ccess to B Channel or D Channel Packet capabilities will be	e availal	ole only	y through BFR/New	Business Red	quest Process	Rates for the	packet capabi	litres will be de	termined via t	he Bona Fic	le Request/I	New Business	s Request Pro	cess	1
Ex	schange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00								
	xchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82 74	174 61	95 17	49 80	18 23		11 90			1 83	
	LED PORT with REMOTE CALL FORWARDING CAPABILITY		L											1		
	LED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1				_									
Ur	nbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 40	3 74	3 63	1 88	1 80		11 90		]		
		ł	ł											1		
	nbundled Remote Call Forwarding Service, Local Calling - Res		<b>!</b>	UEPVR	UERLC	1 40	3 74	3 63	1 88	1 80		11 90			ļ	<u> </u>
	nbundled Remote Call Forwarding Service, InterLATA - Res		<b> </b>	UEPVR	UERTÉ	1 40	3 74	3 63	1 88	1 80		11 90				ļ
	nbundled Remote Call Forwarding Service, IntraLATA - Res		<u> </u>	UEPVR	UERTR	1 40	3 74	3 63	1 88	1 80	<u> </u>	11 90			1	ļ
Non-Recu		ļ	L								1				1	ļ
	nbundled Remote Call Forwarding Service - Conversion -	1	1		1						1					1
	witch-as-is	L	<u> </u>	UEPVR	U\$AC2		0 102	0 102		ļ	<u> </u>	11 90				L
	nbundled Remote Call Forwarding Service - Conversion with	1			1									1		
	lowed change (PIC and LPIC)	ļ	ļ	UEPVR	USACC		0 102	0 102							ļ <u>.</u>	
UNBUNDL	LED REMOTE CALL FORWARDING - Bus	ļ	<b></b>						L					ļ	ļ	
	nbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB						1						
					UERAC	1 40	3 74	3 63	1 88	1 80		1190				

Version 4Q02 12/18/02 Page 56 of 416

	D NETWORK ELEMENTS - Florida					,								ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremen Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
							FIISL	Add I	FIISL	Addi	SOMEC	3017 AN	SUMAN	SUMAN	SUMAN	SOMAN
- 1	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 40	3 74	3 63	1 88	1 80	ł	11.90				l
	Unbundled Remote Call Forwarding Service, Local Calling Substitution of the Call Forwarding Service, InterLATA - Bus		_	UEPVB	UERTE	1 40	3 74	3 63	1 88	1 80		1190				
	Unbundled Remote Call Forwarding Service, InterEATA - Bus		_	UEPVB	UERTR	1 40	3 74	3 63	1 88			11 90				-
	Unbundled Remote Call Forwarding Service Expanded and		_	QLI VB	DETTIL	1 40	0.74	0.00	1 00	100		1130				<del> </del>
	Exception Local Calling			UEPVB	UERVJ	1 40	3 74	3 63	1 88	1 80		11 90				į
Non-E	Recurring		<del>                                     </del>	OELAR	GERVS	140	3 74	3 03	100	1 00	-	11 90	-			
INOII-F	Unbundled Remote Call Forwarding Service - Conversion -					<del> </del>										ļ
	Switch-as-is			UEPVB	USAC2		0 102	0 102			ļ	11 90			1	!
			-	UEPVB	USACZ		0 102	0 102				1190			1	
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0 102	0 102	1		1				1	}
NOUND! ED	LOCAL SWITCHING, PORT USAGE		-	UEPVB	USACC	<del>                                     </del>	0 102	0 102	-	-	<b>I</b>		-		<del>                                     </del>	
			<del> </del>	ļ							-		-			-
End C	Office Switching (Port Usage)		-		+	0.0007000			ļ. —.	<del> </del>	L				ļ	
	End Office Switching Function, Per MOU			<b>↓</b>		0 0007662										
	End Office Trunk Port - Shared Per MOU		-			0 000164			ļ							
Tande	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU		L			0 0001319							<b>.</b>			
	Tandem Trunk Port - Shared, Per MOU		L			0 000235							l			
Comn	non Transport															
	Common Transport - Per Mile, Per MOU					0 0000035				L	L				L	
	Common Transport - Facilities Termination Per MOU					0 0004372										
NBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES												}			
Cost	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to p	rovide Unbun	died Local Swite	hing or Swite	h Ports								1
Featu	res shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate	section in the same	e manner as th	ev are applied to	the Stand-A	one Unbundle	ed Port section	of this Rate E	xhibit			-		
	Office and Tandem Switching Usage and Common Transport Us											n Port Loor	Combination	15.	·	
	rst and additional Port nonrecurring charges apply to Not Curr															
								o charges sha	ll be those ide			ı - Currentiv	Combined se	ections		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1	Inca dominos tin	nonrecurnii	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				ancing como	lines dominas un	nonrecurni	g charges sha	Il be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections		
	Port/Loop Combination Rates		1				nonrecurni	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections		
	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1 2			10 94	nonrecurni	g charges sha	II be those ide	ntified in the N	onrecurring	Currently	Combined se	ections		
	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2		2			10 94 15 05	nonrecurni	g charges sha	Il be those ide	ntified in the N	onrecurring	Currently	Combined se	ections		
UNE F	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3					10 94	e nonrecurni	g charges sha	If be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections		
UNE F	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  .oop Rates		3			10 94 15 05 25 80	nonrecurni	g charges sha	I be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections		
UNE F	PortLoop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3  .oop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX	UEPLX	10 94 15 05 25 80 9 77	s nonrecurrin	g charges sha	I be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections		
UNE F	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX	UEPLX UEPLX	10 94 15 05 25 80 9 77 13 88	s nonrecurrin	g charges sha	I be those ide	ntired in the N	onrecurring	- Currently	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	10 94 15 05 25 80 9 77	nonrecurm	g charges sha	I be those ide	ntired in the N	onrecurring	- Currently	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	10 94 15 05 25 80 9 77 13 88 24 63					onrecurring		Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL	10 94 15 05 25 80 9 77 13 88 24 63	53 31	26 46	27 50	8 37	onrecurring	11 90	Combined so	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 3  2-Op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  9 Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37	onrecurring	11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL	10 94 15 05 25 80 9 77 13 88 24 63	53 31	26 46	27 50	8 37 8 37	onrecurring	11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37	onrecuring	11 90 11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37	onrecuring	11 90	Combined se	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37 8 37	onrecuring	11 90 11 90 11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37 8 37	onrecuring	11 90 11 90	Combined s	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90	Combined se	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAP	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAP	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37	orrecuring	11 90 11 90 11 90 11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90	Combined se	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37	orrecuring	11 90 11 90 11 90 11 90	Combined se	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAP UEPAP UEPAB	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecuring	11 90 11 90 11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecuring	11 90 11 90 11 90 11 90 11 90 11 90 11 90	Combined se	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAP UEPAP UEPAB	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAP UEPAP UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecuring	11 90 11 90 11 90 11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90 11 90 11 90 11 90	Combined se	ections		
UNE I	PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAP UEPAP UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecurring	11 90 11 90 11 90 11 90 11 90 11 90 11 90	Combined s	ections		
UNE I	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAP UEPAP UEPAB UEPAB UEPAB UEPAB UEPAB UEPAB	10 94 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 2 26	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37	orrecuring	11 90 11 90 11 90 11 90 11 90 11 90 11 90	Combined s	ections		

Version 4Q02 12/18/02

MRONDE	ED NETWORK ELEMENTS - Florida			,							1			ment 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
			<u> </u>			Rec	Nonrec First		Nonrecurring		SOMEC	SOMAN		Rates (\$)	COMAN	COMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		ļ				FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Switch with change			UEPRX	USACC		0 102	0 102				11 90				ľ
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					[										
2 1400	Activity RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	-	UEPRX	USAS2	0 00	0 00	0 00				11 90				
	Port/Loop Combination Rates	-	-		<del>   </del>											-
	2-Wire VG Loop/Port Combo - Zone 1		1			10 94										+
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										<b>†</b>
	2-Wrre VG Loop/Port Combo - Zone 3		3			25 80								_		
UNE	Loop Rates														-	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13 88										
2-Win	2-Wire Voice Grade Loop (SL1) - Zone 3  e Voice Grade Line Port (Bus)	<del> </del>	3	UEPBX	UEPLX	24 63					ļ		<del>-</del>			-
	2-Wire voice unbundled port without Caller ID - bus		<b></b>	UEPBX	UEPBL	1 17	53 31	26 46	27 50	8 37		1 90	· · · · · · · · · · · · · · · · · · ·			
-	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 17	53 31	26 46	27 50	8 37		1 90			<del></del>	<del></del>
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 17	53 31	26 46	27 50	8 37		1 90				
	2-Wire voice unbundled incoming only port with Caller ID - Bus		1	ÚEPBX	UPEB1	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37		11 90			_	
LOCA	AL NUMBER PORTABILITY															
FEAT	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEAT	All Features Offered		-	UEPBX	UEPVF	2 26	0 00	0 00			<del> </del>	11 90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFBA	UEFVF	2 20	0 00	0 00			-	1190				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 102	0 102 :				11 90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 102	0 102				11 90				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0 00	0 00				11 90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										1					
UNE	Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1		1			10 94										
+	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										
_	2-Wire VG Loop/Port Combo - Zone 3		3		+	25 80					-					<del> </del>
UNE	Loop Rates		Ť		1	20 00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	ÜEPLX	9 77			•							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13 88				-						
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res															
LOCA	L NUMBER PORTABILITY	-		UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73		11 90				<u> </u>
	Local Number Portability (1 per port)		-	UEPRG	LNPCP	3 15	0 00	0 00				11 90				
FEAT	URES				EN OF	3 13	0.00	0.00			-	1 90				
	All Features Offered			UEPRG	UEPVF	2 26	0 00	0.00				11 90				<del></del>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										1					<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -													•		
	Conversion - Switch-As-Is		ļ	UEPRG	USAC2_		8 45	1 91				11 90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	100.00											
ADDI	Conversion - Switch with Change TIONAL NRCs		-	UEPRG	USACC		8 45	1 91			1	11 90				<b></b>
וטטו	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-	LIEBBO				<u>-</u>								
-+	Subsequent Activity  PBY Subsequent Activity  Change/Pagrange Multime High		-	UEPRG	USAS2	0.00	0 00	0 00				11 90				ļ
- 1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group	1			1 1	ŀ	7 86	7 86			1	11,90				1

	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		ļ	l			т	Nonre	urring	Nonrecurring	Disconnect		li	OSS	Rates (\$)	1	
			<del> </del>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates											· -				
	2-Wire VG Loop/Port Combo - Zone 1		1			10 94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25 80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9 77					!					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	13 88										<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24 63										ļ
2-vvire	Voice Grade Line Port Rates (BUS - PBX)		-	-	_										-	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 17	174 81	100 65	75 88	12 73	ĺ	11 90			1	
-	Line Side Unbundled Combination 2-Way PBA Trunk Port - Bus		<del>                                     </del>	UEPPX	UEPPO	1 17	174 81	100 65	75 88	12 73		11 90			-	<del>                                     </del>
-+-	Line Side Unbundled Uncoming PBX Trunk Port - Bus			UEPPX	UEPPO .	1 17	174 81	100 65	75 88	12 73		11 90		ļ	<del> </del>	
-	2-Wire Voice Unbundled PBX LD Terminal Ports		<del>                                     </del>	UEPPX	UEPLD	1 17	174 81	100 65	75 88	12 73	<del></del> -	11 90			<del> </del>	<del> </del>
-	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	···	<del> </del>	UEPPX	UEPXA	1 17	174 81	100 65	75 88	12 73		11 90				<del> </del>
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	1 17	174 81	100 65	75 88	12 73		11 90			-	<b>.</b>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<b>!</b>	UEPPX	UEPXC	1 17	174 81	100 65	75 88	12 73		11 90				<b>-</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX	UEPXD	1 17	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 17	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 17	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<b></b> -									•				
	Room Calling Port		-	UEPPX	UEPXM	1 17	174 81	100 65	75 88	12 73	i	11 90			1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 17	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 17	174 81	100 65	75 88	12 73		11 90				
LOCAL	NUMBER PORTABILITY		1													
	Local Number Portability (1 per port)		L	UEPPX	LNPCP	3 15	0 00	0 00				11 90				
FEATU				l									,			
	All Features Offered			UEPPX	UEPVF	2 26	0 00	0 00				11 90				
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														<u> </u>	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91				11 90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1											
	Conversion - Switch with Change		<b>↓</b>	UEPPX	USACC		8 45	1 91				11 90				<u> </u>
ADDIT	IONAL NRCs	<u> </u>	<u> </u>													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		Ì	LIEDEN		2.00										
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt		<u> </u>	UEPPX	USAS2	0 00	0 00	0 00				11 90				
	Group		1				7.00	7.00				14.00				
2.WID!	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT			+		7 86	7 86			<b></b>	11 90			-	-
	ort/Loop Combination Rates	<del>``</del>	1	<u> </u>										<b></b>	<del> </del>	<del> </del>
	2-Wire VG Coin Port/Loop Combo - Zone 1		1		<del> </del>	10 94	-		-						<del>                                     </del>	1
	2-Wire VG Coin Port/Loop Combo – Zone 2	·	2		<del></del>	15 05					<u> </u>			<del></del>	<del> </del>	<b>+</b>
	2-Wire VG Coin Port/Loop Combo - Zone 3		3	1	1	25 80									<b>-</b>	<del> </del>
UNE L	oop Rates		$\vdash$		1						<b></b>				<del> </del>	<b>†</b>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 77					-					<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13 88									l	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24 63									1	
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,													,		T
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37		11 90			L	L
i i	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPFA	1 17	53 31	26 46	27 50	8 37		11 90				
	(FL) 2-Wire Coin 2-Way with Operator Screening and Blocking			UEFCO	TOPLET !	1 17 1	00 0 1	20 40	21301	0.37						

ONBONDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
			L			Rec	Nonred		Nonrecurring				oss	Rates (\$)		
	2.W C C - L				<del></del>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	4.47	eo n.								ļ	1
	2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPRK	1 17	53 31	26 46	27 50	8 37		11 90				
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Coin Outward with Operator Screening and Blocking	-		OLI-CO	OLF OF		33 31	26 46	27 50	0.37		11.90		<del></del>		<del></del>
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 17	53 31	26 46	27 50	8 37		11 90		1		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 17	53 31	26 46	27 50	8 37		11 90				t
	2-Wire Coin Outward Smartline with 900/976 (all states except													-		<u> </u>
	LA)			UEPCO	UEPCR	1 17	53 31	26 46	27 50	8 37		11 90				ĺ
	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 86	0 00	0.00	0 00	0 00		11 90				-
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
i	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1							l i					
	Switch-as-is			UEPCO	USAC2		0 102	0 102				11 90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEBOO.		- 1										
	Switch with change ONAL NRCs	-		UEPCO	USACC		0 102	0 102				11 90				
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	ł		UEPCO	USAS2		0 00	0 00								ł
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINEC	OPT (		USASZ		0 00	0.00				11 90				
	ort/Loop Combination Rates	LINE	UKI (	KE3)					* ***							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-+	13 64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		-	32 27										
UNE LO	oop Rates		<u> </u>		<del></del>	JZ Z1										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12 24		-		-						
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17 40									-	<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30 87										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 40	174 81	100 65	75 88	12 <b>7</b> 3		11 90		_		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 40	174 81	100 65	75 88	12 73		11 90				-
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 40	174 81	100 65	75 88	12 73		11 90				
Į.																
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire voice unbundles res, low usage line port with Caller ID			}		1										
	(LUM)			UEPFR	UEPAP	1 40	174 81	100 65	75 88	12 73		11 90				
	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				_											
	Termination			LIEDEO	l		!							:	i	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	25 32	47 35	31 78								
	or Fraction MHe			UEPFR	41.570	0.0004						1				
FEATU				UEPFR	1L5XX	0 0091										
	All Features Offered			UEPFR	UEPVF	2 26	0.00									
	NUMBER PORTABILITY			UEFFR	UEPVF	2 20	0.00	0 00				11 90				
	Local Number Portability (1 per port)		_	UEPFR	LNPCX	Ö 35										
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI TIX	LINECA	0 33			-							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-			+	<del></del>										
	Combination - Conversion - Switch-as-is			UEPFR	USAC2	ļ	16 97	3 73		i		11 90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				10002		10.07	313				11 30				<del></del>
	Combination - Conversion - Switch-With-Change			UEPFR	USACC	- 1	16 97	3 73	ļ			11 90				
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE P	ORT (		1 1			***								<del>-</del>
UNE Po	rt/Loop Combination Rates			· · ·												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1 1	13 64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		T	32 27										
UNE Lo	op Rates															
į l	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 24										<del></del>

	D NETWORK ELEMENTS - Florida												Attachr	nent: 2	Exhil	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge -	Incremen Charge
<del></del>	-					Rec	Nonrec First		Nonrecurring		201/22			Rates (\$)		
-	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17 40	FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPF8	UECF2	30 87										-
2-Wire	Voice Grade Line Port (Bus)	-			- 102012	55 0.										-
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL .	1 40	174 81	100 65	75 88	12 73		11 90		-		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 40	174 81	100 65	75 88	12 73		11 90				
LOCAL	NUMBER PORTABILITY	ļ														
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	İ		UEPFB	U1TV2	25.20	47.05	04.70	ì							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U11V2	25 32	47 35	31 78								<u> </u>
	or Fraction Mile			UEPFB	1L5XX	0 0091					[	l i				1
FEATU				OLIT U	TESAX	0.0091					-	-				
	All Features Offered			UEPFB	UEPVF	2 26	0 00	0.00				11 90				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					=.70						1130				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16 97	3 73	ľ			1190				1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															_
	Combination - Conversion - Switch with change	<u>.</u>		UEPFB	USACC		16 97	3 73				11 90		i		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										_					
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2			18 80										
	pop Rates		3			32 27										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24								20.		
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	17 40										<b>——</b>
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	30 87										<b></b>
	Voice Grade Line Port Rates (BUS - PBX)				OGO! Z											
			-							•		-				<b></b>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73		11 90		ľ		i
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 40	174 81	100 65	75 88	12 73		11 90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 40	174 81	100 65	75 88	12 73		1 90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 40	174 81	100 65	75 88	12 73		11 90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	LIEDVE											ĺ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	1 40	174 81	100 65	75 88	12 73		11 90				
	Administrative Calling Port			UEPFP	UEPXL	1 40	47.04	400.05								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEPFP	UEPAL	140	174 81	100 65	75 88	12 73		11 90				
1	Room Calling Port			UEPFP	UEPXM	1 40	174 81	100 65	75 88	12 73		44.00				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-	OLI I I	OLFANI	1 40	174.01	100 65	/5 88	12/3		11 90				<del></del>
	Discount Room Calling Port		i	UEPFP	UEPXO	1 40	174 81	100 65	75 88	12 73		11 90				i
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	174 81	100 65	75 88	12 73		11 90				
	NUMBER PORTABILITY			-				00								
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00				11 90				
INTERO	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility									-						
	Termination			UEPFP	U1TV2	25 32	47 35	31 78								l
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		- 1													
FEATU				UEPFP	1L5XX	0 0091										
	All Features Offered			UEPFP	UEPVF	2 26										
							0.00	0.00				11 90				

ONBO	NDLE	NETWORK ELEMENTS - Florida	· · · · · · · · · · · · · · · · · · ·													ment 2		bit; B
CATEG	ORY	RATE ELEMENTS	Inters m	Zone	E	cs	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
					<del> </del>	•		Rec	Nonrec First	urning Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del> </del>	l				, ,,,,,,	71001		71001	Joined				00	00
		Combination - Conversion - Switch-as-is			UEPFP		USAC2		16 97	3 73				11 90				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														ļ		
LINDIA	DIEDE	Combination - Conversion - Switch with change ORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>	UEPFP		USACC		16 97	3 73				11 90	_ <del>-</del>			ļ
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT				ļ			· · · · ·	-							
		ort/Loop Combination Rates																İ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				20 95	· ••	<u> </u>								
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				26 11										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				39 58										
	UNE L	op Rates		-	HEBBY		HECE1	40.52					ļ	1 90 6		ļ	4.00	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	-	1 2	UEPPX		UECD1 UECD1	12 24 17 40					<del> </del>	1 90	-		1 83 1 83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<b></b>	2 3	UEPPX		UECD1	30 87						11 90			1 83	
	UNE P	ort Rate		T .	OL: I'X		CLOD!	00 01						., 00			1 30	
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8 71	214 16	98 29				11 90			1 83	
		CURRING CHARGES - CURRENTLY COMBINED																
, —		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		7 85	1 87				11 90			<u> </u>	
, 1		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			HEDDY		110040		-,_									
		with BellSouth Allowable Changes ONAL NRCs	-	-	UEPPX		USA1C		7 85	1.87	ļ			11 90		1	<del>                                     </del>	
$\rightarrow$		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	-	_	UEPPX		USAS1		32 26	32 26			-	11 90				
		one Number/Trunk Group Establisment Charges		_	ULFFA		USAGI		32 20	32 20				11 30				· · · · · · · · · · · · · · · · · · ·
$\overline{}$	тогория	DID Trunk Termination (One Per Port)	<u> </u>	1	UEPPX		NDT	0 00	0.00	0 00				11 90			1.83	
$\neg$		DID Numbers, Establish Trunk Group and Provide First Group								-								
		of 20 DID Numbers			UEPPX		NDŽ	0 00	0.00	0 00				11 90			1.83	
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0.00				11 90			1 83	
<b></b>		DiD Numbers Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0 00	0 00	0 00				11 90			1 83	
		Reserve Non-Consecutive DID numbers		<b>_</b>	UEPPX		ND6	0 00	0 00	0 00	ļ			11 90 11 90		-	1 83	
		Reserve DID Numbers NUMBER PORTABILITY		_	UEPPX		NDV	0 00	0 00	0 00				11 90			1 83	
-		Local Number Portability (1 per port)		<del> </del>	UEPPX		LNPCP	3 15	0 00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			2.11 0.		0.00	0.00								
		ort/Loop Combination Rates			1													
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				•												
		UNE Zone 1		1	UEPPB	UEPPR		22 63										
, ,		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_				22.25										
		UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		29 05			<b></b>			ļ				
, ,		UNE Zone 3	1	3	UEPPB	UEPPR		45 84										
	UNE La	op Rates		-	00110	OLI 1 IX	-	73 04										
-		2-Wire ISDN Digital Grade Loop - UNE Zone 1	<del></del>	1	UEPPB	UEPPR	USL2X	15 25						11 90			1 83	
				1														
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		21 67						11 90			1 83	<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38 46			ļ			1 90			1 83	ļ
	UNE Po		<u> </u>	ļ	HERER	HERER	HEDES	7.05										
$\rightarrow$	NONDE	Exchange Port - 2-Wire ISDN Line Side Port CURRING CHARGES - CURRENTLY COMBINED	-	-	UEPPB	UEPPR	UEPPB	7 38	194 52	145 09				11 09			1 83	
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		_	<del>                                     </del>			<del>                                     </del>						ļ i				<del> </del>
ļ		Combination - Conversion	1		ŲEPPB	UEPPR	USACB	0 00	25 22	17 00				11 90			1 83	1
		ONAL NRCs			<u> </u>	_ : -: . : : : : : : : : : : : : : : : :				50							. 35	
		NUMBER PORTABILITY		Τ														l
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								
		NNEL USER PROFILE ACCESS																<u> </u>
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0.00	0 00								ļ
		CVS (EWSD)			UEPPB	UEPPR	U1UCB U1UCC	0 00	0 00	0 00	<del>                                     </del>		<del> </del>					-
				1	IUEPPB	ロヒアアド	IUTUCC	. 0001	0.00 I			1	i ·		1	1		I

Version 4Q02 12/18/02

ONBONDLE	D NETWORK ELEMENTS - Florida														ment 2		oit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	E	ıcs	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
		ļ					Rec	Nonre			g Disconnect				Rates (\$)		,
HEED	TERMINAL PROFILE		-					First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	LITIMA	0 00	0.00	0 00		ł- <b>-</b> -				-		
VERT	CAL FEATURES			02110	Q_,,,,	10.000		0.00	0.00								
	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	2 26	0 00	0.00	-			11 90				
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and			LIEDDD			25 2224										
	facilities termination Interoffice Channel mileage each, additional mile			UEPPB UEPPB		M1GNC M1GNM	25 3291 0 0091	47 35 0 00	31 78 0 00	18 31	7 03	ļ	11 90			1 83	
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	1	UEPPB	UEPPR	WITGINM	0 0091	0.00	0 00				11 90			1 83	
	ort/Loop Combination Rates	1 0	<del> </del>				+					<u>† </u>					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	T	1							1	1						
	Zone 1	ļ	1	UEPPP			153 48										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			183 28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			261 12				1						
UNE L	oop Rates	<del>                                     </del>	<del> </del>	DEFFF		+	201 12										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70 74						11 90			1 83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100 54						11 90			1 83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178 38						11 90			1 83	
UNE P	ort Rate	<b> </b>	1			ļl											
NONE	Exchange Ports - 4-Wire ISDN DS1 Port ECURRING CHARGES - CURRENTLY COMBINED	<b>)</b>	1	UEPPP		UEPPP	82 74	488 36	276 65		<u> </u>		11 90			1 83	
NUNK	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	ļ	-			<del>                                     </del>					ļ. <del></del>						
	Combination - Conversion -Switch-as-is	ľ		UEPPP		USACP	0 00	84 17	61 38	ļ			11 90			1 83	
ADDIT	IONAL NRCs		ļ	QL. III		00/10/	0 00		0130			<del> </del>	11.00			1 03.	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsql Actvy-					1											
	Inward/two way Tel Nos (except NC)			UEPPP		PR7TF		0 5412					11 90			1 83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		•			l											
	Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	ļ	-	UEPPP		PR7TO		12 71	12 71				11 90			1 83	
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		25 42	25 42				11 90			1 83	
LOCA	L NUMBER PORTABILITY		<del> </del>	OCI II		111121		25 42	2042			-	1130			1 03	
	Local Number Portability (1 per port)		$\vdash$	UEPPP		LNPCN	1 75			·· <del>-</del>							
INTER	FACE (Provsioning Only)					1											
	Voice/Data		<u> </u>	UEPPP		PR71V	0 00	0 00	0 00								
	Digital Data Inward Data		-	UEPPP		PR71D	0 00	0 00	0 00			ļ					
Now o	r Additional "B" Channel		<del> </del>	UEPPP		PR71E	0 00	0 00	0 00								
11047 0	New or Additional - Voice/Data B Channel		$\vdash$	UEPPP		PR7BV	0 00	15 48					11 90		<del></del>	1 83	
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15 48					11 90			1 83	
	New or Additional Inward Data B Channel	l l		UEPPP		PR7BD	0.00	15 48			1		11 90			1 83	
CALL	TYPES																
	Inward		<u> </u>	UEPPP		PR7C1	0 00	0 00	0 00								
	Outward Two-way	-		UEPPP		PR7C0	0 00	0 00	0 00								
Intero	ffice Channel Mileage		+	UEPPP		PR7ČC	0 00	0 00	0 00		<b></b>	<del> </del>	<del></del>		-		
	Fixed Each Including First Mile	<del> </del>		UEPPP		1LN1A	88 6256	105 54	98 47	21 47	19 05	<b> </b>	11 90		-	1 93	
	Each Airline-Fractional Additional Mile	1		UEPPP		1LN1B	0 1856	100 04	30 41	2,41	13 33	t				1 33	
	E DS1 DIGITAL LOOP WITH 4-WIRE DOITS TRUNK PORT														1	1	
UNE P	ort/Loop Combination Rates																
<del>                                     </del>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		<b></b>	125 69					<u> </u>	11 90			1 83	
<del></del>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC			155,49						11 90			1 83	
LINE	oop Rates		3	UEPDC		<del>  </del>	233 33				<del> </del>	<del> </del>	11 90		<u> </u>	1 83	
5.112	4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPDC		USLDC	70 74				<del>                                     </del>		11 90		<del>                                     </del>	1 83	
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC		USLDC	100 54			-	<del> </del>		11 90			1 83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC		USLDC	178 38	-	<del></del>	<del> </del>	<del> </del>		11 90			1 83	
UNE P	ort Rate	<b>-</b>	Ť	1				•		<del>                                     </del>	<del>                                     </del>		., 55		<b></b>	t	

MOUNDLE	ED NETWORK ELEMENTS - Florida			,							1_			ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			ļ.,_		$\perp$	Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54 95	464 86	259 23				11 90			1 83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED										ļ					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					1									1	
	- Switch-as-is			UEPDC	USAC4		95 31	46 71				11 90			1 83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1	i										
	- Conversion with DS1 Changes			UEPDC	USAWA		95 31	46 71			i	11 90			1 83	
ł	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					1					i					
	- Conversion with Change - Trunk			UEPDC	USAWB		95 31	46 71				11 90			1 83	
ADDIT	IONAL NRCs				1											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -					ľ										
	Subsequent Channel Activation/Chan - 2-Way Trunk		<u> </u>	UEPDC	UDTTA		15 69	15 69				11 90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1		į į		i									
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 69	15 69				11 90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1		]		ŀ		1							
	Activation/Chan Inward Trunk w/out DID		<u> </u>	UEPDC	UDTTC		15 69	15 69				11 90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1		1				i i							
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15 69	15 69				11 90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1											
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15 69	15 69				11 90			1 83	
BIPOL	AR 8 ZERO SUBSTITUTION				Į											
	B8ZS -Superframe Format			UEPDC	CCOSF		0 00	655 00				11 90			1 83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655 00				11 90			1 83	
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0.00					•			
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0.00								
Teleph	none Number/Trunk Group Establisment Charges		1			1										
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					-	11 90			1 83	
	Telephone Number for 1-Way Outward Trunk Group		T	UEPOC	UDTGY	0 00						11 90			1 83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00				_		11 90			1 83	
	DID Numbers, Establish Trunk Group and Provide First Group						· · · · · · · · · · · · · · · · · · ·									
	of 20 DID Numbers		i	UEPD¢	NDZ	0 00	0.00	0 00				11.90			1 83	]
	DID Numbers for each Group of 20 DID Numbers		-	UEPDÇ	ND4	0.00						11 90			1 83	
	DID Numbers, Non- consecutive DID Numbers . Per Number		i	UEPDC	ND5	0 00						11 90			1 83	
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00				11 90			1 83	
	Reserve DID Numbers			UEPDC	NDV	0 00	0.00	0.00				11 90			1 83	
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop				0.00				-	11 30			1 03	
1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1											
	Termination)			UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05		11 90			1 83	
-			-	02.00	1.2.1.0		100 04	30 41	- 217/	13 00		11.00			103	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0 1856	0 00	0.00			1	ļ				
$\neg$	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	_	<del>                                     </del>			0 1000	3.00	0.00								
	Termination)		1	UEPDC	1LNO2	0 00	0 00	0.00			[					
	Interoffice Channel Mileage - Additional rate per mile - 9-25		<del>                                     </del>	7 00		0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0 1856	0 00	0.00			1					1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		<del>                                     </del>	521.00		0 1000	0.00									-
1	Termination)		1	UEPDC	1LNO3	0 00	0 00	0.00	0 00		1					
			$\vdash$	OLI DO	15,1403	0.00	0 00	0.00	0 00		<del> </del>					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0 1856	0 00	0 00			1					
	Local Number Portability, per DS0 Activated		<del></del>	UEPDC	LNPCP	3 15	0 00	0 00	0 00		<del></del>					
	Central Office Termininating Point	-	<del> </del>	UEPDC	CTG	0 00	0.00	0.00	0.00							
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT		<del>                                     </del>	OLF DO	V19			_			1					ļ
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	!							_						
	System can have up to 24 combinations of rates depending on			bor of ports used												
LINE	S1 Loop	rahe at	ia ilum I	per or ports used	<del>                                     </del>					<u> </u>						<u> </u>
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70 74	0.00	0.00								
$\rightarrow$	4-Wire DS1 Loop - UNE Zone 2						0 00	0 00								
				UEPMG UEPMG	USLDC	100 54 178 38	0 00	0 00								
				LUEPMA	IOSUDC 1	178 38	0 00	0.00	I		i	:			1	ŀ
LINE	4-Wire DS1 Loop - UNE Zone 3 DSO Channelization Capacities (D4 Channel Bank Configuration			02.1110		11000			· · · · · · · · · · · · · · · · · · ·							

NBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhit	oit B
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge -		Incremer Charge Manual S Order v
											·		Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electron Disc Add
						Rec	Nonre			g Disconnect				Rates (\$)		
	40 BCO Charact Carratt 4 4 2 BC4	<u> </u>	1	UEPMG	VUM48		First	Add'!	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAI
	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s		-	UEPMG	VUM48 VUM96	236 12 472 24	0 00	0 00	ļ. <del>-</del> -			11 90			1 83	
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	708 36	0.00	0 00				11 90			1 83 1 83	
<del>-  </del>	192 DS0 Channel Capacity - 1 per 8 DS1s		1	UEPMG	VUM19	944 48	0.00	0 00				1 90		-	1 83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1.180 60	0 00	0 00				11 90			1 83	
	288 DS0 Channel Capacity - 1 per 12 DS1s	t		UEPMG	VUM28	1,416 72	0.00	0 00				11 90			1 83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888 96	0 00	0 00				11 90			1 83	
	480 DS0 Channel Capacity - 1 per 20 DS1s	1		UEPMG	VUM40	2,361 20	0.00	0 00		1		11 90			1 83	
	576 DS0 Channel Capacity -1 per 24 DS1s	<u> </u>		UEPMG	VUM57	2,833 44	0.00					11 90			1 83	
	672 DS0 Channel Capacity - 1 per 28 DS1s	1	i	UEPMG	VUM67	3,305 68	0 00	0.00				11 90			1 83	
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Ac															
wattip	NRC - Conversion (Currently Combined) with or without	I and	r tile in	minum system co	niiguration is	counted										
	BellSouth Allowed Changes		1	UEPMG	USAC4	0 00	96 77	4 24			1	11 90			i	
System	n Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	inelizat					7.27			<u> </u>	11.50				
	Not Currently Combined) in all states, except in Density Zone 1				Jindilon Gaire	ndy Exists and						<del> </del>				
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	<u>.</u>							-			<u> </u>				
	and Assoc Fea Activation			UEPMG	VUMD4	0 00	726 11	468 21	145 32	17 24		11 90				
Bipola	r 8 Zero Substitution	-										1				
	Clear Channel Capability Format, superframe - Subsequent											!				
	Activity Only	ļ		UEPMG	CCOSF	0.00	0.00	655 00		1		1190		ŀ		
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	655 00				11 90			li	
Alterna	ate Mark Inversion (AMI)	<u> </u>														
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0.00								
Evolu	Extended Superframe Format  nge Ports Associated with 4-Wire DS1 Loop with Channelization			UEPMG	MCOPO	0 00	0 00	0 00								
	nge Ports	on with	Port		1											
	lige i orto		-		1											
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 38	0 00	0.00	0 00	0 00		11 90			1 83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 38	0 00	0 00	0.00	0.00		11 90			1 83	
								-								
	Line Side Inward Only Channelized PBX Trunk Port without DID		l	UEPPX	UEP1X	1 38	0 00	0 00	0 00	0 00		1190			1 83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 71	0 00	0 00	0 00	0 00		11 90			1 83	
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4	ŀ								ł						
	Bank		1	UEPPX	1PQWM	0 66	25 40	13 41	3 96	3 93		11 90			1 83	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank	1		UEPPX	1PQWU	0 66	78 16	40.40	F0.00	40.0-						
Telenh	none Number/ Group Establishment Charges for DID Service	<del>  -</del>	+	ULFFX	IPQVVU	ს ხნ	/8 16	18 42	56 03	10 95		11 90			1 83	
тегерп	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0 00	0 00	0.00				11 90				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)	·		UEPPX	NDZ	0 00	0.00	0.00		<del></del>		11 90				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0 00				11 90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0 00	0 00				11 90				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0.00				11 90	* ***			
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00				11 90	***			
	Number Portability															
	Local Number Portability - 1 per port		ļ	UEPPX	LNPCP	3 15	0 00	0.00								
	JRES - Vertical and Optional				1											
Local	Switching Features Offered with Line Side Ports Only		ļ													
BUNDI ED I	All Features Available PORT LOOP COMBINATIONS - MARKET RATES		<del>  -</del>	UEPPX	UEPVF	2 26	0 00	0.00				11 90		ļ <u>.</u>	1 83	
			dlee' 'c	at auutah	1	FCC 10 - 21	-4- 6			ļ				ļ		
This in	Rates shall apply where BellSouth is not required to provide includes.	unbun	ured 100	an switching or sw	nich ports per	FCC and/or St	ate Commissio	on rules.		-		<del>                                     </del>		ļ		
	dled port/loop combinations that are Currently Combined or N	Not Cur	rently C	ombined in Zono	1 of the Ton 0	MSAS in Balle	outh's roge -	for and users:	with 4 or man-	Den samueles	t lines	1		<del> </del>		
Th. T.	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft Lauderd	ale Min	mi) C	A (Atlanta) · I A /No	Orleans). NA	(Greenshore	Vineton Salam	-Highpoint/Ch	arlotto Cost	Day equivalen	Luffes.	<u>-</u>		<del> </del>		
lineid																bill Mark

3140014022	D NETWORK ELEMENTS - Florida										0.6.	•		ment 2		oit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc ≏rder Submitted Man⊕ally per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			ļ			Rec	Nonred First	urring Add'i	Nonrecurring D	sconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
The M	│ arket Rate for unbundled ports includes all available features	in all st	ates			<del>                                     </del>	FIISL	Auu	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	ffice and Tandem Switching Usage and Common Transport Us			e Port section of	this rate exhibi	it shall apply to	all combination	ons of loop/po	rt network elemen	nts except fo	or UNE Coi	n Port Loop	Combination	s is which hav	e a flat rate us	age charge
	URECU)															
	t Currently Combined scenarios the Nonrecurring charges are	e listed	ın the F	irst and Addition	al NRC column	s for each Port	USOC. For Cu	rrently Comb	ined scenanos, th	e Nonrecurr	ing charge:	s are listed	in the NRC - (	Currently Con	nbined section	П
	onal NRCs may apply also and are categorized accordingly	1							,							
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	1		<u> </u>					<u> </u>							
UNE P	2-Wire VG Loop/Port Combo - Zone 1	<del> </del>	1			23 77										
	2-Wire VG Loop/Port Combo - Zone 1	1	2			27 88			<del>                                     </del>							
	2-Wire VG Loop/Port Combo - Zone 3		3			38 63									<del></del>	· · · · · ·
UNE L	oop Rates		1				-									
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 77		-								· · · · ·
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24 63										
2-Wire	Voice Grade Line Port (Res)		$\vdash$	UEDDY	UEES!	11.5			ļ <b></b>   -							
_	2-Wire voice unbundled port - residence	ļ		UEPRX UEPRX	UEPRL UEPRC	14 00 14 00	90 00	90 00 90 00	ļ			11 90 11 90				-
$\overline{}$	2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res	<del>                                     </del>		UEPRX	UEPRO	14 00	90 00	90 00	<del> </del>			11 90			ļ · · · · · · · · · · · · · · · · · · ·	····
<del></del>	2			ULF RA	OCFINO	14 00	50 00	50 00	<del> </del>			11 30			<del> </del>	
i	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14 00	90 00	90 00				11 90		}		
	2-Wire voice unbundles res, low usage line port with Caller ID			02	102.7											·
1	(LUM)			UEPRX	UEPAP	14 00	90 00	90 00	j l			11 90				
	2-Wire voice unbundled Low Usage Line Port without Caller ID								-		•••					
	Capability		1	UEPRX	UEPRT	14 00	90 00	90 00				11 90				
1	2-Wire voice unbundled Florida extended dialing port for use					1										
	with CREX7 and Caller ID			UEPRX	UEPA1	14 00	90 00	90 00				11 90				
	2-Wire voice unbundled Florida extended dialing port for use						00.00			1		44.00				
	with CREX7, without Caller ID capability  2-Wire voice unbundled Florida Area Calling Port without Caller			UEPRX	UEPA8	14 00	90 00	90 00				11 90				-
1	ID Capability			UEPRX	UEPA9	14 00	90 00	90 00		1		11 90				
LOCAL	NUMBER PORTABILITY	<u> </u>		OEI TOX	OLI PIO	14 00	30 00	30 00	<u> </u>	-		11.00				
-	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATL	JRES		Ī													
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00				11 90				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	0.11/			LIEBOV				44.50		1					1	
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPRX	USAC2		41 50	41 50				11 90				
	change			UEPRX	USACC		41 50	41 50				11 90			ľ	
ADDIT	IONAL NRCs		<del> </del>	OLI IXX	100/100		41.00		<del>- 1-</del>			11 30				
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2	l	0 00	0.00	]			11 90			1	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														1	
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		$\perp$	23 77										
_	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<del> </del>	2			27 88 38 63			<del>                                     </del>							
LINE I	oop Rates	<del> </del>	3			38 63									-	
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1	<del>                                     </del>	1	UEPBX	UEPLX	9 77			1					<del> </del>	1	
	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	13 88								<u> </u>		
	2-Wire Voice Grade Loop (SL1) - Zone 3	1		UEPBX	UEPLX	24 63			<del>                                     </del>						1	
2-Wire	Voice Grade Line Port (Bus)					1										
	2-Wire voice unbundled port without Caller ID - bus	L		UEPBX	UEPBL	14 00	90 00	90 00				1 90				I
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00				1 90				
	2-Wire voice unbundled port outgoing only - bus		L.	UEPBX	UEPBO	14 00	90 00	90 00				11 90			ļ	
	2-Wire voice unbundled incoming Only Port without Caller ID		]	mmnv		1!	00.55	A0				44.60				1
IOCAI	Capability NUMBER PORTABILITY	1		UEPBX	UEPBE	14 00	90 00	90 00	<del>                                     </del>			11 90	L	<del> </del>	ļ .	
LUCAI	Local Number Portability (1 per port)	<del>                                     </del>	-	UEPBX	LNPCX	0 35			<del> </del>					<del> </del>		<b></b>

Version 4Q02 12/18/02 Page 66 of 416

ONDONDEED	NETWORK ELEMENTS - Florida		1											ment: 2		bit 🖪
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			ļ.,			Rec	Nonrec			g Disconnect				Rates (\$)		
			<u> </u>			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONREC	URRING CHARGES - CURRENTLY COMBINED		<u> </u>													
			1		- 1											
	-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 50	41 50		1		11 90				
	-Wire Voice Grade Loop / Line Port Combination - Switch with		1		1 1									1		
	hange		ļ	UEPBX	USACC		41 50	41 50				11 90				
	NAL NRCs		<b>├</b>													L
	IRC - 2-Wire Voice Grade Loop/Line Port Combination -		1		1				1	1				r		
	ubsequent		<u> </u>	UEPBX	USAS2		0 00	0 00				11 90				
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-							ļ						<u> </u>
	t/Loop Combination Rates		<del> </del> _													<u> </u>
	-Wire VG Loop/Port Combo - Zone 1		1		_	23 77				<u> </u>				ļ		<del></del>
	-Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 3	<del> </del>	2	1		27 88			-	ļ				ļ		<u> </u>
UNE Loop			3_	-	<del></del>	38 63			-							<del></del>
	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	THE STATE OF THE S	0.77			-		<del> </del>					
-   2	-Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	9 77 13 88										
	-Wire Voice Grade Loop (SL1) - Zone 2 -Wire Voice Grade Loop (SL1) - Zone 3															ļ
	oice Grade Line Port Rates (RES - PBX)	-	_3	UEPRG	UEPLX	24 63					<u> </u>					
	-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				<del></del>											
	Res			LIEBDO	copp	44.00					1 1			!		İ
	IUMBER PORTABILITY		-	UEPRG	UEPRD	14 00	90 00	90 00				11 90				<u> </u>
		-	-	LIEDDO	111505		2.05				ļ					
FEATURE	ocal Number Portability (1 per port)		1	UEPRG	LNPCP	3 15	0 00	0 00								ļ
	Il Fealures Offered		-	LIEBBO												ļ
	URRING CHARGES - CURRENTLY COMBINED	_	-	UEPRG	UEPVF	0 00	0.00	0 00			ļ. <u> </u>	11 90				
NUNREC	ORKING CHARGES - CURRENTLY COMBINED		-		$\rightarrow$											<u> </u>
	Wire Neve Conda Land Land Control of Control			LIEDDO	1						1 1					
	-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is -Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPRG	USAC2		41 50	41 50				11 90				L
	Change			UEPRG							1					
	NAL NRCs		-	UEPRG	USACC		41 50	41 50			ļ	11 90				L
	Wire Loop/Line Side Port Combination - Non feature -		<del> </del>	<b>!</b>									:			ļ
	tubsequent Activity- Nonrecurring															
			-	<del>                                       </del>			0.00	0 00				11 90				<u> </u>
	BX Subsequent Activity - Change/Rearrange Multiline Hunt Group			1		+					1 1		•			
	/OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		ļ	ļ			7 09	7 09			ļi	11 90				L
			-	ļ		1					ļ					<del></del>
	Man VC Leas (Section 2 - 4		-			20.77										
	-Wire VG Loop/Port Combo - Zone 1 -Wire VG Loop/Port Combo - Zone 2		1 2		<del></del>	23 77										
				1		27 88										ļ. <u></u>
UNE Loop	-Wire VG Loop/Port Combo - Zone 3	-	3	<del> </del>	+	38 63					-					<del></del>
	p Rates -Wire Voice Grade Loop (SL1) - Zone 1		+	UEPPX		0.75			ļ				<b></b> .			ļ
	-Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	9 77										-
																<u> </u>
	-Wire Voice Grade Loop (SL1) - Zone 3 Dice Grade Line Port Rates (BUS - PBX)	_	1 5	UEPPX	UEPLX	24 63				<u> </u>						<u> </u>
Z-valle AO	SICE Grade Line POT Rates (BUS - PBA)	<del></del>			<del></del>											<u> </u>
	ing Side Unbundled Combinator: SWG: DDV T 1. C		1	LUEDOV	LIEBES .						1 I					1
	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus ine Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00			1	11 90				
	ine Side Unbundled Outward PBX Trunk Port - Bus ine Side Unbundled Incoming PBX Trunk Port - Bus	<del></del>		UEPPX	UEPPO	14 00	90 00	90 00			ļ	1 90				ļ
	-Wire Voice Unbundled PBX LD Terminal Ports	<del></del>		UEPPX	UEPP1	14 00	90 00	90 00				11 90				<b></b>
	-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<del> </del>	UEPPX	UEPLD	14 00	90 00	90 00				11 90				<u> </u>
	-Wire Voice Unbundled 2-Way Combination PBX Usage Port -Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	-		UEPXA	14 00	90 00	90 00				11 90				
	-Wire Voice Unbundled PBX LD DDD Terminal Port	<u> </u>	<del> </del>	UEPPX	UEPXB	14 00	90 00	90 00	<del> </del>			11 90				-
	-Wire Voice Unbundled PBX LD DDD Terminals Port -Wire Voice Unbundled PBX LD Terminal Switchboard Port		├	UEPPX	UEPXC	14 00	90 00	90 00				11 90				-
	-Wire Voice Unbundled PBX LD Terminal Switchboard PDD		<del> </del>	UEPPX	UEPXD	14 00	90 00	90 00				11 90				<u> </u>
	apable Port			UEPPX	UEDVE	44.00	AA A=	00.00								[
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	<del> </del>	UCPPX	UEPXE	14 00	90 00	90 00			ļ	11 90				<u> </u>
2-	dministrative Calling Port			LIEDOY	LUEDY#						!					[
			<del>                                     </del>	UEPPX	UEPXL	14 00	90 00	90 00				11 90				L
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		1	1								'			
I IRO	oom Calling Port			UEPPX	UEPXM	14 00	90 00	90 00	L	L.,		11 90				1

ADONDER	D NETWORK ELEMENTS - Florida		_		<del></del>						· · · · · · · ·		Attachi			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring Dis-					Rates (\$)		
_	0.00		—				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14 00	90 00	90 00				11 90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	+		UEPPX	UEPXS	14 00	90 00	90 00				11 90				
LOCA	L NUMBER PORTABILITY	+	+	QLIT X	00,70	14 00	20 00	30 00				11 30				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0 00								
FEAT																
	All Features Offered			UEPPX	UEPVF	0 00	0.00	0 00				11 90				
NONR	ECURRING CHARGES - CURRENTLY COMBINED	-	-		-				<del></del>							
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 50	41 50				11 90				1
<del> </del>	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	+	+	UEFFA	USACZ		41 50	4130	<del>                                     </del>			11 90				
- 1	Change			UEPPX	USACC		41 50	41 50		1		11 90			1	
ADDIT	IONAL NRCs				1											
			1													
$\bot$	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		ļ	UEPPX	USAS2	0 00	0.00	0 00				11 90				
1	2 Wire Loop/Line Side Port Combination - Non feature -									Γ						
	Subsequent Activity - Change/Rearrange Multiline Hunt	_	-	<b> </b>	-		0 00	0 00	L			-1 90			ļ	
Į	Group						7 09	7.00					i			
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT	-				7 09	7 09				1 1 90		<u>.</u>		
	Port/Loop Combination Rates		+							+						
10110	2-Wire VG Coin Port/Loop Combo – Zone 1	<del> </del>	1			23 77			<del></del>							
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			27 88										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			38 63									·	
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	13 88										
2.14/	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPCO	UEPLX	24 63										
2-Wire	Voice Grade Line Port Rates (Coin)  2-Wire Coin 2-Way with Operator Screening, and Blocking, 011,	1	+													
	2900/976 1+DDD (FL)	1	1	UEPCO	UEP2F	14 00	90 00	90 00				11 90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	-	02, 00	- 021 21	1100	30 00	30 00				11.50				
	(FL)	1		UEPCO	UEPFA	14 00	90 00	90 00			}	11 90				
	2-Wire Coin 2-Way with Operator Screening and Blocking	1	1													
	900/976, 1+DDD, 011+, and Local (FL)	1	ļ	UEPCO	UEPCG	14 00	90 00	90 00				11 90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1		l							1					
+	(AL, FL)  2-Wire Coin Outward with Operator Screening and Blocking	ļ		UEPCO	UEPRK	14 00	90 00	90 00	<del> </del>			11 90			<u> </u>	
	900/976, 1+DDD, 011+ (FL)	1		UEPCO	UEPOF	14 00	90 00	90 00				11 90				
	2-Wire Coin Outward with Operator Screening and Blocking	+	1	02.1 00	OLF OF	14 00	90 00	90 00		-		1 90			<del> </del>	
	900/976, 1+DDD, 011+, and Local (FL, GA)	1		UEPCO	UEPCQ	14 00	90 00	90 00				11 90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED	$\vdash$	$\perp$													
	2 Wire Vene Conda Land Land Land Conda Con			LIEBOO	1,,,,,,,						1	,			·	
<del></del>	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	-	1	UEPCO	USAC2		41 50	41 50	<del> </del>			11 90			-	
	Change			UEPCO	USACC		41 50	41 50								
ADDIT	IONAL NRCs	1	+	021.00	USACC		4100	4150		-					-	
		<del> </del>	1	-		-			<del>                                     </del>						l	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	}		UEPCO	USAS2		0 00	0 00				11 90			1	
		E LINE	PORT (	RES)	- t		5.50									<del> </del>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		<del>, , , ,</del>	T												<u> </u>
	ort/Loop Combination Rates															
	ort/Loop Combination Rates  2-Wire VG Loop/IO Trenport/Port Combo - Zone 1	-	1			26 24										
	ort/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1  2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31 40										
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3															
UNE P	ort/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1  2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3	UEPFR	UECF2	31 40										

UNBUNDLED N	ETWORK ELEMENTS - Florida											0		ment. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	T 801111	
			ļ.,,				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	/ire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30 87	-				-	<del></del>			-	
	e Grade Line Port Rates (Res)		<b>├</b>	HEBED	UEPRL	14 00	180 00	110 00	85 00	20 00		11 90				<del></del>
	re voice unbundled port - residence		<b>!</b>	UEPFR UEPFR	UEPRC	14 00	180 00	110 00		20 00		11 90				
	/ire voice unbundled port with Caller !D - res		-	UEPFR	UEPRO	14 00	180 00	110 00	85 00	20 00		11 90			1	
Z-VV	re voice unbundled port outgoing only - res	<del> </del>	-	UEFFR	ULFNO	14 00	100 00	110 00		20 00		77.00			-	
	re voice unbundted Florida Area Calling with Caller ID - res		ļ	UEPFR	UEPAF	14 00	180 00	110 00	85 00	20 00		:1 90				
	fire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAP	14 00	180 00	110 00	85 00	20 00		1190				
(LUI	M) CE TRANSPORT		-	UEFFR	UEFAF	14 00	160 00	11000	0.5 0.0	20 00		11 30				
	roffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<del> </del>		<del>-  </del>					***						
Terr	mination	ļ		UEPFR	U1TV2	25 32	47 35	31 78								
	roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	1L5XX	0 0091										
FEATURES	raction Mile		+	OUFFR	ILSAA.	0 0091						<b></b>				
	Features Offered		<del> </del>	UEPFR	UEPVF	0 00	0 00	0.00				11 90			_	
	MBER PORTABILITY			CLITIC	102, 11			0.00								
	al Number Portability (1 per port)			UEPFR	LNPCX	0 35										
	RRING CHARGES (NRCs) - CURRENTLY COMBINED		<del>                                     </del>	0.57111												
	/ire Loop / Dedicated IO Transport / 2 Wire Line Port		<del></del>													
	nbination - Conversion - Switch-as-is			UEPFR	USAC2		16 97	3 73				11 90				Į
	/re Loop / Dedicated IO Transport / 2 Wire Line Port		<del>                                     </del>	52												
	nbination - Conversion - Switch-With-Change			UEPFR	USACC		16 97	3 73	1 1			11 90				
2-WIRE VO	ICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (	BUS)							Ī					
	oop Combination Rates															
2-W	/ire VG Loop/IO Tranport/Port Combo - Zone 1		1			26 24										
	/ire VG Loop/IO Tranport/Port Combo - Zone 2		2			31 40										
	/ire VG Loop/IO Tranport/Port Combo - Zone 3		3			44 87										
UNE Loop I																
	/ire Voice Grade Loop (SL2) - Zone 1		_ 1	UEPFB	UECF2	12 24									<u> </u>	
	rre Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17 40										
	/ire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30 87										
	e Grade Line Port (Bus)		-												<del></del>	
	/ire voice unbundled port without Caller ID - bus		-	UEPFB	UEPBL	14 00	180 00	110 00	85 00	20 00		11 90				
	fire voice unbundled port with Caller + E484 ID - bus		<del> </del>	UEPFB	UEPBC	14 00	180 00	110 00	85 00	20 00		1 90				
	rire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14 00	180 00	110 00	85 00	20 00		11 90				
	fire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPFB	UEPB1	14 00	180 00	110 00	85 00	20 00		11 90				
			1	UEPFB	LNPCX	0 35	-		1						<del> </del>	
	al Number Portability (1 per port) CE TRANSPORT		1	UEPFB	LNPCX	0.35			- 1							
	roffice Transport - Dedicated - 2 Wire Voice Grade - Facility		├													
Terr	mination			UEPFB	U1TV2	25 32	47 35	31 78								
or F	roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile			UEPFB	1L5XX	0 0091										
FEATURES		L	⊢												<del> </del>	
	eatures Offered		<u> </u>	UEPFB	UEPVF	0 00	0 00	0 00				11 90				
NONRECUE	RRING CHARGES (NRCs) - CURRENTLY COMBINED															
Con	/ire Loop / Dedicated IO Transport / 2 Wire Line Port nbination - Conversion - Switch-as-is			UEPFB	USAC2		16 97	3 73				11 90				
Con	fire Loop / Dedicated IO Transport / 2 Wire Line Port high plantion - Conversion - Switch with change			UEPFB	USACC		16 97	3 73				11 90				
2-WIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1													L
	oop Combination Rates															
	/ire VG Loop/IO Tranport/Port Combo - Zone 1		1			26 24										
	/ire VG Loop/IO Tranport/Port Combo - Zone 2		2			31 40									1	
	fire VG Loop/IO Tranport/Port Combo - Zone 3		3			44 87										
UNE Loop I																L
	fire Voice Grade Loop (SL2) - Zone 1	ļ	1 1	UEPFP	UECF2	12 24										
1 12-W	fire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP	UECF2	17 40					l	L	L	!	<u> </u>	L

Version 4Q02 12/18/02 Page 69 of 416

INDUINDE	LED NETWORK ELEMENTS - Florida												Attach	ment 2	Exhil	bit; B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
_			ļ			Rec	Nonred		Nonrecurring					Rates (\$)		
	0.14						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2 100	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30 87					ļ					
2-W	re Voice Grade Line Port Rates (BUS - PBX)		<u> </u>													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPFP	UEPPC	14 00	180 00	110 00	85 00	20 00		1 90				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14 00	180 00	110 00		20 00	<b>!</b>	1190				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14 00	180 00	110 00	85 00	20 00	[	11 90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP	UEPXB	14 00	180 00	110 00	85 00	20 00		1190				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14 00	180 00	110 00	85 00	20 00		1190				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ľ		UEPFP	UEPXD	14 00	180 00	110 00	85 00	20 00		1190		1		1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1									1-				
	Capable Port	1		UEPFP	UEPXE	14 00	180 00	110 00	85 00	20 00		11 90		f		ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	<del> </del>									1,00				
	Administrative Calling Port	1	1	UEPFP	UEPXL	14 00	180 00	110 00	85 00	20 00		1190		ļ		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	<del>  -</del> -	1				1.0 00	00 00		-					
	Room Calling Port			UEPFP	UEPXM	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		<del> </del>	OCFTF	UCFAW	14 00	100 00	110 00	85 00	20 00		1190	<del></del>			-
	Discount Room Calling Port	i	1	UEPFP	UEPXO	14 00	180 00	440.00	05.00							ļ
		-	1					110 00	85 00	20 00		11 90				<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	-	UEPFP	UEPXS	14 00	180 00	110 00	85 00	20 00		11 90				
LOC	AL NUMBER PORTABILITY		1													<u> </u>
	Local Number Portability (1 per port)	ļ	ļ	UEPFP	LNPCP	3 15	0 00	0 00				11 90				
INTE	ROFFICE TRANSPORT		<u> </u>		.											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		Ì		1 1					•						
	Termination			UEPFP	U1TV2	25 32	47 35	31 78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0 0091										
FEA	TURES		1.													
	All Features Offered			UEPFP	UEPVF	0 00	0 00	0 00				11 90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
]	Combination - Conversion - Switch-as-is			UEPFP	USAÇ2	1	16 97	3 73				11 90		l		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC	1	16 97	3 73				11 90				
UNDLE	D PORT/LOOP COMBINATIONS - MARKET BASED RATES			T		- 1								i		
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT												<del></del>		
	Port/Loop Combination Rates	1	<del> </del>			i										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		<del> </del>	67 24								<del> </del>		
_	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	_	2	· · · · · · · · · · · · · · · · · · ·		72 40						<u> </u>		-		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	+	3	<del> </del>	+ +	85 87								-	- <del>-</del>	
LIME	Loop Rates	+	1 3	+		85 87					ļ			ļ		
UNE		-	-	LEDDY	- LUECD4	12.01						14.60		ļ		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX	UECD1	12 24						11 90			1 83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	17 40						11 90			1 83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<del> </del>	3	UEPPX	UECD1	30 87						11 90			1 83	
UNE	Port Rate		1													
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	55 00	850 00	75 00				11 90			1 83	
NON	RECURRING CHARGES - CURRENTLY COMBINED	ļ	<u> </u>													
	2-Wire Voice Grade Loop / 2-Wire DID Trurik Port Combination -	1	į .		1 1											
	Switch-As-Is Top 8 MSAs only		Ш.	UEPPX	USAC1		850 00	75 00				11 90		ĺ		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion													i		
	with BellSouth Allowable Changes Top 8 MSAs only		L	UEPPX	USA1C		850 00	75 00				11 90		1		
ADD	ITIONAL NRCs															l
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32 26	32 26				11 90				
Tele	phone Number/Trunk Group Establisment Charges										l					
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00				11 90			1 83	
	DID Numbers, Establish Trunk Group and Provide First Group				1										. 30	-
	of 20 DID Numbers	1	1	UEPPX	NDZ	0 00	0 00	0 00				11 90		1	1 83	
	Additional DID Numbers for each Group of 20 DID Numbers	<del></del>	1	UEPPX	ND4	0 00	0 00	0 00				11 90			1 83	<del> </del>
	DID Numbers, Non- consecutive DID Numbers . Per Number	+	$\vdash$	UEPPX	ND5	0 00	0 00	0 00				11 90			1 83	

NBUNDLE	D NETWORK ELEMENTS - Florida													Attachi	nent: 2	Exhil	oit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	ŧ	3CS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
		ļ			-		Rec	Nonrec			Disconnect				Rates (\$)		
	Reserve Non-Consecutive DID numbers	ļ		UEPPX		ND6	0 00	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMA
	Reserve DID Numbers	ļ -	1	UEPPX		NDV	0 00	0 00	0 00				11 90			1 83	
LOCAL	NUMBER PORTABILITY		-	DLFFA		NDV	0,00	0 00	0 00			-	11.90			1 83	
	Local Number Portability (1 per port)	t	<del>                                     </del>	UEPPX		LNPCP	3 15	0 00	0.00		-				<del></del>		
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT				5.5		0.00								
	ort/Loop Combination Rates	1															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone †		1	UEPPB	ŲEPPR		85 25										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1														
	UNE Zone 2  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		91 67										
	UNE Zone 3		3	UEPPB	UEPPR		108 46	i								l .	
	oop Rates															1	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15 25						11 90			1 83	
	[					1											
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21 67						1 90			1 83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38 46						1 90			1 83	
UNE P	ort Rate	<u> </u>			urtnen												
NONDI	Exchange Port - 2-Wire ISDN Line Side Port	ļ		UEPPB	UEPPR	UEPPB	70 00	525 00	400 00				11 09			1 83	
NUNKI	CURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	-															
	Combination - Conversion - Top 8 MSAs only	1		LICODO	UEPPR	USACB	0.00	215 00	045.00								
ADDIT	IONAL NRCs			UEPPB	UEPPR	USACB	0 00	215 00	215 00				11 90			1 83	
	NUMBER PORTABILITY		-			1											
	Local Number Portability (1 per port)		<del></del> -	ÜEPPB	UEPPR	LNPCX	0 35	0.00	0 00							<del></del>	
B-CHA	NNEL USER PROFILE ACCESS:	<del></del>	<del> </del>	0.0.1.1.0	OLITIN	Little City	0 00		0 00								
	CVS/CSD (DMS/5ESS)	t		UEPPB	ÜEPPR	U1UCA	0 00	0 00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0 00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0 00	0 00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	TERMINAL PROFILE																
VCDTI	User Terminal Profile (EWSD only) CAL FEATURES			UEPPB	UEPPR	U1UMA	0.00	0 00	0.00								
	All Vertical Features - One per Channel B User Profile	<del> </del>		LIEDEE	UEDDD												
	OFFICE CHANNEL MILEAGE		-	UEPPB	UEPPR	UEPVF	2 26	0 00	0.00				11 90				
HAT LIKE	Interoffice Channel mileage each, including first mile and					<del> </del>											
	facilities termination	ŀ	1	LIEPPR	UEPPR	M1GNC	18 4491	47 35	31 78	18 31	7 03		11.00			4.50	
	Interoffice Channel mileage each, additional mile		l -		UEPPR		0 0091	0 00	0 00	10.31	7 03		11 90			1 83	
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		02110				- 0 00	0.00				1130			1 63	
	ort/Loop Combination Rates						-										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			970 74		-								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		ŀ	1,000 54				-						
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			1,078 39										
UNE L	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	70 74						11 90			1 83	
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	100 54						11 90			1 83	
1005.5	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	. 3	UEPPP		USL4P	178 39						11 90			1 83	
UNEP	ort Rate			UEBBB		LIEDES											
NONDE	Exchange Ports - 4-Wire ISDN DS1 Port CURRING CHARGES - CURRENTLY COMBINED		-	UEPPP		UEPPP	900 00	1,150 00	1,150 00				11 90			1 83	
HONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<del>                                     </del>	<b>-</b>														
	Combination - Conversion -Switch-As-Is Top 8 MSAs only	1		UEPPP		USACP	0 00	925 00	925 00				14.00				
ADDITI	ONAL NRCs	H		UCFFF		USAUP		925 00	925 00				11 90			1 83	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	-		-													
ı	Inward/two way Telephone Numbers (except NC)	l	ł	UEPPP		PR7TF		0 5412	l			,	11 90			1 83	

OMBONDEED NE	ETWORK ELEMENTS - Florida	1	1								1			ment 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronii Disc Add
						Rec	Nonrec			Disconnect			oss	Rates (\$)		
4-300	/ire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	<del> </del>	<del> </del>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ward Tel Numbers (All States except NC)			UEPPP	PR7TO		12 71	12 71				11 90			1 83	ļ
	fire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OEI II	11010		12 7 1	12,1			····	1130			103	
	sequent Inward Telephone Numbers			UEPPP	PR7ZT		25 42	25 42				11 90			1 83	
	MBER PORTABILITY														1.00	<u> </u>
Loca	al Number Portability (1 per port)			UEPPP	LNPCN	1 75							***			
	E (Provsioning Only)															
	ce/Data			UEPPP	PR71V	0 00	0 00	0 00								
	tal Data		L.	UEPPP	PR71D	0 00	0.00	0 00								
	ard Dala		<u> </u>	UEPPP	PR71E	0 00	0.00	0 00		·						
	ditional "B" Channel				_											
	v or Additional - Voice/Data B Channel			UEPPP	PR78V	0 00	20 00					11 90			1 83	
	v or Additional - Digital Data B Channel v or Additional Inward Data B Channel		ļ	UEPPP	PR7BF	0 00	20 00		ļ		<u> </u>	11 90			1 83	
		ļ		UEPPP	PR78D	0 00	20 00		ļ			11 90			1 83	
CALL TYPE		-	-	UEPPP	DD704	0.00		0.00				-				
	ward			UEPPP	PR7C1 PR7C0	0 00	0 00	0 00								
	o-way			UEPPP	PR7CC	0 00	0.00	0 00	-							ļ
	Channel Mileage		+	UEPPP	PRICE	0 00	0.00	0.00							<b></b>	
	ed Each Including First Mile		+	UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05		11 90	· · · · · · · · · · · · · · · · · · ·		1 93	
	th Airline-Fractional Additional Mile		+	UEPPP	1LN1B	0 1856	105 54	50 41	2147	19 00		1190			193	-
	1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<del> </del> -	+	OLFFF	ILIVID	0 1030			<del> </del>							ļ
	oop Combination Rates	t -	1													<del> </del>
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		820 74					-	11 90			1 83	<del>                                     </del>
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	· · · · ·		UEPOC		850 54			-			11 90			1 83	
4W I	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDÇ		928 39						11 90	-		1 83	
UNE Loop F																
	/ire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70 74						11 90			1 83	
	fre DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	100 54						11 90			1 83	
	fire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178 39						11 90			1 83	
UNE Port Ra																
	rre DDITS Digital Trunk Port			UEPDC	UDD1T	750 00	1,019 56	479 87	204 92	20 10		11 90			1 83	
	RRING CHARGES - CURRENTLY COMBINED		1													
	fire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination vitch-As-Is Top 8 MSAs only			UEPDC	USAC4		95 31	46 71				11 90			1 83	
4-W	/ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination onversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95 31	46 71				11 90			1 83	
4-Wi	fire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination procession with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		95 31	46 71		-		11 90			1 83	
ADDITIONA																
	re DS1 Loop / 4-Wire DDITS Trunk Port - NRC - sequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15 69	15 69				14.00			4.00	
4-Wi	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		<del>  -</del>	OLI-DC	JULIA		15 69	19 69	<del> </del>	_		11 90			1 83	
	innel Activation/Chan - 1-Way Outward Trunk			UEPDC	вттаи		15 69	15 69				11 90			1 83	
	Ire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel vation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15 69	15 69				11 90			1 83	l
4-Wi	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
4-Wi	vation Per Chan - Inward Trunk with DID Pre DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		+	UEPDC	UDTTD		15 69	15 69				11 90			1.83	
	vation / Chan - 2-Way DID w User Trans ZERO SUBSTITUTION		<u> </u>	UEPDC	UDTTE		15 69	15 69				11 90			1 83	
	S -Superframe Format			HEDDO	00005			055.00	-						L	ļ
	S - Superframe Format S - Extended Superframe Format	<del></del>	┼	UEPDC	CCOSF		0 00	655 00		ļ		11 90			1 83	
	ark Inversion	1	├	UEPDC	CCOEF		0 00	655 00	-			11 90			1 83	-
	-Superframe Format	<del>                                     </del>	_	UEPDC	MCOSF			0.00	-						-	-
	- Extended SuperFrame Format		+	UEPDC	MCOSF		0 00	0 00	<del> </del>							
	Number/Trunk Group Establisment Charges	<del></del>	₩-	021.00	IVICOFO		0.00	U UU	-							+

Version 4Q02 12/18/02 Page 72 of 416

NBUNDLED	NETWORK ELEMENTS - Florida					,								nent 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00	First	Add'l	First	Add'l	SOMEC	11 90	SOMAN	SOMAN	SOMAN 1 83	SOMAN
1 1	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11 90			1 83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00						11 90			1 83	
	DID Numbers, Establish Trunk Group and Provide First Group			OLI DO	OBTO2							11.30			100	
	of 20 DID Numbers			UEPDC	NDZ	0 00	0.00	0 00				1190			1 83	
	DID Numbers for each Group of 20 DID Numbers		T	UEPDC	ND4	0 00					İ	1190			1 83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00						11 90			1 83	
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0 00				1190			1 83	
	Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0 00				11 90			1 83	
	ed DS1 (Interoffice Channel Mileage) -				1											
	for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port												,			
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1											}
	Termination)		<u> </u>	UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05		11 90			1 83	
			1		1	i										
li	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		Ļ	UEPDC	1LNOA	0 1856	0 00	0 00								
l i	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1	usano						İ						
	Termination)		-	UEPDC	1LNQ2	0 00	0 00	0 00								ļ
	Interoffice Channel Mileage - Additional rate per mile - 9-25	İ	ŀ	LIEBBO	4, 1,00	0.4050	2.00								]	
	miles		ļ	UEPDC	1LNOB	0 1856	0.00	0 00								ļ
- I i	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0.00	0.00	0.00						ł	1
	Termination)			UEPDC	TENO3	0.00	0 00	0 00	0 00						ļ	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1856	0 00	0 00								
	Local Number Portability, per DS0 Activated		<del> </del>	UEPDC	LNPCP	3 15	0.00	0.00	0.00							
	Central Office Termininating Point		-	UEPDC	CTG	0.00	0.00	0.00	0.00		-				<u> </u>	
	DS1 LOOP WITH CHANNELIZATION WITH PORT		-	UEFDC	CIG	0.00					1					
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	<del> </del>		+											
	m can have various rate combinations based on type and nu			used							<u> </u>	<del></del>				
UNE DS			P								<del> </del>					
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70 74	0 00	0 00			<del>                                     </del>				·	
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100 54	0 00	0 00			l					
	4-Wire DS1 Loop - UNE Zone 3	-	3	UEPMG	USLDC	178 39	0 00	0 00								
	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
1	24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	118 06	0 00	0 00			· ·	1190			1 83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0.00	0 00				1190			1 83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472 24	0 00	0 00			İ	190			1 83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708 36	0.00	0.00				1 90			1 83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944 48	0 00	0 00				11 90			1 83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180 60	0.00	0.00				1190			1 83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416 72	0 00	0 00				11 90			1 83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888 96	0 00	0 00				11 90			1 83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361 20	0 00	0 00				11 90			1 83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833 44	0.00	0 00				11 90			1 83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305 68	0.00	0 00				11.90			1 83	
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	num System configuration is One (1) DS1, One (1) D4 Channe															
	es of this configuration functioning as one are considered Ac	id'i afte	r the m	ınımum system co	nfiguration is	counted										l
	NRC - Conversion (Currently Combined) with or without				1											
	BellSouth Allowed Changes - Top 8 MSAs Only		l	UEPMG	USAC4	0.00	450 00	50 00				11 90				
	Additions Where Currently Combined and New (Not Currently	y Comb	ined)													
in Dens	ity Zone 1 Top 8 MSAs	_									ļ				l	ļ
į l	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc		ŀ		1											
	Fea Activation -		-	UEPMG	VUMD4	0.00	950 00	600 00	200 00	30 00		11 90				
	8 Zero Substitution	ļ			<del></del>					L	<b></b>	ļ				<b></b> _
	Clear Channel Capability Format, superframe - Subsequent	1		l	1		_		1		1				I	[
	Activity Only		L	UEPMG	CCOSF	0.00	0 00	655 00			1	11 90				
	Clear Channel Capability Format - Extended Superframe -	1		l	1	ļ			1		1				I	l
	Subsequent Activity Only		L	UEPMG	CCOEF	0 00	0 00	655 00			<u> </u>	11 90				
	te Mark Inversion (AMI)	1	1	1	1	. [			1		1		I	I	1	1

ATEGORY	D NETWORK ELEMENTS - Florida												Attachn		Exhib	
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			L		ļ	Rec	Nonrec		Nonrecurring		201150	65		Rates (\$)	SOMAN	SOMAN
					11000		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Superframe Format			UEPMG UEPMG	MCOSF	0 00	0 00	0 00							<del> </del>	
	Extended Superframe Format			DEPMG	мсоро	0 00	0 00	0 00							<del></del>	
	ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	РОП		1										<del>                                     </del>	
Exchang	ge Ports		_												t	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14 00	0 00	0 00	0 00	0.00		11 90	i		1 83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14 00	0 00	0 00	0.00	0 00		11 90			1 83	
<del>-   '</del>	End dide datatal dinamicized   bx nami an Basinas															
	Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	14 00	0.00	0 00	0.00	0 00		1190			1 83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55 00	0 00	0 00	0.00	0 00		11 90			1 83	
Feature	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0 66	40 00	20 00	6 00	5 00		11 90			1 83	
	Feature (Service) Activation for each Trunk Port Terminated in		1							_						
	D4 Bank	1	1	UEPPX	1PQWU	0 66	110 00	30 00	65 00	20 00		11 90			1 83	
	one Number/ Group Establishment Charges for DID Service					1									<b>↓</b>	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0 00	0 00				11 90			!	
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC.& SC)			UEPPX	NDZ	0 00	0 00	0 00				11 90			<u>'</u>	
	OID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00				11 90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00				11 90			<b> </b>	
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00				11 90				
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00				11 90			—	
	lumber Portability					L										
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00							<b></b> -	
	RES - Vertical and Optional	1	-			-									$\vdash$	
	Switching Features Offered with Line Side Ports Only All Features Available		ļ	UEPPX	UEPVF	2 26	0 00	0 00		·		11 90			1 83	
	PAIL FEATURES AVAILABLE CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	e	1	UEPPX	UEPVF	2 20	0 00	0.00				11.50		<del>.</del>	7 03	
	Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to	provide Linh	undled Local Sy	vitching or Sw	utch Ports			-				<del></del>	
	ures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	n of this Rate	Exhibit					
	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinati	ons.		
4 The f	first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ned Combos For	Currently Co	mbined Combo	s, the nonrecu	rring charges	shall be those	dentified in t	ie Nonrecur	ring - Curre	ntly Combine	d sections	Additional NR	Cs may
	ilso and are categorized accordingly	,			•		•					•	-			-
	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otrated	on an Individual Ca	se Basis, un	til further notice										
io miark	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Τ		1 '											
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1		·				_					
UNE-P (		1														
UNE-P ( 2-Wire \ UNE Po	ort/Loop Combination Rates (Non-Design)															
UNE-P ( 2-Wire \ UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										_					
UNE-P ( 2-Wire \ UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP91		10 94										
UNE-P ( 2-Wire \ UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-															
UNE-P ( 2-Wire \ UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		1 2	UEP91 UEP91		10 94 15 05										
UNE-P ( 2-Wire \ UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP91		15 05							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
UNE-P ( 2-Wire \ UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design															
UNE-P ( 2-Wire N UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design)		2	UEP91		15 05										
UNE-P ( 2-Wire V UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		3	UEP91 UEP91		15 05 25 80				i Ann						
UNE-P ( 2-Wire V UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		2	UEP91		15 05										
UNE-P ( 2-Wire V UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design art/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2 3	UEP91 UEP91 UEP91		15 05 25 80 13 41										
UNE-P ( 2-Wire V UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		3	UEP91 UEP91		15 05 25 80										
UNE-P ( 2-Wire N UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2 3	UEP91 UEP91 UEP91 UEP91		15 05 25 80 13 41										
UNE-P ( 2-Wire N UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3	UEP91 UEP91 UEP91		15 05 25 80 13 41 18 57										
UNE-P ( 2-Wire N UNE PO  UNE PO  UNE PO  UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3	UEP91 UEP91 UEP91 UEP91	UECS1	15 05 25 80 13 41 18 57										
UNE-P ( 2-Wire V UNE PO  UNE PO  UNE PO  UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3 1 2 3	UEP91  UEP91  UEP91  UEP91	UECS1 UECS1	15 05 25 80 13 41 18 57 32 04										
UNE-P ( 2-Wire N UNE PO  UNE PO  UNE PO  UNE PO  UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Ober VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Ober VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Ober VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Ober VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91		15 05 25 80 13 41 18 57 32 04 9 77										
UNE-P ( 2-Wire) UNE PO  UNE PO  UNE PO  UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wilcoop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24										
UNE-P ( 2-Wire) UNE PO  UNE PO  UNE PO  UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63										
UNE PO  UNE PO  UNE PO  UNE PO  UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15 05 25 80 13 41 18 57 32 04 9 77 13 88 24 63 12 24										

Version 4Q02 12/18/02 Page 74 of 416

ABOINDLE	D NETWORK ELEMENTS - Florida												Attachr			bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			1				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		-
			i –			Rec	First	Add'i	First	Add'l	SOMEC	SON AN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP91	UEPYA	1 17	53 31	26 46	27 50	8 37		11 90				1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1 17	53 31	26 46	27 50	8 37	L	11 90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		ŀ		l i											
	Area			UEP91	UEPYH	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		ł	l	1											1
	Center)2 Basic Local Area		<u> </u>	UEP91	UEPYM	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			LIEBOA	UEDV7	4.45	400.40	00.40								1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP91	UEPYZ	1 17	139 49	86 10	65 41	13 81		11 90				
	- Basic Local Area			UEP91	UEPY9	1 17	53 31	26 46	27 50	8 37	1	11 90				
_	2-Wire Voice Grade Port Terminated on 800 Service Term -		-	OLF 91	OEF 19	1 17	33 31	20 40	27 50	6 37		(190				
	Basic Local Area			UEP91	UEPY2	1 17	53 31	26 46	27 50	8 37		11 90				
Georg	a and Florida Only		<b>-</b>	02.0.	1021 12		00 01		27 50		···-	. ( 50		<del></del>		
	2-Wire Voice Grade Port (Centrex )		-	UEP91	UEPHA	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1 17	53 31	26 46	27 50	8 37		1 1 90		·		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP91	UEPHM	1 17	139 49	86 10	65 41	13 81		11 90	į į			
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPHZ	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1 17	53 31	26 46	27 50	8 37		1190				
	2-Wire Voice Grade Port Terminated on 800 Service Term		ļ	UEP91	UEPH2	1 17	53 31	26 46	27 50	8 37		11 90				
Loçai	Switching Centrex Intercom Funtionality, per port		1	UEP91	URECS	0 7384			-							
Local	Number Portability			UEP91	UREUS	0 /384										
Locui	Local Number Portability (1 per port)		<del> </del>	UEP91	LNPCC	0 35										
Featur			<del>                                     </del>	021 37	121111 00	0.33					1					
	All Standard Features Offered, per port			UÉP91	UEPVF	2 26						11 90				
_	All Select Features Offered, per port			UEP91	UEPVS	0 00	370 70				1	11 90				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2 26		-				11 90				
NARS																
	Unbundled Network Access Register - Combination			ÜEP91	UARCX	0 00	0.00	0.00		-		11,90				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0 00	0 00	0 00				1 90				
<del></del>	Unbundled Network Access Register - Outdial		L	UEP91	UAROX	0 00	0 00	0 00				11 90				
	laneous Terminations															
2-Wire	Trunk Side		-													
Interes	Trunk Side Terminations, each fice Channel Mileage - 2-Wire			UEP91	CENA6	8 73										
Interor	Interoffice Channel Facilities Termination - Voice Grade		<u> </u>	UEP91	M1GBC	25 32										
	Interoffice Channel mileage, per mile or fraction of mile		<del> </del>	UEP91	M1GBC	0 0091										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		UCF91	IWIGBIVI	0 0091										
	annel Bank Feature Activations	Ç	<b>-</b>		+ +											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<del> </del> -	UEP91	1PQWS	0 66										
					1											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop											_				
	Slot			UEP91	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP91	1PQWV	0 66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 66										İ
Non-R	courring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed															

ONBONDLED V	NETWORK ELEMENTS - Florida													ment 2		bit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'I	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
					<b>_</b>	Rec	Nonrec		Nonrecurring		201150	000		Rates (\$)		
	priversion of Existing Centrex Common Block			UEP91	USACN		First 5 17	Add'l 8 32	Fırst	Add'l	SOMEC	SOMAN 11 90	SOMAN	SOMAN	SOMAN	SOMAN
				UEP91	MIACS	0 00	618 82	8 32				1 90			ļ	
	ew Centrex Standard Common Block			UEP91	MIACS	0 00	618 82					1 90			ļ	
	ew Centrex Customized Common Block			UEP91	M2CC1	0 00	71 31					1190				
	econdary Block, per Block				URECA	0.00					ļ				-	
	AR Establishment Charge, Per Occasion  NTREX - 5ESS (Valid in All States)			UEP91	URECA	0.00	66 48				-	11 90				ļ
	Loop/2-Wire Voice Grade Port (Centrex) Combo										ļ					
			-		+											
	Loop Combination Rates (Non-Design)				<del> </del>						1					
No	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design		1	UEP95		10 94										
No	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - on-Design		2	UEP95		15 05						_				
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - on-Design		3	UEP95		25 80										
	Loop Combination Rates (Design)								· · · · · · · · · · · · · · · · · · ·		<del> </del>					
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign		1	UÉP95		13 41			- "							
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95	· · · · · · · ·	18 57									1,	
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	esign		3	UEP95	1	32 04					ļ					
UNE Loop				Liferan	1,15004	0.77										
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95 UEP95	UECS1	9 77 13 88										
	Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP95												<u> </u>
	Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP95	UECS1 UECS2	24 63 12 24										ļ
	Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	17 40										
	Wire Voice Grade Loop (SL 2) - Zone 2 Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	30 87										
UNE Port F		-	1 3	UEP95	UEUSZ	30 67	_									
All States																
	Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1 17	F2 24	20.40	27.50	0.27	<b></b>	1 90				
						1 17	53 31	26 46	27 50	8 37	-					-
	Wire Voice Grade Port (Centrex 800 termination)		ļ	UEP95	UEPYB	1 17	53 31	26 46	27 50	8 37	-	11 90				
Are				UEP95	UEPYH	1 17	53 31	26 46	27 50	8 37		11 90				
	Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 Basic Local Area			UEP95	UEPYM	1 17	139 49	86 10	65 41	13 81		11 90				
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81		11 90				
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP95	UEPY9	1 17	53 31	26 46	27 50	8 37		11 90				
2-V	Wire Voice Grade Port Terminated on 800 Service Term -			UEP95			•				-					
	sic Local Area A, MS, SC, & TN Only	-	<del></del>	0CP90	UEPY2	1 17	53 31	26 46	27 50	8 37		11 90		-		
FL & GA O					+ +						1			-		
	Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1 17	53 31	26 46	27 50	8 37	-	11 90	-			
	Wire Voice Grade Port (Centrex ) Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1 17	53 31	26 46	27 50	8 37		11 90				-
	Wire Voice Grade Port (Centrex 800 termination) Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1 17	53 31	26 46	27 50	8 37	1	11 90				
2-V	Wire Voice Grade Port (Centrex from diff Serving Wire															
2-V	enter)2 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPHM	1 17	139 49	86 10	65 41	13 81		11 90				
Ter	rm			UEP95	UEPHZ	1 17	139 49	86 10	65 41	13 81	-	11 90				
	Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPH9	1 17	53 31	26 46	27 50	8 37		11 90				
	Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1 17	53 31	26 46	27 50	8 37	1	11 90				
Local Swit									1		1					
Cer	entrex Intercom Funtionality, per port			UEP95	URECS	0 7384										
Local Num	nber Portability															
Loc	cal Number Portability (1 per port)			UEP95	LNPCC	0 35										
Features					7					•				i	· · · · · · · · · · · · · · · · · · ·	

NROND	LED NETWORK ELEMENTS - Florida												Attach	ment <sup>.</sup> 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremen Charge
		-	_			Rec	Nonrec First			g Disconnect	201150			Rates (\$)		T-2222
+	All Standard Features Offered, per port	<del>                                     </del>		UEP95	UEPVF	2 26	FIFSt	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAÑ	SOMAN
	All Select Features Offered, per port	-	<del></del>	UEP95	UEPVS	0 00	370 70			+	i .	1190				
	All Centrex Control Features Offered, per port	<del> </del>	-	UEP95	UEPVC	2 26	3/0/0		<del> </del>	+	<del> </del>	:190				
NAF				021 30	1021 10						<del> </del>					<del></del>
	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0 00				11 90				<del></del>
	Unbundled Network Access Register - Indial	<del></del>	<del>                                     </del>	UEP95	UAR1X	0 00	0 00	0 00			-	1 90				<del></del>
	Unbundled Network Access Register - Outdial	t		UEP95	UAROX	0 00	0 00	0.00			<del> </del>	11 90				
Mis	cellaneous Terminations			02.00	O/ UND/	- 000		0 00				1130				
	ire Trunk Side	1			1						-					
	Trunk Side Terminations each	1		UEP95	CEND6	8 73				1						<del> </del>
4-W	(ire Digital (1 544 Megabits)	t		==: 00	52,100	313			<del> </del>	1				<del> </del>		<del></del>
	DS1 Circuit Terminations, each	1		UEP95	M1HD1	54 95			<u> </u>	<del> </del>				<del> </del>	-	+
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	15 69		+	<del> </del>		11 90		<del>                                     </del>		+
Inte	roffice Channel Mileage - 2-Wire				1	- 30	10 00			<del> </del>	<del></del>	30		<del> </del>		$\vdash$
	Interoffice Channel Facilities Termination		<b>†</b>	UEP95	MIGBC	25 32			<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	-			-
$\neg$	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	1	UEP95	MIGBM	0 0091			<del>                                     </del>	1		<del></del>				
Feat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	3 <del>0</del>	<del> </del>	02.00	The state of the s	0 0001										<del> </del>
	Channel Bank Feature Activations	<u> </u>							ļ·		<del></del> -					
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<b>†</b>		UEP95	1PQWS	0 66	-		-							<del></del>
_	Today Condition of B Today and Bank Condition 2009 Clot	-	<del></del> -	OLI 33	11 02110							-				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66			!							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		UEF95	IFGVV6	0.00			-		<del></del>	-				
ı	Slot			UEP95	1PQW7	0 66			1	1						
	Feature Activation on D-4 Channel Bank Centrex Loop Stot -	-	-	UEP95	IPQVV7	0 00			ł	-						
	Different Wire Center	l		UEP95	1PQWP	0 66	- 1		1	}						1
	Different Whe Center			UEP95	IPQVVP	0 00										<del>                                     </del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ	1	UEP95	1PQWV	0 66	ŀ				1					1
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop		<del></del> -	OLF83	TEGVV	0.00										
	Slot			UEP95	1POWQ	0 66					1					
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex			UEP93	IPQWA	000										ļ
Iton	NRC Conversion Currently Combined Switch-As-Is with allowed		-	· · · · · · · · · · · · · · · · · · ·												ļ
- 1	changes, per port			UEP95	USAC2	0.00	24.50	0.40			]					İ
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0 00	21 50 5 17	8 42 8 32				11 90				
	New Centrex Standard Common Block	<u> </u>		UEP95		0.00		8 32								
$-\!\!\!\!\!-$	New Centrex Standard Common Block			UEP95	M1ACS	0 00	618 82					11 90				
			-	UEP95	M1ACC	0 00	618 82					11 90				<b>└</b>
LINE	NAR Establishment Charge, Per Occasion  -P CENTREX - DMS100 (Valid in All States)	-		UEP95	URECA	0.00	66 48			<u> </u>		11 90				
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	⊢—	-													
Z-VV	Port/Loop Combination Rates (Non-Design)	<del></del>	ļ													L
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-			i											
	Non-Design	[	1 1													1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ		UEP9D		10 94							<u></u>			
	Non-Design		1 .		1 1				i	ŀ				:		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	1	15 05			_							
							l			ľ						1
LINE	Non-Design  Port/Loop Combination Rates (Design)		3	UEP9D		25 80				<u> </u>						<u> </u>
UNE										<u> </u>						L
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			i l		ļ									ł
-	Design		1	UEP9D		13 41										1
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	UE000			l			İ						1
	Design	<b>_</b>	2	UEP9D		18 57				ļ						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_				1						1			1
	Design	ļ	3	UEP9D	1	32 04										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<b></b>		UEP9D	UECS1	9 77	T									L
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	24 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	12 24										
1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17 40		<u> </u>			[					

OMBUNDE	ED NETWORK ELEMENTS - Florida			T	1						Cun Ord	Cura Orden		nent: 2	Incremental	bit B Incrementa
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			•	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30 87	First	Add'l	First	Add'l	SOWIEC	30MAN	SUMAN	SUMAN	SUMAN	SUMAN
UNE	Port Rate															
	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1 17						11 90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	UEPYB	4.47	52.24	00.40	27 50	8 37		11 90				
	Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1 17	53 31	26 46	27 50	6 37		1190				
	Area			UEP9D	UEPYC	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			GEI 30	02.10			20 10	2. 50							<u> </u>
	Area		-	UEP9D	UEPYD	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															1
	Area			UEP9D	UEPYE	1 17	53 31	26 46	27 50	8 37		11 90				
Į.	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	j					50.04	00.40		5.07						
	Area			UEP9D	UEPYF	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1 17	53 31	26 46	27 50	8 37		11 90				
-	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLI 3D	02110				27 30	0 01		1130				
	Area			UEP9D	UEPYT	1 17	53 31	26 46	27 50	8 37	Ì	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local										1					
	Area			UEP9D	UEPYV	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8 37		11 90	1		1	
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		-	UEP9D	UEPTS	1 17	33 31	20 40	27 50	63/		1190	<del>                                     </del>			<del> </del>
	Area			UEP9D	UEPYH	1 17	53 31	26 46	27 50	8 37		11 90	l		-	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02.00	102				2, 55		<del>                                     </del>					
	Indication))3 Basic Local Area			UEP9D	UEPYW	1 17	53 31	26 46	27 50	8 37	l	11 90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area		L	UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD.	usp.a.		53.04	00.40		0.07		11 90			l	
	2 Basic Local Area			UEP9D	UEPYM	1 17	53 31	26 46	27 50	8 37	_	11 90	<b></b>			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37		11 90			i	
<del></del>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		<del> </del>	00.00	OL: TO	1 17	33 01	20 40				11.00				
	Basic Local Area			UEP9D	UEPYP	1 17	53 31	26 46	27 50	8 37	1	11 90			i	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1 17	139 49	86 10	65 41	13 81		11 90			1	<b>└</b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			l	1											ł
	Basic Local Area		<u> </u>	UEP9D	UEPYR	1 17	139 49	86 10	65 41	13 81		11 90				<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area	l		UEP9D	UEPYS	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	<b>!</b>	1	OEF 3D	OEF 13		135 45	00 10	0541	13 01	-	11 30				<del> </del>
	Basic Local Area	ĺ		UEP9D	UEPY4	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1 17	139 49	86 10	65 41	13 81		11 90				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3										1				1	1
	Basic Local Area			UEP9D	UEPY6	1 17	139 49	86 10	65 41	13 81	<del></del>	11 90				∔
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			LIEBOD	UEPY7	1 17	120.40	86 10	65 41	13 81		11 90				
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	JULF 17	1.17	139 49	56 10	0341	1301	<del> </del>	11 30		· · · · · · · · · · · · · · · · · · ·		<del></del>
	Term			UEP9D	UEPYZ	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			1	1								1			
	Basic Local Area	<u></u>	L	UEP9D	UEPY9	1 17	53 31	26 46	27 50	8 37	L	11 90				<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area		ļ	UEP9D	UEPY2	1 17	53 31	26 46	27 50	8 37		11 90	-			+
1FL&	GA Only			UEP9D	UEPHA	1 17	53 31	26 46	27 50	8 37	-	1 90	<del> </del>	-	<b> </b>	+
	2-Wire Voice Grade Port (Centrex)															

BUNDEL	D NETWORK ELEMENTS - Florida												Attacm	nent. 2	Exhil	bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrecu			Disconnect				Rates (\$)		
	D. W. L. D. L. D. L. D. L. D. D.			LIEBOR			First	Add'l	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1 17	53 31	26 46	27 50	8 37		1 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHE	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3		-	UEP9D UEP9D	UEPHE	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D UEP9D	UEPHG	1 17	53 31	26 46	27 50			11 90				
_	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	<b></b>		UEP9D	UEPHT	1 17	53 31 53 31	26 46 26 46	27 50 27 50			11 90 11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1 17	53 31	26 46	27 50	8 37		11 90				<del> </del>
_	2-Wire Voice Grade Port (Centrex / EBS-M5206)3	-		UEP9D	UEPHV	1 17	53 31	26 46	27 50			11 90				+
_	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1 17	53 31	26 46		8 37		11 90				<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPHH	1 17	53 31	26 46	27 50	8 37		11 90			-	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 3D	OLI IVII		- 33.51	2040	27 30	0.31		11 30			<del> </del>	<del> </del>
	Indication)3	I		UEP9D	UEPHW	1 17	53 31	26 46	27 50	8 37		11 90			1	1
_	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	l		UEP9D	UEPHJ	1 17	53 31	26 46	27 50	8 37		11 90		-	1	<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	<del>                                     </del>			02.110			20 40	2, 30	1 037		., 50			1	<del> </del>
	2	ļ	1	UEP9D	UEPHM	1 17	139 49	86 10	65 41	13 81		:190			1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		1	UEP9D	UEPHO	1 17	139 49	86 10	65 41	13 81		11 90				
		<b>!</b>				**									<u>†                                      </u>	_
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		1	UEP9D	UEPHP	1 17	139 49	86 10	65 41	13 81		1190				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	,	1	UEP9D	UEPHQ	1 17	139 49	86 10	65 41	13 81		11 90				
			1												1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		1	UEP9D	UEPHR	1 17	139 49	86 10	65 41	13.81		11 90			1	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1 17	139 49	86 10	65 41	13 81		11 90				
	2 Time Table Stade For (Commendation Off Office Moor) 2, 6			OLI 30	- 1021110	' ''	155 45	00 10	0341	13.01		17.30		-	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1 17	139 49	86 10	65 41	13 81		11 90			<u> </u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1 17	139 49	86 10	65 41	13 81	}	11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1 17	139 49	86 10	65 41	13 81		1190				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPHZ	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		ŀ	UEP9D	UÉPH9	1 17	53 31	26 46	27 50	8 37		1 90			1	
	2-Wire Voice Grade Port Terminated in 800 Service Term			UEP9D	UEPH2	1 17	53 31	26 46	27 50	8 37	<del></del>	11 90			<del> </del>	-
	Switching		<del>                                     </del>	04, 05	001111		00 01	20 40	21 00		<del> </del>	- 1,00			<del> </del>	<del> </del>
	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0 7384					<del> </del>				<del> </del>	-
Local I	Number Portability	i –	1		9.1000	0.00.				l	<del> </del>					
	Local Number Portability (1 per port)		1	UEP9D	LNPCC	0 35			-						<del> </del>	
Featur																<del></del>
	All Standard Features Offered, per port			UEP9D	UEPVF	2 26				<del></del>	†				<u> </u>	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370 70			ļ		11 90				
	All Centrex Control Features Offered, per port		1	UEP9D	UEPVC	2 26	1									
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0.00	0 00				11 90				
	Unbundled Network Access Register - Inward		i	UEP90	UAR1X	0 00	0 00	0 00				11 90				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00				11 90				
	laneous Terminations															
2-Wire	Trunk Side		1					·								
	Trunk Side Terminations each	ļ	I	UEP9D	CEND6	8 73									ļ	
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each	<u> </u>	1	UEP9D	M1HD1	54 95									l	
	DS0 Channels Activiated per Channel	L	<b>_</b>	UEP9D	M1HDO	0 00	15 69			L		11 90				1
Interof	fice Channel Mileage - 2-Wire	ļ	1												L	
	Interoffice Channel Facilities Termination	<u> </u>	1	UEP9D	MIGBC	25 32									ļ	
	Interoffice Channel mileage, per mile or fraction of mile	i	1	UEP9D	MIGBM	0 0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service		1	1					1	1	1					

OMBONDEED	NETWORK ELEMENTS - Florida										1_			ment 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ				Fırşt	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<del></del>	UEP9D	1PQWS	0 66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 66										
	eature Activation on D-4 Channel Bank FX Trunk Side Loop												-			
	Blot			UEP9D	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 66										
						0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9D	1PQWV	0 66										
	Slot			UEP9D	IPQWQ	0 66										
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										
Non-Rec	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21 50	8 42	<b> </b>	ļ	ļ	11 90				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5 17	8 32				11 90				
	New Centrex Standard Common Block New Centrex Customized Common Block		-	UEP9D UEP9D	M1ACS M1ACC	0 00	618 82		ļ		<u> </u>	11 90				
	NAR Establishment Charge, Per Occasion		-	UEP9D	URECA	0.00	618 82 66 48				1	1190				
	ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	UNECA	0.00	00 46					1190				
	G Loop/2-Wire Voice Grade Port (Centrex) Combo				<del></del>						<u> </u>					
	t/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						-	***							i	
1	Non-Design		1	UEP9E	Ì	10 94					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		15 05				·						
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9E		25 80										
	t/Loop Combination Rates (Design)		-3-	UEP9C		23 60			<del>                                     </del>			<del> </del>				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1						<del> </del>	·	<del> </del>	<del></del>				
	Design		1	UEP9E		13 41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		18 57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											1				
	Design		3	UEP9E		32 04			ļ			<u> </u>				
UNE Loc			-	LIEBOE	UECC1	9 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E UEP9E	UECS1 UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	24 63								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30 87					i e					
UNE Por																
	KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1 17	53 31	26 46	27 50	8 37		11 90				
12	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP9E		1 17										
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				UEPYH		53 31	26 46	27 50	8 37	1	11 90		-		
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYM	1 17	139 49	86 10	65 41	13 81		11 90				
	Term - Basic Local Area			UEP9E	UEPYZ	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9E	UEPY9	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37		11 90				
Florida (			<b>†</b> ****						1							
12	2-Wire Voice Grade Port (Centrex.)			UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37	1	11 90				

INBUNDLED N	ETWORK ELEMENTS - Florida												Attach	ment 2	Exhi	bit <sup>.</sup> B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge
			ļ			Rec	Nonrec		Nonrecurring		<u> </u>			Rates (\$)		
	New Verse Conda Book (Conda 2000 to conda 20			UEP9E	UEPHB		First	Add'l	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
	Vire Voice Grade Port (Centrex 800 termination) Vire Voice Grade Port (Centrex with Caller ID)1		-	UEP9E	UEPHH	1 17	53 31 53 31	26 46	27 50	8 37		11 90				
	Vire Voice Grade Port (Centrex with Caller ID)1  Vire Voice Grade Port (Centrex from diff Serving Wire		<del>                                     </del>	UEP9E	UEPRR	1 17	53.31	26 46	27 50	8 37		11 90			<del></del>	
	nter)2		i	UEP9E	UEPHM	1 17	139 49	86 10	65 41	13 81		11 90				
	Vire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	02.02	02.11		100 10	30 10		10 01	-	- 30				<del> </del>
Ter				UEP9E	UEPHZ	1 17	139 49	86 10	65 41	13 81		11 90				
	Vire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1 17	53 31	26 46	27 50	8 37	j	11 90			1	
	Vire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1 17	53 31	26 46	27 50	8 37		11 90				
Local Swite			ļ													
	ntrex Intercom Funtionality, per port		-	UEP9E	URECS	0 7384										
	ber Portability al Number Portability (1 per port)		<b></b>	UEP9E	LNPCC	0 35										ļ
Features	sai Number Portability (1 per port)		-	UEP9E	LNPCC	0.35										
	Standard Features Offered, per port		-	UEP9E	UEPVF	2 26				-						
	Select Features Offered, per port			UEP9E	UEPVS	0 00	370 70					11 90				<del> </del>
	Centrex Control Features Offered, per port		<del> </del>	UEP9E	UEPVC	2 26	3/0/0					11 80				<del></del>
NARS			<u> </u>								i					+
Unt	bundled Network Access Register - Combination	1		UEP9E	UARCX	0.00	0 00	0.00				11 90				
Unt	bundled Network Access Register - Indial			UEP9E	UAR1X	0 00	0.00	0.00				11 90				<b>—</b>
	bundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0 00	0.00				11 90			·· <del></del>	$\vdash$
	ous Terminations															
2-Wire Trui												-				
	nk Side Terminations, each			UEP9E	CEND6	8 73										
	ital (1 544 Megabits)	1														
	1 Circuit Terminations, each			UEP9E	M1HD1	54 95										ļ .
	0 Channel Activated Per Channel Channel Mileage - 2-Wire	<u> </u>	<del> </del>	UEP9E	M1HDO	0 00	15 69					11 90				<u> </u>
	eroffice Channel Facilities Termination	<u> </u>	<del> </del>	ÜEP9E	MIGBC	25 32										<u> </u>
	eroffice Channel mileage, per mile or fraction of mile	-	<del> </del>	UEP9E	MIGBM	0 0091										<b>├</b>
Feature Ac	tivations (DS0) Centrex Loops on Channelized DS1 Service	:e	<del>                                     </del>	<u> </u>	IVII ODIW	0 0001										
	Bank Feature Activations				1		-									-
	ature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP9E	1PQWS	0 66					<b>!</b>					
			1													
	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 66										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop															
Sio				UEP9E	1PQW7	0 66							_			
	ature Activation on D-4 Channel Bank Centrex Loop Slot -															
Diff	erent Wire Center	-		UEP9E	1PQWP	0 66										<u> </u>
	ature Activation on D-4 Channel Bank Private Line Loop Stot			UEP9E	1PQWV	0.55					1					
	ature Activation on D-4 Channel Bank Tile Line/Trunk Loop		-	UEP9E	TPQWV	0 66										
Slo				UEP9E	1PQWQ	0 66										
	ature Activation on D-4 Channel Bank WATS Loop Slot		+	UEP9E	1PQWQ	0.66										<del> </del>
	ring Charges (NRC) Associated with UNE-P Centrex			OLI JL	- 11 4117	0 00										<del>                                     </del>
NR	C Conversion Currently Combined Switch-As-Is with allowed		t		<del></del>							-				<del></del>
cha	inges, per port			UEP9E	USAC2		21 50	8 42			) .	11 90				1
Сог	oversion of Existing Centrex Common Block, each			UEP9E	USACN		5 17	8 32				1 90				
	w Centrex Standard Common Block			UEP9E	M1ACS	0 00	618 82			-		11 90				
	w Centrex Customized Common Block			UEP9E	M1ACC	0 00	618 82					11 90	-			
	R Establishment Charge, Per Occasion			UEP9E	URECA	0 00	66 48					11 90				
Note 1 - Re	quired Port for Centrex Control in 1AESS, 5ESS & EWSD	ļ														
	equres Interoffice Channel Mileage		L													
	quires Specific Customer Premises Equipment TREX PORT/LOOP COMBINATIONS - MARKET RATES															
		and/or f	Plata 2				A-b	4-1- D4-								
2 Pacuria	tates are applied where BellSouth is not required by FCC and Centrex Gonrol Fe	ariu/or S	orate C	unmission rule to	provide Unbur	roted Focal SM	icning or Swi	ion Ports								—
≠ Recuilin	g Charges for all Standard Centrex and Centrex Conrol Fe ce and Tandem Switching Usage and Common Transport	atures	are inc	ruuea in the Mark	et Kate	I					I			Į.	I	1

	MENTS - Florida													ment: 2		bit. B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increme Charge
			L			Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
		J					First	Add'l	First	I'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
4 The first and additional Po	rt nonrecurring charges apply to Not C	urrently	Comb	ined Combos Fo	r Currently Cor	nbined Combo	s. the nonrec	urring charges	shall he those	identified in f	he Nonrecui	ring - Curr	ntly Combine	nd sections	Add to a sel ND	Co mari
apply also and are categorize	a accordingly				•		_,			identified in t	iic iioiii ecai	ning - Carre	intry Combine	eu sections.	Additional NR	cs may
UNE-P CENTREX - 1AESS -	(Valid in AL,FL,GA,KY,LA,MS,&TN only	<i>i</i> )												·		
2-Wire VG Loop/2-Wire Voice	Grade Port (Centrex) Combo	İ	_													
UNE Port/Loop Combination	Rates (Non-Design)	<u> </u>							+			_				
2-Wire VG Loop/2-Wire	Voice Grade Port (Centrex) Port Combo								-	_						
Non-Design			1	UEP91		26 94										
	Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	+'-	OLFST		20 94										
Non-Design	Voice Clade For (Centrex)For Combo -		2	UEP91							1 1					
	Voice Grade Port (Centrex)Port Combo -		1 -	UEP91	-	31 06										
Non-Design	voice Glade Fort (Centrex)Fort Combo -		١.		1				1 1							
UNE Port/Loop Combination	Potos (Pasiers)	<del> </del>	3	UÉP91		45 87	·		<u> </u>					L		ŀ
		-	+													
	Voice Grade Port (Centrex) Port Combo -	1		l												l"
Design	V		1	UEP91	.	29 36										
	Voice Grade Port (Centrex)Port Combo -		1	1									-			
Design			2	UEP91		34 43										
	Voice Grade Port (Centrex)Port Combo -							-						-		
Design			3	UEP91	1 1	50 68						+				
UNE Loop Rate		-							<del>-</del>		-					
2-Wire Voice Grade Los			1	UEP91	UECS1	12 94					1					
2-Wire Voice Grade Loc	op (SL 1) - Zone 2		2	UEP91	UECS1	17 06										
2-Wire Voice Grade Loc	op (SL 1) - Zone 3			UEP91	UECS1	31 87										
2-Wire Voice Grade Loc	op (SL 2) - Zone 1			UEP91	UECS2	15 36			<del></del>							
2-Wire Voice Grade Loc		-	2	UEP91	UECS2	20 43										
2-Wire Voice Grade Loc				UEP91	UECS2	36 68										_
UNE Ports	(02.2) 2010.0	<del> </del>		OLF 91	UEUSZ	30 00										
All States (Except North Caro	lina and Sout Carolina)	-	<del> </del>													
2-Wire Voice Grade Po	rt (Centrex ) Basic Local Area	_		UEP91	UEPYA	44.00										
2-Mire Voice Grade Po	t (Centrex ) Basic Local Alea t (Centrex 800 termination)Basic Local			UEP91	UEPYA	14 00	70 00	35 00	35 00	10 00		11 90				
Area	t (Centrex 600 termination)Basic Local			115004	<u>                      </u>											
	4 (C+-+			UEP91	UEPYB	14 00	70 00	35 00	35 00	10 00	[	11 90	ľ			
	t (Centrex with Caller ID)1Basic Local		1		1											
Area				UEP91	UEPYH	14 00	70 00	35 00	35 00	10 00		11 90				
2-Wire Voice Grade Por	t (Centrex from diff Serving Wire															
Center)2 Basic Local Ar			<u>L</u>	UEP91	UEPYM	14 00	180 00	110 00	85 00	20 00		11 90	1			
	t, Diff Serving Wire Center - 800 Service															
Term - Basic Local Area				UEP91	UEPYZ	14 00	180 00	110 00	85 00	20 00		11 90	ŀ			
	t terminated in on Megalink or equivalent							110 00		20 00		- 1130				
- Basic Local Area				UEP91	UEPY9	14 00	70 00	35 00	35 00	10 00		11 90	I	ļ	I	
	t Terminated on 800 Service Term -				+	17 00	1000	30 00	33 00	10 00		11.80				
Basic Local Area			;	UEP91	UEPY2	14 00	70 00	35 00	35 00	40.00	ļ	14.00	l		I	
Georgia and Florida Only					OLI IZ	14 00		33 00	35 00	10 00		11 90				
2-Wire Voice Grade Por	t (Centrex )	-		UEP91	UEPHA	14 00	70 00	35.55	- 05.55	- 40 - 5						
	t (Centrex 800 termination)			UEP91	UEPHB	14 00		35 00	35 00	10 00		11 90				
	t (Centrex with Caller ID)1			UEP91	UEPHB		70 00	35 00	35 00	10 00		11 90				
2-Wire Voice Grade Poi	t (Centrex with Caller ID)1			OCERT	UEPHH	14 00	70 00	35 00	35 00	10 00		11 90				
Center)2	Cocharex note our serving wire			UEDOA	1											
	t, Diff Serving Wire Center - 800 Service		-	UEP91	UEPHM	14 00	180 00	110 00	85 00	20 00		11 90		I		
Term	L Dat Service			UEDO.	1											-
+				UEP91	UEPHZ	14 00	180 00	110 00	85 00	20 00		11.90	i		l	
2 Wire Versa Comit 5				l	1										_	
2-vviile voice Grade Por	t terminated in on Megalink or equivalent			UEP91	UEPH9	14 00	70 00	35 00	35 00	10 00		11 90			l	
Local Switching	t Terminated on 800 Service Term			UEP91	UEPH2	14 00	70 00	35 00	35 00	10 00		11 90				
Centrex Intercom Funtion	onality, per port	T		UEP91	URECS	0 7384					-		<del></del>			
Local Number Portability																
Local Number Portabilit	y (1 per port)			UEP91	LNPCC	0 35			<del></del>						-	
					1											
Features																
	Offered, per port		+	UEP91	UEPVE	0.00			+			11.00				
Features		-		UEP91 UEP91	UEPVF UEPVS	0 00	370 70					11 90				

ONBONDLED	NETWORK ELEMENTS - Florida	1									0		Attachr			oit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
						100	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NARS	O D D D D D D D D D D D D D D D D D D D		ļ	UEP91	UARCX	0 00	0 00	0 00			ļ	11 90			-	
	Unbundled Network Access Register - Combination		<b></b>	UEP91	UARCX UAR1X	0 00	0 00	0.00				11 90				
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0.00	0 00				11 90				
	aneous Terminations		<u> </u>	OLI 91	UANOX	0 00	0 00 1	0 00				1130				
	Frunk Side		1								-					
	Trunk Side Terminations, each			UEP91	CENA6	8.81					r					
Interoffi	ce Channel Mileage - 2-Wire										l					
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091					1					
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e									1	ļ				
	nnel Bank Feature Activations		ļ		150110	0.00										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 66					1	<del> </del>			<del>                                     </del>	<del> </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stor			OFL 91	I F CQ W O	0 00					<del> </del>	<del>                                     </del>				<u> </u>
	Stot			UEP91	1PQW7	0 66									ĺ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<u> </u>	<u> </u>	0.5. 0.	1	0.00										
	Different Wire Center		1	UEP91	1PQWP	0 66				ŀ	İ				]	1
			1													,
] ]	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ł		UEP91	1PQWV	0 66	i			1						
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1												1	
	Slot			UEP91	1PQWQ	0 66						L		l		i
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP91	1PQWA	0 66						ļ				
	curring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	<b></b>												ļ	
	Conversion - Currently Combined Switch-As-Is with allowed					l	24.52	0.40				14.00		[		
	changes, per port Conversion of Existing Centrex Common Block			UEP91 UEP91	USAC2 USACN		21 50 5 17	8 42 8 32				11 90 11 90		<u> </u>		
	New Centrex Standard Common Block	<u> </u>	ļ. <b></b> -	UEP91	MIACS	0 00	618 82	8 32			<del></del>	11 90				
	New Centrex Standard Common Block		_	UEP91	M1ACC	0 00	618 82		-		1	11 90	_ <del></del> -			
	Secondary Block, per Block			UEP91	M2GC1	0 00	71 31				+	1 1 90		-		
	NAR Establishment Charge, Per Occasion	-	<del>                                     </del>	UEP91	URECA	0 00	66 48					11 90				
	CENTREX - 5ESS (Valid in All States)		<b></b>										-		1	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo								-		1					
UNE Po	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP95		26 94					<u> </u>	ļ				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1							i				,	1	
	Non-Design	<b></b>	2	UEP95		31 06				ļ						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95	1	45 87				1		1		l		
	nt/Loop Combination Rates (Design)		- 3	UEP95	+ 1	45 67					+	1		1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		+		<del></del>			·	<del>                                     </del>	+	+	<del>                                     </del>		<del> </del>	1	
	Design		1	UEP95		29 36				I		1	l		t	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	t	† ·								<u> </u>	<del>                                     </del>	-		<b> </b>	
	Design		2	UEP95		34 43				I						<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1														
	Design		3	UEP95		50 68						L		ļ		1
UNE Lo												ļ	ļ		<b> </b>	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP95	UECS1	12 94			1	<b></b> -		-	ļ <u></u>	ļ	1	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2	l	2	UEP95	UECS1	17 06			-	-	<u> </u>			<del></del>	+	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP95 UEP95	UECS1	31 87			<del> </del>		1	<del> </del>		+	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<del> </del>	1	UEP95	UECS2 UECS2	15 36 20 43			<del> </del>	-	<del> </del>	+	1	<del></del>	+	<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36 68			<del>                                     </del>	-	<del> </del>	+		-	<del> </del>	<del>                                     </del>
UNE Po			+	10EF-33	OLOG2	30 00			<del> </del>	<del>                                     </del>	+	<del></del>		1	<del> </del>	
All State		<del>  -  </del>	+	1	+ +				1	<del> </del>		<del> </del>		<u> </u>	1	<del> </del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1	1	UEP95	UEPYA	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex 800 termination)	<b>—</b>	1	UEP95	UEPYB	14 00	70 00	35 00				1190		<u> </u>		

MADONDEE	D NETWORK ELEMENTS - Florida				<del></del>	-					Sun Order	Sun Order	Attachi Incremental		Incremental	Incrementa
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		201150			Rates (\$)		000000
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		1	UEP95	UEPY9	14 00	70 00	35 00	35 00	10 00		11 90		-		
	2-Wire Voice Grade Port Terminated on 800 Service Term -						70.00			40.00		44.00				
	Basic Local Area		ļ	UEP95	UEPY2	14 00	70 00	35 00	35 00	10 00	ļ <del></del>	11 90				<del> </del>
	, LA, MS, SC, & TN Only		1-		<del>                                     </del>					-	<del> </del>					
FL & G	2-Wire Voice Grade Port (Centrex.)		+-	UÉP95	UEPHA	14 00	70 00	35 00	35 00	10 00	-	1190			-	·
-	2-Wire Voice Grade Port (Centrex.)  2-Wire Voice Grade Port (Centrex.800 termination)	ļ	<del> </del>	UEP95	UEPHA	14 00	70 00	35 00		10 00		1 90			<del> </del>	<del>                                     </del>
-	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPHH	14 00	70 00	35 00	35 00	10 00		11 90			-	<del> </del>
	2-Wire Voice Grade Port (Centrex with Ganer 15)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service									_						
-	Term			UEP95	UEPHZ	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP95	UEPH9	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14 00	70 00	35 00	35 00	10 00		11 90				
Local	Switching		_	LIEBOS	1	0.7004										
	Centrex Intercom Funtionality, per port	-	_	UEP95	URECS	0 7384					-				ļ	
Local	Number Portability			UEP95	LNPCC	0.35						-	-			-
F	Local Number Portability (1 per port)		-	UEP95	LNPCC	0.35			<b></b>		· · · · · · · · · · · · · · · · · · ·					
Featur	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	0 00								-	-	
	All Select Features Offered, per port		ļ	UEP95	UEPVS	0.00	370.70				-	11 90			<del> </del>	<del></del>
_	All Centrex Control Features Offered, per port		+	UEP95	UEPVC	0 00	370.70					1130	· · · · · · · · · · · · · · · · · · ·			
NARS		<u> </u>	1	UEF 83	OLF VC	0.00						<del> </del>				<del>                                     </del>
IIANG	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP95	UARCX	0 00	0 00	0 00	<del> </del>	,	-	11 90				
	Unbundled Network Access Register - Indial		1	UEP95	UAR1X	0.00	0 00	0 00			<del>                                     </del>	11 90				1
	Unbundled Network Access Register - Outdial	<del>                                     </del>	+	UEP95	UAROX	0 00	0 00	0 00	-			1190	-			_
Miscel	laneous Terminations			<b>QE</b> , 00	10.0.0											
	Trunk Side		<del>†                                    </del>													
	Trunk Side Terminations, each			UEP95	CEND6	8 81										
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54 95										
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	15 69					11 90				
Intero	fice Channel Mileage - 2-Wire		I													
	Interoffice Channel Facilities Termination		1	UEP95	MIGBC	25 32										
	Interoffice Channel mileage, per mile or fraction of mile		I	UEP95	MIGBM	0 0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e									_					<u> </u>
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	1PQWS	0 66					-					
	Feature Activation on D-4 Channel Bank FX line Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0 66										
	Slot			UEP95	1PQW7	0 66					<u> </u>					1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0 66			ļ							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 66									ļ	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0 66										-
_	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0 66			ļ		ļ	<del> </del>	ļ		<u> </u>	
INon-R	ecurring Charges (NRC) Associated with UNE-P Centrex		1	L					L	l	L		L			

OMBOMPE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	-		RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect	001150	500.40		Rates (\$)		
	NRC Conversion Currently Combined Switch-As-Is with allowed		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	changes per port			UEP95	USAC2	0 00	21 50	8 42				11 90		l		
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5 17	8 32		-		11 90				<del></del>
	New Centrex Standard Common Block		<b>—</b>	UEP95	M1ACS	0.00	618 82					11 90				
	New Centrex Customized Common Block			UEP95	M1ACC	0 00	618 82					11 90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	66 48					11 90				
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)	<u> </u>	<u> </u>													
	2-Wire VG Loop/2-Wire Voice Grade Port (Cenfrex) Port Combo		١.	LIEBOB			İ	1						l		
	Non-Design	<u> </u>	1_1_	UEP9D		26 94				-	-			ļ		<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	,	UEP9D	1	31 06				1				ŀ		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	2	OENAD		3106				-	-			ļ		
	Non-Design	[	3	UEP9D	i i	45 87		i			1	1		t		1
UNE P	Port/Loop Combination Rates (Design)			021 30		45 07					<del>                                     </del>					<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1								+			1		<del></del>
	Design		1	UEP9D	1 1	29 36										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													<del></del>
	Design	ŀ	2	UEP9D	1 1	34 43										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										<u> </u>					
	Design		3	UEP9D		50 68										
UNE L	oop Rate							-			1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12 94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>		UEP9D	UECS1	17 06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		_3_	UEP9D	UECS1	31 87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	15 36										L
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20 43						ļ				
IIINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36 68			· · · · · · · · · · · · · · · · · · ·							
	TATES															
ALL 3	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14 00						11 90		1		
_	2-Wire Voice Grade Port (Centrex ) Basic Local Again Local 2-Wire Voice Grade Port (Centrex 800 termination) Basic Local			UEF9D	UEPTA	14 00					-	1190				ļ
	Area			UEP9D	UEPYB	14 00	70 00	35 00	35 00	10 00		11 90		i		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OCF-80	OLFIB	14 00	70 00	33 00	35 00	10 00	1	1190				<del> </del>
[	Area			UEP9D	UEPYC	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		<u> </u>	02.00	02,10	14 00	70 00	03 00	00 00	10 00		1130		1		
	Area			UEP9D	UEPYD	14 00	70 00	35 00	35 00	10 00		11 90		1		[
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local										1					
	Area			UEP9D	UEPYE	14 00	70 00	35 00	35 00	10 00	1	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		_								1					
	Area			UEP9D	UEPYF	14 00	70 00	35 00	35 00	10 00		11 90				l
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		1	ĺ		1										
	Area	<u> </u>		UEP9D	UEPYG	14 00	70,00	35 00	35 00	10 00	İ	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1			I I	1					1					
	Area		1	UEP9D	UEPYT	14 00	70 00	35 00	35 00	10 00	1	11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area	1		UEP9D	LIEBYLL	44.60	70.55	25.00	25	40						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	<del> </del> -	-	OEP9D	UEPYU	14 00	70 00	35 00	35 00	10 00	-	11 90		-		
	Area	1		UEP9D	UEPYV	14 00	70 00	35 00	35 00	10 00		11 90				ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	<del>                                     </del>		JOE 30	OLF IV	14 00	70 00	35 00	35 00	10 00	<del> </del>	11.90	<del> </del>	<del></del>	<u> </u>	
	Area	İ		UEP9D	UEPY3	14 00	70 00	35 00	35 00	10 00		11 90				1
$\neg$	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		<del>  -</del>	55.00	100113	- 17 00	70 30	33 00	35 00	10 00	<del> </del>	11 90		<del> </del>		t
1	Area	l	1	UEP9D	UEPYH	14 00	70 00	35 00	35 00	10 00		11 90				1
	2-Wire Voice Grade Port (Centrex/Caller 1D/Msg Wtg Lamp				_   3	50		50 00	- 23 00	13 00	1	., 50			-	
	Indication))3 Basic Local Area	1		UEP9D	UEPYW	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3				-1 1					1.00		1		<u> </u>	·	
Į	Basic Local Area	1	l	UEP9D	UEPYJ	14 00	70 00	35 00	35 00	10 00	1	11 90		Į.		1

ONBONDLE	D NETWORK ELEMENTS - Florida													nent 2		ort: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					<del>                                   </del>	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1 1		rirat	Auu	First	Addi	SUMEC	SOWAN	SOWAN	SOMAN	SUMAN	SUMAN
	2 Basic Local Area		L	UEP9D	UEPYM	14 00	70 00 :	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14 00										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3				T		180 00	110 00	85 00	20 00	:	11 90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14 00	180 00	110 00	85 00	20 00		11 90				
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	UEP9D	UEPY7	14 00	180 00	110 00	85 00	20 00		11 90				
	Term  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	14 00	180 00	110 00	85 00	20 00		11 90				
	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	14 00	70 00	35 00	35 00	10 00		11 90				
F1 9 /	Local Area			UEP9D	UEPY2	14 00	70 00	35 00	35 00	10 00		11 90				
FLAC	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	14 00	70 00	35 00	35 00	10 00		1 90	-			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	14 00	70 00	35 00	35 00	10 00		1 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14 00	70 00	35 00	35 00	10 00		1 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	14 00	70 00	35 00	35 00	10 00		1190				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	ÜEPH3	14 00	70 00	35 00	35 00	10 00		11 90				
i	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14 00	70 00	35 00	35 00	10 00	,	11 90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	14 00	70 00	35 00	35 00	10 00	1	11 90	İ		i	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					- "										
	2			UEP9D	UEPHM	14 00	180 00	110 00	85 00	20 00	1	11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14 00	180 00	110 00	85 00	20 00		1 <b>1</b> 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14 00	180 00	110 00	85 00	20 00		11 90				

Version 4Q02 12/18/02 Page 86 of 416 223 of 920

MODINAL NETA	WORK ELEMENTS - Florida			I							0.01			ment 2	<del></del>	bit: B
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order ve Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							Fırst	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-Wire \	/orce Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14 00	180 00	110 00	85 00	20 00		11 90				
	Voice Grade Port, Diff Serving Wire Center - 800 Service				32		100 00	110 00		20 00		1130				
Term				UEP9D	UEPHZ	14 00	180 00	<b>1</b> 10 00	85 00	20 00		11 90		L.		1
2 10/100 1	loice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14 00	70 00	25.00								
	/orce Grade Port Terminated in 611 Megalink of equivalent			UEP9D	UEPH2	14 00	70 00	35 00 35 00	35 00 35 00	10 00		11 90 11 90			<del> </del>	-
Local Switchin		_		00.00	1021112	14 00	70 00	33 00	35 00	10 00		1190			<del></del>	
	Intercom Funtionality, per port			UEP9D	URECS	0 7384			1720						t	
Local Number																
Features	umber Portability (1 per port)			UEP9D	LNPCC	0 35										
	dard Features Offered, per port			UEP9D	UEPVF	0 00			<u> </u>						-	-
	ct Features Offered, per port		<del>                                     </del>	UEP9D	UEPVS	0 00	370 70					11 90			<del> </del>	
All Cent	rex Control Features Offered, per port			UEP9D	UEPVC	0.00	3,0,0					11.50			<del> </del>	
NARS																
	lled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00				11 90				
	lled Network Access Register - Inward			UEP9D	UAR1X	0.00	0 00	0 00				11 90				
Miscellaneous	fled Network Access Register - Outdial			UEP90	UAROX	0 00	0 00	0 00				11 90				1
2-Wire Trunk S			-							<u> </u>					<del></del>	-
	ide Terminations, each			UEP9D	CEND6	8 81									<del> </del>	
4-Wire Digital (	1 544 Megabits)			02.00	- OLINDO	001										-
DS1 Cir	cuit Terminations, each		-	UEP9D	M1HD1	54 95									t	
	annels Activiated per Channel			UEP9D	M1HDO	0 00	15 69					11 90				
	nnel Mileage - 2-Wire															
	ce Channel Facilities Termination			UEP9D UEP9D	MIGBC	25 32 0 0091										
	ce Channel mileage, per mile or fraction of mile nons (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	MIGBM	0 0091										
	nk Feature Activations	6			+											
	Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 66	-									
	Activation on D-4 Channel Bank FX line Side Loop Slot			UEP90	1PQW6	0 66										ł
	Activation on D-4 Channel Bank FX Trunk Side Loop		ļ													
Slot	Advantage of B 4 Changel Book Control I are Class			UEP9D	1PQW7	0 66										
	Activation on D-4 Channel Bank Centrex Loop Slot - t Wire Center		1	UEP9D	1PQWP	0 66	1		ĺ							
Dineren	t vviie Center		<del> </del>	DEFSD	IPQWP	0 66										-
Feature	Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0 66	1		1							
Feature	Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1											<del></del>
Slot			<u></u>	UEP9D	1PQWQ	0 66										1
	Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										
	Charges (NRC) Associated with UNE-P Centrex		<u> </u>		1											
	enversion Currently Combined Switch-As-Is with allowed so per port			UEP9D	USAC2	}	21 50	0.40				.4.00				
	ion of existing Centrex Common Block, each		├	UEP9D	USACN		21 50 5 17	8 42 8 32	<u> </u>			11 90 11 90		-		
	ntrex Standard Common Block			UEP9D	M1ACS	0 00	618 82	0.32				11 90				
New Ce	ntrex Customized Common Block		T -	UEP9D	M1ACC	0 00	618 82		· · · · · · · · · · · · · · · · · · ·		<b></b>	11 90			<del> </del>	<del> </del>
	lablishment Charge, Per Occasion			UEP9D	URECA	0 00	66 48					11 90			1	
UNE-P CENTRE	X - EWSD (Valid in AL, FL, KY, LA, MS & TN)		L				_									
INE badil ac-	p/2-Wire Voice Grade Port (Centrex) Combo		ļ													
2-Wire \	Combination Rates (Non-Design) /G Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>		<del>                                     </del>										ļ	
Non-Des			1	UEP9E		26 94										
2-Wire \	/G Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 0L		20 84	+	<del></del> -							<del> </del>	-
Non-Des	sign		2	UEP9E		31 06										
2-Wire \	/G Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1 1	İ			··-							<del> </del>
Non-Des			3	UEP9E		45 87										
JUNE Port/Loop	Combination Rates (Design)															

UNBUNDLED NE	TWORK ELEMENTS - Florida													ment. 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add't	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir Desig	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - in		1	UEP9Ē		29 36										
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											}				
Desig			2	UEP9E		34 43										
2-Win Desig	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		50 68	1									
UNE Loop Ra			-	GEF 8L		30 00										
	e Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12 94										
2-Win	e Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17 06			<del>-</del> -							
2-Wir	e Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31 87										
	e Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15 36										
	e Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	20 43										
	e Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	36 68		•	†							
UNE Port Rat					1											
	A, MS, & TN only		1													
	e Voice Grade Port (Centrex ) Basic Local Area		1	UEP9E	UEPYA	14 00	70 00	35 00	35 00	10 00	-	1190				
2-Wir	e Voice Grade Port (Centrex 800 termination)Basic Local															
Area	e Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP9E	UEPYB	14 00	70 00	35 00	35 00	10 00		11 90				
Area	, , , , , , , , , , , , , , , , , , ,			UEP9E	UEPYH	14 00	70 00	35 00	35 00	10 00		11 90				
	e Voice Grade Port (Centrex from diff Serving Wire er)2 Basic Local Area			UEP9E	UEPYM	14 00	180 00	110 00	85 00	20 00		11 90				
2-Wir	e Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYZ	14 00	180 00	110 00	85 00	20 00		11 90				
	- Basic Local Area e Voice Grade Port terminated in on Megalink or equivalent			DEPSE	UEPYZ	14 00	180 00	110 00	85 00	20 00		11 90				
- Basi	c Local Area			UEP9E	UEPY9	14 00	70 00	35 00	35 00	10 00		11 90				
	e Voice Grade Port Terminated on 800 Service Term - Local Area			UEP9E	UEPY2	14 00	70 00	35 00	35 00	10 00		11 90				
Florida Only																
	e Voice Grade Port (Centrex )			UEP9E	UEPHA	14 00	70 00	35 00	35 00	10 00		11 90			-	
2-Wire	e Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	14 00	70 00	35 00	35 00	10 00		1 90				
2-Wire	e Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	14 00	70 00	35 00	35 00	10 00		11 90				
2-Wire	e Voice Grade Port (Centrex from diff Serving Wire				1			00 00				- 50		· · · · · · · · · · · · · · · · · · ·		
Cente 2-Wire	er)2 2 Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPHM	14 00	180 00	110 00	85 00	20 00		1 1 90				
Term	Toda ordan sit, om oci wig viilo oci ici otto oci ice			UEP9E	UEPHZ	14 00	180 00	110 00	85 00	20 00		11 90				
2-Wire	e Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	14 00	70 00	35 00	35 00	10 00		11 90		ì	i	
2-Wire	e Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	14 00	70 00	35 00	35 00	10 00		11 90				
Local Switch				OLFSE	UEFH2	14 00	70 00	35 00	35 00	10 00		1190				
	ex Intercom Funtionality, per port			UEP9E	URECS	0 7384										
Local Numbe				OLI 3L	UNECO	0 7304										
	Number Portability (1 per port)			UEP9E	LNPCC	0 35				-						
Features	Transport Citability (1 por port)			OLI JL	EINI OC	0.33										
	andard Features Offered, per port	_		UEP9E	UEPVF	0.00										
	lect Features Offered, per port		-	UEP9E	UEPVS	0 00	370 70					11 90				-
	ntrex Control Features Offered, per port			UEP9E	UEPVC	0 00	3/0/0					1190				
NARS				OLI BL	JOEF VO	0.00		-	-		<b></b>					
	ndled Network Access Register - Combination			UEP9E	UARCX	0.00	0 00	0.00				11 90				
	ndled Network Access Register - Indial			UEP9E	UAR1X	0 00	0 00	0 00	-			1190				
	ndled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0 00				1190				
	s Terminations				10,2,07	0 00	000	0.00	-			1130				
2-Wire Trunk			-		+ +										-	
	Side Terminations, each			UÉP9E	CEND6	8 81			-							
	(1 544 Megabits)			OC1 0L	061400	0 01		_								
	Circuit Terminations, each			UEP9E	M1HD1	54 95			-					<del></del>		
	Channel Activated Per Channel		-	UEP9E	M1HDO	0 00	15 69	_				11 90				
	iannel Mileage - 2-Wire			U-1 0-	- INTO	0 00	19 69				<b></b>	11 90				
	ffice Channel Facilities Termination		-	UÉP9E	MIGBC	25 32					ļ — l					

NEUNDL	ED NETWORK ELEMENTS - Florida													nent. 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Dee	Nonrec	urring	Nonrecurrir	g Disconnect			oss	Rates (\$)		Ь
						Rec	First	Add'l	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0 0091					1					
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e:														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66										<del> </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 66	Ī				-					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1POW7	0 66			T 44 A							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		_	UEP9E	1PQWP	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0 66		_		1						
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex									-						
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP9E	USAC2		21 50	8 42				11 90				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5 17	8 32		-		11 90				<del></del>
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618 82	0.02		<del>                                     </del>	<del> </del>	1 90				<del> </del>
	New Centrex Customized Common Block			UÉP9E	MIACC	0 00	618 82				<del></del>	1 90			<del></del>	<del>                                     </del>
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	66 48	<del>-</del>			<del>                                     </del>	11 90		-		<del></del>
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1			2 30				+	<del> </del>					+
	2 - Requires Interoffice Channel Mileage					-+				1	<del> </del>					-
	3 - Requires Specific Customer Premises Equipment	1			· · · · · · · · · · · · · · · · ·					1	<del> </del>					-

UNBUNDLE	D NETWORK ELEMENTS - Georgia											·	Attachr	ment: 2	Exhi	bit: B
		Interi								.,		Submitted	Incremental	Incremental Charge -		Incrementa Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	perLSR	Order vs Electronic- 1st	Order vs Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
	-					_	Nonre	curring	Nonrecurrin	g Disconnect	-	<u> </u>	OSS	Rates (\$)		
						Rec	First	Add'I	First		SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographically	Deaveraged U	NE Zones To	view Geograp								1-
	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion h	m												
	L SUPPORT SYSTEMS	ļ	<u> </u>		<u> </u>	L	l.,		L	l		<u> </u>				
NO (E;	(1) Electronic Service Order CLEC should contact its contract is the BellSouth regional electronic service ordering charge.	CLEC	navor i	it prefers the state	specific elect	ronic service c	ordering charg	es as ordered i	by the State Co	ommissions, I	ne electron	ic service of	dering charg	e currently co	ntained in th	ıs rate
	(2) Any element that can be ordered electronically will be billed															
	elements that cannot be ordered electronically at present per t															
	ng charge, SOMAN, will be applied to a CLECs bill when it sub				ie iii tiiis cate;	gory reflects th	ie charge trat	would be billed	I TO A CLEC OF	ice electronic c	ridering cap	Jabilities Co	rite on-line to	r mat element	Otherwise,	the manua
	Electronic OSS Charge, per LSR, submitted via BST's OSS		1	Denocum	T	l		T	Γ-	1						
	interactive interfaces (Regional)				SOMEC		3 50	1		1						
	DATE ADVANCEMENT CHARGE															
NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	tn's F0		ion 5 as appli	cable										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			ALL UNE EXCEPT	00.00			1								
INDUNDUED E	Day  EXCHANGE ACCESS LOOP			UNE-P	SDASP		200 00			<u> </u>		<u>-</u>				ļ
	ANALOG VOICE GRADE LOOP		-		+				<del> </del>	<del> </del>		-				<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14 21	42 54	31 33					18 94	8 42		-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16 41	42 54	31 33					18 94	8 42		<del>                                     </del>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26 08	42 54	31 33					18 94	8 42		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		i													
	Premise			UEANL	URETL		8 33	0 83					18 94	8 42		
	Loop Testing - Basic 1st Half Hour		L	UEANL	URET1		78 92	78 92					18 94	8 42		
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch		<u> </u>	UEANL	URETA		23 33	23 33					18 94	8 42		ļ
	(UVL-SL1)		}	UEANL	UREWO		15 75	8 92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			OCANE	OREVIO		13 73	0 92								-
	providing make-up (Engineering Information - ET)			UEANL	UEANM		14 47	14 47								
	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		16 11	16 11		-						
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		35 74	35 74		L						
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED		-		VIEDOV.	44.00	41.00									<u> </u>
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1 2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ UEQ	UEQ2X UEQ2X	11 02 12 72	44 69 44 69	22 40 22 40			-		18 94 18 94	8 42 8 42		<del> </del>
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20 22	44 69	22 40		-	-		18 94	8 42		<del></del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>	DEG.	OLGZX	20/22	44 03	22 40					10 54	0 42		<del>                                     </del>
	Premise			UEQ	URETL		8 33	0.83			ļ	i l	18 94	8 42		
	Order Coordination 2 Wire Unbundled Copper Loop - Non-								1							
	Designed (per loop)			UEQ	USBMC		16 11	16 11					18 94	8 42		
İ	Unbundled Copper Loop, Non-Design Copper Loop, billing for			1	1											
	BST providing make-up (Engineering Information - E I )  Loop Testing - Basic 1st Half Hour			UEQ	UEQMU		28 72	28 72					18 94	8 42		
	Loop Testing - Basic 1st Hair Hour  Loop Testing - Basic Additional Half Hour			UEQ UEQ	URET1 URETA		78 92 23 33	78 92 23 33					18 94 18 94	8 42 8 42		<del></del>
<del></del>	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	OEG.	UREIA		23 33			+			18 94	8 42		
	(UCL-ND)		1	UEQ	UREWO		14 25	7 42				!	18 94	8 42		
JNBUNDLED E	EXCHANGE ACCESS LOOP													0,12		
	ANALOG VOICE GRADE LOOP										· · · · · · · · · · · · · · · · · · ·					
	oop Rates for Line Splitting (In Ga PSC ordered the line split	ting lo														
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1		UEPSR, UEPSB	UEALS,	12 59	22 14	15 25					18 94	8 42		
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPSR, UEPSB UEPSR, UEPSB	UEABS	12 59	22 14	15 25		<b></b>			18 94	8 42		<del> </del>
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	+		UEPSR, UEPSB	UEALS, UEABS	14 26 14 26	22 14 22 14	15 25 15 25	<del> </del>	<del>                                     </del>	-		18 94 18 94	8 42 8 42		
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	+		UEPSR, UEPSB	UEALS	21 62	22 14	15 25	<del> </del>	<del> </del>	1	<del>                                     </del>	18 94	8 42		+
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	÷		UEPSR, UEPSB	UEABS	21 62	22 14	15 25		<u> </u>	<u> </u>	<del>                                     </del>	18 94	8 42		<del>                                     </del>
INBUNDLED E	EXCHANGE ACCESS LOOP				T			1	İ		1		1,7,7,1			
2-WIRE	ANALOG VOICE GRADE LOOP						· · · · · · · ·									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 84	104 17	78 10		1		L	18 94	8 42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															

Version 4Q02 12/18/02 Page 90 of 416

ONBONDLE	D NETWORK ELEMENTS - Georgia			1	.,									ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
			<b>.</b>			Rec		curring	Nonrecurring		L			Rates (\$)		
			ļ				First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1		1										ŀ	1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 92	104 17	78 10					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)	-	<del>                                     </del>	UEA	OCOSL		35 74									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	LIEA	LIEADO	40.04	404.47	70.40								1
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	<u> </u>	UEA	UEAR2	16 84	104 17	78 10	1				18 94	8 42	·	<del></del>
	Battery Signaling - Zone 2		2	UEA	UEAR2	19 45	104 17	70.10					40.04	2.40		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del></del> -		UEA	UEAR2	19 45	104 17	78 10					18 94	8 42		<b>├</b>
	Battery Signaling - Zone 3	[	3	UEA	UEAR2	30 92	104 17	78 10					18 94	8 42		ĺ
	Order Coordination for Specified Conversion Time (per LSR)		1 3	UEA	OCOSL	30 92	35 74	70 10	<del> </del>				18 94	8 42		<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch	<del></del> -	ļ	UEA	UREWO	-	87 72	36 36	<del> </del>				18 94	5.00		<del></del>
	Loop Tagging - Service Level 2 (SL2)	<del></del>	<del>                                     </del>	UEA	URETL		10 45	1 03						8 42	-	<del></del>
A-M/IDI	E ANALOG VOICE GRADE LOOP	<del></del>	-	UEA	-IOKEIL		10 45	1 03	1				18 94	8 42	ļ	
4-11110	4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	22 26	206 95	170 57	ļ,							·
	4-Wire Analog Voice Grade Loop - Zone 1		2	UEA	UEAL4	25 70	206 95	170 57					18 94	8 42		<del> </del>
	4-Wire Analog Voice Grade Loop - Zone 3	_	3	UEA	UEAL4	40 86	206 95	170 57					18 94	8 42		<del> </del>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL.	40 86	35 74	170 57					18 94	8 42		<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch															<b>I</b>
2 WIDI	E ISDN DIGITAL GRADE LOOP			UEA	UREWO		87 72	36 36					18 94	8 42		<b>!</b>
Z-VVIIKI	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	04.00		100.05								<u> </u>
						21 89	233 38	180 35					18 94	8 42		1
-	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25 27	233 38	180 35					18 94	8 42		<b></b>
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40 17	233 38	180 35					18 94	8 42		1
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35 74									1
2 14/170	CLEC to CLEC Conversion Charge without outside dispatch		-	UDN	UREWO		120 98	33 04					18 94	8 42		1
Z-VVIRI	Universal Digital Channel (UDC) COMPATIBLE LOOP		1		1 1											L
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	١.	1.		l i											I
	12 W H		1	UDC	UDC2X	21 89	44 69	31 55	25 65	7 06			18 94	8 42		L
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	١			J											l .
	2	1	2	UDC	UDC2X	25 27	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				1	]										1
	3	1	3	UDC	NDC5X	40 17	44 69	31 55	25 65	7 06			18 94	8 42		1.
	CLEC to CLEC Conversion Charge without outside dispatch	-	<u> </u>	UDC	UREWO		44 69	31 55			l i		18 94	8 42		
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF													
	2 Wire Unbundled ADSL Loop including manual service inquiry					i										1
	& facility reservation - Zone 1	1	1	UAL	UAL2X	11 23	44 69	31 55	25 65	7 06			18 94	8 42		í.
	2 Wire Unbundled ADSL Loop including manual service inquiry		1			1										1
	& facility reservation - Zone 2	I	2	UAL	UAL2X	12 97	44 69	31 55	25 65	7 06			18 94	8 42		í.
	2 Wire Unbundled ADSL Loop including manual service inquiry		1													1
	& facility reservation - Zone 3		3	UAL	UAL2X	20 62	44 69	31 55	25 65	7 06			18 94	8 42		í.
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL		35 74									
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1									-		1
	facility reservation - Zone 1		1	UAL	UAL2W	11 23	44 69	31 55	25 65	7 06			18 94	8 42		í.
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservator - Zone 2		2	UAL	UAL2W	12 97	44 69	31 55	25 65	7 06			18 94	8 42		í.
	2 Wire Unbundled ADSL Loop without manual service inquiry &		l													
	facility reservator - Zone 3		3	UAL	UAL2W	20 62	44 69	31 55	25 65	7 06			18 94	8 42		í.
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		44 69	29 29					18 94	8 42		
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
4	2 Wire Unbundled HDSL Loop including manual service inquiry															
1	& facility reservation - Zone 1		1	UHL	UHL2X	7 88	44 69	31 55	25 65	7 06	l i		18 94	8 42		1
i	2 Wire Unbundled HDSL Loop including manual service inquiry		l													
	& facility reservation - Zone 2	I	2	UHL	UHL2X	9 09	44 69	31 55	25 65	7 06			18 94	8 42		1
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UHL	UHL2X	14 46	44 69	31 55	25 65	7 06			18 94	8 42		ı
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74							, <u>.</u>		
	2 Wire Unbundled HDSL Loop without manual service inquiry			· · · · ·					<del> </del>							
	and facility reservation - Zone 1	1	1	UHL	UHL2W	7 88	44 69	31 55	25 65	7 06			18 94	8 42		I

UNBUNDLE	D NETWORK ELEMENTS - Georgia	_											Attachi	ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc ⊖rder Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop without manual service inquiry	-			+		Tirat	Auu	11131	Addi	BOILE	JOINAN	SOWAN	SOMAN	JONIAN	JOHIAN
	and facility reservation - Zone 2	+	2	UHL	UHL2W	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL UHL	UHL2W OCOSL	14 46	44 69 35 74	31 55	25 65	7 06	-		18 94	8 42		
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		44 69	31 55					18 94	8 42		
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		Ţ													
	and facility reservation - Zone 1		1	UHL	UHL4X	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12 00	44 69	31 55	25 65	7 06			18 94	8 42		
-	4-Wire Unbundled HDSL Loop including manual service inquiry	<del>-</del> -	-	OTIL	OT IL 47X	12 00	03	07.00	2000	7 00			10.54		<del></del>	
	and facility reservation - Zone 3	1	3	UHL	UHL4X	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	4-Wire Unbundled HDSL Loop without manual service inquiry	}														
	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	and facility reservation - Zone 2	1 ,	2	UHL	UHL4W	12 00	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop without manual service inquiry	'		OTIL	OI IE WY	12 00	44 05	0100	2000	. 00			10 34	0 12	-	
	and facility reservation - Zone 3	ŧ	3	UHL	UHL4W	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	ocost		35 74									
	CLEC to CLEC Conversion Charge without outside dispatch	j		UHL	UREWO		44 69	31 55					18 94	8 42		
4-WIRE	DS1 DIGITAL LOOP	-	ļ.,		LIOLYY	55 53	429 98	268 18			<u> </u>		18 94	8 42		
<del></del>	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	64 13	429 98	268 18			ļ		18 94	8 42		
_	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	101 93	429 98	268 18			<del>                                     </del>		18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	USL	OCOSL	10.100	35 74				<del>                                     </del>					
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWÖ		100 91	42 97					18 94	8 42		
4-WIRE	19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	25 75	348 55	241 20					18 94	8 42		
_	4 Wire Unbundled Digital 19 2 Kbps 4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19 UDL19	29 74 47 27	348 55 348 55	241 20 241 20					18 94 18 94	8 42 8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25 75	348 55	241 20					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	29 74	348 55	241 20					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	l		UDL	UDL56	47 27	348 55	241 20					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)		1	UDL	OCOSL		35 74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<u> </u>		UDL	UDL64	25 75	348 55	241 20	L				18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL UDL	UDL64 UDL64	29 74 47 27	348 55	241 20	- 1				18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	41 21	348 55 35 74	241 20					18 94	8 42		
	CLEC to CLEC Conversion Charge without outside dispatc h		_	UDL	UREWO		101 95	49 66					18 94	8 42		
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1 1	UCL	UCLPB	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Unbundled Copper Loop/Short including manual service	1 .	1		LIGI DD	40.00	44.00	04.55	05.05	7.00			40.04	0.40	i	
	inquiry & facility reservation - Zone 2  2 Wire Unbundled Copper Loop/Short including manual service	- 1	2	UCL	UCLPB	13 88	44 69	31 55	25 65	7 06			18 94	8 42		i
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22 07	44 69	31 55	25 65	7 06			18 94	8 42	1	
	Order Coordination for Unbundled Copper Loops (per loop)	<del>' ' '</del>	<u> </u>	UCL	UCLMC	22.07	16 11	16 11	20 00	, 30	<u> </u>			1 72	<u> </u>	<b>———</b>
	2-Wire Unbundled Copper Loop/Short without manual service										1					
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	12 02	44 69	31 55	25 65	7 06			18 94	8 42		ļ
1	2-Wire Unbundled Copper Loop/Short without manual service	l	_		1								40.00		1	
	inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop/Short without manual service		2	UCL	UCLPW	13 88	44 69	31 55	25 65	7 06	-	ļ	18 94	8 42	<del> </del>	<del> </del>
1	Inquiry and facility reservation - Zone 3	l .	3	UCL	UCLPW	22 07	44 69	31 55	25 65	7 06			18 94	8 42	1	
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	22.01	16 11	16 11	20 00	, 50			10.04	1 342	<u> </u>	
	2-Wire Unbundled Copper Loop/Long - includes manual srvc	· · · · ·			<del>   </del>							·				
i	inquiry and facility reservation - Zone 1	L	1	UCL	UCL2L	35 56	44 69	31 55	25 65	7 06			18 94	8 42		

Version 4Q02 12/18/02

inquii 2-Wir inquii Ordei 2-Wir inquii 2-Wir inquii Ordei CLEC (UCL: 4-WIRE COP 4-Wir and f	RATE ELEMENTS  Ire Unbundled Copper Loop/Long - includes manual svc iny and facility reservation - Zone 2 Ire Unbundled Copper Loop/Long - includes manual svc iny and facility reservation - Zone 3 Ire Coordination for Unbundled Copper Loops (per loop) Ire Unbundled Copper Loop/Long - without manual service iny and facility reservation - Zone 1 Ire Unbundled Copper Loop/Long - without manual service iny and facility reservation - Zone 2 Ire Unbundled Copper Loop/Long - without manual service iny and facility reservation - Zone 3 Ire Coordination for Unbundled Copper Loops (per loop) C to CLEC Conversion Charge without outside dispatch L-Des)  PPER LOOP Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2 Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	Interi m	2 3 1 2 3	BCS  UCL  UCL  UCL  UCL  UCL  UCL	UCL2L UCL2L UCLMC UCL2W UCL2W	Rec - 41 07 65 28	Nonrec First 44 69 44 69	Add'l 31 55	Nonrecurring First 25 65	Disconnect Add'l 7 06	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN 18 94	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'I
inquii 2-Wir inquii Ordei 2-Wir inquii 2-Wir inquii 2-Wir inquii Ordei CLEC (UCL 4-WIRE COP) 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f	iny and facility reservation - Zone 2  re Unbundled Copper Loop/Long - includes manual svc iry and facility reservation - Zone 3  er Coordination for Unbundled Copper Loops (per loop)  re Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 1  ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 2  ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 3  er Coordination for Unbundled Copper Loops (per loop)  of to CLEC Conversion Charge without outside dispatch L-Des)  PPER LOOP  ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1  ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1	1 2	ncr ncr	UCL2L UCLMC UCL2W	41 07	First 44 69 44 69	Add'l 31 55	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
inquii 2-Wir inquii Ordei 2-Wir inquii 2-Wir inquii 2-Wir inquii Ordei CLEC (UCL 4-WIRE COP) 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f	iny and facility reservation - Zone 2  re Unbundled Copper Loop/Long - includes manual svc iry and facility reservation - Zone 3  er Coordination for Unbundled Copper Loops (per loop)  re Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 1  ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 2  ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 3  er Coordination for Unbundled Copper Loops (per loop)  of to CLEC Conversion Charge without outside dispatch L-Des)  PPER LOOP  ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1  ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1	1 2	ncr ncr	UCL2L UCLMC UCL2W		44 69		25 65	7 06			18 94	8 42		
2-Wir inquir inq	ire Unbundled Copper Loop/Long - includes manual svc iry and facility reservation - Zone 3 ire Coordination for Unbundled Copper Loops (per loop) ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 1 ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 2 ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 3 ire Unbundled Copper Loop/Long - without manual service iry and facility reservation - Zone 3 ire Coordination for Unbundled Copper Loops (per loop) C to CLEC Conversion Charge without outside dispatch L-Des) PPER LOOP ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1	1 2	ncr ncr	UCL2L UCLMC UCL2W		44 69		25 65	7 00			10 94	0 42		
Ordel 2-Wir Inqui 2-Wir Inqui 2-Wir Inqui Ordel CLEC (UCL 4-WIRE COP) 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f	er Coordination for Unbundled Copper Loops (per loop) re Unbundled Copper Loop/Long - without manual service rry and facility reservation - Zone 1 ire Unbundled Copper Loop/Long - without manual service rry and facility reservation - Zone 2 re Unbundled Copper Loop/Long - without manual service rry and facility reservation - Zone 3 ar Coordination for Unbundled Copper Loops (per loop) C to CLEC Conversion Charge without outside dispatch L-Des) PPER LOOP re Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 re Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1	1 2	UCL UCL	UCL2W	65 28			1							
2-Wir Inquis 2-Wir Inquis 2-Wir Inquis 2-Wir Inquis 2-Wir Inquis Orde CLEC (UCL 4-WIRE COP) 4-Wir and f. 4-Wir and f. 4-Wir and f. Orde I-Wir Inquis 1-Wir Inquis	ire Unbundled Copper Loop/Long - without manual service in and facility reservation - Zone 1 in the Unbundled Copper Loop/Long - without manual service way and facility reservation - Zone 2 in thoundled Copper Loop/Long - without manual service way and facility reservation - Zone 3 in and facility reservation - Zone 3 in Coordination for Unbundled Copper Loops (per loop). C to CLEC Conversion Charge without outside dispatch L-Des)  **PPER LOOP**  The Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 in the Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	11	2	UCL	UCL2W			31 55	25 65	7 06			18 94	8 42		
inqui 2-Wir inqui 2-Wir inqui Ordel CLEC (UCL 4-WIRE COP 4-Wir and f 4-Wir and f 4-Wir and f	iry and facility reservation - Zone 1  re Unbundled Copper Loop/Long - without manual service  iry and facility reservation - Zone 2  re Unbundled Copper Loop/Long - without manual service  iry and facility reservation - Zone 3  re Coordination for Unbundled Copper Loops (per loop)  C to CLEC Conversion Charge without outside dispatch  L-Des)  PPER LOOP  re Copper Loop/Short - including manual service inquiry  facility reservation - Zone 1  re Copper Loop/Short - including manual service inquiry  facility reservation - Zone 2	11	2	UCL			16 11	16 11			l					L
2-Wir Inqui 2-Wir Inqui 2-Wir Inqui 2-Wir Inqui Ordel CLEC (UCL 4-WIRE COP) 4-Wir and f. 4-Wir and f. 4-Wir and f. 10-del 1-Wir 1-Wi	ire Unbundled Copper Loop/Long - without manual service ity and facility reservation - Zone 2 its Unbundled Copper Loop/Long - without manual service ity and facility reservation - Zone 3 it Coordination for Unbundled Copper Loops (per loop) C to CLEC Conversion Charge without outside dispatch L-Des)  PPER LOOP  Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 its Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1		UCL		35 56	44 69	31 55	25 65	7 06			18 94	8 42		
Inquis 2-Wir Inqui Orde CLEC (UCL 4-WIRE COP) 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f	iny and facility reservation - Zone 2  re Unbundled Copper Loop/Long - without manual service iny and facility reservation - Zone 3  er Coordination for Unbundled Copper Loops (per loop) C to CLEC Conversion Charge without outside dispatch L-Des)  PPER LOOP  Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1  re Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1			HCL 3W/											
Inquii Ordei CLEC (UCL 4-WIRE COP) 4-Wir and f 4-Wir and f 4-Wir and f. Ordei	iry and facility reservation - Zone 3  ar Coordination for Unbundled Copper Loops (per loop)  C to CLEC Conversion Charge without outside dispatch L-Des)  PPER LOOP  are Copper Loop/Short - including manual service inquiry facility reservation - Zone 1  are Copper Loop/Short - including manual service inquiry facility reservation - Zone 2		3	UCL	UCLZVV	41 07	44 69	31 55	25 65	7 06		_	18 94	8 42		
Order CLEC (UCL: 4-WIRE COP A-Wir and f. 4-Wir and f. 4-Wir and f. 6-Wir and f. 4-Wir and f. 4-Wir and f. 4-Wir and f. 4-Wir and f. 4-Wir and f. 4-Wir and f.	er Coordination for Unbundled Copper Loops (per loop) C to CLEC Conversion Charge without outside dispatch L-Des) PPER LOOP Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2		-		UCL2W	65 28	44 69	31 55	25 65	7 06	1		18 94	8 42		
CLEC (UCL 4-WIRE COP) and f. 4-Wir and f. 4-Wir and f. Order	C to CLEC Conversion Charge without outside dispatch L-Des) PPER LOOP Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1	+	UCL	UCLMC	00 20	16 11	16 11	23 03	7 00			10 54	042		<del> </del>
4-WIRE COP 4-WIRE COP 4-WIR and f 4-Wir and f 4-Wir and f 6-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f 4-Wir and f	L-Des) PPER LOOP  Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1  Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	1		1002	COLINIC		10 11	10 11								<del></del>
4-WIRE COP  4-Wir and f  4-Wir and f  4-Wir and f  6-Wir	PPER LOOP  Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1  Ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2			UCL	UREWO	1	44 69	31 55					18 94	8 42		[
4-Wir and f 4-Wir and f 4-Wir and f Orde 4-Wir	ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 1 ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2		<del> </del>	† <del></del>	22.10		4-1-00	0,00	<del>                                     </del>				10 34	0 42		
and f. 4-Wir and f. 4-Wir and f. Order	facility reservation - Zone 1 ire Copper Loop/Short - including manual service inquiry facility reservation - Zone 2		<b> </b>		+	+			<del> </del>							
4-Wir and fi 4-Wir and fi Order 4-Wir	re Copper Loop/Short - including manual service inquiry facility reservation - Zone 2	£	1	UCL	UCL4S	12 02	44 69	31 55	25 65	7 06			18 94	8 42		[
and fi 4-Wir and fi Order 4-Wir	facility reservation - Zone 2		† ·		1			2.00	20.50	. 00				5 72		
and f. Order 4-Wir	ire Conner Loog/Short - including manual service inquity	ſ	2	UCL	UCL4S	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
Örder 4-Wir					1						l i					[
4-Wir	facility reservation - Zone 3		3	UCL	UCL4S	22 07	44 69	31 55	25 65	7 06			18 94	8 42		L
	er Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		16 11	16 11								
	re Copper Loop/Short - without manual service inquiry and			l					1							
	ity reservation - Zone 1		1	UCL	UCL4W	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
	ire Copper Loop/Short - without manual service inquiry and illy reservation - Zone 2		2	UCL	1,401,414	40.00	44.00	04.55			!					l
	ire Copper Loop/Short - without manual service inquiry and	- 1	1 2	UCL	UCL4W	13 88	44 69	31_55	25 65	7 06			18 94	8 42		
	rty reservation - Zone 3		3	UCL	UCL4W	22 07	44 69	31 55	25 65	7 06			18 94	8 42		l
	er Coordination for Unbundled Copper Loops (per loop)	1	-	UCL	UCLMC	22 07	16 11	16 11	25 65	7.00			18 94	8 42		
	re Unbundled Copper Loop/Long - includes manual svc			UCL	OCEIVIC		10 11	10 11	<del></del>							
	iry and facility reservation - Zone 1		1 1	UCL	UCL4L	35 56	44 69	31 55	25 65	7 06	Ī		18 94	8 42		l
	ire Unbundled Copper Loop/Long - includes manual svc		<u> </u>	002		00 00	44 08	3130	20 00	7 00			10 34	042		
	iry and facility reservation - Zone 2	1	2	UCL	UCL4L	41 07	44 69	31 55	25 65	7 06			18 94	8 42		l
4-Wir	ire Unbundled Copper Loop/Long - includes manual svc		<u> </u>		+=====				25 55				10.04			<del>                                     </del>
	iry and facility reservation - Zone 3	- 1	3	UCL	UCL4L	65 28	44 69	31 55	25 65	7 06			18 94	8 42		i
Orde	er Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
4-Wir	re Unbundled Copper Loop/Long - without manual svc		1 -													
inquir	iry and facility reservation - Zone 1	- 1	1	UCL	UCL40	35 56	44 69	31 55	25 65	7 06			18 94	8 42		l
	rre Unbundled Copper Loop/Long - without manual svc															
	ry and facility reservation - Zone 2		2	UCL	UCL4O	41 07	44 69	31 55	25 65	7 06			18 94	8 42		ł
	re Unbundled Copper Loop/Long - without manual svc															
	iry and facility reservation - Zone 3		3	UCL	UCL4O	65 28	44 69	31 55	25 65	7 06			18 94	8 42		l
Order	er Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		16 11	16 11								
CLEC	C to CLEC conversion Charge without outside dispatch			UCL	UREWO		44 69	31 55					18 94	8 42		
LOOP MODIFICATIO	UN		<b>!</b> —		1											
				UAL, UHL, UCL,	1 [											l
Unbu	undlad Lass Madification Description of Land Calls (O. 1).			UEQ, ULS, UEA,	1 !											1
Part	undled Loop Modification, Removal of Load Coils - 2 Wire less than or equal to 18k ft			UEANL, UEPSR,	ULM2L		0.00									l
	undled Loop Modification, Removal of Load Coils - 2 wire			UEPSB	ULM2L		0 00	0 00					18 94	8 42		
	ter than 18k ft	- 1		UCL, ULS, UEQ	ULM2G		0 00	0 00					18 94	8 42	İ	1
	undled Loop Modification Removal of Load Coils - 4 Wire	'	-	UCL, ULS, ULG	ULIVIZG		- 000	0 00					18 94	8 42		
	than or equal to 18K ft	1		UCL	ULM4L		0 00	0 00					18 94	8 42		
	undled Loop Modification Removal of Load Coils - 4 Wire							• • • • • • • • • • • • • • • • • • • •								
pair g	greater than 18k ft		<u> </u>	UHL, UCL	ULM4G		0 00	0 00					18 94	8 42		
				UAL, UHL, UCL,												i
11-6	undled have Madification Days at 15 Parts at 7 C			UEQ, ULS, UEA,												i
	undled Loop Modification Removal of Bridged Tap Removal, unbundled loop		1	UEANL, UEPSR. UEPSB	ULMBT		0 00	0 00					18 94	8 42		i

JUBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Incremer Charge
			ļ.			Rec	Nonrec		Nonrecurring					Rates (\$)		,
UB-LOOPS		<u> </u>	1	<del> </del>	1		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	.oop Distribution				<del>                                     </del>											
Sub-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		+		-											ļ.,
	Up	١,		UEANL	USBŠA		424.00	404.00			ļ		40.04		ļ	İ
-	ОР	'	+	UEANL	USBSA		421 08	421 08			1		18 94	8 42		
Ī	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB	1	67 10	67 10			i		18 94	8 42		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>	+	OLANE	OGBOD			07 10					10 94	- 642		
	Facility Set-Up		1	UEANL	USBSC		394 74	394 74					18 94	8 42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		+	CEARL	TOOBOO		354 74	334 /4					10 94	0 42		<del> </del>
	Set-Up	1	İ	UEANL	USBSD		154 57	154 57					18 94	8 42		
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		+	OE: WE	100000		10407						10 34	0 42		
1	and Spare Loop Activation			UEANL	USBRC	1 37	2 48	2 48	1 74	1 74			18 94	8 42		
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working		1	† <del></del>	1-35		2 40	2 40	1,74	179				0.42		
	and Spare Loop Activation		1	UEANL	USBRD	2 74	4 96	4 96	1 74	1 74			18 94	8 42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1		†			. 50					10 04	0.72		<del>                                     </del>
	Statewide		sw	UEANL	USBN2	9 12	207 01	171 32					18 94	8 42		1
			i													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															-
	Statewide		sw	UEANL	USBN4	8 32	219 35	72 99	123 72	28 77		ł	18 94	8 42		
1			1													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1 37	2 48	41 59	115 85	19 17			18 94	8 42		
												-				<b></b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22	į							}
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2 96	176 46	55 11	122 17	19 57			18 94	8 42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		34 22	34 22								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- I		UEF	UCS2X	5 54	175 16	55 50	108 86	24 53			18 84	8 42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	5 54	175 16	55 50	108 86	24 53			18 94	8 42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	5 54	175 16	55 50	108 86	24 53			18 94	8 42		
			1				i		ŀ			1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		34 22	34 22								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
	4 Write Copper Oribunated Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	luce	LIGHT		24.52		- 1							
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1	UEF	USBMC		34 22	34 22							[	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X							-		j		
<del></del>	Unbundled Sub-loop Modification - 4-W Copper Dist Load		-	UEF	ULMZX		+									
	Coll/Equip Removal per 4-W PR			UEF	ULM4X	1										
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		1	OLI .	OLIVI4A											
	Tap Removal, per PR unloaded			UEF	ULM4T	ŀ	1		į							
Unbur	idled Network Terminating Wire (UNTW)			OEF .	ULIVI41											
	Unbundled Network Terminating Wire (UNTW) per Pair		h	UENTW	UENPP	1.37	2 48	2 48	1 74	4.74			- 40.04			
Netwo	rk Interface Device (NID)			O-17177	CLINE	1 37	2 40	2 46	1 /4	1 74			18 94	8 42		
	Network Interface Device (NID) - 1-2 lines	- 1	<b>-</b>	UENTW	UND12		86 37	56 69					18 94	8 42		
	Network Interface Device (NID) - 1-6 lines	i		UENTW	UND16		127 93	98 21					18 94	8 42		
	Network Interface Device Cross Connect - 2 W	一	$\vdash$	UENTW	UNDC2		6 15	6 15				-	18 94	8 42		
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6 15	6 15				<del></del>	10 94	0 42		
								0 13								
B-LOOPS	F "				<del>                                     </del>			-								
	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,		1.	1	- 1					I	1	1	
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up				USBFW	<u> </u>	421 08					İ	19.04	9.40		
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up	-		UDN,UCL,UDL,UDC	USBFW		421 08						18 94	8 42		
JB-LOOPS Sub-L	USL-Feeder, DS0 Set-up per Cross Box location - CLEC				USBFW		421 08 67 10	67 10					18 94 18 94	8 42 8 42		-

JNBUN	DLE	NETWORK ELEMENTS - Georgia											•	Attach	ment: 2	Exhi	bit B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Increment Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)	,	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice				1 1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Grade- Statewide		sw	UEA	USBFA	8 58	206 44	170 05					18 94	8 42		
		Order Coordination for Specified Conversion Time, per LSR		300	UEA	OCOSL	- 0 30	35 74	170 03			-		10 94	0 42		<del>                                     </del>
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice				100002		50 7-7							<del></del>		1
		Grade - Statewide		sw	UEA	USBFB	8 58	206 44	170 05		}			18 94	8 42		1
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		35 74									1
		Unbundled Sub-Loop Feeder Loop 2 Wire Reverse Battery,															i
		Voice Grade Loop - Statewide		sw	UEA	USBFC	8 58	206 44	170 05					18 94	8 42		
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35 74									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice					40.51								_		1
		Grade - Statewide Order Coordination For Specified Conversion Time, Per LSR	-	SW	UEA	USBFD OCOSL	19 91	243 41	81 32	134 77	33 93			18 94	8 42		<b></b>
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	<del> </del> -		UEA	OCUSE		35 74							<del></del>	ļ	-
		Grade - Statewide		sw	UEA	USBFE	19 91	243 41	81 32	134 77	33 93			18 94	8 42		
		Order Coordination For Specified Conversion Time, Per LSR		5W	UEA	OCOSL	10 51	35 74	0132	134 77	33 33	-		10 94	0 42		
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -		<del>                                     </del>	7	155552	-	35 74						<del></del>			+
		Statewide		sw	UDN	USBFF	17 73	208 50	62 31	119 68	29 58			18 94	8 42		
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		35 74									1
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17 73	208 50	62 31	119 68	29 58			19 99	19 99	19 99	19 9
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79 30	203 69	128 76	124 09	34 80			19 99	19 99	19 99	19 9
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		35 74									
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -															
		Statewide		SW	UCL	USBFH	7 22	195 38	63 15	119 68	29 58			18 94	8 42		
-		Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide			UCL UCL	OCOSL USBFJ	13 72	35 74 243 41	04.00	10177	22.22						
		Order Coordination For Specified Conversion Time, per LSR		SW	UCL	OCOSL	13 /2	35 74	81 32	134 77	33 93			18 94	8 42		
-		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	_	SW	UDL	USBFN	24 50	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 9
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	<del> </del>	1.5"	ODE	000111	24 30	240 41	0132	10477	33 33			15 55	15 55	13 33	155
İ		Statewide	1	sw	UDL.	USBFO	24 50	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 9
		Order Coordination For Specified Time Conversion, per LSR		1	UDL	OCOSL		35 74									1
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	Ī .														
		Statewide		sw	UDL	USBFP	24 50	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 9
2112 1 06		Order Coordination For Specified Conversion Time, per LSR		ļ	UDL	OCOSL		35 74									
SUB-LOO	_	op Feeder															
		Sub Loop Feeder - DS3 - Per Mile Per Month	<del></del>		UE3	1L5SL	12 80										
		Sub Loop Feeder - DS3 - Fer Mile Fer Month  Sub Loop Feeder - DS3 - Facility Termination Per Month		-	UE3	USBF1	329 94	3.396 56	406 50	163 61	92 75			18 94	8 42		
-		Sub Loop Feeder – STS-1 – Per Mile Per Month	<del>i i</del>	-	UDLSX	1L5SL	12 80	3,330.30	400 30	103 61	92 13			10 94	0 42		<del></del>
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	1		UDLSX	USBF7	372 78	3,396 56	406 50	163 61	92 75			18 94	8 42		
		Sub Loop Feeder - OC-3 - Per Mile Per Month	-		UDLO3	1L5SL	9 71										
- 1		Sub Loop Feeder - OC-3 - Facility Termination Protection Per			-												
		Month	ı		UDLO3	USBF5	57 79										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	1		UDLO3	USBF2	524 13	3,396 56	406 50	163 61	92 75			18 94	8 42		
		Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	11 95										
ı		Sub Loop Feeder - OC-12 - Facility Termination Protection Per	l .				1	T									
-+		Month Sub-Loop Fooder, CC 12, Facility Terroration Per Marth		<u> </u>	UDL12	USBF6	519 09	2 555 55									1
<del></del>		Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month	<del>                                     </del>	-	UDL12 UDL48	USBF3 1L5SL	1,570 00	3,396 56	406 50	163 61	92 75			18 94	8 42		-
-+		Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per	<del>- '-</del>	<del></del>	UDL46	ILDOL	39 20										1
1		Month	,		UDL48	USBF9	259 99										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	1	<del> </del>	UDL48	USBF4	1,505 00	3,582 56	406 50	163 61	92 75	<u> </u>		18 94	8 42		
		Sub Loop Feeder - OC-12 Interface On OC-48	i i		UDL48	USBF8	323 43	803 69	406 50	163 61	92 75			18 94	8 42		
NBUND'	LED L	OOP CONCENTRATION							.55 50				-				
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441 42	650 81	650 81					19 99	19 99	19 99	
				1	ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 9
		Unbundled Loop Concentration - System B (TR008)		<b>!</b>													
		Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - System B (TR303)			ULC ULC	UCT3A UCT3B	478 93 89 26	650 81 271 17	650 B1 271 17		-			19 99 19 99	19 99 19 99	19 99 19 99	19 99 19 99

UNBUNDLE	D NETWORK ELEMENTS - Georgia					,								ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'!	Charge -	Charge - Manual Sy Order vs
			L			Rec	Nonrec		Nonrecurring					Rates (\$)		·
	Unbundled Loop Concentration - ISDN Loop Interface (Brite		<u> </u>			1100	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Card) Urbundled Loop Concentration - UDC Loop interface (Brite		ļ	UDN	ULCC1	8 00	21 07	20 96	10.78	10 71			19 99	19 99	19 99	19 99
	Card)			UDC	ULCCU	8 00	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 9
	Unbundled Loop Concentration 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)  Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2 00	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 9
	Loop Interface (SPOTS Card)		ļ	UEA	ULCCR	11 89	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 9
į	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34 67	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL.	ULCC7	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	N/D - Dispatch and Service Order for NID installation		ļ	UENTW UENTW	UNDBX	0 00	0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<del>                                     </del>	UEANL, UEF, UEQ, U	UENCE											
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									1
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UAL,UCL,UDC UDL UDN,UEA,UHL,ULC UEA,UDN,UCL,UDC		0 00	0 00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		<del> </del>	USL	CCOSF	0 00	0 00									-
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			002	GCCLI	0.00	0.00			-						
	minimum billing period of three months for DS3 and above Lo	cal Lo	op													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5NĐ	8 90										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	390 34	639 50	426 40					37 55	37 55	18 03	18 0
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8 90										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDL\$1	421 59	639 50	426 40					37 55	37 55	18 03	18 0
LOOP MAKE-					-											
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		35 00	35 00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		45 00	45 00								
	Loop Makeup—With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 075	0 075								
	NCY SPECTRUM															
	HARING		ļ													<u> </u>
SPLIT	TERS-CENTRAL OFFICE BASED		<u> </u>			101										
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDA ULSDB	131 00 32 00	0 00	0 00					18 94 18 94	8 42 8 42		<del> </del>
	Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSDB ULSD8	11 00	0.00	0.00					18 94 18 94	8 42		<del> </del>
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG	1100	131 55	0.00					18 94	8 42		
	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY															

OMBÓN	ADLE	D NETWORK ELEMENTS - Georgia													ment 2		bit: B
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electronic Disc Add
			<b>├</b>	ļ			Rec	Nonrec			g Disconnect	ļ			Rates (\$)		
		Line Sharing - per Line Activation (BST Owned Splitter)	-		ULS	ULSDC	0 61	First 10 51	Add'I 7 70	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Sharing - per Subsequent Activity per Line			OLS	OLSDC	001	10.51	7 70					18 94	8 42		
		Rearrangement(BST Owned Splitter	l	l	ULS	ULSDS		36 23	13 23					18 94	8 42		
		Line Sharing - per Subsequent Activity per Line		1													
		Rearrangement(DLEC Owned Splitter		<u></u>	ULS	ULSCS		36 23	13 23					18 94	8 42		
		Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0 61	47 44	19 31					18 94	8 42		
		PLITTING															
E	-ND U	SER ORDERING-CENTRAL OFFICE BASED	<u>.                                    </u>														
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		ļ	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0 61	F2 48	34.40		70.75			10.57			
		Line Splitting - per line activation BST owned - virtual	+	-	UEPSR UEPSB	UREBV	0 61 0 61	53 48 53 48	34 48 34 48	16 45 16 45	12 75 12 75		-	18 94 18 94	8 42 8 42		
- F	REMO	TE SITE HIGH FREQUENCY SPECTRUM	<u> </u>	<del>                                     </del>	OLI ON OLF OD	OLVER A	001	33 40	34 40	16 45	12 / 5			10 94	8 42		·
		TERS-REMOTE SITE									<u> </u>	<del> </del>				<del></del>	
		Remote Site Line Share BellSouth Owned Splitter, 24 Port	ı		ULS	ULSRB	31 13	136 10	0.00		1			18 94	8 42		<b>——</b>
		Remote Site Line Share Cable Pair Activation CLEC Owned at															
		RS and Deactivation	1		ULS	ULSTG		123 70	0 00					18 94	8 42		
E	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	M AKA	REMOT	E SITE LINE SHARII	NG											
		Remote Site Line Share Line Activation for End User Served at RS, BST Splitter	١.														
		RS Line Share Line Activation for End User served at RS, CLEC	_ '	<u> </u>	ULS	ULSRC	0 61	10 51	7 70					18 94	8 42		
		Splitter	۱.		ULS	ULSTC	0 61	40.54	7.70								
+		Remote Site Line Share Subsequent Activity-RS BST Owned		<del> </del>	ULS	UESIC	0.61	10 51	7 70				-	18 94	8 42		
l i		Splitter	۱.		ULS	ULSRS	l	36 04	11 96					18 94	8 42		
		Remote Site Line Share Subsequent Activity-RS CLEC Owned	<u> </u>		020	OLUMO		30 0-1	71 30					10 34	0 42		
		Splitter	1		uls	ULSTS		36 04	11 96					18 94	8 42		
UNBUNC	DLED (	DEDICATED TRANSPORT								•							
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, abov	e DS3=four moi	nths									
	NTER	OFFICE CHANNEL - DEDICATED TRANSPORT					I										
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	į .	1							ļ						
		Per Mile per month		_	U1TVX	1L5XX	0 0222						-				
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination		ŀ	U1TVX	U1TV2	17 07	70.64	26.00					40.04	40.04		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	UTIVZ	17 07	79 61	36 08					18 94	18 94		
		Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0222										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -		<del>                                     </del>	J. 114 X	120701	0 0222										
		Facility Termination			U1TVX	U1TR2	17 07	79 61	36 08					18 94	18 94		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1								1				,	
		per month		<u> </u>	U1TDX	1L5XX	0 0222				l						
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility									ľ						
		Termination		<u> </u>	U1TDX	U1TD5	16 45	79 61	36 08					18 94	18 94		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0222										
<del>- i</del>		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIDA	ILSAA	0 0222										
1		Termination			U1TDX	U1TD6	16 45	79 61	36 08			İ		18 94	18 94		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0.10%	01123	10 10		00 00					10 34	10 54		r
		month			U1TD1	1L5XX	0 4523				ł	l	1				ļ
T		Interoffice Channel - Dedicated Tranport - DS1 - Facility													· · · · · · · · · · · · · · · · · · ·		
		Termination			U1TD1	U1TF1	78 47	147 07	111 75					18 94	18 94		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			l												1
<b></b>		month	<b></b>	<u> </u>	U1TD3	1L5XX	2 72										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	788 00	511 10	200.77		1			23 ==			
<del></del>		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		-	01103	UTIFS	\88.00	511 10	330 77			ļ <del>-</del> -		37 55	37 55	18 03	18 (
		month			U1TS1	1L5XX	2 72				1						
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	-		0.101							<del> </del>	<b></b>	<del></del>		<del></del>	<del> </del>
		Termination			U1TS1	U1TFS	783 63	511 10	449 91					61 19	61 19	3 17	3.
		CHANNEL - DEDICATED TRANSPORT						3				<del>                                     </del>		<u> </u>	J		<u>-</u>
N	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	ng perio			above DS3	=four months			•	1						
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	13 91	382 95	62 40					18.94	8 42		

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment 2	Exhi	bit <sup>.</sup> B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					_	Rec	Nonrec			g Disconnect				Rates (\$)		
						10.01	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade		<u> </u>	ULDVX	ULDR2 ULDV4	13 91 14 99	382 95 368 44	62 40 64 05		-			18 94	18 94		
	Local Channel - Dedicated - 4-Wire Voice Grade  Local Channel - Dedicated - DS1			ULDD1	ULDF1	38 36	356 15	312 89					18 94	8 42 44 22	40.02	18 03
-	Local Channel - Dedicated - DS1 - Per Mile per month		_	ULDD3	1L5NC	6 92	350 15	312 09		ļ	ļ	<del></del>	44 22	44 22	18 03	18 0.
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	515 91	639 50	426 31		<del>                                     </del>	<del> </del> -		37 55	37 55	18 03	18 03
	Local Channel - Dedicated - STS-1- Per Mile per month	<del> </del>		ULDS1	1L5NC	6 92	033 30	42031		+			37 33	37 33	10 03	10 0.
	Local Channel - Dedicated - STS-1 - Facility Termination			ULD\$1	ULDFS	517 56	639 50	426 31		<del> </del>	-	h	18 94	18 94		<del> </del>
DARK FIBER				02301	1020.0	0., 55					1		10.01	10 54		
1	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction									†						
1	Thereof per month - Local Channel			UDF	1L5DC	44 22										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355 29	273 69		1			18 94	18 94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												•			
	Thereof per month - Interoffice Channel	L	L	UDF	1L5DF	44 22						I		L		
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355 29	273 69					18 94	18 94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction													1		
	Thereof per month - Local Loop			UDF	1L5DL	44 22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	ļ	1,355 29	273 69					18 94	18 94		
BXX ACCESS	TEN DIGIT SCREENING	ļ				L										
	8XX Access Ten Digit Screening, Per Call			OHD		0 0004868					L					
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			онр	N8R1X		6 57	0 76					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			ОНО		į	12 81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		12 81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4 46	2 23					18 94	18 94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		5 22	2 99					18 94	18 94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7 33	0 76					18 94	18 94		
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4 72	4 46					18 94	18 94		L
INE INFORM	ATION DATA BASE ACCESS (LIDB)													<u> </u>		
	LIDB Common Transport Per Query			OQT		0 0000338										
	LIDB Validation Per Query	ļ .		OQU		0 0105974										
1011111070	LIDB Originaling Point Code Establishment or Change			OQT, OQU	NRPBX		50 30						18 94	18 94		
IGNALING (C																
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	-	-	UDB UDB	PT8SX	133 99 0 000087				1	<del> </del>			<del>                                     </del>		<del></del>
	CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17 05	131 96	131 96					18 94	18 94		
	CCS7 Signaling Connection, Per link (Allink) CCS7 Signaling Connection, Per link (Blink) (also known as D		<del> </del>	UDB	IPPTT	17 05	13196	131 90					18 94	18 94		
	link)		1	UDB	TPP++	17 05	131 96	131 96		1			18 94	18 94		
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000354	131 30	101 30					10 34	10 34		
	CCS7 Signaling Usage Surrogate, per link per LATA		<del> </del>	UDB	STU56	340 67				<del> </del>	<del> </del>					<del></del>
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	0.00	40 00	40 00					18 94	18 94		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8 00	8 00					18 94	18 94		
ALLING NAM	TE (CNAM) SERVICE	-	$\vdash$	ÇDB	CCAPD	<del>  </del>	0 00	6 00			-		16 94	18 94	<u> </u>	
	CNAM for DB Owners, Per Query	<del>                                     </del>	<del> </del>	OQV	+	0.01				<del>                                     </del>				<u> </u>		
	CNAM for Non DB Owners, Per Query	<del> </del>		ogv		0 01				<del> </del>	<del>                                     </del>			+		
	CNAM (Non-Dalabs Owner), NRC, applies when using the					301										
DEDATOR S	Character Based User Interface (CHUI)	1	<u> </u>	oqv	CDDCH		595 00	595 00					18 94	18 94		ļ
PERATOR C	ALL PROCESSING Oper Call Processing - Oper Provided, Per Min - Using BST	<del> </del>	-								1			<del>                                     </del>		-
	Oper Call Processing - Oper Provided, Per Min - Using					1 20					ļ					
	Foreign LIDB					1 24										

OMBONDER	ED NETWORK ELEMENTS - Georgia													ment 2	Exhil	bit 🖪
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			r .	Submitted: Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			1-1		<del> </del>	Rec	Nonrec First	arring Add'!	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Oper Call Processing - Fully Automated, per Call - Using BST						1 1131	- Auu i	Inst	Addi	JOINEO	JOWAN.	SOMAN	SOMM	JOHAN	JOHAN
	LIDB					0 20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20										
INWARD OPE	RATOR SERVICES					323						-				
	Inward Operator Svcs - Verification, Per Minute					1 15							• • •			
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1 15			İ							L
	OPERATOR CALL PROCESSING		1		ļ											
Facili	ky based CLEC Recording of Custom Branded OA Announcement		1		00406	ļ	7 000 00	7,000,00		ļ			40.00	10.00	40.00	I
<del></del>	Loading of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV				CBAOS		7,000 00	7,000 00			<del> </del>	<u> </u>	19 99	19 99	19 99	19 99
	per OCN		1		CBAOL	!	500 00	500 00		Į.			19 99	19 99		1
UNEP	CLEC		1		555		200 00	500 50					10 00	10 35		<b>—</b>
	Recording of Custom Branded OA Announcement					1	7,000 00	7,000 00			<del> </del>		19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				<u> </u>		500 00	500 00			ļ		19 99	19 99		<u> </u>
Unbra	inding via OLNS for UNEP CLEC		1		ļ	ļ				-						L
DIRECTORY	Loading of OA per OCN (Regional) ASSISTANCE SERVICES		-		ļ		1,200 00	1,200 00					19 99	19 99		
	CTORY ASSISTANCE ACCESS SERVICE								<u> </u>							-
DINE	Directory Assistance Access Service Calls, Charge Per Call		+		<del>                                     </del>	0 275										<del> </del>
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (E	ACC)	1		ļ	02/3	-			<del></del>						<del> </del>
	Directory Assistance Call Completion Access Service (DACC),	,			1			_								
LJ.	Per Call Attempt				1	0 10									i	
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE DATA BASE SERVICE (DADS)									_						
	Directory Assistance Data Base Service Charge Per Listing		-			0 04					ļ					
BRANDING	Directory Assistance Data Base Service, per month DIRECTORY ASSISTANCE				DBSOF	150 00										
Facilit	ty Based CLEC	-	1 1		ļ						<del> </del>					<del> </del>
1.00,11.	Recording and Provisioning of DA Custom Branded															<del> </del>
	Announcement			AMT	CBADA		3,000 00	3,000 00					18 94	8 42		
	Loading of Custom Branded Announcement per Switch per				† <del></del>		1,000	3,555 55					100.	0 12		
	OCN			AMT	CBADC		1,170 00	1,170 00		ļ			18 94	8 42		
UNEP																
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00					18 94	8 42		
1	Loading of DA Custom Branded Announcement per Switch per OCN						4 470 00	4 470 55								1
Linbra	inding via OLNS for UNEP CLEC		-				1,170 00	1,170 00		<b>_</b>			18 94	8 42		<del></del>
	Loading of DA per OCN (1 OCN per Order)		<del> </del>		<del></del>	<del> </del>	420 00	420 00					18 94	8 42		<del> </del>
	Loading of DA per Switch per OCN		1				16 00	16 00					18 94	8 42		1
SELECTIVE R	ROUTING				· · · · · · · · · · · · · · · · · · ·		10 00	10.00					10 04	0 42		
	Selective Routing Per Unique Line Class Code Per Request Per		1 1							-						
	Switch			*.*	USRCR		199 56	199 56					33 67	7 88		1
VIRTUAL COL																1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting															
PHYSICAL CO			1	UEPSR, UEPSB	VE1LS	0 03	24 56	23 56	9 20	8 30			19 99	19 99		<b></b>
T T	Physical Collocation-2 Wire Cross Connects (Loop) for Line		<del> </del>		<del> </del>					<del></del>	1			<del></del>		<del></del>
	Splitting			UEPSR, UEPSB	PE1LS	0 0318	11 94	11 46					19 99	19 99		1
AIN SELECTI	VE CARRIER ROUTING		1 1	22. 0.3, 02. 0B		0.0010	1, 34	1140			<del> </del>		13 33	10 00		
T	Regional Service Establishment			SRC	SRCEC		391,788 00		1	l	<del>                                     </del>		19 99	19 99	19 99	19 9
	End Office Establishment			SRC	SRCEO		320 53	320 53		l			19 99	19 99	19 99	19 9
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 9
	Query NRC, per query			SRC		0 000448										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A 4 h 1	011105					1						1
	miniar Serup			A1N	CAMSE		90 25	90 25					18 94	18 94	l	<u> </u>

ONRONDE	ED NETWORK ELEMENTS - Georgia												Attachi	ment. 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge -	
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonred			g Disconnect				Rates (\$)		
		<del> </del>	1				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ŀ	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		29 66	29 66					18 94	18 94		
	AIN SMS Access Service - Port Connection - ISDN Access	<del> </del>		A1N	CAM1P	-	29 66	29 66		_			18 94	18 94		-
	AIN SMS Access Service - User Identification Codes - Per User	1		7,111	074111		20 00	25 00					10 34	10 34		
	ID Code	1		A1N	CAMAU		84 43	84 43					18 94	18 94		
	AIN SMS Access Service - Security Card, Per User ID Code,									<del> </del>						
	Initial or Replacement			A1N	CAMRC		35 44	35 44					18 94	18 94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0023										
	AIN SMS Access Service - Session, Per Minute	ļ	L			0 0795604										L
	AIN SMS Access Service - Company Performed Session, Per									Ì						
UN - PEULO	Minute OUTH AIN TOOLKIT SERVICE	-	<del> </del>	-	+	2 08					1		-			
III - DELLO	AIN Toolkit Service - Service Establishment Charge, Per State,	$\vdash$	<del>                                     </del>		1			_		<b></b>						
	Initial Setup			CAM	BAPSC		86 74	86 74					18 94	18 94		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348 00	8,348 00			<del> </del>	<del> </del>	18 94	18 94		<del> </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1-1		0,0.00	5,5.5.00					10 34	10 34		
	DN, Term Attempt				BAPTT	]	19 13	19 13			1		18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1											
	DN, Off-Hook Delay				BAPTD		114 80	114 80					18 94	18 94		
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
-	DN, Off-Hook Immediate				BAPTM		19 13	19 13					18 94	18 94		
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L											
	DN, 10-Digit PODP				BAPTO		70 06	70 06					18 94	18 94		
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP	1	1		DARTO		70.00	70.00								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<del> </del> -			BAPTC		70 06	70 06					18 94	18 94		
	DN, Feature Code	ł			BAPTF		70 06	70 06					18 94	18 94		
	AIN Toofkit Service - Query Charge, Per Query	<b>-</b>			BAFII	0 0209223	70 00	70 00			-		10 94	18 94		
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	<del> </del>			+	0 0203223				<del> </del>	1					
	Subscription, Per Node, Per Query	l	1 1			0 0053137				1						
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															ļ
	Account, Per 100 Kilobytes	I	1			1 46				1	l.					!
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service									1	1					
	Subscription			CAM	BAPMS	15 96	22 64	22 64			ı		18 94	18 94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0 0861109	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service										ļ					
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPD\$	15 87	22 64	22 64			1		18 94	18 94		
l	Service Subscription			CAM	BAPES	0 0028704	22 64	22 64					40.04	40.04		
ENHANCED	EXTENDED LINK (EELs)			CAM	BAPES	0.0026704	22 64	22 64		-	1		18 94	18 94		
	E: The monthly recurring and non-recurring charges below will	anniv a	nd the	Šwitch-Δs-Is Charn	e will not an	ly for FELs pro	vacioned ac i	Ordinanty Com	hinad' Natura	k Elements	<del> </del>					
NOT	E: The monthly recurring and the Switch-As-Is Charge and not ti	he non-	recurri	no charges below y	vill apply for	FFI s provision	od as 'Curren	by Combined'	Notwork Flore	ente						
NOT	E: Minimum billing is one month for DS1 and below and three m	onths a	above E	S1 services	III appry to:	LEES PIOVISION	ica as Curren	ny combined	HELWOIK LICIII	ents	<del> </del>					
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT															
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				<del> </del>					<del>}                                    </del>						
	Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 10		i			18 94	8 42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed									1		-				
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 10		1	<u> </u>		18 94	8 42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1 . 1				_				l					
	Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 10			L		18 94	8 42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile									1				1		
	per month	<u> </u>	<b></b>	UNC1X	1L5XX	0 4523				ļ <u>.</u>	L.					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			LINCTY	LIATEA	70	404.00									
	DS1 Channelization System Per Month		$\vdash$	UNC1X	U1TF1 MQ1	78 47	194 63	141 51			ļ		33 63	27 49	19 88	118
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	<del></del>		UNC1X UNCVX	1D1VG	126 22	12 02	0.60		<del> </del>	<del> </del>		40.04	0.40		
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	<del> </del>		UITUVA	TIDIVG	1 17	12 02	8 66		<del> </del>	<del> </del>	-	18 94	8 42		
1	Interoffice Transport Combination - Zone 1	I	1 .	UNCVX	UEAL2	16 84	104 14	78 10		1	1		18 94	8 42		

<b>NRANDF</b>	ED NETWORK ELEMENTS - Georgia													nent: 2		ort B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	_	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 10					18 94	8 42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 10					18 94	8 42		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66					18 94	8 42		
	Nonrecurring Currently Combined Network Elements Switch -As-					1 17										
	Is Charge			UNC1X	UNCCC		12 97	11 27					45 46	15 72		
4-WII	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TE	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57					18 94	8 42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 70	206 95	170 57					18 94	8 42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57					18 94	8 42		
	Interoffice Transport - Dedicated - DS1_combination - Per Mile		- 3				200 93	170 57					10 94	0 42		
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0 4523										
	Month Channelization - Channel System DS1 to DS0 combination Per		—	UNC1X	U1TF1	78 47	194 63	141 51					33 63	27 49	19 88	11.8
	Month			UNC1X	MQ1	126 22				.,,						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57					18 94	8 42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 70										
	Additional 4-Wire Analog Voice Grade Loop in same DS1						206 95	170 57					18 94	8 42		
	Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	40 86	206 95	170 57		<del></del>			18 94	8 42		
	per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	1 17	12 02	8 66					18 94	8 42		
	Is Charge			UNC1X	UNCCC		12 97	11 27			1		45 46	15 72		
4-WII	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 20					18 94	8 42	., .	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	-														
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	29 74	384 56	241 20					18 94	8 42		
	Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	47 27	384 56	241 20					18 94	8 42		
	Per Month			UNC1X	1L5XX	0 4523										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51					33 63	27 49	19 88	11 8
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126 22										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	-	1													
	month (2 4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	-	-	UNCDX	1D1DD	1 86	12 02	8 66					18.94	8 42		
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	25 75	384 56	241 20		<del></del>			18 94	8 42		ļ
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	29 74	384 56	241 20					18 94	8 42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 20					18 94	8 42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66					18 94	8 42		
	Nonrecurring Currently Combined Network Elements Switch -As-					1 30										
	Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	1	1	UNC1X	UNCCC		12 97	11 27					18 94	8 42		ļ

, ADORDE	D NETWORK ELEMENTS - Georgia		T		<del></del>						Com Onder	Com Oud		ment: 2	Exhit	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs. Electronic Disc Add
			-			Rec	Nonrec		Nonrecurring		201150			Rates (\$)		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-				First	Add'i	First	Addʻl	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 20					18 94	8 42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 20					18 94	8 42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 20					18 94	8 42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-		LINGAY	41.500	0.4500										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0 4523										
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per		-	UNC1X	U1TF1	78 47	194 63	141 51					33 63	27 49	19 88	11 8
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	126 22										
	combination - per month (2 4-64kbs)			UNCDX	1D10D	1 86	12 02	8 66					18 94	8 42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	25 75	348 55	241 20					18 94	8 42		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 20					18 94	8 42		' <u></u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 20					18 94	8 42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System		-	ONCDX	ODE64	47 21	340 33	24120					10 94	0 42		
	combination - per month (2 4-64kbs)			UNÇDX	1D1DD	1 86	12 02	8 66					18 94	8 42		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNGCC		12 97	11 27					45 46	15 72		
4-WIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TRA													
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	55 53	443 20	138 69					18 94	8 42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<del>  '</del>	UNCIX	USLA	30 00	443 20	136 03					10 34	0 42		
	Transport - Zone 2		2	UNC1X	USLXX	64 13	443 20	138 69					18 94	8 42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101 93	443 20	138 69					18 94	8 42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mife Per Month			UNC1X	1L5XX	0 4523										
+	Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNCIX	ILSAA	0 4523			<del></del>				-			
	Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51					33 63	27 49	19 88	11 8
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge		1	UNC1X	UNCCC		12 97	11 27					45 46	15 72		
4-WIRI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA		1011000		12 37	11 21					45 40	1312		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	55 53	443 20	138 69					18 94	8 42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone					33 33	443 20	130 03					10 34	0 42		
	2 Fort P041		2	UNC1X	USLXX	64 13	443 20	138 69					18 94	8 42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101 93	443 20	138 69					18 94	8 42		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2 72										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per											-				
	month DS3 to DS1 Channel System combination per month		-	UNC3X UNC3X	MQ3	788 00 137 73	198 45 196 66	153 15 204 61					37 55 18 94	37 55 8 42	18 03	18 0
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 02	12 02	8 66					18 94	8 42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55 53	443 20	138 69					18 94	8 42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2															
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	64 13	443 20	138 69					18 94	8 42		
	Zone 3		3	UNC1X	USLXX	101 93	443 20	138 69					18 94	8 42		
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	11 02	12 02	8 66	<del>                                     </del>				18 94	8 42		
	Is Charge			UNC3X	UNCCC		12 97	11 27					45 46	15 72		

Version 4Q02 12/18/02 Page 102 of 416

1MROND LE	D NETWORK ELEMENTS - Georgia													nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect		==		Rates (\$)		
	LANGE AD ADE ENTENDED LOOD A MIDE VOICE ADADE IN		105.55	ANODODT (EEL)	-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE IF	(ANSPORT (EEL)	1						-					<del> </del>
	2-WireVG Loop used with 2-wire VG interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 10					18 94	8 42	1	
	2-WireVG Loop used with 2-wire VG Interoffice Transport		<u> </u>	DINGVA	OLALZ	10 04	104 14	70 10					10 34	0 42		<del> </del>
1	Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 10					18 94	8 42	}	
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 10					18 94	8 42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per									ļ						
	Mile Per Month		<u> </u>	UNCVX	1L5XX	0 0222				ļ						
	Interoffice Transport - Dedicated - 2- Wire Voice Grade	1				47.07	70.04	00.00					40.04	40.04		1
	combination - Facility Termination per month			UNCVX	U1TV2	17 07	79 61	36 08			-		18 94	18 94		1
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		12 97	11 27					45 46	15 72		
4 WID	_is charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	FPOF	ICE TE		DINCCC	1	12 91	1121		<del> </del>	-		45 40	13.12		
4-99110	4-WireVG Loop used with 4-wire VG Interoffice Transport	Lincol	ICE, III	CANST ON (CCC)	<del>-                                    </del>					<del>                                     </del>						
	Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57			,		18 94	8 42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<u> </u>		1						1					
	Combination - Zone 2	[	2	UNCVX	UEAL4	25 70	206 95	170 57		ļ	l		18 94	8 42	j	
	4-WireVG Loop used with 4-wire VG Interoffice Transport										1					
	Combination - Zone 3	1	] 3	UNCVX	UEAL4	40 86	206 95	170 57		1			18 94	8 42		
,	Interoffice Transport - Dedicated - 4-wire VG combination - Per									1						Ì
	Mile Per Month			UNCVX	1L5XX	0 0222										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	17 07	79 61	36 08				ļ <del></del>	18 94	18 94		-
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC	1	12 97	11 27					45 46	15 72		
Des C	is charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	C TOA	NSDOE		UNCCC		12 97	11 27		<del> </del>	1		45 46	13 /2		
0330	High Capacity Unbundled Local Loop - DS3 combination - Per	LINA	l or	1	+					-	<del> </del>					
	Mile per month			UNC3X	1L5ND	8 90					İ		l			
	High Capacity Unbundled Local Loop - DS3 combination -				_					1						
	Facility Termination per month		į.	UNC3X	UE3PX	390 34	639 50	426 40		1			37 55	37 55	18 03	18 0
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2 72										
	Interoffice Transport - Dedicated - DS3 combination - Facility		1							1	1					
	Termination per per month			UNC3X	U1TF3	788 00	198 45	153 15					37 55	37 55	18 03	18 0
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	Lucay			40.07		ĺ				45 46	45.70		
CTC4	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE T	1	UNC3X	UNCCC		12 97	11 27		ļ			45 46	15 72		<del> </del>
5151	High Capacity Unbundled Local Loop - STS1 combination - Per	FICE II	KANSP	URI (EEL)	<del>                                     </del>					-	<del> </del>			· · · · ·	<del> </del>	<del>                                     </del>
	Mile per month			UNCSX	1L5ND	8 90			ĺ							i
	High Capacity Unbundled Local Loop - STS1 combination -		1	- Citaban	125.10					<del> </del>						
	Facility Termination per month			UNCSX	UDLS1	421 59	639 50	426 40					37 55	37 55	18 03	18 0
	Interoffice Transport - Dedicated - STS1 combination - Per Mile													Ī		
	per month		l	UNCSX	1L5XX	2 72								l <u></u>		
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month		ļ	UNCSX	U1TFS	783 63	198 45	449 91		<u> </u>			37 55	37 55	18 03	18 0
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1			İ	10.07	44.07					45 46	45.70		
2 18/152	Is Charge E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	OT (EF)	<del>\</del>	UNCSX	UNCCC		12 97	11 27		<del></del>	+		45 46	15 72	<del>                                     </del>	<del> </del>
2-WIR	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	TI (EEL	+		+ +					+	<del> </del>	-	l	<del> </del>	<del>                                     </del>	
	Transport - Zone 1	1	1	UNCNX	U1L2X	21 89	233 38	180 38					18 94	8 42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	$\vdash$	<del>  ' '</del>	55147	13,127	2.00	200 00		-		<del> </del>	<u> </u>	1			
	Transport - Zone 2		2	UNCNX	U1L2X	25 27	233 38	180 38		1		l	18 94	8 42	l	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T	1	<b></b>	1											
	Transport - Zone 3		3	UNCNX	U1L2X	40 17	233 38	180 38					18 94	8 42	1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 4523					İ		<u> </u>			
	Interoffice Transport - Dedicated - DS1 combintion - Facility				<u> </u>				1				20.00		40.00	11 8
	Termination per month  Channelization - Channel System DS1 to DS0 combination -	<b></b>	-	UNC1X	U1TF1	78 47	194 63	141 51	ļ	<del> </del>		-	33 63	27 49	19 88	118

MBONDLE	D NETWORK ELEMENTS - Georgia													nent. 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge
			ļ			Rec	Nonre			g Disconnect				Rates (\$)		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		<del> </del>		+		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	combination - per month			UNCNX	UC1CA	3 37	12 02	8 66					33 63	27 49	19 88	11
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<b></b>										55 00		10 00	<del>                                     </del>
	Combination - Zone 1		1_	UNCNX	U1L2X	21 89	233 38	180 38					18 94	8 42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25 27	233 38	180 38					18 94	8 42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		-	DINCINA	UILZA	2,3 21	200 00	100 38		+	ļ		10 94	5 42		
	Combination - Zone 3		3	UNCNX	U1L2X	40 17	233 38	180 38					18 94	8 42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month  Nonrecurring Currently Combined Network Elements Switch -As-	-	<u> </u>	UNÇNX	UC1CA	3 37	12 02	8 66		<del></del>			33 63	27 49	19 88	1
	Is Charge			UNC1X	UNCCC		12 97	11 27					45 46	15 72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		011000		12.51	11.27					43 40	13 72		<del>                                     </del>
	First DS1 Loop in STS1 Interoffice Transport Combination -			, , , , , , , , , , , , , , , , , , ,						1						
	Zone 1		1 1	UNC1X	USLXX	55 53	443 20	138 69					18 94	8 42		<u> </u>
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64 13	443 20	138 69					18 94	8 42		
	First DS1 Loop in STS1 Interoffice Transport Combination -			ONCIA	USEAA	04 15	443 20	130 09		<del>                                     </del>			10 94	0.42		
	Zone 3		3	UNC1X	USLXX	101 93	443 20	138 69					18 94	8 42		1
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2 72				-						ļ
	Termination			UNGSX	U1TFS	783 63	198 45	449 91		1			37 55	37 55	18 08	
	STS1 to DS1 Channel System conbination per month		<del>                                     </del>	UNCSX	MQ3	182 04	196 66	204 61					37 55	37 55	18 08	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 02	12 02	8 66		1			37 55	37 55	18 08	1
	Additional DS1Loop in STS1 Interoffice Transport Combination -		١.													
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	55 53	443 20	138 69					18 94	8 42		
	Zone 2		2	UNC1X	USLXX	64 13	443 20	138 69					18 94	8 42		
	Additional DS1Loop in STS1 Interoffice Transport Combination -								-							
_	Zone 3		. 3	UNC1X	USLXX	101 93	443 20	138 69					18 94	8 42		
	DS3 Interface Unit (DS1 COCI) combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		<b>-</b>	UNC1X	UC1D1	11 02	12 02	8 66					18 94	8 42		ļ
	Is Charge			UNCSX	UNCCC		12 97	11 27					45 46	15 72		
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FFICE 1	FRANS		10.1000		1201						40 40	10 12		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												-			
_	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	25 75	384 56	241 20		ļ			18 94	8 42		ļ
	Combination - Zone 2	1	2	UNCDX	UDL56	29 74	384 56	241 20					18 94	8 42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			5110571	02200	20,1	00.00	21120		1			10 34	0 12		<del></del>
	Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 20		1			18 94	8 42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1											
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0 0222				-						
	Facility Termination			UNCDX	U1TD5	16 45	147 07	111 75					33 63	27 49	19 88	1
	Nonrecurring Currently Combined Network Elements Switch -As-							-		1						
	Is Charge			UNCDX	UNCCC		12 97	11 27					45 46	15 72		
4-WIR	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	TRANS	PORT (EEL)	1											<u> </u>
	Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 20		1			18 94	8 42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		Τ.		55207	20 70	0-10-00		-	1			10 54	0 42		
	Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 20		1			18 94	8 42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport									1						
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	47 27	348 55	241 20		+			18 94	8 42		
	Per Mile			UNCDX	1L5XX	0 0222				1						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1					1						<b></b>
	Facility Termination			UNCDX	U1TD6	16 45	147 07	111 75					33 63	27 49	19 88	

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	-			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l
			<del>                                     </del>				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			İ			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		[													
	Is Charge		<u> </u>	UNCDX	UNCCC		12 97_	11 27					45 46	15 72		<b> _</b>
	NETWORK ELEMENTS		l .	L.,		ļ					_					
	n used as a part of a currently combined facility, the non-recurr n used as ordinarily combined network elements in Al! States, the													-		
	n used as ordinarily combined network elements in All States, to recurring Currently Combined Network Elements "Switch As Is"					As is Charge of	Joes not						-			
Nom	Nonrecurring Currently Combined Network Elements Switch -As-	Charge	TOHE 2	ppnes to each con	T T	<del> </del>										_
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		12 97	11 27					18 94	18 94		
	Nonrecurring Currently Combined Network Elements Switch -As-															
ŀ	Is Charge - 56/64 kbps			UNCDX	UNCCC	l l	12 97	11 27			1		18 94	18 94		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge - DS1			UNC1X	UNCCC		12 97	11 27					18 94	18 94		
l	Nonrecurring Currently Combined Network Elements Switch -As-			Luxicati		1 1	40	44	<b>\</b>		1		40.00	40.5.		<b>!</b>
	Is Charge - DS3		-	UNC3X	UNCCC		12 97	11 27			<b>└</b>		18 94	18 94		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - STS1			UNCSX	UNCCC	1	12 97	11 27					18 94	18 94		1
NOT	E Local Channel - Dedicated Transport - minimum billing period	d Role	n Dea			r months	12.97	1127		ļ			10 94	18 94		
NOT	Local Channel - Dedicated Transport - Infilmsom Uning period  Local Channel - Dedicated - 2-Wire Voice Grade	a - perc	W D33-	UNCVX	ULDV2	13 91	272 07	60 43					18 94	18 94		_
-+-	Local Channel - Dedicated - 4-Wire Voice Grade		<del>                                     </del>	UNCVX	ULDV4	14 99	272 07	60 43			<del> </del>		18 94	18 94		
	Local Channel - Dedicated - OS1		<del>                                     </del>	UNC1X	ULDF1	38 36	356 15	312 89						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6 92										
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	515 91	639 50	426 31					18 94	18 94		
	Local Channel - Dedicated - STS-1- Per Mile per month		1	UNCSX	1L5NC	6 92										
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	517 56	639 50	426 31					18 94	18 94		
	onal Features & Functions.															
	TIPLEXERS															
NOTI	E: minimum billing period is one month for DS1 to DS0 Channel	Syster	n and i	nterfaces							L					
NOTI	E: minimum billing period is three months for DS3 to DS1 and a	bove C	hannel				-									
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126 22	198 22	123 59		ļ			14 75	6 55	10 70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)	ŀ	1	UDL	10100	4.00	40.00	0.00		İ	1		14 75	6 55	10 70	
<del></del>	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		+	UDL	טטוטרן	1 86	12 02	8 66			<del></del>		14 /5	6 55	10 70	-
	month			UDN	UC1CA	3 37	12 02	8 66					14 75	6 55	10 70	
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 17	12 02	8 66		1	<del>                                     </del>		14 75	6 55	10 70	_
	DS3 to DS1 Channel System per month		<del> </del>	UXTD3	MQ3	182 04	265 91	188 78					14 75	6 55	10 70	<del> </del>
-+-	STS1 to DS1 Channel System per month		1	UXTS1	MQ3	182 04	265 91	188 78					14 75	6 55	10 70	
	DS3 Interface Unit (DS1 COCI) used with Loop per month		<b>†</b>	USL	UC1D1	11 02	12 02	8 66					14 75	6 55	10 70	† ·- · · ·
	DS3 Interface Unit (DS1 COCI) used with Local Channel per	l														
	month			ULDD1	UC1D1	11 02	12 02	8 66			<u></u>	<u></u>	14 75	6 55	10 70	
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															
	per month	L	<del> </del>	U1TD1	UC1D1	11 02	12 02	8 66					14 75	6 55	10 70	oxdot
Sub-	Loop Feeder										<u> </u>		ļ	ļ		
-+-	Unbundled Sub-Loop Feeder Loop 4-Wire DS1 - Statewide	<u> </u>		UNC1X	USBFG	79 30	203 69	128 76	124 09	34 80						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<u> </u>		UNC1X	USBFG	ļ		<b></b>	<del></del>	<u> </u>			<u> </u>	ļ		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	<u> </u>		UNC1X UNC1X	USBFG	<u> </u>			<del> </del>	<del>                                     </del>		-		<b>-</b>		+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	<u> </u>		UNC1X UNC1X	USBFG	<del>                                     </del>	_			<b> </b>	<u> </u>			-		<del> </del>
INBUNDI ET	D LOCAL EXCHANGE SWITCHING(PORTS)	<del></del>	+-	DINGIA	Jobero					1		<del></del>		<del></del>		$\vdash$
	ange Ports		<del> </del>	<del></del>	-	<del>                                     </del>			<del> </del>		<del> </del>		<del> </del>	<del> </del>		<del> </del>
	E. Although the Port Rate includes all available features in GA, I	KY. LA	8 TN, t	he desired feature	s will need to	be ordered usin	o retail USOC	 S	<del>                                     </del>	<b></b>			-	<b></b>		
	RE VOICE GRADE LINE PORT RATES (RES)		Τ				J. 3 0000			<del></del>	<del> </del>					<del></del>
	Exchange Ports - 2-Wire Analog Line Port- Res		<b>†</b>	UEPSR	UEPRL	1 85	17 16	17 16		1			18 94	8 42		<u> </u>
			Γ		<del>                                     </del>			10		i – – –			1	T		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res	L	<u></u>	UEPSR	UEPRC	1 85	17 16	17 16		<u>i                                     </u>	l		18 94	8 42		
											T					
1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res	L	<u></u>	UEPSR	UEPRO	1 85	17 16	17 16	L		<u> </u>		18 94	8 42		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 85		17 16					18 94	8 42		

Version 4Q02 12/18/02 Page 105 of 416

OMBOMDE	ED NETWORK ELEMENTS - Georgia													ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	<del>,</del>			Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			-		+	Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	CONAN		Rates (\$)	0011411	
	Exchange Ports - 2-Wire Voice Georgia basic dialing port		-		+		FIFSL	Auu i	FIFSL	Addit	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	without Caller ID	ì	<u> </u>	UEPSR	UEPWC	1 85	17 16	17 16	1				18 94	8 42		
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPSR	UEPWQ	1 85	17 16	17 16			-		18 94	8 42		
_	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPSR	UEPWR	1 85	17 16	17 16					18 94	8 42		
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	ĺ		UEPSR	UEPRT	1 85	17 16	17 16					18 94	8 42		
	Subsequent Activity		1	UEPSR	USASC	0 00	0 00	0 00	-		-		18 94	8 42		
FEA	TURES		1	OLI GIV	0000	0 00	0.00	0 00			<del> </del>		10 54	042		<del></del>
	All Available Vertical Features	1		UEPSR	UEPVF	0 00	0 00	0 00					18 94	8 42		
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)								<u> </u>							
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus	<u> </u>	<u> </u>	UEPSB	UEPBL	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability	-	<del> </del>	UEPSB	UEPWP	1 85	17 16	17 16					18 94	8 42		<b> </b>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 85	17 16	17 16					18 94	8 42		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID			UEPSB	UEPWD	1 85	17 16	17 16					<u>1</u> 8 94	8 42		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability	ł		UEPSB	UEPBE	1 85	17.10	47.40					40.04			1
	Subsequent Activity	<del> </del>	1	UEPSB	USASC	0.00	17 16 0 00	17 16 0 00					18 94 18 94	8 42 8 42		
FEA	TURES	1	1	OLI OD	UGAGO	0 00	0.00	0 00		1			10 94	0 42		
1	All Available Vertical Features		<u> </u>	UEPSB	UEPVF	0.00	0 00	0 00			ļ. <del></del>		18 94	8 42		<b>—</b>
EXC	HANGE PORT RATES (DID & PBX)	1											1001	0.12		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 85	17 16	17 16					18 94	8 42		
	2-Wire voice unbundled Georgia extended dialing port, PBX 1-														•	
	Way Outdial Trunk			UEPSE	UEPPO	1 85	17 16	17 16					18 94	8 42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		ļ	UEPSP	UEPPC	1 85	17 16	17 16					18 94	8 42		<b></b>
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP	UEPPO UEPP1	1 85 1 85	17 16 17 16	17 16					18 94	8 42		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 85	17 16	17 16 17 16					18 94 18 94	8 42 8 42		<del> </del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 85	17 16	17 16			-		18 94	8 42		<b></b>
	2-Wire Vice Unbundled 2-Way PBX Usage Port	!	-	UEPSP	UEPXA	1 85	17 16	17 16			-		18 94	8 42		<del> </del>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		i i	UEPSP	UEPXB	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	T	ľ	UEPSP	UEPXC	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
-	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1 85	17 16	17 16					18 94	8 42		
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-	<u>.                                    </u>	UEPSP	UEPXM	1 85	17 16	17 16					18 94	8 42		
	Discount Room Calling Port			UEPSP	UEPXO	1 85	17 16	17 16		1			18 94	8 42		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 85	17 16	17 16					18 94	8 42		[
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPSP	UEPWS	1 85	17 16	17 16					18 94	8 42		
	2-Wire voice unbundled Georgia basic dialing port - 2-Way									1						
-	Trunk 2-Wire voice unbundled Georgia basic dialing port - 2-way PBX		-	UEPSP	UEPWT	1 85	17 16	17 16					18 94	8 42		
	Trunk 2-Wire voice unbundled Georgia basic dialing port - PBX LD			UEPSP	UEPPQ	1 85	17 16	17 16					18 94	8 42		
	Terminal Ports			UEPSP	UEPPS	1 85	17 16	17 16	1	1			18 94	8 42		i

UNBUNDLE	NETWORK ELEMENTS - Georgia		1	,									<del></del>	ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll						First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Z-wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPSP	UEPPT	1 85	17 16	17 16					18 94	8 42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port			UEPSP	UEPPU	1 85	17 16	17 16					18 94	8 42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port			UEPSP	UEPPV	1 85	17 16	17 16					18 94	8 42		
	2-Wire voice unbundled Georgia basic dialing port - PBX LD			_												
	Terminal Switchboard DDD Capable Port			UEPSP	UEPPW	1 85	17 16	17 16					18 94	8 42		
	Subsequent Activity			UEPSP	USASC	0.00	0 00	0 00					18 94	8 42		
FEATU			ļ													
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0 00	0 00					18 94	8 42		
	NGE PORT RATES (COIN) Exchange Ports - Coin Port				<u> </u>	2 05	17 16	17 16					18 94	8 42		
	Transmission/usage charges associated with POTS circuit sv	utobod		will also pools to a	Fourt court obs				ussian by B Ch	annole secon	atad with 2	wire ISDN a		8 42		
	Access to B Channel or D Channel Packet capabilities will be													Paguaet Pro	rocc	
	OCAL EXCHANGE SWITCHING(PORTS)	availab	, e 0111	I I I I I I I I I I I I I I I I I I I	l Dusilless Ne	quest riocess	itates for the	packer capabi	Indes will be de	terrimied via t	lie Bolla i ic	le ixectaean	THEW DUSINESS	Requestire		
	NGE PORT RATES											<del> </del>		·		
LAGIIA	Exchange Ports - 2-Wire DID Port		<del>                                     </del>	UEPEX	UEPP2	11 35	61 91	61 91					19 99	19 99	19 99	19 99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		-	GEI EX	OLV 12	11.00	0101	0.01			-		10.00		10 00	10 00
	capability			UEPDD	UEPDD	120 80	108 38	60 88		1			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below )			UEPTX UEPSX	U1PMA	13 47	47 37	47 37					39 98	39 98		
	All Features Offered			UEPTX UEPSX	UEPVF	0 00	0 00	0 00								
	Transmission/usage charges associated with POTS circuit sy	vitched	usage							nannels assoc	ated with 2-	wire ISDN p	orts			
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles		l '	UEPTX UEPSX	U1UMA	0 00	0.00	0 00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	163 16	186 80	186 80					37 88	37 88		
UNBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,			·											
UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	l												1		
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 85	17 16	17 16					18 94	8 42		
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 85	17 16	17 16					18 94	8 42		
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 85	17 16	17 16					18 94	8 42		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 85	17 16	17 16					18 94	8 42		
Non-Re	curring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2 01	0 31					33 67	7 88	11 17	3 91
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2 01	0 31								
UNBUN	DLED REMOTE CALL FORWARDING - Bus											ŀ				
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 85	17 16	17 16					18 94	8 42		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 85	17 16	17 16				1	18 94	8 42		
		<u> </u>	<del> </del>	UEPVB	UERTE	1 85	17 16	17 16		-	<del> </del>	<del> </del>	18 94	8 42		<del> </del>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	$\vdash$		UEPVB	UERTR	1 85	17 16	17 16 17 16	<del></del>	<del></del>			18 94	8 42		<b>-</b>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and		ļ	UEPVB	UERIR	501	17 16	17 16			-		10 94	0.42	-	
	Exception Local Calling			UEPVB	UERVJ	1 85	17 16	17 16					18 94	8 42		
Non-Re	curring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2 01	0 31					33 67	7 88	11 17	3 91
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2 01	0 31								
	OCAL SWITCHING, PORT USAGE															
	fice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0 0016333										
	End Office Trunk Port - Shared, Per MOU					0 0001564										
Tanden	n Switching (Port Usage) (Local or Access Tandem)															
																1
	Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU				L	0 0006757 0 0002126										

Version 4Q02 12/18/02 Page 107 of 416

	D NETWORK ELEMENTS - Georgia												Attach	ment 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec		curring	Nonrecurring					Rates (\$)		
	T					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Commo	on Transport Common Transport - Per Mile, Per MQU	-	-		+	0 000008					ļ					
	Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU				-	0.000008					ļ <u>-</u>					
NRUNDI ED I	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0004152										
	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbirn	l dled Local Swi	tching or Swit	ch Ports								ļ
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F					<del>                                     </del>	1
	fice and Tandem Switching Usage and Common Transport Us											n Port Loor	Combination	15	<del></del>	<del> </del>
	st and additional Port nonrecurring charges apply to Not Curr															
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1			[			T					•
UNE P	ort/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1		1			12 59									1	1
	2-Wire VG Loop/Port Combo - Zone 2		2			14 26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21 62										
UNE Lo	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	10 80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19 83					ļ					
2-Wire	Voice Grade Line Port Rates (Res)			772227		. =0										
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 79	22 14	15 25	8 45	3 91			33 67	7 88		3.9
	2-Wire voice unbundled port with Caller ID - res	ļ		UEPRX	UEPRC	1 79	22 14	15 25	8 45	3 91	ļ		37 06	7 88		3 9
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 79	22 14	15 25	8 45	3 91	ļ		33 67	7 88	11 17	3.9
)	2-Wire voice unbundles res, low usage line port with Caller ID				1											
	(LUM)			UEPRX	UEPAP	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	39
ļ	2-Wire voice unbundled Georgia basic dialing port without Caller															
$\longrightarrow$	ID capability - res	-		UEPRX	UEPWC	1 79	22 14	15 25	8 45	3 91	<b></b>		33 67	7 88	11 17	3.9
Ì	2-Wire voice unbundled Georgia basic dialing port for use with	ļ		LIEDOV	LIEDING	4.70	20.44									
-	Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing	1		UÉPRX	UEPWQ	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3 9
	only			UEPRX	UEPWR	1 79	22.44	45.05	2.45	2.04					44.47	
	2-Wire voice unbundled Low Usage Line Port without Caller ID	ļ		UEPRA	DEPWR	1 /9	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3.9
	Capability	į .		UEPRX	UEPRT	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3.9
FEATU		-		OEFKX	DEFRI	179	22 14	10 40	6 45	391			33 67	7 88	11 17	39
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00			-		33 67	7 88	11,17	39
	NUMBER PORTABILITY			ULFIX	OLF VI		0.00	0 00					33 07	7 00	11,17	39
	Local Number Portability (1 per port)			UEPRX	INPCX	0 35					·					
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI TAX	ENION	0.00					<del> </del> -					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				<del>                                     </del>											
	Switch-as-is			UEPRX	USAC2		2 01	0 3108					33 67	7 88	11 17	39
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			<u> </u>			3 3 . 30		-			55 57	, 50	· · · · · · · · · · · · · · · · · · ·	- 3
	Switch with change	L_		UEPRX	USACC		2 01	0 3108					33 67	7 88	!	
	ONAL NRCs														T	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				ļ.						1					_
	Activity			UEPRX	USAS2	0.00	0 00	0 00					33 67	7 88	11 17	3 9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													-		
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12 59		L								
	2-Wire VG Loop/Port Combo - Zone 2		2			14 26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21 62										
	pop Rates				ļ											
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	10 80										
	2-Wire Voice Grade Loop (SL1) - Zone 2	L	. 2	UEPBX	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19 83										
	Voice Grade Line Port (Bus)	-			ļ											
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 79	22 14		8 45	3 91			33 67	7 88		3 9
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 79	22 14		8 45	3 91			33 67	7 88		3 9
1	2-Wire voice unbundled port outgoing only - bus	<b>↓</b>		UEPBX	UEPBO	1 79	22 14		8 45	3 91			33 67	7 88		3 9
			1 1	UEPBX	UPEB1	1 79	22 14	15 25	8 45	3 91	1		33 67	7 88	11 17	3 9
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Georgia basic dialing port, without	ļ		OLI DX			~	.0 20		001			00 01			

UNBUNDLED NETWORK E	LEMEN 15 - Georgia	_	,									· · · · · · · · · · · · · · · · · · ·		ment. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Order vs	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
2 Wire years upby	ndled Georgia basic dialing port for use with						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Caller ID - bus	noted Georgia basic dialing port for use with			UEPBX	UEPWP	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	39
	ndled Incoming Only Port without Caller ID			OLI DI	-   -	175	22 14	10 23	0 40	331	-		33.07	7 00	11.17	39
Capability				UEPBX	UEPBE	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3 9
LOCAL NUMBER PORTA														Ì		
	tability (1 per port)			UEPBX	LNPCX	0 35										İ
FEATURES All Features Offer		-		LIEDDY	11557.65	0.00										
	ed SES (NRCs) - CURRENTLY COMBINED	<del> </del>		UEPBX	UEPVF	0 00	0 00	0 00					33 67	7 88	11 17	3 9
	le Loop / Line Port Combination - Conversion -	-			<del></del>										<del></del>	1
Switch-as-is	c Ecop / Ene / Gr Combination Conversion			UEPBX	USAC2		2 01	0 3108					33 67	7 88	11 17	39
2-Wire Voice Grad	e Loop / Line Port Combination - Conversion -				00.102			0 0 100					33 07	7 00		- 33
Switch with chang				UEPBX	USACC		2 01	0.3108							1	
ADDITIONAL NRCs				Ī		· ·										
	e Loop/Line Port Combination - Subsequent														1	
Activity		ļ		UEPBX	USAS2		0 00	0 00					33 67	7 88	11 17	39
UNE Port/Loop Combina	OOP WITH 2-WIRE LINE PORT (RES - PBX)		ļ								<u>i.                                    </u>					
	ort Combo - Zone 1		1		+	12 59										
	ort Combo - Zone 2		2	· · · · · ·	+	14 26					,			-		
	ort Combo - Zone 3		3			21 62								<del>-</del>		
UNE Loop Rates	31. 001100 2010 0	1	-		+	2102										
	e Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10 80										
2-Wire Voice Grad	e Loop (SL 1) - Zone 2	1		UEPRG	UEPLX	12 47										
	e Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19 83										
2-Wire Voice Grade Line																
	dled Combination 2-Way PBX Trunk Port -															
Res				UEPRG	UEPRD	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3 9
Way Outdial Trun	ndled Georgia extended dialing port, PBX 1-	1		UEPRG	UEPPO	1 79	22 14	15 25	8 45	3 91			00.07	7.00		
LOCAL NUMBER PORTA		1		UEFRO	UEFFO	179	22 14	10 20	643	391	<del></del>		33 67	7 88	11 17	3 9
Local Number Por		<del>                                     </del>		UEPRG	LNPCP	3 15	0.00	0 00					33 67	7 88	11 17	3 9
FEATURES	to any (1 par part)			02,0	2.11 07	0.10		0.00					35.61	7 00		<del>                                     </del>
All Features Offer				UEPRG	UEPVF	0 00	0 00	0 00					33 67	7.88	11 17	3 9
	SES (NRCs) - CURRENTLY COMBINED															
	e Loop/ Line Port Combination (PBX) -															
Conversion - Switch				UEPRG	USAC2		2 01	0 3108					33 67	7 88	11 17	3 9
	e Loop/ Line Port Combination (PBX) -															
ADDITIONAL NRCs	in with Change			UEPRG	USACC		2 01	0.3108					33 67	7 88	11 17	3.9
	e Loop/ Line Port Combination (PBX) -	<del> </del>			+										-	
Subsequent Activi				UEPRG	USAS2	0 00	0 00	0.00					33 67	7 88	11 17	3 9
	Activity - Change/Rearrange Multiline Hunt			<u> </u>	1007.02	0.00							05 07	7 00		
Group	,				1		14 64	14 64					19 99	19 99	19 99	19.9
	OOP WITH 2-WIRE LINE PORT (BUS - PBX)													12.30	1	
UNE Port/Loop Combina																
	ort Combo - Zone 1	<u></u>	1			12 59										
	ort Combo - Zone 2		2			14 26										
UNE Loop Rates	ort Combo - Zone 3	<del></del>	3		<b></b>	21 62								ļ		L
	e Loop (SL 1) - Zone 1	<del> </del>	1	UEPPX	UEPLX	10 80					-				ļ	<del></del>
	e Loop (SL 1) - Zone 1 e Loop (SL 1) - Zone 2	<del>                                     </del>		UEPPX	UEPLX	10 80										
	e Loop (SL 1) - Zone 2 e Loop (SL 1) - Zone 3	<del>                                     </del>		UEPPX	UEPLX	19 83					<del></del>	<del></del>			<del> </del>	<del> </del>
2-Wire Voice Grade Line	Port Rates (BUS - PBX)		<u> </u>	<u> </u>	3C. LA	15 03				-	_				<del> </del>	
		1			1							-				
Line Side Unbund	led Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3 :
Line Side Unbund	led Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 79	22 14	15 25		3 91			33 67	7 88	11 17	3 9
	led Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3 9
12-M/re Voice Unbi	indled PBX LD Terminal Ports			UEPPX	UEPLD	1 79	22 14	15 25		3 91			33 67	7 88	11 17	

Version 4Q02 12/18/02 Page 109 of 416

INDOINDEL	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exh	bit B
											Svc Order Submitted			Incremental Charge -	Incremental Charge -	Increme
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Man∘ally per LSR			Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrec	urring	Nonrecurring	Disconnect	·············		OSS	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 79	22 14	15 25	8 45	3 91			37 06	7 88	11 17	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<b> </b>	UEPPX	UEPXC	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
_	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
_	Capable Port		ļ	UEPPX	UEPXE	1 79	22 14	15 25	8 45	_ 3 91			33 67	7 88	11 17	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1														
	Administrative Calling Port	ļ	-	UEPPX	UEPXL	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Room Calling Port			UEPPX	UEPXM	1 79	22 14	15 25	8 45	391			33 67	7 88	11 17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	l	}	LIEDDY	LIEBYO	4.70								ĺ		
-+	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<b></b> -	UEPPX UEPPX	UEPXO	1 79 1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
-	2-Wire voice unbundled Georgia basic dialing port - 1-Way		<u> </u>	UEPPX	UEPAS	1 /9	22 14	15 25	8 45	3 91			33 67	7 88	11 17	—
	Oudial Trunk			UEPPX	UEPWS	1 79	22 14	15 25	8 45	2.04			20.07			ļ
	2-Wire voice unbundled Georgia basic dialing port - 2-Way			OLITA	OLF WS	179	22 14	15 25	0 40	3 91			33 67	7 88	11 17	1
	Trunk			UEPPX	UEPWT	1 79	22 14	15 25	8 45	3 91			33 67	7 88	44.47	İ
_	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX		<del></del>	OLITA	1001 111	178	22 14	10 20	0 43	391	<del>  </del>		33 67	7 88	11 17	
	Trunk			UEPPX	UEPPQ	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port - PBX LD		<b>-</b>	OG! 1 X	OLI I G	173	22 14	10 20		391			33 07	7 00	11 17	
	Terminal Ports			UEPPX	UEPPS	1 79	22 14	15 25	8 45	3 91	•		33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll	-		02.17.	102.1.0		22 14	10 20	0 43	331			33 67	. 7 00	11.17	<del> </del>
1	Terminal Ports			UEPPX	UEPPT	1 79	22 14	15 25	8 45	3 91	i		33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port - PBX LD								5.10				33 01	. , , ,	11.17	<del> </del>
	DDD Terminal Port			UEPPX	UEPPU	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port - PBX LD												00 07	- 100		<del>                                     </del>
	Terminal Switchboard Port			UEPPX	UEPPV	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	1
	2-Wire voice unbundled Georgia basic dialing port - PBX LD		l		"									****		<b></b>
	Terminal Switchboard DDD Capable Port		<u>.</u>	UEPPX	UEPPW	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	1
															11 17	
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way		1													
	Trunk			UEPPX	UEPPC	1 79	22 14	15 25	8 45	3 91	<u> </u>		33 67	7 88	11 17	
LOCAL	NUMBER PORTABILITY													·		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00					33 67	7 88	11 17	
FEATL																
	All Features Offered			UEPPX	UEPVF	0 00	0 00	0 00					33 67	7 88	11 17	
NUNKI	CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			LIEBBY		1					!					1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-	UEPPX	USAC2		2 01	0 3108			1		33 67	7 88	11 17	
	Conversion - Switch with Change			UEPPX	USACC	İ	0.04	0.0400								1
ADDIT	ONAL NRCs			UEPPX	USACC	-	2 0 1	0 3108					33 67	7 88	11 17	-
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+								_			-
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00					33 67	7 88	11 17	1
-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFFX	USASZ	0.00	0.00	0 00					33 67	/ 88	11.17	
	Group				1 1		14 64	14 64	i				19 99	19 99	19 99	1
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT T			<del></del>			17 07		-			19 99	10 00	10 00	$\vdash$
	ort/Loop Combination Rates				1 1											
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			12 69									-	<del></del>
1	2-Wire VG Coin Port/Loop Combo - Zone 2		2	*		14 36										-
	2-Wire VG Coin Port/Loop Combo – Zone 3		3	-		21 72				-						
UNE L	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10 80									•	
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19 83										
	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,															
1	900/976, 1+DDD (GA)		ı	UEPCO	UEP2G	1 89	22 14	15 25	8 45	3 91	]		33 67	7 88	11 17	1

ONBONDLE	NETWORK ELEMENTS - Georgia												Attach	ment 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
-						Rec	Nonred First		Nonrecurring		CONTO	2011		Rates (\$)	2000	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	(GA)			UEPCO	UEPGA	1 89	22 14	15 25	8 45	3 91			33 67	7 88	1 11 17	] 3
	2-Wire Coin 2-Way with Operator Screening and 900/976															† - ·
	Blocking (GA)		<u>.</u>	UEPCO	UEPGB	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire Coin Outward with Operator Screening and 011 Blocking	_	<u> </u>	ULFCO	DEF CH	1 09	22 14	15 25	6 45	381			33 67	7 66	11.17	<del>                                     </del>
	(GA, KY, MS)			UEPCO	UEPRJ	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire Coin Outward with Operator Screening and Blocking															1
	900/976, 1+DDD, 011+, and Local (FL, GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCQ	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	LA)			UEPCO	UEPCR	1 89	22 14	15 25	8 45	3 91			33 67	7 88	11 17	
	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		<u> </u>	UEPCO	URECU	3 59	0.00	0.00	0 00	0 00			33 67	7 88	11 17	
	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CURRING CHARGES - CURRENTLY COMBINED			DEPCO	LINPUX	0.35			-							-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -													i		_
	Switch-as-is			UEPCO	USAC2		2 01	0 3108					33 67	7 88	11 17	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change ONAL NRCs			UEPCO	USACC		2 01	0.31					33 67	7 88	11 17	-
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					+		-								<del>                                     </del>
1	Activity			UEPCO	USAS2		0.00	0 00					33 67	7 88	11 17	1
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	RES)												
UNE Po	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	. <u>.</u>	<b>-</b>			40.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 69 21 30										ļ <u>.</u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32 77										{
UNE Lo	op Rates															<del>                                     </del>
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16 84										
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR UEPFR	UECF2 UECF2	19 45 30 92										ļ
	Voice Grade Line Port Rates (Res)	-	-	UEPFR	UECF2	30 92										ļ
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	<u> </u>
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 85	121 33	95 26	8 45	3 91			37 06	7 88	11 17	
	2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPFR	UEPRO	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	ļ
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11.17	ŀ
	2-Wire voice unbundled Georgia basic dialing port, without			OEFFR	OLFAF	1 00	12133	95 26	0 40	391			33 0/	1 00	11.17	
	Caller ID capability - res		į	UEPFR	UEPWC	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	ŀ
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing			UEPFR	UEPWQ	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	ļ
	only			UEPFR	UEPWR	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
INTERC	OFFICE TRANSPORT			OLI TIK	-   02. 111	7 00	121 33	93 20	0 40	3 31			33 07	7 00		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															<b></b>
	Termination			UEPFR	U1TV2	17 07	79 61	36 08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		,	uroro.	41.500	0.0000										
FEATU				UEPFR	1L5XX	0 0222										<del> </del>
	All Features Offered			UEPFR	UEPVF	0 00	0 00	0 00					33 67	7 88	11 17	<del> </del>
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<b> </b>													<u> </u>
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		93 83	93 83		}			33 67	7 88	11 17	

INBUNDLE	D NETWORK ELEMENTS - Georgia		1										ment: 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manualfy per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs
					Rec	Nonrec			Disconnect				Rates (\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			1 1											T
	Combination - Conversion - Switch-With-Change		UEPFR	USACC		93 83	93 83					33 67	7 88		1
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE PORT	(BUS)												1
UNE P	ort/Loop Combination Rates														<b>—</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1			18 69									<del>                                     </del>	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	2			21 30									<del></del>	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	3	<del> </del>	<del></del>	32 77						-	-		-	+
LINE	oop Rates	J	<del> </del>		SE 11										
DIVE			LIEDED	115050	40.04						!				
<del></del>	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFB	UECF2	16 84			ļ			ļ	-			<b> </b>
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFB	UECF2	19 45										
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFB	UECF2	30 92						!				
2-Wire	Voice Grade Line Port (Bus)	l			T								L		
	2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEPBL	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPFB	UEPBC	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPFB	UEPB1	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port, without	<del>                                     </del>		-   -		12.00		0.0	00,			00 07	1 00	11.17	<del></del> -
	Caller ID capability - bus	1	UEPFB	UEPWD	1 85	121 33	95 26	8 45	3 91			33 67	7.00	11 17	
_			UEFFB	OEPWD	1 00	121 33	95 26	8 45	391	ļ		33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port for use with		l	1						j				1	
	Caller ID - bus		UEPFB	UEPWP	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
LOCA	NUMBER PORTABILITY									<u> </u>					
	Local Number Portability (1 per port)		UEPFB	LNPCX	0 35										
INTER	OFFICE TRANSPORT					-									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														
	Termination		UEPFB	U1TV2	17 07	79 61	36 08							İ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del>                                     </del>	JOEI I D	1011112		1501	50 00							<del> </del>	+
	or Fraction Mile		UEPFB	1L5XX	0 0222										
FEATU		<del></del>	ULFFB	ILOM	0 0222										
FEAT					0.00										
	All Features Offered		UEPFB	UEPVF	0 00	0 00	0 00					33 67	7 88	11 17	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
i	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		ĺ		į.			į							
	Combination - Conversion - Switch-as-is	1	UEPFB	USAC2	1	93 83	93 83					33 67	7 88	11 17	1
	2-Wire Loop / Dedicated #O Transport / 2 Wire Line Port														
	Combination - Conversion - Switch with change		UEPFB	USACC		93 83	93 83								1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			- 1202			00 00			-					<del>                                     </del>
	ort/Loop Combination Rates		†												+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<del> </del>		+ +	18 69									<del></del>	
<del></del>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	2		1	21 30									<b></b>	<del></del>
													ļ	ļ	
11000	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	3	1		32 77									ļ	1
UNEL	oop Rates		l												1
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	16 84										
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	19 45										
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	30 92										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		I				•								
			1			-									<del>                                     </del>
- 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	Line Side Unbundled Outward PBX Trunk Port - Bus	<del></del>	UEPFP	UEPPO	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	1
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPPO UEPP1	1 85	121 33	95 26	8 45	3 91			33 67	7 88 7 88	11 17	
		<del>                                     </del>													ļ
	2-Wire Voice Unbundled PBX LD Terminal Ports	<b>  </b>	UEPFP	UEPLD	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	ļ
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPFP	UEPXA	1 85	121 33	95 26	8 45	3 91			37 06	7 88	11 17	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPFP	UEPXB	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPFP	UEPXC	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPFP	UEPXD	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														<b>T</b>
	Capable Port		UÉPFP	UEPXE	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	1	JULY AL	- 100	12 1 33	30 20	040	391			33 07	, 00	1117	+
	Administrative Calling Port		UEPFP	UEPXL	1 85	121 33	05.00	8 45	3 91			33 67	7 88	11 17	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>  </del>	DEFFE	UEPAL	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11.17	

NBUNDLE	D NETWORK ELEMENTS - Georgia				1						0 0 :	10000		ment 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc ∩rder Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increme Charge Manual Order v Electron Disc Ad
						Rec	Nonred		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMA
	2 Mars Variable And A May Outsign BRY Hetall Hospital	-	-				First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMA
Ì	2-Wire Voice Unbundled 1-Way Outgoing PBX Hote!/Hospital Discount Room Calling Port			UEPFP	UEPXO	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	3
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<del></del>	+	UEPFP	UEPXS	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			OL/ II	OLI AU	,,,,,	72100	- 00 20			-					
	Oudial Trunk			UEPFP	UEPWS	1 85	121 33	95 26	8 45	3 91		!	33 67	7 88	11 17	:
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	· •											
	Trunk		1	UEPFP	UEPWT	1 85	121 33	95 26	8 45	3 91			33 67	7 88	11 17	:
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00					33 67	7 88	11 17	
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	l					1							
	Termination		1	UEPFP	U1TV2	17 07	79 61	36 08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ĺ		UEPFP	11 EVV	0.0222										
FEATL	or Fraction Mile	-	1	UCPEP	1L5XX	0 0222					<del></del>					
FEAT	All Features Offered		+	UEPFP	UEPVF	0 00	0 00	0 00					33 67	7 88	11 17	
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			J-111	JE1 V1	0.00	0.00	0.00					33 07	7 00	17.17	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		93 83	93 83					33 67	7 88	11 17	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		93 83	93 83					33 67	7 88	11 17	
	PORT/LOOP COMBINATIONS - COST BASED RATES		L													
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE P	ort/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					28 19 30 80										
_	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42 27										
UNEL	oop Rates					42 21										
0.112	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	ÜEPPX	UECD1	16 84	104 17	78 10					-			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	19 45	104 17	78 10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UEÇD1	30 92	104 17	104 10								
	ort Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11 35	61 91	61 91					33 67	7 88		
NONRE	ECURRING CHARGES - CURRENTLY COMBINED															
ŀ	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					l										
	Switch-as-is			UEPPX	USAC1		93 38	93 38					33 67	7 88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with Bell-South Allowable Changes			LIEDRY		İ			- 1		i		!			
ADDIT	IONAL NRCs			UEPPX	USA1C		93 38	93 38					33 67	7 88		
	one Number/Trunk Group Establisment Charges		$\vdash$													
	DID Trunk Termination (One Per Port)		$\vdash$	UEPPX	NDT	0 00	0 00	0 00								
	DID Numbers, Establish Trunk Group and Provide First Group			JE: FA	1.101	0.00	- 000	0 00								
_L	of 20 DID Numbers			UEPPX	NDZ	0 00	0 00	0 00					ŀ	- 1		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0.00	i							
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX	ND5	0 00	0 00	0 00					i			
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0 00	0 00								
	NUMBER PORTABILITY									-						
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN ort/Loop Combination Rates	IF SIDE	PORT													
ONE PO	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				<b> </b>											
	UNE Zone 1		1	HEDDD HEDDO		25.00	1						- 7			
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		- 1	UEPPB UEPPR	<u> </u>	35 36										
	UNE Zone 2		2	UEPPB UEPPR	1	38 74				1			I	1	i	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	OLFFR OLFFR	<del>                                     </del>	30 /4						-				
1	UNE Zone 3		3	UEPPB UEPPR	1	53 64						1	I	- 1	1	
	pop Rates			JET THE					-				<del></del>			
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USI 2X	21 89	252 32	188 77					19 99	19 99		

ONBUNDLED	NETWORK ELEMENTS - Georgia		,				1								ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	usoc			RATES (\$)				Svc ∩rder Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
			ļ				Rec	Nonrec		Nonrecurring Disc		FONES	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
							<del> </del>	First	Add'I	First #	Add'I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB		USL2X	25 27	252 32	188 77					19 99	19 99		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	l	3	UEPPB	UEPPR	USL2X	40 17	252 32	188 77					19 99	19 99		
UNE Po	rt Rate Exchange Port - 2-Wire ISDN Line Side Port	ļ	<del> </del>	UEPPB	UEPPR	UEPPB	13 47	47 37	47 37	<del>                                     </del>				19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEFFB	UEFFR	UCFFB	1347	47.37	47 37					13 33	19 99		1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		ļ —														
	Combination - Conversion		<u>.                                    </u>	UEPPB	UEPPR	USACB	0 00	93 38	93 38					19 99	19 99		
	ONAL NRCs 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy	<u> </u>					-								<u> </u>		-
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165 95						19 99	19 99		
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								
	NEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	HILLCA	0 00	0 00	0.00								<del>                                     </del>
	CVS (EWSD)			UEPPB	UEPPR		0 00	0 00	0 00								
	CSD		<del>                                     </del>		UEPPR		0 00	0 00	0 00	· · · · · · · · · · · · · · · · · · ·					<del></del>		
	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	ERMINAL PROFILE		<u> </u>				2.50										
	User Terminal Profile (EWSD only) AL FEATURES	<del> </del>	<del> </del>	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
	All Vertical Features - One per Channel B User Profile	<del> </del>		UEPPB	UEPPR	UEPVF	0 00	0 00	0 00				-	19 99	19 99		
	FFICE CHANNEL MILEAGE		†			+											
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR UEPPR	M1GNC	16 47 0 0222	79 61	36 08 0 00				0.00	19 99	19 99		
4-WIRE	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	├	UEPPB	UEPPR	MIGNM	0 0222	0 00	0 00	<del>  </del>			0 00				
	rt/Loop Combination Rates	1								<del> </del>							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1	ļ	1	UEPPP		ļ	218 69								ļ		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			227 29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		OLFFF			221 25										
	Zone 3		3	UEPPP			265 09								ĺ		
	op Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	1		UEPPP		USL4P USL4P	55 53 64 13	448 92 448 92	276 60					19 99 19 99	19 99 19 99		
	4-Wire DS1 Digital Loop - UNE Zone 3	<del> </del>		UEPPP		USL4P	101 93	448 92	276 60 276 60					19 99	19 99		
UNE Por			Ť			1-02.1	1 .5. 55		2,000					,,,,,,,,			
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	163 16	186 80	186 80					19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<u> </u>	<u> </u>							ļ							<b></b>
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port  Combination - Conversion -Switch-as-is			UEPPP		USACP	0 00	269 96	269 96					19 99	19 99		
	DNAL NRCs	<del> </del>		JEI'FF		JUNUF	0.00	203 30	208 80	<del>  </del>		-		18 88	19 99		<del> </del>
4	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		T	-			1										
	nward/two way Tel Nos (except NC)			UEPPP		PR7TF		0 9686				_					1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22 75	22 75								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		FRITO		22 /5	22 /5	-							
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT	[	45 49	45 49								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75				Ţ						
	ACE (Provsioning Only)	<u> </u>	-	LIEDDE		DD711/	0.00	0.00	0.00				ļ		-		
	Voice/Data Digital Data	$\vdash$	$\vdash$	UEPPP		PR71V PR71D	0 00	0 00	0 00	<del> </del>	-					-	<del> </del>
	nward Data	<b> </b>	1	UEPPP		PR71E	0 00	0 00	0 00								1
New or	Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0 00	28 71						19 99	19 99		
	New or Additional - Digital Data B Channel		Ц.,	UEPPP		PR7BF	0 00	28 71						19 99	19 99	L <u></u>	

CALL TYPE Inwa Outv Outv Interoffice C Foxe Eact 4-WIRE DS1 UNE PORUL 4W 4W UNE LOOP F	ard ward	Inten m	Zone	BCS  UEPPP  UEPPP  UEPPP  UEPPP  UEPPP  UEPPP	PR7BD PR7C1 PR7C0 PR7CC	Rec 0 00 0 00 0 00	Nonrec First 28 71	RATES (\$)  urring Add'l	Nonrecurring Di		Submitted Elec per LSR	Submitted Manually	Charge - Manual Svo Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'i
CALL TYPE Inwa Outv Outv Interoffice C Foxe Eact 4-WIRE DS1 UNE PORUL 4W 4W UNE LOOP F	es and ward			UEPPP UEPPP UEPPP UEPPP	PR7C1 PR7C0	0 00	First 28 71				SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
CALL TYPE Inwa Outv Outv Interoffice C Foxe Eact 4-WIRE DS1 UNE PORUL 4W 4W UNE LOOP F	es and ward			UEPPP UEPPP UEPPP UEPPP	PR7C1 PR7C0	0 00	28 71	Add'I	First	Addi	SOMEC	SOMAN			SOMAN	SOMAN
CALL TYPE Inwa Outv Outv Interoffice C Foxe Eact 4-WIRE DS1 UNE PORUL 4W 4W UNE LOOP F	es and ward			UEPPP UEPPP UEPPP UEPPP	PR7C1 PR7C0	0 00										
Inwa Outv Two- Interoffice C Free Each 4-WIRE DS1 UNE Port/L 4W I 4W I UNE Loop F	ard ward ward Channel Mileage ed Each Including First Mile th Arline-Fractional Additional Mile 1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT coop Combination Rates DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates wire DS1 Digital Loop - UNE Zone 1			UEPPP UEPPP UEPPP	PR7C0								19 99	19 99		
Outvo	ward  D-way  Channel Mileage  Ed Each Including First Mile  In DiGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT  LOOP Combination Rates  DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1  DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Rates  Rates  Wire DS1 Digital Loop - UNE Zone 1			UEPPP UEPPP UEPPP	PR7C0		0 00	0 00		-					, <del>-</del>	
Interoffice C Interoffice C Free Eact 4-WIRE DS1 UNE Port/L 4W I 4W I UNE LOOP INTEROFFICE	O-way Channel Mileage ed Each Including First Mile th Airline-Fractional Additional Mile 1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT COOP Combination Rates DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates Wire DS1 Digital Loop - UNE Zone 1			UEPPP UEPPP			0 00	0 00				/ <u>-</u>				
Interoffice C Fixes Fixes 4-WIRE DS1 UNE PORT/LC 4W I 4W I UNE Loop F	Channel Mileage ed Each Including First Mile th Arline-Fractional Additional Mile 1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT coop Combination Rates DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates wire DS1 Digital Loop - UNE Zone 1			UEPPP	1.11/00	0 00	0 00	0 00								ſ
4-WIRE DS1 UNE POrt/LC 4WI 4WI 4WI UNE LOOP F	ed Each Including First Mile th Airline-Fractional Additional Mile 1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT copp Combination Rates DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates  Rates  Wire DS1 Digital Loop - UNE Zone 1							- 000			, +					$\overline{}$
4-WIRE DS1 UNE Port/Lc 4W 4W 4W 4W 1 UNE Loop F 4-W	ch Arline-Fractional Additional Mile 1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT coop Combination Rates DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates vire DS1 Digital Loop - UNE Zone 1				1LN1A	78 9223	147 07	111.75	0 00		,		19 99	19 99		
4-WIRE DS1 UNE Port/Lo 4W 4W 4W UNE Loop F	1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT .oop Combination Rates DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates wire DS1 Digital Loop - UNE Zone 1				1LN1B	0 4523				-						
4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates vire DS1 Digital Loop - UNE Zone 1															
4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4W 4	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates vire DS1 Digital Loop - UNE Zone 1										, ,					
4W I 4W I UNE Loop F	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Rates vire DS1 Digital Loop - UNE Zone 1		1	UEPDC		176 33										
UNE Loop F	DS1 Digital Loop/4W ODITS Trunk Port - UNE Zone 3 Rates Vire DS1 Digital Loop - UNE Zone 1			UEPDC	T	184 93							1			
UNE Loop F	Rates Vire DS1 Digital Loop - UNE Zone 1	l		UEPDC		222 73					1		1			
4-W	vire DS1 Digital Loop - UNE Zone 1													L		
	vire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	55 53	448 92	276 00					19 99	19 99		
				UEPDC	USLDC	64 13	448 92	276 60					19 99	19 99		
	Vire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101 93	448 92	276 60					19 99	19 99		
UNE Port R															L	
	vire DDITS Digital Trunk Port	I	<u> </u>	UEPDC	UDD1T	120 80	89 44	52 46				ļ	19 99	19 99	<u> </u>	
	RRING CHARGES - CURRENTLY COMBINED									_	<u> </u>	<u> </u>			<u> </u>	
	Vire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				i						1 '	1 '	1		1	1
	witch-as-is			UEPDC	USAC4		269 96	269 96			<b>└─</b> ─	<u> </u>	19 99	19 99		-
	vire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l							i '	1 '	40.00	40.00	1	1
	onversion with DS1 Changes	1	<del>-</del>	UEPDC	USAWA		269 96	269 96			<b> </b>	<del></del>	19 99	19 99		<del></del>
	Vire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						000.00	200.00	1		i '	1 '	19 99	19 99	1	
	onversion with Change - Trunk			UEPDC	USAWB		269 96	269 96			L	·	19 99	19 99		<del></del>
ADDITIONA						_					$\vdash$			<del></del>		<del></del>
	Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	USAS4		147 47	147 47			, '	í '	1	1 !	1	1
	vice Activity Per Service Order			UEPDC	USAS4		14/ 4/	147 47			$\vdash \vdash \vdash$		<del></del>			<b>—</b>
	Vire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	UDTTA		28 71	28 71			1 '	[ '	19 99	19 99	ł .	1
	osequent Channel Activation/Chan - 2-Way Trunk Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	+	DEPDC	COLIA		20 / 1	20 / 1			$\vdash$	<del> </del>	10 00	15 55		
	annel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 71	28 71			1 '		19 99	19 99	!	İ
	Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1	+	OLI DO	ODITO		2011	2011	-		-		10.00			T
	ivation/Chan Inward Trunk w/out DID	1	1	UEPDC	UDTTC		28 71	28 71	[		1 '		19 99	19 99	1	
	Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan	-	+	OLI BO	05110			2011								
	ivation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		28 71	28 71			1 '		19 99	19 99		1
	Vire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	+		027 20	100110											
	ivation / Chan - 2-Way DID w User Trans	i		UEPDC	UDTTE	1	28 71	28 71			1 '	ĺ	19 99	19 99		
	ZERO SUBSTITUTION	+	1													
	ZS -Superframe Format			UEPDC	CCOSF		0.00	600 00								
	ZS - Extended Superframe Format		1	UEPDC	CCOEF		0 00	600 00	******					***		
	Mark Inversion		1	<del></del>												
	I -Superframe Format	<b>!</b>	+	UEPDC	MCOSF		0 00	0.00								
	I - Extended SuperFrame Format		1	UEPDC	MCOPO		0 00	0.00								
	Number/Trunk Group Establisment Charges															
	ephone Number for 2-Way Trunk Group	1	1	UEPDC	UDTGX	0 00										
	ephone Number for 1-Way Outward Trunk Group	1	1	UEPDC	UDTGY	0 00										ļ
	ephone Number for 1-Way Inward Trunk Group Without DID	1	1	UEPDC	UDTGZ	0 00							L			
DID	Numbers, Establish Trunk Group and Provide First Group	1														
	20 DID Numbers		ł	UEPDC	NDZ	0 00	0 00	0 00						1	<b></b>	
DID	Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00						L				ļ
DID	Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										<b></b>
	serve Non-Consecutive DID Nos	1	1	UEPDC	ND6	0 00	0.00	0 00			<del></del>	↓	ļ	<del></del>	<del> </del>	<b>↓</b>
	serve DID Numbers	1	1	UEPDC	NDV	0 00	0 00	0 00			<del> </del>	<b>↓</b>	<del>                                     </del>	ļ	<b>_</b>	ļ
	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	il Loop	with 4-Wire DDITS	Trunk Port	ļ			ļ		<del></del>	<del></del>	<del></del>	<del></del>	<del> </del>	
	eroffice Channel Mileage - Fixed rate 0-8 miles (Facilities mination)	1	1 -	UEPDC	1LNO1	78 47	147 07	111 75			1	1	1	1	1	i

INRONDER	D NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit, B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manuał Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Charge -	Charge
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
						1,00	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
		!	1			ł ,			!							
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		ļ	UEPDC	1LNOA	0 4523	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	l	l			1			,							
	Termination)		<b>!</b>	UEPDÇ	1LNO2	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			l	1									1		
	miles		ļ	UEPDC	1LNOB	0 4523	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0 00	0 00	0 00								
					1						i					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 4523	0 00	0 00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15										
	Central Office Termininating Point		L	UEPDC	CTG	0 00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	l														
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on	type a	rd num	ber of ports used	d i											
UNE	OS1 Loop		l													
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	55 53	0 00	0 00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	64 13	0 00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101 93	0.00	0.00								i
UNE C	SO Channelization Capacities (D4 Channel Bank Configuration	ns)								_						
	24 DSO Channel Capacity - 1 per DS1	Γ΄		UEPMG	VUM24	102 64	0.00	0 00		-			19 99	19 99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205 28	0 00	0 00					19 99	19 99		
$\neg$	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410 56	0 00	0 00					19 99	19 99		
-	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615 84	0 00	0 00	-		-		19 99	19 99		-
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821 12	0 00	0.00		_			19 99	19 99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026 40	0 00	0 00					19 99	19 99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231 68	0 00	0 00					19 99	19 99		-
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642 24	0 00	0 00					19 99	19 99	<b></b>	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052 80	0 00	0 00					19 99	19 99	-	
-1	576 DS0 Channel Capacity -1 per 24 DS1s	-		UEPMG	VUM57	2,463 36	0 00								ļ	
	672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	2.873 92		0 00					19 99	19 99		
N F	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						0.00	0 00					19 99	19 99		
							stem		-							
	imum System configuration is One (1) DS1, One (1) D4 Channe les of this configuration functioning as one are considered Ac															
Multip.		io i aite	r trie m	iriimurri system c	ontiguration is	counted										
	NRC - Conversion (Currently Combined) with or without			LIEDMO		0.00										
	BellSouth Allowed Changes	1 0		UEPMG	USAC4	0 00	328 35	16 52					19 99	19 99		
	n Additions at End User Locations Where 4-Wire DS1 Loop wit				nbination Curre	ently Exists and										
New (	Not Currently Combined) in all states, except in Density Zone 1	of Top	BMSA	\'s	_											
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	ĺ														•
	and Assoc Fea Activation			UEPMG	VUMD4	0 00	738 61	462 53	144 05	17 09			19 99	19 99		
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent				1											
	Activity Only			UEPMG	CCOSF	0 00	0 00	600 00								
	Clear Channel Capability Format - Extended Superframe -								i I							
	Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	600 00								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
													777			Ī
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 79	0 00	0.00	0 00	0 00			33 67	7 88		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 79	0 00	0 00	0 00	0 00			33 67	7 88		
					_											
	The state of the s								ı İ.		1	ı			ı	1
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 79	0 00	0.00	1 00 0	0.00			33 67	7 88	l	
									0 00		<del> </del>		33 67 33 67			
Featu	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port		_	UEPPX UEPPX	UEP1X UEPDM	1 79 11 35	0 00	0 00	0 00	0 00			33 67 33 67	7 88 7 88		
Featur	Line Side Inward Only Channelized PBX Trunk Port without DID															

		1	[		T					Sun Ord	Cun Oud :-		ment: 2		bit B
TEGORY RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		ļ	ļ		Rec	Nonrec			g Disconnect				Rates (\$)		
Feature (Service) Activation for each Trunk Port Terminated in	<u> </u>	<del> </del>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
D4 Bank	ĺ	l	LIEBBY								1				
Telephone Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0 62	77 21	18 20	56 49	11 04			33 67	7 88		
DID Trunk Termination (1 per Port)			UÉPPX							i					
Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)				NDT	0 00	_0 00	0 00								
DID Numbers - groups of 20 - Valid all States			UEPPX	NDZ	0 00	0 00	0 00								
Non-Consecutive DID Numbers - per number			UEPPX	ND4	0 00	0 00	0 00								
Reserve Non-Consecutive DID Numbers		<u> </u>	ÜEPPX	ND5 ND6	0 00	0 00	0 00								
Reserve DID Numbers	-	-	UEPPX	NDV	0 00	0.00	0 00								
Local Number Portability		├	UEPPA	NUV	0 00	0.00	0 00								
Local Number Portability - 1 per port		├	UEPPX	LNPCP	- 0.45				·						
FEATURES - Vertical and Optional		ļ	UEPPX	LNPCP	3 15	0 00	0 00								
Local Switching Features Offered with Line Side Ports Only		-	<del> </del>		<del> </del>										
All Features Available	<del> </del>	-	UEPPX	ÜEPVF	0 00	0.00			<del> </del>	L					ļ
BUNDLED PORT LOOP COMBINATIONS - MARKET RATES			UEPPX	UEPVF	0.00	0 00	0 00								
Market Rates shall apply where BellSouth is not required to provide		100100			500 11 51		·								
This includes:	unbunc	neu ioc	cal switching or s	witch ports pe	r FCC and/or Sta	ate Commissio	nrules								
Unbundled portile on pomburghous that are Council. Comband at	1.10	L	<u> </u>	l <u></u>											
Unbundled port/loop combinations that are Currently Combined or N	NOT CUI	rently (	combined in Zone	of the lop t	MSAS in BellS	outh's region i	or end users v	vith 4 or more	DS0 equivalen	t lines					
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderda	ale, Mia	mi}, G/	A (Atlanta), LA (Ne	w Orleans); N	C (Greensboro-V	Vinston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill), T	N (Nashville	e)				
BellSouth currently is developing the billing capability to mechanica	יווס סווו	tne rec	urring and non-re	curring Marke	t Rates in this se	ection except f	or nonrecurnr	g charges for	not currently o	ombined in	FL and NC.	In the interi	m where Bell	South cannot	bill Mar
Rates, BellSouth shall bill the rates in the Cost-Based section preceded.  The Market Rate for unbundled ports includes all available features in the Market Rate for unbundled ports includes all available features.	ling in	lieu of	the Market Rates	and reserves t	he right to true-i	ip the billing o	lifference.								
End Office and Tandem Switching Usage and Common Transport Us (USOC: URECU)															
For Not Currently Combined scenarios the Nonrecurring charges are	Irsted	n the F	irst and Addition	at NRC column	s for each Port	HEAC For C.					ara leatari	- Alex NIDO C			
															_
Additional NRCs may apply also and are categorized accordingly	, notou			ar mico condimi	is for each fort	usoc rorci	irrentiy Combi	ned scenarios,	, the Nonrecur	ing charges	are iisieu i	n the NKC - C	turrently Com	bined section	n
Additional NKUS may apply also and are categorized accordingly			1		T T	USOC FORCE	irrently Combi	ned scenarios	, the Nonrecur	ing charges	s are listed t	n the NKC - C	Jurrently Com	ibined section	n
Additional NRCs may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates					To reactive out	usoc For co	Irrently Combi	ned scenarios	, the Nonrecur	ing charges	s are listed i	n the NRC - C	currently Com	ibined section	n
Additional micks may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates				ur Arto Column		usoc For co	Irrently Combi	ned scenarios	, the Nonrecur	ing charges	s are listed i	n the NKC - C	currently Com	bined section	n
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		1		ur Aire column	24 80	usoc rorce	Irrently Combi	ned scenarios	, the Nonrecur	ing charges	s are listed i	n the NRC - C	currently Com	ibined section	n
Additional Nikes may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		ur nice column	24 80 26 47	USOC FORCE	Irrentiy Combi	ned scenarios	, the Nonrecuri	ing charges	s are listed i	n the NRC - C	currently Com	ibined section	n
2-Wire VG Loop/Port Combo - Zone 1		1			24 80	USOC FORCE	irrently Combi	ned scenarios	, the Nonrecur	ing charges	s are listed i	n the NRC - C	currently Com	ibined section	n
Z-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates		1 2 3			24 80 26 47 33 83		ігеліі Сомы	ned scenarios	the Nonrecur	ing charges	s are listed i	n the NRC - C	currently Com	bined section	
Additional Nuclearity algorithms and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (St.1) - Zone 1		1 2 3	UEPRX	UÉPLX	24 80 26 47 33 83		теппу Сомы	ned scenarios	the Nonrecur	ing charges	s are listed i	n the NRC - C	currently Com	bined section	
Additional NRLs may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2		1 2 3	UEPRX UEPRX	UÉPLX UEPLX	24 80 26 47 33 83 10 80 12 47	USUC FORCE	теппу Сомы	ned scenarios	the Nonrecur	ing charges	s are listed i	n the NRC - C	currently Com	bined section	
Z-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 2		1 2 3	UEPRX	UÉPLX	24 80 26 47 33 83		теппу Сомы	ned scenarios	the Nonrecur	ing charges	s are iisied i	n the NRC - C	currently Com	bined section	
Additional Nrtx. may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res)		1 2 3	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	24 80 26 47 33 83 10 80 12 47 19 83			ned scenarios.	the Nonrecur	ing charges	s are iisied i				
Additional Nr.Ls may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (Res)  2-Wire Voice Grade Loop (Res)		1 2 3	UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRL	24 80 26 47 33 83 10 80 12 47 19 83	90 00	90 00	ned scenarios,	the Nonrecur	ing charges	s are iisted i	33 67	7 88	11 17	
Additional NRLs may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire Voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRL UEPRC	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00	90 00	90 00	ned scenarios.	the Nonrecur	ing charges	s are listed i	33 67 33 67	7 88 7 88	11 17 11 17	
Additional NRLS may alphy also and are categorized accordingly 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res		1 2 3	UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRL	24 80 26 47 33 83 10 80 12 47 19 83	90 00	90 00	ned scenarios	the Nonrecur	ing charges	s are listed i	33 67	7 88	11 17	
Z-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Unbundled port (Res)  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port signing only - res  2-Wire voice unbundled port signing only - res  2-Wire voice unbundled port signing only - res		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00	90 00 90 00 90 00	90 00	ned scenarios.	the Nonrecur	ing charges	s are iisied i	33 67 33 67 33 67	7 68 7 68 7 88 7 88	11 17 11 17 11 17	
Additional NRLs may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  [LUM]		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRL UEPRC	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00	90 00	90 00	ned scenarios.	the Nonrecur	ing charges	s are ilsted i	33 67 33 67	7 88 7 88	11 17 11 17	
Additional NRLS may alphy also and are categorized accordingly 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Seorgia basic dialing port with Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port without Caller		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00	90 00 90 00 90 00 90 00	90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67	7 68 7 88 7 88 7 88	11 17 11 17 11 17 11 17	
Additional vincs may apply also and are categorized accordingly 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port sufficient port with Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00	90 00 90 00 90 00	90 00	ned scenarios.	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67	7 68 7 68 7 88 7 88	11 17 11 17 11 17	
2-Wire Voice Grade Loop With 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop of (Res)  2-Wire Voice Unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Seorgia basic dialing port without Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port for use with		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17	
Additional NRCs may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1 2-Wire Voice Grade Loop (St.1) - Zone 2 2-Wire Voice Grade Loop (St.1) - Zone 2 2-Wire Voice Grade Loop (St.1) - Zone 3 2-Wire Voice Grade Loop (St.1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res 2-Wire voice unbundled Georgia basic dialing port or use with Caller ID - res		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00	90 00 90 00 90 00 90 00	90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67	7 68 7 88 7 88 7 88	11 17 11 17 11 17 11 17	
Additional NRLs may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port outgoing		1 2 3	UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	s are ilsted	33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17	
Additional NRCs may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only - res 2-Wire voice unbundled Georgia basic dialing port - outgoing only - res		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17	
Additional Nicks may apply also and are categorized accordingly 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Seorgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only		1 2 3	UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWC UEPWQ	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17	
Additional NRLs may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice unbundled port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port with Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3	UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are risted	33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17	
Additional nikes may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3	UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional nixts may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  1-Wire voice unbundled Low Usage Line Port without Caller ID Capability  1-Wire voice unbundled Low Usage Line Port without Caller ID Capability  1-Wire voice unbundled Low Usage Line Port without Caller ID Capability  1-Wire voice Unbundled Low Usage Line Port without Caller ID Capability  1-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability  1-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability  1-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWC UEPWQ	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional nikes may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)		1 2 3 3	UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR UEPWR UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional nikes may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port with Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  FEATURES  All Features Offered		1 2 3 3	UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional nikes may apply also and are categorized accordingly  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)		1 2 3 3	UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR UEPWR UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional NRLS may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1 2-Wire Voice Grade Loop (St.1) - Zone 2 2-Wire Voice Grade Loop (St.1) - Zone 2 2-Wire Voice Grade Loop (St.1) - Zone 3 2-Wire voice Grade Loop (St.1) - Zone 3 2-Wire voice Grade Loop (St.1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port with Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability Local Number PortAbility Local Number PortAbility Local Number PortAbility Local Number Charges - Currently Combined		1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR UEPWR UEPWR UEPWR UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17	
2-Wire Voice Grade Loop With 2-Wire Line PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port with Caller ID (apability - res  2-Wire voice unbundled Georgia basic dialing port outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  FEATURES  All Features Offered  NONRECURRING CHARGES - CURRENTLY COMBINED		1 2 3 3	UEPRX UEPRX	UÉPLX UÉPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR UEPWR UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 88 7 88 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional NRLS may apply also and are categorized accordingly 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1  2-Wire Voice Grade Loop (St.1) - Zone 2  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled gort outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  FEATURES  All Features Offered  NONRECURRING CHARGES - CURRENTLY COMBINED		1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR UEPWR UEPWR UEPWR UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios.	the Nonrecur	ing charges	are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17	
Additional NRAS may apply also and are categorized accordingly 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (St.1) - Zone 1 2-Wire Voice Grade Loop (St.1) - Zone 2 2-Wire Voice Grade Loop (St.1) - Zone 2 2-Wire Voice Grade Loop (St.1) - Zone 3  2-Wire voice Grade Loop (St.1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Georgia basic dialing port with Caller ID (apability - res 2-Wire voice unbundled Georgia basic dialing port outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Cow Usage Line Port without Caller ID Capability LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)  FEATURES All Features Offered NONRECURRING CHARGES - CURRENTLY COMBINED		1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR UEPWR UEPWR UEPWR UEPWR	24 80 26 47 33 83 10 80 12 47 19 83 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00 14 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ned scenarios	the Nonrecur	ing charges	s are listed	33 67 33 67 33 67 33 67 33 67 33 67 33 67 33 67	7 68 7 88 7 88 7 88 7 88 7 88 7 88 7 88	11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17	

UNBUNDLEL	NETWORK ELEMENTS - Georgia			1										ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manifally per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disc					Rates (\$)	¥2.77.	
	NDC 23M - 16 Od- L Bt Cbb						First	Add'l	First /	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2	0.00	0 00	0 00					33 67	7 88	11 17	3.9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<del> </del>	<del> </del>	UEFRA	U3A32	0.00	0.00	0.00					33.67	/ 66	11 17	39
	ort/Loop Combination Rates	<del> </del>			+				<del></del>							
	2-Wire VG Loop/Port Combo - Zone 1		1			24 80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE Lo	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	10 80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3	<b> </b>	_3	UEPBX	UEPLX	19 83							ļ			
	Voice Grade Line Port (Bus)	<del> </del>	ļ	LIEDDY	- June 1991	44.00		00.00	<u> </u>				22.57	7.00	44.17	0.00
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPBX UEPBX	UEPBC	14 00 14 00	90 00	90 00	ļ				33 67 33 67	7 88 7 88	11 17 11 17	39
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	-	-	UEPBX	UEPBO	14 00	90 00	90 00	<del>                                     </del>				33 67	7 88	11 17	39
	2-Wire voice unburidled Georgia basic dialing port, without			UEFBA	IOEF BO	14 00	50 00	90 00					33 07	7 00	11 17	3,5
	Caller ID capability - bus		1	UEPBX	UEPWD	14 00	90 00	90 00					33 67	7 88	11 17	39
	2-Wire voice unbundled Incoming Only Port without Caller ID	1	<del> </del>	OC! DX	102. 112		55 55	00 00								
	Capability	į.	1	UEPBX	UEPBE	14 00	90 00	90 00					33 67	7 88	11 17	3.9
	2-Wire voice unbundled Georgia basic dialing port for use with	1														1
	Caller ID - bus	1	1	UEPBX	UEPWP	14 00	90 00	90 00	i <u>l</u>				33 67	7 88	11 17	39
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATU																
	All Features Offered			UEPBX	UEPVF	0 00	0 00	0 00					33 67	7 88	11 17	3 9
NONRE	CURRING CHARGES - CURRENTLY COMBINED															<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 50	41 50					33 67	7 88	11 17	3 9
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 50	41 50					33 67	7 88	11 17	3 9
	ONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -														•	
	Subsequent	ļ	<u> </u>	UEPBX	USAS2		0 00	0 00					33 67	7 88	11 17	3 9
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	ort/Loop Combination Rates	-				24 80										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	ļ	2			24 80 26 47										
	2-Wire VG Loop/Port Combo - Zone 2		3			33 83										
	pop Rates		1 3	1		33 03			<del>                                     </del>				<u> </u>			
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	10 80							<b></b>			_
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19 83		-								1
	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1	1									T			
	Res 2-Wire voice unbundled Georgia extended dialing port, PBX 1-		<u> </u>	UEPRG	UEPRD	14 00	90 00	90 00					33 67	7 88	11 17	3.9
	Way Outdoal Trunk			UEPRG	UEPPO	14 00	90 00	90 00					33 67	7 88	11 17	3.9
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	14 00	90 00	90 00					33 67	7 88	11 17	3.9
	NUMBER PORTABILITY	l		-				22.30					1	1		
	Local Number Portability (1 per port)	i		UEPRG	LNPCP	3 15	0 00	0 00								
FEATU	RES															
	All Features Offered			UEPRG	UEPVF	0 00	0 00	0 00			1		33 67	7 88	11 17	39
NONRE	CURRING CHARGES - CURRENTLY COMBINED												1			ļ
	2 Miss Nove Crede Land Land Bart Contractor Contractor			UEDBC	118480		44 50	44.50					33 67	7 88	11 17	39
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	<del>                                     </del>	-	UEPRG	USAC2		41 50	41 50					33 6/	/ 88	11 1/	39
	Change			UEPRG	USACC		41 50	41 50					33 67	7 88	11 17	39
	lourende.	1	1	Joer NO	Loouge -		41.00	41 30					00 07	1		+

ифоиргі	ED NETWORK ELEMENTS - Georgia				1						0	0		ment 2		oit: 🖪
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Efectronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates (\$)	•	
		L				THE .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0 00					33 67	7 88	11 17	39
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	<del> </del>	<del> </del>				0.00	0.00					33.61	7 00	11 17	39
	Group						14 64	14 64	ļ				19 99	19 99	19 99	199
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1	<u> </u>		1				<del></del>	† <del></del>						
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24 80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 47					1					
	2-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE	Loop Rates	ļ	<b>.</b>	HCDOX	. LIEDLY	40.00				ļ	1					
-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-		UEPPX UEPPX	UEPLX	10 80 12 47					-			-		
+	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<del>                                     </del>		UEPPX	UEPLX	19 83				+						
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	1	-	UEFFA	HOEFE H						<del> </del>		-			
	t voice drade Line v div Nates (BOD - 1 BX)	<u> </u>	-										-			
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00					33 67	7 88	11 17	3 9
	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPPX	UEPPO	14 00	90 00	90 00		· ·	<u> </u>		33 67	7 88	11 17	3 9
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	14 00	90 00	90 00		1			33 67	7 88	11 17	3 9
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00					33 67	7 88	11 17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14 00	90 00	90 00		1			33 67	7 88	11 17	3
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	L	l	UEPPX	UEPXB	14 00	90 00	90 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	l	UEPPX	UEPXC	14 00	90 00	90 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-	_	UEPPX	UEPXD	14 00	90 00	90 00					33 67	7 88	11 17	3 9
i	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					44.00		20.00	1				90.07			
	Capable Port		ļ <u>-</u>	UEPPX	UEPXE	14 00	90 00	90 00	ļ	<del></del> -	ļ		33 67	7 88	11 17	3 9
j	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00					33 67	7 88	11 17	3.9
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OEFFA	DEFAL	14 00	90 00	90 00					33 07	7 00	1111/	3 5
- 1	Room Calling Port			ŲEPPX	UEPXM	14 00	90 00	90.00					33 67	7 88	11 17	3.9
$\rightarrow$	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<b>†</b>		OLI I	OLI MIVI	1,00	50 50	. 00 00	-						1	
1	Discount Room Calling Port			UEPPX	UEPXO	14 00	90 00	90 00					33 67	7 88	11 17	3 9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14 00	90 00	90 00					33 67	7 88	11 17	3 9
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPPX	UEPWS	14 00	90 00	90 00				<u> </u>	33 67	7 88	11 17	3.9
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk		ļ	UEPPX	UEPWT	14 00	90 00	90 00					33 67	7 88	11 17	3 9
- 1	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
-	Trunk	+	-	UEPPX	UEPPQ	14 00	90 00	90 00		+	ļ	<del> </del>	33 67	7 88	11 17	3 9
1	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports	1		UEPPX	UEPPS	14 00	90 00	90 00			1	1	33 67	7 88	11 17	3 9
+	2-Wire voice unbundled Georgia basic dialing port - PBX Toll	+	+	UEFFA	UEFFS	14 00	90.00	90 00	<b></b>	+	<del> </del>	-	330/	/ 68	11 17	3,5
	Terminal Ports			UEPPX	UEPPT	14 00	90 00	90 00				1	33 67	7 88	11 17	3 9
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	+	+	OLI FA	JULIFI	14 00	90 00	30 00		+	-	<u> </u>	33.07	, 50		
	DDD Terminal Port			UEPPX	UEPPU	14 00	90 00	90 00					33 67	7 88	11 17	3.9
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	1	† <del></del>				. 55 50	00 00			<u> </u>	<u> </u>	23.57	1		1
	Terminal Switchboard Port			UEPPX	UEPPV	14 00	90 00	90 00	l				33 67	7 88	11 17	3 9
	2-Wire voice unbundled Georgia basic dialing port - PBX LD			-												
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	14 00	90 00	90 00					33 67	7 88	11 17	3 9
LOCA	AL NUMBER PORTABILITY									1	ļ					ļ
	Local Number Portability (1 per port)	ļ		UEPPX	LNPCP	3 15	0 00	0 00	1	<del> </del>						
FEAT	URES All Features Offered	<del> </del>	1	LICTORY	LIEDVE	0.00	0.00	0.22		1	1		33 67	7.00	11 17	3 9
NONE	RECURRING CHARGES - CURRENTLY COMBINED	+	-	UEPPX	UEPVF	0 00	0.00	0 00	-	<del> </del>	<del> </del>		33 67	7 88	11.17	3 5
NONE	CORREST CORRESTET COMBINED	+							-	+	-	ļ				<u> </u>
- 1	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	1		UEPPX	USAC2		41 50	41 50	1		1	1	33 67	7 88	11 17	3 9
-+	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	+	+		00/102	-	4130	4130	<del>                                     </del>	†	1	<b>.</b>	35 57	, 36	<del> </del>	<del>                                     </del>
	Change			UEPPX	USACC	1	41 50	41 50			1		33 67	7 88	11 17	3 9
-+-	TIONAL NRCs	+	+		3000	-	00			+				1	<del>                                     </del>	<del>                                     </del>

	D NETWORK ELEMENTS - Georgia	1					•				Syc Order	Svc Order	Attachr Incremental			Increment
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge
						Rec	Nonrec	urnng Add'l	Nonrecurring D		SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							First	Addi	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0 00	0 00	0 00					33 <del>6</del> 7	7 88	11 17	3 9
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0 00	0 00					33 67	7 88	11 17	3
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19
2-WIRE	GROUP  VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	2T					14 64	14 64					19 99	19 99	19 99	19
	ort/Loop Combination Rates	ì														
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			24 80										
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			26 47										
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			33 83										
UNE Lo	pop Rates		1												-	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPÇO	UEPLX	10 80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12 47		_								
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19 83										
2-Wire	Voice Grade Line Port Rates (Coin)	1	I													
	2-Wire Coin 2-Way with Operator Screening (GA)		I	UEPÇO	UEPGC	14 00	90 00	90 00					33 67	7 88	11 17	3
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	14 00	90 00	90 00					33 67	7 88	11 17	3
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	14 00	90 00	90 00					33 67	7 88	11 17	3
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPĈŌ	UEPGB	14 00	90 00	90 00					33 67	7 88	11 17	:
	2-Wire Corn 2-Way with Operator Screening and Blocking															ĺ.
	900/976, 1+DDD, 011+,and Local (GA) 2-Wire Corn Outward with Operator Screening and 011Blocking			UEPCO	UEPCH	14 00	90 00	90 00					33 67	7 88	11 17	
	(GA, KY, MS)  2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO UEPCO	UEPCQ	14 00 14 00	90 00	90 00					33 67	7 88 7 88	11 17 11 17	
	NUMBER PORTABILITY		<del> </del>	UEPCO	UEPCO	14 00	90 00	90 00					33 Gr	7 00	11 17	<u> </u>
	Local Number Portability (1 per port)		1	UEPCO	LNPCX	0 35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		<b></b>	1													
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPCO	USAC2		41 50	41 50					33 67	7 88	11 17	3
	Change			UEPCO	USACC	1	41 50	41 50					33 67	7 88_	11 17	:
ADDITI	ONAL NRCs		-		-											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0 00					33 67	7 88	11 17	
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												
	ort/Loop Combination Rates		ļ.,													L
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30 84										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			33 45										<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		$\rightarrow$	44 92										-
	oop Rates		<del> </del>	UEDED.	LIEGER	40.01			<b></b>							-
	2-Wire Voice Grade Loop (SL2) - Zone 1	<del> </del>		UEPFR UEPFR	UECF2	16 84 19 45										<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	19 45 30 92			<del>                                     </del>						-	
	Voice Grade Line Port Rates (Res)		1-3-	UEFFR	UEUFZ	30 92			ļ							<del></del>
	2-Wire voice unbundled port - residence	<del> </del>	ļ	UEPFR	UEPRL	14 00	160 00	125 00	<del>                                     </del>				33 67	7 88	11 17	3
	2-Wire voice unbundled port with Caller ID - res		<del> </del>	UEPFR	UEPRC	14 00	160 00	125 00	<b>-</b>				37 06	7 88	11 17	3
	2-Wire voice unbundled port outgoing only - res	1	-	UEPFR	UEPRO	14 00	160 00	125 00					33 67	7 88	11 17	
	2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller !D	<del> </del>	+	ULFFR	UEFRU	14 00	100 001	125 00	<del>                                     </del>				33 07	7 00	11.17	<del></del>
	(LUM)  2-Wire voice unbundled Georgia basic dialing port, without			UEPFR	UEPAP	14 00	160 00	125 00				· · · ·	33 67	7 88	11 17	:
-	Caller ID capability - res		<u> </u>	UEPFR	UEPWC	14 00	160 00	125 00					33 67	7 88	11 17	
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	14 00	160 00	125 00					33 67	7 88	11 17	

UNBUNDL	ED NETWORK ELEMENTS - Georgia										·			ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates (\$)	í	L
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only		ļ	UEPFR	UEPWR	14 00	160 00	125 00					33 67	7 88	11 17	3 91
INTE	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<u> </u>						ļ- <del></del>							
	Termination			UEPFR	U1TV2	17 07	79 61	36 08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02,111	101112		,,,,,		·							
	or Fraction Mile			UEPFR	1L5XX	0 0222										
FEAT	URES			<u> </u>												
	All Features Offered		ļ.,	UEPFR	UEPVF	0 00	0 00	0 00	ļ				33 67	7 88	11 17	3 91
LOCA	L NUMBER PORTABILITY		-	UEPFR	LNPCX	0 35			ļ. <u></u>							
NON	Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LNPCX	0.35					<del> </del>					
INON	2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port		<del>                                     </del>		1						-					
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		93 83	93 83		1			33 67	7 88	11 17	3 91
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del>                                     </del>	1	1			00 30	1		<del> </del>		35 57	, 30	· · · · · · · ·	- 55
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		93 83	93 83			1		33 67	7 88	Ì	
	RE VOICE LOOP! 2WIRE VOICE GRADE IO TRANSPORT! 2-WIRE	LINE	PORT (	BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30 84										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			33 45										<b></b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del> </del>	3			44 92				<b> </b>					-	-
UNE	Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16 84			1							<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFB	UECF2	19 45			ļ	<del> </del>	<b></b>				+	
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	30 92								·		
2-Wii	e Voice Grade Line Port (Bus)		1						<u> </u>							
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14 00	160 00	125 00					33 67	7 88	11 17	3 91
	2-Wire voice unbundled port with Caller + E484 ID - bus		<u></u>	UEPFB	UEPBC	14 00	160 00	125 00					33 67	7 88	11 17	
	2-Wire voice unbundled port outgoing only - bus		1	UEPFB	UEPBO	14 00	160 00	125 00					33 67	7 88	11 17	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	ļ		UEPFB	UEPB1	14 00	160 00	125 00		ļ			33 67	7 88	11 17	3 9
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPFB	UEPWD	14 00	160 00	125 00					33 67	7 88	11 17	3 91
	2-Wire voice unbundled Georgia basic dialing port for use with		-	OLFIB	OLFWD	14 00	100 00	123 00	1		-		33 07	7 00	,,,,,	3 3 1
	Caller ID - bus	1		UEPFB	UEPWP	14 00	160 00	125 00	1	1			33 67	7 88	11 17	3 91
LOCA	L NUMBER PORTABILITY	<u> </u>	-		1											1
	Local Number Portability (1 per port)		1	UEPFB	LNPCX	0 35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				I 🗍											1
	Termination		-	UEPFB	U1TV2	17 07	79 61	36 08	1		ļ			ļ		ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			LUEPFB	1L5XX	0 0222				1						
EE A	URES			UEPFB	ILDXX	0 0222								<del>                                     </del>		
, LA	All Features Offered		├	UEPFB	UEPVF	0 00	0 00	0.00				<u></u>	33 67	7 88	11 17	3 91
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del>                                     </del>	-	OCI 1 D	1021 11	- 000			<del> </del>			<del></del>	33 01	7 00		- 33
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del> </del>						<u> </u>					l		1
	Combination - Conversion - Switch-as-is	1		UEPFB	USAC2		93 83	93 83					33 67	7 88	11 17	3 91
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			ŲEPFB	USACC		93 83	93 83		l	<b>1</b>					ļ
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)								L							-
UNE	Port/Loop Combination Rates	-	-		-	00.0:			-						-	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-	1	<del>                                     </del>	-	30 84			-							-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del> </del>	3	ļ	+	33 45 44 92		<b> </b>	<del> </del>	-	-	<b> </b>	ļ	<del>                                     </del>		<del> </del>
UNF	Loop Rates	+	-3	<del>                                     </del>	+ +	44 32			1		+	<b> </b>	<del> </del>	<del> </del>	<del>                                     </del>	<del></del>
ONE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16 84			1	<del>                                     </del>	<del> </del>					
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	19 45			1	1					1	
	2-Wire Voice Grade Loop (SL2) - Zone 3	İ		UEPFP	UECF2	30 92							1	Ī		
2-Wii	e Voice Grade Line Port Rates (BUS - PBX)	ľ	ľ						1		i		T			

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge -	Incremental Charge -	Increment Charge
						Rec	Nonrec	urring	Nonrecurring Di	sconnect			oss	Rates (\$)	•	
			L			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														i		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14 00	160 00	125 00					33 67	7 88	11 17	3 9
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14 00	160 00	125 00			<u></u>		33 67	7 88	11 17	3
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14 00	160 00	125 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14 00	160 00	125 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14 00	160 00	125 00					37 06	7 88	11 17	3
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP UEPFP	UEPXB UEPXC	14 00 14 00	160 00	125 00					33 67	7 88	11 17	3
				UEPFP		14 00	160 00	125 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	UEPFP	UEPXD	14 00	160 00	125 00					33 67	7 88	11 17	3
	Capable Port		1	UEPFP	UEPXE	14 00	160 00	125 00	1				33 67	7 88	11 17	3
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFI F	ULF AE	14 00	160 00	125 00	-				33 0/	, 48	11.1/	<del>- 3</del>
	Administrative Calling Port			UEPFP	UEPXL	14 00	160 00	125 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			QL. 11	JOE AL	.,,00		120 00					33 01	7.00	<u>-</u> -	l
	Room Calling Port			UEPFP	UEPXM	14 00	160 00	125 00					33 67	7 88	11 17	3
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				- <del>  : : : : : :  </del>			.20 00						<i>i</i> -30		
1	Discount Room Calling Port			UEPFP	UEPXO	14 00	160 00	125 00				}	33 67	7 88	11 17	3
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14 00	160 00	125 00					33 67	7 88	11 17	3
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudraf Trunk			UEPFP	UEPWS	14 00	160 00	125 00	i. I				33 67	7 88	11 17	3
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPFP	UEPWT	14 00	160 00	125 00					33 67	7 88	11 17	3
LOCAL	L NUMBER PORTABILITY			_												
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00					33 67	7 88	11 17	3
INTER	OFFICE TRANSPORT													i		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															ĺ
	Termination		L	UEPFP	U1TV2	17 07	79 61	36 08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1		1											
FEATL	or Fraction Mile			UEPFP	1L5XX	0 0222										
FEAT	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					22.07	7.00	44.47	-
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		UEPFP	UEPVE	0 00	0 00	0 00	<del></del>				33 67	7 88	11 17	3
- Itolita	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+ +											
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		93 83	93 83					33 67	7 88	11 17	3
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			06/11	USACE		90 00						33 07	7 00		
1	Combination - Conversion - Switch with change			UEPFP	USACC	-	93 83	93 83					33 67	7 88	11 17	3
BUNDLED	PORT/LOOP COMBINATIONS - MARKET BASED RATES				1007.00			00 00								
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1					-			•			
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			99 84										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			102 45										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			113 92										
UNE L	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	16 84	104 78	78 10								i .
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			ÜEPPX	UECD1	19 45	104 78	78 10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30 92	104 78	104 10								
UNE P	ort Rate				1											
HOUSE	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	83 00	850 00	75 00					33 67	7 88		
NONRI	ECURRING CHARGES - CURRENTLY COMBINED		$\vdash$		+											
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only			HEDDY	1,104,04	İ	000.00					Ì				i
-	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		<b> </b>	UEPPX	USAC1		850 00	75 00					33 67	7 88		
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		PEG 20	70.00				1				i
ADDIT	IONAL NRCs			UEPPX	USATU		850 00	75 00					33 67	7 88		
	ione Number/Trunk Group Establisment Charges				+											l
тепери	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group		$\vdash$	ULI FA	- IADI	0.00	000	0.00					-			
İ	of 20 DID Numbers			UEPPX	NDZ	0 00	0 00	0 00							İ	i
	Additional DID Numbers for each Group of 20 DID Numbers		<del>  </del>	UEPPX	ND4	0 00	0 00	0.00		-						<del></del>

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhit	bit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add'
								Rec	Nonrec		Nonrecurring					Rates (\$)		
	-	DID N			UEPPX		NIDE	0.00	First 0 00	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers		1	UEPPX		ND5 ND6	0.00	0.00	0.00	-							<b></b>
		Reserve DID Numbers		1	UEPPX		NDV	0 00	0 00	0 00	<del></del>		<del> </del>					
	LOCAL	NUMBER PORTABILITY	<del>                                     </del>	1	OLFFX		INDV	0.00	000	0.00		-	· · · · ·					
		Local Number Portability (1 per port)			UEPPX		LNPCP	3 15	0.00	0 00		·	1		-			<del>                                     </del>
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	PORT					0.00							<u> </u>		<del></del>
		ort/Loop Combination Rates		T														
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -														ĺ		1
		UNE Zone 1		1	UEPPB	UEPPR	:	81 89								}		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		85 27										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			L		□											
		UNE Zone 3		3	UEPPB	UEPPR		100 17								L		
		pop Rate		<b>—</b>	HERRE	HEDDE	LICLAY	24.00	050.00	100 ==			<b></b>		10.55	10.55		<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21 89	252 32	188 77					19 99	19 99		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25 27	252 32	188 77			1		19 99	19 99		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		40 17	252 32	188 77			<del> </del>		19 99	19 99		<del></del>
		prt Rate		3	UEPPB	UEPPR	USLZX	40 17	252 32	188 77		-	1		19 99	19 99		<b></b>
	UNE P	Exchange Port - 2-Wire ISDN Line Side Port			HEDDE	UEPPR	UEPPB	60 00	525 00	400 00					19 99	19 99	-	
- 1	NONRE	CURRING CHARGES - CURRENTLY COMBINED		1	OLFFB	ULFFR	OLFFB	00 00	323 00	400 00	· · · · · · · · · · · ·		-		19 99	19 98		
	NO NICE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					+ +	-					1					
		Combination - Conversion - Top 8 MSAs only			LIEPPB	UEPPR	USACB	0 00	215 00	215 00			-		19 99	19 99		
	ADDITI	ONAL NRCs			02.70	02	00,100	0.00	2.000	210 00			<del> </del>		10 00	10 00		<del>                                     </del>
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy																
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165 95				1		19 99	19 99		
	LOCAL	NUMBER PORTABILITY											1					
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0 00	0 00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
		CSD	l	l	UEPPB	UEPPR	U1UCC	0 00	0 00	0 00								
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, 8	TN)	ļ		<u> </u>											
		FERMINAL PROFILE					ļ						ļi					
		User Terminal Profile (EWSD only)		<b></b>	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00			1					<b></b>
		CAL FEATURES		ļ	HEDDO	UEPPR	1150) (5	0.00	0.00	0.00					40.00	40.00		
		All Vertical Features - One per Channel B User Profile  OFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	0 00	0 00	0 00					19 99	19 99		
	INTER	Interoffice Channel mileage each, including first mile and			<u> </u>		+ +											
		facilities termination			HEPPR	UEPPR	MIGNO	16 47	79 61	36 08			1		19 99	19 99		
		Interoffice Channel mileage each, additional mile					M1GNM	0 0222	0 00	0 00					10 00	13 33		
- 1		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	<del>                                      </del>	I DET. I D	OLITIN	1	O OLLL	0 00									
		ort/Loop Combination Rates		<del> </del>				i					1					
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				-	·		•				1					· · · · · · · · · · · · · · · · · · ·
		Zone 1		1	UEPPP			955 53	l							]	ļ	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					T									<del></del>		<b>†</b>
		Zone 2	L	2	UEPPP			964 13								l	1 .	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																[
		Zone 3	L	3	UEPPP		<u> </u>	1,001 93			<u> </u>					<u></u>	1	L
	UNE L	oop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55 53	448 92	276 60					19 99	19 99		
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64 13	448 92	276 60					19 99	19 99		
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101 93	448 92	276 60					19 99	19 99	l	↓
		ort Rate			I		1											<u> </u>
		Exchange Ports - 4-Wire ISDN DS1 Port	L	<b>_</b>	UEPPP		UEPPP	900 00	1,200 00	1,200 00					19 99	19 99		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED		ļ			1									ļ		ļ
ļ		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1										I	1
		Combination - Conversion -Switch-As-Is Top 8 MSAs only		1	UEPPP		USACP	0.00	925 00	925 00	1	I	1		19 99	19 99	1	1

Version 4Q02 12/18/02

UNBUNDLED N	NETWORK ELEMENTS - Georgia													ment 2	<del></del>	oit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOM AN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
14-1	Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-						First	Add I	rirst	Addi	SOMEC	SUWAN	SUMAN	SUMAN	SUMAN	SUMAN
	ward/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0 9686									
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OL/11	1107	-	0 0000				· · · · · · · · · · · · · · · · · · ·					
	utward Tel Numbers (All States except NC)			UEPPP	PR7TO		22 75	22 75							1	
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
Su	ubsequent Inward Telephone Numbers			UEPPP	PR7ZT	1	45 49	45 49			1					
	UMBER PORTABILITY															
Lo	cal Number Portability (1 per port)			UEPPP	LNPCN	1 75										
	CE (Provsioning Only)			·												
	pice/Data			UEPPP	PR71V	0.00	0.00	0 00								
	gital Data	<u> </u>		UEPPP	PR71D	0 00	0.00	0 00			l					
	ward Data	L		UEPPP	PR71E	0 00	0 00	0 00								
	dditional "B" Channel								ļ							
	ew or Additional - Voice/Data B Channel	L	1	UEPPP	PR7BV	0 00	28 71		ļ		ļ		19 99	19 99		
	ew or Additional - Digital Data B Channel	<u> </u>	↓	UEPPP	PR7BF	0 00	28 71		·				19 99	19 99		
	ew or Additional Inward Data B Channel	-	<del> </del>	UEPPP	PR7BD	0 00	28 71						19 99	19 99		
CALL TYP			<u> </u>	UEPPP												
	ward utward			VEPPP	PR7C1	0 00	0 00	0 00			ļ		-			
	vo-way			UEPPP	PR7C0 PR7CC	0 00	0 00	0 00								
	Channel Mileage			UEPPP	PR/CC	0 00	. 000	0.00								
	xed Each Including First Mile	-	-	UEPPP	1LN1A	78 9223	147 07	111 75	0.00		<del></del>		19 99	19 99		
Es	ach Airline-Fractional Additional Mile		<del>                                     </del>	UEPPP	1LN1B	0 4523	147 07	11175	0 00		-		19 99	19 99		
	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLFFF	TONID	04323					<u> </u>		-			
	Loop Combination Rates				+ +						1					
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176 33					<u> </u>			• • • • • • • • • • • • • • • • • • • •		
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184 93										
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222 73					· · · · · ·					
UNE Loop											1		-			
4-\	Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55 53	448 92	276 00				• •	19 99	19 99		
	Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64 13	448 92	276 60					19 99	19 99		
	Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101 93	448 92	276 60					19 99	19 99		
UNE Port																
	Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750 00	1,011 43	477 87	206 70	20 70			19 99	19 99		
	IRRING CHARGES - CURRENTLY COMBINED															
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					Į								ĺ		
- S	Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		269 96	269 96					19 99	19 99		
	W. COLD PRITE T. L. D. C	ļ							}							
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1				1							
- 0	Conversion with DS1 Changes Top 8 MSAs only	ļ		UEPDC	USAWA		269 96	269 96					19 99	19 99		
1 1	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ļ														
	Conversion with Change - Trunk Top 8 MSAs only	ľ	i	UEPDC	USAWB		200.00	200.00					40.00	40.00		
ADDITION		<del> </del>		UEPDC	USAWB		269 96	269 96					19 99	19 99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	l	-		<del></del>					-						
	ervice Activity Per Service Order	ŀ		UEPDC	USAS4		147 47	147 47						l		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		ļ —	OLI DO	03234		191.97	197.97						<del></del>		
	ibsequent Channel Activation/Chan - 2-Way Trunk	l	1	UEPDC	UDTTA	I	28 71	28 71	1				19 99	19 99	[	
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	l —			1001117		2071	20 / 1					19 33	15 35		
Ch	nannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 71	28 71	1				19 99	19 99		
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel				1									12.00		
Ac	tivation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 71	28 71	1			.	19 99	19 99		
4-1	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan	l			1										i	
Ac	trvation Per Chan - Inward Trunk with DID			UEPDC	סדדם	I	28 71	28 71					19 99	19 99		
4-1	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	tivation / Chan - 2-Way DID w User Trans	l.		UEPDC	UDTTE	I	28 71	28 71					19 99	19 99	[	
	8 ZERO SUBSTITUTION															
	3ZS -Superframe Format			UEPDC	CCOSF		0 00	600 00								
B8	BZS - Extended Superframe Format		T	UEPDC	CCOEF	T I	0.00	600 00							1	

Version 4Q02 12/18/02 Page 124 of 416

INBONDE	ED NETWORK ELEMENTS - Georgia													ment 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
			ļ			1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Altern	ate Mark Inversion															
	AM! -Superframe Format			UEPDC	MCOSF		0 00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	мсоро		0 00	0 00								
Telepi	hone Number/Trunk Group Establisment Charges		L								į i					
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00										
	Telephone Number for 1-Way Outward Trunk Group		L	UEPDC	UDTGY	0 00										
	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ	0 00										
	DID Numbers, Establish Trunk Group and Provide First Group		1	ŀ												
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0 00	0 00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00										
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPDC	ND5	0 00										
	Reserve Non-Consecutive DID Nos		i	UEPDC	ND6	0.00	0 00	0 00								
	Reserve DID Numbers		1	UEPDC	NDV	0.00	0.00	0 00								
Dedic	ated DS1 (Interoffice Channel Mileage) -															
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															<b> </b>
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities						"									
	Termination)			UEPDC	1LNO1	78 47	147 07	111 75					19 99	19 99		1
			1		1				-				10.00	10 00		t
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 4523	0 00	0 00						Ì		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			02.00	1211071	0 1020									<del> </del>	<del> </del>
	Termination)			UEPDC	1LNO2	0.00	0 00	0 00						•		1
-	Interoffice Channel Mileage - Additional rate per mile - 9-25		1	OLI DO	ILINOZ	0 00	0.00	0 00							-	<b>├</b>
	miles			UEPDC	1LNOB	0 4523	0 00	0 00						ļ		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		<del>                                     </del>	OLFDC	ILINOB	0 4323	- 000	0 00		-						<del>                                     </del>
	Termination)		1	UEPDC	1LNO3	0.00	0 00	0 00						ļ		ł
<del></del>	Termination			UEPDC	ILINOS	0 00	0.00	0.00								<b>├</b>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		Į.	UEPDC	1LNOC	0 4523	0.00	0 00								1
			-	UEPDC	LNPCP		0 00	0 00								-
	Local Number Portability, per DS0 Activated					3 15		-								
43400	Central Office Termininating Point			UEPDC	CTG	0 00										ļ
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	<u> </u>	<u> </u>							L						<u> </u>
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			L												
A syst	tem can have various rate combinations based on type and nur	nber of	ports	used												<u> </u>
UNE	OS1 Loop		<u> </u>													L
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55 53	0.00	0 00								<u> </u>
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64 13	0 00	0 00								L
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101 93	0.00	0 00					·			
UNE C	OSO Channelization Capacities (D4 Channel Bank Configuration	າຣ)			i l			·								
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102 64	0 00	0 00			l		19 99	19 99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205 28	0.00	0 00					19 99	19 99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410 56	0 00	0 00					19 99	19 99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615 84	0 00	0 00					19 99	19 99	1	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821 12	0 00	0 00			1		19 99	19 99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026 40	0 00	0.00					19 99	19 99		<del> </del>
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231 68	0 00	0 00		-			19 99	19 99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642 24	0 00	0 00					19 99	19 99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052 80	0 00	0 00					19 99	19 99		<del></del>
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463 36	0.00	0 00					19 99	19 99		<b> </b>
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873 92	0 00	0 00					19 99	19 99		<b></b>
Non-R	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	eliztio			Based on a Sve	stem	5 50		-	1		10 00	13 33	<del> </del>	<del></del>
A Min	imum System configuration is One (1) DS1, One (1) D4 Channe	Bank	and U	To 24 DSO Ports	with Feature A	ctivations										
Multin	ples of this configuration functioning as one are considered Ac	Id'l afte	r the m	unimin system co	infiguration is	counted				<b></b>				<b></b>	<del>                                     </del>	<del></del>
	NRC - Conversion (Currently Combined) with or without	ante			garation 15	- antou				-				<del> </del>		<del></del>
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0 00	450 00	50 00					19.99	10.00		
Suctor	m Additions Where Currently Combined and New (Not Current)	u Comb	المممية	OLI-WG	03/104	0 00	450 00	50 00					19.99	19 99		-
	nsity Zone 1 Top 8 MSAs	y Corne	mieu )													
III Der				-	<b>-</b>						ļ		<del></del>			<del></del>
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc		1	I	1 1					I	1			l	l .	1
	Fea Activation -			UEPMG	VUMD4	0.00	950 00	600 00	200 00	30 00			19 99	19 99		

CHBONDEF	D NETWORK ELEMENTS - Georgia			I	, ,		····	·			Sun Order	Sva Orde-		ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electron Disc Add
						Rec	Nonred		Nonrecurring					Rates (\$)		
		ļ					First	Add'I	Fırşt	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability Format, superframe - Subsequent			UEPMG	CCOSF	0.00	0.00	600 00								
	Activity Only Clear Channel Capability Format - Extended Superframe -	<del>                                     </del>		DEPING	CCOSF	0.00	0.00	800 00							-	
	Subsequent Activity Only		1	UEPMG	CCOEF	0 00	0.00	600 00								
	ite Mark Inversion (AMI)															
	Superframe Format		1	UEPMG	MCOSF	0 00	0 00	0 00								
	Extended Superframe Format			UEPMG	мсоро	0 00	0 00	0 00								
	ige Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port											ļ		
Exchan	nge Ports				<del></del>											
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14 00	0 00	0 00	0 00	0.00			33 67	7 88		
	Line Side Outward Channelized PBX Trunk Port - Business		-	UEPPX	UEPOX	14 00	0 00	0 00	0 00	0 00			33 67	7 88		
	Cine Side Odtward Chairnelized FDX Hurik Fort - Dusiness		+	ULIFA	- JOEF OX	14 00	0.00	0.00	0.00	2.00		<del></del>	33 07	, 00	<del>                                     </del>	<u> </u>
	Line Side Inward Only Channelized PBX Trunk Port without DID	İ	1	UEPPX	UEP1X	14 00	0.00	0 00	0 00	0 00			33 67	7 88	1	1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	UEPPX	UEPDM	83 00	0.00	0 00	0.00	0 00			33 67	7 88		
	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Benk			UEPPX	1PQWM	0 62	40 00	20 00	6 00	5 00			33 67	7 88		
	Feature (Service) Activation for each Trunk Port Terminated in	Ì			1											
	D4 Bank			UEPPX	1PQWU	0 62	110 00	30 00	65 00	20 00			33 67	7 88		
	one Number/ Group Establishment Charges for DID Service			UEPPX	NDT	0 00	0 00	0 00								-
	DID Trunk Termination (1 per Port)		<del> </del>	UEPPX	NDZ	0 00	0 00	0 00			ļ					
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		<del> </del>	UEPPX	ND4	0.00	0 00	0 00					-	<u> </u>		
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0.00	0 00	<del> </del>							<del> </del>
	Reserve Non-Consecutive DID Numbers	-	<del>                                     </del>	UEPPX	ND6	0 00	0 00	0 00	1							ļ
	Reserve DID Numbers		1	UEPPX	NDV	0 00	0 00	0 00								
	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0.00								
FEATUR	RES - Vertical and Optional		Ι								t					
	Switching Features Offered with Line Side Ports Only										1					
	All Features Available	<u> </u>	<u> </u>	UEPPX	UEPVF	0 00	0 00	0 00							-	ļ
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC		C4-4-	<u> </u> 		and and a section		tab Danta			_			-	-	
	ures shall apply to the Unbundled Port/Loop Combination - C								dlad Port sector	on of this Pate	Exhibit				<del></del>	
	Office and Tandem Switching Usage and Common Transport											oun Port/Lo	on Combinat	lone	<del> </del>	
	first and additional Port nonrecurring charges apply to Not Ci														Additional NE	RCs may
	also and are categorized accordingly		GGIIIE			marrida domec		anning unangeo	unun bo mobo	adiianod iii i			,	ou 0001.0.10		,
	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otrated	on an Individual C	ase Basis, unt	Il further notice	э.				Į.				1	1
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')						·								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)		L													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١										1			
	Non-Design		1	UEP91	1	12 59						ļ			-	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ŀ		LICEO	1	14.00								l		
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91	1.	14 26			<del> </del>			<del> </del>	ļ	-		
	Non-Design		3	UEP91		21 62								1		
	ort/Loop Combination Rates (Design)		Ť	04.01	+	2.02			<u> </u>					<del> </del>	<u> </u>	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1		1						<del> </del>					
	Design	1	1	UEP91		18 63					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						· · · · ·				_		1			
	Design		2	UEP91		21 24		<u> </u>							l	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			1												
	Design	L	3	UEP91		32 71								J		1
	oop Rate	L	ļ											<del> </del>		1
	2-Wire Voice Grade Loop (SL 1) - Zone 1	L	1	UEP91	UECS1 UECS1	10 80 12 47						1	ļ			+
									1		1	1		1	1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		<del>  - <u> </u></del>	UEP91 UEP91	UECS1	19 83						+			<del></del>	_

Version 4Q02 12/18/02 Page 126 of 416

NRUNDLE	NETWORK ELEMENTS - Georgia													ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		<b>I</b>
							First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	16 84										l
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	19 45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP91	UECS2	30 92										1
UNE Po					1 -											
All Stat	es (Except North Carolina and Sout Carolina)		┼	LIEDO4	LIEBYA	1.70	00.14	45.05	0.45	2.04			33 67	7.00	<del></del>	ļ
	2-Wire Voice Grade Port (Centrex.) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPYA	1 79	22 14	15 25	8 45	3 91			33.67	7 88		├──
	Area		ĺ	UEP91	UEPYB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	UEFSI	HOEF TB	179	22 14	10 20	0 45	391			33 67	7 00	1	1
	Area		1	UEP91	UEPYH	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del> </del>	<del> </del>	02.01	100,111	.,,,	17	10 20	5 45	3 91			000,	. 00		
	Center)2 Basic Local Area			UEP91	UEPYM	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	t			1				<del> </del>				55.51	1		1
	Term - Basic Local Area			UEP91	UEPYZ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	<del> </del>	<del>" -i</del>				.5 20					1 22 31	1 . 50	1	1
	- Basic Local Area			UEP91	UEPY9	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -										1			1		
	Basic Local Area			UEP91	UEPY2	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
George	a and Florida Only							•					1			
	2-Wire Voice Grade Port (Centrex )		1	UEP91	UEPHA	1 79	22 14	15 25	8 45	3 91			33 67	7 88	i	
	2-Wire Voice Grade Port (Centrex 800 termination)	Ι .		UEP91	UEPHB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		ļ .
	2-Wire Voice Grade Port (Centrex with Caller ID)1	ì		UEP91	UEPHH	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2	1		UEP91	UEPHM	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1					İ		1							-
	Term	<b>_</b>	<del></del>	UEP91	UEPHZ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
į į	L					[										
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		_	UEP91	UEPH9	1 79	22 14	15 25	8 45	3 91		ļ	33 67	7 88 7 88		
	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP91	UEPH2	1 79	22 14	15 25	8 45	3 91		ļ	33 67	/ 88		
	Switching		+	UED04	UDECC	0 5554						ļ		<del> </del>		
	Centrex Intercom Funtionality, per port	-	-	UEP91	URECS	0 5554				-	<del> </del>	<del> </del>				
	Local Number Portability (1 per port)	ļ	+	UEP91	LNPCC	0 35					ļ	<del> </del>		1		
Feature			_	QLF 91	LIVECC	0.30					<del> </del>		-	+		
	All Standard Features Offered, per port		_	UEP91	UEPVF	0.00					1			<del>                                     </del>		-
	All Select Features Offered, per port		<del> </del>	UEP91	UEPVS	0 00	454 69							1		<b></b>
	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0 00										
NARS	Par Control Control Control Control (per per	+	+	32, 0	102110						<b></b>		1			
	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0 00			<del> </del>		33 67	7 88		
	Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0 00	0 00			i .		33 67	7 88		
	Unbundled Network Access Register - Outdial	1	1	UEP91	UAROX	0.00	0.00	0 00			l		33 67	7 88		
	aneous Terminations		1													
	Trunk Side		1													
	Trunk Side Terminations, each		1	UEP91	CENA6	11.35	61 91	61 91					33 67	7 88		
	fice Channel Mileage - 2-Wire										L					
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	17 07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0222										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														L
D4 Cha	innel Bank Feature Activations	L											l	ļ		<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 62								ļ		L
i –					1							1		i		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<del> </del>	1	UEP91	1PQW6	0 62									<del> </del>	ļ
ļ	Feature Activation on D-4 Channel Bank FX Trunk Side Loop									1			ļ.	1		
ŀ	Slot	1	-	UEP91	1PQW7	0 62					ļ			<del> </del>		<del> </del>
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1	I	1	r I			1	1	1	1	1	1	t	1
			1	LIEBOA	14001440	ا مما			1	l		1	1	1	1	
	Different Wire Center			UEP91	1PQWP	0 62						1				ļ.——

NRONDLE	D NETWORK ELEMENTS - Georgia										r			ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonreci		Nonrecurring					Rates (\$)	,	
						1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		i I		1 1		1		-							
	Slot			UEP91	1PQWQ	0 62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 62										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex												-			ļ
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2	1	2 01	0 3108					33 67	7 88		
-+	New Centrex Standard Common Block		$\vdash$	UEP91	M1ACS	0.00	659 41	0 3 100		_			33 67	7 88		
	New Centrex Standard Common Block		$\vdash$	UEP91	MIACC	0 00	659 41		<u> </u>				33 67	7 88		
_	Secondary Block, per Block			UEP91	M2CC1	0 00	77 10						33 67	7 88		
	NAR Establishment Charge, Per Occasion	-		UEP91	URECA	0 00	71 88 (				<del>                                     </del>		33 67	7 88		
	CENTREX - 5ESS (Valid in All States)		$\vdash \vdash$			<del></del>								T		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo													1		
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													-		
	Non-Design		1	UEP95		12 59	l.									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		_2	UEP95		14 26										
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1 1				1							ļ		1
	Non-Design		3	UEP95		21 62										
UNE P	ort/Loop Combination Rates (Design)				<del></del>											
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١. ١													
	Design State Control of the Part Control of th		1	UEP95		18 63						_				
l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		21 24					ĺ			l		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF95		2124			-							-
	Design		3	UEP95	1 1	32 71	1		1							
LINE 1	pop Rate		1	OEF 30	<del></del>	32 / 1			_		<del> </del>	_				
J.ILE E.	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10 80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	12 47										
	2-Wire Voice Grade Loop (St. 1) - Zone 3			UEP95	UECS1	19 83							-			
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	16 84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95 ·	UECS2	19 45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UEC\$2	30 92										
	ort Rate															
All Sta		1														Ĭ
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex 800 termination)		L	UEP95	UEPYB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		L
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local					[										1
	Area		$\vdash$	UEP95	UEPYH	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEBYAL	, ,,	20.41	45					00	7		ŀ
<del></del>	Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		$\vdash$	UEP95	UEPYM	1 79	22 14	15 25	8 45	3 91		——-i	33 67	7 88		
	Term - Basic Local Area			UEP95	UEPYZ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		Į
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del></del>		00790	UEFYZ	119	22 14	15 25	8 45	291	<del> </del>		33 6/	/ 88		
	- Basic Local Area			UEP95	UEPY9	1 79	22 14	15 25	8 45	3 91			33 67	7 88		1
	2-Wire Voice Grade Port Terminated on 800 Service Term -		$\vdash$	JE1 50	JOE: 19	- 173		13 23	- 643	3 31			33 07	, 00		<del>                                     </del>
	Basic Local Area			UEP95	UEPY2	1 79	22 14	15 25	8 45	3 91			33 67	7 88		1
FL & G			t		122.12			13 23	U 43	331			33 07	<u> </u>		<del>                                     </del>
<del></del>	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1 79	22 14	15 25	8 45	3 91			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1 1	UEP95	UEPHH	1 79	22 14	15 25	8 4 5	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		$\Box$													
	Center)2		<u> </u>	UEP95	UEPHM	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPHZ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	[au, u, a a a a u a a a a a a a a a a a a					_ [	1									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		L	UEP95	UEPH9	1 79	22 14	15 25	8 45	3 91			33 67	7 88		<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term		1 1	UEP95	UEPH2	1 79	22 14	15 25	8 45	3 91	1 }		33 67	7 88	1	1

<b>NABANDLE</b>	D NETWORK ELEMENTS - Georgia													nent: 2		bit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec First	urnng Add'l	Nonrecurring Dis	Add'l	SOMEC	COMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
_	Centrex Intercom Funtionality, per port		_	UEP95	URECS	0 5554	FIRST	Addi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
Local	Number Portability			OLI SO	Jorazoo	0 0004										1
-	Local Number Portability (1 per port)			UEP95	LNPCC	0 35	-									
Featur	res															
	All Standard Features Offered, per port			UEP95	UEPVF	0 00							33 67	7 88		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454 69						33 67	7 88		
	All Centrex Control Features Offered, per port	ļ		UEP95	UEPVC	0 00							33 67	7 88		L
NARS		<u> </u>			_											
	Unbundled Network Access Register - Combination			UEP95 UEP95	UARCX UAR1X	0 00	0 00	0 00					33 67	7 88		ļ
	Unbundled Network Access Register - Indial		ļ	UEP95	UAR1X UAROX	0 00	0 00	0 00					33 67 33 67	7 88 7 88		-
Missel	Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UARUX	0 00	0.00	0.00	<del> </del>				33 07	7 00		<del> </del>
	Trunk Side	<del>                                     </del>	+		+ -		-		<del></del>						<del>                                     </del>	<del> </del>
2-44116	Trunk Side Terminations, each	<del> </del> -	<del> </del>	UEP95	CEND6	11 35	61 91	61 91				ļ- <b>-</b>	33 67	7 88	<del> </del>	
4-Wire	Digital (1 544 Megabits)	<del>                                     </del>	1	02.100	OLINO		- 0.0.	0.01					55 67	7 00		<del>                                     </del>
	DS1 Circuit Terminations, each		-	UEP95	M1HD1	120 80	89 44	52 46					33 67	7 88		
	DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	28 71						33 67	7 88		
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MiGBC	17 07										
1	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 0222										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	1													
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWŞ	0 62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot			UEP95	1PQW7	0 62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0 62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 62										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	1	1					•	1							
	Slot			UEP95	1PQWQ	0 62			l .							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1		l	1										l	
	changes, per port	<del> </del>		UEP95	USAC2		2 01	0 3108					33 67	7 88		<u> </u>
	New Centrex Standard Common Block New Centrex Customized Common Block	<del> </del>		UEP95 UEP95	M1ACS M1ACC	0 00	659 41 659 41		ļ		-		33 67 33 67	7 88 7 88	<b>-</b>	
	NAR Establishment Charge, Per Occasion	+	-	UEP95	URECA	0 00	71 88				ļ	<del></del>	33 67	7 88 7 88	-	<del>                                     </del>
IINF-P	CENTREX - DMS100 (Valid in All States)	+	+	UEF 30	UNECA	0.00	/108						33 07	/ 68	1	<del>                                     </del>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1-	+-						<del> </del>		<b></b>					
	ort/Loop Combination Rates (Non-Design)	1	+		+ -										<u> </u>	h
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del>                                     </del>	1										· ·		<del> </del>	1
-	Non-Design  2-Wire VG Loop/2-Wire Vaice Grade Port (Centrex)Port Combo -		1	UEP9D		12 59										
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		14 26			-							<u> </u>
	Non-Design	<u> </u>	3	UEP9D		21 62										
UNE P	ort/Loop Combination Rates (Design)	1	-						<b></b>		ļ	<del> </del>				<del> </del>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.	LIEDOD		40.00					ĺ		1		I	1
-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	1	UEP9D		18 63			<del>                                     </del>		<u> </u>					
<del></del>	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		21 24										
	Design		3	UEP9D		32 71			<u> </u>				ļ		ļ	ļ
UNE L	oop Rate												ļ		ļ	-
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	10 80					<u> </u>		1			<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12 47			<u> </u>		1	<u> </u>	1	l	1	1

EGORY	RATE ELEMENTS						_				Svc Order	Svc ∩rder	Incremental	nent: 2 Incremental		bit. B
+-		Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge
						Rec		curring	Nonrecurring					Rates (\$)		
<del></del>	2.14 1/ Cooks Live (01.4). 7	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP9D	UECS1	19 83									i	
				UEP9D	UECS2	16 84										
<del></del>	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9D	UECS2	19 45										
	ort Rate	<del> </del>	1 3	UEP9D	UECS2	30 92										
ALL ST		-	<b></b>		_											
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1 79	22 14	45.05	5.45			-				L
1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYB			15 25	8 45	3 91			33 67	7 88		-
1	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		-			1 79	22 14	15 25	8 45	3.91			33 67	7 88		
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1 79	22 14	15 25	8 45	3 91			33 67	7 88		$\vdash$
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1 79	22 14	15 25	8 45	3 91		-	33 67	7 88		<b></b>
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1 79	22 14	15 25	8 45	3 91			33 67	7 88		<u> </u>
+	Area  2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1 79	22 14	15 25	8 45	3 91			33 67	7 88		<u> </u>
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1 79	22 14	15 25	8 45	3 91			33 67	7 88		-
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp			UEP9D	UEPYH	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	1. Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication))3		<u> </u>	UEP9D	UEPYW	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Basic Local Area			UEP9D	UEPYJ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		ĺ
	Wire Voice Grade Port (Centrex from diff Serving Wire Center)     Basic Local Area			UEP9D	UEPYM	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYÓ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
!	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area		_	UEP9D	UEPY4	1 79	22 14	15 25	8 45	391			33 67			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D										7 88		
	Basic Local Area  Basic Local Area  Basic Local Area				UEPY5	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3  Basic Local Area			UEP9D	UEPY6	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
+-+	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Basic Local Area 2-Wire Voice Grade Port Terminaled on 800 Service Term Basic Local Area			UEP9D UEP9D	UEPY9	1 79	22 14	15 25	8 45	3 91			33 67	7 88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia										T			ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Žone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonred First	urring Add'l	Nonrecurning First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
FL & G	GA Only							-		,		<u> </u>			· · · · · · · · · · · · · · · · · · ·	
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP90	UEPHB	1 79	22 14	15 25	8 45	3 91			33 67	7.88		<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP90 UEP90	UEPHC	1 79 1 79	22 14 22 14	15 25 15 25	8 45 8 45	3 91 3 91		ļ	33 67 33 67	7 88 7 88		<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3	<del> </del>		UEP9D	UEPHE	1 79	22 14	15 25		3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		<del> </del>	UEP9D	UEPHF	1 79	22 14	15 25		3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1 79	22 14	15 25		3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1 79	22 14	15 25		3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	ÜEPHU	1 79	22 14	15 25		3 91			33 67	7 88		<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1 79	22 14	15 25		3 91			33 67	7 88		←
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3 UEPHH	1 79 1 79	22 14 22 14	15 25 15 25	8 45 8 45	3 91 3 91			33 67 33 67	7 88 7 88	ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp		<u> </u>	UEP9D	UEPHH	179	22 14	15 25	6 45	391		<del></del>	33 61	/ 50		<b></b>
	Indication)3			UEP9D	UEPHW	1 79	22 14	15 25	8 45	3 9 1	İ	]	33 67	7 88		1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	<u> </u>		UEP9D	UEPHJ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								1							
	2			UEP9D	UEPHM	1 79	22 14	15 25		3 91			33 67	7 88		L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
		1			i				1							1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		<u> </u>	UEP9D	UEPHP	1 79	22 14	15 25		3 91			33 67	7 88 7 88		ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		⊢
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1 79	22 14	15 25	8 45	3 91			33 67	7 88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1 79	22 14	15 25	8 45	3 91			33 67	7 88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPHZ	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	3 Mire Voice Crade Bed terminated in an Manager to a			UEP9D	UEPH9	179	22 14	15 25	8 45	3 91			33 67	7 88		ĺ.
	Wire Voice Grade Port terminated in on Megalink or equivalent     Port Terminated on 800 Service Terminated On 800 Service Terminated On 800 Se		-	UEP9D	UEPH9	179	22 14	15 25		3 91			33 67	7 88	<del></del>	h
Local	Switching	<del> </del>		OCL 3D	JUEFFIZ	179	22 14	10 25	0 45	281	-	<del> </del>	33 67	, 66		$\vdash$
25501	Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0 5554									·	
Local	Number Portability		i .										<del> </del>			
	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
Featur																<b></b>
	All Standard Features Offered, per port	ļ	<u> </u>	UEP9D	UEPVF	0 00	45.1		<u> </u>				20.00	<del></del>	ļ	
	All Select Features Offered, per port All Centrex Control Features Offered, per port	ļ	<u> </u>	UEP9D UEP9D	UEPVS	0 00	454 69		<u> </u>				33 67	7 88	<u> </u>	<del> </del>
NARS		-	-	OELAD.	UEPVC	0.00			<del> </del>					1		
MAKS	Unbundled Network Access Register - Combination	<del>                                     </del>	<del>                                     </del>	UEP9D	UARCX	0 00	0.00	0 00	1			<del>                                     </del>	33 67	7 88	<del> </del>	<del> </del>
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0.00	0 00			<del> </del>	1	33 67	7 88		
	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0 00	0.00	0.00					33 67	7 88	1	
Miscel	llaneous Terminations											L				
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	11 35					<u> </u>	-	ļ			
4-Wire	Digital (1.544 Megabits)		ļ											ļ	<b></b>	
	DS1 Circuit Terminations, each	ļ	ļ	UEP9D	M1HD1	120 80	89 44	52 46	-		<del> </del>	-	33 67 33 67	7 88 7 88		<del> </del>
Inter-4	DS0 Channels Activiated per Channel	-	-	UEP9D	M1HDO	0 00	28 71		<del> </del>	<b>.</b>	<del>  -</del>	<del></del>	33 67	/ 88		<del> </del>
intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	MIGBC	17 07	l	ļ <u>.</u>			<b> </b>		<b></b>	<b></b>		

Version 4Q02 12/18/02 Page 131 of 416

	D NETWORK ELEMENTS - Georgia													ment 2	Exhib	
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs Electronic-	Charge Manual S Order vs Electron
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurrin First	g Disconnect Add'i	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0 0222	11130	Auui	11131		JOINEG	00	COMPAN	COMPAN	COMPAN	00111747
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	:e		02.702					† · · · · ·							
	annel Bank Feature Activations										1					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 62								_		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Stot			UEP9D	1PQW7	0 62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -								-							
	Different Wire Center	ļ	↓	UEP9D	1PQWP	0 62			1	-	<b>_</b>		<del>                                     </del>			
	E. II. A. I. A. I. A. I. B. A. Chandal Bank Bank B.		j	LIEDOD	1000407	0.00				I		1	I			
_	Feature Advantage on D-4 Channel Bank Private Line Loop Slot	-		UEP9D	1PQWV	0 62			-	<del> </del>	<del> </del>		+		<del> </del>	
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot		1	UEP9D	1PQWQ	0 62				1		1	I			
+	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	1	UEP9D	1PQWQ	0.62			-	+						
Non D	Recurring Charges (NRC) Associated with UNE-P Centrex	-		ULFBU	IFQWA	0 62				1	<del> </del>		<del> </del>			
Non-R	NRC Conversion Currently Combined Switch-As-Is with allowed	<del>                                     </del>	+			<del>                                     </del>			<del> </del>	+			<del> </del>			
	changes, per port			UEP9D	USAC2		2 01	0 3108					33 67	7 88		
	New Centrex Standard Common Block		+	UEP9D	M1ACS	0.00	659 41	0.0100	·	+			33 67	7 88		
	New Centrex Standard Common Block		+	UEP9D	M1ACC	0 00	659 41		1	+	<del> </del>		33 67	7 88		
_	NAR Establishment Charge, Per Occasion		+	UEP9D	URECA	0 00	71 88		<u> </u>	_			33 67	7 88		
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			52.05	U. LEGIT				<u> </u>							
	2 - Requires Interoffice Channel Mileage		1									<del> </del>			-	
	3 - Requires Specific Customer Premises Equipment															
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES		1								1					
SUNDLED	CENTREX PURI/LUUP CUMBINATIONS - MARKET RATES										1	I				
1 Mar	ket Rates are applied where BellSouth is not required by FCC	and/or	State C	Commission rule t	o provide Unbu	ndled Local Sw	itching or Sw	itch Ports.								
1 Mar	ket Rates are applied where BellSouth is not required by FCC juring Charges for all Standard Centrex and Centrex Conrol F	eatures	are Inc	cluded in the Mar	ket Rate		_			ļ						
1 Mar 2 Rec 3 End	ket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fi I Office and Tandem Switching Usage and Common Transport	eatures Usage	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network	elements excep	of for UNE (	oin Port/Lo	oop Combinat	ions		
1 Mar 2 Rec 3 End	ket Rates are applied where BellSouth is not required by FCC juring Charges for all Standard Centrex and Centrex Conrol F	eatures Usage	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network	elements excep	ot for UNE (	Coin Port/Lo	oop Combinat	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply	ket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fi I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly	eatures Usage urrently	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network (	elements excep e identified in t	ot for UNE C	Coin Port/Lo	pop Combinatently Combine	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P	ket Rates are applied where BellSouth is not required by FCC curring Charges for all Standard Centrex and Centrex Conrol Fit I Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	eatures Usage urrently	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network o	elements excep e identified in t	ot for UNE C	Coin Port/Le	pop Combinatently Combine	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol Fi Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	eatures Usage urrently	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	t for UNE (	oin Port/Lo	pop Combinat ently Combine	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol Fit Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly.  CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only by C LODIZ-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	eatures Usage urrently	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	ot for UNE (	Coin Port/Le	oop Combinat ently Combina	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol Fi Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL, FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	eatures Usage urrently	are Inc rates II y Comb	cluded in the Mar n the Port section nined Combos F	ket Rate of this rate exh	ibit shall apply mbined Combo	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE (	Coin Port/Lo	cop Combinatently Combine	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CCENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	eatures Usage urrently	are Inc	cluded in the Mar n the Port section	ket Rate of this rate exh	ibit shall apply	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	t for UNE (	oin Port/Le	pop Combinatently Combine	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Cornol F. Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only by G. Loop/2-Wire Voice Grade Port (Centrex) Combo  **Ort/Loop Combination Rates (Non-Design)**    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	eatures Usage urrently	rates iii	oluded in the Mar in the Port section pined Combos F	ket Rate of this rate exh	ibit shall apply mbined Combo	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE (	OIN PORT/LC	pop Combinatently Combine	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only D VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design	eatures Usage urrently	are Inc rates II y Comb	cluded in the Mar n the Port section nined Combos F	ket Rate of this rate exh	ibit shall apply mbined Combo	to all combina	ations of loop	/port network (	elements excep e identified in t	of for UNE (	Coin Port/Lo	pop Combinatently Combine	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX** - TAESS** (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo  **Ort/Loop Combination Rates (Non-Design)  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  **Non-Design**  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  **Non-Design**  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  **Non-Design**  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  **Non-Design**  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	eatures Usage urrently	are Inc rates II y Comb	UEP91	ket Rate of this rate exh	ibit shall apply mbined Combo 24 80 26 47	to all combina	ations of loop	/port network (	elements excep e identified in t	t for UNE (	Corn Port/Le	oop Combinat ently Combin	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F. Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly.  **CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	eatures Usage urrently	rates iii	oluded in the Mar in the Port section pined Combos F	ket Rate of this rate exh	ibit shall apply mbined Combo	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	t for UNE (	Corn Port/Le	cop Combinate ently Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only D VG Loop/2-Wire Voice Grade Port (Centrex) Comboor/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	eatures Usage urrently	are Inc rates II y Comb	UEP91	ket Rate of this rate exh	ibit shall apply mbined Combo 24 80 26 47	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	t for UNE (	com Port/Lc	pop Combinat ently Combin	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX.** 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only  **VG Loop/2-Wire Voice Grade Port (Centrex) Combo-  **Ort/Loop Combination Rates (Non-Design)  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design  **2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-  **Non-Design	eatures Usage urrently	are Increase	UEP91 UEP91 UEP91	ket Rate of this rate exh	ibit shall apply mbined Combo 24 80 26 47 33 83	to all combina	ations of loop	/port network (	elements excep e identified in t	t for UNE (	oin Port/Lo	pop Combinate ently Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only  **YG Loop/2-Wire Voice Grade Port (Centrex) Combo- **Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- **Non-Design**  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design**  **Ort/Loop Combination Rates (Design)*  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design**  **Ort/Loop Combination Rates (Design)*  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- besign**	eatures Usage urrently	are Inc rates II y Comb	UEP91	ket Rate of this rate exh	ibit shall apply mbined Combo 24 80 26 47	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	at for UNE C	coin Port/L.c	pop Combinate ently Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F.  Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only)  OG Loop/2-Wire Voice Grade Port (Centrex) Combo  Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	eatures Usage urrently	are Increase	UEP91  UEP91  UEP91	ket Rate of this rate exh	24 80 26 47 33 83	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE C	com Port/Lc	pop Combinate entity Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX** - TAESS** - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo  **Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  **Ort/Loop Combination Rates (Design)**  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	eatures Usage urrently	are Increase	UEP91 UEP91 UEP91	ket Rate of this rate exh	ibit shall apply mbined Combo 24 80 26 47 33 83	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE C	oin Port/Lc	pop Combinat	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only  **VG Loop/2-Wire Voice Grade Port (Centrex) Combo- **Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  **Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	eatures Usage urrently	1 2 3	UEP91 UEP91 UEP91 UEP91	ket Rate of this rate exh	24 80 26 47 33 83 30 84	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE C	Coin Port/Le	oop Combinate entity Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F.  Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only)  OG Loop/2-Wire Voice Grade Port (Centrex) Combo  Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Dosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	eatures Usage urrently	1 2 3	UEP91  UEP91  UEP91	ket Rate of this rate exh	24 80 26 47 33 83	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE C	coin Port/Le	pop Combinate ently Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX** - TAESS** - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo  **Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design	eatures Usage urrently	are Inc rates II y Comb	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ket Rate of this rate exh or Currently Co	24 80 26 47 33 83 30 84 33 45	to all combina	ations of loop	port network of shall be those	elements excepted in the second secon	of for UNE C	oin Port/Lc	pop Combinate entity Combinate	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX.** 1AESS.** (Valid in AL, FL, GA, KY, LA, MS, &TN only  **VG Loop/2-Wire Voice Grade Port (Centrex) Combo  **Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Non-Design  **Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design	eatures Usage urrently	are Inc rates II y Comb	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ket Rate of this rate exh or Currently Co	24 80 26 47 33 83 30 84 33 45 44 92	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE C	Corn Port/Le	oop Combinate entity Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F.  Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only by G. Loop/2-Wire Voice Grade Port (Centrex) Combolor/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combolon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combolosign	eatures Usage urrently	1 2 3 1 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 3 1 3 2 3 3 3 3	UEP91	ket Rate of this rate exh or Currently Co	24 80 26 47 33 83 30 84 33 45	to all combina	ations of loop	/port network of shall be those	elements excepted in the second secon	of for UNE (	oin Port/Le	pop Combinate ently Combinate in the com	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	eatures Usage urrently	are Increases III y Comb	UEP91	ket Rate of this rate exh or Currently Co  UECS1 UECS1 UECS1 UECS1 UECS1	24 80 26 47 33 83 30 84 44 92 10 80 12 47 19 83	to all combina	ations of loop	port network of shall be those	elements excepted in the second secon	of for UNE C	oin Port/Le	pop Combinate entity Combinate	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  **CENTREX.** 1AESS - (Valid in AL, FL, GA,KY, LA,MS,&TN only  **VG Loop/2-Wire Voice Grade Port (Centrex) Combo  **Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	eatures Usage urrently	are Inc   rates        y Comb	UEP91	VECS1 UECS1 UECS1 UECS2	24 80 26 47 33 83 30 84 33 45 44 92 10 80 12 47	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE (	Corn Port/Le	op Combinate ently Combinate in the comb	ions ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F.  Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo  Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	eatures Usage urrently	are Inc rates II II y Comb	UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	24 80 26 47 33 83 30 84 33 45 44 92 10 80 12 47 19 83 16 84 19 45	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE (	oin Port/Le	pop Combinate ently Combinate in the com	ions ed sections	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL, GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX	eatures Usage urrently	are Inc rates II II y Comb	UEP91	VECS1 UECS1 UECS1 UECS2	24 80 26 47 33 83 30 84 44 92 10 80 12 47 19 83 16 84	to all combina	ations of loop	/port network of shall be those	elements excepted in the second secon	of for UNE C	oin Port/Le	pop Combinate entity Combinate in the co	ed sections	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol Fill Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only DCENTREX - 1AESS - (Valid in AL,F	eatures Usage urrently	are Inc rates II II y Comb	UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	24 80 26 47 33 83 30 84 33 45 44 92 10 80 12 47 19 83 16 84 19 45	to all combina	ations of loop	/port network of shall be those	elements excep e identified in t	of for UNE (	Corn Port/Le	op Combinate entity Combinate in the com	ed sections a	Additional NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL, GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX - 1AESS - (Valid in AL,FL,GA,KY, LA,MS,&TN only CENTREX	eatures Usage urrently	are Inc rates II II y Comb	UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	24 80 26 47 33 83 30 84 33 45 44 92 10 80 12 47 19 83 16 84 19 45	to all combina	ations of loop	shall be those	e identified in t	of for UNE (	oin Port/Le	pop Combinate entity Co	rons ed sections  7 88	Additronal NR	Cs may
1 Mar 2 Rec 3 End 4 The apply UNE-P 2-Wire UNE P	ket Rates are applied where BellSouth is not required by FCC urring Charges for all Standard Centrex and Centrex Conrol F.  Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly  CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only CyG Loop/2-Wire Voice Grade Port (Centrex) Combo  Ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Don-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	eatures Usage urrently	are Inc rates II II y Comb	UEP91 UEP91 UEP91	WECS1 UECS1 UECS1 UECS2 UECS2 UECS2	24 80 26 47 33 83 30 84 33 45 44 92 10 80 12 47 19 83 16 84 19 45 30 92	to all combin.	ations of loop urring charges	shall be those	e identified in t	of for UNE C	coin Port/Le	ently Combini	ed sections a	Additional NR	Cs may

INBUNDLE	D NETWORK ELEMENTS - Georgia		·	-							0	D		ment: 2		Incremen
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							First	Addʻl	FIRST	Addi	SUMEC	SUMAN	SUMAN	JOWAN	JONIAN	JOHA
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent							45.00	20.00	40.00			33 67	7 88		
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY9	14 00	90 00	45 00	20 00	10 00			33 67	7 60		-
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area	ļ	}	UEP91	UEPY2	14 00	90 00	45 00	20 00	10 00	_		33 67	7 88		
Georg	ia and Florida Only		<del>                                     </del>													
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	14 00	90 00	45 00	20 00	10 00		<del> </del>	33 67	7 88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	14 00	90 00	45 00	20 00	10 00		ļ	33 67	7 88 7 88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	14 00	90 00	45 00	20 00	10 00			33 67	/ 88		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPHM	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPHZ	14 00	90 00	45 00	20 00	10 00		<u> </u>	33 67	7 88	-	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	14 00	90 00	45 00	20 00	10 00	i		33 67	7 88		
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPH2	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
Local	Switching		1													ļ
	Centrex Intercom Funtionality, per port			UEP91	URECS	0 5554	_					1				<del> </del>
Local	Number Portability					0 35			-			<del> </del>	ļ-			-
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35			<del></del>		_	+				
Featur			ļ	UEP91	UEPVF	0 00						+				
_	All Standard Features Offered, per port All Select Features Offered, per port	<del> </del>	+	UEP91	UEPVS	0 00	454 69	-				1	† ·			
-	All Centrex Control Features Offered, per port	<del> </del>		UEP91	UEPVC	0 00	15 1 05									
NARS			1													
- 1	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0 00	0 00	0 00					33 67	7 88		
	Unbundled Network Access Register - Indial		T	UEP91	UAR1X	0 00	0 00	0 00					33 67	7 88		
	Unbundled Nelwork Access Register - Outdial			UEP91	UAROX	0 00	0 00	0 00				4	33 67	7 88		
	llaneous Terminations	<u> </u>	<u> </u>								-		ļ	-	-	1
2-Wire	Trunk Side		1-	115 DO 1	051110	11 35	61 91	61 91	+	L			33 67	7 88		<del> </del>
	Trunk Side Terminations, each	ļ	+	UEP91	CENA6	1135	6191	0191	-			<del> </del>	33 01	1		<del> </del>
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade	-		UEP91	M1GBC	17 07			<del> </del>							
	Interoffice Channel mileage per mile or fraction of mile	-	+	UEP91	M1GBM	0 0222			<del> </del>			<del>                                     </del>	-			
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	+	02/ 01							†				1	
D4 Ch	annel Bank Feature Activations	Ť														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	L		UEP91	1PQWS	0 62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 62										ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		$\perp$	UEP91	1PQW7	0 62						ļ <u>-</u>				-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0 62					ļ					—
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 62					-	<u> </u>	-	ļ <u>.</u>		ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Siot			UEP91	1PQWQ	0 62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	+	UEP91	1PQWA	0 62			1							
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		1	1												<del> </del>
	Conversion - Currently Combined Switch-As-Is with allowed															1
	changes, per port	<u> </u>		UEP91	USAC2		2 01	0 3108	<del></del>	<b></b>	-		33 67			+
	New Centrex Standard Common Block	<u> </u>	1	UEP91	M1ACS	0 00	659 41	ļ	-	<del> </del>	+	+	33 67 33 67			+
	New Centrex Customized Common Block	1		UEP91	M1ACC	0 00	659 41		+	-	+		33 67			+
	Secondary Block, per Block	L		UEP91	M2CC1	0 00	77 10	1					1 55 07	1 . 00	J	

NECKDE	ED NETWORK ELEMENTS - Georgia	,					_							ment <sup>.</sup> 2	Exhit	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
					_		Nonrec	urana	Nonrecurring	Disconnect			000	Rates (\$)		L
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0 00	71 88	71001		Auu	COMPEG	00. AII	33 67	7 88	JOHAN	JOMAN
UNE	P CENTREX - 5ESS (Valid in All States)						7.00						33 07	7 00		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		i		•											<del></del>
UNE	Port/Loop Combination Rates (Non-Design)														l	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													-		
	Non-Design	ł	1	UEP95		24 80										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													
	Non-Design	i	2	UEP95		26 47			1							1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		33 83	1									1
UNE	Port/Loop Combination Rates (Design)														-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		30 84	i						L			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	L	2	UEP95		33 45			L						l	Ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Design		3	UEP95		44 92					L			L :		1
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	10 80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	12 47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	19 83										L
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	16 84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	19 45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3_	UEP95	UECS2	30 92				_						
	Port Rate															L.
All S																L
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14 00	90 00	45 00		10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	ÜEPYB	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEDOS					]							1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<b>—</b> —		UEP95	UEPYH	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<b>└</b>
	Center)2 Basic Local Area		1	UEP95	UEPYM	14 00	00.00	45.00	20.00	40.00			20.00			ĺ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<del> </del>	UEP95	UEPYM	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	Term - Basic Local Area		1	UEP95	UEPYŻ	14 00	00.00	45.00	20.00	40.00			20.07	7.00		i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP95	UEPTZ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<b>——</b>
	- Basic Local Area	}	l	UEP95	UEPY9	14 00	00.00	45.00	20.00	40.00			20.07			1
	2-Wire Voice Grade Port Terminated on 800 Service Term -	<u> </u>	<del></del>	UEF95	UEPT9	14 00	90 00	45 00	20 00	10 00			33 67	7 88		-
	Basic Local Area	1	1	UEP95	UEPY2	14 00	90 00	45 00	20 00	10 00			20.07	7.00		i
FI &	GA Only			UEF95	UEP 12	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<del></del>
	2-Wire Voice Grade Port (Centrex.)	<del></del>		UEP95	UEPHA	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<del></del>
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHB	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	GEI 30	OLF IIII	14 00	90 00	43 00	20 00	10 00			33 67	1 88		
ł	Center)2			UEP95	UEPHM	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			<u>501 55</u>	OLI I NVI	1400	50 00	43 00	20.00	10 00			33 07	/ 00		
	Term			UEP95	UEPHZ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	-			021 00	-   021112	14 00	30 00	43.00	20 00	10 00			33 07	7 50		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPH9	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
Loca	l Switching		T		1				2550	10 00			30 01	, 50		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 5554					<del>  </del>					
Loca	Number Portability				1		-		-							
	Local Number Portability (1 per port)			UEP95	LNPCC	0 35										
Featu					<del></del>											
	All Standard Features Offered, per port			UEP95	UEPVF	0 00							33 67	7 88		
	All Select Features Offered, per port			UEP95	UEPVS	0 00	454 69						33 67	7 88		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0 00							33 67	7 88		
NARS					1		-		· · · · · ·				35 37	, 50		
	Unbundled Network Access Register - Combination		_	UEP95	UARCX	0 00	0.00	0.00	<del> </del>		-		33 67	7 88		

OMBONDEED V	NETWORK ELEMENTS - Georgia				<del></del>									ment 2		ort: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add's
				<u>-</u>		Rec	Nonrec First		Nonrecurring First		COMEO	SOMAN		Rates (\$)	0.000	
<sub>Lin</sub>	bundled Network Access Register - Indial		1	ÜEP95	UAR1X	0.00	0 00	Add'I 0 00	FIFST	Add'l	SOMEC	SUMAN	SOMAN 33 67	SOMAN 7 88	SOMAN	SOMAN
	abundled Network Access Register - Outdial		<del> </del>	UEP95	UAROX	0.00	0 00	0 00	-		+		33 67	7 88		
	eous Terminations	<del>                                     </del>	1											1 00		
2-Wire Tru	ınk Side							•			1					
	unk Side Terminations, each			UEP95	CEND6	11 35	6191	61 91					33 67	7 88		
	gital (1 544 Megabits)															
	S1 Circuit Terminations, each			UEP95	M1HD1	120 80	89 44	52 46					33 67	7 88		
	S0 Channels Activated each			UEP95	M1HDO	0 00	28 71						33 67	7 88		
	Channel Mileage - 2-Wire												_			
	teroffice Channel Facilities Termination		ļ	UEP95	MIGBC	17 07										
	teroffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP95	MIGBM	0 0222										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	:e			1						ļ			ļ		
	el Bank Feature Activations	-	-	LIEBOE	1,0000	0.00										
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	1PQWS	0 62					ļ					
	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 62										
Sid		Ì		UEP95	1PQW7	0 62	i									
	eature Activation on D-4 Channel Bank Cenfrex Loop Slot - fferent Wire Center			UEP95	1PQWP	0 62										
Fe	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 62										
Fe Sid	eature Activation on D-4 Channel Bank Tile Line/Trunk Loop			UEP95	1PQWQ	0 62		-								
	eature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP95	1PQWQ								<del>.</del>			
	uring Charges (NRC) Associated with UNE-P Centrex	-		UEP95	IPQWA	0 62			-							
NF	RC Conversion Currently Combined Switch-As-Is with allowed				<del> </del>											
	anges, per port			UEP95	USAC2		2 01	0 3108			ļ		33 67	7 88		
	ew Centrex Standard Common Block			UEP95	M1ACS	0 00	659 41						33 67	7 88		
	ew Centrex Customized Common Block			UEP95	M1ACC	0 00	659 41						33 67	7 88		
	AR Establishment Charge, Per Occasion			UEP95	URECA	0 00	71 88						33 67	7 88		
	NTREX - DMS100 (Valid in All States)															
	Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design)		1		+	-										
2-1	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			UEDOD												
2-1	on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		24 80	-						<del></del>			
2-1	on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		26 47			<u></u>							
	on-Design Loop Combination Rates (Design)		3_	UEP9D		33 83										
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-				- 1								1	1	
	esign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP9D		30 84					-					
De	esign Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>	2	UEP9D		33 45										
De	esign		3	UEP9D		44 92										
UNE Loop	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	40.00			ļ		-			-	-	
	Wire Voice Grade Loop (SL 1) - Zone 1 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	10 80 12 47								-	<b> </b>	
-    2-1	Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>	3	UEP9D	UECS1	19 83					-			<b>-</b>	-	
	Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16 84					†			-	+	
	Wire Voice Grade Loop (SL 2) - Zone 2	<del>                                     </del>	2	UEP9D	UECS2	19 45					<b></b>			<del>                                     </del>	<b>†</b>	l
	Wire Voice Grade Loop (SL 2) - Zone 3	t	3	UEP9D	UECS2	30 92				1				<b> </b>	<b>†</b>	<b></b>
UNE Port		<del>                                     </del>	<u> </u>		10000	00 DE										<b></b>
ALL STAT			$\vdash$	1	1 1					1				<u> </u>	·	
	Wire Voice Grade Port (Centrex ) Basic Local Area	<u> </u>		ŲEP9D	UEPYA	14 00	90 00	45 00	20 00	10 00			33 67	7 88		l -
	Wire Voice Grade Port (Centrex 800 termination)Basic Local			1	1 - 1					1333				1		
Δre	ea		l .	UEP9D	UEPYB	14 00	90 00	45 00	20 00	10 00			33 67	7 88	1	ĺ

Version 4Q02 12/18/02 Page 135 of 416

ONBONDLE	D NETWORK ELEMENTS - Georgia													nent 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
	2 West Vans Cond. Bod (Cond.) (EBC BCET)2Bon. Lond						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI 3D	OLITO	14 00	30 00	45 00	20 00	10 00			33 07	7.00	-	
	Area			UEP9D	UEPYD	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	14 00	90 00	45 00	20 00	10 00			33 67	7 88		L
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYF	14 00	90 00	45.00	80.00	40.00			00.07	7.00		1
-	Area  2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPTF	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	Area			UEP9D	UEPYG	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				100.14			10 00	2000	10.00			00 0.	. 00		
	Area			UEP9D	UEPYT	14 00	90 00	45 00	20 00	10 00	İ		33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local				'											
	Area			UEP9D	UEPYU	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		$\vdash$ $\dashv$	UEFBD	UEFIV	14 00	90 00	45 00	20 00	10 00	<del> </del>		33 07	/ 00		<b>—</b>
	Area			UEP9D	UEPY3	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
ı	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															l .
	[Indication])3 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	Basic Local Area			UEP9D	UEPYJ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			ULI 3D	OLI 10	14 00	30 00	43 00	20 00	1000			33 07	7.00		
ľ	2 Basic Local Area		l i	UEP9D	UEPYM	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
- "   "	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP90	UEPYO	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
ŀ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			LIEDOD	UEDVD	44.00	00.00	45.00	20.00	10.00			22.57	7.00		1
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		$\vdash$	UEP9D	UEPYP	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<del></del>
	Basic Local Area			UEP9D	UEPYQ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3									1000				, 55		
	Basic Local Area			UEP9D	UEPYR	14 00	90 00	45 00	20 00	10 00			33 67	7 88		ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14 00	90 00	45 00	20.00	10 00			33 67	7.00		1
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	IUEP14	14 00	90 00	45 00	20 00	10 00			33 57	7 88		<del></del>
	Basic Local Area			UEP9D	UEPY5	14 00	90 00	45 00	20 00	10 00			33 67	7 88		i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3											-				
	Basic Local Area			UEP9D	UEPY6	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3											-				ĺ
-	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14 00	90 00	45 00	20 00	10 00			33 67	7 88		ļ
1	Term			UEP9D	UEPYZ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		İ
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEF9D	ULFIZ	14 00	90 00	45 00	20 00	10 00			33 67	7 00		
ŀ	Basic Local Area		l i	UEP9D	UEPY9	14 00	90 00	45 00	20 00	10 00			33 67	7 88		ŧ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic								2000					, 55		
	Local Area			UEP9D	UEPY2	14 00	90 00	45 00	20 00	10 00			33 67	7 88		i
FL & G	iA Only		-													-
-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHA UEPHB	14 00 14 00	90 00 90 00	45 00 45 00	20 00	10 00 10 00			33 67	7 88 7 88		-
	2-Wire Voice Grade Port (Centrex 600 termination)			UEP9D	UEPHC	14 00	90 00	45 00	20 00				33 67 33 67	7 88		ļ
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		$\vdash$	UEP9D	UEPHD	14 00	90 00	45 00	20 00				33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14 00	90 00	45 00					33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14 00	90 00	45 00	20 00				33 67	7 88		
1	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14 00	90 00	45 00	20 00	10 00			33 67	7 88		

IRANDLE	D NETWORK ELEMENTS - Georgia										,			ment 2		bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
					-		None		Nonrecurring	. D.cc.				Batas (f)	L	Ь
	<del></del>		-			Rec	Nonrec First	Ađđ'i	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMA
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		<del> </del> -	UEP9D	UEPHU	14 00	90 00	45 00	20 00	10 00	SOMEC	SUMAN	33 67	7 88	SUMAN	SUMA
_			-	UEP9D	UEPHV	14 00	90 00			10 00			33 67	7 88	ļ———	<del> </del>
_	2-Wire Voice Grade Port (Centrex / EBS-M5216)3		-					45 00	20 00						<b></b>	<del></del>
_	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	<u> </u>		UEP9D	UEPH3 UEPHH	14 00 14 00	90 00 90 00	45 00 45 00	20 00	10 00 10 00			33 67	7 88 7 88		
_	2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPHH	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<del></del>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	ŀ		UEP9D	UEPHW	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		<del></del>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3  2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center)		<u> </u>	UEP9D	UEPHJ	14 00	90 00	45 00	20 00	10 00			33 6/	/ 88		⊢
	2-wire voice Grade Port (Centrex from dirt Serving wire Center)			UEP9D	UEPHM	14 00	90 00	45 00	20.00	10 00			33 67	7 88		i
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3				UEPHO	14 00	90 00	45 00	20 00 20 00	10 00	-		33 67	7 88		
	2-Wire Voice Grade Port (Centrexiditier SWC /EBS-PSE1)2, 3		<b></b>	UEP9D	UEPHO	14 00	90 00	45 00	20 00	10 00			33 6/	/ 88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3			UEP9D	UEPHP	14 00	90 00	45 00	20 00	10 00			33 67	7 88		Í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M3009)2 3			UEP9D	UEPHQ	14 00	90 00	45 00	20 00	10 00	ļ		33 67	7 88		+
	2-Wire Voice Grade Port (Centrexidiner SWC /EBS-5209)2, 3			DEP9D	UEPHQ	14 00	90 00	45 00	20 00	10 00			33 6/	/ 86		<b>+</b>
	0 M/ V 0 P+ /0 0 M/0 (EB0 M6442)2 2			LIEDOD	LUEBUB	44.00	00.00	45.00	20.00	40.00	1	1	22.57	7.00		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2 Mars Vans Conda Bod (Contamble Conf. (FBC ME242)2 2			LIEBOD	LUEDUG	14.00	20.00	45.00	20.00	40.00			22.57	7.00		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	0.14/ 1/ 0. 1. D. 1/0. 1. 1/1/ 011/0/5500 1/500000 0			LIEBAB		44.00		45.00								ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14 00	90 00	45 00	20 00	10 00			33 67	7 88		-
					1							1				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
											ł					ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		ļ	UEP9D	UEPH6	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
												l i				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		<u> </u>	UEP9D	UEPH7	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ĺ
	Term			UEP9D	UEPHZ	14 00	90 00	45 00	20 00	10 00			33 67	7 88		1
																ĺ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14 00	90 00	45 00	20 00	10 00	i		33 67	7 88		
	2-Wire Voice Grade Port Terminated on 800 Service Term		ļ	UEP9D	UEPH2	14 00	90 00	45 00	20 00	10 00			33 67	7 88		
Local	Switching		ļ													L
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 5554										
Local	Number Portability															
	Local Number Portability (1 per port)		ļ	UEP9D	LNPCC	0 35										
Featur	es															
	All Standard Features Offered per port			UEP9D	UEPVF	0 00										(
	All Select Features Offered, per port		l	UEP9D	UEPVS	0 00	454 69						33 67	7 88		i
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0 00										i
NARS																$\overline{}$
_	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0.00	l				33 67	7 88		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00					33 67	7 88		$\overline{}$
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00					33 67	7 88		
	laneous Terminations						· ·						_			
2-Wire	Trunk Side					Ì										
	Trunk Side Terminations, each			UEP9D	CEND6	11 35								· ·		
4-Wire	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	120 80	89 44	52 46	1				33 67	7 88		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	28 71						33 67	7 88		
Interof	fice Channel Mileage - 2-Wire		$\Box$													
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	17 07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0 0222					1					
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e			T											<u> </u>
	annel Bank Feature Activations				<del>                                     </del>	1										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 62										
			1		1	- 32										
	Feature Activation on D-4 Channel Bank FX line Side Loop Stot		1	UEP9D	1PQW6	0 62										ĺ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<del>                                     </del>			3 32								<del> </del>		
1	Slot		1	UEP9D	1PQW7	0 62			1		1			1	1	Ĺ

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	brt B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		$\vdash$		-			Nonrec	urrina	Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1 1	UEP9D	1PQWV	0 62										
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot			UEP9D	1PQWQ	0 62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1 1	UEP9D	1PQWA	0 62								1		
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP9D	USAC2		2 01	0 3108					33 67	7 88		
	New Centrex Standard Common Block			UEP9D	M1ACS	0 00	659 41		T				33 67	7 88		
	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	659 41						33 67	7 88		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	71 88						33 67	7 88		
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD										1					
	2 - Requres Interoffice Channel Mileage							-								
Note 3	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	n General Term	s and Conditio	ns									

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit. B
JIVDOIVDEL	TO THE THORN ELEMENTO - NEIGHBORY	r	т —	T	1	ī			<del></del> -		Svc Order	Svc Order	Incremental		Incremental	
					1							Submitted	Charge -	Charge -	Charge -	Charge
					1							1				
ATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc	1		RATES (\$)			Elec	Manually	Manual Svc		Manual Svc	Manual S
ALEGORY	RATE ELEMENTS	m	Zone	BCS	0500	1		KAIES (\$)			per LSR	perLSR	Order vs	Order vs	Order vs	Order vs
			ł										Electronic-	Electronic-	Electronic-	Electronic
			,										1st	Add'i	Disc 1st	Disc Add
					<u> </u>							L	L	l	L	
						Rec		curring	Nonrecurring					Rates (\$)	,	
		L	<u></u>		<u> </u>		First	Add'l	First	Add'I			SOMAN		SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as				eographically	/ Deaveraged Ul	NE Zones To	view Geograph	nically Deavera	aged UNE Zone	Designation	ons by Cent	ral Office, ref	er to Internet	Website	
http://	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion ht	m												
PERATIONA	AL SUPPORT SYSTEMS		T		1											
NOTE	: (1) Electronic Service Order: CLEC should contact its contra	ct nego	tiator if	it prefers the state:	specific efec	tronic service oi	rdering charg	es as ordered b	y the State Co	mmissions T	he electron	c service or	dering charg	e currently co	ontained in th	is rate
exhibi	it is the BellSouth regional electronic service ordering charge	CLEC	may ele	ect either the state s	pecific Com	nission ordered	rates for the	electronic serv	ice ordering ch	arges, or CLE	C may elect	the regiona	el electronic :	service orderi	ng charge	
	. (2) Any element that can be ordered electronically will be bill															lv. For
	elements that cannot be ordered electronically at present per t															
	ing charge, SOMAN, will be applied to a CLECs bill when it sub				o iii tiii3 Cate	gory renecta the	charge that	Would be billed	to a CEEC on	ce erectionic o	ruering cap	abinites co	me on-me to	that elemen	i. Otherwise,	ine manue
orden		JIIIILS AI	LONI	o bensouth	SOMAN				0 99		<del>,</del>		-	1		1
	Manual Service Order Charge, per LSR, Disconnect Only (KY)		-		SOMAN				0 99					<del> </del>		
	Electronic OSS Charge, per LSR, submitted via BST's OSS															į
	interactive interfaces (Regional)	ļ	-		SOMEC	1	3 50							1	-	
	DATE ADVANCEMENT CHARGE			L	L											
NOTE	: The Expedite charge will be maintained commensurate with	BellSou	ıth's FC		on 5 as appli	cable.										
	UNE Expedite Charge per Circuit or Line Assignable USOC per		T	ALL UNE EXCEPT												
	Day	1	i	UNE-P	SDASP		200 00									1
NBUNDLED	EXCHANGE ACCESS LOOP	Ì	Į .												· · · · · · · · · · · · · · · · · · ·	!
	E ANALOG VOICE GRADE LOOP	<b></b>	1	<del></del>	<del>                                     </del>											
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10 56	46 66	22 57	26 65	7 65		7 86				1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	†		UEANL	UEAL2	15 34	46 66	22 57	26 65	7 65		7 86		<del>                                     </del>		<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL	UEAL2	31 11	46 66	22 57	26 65	7 65		7 86		ļ		
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEANL	UEALZ	31 11	40 00	22 37	20 00	7 03		7 00		<u> </u>		
1						1						7.00		i		
	Premise		1	UEANL	URETL		8 33	0 83				7 86				
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46 88	46 88		<del></del>		7 86			<u></u>	
	Loop Testing - Basic Additional Half Hour	L	l	UEANL	URETA		24 16	24 16				7 86				
	CLEC to CLEC Conversion Charge Without Outside Dispatch					1										
	(UVL-SL1)	l		UEANL	UREWO		15 78	8 94				7 86				
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST													T		
	providing make-up (Engineering Information - ET)			UEANL	UEANM		13 49	13 49								
	Manual Order Coordination for UVL-SL1s (per loop)	† <del></del>	1	UEANL	UEAMC	· · · · · ·	9 00	9 00						<del> </del>		
*	Order Coordination for Specified Conversion Time for UVL-SL1		+		104			0.00						<del> </del>	<del> </del>	<del>                                     </del>
	(per LSR)			UEANL	OCOSL		23 01	23 01								
2-W/ID	E Unbundled COPPER LOOP	<u> </u>	<del>                                     </del>	CEARL	TOUGE		2001	25 01						-		
2-77110	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	٠.	1 1	UEQ	UEQ2X	10 58	44 97	20 89	25 64	6 65		7 86			1	
	2-Wire Unburidled Copper Loop - Non-Designed Zone 1	<del>  </del>	1													
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	++		UEQ	UEQ2X	11 51	44 97	20 89	25 64	6 65		7 86		<b>+</b>	-	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13 19	44 97	20 89	25 64	6 65		7 86		ļ	<u> </u>	<b>└</b>
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User				ļ									1		
	Premise		<u> </u>	UEQ	URETL		8 33	0 83				7 86				
1	Order Coordination 2 Wire Unbundled Copper Loop - Non-		1													
	Designed (per loop)	l		UEQ	USBMC		9 00	9 00						1	1	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	T .													1	
	BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13 49	13 49			1	1		1	1	
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46 88	46 88				7 86			1	
	Loop Testing - Basic Additional Half Hour	t	1	UEQ	URETA		24 16	24 16			Ì	7 86		† <del></del>	1	
	CLEC to CLEC Conversion Charge Without Outside Dispatch	<del>                                     </del>	+		15/12//	<del>   </del>	E-7 10	2-7 10	**			, 30		<del> </del>	<del> </del>	<del>                                     </del>
1	(UCL-ND)	1	1	UEQ	UREWO		14 27	7 43		l		7 86				
NRUNDI ED	EXCHANGE ACCESS LOOP	<del>                                     </del>	+		JINL VVO	<del> </del>	14 27	/ 43				/ 00		<del> </del>	<del>                                     </del>	1
	E ANALOG VOICE GRADE LOOP	_	+	<del></del>	+	<del>  </del>					<u> </u>	ļ	ļ	<del> </del>	<del> </del>	<del> </del>
2-7111	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<del> </del>	+		1							<b>-</b>		-		1
ı	Zone 1	1	1 .	LIEBER DEROS	LUEALO	10.50	40.00		00.55							1
			1	UEPSR UEPSB	UEALS	10 56	46 66	22 57	26 65	7 65		7 86		<b>_</b>		
ı	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	l .		1											1
	Zone 1	L	1 1	UEPSR UEPSB	UEAB\$	10 56	46 66	22 57	26.65	7 65	<u></u>	7 86				<u> </u>
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1											
	Zone 2		2	UEPSR UEPSB	UEALS	15 34	46 66	22 57	26 65	7 65		7 86	}	1	l	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1									1				
	Zone 2		2	UEPSR UEPSB	UEABS	15 34	46 66	22 57	26 65	7 65		786			l	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	T	T T T T T T T T T T T T T T T T T T T	1	1 1 1			20 30	. 30		1		1	1	<del>                                     </del>
1	Zone 3		3	UEPSR UEPSB	UEALS	31 11	46 66	22 57	26 65	7 65		7 86			1	
<del></del>	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	t	<b>-</b> -	JEI ON DEFOR	JULICES	3111	40 00	22 31	20 05	/ 100	<del> </del>	, 00		<del>                                     </del>	<del> </del>	<del> </del>
1	Zone 3	1	١.,	UEPSR UEPSB	UEABS	31 11	46 66	22 57	26 65	7 65	1	7 86	l	1	1	1

RATE ELEMENTS Inter m Zone BCS USOC RATES (\$)  RATE SEMENTS  BCS USOC RATES (\$)  RATES (\$)  RATE SEMENTS  BCS USOC RATES (\$)  RATES (\$)  RATES (\$)  Manual Svc Order vs Order vs Electronic- 1st Add'I Disc 1st Oss Rates (\$)	NDLED NE	ETWORK ELEMENTS - Kentucky												Attach	ment, 2	Exhit	bit: B
Non-Company   Non-Company	ORY	RATE ELEMENTS	l	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Man⊪ally	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc		Incremer Charge Manual S Order v
Print   Address   First   Address   First   Address   SONAN   Sonan													:			Electronic- Disc 1st	Electron Disc Add
NUMBRICH EXCHANGE ACCESS TOOP    Note   Number							Rec										
2-Wise ANALON VOICE GRADE LOOP   1	DI ED EVOL	IANGE AGGEGG LOOP		-				First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
A. William Principle Control				-		-			·								L
Count Start Symptomy 2 200				<u> </u>													
2-Vive Availay (Note of Grace Loss) - Service Level 2 village or 3   UEA   UEA12   17-65   114-89   18-87   7-7-85   16-88   7-86				1		1											1
Counted Earth Signating   Zeron 2   LiEA   UEA   2   17 46   134 80   81 87   72 85   14 88   7.96				1	UEA	UEAL2	12 67	134 89	81 87	73 65	14 88		7 86				
Average Autop Grant Copy - Service Level 2 (Autop or 1)   SEA   UEA2   33.22   134.99   e1 67   73.65   14.68   7.98				2	LIE 4	luca: a	17.45	404.00	04.67	70.05							1
Grand Sulf Systems 2				<u></u>	UEA	UEALZ	17 45	134 89	81 87	73 65	14 88		7 86				
Order Concentation for Special Conversars Time (per LSR)				١,	LIEA	LIEN O	22.20	404.00	04.07	70.05		İ	1		i		i
2-Wire Analysis Control Cont				3			33 22		81 87	73 65	14 88		/ 86				
Entirey Signarding - Zone   1					UEA	UCUSE		23 01				ļ					-
2-Wins Audios Visco Cortes Long - Service Level Z Wilferense   2 UEA				1	LIEA	LIEADO	10.67	124.00	04.07	70.05	44.00						ı
Battery Sprainting 2 cone 2					UEA	OEAR2	12 07	134 69	8187	73 65	14 88		7.86				
2-Wire Analog Voco Grade Loop - Sentra Level 2 wifecrores	Batte	en/ Signaling - Zone 2		1 2	1154	LIEAD?	17.45	124.00	04.07	72.05	44.00						ı
Ballery Signating 2 com 3					UEA	UEARZ	17 40	134 69	818/	73 65	14 88		7 86				-
Order Conformation for Specified Conversion Time (per LSS)				1	1154	LUEADO I	22.22	474.00	04.07	70.05							ı
DEC to CIEC Convenion Charge without outside depatich   UEA   UNEWO   6772   36 38   766				3			33 22		81 87	73 65	14 88		7 86				
Loop Tagging Service Level 2 (SLZ)											v.a						<del></del>
A-Wire Analogy Core Grade Loop				<del>                                     </del>													
A-Wre Analog vote Grade Loop - Zone 2   2   DEA   UEAL 4   32 26   564 11   112 56   76 91   18 66   76 8					UEA	UKEIL	-	10 45	1 03				7 86				
4-Wire Analog Voce Grade Loop - Zone 2   2   UEA   UEAL   85 6   164 11   112 36   78 91   18 66   78 8					LIEA	11541											
A-Were Analogy Vaces Grade Loop - Zone 3																	
Order Coordination for Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside dispatch   UEA   UREWO   87.72   36.96   7.96				_3			85 06		112 36	78 91	18 66		7 86				
2-Wire ISDN Digital Grade Loop - Zone 1																	
2.Wee ISON Digital Grade Loop - Zone 1					UEA	UREWO		87 72	36 36				7 86				
2-Were ISON Digital Grade Loop - Zone 2   2 UON   U1EX   25.08   146.77   59.02   71.38   13.83   7.86					LIDA		10.15										
2-Wire ISDN Digital Crade Loop - Zone 3   3 UDN   UTLX   42.87   146.77   95.02   71.38   13.83   7.86																	
Order Coordination For Specified Conversion Time (per LSR)																	
CLEC to CLEC Conversion Charge without outside depatch   UDN   UNEWO   91 63   44 16   766				3			42 87		95 02	/1 38	13 83		7 86				-
2-Wire Universal Digital Channel (UDC) COMPATIBLE LOOP				1													
2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone   1   UDC   UDC2X   18.44   146.77   95.02   71.38   13.83   7.86     2   2   2   2   2   2   2   2   2				-	UUN	UREWO		9163	44 16				7 86				
1				<u> </u>		<del> </del>											
2 Wire Universal Digital Channel (UDC) Compatible Loop - Zone   2 UDC   UDC2X   25.08   146.77   95.02   71.38   13.83   7.86     2 Wire Universal Digital Channel (UDC) Compatible Loop - Zone   3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   146.77   95.02   71.38   13.83   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3 UDC   UDC2X   42.87   141.98   79.73   69.02   11.47   7.86     3	1	inc driversar bigital chainter (ODC) compatible Loop - Zone		١.,	LIDC	LIDONY	40.44	440.77	05.00	74.00		ĺ				ļ	
2   UDC   UDC2X   25 08   146 77   95 02   71 38   13 83   7 86	2-100	ire Howerest Digital Channel (HDC) Competible Lean - Zone			ODC	IODC2X	18 44	146 77	95 02	/1 38	13 83		7 86				
2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 UDC UDC2X 42.87 146.77 95.02 71.38 13.83 7.86    CLEC to CLEC Conversion Charge without outside dispatch 10DC UREWO 91.63 44.16 78.6    2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 91.63 44.16 78.6    2-Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2X 10.82 141.98 79.73 69.02 11.47 7.86    2-Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 1 UAL UAL2X 11.79 141.98 79.73 69.02 11.47 7.86    2-Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 1 UAL UAL2X 12.87 141.98 79.73 69.02 11.47 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 3 1 UAL UAL2X 12.87 141.98 79.73 69.02 11.47 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2W 10.82 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 2 2 UAL UAL2W 11.79 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 2 3 UAL UAL2W 11.79 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 2 3 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 2 3 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 2 0 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 1 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 1 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 7.86    2-Wire Unbundled ADSL Loop without manual service inquiry 8 1 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 7.86    2-Wire Din	2-441	ire oniversal bigital channel (ODC) compatible Loop - Zorie		۱ ۵	LIDC	LIDONY	25.00	440.77	0.00				1				
Second Control of the Control of t	2-Wi	ire Howersal Digital Change (UDC) Compatible Loop. Zono		-	UDC	UDCZX	25 08	146 77	95 02	/1 38	13 83		7 86				
CLEC to CLEC Conversion Charge without outside dispatch   UDC   UREWO   91 63   44 16   786	3	ire oniversal bigital charities (ODC) Compatible Loop - Zorie		2	LIDC	LIDONY	40.07	440.77	0.5.00								
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	CLE	C to CLEC Conversion Charge without outside dispetch					42.87			71 38	13 83						
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 1 UAL UAL2X 10 82 141 98 79 73 69 02 11 47 7 86 2 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 11 79 141 98 79 73 69 02 11 47 7 86 2 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 12 87 141 98 79 73 69 02 11 47 7 86 3 4 facility reservation - Zone 3 3 UAL UAL2X 12 87 141 98 79 73 69 02 11 47 7 86 3 4 facility reservation - Zone 3 3 UAL UAL2X 12 87 141 98 79 73 69 02 11 47 7 86 3 4 facility reservation - Zone 3 4 UAL UAL2X 12 87 141 98 79 73 69 02 11 47 7 86 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	LA/IDE ASV	MMETRICAL DICITAL CURSCRIPER LINE (ADSL) COMP	ATIDLE	1.000	UDC	UREWO		91 63	44 16				7 86				
& facility reservation - Zone 1       1       UAL       UALZX       10 82       141 98       79 73       69 02       11 47       7 86         2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2       2       UAL       UALZX       11 79       141 98       79 73       69 02       11 47       7 86         2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3       3       UAL       UALZX       12 87       141 98       79 73       69 02       11 47       7 86         Order Coordination for Specified Conversion Time (per LSR)       UAL       OCOSL       23 01       23 01       7 86         2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1       1       UAL       UALZW       10 82       121 18       69 00       69 09       11 54       7 86         2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2       2       UAL       UALZW       11 79       121 18       69 00       69 09       11 54       7 86         2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3       3       UAL       UALZW       12 87       12 18       69 00       69 09       11 54       7 86         2 Wire Unbundled ADSL Loop withou			ATIBLE	LOOP					_								
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 UAL UAL2X 11 79 141 98 79 73 69 02 11 47 7 86 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 UAL UAL2X 12 87 141 98 79 73 69 02 11 47 7 86 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1 UAL UAL2W 11 79 121 18 69 00 69 09 11 54 7 86 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 UAL UAL2W 11 79 121 18 69 00 69 09 11 54 7 86 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 UAL UAL2W 11 79 121 18 69 00 69 09 11 54 7 86 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 UAL UAL2W 12 87 121 18 69 00 69 09 11 54 7 86 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 12 87 121 18 69 00 69 09 11 54 7 86 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5					LIAL	LIALOV	40.00	444.00	70.70	00.00							
Stacility reservation - Zone 2   2 UAL   UAL2X   11 79   141 98   79 73   69 02   11 47   7 86				1 -	UAL	UALZX	10.82	141 98	79 73	69 02	11 47		7 86				
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	8 for	olity recognition. Zene 2	i	,	1.141												
Stacilly reservation - Zone 3   3 UAL   UAL2X   12 87   141 98   79 73   69 02   11 47   7 86	2 18/	ro Ushundlad ADSL Lapp including magual assess in the			UAL	UAL2X	11 /9	141 98	79 73	69 02	11 47		7 86				
Order Coordination for Specified Conversion Time (per LSR)							40.00										
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1				3			12.87		79 73	69 02	11 47		7 86				
Facility reservation - Zone 1	2 \/\de	re Unbundled ADSL Lean without magual converse incurs.	-		UAL	UCUSE		23 01									
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 2 UAL UAL2W 11 79 121 18 69 00 69 09 11 54 7 86 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 12 87 121 18 69 00 69 09 11 54 7 86 3 UAL UAL2W 12 87 121 18 69 00 69 09 11 54 7 86 4 12 12 12 12 12 12 12 12 12 12 12 12 12				l . i			40.00										
facility reservation - Zone 2   2 UAL   UAL2W   11 79   121 18   69 00   69 09   11 54   7 86			-		UAL	UALZW	10.82	121 18	69 00	69 09	11 54		7 86				
2 Wire Unbundled ADSL Loop without manual service inquiry &   3 UAL   UAL2W   12.87   121.18   69.00   69.09   11.54   7.86     Order Coordination for Specified Conversion Time (per LSR)   UAL   OCOSL   23.01     CLEC to CLEC Conversion Charge without outside dispatch   UAL   UREWO   86.20   40.40   7.86     2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP   2 Wire Unbundled HDSL Loop including manual service inquiry   8.62   8.62   8.75   151.54   89.29   89.09   11.54   7.86   1.54   7.86				,	LIAI	1111 2141	44.70	404.40	20.00						i		
facility reservation - Zone 3				-	UAL	UALZVV	11 /9	121 18	69 00	69 09	11 54		7 86				
Order Coordination for Specified Conversion Time (per LSR)				,	LIAL	1								l	ł		
CLEC to CLEC Conversion Charge without outside dispatch				3			12 87		69 00	69 09	11 54		7 86				
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1 1 UHL UHL2X 8 75 151 54 89 29 69 09 11 54 7 86				-													
2 Wire Unbundled HDSL Loop including manual service inquiry			TIDI T		UAL	UREWO		86 20	40 40				7 86				
8 facility reservation - Zone 1 1 UHL 1 UHL2X 8 75 151 54 89 29 69 09 11 54 7 86			HBLE L	-001		+											
				,				,				'		l	1		
4 vviie Unburilitied must been including manual service inquiry					UHL	UHL2X	8 75	151 54	89 29	69 09	11 54		7 86				
& faculty reservation - Zone 2 UHL UHL2X 9.56 151.54 89.29 69.09 11.54 7.86						1		- 1						l	i		

OMBOMBE	D NETWORK ELEMENTS - Kentucky												Attacni	ment 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			-			Rec	First	curring	Nonrecurring		201150			Rates (\$)		
	2 Wire Unbundled HDSL Loop including manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& facility reservation - Zone 3		3	UHL	UHL2X	10 61	151 54	89 29	69 09	11 54		7.00				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10 01	23 01	69 29	99 09	11 54		7 86			-	
	2 Wire Unbundled HDSL Loop without manual service inquiry	-		UnL	100035		23 01									<del> </del>
	and facility reservation - Zone 1		1	UHL	UHL2W	8 75	130 74	78 56	69 09	11 54		7 86			İ	
	2 Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	OTIL	OTIEZA	070	15014	70.00	00 00	1134		, 50			<u> </u>	<b>—</b>
	and facility reservation - Zone 2		2	UHL	UHL2W	9 56	130 74	78 56	69 09	11 54		7 86				
	2 Wire Unbundled HDSL Loop without manual service inquiry		-		- 10112211		10011	1000		11.54		, 00			-	-
l	and facility reservation - Zone 3		3	UHL	UHL2W	10 61	130 74	78 56	69 09	11 54		7 86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 01									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40				7 86				
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		1							-	· · · · · · · · · · · · · · · · · · ·				1	
	and facility reservation - Zone 1		1	UHL	UHL4X	13 95	185 75	123 50	74 95	14 69		7 86			1	
	4-Wire Unbundled HDSL Loop including manual service inquiry															-
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	15 68	185 75	123 50	74 95	14 69		7 86				1
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	16 98	185 75	123 50	74 95	14 69		7 86				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 01									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13 95	164 95	114 04	77 32	15 80		7 86				ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	15 68	164 95	114 04	77 32	15 80		7 86			1	
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	16 98	164 95	114 04	77 32	15 80		7 86			]	1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 01									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40				7 86				
4-WIR	E DS1 DIGITAL LOOP															Ĺ
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	86 47	306 69	174 44	65 83	14 55		7 86				<u> </u>
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114 10	306 69	174 44	65 83	14 55		7 86				1
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297 76	306 69	174 44	65 83	14 55	<u> </u>	7 86				
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	OCOSL		23 01	10.01			ļ					
4 WID	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101 09	43 04								
4-4411	4 Wire Unbundled Digital 19 2 Kbps		1	LIDI	UDL19	27 59	157 81	106 06	78 91	18 66		7 86			ļ	<b></b>
-	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	32 48	157 81	106 06	78 91	18 66		7 86				
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	36 37	157 81	106 06		18 66		7 86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27 59	157 81	106 06	78 91	18 66		7 86				<del></del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32 48	157 81	106 06	78 91	18 66		7 86			<b> </b>	<del></del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36 37	157 81	106 06	78 91	18 66		7 86				-
	Order Coordination for Specified Conversion Time (per LSR)		_	UDL	OCOSL	30 31	23 01	100.00	,091	10 00		, 30			<b> </b>	<del></del>
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27 59	157 81	106 06	78 91	18 66		7 86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	32 48	157 81	106 06	78 91	18 66		7 86			<del></del>	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	36 37	157 81	106 06		18 66		7 86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23 01	100 00	7001	10 00		, 00			<del> </del>	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 13	49 75				7 86			<b></b>	
2-WIR	Unbundled COPPER LOOP				1			.5.70		-		. 50				
	2-Wire Unbundled Copper Loop/Short including manual service		1 -													
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10 82	140 95	78 70	69 09	11 54		7 86				
	2-Wire Unbundled Copper Loop/Short including manual service								52.00		<del></del>					
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 79	140 95	78 70	69 09	11 54		7 86	:		1	1
	2 Wire Unbundled Copper Loop/Short including manual service												-			
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12 87	140 95	78 70	69 09	11 54		7 86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00					-			
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10 82	120 15	67 97	69 09	11 54		7 86			l	
	2-Wire Unbundled Copper Loop/Short without manual service													-		
1	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 79	120 15	67 97	69 09	11 54	!	7 86			I	ĺ

UNBUNDLE	D NETWORK ELEMENTS - Kentucky		,								0 0 .	00		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring			******		Rates (\$)	501111	COMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service				1				20.00	44.54		7.86				
	inquiry and facility reservation - Zone 3			UCL	UCLPW	12 87	120 15	67 97	69 09	11 54	ļ	/ 00				<del> </del>
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		9 00	9 00	_						-	
	2-Wire Unbundled Copper Loop/Long - includes manual srvc			i i oi	UCL2L	24 91	140 95	78 70	69 09	11 54		7 86				
	inquiry and facility reservation - Zone 1		1	UCL	UCLZL	24 91	140 53	70 10	03 03	1104		1 00				ļ
}	2-Wire Unbundled Copper Loop/Long - includes manual svc		2	UCL	UCL2Ł	36 94	140 95	78 70	69 09	11 54		7 86				
	inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop/Long - includes manual svo	ļ <u>.</u>	-	OOL	OCEZE	- 50 51							-			
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	69 95	140 95	78 70	69 09	11 54		7 86				
<del></del>	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
<del>                                     </del>	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	24 91	120 15	67 97	69 09	11 54	ļ	7 86			1	<del> </del>
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2	İ	2	UCL	UCL2W	36 94	120 15	67 97	69 09	11 54		7 86			<del> </del>	
	2-Wire Unbundled Copper Loop/Long - without manual service	1	l . i	l <u>.</u> .		20.55	400.45	67.07	60.00	11 54	1	7 86		I		1
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W UCLMC	69 95	120 15 9 00	67 97 9 00	69 09	11.54		1 60			<del>                                     </del>	
<b></b>	Order Coordination for Unbundled Copper Loops (per loop)		<del></del>	UCL	UCLMC		9 00	900						<del>                                     </del>		
ļ	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97 23	42 48			1	7 86				
4 1400	(UCL-Des) E COPPER LOOP			UCL	OKLIVO		57 25	- 12 10								
4-WIRI	4-Wire Copper Loop/Short - including manual service inquiry	-	1		1					-			_		1	
	and facility reservation - Zone 1	1	1	UCL	UCL4S	16 92	170 31	108 06	74 95	14 69		7 86			1	1
<del></del>	4-Wire Copper Loop/Short - including manual service inquiry		† <u> </u>	-												
	and facility reservation - Zone 2		2	UCL	UCL4S	17 36	170 31	108 06	74 95	14 69		7 86				
	4-Wire Copper Loop/Short - including manual service inquiry					-								1		
	and facility reservation - Zone 3			UCL	UCL4S	28 10	170 31	108 06	74 95	14 69	<u> </u>	7 86			ļ	ļ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00			-				<b></b>	<del> </del>
	4-Wire Copper Loop/Short - without manual service inquiry and		1		1		440.50		74.05	44.00		7 86			ŀ	
	facility reservation - Zone 1		1	UCL	UCL4W	16 92	149 52	97 33	74 95	14 69		7.00				<del> </del>
	4-Wire Copper Loop/Short - without manual service inquiry and	1	2	UCL	UCL4W	17 36	149 52	97 33	74 95	14 69		7 86				
<u> </u>	facility reservation - Zone 2	<b></b>	1 2	UCL	UCL4VV	17 30	149 02	9/ 33	74 93	14 03		7 00			<del> </del>	<del> </del>
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	28 10	149 52	97 33	74 95	14 69		7 86				
<del></del>	Order Coordination for Unbundled Copper Loops (per loop)	<b></b>	3	UCL	UCLMC	20 10	9 00	9 00		21.7.44		1				
<del></del>	4-Wire Unbundled Copper Loop/Long - includes manual svc		+	JOL	Joenno							t				
	inquiry and facility reservation - Zone 1		1	luct	UCL4L	46 91	170 31	108 06	74 95	14 69		7 86	į .			
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	45 78	170 31	108 06	74 95	14 69		7 86			1	-
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 3	ļ <u></u>	3	UCL	UCL4L	171 34	170 31	108 06	74 95	14 69	ļ .	7 86	-		<del> </del>	
	Order Coordination for Unbundled Copper Loops (per loop)		<b> </b>	UCL	UCLMC		9 00	9 00				-		1	+	
	4-Wire Unbundled Copper Loop/Long - without manual svc		١.,	luci	UCL4O	46 91	149 52	97 33	74 95	14 69		7 86			1	
<del></del>	inquiry and facility reservation - Zone 1		1	UCL	UCL40	46 91	149 52	9/ 33	74 95	14 09	+	, 36	1	<del> </del>	<del>                                     </del>	_
ļ	4-Wire Unbundled Copper Loop/Long - without manual svc		2	UCL	UCL40	45 78	149 52	97 33	74 95	14 69		7 86	1		1	
<del></del>	inquiry and facility reservation - Zone 2  4-Wire Unbundled Copper Loop/Long - without manual svc	<del> </del>	1 -	UCL	00040	40/8	149 32	91 33	74 95	14.09	<del> </del>	, 30	1		<del>                                     </del>	t
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL40	171 34	149 52	97 33	74 95	14 69	1	7 86		1		
	Order Coordination for Unbundled Copper Loops (per loop)	l	1	UCL	UCLMC		9 00	9 00		1	T		1			
	CLEC to CLEC Conversion Charge without outside dispatch	1	+		1					1		T		T		
	(UCL-Des)			UCL	UREWO		97 23	42 48				7 86				
LOOP MODIFI				_									1			<u> </u>
				UAL, UHL, UCL,										1		1
				UEQ ULS, UEA,					1					1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL UEPSR.						1		7 86		1		
$\vdash$	pair less than or equal to 18k ft	-	-	UEPSB	ULM2L		9 24	9 24	-	-		/ 86	<b> </b>	<del> </del>	1	<del> </del>
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			1101 1110 1150			242.04	342 24		1		7 86	1	1	1	
ļ <b>-</b>	greater than 18k ft	1	1	UCL, ULS, UEQ	ULM2G		342 24	342 24	<del>-</del>	<del> </del>		/ 00	+		<del>                                     </del>	<del>  -</del>
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1	1	1 1		1	1	1	I	1	1	1	I	1	1

UNBUN	DLE	D NETWORK ELEMENTS - Kentucky		_	1										ment 2		bit. B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svo Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-+		Unbundled Loop Modification Removal of Load Coils - 4 Wire				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		pair greater than 18k ft			UCL	ULM4G		342 24	342 24		,		7 86				i
		Unbundted Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10 47	10 47				7 86				
SUB-LOC				<u> </u>													<b></b>
s	ub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	 		UEANL	USBSA		207 91	207 91				7 86				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	,		UEANL	USBSB		12 50	12 50				7 86		1		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	-	1	CEANE	USBSB	-	12 30	12 50				/ 50				
-		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		80 87	80 87				7 86				
		Set-Up			UEANL	USBSD		45 04	45 04				7 86				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	6 34	85 03	39 05	59 81	7 90		7 86				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	2	UEANL	USBN2	9 06	85 03	39 05	59 81	7 90		7 86				
		Zone 3	l.	3	UEANL	USBN2	14 82	85 03	39 05	59 81	7 90		7 86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								İ
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8 14	102 31	56 32	65 24	10 88		7 86				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	8 63	102 31	56 32	65 24	10 88		7 86				
		Zone 3		3	UEANL	USBN4	25 60	102 31	56 32	65 24	10 88		7 86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								ĺ
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2 57	68 35	22 36	59 81	7 90		7 86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								ĺ
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	. 1		UEANL	USBR4	4 98	76 49	30 51	65 24	10 88		7 86	,			
													- 3		<b>1</b>		
-+		Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	-	UEANL UEF	USBMC	5 45	9 00 85 03	9 00	50.01	7.65						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X UCS2X	7 06	85 03 85 03	39 05 39 05	59 81 59 81	7 90 7 90	-	7 86 7 86		-		-
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	÷		UEF	UCS2X	9 67	85 03	39 05	59 81	7 90		7 86				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		ÜEF	UCS4X	7 09	102 31	56 32	65 24	10 88		7 86				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8 66	102 31	56 32	65 24	10 88		7 86				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	19 40	102 31	56 32	65 24	10 88		7 86				
U		Order Coordination for Unbundled Sub-Loops, per sub-loop pair dled Sub-Loop Modification		<del>                                     </del>	UEF	USBMC	+	9 00	9 00						-		<b></b>
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coll/Equip Removal per 2-W PR			UEF	ULM2X		5 23	5 23				7.86		:		
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X	-	5 23	5 23				7 86				
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		7 97	7 97				7 86				
U		dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 53	23 51	23 51				7 86				
N		k Interface Device (NID)		<del></del>	OCIATAA	UENTE	0.53	∠3 51	∠3 51				/ 56				<del> </del>
1.0		Network Interface Device (NID) - 1-2 lines			UENTW	UND12	1	73 53	49 47				7 86		l	<del></del>	r-

Version 4Q02 12/18/02

UNBUNDLE	D NETWORK ELEMENTS - Kentucky		,											ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Mannally	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			1			Rec	Nonrec		Nonrecurring		SOME	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
			<del> </del>	. IELITA	111040		First	Add'l	First	Add'l	SOMEC	7 86	SOMAN	SUMAN	SUMAN	SUMAN
	Network Interface Device (NID) - 1-6 lines			UENTW UENTW	UND16 UNDC2		115 96 8 56	91 91 8 56			<del> </del>	7 86				<del></del>
	Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC4		8 56	8 56				7 86			1	<del> </del>
SUB-LOOPS	Network Interface Device Cross Connect - 4W			DENTW	UNDC4		0.30	0.30			<del> </del>	, 00			<del> </del>	<del> </del>
	pop Feeder						•				1					<b>—</b>
OBD-E	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		1	UEA,							<b>†</b>					
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		207 91					7 86			1	1
l - 1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		1	UEA.			,									
	set-up			UDN,UCL,UDL,UDC	USBFX		12 50	12 50		_		7 86				1
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		527 98	11 32				7 86				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															1
L	Grade - Zone 1		1	UEA	USBFA	7 67	114 83	64 61	72 34	17 21		7 86				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice				l											
	Grade - Zone 2		2	UEA	USBFA	9 70	114 83	64 61	72 34	17 21		7 86				1
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start.		1			40.50	444.00	04.04	70.04	47.74		7.00		ļ		
	Voice Grade - Zone 3	ļ	3	UEA	USBFA	19 53	114 83 23 01	64 61	72 34	17 21	<b>.</b>	7 86				+
	Order Coordination for Specified Conversion Time, per LSR	-	1	UEA	OCOSL		23 0 1					-				+
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	USBFB	7 67	114 83	64 61	72 34	17 21		7 86				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	<del> </del>	+ '-	UEA	DODE	7.67	114 63	0401	12.34	17 21		, 30				<del> </del>
	Grade - Zone 2		2	UEA	USBFB	9 70	114 83	64 61	72 34	17 21		7 86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		<del></del>	1000	OSBI B	370	114 00	Q+ 01	12.04			7.55		-	-	
	Grade - Zone 3		3	UEA	USBFB	19 53	114 83	64 61	72 34	17 21		7 86			1	
<del>                                     </del>	Order Coordination for Specified Time Conversion, per LSR		<u> </u>	UEA	OCOSL		23 01				1					
<del></del>	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															1
ļ l	Voice Grade - Zone 1	ļ	1	UEA	USBFC	7 67	114 83	64 61	72 34	17 21		7 86				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	<b></b>														i -
	Voice Grade - Zone 2	ļ	2	UEA	USBFC	9 70	114 83	64 61	72 34	17 21		7 86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse													1		
1 1	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19 53	114 83	64 61	72 34	17 21		7 86				
	Order Coordination For Specified Conversion Time, per LSR	L		UEA	OCOSL		23 01		L							
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice					{										
	Grade - Zone 1		1	UEA	USBFD	22 82	131 73	79 98	81 82	51 56	-	7 86	ļ	ļ	ļ	+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		_	l			404.70	70.00	24.00	51 56	1	7 86	1			1
	Grade - Zone 2	-	2	UEA	USBFD	27 24	131 73	79 98	81 82	51 56	<del> </del>	/ 86			<del> </del>	<del> </del>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice				USBFD	61 41	131 73	79 98	81 82	51 56		7 86			1	
	Grade - Zone 3	<u> </u>	3	UEA	OCOSL	6141	23 01	79 90	0102	3130	+	- / 80			<del> </del>	+
<del></del>	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	-	-	UEA	OCOGL	-	2301				+ • • • • • • • • • • • • • • • • • • •					1
}	Grade - Zone 1		1 1	UEA	USBFE	22 82	131 73	79 98	81 82	51 56		7 86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	+ -	OCA .	00012	22 02	10170		0102	0.00		7.35-				1
1	Grade - Zone 2	1	2	UEA	USBFE	27 24	131 73	79 98	81 82	51 56		7 86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		<b>-</b>								1					
	Grade - Zone 3		3	UEA	USBFE	61 41	131 73	79 98	81 82	51 56	1	7 86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23 01						-			
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	13 00	131 79	80 04		16 60		7 86			I	1
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	16 95	131 79	80 04		16 60		7 86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28 95	131 79	80 04	74 16	16 60		7 86				ļ <u>.</u>
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23 01								ļ	ļ
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	13 00	131 79	80 04		16 60		7 86		1		+
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	16 95	131 79	80 04		16 60		7 86	l	<del>                                     </del>	<b> </b>	+
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	<b></b>		UDC	USBFS	28 95	131 79	80 04		16 60		7 86 7 86			<del> </del>	+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1		USL	USBFG	62 57	125 43	73 68		21 56		7 86	1	<del>                                     </del>		+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	ļ		USL	USBFG	87 71	125 43	73 68		21 56		7 86	+	· · · · · · · · · · · · · · · · · · ·	+	+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	ļ	3	USL	USBFG	273 33	125 43	73 68	81 82	21 56	<del>  -</del>	/ 86	+	<del> </del>		+
$\vdash$	Order Coordination For Specified Conversion Time, Per LSR	<b> </b>	1.	USL	USBFH	6 44	23 01 105 31	53 57	71 16	13 61	-	7 86	<del> </del>	-	+	+
ļ ———	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	<b>!</b>	1	UCL	USBrH	6 44	105 31	53 57	/ 1 16	13 61	+	/ 00	<del>                                     </del>		+	+
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	1	1	UCL	USBFH	5 78	105 31	53 57	71 16	13 61	1	7 86	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky											, i	Attachi	ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				ł											1
	3		3	UCL	USBFH	4 25	105 31	53 57	71 16	13 61		7 86				
	Order Coordination For Specified Conversion Time, per LSR	ļ	<del></del>	UCL	OCOSL	44.00	23 01									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	-		UCL	USBFJ	11 33	125 55	73 80	77 12	16 86		7 86				
$\vdash$	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	10 18 10 32	125 55 125 55	73 80 73 80	77 12 77 12	16 86 16 86		7 86 7 86	<u> </u>		-	<u> </u>
<del>                                      </del>	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	10.32	23 01	73 00	77.12	10 00		- 60				
-	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	20 78	125 43	73 68	81 82	21 56		7 86				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	<u> </u>		UDL	USBFN	26 41	125 43	73 68	81 82	21 56		7 86				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	<del> </del>		UDL	USBFN	23 10	125 43	73 68	81 82	21 56		7 86			-	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -				T											
LL	Zone 1		1	UDL	USBFO	20 78	125 43	73 68	81 82	21 56		7 86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -											_				
$\vdash$	Zone 2	L	2	UDL	USBFO	26 41	125 43	73 68	81 82	21 56		7 86			L	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		l		I											
ļ <b>-</b>	Zone 3	<u> </u>	3	UDL	USBFO	23 10	125 43	73 68	81 82	21 56		7 86		ļ		
$\vdash$	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	<b>!</b>	₩	UDL	OCOSL		23 01				-					
	Zone 1		1	UDL	UCDED	20 78	405.40	72.00	04.00	04.50		7.00				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		+ '-	UDL	USBFP	20 /8	125 43	73 68	81 82	21 56		7 86		-		
	Zone 2		2	UDL	USBFP	26 41	125 43	73 68	81 82	21 56		7 86				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-	ODE	03611	2041	123 43	73.00	01 02	21 30		, 60				
	Zone 3		3	UDL	USBFP	23 10	125 43	73 68	81 82	21 56		7 86			ļ.	
	Order Coordination For Specified Conversion Time, per LSR	<del> </del>	<del>  -</del>	UDL	OCOSL	20 10	23 01	1000	0102	21 30						
SUB-LOOPS					10000			_					• • • • • • • • • • • • • • • • • • • •			
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	I		UE3	1L5SL	15 38										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	1		UE3	USBF1	346 30	3,402 59	407 14	160 86	91 19		7 86				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	I	1	UDLSX	1L5SL	15 38										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	!	<u> </u>	UDLSX	USBF7	372 80	3,402 59	407 14	160 86	91 19		7 86			l	
	Sub Loop Feeder – OC-3 – Per Mile Per Month		· <b> </b>	UDLO3	1L5SL	11 67										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	١.		LUDI OD	Lucass	F0.07									l	1
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	<del>                                     </del>	<del> </del> -	UDLO3 UDLO3	USBF5 USBF2	58 27 564 68	3,402 59	407 14	160 86	91 19		7 86				-
<del>                                     </del>	Sub Loop Feeder - OC-12 - Per Mile Per Month	H	+	UDL12	1L5SL	14 36	3,402 59	407 14	160 66	91 19		7 00				-
<del>                                     </del>	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<del>  '</del>	+	ODETZ	ILSSE	14 30				·						<del></del>
	Month	1		UDL12	USBF6	658 35									1	
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	i i	1	UDL12	USBF3	1,778 00	3,402 59	407 14	160 86	91 19		7 86				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	<del></del>	<del> </del>	UDL48	1L5SL	47 11	0,102.00		100 00							<b>i</b>
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per				1			·						··········	1	
	Month	1		UDL48	USBF9	330 39			[ ]						1	1
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	1		UDL48	USBF4	1,533 00	3,587 59	407 14	160 86	91 19		7 86				
1	Sub Loop Feeder - OC-12 Interface On OC-48	, I		UDL48	USBF8	372 76	804 96	407 14	160 86	91 19		7 86				1
UNBUNDLED	LOOP CONCENTRATION	<u> </u>	<u> </u>		1											
<del>  </del>	Unbundled Loop Concentration - System A (TR008)	ļ	ļ	ULC	UCT8A	423 72	359 34	359 34				7 86				
<del>                                     </del>	Unbundled Loop Concentration - System B (TR008)	<b> </b>	<del> </del>	ULC	UCT8B	51 60	149 72	149 72	ļ			7 86			<b></b>	1
<del></del>	Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303)		┼	ULC	UCT3A	460 27	359 34	359 34	·			7 86		-	-	-
<del></del>	Unbundled Loop Concentration - System B (TR303)  Unbundled Loop Concentration - DS1 Loop Interface Card	1	+	ULC	UCT3B UCTCO	86 95 4 90	149 72 71 69	149 72 51 51	22 99	6 00		7 86 7 86		-	<del> </del>	-
	Unbundled Loop Concentration - DST Loop Interface (Brite		+	OLC .	100100	4 90	/169	5151	22 99	6 00		/ 86		<u> </u>		<del> </del>
	Card)			UDN	ULCC1	7 78	16 59	16 50	8 42	8 37		7 86		l	1	
	Unbundled Loop Concentration - UDC Loop Interface (Brite		t	F	12200,	, ,,	10 03	10 30	0.42	0.37		, 00				1
	(Card)	1		UDC	ULCCU	7 78	16 59	16 50	8 42	8 37		7 86		1	I	
	Unbundled Loop Concentration 2 Wire Voice-Loop Start or	1					1		- '-	5.01		. 50				
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1 95	16 59	16 50	8 42	8 37		7 86			I	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1		1											1
	Loop Interface (SPOTS Card)		<u>L</u> _	UEA	ULCCR	11 58	16 59	16 50	8 42	8 37		7 86				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface				1									T		
l I	(Specials Card)	1		UEA	ULCC4	6 90	16 59	16 50	8 42	8 37	1 :	7 86			ł	

Version 4Q02 12/18/02 Page 145 of 416

UNBUN	DLE	D NETWORK ELEMENTS - Kentucky										,			ment: 2		bit B
CATEGO	IRY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		T = = = = = = = = = = = = = = = = = = =
		TEOT OFFICIAL CONTRACTOR			ULC	UCTTC	33 74	First 16 59	Add'I 16 50	First 8 42	Add'I 8 37	SOMEC	SOM AN 7 86	SOMAN	SOMAN	SOMAN	SOMAN
-		Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop		<del> </del>	ULC	OCTIC	33 /4	16 39	16 50	8 42	8 37		/ 60				<del>                                     </del>
		Interface		1	UDL	ULCC7	10 23	16 59	16 50	8 42	8 37		7 86		ĺ		
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop		<u> </u>	000	0200.	.020	,,,,,		Ů		<u> </u>					
		Interface			UDL	ULCC5	10 23	16 59	16 50	8 42	8 37		7 86				
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
		Interface			UDL	ULCC6	10 23	16 59	16 50	8 42	8 37	<u> </u>	7 86				<b>↓</b>
UNE OTH	IER, F	PROVISIONING ONLY - NO RATE		ļ				0.00									<del> </del>
<b>⊢</b> ∔		NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0 00	0 00								<del></del>	<del></del>
<b>_</b>		UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0 00						-			<del> </del>
		Habitandlad Contract Name Provinces Colu. No Bott			UEANL,UEF,UEQ,U ENTW	UNECN	0 00	0 00								1	{
LINE OTH	IED 5	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE	-	-	CIVIVV	UNECIN	0 00	0 00		<del> </del>		-				1	<del>                                     </del>
ONE OIL	, _ rt, F	ROMOIONING ONLT - NO RATE		-						<del> </del>		<del>                                     </del>		<del> </del>		<del> </del>	<del> </del>
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
1		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no										1					
<b></b>		rate		<b></b> _	UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									-
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,USL,UCL,UDL	USBFR	0 00	0.00					1				
-		rate Unbundled DS1 Loop - Superframe Format Option - no rate		-	USL	CCOSF	0 00	0.00					<del></del>	<del> </del>			
<del>     </del>		Unbundled DS1 Loop - Expanded Superframe Format option -		1	UGL	00001	0 00	0.00				<del>                                     </del>					
		no rate			USL	CCOEF	0 00	0 00		)							}
HIGH CA	PACI	TY UNBUNDLED LOCAL LOOP		<del>                                     </del>			0.00	- 555									
		minimum billing period of three months for DS3 and above L	ocal Lo	ор								1					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per		T'													
		month			UE3	1L5ND	9 25										
		High Capacity Unbundled Local Loop - DS3 - Facility		ļ								1					Į.
		Termination per month			UE3	UE3PX	308 31	551 38	338 08	173 00	120 42	<u> </u>	7 86				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per												į			
		month STO 4 For Many		<u> </u>	UDLSX	1L5ND	9 25									ļ. <u></u> .	ļ
		High Capacity Unbundled Local Loop - STS-1 - Facility		1	UDLCV	LIDL O4	200.54	554.00	220.00	470.00	400.40	1	7.00	i			Į
LOOP MA	VKE'I	Termination per month	-	<u> </u>	UDLSX	UDLS1	320 51	551 38	338 08	173 00	120 42	<del> </del>	7 86				<del></del>
LOOP NIA	ANC-C	Loop Makeup - Preordering Without Reservation, per working or		-								-					1
		spare facility queried (Manual)		ļ	UMK	UMKLW		23 40	23 40								l
		Loop Makeup - Preordering With Reservation, per spare facility		1-	CIVIC	CIVINE		2040	25 40	l		-					<del>                                     </del>
		queried (Manual)	Ì	1	UMK	UMKLP	l i	24 85	24 85								
		Loop Makeup-With or Without Reservation, per working or											-			· ·	<b>†</b>
		spare facility queried (Mechanized)		i	UMK	PSUMK		0 67	0 67								i
		NCY SPECTRUM															
		HARING															
S	PLIT	TERS-CENTRAL OFFICE BASED		L	<u> </u>												
		Line Sharing Splitter, per System 96 Line Capacity		ļ.,	ULS	ULSDA	198 83	379 05	0 00	358 55	0 00		7 86				
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49 71	379 05	0 00	358 55	0 00		7 86				
<u> </u>		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16 94	377 71	0 00	357 29	0 00		7 86				
		Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)	l			ULSDG		.=									
	ND II	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	COEC	TD1184	ULS			173 62	0 00	100 40	0 00		7 86			ļ	<del> </del>
	.140 0	Line Sharing - per Line Activation (BST Owned Splitter)	SPEC	TRUM	ULS	ULSDC	0.61	37 16	21 28	20 17	9 90		7 86				<del> </del>
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)		<b> </b>	ULS	ULSDS	001	32 90	16 43	20 17	9 90		7 86		-	ļ	
		Line Sharing - per Subsequent Activity per Line		T	T							-	1 . 50		1		<b>†</b>
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32 90	16 43				7 86		[		1
		Line Sharing - per Line Activation (DLEC owned Splitter)		L	ULS	ULSCC	0 61	47 44	19 31	20 67	12 74	1	7 86		1		
		PLITTING															1
E	ND U	SER ORDERING-CENTRAL OFFICE BASED										I				l '	
$\vdash$		Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS	0 61					L					
3 I		Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0 61	37 02	21 20	21 10	9 87		7 86				

Version 4Q02 12/18/02

UNBUN	DLE	D NETWORK ELEMENTS - Kentucky						-						Attach	ment 2	Exhi	bit: B
0.100.1		, ingrition and ingrition,		Τ		T	T					Svc Order	Svc ∩rder			Incremental	
				i									Submitted		Charge -	Charge -	Charge -
			١	}								Elec	Manually	Manual Svc	1		1
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs	Order vs	Order vs	Order vs
		10.12 ===	m									per LSK	percon	Electronic-	Electronic-	Electronic-	Electronic-
				Į	ŀ									1st	Add'l	Disc 1st	Disc Add'l
				1	İ									150	Addi	Discist	Disc Add i
				T			_	Nonred	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	•	
							Rec -	First	Add'I	First	Add'l	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Splitting - per line activation BST owned - virtual	1	1	UEPSR UEPSB	UREBV	0 61	37 02	21 20	21 10	9 87		7 86				
Ř	REMO	TE SITE HIGH FREQUENCY SPECTRUM		1										1			-
S	PLIT	ERS-REMOTE SITE				1											
		Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	38 55	114 83	0 00	84 55	0 00		7 86				
		Remote Site Line Share Cable Pair Activation CLEC Owned at															1
		RS and Deactivation	+		ULS	ULSTG		95 65	0 00	67 87	0 00		7 86				
E	ND U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	I AKA	REMO	E SITE LINE SHARI	NG											
		Remote Site Line Share Line Activationfor End User Served at					]					ļ				]	1
		RS, BST Splitter	- 1		ULS	ULSRC	0.61	37 16	21 28	20 17	9 90		7 86				
		RS Line Share Line Activation for End User served at RS CLEC										l					
		Splitter			ULS	ULSTC	0 61	37 16	21 28	20 17	9 90		7 86		ļ	<b></b>	ļ
		Remote Site Line Share Subsequent Activity-RS BST Owned	١.			l						1				1	
		Splitter	1		ULS	ULSRS		49 16	17 83	ļ	ļ. <u> </u>	ļ	7 86	L	ļ	<b></b>	1
- 1		Remote Site Line Share Subsequent Activity-RS CLEC Owned			l <u>-</u>												
		Splitter			uls	ULSTS		49 16	17 83				7 86				<b></b>
		DEDICATED TRANSPORT	L	l	1	L	1 200 1										<u> </u>
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billir	ig perio	od - below DS3=one	month, abov	e DS3=four mont	ns		ļ							ļ
- 11	NIER	OFFICE CHANNEL - DEDICATED TRANSPORT	-	-		ļ								-			<b></b>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					0 01										į
		Per Mile per month			U1TVX	1L5XX	0 01								<u> </u>		ļ
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			UITVX	U1TV2	20.44	47 34	31 78	22 77	8 75		7 86				J
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade			UTIVX	U11V2	29 11	47 34	31 /8	22 11	8.75		7.86				<del></del>
1		Rev Bat - Per Mile per month			U1TVX	1L5XX	0 01										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		-	0.147	TILDAM .	001								-		+
		Facility Termination			UITVX	U1TR2	29 11	47 34	31 78	22 77	8 7 5		7 86				1
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		+	0:147	UTINZ	23 11	47 34	3176		0 / 3		7 50		<del> </del>		
		Per Mile per month			U1TVX	1L5XX	0.01										į
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		<del>                                     </del>	OTTAX	120701	1								<del> </del>		
		- Facility Termination			U1TVX	U1TV4	25 86	47 34	31 78	22 77	8 75		7 86				1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		+	UTTVA	101744	20 00	41.54	3170	<del> </del>	0,13		7 00			<del></del>	<del> </del>
1		per month			UITOX	1L5XX	0 0115			1							
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<del>                                     </del>		1.20/1/	1								<del> </del>		<del> </del>
		Termination			U1TDX	U1TD5	20 97	47 35	31 78	22 77	8 75		7 86		ĺ		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile									- 0.0						
		per month		1	U1TDX	1L5XX	0 0115						l		1		
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1		T									<del> </del>		<u> </u>
		Termination			U1TDX	U1TD6	20 97	47 35	31 78	22 77	8 75		7 86				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1	1						<del> </del>
		month	l	1	U1TD1	1L5XX	0 23					1	l		1		1
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	I														1
		Termination	<u> </u>		U1TD1	U1TF1	96 04	105 52	98 46	23 09	20 49	1	7,86				1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per													I	T	1
		month		<u></u>	U1TD3	1L5XX	4 97						L	L	1	1	
Г		Interoffice Channel - Dedicated Transport - DS3 - Facility										l	I	I			
		Termination per month	l		U1TD3	U1TF3	1,175 15	335 40	219 24	89 57	87 75		7 86	<u> </u>		<u> </u>	<u> </u>
: 1		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			l	1											
		month		-	U1TS1	1L5XX	4 97										
1		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		l	1											1
<del>-  .</del>	004	Termination CHANNEL DEDICATED TRANSPORT		<del> </del>	U1TS1	U1TFS	1,149 51	335 40	219 24	89 57	87 75		7 86		L		<b></b>
		CHANNEL - DEDICATED TRANSPORT		1	L	1,	Ļ			ļ							1
<u> </u> N	*UIE	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ig pend	od = be	iow DS3=one month							<b> </b>	ļ	l		<b>.</b>	1
-		Local Channel - Dedicated - 2-Wire Voice Grade	ļ	<del> </del>	ULDVX	ULDV2	18 57	265 78	46 96		4 98		7 86				<b></b>
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	<u> </u>	┼	ULDVX	ULDR2	18 57	265 78	46 96		4 98		7 86				<b>↓</b>
		Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1		1	ULDVX	ULDV4	19 86	266 48	47 65		5 73	l	7 86	<b></b>			<b></b>
			-	1 1	ULDD1	ULDF1	40 46	209 60	176 51		21 07	1	7 86			<b>_</b>	<b></b>
-		Local Channel - Deducated - DS1 - Zone 2	-	2	ULDD1	ULDF1	43 39	209 60	176 51		21 07		7 86	ļ	ļ	ļ	<del> </del>
<del>  </del>		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	164 50	209 60	176 51	30 21	21 07		7 86	<b></b>			1
, t		Local Channel - Dedicated - DS3 - Per Mile per month	L	1	ULDD3	1L5NC	8 74			1	L	E			<u> </u>	L	<u> </u>

NRONDLE	D NETWORK ELEMENTS - Kentucky													nent: 2	Exhi	oit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)		<u>.</u>	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'I	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	576 05	551 38	338 08	173 00	120 42	ļ	7 86				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8 74										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	543 24	551 38	338 08	173 00	120 42	J	7 86				l
ARK FIBER								_								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	47 01										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		732 53	192 67	377 27	241 67		7 86			1	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														-	
ì	Thereof per month - Interoffice Channel			UDF	1L5DF	30 74									1	
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		732 53	192 67	377 27	241 67		7 86				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop		1	UDF	1L5DL	47 01										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732 53	192 67	377 27	241 67		7 86				
XX ACCESS	TEN DIGIT SCREENING		1		1	1									T	
	8XX Access Ten Digit Screening, Per Catl			OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX					1										
	Number Reserved		İ	OHD	N8R1X	1	4 14	0 70				7 86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O		-		140.4174		- 117						-			
	POTS Translations			OHD	1		8 78	1 18	7 08	0.86		7 86				i
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OND		+		1 10	7 00	0.00		7 00				
	POTS Translations			OUD	NOCTY		0.70	4.40	7.00	0.00	i	7.00				
				OHD	N8FTX	-	8 78	1 18	7 08	0 86		7 86				
	8XX Access Ten Digit Screening, Customized Area of Service			a												
	Per 8XX Number			OHD	N8FCX		4 14	2 07				7 86				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR														!	
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX		4 85	2 78				7 86				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4 85	0 70				7 86				
i	8XX Access Ten Digit Screening, Call Handling and Destination					1										
	Features		<u> </u>	OHD	N8FDX		4 14	4 14				7 86				
	8XX Access Ten Digit Screening w/ 8FL No Delivery,			OHD		0 0006478										
	8XX Access Ten Digit Screening w/ POTS No Delivery,			OHD		0 0006478										
INE INFORMA	ATION DATA BASE ACCESS (LIDB)				_[											
	LIDB Common Transport Per Query		l	OQT		0 000023						Ċ	- "			
	LIDB Validation Per Query			oqu		0 0137322										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		55 12		67 59			7 86				
IGNALING (C	CS7)															
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20 71	43 56	43 56	22 45	22 45						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151 39								-	<b> </b>	
	CCS7 Signaling Usage Per TCAP Message			UDB		0 0000656	-									
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20 71	43 56	43 56	22 45	22 45		7 86			<b></b>	
	CCS7 Signaling Connection, Per link (B link) (also known as D				1		0 00	70 00		U+ 44		, 00			<del> </del>	
	link)		l i	UDB	TPP++	20 71	43 56	43 56	22 45	22 45	1	7 86				
	CCS7 Signaling Usage, Per ISUP Message	-		UDB		0 0000164	70 00	-10 00	22 43	22 10		7 00			·	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751 08										
	CCS7 Signaling Point Code, per Originating Point Code		_	000	31030	731 00										
	Establishment or Change, per STP affected		i	UDB	CCAPO		46 02	46 02	50.40	50.40		7.00				
	CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		46 02	46 02	56 43	56 43		7 86				
	Establishment or Change, Per Stp Affected			UDB	CCAPD	1 1	40.00	40.00	50.40							
911 SERVICE	Establishment of Change, Fer Stp Anected		_	UUB	CCAPD	ļ	46 02	46 02	56 43	56 43		7 86				
371 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					18 57	265 78	46 96	46 79	4 98		7 86			L	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0115										
1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1			i								
	Termination		L			29 11	47 34	31 78	22 77	8 75		7 86				
	Local Channel - Dedicated - DS1 - Zone 1					40 46	209 60	176 51	30 21	21 07		7 86				
	Local Channel - Dedicated - DS1 - Zone 2					43 39	209 60	176 51	30 21	21 07		7 86				
	Local Channel - Dedicated - DS1 - Zone 3					164 50	209 60	176 51	30 21	21 07		7 86				
	Interoffice Transport - Dedicated - DS1 Per Mile					0 23										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96 04	105 52	98 46	23 09	20 49		7 86			1	
ALLENIO STATE	E (CNAM) SERVICE					0007	.00 02	50.40	20 00	20 10	<del></del>	, 00	<del></del>		l .	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky	<del></del>												ment: 2		brt. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	1	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs Electronic Disc Add'l
		<u> </u>				Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>			1400	First	Add'l	First	Addʻl	SOMEC	SOM AN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	-		OQV OQV			25 34	25 34	23 30	23 30		7 86				
		-		OQV			25 34	25 34	23 30	23 30		7 86				<del></del>
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			ogv			1,591 54	1,177 08	431 95	317 61		7 86				1
	CNAM For Non DB Owners - Service Provisioning With Point							-								
	Code Establishment			OOV			546 40	393 74	438 93	317 61		7 86				<u> </u>
	CNAM for DB Owners, Per Query		L	OQV		0 0010348										
	CNAM for Non DB Owners, Per Query			OQV		0 0010348										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)		1	oov	СОДСН		595 00	595 00				7 86				1
LNP Query Sei		1	1	OQV	СОВСП		595 00	595 00				7 86				<del></del>
	LNP Charge Per query	1	<del> </del>			0 0008695	+		<del>                                     </del>	<del></del>						<b></b>
	LNP Service Establishment Manual	<b>†</b>	· · · · ·		1	2 2222200	13 82	13 82	12 71	12 71		7 86				
	LNP Service Provisioning with Point Code Establishment				1		953 27	487 00	431 95	317 61	· · · · · · ·	7 86				
OPERATOR CA	ALL PROCESSING															
	Oper Call Processing - Oper Provided, Per Min - Using BST		1						1					·		1
	UDB Oper Call Processing - Oper Provided, Per Min Using	ļ. <u> </u>	<u> </u>			1 20										ļ
	Foreign LIDB		ľ		1	1 24	ĺ									1
	Oper Call Processing - Fully Automated, per Call - Using BST		$\vdash$		1	1 24										<del></del>
	LIDB					0 20			1							1
	Oper Call Processing - Fully Automated, per Call - Using		ļ —		}							·				(
	Foreign LIDB					0 20										
INWARD OPER	RATOR SERVICES					4.00										<del></del>
	Inward Operator Services - Verification, Per Call Inward Operator Services - Verification and Emergency Interrupt					1 00										<del> </del>
	i- Per Call				1	1 95			j l							i
BRANDING - C	PERATOR CALL PROCESSING				1	, , , ,										
Facility	y based CLEC	1									<del> </del>					
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00				7 86				
1	Loading of Custom Branded OA Announcement per shelf/NAV														-	
UNICO	per OCN				CBAOL		500 00	500 00			1	7 86				ļ
UNEP	Recording of Custom Branded OA Announcement	-					7 000 00	7,000,00				7.00				<del></del>
	Loading of Custom Branded OA Announcement per shelf/NAV	<del> </del>					7,000 00	7,000 00			<u> </u>	7 86		-		<del></del>
1	per OCN						500 00	500 00			]	7 86				1
Unbrar	iding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200 00	1,200 00				7 86				
	SSISTANCE SERVICES	<u> </u>									i					
DIREC	TORY ASSISTANCE ACCESS SERVICE	-						_								
DIBES	Directory Assistance Access Service Calls, Charge Per Call TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC'			+	0 275					l					<u> </u>
DIREC	Directory Assistance Call Completion Access Service (DACC).	DACC)	<del> </del> -		<del> </del>											
	Per Call Attempt					0 10										1
DIRECTORY A	SSISTANCE SERVICES	<del> </del>	t		<del>                                     </del>	3 10				-						
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)	1						-		_						
	Directory Assistance Data Base Service Charge Per Listing				1	0.04							-			
	Directory Assistance Data Base Service, per month				DBSOF	150 00						-				
	IRECTORY ASSISTANCE		L													
Facility	/ Based CLEC Recording and Provisioning of DA Custom Branded		ļ													
1	Announcement			AMT	CBADA		3,000 00	3,000 00				7.00				1
	Loading of Custom Branded Announcement per Switch per	<del> -</del>	<u> </u>	COVII	CBADA		3,000 00	3,000 00				7 86				<u> </u>
	OCN		<u></u>	AMT	CBADC		1,170 00	1,170 00	]			7 86				1
UNEP																
	Recording of DA Custom Branded Announcement	ļ. —			ļ		3,000 00	3,000 00				7 86				
	Loading of DA Custom Branded Announcement per Switch per OCN						1 170 00	4 430 00			7	7.00				
	iding via OLNS for UNEP CLEC	1		l	1		1,170 00	1,170 00	i 1		1 1	7 86				1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky						<del></del>							ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Grder Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic Disc Add'l
		i	1			Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA per OCN (1 OCN per Order)		1				420 00	420 00				7 86				
	Loading of DA per Switch per OCN						16 00	16 00				<sup>7</sup> 86				
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per		1		1											
VIRTUAL COL	Switch		1		USRCR		93 53	93 53	15 58	15 58		7 86				
VIRTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		-													
	Splitting	ŀ	1	UEPSR, UEPSB	VE1L\$	0 309	24 68	23 68	12 14	10 95		7 86				
PHYSICAL CO			<del> </del>	DEFOR, DEFOR	VEILS	0 303	24 00	23 00	12 14	10 93		7 00				
FHI SICAL CC	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1		+											
	Splitting			UEPSR, UEPSB	PE1LS	0 0333	24 68	23 68	12 14	10 95		7 86				
AIN SELECTIV	/E CARRIER ROUTING		<u> </u>		1	1 1300					-	. 50	_		-	
	Regional Service Establishment		l –	SRC	SRCEC		193,401 00	193,401 00	9,483 34	9,483 34		7 86			İ	
	End Office Establishment			SRC	SRCEO		194 09	194 09	0.85	0.85		7 86				
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06				7 86				
	Query NRC, per query			SRC		0 0037502										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
1	AIN SMS Access Service - Service Establishment, Per State,															
	initial Setup			A1N	CAMSE		43 55	43 55	44 93	44 93		7 86				
1																
	AlN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMOP		8 64	8 64	10 03	10 03		7 86				
	AN SMS Access Service - Port Connection - ISDN Access AN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		8 64	8 64	10 03	10 03		7 86				
	ID Code			A1N	CAMAU		38 65	38 65	29 88	29 88		7 86				
	AIN SMS Access Service - Security Card, Per User ID Code,		-	AIN	CAMAU		30 00	30 03	29 86	29 66		7 00				
	Initial or Replacement			A1N	CAMRC	ĺ	75 08	75 08	12 93	12 93		7 86				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	-	-	All	CAWING	0 0025	7500	13 00	12 33	12 33		7 00				
	AIN SMS Access Service - Session, Per Minute				<del>                                     </del>	0 666										
	AIN SMS Access Service - Company Performed Session, Per		1		<del> </del>			-								
	Minute					0 4608	i		1							
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,								-							
	Initial Setup			CAM	BAPSC		43 55	43 55	44 93	44 93		7 86				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436 93	8,436 93				7 86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term Attempt		<u> </u>		BAPTT		8 64	8 64	10 03	10 03		7 86	·			
	AiN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay	<b>—</b>	<b></b>		BAPTD		8 64	8 64	10 03	10 03		7 86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate	1	1		DADTM			0.01	40.00	40.00		7.00				
<del>   </del>	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<del> </del>	<b>├</b> ─		ВАРТМ		8 64	8 64	10 03	10 03		7 86				
	DN, 10-Digit PODP		1		ВАРТО		51 01	51 01	18 50	18 50		7 86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<del> </del>	<u> </u>		150-10		3101	3101	10 50	16 30		/ 00			<del></del>	ļ <del></del>
	DN. CDP	1			BAPTC		51 01	51 01	18 50	18 50		7 86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<b>—</b>		~~~	J			3101	10 30	10 30		, 00	-			
	DN, Feature Code	ŀ			BAPTF		51 01	51 01	18 50	18 50		7 86				
	AIN Toolkit Service - Query Charge, Per Query				<u> </u>	0 0549207			1.500			. 30	-			
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		Ī		1											
	Subscription, Per Node, Per Query				1	0 0066492										
ł	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes		ļ		1	0 07				,						
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1		l	L											
	Subscription			CAM	BAPMS	7 87	8 64	8 64	6 08	6 08		7 86				
	AIN Toolkil Service - Special Study - Per AIN Toolkil Service Subscription			l												
<del></del>	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-	CAM	BAPLS	3 26	9 56	9 56				7 86				
	Subscription	1		CAM	BAPDS	4 72	8 64	8 64	1			7.00				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-		<u>CAM</u>	DAPUS	4 /2	8 64	8 64	6 08	6 08		7 86				
	Service Subscription			CAM	BAPES	0 11	9 56	9 56	1			7 86			1	

INBUNDLE	D NETWORK ELEMENTS - Kentucky													ment 2		bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	всѕ	usoc		·	RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs
						Rec		curring	Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
HANCED EX	TENDED LINK (EELs)														ļ	1
NOTE:	The monthly recurring and non-recurring charges below will:	apply a	nd the	Switch-As-Is Charg	je will not ap	ply for EELs pro	ovisioned as	Ordinarily Con	nbined' Network	k Elements						ļ
NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	he non-	-recurri	ing charges below	will apply for	EELs provision	ed as ' Currer	tly Combined	Network Eleme	ents						
NOTE	Minimum billing is one month for DS1 and below and three m	onths :	above l	D\$1 services												
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												<b></b>
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport					İ								l		
	Combination - Zone 1		1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84		7 86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed				1											1
	Transport Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84		7 86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	-									ļ	1			1	
	Transport Combination - Zone 3		3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84		7 86		ļ	<del></del>	ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile													I		1
	per month		L	UNC1X	1L5XX	0 19					ļi					<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility		1			1										
	Termination per month		ļ	UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32		7 86				
	DS1 Channelization System Per Month			UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67		7 86				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 62	6 7 1	4 84				7 86				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84		7 86				1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1				1											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84	,	7 86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84		7 86				
1	Voice Grade COCI - DS1 to DS0 Channel System combination -															
1	per month			UNCVX	1D1VG	0 62	6 71	4 84				7 86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17	l	7 86		ŀ		
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															<b>—</b>
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84	!	7 86			]	ł
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				1										i	
	Transport Combination - Zone 2		2	UNÇVX	UEAL4	34 25	125 22	60 48	59 69	7 84	!	7 86			1	İ
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	-			1	1		33 13	00 00							
1	Transport Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84		7 86				İ
1	Interoffice Transport - Dedicated - DS1_combination - Per Mile			U.I.O.I.Y.	02.2.	00 00	ILULL	,	- 05 05			. 00				<del>                                     </del>
1	Per Month			UNC1X	1L5XX	0 19		· '			]					İ
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		-	5.10.1%	120701				-							<del></del>
	Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32	l 1	7 86				İ
	Channelization - Channel System DS1 to DS0 combination Per			0.101%	101111	1002	10124	120 00	30 72	22.02		, 00				<del></del>
	Month		l	UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67	l f	7 86				İ
	Voice Grade COCI - DS1 to DS0 Channel System combination -			0140174	- Ivica 1	110 00	37 20	1474	1 00	101		7 00	-			<del> </del>
	per month		1	UNCVX	1D1VG	0 62	6 71	4 84				7 86				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1			DIVOVA	1,0110	0 02	071	4 04				/ 00				├
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48	F0.00	7.04						1
<del></del>	Additional 4-Wire Analog Voice Grade Loop in same DS1		<del>-</del>	DINGVA	UEAL4	29 20	125 22	bu 48	59 69	7 84		7 86				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34 25	125 22	00.40	50.00	7.04		7.00				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	UEAL4	34 25	125 22	60 48	59 69	7 84		7 86				
	Interoffice Transport Combination - Zone 3		ا ا	LINOVAC		05.00	405.00									1
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84		7 86				<del></del>
	per month													ľ		1
<del></del>				UNCVX	1D1VG	0 62	671	4 84				7 86				1
i l	Nonrecurring Currently Combined Network Elements Switch -As-				1	ļ			i i							İ
	is Charge			UNC1X	UNCCC	ļ	8 98	8 98	11 17	11 17		7 86				
4-WIKE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERO	FICE	I KANSPORT (EEL)	1											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		.		1	! !			† T			7				1
	Transport Combination - Zone 1		1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84		7 86				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice				1							7				
	Transport Combination - Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84	1	7 86		L		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice														i	
1 1	Transport Combination - Zone 3		1 3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84	1	7 86		l	1	1

ATFORM  RATE ELEMENTS  RATE CLEMENTS	xhibit B
New   Pirest   Address   Some   Som	- Charge ive Manual S s. Order vs ic- Electroni
Interesting Transport - Jordana September 1-951 combination Floridly   UHCIX   ULCIX   UTITY   79 12   161 24   122 33   59 77   22 32   7.96     UHCIX   ULCIX   UTITY   79 12   161 24   122 33   59 77   22 32   7.96     UHCIX   ULCIX   UTITY   79 12   161 24   122 33   59 77   22 32   7.96     ULCIX   ULCI	
Park Material   Park Materia	SOMAN
Primorting Transport Deficience DS1 - Operand System DS1 to DS2 combination Part   UNCDX   UTF1   T902   91 24   123 55   56 72   22 32   7.66	
Teamination Feet Month   MARCEX UTT*   79.02   16124   132.53   59.72   22.32   7.66	
Month	
OCUDE COLIGINATION	
morth (2.644bb)   morth (2.6	
Additional 4-Wine Settings Digital Cristal Logies amon CS1   1   UNCDX   URL66   27 59   120 22   60 48   59 69   7 44   7 86	ı
Intereffice Transport Commentation - Zone 3	
Moderonal A-Wire Strippe Deptal Granted Loopn same DS1   2 UNCDX UDL58   32.48   125.72   60.48   59.69   7.64   7.66   1.66	
Additional 4-Wive StipSpa Digital Claded Loopen series DS1   3 UNCDX   UDLS6   88.7   125.22   60.46   56.66   7.94   7.96	
Intereffice Transport Communication - Zone 3	
OCU-DP COCI (data) - DS1 to DS0 Chamel System	
Combinitation princing   Carebrate Network Elements Switch Ab   UNCDX   UNCD	
Noncecurring Currently Combined Network Elements Switch - As- Is Change   4-Wike S4 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)   1.1.1.7   7.86	
Is Change	
4-Wike 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROPFICE TRANSPORT (EED)	]
First H-Wire 64Kbps Digital Crade Loop in a DS1 InterOffice   1   UNCDX   UDL64   27.59   125.22   60.48   59.69   7.84   7.86   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.84   7.86   7.86   7.86   7.84   7.86	
Transport Combination - Zone 1	
Transport Combination - Zone 2	
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice   3 UNCDX	
Transport Combination - Zone 3   JUNCDX   UDL64   38.37   125.22   60.48   59.69   7.84   7.66	
Interoffice Transport - Dedicated - OSI combination - Per Mile   UNC1X	
Per Month	_
Interoffice Transport - Dedicated - DS1 combination - Facility   UNC1X   U1TE1   79.02   181.24   123.53   56.72   22.32   7.86	
Termination Per Month	
Channelization - Channel System DS1 to DS0 Combination Per   UNCIX MQ1   113 33   57 26   14 74   1 86   1 67   7 86	
OCU-DP-COCI (data) - DSI to DS0 Channel System   UNCDX   1D1DD   1 32   6 71   4 84   786   8   8   8   8   8   8   8   8   8	
Combination - per month (2 4-64bbs)	
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	
Interoffice Transport Combination - Zone 1	
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL64   32.48   125.22   60.48   59.69   7.84   7.86   7	
Interoffice Transport Combination - Zone 2	
Additional 4-Wire 64kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 36 37 125 22 60 48 59 69 7 84 7 86  OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs) UNCDX 1D1DD 132 671 4 84 786  Nonrecurring Currently Combined Network Elements Switch - Asis Charge UNCTX UNCCC 8 9 8 8 9 8 11 17 11 17 7 86  4-WIRE DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 1 UNCTX USLXX 86 47 210 70 114 60 63 96 17 97 7 86  4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNCTX USLXX 114 10 210 70 114 60 63 96 17 97 7 86  4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNCTX USLXX 114 10 210 70 114 60 63 96 17 97 7 86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Nonrecurring Currently Combined Network Elements Switch - Asis UNCTX UNCCC 8 98 8 98 11 17 11 17 7 86  4-Wire DS1 Digital Loop in Combination Network Elements Switch - Asis UNCTX UNCCC 8 98 8 98 11 17 11 17 7 86  UNCTX UNCCC 8 98 8 98 11 17 11 17 7 86	
OCU-DP COCI (data) - DS1 to DS0 Channel System	<del></del>
Combination - per month (2 4-64kbs)	
Nonrecurring Currently Combined Network Elements Switch -As-  s Charge	
Is Charge	
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice   1 UNC1X USLXX 86 47 210 70 114 60 63 96 17 97 7 86	
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice   1 UNC1X	
Transport - Zone 1	
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 2 UNC1X USLXX 114 10 210 70 114 60 63 96 17 97 7 86  4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3 UNC1X USLXX 297 76 210 70 114 60 63 96 17 97 7 86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 7 9 02 181 24 123 53 56 72 22 32 7 86  Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNC1X UNC1X UNCCC 8 98 8 98 8 11 17 11 17 7 86	
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 UNC1X USLXX 297 76 210 70 114 60 63 96 17 97 7 86  UNC1X USLXX 0 19  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X USLXX 0 19  UNC1X U	
Transport - Zone 3   3 UNC1X	
Interoffice Transport - Dedicated - DS1 combination - Per Mile	
Per Month	
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month  Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNC1X UNC1X UNCCC  8 98 8 98 11 17 11 17 7 86  4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)	
Termination Per Month	
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)	
Is Charge	
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)	
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 UNC1X USLXX 86 47 210 70 114 60 63 96 17 97 7 86	

ONBONDE	D NETWORK ELEMENTS - Kentucky													ment; 2		bit. 🛮
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			1			Rec	Nonred First		Nonrecurring		SOMEC	COMAN	SOMAN	Rates (\$)	SOMAN	COMAN
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		+	3			FIFSI	Addʻl	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
	2		2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97		7 86				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3		3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97		7 86				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month		-	UNC3X	1L5XX	4 09								<b></b>	<b></b>	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINGSV	HATEO	000.00	350.50	444.50	40.00	20.20		7.00				
_	month DS3 to DS1 Channel System combination per month		-	UNC3X UNC3X	U1TF3 MQ3	966 89 158 20	350 56 115 48	141 58 56 53	48 00 15 12	23 39 5 30		7 86 7 86			-	
	DS3 Interface Unit (DS1 COCI) combination per month		<del> </del>	UNC1X	UC1D1	11 80	6 71	4 84	13 12	5 30		7 86			<del> </del>	
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<del> </del>	DIVOTA	00101	1,00	071	7 0 7				. 00				
ì	Zone 1		1 1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97		7 86				1
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97		7 86				
ì	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	297 76 11 80	210 70 i	114 60 4 84	63 96	17 97		7 86 7 86				<del> </del>
	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNCIA	OCIDI	11 60	671	4 84				7.86				
	Is Charge			UNC3X	UNCCC		8 98	8 98	11 17	11 17		7 86				
2-WIRI	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TE		10.1000		- 555									
	2-WireVG Loop used with 2-wire VG Interoffice Transport		T	I ' '												
	Combination - Zone 1		1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84		7 86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84		7 86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		3	UNCVX		22.02	405.00	00.40	50.00	20.		7.00				
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84		7 86		ļ		
	Mile Per Month			UNCVX	1L5XX	0 01								i		
_ i	Interoffice Transport - Dedicated - 2- Wire Voice Grade	-	<del> </del>	ONOVA.	123700	007			<del> </del>						-	
	combination - Facility Termination per month			UNCVX	U1TV2	23 95	98 09	53 67	56 31	22 42		7 86				
	Nonrecurning Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8 98	8 98	11 17	11 17		7 86				
4-WIRI	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TE	RANSPORT (EEL)												
į	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		١,	UNCVX	UEAL4	29 26	125 22	60 48	50.60	7 84		7 86				
-	4-WireVG Loop used with 4-wire VG Interoffice Transport		+-	UNCVA	UEAL4	29 20	125 22	60 48	59 69	7 84		7.86				
	Combination - Zone 2		2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	7 84		7 86				
1	4-WireVG Loop used with 4-wire VG Interoffice Transport							00.10			· ·					
	Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84		7 86		1		
1	Interoffice Transport - Dedicated - 4-wire VG combination - Per			1												
	Mile Per Month		ļ. <u></u>	UNCVX	1L5XX	0.01										
1	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21 28	98 09	53 67	F0.04	20.40		7.00				
	Nonrecurring Currently Combined Network Elements Switch -As-		+	DNCVA	01174	2128	98 09	53.67	56 31	22 42		7 86				
	is Charge		1	UNCVX	UNCCC		8 98	8 98	11 17	11 17		7 86				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR					0.00								<del></del>
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	9 25										
	High Capacity Unbundled Local Loop - DS3 combination -		İ	l												
	Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	UE3PX	308 31	237 36	147 69	83 43	32 67		7 86			ļ	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		<del> </del>	UNC3X	1L5XX	4 09			<del> </del>							
	Termination per per month			UNC3X	U1TF3	966 89	350 56	141 58	48 00	23 39		7 86		1		
	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	0.100/1	51113	300 69	300 30	141 36	40.00	23 39	<del> </del>	/ 60			1	-
	Is Charge		İ	UNC3X	UNCCC		8 98	8 98	11 17	11 17		7 86				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF	ICE TE	RANSP	ORT (EEL)					[ · · · · · · ·		1			<del> </del>	1	· · ·
	High Capacity Unbundled Local Loop - STS1 combination - Per		1												1	
1	Mile per month			UNCSX	1L5ND	9 25					1	1		ļ		

NRUNDLE	D NETWORK ELEMENTS - Kentucky												ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m Zoi	ne BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					Rec	Nonrec		Nonrecurring					Rates (\$)		
					Nec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS1 combination -														
	Facility Termination per month		UNCSX	UDLS1	320 51	237 36	147 69	83 43	32 67		7 86				l .
	Interoffice Transport - Dedicated - STS1 combination - Per Mile														
	per month		UNCSX	1L5XX	4 09			1					-		l .
	Interoffice Transport - Dedicated - STS1 combination - Facility		1				•								$\overline{}$
	Termination per month		UNCSX	U1TFS	945 79	350 56	141 58	48 00	23 39		7 86				l
	Nonrecurring Currently Combined Network Elements Switch -As-														
	Is Charge		UNCSX	UNCCC		8 98	8 98	11 17	11 17		7 86			1	į.
2.1//10	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	DT /EEL \	GIVOUN	0.1.000		0.50	0 00	11.17			1 00				
2-4411	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	( ( )												-	
	Transport - Zone 1	1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84		7 86			ĺ	1
		· '	UNCINA	UILZA	10 44	125 22	60 46	29 69	7 84		7 00				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	_	LINGNY		25.00	405.00	aa	50.55							1
	Transport - Zone 2	2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84		7 86				<b></b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			· · · · · · · · · · · · · · · · · · ·											l .
	Transport - Zone 3	3		U1L2X	42 87	125 22	60 48	59 69	7 84		7 86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 19										
	Interoffice Transport - Dedicated - DS1 combintion - Facility														
ļ	Termination per month		UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32		7 86				1
1	Channelization - Channel System DS1 to DS0 combination -														
1	per month		UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67		7 86			:	1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		10110111		110 00	0. 20		1							
i	combination - per month	1 1	UNCNX	UC1CA	2 84	6 71	4 84				7 86				1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		UNCIAN	100100	2 04	- 071					. 00				·
		1	LINCHY	LIALOV	10.44	405.00	CO 40	50.00	7.04		7.00				4
	Combination - Zone 1	,	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84		7 86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	_		1											(
	Combination - Zone 2	2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84		7 86				<del></del>
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1												ı
	Combination - Zone 3	3	UNCNX	U1L2X	42 87	125 22	60 48	59 69	7 84		7 86				l .
1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		1		1										1
	combintaion- per month		UNCNX	UC1CA	2 84	6 71	4 84				7 86				1
	Nonrecurring Currently Combined Network Elements Switch -As-														
İ	Is Charge		UNC1X	UNCCC		8 98	8 98	11 17	11 17		7 86				ŧ
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROFFICE	TRANSPORT (EEI	3					-						
	First DS1 Loop in STS1 Interoffice Transport Combination -		1	<del>'</del>				<del> </del>							
	Zone 1	1	UNC1X	UŞLXX	86 47	210 70	114 60	63 96	17 97		7 86				i
	First DS1 Loop in STS1 Interoffice Transport Combination -				**		11100	30.00	7. 07	-					
	Zone 2	2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97		7 86				1
	First DS1 Loop in STS1 Interoffice Transport Combination -		ONOIX	OSEAN	114 10	21070	114 00	03.30	17 37		, , , ,				
	Zone 3	3	UNC1X	USLXX	297 76	210 70	111.00	62.00	47.07		7.00				i
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	- 3	UNCIX	USLAA	297 70	210 70	114 60	63 96	17 97		7 86				
	Per Month			4. 5.0.											1
			UNCSX	1L5XX	4 09										
	Interoffice Transport - Dedicated - STS1 combination - Facility					i									ı
	Termination		UNCSX	U1TFS	945 79	350 56	141 58		23 39		7 86				i
	STS1 to DS1 Channel System conbination per month		UNCSX	MQ3	158 20	115 48	56 53	15 12	5 30		7 86				
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 80	6 71	4 84		·		7 86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -														
	Zone 1	1 1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97		7 86				l .
	Additional DS1Loop in STS1 Interoffice Transport Combination -														
	Zone 2	2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97		7 86				1
-	Additional DS1Loop in STS1 Interoffice Transport Combination -					2.2.70		1 32.00							(
	Zone 3	3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97		7 86				l .
	DS3 Interface Unit (DS1 COCI) combination per month	<del>                                     </del>	UNC1X	UC1D1	11 80	6 71	4 84		11 91		7 86				
	Nonrecurring Currently Combined Network Elements Switch -As-	<del></del>	DIVOTA	100.101	1100	0/1	4 84	-			/ 80		·	<del></del>	···
	Is Charge		UNCSX	Incoo							7.00				1
A.WIID	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE TOAL	ICHORT (FFL)	UNCCC		8 98	8 98	11 17	11 17		7 86			-	
	4 ware 56 khos Loop M ware 56 khos later Will 30 KBPS INTERO	FILE IKAN	ISPURI (EEL)	<del></del>			•••							<del> </del>	<del> </del>
ı	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	.						_							1
+-	Combination - Zone 1	1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84		7 86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1												1
	Combination - Zone 2	2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84		7 86	1		1	a contract of

ONR	UNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	Exhil	bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				ļ			Rec	Nonre		Nonrecurring					Rates (\$)	,	
							7,00	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		l													
		Combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84		7 86				
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1											!		
		Per Mile		_	UNCDX	1L5XX	0.01										1
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		1	UNCDX	U1TD5	17 25	98 09	53 67	56 31	22 42		7 86				
		Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	01105	17 25	90 09	53.67	36.31	22.42		1 00				<del> </del>
		Is Charge		ŀ	UNCDX	UNCCC		8 98	8 98	11 17	11 17		7 86				!
	4-WIRE	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FICE 1	RANS		1011000		0 30	0.00	11117	11.17		7 00				<del>                                     </del>
	7 11111	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		[	CKT (EEE)												<del>                                     </del>
		Combination - Zone 1		1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84		7 86				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport				1				1,11							
		Combination - Zone 2		2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84	l	7 86			1	
	1	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84		7 86				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile		Į	UNCDX	1L5XX	0 01									_	
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination			UNCDX	U1TD6	17 25	98 09	53 67	56 31	22 42		7 86				
		Nonrecurring Currently Combined Network Elements Switch -As-		1						]							ì
		Is Charge		L	UNCDX	UNCCC		8 98	8 98	11 17	11 17		7 86				<u> </u>
ADDIT		NETWORK ELEMENTS		l .	<u> </u>												
		used as a part of a currently combined facility, the non-recurr															
	Monro	used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is"	ne non-	recurri	ng charges apply a	nd the Switch	AS IS Charge of	loes not							· · · · ·		
	Nonrec	Nonrecurring Currently Combined Network Elements Switch As-	Charge	(One a	ipplies to each com	omation)											-
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8 98	8 98	11 17	11 17		7 86		ŀ		
	-	Nonrecurring Currently Combined Network Elements Switch -As-			DINGVA	DIVCCC		0 30	0 30		11.17		7 00				
		Is Charge - 56/64 kbps		ł	UNCDX	UNCCC		8 98	8 98	11 17	11 17		7 86		1		1
		Nonrecurring Currently Combined Network Elements Switch -As-		<del></del>	UNODA	011000			0.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	71 17		, 00	-			1
		Is Charge - DS1		ļ	UNC1X	UNCCC	ļ	8 98	8 98	11 17	11 17		7 86		1		
		Nonrecurring Currently Combined Network Elements Switch -As-		l —		5.7.2.2							. 50				
		Is Charge - DS3		ł	UNC3X	UNCCC		8 98	8 98	11 17	11 17		7 86				
		Nonrecurring Currently Combined Network Elements Switch -As-		1				•									1
		Is Charge - STS1			UNCSX	UNCCC		8 98	8 98	11 17	11 17		7 86		ľ		i
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	i - Belo	w DS3	one month, DS3 ar	nd above=fou	r months										
		Local Channel - Dedicated - 2-Wire Voice Grade		L	UNCVX	ULDV2	18 57	265 78	46 96	46 79	4 98		<sup>7</sup> 86				
	_	Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	19 86	266 48	47 65	47 54	5 73		7 86				
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	40 46	209 60	176 51	30 21	21 07		7 86				
	-	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	43 39	209 60	176 51	30 21	21 07		7 86				
	-	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	164 50	209 60	176 51	30 21	21 07		7 86		ļ		
	+	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8 74	F= - 0 -	- 222.72	ļ					<b> </b>	<u> </u>	
	+	Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month		-	UNC3X	ULDF3	576 05	551 38	338 08	173 00	120 42	L	7 86				<u> </u>
	+	Local Channel - Dedicated - STS-1 - Per Mile per month  [Local Channel - Dedicated - STS-1 - Facility Termination]		-	UNCSX	1L5NC ULDFS	8 74 543 24	551 38	338 08	173 00	120 42		7.00		-		<del> </del>
	MILIT	PLEXERS			UNUOA	ULUFS	343 24	251 38	338 08	1/3 00	120 42	ļ	7 86		<del> </del>	-	ļ
		minimum billing period is one month for DS1 to DS0 Channel	Syster	n and .	nterfaces	<del> </del>									<b></b>	<del> </del>	<del></del>
		minimum billing period is three months for DS3 to DS1 and al				ces				<u> </u>				_	<del> </del>		<del> </del>
	1	Channelization - DS1 to DS0 Channel System		121,11,01	UXTD1	MQ1	113 33	101 40	71 60	13 79	13 04		7 86		l	<del>                                     </del>	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per						,0,140	1.00	1575	15 04		, 30		<del> </del>	<del>                                     </del>	<del>                                     </del>
		month (2 4-64kbs)		[	UDL	1D1DD	1 32	10 07	7 08	[			7 86			1	
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		<del>                                     </del>									. 50			1	
	$\perp$	month			UDN	UC1CA	2 84	10 07	7 08			i	7 86		1	!	1
	$\bot$	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 6228	10 07	7 08				7 86		<del>                                     </del>	1	<b> </b>
		DS3 to DS1 Channel System per month			UXTD3	MQ3	158 20	199 23	118 62	50 16	48 59		7 86		<u> </u>	<u> </u>	<u> </u>
		STS1 to DS1 Channel System per month			UXTS1	MQ3	158 20	199 23	118 62	50 16	48 59	i	7 86		1	1	1
	1	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11 80	10 07	7 08				7 86		1	1	
	1	DS3 Interface Unit (DS1 COCI) used with Local Channel per						-							T	1	
		month			ULDD1	UC1D1	11 80	10 07	7 08				7 86				i

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										, , ,			ment: 2		oit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonred		Nonrecurring		001150	0011411		Rates (\$)		COMAN
	D02 144 5-4 114 (D04 000)			ļ	ļ—		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with interoffice Channel per month			U1TD1	UC1D1	11 80	10 07	7 08				7 86				
Sub-I	oop Feeder		├	UIIDI	OCIDI	11 60		7.00			<del>                                     </del>	7 00				
Jun-L	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG					-				<del></del>		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			UNC1X	USBFG	62 57	125 43	73 68	81 82	21 56	<del></del>					
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	87 71	125 43	73 68	81 82	21 56						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X	USBFG	273 33	125 43	73 68	81 82	21 56						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	inge Ports				_1											
	: Although the Port Rate includes all available features in GA, I	(Y, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	·								
2-WIRI	E VOICE GRADE LINE PORT RATES (RES)				<u> </u>											
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 49	3 74	3 63	2 23	2 13		7 86				ļ
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res			UEPSR	UEPRM	1 49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID			UEP\$R	UEPWE	1 49	3 74	3 63	2 23	2 13		7 86				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1 49	3 74	3 63	2 23	2 13		7 86	-			
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00			1	7 86				
FEATU						-					-					
	All Available Vertical Features			UEPSR	UEPVF	0 00	0 00	0 00				7 86				
2-WIRI	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire VG unbundled Line Port with					i					}					
	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1,49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exchange Ports - 2-Wire VG unbundled KY extended local			UEPŜB	UEPBO	1 49	3 74	3 63	2 23	2 13		7 86				
	dialing parity Port with Caller ID - Bus			UEPSB	UEPBM	1 49	3 74	3 63	2 23	2 13		7 86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 49	3 74	3 63	2 23	2 13		7 86				
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID			UEPSB	UEPWF	1 49	3 74	3 63	2 23	2 13		7 86				
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability	-		UEPSB	UEPBE	1 49	3 74	3 63	2 23	2 13		7 86				
	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00		2 13		7 86		<del></del>		
FEATU				02.00	00/100	0 00	0 00	0.00				, 00		<del></del>	<del> </del>	ļ
	All Available Vertical Features			UEPSB	UEPVF	0 00	0 00	0 00				7 86				
EXCH	ANGE PORT RATES (DID & PBX)				† -	- 30						- 30		· · · · · · · · · · · · · · · · · · ·		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 49	39 05	18 17	15 38	0 89		7 86				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 49	39 05	18 17	15 38	0 89		<sup>7</sup> 86				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 49	39 05	18 17	15 38	0 89		<sup>7</sup> 86				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 49	39 05	18 17	15 38	0 89		<sup>7</sup> 86				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 49	39 05	18 17	15 38	0 89		7 86				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 49	39 05	18 17	15 38	0 89		7 86				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA	1 49	39 05	18 17	15 38	0 89		7 86			ļ	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		<b></b>	UEPSP	UEPXB	1 49	39 05	18 17	15 38	0 89		7 86			-	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port  2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	1 49 1 49	39 05 39 05	18 17 18 17	15 38 15 38	0 89 0 89		7 86 7 86			1	-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 49	39 05	18 17	_	0 89		7 86				

NBUNDL	ED NETWORK ELEMENTS - Kentucky					T					1			nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manuality per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<u> </u>	1			Rec	Nonrec		Nonrecurring		CONTO	SOMAN		Rates (\$)	SOMAN	SOMAN
	C.M V U-b di-d 2 Mir. FRY Kblin D A	1	ļ				First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	1 49	39 05	18 17	15 38	0.89		7 86			1	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		+-	UEPSP	UEPXG	1 49	39 05	18 17		0 89		7 86			1	
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port	<del> </del>	1	UEPSP	UEPXH	1 49	39 05	18 17		0.89		7 86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling		1	02.0.			00 00				t				<u> </u>	l
- 1	Port Without LUD			UEPSP	UEPXJ	1 49	39 05	18 17	15 38	0 89		7 86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										f	· ·			1	T
1	Administrative Calling Port			UEPSP	UEPXL	1 49	39 05	18 17	15 38	0 89	L	7 86			İ	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	1		UEPSP	UEPXM	1 49	39 05	18 17	15 38	0.89		7 86			L	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															'
	Discount Room Calling Port	$\perp$	$\perp$	UEPSP	UEPXO	1 49	39 05	18 17	15 38	0 89		7 86			ļ. <u></u>	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 49	39 05	18 17		0 89		7 86				<b></b>
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00				7 86			ļ. <u></u>	<b>.</b>
FEAT	TURES		_								ļ			ļ	<b> </b>	ļ
	All Available Vertical Features	1	_	UEPSP UEPSE	UEPVF	0.00	0 00	0 00	1			7 86				ļ
EXC	HANGE PORT RATES (COIN)	1	_	1		ļ			<del> </del>						-	<b>_</b>
	Exchange Ports - Coin Port					1 49	3 74	3 63	2 23	2 13		7 86				
	I Switching Features offered with Port					L1			<u> </u>	L	<u>!</u>		L.,			
NOTI	E Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to o	circuit switche	ed voice and/or	circuit switche	ed data transn	nission by B-Cl	nannels assoc	lated with 2	-wire ISDN	onts	L		
NOTE	E Access to B Channel or D Channel Packet capabilities will be	e availa	ble onl	y through BFR/New	v Business Re	quest Process	Rates for the	packet capabi	ilities will be de	termined via	the Bona Fi	de Request/	New Business	s Request Pro	cess	
	Exchange port - 4-wire ISDN trunk port -all available features				LIEBEY	404.00	400.00	05.45	04.00	00.67		7 86	1		[	
IDIIAIDI EE	included	-	-		UEPEX	101 60	188 36	95 15	61 92	22 67	-	/ 66			1	
	D LOCAL EXCHANGE SWITCHING(PORTS) HANGE PORT RATES		4			<del> </del>					ļ				ļ	
EXC	Exchange Ports - 2-Wire DID Port	+	1	UEPEX	UEPP2	10 51	92 18	15 82	52 16	5 30	+	7 86			<del> </del>	1
	Exchange Ports - 2-Wire DiD Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		+	UEPEX	UEPPZ	10 51	92 10	15 02	32 10	5 30		/ 60				+
	capability	1		UEPDD	UEPDD	74 77	164 86	77 74	60 69	3 86		7 86		!		
-	Exchange Ports - 2-Wire ISDN Port (See Notes below )	+	+	UEPTX UEPSX	U1PMA	13 46	60 60	50 67		14 17		7 86		-	<del> </del>	·
	All Features Offered	+		UEPTX UEPSX	UEPVF	0 00	0 00	0.00		17 17	1	7 55			<del>                                     </del>	
NOT	E Transmission/usage charges associated with POTS circuit s	witcher	f usane							l	lated with 2	-wire ISDN i	orts			
	E Access to B Channel or D Channel Packet capabilities will be													s Request Pro	ocess	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	1	UEPTX UEPSX	U1UMA	0 00	0 00	0 00			1	1		1	1	
_	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101 60	188 36	95 15		22 67		7 86				
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILIT	Ý				· · · · · · · · · · · · · · · · · · ·										
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE								···			1				
	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1 49	3 74	3 63				7 86				
						1								_		
	Unbundled Remote Call Forwarding Service, Local Calling - Re-	s	I.	UEPVR	UERLC	1 49	3 74	3 63		:	İ	7 86				
	Unbundled Remote Call Forwarding Service, InterLATA - Res	1	Ī	UEPVR	UERTE	1 49	3 74	3 63				7 86			1	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 49	3 74	3 63				7 86				
Non-	Recurring		1													
	Unbundled Remote Call Forwarding Service - Conversion -	1														
	Switch-as-is		1	UEPVR	USAC2		0 10	0 10		l	<u> </u>	7 86		_		
	Unbundled Remote Call Forwarding Service - Conversion with		1			1						1	1			
	allowed change (PIC and LPIC)	1		UEPVR	USACC		0 10	0 10							<u> </u>	
UNB	UNDLED REMOTE CALL FORWARDING - Bus														İ	
												1			1	i
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		-	UEPVB	UERAC	1 49	3 74	3 63		<b></b>	1	7 86	ļ		1	ļ
- 1	lu									I			1	1	1	1
	Unbundled Remote Call Forwarding Service, Local Calling - But	s	1	UEPVB	UERLC	1 49	3 74	3 63			1	7 86		ļ	+	<del> </del>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	+-	_	UEPVB	UERTE	1 49	3 74	3 63		<b> </b>		7 86	-		+	-
			+	UEPVB	UERTR	1 49	3 74	3 63	1		<del> </del>	7 86	1		+	<del></del>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus								i	1	1	1		1	1	
	Unbundled Remote Call Forwarding Service Expanded and			UED/D	LIEGY !!		A 1		1			7.00		1		
No.	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling		ļ <u>.</u>	UEPVB	UERVJ	1 49	3 74	3 63				7 86			-	<del> </del>
Non-	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring			UEPVB	UERVJ	1 49	3 74	3 63				7 86				
Non-	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ USAC2	1 49	3 74 0 10	3 63 0 10				7 86 7 86				

UNBUNDLED NET	WORK ELEMENTS - Kentucky												Attachi	ment 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs Electronic-	Increment Charge -
													1st	Add'I	Disc 1st	Disc Add
						Rec		curring		g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	dled Remote Call Forwarding Service - Conversion with															]
	change (PIC and LPIC)			UEPVB	USACC		0 10	0 10								<b>.</b>
	SWITCHING, PORT USAGE	ļ	ļ													1
	tching (Port Usage)	<b></b>	ļ	ļ.,_,,,	_											1
	fice Switching Function, Per MOU					0 0011971										<del>                                     </del>
	fice Trunk Port - Shared, Per MOU hing (Port Usage) (Local or Access Tandem)		<u> </u>			0 0002112			-							
	n Switching Function Per MOU		_		+	0 000194					<del> </del>				-	<del>                                     </del>
	n Trunk Port - Shared, Per MOU				<del></del>	0 0002416					1				<b>-</b>	-
Common Trans			<u> </u>		+	0 00024 10									<del> </del>	<del></del>
Commo	on Transport - Per Mile, Per MOU		<b>—</b>		+	0 000003			<del>                                     </del>							+
Commo	on Transport - Facilities Termination Per MOU	t	$\vdash$		+	0.0007466		<del></del>	<del> </del>	<del> </del>	+	-			<b></b>	<del></del>
	OOP COMBINATIONS - COST BASED RATES		$\vdash$		1	2 233. 130		1	· · · · -	<del> </del>					<u> </u>	<del></del>
	tes are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to p	rovide Unbun	dled Local Swi	tching or Swit	ch Ports			<del> </del>		-			
	apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit					
	Tandem Switching Usage and Common Transport Us											n Port Loop	Combination	ns		
	dditional Port nonrecurring charges apply to Not Curr															
	GRADE LOOP WITH 2-WIRE LINE PORT (RES)							1	T	T	1			1		
	Combination Rates				***											
	VG Loop/Port Combo - Zone 1		1			10 79										
	VG Loop/Port Combo - Zone 2		2			15 52			·							
	VG Loop/Port Combo - Zone 3		3			31 74										
UNE Loop Rate					<u> </u>											
	Voice Grade Loop (SL1) - Zone 1	· · · · · · · · · · · · · · · · · · ·	1	UEPRX	UEPLX	9 64										
2-Wire	Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14 37										
2-Wire	Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30 59										
2-Wire Voice G	rade Line Port Rates (Res)															
2-Wire	voice unbundled port - residence		I	UEPRX	UEPRL	1 15	21 29	15 49	2 85	2 67		7 86				
2-Wire	voice unbundled port with Caller ID - res	T	1	UEPRX	UEPRC	1 15	21 29	15 49	2 85	2 67		7 86				1
	voice unbundled port outgoing only - res		L	UEPRX	UEPRO	1 15	21 29	15 49	2 85	2 67		7 86				
	voice Grade unbundled Kentucky extended local dialing ort with Caller ID - res			UEPRX	UEPRM	1 15	21 29	15 49	2 85	2 67		7 86				
2-Wire	voice unbundles res, low usage line port with Caller ID															
(LUM)		1	i	UEPRX	UEPAP	1 15	21 29	15 49	2 85	2 67		7 86		ł		
2-Wire	Voice Unbundled Kentucky Residence Dialing Plan															
	Caller ID		1	UEPRX	UEPWE	1 15	21 29	15 49	2 85	2 67		7 86				
2-Wire	voice unbundled Low Usage Line Port without Caller ID										T					
Capabil	lity			UEPRX	UEPRT	<b>1</b> 15	21 29	15 49	2 85	2 67		<sup>7</sup> 86			l	
FEATURES																
	ures Offered			UEPRX	UEPVF	0 00	0 00	0.00				7 86				
	ER PORTABILITY															
	umber Portability (1 per port)	ļ		UEPRX	LNPCX	0 35										1
	NG CHARGES (NRCs) - CURRENTLY COMBINED															
Switch-				UEPRX	USAC2		0 10	0 10			<u> </u>	7 86				
	Voice Grade Loop / Line Port Combination - Conversion - with change			UEPRX	USACC		0 10	0 10				7 86				
ADDITIONAL N					-											
2-Wire	Voice Grade Loop/Line Port Combination - Subsequent															
Activity	·		1	UEPRX	USA\$2	0 00	0 00	0.00	1	1		7 86	1		1	
2-WIRE VOICE	GRADE LOOP WITH 2-WIRE LINE PORT (BUS)									t				ĺ	l	<b>†</b>
	Combination Rates				1					1					i .	
	VG Loop/Port Combo - Zone 1		1			10 79										
	VG Loop/Port Combo - Zone 2		2		1	15 52										
	VG Loop/Port Combo - Zone 3		3			31 74										
UNE Loop Rate											I				l	
	Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9 64										
	Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14 37								I		
2-M/rg )	Voice Grade Loop (SL1) - Zone 3		3	ŲEPBX	UEPLX	30 59										

Version 4Q02 12/18/02 Page 158 of 416

INRONDIED NE	TWORK ELEMENTS - Kentucky													ment: 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Charge -	Increment Charge Manual S Order vi Electron
													1st	Add'I	Disc 1st	Disc Add
						Rec	Nonrec	curning	Nonrecurring	g Disconnect				Rates (\$)	•	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Grade Line Port (Bus)				i											ļ
	e voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 15	21 29	15 49		2 67		7 86				
	e voice unbundled port with Caller + E484 ID - bus		ļ	UEPBX	UEPBC	1 15	21 29	15 49				7 86				
	e voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	1 15	21 29	15 49	2 85	2 67		7 86		-		-
	re voice Grade unbundled Kentucky extended local dialing port with Caller ID - bus			UEPBX	UEPBM	1 15	21 29	15 49	2 85	2 67		7 86				1
	re voice unbundled incoming only port with Caller ID - Bus		-	UEPBX	UPEB1	1 15	21 29	15 49				7 86	· ·		<del>                                     </del>	<del> </del>
	e Voice Unbundled Kentucky Business Dialing Plan			OLI DX	- 01 251	. 10	2123	13 43	200			7 00				<b>-</b>
	out Caller ID			UEPBX	UEPWF	1 15	21 29	15 49	2 85	2 67		7 86				1
	e voice unbundled Incoming Only Port without Caller ID															
Capa	ibility			UEPBX	UEPBE	1 15	21 29	15 49	2 85	2 67		7 86				
	BER PORTABILITY															
	Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES			1													<u></u>
	eatures Offered		<u> </u>	UEPBX	UEPVF	0 00	0 00	0 00				7 86				ļ
	RING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>							-			ļ			<b></b>
	re Voice Grade Loop / Line Port Combination - Conversion - inhas-is	Ì	1	UEPBX	USAC2		0 10	0 10				7 86				
			-	UEPBX	USACZ		0 10	0 10				/ 80				-
	re Voice Grade Loop / Line Port Combination - Conversion - th with change			UEPBX	USACC		0 10	0 10				7 86		ł		ł
ADDITIONAL				UEFBA	USACC		0 10	0 10				7 60		-		
	re Voice Grade Loop/Line Port Combination - Subsequent		·										<del> </del>			
Activi				UEPBX	USAS2	ļ	0 00	0 00				7 86	1			
	CE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 2.	00,102											
	op Combination Rates															
	re VG Loop/Port Combo - Zone 1		1			10 79			-				1	•		
2-Wir	re VG Loop/Port Combo - Zone 2		2			15 52										
2-Wir	re VG Loop/Port Combo - Zone 3		3			31 74							L			
UNE Loop R																
	re Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 64										1
	re Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14 37			ļ							1
	re Vorce Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30 59			-	ļ					-	1
	e Grade Line Port Rates (RES - PBX) re VG Unbundled Combination 2-Way PBX Trunk Port -	-	-	-	+				-	<u> </u>	-					1
Res	re VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	1 15	21 29	15 49	2 85	2 67		7 86		Į.		
	BER PORTABILITY		<u> </u>	OLFAG	- OEFRD	7 13	2129	15 45	2.03	20,		7 00				<b></b>
	Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0.00				7 86	-			t
FEATURES	, , , , , , , , , , , , , , , , , , ,		<u> </u>	1							-		<del> </del>			<del>                                     </del>
All Fe	eatures Offered		1	UEPRG	UEPVF	0 00	0 00	0 00				7 86				
NONRECUR	RING CHARGES (NRCs) - CURRENTLY COMBINED															
	re Voice Grade Loop/ Line Port Combination (PBX) -											l				
	rersion - Switch-As-Is			UEPRG	USAC2		8 45	1 91				7 86				
	re Voice Grade Loop/ Line Port Combination (PBX) -					- 1					i		ì	1	İ	
	rersion - Switch with Change		ļ	UEPRG	USACC		8 45	1 91	-			7 86				
ADDITIONAL	re Voice Grade Loop/ Line Port Combination (PBX) -		-	<del> </del>								<b></b>	<b> </b>			
	sequent Activity			UEPRG	USAS2	0 00	0.00	0.00				7 86	l.			
	Subsequent Activity - Change/Rearrange Multiline Hunt		<del></del>	UEPRG	USASZ	0 00	0.00	0.00			-	/ 00	ļ	-	<del>                                     </del>	<del> </del>
Grou							7 86	7 86			1	7 86				
	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	†	<del>                                     </del>	<del> </del>			, 00	, 30	1		-	, 30	<del> </del>	<del>                                     </del>		<b>†</b>
	op Combination Rates	<u> </u>	<del>                                     </del>		+ +	- 1	-		1			<u> </u>	1	-	1	
	re VG Loop/Port Combo - Zone 1		1	1	1	10 79					<b> </b>	<b></b>				<u> </u>
	re VG Loop/Port Combo - Zone 2	<b>—</b>	2	†	<del>-   </del>	15 52			1	T			1		1	
2-Wir	re VG Loop/Port Combo - Zone 3		3			31 74				1						
UNE Loop R													L			
	re Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9 64			1							
	re Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14 37										
	re Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30 59						L				
2-Wire Voice	Grade Line Port Rates (BUS - PBX)	1	1													1

Version 4Q02 12/18/02

TO THE PERSON NAMED IN COLUMN 1	D NETWORK ELEMENTS - Kentucky		1	!							Suc Order	Svc Order		nent 2 Incremental		Incrementa
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SON AN	SOMAN	SOMAN	SOMAN	SOMAN
																1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 15	21 29	15 49	2 85	2 67		7 86				<b>.</b>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 15	21 29	15 49		2 67		7 86				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 15	21 29	15 49		2 67		7 86				
_	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 15	21 29	15 49		2 67		7 86				-
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXA	1 15	21 29	15 49		2 67		7 86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXB	1 15	21 29	15 49		2 67		7 86				
			-			1 15	21 29	15 49		2 67		7 86	l			·
_	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		_	UEPPX	UEPXD	1 15	21 29	15 49	2 85	2 67		7 86				
	Capable Port			UEPPX	LIEBYE	4.45	24.20	45.40	0.05	0.07	i i	7.00				i
			-	UEPPX	UEPXE	1 15	21 29	15 49	2 85	2 67		7 86				·
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67		7 86				i
[	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port	-	-	UEPPX UEPPX	UEPXG UEPXH	1 15 1 15	21 29	15 49		2 67		7 86				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			UEPPX	UEPAR	1 13	21 29	15 49	2 85	2 67		7 86				,
	without LUD		1	UEPPX	UEPXJ	4.45	24.20	45.40	0.05	0.07		7.00				í
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		_	UEPPX	UEPAJ	1 15	21 29	15 49	2.85	2 67		7 86				r
	Administrative Calling Port		1	LIEDDY	UEPXL	4.45	24.22	45.40				7.00				r
				UEPPX	UEPAL	1 15	21 29	15 49	2 85	2 67		7 86				i
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		ŧ l	UEPPX	UEPXM	1 15	21.20	45.40	2 85	0.07		7.00				ı
				UEPPX	UEPXM	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		i	UEPPX	UEPXO		24.00	45.40								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port					1 15	21 29	15 49	2 85	2 67	-	7 86				
	NUMBER PORTABILITY			UEPPX	UEPXS	1 15	21 29	15 49	2 85	2 67		7 86				,
	Local Number Portability (1 per port)			UEPPX	LNPCP	2.45	0 00	0 00								
FEATU				UEPPX	LINPUP	3 15	0.00	0.00								
	All Features Offered			UEPPX	UEPVF	0 00	0 00	0.00				7 86		-		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFX	ULFVF	0 00	. 000	0.00				/ 00				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		_		+											
	Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91				7 86				ı
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OCT 1 K	100/102		0 40	131				, 00				
	Conversion - Switch with Change			UEPPX	USACC	1	8 45	1 91				7 86				ı
	ONAL NRCs			OLI 1 X	00/100			131				7 00				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-													
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00				7 86				ı
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			02.7.X	00/102	- 000		- 000				, 00				
	Group						7 86	7 86			:	7 86				ı
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	?T	-				1 00					7.00				
	ort/Loop Combination Rates								i ·							
	2-Wire VG Coin Port/Loop Combo - Zone 1		1	-		10 79										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15 52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31 74										
	oop Rates		-													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 64			-							
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	14 37			<del> </del>							
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	30 59								-		i
	Voice Grade Line Ports (COIN)				12					_		-				
	2-Wire Coin 2-Way without Operator Screening and without				+ +				<del>   </del>							
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1 15	21 29	15 49	2 85	2 67		7 86				ı
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1 15	21 29	15 49		2 67		7 86				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,				-				1 - 55			- 30				
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 15	21 29	15 49	2 85	2 67	!	7 86				ı
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(KY)			UEPCO	UEPKA	1 15	21 29	15 49	2 85	2 67		7 86				ı
	2-Wire Coin 2-Way with Operator Screening & Blocking							.5 70	<del> </del>			. 55				
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 15	21 29	15 49	2 85	2 67		7 86				ı
	2-Wire Coin Outward without Blocking and without Operator									2.57		. 55				
	Screening (KY, LA, MS)			UEPCO	UEPRN	1 15	21 29	15 49	2 85	2 67		7 86				1

NBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit B
TEGORY	RATE ELEMENTS	Inter: m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order ve
						Rec	Nonrec		Nonrecurring		ļ			Rates (\$)		,
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
[	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEBOO	LUEBB.		04.00	45.40								
	(GA, KY, MS)		ļ	UEPCO	UEPRJ	1 15	21 29	15 49	2 85	2 67		7 86				<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 15	21 29	15 49	2 85	0.07		7.00				
	2-Wire Coin Outward Operator Screening & Blocking 900/976,	<del></del>		DEPCO	UEPRH	1 15	2129	15 49	2 85	2 67		7 86	<u></u>			
	1+DDD, 011+, and Local (AL, KY, LA, MS)			LUEPCO	UEPCN	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	1 15	21 29	15 49	2 85	2 67		7 86			-	<del> </del>
	2-Wire Coin Outward Smartline with 900/976 (all states except							10 10	200	201						
	LA)			UÉPCO	UEPCR	1 15	21 29	15 49	2 85	2 67		7 86				1
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															<del>                                     </del>
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2 57	0 00	0 00	0 00	0.00						<del></del>
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										1
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
ĺ	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0 10	0 10				7 86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					ł										1
	Switch with change			UEPCO	USACC		0 10	0 10	<u> </u>			7 86				
ADDIT	IONAL NRCs															•
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															ł
2 14/15	Activity	<u> </u>		UEPCO	USAS2		0 00	0 00				7 86				<u> </u>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	RES)												L
UNEP	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			12.00							••			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	****	_	13 90 18 68	-		-							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34 45										
LINE I	oop Rates					34 45										-
OILL E	2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFR	UECF2	12 67										ļ
_	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17 45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33 22										-
2-Wire	Voice Grade Line Port Rates (Res)		— <u>~</u>	OCI TIX	OLC: 2	30 22										
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 23	128 96	64 11	61 92	9 97		7 86				-
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire voice Grade unbundled Kentucky extended local dialing			<u> </u>		. 20	120 00	Q+ 11	0102	331	<del></del>					
i	parity port with Caller ID - res			UEPFR	UEPRM	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire voice unbundles res, low usage line port with Caller ID						120 00		0.02			- 7 00				
	(LUM)			UEPFR	UEPAP	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan															<del>                                     </del>
	without Caller ID		ļ	UEPFR	UEPWE	1 23	128 96	64 11	61 92	9 97		7 86				
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility									-						<del>                                     </del>
	Termination			UEPFR	U1TV2	23 95	98 09	53 67	56 31	22 42		7 86				1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0 0095							ļ			ĺ
FEATL																_
1.004	All Features Offered			UEPFR	UEPVF	0 00	0 00	0 00				7 86				
LOCAL	L NUMBER PORTABILITY															
NOND	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
NUNKI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  [2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				<b></b>											
	Combination - Conversion - Switch-as-is	. i		LIEBEO		- 1										
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	_	-	UEPFR	USAC2		9 03	1 87				7 86				
- 1	Combination - Conversion - Switch-With-Change			LIEBER	1,,,,,,,,	ŀ										
2-WIDI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINES	LODE "	UEPFR	USACC		9 03	1 87				7 86				1
	ort/Loop Combination Rates	LINE P	UK! (I	505)	<del> </del>					-						1
ONE P	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1  2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			13 90 18 68										<u> </u>

UNBUNDL	.ED NETWORK ELEMENTS - Kentucky												Attachr	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs	Charge - Manual Svc Order vs	Charge - Manual Sv Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	<u> </u>					1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates			UEPFB	UECF2	12 67									<b></b>	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 67									<b>i</b>	
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	33 22										
2-100	re Voice Grade Line Port (Bus)		-3	UEFFB	UECI 2	35 22									-	
12-VVII	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 23	128 96	64 11	61 92	9 97	-	7 86				
	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPFB	UEPBC	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire voice Grade unbundled Kentucky extended local dialing		<u> </u>	52.7.2	102.00		,25 55				<del> </del>					
	parity port with Caller ID - bus			UEPFB	UEPBM	1 23	128 96	64 11	61 92	9 97		7 86				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1		UEPFB	UEPB1	1 23	128 96	64 11	61 92	9 97		7 86				·
	2-Wire Voice Unbundled Kentucky Business Dialing Plan	Γ														
	without Caller ID			UEPFB	UEPWF	1 23	128 96	64 11	61 92	9 97		7 86				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB _	U1TV2	23 95	98 09	53 67	56 31	22 42		7 86				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0 0095										
FEAT	TURES															<u> </u>
	All Features Offered	<u> </u>		UEPFB	UEPVF	0 00	0 00	0 00 1				7 86				L
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	L													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l						4.07				7.00				į.
	Combination - Conversion - Switch-as-is		<del>  -</del>	UEPFB	USAC2		9 03	1 87				7 86				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		ĺ	LIEBER	LICACO		0.00	4.07				7.00				
ว เม่า	Combination - Conversion - Switch with change   RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>	UEPFB	USACC	-	9 03	1 87				7 86				
	Port/Loop Combination Rates		<del> </del>													
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	· · · · ·	1			13 90	-									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2	· · · · · · · · · · · · · · · · · · ·		18 68								· · · · · · · · · · · · · · · · · · ·		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34 45	-									-
UNE	Loop Rates	-	<u> </u>			5.10										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33 22										
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)										1					
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 23	164 27	78 65	75 05	8 73		7 86				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 23	164 27	78 65	75 05	8 73		<sup>7</sup> 86				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	L	<u> </u>	UEPFP	UEPP1	1 23	164 27	78 65	75 05	8 73		7 86				L
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLO	1 23	164 27	78 65	75 05	8 73		7 86				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		ļ	UEPFP	UEPXA	1 23	164 27	78 65	75 05	8 73		7 86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	L	<b>!</b>	UEPFP	UEPXB	1 23	164 27	78 65	75 05	8 73	_	7 86				
	Wire Voice Unbundled PBX LD DDD Terminals Port     Wire Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>		UEPFP	UEPXC	1 23	164 27	78 65	75 05	8 73		7 86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<u> </u>	<del> </del>	UEPFP	UEPXD	1 23	164 27	78 65	75 05	8 73		7 86				
	Capable Port	[	1	UEPFP	UEPXE	1 23	164 27	70.05	75.05	8 73		7.00				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			UEPFP	UEPAE	1 23	164 27	78 65	75 05	8 73		7 86				
	Calling Port without LUD		1	UEPFP	UEPXF	1 23	164 27	78 65	75 05	8 73		7 86			1	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	<del>                                     </del>	-	UEPFP	UEPXG	1 23	164 27	78 65	75 05	8 73		7 86	-			<del> </del>
	2-Wire Voice Unbundled PBX Kenfucky COD Area Calling Port	<u> </u>	-	UEPFP	UEPXG	1 23	164 27	78 65	75 05	8 73		7 86			<b>-</b>	<del> </del>
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			OLI III	OCI AII	123	104 27	70 03	75 05	073		, 00				<del></del>
1	without LUD	1		UEPFP	UEPXJ	1 23	164 27	78 65	75 05	8 73		7 86			1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				· · · ·	. 25	.0,	10 00	, 0 00	513		, 55				
	Administrative Calling Port			UEPFP	UEPXL	1 23	164 27	78 65	75 05	8 73	L	7 86				
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1 23	164 27	78 65	75 05	8 73		7 86				

CUBOUDTED ME	WORK ELEMENTS - Kentucky														ment 2	l .	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	во	s	USOC			RATES (\$)				Svc ∩rder Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Rec	Nonrec		Nonrecurring					Rates (\$)	T - 12-22-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	т
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDED		LIEBYO	4.00	464.07	70.05	75.05	0.70		7.00				
	int Room Calling Port			UEPFP		UEPXO	1 23	164 27	78 65	75 05	8 73		7 86				
	Voice Unbund/ed 1-Way Outgoing PBX Measured Port			UEPFP		UEPXS	1 23	164 27	78 65	75 05	8 73		7 86				
			<b>!</b>	ÜEPFP		LNPCP	3 15	0 00	0 00						<b></b>		
INTÉROFFICE	Number Portability (1 per port)	_	ļ. —	UEPFP .		LNPCP	3 13		0 00								-
	fice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	1									-			<u> </u>		
Termin	nation		L	UEPFP		U1TV2	23 95	98 09	53 67	56 31	22 42		7 86				
	fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		ļ	l													
	ction Mile		ļ	UEPFP		1L5XX	0 0095								L	<b></b>	ļ
FEATURES				LIEBET	<del></del>		<del></del>										
	atures Offered			UEPFP		UEPVF	0 00	0.00	0 00				7 86				1
	ING CHARGES (NRCs) - CURRENTLY COMBINED		ļ														ļ
	Loop / Dedicated IO Transport / 2 Wire Line Port									ŀ							1
	nation - Conversion - Switch-as-is			UEPFP		USAC2		9 03	1 87				7 86				<u> </u>
	Loop / Dedicated IO Transport / 2 Wire Line Port															1	Ì
	nation - Conversion - Switch with change			UEPFP		USACC		9 03	1 87				7 86				
	OOP COMBINATIONS - COST BASED RATES										-						
	GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	p Combination Rates																
	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				21 30										
2-Wire	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			·	26 08									·	
2-Wire	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	ţ			41 85										
UNE Loop Ra	tes			i												1	
2-Wire	Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	•	UECD1	12 67						7 86				1
2-Wire	Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17 45						7 86				
2-Wire	Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33 22						7 86		1		
UNE Port Rate																	
Excha	nge Ports - 2-Wire DID Port			UEPPX	•	UEPD1	8 63	336 11	27 75	132 37	9 31		7 86				1
NONRECURR	ING CHARGES - CURRENTLY COMBINED																
	Voice Grade Loop / 2-Wire DID Trunk Port Conversion														1		
	ellSouth Allowable Changes			UEPPX		USA1C		7 85	1 87			:	7 86				
ADDITIONAL	NRCs																
2-Wire	DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32 25	32 25				7 86				
Telephone Nu	mber/Trunk Group Establisment Charges								•								1
DID Tr	unk Termination (One Per Port)			UEPPX		NDT	0.00	0 00	0 00			1	7 86				
Additio	onal DID Numbers for each Group of 20 DID Numbers		1	UEPPX		ND4	0.00	0 00	0.00				7 86				
	umbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0 00				7 86		1	1	
Reserv	ve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0 00	0.00				7 86			<u> </u>	
Resen	e DID Numbers			UEPPX		NDV	0.00	0 00	0.00				7 86				1
LOCAL NUME	BER PORTABILITY			1													
Local	Number Portability (1 per port)		1	UEPPX		LNPCP	3 15	0.00	0.00			<del>                                     </del>					1
	DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF	NE SIDE	PORT														
	p Combination Rates		T	Τ								-		-	-		<del>                                     </del>
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR		25 69										
2W IS	DN Digital Grade Loop/2W ISDN Digital Line Side Port -				• • • • • • • • • • • • • • • • • • • •												
2W IS	one 2 DN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del> </del>	1	UEPPB	UEPPR		31 92										
UNE Z		L	3	UEPPB	UEPPR	i	50 21								l		
UNE Loop Ra				T													T
2-Wire	ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16 10						7 86		1		
						l									1		
	ISDN Digital Grade Loop - UNE Zone 2			UEPPB	UEPPR	USL2X	22 33						7 86		1	1	1
	ISDN Digital Grade Loop - UNE Zone 3	L	3	UEPP8	UEPPR	USL2X	40 63						7 86	-			
UNE Port Rate		I															
Excha	nge Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9 59	320 53	289 13	92 19	17 56	1	7 86		1	1	
NONDECLIED	ING CHARGES - CURRENTLY COMBINED									1			1			1	1

ONDONDEL	D NETWORK ELEMENTS - Kentucky											T		Attachn			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring			=		Rates (\$)	T	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	ļ						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Conversion			HEDDR	UEPPR	USACB	0 00	22 77	17 00				7 86				l
ADDIT	IONAL NRCs	<del> </del>		OCFFB	OEFFIX	USACE	0 00	22 11	17 00				7 00				<del></del>
	NUMBER PORTABILITY									_		1				<del></del>	<del></del>
1200/12	(Local Number Portability (1 per port)		_	UEPPB	UEPPR	LNPCX	0 35	0 00	0 00			1					
B-CHA	NNEL USER PROFILE ACCESS:																_
	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0 00	0.00	0 00			1"					
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
	CSD			UEPPB	UEPPR	U1UCC	0 00	0 00	0 00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR_	U1UCD	0 00	0 00	0 00								
	CVS (EWSD)	ļ	<u> </u>	UEPPB		U1UCE	0.00	0 00	0 00								<u> </u>
	CSD	ļ	<b>_</b>	UEPPB	UEPPR	U1UCF	0.00	0.00	0 00			ļ				ļ	
USER	TERMINAL PROFILE	<u> </u>	<u> </u>	LICEDES	HEDDE	1	0.63		0.55	-							
UEDT!	User Terminal Profile (EWSD only)  CAL FEATURES	-	<del> </del>	UEPPB	UEPPR	IOTUMA	0 00	0 00	0 00			<del> </del> -					
VERIE	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	HEDVE	0 00	0 00	0.00			<del> </del>				<del> </del>	
INTER	OFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	0 00		0.00			1					<del></del>
INTER	Interoffice Channel mileage each, including first mile and	1	-	-		-				_							<del></del>
1	facilities termination		1	LIEPPR	UEPPR	M1GNC	29 12	47 34	31 78	22 77	8 75		7 86				
	Interoffice Channel mileage each, additional mile					M1GNM	0.01	0 00	0 00		-0,10	+	7 86				<u> </u>
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	PORT	<del></del> -	100.70	OLITIN	IIII GIAIN	- 501		- 0 00	_			7 00				
	ort/Loop Combination Rates	1															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1															
	Zone 1		1	UEPPP			170 06										ĺ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1											
1	Zone 2	1	2	UEPPP			197 70	ì									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1											
	Zone 3		3_	UEPPP			381 35										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	ÜEPPP		USL4P	86 47						7 86				L
	4-Wire DS1 Digital Loop - UNE Zone 2	ļ	2	UEPPP		USL4P	114 10						7 86				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297 76						7 86				ļ <u>.</u>
UNE P	ort Rate		<del>  -</del>	LIEDDO		TIE DOG	00.50	700 10	500 74	450.40	40.00		7.66				-
NOND	Exchange Ports - 4-Wire ISDN DS1 Port ECURRING CHARGES - CURRENTLY COMBINED		<del> </del>	UEPPP		UEPPP	83 59	736 16	382 74	159 48	48 82		7 86				<del>                                     </del>
NONR	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<u> </u>		<u> </u>	_							-					<del></del>
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	81 70	61 37				7 86				ļ
ADDIT	IONAL NRCs	-	_	OLITI		OSACE	0.00	- 0170	0137				7.00		·		<del></del>
7.55	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	ļ					_			_		1					-
	Inward/two way Tel Nos (except NC)			UEPPP		PR7TF		0.54					7 86				l
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1				<u> </u>											
	Outward Tel Numbers (All States except NC)	1	l l	UEPPP		PR7TO	i i	12 71	12 71				7 86			1	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															-	1
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		25 41	25 41				7 86			1	1
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75										
INTER	FACE (Provsioning Only)	ļ		l													
	Voice/Data		<b> </b>	UEPPP		PR71V	0 00	0 00	0 00								
	Digital Data	<u> </u>		UEPPP		PR71D	0 00	0 00	0 00			<u> </u>					ļ
	Inward Data r Additional "B" Channel	<del> </del>		UEPPP		PR71E	0 00	0 00	0 00							<b>_</b>	<b>↓</b>
new o	New or Additional - Voice/Data B Channel	1-		LIEBSE		00701				ļ		1				<u> </u>	ļ
	New or Additional - Digital Data B Channel	-		UEPPP		PR7BV PR7BF	0 00	15 48				-	7 86			<del></del>	-
	New or Additional Inward Data B Channel	<del> </del>	-	UEPPP		PR7BD	0 00	15 48				<del> </del>	7 86				<del> </del>
CALL :	TYPES	<del> </del>	<del> </del>	DEPPP		PRIBU	0.00	15 48				-	7 86			<del> </del>	<del></del>
- 0722	Inward	+		UEPPP		PR7C1	0.00	0.00	0 00					-		<del>                                     </del>	
	Outward	<del> </del>	<del>  -</del> -	UEPPP		PR7C0	0 00	0 00	0 00	<del></del>		<del> </del>				<del> </del>	<b> </b>
	Two-way		₩-	UEPPP		PR7CC	0.00	0 00	0 00		<del> </del>		<u> </u>			<del></del>	<del> </del>

	NETWORK ELEMENTS - Kentucky				1					Dun Ouden	T. 6 6		nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring Disconnec		Locus		Rates (\$)	001111	001141
Interest	ice Channel Mileage						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Fixed Each Including First Mile		<del> </del> -	UEPPP	1LN1A	96 27	105 52	98 46	23 09 20	19	7 86				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 23									
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		i e												
	ort/Loop Combination Rates														
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	<b>_</b>	147 99					<u> </u>				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1 1	175 62									
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	+	359 28									
	op Rates 4-Wire DS1 Digitał Loop - UNE Zone 1		1	UEPDC	USLDC	86 47				+	7 86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114 10					7 86	-			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297 76					7 86				
UNE Po															
	4-Wire DDITS Digital Trunk Port		ŀ	UEPDC	UDD1T	61 52	780 61	375 52	176 19 16	98	7 86				
NONRE	CURRING CHARGES - CURRENTLY COMBINED														
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1										i
	- Switch-as-is			UEPDC	USAC4		92 84	46 70			7 86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEBBO			00.04	40.70			7.00				ŀ
	- Conversion with DS1 Changes			UEPDC	USAWA		92 84	46 70			7 86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		92 84	46 70			7 86				
ADDITI	- Conversion with Change - Trunk ONAL NRCs			UEPDC	USAVVB		92 04	46 70			7 00				-
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+			<del>-</del>		+					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15 09	15 09			7 86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				<del> </del>								_		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 09	15 09			7 86				1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel		1												
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15 09	15 09			7 86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan														
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15 09	15 09			7 86				l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			HEDDO			45.00	45.00			7.00				
	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION		-	UEPDC	UDTTE		15 09	15 09			7 86				
	B8ZS -Superframe Format		<del> </del>	UEPDC	CCOSF		0 00	730 00			7 86				
	B8ZS - Extended Superframe Format		<del>                                     </del>	UEPDC	CCOEF		0 00	730 00	*****	+	7 86				
	te Mark Inversion		<del>                                     </del>	00.00	10002						1.55				
	AMI -Superframe Format		1	UEPDC	MCOSF	i	0 00	0 00							
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00							
	one Number/Trunk Group Establisment Charges														
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00	0 00	0 00			7 86				
	Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0 00	0.50	0 00			7.86				
	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	UDTGZ ND4	0 00	0 00	0 00	- <del> </del>		7 86 7 86	ļ			-
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number		<del> </del>	UEPDC	ND4 ND5	0 00	0 00	0 00			7 86				-
	Reserve Non-Consecutive DID Nos		<del> </del>	UEPDC	ND6	0 00	0.00	0 00		_	7 86				<del> </del>
	Reserve DID Numbers		<del> </del>	UEPDC	NDV	0.00	0 00	0.00		+	7 86				
	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop			- 0 00	- 000				1			-	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		T	T					`						
	Termination)			UEPDC	1LNO1	96 04	105 52	98 46	23 09 20	19	7 86				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 23	0 00	0 00							
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 45	0 00	0 00							1
<del></del>	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNO3	0 45	0 00	0 00							
	Termination)														

Version 4Q02 12/18/02 Page 165 of 416

NUBONDEED NE	TWORK ELEMENTS - Kentucky		,											ment: 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Su⊦mitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
	***************************************					Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	L	٠
					T	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Number Portability, per DS0 Activated			UÉPDC	LNPCP	3 15	0.00	0 00								
	al Office Termininating Point			UEPDC	CTG	0.00										
	LOOP WITH CHANNELIZATION WITH PORT	<u> </u>														
	DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															1
	can have up to 24 combinations of rates depending on	type ar	d num	ber of ports used		ļ										
UNE DS1 Loc						ļi				_						
	e DS1 Loop - UNE Zone 1	<u> </u>		UEPMG	USLDC	86 47	0 00	0 00								
	e DS1 Loop - UNE Zone 2	<b>i</b> .		UEPMG	USLDC	114 10	0 00	0 00								
	e DS1 Loop - UNE Zone 3	Ц	3	UEPMG	USLDC	297 76	0 00	0.00								ļ <u> </u>
	annelization Capacities (D4 Channel Bank Configuration SO Channel Capacity - 1 per DS1	ns)		UEDMO	1111104	441.40							<u> </u>		L	ļ
	SO Channel Capacity - 1 per DS1		-	UEPMG UEPMG	VUM24 VUM48	111 16 222 32	0 00	0 00	<u> </u>			7 86	<del> </del>	ļ <del>.</del>	ļ	ļ
	SO Channel Capacity -1 per 2 DS1s	<del></del>		UEPMG	VUM48 VUM96	444 64	0 00	0 00				7 86	<u> </u>	ļ		1
	DS0 Channel Capacity - 1 per 6 DS1s	<del> </del>	<del>                                     </del>	UEPMG	VUM96 VUM14	666 96	0 00	0 00	<del> </del>	,-	<del> </del>	7 86 7 86				ļ .
	OSO Channel Capacity - 1 per 8 DS1s	<del></del>		UEPMG	VUM19	889 28	0.00	0 00				7 86	ļ	<u> </u>		<del> </del>
	DS0 Channel Capacity - 1 per 10 DS1s	<del> </del>		UEPMG	VUM20	1,111 60	0 00	0 00				7 86	<del> </del>			<del> </del>
	OSO Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333 92	0.00	0 00	<del></del>			7 86			<del> </del>	ļ
	OS0 Channel Capacity - 1 per 16 DS1s	-		UEPMG	VUM38	1,778 56	0.00	0.00				7 86			<del></del>	├
	DS0 Channel Capacity - 1 per 20 DS1s		·	UEPMG	VUM40	2,223 20	0.00	0 00			-	7 86			-	-
	OSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667 84	0 00	0 00		,	<del> </del>	7 86	<del>                                     </del>		-	
	DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,112 48	0.00	0.00			<del>                                     </del>	7 86				<u> </u>
Non-Recurrin	ng Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chann	eliztio	n with Port - Conve	rsion Charge						<b></b>			<u> </u>		
A Minimum S	System configuration is One (1) DS1, One (1) D4 Channe	l Bank.	and Up	To 24 DSO Ports v	vith Feature A	Activations					<del> </del>					<del> </del>
Multiples of t	this configuration functioning as one are considered Ac	d'I afte	the m	ıınımum system cor	figuration is	counted						-		<u> </u>		
NRC -	- Conversion (Currently Combined) with or without							76 - 11					_			1
	outh Allowed Changes	ļ		UEPMG	USAC4	0.00	94 30	4 24				7 86			1	
	tions at End User Locations Where 4-Wire DS1 Loop will				ination Curre	ently Exists and										1
	rrently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												ļ
	1/D4 Channel Bank - Additionally Add NRC for each Port															
	Assoc Fea Activation	<u> </u>		UEPMG	VUMD4	0 00	718 89	469 86	149 83	17 77	L	7 86		L		
	o Substitution															
	Channel Capability Format, superframe - Subsequent															
	ly Only			UEPMG	CCOSF	0 00	0 00	730 00			<u></u>	7 86				
	Channel Capability Format - Extended Superframe - equent Activity Only						!						[		[	
	rk Inversion (AMI)	<u> </u>		UEPMG	CCOEF	000	0 00	730 00				7 86				ļ
	rframe Format			LIEDISC	MODE	5.00									L	ļ
	ided Superframe Format			UEPMG UEPMG	MCOSF	0 00	0 00	0 00								
	orts Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPMG	MCOPO	0 00	0 00	0 00	-						ļ	
Exchange Po		Jii Witti	FUIL	· · · · · · · · · · · · · · · · · · ·							_					<u> </u>
- Exchange i o						<u> </u>			<del></del> -		<del></del>					<del>                                     </del>
Line S	Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 15	0 00	0 00	0.00	0.00		7 86		ĺ		
	Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 15	0 00	0 00	0.00	0 00		7 86				
	The Contract		_	OLITA	OL! OX	1 13		0 00	000	- 000		7 00	ļ. <u> </u>	<b>.</b>		ļ
Line S	Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 15	0.00	0 00	0 00	0 00		7 86		ľ		
	e Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 65	0 00	0 00	0 00	0.00		7 86			_	<del> </del>
Unbur	ndled Exchange Ports, 2-Wire Channelized - Outdial -			-							_		-		_	<del> </del> -
(AL, K	(Y, LA, MS, & TN)(Conversion from Network Access														1	İ
Servic	ce)	ł		UEPPX	UEPCY	1 15	0 00	0.00	0 00	0 00	1	7 86			1	
	ndled Exchange Ports, 2-Wire Channelized - Combination										<b>†</b>	- 50				
	(Y, LA, MS & TN) (Conversion from Network Access	<b>\</b>					1				1		1	ì	1	ì
Servic				UEPPX	UEPCT	1 15	0 00	0 00	0 00	0.00		7 86		1	1	
Unbur	ndled Exchange Ports, 2-Wire Channelized – Outdial –										T	-				1
	icky Only – Calling Plan			UEPPX	UEPCV	1 15	0 00	0 00	0 00	0 00		7 86			L	1
	ndled Exchange Ports, 2-Wire Channelized – Two Way -	1					-					_			Γ	T
	icky Only - Calling Plan			UEPPX	UEPCW	1 15	0 00	0 00	0 00	0 00		7 86				L
	vations - Unbundled Loop Concentration	<u> </u>														
Featur	re (Service) Activation for each Line Port Terminated in D4				1											
ı ımank		1		UEPPX	1PQWM	0 62	25 40	13 41	4 17	4 15	1	7 86	1	1	1	1

JNBUNDLED NETWORK ELEMENTS - Kentucky												Attachi	nent 2	Exhi	bit B
ATEGORY RATE ELEMENTS	Inter m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge
<del></del>		-			Rec	Nonrec			Disconnect				Rates (\$)		
Feature (Service) Activation for each Trunk Port Terminate	dus	+			-	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
D4 Bank	S #11		UEPPX	1PQWU	0 62	78 15	19 68	59 05	11 54		7 86			1	
Telephone Number/ Group Establishment Charges for DID Ser	vice	+	JOET N	11 00110	0 02	70 10	15 00	23 03	11.54		7 00				
DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0 00	0.00	0 00	_			7 86				
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0 00	0.00				7 86				
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00				7 86				
Reserve Non-Consecutive DID Numbers		<b>-</b>	UEPPX	ND6	0 00	0.00	0 00				7 86				
Reserve DID Numbers  Local Number Portability		-	UEPPX	NDV	0.00	0 00	0 00				7 86				
Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0.00	0.00		ļ .						
FEATURES - Vertical and Optional		+	OLF I X	LINEOF	3 13	0.00	0 00							_	
Local Switching Features Offered with Line Side Ports Only		1	† <del></del>		1	-						<u> </u>		<del> </del>	
All Features Available			UEPPX	UEPVF	0 00	0.00	0 00								
IBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED														-	
Cost Based Rates are applied where BellSouth is required bellSouth.	y FCC and/o	State (	Commission rule t	o provide Unb	undled Local S	witching or Sw	itch Ports.								
2 Features shall apply to the Unbundled Port/Loop Combinat	ion - Cost Ba	sed Rat	te section in the sa	me manner as	they are applie	ed to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
3 End Office and Tandem Switching Usage and Common Train	isport Usage	rates ir	the Port section	of this rate ext	nibit shall apply	to all combina	tions of loop/	port network e	lements except	for UNE C	oin Port/Lo	op Combinat	ions	I	
4. The first and additional Port nonrecurring charges apply to	Not Current!	/ Comb	ined Combos. Fo	or Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in th	e Nonrecur	rıng - Curre	ntly Combine	ed sections. A	Additional NR	Cs may
apply also and are categorized accordingly.		<del></del>							,						
5 Market Rates for Unbundled Centrex Port/Loop Combination UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&T		otiated	on an individual	Case Basis, un	itil further notic	е									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	N Only)	-	<del></del>							_	_				
UNE Port/Loop Combination Rates (Non-Design)		+			<del> </del>				_						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port C	ombo -			<del></del>	-				-						
Non-Design		1	UEP91		10 79					ļ					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Co	mbo -	<del>                                     </del>	02.01		1075										
Non-Design		2	UEP91	1	15 52	'	l							ì	ľ
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Co	mbo -							-							
Non-Design	1	3	UEP91		31 74		i	İ							l
UNE Port/Loop Combination Rates (Design)			I												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port C	ombo -				1										
Design		1	UEP91		13 82									1	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Co	mbo -														
Design College		2	UEP91	_	18 60										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Co Design	mbo -	1 .	LUE DOA		0.07					i					
UNE Loop Rate		3	UEP91		34 37										L
2-Wire Voice Grade Loop (SL 1) - Zone 1	-+-	1	UEP91	UECS1	9 64						7.86				
2-Wire Voice Grade Loop (SL 1) - Zone 2	<del></del>	2	UEP91	UECS1	14 37						7 86				
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30 59	<del></del>			ļ		7 86			ļ	-
2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12 67				-		7 86			<del> </del>	<del></del> -
2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17 45						7 86				
2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33 22						7 86				
UNE Ports															
All States (Except North Carolina and Sout Carolina)															
2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1 15	21 29	15 49	2 85	2 67		7 86				
2-Wire Voice Grade Port (Centrex 800 termination)Basic Le	ocal		1												
Area		ļ	UEP91	UEPYB	1 15	21 29	15 49	2 85	2 67		7 86			L.	
2 Miss Maine Credo De 1 (Co. 1 Co.)	cal		LIEDOA	UEBS#1		{						-			
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Lo	ı	-	UEP91	UEPYH	1 15	21 29	15 49	2 85	2 67		7 86				
Area	-+-		1	1		21 29			! <u></u>						
Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	LIEDO1	LIEDSMA		ı 21.29 l	15 49	2 85	2 67		7 86				
Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area	77.00		UEP91	UEPYM	1 15										
Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Si	ervice						45.40	2.05	207		7.00				1
Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Si Term - Basic Local Area			UEP91	UEPYZ	1 15	21 29	15 49	2 85	2 67		7 86				
Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Si Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equ			UEP91	UÉPYZ	1 15	21 29									
Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Si Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equi-Basic Local Area	valent						15 49 15 49	2 85 2 85	2 67 2 67		7 86 7 86				
Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Si Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equ	valent		UEP91	UÉPYZ	1 15	21 29									

NBUNDLE	NETWORK ELEMENTS - Kentucky												Attachi	ment. 2	Exhit	bit. B
							-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								Order vs.
TEGORT	RATE ELEMENTS	m	Zone	503	0300			103120 (0)			per LSR	perLSK	Order vs.	Order vs.	Order vs.	
											1		Electronic-	Electronic-	Electronic-	Electronic-
											1		1st	Add'l	Disc 1st	Disc Add'i
										D			000	D-1 (\$)	ł	
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1 15	21 29	15 49	2 85	2 67		7 86				
- T	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire													[		
	Center)2			UEP91	UEPQM	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service									_					1	
1	Term		1	UEP91	UEPQZ	1 15	21 29	15 49	2 85	2 67		7 86	l		1	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1 15	21 29	15 49	2 85	2 67	1	7 86	1		l	1
	2-Wire Voice Grade Port Terminated in 69 Weganit of equivalent		}	UEP91	UEPQ2	1 15	21 29	15 49	2 85	2 67	<del> </del>	7 86			<del>                                     </del>	
1 6001 5	Switching			OLF 81	OLF QZ	1 13	2129	15 49	2 05	2 07		, , , ,		+		<del></del>
			-	HEDO+	TIBECE	0.0070						7.00		1		
	Centrex Intercom Funtionality, per port			UEP91	URECS	0 8873						7 86				
Local N	lumber Portability				LLIBOT											
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feature	95															
	All Standard Features Offered, per port	L		UEP91	UEPVF	0 00						7 86				
	All Select Features Offered, per port			UEP91	UEPVS	0 00	405 66					7 86				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7 86				
NARS																
	Unbundled Network Access Register - Combination		_	UEP91	UARCX	0.00	0 00	0 00				7 86		<b>†</b>		
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0 00	0 00		-		7 86				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0 00	0 00			<del></del>	7 86				<del> </del>
Minosi	aneous Terminations	-	_	OLFSI	OAROX	0.00		0 00				, 00				
	Trunk Side				<del></del>				<del></del>			ļ				<del></del>
				LIEBS4		10.51	- 00.40	45.00	50.40			7.00				-
	Trunk Side Terminations, each			UEP91	CENA6	10 51	92 18	15 82	52 16	5 30		7 86				
Interof	ice Channel Mileage - 2-Wire								i							
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29 11						7 86				1
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.01						7 86				
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 62	•					7 86				
															-	
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 62					1	7 86	Į .		1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.01	77 4775				-		1		-	<del> </del>		
	Stot		i	UEP91	1PQW7	0 62			!		ļ	7 86	l			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		_	OL: 31	11 (2777	0 02					<del> </del>	7 00			<del> </del>	
	Different Wire Center			LIEDO4	100110	0 62					i	7.00	ľ	1		
	Directifi Wife Certier			UEP91	1PQWP	0.62					<del></del>	7 86				
	Early Advisor of D.4 Charact Bart B	i		LIEDD4	400:		1		1					}		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 62						7 86			<u> </u>	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l			1							1				
	Slot			UEP91	1PQWQ	0 62						7 86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 62						7 86				1
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port	l		UEP91	USAC2	1	0 102	0 102			1	7 86				!
	Conversion of Existing Centrex Common Block			UEP91	USACN		18 95	8 32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669 80	78 32	111 05	13 27	+	7 86		<b> </b>		-
	New Centrex Customized Common Block	1		UEP91	M1ACC	0 00	669 80	78 32	111 05	13 27	<del> </del>	7 86		<del>                                     </del>	<del> </del>	<del></del>
-	Secondary Block, per Block	<del>   </del>		UEP91	M2CC1	0 00	78 32	78 32	13 27	13 27	<del>                                     </del>	7 86	<del></del>	1	<del>                                     </del>	
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0 00	72 75	10 32	13 41	13 21	<del> </del> ~	7 86				<del>                                     </del>
TIME D	CENTREX - 5ESS (Valid in All States)		<del></del>	OCESI	UNECA	0 00	12 15				<del></del>	/ 86		-		<del> </del>
		<del>-</del>			+						<del></del> -	<u> </u>		-	-	1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				<del></del>	ļ									ļ. <u>.</u>	
UNE P	ort/Loop Combination Rates (Non-Design)											L		ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			1			·								
	Non-Design		1	UEP95		10 79							L	L	L	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												1			
	Non-Design		2	UEP95	1	15 52					1	I	1			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								1		1	<del></del>	1	† · · · · <del>-</del> · ·	1	
	Non-Design		1 2	UEP95	[	31 74					1	1	1		1	1

	TWORK ELEMENTS - Kentucky												Attachi	ment 2	Evki	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Increment Charge
							Name						1st	Add'I	Disc 1st	Disc Add
			_	-		Rec	Nonred First	Add'l	Nonrecurring First					Rates (\$)		
UNE Port/Loc	op Combination Rates (Design)						rirst	Audi	FIFST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Win	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	7	I		-	_										
Desig			1	UEP95		13 82					1 1				'	
Desig	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1				-		_							
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_2	UEP95		18 60					]	J				1
Desig	n				1			_			f					ļ
UNE Loop Ra	nte .		_ 3 _	UEP95		34 37										
	e Voice Grade Loop (SL 1) - Zone 1		1	UEP95												<del> </del>
2-Wire	e Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1 UECS1	9 64						7 86				
2-Wire	Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	14 37						7 86				<u> </u>
2-Wire	Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	30 59 12 67						7 86	_			
2-Wire	Voice Grade Loon (SL 2) - Zone 2		2	UEP95	UECS2	17 45						7 86			-	
2-Wire	Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33 22						7 86				
UNE Port Rate	e				102002	33 22						7 86				
All States				-	$\overline{}$			_		_						
2-Wire	Voice Grade Port (Centrex ) Basic Local Area			UEP95	ÛEPYA	1 15	21 29	15 49	2 85	0.07						
2-Wire	Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 15	21 29	15 49	2 85	2 67		7 86				
Area	Voice Grade Port (Centrex with Caller ID)1Basic Local						- 2120	13 43	2 05	2 67		7 86				
	Visco Orada Badas			UEP95	UEPYH	1 15	21 29	15 49	2 85	2 67		7.00		- 1	!	
Center	Voice Grade Port (Centrex from diff Serving Wire r)2 Basic Local Area		ı			-		10 10	2 00	2 01	-	7 86				
2-1////	Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYM	1 15	21 29	15 49	2 85	2 67		7 86				
Term -	Basic Local Area	ł	Į.							207		_ / 00				
2-Wire	Voice Grade Port terminated in on Megalink or equivalent		- $+$	UEP95	UEPYZ	1 15	21 29	15 49	2 85	2 67	- 1	7 86	ļ			
- Basic	C Local Area			JEP95			-	_							_	
	Voice Grade Port Terminated on 800 Service Term -			JEP95	UEPY9	1 15	21 29	15 49	2 85	2 67		7 86			- 1	
Basic (	Local Area	l	- 1	JEP95	UEPY2							- 11				
AL, KY, LA, M	S. SC, & TN Only			JEF 93	UEPY2	1 15	21 29	15 49	2 85	2 67		7 86	- 1			
2-Wire	Voice Grade Port (Centrex )			JEP95	UEPQA	1 15	24.00	45.6								
2-Wire	Voice Grade Port (Centrex 800 termination)	$\rightarrow$		JEP95	UEPOB	1 15	21 29 21 29	15 49	2 85	2 67		7 86				
2-Wire	Voice Grade Port (Centrex with Caller ID)1			JEP95	UEPQH	1 15	21 29	15 49	2 85	2 67		7 86				
2-Wire	Voice Grade Port (Centrex from diff Serving Wire				102.01		2129	15 49	2 85	2 67		7 86				
Center				JEP95	UEPQM	1 15	21 29	15 49	2 85	2.57	]					
Z-vvire Term	Voice Grade Port, Diff Serving Wire Center - 800 Service				<u> </u>		2120	10 49	2 85	2 67		7 86				
lem_			u	JEP95	UEPQZ	1 15	21 29	15 49	2 85	2 67						
2-10/150	Voice Grade Port terminals of the Line							10 40	4 05	20/		7 86				
2-Wire	Voice Grade Port terminated in on Megalink or equivalent Voice Grade Port Terminated on 800 Service Term			JEP95	UEPQ9	1 15	21 29	15 49	2 85	2 67	1	7 86		i		
Local Switchin	voice Grade Port Terminated on 800 Service Term			JEP95	UEPQ2	1 15	21 29	15 49	2 85	2 67		7 86				
	x Intercom Funtionality, per port	-+	<b></b> ∤.					-		201		7 00				
Local Number	Portability	$\rightarrow$		JEP95	URECS	0 8873						7 86				
Local N	lumber Portability (1 per port)			IEDos .						-		- 7 00 1				
Features	( por porty			JEP95	LNPCC	0 35										
All Star	ndard Features Offered, per port	<del></del> +	<del>-  </del> ,	IEDOE -	<del>                                      </del>											
All Sele	ect Features Offered, per port	-+		JEP95	UEPVF	0 00						7 86				
All Cen	trex Control Features Offered, per port	-+		IEP95	UEPVS UEPVC	0 00	405 66					7 86				
NARS		- +	- 1	LI 40	UEPVC	0 00						7 86		-		
Unbund	ded Network Access Register - Combination	-	I	IEP95	UARCX	0 00										
Unbung	lled Network Access Register - Indial	-+		EP95	UAR1X	0 00	0 00	0 00				7 86				
Unbung	lled Network Access Register - Outdial			EP95	UAROX	0 00	0 00	0 00				7 86				
Miscellaneous	Terminations		-		5.4107	0.00	0 00	0 00				7 86				
2-Wire Trunk S					1 — —		<del></del>		<del></del>							
4-Wire Dugital /	ide Terminations, each 1 544 Megabits)		U	EP95	CEND6	10 51	92 18	15 82	52 16							
DS1 Or	1 344 Megabits) cuit Terminations, each						52 10	15 62	52 16	5 30		7 86				
DSU CF	annels Activated, each			EP95	M1HD1	74 77	164 86	77 74	60 69	3 86		7.00				
Interoffice Char	nnel Mileage - 2-Wire		U	EP95	M1HDO	0 00	15 09	- // /	00 09	3 86		7 86				
Interoffic	ce Channel Facilities Termination	$-\bot$								+		7 86				
	acingo remination	ł	lU	EP95	MIGBC	29 11						7 86	1			

Version 4Q02 12/18/02

ONRONDI	ED NETWORK ELEMENTS - Kentucky			<del> </del>							I :	I		ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Suhmitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	lateraffice Channel and an entire of and	-	<u> </u>	UEP95	MIGBM	0 01	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feat	Interoffice Channel mileage, per mile or fraction of mile ture Activations (DS0) Centrex Loops on Channelized DS1 Service		<del> </del>	06195	MIGBIN	001		•				7 86			ļ	
	Channel Bank Feature Activations	<u></u>	<del> </del>										-			<del>                                     </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<del>                                     </del>	UEP95	1PQWS	0 62						7 86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 62						7 86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		ł													Ì
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	UEP95	1PQW7	0 62						7 86				
1	Different Wire Center			UEP95	1PQWP	0 62						7 86				ĺ
	Billisteric valle deliter	† <b></b>	-	021 33	11 0 111	0.02						7 00				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP95	1PQWV	0 62						7 86				ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop										1					
	Slot		<u> </u>	UEP95	1PQWQ	0 62						7.86				
A.7	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP95	1PQWA	0 62					1	7 86				
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		-	<b></b>							-	-		<b> </b>		
	changes, per port			UEP95	USAC2	ľ	0 102	0 102			ł	7 86				ĺ
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18 95	8 32				7 86				·
	New Centrex Standard Common Block			UEP95	MIACS	0 00	669 80	78 32	111 05	13 27		7 86		t		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669 80	78 32	111 05	13 27		7 86				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 75					7 86				
	-P CENTREX - DMS100 (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del> </del>														<u> </u>
	Non-Design		1	UEP9D		10 79										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-</del>	02.02		10 75									-	<u> </u>
	Non-Design		2	UEP9D		15 52										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		31 74										
UNE	Port/Loop Combination Rates (Design)	1	ļ													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP9D		13 82										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	-	DEP9D		13 82										<u> </u>
	Design		2	UEP9D		18 60								ļ		ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-</del>	92.00		10.00										
	Design		3	UEP9D		34 37										ĺ
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP9D	UECS1_	9 64		_				7 86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP9D UEP9D	UECS1 UECS1	14 37 30 59						7 86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12 67						7 86 7 86				ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<del> </del>	2	UEP9D	UECS2	17 45						7 86	-			<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-		UEP9D	UECS2	33 22						7 86			· · · · · · · · · · · · · · · · · · ·	
	Port Rate							•				, 55				
ALL	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1 15	21 29	15 49	2 85	2 67		7 86				
-	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			LIEDOD	luces/6	ایر										i
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		-	UEP9D	UEPYB	1 15	21 29	15 49	2 85	2 67		7 86		<b></b>		-
1	Area			UEP9D	UEPYC	1 15	21 29	15 49	2 85	2 67	Ī	7 86				ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		t		52, 10	1 13	2123	1049	2 65	207		1 00		<del> </del>	-	
	Area			UEP9D	UEPYD	1 15	21 29	15 49	2 85	2 67	1	7 86				ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				-						1	1		<del></del>		
	Area			UEP9D	UEPYE	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															1
1	Area	1	1	UEP9D	UEPYF	1 15	21 29	15 49	2 85	2 67		7 86		L	1	1

Version 4Q02 12/18/02 Page 170 of 416

ONBONDLE	D NETWORK ELEMENTS - Kentucky				· · · · ·						Ta - :	T= - :		ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	Charge -	Charge -
						Rec -	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local						11131	Addi	Tirst	Audi	JOINEO	JOHAN	JOHAN	JOHAN	JOHIAN	JOHIAN
	Area			UEP9D	UEPYG	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local											1				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1 15	21 29	15 49	2 85	2 67		7 86			<u>.</u>	
	Area			UEP9D	UEPYV	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1 15	21 29	15 49	2 85	2 67		7 86				
	Area			UEP9D	UEPYH	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1 15	21 29	15 49	2 85	2 67		7 86				
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPTVV	115	21 29	15 49	2 65	267		/ 50	-			
	Basic Local Area			UEP9D	UEPYJ	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1 15	21 29	15 49	2 85	2 67		7 86				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			OEP9D	DEPTIVI	1 15	2129	15 49	2 65	201		7 00				<del>                                     </del>
	Basic Local Area			UEP9D	UEPYO	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			0E+3D	JOET IT	1 13	2123	10 43	203	207		7 00			i	
	Basic Local Area			UEP9D	UEPYQ	1 15	21 29	15 49	2 85	2 67		7 86			<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area	1		UEP9D	UEPYR	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3					1										
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1 15	21 29	15 49	2 85	2 67		7 86				<u> </u>
	Basic Local Area			UEP9D	UEPY4	1 15	21 29	15 49	2 85	2 67		7 86	ļ		İ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1 15	21 29	15 49	2 85	2 67		7 86				
	Basic Local Area			UEP9D	UEPY6	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OEP9D .	UEP17	0 1	21 29	15 49	2 85	267		/ 86				
	Term			UEP9D	UEPYZ	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1 15	21 29	15 49	2 85	2 67		7 86				İ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic								·							
AL K	Local Area Y, LA, MS, SC, & TN Only			UEP9D	UEPY2	1 15	21 29	15 49	2 85	2 67		7 86				
AL, N	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1 15	21 29	15 49	2 85	2 67	<u> </u>	7 86				<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1 15	21 29	15 49		2 67		7 86				<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1 15	21 29	15 49		2 67		7 86		-		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1 15	21 29	15 49		2 67		7 86				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1 15	21 29	15 49		2 67		7 86	· · · · · ·	İ		
1	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1 15	21 29	15 49		2 67		7 86	İ			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1 15	21 29	15 49		2 67		7 86		<b></b>		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1 15	21 29	15 49		2 67		7 86		1	· · · · · · · · · · · · · · · · · · ·	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1 15	21 29	15 49		2 67	· · ·	7 86	1	1	1	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1 15	21 29	15 49		2 67	-	7 86	1	<b></b>	1	
1	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1 15	21 29	15 49				7 86		· ·	1	
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1 15	21 29	15 49		2 67	<del>                                     </del>	7 86	-		1	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				1		2.20	5 +5	1 - 233			1	<del></del>			
	Indication)3			UEP9D	UEPQW	1 15	21 29	15 49	2 85	2 67	1	7 86	1		1	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1 15	21 29	15 49		2 67	1	7 86	T	<b></b>	1	i -

Version 4Q02 12/18/02 Page 171 of 416

INBUNDLED	NETWORK ELEMENTS - Kentucky						_							ment. 2	-	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Su!-mitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						, tec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-	-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
2			1	UEP9D	UEPQM	1 15	21 29	15 49	2 85	2 67		7 86				
	-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	ÜEPQO	1 15	21 29	15 49	2 85	2 67		7 86				
2	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1 15	21 29	15 49	2 85	2 67	1	7 86	i			
	-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		-	UEP9D	UEPQQ	1 15	21 29	15 49		2 67	<del></del>	7 86				
	-Trice voice Grade i Gri (Garine Adina: GVIO /EBG-3203)2, G			00130	our d'a	1.10	2140	10 45	2 03	207	<del></del>	, 00		-		
2-	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	ĺ		UEP9D	UEPQR	1 15	21 29	15 49	2 85	2 67		7 86				1
<del>   </del>	The Tolor Older of (build availed by the TESE the TESE)			OL: OB	021.011	1.10	2120	10 40	2 00	201	_	7 00	<del></del>			
2-	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPOS	1 15	21 29	15 49	2 85	2 67		7 86				
	7-1															
2-	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1 15	21 29	15 49	2 85	2 67		7 86			1	
2-	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		i	UEP9D	UEPQ5	1 15	21 29	15 49	2 85	2 67	i	7 86	İ	1		
							•									
2-	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1 15	21 29	15 49	2 85	2 67		7 86				
	-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1 15	21 29	15 49	2 85	2 67		7 86				
	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
T6	erm			UEP9D	UEPOZ	1 15	21 29	15 49	2 85	2 67		7 86				
													ĺ			
	-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP90	UEPQ9	1 15	21 29	15 49	2 85	2 67		7 86				
	-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9D	UEPQ2	1 15	21 29	15 49	2 85	2 67		7 86				
Local Sw	entrex Intercom Funtionality, per port		-	UEP9D	URECS	0 8873						7.00				
	mber Portability		-	DEPSO	URECS	0 00/3						7 86				<del></del>
	ocal Number Portability (1 per port)			UEP9D	LNPCC	0.35				<del> </del>				_		
Features			_	OLI SD	LIVEOC	0 33								_		
	Il Standard Features Offered, per port		<del></del>	UEP9D	UEPVE	0.00			·			7 86			<del> </del>	
	Il Select Features Offered, per port			UEP9D	UEPVS	0.00	405 66			<b>-</b>		7 86	-			$\vdash$
	Il Centrex Control Features Offered, per port			UEP9D	UEPVC	0 00						7 86				$\overline{}$
NARS			_													
	Inbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0 00				7 86				
	Inbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00				7 86	******			
	Inbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00				7 86				
	neous Terminations															
2-Wire Tr																
	runk Side Terminations, each			UEP9D	CEND6	10 51	92 18	15 82	52 16	5 30		7 86				
	igital (1 544 Megabits)			LIEBOR												
	OS1 Circuit Terminations, each		-	UEP9D	M1HD1	74 77	164 86	77 74	60 69	3 86		7 86				
	OSO Channels Activiated per Channel			UEP9D	M1HDO	0 00	15 09					7 86			-	
	te Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		<del></del>	UEP9D	MIGBC	20.11									ļ	
	nteroffice Channel Facilities Termination  teroffice Channel mileage, per mile or fraction of mile		<del></del>	UEP9D	MIGBC	29 11						7 86	!			<del> </del>
Feature A	Activations (DS0) Centrex Loops on Channelized DS1 Service		-	GEFBU	IVIGEIVI	001						7 86	-	+		
D4 Chann	nel Bank Feature Activations	<u> </u>		-	_	-			<del>                                   </del>	<del></del>		-	ļ	<del> </del>		
	eature Activation on D-4 Channel Bank Centrex Loop Slot		_	UEP9D	1PQWS	0 62			-			7 86				
	The second secon				4440	0.02			1		· · · · · ·	1 00		1		
Fe	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 62						7 86		1		
	eature Activation on D-4 Channel Bank FX Trunk Side Loop		1													
SI	ilot			UEP9D	1PQW7	0 62						7 86				
	eature Activation on D-4 Channel Bank Centrex Loop Slot -											1		1		
D	Offerent Wire Center			UEP9D	1PQWP	0 62						7 86			1	
$\perp$											1			1	1	
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 62				L	L	7 86			L	1
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop														T	
	lot			UEP9D	1PQWQ	0 62						7 86				
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 62						7 86				
Non-Recu	urring Charges (NRC) Associated with UNE-P Centrex															

MRONDLE	D NETWORK ELEMENTS - Kentucky				· .									ment 2		bit, B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		201450			Rates (\$)		
_	NRC Conversion Currently Combined Switch-As-Is with allowed						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ĺ	changes, per port			UEP9D	USAC2		0.402	0 102				7.00				1
			<del>                                     </del>	UEP9D	USACN		0 102					7 86				
	Conversion of existing Centrex Common Block, each						18 95	8 32				7 86				
	New Centrex Standard Common Block			UEP9D	M1ACS	0 00	669 80	78 32	111 05	13 27		7 86				
	New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0 00	669 80	78 32	111 05	13 27		7 86				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72 75					7 86				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10 79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							-								1
	Non-Design	i	2	UEP9E		15 52	1		1						1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	<u> </u>			10 02								<del></del>	<del> </del>	<del> </del>
	Non-Design	i	3	UEP9E		31 74	1									
LINE D	ort/Loop Combination Rates (Design)		-	OLF OL	+	31 14									<del></del>	
UNC F			<del></del>													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.		1										1	
	Design		1	UEP9E	- 1	13 82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				!							ľ			ł	
1	Design	L	2	UEP9E		18 60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
İ	Design		3	UEP9E	1	34 37										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9 64						7 86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	14 37	-					7 86				
+	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	30 59						7 86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		_1_	UEP9E	UECS2	12 67						7 86		L		
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	17 45						7 86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33 22						7 86			1	
	ort Rate	1														
AL, FL	., KY, LA, MS, & TN only	ļ													1	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local														<del></del>	
	Area	<b>\</b>		UEP9E	UEPYB	1 15	21 29	15 49	2 85	2 67		7 86				{
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				100.10	1.0	2120	10 43	2 03			, 00			-	<del>                                     </del>
	Area			UEP9E	UEPYH	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI BE	JEF IN	1 13	2129	15 49	∠ 65	∠ 6/		7.86			<b>_</b>	<b>.</b>
	Center)2 Basic Local Area			HEBOE	LIED.										1	1
		<u> </u>	ļ	UEP9E	UEPYM	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1									!	1	
	Term - Basic Local Area			UEP9E	UEPYZ	1 15	21 29	15 49	2 85	2 67		7 86			1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1 15	21 29	15 49	2 85	2 67		7 86		i		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1 15	21 29	15 49	2 85	2 67		7 86			1	l
AL, KY	/, LA, MS, & TN Only															<del>                                     </del>
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1 15	21 29	15 49	2 85	2 67		7 86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1 15	21 29	15 49	2 85	2 67		7 86	-			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1 15	21 29	15 49	2 85	2 67		7 86			-	<del> </del>
+	2-Wire Voice Grade Port (Centrex from diff Serving Wire			VL	JEI WII	1 13	2123	. 1548	2 00	2 0/		7 00			<del> </del>	
	Center)2			UEP9E	UEPQM	4.5	24.00	45.40	2.5						1	l
+				OLPSE	UEPUM	1 15	21 29	15 49	2 85	2 67		7 86				
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBAE					l					ļ į	1	ĺ
	Term			UEP9E	UEPQZ	1 15	21 29	15 49	2 85	2 67		7 86				
1	I						$\neg$								1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1 15	21 29	15 49	2 85	2 67		7 86			1	I
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1 15	21 29	15 49	2 85	2 67		7 86				
Local :	Switching					-										l
$\neg$	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.8873		**			-	7 86			-	<b>-</b>
Local	Number Portability				15.1200	3 00/3						- / 00			<del>                                     </del>	-
				ÜEP9E	LNPCC	<b>I</b>										i

Version 4Q02 12/18/02 Page 173 of 416

NNRO	NULE	NETWORK ELEMENTS - Kentucky			,										ment. 2		bit. B
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Rec	Nonrec		Nonrecurring		L			Rates (\$)		
				<b>.</b>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature				LIEDOE	LIEDVE							7.00				
		All Standard Features Offered, per port			UEP9E UEP9E	UEPVF	0 00	405.00					7 86				
		All Select Features Offered, per port	-	-	UEP9E UEP9E	UEPVS	0 00	405 66					7 86				
	NARS	All Centrex Control Features Offered, per port		<b>├</b> ──	DEPSE	UEPVC	0 00	· · · · ·					7 86				-
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0 00	0.00	0.00							-	<del> </del>
		Unbundled Network Access Register - Indial	ļ	<del> </del>	UEP9E	UAR1X	0 00	0.00	0 00								<del> </del>
		Unbundled Network Access Register - Arbian			UEP9E	UAROX	0 00	0 00	0 00								ļ
		aneous Terminations		-	DEPSE	UARUA	0 00	0.00	0.00	<del> </del>	_						
		Trunk Side		-									-	-			<del> </del>
		Trunk Side Terminations, each		-	UEP9E	CEND6	10 51	92 18	15 82	52 16	5 30		7 86			ļ	
		Digital (1 544 Megabits)	_		OLF OL	CLIADO	10.51	92 10	10.02	5∠ 16	5 30	1	1 00			-	<b> </b>
		DS1 Circuit Terminations, each	+	<del>                                     </del>	UEP9E	M1HD1	74 77	164 86	77 74	60 69	3 86		7 86			<del>                                     </del>	1
		DS0 Channel Activated Per Channel		<del> </del>	UEP9E	M1HDO	0.00	15 09	11.74	00.69	300	<del>                                     </del>	7 86		<del> </del>	<del> </del>	<u> </u>
		ice Channel Mileage - 2-Wire		-	JULI VL		0.00	15 09		<del> </del>			1 00				
		Interoffice Channel Facilities Termination			UEP9E	MIĞBC	29 11						7 86			-	
		Interoffice Channel mileage, per mile or fraction of mile	-		UEP9E	MIGBM	0 01						7 86				
		Activations (DS0) Centrex Loops on Channelized DS1 Service	`o		OLI OL	IVIIODIVI							7 00		-		
		nnel Bank Feature Activations	ie I			<del></del>											<b>.</b>
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62					-	7 86			-	
		T datate Activation on D-4 Channel Bank Gentlex Edop Glot	-		OLF 3L	IF QVVO	0.02	· · · · · · · · · · · · · · · · · · ·		-			7 80				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0 62						7 86				
		Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0 62						7 86				
		Different Wire Center			UEP9E	1PQWP	0 62						7 86				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9E	1PQWV	0 62						7 86				
		Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E UEP9E	1PQWQ 1PQWA	0 62 0 62						7 86 7 86				
		curring Charges (NRC) Associated with UNE-P Centrex		-	UEP9E	IPQWA	0.62						7 86				
	NOTIFICE	NRC Conversion Currently Combined Switch-As-Is with allowed										<del> </del>					
		changes, per port			UEP9E	USAC2		0 102	0 102	[			7 86				i
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18 95					7.86				
		New Centrex Standard Common Block, each			UEP9E	MIACS	0 00	669 80	8 32 78 32	111 05	13 27	-	7 86				
		New Centrex Standard Common Block			UEP9E	MIACC	0 00	669 80	78 32	111 05	13 27						
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	72 75	/8 32	11105	13 21		7 86 7 86				ļ
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			DEFSE	UNECA	0 00	12 15					7 86				
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-													
		ort/Loop Combination Rates (Non-Design)	ļ			+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP93		10 79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15 52										
		Non-Design  Vision-Design  Non-Design		3	UEP93		31 74										
		ort/Loop Combination Rates (Design)		- 3	05,49		31 /4					<b>—</b>					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		13 82					-					
		Design  Design		2	UEP93		18 60							-			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		34 37										
		op Rate		<u> </u>	92.00	<del> </del>	5- 51					<del> </del>				<del>                                     </del>	<del>                                     </del>
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9 64			-						1	1
		2-Wire Voice Grade Loop (SL 1) - Zone 2		1 '	UEP93	UECS1	14 37					<del> </del>				-	-
		2-Wire Voice Grade Loop (SL 1) - Zone 3	<del> </del>		UEP93	UECS1	30 59										-
		2-Wire Voice Grade Loop (SL 2) - Zone 1	<del>                                     </del>		UEP93	UECS2	12 67					<b></b>				+	<b>├</b>

CHOUNDLED N	ETWORK ELEMENTS - Kentucky		т		т т						0 0. 1	I 0 C		ment 2		oit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		<u> </u>				Rec	Nonrec		Nonrecurring					Rates (\$)		
	(2) (2)	ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	re Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP93	UECS2	17 45			-		<u> </u>	_				
	ire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP93	UECS2	33 22			<u> </u>							
UNE Port R	ate . MS, & TN only	<b></b>	-								L					
				LIEDOO	LUEDVA -	4 15										
	ire Voice Grade Port (Centrex ) Basic Local Area ire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	1 15	21 29	15 49	2 85	2 67		7 86				
Area			1	UEP93	UEPYB	4.45	24.00	45.40	0.05	0.07		7.00				
	re Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP93	DEPAR	1 15	21 29	15 49	2 85	2 67	L	7 86				
Area		[	1	LUEDO2	UEPYH	4.45	04.00	45.40	0.05	0.07	\					
7 11 00		<u> </u>		UEP93	DEPYH	1 15	21 29	15 49	2 85	2 67		7 86				
	Ire Voice Grade Port (Centrex from diff Serving Wire Iter)2 Basic Local Area		ĺ	UEDOS		4.45	24.50				1 .					
		ļ	<u> </u>	UEP93	UEPYM	1 15	21 29	15 49	2 85	2 67		7 86				
	Ire Voice Grade Port, Diff Serving Wire Center - 800 Service  n - Basic Local Area			LICO00					[						i	
	п - Basic Local Area fre Voice Grade Port terminated in on Megalink or equivalent		-	UEP93	UEPYZ	1 15	21 29	15 49	2 85	2 67	-	7 86				
	ire voice Grade Port terminated in on Megalink or equivalent isic Local Area	1		HEROO		4.6										
				UEP93	UEPY9	1 15	21 29	15 49	2 85	2 67		7 86				
	ire Voice Grade Port Terminated on 800 Service Term -		f		LIEDVO I						!					
	c Local Area			UEP93 UEP93	UEPY2	1 15	21 29	15 49	2 85	2 67		7 86				
	ire Voice Grade Port (Centrex )		-		UEPQA	1 15	21 29	15 49	2 85	2 67		7 86				
	ire Voice Grade Port (Centrex 800 termination) ire Voice Grade Port (Centrex with Caller ID)1	⊢—		UEP93	UEPQB	1 15	21 29	15 49	2 85	2 67		7 86				
				UEP93	UEPOH	1 15	21 29	15 49	2 85	_ 2 67		7 86				
	re Voice Grade Port (Centrex from diff Serving Wire ter)2			LIEBAA								ļ		i		
				UEP93	UEPQM	1 15	21 29	15 49	2 85	2 67		7 86				
Term	ire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPQZ	1 15	21 29	15 49	2 85	2 67		7 86				
f I			ĺ		l i											
	ire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1 15	21 29	15 49	2 85	2 67		7 86				
	ire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1 15	21 29	15 49	2 85	2 67		7 86			-	
Local Switc												1				
	trex Intercom Funtionality, per port			UEP93	URECS	0 8873			L			7 86				
	per Portability	_		TERROR.	<del></del>							1				
Features	Number Portability (1 per port)			UEP93	LNCCC	0 35		_								
	tandard Features Offered, per port												_ :			_
All S	Centrex Control Features Offered, per port			UEP93	UEPVF	0 00						7 86				
NARS	Jerniex Comior realizes Offered, per port			UEP93	UEPVC	0 00						7 86				
	undled Network Access Register - Combination			UEP93												
	undled Network Access Register - Combination				UARCX	0 00	0 00	000								
	undled Network Access Register - Indial			UEP93	UAR1X	0 00	0 00	0 00								
	us Terminations			UEP93	UAROX	0 00	0 00	0 00								
2-Wire Truni									_							
	k Side Terminations, each			UF500	105115											
	al (1 544 Megabits)			UEP93	CEND6	10 51	92 18	15 82	52 16	5 30		7 86				
Ing1	Circuit Terminations, each			UEDO0	<del>-        </del>											
	Channels Activated, Per Channel	<u> </u>		UEP93	M1HD1	74 77	164 86	77 74	60 69	3 86		7 86				
	Channel Mileage - 2-Wire			UEP93	M1HDO	0 00	15 09					7 86				
	office Channel Facilities Termination															
	office Channel mileage, per mile or fraction of mile			UEP93	MIGBC	29 11						7 86				
Feature Actu	vations (DS0) Centrex Loops on Channelized DS1 Service			UEP93	MIGBM	0.01						7 86				
D4 Channel	Bank Feature Activations	e														
	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP93												
- 1 - T CEN	57 January Str D-4 Orlanner Bank Centrex Loop Stot		$\longrightarrow$	UEF93	1PQWS	0 62					]	7 86				
Feet	ure Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	4DOVES			i	ĺ							
Feat	ure Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW6	0 62						7 86				
Slot	5.5 / San Sin Sin Sin Sin Sin Sin Sin Sin Sin Si			LIEDO2	100000			J								
	ure Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	1PQW7	0 62						7 86			_ [	
Differ	rent Wire Center		ľ	IEDO2	10011			I								
15.1161				JEP93	1PQWP	0 62						7 86				
Feat	ure Activation on D-4 Channel Bank Private Line Loop Slot	- 1	- 1	IEben	4201111			1	ļ							
	Siot District Dalik Frivate Line Loop Stot			JEP93	1PQWV	0 62						7 86	i			

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachr	nent 2	Exhil	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Charge - Manual Svc Order vs	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					+		Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		L
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0 62						7 86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0 62					ļ	7 86				
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0 102	0 102				7 86				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18 95	8 32				7 86				
	New Centrex Standard Common Block			UEP93	M1ACS	0 00	669 80	78 32	111 05	13 27		7 86				
	New Centrex Customized Common Block			UEP93	M1ACC	0 00	669 80	78 32	111 05	13 27		7 86				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0 00	72 75					7 86				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment															
Note: I	Rates displaying an "R" in Interm column are interim and sub	ject to i	rate tru	e-up as set forth ir	General Term	s and Conditio	ns.				<u> </u>					

ONDONDE	D NETWORK ELEMENTS - Louisiana												Attach	ment 2	Eskil	but D
					1	<del></del>		<del></del> -			Svc Order	Suc Order			Incremental	bit B
			1		1											
			Į.									Submitted		Charge -	Charge -	Charge
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual 9
	NATE CELITERTS	m	Zone	BCS	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electroni
		1											1st	Addʻl	Disc 1st	Disc Add
												<u> </u>			Disc 1st	Disc Au
						Rec		curring		g Disconnect			oss	Rates (\$)		
T. 11-	L				1		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comi	omation refers to G	eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ns by Centr	al Office, refe	r to Internet	Nehsite:	
lumb uw	www.interconnection.belisbutn.com/become_a_clec/html/inter	connec	tion.ht	m				• •	-	•		,			***************************************	
ERATIONAL	SUPPORT SYSTEMS			-								, ,				
NOTE	(1) Electronic Service Order CLEC should contact its contract	t negot	tiator if	It prefers the state	specific elec	ronic service o	rdering charg	s as ordered b	v the State Co	ommissions 1	he electroni	C SORUCE OF	doring charge	o gurrontlu on	mtain and in the	
JEXIIIDIL	is the pelisouth regional electronic service program charge	(3) F() r	mav old	act either the etate :	enacific Comr	niccion ordoro	l ratas far the									
NOTE	(2) Any element that can be ordered electronically will be bill	ed acco	rdina 1	o the SOMEC rate	listed in this	ategory Pleas	o refer to Bell	South's Busine	no Dules for I	narges, or CEL	(DDD LOVA	the regiona	il electronic s	ervice orderii	ig charge	
those e	lements that cannot be ordered electronically at present per t	ha DDD	110 4	o linted COMEC		alegoly rieas	se relei to Deli	South & Busine	ess Rules for I	ocal Ordering	(BBK-LO) to	de ermine	if a product of	an be ordere	d electronical	ly. For
ordorin	lements that cannot be ordered electronically at present per t g charge, SOMAN, will be applied to a CLECs bill when it sub	ile bok	-LO, u	P IISTEO SOMEC FA	te in this cate	gory reflects th	e charge that	vould be billed	to a CLEC or	ce electronic	ordering cap	abilities cor	ne on-line foi	that element	. Otherwise,	the manı
orderin		mits an	LSR	o BellSouth	-,	· · · · · · · · · · · · · · · · · · ·										
	Electronic OSS Charge, per LSR, submitted via BST's OSS				1											
	interactive interfaces (Regional)				SOMEC		3 50			1				i		
ESERVICE	DATE ADVANCEMENT CHARGE							-	**		1					-
NOTE	The Expedite charge will be maintained commensurate with I	3el <b>IS</b> ou	th's FC	C No.1 Tariff, Sect	ion 5 as appli	cable.			-	<del>                                     </del>		-			-	
	UNE Expedite Charge per Circuit or Line Assignable USOC, per		l i	ALL UNE EXCEPT	1					<del> </del>	<del> </del>					
	Day			UNE-P	SDASP		200 00	İ		I					1	
	XCHANGE ACCESS LOOP		1		100,01		200 00		****		<del></del>					
	ANALOG VOICE GRADE LOOP				+	ļ <u>.</u>										
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	40.00				-						
<del></del>	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 1					12 90	36 54	16 87				15 20				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23 33	36 54	16 87				15 20				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48 43	36 54	16 87				15 20				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User								<u> </u>		· <del>-</del> · · ·					
	Premise		1	UEANL	URETL		8 33	0.83		]	i i	15 20				
	Loop Testing - Basic 1st Half Hour	_		UEANL	URET1		33 17	33 17				15 20				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19 28	19 28				15 20				
	CLEC to CLEC Conversion Charge Without Outside Dispatch				10112111		10 20	19 20				15 20				
- I	(UVL-SL1)			UEANL	UREWO		16.76	0.00			ļ					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		-	OLANC	UKEWO		15 75	8 93				15 20				
i i	providing make-up (Engineering Information - E I )			I I P A N II												
-	Manual Order Coordination for UVL-St_1s (per loop)			UEANL	UEANM		13 04	13 04							1	
	Manual Order Coordination for UVL-St. 18 (per loop)			UEANL	UEAMC		7 92	7 92								
	Order Coordination for Specified Conversion Time for UVL-SL1				1											
	(per LSR)			UEANL	OCOSL	,	17 56	17 56			!!	1				
	Unbundled COPPER LOOP		}								<u> </u>					
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12 40	35 27	15 60				15 20				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	7	2	UEQ	UEQ2X	14 32	35 27	15 60				15 20				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	16 87	35 27	15 60								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	_ 30 21	13 00				15 20				
l f	Premise	ŀ		UEQ	URETL	1	8 33	0.83				1	l	İ	I	
	Order Coordination 2 Wire Unbundled Copper Loop - Non-				SIVE IE		8 33	0.83				15 20				
	Designed (per loop)			UEQ	USBMC	I		1					⊣			
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEU	DORMC		7 92	7 92							1	
1 1	BST providing make-up (Engineering Information - E.I.)			u=o	1 :	l										
	Loop Testing - Basic 1st Half Hour			UEQ	UEQMU		13 04	13 04			]	i		Ì		
				UEQ	URET1		33 17	33 17				15 20	-			
	Loop Testing - Basic Additional Half Hour		T	UEQ	URETA		19 28	19 28			<del>                                     </del>	15 20		+		
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14 25	7 42				15 20			i	
	XCHANGE ACCESS LOOP						17.25	1 72			<del></del>	10 20				
2-WIRE	ANALOG VOICE GRADE LOOP				<del>   </del>			-								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-								·							
	Zone 1		,	UEPSR UEPSB	LIEALS	42.02					!!!		1			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK UEPSB	UEALS	12 90	36 54	16 87				15 20				
	Zone 1			UEDOD UED	1											
			_1	UEPSR UEPSB	UEABS	12 90	36 54	16 87				15 20	- 1	I		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	į į	- 1		1 7						1					
			2	UEPSR UEPSB	UEALS	23 33	36 54	16 87				15 20		ł	- 1	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										<del></del>	5 20				
	Zone 2		2	JEPSR UEPSB	UEABS	23 33	36 54	16 87				15 20		i	l	
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						- 55 54	10.07				10 20				
	Zone 3	1	3 1	JEPSR UEPSB	UEALS	48 43	30.64	46.07					1			
1 2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			SEL SIT OLI OB	ULALS	40 43	36 54	16 87				15 20				
1 12	Zone 3		3 1	JEPSR UEPSB	LIEADO	40.45										
	CHANGE ACCESS LOOP		ا د	ったてのえ ロドイグは	UEABS	48 43	36 54	16 87				15 20		1		

NBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachi	ment 2	Exhi	bit. B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremen Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1,00	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-WI	RE ANALOG VOICE GRADE LOOP	<u> </u>														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	ì	١.		1,1541.0	44.00	400.40	05.70		1		45.00		1		
	Ground Start Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	14 93	102 10	65 72				15 20	_			
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25 35	102 10	65 72				15 20				
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<del> </del>	UEA	UEALZ	25 55	102 10	05 / 2				15 20				<del></del>
- 1	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50 46	102 10	65 72				15 20			İ	
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL		17 56					10 20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1					1	ĺ		1	-	
	Battery Signaling - Zone 1		1	UEA	UEAR2	14 93	102 10	65 72			1	15 20		1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	25 35	102 10	65 72		<u></u>		15 20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1					400					48.55				
	Battery Signaling - Zone 3		3	UEA	UEAR2 OCOSL	50 46	102 10	65 72				15 20				
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		17 56 87 59	36 30				15 20				
	Loop Tagging - Service Level 2 (SL2)		<del>                                     </del>	UEA	URETL		10 45	1 03				15 20	1			
4-WI	RE ANALOG VOICE GRADE LOOP		-	UEA	UKEIL		10 45	1 03				15 20				
	4-Wire Analog Voice Grade Loop - Zone 1	<del></del>	1	UEA	UEAL4	30 81	127 40	91 02			<del> </del>	15 20				
_	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38 32	127 40	91 02		-		15 20	<del></del>		-	<del></del>
	4-Wire Analog Voice Grade Loop - Zone 3	<del> </del>	3	UEA	UEAL4	60 39	127 40	91 02			-	15 20	_			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17 56									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 59	36 30				15 20				
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22 09	113 34	76 96				15 20				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35 28	113 34	76 96			1	15 20				
	2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>	3	UDN	U1L2X	65 18	113 34	76 96				15 20				
_	Order Coordination For Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			UDN	OCOSL UREWO		17 56 91 49	44 09		<del> </del>		45.00				
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP	<del> </del>	-	ODN	UREWO		9149	44 09		<del> </del>		15 20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	_		<del> </del>							-			-	<del> </del>
	1		1	UDC	UDC2X	22 09	113 34	76 96			1	15 20			[	
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		<u> </u>		- COULT		.,,,,					10 20				
	2		2	UDC	UDC2X	35 28	113 34	76 96			i	15 20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
_	3		3	UDC	UDC2X	65 18	113 34	76 96				15 20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91 49	44 09				15 20				
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	·												
	Wire Unbundled ADSL Loop including manual service inquiry     facility reservation - Zone 1		1	UAL.	LIAI DV	40.00	447.00				1	45.00				
_	2 Wire Unbundled ADSL Loop including manual service inquiry	-	<del>                                     </del>	UAL.	UAL2X	12 29	117 08	68 36		ļ	+	15 20				-
	& facility reservation - Zone 2		2	UAL	UAL2X	14 09	117 08	68 36			1	15 20				
	2 Wire Unbundled ADSL Loop including manual service inquiry	<del> </del>		UAL	UALZA	14 05	117 00	00 30		· · · · · · · · · · · · · · · · · · ·		13 20				
i	& facility reservation - Zone 3		3	UAL	UAL2X	15 75	117 08	68 36			1	15 20			]	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17 56	00 00				10 20			-	
	2 Wire Unbundled ADSL Loop without manual service inquiry &			-												
	facility reservation - Zone 1		1	UAL	UAL2W	12 29	92 83	56 02				15 20				
	2 Wire Unbundled ADSL Loop without manual service inquiry &										1					
	facility reservation - Zone 2		2	UAL	UAL2W	14 09	92 83	56 02		l	1	15 20				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			l									1			
-	facility reservation - Zone 3		3	UAL	UAL2W	15 75	92 83	56 02		4	-	15 20				
-+-	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	-	ļ	UAL	OCOSL		17 56			-	-	45.65		-		
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	LOOP	UAL	UREWO		86 07	40 34				15 20			<del></del>	-
2-041	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	I	<del></del>							-			-	<del> </del>	-
1	& facility reservation - Zone 1		1	UHL	UHL2X	9 79	125 50	76 77				15 20				
	2 Wire Unbundled HDSL Loop including manual service inquiry		+		011027	373	120 00	1017			+	15 20		-		
1	& facility reservation - Zone 2		2	UHL	UHL2X	11 52	125 50	76 77			1	15 20	1		1	1

INBUNDER	D NETWORK ELEMENTS - Louisiana											Attachi	ment: 2	Exhil	bıt B
										Submitted	Submitted	Charge -	Incremental Charge -	Charge -	Charge
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Elec per LSR	Manually per LSR	Manual Svc Order vs Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
	0.00		ļ				First	Add'I	First Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		,		LILILOV	10.74	125.50	70.77		1	45.00	İ			
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL2X OCOSL	12 74	125 50 17 56	76 77			15 20				
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	O. IL	100032		17 30						-		
1	and facility reservation - Zone 1		1	UHL	UHL2W	9 79	101 24	64 43			15 20				
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL2W	11 52	101 24	64 43			15 20				
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	١.												
	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL2W	12 74	101 24	64 43			15 20				
-	CLEC to CLEC Conversion Charge without outside dispatch		-	UHL UHL	OCOSL UREWO		17 56 86 00	40 34			45.00	ļ			
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	UTIL	UNEWO		00 00	40 34		<del></del>	15 20				<del></del>
	4 Wire Unbundled HDSL Loop including manual service inquiry										<del> </del>				$\overline{}$
	and facility reservation - Zone 1		1	UHL	UHL4X	16 24	153 26	104 54			15 20				
	4-Wire Unbundled HDSL Loop including manual service inquiry						-		, ,						
	and facility reservation - Zone 2		2	UHL	UHL4X	16 65	153 26	104 54			15 20				
ĺ	4-Wire Unbundled HDSL Loop including manual service inquiry		1												
	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL4X	17 34	153 26	104 54			15 20				
<del></del>	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		17 56	···							<u> </u>
ł	and facility reservation - Zone 1		1	UHL	UHL4W	16 24	129 00	92 20		1	15 20				ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry			J. 12	UTIL-TV	7027	123 00	32 20			10 20				
ļ	and facility reservation - Zone 2		2	UHL	UHL4W	16 65	129 00	92 20		}	15 20				Í
	4-Wire Unbundled HDSL Loop without manual service inquiry	_							-		10		-		
	and facility reservation - Zone 3		3	UHL	UHL4W	17 34	129 00	92 20			15 20				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17 56	7						,	
4 M(ID)	CLEC to CLEC Conversion Charge without outside dispatch  E DS1 DIGITAL LOOP		<u> </u>	UHL.	UREWO		86 00	40 34			15 20				
4-4416	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85 70	245 16	152 98			45.00				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194 96	245 16	152 98			15 20 15 20				<del></del>
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491 94	245 16	152 98			15 20		_		
	Order Coordination for Specified Conversion Time (per LSR)			ÚSL	OCOSL		17 56	-							
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100 93	42 98			15 20				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19 2 Kbps 4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	30 99	121 86	85 48			15 20				
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL UDL	UDL19 UDL19	36 78 38 92	121 86 121 86	85 48			15 20				ļ
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30 99	121 86	85 48 85 48			15 20 15 20				<b>—</b> —
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36 78	121 86	85 48	<del>-   -</del>	<del></del>	15 20				<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38 92	121 86	85 48	-		15 20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17 56			🕇					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30 99	121 86	85 48			15 20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	36 78	121 86	85 48			15 20				
<del></del>	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	UDL64 OCOSL	38 92	121 86 17 56	85 48			15 20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101 97	49 67		<del></del>	15 20			·	
2-WIRI	E Unbundled COPPER LOOP	_			SILLAND		10191	48 07		<del></del>	15 20		-		
	2-Wire Unbundled Copper Loop/Short including manual service												-		
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 29	116 18	67 46			15 20		!		
	2-Wire Unbundled Copper Loop/Short including manual service														
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14 09	116 18	67 46			15 20				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		,	LIGI	LIGITOR	45 1				1					i
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	15 75	116 18	67 46			15 20				
	2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLMC		7 92	7 92							<b></b>
	inquiry and facility reservation - Zone 1		1 1	UCL	UCLPW	12 29	91 92	55 12			15 20				ĺ
	2-Wire Unbundled Copper Loop/Short without manual service				OOL! II	12 25	31 82	33 12			15 20				
1	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14 09	91 92	55 12			15 20				1

Version 4Q02 12/18/02

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment 2		bit <sup>.</sup> B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)	,	
						7.00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service		_			1									]	ŀ
	inquiry and facility reservation - Zone 3		3	UCL.	UCLPW	15 75	91 92	55 12				15 20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7 92	7 92	-							
	2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17 21	116 18	67 46				15 20				
	2-Wire Unbundled Copper Loop/Long - includes manual svc		<u>'</u>	UCL	OCLZL	17 21	116 16	6/ 46	<del></del>			15 20			-	<del></del>
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24 98	116 18	67 46	] ]			15 20		1		
	2-Wire Unbundled Copper Loop/Long - includes manual svc			OOL	OCC2L.	24 30		01 40				15 20				
	inquiry and facility reservation - Zone 3	ĺ	3	UCL	UCL2L	39 57	116 18	67 46	1			15 20				1
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		7 92	7 92	1			10 20		-		
	2-Wire Unbundled Copper Loop/Long - without manual service								<del>                                     </del>							<del>                                     </del>
	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2W	17 21	91 92	55 12				15 20		1		1
	2-Wire Unbundled Copper Loop/Long - without manual service				1									1		l
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24 98	91 92	55 12				15 20				
	2-Wire Unbundled Copper Loop/Long - without manual service				1											
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39 57	91 92	55 12				15 20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7 92	7 92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91 92	42 47				15 20				
4-WIR	E COPPER LOOP				1											
i	4-Wire Copper Loop/Short - including manual service inquiry		1		1	1					1		i		ļ	
	and facility reservation - Zone 1		1	UCL	UCL4S	22 27	139 69	90 96				15 20				
1	4-Wire Copper Loop/Short - including manual service inquiry		1 _		l i	1										
	and facility reservation - Zone 2		2	UCL	UCL4S	18 95	139 69	90 96				15 20				
İ	4-Wire Copper Loop/Short - including manual service inquiry		١.											1		
	and facility reservation - Zone 3		3	UCL	UCL4S	10 99	139 69	90 96				15 20	-	1		
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		7 92	7 92	-							
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	22 27	115 43	78 63	1 1			15 20				
	4-Wire Copper Loop/Short - without manual service inquiry and	├	+ '-	UCL	OCL4VV	. 22 21	115 43	78 63	1			15 20	· · · · · ·			-
	facility reservation - Zone 2	-	2	UCL	UCL4W	18 95	115 43	78 63				15 20				ı
	4-Wire Copper Loop/Short - without manual service inquiry and	<del></del> -		OOL	OCE411	10 55	71545	70 00			-	13 20			<del> </del>	
	facility reservation - Zone 3		3	UCL	UCL4W	10 99	115 43	78 63				15 20				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	ÜCL	UCLMC	10 00	7 92	7 92				1020				
-	4-Wire Unbundled Copper Loop/Long - includes manual svc		-		1		-		<u> </u>		_					
1	inquiry and facility reservation - Zone 1		l 1	UCL	UCL4L	26 17	139 69	90 96			1	15 20	1			
	4-Wire Unbundled Copper Loop/Long - includes manual svc											-	1			
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28 47	139 69	90 96				15 20	ļ			1.
	4-Wire Unbundled Copper Loop/Long - includes manual svc															ľ
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62 93	139 69	90 96			L	15 20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7 92	7 92								
	4-Wire Unbundled Copper Loop/Long - without manual svc															
	inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCL4O	26 17	115 43	78 63				15 20				
	4-Wire Unbundled Copper Loop/Long - without manual svc															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	28 47	115 43	78 63				15 20	-			
J	4-Wire Unbundled Copper Loop/Long - without manual svc		_						į l						1	
	inquiry and facility reservation - Zone 3		3	UCL	UCL40	62 93	115 43	78 63				15 20	-			
	Order Coordination for Unbundled Copper Loops (per loop)	<del></del> -	₩	UCL	UCLMC		7 92	7 92	<del>  -  </del>		<del></del>		<del> </del>	-	ļ	-
- 1	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	1		UCL	UREWO	I	04.00	42 47				45.00				
OOP MODIF		<del>                                     </del>	-	UCL	ÜKEWU		91 92	424/	<del>   </del>		<del> </del>	15 20	<u> </u>	-	<del> </del>	<del> </del>
JOH WOODIF	CATION	-	<del> </del>	UAL, UHL, UCL,	1				+			<del> </del>	-	<del> </del> -	<del> </del>	
1				UEQ, ULS, UEA,	1							1	1			
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	}				1			1			1	
	pair less than or equal to 18k ft			UEPSB	ULM2L		0 00	0 00	1			15 20			}	
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		<del>                                     </del>	221 00	JEMEL			0.00	1		<b>—</b>	1020	<u> </u>	<del> </del>	†	
1	greater than 18k ft	1		UCL, ULS, UEQ	ULM2G		0 00	0 00				15 20		1		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		<del> </del>	,,	1		5 00	2 00	<del>                                     </del>			10.20	<u> </u>			_
i	less than or equal to 18K ft			UHL, UCL	ULM4L		0 00	0 00				15 20				

Version 4Q02 12/18/02 Page 180 of 416

ONBONDLE	D NETWORK ELEMENTS - Louisiana		<del></del>		1 1						10 0 1			ment 2	Exhi	
CATEGORY	RATE ELEMENTS	Inters m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Sv Order vs.
			_		1	Rec	Nonrec		Nonrecurring First	Disconnect	SOMEC	COMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-	<del> </del>	_	+		First	Add'l	FIFSt	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
	pair greater than 18k ft			luct	ULM4G		0 00	0.00			1	15 20				
	pair greater thair rok tr			UAL, UHL, UCL,	100,40		- 000	0.00			<b>}</b>	15 20		-		+
1				UEQ, ULS. UEA,	1				1	i				-		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.	1					-						
	per unbundled loop		1	UEPSB	ULMBT		12 15	12 15				15 20				1
SUB-LOOPS	per officerroles toop		+	02.00	1022		12.10				<del> </del>	0 20			·	+
	pop Distribution	<u> </u>	+		1										···-	+
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		_								†·	_				
	Up	1		UEANL	USBSA		144 09	144 09				15 20		1		
			1		10000		171 00									1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10 99	10 99				15 20			]	i
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		<del> </del>													1
ŀ	Facility Set-Up		1	UEANL	USBSC	i	86 16	86 16			1	15 20			ł	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		_													
	Sel-Up	1		UEANL	USBSD		27 13	27 13				15 20		ł		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								-					i		<b>†</b>
	Zone 1	1	1	UEANL	USBN2	7 57	63 89	30 06		l .		15 20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 2	1	2	UEANL	USBN2	12 75	63 89	30 06				15 20				l
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				1											
	Zone 3	- 1	3	UEANL	USBN2	21 45	63 89	30 06			1	15 20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ		UEANL	USBMC		7 92	7 92		ļ						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						_									
	Zone 1		1	UEANL	USBN4	11 76	76 75	42 92				15 20				1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1								1			i		1
	Zone 2	ł	2	UEANL	USBN4	16 84	76 75	42 92			1	15 20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1		1											
	Zone 3		3	UEANL	USBN4	19 27	76 75	42 92				15 20				
		1			1								_			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		7 92	7 92		i						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2 91	51 48	17 65				15 20				
					l I											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7 92	7 92	ì	Ì						1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	6 58	57 54	23 71				15 20				
			-	1	1 1						1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<b>_</b>	UEANL	USBMC		7 92	7 92								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6 26	63 89	30 06				15 20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS2X	10 07	63 89	30 06				15 20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3_	UEF	UCS2X	12 70	63 89	30 06				15 20				L
	Order Coordination for Unbundled Cubit	[	1	luce	Lunna				{		[			Į	l	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<del> </del>	+	UEF	USBMC		7 92	7 92		ļ	ļ			ļ		1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	8 03	76 75	42 92				15 20				
+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u>!</u>		UEF	UCS4X	10 71	76 75	42 92				15 20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		+ 3	UEF	UCS4X	6 08	76 75	42 92	ļ	ļ		15 20				ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UÉF	LICENIA	ļ	3.00				1				1	1
Unbun	dled Sub-Loop Modification	<b>-</b>	+	UEF	USBMC		7 92	7 92			ļ	L		<b> </b>	L	<del></del>
Onban	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	-	+		+					-						<del></del>
ļ	Coll/Equip Removal per 2-W PR	İ		UEF	ULM2X		0.00	0 00	1	1	į i				l	(
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	<del>                                     </del>	<del> </del>	J.	OFINISY		0 00	0.00			-	15 20		ļ	<b></b>	+
	Coll/Equip Removal per 4-W PR	1		UEF	ULM4X		0 00	0 00				45.00		ŀ		1
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged	<del> </del>	<del> </del>		OLIVI4A		- 000	0.00			<u> </u>	15 20		<u> </u>	ļ	<del></del>
	Tap Removal, per PR unloaded			UEF	ULM4T	j	224 55	4 29				15 20				1
Unbun	dled Network Terminating Wire (UNTW)		+	021	JEIVIH I		224 35	4 29			<del> </del>	15 20		<del> </del>	ļ	<del></del>
5	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0 3454	14 72	14 72	<u> </u>	-	<del> </del>	15.00		ļ		<del></del>
Networ	k Interface Device (NID)		<del> </del>	OCIVITY	DEINFF	0 3434	14 72	14 /2				15 20				<del> </del>
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42 26	27 83	L			15 20				

JINDONDEL	D NETWORK ELEMENTS - Louisiana												Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
		l				Rec	Nonrec			g Disconnect				Rates (\$)		
		i				- 1100	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62 86	48 43				15 20				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5 73	5 73				15 20				
UD I CODO	Network Interface Device Cross Connect - 4W		ļ	UENTW	UNDC4		5 73	5 73				15 20				
JB-LOOPS	To do															
Sub-Le	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		ļ	115.4												
	Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	HEDEM		444.00			1		45.00				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		-		USBFW		144 09			<b>↓</b>	4	15 20				
	set-up	ĺ		UEA, UDN,UCL,UDL,UDC	UCDEY		10 99	10 99								1
-	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL.	USBFZ		10 99 568 98			<del></del>		15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		-	USL	USBFZ		266 86	11 30			1	15 20				<u> </u>
	Grade - Zone 1		1	UEA	USBFA	8 71	89 81	54 35				45.00				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		'	OLA .	USBFA	0 / 1	09 01	54.35			- <del> </del>	15 20				
	Grade - Zone 2		2	UEA	USBFA	13 64	89 81	54 35				45.00			1	
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	-		ULA -	USBrA	13 04	09.01	54 35		· · · · · · · · · · · · · · · · · · ·	<del> </del>	15 20				
	Voice Grade - Zone 3		3	UEA	USBFA	30 21	89 81	54 35				45.00				
	Order Coordination for Specified Conversion Time, per LSR				OCOSL	30 21	17 56	54 35				15 20				
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		<b>-</b>	UEA	OCUSE		17 50				1					<u> </u>
	Grade - Zone 1		1	UEA	USBFB	8 71	89 81	E4 2E			] ]	45.00				
_	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		<u></u> -	UEA	USBFB	0 / 1	89 81	54 35		-		15 20				
	Grade - Zone 2		2	UEA	USBFB	40.04	00.04	54.05								
<del></del>	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		-	UEA	USBEB	13 64	89 81	54 35				15 20				
1	Grade - Zone 3		3	UEA	USBFB	20.04				1						
<del> </del>			3			30 21	89 81	54 35				15 20				
<del></del> -	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery.			UEA	OCOSL		17 56									<b></b>
	Voice Grade - Zone 1			UEA	110050	0.74				1						l
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	USBFC	8 71	89 81	54 35		<del> </del>		15 20				<u> </u>
	Voice Grade - Zone 2		2	UEA	USBFC	13 64	00.04	54.05		1						ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse	-	-	UEA	USBEC	13 64	89 81	54 35				15 20				<u> </u>
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	30 21	00.04	54.05								İ
	Order Coordination For Specified Conversion Time, per LSR		3		OCOSL	30.21	89 81 17 56	54 35				15 20				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSE		17 26				+					
	Grade - Zone 1		1	UEA	USBFD	21 44	103 69	67.04			1 1	45.00				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<del>- '-</del>	UEA	USBFD	2144	103 69	67 31			+	15 20				
	Grade - Zone 2		2	UEA	USBFD	24 66	103 69	67 31			1 1	45.00				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		-	UEA	USBFU	24 00	103 09	0/ 31		+	1	15 20	-			
	Grade - Zone 3		3	UEA	USBFD	42 84	103 69	67 31			1 1	45.00				
	Order Coordination For Specified Conversion Time, Per LSR		-	UEA	OCOSL	42 04	17 56	0131				15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			020	OCOSL		17 30									
	Grade - Zone 1		1	UEA	USBFE	21 44	103 69	67 31		1	1 1	15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		,	OL/(	CODIL		100 09	0/ 3/		1		10 20				
	Grade - Zone 2		2	UEA	USBFE	24 66	103 69	67 31		1	1 1	15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLX.	OSBIE	24 00	103 09			-		15 20				
	Grade - Zone 3		3	UEA	USBFE	42 84	103 69	67 31		1	1 1	15 20				
	Order Coordination For Specified Conversion Time, Per LSR				OCOSL	42 04	17 56	0/ 31		<del> </del>		15 20				<del> </del>
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	15 44	102 58	66 20	•	<del> </del>	+	15 20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	23 32	102 58	66 20		+						ļ
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3				USBFF	44 57	102 58	66 20		<u> </u>	-	15 20				
	Order Coordination For Specified Conversion Time, Per LSR		-		OCOSL	44 57	17 56	56 20		<del> </del>	<del>                                     </del>	15 20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	15 44	102 58	66 20		1	+	15 20				<del>                                     </del>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	23 32	102 58	66 20		<del> </del>	+	15 20			<u> </u>	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	44 57	102 58	66 20		1	<del> </del>	15 20			ļ	<del> </del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1		USBFG	55 38	98 15	61 77		+	+	15 20				<del>                                     </del>
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	167 83	98 15	61 77		+-	1 1	15 20 15 20			ļ <del></del>	<del> </del>
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	469 87	98 15	61 77	*	+	1 1					<del>                                     </del>
	Order Coordination For Specified Conversion Time, Per LSR		, ,	USL	OCOSL	409 07	98 15 17 56	01//		<del></del>	<del>   </del>	15 20				+
_	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6 96	81 36	44 98		1	<del> </del>	15 20				-
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	<del> </del>	<b>├</b> -	UUL	USBFF	0 90	81.30	44 98		1	<del>                                     </del>	15 20	ļ			1
1	one lead to the contract of th		2	UCL	USBFH	4 97	81 36	44 98		1	1 1	15 20				

NURUNOLI	ED NETWORK ELEMENTS - Louisiana			r									ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitte Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring Disconr				Rates (\$)		
			ļ				First	Add'l	First Add	I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone					2.00									l .
	3 O-d Cdt			UCL	USBFH	3 99	81 36	44 98			15 20				L
	Order Coordination For Specified Conversion Time, per LSR		Ļ,	UCL	OCOSL		17 56								
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	ÜCL	USBFJ	15 68	98 07	61 69			15 20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	ļ		UCL UCL	USBFJ	9 68	98 07	61 69			15 20				<b></b>
	Order Coordination For Specified Conversion Time, per LSR			UCL	USBFJ	6 39	98 07	61 69			15 20				<b></b>
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop				OCOSL		17 56								<b></b>
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL UDL	USBFN	22 61	98 15	61 77			15 20				L
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	<b>!</b>			USBFN	22 87	98 15	61 77			15 20				
		<del> </del>	3	UDL	USBFN	24 25	98 15	61 77			15 20				<b> </b>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1				LIODEO										į.
			1	UDL	USBFO	22 61	98 15	61 77			15 20	<u> </u>			l
i i	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -									l	1				į.
	Zone 2		2	UDL	USBFO	22 87	98 15	61 77			15 20				
F	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_			1	ļ				1		ŀ		1
	Zone 3	<u> </u>	3	UDL	USBFO	24 25	98 15	61 77			15 20				i
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		17 56								i -
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1			1										i —
	Zone 1		1	UDL	USBFP	22 61	98 15	61 77			15 20				ı
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				1 1										
	Zone 2		2	UDL	USBFP	22 87	98 15	61 77			15 20				ı
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1			ļ						·			
	Zone 3			UDL	USBFP	24 25	98 15	61 77			15 20		•		ı
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17 56								
UB-LOOPS															
Sub-L	oop Feeder														
	Sub Loop Feeder - DS3 - Per Mile Per Month	1		UE3	1L5SL	17 00									
	Sub Loop Feeder - DS3 - Facility Termination Per Month	- 1		UE3	USBF1	368 44	3,397 56	406 56			15 20				
	Sub Loop Feeder STS-1 - Per Mile Per Month	1		UDLSX	1L5SL	17 00					1				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1		UDLSX	USBF7	395 92	3,397 56	406 56			15 20				
	Sub Loop Feeder - OC-3 - Per Mile Per Month	1		UDLO3	1L5SL	12 90									·
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per											-			1
	Month	ı		UDLO3	USBF5	60 45			ł						i
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	ŀ		UDLO3	USBF2	594 77	3,397 56	406 56			15 20	-			
	Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	15 87		• •		i i	1 1				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per										1				
	Month	1		UDL12	USBF6	683 03					1	]			
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	_		UDL12	USBF3	1,922 00	3,397 56	406 56			15 20				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	ı		UDL48	1L5SL	52 07	0,000	10000			13 20				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per														
	Month	1		UDL48	USBF9	341 64	1		ĺ					1	
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	1		UDL48	USBF4	1.663 00	3,582 56	406 56			15 20			-	
	Sub Loop Feeder - OC-12 Interface On OC-48	ī		UDL48	USBF8	385 45	803 80	406 56			15 20				
NBUNDLED	LOOP CONCENTRATION				1		500.00	100 00			13 20				
	Unbundled Loop Concentration - System A (TR008)			ULC	ÚCT8A	374 26	316 00	316 00			15 20				
	Unbundled Loop Concentration - System B (TR008)		-	ULC	UCT8B	53 40	131 67	131 67			15 20				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	412 08	316 00	316 00		+	15 20				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89 98	131 67	131 67			15 20				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 12	61 46	44 74							
	Unbundled Loop Concentration - ISDN Loop Interface (Brite				1-5-55	0 12	0170	77 /4			15 20				
	Card)	.		UDN	ULCC1	8 12	10 23	10 18		ľ	45.00	ì i			
	Unbundled Loop Concentration - UDC Loop Interface (Brite				102001	0 12	10 23	10 18			15 20				
	Card)	1		UDC	ULCCU	8 12	10 23	10 18			1 45.00				
	Unbundled Loop Concentration 2 Wire Voice-Loop Start or				10000	0 12	10 23	10 18			15 20				
	Ground Start Loop Interface (POTS Card)	l		UEA	ULCC2	2 03	10 23	10.40			1 45.65				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			<u> </u>	- 00002	2 03	10 23	10 18			15 20				
1	Loop Interface (SPOTS Card)			UEA	ULCCR	12 07	40.00	40.40				!			
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface		-	ULA	ULCCK	12 07	10 23	10 18			15 20				
	(Specials Card)	i		UEA	ULCC4		i i		I	1	1	1 1			

ONBONDLE	D NETWORK ELEMENTS - Louisiana													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		_		Submitted	Charge - Manual Svc Order vs, Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
		<u> </u>	ļ				First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35 19	10 23	10 18				15 20				
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface	ļ				40.07	40.00			ŀ						]
<b>—</b>	Unbundled Loop Concentration - Digital 56 Kbps Data Loop		Н—	UDL	ULCC7	10 67	10 23	10 18		<b>_</b>		15 20				<u> </u>
	Interface			UDL	ULCC5	10 67	10 23	10 18				15 20				i
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		1	UDL	OLCC3	10 07	10 23	10 16	_			15 20		·	1	-
	Interface			UDL	ULCC6	10 67	10 23	10 18			1	15 20				
UNE OTHER.	PROVISIONING ONLY - NO RATE		1 -		02000	10 07	10 25	10 10			<del>                                     </del>	13 20	-		<del> </del>	
	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0 00				<del> </del>			-		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0.00				1	_				
				UEANL, UEF, UEQ, U												1
	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0 00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UOL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	HEREO	0 00	0 00									
<del>   </del>	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			DEA,ODIN,OCE,ODC	USBFQ	0 00	0 00			· · · · · · · · · · · · · · · · · · ·	-					
	rate	İ		UEA,USL,UCL,UDL	USBFR	0 00	0 00									1
<b>—</b>	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00				1					
	Unbundled DS1 Loop - Expanded Superframe Format option -				00011	0.00	0.00			<del> </del>					<del>                                     </del>	
	no rate			USL	CCOEF	0 00	0 00				ļ					
	TY UNBUNDLED LOCAL LOOP					,,										
NOTE	minimum billing period of three months for DS3 and above L	ocal Lo	op													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10 04									-	
	High Capacity Unbundled Local Loop - DS3 - Facility				ILSIND	10 04										
ļ	Termination per month			UE3	UE3PX	362 34	438 46	256 30				15 20			-	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10 04										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	374 56	438 46	256 30				15 20				
LOOP MAKE-											1					
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual)		ļ	UMK	UMKLW		23 29	23 29								
	Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual)		İ		UMKLP											
<del></del>	Loop MakeupWith or Without Reservation, per working or		ļ	UMK	UMKLP	<del>_</del>	24 70	24 70								
	spare facility queried (Mechanized)		ł	UMK	PSUMK	1	0 19	0 19		]						
HIGH FREQUE	ENCY SPECTRUM		<del> </del>	OWIX	FOUNK	1	0 19	0 19								
	SHARING		1								-					
	TERS-CENTRAL OFFICE BASED									<del> </del>						
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187 17	183 33	0 00				15 20				<del></del> -
	Line Sharing Splitter, per System 24 Line Capacity		<del>                                     </del>	ULS	ULSDB	46 79	183 33	0 00	-			15 20				
	Line Sharing Splitter, Per System, 8 Line Capacity	1			ULSD8	15 59	183 33	0 00				15 20				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-						- 13.30					10 20				<del> </del>
	deactivation (per LSOD)		L	ULS	ULSDG		83 98	0 00		I		15 20			1	1
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC										20				
<del>  </del>	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0 61	17 97	10 29				15 20				
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15 91	7 95								
	Line Sharing - per Subsequent Activity per Line		†		OLGDO		15 91	/ 95	<del></del>	-	<del> </del>	15 20				<del>                                     </del>
<u> </u>	Rearrangement(DLEC Owned Splitter)	, <u> </u>		ULS	ULSCS		15 91	7 95				15 20				
LINE S	Line Sharing - per Line Activation (DLEC owned Splitter)		-	ULS	ULSCC	0 61	47 44	19 31				15 20				
	SER ORDERING-CENTRAL OFFICE BASED										$\vdash$					
1 1 1	Line Splitting - per line activation DLEC owned splitter		<del> </del>	UEPSR UEPSB	UREOS	0.61				ļ						ļ
			1							1					1	r .

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge -	Incremental Charge -	Increment Charge
						Rec	Nonre			ng Disconnect				Rates (\$)		
			<b>↓</b>			<u> </u>	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Splitting - per line activation BST owned - virtual		ļ	UEPSR UEPSB	UREBV	0 61	17 97	10 29				15 20				
	TE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE	-														
SPLII	Remote Site Line Share BellSouth Owned Splitter, 24 Port	<del> </del>	<u> </u>		Lu coo	40.45										
	Remote Site Line Share Cable Pair Activation CLEC Owned at	Ī	-	ULS	ULSRB	40 12	115 24	0 00			1	15 20			ļ	
	RS and Deactivation	١.		uls	ULSTG		96 00	0.00			1	15 20				
END U	JSER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	MAKA	REMOT		ING		30 00	0.00	-		-	15 20				
	Remote Site Line Share Line Activation for End User Served at		1		T					<del> </del>	-					·
ł	RS, BST Splitter	1		ULS	ULSRC	0 61	36 97	21 17		1		15 20				ł
	RS Line Share Line Activation for End User served at RS, CLEC					1				1						<del>                                     </del>
	Splitter	1		ULS	ULSTC	0 61	36 97	21 17			1	15 20				
	Remote Site Line Share Subsequent Activity-RS BST Owned		1													1
<b></b>	Splitter		<u> </u>	ULS	ULSRS		49 08	17 80				15 20				
	Remote Site Line Share Subsequent Activity-RS CLEC Owned	١.			l											
LINDING ED	Splitter DEDICATED TRANSPORT	1	<u> </u>	ULS	ULSTS		49 08	17 80				15 20				
NOTE	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	6 (11)		d balani DO2	}	D02-1				<u> </u>						
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	in billin	g perio	od - pelow D53=pne	month, abov	e DS3=tour mo	ntns									ļ
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		-							<del> </del>	-					<b></b>
ļ i	Per Mile per month		1	U1TVX	1L5XX	0 013						[				
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		<del> </del>	311 VX	TESTOR	0.013							-			<del></del>
	Facility Termination		ľ	U1TVX	U1TV2	22 60	39 36	26 62		-		15 20		1		
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade							20 02			<del></del>	13 20		-		
	Rev Bat - Per Mile per month	1		U1TVX	1L5XX	0 013				1						
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			******	1			****				_				<del> </del>
	Facility Termination			U1TVX	U1TR2	22 60	39 36	26 62				15 20				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade		ļ.													
	Per Mile per month			U1TVX	1L5XX	0 013						l				
1 1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		1		I											
<del></del>	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	19 81	39 36	26 62				15 20				[
	per month			U1TDX	1L5XX	0.040										1
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILSXX	0 013										
	Termination			U1TDX	U1TD5	15 61	39 37	26 62		1		45.00				1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTTOX	01103	15 01	39 37	20 02		<del> </del>	+	15 20				<b></b>
	per month			U1TDX	1L5XX	0 013										i
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility				120701					+	<del> </del>					<del></del>
	Termination			U1TDX	U1TD6	15 61	39 37	26 62			1	15 20				l .
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per											10 20				
<u> </u>	month			U1TD1	1L5XX	0 2652										l .
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	70 47	86 69	79 44		1		15 20				l .
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1											
	month			U1TD3	1L5XX	6 04										1.
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	}		LIATEDO	LIATES											
<del></del>	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		ļ	U1TD3	U1TF3	850 45	270 69	158 05		ļ		15 20				<b></b>
	month			U1TS1	1L5XX	6 04										· _
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01101	ILOXX	6 04				<del></del>	<del> </del>					<del></del>
	Termination			U1TS1	U1TFS	830 19	270 69	158 05				15 20				1
LOCAL	. CHANNEL - DEDICATED TRANSPORT		-		<u> </u>		210 09	130 03		<del> </del> -	1	10 20				
NOTE	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d = bel	ow DS3=one month	, above DS3	four months				+	1			_		
	Local Channel - Dedicated - 2-Wire Voice Grade		ΠĨ	ULDVX	ULDV2	18 32	187 51	32 21	-	+		15 20				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	18 32	187 51	32 21		<u> </u>	-	15 20	•			<del></del>
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	19 41	187 94	32 63	-	<u> </u>		15 20				
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	39 18	172 34	149 27				15 20				$\overline{}$
ļ	Local Channel - Dedicated - DS1 - Zone 2			ULDD1	ULDF1	121 58	172 34	149 27			1 1	15 20			-	·
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	70 02	172 34	149 27			1	15 20				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7 82					† · · · · · · · · · · · · · · · · · ·					

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachr			bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Suhmitted	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sy Order vs. Electronic Disc Add
							Nonrec		N	g Disconnect	ļ <u> </u>				Discrist	Disc Add I
				<del> </del>		Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	469 44	438 46	256 30	FIISt	Addi	SOWIEC	15 20	SUMAN	SUMAN	SUMAN	SUMAN
	Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7 82	438 40	256.30				15 20				—
	Local Channel - Dedicated - STS-1 - Per Mile per month		<del></del>	ULDS1	ULDFS	457 22	438 46	256 30				15 20				ļ
DARK FIBER	Local Channel - Dedicated - 515-1 - Facility Termination			OLDST	ULDFS	457 22	438 40	256 30		<del> </del>	<del> </del>	15 20				ļ
DAKK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		_		+			×			-				··• · · · ·	
	Thereof per month - Local Channel			UDF	1L5DC	52 23										i
	NRC Dark Fiber - Local Channel			UDF	UDFC4	32 23	620 60	133 88			-	15 20				-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			יטטר	UDF C4		620 60	133 00		-	-	15 20				<del></del>
ŀ	Thereof per month - Interoffice Channel			UDF	1L5DF	25 28										ı
	NRC Dark Fiber - Interoffice Channel			UDF		25 26	200.00	400.00				45.00				<b></b>
i				UDF	UDF14		620 60	133 88				15 20				ļ
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	52 23				1		1				1
		<u> </u>		UDF	UDFL4	52 23	200.00	133 88		1	-	45.00				ļ
NYV ACCECE	NRC Dark Fiber - Local Loop	-		UDF	UDFL4		620 60	133 88				15 20				
SXX ACCESS	TEN DIGIT SCREENING			OUD	-	0.0000007			<b>-</b>							ļ
	8XX Access Ten Digit Screening, Per Call		ļ <u></u>	OHD		0 0006387				<u> </u>				<del>.</del>		ļ
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	)		l	l											1
	Number Reserved			OHD	N8R1X		2 51	0 43				15 20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	i														
	POTS Translations			OHD			5 77	0 78				15 20				
	8XX Access Ten Digit Screening, Per 8XX No Established With		ļ	ì								ŀ				
	POTS Translations			OHD	N8FTX		5 77	0 78				15 20				
	8XX Access Ten Digit Screening, Customized Area of Service		İ	i		l l			1			i				
	Per 8XX Number			OHD	N8FCX		2 51	1 26				15 20				l
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		1	1		į			Ì			•				
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX		2 93	1 68				15 20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2 93	0 43				15 20				
	8XX Access Ten Digit Screening, Call Handling and Destination			1							1					
	Features	L	l	OHD	N8FDX		2 51					15 20				
			l									į				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query		<u> </u>	OHD		0 0006387										
	8XX Access Ten Digit Screening, w/ POTS No. Defivery, per		į	1					ł			į				
	query			OHD		0 0006387										
LINE INFORM	IATION DATA BASE ACCESS (LIDB)		i	1								į .				
	LIDB Common Transport Per Query			ΤΩΟ		0 0000221										
	LIDB Validation Per Query			oqu		0 0135077										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		33 33					15 20				
SIGNALING (			i		T											
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147 60	•					1				
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15 77	34 50	34 50			1	15 20				
	CCS7 Signaling Connection, Per link (B link) (also known as D									1		1				
ŀ	link)		1	UDB	TPP++	15 77	34 50	34 50			1	15 20			1	ł
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0 000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732 10				i						
	CCS7 Signaling Point Code, per Originating Point Code		_							i						
1	Establishment or Change, per STP affected			UDB	CCAPO		28 17	28 17				15 20				
	CCS7 Signafing Point Code, per Destination Point Code										1	10 20			· · · · · · · · · · · · · · · · · · ·	
1	Establishment or Change, Per Stp Affected			UDB	CCAPD		28 17	28 17				15 20				
E911 SERVIC		t		1	1000	<del> </del>	20 17	20 17		<del>                                     </del>	1	13 20			<u> </u>	<b>†</b>
T	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	<del> </del>	<u> </u>		1	18 32	187 51	32 21		1	<u> </u>	15 20			<b> </b>	t
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2			<u> </u>	+	18 32	187 51	32 21	<del> </del>	·	1	15 20				t
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3			·	+	18 32	187 51	32 21		<del> </del>	<del> </del>	15 20			<del> </del>	<del>                                     </del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		+		_	0 013	107 31	32.21		<del> </del>	+	13 20				<del>                                     </del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.013		-		+	1	<del>                                     </del>			<del>                                     </del>	<del> </del>
	Termination	İ		1		22 60	39 36	26 62				15 20				
	Local Channel - Dedicated - DS1 - Zone 1			ļ	+	39 18	172 34	149 27	<del> </del>	<del>- </del>	+	15 20	<del> </del>		<del> </del>	<del> </del>
	Local Channel - Dedicated - DS1 - Zone 1			<del>                                     </del>	<del></del>	121 58	172 34	149 27		<del> </del>	+	15 20 15 20		ļ	<del> </del>	-
<del></del>	Local Channel - Dedicated - DS1 - Zone 3	<del> </del> -	<del></del>	<del>                                     </del>	<del> </del>	70 02	172 34	149 27		+	+					<del></del>
<del></del>	Interoffice Transport - Dedicated - DS1 - Zone 3			-			172 34	149 27		-	+	15 20		ļ		+
- 1	Interesting transport - Dedicated - DS t Per Mile	1	1	L		0 2652			L		J	L	L		L	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental	Incremental Charge -		Incrementa Charge -
						Rec	Nonre			g Disconnect	201122			Rates (\$)	T	
<del></del>		1			_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
] ]	Interoffice Transport - Dedicated - DS1 Per Facility Termination	ŀ				70 47	86 69	79 44				15 20				
CALLING NAM	ME (CNAM) SERVICE					7047	00 03	1077	<del>                                     </del>	<u> </u>		13 20		<u> </u>		
	CNAM For DB Owners - Service Establishment		1	οάν			22 29			<del> </del>		15 20		<b> </b>		1
	CNAM For Non DB Owners - Service Establishment			oov			22 29					15 20				
	CNAM For DB Owners - Service Provisioning With Point Code		1													
	Establishment DD 0 DD 1444 DD 1		1	ogv			962 22	711 64	ļ. <u>.</u>			15 20				l
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment		ł	oqv			332 43	238 05				15 20				İ
	CNAM for DB Owners, Per Query		1	logv	+	0 0010217	332 43	230 05			_	15 20		ļ		
	CNAM for Non DB Owners, Per Query		1	logv	-	0.0010217	-			-						
LNP Query Se						3 33 32 11			<del></del>							
	LNP Charge Per query		Ι	OQV		0 0008559										<del> </del>
	LNP Service Establishment Manual						12 16		L			15 20				
	LNP Service Provisioning with Point Code Establishment						576 33	294 43				15 20				
OPERATOR C	ALL PROCESSING Oper Call Processing - Oper Provided, Per Min - Using BST		<u> </u>	******												
	LIDB		1			1 20										
	Oper Call Processing - Oper Provided, Per Min - Using		┼			1 20					<del> </del>					
	Foreign LIDB	ļ				1 24				]						
	Oper Call Processing - Fully Automated, per Call - Using BST	-	<del> </del>						-	<del></del>						
	LIDB	1				0 20				1						
	Oper Call Processing - Fully Automated, per Call - Using															
ļi	Foreign LIDB					0 20										
	RATOR SERVICES		<u> </u>													
<del></del>	Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt		-			1 15										
	- Per Minute		İ	1		1 15					i i					
BRANDING - C	PPERATOR CALL PROCESSING		-			1 10		<del>-</del>		-						
	y based CLEC		+		<del></del>											
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	1	15 20				
	Loading of Custom Branded OA Announcement per shelf/NAV									1		- 10 - 0			-	
	per OCN				CBAOL		500 00	500 00		!		15 20				
UNEP																
<b></b>	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV		<del> </del>			1	7,000 00	7,000 00				15 20				
	per OCN				1		500 00	500 00				45.00			j	
Unbrar	nding via OLNS for UNEP CLEC		<del> </del>				500 00	500 00				15 20				
	Loading of OA per OCN (Regional)		-				1,200 00	1,200 00			<del></del>	15 20				
	SSISTANCE SERVICES		1				.,	1,200 00								
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0 275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (	ACC)	ļ .													
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt			,												
DIRECTORY A	SSISTANCE SERVICES				+	0 10					ļ l					
	TORY ASSISTANCE DATA BASE SERVICE (DADS)		1		<del></del>				<del></del> .							
	Directory Assistance Data Base Service Charge Per Listing		<del>                                     </del>		<del></del>	0.04		~			<b> </b>		-			
	Directory Assistance Data Base Service, per month		<del>                                     </del>		DBSOF	150 00			-		-					ļ
	IRECTORY ASSISTANCE	l			1								-			
Facility	Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement		ļ	AMT	CBADA		3,000 00	3,000 00				15 20				
	Loading of Custom Branded Announcement per Switch per OCN				00.00											
UNEP (		-		AMT	CBADC		1,170 00	1,170 00				15 20				
SHEP	Recording of DA Custom Branded Announcement			<del></del>			3,000 00	3,000 00				15 20				
<del></del>	Loading of DA Custom Branded Announcement per Switch per	-	<del>                                     </del>				3,000 00	3,000 00		ļ	<del>  </del>	15 20				
	OCN		1		1	1	1,170 00	1,170 00		1	ı l	15 20		1		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													nent. 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Sunmitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbra	nding via OLNS for UNEP CLEC	]														
	Loading of DA per OCN (1 OCN per Order)						420 00	420 00				15 20				
<u></u>	Loading of DA per Switch per OCN						16 00	16 00				15 20				
SELECTIVE R		<u> </u>			_		i									
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		82 25	00.05				45.00				
VIRTUAL COL			├		USRCR	_	82 23	82 25		L		15 20			<del></del>	ļ
VINTOME COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				-											-
	Splitting			UEPSR, UEPSB	VE1LS	0 0296	11 94	11 46	0 00	0.00		15 20			1	
PHYSICAL CO					1 - 1 - 1		17.2.									
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1		-		-		1		-					
	Splitting			UEPSR, UEPSB	PE1LS	0 0318	11 94	11 46				15 20	İ		}	
AIN SELECTIV	E CARRIER ROUTING	L														
	Regional Service Establishment			UEBIB	SRCEC		100,209 33					15 20				
	End Office Establishment			UEBIB	SRCEO		164 29	164 29				15 20				
	Query NRC, per guery			UEBIB		0 0030293										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE		<u> </u>									L				
	AIN SMS Access Service - Service Establishment, Per State,			1							1		Į			
	Initial Setup	<u> </u>	_	A1N	CAMSE		38 30	38 30				15 20				
				1												
	AIN SMS Access Service - Port Connection - Dial/Shared Access	ļ	<del> </del>	A1N A1N	CAMDP CAM1P		7 60	7 60				15 20				
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	ļ	↓	AIN	CAM1P		7 60	7 60				15 20			ļ	
	ID Code	i		A1N	CAMAU		33 99	33 99				15 20				1
<del></del>	AIN SMS Access Service - Security Card, Per User ID Code,	-	<b></b> -	AIN	CAIVAU		33 99	33 99	<u> </u>		<del> </del>	15 20			-	ļ
	Initial or Replacement	l		A1N	CAMRC		41 39	41 39				15 20				
<del></del>	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	<del> </del>	+	A IIV	CAWING	0 0022	41 35	4139			1	15 20	<del>-</del>			-
	AIN SMS Access Service - Session, Per Minute				1	0 5795									-	
	AIN SMS Access Service - Company Performed Session, Per	<u> </u>	-		-	0 07 55			<del> </del>	-	<del> </del>				<b></b>	
1	Minute					0 8104										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE		+						-		1		<del></del> -			
	AIN Toolkit Service - Service Establishment Charge, Per State,		1		-							<del></del>				<del> </del>
	Initial Setup			CAM	BAPSC		38 30	38 30				15 20		i		
	AIN Toolkit Service - Training Session, Per Customer	1			BAPVX		4,175 10	4,175 10			i .	15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term Attempt	L			BAPTT		7 60	7 60				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1	
	DN, Off-Hook Delay				BAPTD		7 60	7 60				15 20				
1 1	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per						_ T		7				1		1	
<u> </u>	DN, Off-Hook Immediate	<u> </u>	<b>_</b>		BAPTM		7 60	7 60				15 20	<b>_</b>			
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D. 15TO		00.47	00.47			1	45.00	1			
	DN, 10-Digit PODP	ļ	—-		BAPTO		33 47	33 47			1	15 20	ļ			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i		DADTO		22.47	22.47				45.00				
<del></del>	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	<del> </del> -	1	BAPTC	<del></del>	33 47	33 47		-	<del> </del>	15 20	ļ	<del> </del>	-	ļ
	DN, Feature Code		}		BAPTE		33 47	33 47			1	15 20	}			
<del></del>	AlN Toolkit Service - Query Charge, Per Query	<del>                                     </del>	<del> </del> -	ļ	BAFIF	0.0536446	33 47	33 41	-			13 20				
<del>                                     </del>	AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit	<del>                                     </del>	<del> </del>	<u> </u>	+	0.0000440				<del></del>		<del> </del>				
	Subscription, Per Node, Per Query	1		ŀ	1	0 006569									ļ	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access			<del>                                     </del>	+	2 300003		· · ·			<del>                                     </del>	<del></del>				<b> </b>
1	Account, Per 100 Kilobytes		1	{	1	0.06				}	1	1	1	}	1	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	T		1			• •			1					
1 1	Subscription	ļ.		CAM	BAPMS	10 90	7 60	7 60				15 20				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		T -													1
	Subscription		L	CAM	BAPLS	2 80	8 41	8 41				15 20		1		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription		<u> </u>	CAM	BAPDS	8 20	7 60	7 60				15 20		L		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
1 1	Service Subscription	1	1	CAM	BAPES	0 09	8 41	8 41	1	Ì	1	15 20	1	1	1	1

INBONDER	D NETWORK ELEMENTS - Louisiana									-		Attach	ment 2	Exhi	bit <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Manually			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge
						Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
VHANCED É	XTENDED LINK (EELs)				-	-	First	Add'I	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The monthly recurring and non-recurring charges below will a	anniv a	nd the	Switch-As-Is Charg	e will not and	ly for FELs pro	visioned as '	Ordinardy Com	bined' Maturark Floriant						<u> </u>
NOTE	The monthly recurring and the Switch-As-Is Charge and not the	ie non-	recurr	ing charges below i	will apply for	FFI s provision	od as ' Curron	tly Combined	Matwork Element	s					
NOTE	Minimum billing is one month for DS1 and below and three m	onths a	bove	DS1 services		LLLS provision	ed as Carrei	try Combined	NELWOIR Elements.						
2-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	1		-			<del></del>				-	ļ
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			T		1									
	Combination - Zone 1		1	UNCVX	UEAL2	14 93	94 21	45 09			15 20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed					-					10.00			<u> </u>	
	Transport Combination - Zone 2		2	UNCVX	UEAL2	25 35	94 21	45 09			15 20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		}	1								-			
	Transport Combination - Zone 3		3	UNCVX	UEAL2	50 46	94 21	45 09			15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile														
	per month			UNC1X	1L5XX	0 2652	Taranti I								
	Interoffice Transport - Dedicated - DS1 combination - Facility														
	Termination per month			UNC1X	U1TF1	70 47	143 58	103 88			15 20				
	DS1 Channelization System Per Month			UNC1X	MQ1	105 09	59 97	12 96			15 20	_			
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 6497	5 91	4 26							
ŀ	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		١.		l										
_			1	UNCVX	UEAL2	14 93	94 21	45 09			15 20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2														[
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	25 35	94 21	45 09			15 20				İ
	Interoffice Transport Combination - Zone 3		3	LINIONAL											1
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	50 46	94 21	45 09			15 20				
Į	per month			UNCVX	1D1VG	0 6497	F 04	4.00							1
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNCVA	IDIVG	0 6497	5 91	4 26							<b></b>
l	Is Charge		ļ	UNC1X	UNCCC		5 43	- 40							1
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTI	FROFFI	CE TR	ANSPORT (FEL)	UNCCC		5 43	5 43			15 20				
-	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<u> </u>	THO FORT (ELL)											-
	Transport Combination - Zone 1		1	UNCVX	UEAL4	30 81	94 21	45 09	1		15 20				1
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				OC/IL!		37.21	43 03	+		13 20				<b>—</b>
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38 32	94 21	45 09			15 20				i .
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice					0002	5121	40 00			10 20				<del></del>
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60 39	94 21	45 09		1 1	15 20				1
	Interoffice Transport - Dedicated - DS1_combination - Per Mile										10 20				<del></del>
	Per Month			UNC1X	1L5XX	0 2652									1
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per														-
	Month			UNC1X	U1TF1	70 47	143 58	103 88	1		15 20				1
	Channelization - Channel System DS1 to DS0 combination Per														<b>—</b>
	Month			UNC1X	MQ1	105 09	59 97	12 96							1
	Voice Grade COCI - DS1 to DS0 Channel System combination -														
	per month_			UNCVX	1D1VG	0 6497	5 91	4 26							1
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30 81	94 21	45 09			15 20				l
	Additional 4-Wire Analog Voice Grade Loop in same DS1									_		-			
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38 32	94 21	45 09			15 20				t
ŀ	Additional 4-Wire Analog Voice Grade Loop in same DS1								*			*			
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60 39	94 21	45 09			15 20				ł
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month							-							
-				UNCVX	1D1VG	0.6497	5 91	4 26							
	Nonrecurring Currently Combined Network Elements Switch -As-		-				~ ]								
4 MIDE	Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 II	ires		UNC1X	UNCCC		5 43	5 43			15 20				
AA ILCE	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	NIERO	FFICE	I KANSPORT (EEL)	+										
	Transport Combination - Zone 1		1	UNCDX	LUDICO		[								
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	DINCUX	UDL56	30 99	94 21	45 09			15 20				
ĺ	Transport Combination - Zone 2		2	LINCDY	Libies	20.70	04.5.	45.5-							
				UNCDX	UDL56	36 78	94 21	45 09		1	15 20				1
-	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	1												

NRONDLE	ED NETWORK ELEMENTS - Louisiana													ment <sup>.</sup> 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Charge -	Charge - Manual St Order vs
						Rec	Nonrec			Disconnect				Rates (\$)		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Month			UNC1X	1L5XX	0 2652				1						ĺ
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70 47	143 58	103 88				15 20				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	105 09	59 97	12 96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1										<b></b>	
	month (2 4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		-	UNCDX	1D1DD	1 38	5 91	4 26								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30 99	94 21	45 09				15 20				ĺ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36 78	94 21	45 09				15 20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	38 92	94 21	45 09				15 20				
	combination per month (2 4-64kbs)		ļ .	UNCDX	1D1DD	1 38	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		5 43	5 43		}		15 20				1
4-WIR	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE			_	3 43	545				15 20		-		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				1	-	-									
	Transport Combination - Zone 1		1	UNCDX	UDL64	30 99	94 21	45 09				15 20				
1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36 78	94 21	45 09				15 20				1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCOX	UD <b>L</b> 64	38 92	94 21	45 09				15 20				<b>—</b>
	Per Month			UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70 47	143 58	103 88			i	15 20				1
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	105 09	59 97	12 96								1
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2 4-64kbs)  Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	-	<del> </del>	UNCDX	1D1DD	1 38	5 91	4 26								-
	Interoffice Transport Combination - Zone 1		11_	UNCDX	UDL64	30 99	94 21	45 09				15 20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36 78	94 21	45 09				15 20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38 92	94 21	45 09				15 20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)											10 25				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1 38	5 91	4 26					· · · · · · · · · · · · · · · · · · ·			
4 14(17)	Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	DOFFI	OF TR	UNC1X	UNCCC		5 43	5 43				15 20				
4-4416	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	ROFFI	CE TRA	ANSPORT (EEL)	+											
	Transport - Zone 1  4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	85 70	169 22	100 89				15 20				
_	Transport - Zone 2		2	UNC1X	USLXX	194 96	169 22	100 89				15 20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89				15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70 47	143 58	103 88				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5 43	5 43				15 20				
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)	5.1000	-	5 45			<del></del>	-	15 20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone									1						
		l	1	UNC1X	USLXX	85 70	169 22	100 89			L,,,_	15 20				

NECHOLE	D NETWORK ELEMENTS - Louisiana													ment 2	-k	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Summitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec			g Disconnect		0.04444		Rates (\$)	1	T
_	First DS1Loop in OS3 Interoffice Transport Combination - Zone						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 ries DS (Loop in DS) interoffice transport Combination - Zone		2	UNC1X	USLXX	194 96	169 22	100 89			j	15 20			1	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			ONCIA	OSEXX	154 50	109 22	100 05		<del> </del>	1	15 20	<u> </u>			
	3	i	3	UNC1X	USLXX	491 94	169 22	100 89			1	15 20			ł	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile										<del>                                     </del>					
	Per Month			UNC3X	1L5XX	6 04								!		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		T													
	month			UNC3X	U1TF3	850 45	296 68	121 16				15 20				
	DS3 to DS1 Channel System combination per month		ļ	UNC3X	MQ3	201 48	107 05	48 07								
	DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	11 78	5 91	4 26								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	85 70	169 22	100 89			1	45.00			1	
-	Additional DS1Loop in DS3 Interoffice Transport Combination -		<del>  '-</del>	UNCIA	USLA	05 70	169 22	100 89			<del> </del>	15 20			<del> </del>	
	Zone 2		2	UNC1X	USLXX	194 96	169 22	100 89			j	15 20			1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<del> </del> -	- Citoria	000,01	104 30	103 22	100 00		<del> </del>	<del>                                     </del>	10 20				
	Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89				15 20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 78	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge		L	UNC3X	UNCCC		5 43	5 43				15 20		ľ		
2-WIRI	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport		١.		1											
	Combination - Zone 1		1_	UNCVX	UEAL2	14 93	94 21	45 09			1	15 20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	05.05	04.04	45.00				45.00			ł	
_	2-WireVG Loop used with 2-wire VG Interoffice Transport		-	UNCVX	UEALZ	25 35	94 21	45 09				15 20				
	Combination - Zone 3		3	UNCVX	UEAL2	50 46	94 21	45 09				15 20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		Ť	0.1047	- 027.02	30 40	3721	45 03				13 20				
	Mile Per Month			UNCVX	1L5XX	0 013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	22 60	72 60	41 75		1		15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 144154	Is Charge		I	UNCVX	UNCCC		5 43	5 43				15 20				
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport	EROFF	ICE T	RANSPORT (EEL)												
1	Combination - Zone 1		1	UNCVX	UEAL4	30 81	94 21	45 09				40.00				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<del> - '</del>	UNCVA	OLAL4	30 61	94 21	45 09		-	<del> </del>	15 20				
	Combination - Zone 2		2	UNCVX	UEAL4	38 32	94 21	45 09				15 20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<del>  -</del>			50 52	5,12	40 05				13 20				
_	Combination - Zone 3		3	UNCVX	UEAL4	60 39	94 21	45 09				15 20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0 013										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			-												
	combination - Facility Termination per month			UNCVX	U1TV4	19 81	72 60	41 75				15 20				L.
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			LIMOVY	1,11,000	ĺ										
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	ETDAI	ISBOR	UNCVX	UNCCC		5 43	5 43				15 20				
	High Capacity Unbundled Local Loop - DS3 combination - Per	L IIIA	43F OR	(LEL)								-				
	Mile per month			UNC3X	1L5ND	10 04										
	High Capacity Unbundled Local Loop - DS3 combination -				1	10 04				<del> </del>					<del> </del>	<del>                                     </del>
	Facility Termination per month			UNC3X	UE3PX	362 34	188 45	125 51		1					1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6 04				1. "					İ	
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	850 45	296 68	121 16				15 20			L	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		Ì	LINGS.												
STG1 F	IS Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF	ICE TO	ANCE	UNC3X	UNCCC		5 43	5 43				15 20				
-   -   -	High Capacity Unbundled Local Loop - STS1 combination - Per	ICE IN	HIDE	UNI (EEL)	+					-					ļ.——	ļ
1	Mile per month		I	UNCSX	1L5ND	10 04				1	1			1	I	1

INBOND	_ED NETWORK ELEMENTS - Louisiana												Attachr			bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vs
		.				Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ	<del>                                     </del>				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS1 combination -	İ							1		ĺ				1	
	Facility Termination per month	- J		UNCSX	UDLS1	374 56	188 45	125 51			L					
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	1			1				ł I							
	per month		<del> </del>	UNCSX	1L5XX	6 04										
	Interoffice Transport - Dedicated - STS1 combination - Facility				l								!			
	Termination per month		ļ. <u> </u>	UNCSX	U1TFS	830 19	296 68	121 16				15 20				
1	Nonrecurring Currently Combined Network Elements Switch -As	S-							1							
2.14	Is Charge IRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPO	DT (FFI	<del></del>	UNCSX	UNCCC		5 43	5 43				15 20				
2-44	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	JK I (EEL	-)													
	Transport - Zone 1		1	UNCNX	U1L2X	22 09	94 21	45.00	1			45.00				1
-	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	+-	+ '-	DINCINA	10,127	22 09	94 21	45 09	+			15 20		1		$\vdash$
-	Transport - Zone 2		2	UNÇNX	U1L2X	35 28	94 21	45 09	1			15 20				1
_	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	+		0.10/11/	J.C2^	33 28	34 Z I	45 09	<del>                                     </del>		<del> </del>	10 20	-			<del> </del>
!	Transport - Zone 3		3	UNCNX	U1L2X	65 18	94 21	45 09				15 20				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	+	†	UNC1X	1L5XX	0 2652	J-21	-10 00	<del>                                     </del>		<del> </del>	13 23				<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 combintion - Facility		1		1										· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>
1	Termination per month			UNC1X	U1TF1	70 47	143 58	103 88				15 20			]	
	Channelization - Channel System DS1 to DS0 combination -									****					i	<b>†</b>
	per month			UNC1X	MQ1	105 09	59 97	12 96								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1														
	combination - per month		1	UNCNX	UC1CA	2 96	5 91	4 26							1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1							•					ļ	
	Combination - Zone 1		1_1_	UNCNX	U1L2X	22 09	94 21	45 09				15 20			1	
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1										ì	
	Combination - Zone 2		2	UNCNX	U1L2X	35 28	94 21	45 09			1.	15 20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1											
	Combination - Zone 3		3	UNCNX	U1L2X	65 18	94 21	45 09				15 20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2 96	5.04	4.00								
_	Nonrecurring Currently Combined Network Elements Switch -As		-	UNCNA	UCTCA	2 90	5 91	4 26			ļ					<del> </del>
	Is Charge	>-		UNC1X	UNCCC		5 43	5 43				15 20				
4-W	IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 I	NTEROE	FICE T	PANSPORT (EEL)	UNCCC		543	543	-			15 20				-
	First DS1 Loop in STS1 Interoffice Transport Combination -	1	T	I (LLL)	+											<del></del>
	Zone 1		1	UNC1X	USLXX	85 70	169 22	100 89	1			15 20				
	First DS1 Loop in STS1 Interoffice Transport Combination -	1	<del>                                     </del>	9.1011	1002701	50.10	.00 22	100 00			-	10 20	··			<del>                                     </del>
	Zone 2	1	2	UNC1X	USLXX	194 96	169 22	100 89				15 20				
	First DS1 Loop in STS1 Interoffice Transport Combination -	1														†
	Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89				15 20				1
1	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6 04										1
	Interoffice Transport - Dedicated - STS1 combination - Facility				1											
	Termination		ļ	UNCSX	U1TFS	830 19	296 68	121 16				15 20				İ
	STS1 to DS1 Channel System conbination per month		-	UNCSX	MQ3	201 48	107 05	48 07								<u> </u>
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination		1	UNC1X	UC1D1	11 78	5 91	4 26								
	Zone 1	-	1	UNC1X	USLXX	05.70	400.00	400.00								
_	Additional DS1Loop in STS1 Interoffice Transport Combination -		+ '	DINCIA	USLAA	85 70	169 22	100 89				15 20				
	Zone 2		2	UNC1X	USLXX	194 96	169 22	100 89				15.00				
	Additional DS1Loop in STS1 Interoffice Transport Combination -	.+	<del>  -</del>	311377	JOSEAN	154 30	109 22	100 89	<del> </del>			15 20			<del> </del>	
	Zone 3		3	UNC1X	USLXX	491 94	169 22	100 89				15 20			1	
	DS3 Interface Unit (DS1 COCI) combination per month	1	۳-	UNC1X	UC1D1	11 78	5 91	4 26			<b></b>	10 20			<del>                                     </del>	
	Nonrecurring Currently Combined Network Elements Switch -As	3-	1		120.01			7 20	<del> </del>						<del> </del>	
	Is Charge			UNCSX	UNCCC		5 43	5 43				15 20		İ		
4-W	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERC	OFFICE 1	RANS	PORT (EEL)		*		2.0	<del>                               </del>							
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			1							<u> </u>				<b> </b>	<b>—</b>
_	Combination - Zone 1	1	1	UNCDX	UDL56	30 99	94 21	45 09				15 20			1	
- F	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
- 1	Combination - Zone 2	1	2	UNCDX	UDL56	36 78	94 21	45 09				15 20			l	1

NRONDLE	D NETWORK ELEMENTS - Louisiana		_											ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Su p	ıbmitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		-	-	İ		Rec	Nonrec First	urning Add'I	Nonrecurring Disc		OMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	4 50 the standard for the first transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer transfer to the first transfer transfer to the first transfer tr	-	1				First	Addi	First F	Add'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38 92	94 21	45 09				15 20				ļ
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	UNCDA	- ODESO	30 92	34 21	45.05				13 20				1
	Per Mile		1	UNCDX	1L5XX	0 013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		İ		1.007.01										-	1
	Facility Termination			UNCDX	U1TD5	15 61	72 60	41 75				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-		1													<u> </u>
	Is Charge		1	UNCDX	UNCCC		5 43	5 43				15 20				1
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	FRANS	PORT (EEL)				••								
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1													
	Combination - Zone 1		1	UNCDX	UDL64	30 99	94 21	45 09				15 20				ļ. <u>.</u>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	LINGEN	LIDLO4	00.70	04.04	45.00		1		45.50				
-	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		-	UNCDX	UDL64	36 78	94 21	45 09				15 20				
	Combination - Zone 3		3	UNCDX	UDL64	38 92	94 21	45 09	i l			15 20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1.5	UNODA	ODEO	30.32	34 21	45 03				13 20				
	Per Mile	i		UNCDX	1L5XX	0 013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	15 61	72 60	41 75				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-		1								i					-
1	ls Charge			UNCDX	UNCCC		5 43	5 43				15 20				
	NETWORK ELEMENTS		}							1						
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge	loes not									
Nonre	curring Currently Combined Network Elements "Switch As Is"  Nonrecurring Currently Combined Network Elements Switch -As-		(One a	ipplies to each co	mbination)											
	Is Charge - 2 wire/4-Wire VG		ļ	UNCVX	UNCCC		5 43	5 43				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - 56/64 kbps			UNCDX	UNCCC		5 43	5 43				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			LINOAY			- 40	- 40								
	Nonrecurring Currently Combined Network Elements Switch -As-	<del> </del>		UNC1X	UNCCC		5 43	5 43				15 20				
	Is Charge - DS3			UNC3X	UNCCC		5 43	5 43				15 20	_			
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1	į		UNCSX	UNCCC			- 40								
NOTE	Local Channel - Dedicated Transport - minimum billing period	d Bala	W D02				5 43	5 43				15 20				<u> </u>
NOTE	Local Channel - Dedicated - 2-Wire Voice Grade	i - Beio		UNCVX	ULDV2	18 32	187 51	32 21						<u> </u>		
	Local Channel - Dedicated - 4-Wire Voice Grade		<u> </u>	UNCVX	ULDV4	19 41	187 94	32 63	-							
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	39 18	172 34	149 27	<del></del>			15 20				<del> </del>
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	121 58	172 34	149 27				15 20				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	70 02	172 34	149 27				15 20				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7 82					1					
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	469 44	438 46	256 30				15 20				
		ŀ		UNÇSX	1L5NC	7 82						15 20	-			
	Local Channel - Dedicated - STS-1- Per Mile per month			LINICEV	ULDFS	457 22	438 46	256 30								
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	- JOEDI S				1							
	Local Channel - Dedicated - STS-1 - Facility Termination nal Features & Functions:			UNCSX	OLDI 3											
MULT	Local Channel - Dedicated - STS-1 - Facility Termination nal Features & Functions:		Ė.		DEDI 3											
NOTE	Local Channel - Dedicated - STS-1 - Facility Termination nal Features & Functions: IPLEXERS minimum billing period is one month for DS1 to DS0 Channel			nterfaces				-								
NOTE	Local Channel - Dedicated - STS-1 - Facility Termination nal Features & Functions: IPLEXERS minimum bitling period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 and all			nterfaces System and inter	faces		20 44	60.76				15 20				
NOTE	Local Channel - Ded cated - STS-1 - Facility Termination hal Features & Functions: PILEXERS minimum billing period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 and all Channelization - DS1 to DS0 Channel System - DS1 to DS0 Channel System - per			nterfaces System and inter UXTD1	faces MQ1	105 09	88 41	60 76				15 20				
NOTE	Local Channel - Ded cated - STS-1 - Facility Termination al Features & Functions: PLEXERS minimum billing period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 and al Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			nterfaces System and inter	faces		88 41 6 39	60 76 4 58				15 20 15 20				
NOTE	Local Channel - Ded cated - STS-1 - Facility Termination al Features & Functions: PLEXERS minimum billing period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 and al Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			nterfaces System and inter UXTD1 UDL	faces MQ1 1D1DD	105 09	6 39	4 58				15 20				
NOTE	Local Channel - Ded cated - STS-1 - Facility Termination hal Features & Functions: PLEXERS minimum billing period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 and al Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month		hannel	nterfaces System and inter UXTD1 UDL UDN	faces MQ1 1D1DD	105 09 1 38 2 96	6 39 6 39	4 58 4 58				15 20 15 20				
MULT	Local Channel - Ded cated - STS-1 - Facility Termination al Features & Functions: PILEXERS minimum billing period is one month for DS1 to DS0 Channel minimum billing penod is three months for DS3 to DS1 and al Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month Voice Grade COCI - DS1 to DS0 Channel System - per month		hannel	nterfaces System and inter UXTD1 UDL UDN UEA	faces MQ1 1D1DD UC1CA 1D1VG	105 09 1 38 2 96 0 6497	6 39 6 39 6 39	4 58 4 58 4 58				15 20 15 20 15 20				
NOTE	Local Channel - Ded cated - STS-1 - Facility Termination hal Features & Functions: PLEXERS minimum billing period is one month for DS1 to DS0 Channel minimum billing period is three months for DS3 to DS1 and al Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month		hannel	nterfaces System and inter UXTD1 UDL UDN	faces MQ1 1D1DD	105 09 1 38 2 96	6 39 6 39	4 58 4 58				15 20 15 20				

Version 4Q02 12/18/02 Page 193 of 416

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachr	ment 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		
_							First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	DS3 Interface Unit (DS1 COCI) used with Local Channel per month									1		Ì		ĺ		
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			ULDD1	UC1D1	11 78	6 39	4 58					<u>-</u>			
	per month	ŀ		U1TD1	UC1D1	11 78	6 39	4 58								
	to DCS - Customer Reconfiguration (FlexServ)			OTIDI	OCIDI	11 70	6.39	4 30			ļ					
	oop Feeder											<del> </del>				<del> </del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG					<del> </del>	<del> </del>					<del></del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55 38	98 15	61 77			-			-		· · · · · · · · · · · · · · · · · · ·
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	167 83	98 15	61 77			1					<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	469 87	98 15	61 77		_						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG						1					
	OCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports										1					
	Although the Port Rate includes all available features in GA, I	(Y, LA	S TN, t	he desired feature	s will need to b	e ordered usin	g retail USOCs									
	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRI.	1 52	2 31	2 21				15 20				
	L . L			1												ſ
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 52	2 31	2 21				15 20				1
																1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 52	2 31	2 21				15 20				L
	Exchange Ports - 2-Wire VG unbundled LA extended local			LIEBOR												1
	dialing parity Port with Caller ID - Res  Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus			UEPSR	UEPAS	1 52	2 31	2 21				15 20				
	with Caller ID - Res (RUL)			UEPSR	LIEDAG	4.50	0.04	2.01								ĺ
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAG	1 52	2 31	2 21				15 20				ļ
	with Caller ID (LUM)			UEPSR	UEPAP	1 52	0.04	0.04								ı
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan			UEPSK	UEPAP	1 52	2 31	2 21				15 20				<del> </del>
	without Caller ID			UEPSR	UEPWG	1 52	2 31	2 21				45.00				İ
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			UEFOR	- OEFWG	1 32	231	221				15 20				-
	without Caller ID			UEPSR	UEPRQ	1 52	2 31	2 21			1	15 20				1
	2-Wire voice unbundled Low Usage Line Port without Caller ID		_	oci ox	OLI ING	1 32	23!	221			<del>                                     </del>	15 20				
	Capability		l	UEPSR	UEPRT	1 52	2 31	2 21			l	15 20				1
	Subsequent Activity			UEPSR	USASC	0 00	0.00	0 00				15 20				
FEATU	RES											10 20				
	All Available Vertical Features			UEPSR	UEPVF	0 00	0.00	0 00				15 20				
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				**		•									
	Bus			UEPSB	UEPBL	1 52	2 31	2 21				15 20				ı
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 52	2 31	2 21				15 20				l
																1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 52	2 31	2 21				15 20				i
	Exchange Ports - 2-Wire VG unbundled LA extended local															ſ
	dialing parity Port with Caller ID - Bus		1	UEPSB	UEPAX	1 52	2 31	2 21				15 20				1
	Exhange Ports - 2-Wire VG unbundled incoming only port with		ł		1 1											(
	Caller ID - Bus		1	UEPSB	UEPB1	1 52	2 31	2 21				15 20				1
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area		i													í
	Calling Port with Caller ID - Bus (BUC)		<b>i</b> ——	UEPSB	UEPAA	1 52	2 31	2 21				15 20				l
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan without Caller ID			UEPSB	UEPWH	4.50	0.54	0.00								i
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling			UELOR	UEPVVH	1 52	2 31	2 21				15 20				<del></del>
	Port without Caller ID		[	UEPSB	UEPBA	1 52	3 34	0.01				45.00				(
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLF SU	UEFBA	1 52	2 31	2 21				15 20				
	Capability			UEPSB	UEPBE	1 52	2 31	2 21				45.00				4
	Subsequent Activity		<del> </del>	UEPSB	USASC	0 00	0 00	0 00				15 20				
FEATU			<u> </u>	00.00	USASC	0 00	000	0.00		ļ	ļ	15 20				<del></del>
	All Available Vertical Features		<del></del>	UEPSB	UEPVF	0 00	0 00	0 00		ļ.	-	15 20				
<del></del>	NGE PORT RATES (DID & PBX)		<del> </del>	OLI 00	OL- VF	0 00 1	0.00	0.00				15 20				
EXCHA															1	

ומאוסמאור	ED NETWORK ELEMENTS - Louisiana				_					Ta = :	Ta = :		ment 2	<del>                                     </del>	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		1	Submitted Manually	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring Disconnect				Rates (\$)		
		}					First	Add'I	Fırst Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		<u> </u>	UEPSP	UEPPC	1 52	30 37	14 42		l	15 20				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 52	30 37	14 42			15 20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1		UEPSP	UEPP1	1 52	30 37	14 42			15 20		1		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<del> </del>	UEPSP UEPSP	UEPLD UEPL2	1 52	30 37 30 37	14 42 14 42			15 20		ļ		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports	┼	┼	UEPSP	UEPLD	1 52 1 52	30 37	14 42			15 20 15 20		<del>                                     </del>	-	
	2-Wire Vice Unbundled 2-Way PBX Usage Port	1	-	UEPSP	UEPXA	1 52	30 37	14 42			15 20		<del> </del>		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	+	<del> </del>	UEPSP	UEPXB	1 52	30 37	14 42		+	15 20		ļ	<b>.</b>	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1 52	30 37	14 42			15 20		-		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<del> </del>	+	UEPSP	UEPXD	1 52	30 37	14 42			15 20		<del> </del>		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1 -		52. 0.	DEI AB	. 02	- 00 01	14 42			10 20	••			
	Capable Port	1		UEPSP	UEPXE	1 52	30 37	14 42			15 20		1		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1	1										<u> </u>		
	Callling Port	1		UEPSP	UEPXK	1 52	30 37	14 42			15 20	1			1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											1	T	1	1
	Administrative Calling Port			UEPSP	UEPXL	1 52	30 37	14 42			15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1									1	
	Room Calling Port			UEPSP	UEPXM	1 52	30 37	14 42			15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				ì									1	
	Discount Room Calling Port		ļ	UEPSP	UEPXO	1 52	30 37	14 42		<u> </u>	15 20				
!	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local		]							1	1				
	Discount Calling Port		-	UEPSP	UEPXP	1 52	30 37	14 42		-	15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity	-	-	UEPSP UEPSP	UEPXS	1 52	30 37	14 42			15 20				
EEA	TURES		-	DEPSP	USASC	0 00	0 00	0 00			15 20			<del></del>	ļ
FEA	All Available Vertical Features	<del> </del>	-	UEPSP UEPSE	UEPVF	0 00	0 00	0 00		-	15 20				
EXC	HANGE PORT RATES (COIN)		1	OEFSF OEFSE	OEFVE	0 00	0 00	0.00			15 20				<del> </del>
	Exchange Ports - Coin Port	+				1 52	2 31	2 21			15 20				
NOT	E Transmission/usage charges associated with POTS circuit si	witched	usage	will also apply to c	ircuit switche			ed data transm	ussion by R-Channels assoc	iated with 2-	wire ISDN r	onts	<del></del>	<del> </del>	
NOT	E Access to B Channel or D Channel Packet capabilities will be	e availal	ble onl	v through BFR/New	Business Re	quest Process	Rates for the	packet canabi	lities will be determined via	the Bona Fic	le Request/	New Rusines	Request Pro	CESS	
NBUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)		T	i •		ľ					1			1	
EXC	HANGE PORT RATES									i			1		
	Exchange Ports - 2-Wire DID Port		l	UEPEX	UEPP2	8 29	115 85	18 20		1	15 20				
l	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID									1					
i	capability			UEPDD	UEPDD	68 47	196 18	92 92			15 20		1	İ	
	Exchange Ports - 2-Wire ISDN Port (See Notes below )			UEPTX UEPSX	U1PMA	10 07	70 76	51 46		1	15 20			_	
	All Features Offered	Ļ.,	J	UEPTX UEPSX	UEPVF	0 00	0.00	0 00		1	L				
NOT	E Transmission/usage charges associated with POTS circuit st	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transm	ission by B-Channels assoc	iated with 2-	wire ISDN p	orts			
NUI	Exchange Ports - 2-Wire ISDN Port Channel Profiles	e availal	ole onl	y inrough BFR/New	Business Re	quest Process.	Rates for the		lities will be determined via	the Bona Fig	ie R≏quest/l	New Business	s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port	+	-	UEPTX UEPSX UEPEX	U1UMA UEPEX	0 00 94 82	0 00	0 00		1	45.55		<b></b>	<b></b>	
LIME	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	<del> </del>	<del> </del>	UCPEX	TOEPEX	94 82	197 92	98 62	<del></del>	<del> </del>	15 20			<del> </del>	ļ
	UNDLED REMOTE CALL FORWARDING CAPABILITY  UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		<del> </del>		+	li				1			-	ļ	
0.40	Unbundled Remote Call Forwarding Service, Area Calling, Res	+	<del>                                     </del>	UÉPVR	UERAC	1 52	2 31	2 21		-	15.00		<del> </del>	-	-
	The rest of the re		<del> </del>	OLI VIX	DEIMO	1 52	231	2 21		-	15 20		1	<u> </u>	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	J		UEPVR	UERLC	1 52	2 31	2 21			15 20			!	
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 52	231	2 21		<del>                                     </del>	15 20			<u> </u>	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	<del> </del>	<b>†</b>	UEPVR	UERTR	1 52	2 31	2 21		<del> </del>	15 20		<del>                                     </del>	1	<del> </del>
Non	Recurring				1	· × -	201		<del></del>	<del>                                     </del>	1520		<del>                                     </del>	<del> </del>	<b>-</b>
	Unbundled Remote Call Forwarding Service - Conversion -	1								1	<b> </b>				
	Switch-as-is		L.	UEPVR	USAC2		0 10	0 10		i	15 20		1		1
	Unbundled Remote Call Forwarding Service - Conversion with									1	T			l	
l	allowed change (PIC and LPIC)			UEPVR	USACC		0 10	0 10	]				1	1	
			1							T				T	
UNB	UNDLED REMOTE CALL FORWARDING - Bus									1					
UNB					_				1	1			]	l	
UNB	UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 52	2 31	2 21		<u></u>	15 20				
UNB	Unbundled Remote Call Forwarding Service, Area Calling - Bus			_											
UNB				UEPVB UEPVB	UERAC UERLC UERTE	1 52 1 52 1 52	2 31 2 31 2 31	2 21 2 21 2 21			15 20 15 20 15 20				

UNBUNDLED NET	WORK ELEMENTS - Louisiana												Attachr	ment 2	Exhil	oit <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec			g Disconnect		DOM AN		Rates (\$)	COMAN	SOMAN
		L	<del> </del>				First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SUMAN
	lled Remote Call Forwarding Service, IntraLATA - Bus		ļ	UEPVB	UERTR	1 52	2 31	2 21				15 20		-		
	lled Remote Call Forwarding Service Expanded and	1		UEPVB	UERVJ	4.50	224	2 21	ŀ			15 20	·	1		
	on Local Calling			DEPVB	DEKAI	1 52	2 31	221				15 20		-		
Non-Recurring		-	-						-							
	fled Remote Call Forwarding Service - Conversion -			UEPVB	USAC2	l i	0 10	0 10			1	15 20	ļ			
Switch-	as-is  died Remote Call Forwarding Service - Conversion with			UEPVB	USACZ		0 10	0 10			+	15 20		<del></del>		
				UEPVB	USACC	1	0 10	0 10							'	
	change (PIC and LPIC)		┼	UEPVB	USACC		0 10	0 10			1					
	SWITCHING, PORT USAGE		<del> </del>													
	tching (Port Usage)		1			0.001868										
	fice Switching Function, Per MOU		+		-	0.001868			ļ		1			<del> </del>		
	fice Trunk Port - Shared, Per MOU	L	ļ		-	0 00018			l	-	-		<b> </b>			-
	hing (Port Usage) (Local or Access Tandem)		1			0.0004057			<u> </u>	<del> </del>			ļ	<del>                                     </del>		
	n Switching Function Per MOU	ļ	<del> </del>	<b></b>		0 0001067				<del> </del>		ļ	ļ <del></del>	l		-
	n Trunk Port - Shared, Per MOU	-	1			0 000222		· · · · · · · · · · · · · · · · · · ·	<u> </u>	1	+		ļ		ļ	
Common Tran			1							1	<del></del>			-		-
	on Transport - Per Mile, Per MOU					0 0000032										
	n Transport - Facilities Termination Per MOU	<u> </u>				0 0003748										
BUNDLED PORT/LO	OOP COMBINATIONS - COST BASED RATES									1						
Cost Based Ra	tes are applied where BellSouth is required by FCC ar	nd/or St	tate Co	mmission rule to	provide Unbun	dled Local Swit	ching or Swite	h Ports.		1		[ '				
Features shall	apply to the Unbundled Port/Loop Combination - Cos	t Raser	l Rate s	section in the sam	e manner as th	ev are applied t	o the Stand-A	lone Unbundle	ed Port section	n of this Rate	Exhibit					
End Office and The first and a	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr	sage rat														
End Office and The first and a 2-WIRE VOICE	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat														
End Office and The first and a 2-WIRE VOICE UNE Port/Loop	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates	sage rat														
End Office and The first and a 2-WIRE VOICE UNE Port/Loop 2-Wire	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) 0 Combination Rates VG Loop/Port Combo - Zone 1	sage rat	ombine			ned Combos th										
End Office and The first and a 2-WIRE VOICE UNE Port/Loop 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) o Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2	sage rat	ombine 1			ned Combos th										
End Office and The first and a 2-WIRE VOICE UNE Port/Loop 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3	sage rat	1 2			13 13 23 75										
End Office and The first and a 2-WIRE VOICE UNE Port/Loop 2-Wire 2-Wire 2-Wire 12-Wire UNE Loop Rate	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 es	sage rat	1 2 3	ed Combos For C	urrently Combi	13 13 23 75										
End Office and The first and a 2-WIRE VOICE UNE Port/Loop 2-Wire 2-Wire 2-Wire UNE Loop Rat	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) of Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 es Voice Grade Loop (SL1) - Zone 1	sage rat	1 2 3 1	ed Combos For C	UEPLX	13 13 23 75 49 62										
End Office and The first and a 2-WIRE VOICE UNE Port/Loop 2-Wire 2-Wire 12-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 es Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2	sage rat	1 2 3 1 2 2	UEPRX UEPRX	UEPLX UEPLX	13 13 23 75 49 62 11 77 22 39										
End Office and The first and a 2-WiRE VOICE UNE POrt/Loop 2-Wire 2-Wire UNIE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3	sage rat	1 2 3 1 1 2	ed Combos For C	UEPLX	13 13 23 75 49 62										
End Office and The first and a 2-WIRE VOICE UNE POrt/Loop 2-Wire 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 es Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 irade Line Port Rates (Res)	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	13 13 23 75 49 62 11 77 22 39 48 26	e nonrecurrin	g charges sha				- Currently				
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire Voice G [2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  strade Line Port Rates (Res)  voice unbundled port - residence	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13 13 13 23 75 49 62 11 77 22 39 48 26 1 36	e nonrecurrin	g charges sha				- Currently				
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates OG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 es Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 irade Line Port Rates (Res) voice unbundled port - residence voice unbundled port - residence	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85	19 08 19 08				- Currently				
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) 10 Combination Rates  O Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  session Sessio	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13 13 13 23 75 49 62 11 77 22 39 48 26 1 36	e nonrecurrin	g charges sha				- Currently				
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  voice Unbundled port - residence  voice unbundled port with Caller ID - res  voice unbundled port outgoing only - res  voice Grade unbundled point outgoing only - res  voice Grade unbundled point outgoing only - res  voice Grade unbundled Louisiana extended local dialing	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRC	13 13 13 13 13 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85	19 08 19 08				15 20 15 20 15 20					
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates  O Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irade Line Port Rates (Res)  voice unbundled port - residence  voice unbundled port outgoing only - res  voice Orade unbundled Louisiana extended local dialing out with Caller ID - res	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85	19 08 19 08				- Currently				
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire 12-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  voice Unbundled port - residence  voice unbundled port with Caller ID - res  voice unbundled port outgoing only - res  voice Grade unbundled point outgoing only - res  voice Grade unbundled point outgoing only - res  voice Grade unbundled Louisiana extended local dialing	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	13 13 13 13 13 13 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85	19 08 19 08				15 20 15 20 15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 12-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  voice unbundled port - residence  voice unbundled port with Caller ID - res  voice Grade unbundled port outgoing only - res  voice Grade unbundled Louisiana extended local dialing out with Caller ID - res  voice unbundled Dort - residence	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRC	13 13 13 13 13 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85	19 08 19 08				15 20 15 20 15 20					
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates  O Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irade Line Port Rates (Res)  voice unbundled port - residence  voice unbundled port outgoing only - res  voice Orade unbundled Louisiana extended local dialing out with Caller ID - res	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13 13 13 13 13 14 15 16 17 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	38 85 38 85 38 85 38 85	19 08 19 08 19 08				15 20 15 20 15 20					
End Office and The first and a 2-WiRE VOICE UNE POrtLoop 2-Wire (RUL) 2-Wire (LUM)	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dembination Rates  O Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Session State Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  rade Line Port Rates (Res)  voice unbundled port - residence  voice unbundled port with Caller ID - res  voice Grade unbundled Louisiana extended local dialing ort with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundles res, low usage line port with Caller ID	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	13 13 13 13 13 13 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85	19 08 19 08				15 20 15 20 15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (2-Wire 2-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  voice unbundled port - residence  voice unbundled port with Caller ID - res  voice unbundled port outgoing only - res  voice unbundled port outgoing only - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Diahing Plan  Voice Unbundles res, low usage line port with Caller ID	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13 13 13 13 13 13 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08				15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (RUL) 2-Wire (LUM) 2-Wire (LUM)	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 es Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 erade Line Port Rates (Res) voice unbundled port esidence voice unbundled port with Caller ID - res voice unbundled port outgoing only - res voice unbundled port esidence voice unbundled Louisiana extended local dialing out with Caller ID - res voice unbundled Louisiana Area Plus with Caller ID - res voice unbundled sers, low usage line port with Caller ID - res voice unbundled Louisiana Residence Dialing Plan Caller ID	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13 13 13 13 13 14 15 16 17 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	38 85 38 85 38 85 38 85	19 08 19 08 19 08				15 20 15 20 15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (RUL) 2-Wire (RUL) 2-Wire (LUM) 2-Wire (LUM) 2-Wire	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dembination Rates  O Combination Ra	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 16 16 17 17 17 17 17 17 17 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08				- Currently  15 20  15 20  15 20  15 20  15 20  15 20				
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire (2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 12-Wire 12-Wire 12-Wire 13-Wire 14-Wire 15-D Cap	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) of Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irade Line Port Rates (Res)  voice unbundled port - residence  voice unbundled port outgoing only - res  voice Grade unbundled Louisiana extended local dialing ort with Caller ID - res  voice unbundled port with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG	13 13 13 13 13 13 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08				15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 2-Wire 1-2-Wire (RUL) 2-Wire (LUM) 2-Wire (LUM) 2-Wire UD Capp	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irrade Line Port Rates (Res)  voice unbundled port with Caller ID - res  voice unbundled port with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity	sage rat	1 2 3 1 2 2	UEPRX G UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08				15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 12-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irrade Line Port Rates (Res)  voice unbundled port with Caller ID - res  voice unbundled port with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity  voice unbundled Louisiana Area Plus Port without Caller iblity	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRO UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 16 16 17 17 17 17 17 17 17 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08				- Currently  15 20  15 20  15 20  15 20  15 20  15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 13-Wire 14-Wire 15-Wire 10-Capabol FEATURES	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irade Line Port Rates (Res)  voice unbundled port - residence voice unbundled port outgoing only - res  voice orade unbundled Louisiana extended local dialing ort with Caller ID - res  voice unbundled port with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller ID  lity	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRO UEPRO UEPAS UEPAG UEPAG UEPAP UEPAP UEPAP UEPAP UEPAP UEPRO	13 13 13 13 13 13 13 13 13 13 13 13 13 1	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 12-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 13-Wire 14-Wire 15-Wire 15-Wire 16-Wire 17-Wire 18-Wi	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  OG Loop/Port Combo - Zone 1  Voice Oracle Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  stade Line Port Rates (Res)  voice unbundled port with Caller ID - res  voice unbundled port outgoing only - res  voice unbundled port outgoing only - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller ID  tures Offered	sage rat	1 2 3 1 2 2	UEPRX G UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-wirse Voice UNE Port/Loop 2-Wire 2-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 13-Wire 14-Wire 15-Capab 15-EATURES All Fea	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dembination Rates  O Combination Rates  O Combination Rates  O Combination Rates  O Combination Rates  VO Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Session Se	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAS UEPAG UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAP UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20				
End Office and The first and a 2-wirse Voice UNE Port/Loop 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 13-Wire 14-UIM) 12-Wire 15-UIM 15-UIM 16-UIM	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  session - Zone 1  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  voice unbundled port - residence  voice unbundled port with Caller ID - res  voice unbundled port with Caller ID - res  voice Grade unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller ID  lity  tures Offered  ER PORTABILITY  kumber Portability (1 per port)	sage rat	1 2 3 1 2 2	UEPRX X UEPLX UEPLX UEPRC UEPRO UEPRO UEPAS UEPAG UEPAG UEPAP UEPAP UEPAP UEPAP UEPAP UEPRO	13 13 13 13 13 13 13 13 13 13 13 13 13 1	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 12-Wire UNE Loop Rat 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 10-Capable FEATURES All Feat	I Tandem Switching Usage and Common Transport Us dditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dembination Rates  O Combination Rates  O Combination Rates  O Combination Rates  O Combination Rates  VO Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Session Se	sage rat	1 2 3 1 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAS UEPAG UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAP UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20				
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 13-Wire 14-Wire 15-Wire 16-Wire 16-Wire 17-Wire 18-Wire	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  session - Zone 1  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  voice unbundled port - residence  voice unbundled port with Caller ID - res  voice unbundled port with Caller ID - res  voice Grade unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Area Plus with Caller ID - res  voice unbundled Louisiana Residence Dialing Plan  Caller ID  Voice Unbundled Louisiana Residence Dialing Plan  Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability  voice unbundled Louisiana Area Plus Port without Caller ID  lity  tures Offered  ER PORTABILITY  kumber Portability (1 per port)	sage rat	1 2 3 1 2 2	UEPRX G UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAP UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire Voice UNE Port/Loop 2-Wire 12-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 13-Wire 14-Wire 15-Wire 16-Wire 17-Wire 18-Wire 18-Wire 19-	I Tandem Switching Usage and Common Transport Us diditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dembed on the Coop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 Sessive Combo - Zone 3 Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 Trade Line Port Rates (Res) Voice unbundled port - residence Voice unbundled port with Caller ID - res Voice Grade unbundled Louisiana extended local dialing ort with Caller ID - res Voice unbundled Louisiana Area Plus with Caller ID - res Voice unbundled Louisiana Residence Dialing Plan Caller ID Voice Unbundled Louisiana Area Plus Port without Caller ID Voice Unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice Unbundled Louisiana Area Plus Port without Caller ID voice Unbundled Louisiana Area Plus Port without Caller ID voice Unbundled Louisiana Area Plus Port without Caller ID voice Area Coller ID voice Grade Loop / Line Port Combination - Conversion -	sage rat	1 2 3 1 2 2	UEPRX G UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAP UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire VOICE UNE PORTLOOF 2-Wire (RUL) 2-Wire (RUL) 2-Wire (RUL) 2-Wire Mithout 2-Wire LUM) 2-Wire ID Cap. 2-Wire LOCAL NUMB LOCAL NUMB LOCAL NUMB LOCAL NONRECURRI 2-Wire Switch-	I Tandem Switching Usage and Common Transport Used dittional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) of Combination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  es  Voice Grade Loop (SL1) - Zone 1  Voice Grade Loop (SL1) - Zone 2  Voice Grade Loop (SL1) - Zone 3  irade Line Port Rates (Res)  voice unbundled port - residence voice unbundled port with Caller ID - res voice Grade unbundled Louisiana extended local dialing ort with Caller ID - res voice unbundled Louisiana Area Plus with Caller ID - res voice unbundled Louisiana Residence Dialing Plan Caller ID  Voice Unbundled Louisiana Residence Dialing Plan Caller ID  voice unbundled Louisiana Area Plus Port without Caller ability voice unbundled Louisiana Area Plus Port without Caller ID  tures Offered  ER PORTABILITY  Lumber Portability (1 per port)  NG CHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop / Line Port Combination - Conversion - as-is	sage ratify C	1 2 3 1 2 2	UEPRX S UEPAS UEPAG UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAP UEPWG UEPRO	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20 15 20					
End Office and The first and a 2-Wire VoiCE UNE Port/Loop 2-Wire 12-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 12-Wire 13-Wire 14-Wire 15-Wire 16-Wire 17-Wire 18-Wire 18-Wire 19-	I Tandem Switching Usage and Common Transport Us diditional Port nonrecurring charges apply to Not Curr GRADE LOOP WITH 2-WIRE LINE PORT (RES) Dembed on the Coop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 Sessive Combo - Zone 3 Voice Grade Loop (SL1) - Zone 1 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 2 Voice Grade Loop (SL1) - Zone 3 Trade Line Port Rates (Res) Voice unbundled port - residence Voice unbundled port with Caller ID - res Voice Grade unbundled Louisiana extended local dialing ort with Caller ID - res Voice unbundled Louisiana Area Plus with Caller ID - res Voice unbundled Louisiana Residence Dialing Plan Caller ID Voice Unbundled Louisiana Area Plus Port without Caller ID Voice Unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice unbundled Louisiana Area Plus Port without Caller ID voice Unbundled Louisiana Area Plus Port without Caller ID voice Unbundled Louisiana Area Plus Port without Caller ID voice Unbundled Louisiana Area Plus Port without Caller ID voice Area Coller ID voice Grade Loop / Line Port Combination - Conversion -	sage ratify C	1 2 3 1 2 2	UEPRX S UEPAS UEPAG UEPAG UEPRO UEPAG UEPAG UEPAG UEPAG UEPAP UEPWG UEPRO	13 13 13 13 13 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85 38 85	19 08 19 08 19 08 19 08 19 08 19 08 19 08 19 08	I be those ide			15 20 15 20 15 20 15 20 15 20 15 20 15 20 15 20					

Version 4Q02 12/18/02 Page 196 of 416

BUNDLED	NETWORK ELEMENTS - Louisiana												Attachr	nent 2	Exhil	bit B
			1			•					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
		İ									Submitted	Suhmitted	Charge -	Charge -	Charge -	Charg
1		1									Elec	Manually		Manual Svc	Manual Svc	
EGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								1
EGORI	RATE ELEMENTS	m	Zone	1 203	0300			IVALES (4)			perLSR	per LSR	Order vs	Order vs	Order vs.	Order v
1											1		Electronic-	Electronic-	Electronic-	Electron
1		1											1st	Add'l	Disc 1st	Disc Ad
- 1											i		150	Addi	Disc ist	DISC AC
1 1	·		1				Nonrec	umna	Nonrecurrin	g Disconnect	1		OSS	Rates (\$)		
++		-	_			Rec	First	Add'l	Fırst	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
		<del>                                     </del>	<b>-</b>				FIISL	Addi	FIFSL	Audi	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMA
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		ì		1					1		1			
	Activity			UEPRX	USAS2	0.00	0 00	0.00			1	15 20	1			
2-WIRE V	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)										1		1			
	t/Loop Combination Rates		1								1					
	2-Wire VG Loop/Part Combo - Zone 1	_	1	<del> </del>		40.45		-		<del> </del>	<del></del>		·			
						13 13					1					
2	2-Wire VG Loop/Port Combo - Zone 2		2	1		23 75					1		ļ		20 00	
2	2-Wire VG Loop/Port Combo - Zone 3		3	1		49 62					1					
UNE Loo				<u> </u>							<del></del>					
			<b>+</b>	WEDDY.	LIEDLY .	44.77					-					ļ
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPBX	UEPLX	11 77										
2	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22 39						į				
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48 26										
	oice Grade Line Port (Bus)		<del>-</del> -	1				-		<del> </del>	<u> </u>	l	-			-
		-	-	HEDDY	-luc pp:			10.00		+		,= =				ļ
	2-Wire voice unbundled port without Caller ID - bus	1	<u> </u>	UEPBX	UEPBL	1 36	38 85	19 08			L	15 20				L
	2-Wire voice unbundled port with Caller + E484 ID - bus	]		UEPBX	UEPBC	1 36	38 85	19 08				15 20				
2	2-Wire voice unbundled port outgoing only - bus	1		UEPBX	UEPBO	1 36	38 85	19 08		1	1	15 20				
	2-Wire voice Grade unbundled Louisiana extended local dialing		<del>                                     </del>	- =:- <del></del>	1	, 55	00 00		_	1	1	10 20				<b>-</b>
		1	1	LIEBBY	luen.		1			1						1
	parity port with Caller ID - bus	1		UEPBX	UEPAX	1 36	38 85	19 08		L		15 20		L		L
] [2	2-Wire voice unbundled incoming only port with Caller ID - Bus	1		UEPBX	UPEB1	1 36	38 85	19 08				15 20				I
2	2-Wire voice unbundled Louisiana Bus Area Calling Port with										T					
	Caller ID (BUC)			UEPBX	UEPAA	1 36	38 85	19 08				45.00				
		-	-	UEFBA	UEFAA	1 30	30 00	19 00				15 20				
	2-Wire Voice Unbundled Louisiana Business Dialing Plan													1		
l w	vithout Caller ID			UEPBX	UEPWH	1 36	38 85	19 08			1	15 20	!	į		
1 2	2-Wire voice unbundled Louisiana Business Area Calling Port		<del>                                     </del>									1025				
					1						ì		!			
	without Caller ID Capability	L		UEPBX	UEPBA	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled Incoming Only Port without Caller ID		İ			1										
l lo	Capability			UEPBX	UEPBE	1 36	38 85	19 08			1	15 20				
LOCAL	NUMBER PORTABILITY	t	1			, 55		10.00				10 20				
	ocal Number Portability (1 per port)		<del> </del>	UEPBX	LNPCX	2.05										
				CEPBX	LNPCX	0 35				ļ						
FEATUR										1						
A	NI Features Offered			UEPBX	UEPVF	0.00	0 00	0.00			1	15 20				
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1							t						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	-							<del></del>						
		l								i						ì
	Switch-as-is			UEPBX	USAC2		0 10	0 10		l .		15 20				
2-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0 10	0 10				15 20				
	NAL NRCs	<del></del>	<del>                                     </del>	32. BA	100,000		0 10			<u> </u>	-	15 20				-
				<u> </u>								ļ. <u></u>				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	1	1			T								
I la	Activity		1	UEPBX	USAS2		0.00	0 00			1	15 20				
2-WIRE V	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<b></b>	1	<del></del>	1		- 50			<u> </u>	<del>                                     </del>		<b>——</b>			
	t/Loop Combination Rates	<del></del>	+		<del></del>					-	<b>—</b>		-			
			٠							ļ	ļ					
	2-Wire VG Loop/Port Combo - Zone 1	L	1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23 75							T			
1 5.	2-Wire VG Loop/Port Combo - Zone 3		3			49 62		——— <del> </del>		1-					· · · · · · · · · · · · · · · · · · ·	<b></b>
UNE Loo			+ -	<del> </del>	1	45 02				- <del> </del>	1		ļ			
			Ь—							L						
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	ÜÉPRG	UEPLX	11 77										
2	P-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22 39					1			•		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48 26				<del>                                     </del>	1					<del></del>
	oice Grade Line Port Rates (RES - PBX)		+-	32. NO	JULI LA	40 20				+						-
			Ь—							1	<u> </u>					
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1		1	T		T								
R	Res		1	UEPRG	UEPRD	1 36	66 91	31 29				15 20				
LOCAL N	NUMBER PORTABILITY		t	<u> </u>	1	. 50		5.20		<del> </del>		.5.20				
		<del>                                     </del>	┼	tirnno	LVIDOS	2.15				<del> </del>	<b>.</b>					
	ocal Number Portability (1 per port)	L		UEPRG	LNPCP	3 15	0 00	0.00				15 20				
FEATURE			<u> </u>			T										
A	VI Features Offered			UEPRG	UEPVF	0 00	0 00	0 00		1		15 20				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del> </del>		125	- 500	5.00	0.00		<del> </del> -	<b>!</b>	19 20	-			-
				<del></del>							ļ	L				<b></b>
	-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	l	1		1		T								
l c	Conversion - Switch-As-Is	l	1	UEPRG	USAC2	1	7 68	1 85				15 20				
	P-Wire Voice Grade Loop/ Line Port Combination (PBX) -		T	t	- <del>   </del>	-				<del></del>	<del></del>	15.25				
	: Grade Edop: Elife Fort Combination (FDA) -	ı	1	F		- 1				1	1			,		1

UNRUNDIE	D NETWORK ELEMENTS - Louisiana												Attachi	ment 2	Exhil	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
r						Rec	Nonrec	urnng	Nonrecurrin	g Disconnect				Rates (\$)		
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00				15 20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1				7 11	7 11				15 20				
- Lange	Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-	<del></del>				7 11			<del>†</del>	10 20	<del> </del>	-		<b>†</b>
UNE D	ort/Loop Combination Rates	ļ	+											<del></del>		†
UNEF	2-Wire VG Loop/Port Combo - Zone 1		1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23 75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49 62					T					
UNF L	pop Rates			1	1 -											
	2-Wire Voice Grade Loop (SL 1) - Zone 1			ÜEPPX	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	22 39						L				1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48 26										ļ
2-Wire	Voice Grade Line Port Rates (BUS - PBX)										1				<u> </u>	<del> </del>
					1							45.00	1	1	1	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPPX	UEPPC	1 36	66 91	31 29				15 20				<del></del>
	Line Side Unbundled Outward PBX Trunk Port - Bus	ļ		UEPPX	UEPPO	1 36	66 91	31 29			-	15 20				4
	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPPX	UEPP1	1 36	66 91	31 29			-	15 20				<del></del>
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			LIEBBY	LIEDI O	4.00	66.04	31 29			1	15 20		1		
	Calling Port		∔	UEPPX UEPPX	UEPL2 UEPLD	1 36 1 36	66 91 66 91	31 29				15 20		-		+
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPXA	1 36	66 91	31 29				15 20	<del> </del>	-		+
<del></del>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<b>+</b>	-	UEPPX	UEPXB	1 36	66 91	31 29			+	15 20	-		<del> </del>	+
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ. —	+	UEPPX	UEPXC	1 36	66 91	31 29			+ -	15 20				†
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>	+	UEPPX	UEPXD	1 36	66 91	31 29	-	1		15 20	_			1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del> </del>	1	OLFFA	OLF AD	- 130	.00 51	0123		1		1020		<b>†</b>		1
	Capable Port		ļ	UEPPX	UEPXE	1 36	66 91	31 29	ļ	1		15 20		ļ		
	2-Wire Voice Unbundted 2-Way PBX Louisiana Local Optional	-	<del> </del>	OLI I A	- OLI AL			V			-	1			-	
	Calling Port		i	UEPPX	UEPXK	1 36	66 91	31 29				15 20		1		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<b>-</b>	+													Ī
1	Administrative Calling Port			UEPPX	UEPXL	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	Ì		UEPPX	UEPXM	1 36	66 91	31 29		L		15 20				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital											45.00				
	Discount Room Calling Port		1	UEPPX	UEPXO	1 36	66 91	31 29	_	-		15 20	<del></del>	<u> </u>		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local				LIEDVID.	4.00	55.04	31 29	ì			15 20		1		
	Discount Calling Port		1	UEPPX	UEPXP	1 36 1 36	66 91 66 91	31 29				15 20				+
1.004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY	-	+	UEPPX	UEPXS	, 30	60 91	31 29	-	-	+	10 20			1	-
LUCA	Local Number Portability (1 per port)		<del> </del>	UEPPX	LNPCP	3 15	0 00	0 00			+	15 20	<del> </del> -		1	
FEAT		<del> </del>	-	UEPPA	LINECE	3 13	0.00	0.00		+	<del> </del>	15 20	<del> </del>		<b></b>	
FEAT	All Features Offered	-	+	UEPPX	UEPVF	0 00	0 00	0.00				15 20	-			+
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del> </del>		OLITA TOTAL	021 11	- 000	0.00				1			1		
, and a	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del> </del>	†						_		-	1	1			1
	Conversion - Switch-As-Is		1	UEPPX	USAC2		7 68	1 85				15 20	1			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													T
1	Conversion - Switch with Change			UEPPX	USACC		7 68	1 85		i		15 20		1		
ADDIT	IONAL NRCs												ļ <u>.</u>			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00			1	15 20	1			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			ì	- 1	<u> </u>						45.00		1		
	Group	<u></u>	1-				7 11	7 11	<u> </u>			15 20	<del> </del>	-	+	+
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT	1_	ļ						<b>_</b>	+	<del> </del>	1	+	ļ .——	+
UNE F	ort/Loop Combination Rates	1	1.	1	_	40.00					+	<del> </del>	<del> </del>	<del> </del>	<del> </del>	+
	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1	ļ		13 13		-	<b></b>		+	<del> </del>	<del>                                     </del>	+	+	+
$\vdash$	2-Wire VG Coin Port/Loop Combo – Zone 2	-	2			23 75		-	<b> </b>	<del> </del> -	-		+	1	+	+
	2-Wire VG Coin Port/Loop Combo – Zone 3	+	3			49 62		-	<del>                                     </del>	-	+	<del> </del>	+		<del>                                     </del>	+
UNE	oop Rates		ا	.1		L		L	<u> </u>					<u> </u>		

OMBONDED	NETWORK ELEMENTS - Louisiana		,											ment <sup>.</sup> 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES (\$)	N			Suhmitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
	<del>*</del>					Rec	First	Add'l	First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
1 12	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11 77	11/31	Auu	11131	Audi	JOHEC	JOWAN	JUNIAN	SOMAN	SOMAN	SOWAN
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX	22 39				<del> </del>	+					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48 26				1				ļ		
	/orce Grade Line Ports (COIN)			DEFCO	JOEPLA	40 20										<del></del>
	2-Wire Coin 2-Way without Operator Screening and without									<del> </del>						
ا ا	Blocking (AL, KY, LA, MS)		Į.	UEPCO	UEPRE	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,			00,00	OLFIN	1 30	30 00	19 05				15 20				L
	900/976, 1+DDD (AL, KY, LA, MS)		]	UEPCO	UEPRA	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		<del> </del>	00,00	OLFION	1 30	. 30 65	19 00			<del></del>	15 20				1
	(AL, LA, MS)			UEPCO	UEPRB	1 36	38 85	19 08				15 20				1
	2-Wire Coin 2-Way with Operator Screening & Blocking			DEFCO	UEFRB	1 30	30 00	19 06			+	15 20				
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		ŀ	UEPCO	UEPCD	1 36	38 85	19 08			1	15 20				
	2-Wire Coin Outward without Blocking and without Operator		<del> </del>	OLF CO	OLF CD	1 30	30 00	19 00				15 20				
	Screening (KY, LA, MS)			UEPCO	UEPRN	1 36	38 85	19 08			i :	45.00				
	2-Wire Coin Outward with Operator Screening and 011 Blocking	<b> </b>		DEFCO	UEFRIN	1 30	30 03	18 00				15 20			,	
	(LA)	1		UEPCO	UEPLA	1 36	38 85	19 08				45.00				
	2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPLA	1 30	38 85	19 08		-		15 20				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			LIEBOO	lucopu.	4.00	20.05	40.00								1
			-	UEPCO	UEPRH	1 36	38 85	19 08				15 20				
	2-Wire Coin Outward Operator Screening & Blocking 900/976,			LIEBOO												ĺ
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1 36	38 85	19 08				15 20				1.
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPÇO	UEPCB	1 36	38 85	19 08				15 20				
	DNAL UNE COIN PORT/LOOP (RC)			l												1
	JNE Com Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 81	0 00	0 00	0 00	0 00		15 20				
	NUMBER PORTABILITY															
<u> </u>	ocal Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					1										
	Switch-as-is			UEPCO	USAC2		0 10	0 10				15 20			ľ	l .
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -													·		
	Switch with change			UEPCO	USACC		0 10	0 10				15 20				l .
	NAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0 00	0 00		ř		15 20				l .
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE P	ORT (	RES)												ſ
	t/Loop Combination Rates										T			-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16 45					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26 87										i
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51 98	-									
	p Rates															ſ
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14 93		· <del>-</del>								(
	2-Wire Voice Grade Loop (SL2) - Zone 2	_	2	UEPFR	UECF2	25 35				-						(
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50 46						-				r
	oice Grade Line Port Rates (Res)					1	-			_						
2	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 52	104 41	67 93				15 20				
2	2-Wire voice unbundled port with Caller ID - res			ÜEPFR	UEPRC	1 52	104 41	67 93				15 20				
2	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 52	104 41	67 93				15 20				
2	2-Wire voice Grade unbundled Louisiana extended local dialing							0. 55				10 20				·
	parity port with Caller ID - res			UEPFR	UEPAS	1 52	104 41	67 93				15 20				i
2	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			<u> </u>	1 - 1 - 1			5. 55			1	10 20				
	RUL)			UEPFR	UEPAG	1 52	104 41	67 93				15 20				i
2	2-Wire voice unbundles res, low usage line port with Caller ID			† · · · · · · · · · · · · · · · · · · ·		. 52	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0, 93				10 20				
	LUM)			UEPFR	UEPAP	1 52	104 41	67 93				15 20				i
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan				192.7	1 32	10441	01 93				10 20				<b>—</b>
	vithout Caller ID			UÉPFR	UEPWG	1 52	104 41	67 93				15 30				í
	FFICE TRANSPORT			OL) TIX	- JUEF WO	1 32	104 41	67 93			<del>                                     </del>	15 20				·
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility			1	<del></del>											<del></del>
	Fermination			UEPFR	1,450	22.25										ı .
	on monor			JUEPFK	U1TV2	22 60	39 36	26 62		L		15 20				

NDONDE	ED NETWORK ELEMENTS - Louisiana												Attach	ment 2	Exhil	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		1	UEPFR	11 500	0.012										
CEAT	URES		-	UEPFR	1L5XX	0 013										ļ
FEAT	All Features Offered		1	UEPFR	UEPVF	0.00	0 00	0.00		<u> </u>		15 20				
LOCA	L NUMBER PORTABILITY	-	<del> </del>	ULFTR	UEFVI	0 00		0 00				15 20				
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35				ļ	<del> </del>					
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLI TIX	- LIVI OX	.0 33					-					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is		ŀ	UEPFR	USAC2	i	8 24	1 81				15 20		1		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del>                                     </del>	J	00/102		0 24			+		13 20				
	Combination - Conversion - Switch-With-Change			UEPER	USACC		8 24	1 81			1	15 20		ł		
2-WIF	E VOICE LOOP! 2WIRE VOICE GRADE IO TRANSPORT! 2-WIRE	LINE	ORT (	BUS)	120,000							10.20				
	Port/Loop Combination Rates	1	Τ ,								<del> </del>					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16 45		-								-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26 87										<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51 98										
UNE	oop Rates								***							
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14 93								İ -		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25 35			·· <del>-</del> ·							·
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	ÜEPFB	UECF2	50 46									-	
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 52	104 41	67 93				15 20				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 52	104 41	67 93				15 20				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 52	104 41	67 93		İ		15 20	-			
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus	ł		UEPFB	UĘPAW			į								1
	2-Wire voice Grade unbundled Louisiana extended local dialing		T													
	parity port with Caller ID - bus			UEPFB	UEPAX	1 52	104 41	67 93				15 20				ĺ
	2-Wire voice unbundled incoming only port with Caffer ID - Bus			UEPFB	UEPB1	1 52	104 41	67 93				15 20				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with															
	Caller ID (BUC)		<u> </u>	UEPFB	UEPAA	1 52	104 41	67 93				15 20				
- 1	2-Wire Voice Unbundled Louisiana Business Dialing Plan				1											
	without Catler ID			UEPFB	UEPWH	1 52	104 41	67 93				15 20				
LOCA	L NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										Ĺ.
INTE	ROFFICE TRANSPORT		<u> </u>													<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1 1						1					
	Termination			UEPFB	U1TV2	22 60	39 36	26 62				15 20				ļ
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1											1
	or Fraction Mile URES	-	<del>                                     </del>	UEPFB	1L5XX	0 013										
FEAT			1													
NONE	All Features Offered		<del> </del>	UEPFB	UEPVF	0 00	0 00	0 00				15 20				L
NUNE					+											ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is		1	UEDED		1					1					ĺ
+	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-		UEPFB	USAC2		8 24	1 81				15 20				ļ
	Combination - Conversion - Switch with change		1	UEPFB	USACC		0.04	4.04				45.00				1
2-WIE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		8 24	1 81				15 20				-
	Port/Loop Combination Rates				<del></del>	-										Ĺ
3142	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-	1		+ +	16 45				+	<del>                                     </del>	<del> </del>				
+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<del>-</del>	2		+	26 87					<del> </del>	<del></del>				-
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del></del>	3			51 98				<del> </del>	-					$\leftarrow$
UNE I	Loop Rates	-	· · · -			31 90					-			-		-
	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFP	UECF2	14 93	+				_					<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	25 35	+			+					-	
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	50 46				<u> </u>	<del>   </del>	<del></del>		-		<del></del>
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	1	Ť		320.2	30 40								<del></del>	<del></del>	<del> </del>
	,		<b>T</b>		<del> </del>									<del> </del>		t
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	Į.		UEPFP	UEPPC	1 52	132 47	82 14				15 20				

UNBUNDL	LED NETWORK ELEMENTS - Louisiana										.,			ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1				Rec	Nonrect		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 52	132 47	82 14				15 20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 52	132 47	82 14				15 20		···-··-		
1	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	-			1			00.11				45.00		ļ		
	Calling Port	1	ļ	UEPFP UEPFP	UEPL2 UEPLD	1 52 1 52	132 47	82 14 82 14				15 20 15 20		ļ		
	2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPFP	UEPLD	1 52	132 47	82 14				15 20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	-	UEPFP	UEPXB	1 52	132 47	82 14			<del> </del>	15 20		<del> </del>		<b></b>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	_	<del> </del>	UEPFP	UEPXC	1 52	132 47	82 14				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	+	<del> </del>	UEPFP	UEPXD	1 52	132 47	82 14			1	15 20		<u> </u>		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del> </del>	1			·			-	***	ļ .				1	
1	Capable Port			UEPFP	UEPXE	1 52	132 47	82 14				15 20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
L	Calling Port			UEPFP	UEPXK	1 52	132 47	82 14				15 20				1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l		$\neg$				<b>[</b>						
	Administrative Calling Port			UEPFP	UEPXL	1 52	132 47	82 14				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l		4.55	400.47	00.44				15 20				
	Room Calling Port			UEPFP	UEPXM	1 52	132 47	82 14				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		1	UEPFP	UEPXÓ	1 52	132 47	82 14			-	15 20		ì		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	+	<del> </del>	UCFFF	OEF AU	1 32	132 47	02 14			+	10 20	<del></del>			<del> </del>
	Discount Calling Port		1	UEPFP	UEPXP	1 52	132 47	82 14				15 20		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPFP	UEPXS	1 52	132 47	82 14			1	15 20	l		-	
LOC	CAL NUMBER PORTABILITY	+	+	02.11	102170		102 17	32 11			<del></del>					
	Local Number Portability (1 per port)	+		UEPFP	LNPCP	3 15	0.00	0.00				15 20				
INTE	EROFFICE TRANSPORT	_														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1										ļ — — — — — — — — — — — — — — — — — — —			
ļ	Termination			UEPFP	U1TV2	22 60	39 36	26 62			į	15 20	·			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	9	1								i		İ	1		
	or Fraction Mile			UEPFP	1L5XX	0 013					<u> </u>					
FEA	ATURES											15.00	ļ			
	All Features Offered			UEPFP	UEPVF	0 00	0 00	0 00			<del>                                     </del>	15 20				
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		UEPFP	USAC2		8 24	1 81				15 20	-			
	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+		UEPFP	USACZ		0 24	101			+	13 20				<del> </del>
	Combination - Conversion - Switch with change	1		UEPFP	USACC		8 24	1 81				15 20				1
MRUNDI E	ED PORT/LOOP COMBINATIONS - COST BASED RATES	-	1	OLFTF	03700		027	101		-	<del>                                     </del>	10.20				
	VIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	K PORT	-											<del>                                     </del>		
	E Port/Loop Combination Rates	1								_						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23 20							L			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			33 62										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			58 73	·									
UNE	E Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14 93						15 20				ļ
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	<del> </del>	2	UEPPX	UECD1	25 35					ļ	15 20		ļ		
1111	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	+	3	UEPPX	UECD1	50 46			_		ļ	15 20				
UNE	E Port Rate  Exchange Ports - 2-Wire DID Port		╄	UEPPX	UEPD1	8 27	217 95	83 92			-	15 20			<u> </u>	ļ
NON	NRECURRING CHARGES - CURRENTLY COMBINED	+	<del> </del>	DEPT.	UEFU!	0 21	217 95	03 92		<del>                                     </del>	<del> </del>	15 20	<del> </del>		<del>                                     </del>	<del> </del>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination		+	<del>                                     </del>			-	<del></del>		<del>                                     </del>		<del> </del>	<del> </del>		1	·
-	Switch-as-is		1	UEPPX	USAC1		7 10	1 81		1		15 20				1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	+	1	† <del></del>	1						+	1	<u> </u>	1		1
ļ	with BellSouth Allowable Changes			UEPPX	USA1C		7 10	1 81	1	1		15 20		1		
ADE	DITIONAL NRCs		1		1						1		l	1		
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		1	UEPPX	USĀS1		26 01	26 01	1			15 20				Ι"
Tele	ephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00				15 20			1	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00				15 20				
	DID Numbers, Non- consecutive DID Numbers, Per Number	1	1	UEPPX	ND5	0 00	0 00	0 00				15 20		L		

Version 4Q02 12/18/02 Page 201 of 416

UNBUNDLED NET	TWORK ELEMENTS - Louisiana													Attachi	ment 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone		BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sy Order vs Electronic Disc Add
							Rec	Nonred			g Disconnect				Rates (\$)		
				[				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Resen	ve Non-Consecutive DID numbers			UEPPX		ND6	0 00	0 00	0 00				15 20				
	ve DID Numbers			UEPPX		NDV	0 00	0 00	0 00		<u></u>	ļ	15 20				
	BER PORTABILITY																
	Number Portability (1 per port)			UEPPX		LNPCP	3 15	0 00	0 00			1					
	DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	NE SIDE	PORT	Γ								<del> </del>					ļ
	p Combination Rates	_										1					<del></del>
UNE Z			1	UEPPB	UEPPR		27 48										
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE Z	Zone 2		2	UEPPB	UEPPR		40 34										
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	Zone 3		3	UEPPB	UEPPR		70 99										
UNE Loop Ra			ļ									ļ					
2-Wire	ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 09						15 20				
	100110 110 111 1115 2		١.					ļ			ļ						1
	ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB_	UEPPR	USL2X	31 95						15 20				
	ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62 60						15 20				
UNE Port Rate				115000				107.12			<u> </u>						
	nge Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8 39	184 10	128 42				15 20				
	ING CHARGES - CURRENTLY COMBINED											ļ					-
2-Wire	ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																I
ADDITIONAL I	nation - Conversion			UEPPB	UEPPR	USACB	0 00	37 40	26 23				15 20				
	NRCS BER PORTABILITY			<b>├</b>													
		-		LIEDDD		LNDGV											
	Number Portability (1 per port)  JSER PROFILE ACCESS	-		UEPPB	UEPPR	LNPCX	0 35	0 00	0.00			<del>                                     </del>					
	SD (DMS/5ESS)			115000	HERRA	14416.			0.00			1					
CVS (E				UEPPB	UEPPR	U1UCA U1UCB	0 00	0 00	0 00								
CSD	-WSD)			UEPPB UEPPB	UEPPR	U1UCC	0 00	0 00	0 00								
	AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS SO	T MAC 9	TAIL	UEPPB	UEPPR	UTUCC	0 00	0 00	0 00		-						
	SD (DMS/5ESS)	, IVI 3, Q	IN)	UEPPB	UEPPR	U1UCD	0 00	0 00	0 00								
CVS (E	FWSD)			UEPPB	UEPPR	U1UCE	0 00	0 00	0.00			<del>                                     </del>					
CSD			-	UEPPB	UEPPR	U1UCF	0 00	0 00	0 00			1					
USER TERMIN	VAL PROFILE			OLFFO	OEFFR	OTOGE	0 00	0.00	0 00			1					
	erminal Profile (EWSD only)	-	$\overline{}$	UEPPB	ÜEPPR	U1UMA	0.00	0 00	0 00			-					
VERTICAL FE	ATURES			OL. I D	OLI I IX	OTOMA	0 00	- 00	0.00								
All Vert	tical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0 00	0.00			<del></del>	15 20				
INTEROFFICE	CHANNEL MILEAGE					<u> </u>		- 000				<del> </del>	15 20				
Interoff	fice Channel mileage each, including first mile and												——f		-		
facilitie:	s termination			UEPPB	UEPPR	M1GNC	22 613	39 36	26 62				15 20			İ	
	fice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0 00			<del></del>	15 20				
	IGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT										<u> </u>	10 20				
	p Combination Rates													+			
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											1					
Zone 1		ł	1	UEPPP			180 52						1	-	i		
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 2			2	UEPPP			289 78	i						ļ	I	- 1	
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 3			3	UEPPP			586 76							I	}	I	
UNE Loop Rat												1		<del></del>	<del></del>		
4-Wire	DS1 Digital Loop - UNE Zone 1	I		UEPPP		USL4P	85 70						15 20		-	- 1	
4-Wire	DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	194 96						15 20		-	_	
4-Wire	DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491 94						15 20				
UNE Port Rate																	
	nge Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	94 82	443 08	251 60				15 20				
NONRECURRI	NG CHARGES - CURRENTLY COMBINED																
4-Wire	DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	i	1														
Combin	nation - Conversion -Switch-as-is			UEPPP		USACP	0 00	115 63	76 29				15 20	- 1	ĺ	[	
ADDITIONAL N	NRUS		I														

UNBUNDLED NETWORK ELEMEN	NIS - Louisiana							<b></b>				_	nent: 2		bit B
ATEGORY RAT	TE ELEMENTS Inter	LZONE	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
					Rec	Nonrec		Nonrecurring					Rates (\$)		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NE STIE	<del>_</del>	ļ			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inward/two way Tet Nos (e	N Digit Trk Port - Subsqt Actvy-		UEPPP	PR7TF		0 48					15 20				
	ISDN DS1 Digital Trunk Port -	-	UEPPP	PR/IF		0 46					15 20				ļ
Outward Tel Numbers (All		1	UEPPP	PR7TO		11 18	11 18	1			15 20				
	SDN DS1 Digital Trk Port -	+		-1							,5 20				!
Subsequent Inward Tel Nu			UEPPP	PR7ZT	1	22 35	22 35				15 20				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1	per port)		UEPPP	LNPCN	1 75										
INTERFACE (Provsioning Only)															
Voice/Data			UEPPP	PR71V	0.00	0 00	0 00								
Digital Data			UEPPP	PR71D	0 00	0 00	0 00								
Inward Data			UEPPP	PR71E	0 00	0 00	0 00					···			
New or Additional "B" Channel New or Additional - Voice/D	ote B Channel		UEPPP	PR7BV	0 00	14 11		ļ			40.00				
New or Additional - Voice/L											15 20				
New or Additional Inward D		-	UEPPP UEPPP	PR7BF PR7BD	0 00	14 11					15 20			<del></del>	
CALL TYPES	vata D Originates	+-	OLFFF	LLK/BD	0 00			<del></del>			15 20				
Inward		_	ÜEPPP	PR7C1	0 00	0.00	0.00						~		
Outward		<del></del> -	UEPPP	PR7C0	0 00	0 00	0 00	<del></del>							
Two-way			UEPPP	PR7CC	0 00	0 00	0 00			<del>                                     </del>					
Interoffice Channel Mileage										1					
Fixed Each Including First	Mile		UEPPP	1LN1A	70 7352	86 69	79 44				15 20				
Each Airline-Fractional Add			UEPPP	1LN1B	0 2652										
4-WIRE DS1 DIGITAL LOOP WITH															
UNE Port/Loop Combination Rate									-			, <u>-</u> -			
4W DS1 Digital Loop/4W D	DITS Trunk Port - UNE Zone 1	1	UEPDC		154 17						15 20				
4W DS1 Digital Loop/4W D	DITS Trunk Port - UNE Zone 2	2	UEPDC		263 43						15 20				
	DITS Trunk Port - UNE Zone 3	3	UEPDC		560 41						15 20				
UNE Loop Rates	115 2	4.													
4-Wire DS1 Digital Loop - L 4-Wire DS1 Digital Loop - L		1 2	UEPDC UEPDC	USLDC	85 70			L			15 20				
4-Wire DS1 Digital Loop - U		3	UEPDC	USLDC	194 96 491 94						15 20				
UNE Port Rate	JINE ZOITE 3	- 3	UEPUC	USLUC	49194						15 20				
4-Wire DDITS Digital Trunk	Port		UEPDC	UDD1T	68 47	441 34	245 90				15 20				
NONRECURRING CHARGES - CU		+-	OCT DO	ODDII	00 47	44134	243 90				15 20				
	l-Wire DDITS Trunk Port Combination	+	<del> </del>	<del>                                     </del>				<del>-</del> -		i!					
- Switch-as-is			UEPDC	USAC4		125 75	65 08			lĺ	15 20				
4-Wire DS1 Digital Loop / 4	-Wire DDITS Trunk Port Combination									·····	10 20				
- Conversion with DS1 Cha	inges		UEPDC	USAWA		125 75	65 08				15 20				
	-Wire DDITS Trunk Port Combination														
- Conversion with Change -	- Trunk		UEPDC	USAWB		125 75	65 08				15 20				
ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire D															
Subsequent Channel Active	ation/Chan - 2-Way Trunk		UEPDC	UDTTA		14 06	14 06				15 20				
4-Wire DS1 Loop / 4-Wire D	ODITS Trunk Port - Subsequent	1	l	1 1											
Channel Activation/Chan -	1-Way Outward Trunk		UEPDC	UDTTB		14 06	14 06				15 20				
Activation/Chan Inward Tru	DDITS Trunk Port - Subsqnt Channel		LIEBBO	UDTTO	i	1									
	DDITS Trunk Port - Subsqnt Chan		UEPDC	UDTTC		14 06	14 06				15 20				
Activation Per Chan - Inwar			UEPDC	UDTTD		44.00	44.00				45.00				
	DDITS Trunk Port - Subsent Chan		OLFDO	100110		14 06	14 06			_	15 20				
Activation / Chan - 2-Way D			UEPDC	UDTTE	1	14 06	14 06			[	15 20				
BIPOLAR 8 ZERO SUBSTITUTION		<del></del>	02.00	-   30112		14 00	14 00	<del>                                     </del>			15 20				
B8ZS -Superframe Format			UEPDC	CCOSF		0 00	605 00	<del></del>	-	<del>  </del>	15 20	-			
B8ZS - Extended Superfran			UEPDC	CCOEF		0 00	605 00	<del></del>		<del> </del>	15 20				
Alternate Mark Inversion			T	15552		- 0 00	300 00	<del> </del>		<del>  </del>	13 40				
AMI -Superframe Format		$\top$	UEPDC	MCOSF		0 00	0 00	<del></del>						-	
AMI - Extended SuperFram		$\top$	UEPDC	MCOPO	···	0 00	0 00								
Telephone Number/Trunk Group	Establisment Charges			-				<del></del>		·					

NBUNDLE	ED NETWORK ELEMENTS - Louisiana													ment 2	Exhil	
TEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)		00111
							First	Add'l	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAI
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00			ļI			15 20		-		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00	_					15 20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00						15 20			ļ	-
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00						15 20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00	2.00	0.00				15 20			-	
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0.00	0 00				15 20			<del> </del>	
	Reserve DID Numbers	l	<u> </u>	UEPDC	NDV	0 00	0 00	0 00				15 20				
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70 47	86 69	79 44				15 20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 2652	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															-
-	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0 00	0 00	0 00							<del> </del>	
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		-	UEPDC	1LNOB	0 2652	0 00	0 00								
$\perp$	Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00		ļ					
	Interoffice Channet Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 2652	0.00	0.00								
_	Local Number Portability, per DS0 Activated	_		UEPDC	LNPCP	3 15	0 00	0 00	0 00		·					
	Central Office Termininating Point			UEPDC	CTG	0 00	0.00	0 00	- 0.00					-		
4 18/10	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	-		OLF DC	010	0.00			-		<del>                                     </del>					
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			+				<u> </u>		+					<del>                                     </del>
	System can have up to 24 combinations of rates depending on			phor of ports used	+						<u> </u>					<del>                                     </del>
	DS1 Loop	iype ai	Tu mun	Der of ports used	_								-	<del>                                     </del>		
ONEL	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85 70	0 00	0 00				15 20		<del></del>		
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194 96	0 00	0 00	·			15 20				
-	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491 94	0.00	0 00	i			15 20				
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ť	OLI IIIO	00200											
	24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	97 35	0.00	0 00				15 20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194 70	0.00	0.00				15 20				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389 40	0.00	0.00				15 20				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584 10	0.00	0.00				15 20				
_	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778 80	0.00	0.00				15 20				
-	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973 50	0.00	0 00				15 20				
	288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,168 20	0.00	0.00				15 20				
	384 DS0 Channel Capacity - 1 per 16 DS1s		1	UEPMG	VUM38	1,557 60	0 00	0.00			-	15 20				
_	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	√UM40	1,947 00	0.00	0 00			+	15 20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336 40	0.00	0 00		•	<u> </u>	15 20			1	
1	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725 80	0.00	0 00				15 20			<del> </del>	
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio						-		<del></del>				·	
	nimum System configuration is One (1) DS1, One (1) D4 Channe								-							
	ples of this configuration functioning as one are considered Ac															
	NRC - Conversion (Currently Combined) with or without	· · · · ·	Π	T	Т*							<del>                                     </del>				
	BellSouth Allowed Changes	1		UEPMG	USAC4	0 00	146 13	8 12				15 20		1		
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	neliza	tion with Port Com	bination Curre	ntly Exists and										
New (	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	A's	T											
T '	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1														1
	and Assoc Fea Activation			UEPMG	VUMD4	0 00	715 54	467 54				15 20				
Bipol	ar 8 Zero Substitution	ľ	[													
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605 00		1		15 20	L	1		<u></u>
	Clear Channel Capability Format - Extended Superframe -				1								1			
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00	605 00				15 20	İ		1	}
Alterr	nate Mark Inversion (AMI)	İ		1	1							<u> </u>		1	1	
	Superframe Format	ļ	<b>†</b>	UEPMG	MCOSF	0 00	0 00	0 00			1		İ	1	†	1
	Extended Superframe Format	<b></b> -	<del> </del>	UEPMG	MCOPO	0 00	0 00	0 00				1		1	1	
<del></del>	ange Ports Associated with 4-Wire DS1 Loop with Channelizati		Dort	†						<b></b>	+		<del> </del>	1		

Version 4Q02 12/18/02 Page 204 of 416

UNBU	NDLE	NETWORK ELEMENTS - Louisiana			-					<del>.</del>				Attachi	ment 2	Exhit	bit B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
$\vdash$			ļ		_		Rec	Nonrec		Nonrecurring		001150	000000		Rates (\$)		T =====
<b>  </b>		B. (		<del> </del>				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	Exchan	ge Ports		+ '													
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 52	0 00	0.00	0 00	0 00		15 20				
$\vdash$		Line Side Outward Channelized PBX Trunk Port - Business		1	UEPPX	UEPOX	1 52	0 00	0.00	0 00	0 00		15 20				1
$\vdash$		and did danied diamental art in an in a danied			02.11	52. 5%	1				- 000		.0.20				· · · · · · · · · · · · · · · · · · ·
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 52	0.00	0.00	0 00	0 00		15 20				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 29	0.00	0 00	0 00	0.00		15 20				
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1 52	0.00	0.00	0 00	0 00		15 20				
		Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1 52	0.00	0 00	0 00	0 00		15 20				
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Louisiana Only – Calling Plan			UEPPX	UEPC2	1 52	0.00	0 00	0 00	0.00		15 20				
		Unbundled Exchange Ports, 2-Wire Channelized Two Way Louisiana Only Calling Plan			UEPPX	UEPC3	1 52	0 00	0 00	0 00	0 00		15 20				
$\square$		Activations - Unbundled Loop Concentration		ļ			ļI										
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0 6497	25 36	13 40			,	15 20				
!		Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0 6497	78 05	18 40				15 20				
		one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0.00	0 00				15 20				1
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0.00	0 00			-	15 20				<del> </del>
$\vdash$		Non-Consecutive DID Numbers - per number		<del> </del>	UEPPX	ND5	0 00	0 00	0.00				15 20				<del> </del>
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00				15 20				
		Reserve DID Numbers			UEPPX	NDV	0 00	0.00	0 00				15 20				
		umber Portability								• "	-						
$\vdash$		Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
$\vdash$		RES - Vertical and Optional witching Features Offered with Line Side Ports Only		-		1											
		All Features Available			UEPPX	UEPVE	0.00	0.00	0.00		-		15 20				
UNBUN		ORT LOOP COMBINATIONS - MARKET RATES		<del> </del>	DEFFX	DEFVE	0 00	0 00					15 20				
		Rates shall apply where BellSouth is not required to provide	unbun	dled loc	cal switching or swi	itch ports per	FCC and/or Sta	ate Commissio	n rules.				-				
	This inc					T											
		fled port/loop combinations that are Currently Combined or N															
	The Top	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale, Mia	ımı), G/	A (Atlanta), LA (New	Orleans), NO	Greensboro-V	Vinston Salem	-Highpoint/Ch	arlotte-Gastoni	ia-Rock Hill), 1	TN (Nashville	e).		l		
		th currently is developing the billing capability to mechanica								ig charges for i	not currently o	combined in	FL and NC	. In the inten	m where Bell	South cannot	bill Market
		BellSouth shall bill the rates in the Cost-Based section precedures in the Rate for unbundled ports includes all available features in the Rate for unbundled ports includes all available features in the Rate for unbundled ports in the Rate for the Rate			tne market Kates an	ia reserves tr	e right to true-t	up the billing o	imerence.						г	I	Γ.
		ice and Tandem Switching Usage and Common Transport Us			a Port section of the	is rate ovhib	t shall apply to	all combinet:	ne of loop/so	rt network sta-	nonte ovenni	for LINE Col	Port/Loc-	Combination	ne which have	a flat rate	age charge
1 1		URECU).	aye ra	ies in tr	ie i oit section of th	no rate extilu	ir andii abbiy tu	an combination	ина от тоориро	etwork eleli	nents except	IOI UNE UUI	OIULOUL	Combination	is willen nave	a natrate us	sage charge
<del>                                     </del>		Currently Combined scenarios the Nonrecurring charges are	listed	ın the F	irst and Additional	NRC column	s for each Port	USOC. For Ci	rrently Combi	ined scenarios	the Nonrecur	ring charge	s are listed	in the NRC - 0	Currently Com	bined section	n.
!		nal NRCs may apply also and are categorized accordingly.										5 90		(			
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		1	*****	T	[ · · · · · · ]						· · · · · ·				
		rt/Loop Combination Rates															
<b>↓</b>		2-Wire VG Loop/Port Combo - Zone 1		1			25 77	, , , , , , , ,									
$\vdash \vdash$		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			36 39									ļ	ļ
لــــا		2-Wire VG Loop/Port Combo - Zone 3 op Rates	-	3		+	62 26			ļ		<del></del>				<b> </b>	
		2-Wire Voice Grade Loop (SL1) - Zone 1	-	1-1-	UEPRX	UEPLX	11 77					<del> </del>					<del> </del>
<b></b>		2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRX	UEPLX	22 39					<del> </del>					<del>                                     </del>
		2-Wire Voice Grade Loop (SL1) - Zone 3	$\vdash$		UEPRX	UEPLX	48 26										
		Voice Grade Line Port (Res)		<del>–</del>			t					<u> </u>			-	·	<b></b>
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90 00				15 20				
		2-Wire voice unbundled port with Caller ID - res	1		UEPRX	UEPRC	44.00	00.00	20.20				40.00		1		I
L		2-Wire voice unbundled port outgoing only - res	<del></del>		UEPRX	UEPRO	14 00 14 00	90 00 90 00	90 00			L	15 20 15 20		1		

Version 4Q02 12/18/02 Page 205 of 416

JNBUNDLE	D NETWORK ELEMENTS - Louisiana													nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			1			Rec	Nonred	urring	Nonrecurrin	g Disconnect				Rates (\$)		
			1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Louisiana extended local draling parity port with Caller ID - res			UEPRX	UEPAS	14 00	90 00	90 00				15 20				
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	14 00	90 00	90 00				15 20				
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	14 00	90 00	90 00				15 20				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14 00	90 00	90 00				15 20				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	14 00	90 00	90 00				15 20				
	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability			UEPRX	UEPRQ	14 00	90 00	90 00				15 20				
LOCAL	NUMBER PORTABILITY															L
	Local Number Portability (1 per port)		<u> </u>	UEPRX	LNPCX	0 35					I					
FEATU																
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0.00				15 20			1	
NONRI	CURRING CHARGES - CURRENTLY COMBINED				ļ						<u> </u>					
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		<u> </u>	UEPRX	USAC2		41 50	41 50				15 20				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with Ichange			UEPRX	USACC		41 50	41 50			}	15 20				
ADDIT	IONAL NRCs		<del>  -</del>	UEPRA	USACC		4150	4150			<del> </del>	15 20				
ADDIT	NRC - 2-Wire Voice Grade Loop/Line Port Combination -		1-		+						1					
	Subsequent		1	UEPRX	USAS2	-	0 00	0.00			ł	15 20				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<del>                                     </del>		<del> </del>						<del>                                     </del>			_		
	ort/Loop Combination Rates										T		~^			
	2-Wire VG Loop/Port Combo - Zone 1		1			25 77										
	2-Wire VG Loop/Port Combo - Zone 2		2			36 39					ļ					
	2-Wire VG Loop/Port Combo - Zone 3		3			62 26					<u> </u>		_			<u> </u>
UNE L	pop Rates		-	LIEDDY	UEPLX	11 77					ļ			-		-
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	1 2	UEPBX UEPBX	UEPLX	22 39			-		<del> </del>					-
	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	48 26				<del> </del>				-		
2-Wire	Voice Grade Line Port (Bus)		-	GCI BX	DELEX	40 20					ļ			_		
12.00	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90.00			<del> </del>	15 20		_		
	2-Wire voice unbundled port with Caller + E484 ID - bus		_	UEPBX	UEPBC	14 00	90 00	90 00		<b>1</b> -	1	15 20				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00	† <del></del>			15 20				
	2-Wire voice Grade unbundled Louisiana extended local dialing															
	parity port with Caller ID - bus			UEPBX	UEPAX	14 00	90 00	90 00				15 20				L
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	14 00	90 00	90 00				15 20				
	2-Wire voice unbundled Incoming Only Port without Caller ID				1				1					ŀ		
	Capability		-	UEPBX	UEPBE	14 00	90 00	90 00		ļ <u>.</u> .	ļ	15 20				
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID		<u> </u>	UEPBX	UEPWH	14 00	90 00	90 00				15 20				
1.004	2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability		_	UEPBX	UEPBA	14 00	90 00	90 00				15 20				
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)	⊢	<del>  -</del>	UEPBX	LNPCX	0.35	_			<del> </del>	<del> </del>	<u> </u>	_			-
NONRI	ECURRING CHARGES - CURRENTLY COMBINED		-	UEPBX	LINPCX	0.35			ļ	ļ	<del> </del>	<u> </u>		<del> </del>		-
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 50	41 50				15 20				<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 50	41 50			-	15 20				
ADDIT	IONAL NRCs		1		100.00		7130	71 30		<del> </del>	+	10.20			1	$\vdash$
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0 00	0.00				15 20				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1		<del>                                     </del>			1			1	1			1	<del> </del>
	ort/Loop Combination Rates				1						1			T	T	1

INRONDEED I	NETWORK ELEMENTS - Louisiana													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		-			4	Rec	Nonrec			g Disconnect				Rates (\$)		T
	W	ļ	_			05 77	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Wire VG Loop/Port Combo - Zone 1 Wire VG Loop/Port Combo - Zone 2	<del></del>	1 2			25 77 36 39					ļ					ļ
	Wire VG Loop/Port Combo - Zone 3	<del></del>												-		
UNE Loop			3		<del>                                     </del>	62 26				1	-					
			-	UEPRG	UEPLX	11 77				1						—
	Wire Voice Grade Loop (SL1) - Zone 1 Wire Voice Grade Loop (SL1) - Zone 2		1	UEPRG	UEPLX						<del></del>					
			2			22 39				ļ	·					<u> </u>
	Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	48 26										ļ
	vice Grade Line Port Rates (RES - PBX)				+ +					<b>_</b>						ļ
	Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEBDO	UEBBB	44.00									ļ	
Re I OCAL NI	es UMBER PORTABILITY	<del></del>		UEPRG	UEPRD	14 00	90 00	90 00			<b>_</b>	15 20				ļ
			-	LEDDO	LNDCS	2.5				ļ	1					<del> </del>
	ocal Number Portability (1 per port) URRING CHARGES - CURRENTLY COMBINED	<u> </u>		UEPRG	LNPCP	3 15			-							<del></del>
NONKECL	DIKKING CHARGES - CURKENTLY COMBINED	-	-		+					ļ		L				ļ
,	Mirro Voice Crade Local Line Bod Combination - Contact As Is			UEBBC	LUCACO		14.55	44 ===				40.61		1		1
	Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<del></del>		UEPRG	USAC2		41 50	41 50				15 20		L		<b></b>
	Wire Voice Grade Loop/ Line Port Combination - Switch with			LIEBBO												
	hange			UEPRG	USACC		41 50	41 50				15 20				
ADDITION																
	Wire Loop/Line Sice Port Combination - Non feature -															1
	ubsequent Activity- Nonrecurring				1		0.00	0.00				15 20				
	BX Subsequent Activity - Change/Rearrange Multiline Hunt															1
	roup						14 64	14 64				15 20				
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Loop Combination Rates															
	Wire VG Loop/Port Combo - Zone 1		1			25 77										
	Wire VG Loop/Porl Combo - Zone 2		2			36 39										
	Wire VG Loop/Port Combo - Zone 3		3		-	62 26										
UNE Loop																
	Wire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX	11 77										
	Wire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	22 39										
	Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	48 26	I									
2-Wire Voi	ice Grade Line Port Rates (BUS - PBX)															
			i :						-	T		_				
Lin	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00		]		15 20				ĺ
	ne Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00				15 20				
	ne Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00	•		1	15 20				
	Wire Voice Unbundled 2-Way Combination PBX Louisiana			-	,											
	alling Port			UEPPX	UEPL2	14 00	İ			Í		15 20				ĺ
2-1	Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00	-			15 20				
2-\	Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14 00	90 00	90 00				15 20				<del></del>
2-\	Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90 00	90 00				15 20				· · · · · ·
	Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14 00	90 00	90 00			1	15 20				
	Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90 00				15 20				<del> </del>
2-\	Wire Voice Unbundled PBX LD Terminal Switchboard IDD										+					<del> </del>
Ca	apable Port			UEPPX	UEPXE	14 00	90 00	90 00			1 1	15 20				ĺ
2-1	Wire Voice Unbundled 2-Way PBX Louisiana Local Optional											- 10 20				
Ca	alling Port			UEPPX	UEPXK	14 00	90 00	90 00			1	15 20				1
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1			55.00		<del></del>	1	.0 20				···
Ad	iministrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00			]	15 20				i
2-V	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1		00 00	30 00		· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>	1320				
Ro	oom Calling Port			UEPPX	UEPXM	14 00	90 00	90 00			1	15 20				ĺ
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					50	23 30	30 00			1	13 20				<del>                                     </del>
Dis	scount Room Calling Port			UEPPX	UEPXO	14 00	90 00	90 00			]	15 20				ĺ
	Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local				12	17.00	30 00	30 00		<del></del>	+	10 20				<del></del>
	scount Calling Port			UEPPX	UEPXP	14 00	90 00	90 00			1	15 20				ĺ
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UÉPPX	UEPXS	14 00	90 00	90 00			1	15 20				<del></del>
	UMBER PORTABILITY				JE1 710	14 00	30 00	90 00		<del> </del>		10 20				<del></del>
	cal Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0 00			ļ					
FEATURE				ULFFA	LINEUE	3 13	0.00	0.00								

INDUNDE	ED NETWORK ELEMENTS - Louisiana	,									<del></del>			ment, 2		bit <sup>.</sup> B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	<del>''</del>			Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPPX	UEPVF	0 00	0 00	0 00				15 20				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
		1			1 1											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 50	41 50				15 20				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	!		LIEDDY			44.50									
ADDI	Change TIONAL NRCs	<del>                                     </del>		UEPPX	USACC		41 50	41 50				15 20				
ADDI	HONAL NRCS	ļ			+ +											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	f		UEPPX	USAS2		0 00	0 00				15 20				
_	2 Wire Loop/Line Side Port Combination - Non feature -	<b>—</b>		OLITA	USAGE		0 00					13 20				<del>                                     </del>
	Subsequent Activity- Nonrecurring				1 1		0 00	0.00		ĺ		15 20				ł
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				<del>   </del>		0.00	0.00		-		13 20				-
	Group				-		14 64	14 64				15 20				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin PortiLoop Combo – Zone 1		1			25 77					<u> </u>					
	2-Wire VG Coin PortiLoop Combo – Zone 2		2			36 39										
	2-Wire VG Coin PortiLoop Combo – Zone 3		3			62 26										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UÉPCO	UEPLX	48 26										
2-Wir	e Voice Grade Line Port Rates (Com)														İ	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14 00	90 00	90 00				15 20				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14 00	90 00	90 00				15 20				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14 00	90 00	90 00				15 20				
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14 00	90 00	90 00				15 20				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	14 00	90 00	90 00				15 20				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	14 00	90 00	90 00				15 20				
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14 00	90 00	90 00				15 20				
	2-Wire Coin Outward Operator Screening & Blocking 900/976,											75 20	-			
	1+DDD, 011+, & Local (AL, KY, LA MS)			UEPCO	UEPCN	14 00	90 00	90 00				15 20				
LOCA	AL NUMBER PORTABILITY			<del></del>						·						
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 50	41 50				15 20				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with				1											
	Change			UEPCO	USACC		41 50	41,50				15 20				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0 00				15 20				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINEF	ORT (I	(ES)												ļ
UNE	Port/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					28 93				<b></b>	<del> </del>					
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1							ļ	<b>}</b>				1	1
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2			39 35				<del> </del>	ļ			·		-
UNE	Loop Rates		٦		+	64 46			-		-					<del> </del>
31412	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14 93				<del></del>	ļ					<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	25 35					<del> </del>			-		<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 3	i		UEPFR	UECF2	50 46										
0.140	e Voice Grade Line Port Rates (Res)		<u> </u>		1525.2	30 70				<b> </b>					1	<del> </del>

	The state of the s							<del></del>			T :			-		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
						,	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14 00	135 00	90 00			1	15 20				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14 00	135 00	90 00			ļ	15 20			<u> </u>	
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14 00	135 00	90 00			ļ	15 20				
	2-Wire voice Grade unbundled Louisiana extended local dialing		ĺ													
	parity port with Catter ID - res			UEPFR	UEPAS	14 00	135 00	90 00			ļ	15 20				
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		ŀ								ļ	45.00				
	(RUL)			UEPFR	UEPAG	14 00	135 00	90 00				15 20			· · · · · · · · · · · · · · · · · · ·	
	2-Wire voice unbundles res, low usage line port with Caller ID					44.00	405.00	00.00			l	45.00			}	
	(LUM)			UEPFR	UEPAP	14 00	135 00	90 00			-	15 20				
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan		)	UEPFR	LIEDING	14 00	135 00	90 00			1	45.00			}	
	without Caller ID		<u> </u>	DEPFR	UEPWG	14 00	135 00	90 00				15 20				-
INTE	ROFFICE TRANSPORT		<u> </u>							<u> </u>	<del> </del>					-
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		i	UEPER	U1TV2	22 60	39 36	26 62			1	15 20			ŀ	
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		ļ —	UEPFR	01172	22 00	38.30	20 02		<del> </del>	ļ	15 20				
	or Fraction Mile			UEPFR	1L5XX	0 013					l					
FEAT	URES		<u> </u>	UEPFR	ILDAA	0.013					ļ					
FEAT	All Features Offered			UEPFR	UEPVF	0 00	0 00	0.00				15 20			<b> </b>	
1.00/	AL NUMBER PORTABILITY			UEFFR	UEFVF	0 00	0 00	0.00			1	10 20				
- 1002	Local Number Portability (1 per port)		-	UEPFR	LNPCX	0.35					<del></del>					
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		_	UEFFR	LINFOX	0 33										
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-			-										
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8 24	1 81				15 20			]	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	OUNCE		0 24	101				10 20				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8 24	1 81				15 20			ĺ	
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (		1007.00				<del></del>		1					
	Port/Loop Combination Rates		1	1						-	· · · ·					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28 93										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			39 35					Ì					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			64 46			<del></del>							
UNE	Loop Rates				1						ļ					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14 93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25 35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50 46										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14 00	135 00	90 00				15 20	•			
	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPFB	UEPBC	14 00	135 00	90 00				15 20				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14 00	135 00	90 00				15 20				
	2-Wire voice Grade unbundled Alabama extended local dialing										ŀ					
	parity port with Caller ID - bus		l	UEPFB	UEPAW											
	2-Wire voice Grade unbundled Louisiana extended local dialing											l i				
	panty port with Caller ID - bus		<u> </u>	UEPFB	UEPAX	14 00	135 00	90 00				15 20				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14 00	135 00	90 00				15 20				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with				1											ļ
	Caller ID (BUC)			UEPFB	UEPAA	14 00	135 00	90 00				15 20				
	2-Wire Voice Unbundled Louisiana Business Dialing Plan		ł							ŀ						1
	without Caller ID			UEPFB	UEPWH	14 00	135 00	90 00				15 20				
LUCA	AL NUMBER PORTABILITY			HEDED	1,1504			_			ļ					ļ
INITE	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										<b>_</b>
INTE	ROFFICE TRANSPORT		<b>├</b> ──		$\rightarrow$											ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB		20.00	00.00	00.00		1	ł	45.00				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		$\vdash$	UCPFB	U1TV2	22 60	39 36	26 62		+	-	15 20			<del> </del>	<del></del>
	or Fraction Mile			HEDER	41.500	0.040					İ					
EEAT	URES		-	UEPFB	1L5XX	0 013				ļ	-					
FEAT	All Features Offered		<del>                                     </del>	UEPFB	UEPVF	0 00	0 00	0 00		-	1	15 20		<del>-</del>	<del> </del>	<del> </del>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEFFB	UEPVF	0 00	0 00	0.00		<del> </del>	<del> </del>	15 20			-	<del></del>
NONE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			<del>                                     </del>							-				<del> </del>	+
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8 24	1 81				15 20				ł

UNBUNDÎ ED NETV	VORK ELEMENTS - Louisiana												ment. 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Suhmitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increments Charge - Manual Sv Order vs. Electronic Disc Add
<del></del>						Rec	Nonrec		Nonrecurring Disconnect				Rates (\$)	SOMAN	SOMAN
						1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_oop / Dedicated IO Transport / 2 Wire Line Port					1	0.04	4.04			15 20			1	ļ
	ation - Conversion - Switch with change		_	UEPFB	USACC		8 24	1 81		+	13 20	<del> </del>		····	-
2-WIRE VOICE	GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)									<del>-</del>		<b></b>	-		
UNE Port/Loop	Combination Rates /G Loop/IO Tranport/Port Combo - Zone 1	-	1-1			28 93			-		_	† -		<u> </u>	-
2-VVICE \	VG Loop/IO Tranport/Port Combo - Zone 1		2			39 35		_							
	VG Loop/IO Tranport/Port Combo - Zone 3		3			64 46									
UNE Loop Rate			_												
	Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14 93	·								
	Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	25 35									
	Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50 46									
	rade Line Port Rates (BUS - PBX)										ļ	-	-	ļ	<del> </del>
							400 1-		1		15 20		ŀ		
	le Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	1	UEPFP	UEPPC	14 00	132 47	82 14	<del></del>	+	15 20	-	1		
	le Unbundled Outward PBX Trunk Port - Bus		+	UEPFP UEPFP	UEPPO UEPP1	14 00 14 00	132 47 132 47	82 14 82 14	<del>                                     </del>	+	15 20			<del> </del>	<del>                                     </del>
	te Unbundled Incoming PBX Trunk Port - Bus		-	UEPFP	UEPPT	14 00	132 47	0∠ 14	<del>                                     </del>		10 20		<del> </del>	1	<u> </u>
	Voice Unbundled 2-Way Combination PBX Louisiana			UEPFP	UEPL2	14 00	132 47	82 14			15 20				
Calling	Voice Unbundled PBX LD Terminal Ports	<del></del>	+	UEPFP	UEPLD	14 00	132 47	82 14			15 20	<del> -</del>			
2-Wire V	Voice Unbundled 2-Way Combination PBX Usage Port		+	UEPEP	UEPXA	14 00	132 47	82 14			15 20			1	
	Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14 00	132 47	82 14			15 20				
	Voice Unbundled PBX LD DDD Terminals Port	-	1	UEPFP	UEPXC	14 00	132 47	82 14			15 20				
	Voice Unbundled PBX LD Terminal Switchboard Port	-	-	UEPFP	UEPXD	14 00	132 47	82 14			15 20				
	Voice Unbundled PBX LD Terminal Switchboard IDD		<del> </del>												
Capable		ł		UEPFP	UEPXE	14 00	132 47	82 14			15 20				
2-Wire	Voice Unbundled 2-Way PBX Louisiana Local Optional		1												İ
Calling	Port	1		UEPFP	UEPXK	14 00	132 47	82 14			15 20				ļ
2-Wire	Voice Unbuncled 2-Way PBX Hotel/Hospital Economy		1												
Adminis	strative Calling Port		,	UEPFP	UEPXL	14 00	132 47	82 14			15 20	1	ļ		
	Voice Unbuncled 2-Way PBX Hotel/Hospital Economy									1	15.00				
	Calling Port			UEPFP	UEPXM	14 00	132 47	82 14		-	15 20	1	<b>}</b>	<del> </del>	
	Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					44.00	400.47	82 14			15 20				
Discour	nt Room Calling Port		-	UEPFP	UEPXO	14 00	132 47	82 14	_		15 20	+		<del> </del>	1
	Voice Unbundled 1-Way Outgoing PBX Louisiana Local			UEPFP	UEPXP	14 00	132 47	82 14			15 20				1
	nt Calling Port  Voice Unbundled 1-Way Outgoing PBX Measured Port	-	+	UEPFP	UEPXS	14 00	132 47	82 14			15 20			-	
	ER PORTABILITY	1	+	OLF I F	- 001 70	14 00	102 41	- OL					†	<del> </del>	
	lumber Portability (1 per port)		+	UEPFP	LNPCP	3 15	0.00	0.00			15 20		l		
INTEROFFICE			<del> </del>	02.11	2.11.0								· · · · · · · · · · · · · · · · · · ·		
	ice Transport - Dedicated - 2 Wire Voice Grade - Facility	Η-			-				`						
Termina				UEPFP	U1TV2	22 60	39 36	26 62			15 20				<u> </u>
Interoffi	ice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
or Fract	tion Mile			UEPFP	1L5XX	0 013							1		
FEATURES		Ī.										1			
	tures Offered			UEPFP	UEPVF	0 00	0 00	0 00			15 20				-
	NG CHARGES (NRCs) - CURRENTLY COMBINED		1								<del> </del>				<del> </del>
	Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	1,10,4,00		0.04	1.04			15 20		1		
	nation - Conversion - Switch-as-is	₩	+	UEPFP	USAC2_		8 24	1 81	<del>                                     </del>	<del></del>	15 20	1	1	<del> </del>	+
	Loop / Dedicated IO Transport / 2 Wire Line Port nation - Conversion - Switch with change	1	1	UEPFP	USACC	i	8 24	1 81			15 20		1	1	1
	OOP COMBINATIONS - MARKET BASED RATES	<del> </del>	+	OEPFF	USACC	- 1	0 24	181	<del>                                     </del>		10.20	+	<del>                                     </del>	<del>                                     </del>	
	GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	(PORT	+	<del> </del>	-		****	<del>                                     </del>	<del>                                     </del>						
	Combination Rates	T	+	<del></del>	+			<del>                                     </del>	1		<del>                                     </del>	1	1	1	
	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	+	1			50 93		<del>                                     </del>	1 "		1	1		1	
	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<del>                                     </del>	+		<del></del>	61 35		1			T	1		1	
	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3		_	86 46									
UNE Loop Rate			+ -						<del>                                     </del>						
	Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14 93		1			15 20				
	Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	25 35		1			15 20	1			

Version 4Q02 12/18/02 Page 210 of 416

ONDLE	D NETWORK ELEMENTS - Louisiana		,												ment 2		bit B
GORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
							Rec	Nonrec			g Disconnect				Rates (\$)	I	4
						1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50 46						15 20				
	ort Rate Exchange Ports - 2-Wire DID Port		<b>⊢</b>	UEPPX		UEPD1	36 00	600 00	45 00			1	15 20				<del></del>
	CURRING CHARGES - CURRENTLY COMBINED			ULFFX		OEPD1	30 00	000 00	45 00			+	13 20				<del> </del>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																<u> </u>
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		100 00	42 50				15 20				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1									T			1		
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100 00	42 50				15 20		L		
	ONAL NRCs																<b>↓</b>
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ	ļ. <u> </u>	UEPPX		USAS1		45 00	45 00			-	15 20				<del></del>
	one Number/Trunk Group Establisment Charges  DID Trunk Termination (One Per Port)	ļ		UEPPX		NDT	0.00	0 00	0.00		-	1	15 20			1	-
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0 00	0 00	0 00	-	<b>-</b>	+	15 20			<del>                                     </del>	+
	DID Numbers, Non- consecutive DID Numbers , Per Number		<del> </del>	UEPPX		ND5	0 00	0 00	0 00	<del> </del>	<del> </del>		15 20			<del>                                     </del>	+
	Reserve Non-Consecutive DID numbers	<del> </del>	<del> </del>	UEPPX		ND6	0 00	0 00	0.00		<u> </u>		15 20			<u> </u>	<del>                                     </del>
	Reserve DID Numbers			UEPPX		NDV	0 00	0 00	0 00				15 20				1
	NUMBER PORTABILITY					1											1
	Local Number Portability (1 per port)			UEPPX		LNPCP	3 15	0 00	0 00			1					
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	ŕ													
	ort/Loop Combination Rates															L'	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		84 09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		96 95										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		127 60										
	pop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 09						15 20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31 95						15 20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62 60						15 20		-		+
	ort Rate		,	OLFFD	OLFFIX	USLZA	02 00					-	13 20				+
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65 00	525 00	400 00		-		15 20				<del>                                     </del>
	CURRING CHARGES - CURRENTLY COMBINED			1	04	1 1		020 00	100 00				.0 20				1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																T
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230 00	230 00				15 20		!		
	ONAL NRCs						· I										
	NUMBER PORTABILITY											L					
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								4
	NNEL USER PROFILE ACCESS  CVS/CSD (DMS/5ESS)			HEDDO	UEPPR	U1ÚČA	0.00	0 00	0.00								↓
	CVS (EWSD)			UEPPB UEPPB	UEPPR	U1UCB	0 00	0 00	0 00						<b> </b>		+
	CSD CSD			UEPPB	UEPPR	U1UCC	0 00	0 00	0 00								
	NNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	MSR	TNI	OLFFB	GLEFIX	0.000	0.00	0.00	0 00			<del> </del>					<del> </del>
	CVS/CSD (DMS/5ESS)	J,,,,, O, G	1.77	UEPPB	UEPPR	U1UCD	0 00	0.00	0 00								+
	CVS (EWSD)			UEPP8	UEPPR	U1UCE	0 00	0 00	0 00		1					1	1
	CSD	ļ	T	UEPPB	UEPPR	U1UCF	0 00	0 00	0 00	l		<del>                                     </del>				1	1
	ERMINAL PROFILE																1
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
	AL FEATURES																
	All Vertical Features - One per Channel B User Profile		L	UEPPB	UEPPR	UEPVF	0 00	0 00	0 00				15 20				
INTER	OFFICE CHANNEL MILEAGE																<u> </u>
	Interoffice Channel mileage each, including first mile and facilities termination				UEPPR	M1GNC	22 613	39 36	26 62				15 20				
	Interoffice Channel mifeage each, additional mile			UEPPB	UEPPR	M1GNM	0 013	0 00	0.00				15 20				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		ļ <u> </u>														<u> </u>
	1404 LIST Digital Loop/AM ICON DC1 Digital Terral Doct LIME	ı	1	1		1 1				I	1	1		ŀ	1	F	1

INBÚNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment 2	Exhil	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs Electronic-	Order vs Electronic-	Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		,
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEBBB		404400		i		1				l		
	Zone 2		2	UEPPP		1,044 96										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP		4 044 04				1				ł		
LIMIT I	Zone 3	ļ	3	UEPPP		1,341 94				ļ						
UNEL	oop Rates  4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	85 70				1		15 20				
-	4-Wire DS1 Digital Loop - UNE Zone 1	<del> </del>	2	UEPPP	USL4P	194 96		-		-	+	15 20			-	-
	4-Wire DS1 Digital Loop - UNE Zone 3	-		UEPPP	USL4P	491 94	-				+	15 20		-		
LINE P	Port Rate		-	ULFFF	USE4F	43134				+	<del> </del>	13 20	-			
ONLI	Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPPP	UEPPP	850 00	1,150 00	1,150 00		+	- <del></del>	15 20			1	
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<del></del> -		-   -	330 00	1,130 00	1,100 00		1	+	10 20	<del>                                     </del>	<del> </del>	<del> </del>	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<del> </del>	<del> </del> -	· · · · · · · · · · · · · · · · · · ·						<u> </u>	-	<del>                                     </del>			<del> </del>	
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0 00	950 00	950 00			1	15 20	]		1	
ADDIT	IONAL NRCs			OLI II	100,101	0,00	300 00	- 550 00	-	-	1	10 20				
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-	<del> </del> -	<del> </del>	<u> </u>	1 1						<del> </del>	†				
	Inward/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0 48				į.	15 20	1		ĺ	
ĺ	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)		1	UEPPP	PR7TO	1	11 18	11 18			1	15 20	[			
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			-							1					
	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		22 35	22 35			1	15 20	l			
LOCA	L NUMBER PORTABILITY									†				· · · · · · · · · · · · · · · · · · ·	·	
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75					1					
INTER	FACE (Provsioning Only)	1								1						
	Voice/Data			ÜEPPP	PR71V	0 00	0.00	0.00							1	
	Digital Data			UEPPP	PR71D	0 00	0.00	0 00								
	Inward Data			UEPPP	PR71E	0 00	0.00	0.00							ĺ	
New o	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel	ļ		UEPPP	PR7BV	0 00	14 11					15 20				
	New or Additional - Digital Data B Channel	L		UEPPP	PR7BF	0 00	14 11				1	15 20				
	New or Additional Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0 00	14 11					15 20				
CALL	TYPES	<u> </u>	ļ									i		l	l	
	Inward			UEPPP	PR7C1	0 00	0.00	0 00				l				
	Outward			UEPPP	PR7C0	0 00	0 00	0 00			ļ					
	Two-way	<u> </u>		ÜEPPP	PR7CC	0 00	0 00	0 00								
Intero	ffice Channel Mileage	<b>!</b>								-						
-	Fixed Each Including First Mile	ļ		UEPPP	1LN1A	70 7532	86 69	79 44				15 20				
4 14/15	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 2652										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
ONE F	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del> </del>	- 1	LIEDDO		154 17						45.00				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ļ .	2	UEPDC UEPDC		263 43				1		15 20				
_	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560 41						15 20				
LINE	oop Rates	<del> </del>		UEPDC		200 41				1		15 20				-
SHEE	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>	1	UEPDC	USLDC	85 70				+	-	15 20			<b> </b>	<b> </b>
<del></del>	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPDC	USLDC	194 96			*****	-	-	15 20				
	4-Wire DS1 Digital Loop - UNE Zone 3	<del> </del>	3	UEPDC	USLDC	491 94						15 20			<del> </del>	_
UNE P	ort Rate	<del> </del>		02.00	- 302200	701 04					+	15 20	<del> </del>		-	-
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750 00	1,006 28	479 28	0.00	0.00		15 20	<del>                                     </del>		<del> </del>	
NONR	ECURRING CHARGES - CURRENTLY COMBINED	†			35511	700 00	1,000 20	7/3/20	0.00	3 00	<del> </del>	13 20			<del> </del>	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<del>                                     </del>								1	<del> </del>				<del> </del>	
	- Switch-As-Is Top 8 MSAs only	1 .		UEPDC	USAC4		125 75	65 08		1	1	15 20	1			
		<b> </b>					123 13	00 00		1	+	10 20		-	<del> </del>	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										1		1			
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125 75	65 08			1	15 20	1	i		
					1			- 55 00		1	<del> </del>	10 20		ļ —		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											1				
	Conversion with Change - Trunk Top 8 MSAs only	1		UEPDC	USAWB		125 75	65 08		1	1	15 20	1	l		
Annit	IONAL NRCs									+	<del> </del>	t			<del> </del>	·

UNBUNDLED NETWORK	( ELEMENTS - Louisiana												Attachi	ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					·	Rec	Nonrect		Nonrecurring D			,		Rates (\$)		
			ļ				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	op / 4-Wire DDITS Trunk Port - NRC -		}			i	44.00	44.00			f	15.00			ł	
	hannel Activation/Chan - 2-Way Trunk		<del> </del>	UEPDC	UDTTA		14 06	14 06				15 20				
Channel Activa	op / 4-Wire DDITS Trunk Port - Subsequent ation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14 06	14 06				15 20				
	op / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	LIEBBO	UDTTC		44.00	14 06				45.00	1			
	n Inward Trunk w/out DID op / 4-Wire DDITS Trunk Port - Subsgrit Chan		ļ	UEPDC	ODITO	1	14 06	14 06				15 20				-
	Op / 4-vvire DDITS Trunk Port - Subsquit Chan Chan - Inward Trunk with DID		1	UEPDC	UDTTO		14 06	14 06				15 20				
	op / 4-Wire DDITS Trunk Port - Subsant Chan			DEPDC	מזוקט	-	14 06	14 06			-	15 20				-
	an - 2-Way DID w User Trans		1	UEPDC	UDTTE Î		14 06	14 06		İ	İ	15 20				
BIPOLAR 8 ZERO SU	RSTITUTION		<b> </b>	OCF DO	ODITE		14 00	14 00				13 20				
B8ZS -Superfr			1	UEPDC	CCOSF		0 00	605 00				15 20				<del> </del>
	led Superframe Format		1	UEPDC	CCOEF		0 00	605 00				15 20				
Alternate Mark Invers			1		0002			000.00								
AMI -Superfrar			1	UEPDC	MÇOSF		0 00	0 00								****
AMI - Extended	d SuperFrame Format			UEPDC	мсоро		0 00	0 00								
	runk Group Establisment Charges					-										
Telephone Nu	mber for 2-Way Trunk Group			UEPDC	UDTGX	0 00						15 20				
Telephone Nu	mber for 1-Way Outward Trunk Group		T	UEPDC	UDTGY	0 00						15 20				
Telephone Nu	mber for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGŽ	0 00						15 20				
DID Numbers, of 20 DID Num	Establish Trunk Group and Provide First Group bers			UEPDC	NDZ	0.00	0 00	0 00				15 20				
DID Numbers	for each Group of 20 DID Numbers			UEPDÇ	ND4	0.00						15 20			·	
DID Numbers,	Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0 00						15 20				
Reserve Non-C	Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00				15 20				
Reserve DID N	lumbers			UEPDC	NDV	0 00	0 00	0 00				15 20				
Dedicated DS1 (Interd	office Channel Mileage) -	•														
FX/FCO for 4-Wire DS	1 Digital Loop with 4-Wire DDITS Trunk Port															
Interoffice Cha	nnel Mileage - Fixed rate 0-8 miles (Facilities															
Termination)	·	<u> </u>	-	UEPDC	1LNO1	70 47	86 69	79 44				15 20				-
Interoffice Cha	nnel Mifeage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 2652	0 00	0 00								
	nnel Mileage - Fixed rate 9-25 miles (Facilities				1											
Termination)				UEPDC	1LNO2	0 00	0 00	0.00								
Interoffice Cha	nnel Mileage - Additional rate per mile - 9-25															
miles			<u> </u>	UEPDC	1LNOB	0 2652	0 00	0.00								
Interoffice Cha Termination)	nnel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNO3	0 00	0 00	0.00								
								<del>i</del>								
	nnel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 2652	0 00	0 00								
	Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0.00								
	Termininating Point			UEPDC	CTG	0 00										
	TH CHANNELIZATION WITH PORT	<u> </u>														<u> </u>
	o, 1 D4 Channel Bank, and up to 24 Feature Act				_											<u> </u>
UNE DS1 Loop	rious rate combinations based on type and nu	mper of	ports	useđ	+ -											<del></del>
	op - UNE Zone 1		1	UEPMG	LIELDO	85 70	0 00					45.00				<del></del>
	op - UNE Zone 1			UEPMG	USLDC	194 96	0 00	0 00			<u> </u>	15 20				ļ
	op - UNE Zone 2 op - UNE Zone 3	-		UEPMG	USLDC	194 96 491 94	0 00	0 00				15 20 15 20				<del> </del>
	tion Capacities (D4 Channel Bank Configuration	ne)	<del> </del>	DEFINE	USLUC	491 94	0 00	0 00				15 20				
	nel Capacity - 1 per DS1	<b></b>	<del> </del>	UEPMG	VUM24	97 35	0 00	0 00	<del></del>			15 20				<del> </del>
	nel Capacity - 1 per DS1		<del> </del>	UEPMG	VUM48	194 70	0 00	0 00				15 20				<del>  </del>
	nel Capacity -1 per 4 DS1s		<del>                                     </del>	UEPMG	VUM96	389 40	0 00	0 00				15 20				
	net Capacity - 1 per 6 DS1s	<del> </del>	1	UEPMG	VUM96 VUM14	584 10	0 00	0 00				15 20		<u> </u>		<del> </del>
192 DS0 Chan	nel Capacity - 1 per 8 DS1s	1	1	UEPMG	VUM19	778 80	0 00	0 00	<del></del>			15 20	<del> </del>			<del></del>
240 DS0 Chan	nel Capacity - 1 per 10 DS1s	-	-	UEPMG	VUM20	973 50	0 00				_	15 20				<del> </del>
	nel Capacity - 1 per 10 DS1s nel Capacity - 1 per 12 DS1s	-	1	UEPMG	VUM20 VUM28			0 00				15 20				<del> </del>
200 D30 Clian	nel Capacity - 1 per 12 DS1s	-	1	UEPMG	VUM28	1,168 20 1,557 60	0 00	0 00		-		15 20				<del></del>
	nel Capacity - 1 per 16 DS1s nel Capacity - 1 per 20 DS1s	-	1	UEPMG	VUM38 VUM40	1,947 00	0 00		<del></del>			15 20	<del> </del>		<u> </u>	<del> </del>
1400 D30 Chan	ner Capacity - 1 per 20 DSTS	1	<u> </u>	UELING	[VUM40	1,947 00	0 00	0 00				15 20	l	l	L	<u> </u>

Version 4Q02 12/18/02 Page 213 of 416

INBUNDLED N	NETWORK ELEMENTS - Louisiana			-									Attachr	ment: 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
<del></del>						D	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
57	6 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336 40	0 00	0.00				15 20				
67	2 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725 80	0 00	0 00				15 20				
Non-Recu	rring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	eliztio	n with Port - Conv	ersion Charge	Based on a Sys	stem									<u>L.</u>
A Minimu	m System configuration is One (1) DS1, One (1) D4 Channel	l Bank,	and Up	o To 24 DSO Ports	with Feature A	Activations.										
Multiples	of this configuration functioning as one are considered Ad	d'I after	the m	unimum system co	onfiguration is	counted.										ļ
	RC - Conversion (Currently Combined) with or without						450.00	-0.00				15 20				
	ellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450 00	50 00				15 20		-		
	dditions Where Currently Combined and New (Not Currently	y Comb	ined)						1					1		
	v Zone 1 Top 8 MSAs DS1/D4 Channel Bank - Add NRC for each Port and Assoc						-				<del> </del>			<del> </del>		1
	ea Activation -		1	UEPMG	VUMD4	0 00	900 00	600 00			1	15 20			}	
	Zero Substitution			QEI ING	VOIVID		000 00	000 00								
	ear Channel Capability Format, superframe - Subsequent		-								·					
	tivity Only	}		UEPMG	CCOSF	0 00	0 00	605 00		l		15 20		L		<u></u>
	ear Channel Capability Format - Extended Superframe -			V =												
	ubsequent Activity Only			UEPMG	CCOEF	0 00	0 00	605 00				15 20				
Alternate	Mark Inversion (AMI)													ļ		ļ
Su	perframe Format			UEPMG	MCOSF	0 00	0 00	0.00								
	dended Superframe Format			ÜEPMG	MCOPO	0 00	0 00	0 00			ļ	ļ. <u>.</u> .				
Exchange	Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port			1					ļ			ļ. <u> </u>		<u> </u>
Exchange	Ports													ļ		<del></del>
		ĺ		l				0.00				15 20		Ė		
	ne Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14 00	0 00	0 00			4	15 20		ļ	ļ	<del> </del>
Li	ne Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14 00	0.00	0.00			-	13 20		<del> </del>	·	
.	0 1 1 1 0 1 0 1 1 1 0 D V T 1 D 1 1 1 1 D D		i	UEPPX	UEP1X	14 00	0 00	0.00				15 20	ĺ		1	
	ne Side Inward Only Channelized PBX Trunk Port without DID	ļ	-	UEPPX	UEPDM	36 00	0 00	0.00			-	15 20				
	Wire Trunk Side Unbundled Channelized DID Trunk Port  nbundled Exchange Ports, 2-Wire Channelized - Outdial -		-	UEPPA	DEFDIVI	30 00	0 00	0.00	-		· · · · · · · · · · · · · · · · · · ·	10 20				1
	L, KY, LA, MS, & TN)	Ì		UEPPX	UEPCY	14 00	0.00	0.00	0 00	0 00		15 20		}		1
	nbundled Exchange Ports, 2-Wire Channelized – Combination	-		OLI I X	02.0.											
	L. KY, LA, MS, & TN			UEPPX	UEPCT	14 00	0 00	0 00	0 00	0 00		15 20		ì		
	nbundled Exchange Ports, 2-Wire Channelized – Outdial –		t —											-		
	ouisiana Only – Calling Plan		1	UEPPX	UEPC2	14 00	0 00	0.00	0.00	0.00		15 20				
	nbundled Exchange Ports, 2-Wire Channelized - Two Way -		1									1				
Lo	ouisrana Only – Calling Plan			UEPPX	UEPC3	14 00	0 00	0.00	0.00	0 00		15 20			<u> </u>	ļ
	ctivations - Unbundled Loop Concentration													ļ		<del> </del>
	eature (Service) Activation for each Line Port Terminated in D4	ļ			1							45.00				
	ank	]		UEPPX	1PQWM	0 6497	40 00	20 00	_			15 20		-		
	eature (Service) Activation for each Trunk Port Terminated in	1		LIEBBY	10014	0.0407	440.00	20.00				15 20		i		
	4 Bank	-	-	UEPPX	1PQWU	0 6497	110 00	30 00			<del> </del>	15 20	-	1	<del> </del>	+
	e Number/ Group Establishment Charges for DID Service	-	-	UEPPX	NDT	0 00	0 00	0 00	-			15 20		+	<del>                                     </del>	<del></del>
	ID Trunk Termination (1 per Port)		<u> </u>	UEPPX	ND4	0.00	0.00	0 00			<del> </del>	15 20		1	1	<b>—</b> —
	ID Numbers - groups of 20 - Valid all States on-Consecutive DID Numbers - per number	<del></del>	├	UEPPX	ND5	0.00	0 00	0 00	<del> -</del>		<del> </del>	15 20	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>
	eserve Non-Consecutive DID Numbers	-		UEPPX	ND6	0.00	0 00	0.00				15 20		1		<b>T</b>
	eserve Non-Consecutive DID Numbers eserve DID Numbers		+	UEPPX	NDV	0.00	0.00	0 00	<del>-</del>	l	1	15 20	t		1	1
	mber Portability	1	+-	521.7	1,0,	1 30	- 2 50	3.50			1	1		1	1	
	oca! Number Portability - 1 per port		t	UEPPX	LNPCP	3 15	0 00	0 00				1				
	ES - Vertical and Optional	<u> </u>	<b> </b>													
	itching Features Offered with Line Side Ports Only		t	· · · · · · · · · · · · · · · · · · ·											1	
Al	l Features Available			UEPPX	UEPVF	0 00	0.00	0 00				15 20			<b></b>	<del></del>
NBUNDLED CE	NTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S	L					L			1		ļ	ļ	<del> </del>	<del> </del>
1 Cost B	ased Rates are applied where BellSouth is required by FCC	and/or	State	Commission rule	to provide Unb	undled Local S	witching or Sv	vitch Ports	L	L	1	<u> </u>			+	+
2 Feature	es shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Ra	te section in the s	ame manner as	s they are applie	ed to the Stand	I-Alone Unbur	idled Port secti	on of this Rat	e Exhibit		L	1	<del> </del>	+
3 End Of	fice and Tandem Switching Usage and Common Transport	Usage	rates i	n the Port section	of this rate ext	hibit shall apply	to all combin	ations of loop	/port network e	lements exce	ot for UNE	Join Port/Lo	oop Combina	nions.	Additional N	PCe may
	st and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. F	or Currently Co	ombined Combo	os, the nonrec	urring charge:	s snall be those	i identifi <b>ed in</b>	ine Nonreci	ımıng - Çurr	entry Combin	ieu sections.	AUUILIONAI N	too may
	o and are categorized accordingly							·			1	т		т	T	т
	t Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual	Case Basis, un	tii further notic	e	-	1	<del> </del>	+		-		<del> </del>	+
UNE-P CI	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	"	1	i	l	1	<u></u>		L		.——	<u> </u>	1			

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment 2		bit <sup>.</sup> B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Di			0017111		Rates (\$)	SOMAN	SOMAN
			ļ				First_	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		1											<del> </del>
UNE P	Port/Loop Combination Rates (Non-Design)		ļ.,													<del></del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		13 13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		23 75										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		49 62										
HAIE D	Port/Loop Combination Rates (Design)		<del>                                     </del>	OLI OI	<del> </del>	13.52			<del> </del>							
ONEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del>                                     </del>		-				<del></del>			,				
	Design		1	UEP91	1	16 29								ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	2	UEP91		26 71								1		
<del></del>	Design		2	UEP91	+	20 / 1					<del> </del>	<del></del>		<del> </del> -		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		48 26										
UNE L	oop Rate		1	L	1				ļ		<del> </del>	_		<del> </del>		
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11 77			· · · · · · · · · · · · · · · · · · ·					ļ		<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	22 39							ļ		ļ	<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	48 26									ļ	-
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP91	UECS2	14 93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25 35			<del>  </del>					<u> </u>		<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50 46								ļ		<del></del>
UNE F					1										ļ	
All Sta	ates (Except North Carolina and Sout Carolina)	[ <u> </u>	L									15.00		ļ	ļ	<del> </del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	L		UEP91	UEPYA	1 36	38 85	19 08				15 20				<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1 36	38 85	19 08			1	15 20				
	2-Wire Voice Grade Fort (Centrex from diff Serving Wire			UEP91	UEPYM	1 36	104 41	67 93				15 20				
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											15 20			_	
	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent		_	UEP91	UEPYZ	1 36	104 41	67 93			<del>                                     </del>				<u> </u>	
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		-	UEP91	UEPY9	1 36	38 85	19 08	<del>                                     </del>			15 20				+
	Basic Local Area		ļ	UEP91	UEPY2	1 36	38 85	19 08	ļ			15 20				<del> </del>
AL, K	Y, LA, MS, & TN Only	-	<b>├</b> ─	UEP91	UÉPQA	1 36	38 85	19 08	<del> </del>			15 20		<del> </del>	<del>                                     </del>	<del> </del>
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQB	1 36	38 85	19 08				15 20		<del></del>	<del></del>	
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPQH	1 36	38 85	19 08				15 20	<del> </del>			<b>——</b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1											<del>-</del> -	1 -	
	Center)2  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-	-	UEP91	UEPQM	1 36	104 41	67 93			<del>                                     </del>	15 20	<del> </del>	-		+
	Term		1	UEP91	UEPQZ	1 36	104 41	67 93				15 20	ļ	-	<del> </del>	+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP91	UEPQ9	1 36	38 85	19 08			<u> </u>	15 20 15 20				
<del></del>	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP91	UEPQ2	1 36	38 85	19 08	<del> </del>		<del> </del>	15 20	<del> </del>	<del></del>	+	+
Local	Switching		+	LIEBOA	LIDECC	0.0677		-	<del></del>		<del></del>	<del></del> -			<del> </del>	+
<del>   </del>	Centrex Intercom Funtionality, per port	-	+	UEP91	URECS	0 8577					<del> </del>		l	<del> </del>	<del> </del>	+
Local	Number Portability	1		UEP91	LNPCC	0 35					ļ	<del>                                     </del>	-	<del></del>		
	Local Number Portability (1 per port)	<del> </del>	+	IOCKA1	LINPUC	0.35	<del> </del>		<del>                                     </del>		+	<del> </del>	-	<del> </del>	+	+
Featu	All Standard Features Offered, per port		+-	UEP91	UEPVF	0.00		<del></del>	<del>                                     </del>		+	<del></del>	h	<del> </del>	+	+
						0 00	412 25	<b>-</b>	<del> </del>			15 20		<del> </del>	<del>+</del>	+
$\vdash$	All Select Features Offered, per port		+	UEP91	UEPVS		412 25		<del> </del>		<del>                                     </del>	13 20	1	<del> </del>		+
	All Centrex Control Features Offered, per port	ļ	1	UEP91	UEPVC	0 00			<del>                                     </del>		+		+	<del>                                     </del>	<b>+</b>	+
NARS		<u> </u>		LIEBOA	LIADOY	0 00	0 00	0 00	+		<del> </del>	15 20	<del>                                     </del>	<del> </del>	+	+
<b></b>	Unbundled Network Access Register - Combination	<u> </u>	+	UEP91	UARCX			0 00			+	15 20		+ "	<del> </del>	+
1 1	Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0 00	0 00	1				15 20				

Miscellar 2-Wire Tr T Interoffic	RATE ELEMENTS  Jinbundled Network Access Register - Outdia!	Interi m	Zone	BCS								Svr Order Suhmitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment Charge
Miscellar 2-Wire Tr T Interoffic				BC5	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st		Manual Svc Order vs. Electronic- Disc 1st	
Miscellar 2-Wire Tr T Interoffic						Rec	Nonreci		Nonrecurring [					Rates (\$)		
Miscellar 2-Wire Tr T Interoffic							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Tr				UEP91	UAROX	0 00	0 00	0 00				15 20				
Interoffic	neous Terminations				1		-									
Interoffic				UE DO	CENA6	8 29	115 85	18 20				15 20				
	runk Side Terminations, each		<b></b>	UEP91	CENA6	6 29	115 85	18 20			-	13 20				
	ce Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22 60	39 36	26 62				15 20	-			
	nteroffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 013	39 30 1	20 02				1020				
	Activations (DS0) Centrex Loops on Channelized DS1 Service			00.01	111100111	00.0										
	nel Bank Feature Activations				1				1							
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 6497						15 20				
ΙŤ					<del>                                     </del>										_	
	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 6497						15 20				
	eature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		L	UEP91	1PQW7	0 6497						15 20				
	eature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0 6497						15 20				ļ
l [					1,0000	0.046=						45.00			1	
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 6497						15 20				
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.0407			1			45.00				Ì
	Slot			UEP91	1PQWQ	0 6497			1			15 20 15 20				ļ
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 6497						15 20				-
	curring Charges (NRC) Associated with UNE-P Centrex		<u> </u>											_		<del></del>
	Conversion - Currently Combined Switch-As-Is with allowed		1	UEP91	USAC2	]	0 10	0 10				15 20				
	changes, per port Conversion of Existing Centrex Common Block		1	UFP91	USACN	0 00	36 66	16 10	<del> </del>			1320				-
	New Centrex Standard Common Block		<del> </del>	UEP91	M1ACS	0 00	680 40	16 10	-		1	15 20			1	<del> </del>
	New Centrex Customized Common Block			UEP91	MIACC	0 00	680 40		<del></del>		1	15 20				
	Secondary Block, per Block		<del></del>	UEP91	M2CC1	0 00	79 31				<b> </b>	15 20				
	NAR Establishment Charge, Per Occasion		<del>                                     </del>	UEP91	URECA	0 00	73 93			_	<del> </del>	15 20				
	ENTREX - 5ESS (Valid in Alf States)								T					***		
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	t/Loop Combination Rates (Non-Design)							*				1				
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
N	Non-Design		1	UEP95		13 13										
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	i		•						l "		
	Non-Design		2	UEP95		23 75										<b>↓</b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		49 62					ļ	<u> </u>				
	t/Loop Combination Rates (Design)		ļ								ļ <u></u>					<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.	Lienos		40.00			i		1		i		1	
	Design Control of the		1	UEP95		16 29			<u> </u>		<del> </del>	-			<del> </del>	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		26 71					1		1			
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	·		UEP95		20 / 1							<del> </del>		-	
	2-Wile VG Loop/2-Wile Voice Grade Port (Centrex)Port Combb -   Design		3	UEP95		51 82										1
UNE Loc			3	UEP95	1	31 62			<del>                                     </del>		<del> </del>				<del> </del>	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11 77			· ·	-						<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	22 39		<del></del>	<del>                                     </del>							
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	48 26					1		l			
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UEC\$2	14 93					<b>†</b>				1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25 35					1		1			T
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50 46										
UNE Por				1												
All State									1							
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<b>†</b>	UEP95	UEPYA	1 36	38 85	19 08				15 20				
2	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 36	38 85	19 08	1			15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			T												

MOUNDLE	D NETWORK ELEMENTS - Louisiana													ment 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	COMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del>                                     </del>	-				FIFSL	Addi	FIRST	Addi	SOMEC	SIMAN	SUMAN	SOMAN	SUMAN	SOMAN
	Center)2 Basic Local Area			UEP95	UEPYM	1 36	104 41	67 93				15 20				Į.
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.00				0,00				1020				1
	Term - Basic Local Area		1	UEP95	UEPYZ.	1 36	104 41	67 93				15 20				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
	- Basic Local Area			UEP95	UEPY9	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	luenzo I	4.00	20.05	40.00							1	1
	Basic Local Area LA, MS, SC, & TN Only		-	UEP95	UEPY2	1 36	38 85	19 08				15 20			ļ	
	2-Wire Voice Grade Port (Centrex.)			UEP95	UEPQA	1 36	38 85	19 08			<del> </del>	15 20			-	<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1 36	38 85	19 08	-		1	15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1 36	38 85	19 08				15 20		<del> </del>		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1		52.50					.5.20		<u> </u>	<b> </b>	<del> </del>
	Center)2			UEP95	UEPQM	1 36	104 41	67 93				15 20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													<u> </u>		1
	Term			UEP95	UEPQZ	1 36	104 41	67 93				15 20				
							-									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 36	38 85	19 08				15 20				
Local S	witching															
l acal b	Centrex Intercom Funtionality, per port			UEP95	URECS	0 8577		-		<b>ļ</b>		15 20				
	Local Number Portability (1 per port)		-	UEP95	LNPCC	0 35										
Feature				UEF 80	LINFOC	0 33					<del> </del>					····
	All Standard Features Offered, per port			UEP95	UEPVF	0 00						15 20				1
	All Select Features Offered, per port			UEP95	UEPVS	0 00	412 25	·····	-			15 20				<del> </del>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0 00						15 20				
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0.00	0.00				15 20				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0 00	0 00				15 20				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00				15 20				<u> </u>
	aneous Terminations Trunk Side		-													
	Trunk Side Trunk Side Terminations, each			UEP95	CEND6	8 29	115 85	18 20				15 20			ļ	
	Digital (1.544 Megabits)			ULF 30	CEINDO	0 29	110 00	10 20				15 20		- · · · · ·		
	DS1 Circuit Terminations, each		-	UEP95	M1HD1	68 47	196 18	92 92				15 20				· · · · ·
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	14 06					15 20				
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22 60	39 36	26 62				15 20		1		
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 013										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations			UEDOS	100110	0.015										1
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP95	1PQWS	0 6497				ļ		15 20		ļ. —	ļ	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	]		UEP95	1PQW6	0 6497				1		45.00			•	
-	Feature Activation on D-4 Channel Bank FX fine Side Loop Slot		-	UEP95	1PQW6	0 6497				1		15 20			<del> </del>	ļ
	Slot			UEP95	1PQW7	0 6497						15 20			1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				11 (27)	3 0-31				<del></del>	<del>                                     </del>	10 20		<del> </del>	<del> </del>	<u> </u>
	Different Wire Center			UEP95	1PQWP	0 6497						15 20				1
	7-11-11		<b></b>		1	7 1				1		,,,,,			1	†
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 6497				1		15 20		[		1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1										1	
	Slot			UEP95	1PQWQ	0 6497						15 20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 6497						15 20				
	curring Charges (NRC) Associated with UNE-P Centrex										ļ					ļ
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAGO	1		0.10		1		45.00		l		1
	Conversion of Existing Centrex Common Block, each			UEP95	USAC2 USACN		0 10 36 66	0 10		<del> </del>	ļ	15 20 15 20		<u> </u>	<del> </del>	<del>                                     </del>

Version 4Q02 12/18/02 Page 217 of 416

INBUNDLED	NETWORK ELEMENTS - Louisiana									-			Attachr	nent 2	Exhit	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic
									1 41				1st	Add'l	Disc 1st	Disc Add'l
<del></del>						Rec	First	curring Add'l	First	ng Disconnect Add'l		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
1 1,	New Centrex Customized Common Block			UEP95	MIACC	0 00	680 40	Addi	First	Audi	SOMIEC	15 20	SOMAN	SUMAN	SUMAN	SUMAN
	NAR Establishment Charge, Per Occasion		-	UEP95	URECA	0 00	73 93	<del>                                     </del>	1	-	+	15 20				
UNE-P C	ENTREX - DMS100 (Valid in All States)								-							
2-Wire V	G Loop/2-Wire Voice Grade Port (Centrex) Combo								-							
	t/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.		i l					ŀ						
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		13 13			ļ	+						
	z-wille vG Eddpiz-wille voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D	1 1	23 75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	021 30		25 7 5				-	+	<u> </u>			-	-
	Non-Design		3	UEP9D		49 62										
	t/Loop Combination Rates (Design)		ŕ					1	· ·	<del> </del>	1					l
12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									1	1		-			
	Design		1	UEP9D		16 29					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ţ										
	Design		2	UEP9D		26 71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		51 82					1					
UNE Loc			-3-	DEP9D		31 82		-		-						
	-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	22 39					<del></del>					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	48 26					<del></del>					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14 93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25 35		i								
	-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50 46										
UNE Por	† Rate	ļ	<u> </u>						1		ļ. <u></u>					
	P-Wire Voice Grade Port (Centrex ) Basic Local Area	ļ		UEP9D	UEPYA	4.50		40.00	ļ	1						
	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYA	1 36	38 85	19 08	<del></del>	-		15 20				
	Area			UEP9D	UEPYB	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI SB	OL: ID	1.30		15 00				10 20				
	Area			UEP9D	UEPYC	1 36	38 85	19 08				15 20				
2	P-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex / E8S-M5209))3 Basic Local								T							
	Area			UEP9D	UEPYE	1 36	38 85	19 08				15 20				
	P-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			HEDOD												
	New Voice Grade Port (Centrex / EBS-M5312))3Basic Local	_		UEP9D	UEPYF	1 36	38 85	19 08		-	<del></del>	15 20				
	Area	1		UEP9D	UEPYG	1 36	38 85	19 08				15 20				
	-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	<del> </del>		OLFSD	- UCF TO	1 30	30 03	1900	<del>                                     </del>	-	+	15 20				
	Area			UEP9D	UEPYT	1 36	38 85	19 08	1	1		15 20				
2	-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local							1000		1		10 20				
	Area	İ		UEP9D	UEPYU	1 36	38 85	19 08	1	1		15 20				
	-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local									1	T					
	vea			UEP9D	UEPYV	1 36	38 85	19 08		1		15 20				
	-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	LIEDVO					1						
	Nea P-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1 36	38 85	19 08	ļ	<del> </del>		15 20				
	Area			UEP9D	UEPYH	1 36	38 85	40.00	1	1		45.00				
	-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			CELAD	DEPTH	. 1 36	30 85	19 08	<del> </del>	-	+	15 20	-			
	ndication))3 Basic Local Area			UEP9D	UEPYW	1 36	38 85	19 08	1			15 20	i			
	-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3						30 00	15 06	1	<del> </del>	<del> </del>	13 20				·
	Basic Local Area			UEP9D	UEPYJ	1 36	38 85	19 08	1	1	1	15 20	1			
	-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Basic Local Area	ļ		UEP9D	UEPYM	1 36	104 41	67 93				15 20				L
	-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	"														
8	Basic Local Area	l		UEP9D	UEPYO	1 36	104 41	67 93				15 20				l

ONDONDE	ED NETWORK ELEMENTS - Louisiana													ment 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	*/***		<b></b> -		+	Rec	Nonre			g Disconnect				Rates (\$)		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		1		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area		1	UEP9D	UEPYP	1 36	104 41	67 93				15.00				
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		<del></del>	OLF 30	OLFIF	1 30	104 41	67 93				15 20				<u> </u>
	Basic Local Area		1	UEP9D	UEPYQ	1 36	104 41	67 93				15 20			ļ	
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3					1										
	Basic Local Area			UEP9D	UEPYR	1 36	104 41	67 93				15 20				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			HERAR												
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1 36	104 41	67 93		<u> </u>		15 20				
1	Basic Local Area			UEP9D	UEPY4	1 36	104 41	67 93				15 20				l
· · · · · ·	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLF 14	1 30	104 41	07 93				15 20				-
	Basic Local Area		ļ	UEP90	UEPY5	1 36	104 41	67 93				15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3									†	i					
	Basic Local Area			UEP9D	UEPY6	1 36	104 41	67 93				15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			. IEDOD												
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1 36	104 41	67 93		ļ		15 20				
	Term			UEP9D	UEPYZ	1 36	104 41	67 93				45.00				f
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI SD	JOLF12	1 30	104 41	0/93				15 20				+
	Basic Local Area			UEP9D	UEPY9	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic						*****		-	-		10 20				
	Local Area			UEP9D	UEPY2	1 36	38 85	19 08		ļ		15 20				1
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UÉP9D	UEPQA	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQB	1 36	38 85	19 08				15 20				
·   ·	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1 36	38 85 38 85	19 08 19 08			<b></b>	15 20 15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1 36	38 85	19 08		<del> </del>		15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	-		UEP9D	UEPQF	1 36	38 85	19 08		<del> </del> -		15 20				<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UÉPQV	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D UEP9D	UEPQ3 UEPQH	1 36 1 36	38 85 38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	,		OLF 9D	OEF GH	1 30	30 00	19 08				15 20				
ı	Indication)3			UEP9D	UEPQW	1 36	38 85	19 08				15 20				i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1 36	104 41	67 93			İ	15 20				i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1 36	104 41	67 93	,			15 20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPOP	1 36	404.44	07.00								1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQP	1 36	104 41 104 41	67 93 67 93				15 20				<del>                                     </del>
				OZI 3B	OLF Qu	130	104 41	6/ 93			-	15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1 36	104 41	67 93				15 20		1		í
					1			0, 00		<del></del>		13 20			-	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1 36	104 41	67 93			1	15 20				
İ	2.1/2.1/2.1.2.1.1/2															
_   _	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1 36	104 41	67 93				15 20				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5											
	- 1.55 Crade i dir (Gentle Adillei GWO /LDG-M3206)2, 3			UEF8D	UEPUS	1 36	104 41	67 93				15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1 36	104 41	67 93			·	15 20				
					152.50	1 30	104 41	0/ 93	-			10 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1 36	104 41	67 93			ŀ	15 20				
ļ	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service												-			
1	Term_			UEP9D	UEPQZ	1 36	104 41	67 93		l		15 20				

JNBUNDLED NETWORK ELEMEN	115 - Louisiana				, ,									ment 2		ort B
ATEGORY RAT	E ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 Wire Voice Grade Bort In	rminated in on Megalink or equivalent			UEP9D	UEPO9	1 36	38 85	19 08				45.00			i	
	erminated in on Megalink or equivalent			UEP9D	UEPQ9	1 36	38 85	19 08				15 20 15 20				
Local Switching	ATTIMETATED OF SOO SERVICE LETTI			GEF9D	UEFQ2	1 30	30 00	19 06			<u> </u>	15 20				
Centrex Intercom Funtional	ity, per port			UEP9D	URECS	0 8577										
Local Number Portability	, ,															
Local Number Portability (1	per port)			UEP9D	LNPCC	0 35					†					
Features																
All Standard Features Offer				UEP9D	UEPVF	0 00						15 20	-			
All Select Features Offered				UEP9D	UEPVS	0 00	412 25					15 20				
All Centrex Control Feature	s Offered, per port			UEP9D	UEPVC	0 00						15 20				
Unbundled Network Access				UEP9D	UARCX	0 00	0.00	0 00				15 20				
Unbundled Network Access Unbundled Network Access				UEP9D UEP9D	UAR1X UAROX	0 00	0 00	0 00				15 20				
Miscellaneous Terminations	Register - Outdial			UEP9D	UARUX	0.00	0.00	0.00				15 20				
2-Wire Trunk Side			-		<del></del>				****							
Trunk Side Terminations, e.	ach			UEP9D	CEND6	8 29	115 85	18 20				15 20				
4-Wire Digital (1.544 Megabits)				021 00	GENES	0.25	110 00	10 20				13 20				
DS1 Circuit Terminations, e	ach	-		UEP9D	M1HD1	68 47	196 18	98 62			1	15 20				
DS0 Channels Activiated pe				UEP9D	M1HDO	0.00	14 06				1	15 20				
Interoffice Channel Mileage - 2-W	ire										t	.020				
Interoffice Channel Facilitie				UEP9D	MIGBC	22 60	39 36	26 62				15 20			-	
	, per mile or fraction of mile			UEP9D	MIGBM	0 013										
	Loops on Channelized DS1 Service	•														
D4 Channel Bank Feature Activat															•	
Feature Activation on D-4 C	hannel Bank Centrex Loop Slot			UEP9D	1PQWS	0 6497						15 20				
				l	1											
	hannel Bank FX line Side Loop Slot hannel Bank FX Trunk Side Loop			UEP9D	1PQW6	0 6497						15 20	_			
Slot	manner bank FA Hunk Side Loop			UEP9D	1PQW7	0 6497									]	
	hannel Bank Centrex Loop Slot -			DEP9D	IPQW/	0 6497						15 20				
Different Wire Center	Mariner Bank Centrex 2000 Clot	- 1		UEP9D	1PQWP	0 6497					1	45.00				
				DE1 00	111 92 777	0 0437						15 20				
Feature Activation on D-4 C	hannel Bank Private Line Loop Slot			UEP9D	1PQWV	0 6497						15 20				
	hannel Bank Tile Line/Trunk Loop				1							13 20				
Slot				UEP9D	1PQWQ	0 6497						15 20				
	hannel Bank WATS Loop Slot			UEP9D	1PQWA	0 6497					-	15 20	_			
Non-Recurring Charges (NRC) As					1											
	Combined Switch-As-Is with allowed															
changes, per port				UEP9D	USAC2		0 10	0 10			1 1	15 20				
Conversion of existing Cent				UEP9Ď	USACN		36 66	16 10				15 20				
New Centrex Standard Com				UEP9D	M1ACS	0 00	680 40					15 20				
New Centrex Customized C				UEP9D	M1ACC	0 00	680 40					15 20				
NAR Establishment Charge UNE-P CENTREX - EWSD (Valid I		-		UEP9D	URECA	0 00	73 93					15 20				
2-Wire VG Loop/2-Wire Voice Gra	da Bost (Contract) Comb a			7												
UNE Port/Loop Combination Rate	ve (Non-Doeign)				<del> </del>											
	ce Grade Port (Centrex) Port Combo -				+ +	<del></del> +										
Non-Design	- I I I I I I I I I I I I I I I I I I I	-	1	UEP9E		13 13	l									
	e Grade Port (Centrex)Port Combo -			v=	+	19 13	-+				<del></del>			•		
Non-Design	. ,	- 1	2	UEP9E		23 75							Ì			
	e Grade Port (Centrex)Port Combo -				<del> </del>											
Non-Design	. ,	- 1	3	UEP9E	1	49 62							į			
UNE Port/Loop Combination Rate	s (Design)				T'		- +				<del></del>	+				
2-Wire VG Loop/2-Wire Void	e Grade Port (Centrex) Port Combo -										<del>                                     </del>	-				
Design			1	UEP9E		16 29		i								
	e Grade Port (Centrex)Port Combo -								~							
Design			2	UEP9E		26 71					1					

NBUNDLED	NETWORK ELEMENTS - Louisiana												Attachr			bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		001141
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١ ـ			51 82										
	Design		3	UEP9E		51.62										
UNE Loc		_	<b>—</b>	LIEDOE	UE COA	11 77					-					·
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1 UECS1	22 39					ł				<del> </del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9E UEP9E	UECS1	48 26			_	· - · ·					<del>                                     </del>	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	14 93						-			<del></del>	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	25 35										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	50 46					<del> </del>	<del>                                     </del>		-	† <del></del>	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	DEPSE	UEC32	30 40					<del> </del>	<del> </del>		<del></del>		
UNE Por			1								<del> </del>		·			
	KY, LA, MS, & TN only	<del></del>	-	UEP9E	UEPYA	1 36	38 85	19 08				15 20			1	<b> </b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEFTA	1.30	30 03	19 00				10.20				+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1 36	38 85	19 08	-			15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					1										
	Center)2 Basic Local Area			UEP9E	UEPYM	1 36	104 41	67 93				15 20			<u> </u>	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1 36	104 41	67 93				15 20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<del>                                     </del>	OLI DE	102, 72											1
	- Basic Local Area			UEP9E	UEPY9	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		}	UEP9E	UEPY2	1 36	38 85	19 08				15 20				
AL, KY,	LA, MS, & TN Only		1								<u> </u>			<b>!</b>		
	2-Wire Voice Grade Port (Centrex )		i	UEP9E	UEPQA	1 36	38 85	19 08				15 20				ļ
	2-Wire Voice Grade Port (Centrex 800 termination)		}	UEP9E	UEPQB	1 36	38 85	19 08			ļ	15 20			-	
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP9E	UEPQH	1 36	38 85	19 08				15 20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPOM	1 36	104 41	67 93				15 20	1			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1 36	104 41	67 93				15 20				
												45.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9Ë	UEPQ9	1 36	38 85	19 08			<del></del>	15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPQ2	1 36	38 85	19 08		-		15 20		·		<del>-</del>
	witching							•			-					
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0 8577										-
	umber Portabrlity				-							<del> </del>			<del></del>	+
	Local Number Portablify (1 per port)			UEP9E	LNPCC	0 35							ļ			-
Feature		1									-	15 20				_
	All Standard Features Offered, per port		-	UEP9E	UEPVF	0 00	412 25				<del> </del>	15 20			<del>                                     </del>	+
	All Select Features Offered, per port			UEP9E	UEPVS	0 00	412 23					15 20				
	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0 00					+	13 20		· - · - ·	+	+
NARS			-	UEP9E	UARCX	0 00	0.00	0.00			<del>  </del>					
	Unbundled Network Access Register - Combination	<b> </b>	-		UAR1X	0 00	0 00	0 00	<del> </del>	· · · · · · · · · · · · · · · · · · ·		+				
	Unbundled Network Access Register - Indial	<del> </del>	1	UEP9E UEP9E	UAROX	0 00	0 00	0.00	<del>                                     </del>		+	+		<del> </del>	·	_
	Unbundled Network Access Register - Outdial aneous Terminations	<del>                                     </del>	+	UEP9E	UARUA		0 00	0.00	<del>                                     </del>		_		<u> </u>			
	Trunk Side	-	╁	ļ	-							1	<del> </del>	<del>                                     </del>	<del></del>	+
			1	UEP9E	CEND6	8 29	115 85	18 20			<del>                                     </del>	15 20	<del> </del>	<del> </del>	+	1
	Trunk Side Terminations, each Digital (1.544 Megabits)	<del> </del>	+	OLF 8L	CLINDO	0 29	113 63	10 20	<del> </del>	-	+	1 .0 20	t		_	1
	DS1 Circuit Terminations, each	_	+	UEP9E	M1HD1	68 47	196 18	92 92	<del> </del>	-	+	15 20	<del> </del>	<del>                                     </del>		T
	DS0 Channel Activated Per Channel		+	UEP9E	M1HDO	0 00	14 06	UL 02	<del> </del>	<del>                                     </del>		15 20	1	1		+
Intereff	ice Channel Mileage - 2-Wire	<del>                                     </del>	+	OLIBE	WITHOU		17.00			<del> </del>	<del>                                     </del>	1 .570	1			
	Interoffice Channel Facilities Termination		+	ÚEP9E	MIGBC	22 60	39 36	26 62	<del>                                     </del>	<b>†</b>	1	15 20			<del>                                     </del>	1
	Interoffice Channel Facilities Termination  Interoffice Channel mileage, per mile or fraction of mile	<del> </del>	+	UEP9E	MIGBM	0 013	33 30	20 02		<b>†</b>		1	<del> </del>	l	1	
	Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	+		INICOIN .			<u> </u>			1	<del>                                     </del>		İ	<del>                                     </del>	<del>                                     </del>
	nnel Bank Feature Activations	ĭ	+	· · · · · · · · · · · · · · · · · · ·	+ +				ļ	<b> </b>	+			1	1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1POWS	0 6497		ł			_	15 20	1	<b>—</b>	1	Т

Page 221 of 416

ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 6497					}	15 20				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0 6497						15 20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1 1										i	
	Different Wire Center			UEP9E	1PQWP	0 6497					ļ	15 20				
	5 1 41 1 5 15 15 15 15 15 15 15 15 15 15 15 1			LIEBOE	400044	0.0407					1	15.00	ł			1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		1	UEP9E	1PQWV	0 6497					<u> </u>	15 20				+
	Slot			UEP9E	1PQWQ	0 6497						15 20			!	
-	Feature Activation on D-4 Channel Bank WATS Loop Slot		<del> </del>	UEP9E	1PQWA	0 6497						15 20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI SL	11 9211	0 0407						10 20				
	NRC Conversion Currently Combined Switch-As-Is with allowed				1					-						
	changes, per port			UEP9E	USAC2		0 10	0 10		[		15 20				1
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36 66	16 10				15 20				
	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	680 40					15 20				
	New Centrex Customized Common Block			UEP9E	M1ACC	0 00	680 40			1		15 20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	73 93					15 20				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															<u> </u>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Non-Design		1	UEP93		13 13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.								1		l			
	Non-Design		2	UEP93		23 75					1		ļ			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP93	1	49 62							1		l	
UNER	Non-Design ort/Loop Combination Rates (Design)		3	UEP93		49 02	<del></del>				<del>                                     </del>					<del></del>
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del> </del>		<b></b>						1					<del>                                     </del>
ŀ	Design		1	UEP93		16 29									1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del> </del> -	021.30		10 20				1	1		<del></del>			$\vdash$
1	Design		2	UEP93		26 71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.00		2011		-		-		-				
1	Design		3	UEP93		51 82		i	1	1						
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22 36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	48 26										L
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14 93						ļ <u>.                                    </u>	L			
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2	25 35	<u>-</u>	ļ. <b></b>	ļ	<b></b>	1		ļ		<b></b>	
- LINE S	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50 46				<del> </del>	-				<b></b>	
	ort Rate ', LA, MS, & TN only								<del>                                     </del>	<del>                                     </del>	ļ		<b></b>			<del></del>
AL, AT	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1 36	38 85	19 08	<del>                                     </del>	<del>                                     </del>	1	15 20	<del> </del>		l	
-	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLF 83	UEFTA	1 30	30 00	19.00	<del> </del>	1	1	10 20			<del> </del>	$\vdash$
	Area		1	UEP93	UEPYB	1 36	38 85	19 08		1		15 20			I	1
	2-Wire Voice Grade Fort (Centrex with Caller ID)1Basic Local		<b>-</b>	021 30	OL: 10	1 30	30 00	19 00	<del>                                     </del>	+	+	13 20		<del>                                     </del>	<del> </del>	
	Area			UEP93	UEPYH	1 36	38 85	19 08		1		15 20			I	
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire		<del> </del>	I	1=			1.5.55		1		1	1			
	Center)2 Basic Local Area			UEP93	UEPYM	1 36	104 41	67 93		1		15 20	}	1	1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			1										1		
	Term - Basic Local Area			UEP93	UEPYŻ	1 36	104 41	67 93		L		15 20	L			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent													[		
	- Basic Local Area			UEP93	UEPY9	1 36	38 85	19 08				15 20	<u> </u>			
	2-Wire Voice Grade Port Terminated on 800 Service Term -									-	-			1		
	Basic Local Area		1	UEP93	UEPY2	1 36	38 85	19 08			<del></del>	15 20	<b> </b>			<del>                                     </del>
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1 36	38 85	19 08		<u> </u>		15 20	ļ		<b></b>	<b></b>
	2-Wire Voice Grade Port (Centrex 800 termination)	l	1	UEP93	UEPQB	1 36	38 85	19 08 19 08	1		1	15 20 15 20	1	l		1

Version 4Q02 12/18/02 Page 222 of 416

UNBUNDLED NE	TWORK ELEMENTS - Louisiana	,									10 5	I		nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		201150	00444		Rates (\$)	00441	00444
			-				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir   Cente	re Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPQM	1 36	104 41	67 93				15 20			ĺ	
	re Voice Grade Port, Diff Serving Wire Center - 800 Service		+	OLF 50	OLF GIVI	7 30	104 41	07 93				10 20				
Term				UEP93	UEPQZ	1 36	104 41	67 93				15 20				
	re Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1 36	38 85	19 08				15 20				
	re Voice Grade Port Terminated on 800 Service Term		-	UEP93	UEPQ2	1 36	38 85	19 08				15 20				
Local Switch	ning rex Intercom Funtionality, per port	ļ <b>-</b>		UEP93	URECS	0 8577										
	er Portability	<del>                                     </del>		UEF 93	UNECO	0 65/1										
	Number Portability (1 per port)		-	UEP93	LNCCC	0 35										
Features	(							•								
	andard Features Offered, per port			UEP93	UEPVF	0.00						15 20				
	entrex Control Features Offered, per port			UEP93	UEPVC	0 00						15 20				
NARS			1		<u> </u>											
	Indled Network Access Register - Combination Indled Network Access Register - Indial		-	UEP93 UEP93	UARCX UAR1X	0 00	0 00	0 00				15 20				
	indled Network Access Register - Indial		<del> </del>	UEP93	UAROX	0 00	0.00	0.00			<u> </u>	15 20 15 20				
	us Terminations		<del></del>	DEF-95	DAROX	0 00	0 00	0.00				13 20				
2-Wire Trunk			<del> </del>													
	Side Terminations, each			UEP93	CEND6	8 27	115 85	18 20				15 20				
	ıl (1 544 Megabits)															
	Circuit Terminations, each			UEP93	M1HD1	68 47	196 18	92 92				15 20				
	Channels Activated, Per Channel		ļ	UEP93	M1HDO	0 00	14 06					15 20				
	hannel Mileage - 2-Wire office Channel Facilities Termination			UÉP93	MICRO	20.00	20.00	00.00				75.00				
	office Channel mileage, per mile or fraction of mile			UEP93	MIGBC MIGBM	22 60 0 013	39 36	26 62				15 20				
	vations (DS0) Centrex Loops on Channelized DS1 Service	e	<del> </del>	OLF 53	IVIIODIVI	0013										
	Bank Feature Activations		<del>                                     </del>													
Featu	ire Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 6497			*			15 20				
	ire Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0 6497						15 20				
Slot	re Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBOS	400147	0.0407										
	re Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	1PQW7	0 6497						15 20				
	ent Wire Center			UEP93	1POWP	0 6497						15 20				
	314 7110 33113			OLI 33	17 (2741	0 0457						15 20	-			
Featu	re Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 6497	1					15 20	1			
	ire Activation on D-4 Channel Bank Tie Line/Trunk Loop											- 1020				
Slot				UEP93	IPOWO	0 6497						15 20				
	re Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0 6497						15 20				
	ng Charges (NRC) Associated with UNE-P Centrex				-											
	Conversion Currently Combined Switch-As-Is with allowed								Ì							
	ges, per port ersion of Existing Centrex Common Block, each			UEP93 UEP93	USAC2		0 10	0 10				15 20				
	Centrex Standard Common Block			UEP93	USACN M1ACS	0.00	36 66 680 40	16 10				15 20				
	Centrex Customized Common Block			UEP93	MIACC	0 00	680 40		-			15 20 15 20				
	Establishment Charge, Per Occasion			UEP93	URECA	0 00	73 93		-			15 20				
Note 1 - Requ	uired Port for Centrex Control in 1AESS, 5ESS & EWSD											.0 20				
	ures Interoffice Channel Mileage															
	uires Specific Customer Premises Equipment															
14 Marca Car	REX PORT/LOOP COMBINATIONS - MARKET RATES					I										
2. Recurring	tes are applied where BellSouth is not required by FCC a Charges for all Standard Centrex and Centrex Conrol Fe	and/or S	tate C	ommission rule to	provide Unbur	died Local Swi	itching or Swi	tch Ports.								
3. End Office	and Tandem Switching Usage and Common Transport	lleane :	are incl	the Port section of	of this rate cohi	ait shall angle	to all combine	tions of loan's	aart nahwari: -f-		See LINE 2	Ave Dantil	C			
4. The first ar	nd additional Port nonrecurring charges apply to Not Cu	rrently	Combi	ned Combos. For	r Currently Con	nbined Combo	s the nonrecu	rring charges	shall be those	identified in #	Monrecur	ring - Cusso	op Combinati	d sections	Additional ND	Ce may
jappiy also an	id are categorized accordingly						-, 11.0 7.0111 600	g unarges	o.an De those i	eu m tr	nomecur	g - Curre	y combine	u 366110113 /	-GUILLOHAI NR	os may
UNE-P CENT	REX - 1AESS - (Valid in AL.FL.GA.KY.LA.MS.&TN only)					1	Г				_ <del></del> _		1		· · · · · · · · · · · · · · · · · · ·	
2 William VC La	op/2-Wire Voice Grade Port (Centrex) Combo				1	<del></del>										

MOUNDE	ED NETWORK ELEMENTS - Louisiana			г	<del></del>						T= -:			ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		urring		g Disconnect	1			Rates (\$)		
			ļ	<u></u>			First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Non-Design)		L						1							
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										T					
i	Non-Design	1	1	UEP91		25 77			1		l			-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			1		-	-		1							1
	Non-Design	Ĺ	2	UEP91		36 39			1			ŀ				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															t
	Non-Design		3	UEP91		62 26				i						
UNE	Port/Loop Combination Rates (Design)	1	1							<u> </u>						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
	Design		1	UEP91		28 93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							-								
	Design		2	UEP91	1 1	39 35					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			· · · · · · · · · · · · · · · · · · ·	1						1					
	Design		3	UEP91	1 1	64 46					}					
UNE	Loop Rate				1 1							-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11 77			-		<del></del>					
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22 39	•				<u> </u>					<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP91	UECS1	48 26										ļ. <b>-</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 1	-		UEP91	UECS2	14 93					<del> </del>					
	2-Wire Voice Grade Loop (SL 2) - Zone 2	-		UEP91	UECS2	25 35	-				-					<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3	_		UEP91	UECS2	50 46			<u>i</u>							
UNE		1	3	DEPSI	UECSZ	30 46	_		1	ļ						ļ
	ates (Except North Carolina and Sout Carolina)	-														L
All SI		<u> </u>		LIEBOA	UEDVA	44.00										
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	14 00	50 00	25 00				15 20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1			I					1						1
	Area			UEP91	UEPYB	14 00	50 00	25 00				15 20				1
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local									1						1
	Area			UEP91	UEPYH	14 00	50 00	25 00			1	15 20				
- [	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1		·								· ·	
	Center)2 Basic Local Area			UEP91	UEPYM	14 00	135 00	90 00	]			15 20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		i		1	1										
	Term - Basic Local Area			UEP91	UEPYZ	14 00	135 00	90 00			1	15 20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1													
	- Basic Local Area			UEP91	UEPY9	14 00	50 00	25 00				15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -							•								
	Basic Local Area			UEP91	UEPY2	14 00	50 00	25 00				15 20				
AL, K	Y, LA, MS, & TN Only							•		† ·	-					
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	14 00	50 00	25 00				15 20				·
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	14 00	50 00	25 00				15 20				<del> </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	14 00	50 00	25 00			1	15 20				<del> </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1							.0.20				-
- 1	Center)2			UEP91	JUEPOM	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						100 50					10 20				
	Term			UEP91	UEPQZ	14 00	135 00	90 00		1		15 20				1
	· · · · · · · · · · · · · · · · · · ·			92.01	OLI GZ	14 00	100 00	30 00		· · · · · · · · · · · · · · · · · · ·	·	13 20				<del></del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP91	UEPQ9	14 00	50 00	25 00				15 20				
_+	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	14 00										<b></b>
Local	Switching		<del></del>	OEF 91	UEFUZ	14 00	50 00	25 00				15 20			ļ	
	Centrex Intercom Funtionality, per port			UEP91	URECS	0 8577					ļ					
Local	Number Portability	-	<del></del>	ocrai	UKEUS	0 8577				<del> </del>						<b></b>
12000	Local Number Portability (1 per port)	<b>-</b>		UED01	LNDCO	2.05					ļ					
Featu			-	UEP91	LNPCC	0 35										
realu		<u> </u>		UED04	- Lucas -				<u> </u>	ļ						
	All Standard Features Offered, per port	<u> </u>		UEP91	UEPVF	0 00	· · · · · ·	_		1						
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412 25					15 20		L		
\$1 a m	All Centrex Control Features Offered, per port			UEP91	UEPVC	0 00										
NARS																
	Unbundled Network Access Register - Combination		ļ	UEP91	UARCX	0 00	0 00	0.00				15 20				
	Unbundled Network Access Register - Indial		L	UEP91	UAR1X	0 00	0.00	0.00				15 20				
1	Unbundled Network Access Register - Outdial	ı —	I	UEP91	UAROX	0.00	0.00	0.00		1		15 20				

INBUNDL	ED N	NETWORK ELEMENTS - Louisiana												Attachr	nent 2	Exhib	bit B
ATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Charge - Manual Svc Order vs, Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
							Rec	Nonrec			Disconnect				Rates (\$)		
	- 11	eous Terminations						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		eous reminations ink Side				+ -											
2-9911		unk Side Terminations, each	-		UEP91	CENA6	8 29	115 85	18 20				15 20				
Inter		Channel Mileage - 2-Wire				1								***			
		eroffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22 60	39 36	26 62				15 20				
		eroffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 013										
		ctivations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 C		el Bank Feature Activations ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 6497				ļ		15 20				
	Fe	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 6497						15 20				
	F	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 6497						15 20				
		ature Activation on D-4 Channel Bank FX Trunk Side Loop				11 52770	3,0437						,5 20			•	
	Sid				UEP91	1PQW7	0 6497	1			1		15 20				
		ature Activation on D-4 Channel Bank Centrex Loop Slot -		T		_											
		ferent Wire Center			UEP91	1PQWP	0 6497					l	15 20				
								1								, i	
		ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 6497						15 20				
		ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEBO.	LEGILIO	0.0407	- 1					45.00				
	Sid	ot lature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ 1PQWA	0 6497					ļ	15 20 15 20				
Non-		rring Charges (NRC) Associated with UNE-P Centrex			DEPSI	IPQVVA	0 6497						15 20				
14011-		onversion - Currently Combined Switch-As-Is with allowed				+											
		anges, per port			UEP91	USAC2		0 10	0 10		1		15 20				
1		inversion of Existing Centrex Common Block			UEP91	USACN	0 00	36 66	16 10			†					
		w Centrex Standard Common Block			UEP91	M1ACS	0 00	680 40					15 20				
		w Centrex Customized Common Block			UEP91	M1ACC	0 00	680 40					15 20				
		condary Block, per Block			UEP91	M2CC1	0 00	79 31					15 20				
		R Establishment Charge, Per Occasion		ļ	UEP91	URECA	0 00	73 93					15 20				
		NTREX - 5ESS (Valid in All States) Loop/2-Wire Voice Grade Port (Centrex) Combo										-	-				
		Loop Combination Rates (Non-Design)				1						ļ					
10.12		Nire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		n-Design		1	UEP95		25 77					i					
	2-1	Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		n-Design		2	UEP95		36 39										
		Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										ł					
		n-Design		3	UEP95		62 26										
UNE	Port	Loop Combination Rates (Design)		-								1					
		Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- esign		1	UEP95		28 93										
		Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>  '-</del>	02, 50	+	20 83				<del> </del>		<del></del>				<u> </u>
		rsign		2	UEP95	1	39 35							l			
-		Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
		sign		3	UEP95		64 46										
UNE	Loop																
		Nire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11 77					ļ <u> </u>					
		Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	22 39					ļ					
		Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>		UEP95 UEP95	UECS1 UECS2	48 26 14 93					ļ					
		Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	25 35				<del> </del>	<u> </u>	_				· · · · · ·
		Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	50 46				<del> </del>						
UNE	Port			†- <u>*</u> -	1		55 40	-									
	tates							1									
		Mire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14 00	50 00	25 00				15 20				
		Nire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14 00	50 00	25 00				15 20				
		Nire Voice Grade Port (Centrex with Caller ID)18asic Local															
	Але	ea	I	l.	UEP95	UEPYH	14 00	50 00	25 00		I	1	15 20			l	L
		Nire Voice Grade Port (Centrex from diff Serving Wire															1

Version 4Q02 12/18/02 Page 225 of 416

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana													ment 2		bit B
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec First	urring Add'I	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-		-			Auui	11131	Addi	JOINEO	OOMAN	JOHAN	JOHAN	JOHAN	JUNIAN
		Term - Basic Local Area			UEP95	UEPYZ	14 00	135 00	90 00				15 20				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	14 00	50 00	25 00				15 20				
		2-Wire Voice Grade Port Terminated on 800 Service Term -									· · · · · · · · · · · · · · · · · · ·	+					
		Basic Local Area		1	UEP95	UEPY2	14 00	50 00	25 00				15 20			1	
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex.)			UEP95	UEPQA	14 00	50 00	25 00				15 20				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14 00	50 00	25 00				15 20				
		2-Wire Voice Grade Port (Centrex with Caller ID)1		I	UEP95	UEPQH	14 00	50 00	25 00				15 20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2		<u> </u>	UEP95	UEPQM	14 00	135 00	90 00				15 20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	14 00	135 00	90 00				15 20				
			t		02. 00			.50 00	- 55 55	<u> </u>			10 20				-
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14 00	50 00	25 00	1			15 20				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	14 00	50 00	25 00			1	15 20				
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0 8577						15 20				
	Local N	Number Portability			1												
		Local Number Portability (1 per port)			UEP95	LNPCC	0 35										
	Feature			<u> </u>													
		All Standard Features Offered, per port			UEP95	UEPVF	0 00						15 20				
-		All Select Features Offered, per port			UEP95	UEPVS	0.00	412 25					15 20				· · · ·
		All Centrex Control Features Offered, per port	T		UEP95	UEPVC	0 00	*** * '				† · · · · · ·	15 20			-	
	NARS														<del> </del>		
		Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0.00			<u> </u>	15 20				
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0.00	0 00				15 20				
		Unbundled Network Access Register - Outdial	1		UEP95	UAROX	0 00	0 00	0 00				15 20				†
	Miscell	aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8 29	115 85	18 20			1	15 20				
		Drgital (1.544 Megabits)															
		DS1 Circuit Terminations, each	ł		UEP95	M1HD1	68 47	196 18	92 92				15 20				
		DS0 Channels Activated, each	}		UEP95	M1HDO	0 00	14 06					15 20				
	Interof	fice Channel Mileage - 2-Wire	ĺ														
		Interoffice Channel Facilities Termination			UEP95	MIGBC	22 60	39 36	26 62				15 20				
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 013										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	I													
	D4 Cha	nnel Bank Feature Activations								I					-		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 6497						15 20				
			l														
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>		UEP95	1PQW6	0 6497						15 20		İ		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l		·												
		Slot		L	UEP95	1PQW7	0 6497						15 20				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0 6497						15 20				
															1		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	L		UEP95	1PQWV	0 6497			1			15 20		1	[	
		Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop		T						1		1			1	I	
		Slot			UEP95	1PQWQ	0 6497			1			15 20		1	1	
		Feature Activation on D-4 Channel Bank WATS Loop Slot			ÜEP95	1PQWA	0 6497					T	15 20				
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				•											
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		0 10	0 10	I			15 20		1	1	
		Conversion of Existing Centrex Common Block, each			UEP95	USACN	1	36 66	16 10			1	15 20				1
		New Centrex Standard Common Block			UEP95	M1ACS	0 00	680 40			Ť	1	15 20				1
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	680 40			<del> </del>	1	15 20			† · · · · · · · · ·	<del> </del>
		NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0 00	73 93				<del>                                      </del>	15 20			<del> </del>	<del> </del>

UNBUNDL	LED NETWORK ELEMENTS - Louisiana	_		_							Sun O-3	leus A-d		nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Suhmitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1				Rec		urnng		g Disconnect	DOMEO	COMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	D OFFITTER ON OLD A COLUMN AND OLD AND	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SOMAN
	E-P CENTREX - DMS100 (Valid in All States)	+	-		+						+					
	Port/Loop Combination Rates (Non-Design)	+	1								1	1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+										<del> </del>				
	Non-Design		1	UEP9D		25 77					1					
	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo	-														
1	Non-Design		2	UEP9D		36 39					1	l	1			
	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo	-	l					,								
	Non-Design		3	UEP9D		62 26					İ					<u> </u>
UNE	Port/Loop Combination Rates (Design)											L				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-											1		[	1
	Design		1	UEP9D		28 93						ļ	ļ			ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-  _		l	1					}					1	1
	Design		2	UEP9D		39 35										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	_													1
	Design		3	UEP9D		64 46										<del> </del>
UNE	Loop Rate	+	1	LIEBOB	UECC4	14 77				<del> </del>						<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9D UEP9D	UECS1 UECS1	11 77 22 39			ļ	<del> </del>	-					<del>-</del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP9D	UECS1	48 26			ļ	1	+				-	-
	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP9D	UECS2	14 93			ļ		+					+
	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	+	2	UEP9D	UECS2	25 35				<del> </del>	+				<del> </del>	<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	+	3	UEP9D	UECS2	50 46					<del></del>	<del> </del>				<del>                                     </del>
LINE	E Port Rate	+		OLI SD	CCCCE	00 10				1	<del>                                     </del>	<del> </del>				
	STATES		<del></del>													
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	14 00	50 00	25 00		1		15 20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1											-		
1	Area	-		UEP9D	UEPYB	14 00	50 00	25 00		1		15 20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area	1		UEP9D	UEPYC	14 00	50 00	25 00		1		15 20				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local									i						
	Area			UEP9D	UEPYD	14 00	50 00	25 00		<u> </u>	ļ	15 20				1
- 1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1								ŀ						1
	Area	1		UEP9D	UEPYE	14 00	50 00	25 00				15 20				
l	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local				1							45.50				1
	Area		<b>_</b>	UEP9D	UEPYF	14 00	50 00	25 00			1	15 20				
ł	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1		LIEBOD	LIEBYO	4400	50.00	05.00				45.00				+
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1	-	UEP9D	UEPYG	14 00	50 00	25 00	<del> </del>	<del> </del>	<del> </del>	15 20				+
l	Area	1		UEP9D	UEPYT	14 00	50 00	25 00				15 20				
-	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	+	<del> </del>	IOEP9D	UEPTI	14 00	30 00	23 00	-		+	13 20				-
	Area			UEP9D	UEPYU	14 00	50 00	25 00			į.	15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		-	DEI 3D	02110	14 00	30 00	20 00			1	1020				
	Area			UEP9D	UEPYV	14 00	50 00	25 00			i	15 20			1	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	<del></del>		102.02						·		1020	-			
	Area		1	UEP9D	UEPY3	14 00	50 00	25 00				15 20			1	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1							1	1			_		1
	Area		1	UEP9D	UEPYH	14 00	50 00	25 00		İ		15 20				1
1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp									1						
	Indication))3 Basic Local Area			UEP9D	ŲEPYW	14 00	50 00	25 00	<u> </u>	<u> </u>	<u> </u>	15 20	<u> </u>			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area			UEP9D	UEPYJ	14 00	50 00	25 00				15 20	L			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center	) [											1			
	2 Basic Local Area	$\perp$		UEP9D	UEPYM	14 00	135 00	90 00	ļ		1	15 20			ļ <u>.</u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			l											I	
	Basic Local Area		ļ	UEP9D	UEPYO	14 00	135 00	90 00			1	15 20			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1	1							1	1	1		1	1	1
	Basic Local Area		<u> </u>	UEP9D	UEPYP	14 00	135 00	90 00		<u> </u>		15 20			L	<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachr	nent. 2	Exhil	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect	201150	C - 11411		Rates (\$) SOMAN	SOMAN	SOMAN
			ļ	ļ. <u></u> .			First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area		1	UEP9D	UEPYQ	14 00	135 00	90 00		1		15 20				
	2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-M5112)2, 3		<del> </del>	OEF SD	OLF 1G	14 00	100 00	30 00		<del> </del>	<b></b>	10 20			-	<del></del>
	Basic Local Area			UEP9D	UEPYR	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-M5312)2, 3				1				1 1					_		
	Basic Local Area			UEP9D	UEPYS	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	14 00	135 00	90 00			ļ	15 20				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEBOD	115576	44.00	425.00	90 00				15 20				1
	Basic Local Area			UEP9D	UEPY5	14 00	135 00	90 00		ļ <del>.</del>		15 20				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14 00	135 00	90 00				15 20				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLI 3D	02110	14 00	155 00					1020				
	Basic Local Area		1	UEP9D	UEPY7	14 00	135 00	90 00			]	15 20			1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<del> </del>						_	· ·						
	Term			UEP9D	UEPYZ	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	14 00	50 00	25 00				15 20				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic				l				İ				Į			
	Local Area			UEP9D	UEPY2	14 00	50 00	25 00	_		-	15 20				<del></del>
AL, K	Y, LA, MS, SC, & TN Only			UEP9D	UEPQA	14 00	50 00	25 00			4	15 20				
	2-Wire Voice Grade Port (Centrex)	ļ		UEP9D	UEPOB	14 00	50 00	25 00		-		15 20				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		-	UEP9D	UEPQC	14 00	50 00	25 00				15 20	-			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		├	UEP9D	UEPQD	14 00	50 00	25 00	-	<del></del>		15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3		<del>                                     </del>	UEP9D	UEPQE	14 00	50 00	25 00				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	14 00	50 00	25 00				15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14 00	50 00	25 00			1	15 20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	14 00	50 00	25 00				15 20				L
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	14 00	50 00	25 00				15 20				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	14 00	50 00	25 00				15 20	1			ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3		-	UEP9D	UEPO3	14 00	50 00	25 00			<u> </u>	15 20			-	<del> </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	14 00	50 00	25 00				15 20				<del></del>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	14 00	50 00	25 00	1	1		15 20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		-	UEP9D	UEPQJ	14 00	50 00	25 00		+	<del> </del>	15 20				<del></del>
<del></del>	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	OLF 3B	021 03	14 00	30 00	2000	-	<del></del>		10 20	-			
	2			UEP9D	UEPQM	14 00	135 00	90 00			1	15 20			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14 00	135 00	90 00				15 20				
						-										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQ?	14 00	135 00	90 00				15 20				ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	14 00	135 00	90 00				15 20				<u> </u>
{		1							i		1	15.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		<u> </u>	UEP9D	UEPQR	14 00	135 00	90 00		-	1	15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Port (Centrex/differ SVVC /EBS-M5312)2, 3		+	OEP9D	UEPQS	14 00	135 00	90 00	-		_	15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14 00	135 00	90 00			1	15 20				
	2 VIII VOICE CIASE FOIL (CONTRACTOR OVE FEBS WASCO)2; C		1	02.00	OLI GI		100 00	00 00					<del> </del>			
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14 00	135 00	90 00		Į.	1	15 20				l
				_												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		_	UEP9D	UEPQ7	14 00	135 00	90 00				15 20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	LIEDOD	UE 2027	44.00	405.00	00.00		1		15.00		1	1	Į
<del></del>	Term	-	-	UEP9D	UEPQZ	14 00	135 00	90 00	<del> </del>	<del> </del>	<del>  -</del>	15 20			<del></del>	+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14 00	50 00	25 00				15 20			l	
	2-Wire Voice Grade Fort terminated in on Megalink or equivalent	1	-	UEP9D	UEPQ2	14 00	50 00	25 00	-	+	+	15 20	<del> </del>	·	-	+

INBUNDE	D NETWORK ELEMENTS - Louisiana			,										nent. 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	·		Svc Order Submitted Elec per LSR	Submitted Manually		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		†			<del>- </del>		Nonrec	urring	Nonrecurrin	q Disconnect			oss	Rates (\$)		1
		<del>                                     </del>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local :	Switching				1 1				1							
- 1	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 8577										
Local	Number Portability				1											
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur	BS .															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00			<u> </u>			15 20			1	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412 25			1		15 20			1	1
*	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.60				1		15 20				
NARS					T					1					-	
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0 00	0.00				15 20				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0 00	0 00				15 20				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0 00	0 00			<del> </del>	15 20			<b> </b>	<del>                                     </del>
Miscel	Ianeous Terminations	1				2 30		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>	+	5.20				
	Trunk Side				1					<u> </u>	<del> </del>				<u> </u>	<del> </del>
	Trunk Side Terminations, each			UEP9D	CEND6	8 29	115 85	18 20	<del>                                     </del>	+	+	15 20			<del>                                     </del>	
4-Wire	Digital (1 544 Megabits)		-		9250	0 2 3	110 00	10 20		<del> </del>	+	13 20		<b></b>	<del> </del>	1
	DS1 Circuit Terminations, each		1	UEP9D	M1HD1	68 47	196 18	98 62		<del> </del>	1	15 20	-			
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0 00	14 06	50 02			1	15 20			<del> </del>	
Interof	fice Channel Mileage - 2-Wire		<b>!</b>	021 30	WIIIBO	0 00	14 00			<del>                                     </del>		15 20			<del>                                     </del>	
	Interoffice Channel Facilities Termination	-	-	UEP9D	MIGBC	22 60	39 36	26 62		+	1 1	15 20				<del></del>
	Interoffice Channel mileage, per mile or fraction of mile	<del></del>	<del> </del>	UEP9D	MIGBM	0.013	03 00	20 02		+	<del> </del>	1520			-	
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	·a	<del></del>	DEF 3D	WIGBW	0013			-		<del>   </del>					
D4 Ch	annel Bank Feature Activations		1	<del> </del>	<del> </del>				<del> </del>	_					-	<b></b>
540  1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 6497			<del></del>		1	15 20				
<del></del>	1 Galdre Activation of 5-4 Chairles Bank Certifex Eoop Stor	_		OLF 3D	110000	0 0497		•	-	<del></del>		15 20				
i i	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 6497						15 20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF9U	IPQVVO	0 6497				<del>-</del>	-	15 20				
ı	Slot	1		UEP9D	1PQW7	0 6497			1	i		45.00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OEFBD	IPQVV7	0 6497				1		15 20				
	Different Wire Center			UEP9D	1PQWP	0 6497				İ		45.00				F
	Different Wife Certai			UEF9D	IPUWP	0.6497						15 20				
	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP9D	1PQWV	0 6497						45.00			1	
	Feature Activation on D-4 Channel Bank Trie Line/Trunk Loop		-	UEP9U	IPUVV	0 6497					1	15 20				
	Slot		[	UEP9D	400110	0.0407					1 1					
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<del></del>		1PQWQ	0 6497						15 20				
Non D				UEP9D	1PQWA	0 6497						15 20				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<b> </b>			-											
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBAR					i							
_	changes, per port			UEP9D	USAC2		0 10	0 10				15 20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36 66	16 10				15 20				
	New Centrex Standard Common Block			UEP9D	M1ACS	0 00	680 40					15 20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0 00	680 40					15 20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	73 93					15 20				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			_												
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo									:						
UNE P	ort/Loop Combination Rates (Non-Design)															I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	7														
	Non-Design		1	UEP9E	1	25 77										
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	]														
	Non-Design	السا	2	UEP9E	1	36 39				<u> </u>	<u>                                      </u>		[		1	l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													-		
	Non-Design		3	UEP9E		62 26					L				l	
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1 7											
	Design		. 1	UEP9E	1	28 93				Ì						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	L	2	UEP9E		39 35	l			1					1	l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										<del>†</del>	•	•			· ·
	Design		3	UEP9E		64 46						ļ				
IUNE L	oop Rate				T"				<del>                                     </del>	<b>†</b>	1					1

INBUNDLEI	D NETWORK ELEMENTS - Louisiana													ment 2	Exhil	bit B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted		Charge -	Charge -	Charge
		ŀ									1	Manually	Manual Svc			
		Interi	l_		l ueee			RATES (\$)			Elec					
ATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RAIES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs.	Order vs
		'''											Electronic-	Electronic-	Electronic-	Electronic
			1		l i								1st	Add'I	Disc 1st	Disc Add
				1									'**	/		
1			1				Nonrec	urrina	Nonrecurrin	g Disconnect			OSS	Rates (\$)	•	
			<del>                                     </del>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	0.141 . 17		1	UEP9E	UECS1	11 77		,,,,,,				<b>C</b> 5			<del> </del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 1				UECS1	22 39				1	-	ļ			<del> </del>	<b> </b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E						-						
	2-Wire Voice Grade Loop (SL 1) - Zone 3	L	3	UEP9E	UECS1	48 26										ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14 93										l
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25 35				1						
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50 46										T
UNE Po		<u> </u>	<u> </u>								1					<b></b>
	KY, LA, MS, & TN only		+		<del></del>					<del> </del>	-					<del> </del>
AL, FL,			+	LIEDOE	LIEDYA	11.00	50 00	25.00		<u> </u>		15 20	-	•	<del>                                     </del>	+
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP9E	UEPYA	14 00	50 00	25 00				15 20		ļ		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									1				İ		
	Area	L	1	UEP9E	UEPYB	14 00	50 00	25 00	L	1		15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															1
	Area	j	1	UEP9E	UEPYH	14 00	50 00	25 00		1	1	15 20	I	1		1
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<b></b>	+	t							1		1			· ·
	Center)2 Basic Local Area	1	1	UEP9E	UEPYM	14 00	135 00	90 00		1	1	15 20	I	1		1
		├	+	IDEF 8E	OEF TIVI	14 00	133 00	90 00		1	1	13.40		1	1	<del> </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				I							45.00		1		
	Term - Basic Local Area		1	UEP9E	UEPYZ	14 00	135 00	90 00				15 20				ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1		I :	1			i		1	1	ŀ			
	- Basic Local Area		1	UEP9E	UEPY9	14 00	50 00	25 00	i		1	15 20	ŀ			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		1	UEP9E	UEPY2	14 00	50 00	25 00			1	15 20	ł		1	
A1 1/2/			-	OLF 3L	- OLF 12	17 00	30 00	20 00					<del> </del>	-	<del> </del>	<del> </del>
	LA, MS, & TN Only	<b>_</b>	-	uenoe	- Lucas	44.00	50.00	05.00				15 20			<del> </del>	
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	14 00	50 00	25 00								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14 00	50 00	25 00				15 20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1	i		UEP9E	UEPQH	14 00	50 00	25 00	ļ			15 20				ı
	2-Wire Voice Grade Port (Centrex from diff Serving Wire									1						
	Center)2	1		UEP9E	UEPQM	14 00	135 00	90 00		1		15 20				
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+	_	02.02			100 00									
				UEP9E	UEPQZ	14 00	135 00	90 00		1		15 20		l		
	Term		-	DEPSE	UEPQZ	14 00	135 00	90 00	<u> </u>			13 20	<del> </del>	ļ		<del> </del>
														İ		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPQ9	14 00	50 00	25 00			1	15 20			J	
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPQ2	14 00	50 00	25 00				15 20				
Local S	Switching		1											1		
	Centrex Intercom Funtionality, per port	<del> </del>	<del>                                     </del>	UEP9E	URECS	0 8577								·		
Local N	lumber Portability	<del> </del>	+	02.52	011200						<del> </del>		i	<del></del>	<del></del>	
			—	UEDOE	LUDGO	0 35					<del> </del>		1	1		<del></del>
	Local Number Portability (1 per port)		<b>i</b>	UEP9E	LNPCC	0.35					1		<del> </del>		<del>                                     </del>	
Feature			1										L	ļ <u> </u>	ļ	
	All Standard Features Offered, per port		1	UEP9E	UEPVF	0 00			<u> </u>			15 20	l	<u> </u>	1	L
	All Select Features Offered, per port	L	.1	UEP9E	UEPVS	0 00	412 25					15 20	L			L
	All Centrex Control Features Offered, per port	Γ	1	UEP9E	UEPVC	0 00						15 20			1	
NARS					1 1				T	1				1		1
	Unbundled Network Access Register - Combination	1	+-	UEP9E	UARCX	0 00	0.00	0.00		+			<del> </del>		1	
			+	UEP9E	UAR1X	0 00	0 00	0 00					<u> </u>	<del> </del>		+
	Unbundled Network Access Register - Indial	_	_							1	<del> </del>		ļ	ļ.		<del> </del>
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0 00					ļ.,	<u> </u>	ļ	
	aneous Terminations				1 1					1						<u> </u>
2-Wire	Trunk Side		T									1		1		
1	Trunk Side Terminations, each			UEP9E	CEND6	8 29	115 85	18 20				15 20		1		
	Digital (1.544 Megabits)		1			·						1		1		1
	DS1 Circuit Terminations, each	1	_	UEP9E	M1HD1	68 47	196 18	92 92	<del> </del>	1	1	15 20	1	1		
	DS0 Channel Activated Per Channel	1	_	UEP9E	M1HDO	0 00	14 06	J2 J2		-	<del> </del> -	15 20	t	<b>_</b>	<del> </del>	1
			+	OFLAE	MILLOO	0.00	14 06			+	<del></del>	13.20	<b>+</b>	<del> </del>	+	<del> </del>
	ice Channel Mileage - 2-Wire		-		1					+	<del></del>				+	-
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22 60	39 36	26 62				15 20	ļ			4
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9E	MIGBM	0 013				1			L	1		
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1		1									1		
	nnel Bank Feature Activations		1						1				1	1	1	
34 0/16	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<b>-</b>	+	UEP9E	1PQWS	0 6497			-	+	1	15 20	1	<b>†</b>	1	<del>                                     </del>
	r eature Activation on 5-4 Channel Bank Centrex Loop Slot		+	OCL SE	IFUVO	0.0497			<del> </del>	+	+	13.40	1	+	+	+
	1	1	1	I .	1			1	1	1	1	1	1	1	1	1

Sic   Fei   Diff	eature Activation or D-4 Channel Bank Centrex Loop Slot- ifferent Wire Center  eature Activation or D-4 Channel Bank Private Line Loop Slot eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot leature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed hanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion	Interi	Zone	BCS UEP9E UEP9E UEP9E	USOC 1PQW7	<b>Rec</b> 0 6497	Nonrec First	RATES (\$) curring Add'l	Nonrecurring Di		Submitted Elec	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I  Rates (\$)	Charge -	Charge -
Sic   Fei   Diff	lot easture Activation or D-4 Channel Bank Centrex Loop Slot- ifferent Wire Center eature Activation or D-4 Channel Bank Private Line Loop Slot eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot eature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed nanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			UEP9E							1		Occ	Rates (\$)		
Sic   Fei   Diff	lot easture Activation or D-4 Channel Bank Centrex Loop Slot- ifferent Wire Center eature Activation or D-4 Channel Bank Private Line Loop Slot eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot eature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed nanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			UEP9E		0 6497	1 11 31	Addi		I'nna	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sic   Fei   Diff	lot easture Activation or D-4 Channel Bank Centrex Loop Slot- ifferent Wire Center eature Activation or D-4 Channel Bank Private Line Loop Slot eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot eature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed nanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			UEP9E		0 6497				Addi	JOINEO	JOHEN	JOHAN	JOHAN	JOHIAN	JONIAN
Diff   Fe:   Fe:   Sinc   Fe:   Sinc   Fe:   Non-Recur   NR   Ch.   Ch	eafure Activation or D-4 Channel Bank Private Line Loop Slot eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot eature Activation or D-4 Channel Bank WATS Loop Slot eature Activation or D-4 Channel Bank WATS Loop Slot eature Activation or D-4 Channel Bank WATS Loop Slot earting Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed hanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion				1PQWP					ļ		15 20		i '		1
Fei: Fei: Sic. Fei: Non-Recur NR:	eature Activation or D-4 Channel Bank Private Line Loop Slot eature Activation or D-4 Channel Bank Tije Line/Trunk Loop lot eature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed langes, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion				1PQWP											
Fei   Sic	eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot  acture Activation or D-4 Channel Bank WATS Loop Slot  urring Charges (NRC) Associated with UNE-P Centrex  RC Conversion Currently Combined Switch-As-Is with allowed  nanges, per port  onversion of Existing Centrex Common Block, each  ew Centrex Standard Common Block  ew Centrex Customized Common Block  AR Establishment Charge, Per Occasion			UEP9E		0 6497				i		15 20		<u> </u>		<u> </u>
Fei   Sic	eature Activation or D-4 Channel Bank Tjie Line/Trunk Loop lot  acture Activation or D-4 Channel Bank WATS Loop Slot  urring Charges (NRC) Associated with UNE-P Centrex  RC Conversion Currently Combined Switch-As-Is with allowed  nanges, per port  onversion of Existing Centrex Common Block, each  ew Centrex Standard Common Block  ew Centrex Customized Common Block  AR Establishment Charge, Per Occasion			UEF9E	1PQWV	0 6497						15 20		i '	[	1
Sic   Fee:	lot eature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed hanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			1	IPQWV	0 6497					-	15 20			$\vdash$	
Ference   Non-Recurre	eature Activation or D-4 Channel Bank WATS Loop Slot urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed langes, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			UEP9Ë	1PQWQ	0 6497					. i	15 20	. !	(	[ ]	1
NR: chh Co. Co. Ne Ne Ne NE NE NE NE NE NE NE NE NE NE NE NE NE	RC Conversion Currently Combined Switch-As-Is with allowed nanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			UEP9E	1PQWA	0 6497						15 20				
Chi. Coi. Net Net Net Net NET NET NET NET NET NET NET NET NET NET	nanges, per port onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion		1													
Co   Net   Net   Net   Net   Net   Net   Net   2-Wire VG   UNE Port/I   Not   2-V   Not   UNE Port/I   Not   2-V   Not   2-V   De   2-V   De   2-V   De   2-V   De   2-V   De	onversion of Existing Centrex Common Block, each ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion	1	i		i i											
Nemark New New New New New New New New New New	ew Centrex Standard Common Block ew Centrex Customized Common Block AR Establishment Charge, Per Occasion			UEP9E	USAC2		0 10	0 10		.,		15 20				
Nei Nei Nei Nei Nei Nei Nei Nei Nei Nei	ew Centrex Customized Common Block AR Establishment Charge, Per Occasion		1	UEP9E	USACN		36 66	16 10				15 20		<u> </u>	ullet	
NA	AR Establishment Charge, Per Occasion	ļ	ļ	UEP9E	M1ACS	0 00	680 40					15 20				-
UNE-P CEI 2-Wire VG UNE Portil 2-V Noi 2-V Noi UNE Portil 2-V De: 2-V De: 2-V UNE Portil UNE LOOP			ļ	UEP9E UEP9E	M1ACC URECA	0 00	680 40 73 93				$\longrightarrow$	15 20		· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del></del>
2-Wire VG UNE Port/I	ENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1	1	UEP9E	URECA	0 00	73 93		ļ			15 20		<del></del>		<del></del>
UNE Port/L 2-V Noi 2-V Noi 2-V Noi 2-V De: 2-V De: 2-V De: 2-V De: UNE Loop	3 Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	1		+										<del> </del>	<u> </u>
2-V   Noi	/Loop Combination Rates (Non-Design)	<del> </del>	<del> </del>								$\rightarrow$				<del></del>	
No   2-V   No   No   UNE Port/I   2-V   De   2-V   De   UNE Loop	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-							1							
UNE Port/L  2-V De: 2-V De: 2-V De: 2-V De: UNE Loop	on-Design		1	UEP93		25 77								į .	[	1
2-V No UNE Port/L 2-V De: 2-V De: UNE Loop	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	T	1			-										
UNE Port/L  2-V De: 2-V De: 2-V De: UNE Loop	on-Design	L	2	UEP93		36 36										1
UNE Port/L 2-V De: 2-V De: 2-V De: UNE Loop	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo			İ										i '	[ ]	1
2-V De: 2-V De: 2-V De: UNE Loop	on-Design	ļ	3	UEP93		62 26								<u> </u>		<b>—</b>
De: 2-V De: 2-V De: UNE Loop	/Loop Combination Rates (Design) -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ļ											,	<u> </u>	<b></b>	<b></b>
2-V De: 2-V De: UNE Loop	esign	1	1	UEP93		28 93							.	l '	{ <b>J</b>	1
De: 2-V De: UNE Loop	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del> </del> -	<del> '-</del>	ULF 93		20 93									<del>  </del>	
2-V De: UNE Loop	esign		2	UEP93		39 35							.	į †	į į	1
UNE Loop	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	<u> </u>	1					-							(
	esign	1	3	UEP93		64 46								, ,	( )	ı
2.1																1
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11 77										
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22 36									$\vdash$	
	-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP93	UECS1	48 26										
	Wire Voice Grade Loop (SL 2) - Zone 1 Wire Voice Grade Loop (SL 2) - Zone 2		1 2	UEP93 UEP93	UECS2 UECS2	14 93 25 35							!	ļ	ļ	
	Wire Voice Grade Loop (SL 2) - Zone 3	<del> </del>	3	UEP93	UECS2	50 46		-							<del></del>	<b></b> -
UNE Port F			<del> </del>	021 30	00002	30 40								/I	<del> </del>	
	A, MS, & TN only		i -		-	1										
2-V	Wire Voice Grade Port (Centrex ) Basic Local Area		T .	UEP93	UEPYA	14 00	50 00	25 00	-   -			15 20				
	Wire Voice Grade Port (Centrex 800 termination)Basic Local															í
	rea		l	UEP93	UEPYB	14 00	50 00	25 00				15 20		, !	i 1	ſ
	Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		ļ										1			í
Are			ļ	UEP93	UEPYH	14 00	50 00	25 00				15 20				
	Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 Basic Local Area					44.00	405.00			i	. 1	4= 00	.		( )	l
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	UEP93	UEPYM	14 00	135 00	90 00				15 20			<b></b>	<del></del>
	erm - Basic Local Area		1	UEP93	UEPYZ	14 00	135 00	90 00	l 1	1		15 20		1	1 1	i .
	Wire Voice Grade Port terminated in on Megalink or equivalent	<del>                                     </del>	$\vdash$	921 33	102,12	14 00	133 00	30 00		$\rightarrow$		10 20			<del></del>	
	Basic Local Area			UEP93	UEPY9	14 00	50 00	25 00				15 20	.	. '	1 !	1
			T		1	55	00.00	20 30								
Bas	-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY2	14 00	50 00	25 00	j l		, ,	15 20		1	1	1
	asic Local Area		L	UEP93	UEPQA	14 00	50 00	25 00				15 20				
	asic Local Area -Wire Voice Grade Port (Centrex )			UEP93	UEPQB	14 00	50 00	25 00				15 20				
	asic Local Area Wire Voice Grade Port (Centrex ) Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQH	14 00	50 00	25 00	1			15.00			1	1
2-V Cei	asic Local Area -Wire Voice Grade Port (Centrex )			1				20 00				15 20				

NRONDLED I	NETWORK ELEMENTS - Louisiana													nent: 2		bit B
															Incremental	
		1			1 1						Submitted	Suhmitted		Charge -	Charge -	Charge -
		Interi			1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
		""											Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
					$\rightarrow$		Nonrecu	. wei w. w	Nonrogerin	g Disconnect		ļ	000	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
12-1	Wire Voice Grade Fort, Diff Serving Wire Center - 800 Service				<del></del>			Aug.			1 3023	0.5	00	00	55	55
	erm			UEP93	UEPQZ	14 00	135 00	90 00				15 20				
2-1	Wire Voice Grade Fort terminated in on Megalink or equivalent			UEP93	UEPQ9	14 00	50 00	25 00				15 20				
	Wire Voice Grade Fort Terminated on 800 Service Term			UEP93	UEPQ2	14 00	50 00	25 00				15 20				
Local Swi																
	entrex Intercom Furtionality, per port			UEP93	URECS	0 8577										
	nber Portability															
	ocal Number Portability (1 per port)			UEP93	LNCCC	0 35					-					
Features					12775					<del> </del>	t					
	Standard Features Offered, per port			UEP93	UEPVF	0.00						15 20				
	Centrex Control Features Offered, per port		-	UEP93	UEPVC	0 00	-				1	15 20				<b>—</b>
NARS	Control Control ( Control Cont			02.00						<b>†</b>		1020			<del> </del>	
	nbundled Network Access Register - Combination			UEP93	UARCX	0.00	0 00	0 00		<del></del>	<del> </del>	15 20		<del></del>		<del> </del>
	bundled Network Access Register - Indial			UEP93	UAR1X	0 00	0 00	0 00				15 20				
	nbundled Network Access Register - Outdial			UEP93	UAROX	0 00	0 00	0 00		1	-	15 20	-			· · · · · · · · · · · · · · · · · · ·
	eous Terminations			OLF 33	- Johnox		0 00			· · · · · -		10 20				<b>-</b>
2-Wire Tru							-			<b>.</b>						
	unk Side Terminations, each			UEP93	CEND6	8 27	115 85	18 20		<b></b>		15 20				
				UEF 93	CENDO	0.21	113 03	10 20		ļ		13 20				
	gital (1 544 Megabits)			UED02	\$44UD4	68 47	400 40	92 92		<b></b>		45.00				
	S1 Circuit Terminations, each			UEP93 UEP93	M1HD1		196 18	92 92				15 20				
	SO Channels Activa ed, Per Channel			UEP93	M1HDO	0 00	14 06			ļ		15 20				
	Channel Mileage - 2-Wire				1					ļ <u> </u>						
Int	teroffice Channel Facilities Termination			UEP93	MIGBC	22 60	39 36	26 62				15 20				
	teroffice Channel mileage, per mile or fraction of mile	L		UEP93	MIGBM	0 013										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	el Bank Feature Activations										l					
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 6497					<b></b>	15 20				
	eature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0 6497						15 20				
Fe	eature Activation on D-4 Channel Bank FX Trunk Side Loop															
Sid				UEP93	1PQW7	0 6497						15 20				
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot -															
Dif	fferent Wire Center			UEP93	1PQWP	0 6497						15 20				
Fe	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 6497						15 20				
Fe	eature Activation on D-4 Channel Bank Tie Line/Trunk Loop								·							
Sid	ot			UEP93	1PQWQ	0 6497						15 20				
Fe	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0 6497						15 20				
	irring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed															
ch	anges, per port			UEP93	USAC2	i	0 10	0 10			1	15 20				l
	onversion of Existing Centrex Common Block, each			UEP93	USACN		36 66	16 10				15 20				
	ew Centrex Standard Common Block			UEP93	M1ACS	0 00	680 40					15 20				
	ew Centrex Customzed Common Block			UEP93	M1ACC	0 00	680 40					15 20				
	AR Establishment Charge, Per Occasion			UEP93	URECA	0 00	73 93					15 20				
Note 1 - R	equired Port for Centrex Control in 1AESS, 5ESS & EWSD									ĺ					1	
	Requres Interoffice Channel Mileage										1				1	
	equires Specific Customer Premises Equipment										1 -				!	
	es displaying an 'R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth	n General Terms	s and Condition	ns			<del> </del>	<del> </del>				1	t —

JNBUND	DLED	NETWORK ELEMENTS - Mississippi												Attachi	nent 2	Exhil	bit. B
	T					1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
	- 1					ļ						Submitted	Submitted	Charge -	Charge -	Charge -	Charg
						]						Elec	Manually	Manual Svc		Manual Svc	
ATEGOR		RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR	Order vs	Order vs.	Order vs.	Order
AIEGOR	"	RATE ELEMENTS	m	Lone	500	0000						per LSR	perLak	t ·		1	
						1								Electronic-	Electronic-	Electronic-	Electro
						1								1st	Add'1	Disc 1st	Disc Ad
		***					<del> </del>								D		1
							Rec	Nonre			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
The	e "Zo	ne" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged Ul	NE Zones. To	view Geograph	nically Deaver	aged UNE Zone	e Designatio	ns by Cent	ral Office, refe	er to internet '	Nebsite	
htt	tp //wv	ww.interconnection bellsouth com/become_a_clec/html/inter	connec	tion h	tm												
ERATIC	DNAL	SUPPORT SYSTEMS															1
INC	OTE (	1) Electronic Service Order CLEC should contact its contract	t nego	tiator it	it prefers the state s	pecific elect	ronic service o	rdering charge	s as ordered b	y the State Co	mmissions. T	he electroni	c service of	rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge															
		2) Any element that can be ordered electronically will be bill															ly For
		lements that cannot be ordered electronically at present per t															
						in this cate	gory reflects the	e cnarge that v	voula be billed	to a CLEC on	ce electronic c	ordening cap	admities co	me on-line to	r that element	Otherwise,	me man
orc		g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR	o BellSouth.	,								,		1	
		Manual Service Order Charge, per LSR, Disconnect Only (MS)		L		SOMAN				1 97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS				}											
	,	interactive interfaces (Regional)				SOMEC		3 50									
IE SERV	/ICE D	DATE ADVANCEMENT CHARGE															
		The Expedite charge will be maintained commensurate with I	BellSou	th's F	C No 1 Tariff, Section	n 5 as appli	cable										1
		UNE Expedite Charge per Circuit or Line Assignable USOC, per		1	ALL UNE EXCEPT		I			-							1
		Day			UNE-P	SDASP		200 00			l						İ
IDI INDI		XCHANGE ACCESS LOOP		<del>                                     </del>	U. #L=1	ODAUF		200 00		<del>-</del>	<del> </del>	1		<del> </del>	-		<del> </del>
				1		-					-	<del>                                     </del>			<del></del>		<del>                                     </del>
2-V		ANALOG VOICE GRADE LOOP		<b>L</b> .	115.43.11	LIE N. O	40.55	07.00	47.55	00.10	5.55		45.75				1
$-\!\!+\!\!$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ļ	1	UEANL	UEAL2	12 03	37 92	17 55	23 48	5 25	-	15 75	-			-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16 87	37 92	17 55	23 48	5 25		15 75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2_	25 68	37 92	17 55	23 48	5 25		15 75				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43 85	37 92	17 55	23 48	5 25		15 75				
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	- 1	Premise			UEANL	URETL		8 33	0.83		i		15 75				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34 36					15 75				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19 97					15 75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15 75	8 92			<del> </del>	15 75				<del> </del>
-+		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			OLANE	OI CEVIC	ļ	15.75	- 0 3/2			1	13 7 3				<del> </del>
ł					UEANL	UEANM		42.54	13.51								
-		providing make-up (Engineering Information - E I )		_				13 51									
		Manual Order Coordination for UVL-SL1s (per loop)		ļ	UEANL	UEAMC		8 20	8 20								
		Order Coordination for Specified Conversion Time for UVL-SL1				1											
		(per LSR)			UEANL	ocosi.		18 19	18 19								<u> </u>
2-V	NIRE	Unbundled COPPER LOOP				ì											
	1	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11 01	36 53	16 16	22 66	4 42		15 75				
	- 1:	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	11 51	36 53	16 16	22 66	4 42		15 75				
	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	T	3	UEQ	UEQ2X	11 57	36 53	16 16	22 66	4 42		15 75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	1		UEQ	UEQ2X	13 10	36 53	16 16	22 66	4 42		15 75				
	-1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	<u> </u>	<del>                                     </del>	l	1 1			50	· · · · · ·	1		1		-	<del> </del>
		Premise			UEQ	URETL		8 33	0 83			]	15 75				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		<b>†</b>	52.4	CINCIL	<b>———</b>	0 00	0.03		-	+	1313	1		-	
		Designed (per loop)		ł	UEQ	USBMC	i l	8 20	8 20								
-+		Unbundled Copper Loop, Non-Design Copper Loop, billing for		1	UEQ	LOSDING		5 ∠0	820			1					
				i .	l				. <u>.                                   </u>			1		1			
		BST providing make-up (Engineering Information - E I )		-	UEQ	UEQMU		13 51	13 51			ļ					L
_		Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		34 36					15 75				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19 97					15 75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch		L	UEQ	UREWO		14 24	7 42	-			15 75				
		XCHANGE ACCESS LOOP															
2-V		ANALOG VOICE GRADE LOOP									T	1					
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1		l					1						1
- 1		Zone 1		1	UEPSR UEPSB	UEALS	12 03	37 92	17 55	23 48	5 25		15 75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del>                                     </del>	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1	12.00	0.02	1, 22	20 40	- 525	<del> </del>	1070			<del> </del>	t
- 1		Zone 1		1 .	UEPSR UEPSB	UEABS	12 03	37 92	17 55	23 48	5 25		15 75				
-+		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		+-'	OLF SK DEF SB	CEABO	12 03	37 92	17 55	23 48	5 25	-	1979	<del> </del>		<del>                                     </del>	<del> </del>
		Zivire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	LIEBOD LIEBOS	LIEALS			ı l			1		1			
	$\overline{}$			2	UEPSR UEPSB	UEALS,	16 87	37 92	17 55	23 48	5 25		15 75			L	ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1							1	1		1			1
		Zone 2		2	UEPSR UEPSB	UEABS	16 87	37 92	17 55	23 48	5 25		15 75			l	<u> </u>
	- 1:	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
			i .	3	UEPSR UEPSB	UEALS,	25 68	37 92	17 55	23 48	5 25	1	15 75	I	1	1	1
		Zone 3		1 0													
	;	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	OLF SIX OLF SI	OLALO,	23 00	37 32	17 55	20 40	323		1070				<u> </u>

ONBONDE	ED NETWORK ELEMENTS - Mississippi							_			1			nent 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			ļ			Rec	Nonred		Nonrecurring					Rates (\$)		1.000
	0.14(	ļ. <b>_</b>	ļ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ŀ	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR UEPSB	UEALS,	43 85	37 92	17 55	23 48	F 06	1	45.76				1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS,	43 63	3/ 92	17 55	23 46	5 25		15 75				
	Zone 4		4	UEPSR UEPSB	UEABS	43 85	37 92	17 55	23 48	5 25		15 75				
UNBUNDLED	EXCHANGE ACCESS LOOP		<u> </u>	OE ON OE OB	102,00	10 00	01 32	17 55	20 40	3 2 3		13 73				
	E ANALOG VOICE GRADE LOOP													-		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			† - · · · ·												
	Ground Start Signaling - Zone 1		1	UEA	UÉAL2	13 89	105 96	68 28	52 82	10 37		15 75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18 75	105 96	68 28	52 82	10 37		15 75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	İ			1											
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27 55	105 96	68 28	52 82	10 37		15 75				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.		1											i
<del></del>	Ground Start Signal ng - Zone 4		4	UEA	UEAL2	45 72	105 96	68 28	52 82	10 37		15 75				İ
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 19								ļ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13 89	105.00	60.00	50.00						[	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	13 89	105 96	68 28	52 82	10 37		15 75				
	Battery Signaling - Zone 2		2	UEA	UEAR2	18 75	105 96	68 28	52 82	10 37	1	45.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	10 / 5	105 96	68 28	52.62	10 37		15 75				
	Battery Signaling - Zone 3		3	UEA	UEAR2	27 55	105 96	68 28	52 82	10 37		15 75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		Ť	I DEA	OLARCE	21 33	100 50	00 20	32 02	10 37		10 70	-			
	Battery Signaling - Zone 4		4	UEA	UEAR2	45 72	105 96	68 28	52 82	10 37	1	15 75				
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL		18 19	5020	- 02 02			1010				+
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 56	36 29				15 75				
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		10 45	1 03				15 75				· · · · · · · · · · · · · · · · · · ·
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27 47	132 27	94 59	60 68	14 64		15 75				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38 26	132 27	94 59	60 68	14 64		15 75				
L	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75		· ·		
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		18 19									
2 14/15	CLEC to CLEC Conversion Charge without outside dispatch E ISDN DIGITAL GRADE LOOP		1	UEA	UREWO		87 56	36 29				15 75				
2-441K	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	1,777,007	04.04	117.57		40.00							
<del>                                     </del>	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21 01	117 61	79 92		10 37		15 75				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X U1L2X	27 59 37 34	117 61 117 61	79 92 79 92		10 37		15 75				<b>.</b>
	2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59 18	117 61	79 92	52 82 52 82	10 37 10 37		15 75 15 75				
	Order Coordination For Specified Conversion Time (per LSR)		+ -	UDN	OCOSL	39 18	18 19	79 92	52.82	10 37		15 /5				+
	CLEC to CLEC Conversion Charge without outside dispatch		<del></del>	UDN	UREWO		91 46	44 07			-	15 75			-	
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP		<del> </del>	00.1	10112110		31 -0	7707				1373			1	<del>                                     </del>
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	<u> </u>	1				<del> </del>						<del> </del>	<del>                                     </del>
	1		1	noc	UDC2X	21 01	117 61	79 92	52 82	10 37		15 75				1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				1				52 52	10 01						1
	2		2	UDC	UDC2X	27 59	117 61	79 92	52 82	10 37		15 75				Ì
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1													1
	3		3	UDC	UDC2X	37 34	117 61	79 92	52 82	10 37		15 75				ł
1	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		ĺ													
	4		4	UDC	UDC2X	59 18	117 61	79 92	52 82	10 37		15 75				ł
	CLEC to CLEC Conversion Charge without outside dispatch *			UDC	UREWO		91 46	44 07			LI	15 75				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry			1	1					_						
<del></del>	& facility reservation - Zone 1  2 Wire Unbundled AOSL Loop including manual service inquiry		1	UAL	UAL2X	11 11	121 27	70 81	50 38	7 93		15 75				ļ
	& facility reservation - Zone 2		2	UAL	LIALOV	., ,, ]	404.0-	70.01	50.00	7.00		4				1
	2 Wire Unbundled ADSL Loop including manual service inquiry		. 2	UAL	UAL2X	11 47	121 27	70 81	50 38	7.93		15 75				
	& facility reservation - Zone 3		3	UAL	UAL2X	11 74	121 27	70 81	E0 30	7.00		45.75	İ			1
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	0/1	UALZA	+1 /4	121 27	70 81	50 38	7 93		15 75			ļ	<del> </del>
	& facility reservation - Zone 4		4	UAL	UAL2X	12 69	121 27	70 81	50 38	7 93		15 75			1	1

NBUNDLE	ED NETWORK ELEMENTS - Mississippi													nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs Electronic
													1st	Add'I	Disc 1st	Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 19	Auu	11130	Auui	CONIEC	O DIVIDAN	COMPAN	JOHAN	JOHAN	COMAN
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	0,2	00002		10.0	-	-							
	facility reservation - Zone 1		1	UAL	UAL2W	11 11	96 15	58 03	50 38	7 93		15 75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1													
	facility reservation - Zone 2		2	UAL	UAL2W	11 47	96 15	58 03	50 38	7 93		15 75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1											
	facility reservation - Zone 3		3	UAL	UAL2W	11 74	96 15	58 03	50 38	7 93		15 75		ļ		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2W	12 69	96 15	58 03	50 38	7 93		15 75				
	facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UAL	OCOSL OC	12 69	18 19	56 03	50.36	7 93		15 75				-
	CLEC to CLEC Conversion Charge without outside dispatch			UAL.	UREWO		86 04	40 33				15 75				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP		J. L. III											
	2 Wire Unbundled HDSI, Loop including manual service inquiry															
	& facility reservation - Zone 1		1_1_	UHL	UHL2X	8 75	129 98	79 52	50 38	7 93		15 75		l		L .
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9 22	129 98	79 52	50 38	7 93		15 75			·	<del>  -</del>
	2 Wire Unbundled HDSL Loop including manual service inquiry		_				129 98	70.50		7 93	1	15 75			<b>,</b>	
	& facility reservation - Zone 3  2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	9 87	129 98	79 52	50 38	7 93		15 /5				<b>_</b>
	& facility reservation - Zone 4		4	UHL	UHL2X	10 46	129 98	79 52	50 38	7 93	i	15 75			j	-
	Order Coordination for Specified Conversion Time (per LSR)		<del>                                     </del>	UHL	OCOSL	10 40	18 19	75 52	30 30	1 33	<del>                                     </del>	1070			<b>i</b>	-
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	0.12	00000			-								
	and facility reservation - Zone 1		1	UHL	UHL2W	8 75	104 86	66 74	50 38	7 93		15 75				1
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9 22	104 86	66 74	50 38	7 93		15 75				
	2 Wire Unbundled HDSL Loop without manual service inquiry				1											1
	and facility reservation - Zone 3		3	UHL	UHL2W	9 87	104 86	66 74	50 38	7 93	ļ	15 75			-	-
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL2W	10 46	104 86	66 74	50 38	7 93		15 75			1	1
	Order Coordination for Specified Conversion Time (per LSR)		-4-	UHL	OCOSL	10 40	18 19	00 /4	30.36	/ 93		1575				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85 98	40 33	<u> </u>			15 75				1
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		1											1
	4 Wire Unbundled HDSL Loop including manual service inquiry									ļ						
	and facility reservation - Zone 1		1	UH <b>L</b>	UHL4X	13 78	158 74	108 28	56 72	10 68		15 75				
	4-Wire Unbundled HDSL Loop including manual service inquiry															1
	and facility reservation - Zone 2		2	UHL	UHL4X	13 43	158 74	108 28	56 72	10 68		15 75				
	4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL4X	15 59	158 74	108 28	56 72	10 68		15 75				1
	and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL4X	15.58	158 /4	108 28	30 /2	10 68	<del></del>	15 / 5			-	
	and facility reservation - Zone 4		4	UHL	UHL4X	14 46	158 74	108 28	56 72	10 68		15 75				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 19	100 20	00.12	10 00						
	4-Wire Unbundled HDSL Loop without manual service inquiry				1			*	<del> </del>							
	and facility reservation - Zone 1		1	UHL	UHL4W	13 78	133 62	95 50	56 72	10 68		15 75				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13 43	133 62	95 50	56 72	10 68		15 75				
	4-Wire Unbundled HDSL Loop without manual service inquiry					45.50	400.00	05.50	50.70	40.00		45.75				1
	and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4W	15 59	133 62	95 50	56 72	10 68	ļ	15 75				-
	and facility reservation - Zone 4		4	UHL	UHL4W	14 46	133 62	95 50	56 72	10 68		15 75			1	
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	14 40	18 19	93 30	30 72	10 00		1073				<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del>	UHL	UREWO	+	85 98	40 33	<del>                                     </del>		†	15 75			<u> </u>	
4-WIR	RE DS1 DIGITAL LOOP													· ·		
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79 08	253 93	158 45	46 10	12 07		15 75				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129 38	253 93	158 45		12 07		15 75				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206 74	253 93	158 45		12 07		15 75			L	ļ <u> </u>
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458 46	253 93	158 45	46 10	12 07	ļ .	15 75	ļ	<u> </u>		+
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			USL	OCOSL UREWO	-	18 19 100 90	42 96		-	1	15 75		<del> </del>	<del> </del>	-
			1	IUUL	TOINEWO I		100 90 1	42 90	1	1	1	10/0	i .	1	1	1

ONBONDLE	D NETWORK ELEMENTS - Mississippi		1		T	r					Euro Ord	Sur Ord	Incremental	nent 2	Incremental	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			t .	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<b>.</b>		1101.10		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19 2 Kbps 4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19 UDL19	27 44 34 55	126 53 126 53	88 85 88 85	60 68 60 68	14 64 14 64		15 75 15 75			-	
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	40 76	126 53	88 85	60 68	14 64		15 75	-			
	4 Wire Unbundled Digital 19 2 Kbps	<del> </del>		UDI,	UDL19	32 25	126 53	88 85	60 68	14 64		15 75			<del> </del>	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27 44	126 53	88 85	60 68	14 64		15 75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDI.	UDL56	34 55	126 53	88 85	60 68	14 64		15 75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	ÜDL	UDL56	40 76	126 53	88 85	60 68	14 64		15 75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			UDL	UDL56	32 25	126 53	88 85	60 68	14 64		15 75				
	Order Coordination or Specified Conversion Time (per LSR)			UDL	OCOSL		18 19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27 44	126 53	88 85	60 68	14 64		15 75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34 55	126 53	88 85	60 68	14 64		15 75				ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	40 76	126 53	88 85	60 68	14 64		15 75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32 25	126 53	88 85	60 68	14 64		15 75				
<u> </u>	Order Coordination or Specified Conversion Time (per LSR)			UDL UDL	UREWO		18 19 101 94	49 66			1	15 75				
2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP	-	-	UDL	UREWO		101 94	49 00	-			15 75		-		
Z-VVIKE	2-Wire Unbundled Copper Loop/Short including manual service			-	+							<u> </u>				<del></del>
1 1	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	11 11	120 34	69 87	50 38	7 93		15 75				
<del></del>	2-Wire Unbundled Copper Loop/Short including manual service	<del> </del>	<u> </u>	552	- OOLI D			000.	0000			10.10				
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	11 47	120 34	69 87	50 38	7 93		15 75				1
	2 Wire Unbundled Copper Loop/Short including manual service	·														
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11 74	120 34	69 87	50 38	7 93		15 75			1	t
	2 Wire Unbundled Copper Loop/Short including manual service														!	
	inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12 69	120 34	69 87	50 38	7 93		15 75			<u> </u>	
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8 20	8 20								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1_1	UCL	UCLPW	11 11	95 21	57 09	50 38	7 93		15 75				
	2-Wire Unbundled Copper Loop/Short without manual service		_	l							1	1				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 47	95 21	57 09	50 38	7 93		15 75				
	2-Wire Unbundled Copper Loop/Short without manual service			UCL	LICE DIA		05.04	57.00	50.00	7.00		45.75				
<del></del>	inquiry and facility reservation - Zone 3  2-Wire Unbundled Copper Loop/Short without manual service	-	3	UCL	UCLPW	11 74	95 21	57 09	50 38	7 93	<del></del>	15 75				<del> </del>
1	inquiry and facility reservation - Zone 4	1	4	UCL	UCLPW	12 69	95 21	57 09	50 38	7 93		15 75				
<del></del>	Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>	-	UCL	UCLMC	12 09	8 20	8 20	30 36	7 93	-	13 73				-
	2-Wire Unbundled Copper Loop/Long - includes manual srvc		-	UCL	OCLIVIC		6 20	0 20			-				+	
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29 29	120 34	69 87	50 38	7 93		15 75			1	
-	2-Wire Unbundled Copper Loop/Long - includes manual svc		<del>                                     </del>	1002	JOEEE	2020	12007		- 55 55			10.10				
	inquiry and facility reservation - Zone 2		1 2	UCL	UCL2L	43 46	120 34	69 87	50 38	7 93		15 75			1	
	2-Wire Unbundled Copper Loop/Long - includes manual svc	1	1						1							
L I	inquiry and facility reservation - Zone 3		3	ucı.	UCL2L	64 44	120 34	69 87	50 38	7 93		15 75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87 60	120 34	69 87	50 38	7 93		15 75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 20	8 20								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1	<del></del>	1	UCL	UCL2W	29 29	95 21	57 09	50 38	7 93		15 75				<del></del>
	2-Wire Unbundled Copper Loop/Long - without manual service			l <u>.</u> .										ŀ		
<del></del>	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	43 46	95 21	57 09	50 38	7 93	ļ	15 75				+
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	64 44	95 21	57 09	50 38	7 93		15 75				1
<del></del>	2-Wire Unbundled Copper Loop/Long - without manual service	-			UCLZVV	04 44	90 21	57 09	50.38	1 93	-	10/5				+
	Inquiry and facility reservation - Zone 4	1	4	UCL	UCL2W	87 60	95 21	57 09	50 38	7 93	1	15 75				
<del>                                     </del>	Order Coordination for Unbundled Copper Loops (per loop)	i –	+	UCL	UCLMC	Gr 60	8 20	8 20	30.36			13/3				<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch	1-	_		-	-		3 20	<del>  </del>		-				<del> </del>	
	(UCL-Des)			UCL	UREWO		95 21	42 40				15 75				1
4-WIRE	COPPER LOOP	1		1	1							10.0				
	4-Wire Copper Loop Short - including manual service inquiry			<u> </u>		-									1	
	and facility reservation - Zone 1	<u></u>	_1	UCL	UCL4S	17 30	144 68	94 22	56 72	10 68		15 75		L		
	4-Wire Copper Loop.Short - including manual service inquiry															
l ĺ	and facility reservation - Zone 2		2	UCL	UCL4S	18 84	144 68	94 22	56 72	10 68	1	15 75	L			

Version 4Q02 12/18/02
Page 236 of 416

UNBUNDL	ED NETWORK ELEMENTS - Mississippi				<del>,</del>									nent: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svr Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	1111						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL 4C	24.22	114.00	04.00	50.70	40.00		45.75				ļ
	4-Wire Copper Loop/Short - including manual service inquiry		3	UCL	UCL4S	21 33	144 68	94 22	56 72	10 68		15 75				ļ
	and facility reservation - Zone 4		4	UCL	UCL4S	21 33	144 68	94 22	56 72	10 68	1	46.75				
<del></del>	Order Coordination for Unbundled Copper Loops (per loop)		-"-	UCL	UCLMC	21 33	8 20	8 20		10 66	<u> </u>	15 75				-
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17 30	119 56	81 44	56 72	10 68		15 75				
	4-Wire Copper Loop/Short - without manual service inquiry and											10 10				<del></del>
	facility reservation - Zone 2		2	UCL	UCL4W	18 84	119 56	81 44	56 72	10 68		15 75				
	4-Wire Copper Loop/Short - without manual service inquiry and							-					-			
	facility reservation - Zone 3		3	UCL	UCL4W	21 33	119 56	81 44	56 72	10 68		15 75				
	4-Wire Copper Loop/Short - without manual service inquiry and		1		1 1											
	facility reservation - Zone 4		4	UCL	UCL4W	21 33	119 56	81 44	56 72	10 68		15 75				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	ÚCL	UCLMC		8 20	8 20								
	4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	Lio	1101.41	54.70	444.00									
	4-Wire Unbundled Copper Loop/Long - includes manual svc		-	UCL	UCL4L	54 72	144 68	94 22	56 72	10 68		15 75				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97 47	144 68	94 22	56 72	10 68		15 75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc		-	OCE .	DOL4L	37 41	144 00	34 22	3072	10 06		10 73				
	inquiry and facility reservation - Zone 3		3	luci	UCL4L	106 06	144 68	94 22	56 72	10 68		15 75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc		۰		1002.2	100 00	144 00	57 22	30,72	10 00		10 7 0				<del> </del>
	inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106 06	144 68	94 22	56 72	10 68		15 75				1
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		8 20	8 20								· · · · · ·
	4-Wire Unbundled Copper Loop/Long - without manual svc															
	inquiry and facility reservation - Zone 1		1 1	UCL	UCL4O	54 72	119 56	81 44	56 72	10 68	l	15 75				
	4-Wire Unbundled Copper Loop/Long - without manual svc		1		1											
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	97 47	119 56	81 44	56 72	10 68		15 75				
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	110140	400.00	440.50									
+	4-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	UCL4O	106 06	119 56	81 44	56 72	10 68		15 75				<u> </u>
1	inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106 06	119 56	81 44	56 72	10 68		45.75			,	1
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	100 00	8 20	8 20	36 /2	10 68		15 75				<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch			002	OOLING		0 20	0 20								<del></del>
	(UCL-Des)		ļ	UCL	UREWO		95 21	42 40			1	15 75				1
OOP MODIF	ICATION			~ -		- 1			-			- 1010				<b>—</b>
	Unbundled Loop Medification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,					-							
	pair less than or equal to 18k ft			UEPSB	ULM2L		32 57	32 57				15 75				ı
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS, UEQ	ULM2G		171 49	171 49				15 75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft															1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UHL, UCL	ULM4L		32 57	32 57				15 75				<b></b>
	pair greater than 18k ft			UCL	ULM4G		171 49	171 49				15 75				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32 59	32 59				15 75				
SUB-LOOPS							92.33	02 35				1010				<del> </del>
Sub-L	oop Distribution											1				
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-											+				
	Up	1		UEANL	USBSA		259 69					15 75				1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22 77					15 75				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		178 47					15 75				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel												-		-	
	Set-Up			UEANL	USBSD		56 39					15 75				1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit, B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1			1			,,,,,,	15	7.00	0020	-0 5	COMPAN	- COMPAR	COMPAN	JOHNAN
	Zone 1	1	1	UEANL	USBN2	7 15	66 18	31 14	45 36	6 71		15 75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	9 51	66 18	31 14	45 36	6 71		15 75			,	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1.	١.			10.15										
	Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	. 1	3	UEANL	USBN2	12 45	66 18	31 14	45 36	6 71		15 75				
	Zone 4		4	UEANL	USBN2	18 26	66 18	31 14	45 36	6 71		15 75		1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pail			UEANL	USBMC		8 20	8 20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 30	79 49	44 45	51 27	9 35		15 75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>		036144		/343	- 44 45	3121	9 33	-	13 73				
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ļ	2	UEANL	USBN4	13 92	79 49	44 45	51 27	9 35		15 75				
	Zone 3		3	UEANL	USBN4	16 73	79 49	44 45	51 27	9 35		15 75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16 73	79 49	44 45	51 27	9 35		15 75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pail			UEANL	USBMC		8 20	8 20				15 75				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2 29	53 32	18 28	45 36	6 71		15 75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pail Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	-	UEANL UEANL	USBMC USBR4	4 40	8 20 59 60	8 20 24 55	51 27	9 35		15 75				
					1				0.27	5.00		1070				<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1 .	1	UEANL	USBMC		8 20	8 20	47.00	- 0 74		76.75				
	Wire Copper Unbundled Sub-Loop Distribution - Zone 1     Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+-;		UEF UEF	UCS2X UCS2X	6 06 7 09	66 18 66 18	31 14 31 14	45 36 45 36	6 71 6 71		15 75 15 75		<u> </u>		<del> </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>                                     </del>		UEF	UCS2X	8 16	66 18	31 14	45 36	671		15 75				<del> </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			ÜEF	UCS2X	9 90	66 18	31 14	45 36	6 71		15 75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 20	0.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5 10	79 49	8 20 44 45	51 27	9 35	<del>  -</del>	15 75		-		<b>-</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	⊢ i		UEF	UCS4X	9 11	79 49	44 45	51 27	9 35	<del> </del>	15 75				1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>                                     </del>		UEF	UCS4X	14 00	79 49	44 45	51 27	9 35		15 75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS4X	14 00	79 49	44 45		9 35		15 75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pail			UEF	USBMC		8 20	8 20								
Unb	undled Sub-Loop Modification	<del> </del>		loc:	OGBIVIC	-		0 20								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	†			-											1
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176 80	5 13	}			15 75				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			LIEF			470.00	- 10				45.75				
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		<del> </del>	UEF	ULM4X		176 80	5 13				15 75		<del></del>		
	Tap Removal, per PR unloaded			UEF	ULM4T		279 81	6 15				15 75				
Unb	undled Network Terminating Wire (UNTW)	1		LIEVEN	UENDD	0.0000	- 00 55		ļ <u>-</u> .			15.75				
Netw	Unbundled Network Terminating Wire (UNTW) per Pair rork Interface Device (NID)	<del> </del>		UENTW	UENPP	0 3366	30 55				-	15 75				
	Network Interface Device (NID) - 1-2 lines	1		UÉNTW	UND12		43 84	28 90		<del> </del>	<del> </del>	15 75	-	<del>                                     </del>	<del>                                     </del>	<del> </del>
	Network Interface Device (NID) - 1-6 lines	<b>†</b>	<del> </del>	UENTW	UND16		65 30	50 36		<del>-</del>	<u> </u>	15 75	<del></del>	t	t	1
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5 94	5 94	1-	<u> </u>	1	15 75		1	1	
	Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4		5 94	5 94				15 75				
SUB-LOOPS			1													
Sub-	Loop Feeder	-			<b> </b>					ļ <u>.</u>	<u> </u>					ļ
	USL-Feeder, DS0 Sel-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		259 69					15 75				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,				-								
	sel-up	<u> </u>		UDN,UCL,UDL,UDC			22 77	22 77				15 75				ļ
	USL Feeder DS1 Set-up at DSX focation, per DS1 termination	1	1	USL	USBFZ		534 46	11 30	L	<b>!</b>		15 75		1		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachr	nent. 2	Exhil	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ				Rec	Nonrec		Nonrecurring		COMEC	SOMAN	OSS	Rates (\$)	COMAN	COMAN
		1	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ľ	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	7 98	93 23	56 50	54 45	13 51		15 75			}	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		<del>  '</del> -	ULA	03Bi A	- 7 50	33 23	30 30	54.75	1301						
	Grade - Zone 2		2	UEA	USBFA	10 39	93 23	56 50	54 45	13 51	1	15 75			ł	
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16 11	93 23	56 50	54 45	13 51		15 75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,		١.			00.07	00.00	50.50	5,45	40.54		45.75				
	Voice Grade - Zone 4		4	UEA UEA	USBFA OCOSL	28 37	93 23 18 19	56 50	54 45	13 51		15 75				<u> </u>
	Order Coordination for Specified Conversion Time, per LSR Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	<del> </del>	├	UEA	OCOSE		10 19									
	Grade - Zone 1		1	UEA	USBFB	7 98	93 23	56 50	54 45	13 51		15 75				ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice					·				- "						
	Grade - Zone 2		2	UEA	USBFB	10 39	93 23	56 50	54 45	13 51		15 75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		١.		1							45.05				İ
L	Grade - Zone 3		3	UEA	USBFB	16 11	93 23	56 50	54 45	13 51		15 75				<del> </del>
[ ]	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 4		4	UEA	USBFB	28 37	93 23	56 50	54 45	13.51		15 75		i		
<del> </del>	Order Coordination for Specified Time Conversion, per LSR		+	UEA	OCOSL	20 37	18 19	30 30	54.45	1001		10 70		·		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	1							<u> </u>							
1 1	Voice Grade - Zone 1	1	1	UEA	USBFC	7 98	93 23	56 50	54 45	13 51		15 75				L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		Ţ													
	Voice Grade - Zone 2		2	UEA	USBFC	10 39	93 23	56 50	54 45	13 51		15 75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	LIEDEC	16 11	93 23	56 50	54 45	13 51		15 75				
	Voice Grade - Zone 5 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		3	UEA	USBFC	16 11	93 23	56 50	54 45	1351		15 /5				
	Voice Grade - Zone 4		4	UEA	USBFC	28 37	93 23	56 50	54 45	13 51	}	15 75			ł	
	Order Coordination For Specified Conversion Time, per LSR		†	UEA	OCOSL		18 19				<u> </u>					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	1													
	Grade - Zone 1		1	UEA	USBFD	21 69	107 71	70 03	63 68	17 64		15 75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice				Linnen	00.00	407.74	70.00	00.00	47.04		45.75	ŀ			ļ.
<del></del>	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice	-	2	UEA	USBFD	26 06	107 71	70 03	63 68	17 64		15 75			-	
	Grade - Zone 3		3	UEA	USBFD	34 77	107 71	70 03	63 68	17 64		15 75			1	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	<u> </u>	<del>ا</del> ٽ	DEA.	1002.2		107 11		00.00			70.10				
l l	Grade - Zone 4		4	UEA	USBFD	34 77	107 71	70 03	63 68	17 64	l	15 75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18 19									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		١.			24.00	407.74	70.00	00.00	47.04		45.75				
<b></b>	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	<del> </del>	1	UEA	USBFE	21 69	107 71	70 03	63 68	17 64		15 75				
.	Grade - Zone 2		2	UEA	USBFE	26 06	107 71	70 03	63 68	17 64		15 75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	+-		1000.2							1717				
	Grade - Zone 3	1	3	UEA	USBFE	34 77	107 71	70 03	63 68	17 64		15 75				
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start															
	Loop - Zone 4	ļ	4	UEA	USBFE	34 77	107 71	70 03	63 68	17 64		15 75				
<del> </del>	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	1	UEA UDN	OCOSL USBFF	14 60	18 19 106 46	68 78	55 58	13 13		15 75	<b></b>			
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	<del> </del>		UDN	USBFF	18 78	106 46	68 78		13 13		15 75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	1		UDN	USBFF	25 47	106 46	68 78		13 13		15 75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		4	UDN	USBFF	41 41	106 46	68 78		13 13		15 75				
	Order Coordination For Specified Conversion Time, Per LSR	1		UDN	OCOSL		18 19									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	ļ.	1	UDC	USBFS	14 60	106 46	68 78		13 13		15 75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	-	2	UDC	USBFS	18 78	106 46	68 78		13 13 13 13		15 75			ļ	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	3	UDC	USBFS	25 47 41 41	106 46 106 46	68 78 68 78				15 75 15 75	ļ	_	<del> </del>	<del> </del>
<del>                                     </del>	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<del> </del>	1	USL	USBFG	55 19	105 46	64 29				15 75		<del> </del>	<del> </del>	<del> </del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		2	USL	USBFG	100 03	101 97	64 29				15 75	<b></b>			
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1		USL	USBFG	183 66	101 97	64 29	63 68			15 75				
1	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	T		USL	USBFG	430 04	101 97	64 29				15 75				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18 19		1		1				1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			L			IVEC .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				1											
	1		1	UCL	USBFH	5 88	84 27	46 59	53 14	10 70		15 75				<b>_</b>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			UCL	USBFH	5 21	84 27	46 59	53 14	10 70		15 75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	321	04 27	40 59	55 14	10 70	<b>!</b>	1575				
	onbundled Sub-Loop Feeder Loop, 2-wire Copper Loop - Zone	İ	3	UCL	USBFH	4 40	84 27	46 59	53 14	10 70	ł	15 75				
+	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4			UCL	USBFH	3 63	84 27	46 59	53 14	10 70	1	15 75		-	<del> </del>	
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL		18 19				1		<u> </u>			
	Sub-Loop Feeder - Par 4-Wire Copper Loop - Zone 1	<del> </del>	1	UCL	USBFJ	13 49	101 58	63 90	59 71	13 67		15 75		-	<del> </del>	i i
- 1	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10 96	101 58	63 90	59 71	13 67	· · · ·	15 75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8 59	101 58	63 90	59 71	13 67		15 75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4		4	UCL	USBFJ	8 59	101 58	63 90	59 71	13 67		15 75				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18 19									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	1	1	UDL	USBFN	22 89	101 97	64 29	63 68	17 64		15 75				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	25 11	101 97	64 29	63 68	17 64		15 75				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	30 84	101 97	64 29	63 68	17 64		15 75				J
T.	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		4	UDL	USBFN	41 05	101 97	64 29	63 68	17 64		15 75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		T													
	Zone 1		1	UDL	USBFO	22 89	101 97	64 29	63 68	17 64		15 75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	ļ														
	Zone 2		2	UDL	USBFO	25 11	101 97	64 29	63 68	17 64	ļ	15 75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1			1									i		
	Zone 3	<u> </u>	3	UDL.	USBFO	30 84	101 97	64 29	63 68	17 64		15 75				
i	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	USBFO	44.05	101 97	64.30	62.60	17 64	ł	15 75	ŀ			
-	Zone 4	-	4	UDL.	OCOSL	41 05	18 19	64 29	63 68	17 04		15 /5	<del> </del> -			-
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	<del> </del>	-	UDL.	UCUSL	ļ	10 19						-			+
	Zone 1		1	UDL	USBFP	22 89	101 97	64 29	63 68	17 64	1	15 75	i		į	l
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		+	000	OGBI 1	22 00	101 31	04 25	00 00	1, 04	1	10.70			1	
	Zone 2		2	UDL	USBFP	25 11	101 97	64 29	63 68	17 64		15 75			1	1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	<b></b> -	<del> </del>	002	1002	20 11	10.0.									1
	Zone 3		3	UDL	USBFP	30 84	101 97	64 29	63 68	17 64		15 75		ŀ		
-	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	1	<del> </del>							-						
	Zone 4	ł	4	UDL	USBFP	41 05	101 97	64 29	63 68	17 64	1	15 75		1		
	Order Coordination For Specified Conversion Time, per LSR		<b>—</b> —	UDL	OCOSL		18 19					i				
UB-LOOPS		_	1												- ·	
Sub-Lo	oop Feeder		I													
	Sub Loop Feeder - DS3 - Per Mile Per Month	<u> </u>		UE3	1L5SL	18 88										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	1	L	UE3	USBF1	349 41	3,396 56	406 45	157 96	89 54		15 75	1		1	<del> </del>
	Sub Loop Feeder – STS-1 – Per Mile Per Month	1		UDLSX	1L5SL	18 88			L				_			.
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	L	1	UDLSX	USBF7	376 07	3,396 56	406 45	157 96	89 54		15 75				<b></b>
	Sub Loop Feeder OC-3 Per Mile Per Month			UDLO3	1L5SL	14 33						ļ				<del> </del>
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per		1	l	1											1
	Month	1	1	UDLO3	USBF5	58 63								ļ	<b> </b>	1
	Sub Loop Feeder - CC-3 - Facility Termination Per Month	<u>!</u>	<del> </del>	UDLO3	USBF2	569 22	3,396 56	406 45	157 96	89 54		15 75		<b> </b>	<b> </b>	+
	Sub Loop Feeder - OC-12 - Per Mile Per Month	1	-	UDL12	1L5SL	17 63						ļ			<del> </del>	+
	Sub Loop Feeder - CC-12 - Facility Termination Protection Per	١.		LIDIAO	LICERC	000.00					1	1	Į.	1		
	Month Sub Loop Feeder - CC-12 - Facility Termination Per Month	1	₩	UDL12 UDL12	USBF6 USBF3	662 39 1,795 00	3,396 56	406 45	157 96	89 54	<del> </del>	15 75	1	<del> </del>		+
	Sub Loop Feeder - CC-12 - Facility Termination Per Month	<del>                                     </del>	+	UDL48	1L5SL	57 83	3,380.00	400 45	157 96	09 34	<del> </del>	1373	1	_	+	+
$\rightarrow$	Sub Loop Feeder - CC-48 - Per Mile Per Month  Sub Loop Feeder - CC-48 - Facility Termination Protection Per	⊢'-	+	00140	ILJOL	31 83				<del> </del>	+	<del> </del>	+	<del></del>	<del> </del>	+
	Month	1 .		UDL48	USBF9	331 52								i		
	Sub Loop Feeder - CC-48 - Facility Termination Per Month	<del></del>	+	UDL48	USBF4	1,545 00	3,581 56	406 45	157 96	89 54	+	15 75		t	<del> </del>	<del>+</del>
<del></del>	Sub Loop Feeder - CC-46 - Pacinty Termination Fer Month  Sub Loop Feeder - CC-12 Interface On OC-48	<del>l i</del>	+-	UDL48	USBF8	374 04	803 60	406 45		89 54	+	15 75	<del>                                     </del>		1	+
NBUNDLED	LOOP CONCENTRATION	<del> </del>	+	000140	100010	0.404	303 00	100 40	157 90	33.34	<del> </del>	1.0,70			1	†
1	Unbundled Loop Concentration - System A (TR008)	t	+	ULC	UCT8A	363 67	327 30	327 30	-			15 75			1	1
	Unbundled Loop Concentration - System B (TR008)		1	ULC	UCT8B	47 56	136 37	136 37			<del> </del>	15 75		<del> </del>	†	
-1	Unbundled Loop Concentration - System A (TR303)	t	+	ULC	UCT3A	397 35	327 30	327 30	1		† <u>-</u> -	15 75			†	1
	Unbundled Loop Concentration - System B (TR303)	1		ULC	UCT3B	80 15	136 37	136 37		<del></del>		15 75	ł	<del></del>	+	1

JNBUNDLE	D NETWORK ELEMENTS - Mississippi										P./- 0-1	Pur Dade		nent: 2	Incremental	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted: Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4 52	63 65	46 34	17 31	4 85		15 75				<del></del>
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7 17	10 60	10 54	5 56	5 53		15 75				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7 17	10 60	10 54	5 56	5 53		15 75				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or			UEA	ULCC2	1 80	10 60	10 54	5 56	5 53		15 75				
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		-			:					<u> </u>					
	Loop Interface (SPOTS Card)			UEA	ULCCR	10 66	10 60	10 54	5 56	5 53		15 75				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	6 36	10 60	10 54	5 56	5 53		15 75				ļ
	Unbundled Loop Concentration - TEST CIRCUIT Card			ÜLC	UCTTC	31 07	10 60	10 54	5 56	5 53		15 75	ļ <u> —</u>			<b>_</b>
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	9 42	10 60	10 54	5 56	5 53		15 75				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC5	9 42	10 60	10 54	5 56	5 53		15 75				
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop		<del>                                     </del>													
JNE OTHER.	Interface PROVISIONING ONLY - NO RATE			UDL	ULCC6	9 42	10 60	10 54	5 56	5 53		15 75				
	NID - Dispatch and Service Order for NID installation			ÜENTW	UNDBX	0 00	0.00					L				
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0 00	0 00					-				
JNE OTHER.	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0 00	0.00								-	<del> </del>
	rate			UEA,USL,UCL,UDL	USBFR	0 00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		i	ÜSL	CCOSF	0.00	0.00									Ī
	Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0 00	0 00									
HCH CABACI	no rate		<b>├</b> ──	USL	CCOLI		0.00		-		<del>                                     </del>					1
	: minimum billing period of three months for DS3 and above L	ocal Lo	on.											-		
NOTE	High Capacity Unbundled Local Loop - DS3 - Per Mile per			UE3	1L5ND	11 20										
	month High Capacity Unbundled Local Loop - DS3 - Facility		<del>  -</del>						-		1					
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	-		UE3	UE3PX	326 15	454 13	265 47	123 23	86 19	<del> </del>	15 75				1
	month High Capacity Unbundled Local Loop - STS-1 - Facility	<u> </u>		UDLSX	1L5ND	11 20					ļ	<del> </del>				-
	Termination per month	ļ		UDLSX	UDLS1	338 55	454 13	265 47	123 23	86 19		15 75				ļ
LOOP MAKE-		ļ	1		L				+	<b> </b>	<del></del>	<del> </del>	<del></del>	<del>                                     </del>	<del> </del>	+
	Loop Makeup - Preorcering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		24 12	24 12								ļ
	Loop Makeup - Preorcening With Reservation, per spare facility queried (Manual)			UMK	UMKLP		25 58	25 58								
	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	PSUMK		0 6652	0 6652								
HIGH ERECU	ENCY SPECTRUM	+	1	OWIN	JOIVIN	<del> </del>	0 0002	0 0002	<del>                                     </del>	<b></b>		1	l	†	1	
	SHARING		1	<u> </u>	<b></b>				1		† ·-				1	
	TERS-CENTRAL OFFICE BASED		1	1	<del>                                     </del>		-				<del>                                     </del>			T -	T	
- 10: 211	Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	186 67	189 89	0.00	178 41	0 00		15 75				
1	Line Sharing Splitter, per System 24 Line Capacity	1	1	ULS	ULSDB	46 67	189 89	0.00		0.00		15 75				
	Line Sharing Splitter, Per System, 8 Line Capacity	1	Ì	ULS	ULSD8	15 55	189 89	0 00	178 41	0 00		15 75				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSO))	1		ULS	ULSDG		86 98	0.00	49 96	0 00		15 75				

	ONDLE	D NETWORK ELEMENTS - Míssissippi												Attachi	ment: 2	Exhi	bit: B
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Incremental		Incremental Charge -	Incremer Charge
	+			ļ .		1	Rec	Nonrec		Nonrecurring					Rates (\$)		
	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM	WA LINE SHADING	<u>.</u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing - per Line Activation (BST Owned Splitter)	0.20	T	ULS	ULSDC	0.61	18 62	10 66	10 04	4 93		15.75			-	
		Line Sharing - per Subsequent Activity per Line		<del>                                     </del>		102000		10 02	10 00	10 04	4 93		15 75				
		Rearrangement(BST Owned Splitter)		l i	ULS	ULSDS		16 48	8 24			ĺ	15 75				
	1	Line Sharing - per Subsequent Activity per Line											1070	-			
	1	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16 48	8 24				15 75				
	LINE	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0 61	47 44	19 31	20 67	12 74		15 75				-
		SER ORDERING-CENTRAL OFFICE BASED	-			1	_										
	LIND O	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	LIDE OF	2 2 4										
	_	Line Splitting - per line activation BST owned - physical	R		UEPSR UEPSB	UREOS UREBP	0 61	40.00	40.00								
	_	Line Splitting - per line activation BST owned - virtual	R		UEPSR UEPSB	UREBY	0 61 0 61	18 62 18 62	10 66 10 66	10 04 10 04	4 93 4 93		15 75				ļ
		TE SITE HIGH FREQUENCY SPECTRUM	<del>                                     </del>		OLI ON OLF OB	- CINEBY	001	10.02	10 99	10 04	4 93		15 75				ļ
		ERS-REMOTE SITE			17. 2.	† · · · · · · · · · · · · · · · · · · ·					_	<del> -</del>				<del></del>	-
		Remote Site Line Share BellSouth Owned Splitter, 24 Port	1		ULS	ULSRB	42 59	114 62	0 00	84 87	0 00	-	15 75			<del></del>	<del></del> -
		Remote Site Line Share Cable Pair Activation CLEC Owned at					**						10 10			-	<del> </del>
		RS and Deactivation	L		ULS	ULSTG		95 48	0 00	68 12	0 00		15 75				
	END US	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	AKA I	REMOT	E SITE LINE SHARI	NG								_			
		Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter						I			-						
	+	RS Line Share Line Activation for End User served at RS, CLEC	ļ.,,		ULŞ	ULSRC	0 61	36 96	21 17	19 93	9 78		15 75			1	
		Splitter	١.		ULS	1											
	1	Remote Site Line Share Subsequent Activity-RS BST Owned	-		ULS	ULSTC	0 61	36 96	21 17	19 93	9 78		15 75				
		Splitter	١.,		ULS	ULSRS		49 07	17 80	ŀ							
	1	Remote Site Line Share Subsequent Activity-RS CLEC Owned				OLONG	-	49 07	17 80	<del>-</del>			15 75		_		
		Splitter	,		ULS	ULSTS		49 07	17 80				45.75				
UNBU	NDLED E	DEDICATED TRANSPORT							- 77 00			-	15 75				<del> </del>
	NOTE	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimur	m billin	д репо	d - below DS3≃one	month, above	DS3=four moi	nths									
	INTERC	DEFICE CHANNEL - DEDICATED TRANSPORT											-	_			
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month				i											
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		H	U1TVX	1L5XX	0 0098										1
		Facility Termination			U1TVX	U1TV2	22.50	40.77								-	
	<u> </u>	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		-	UTIVA	01102	22 52	40 77	27 57	17 26	7 11		15 75				1
		Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0098					1					1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -				TES/A	0.0090										
		Facility Termination		- 1	J1TVX	U1TR2	22 52	40 77	27 57	17 26	7 11		15 75				1
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -							- 2, 3,	17 20	7 11		13/3				
		Per Mile per month			J1TVX	1L5XX	0 0098		1			ŀ	- 1			İ	1
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade													•	-	
		- Facility Termination			J1TVX	U1TV4	19 79	40 77	27 57	17 26	7 11		15 75				ı
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month				1							-1				
	_	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			J1TDX	1L5XX	8600 0										l
		Termination			J1TDX	LIATE	45.00								-		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		-	JIIDA	U1TD5	15 68	40 78	27 57	17 26	7 11		15 75				1
		per month			JITDX	1L5XX	0 0098	l l		1				1			1
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			-	ILJAA	0.0096		~								<u> </u>
		Termination		- 1	J1TDX	U1TD6	15 68	40 78	27 57	17 26	7 11		15 75				í
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1		f		- 1010	27 57	17 20	( ' ' ' '		13 73				
		month			J1TD1	1L5XX	0 201	1			- 1	1	- 1				1
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	1 -1	Termination			J1TD1	U1TF1	57 33	89 79	82 28	16 86	14 90		15 75				
		Interoffice Channet - Dedicated Transport - DS3 - Per Mile per month		I.		I T											
	1 1	Interoffice Channel - Dedicated Transport - DS3 - Facility			J1TD3	1L5XX	4 76										
		Termination per month		,	J1TD3	U1TF3	644.00	200.00		T				_			
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		—  <sup>†</sup>	31103	UIIF3	641 90	280 37	163 70	62 08	60 29		15 75				
		month		l,	J1TS1	1L5XX	4 76										

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi													ment 2		bit B
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svo Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
	ļ			<u> </u>			Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	+	Interoffice Channel - Dedicated Transport - STS-1 - Facility						''''31	Auu	11130	Addi	COMILO	O CHILAIT	COMPIL	COMAN	COMPA	JOHAN
	L	Termination			U1T\$1	U1TFS	644 21	280 37	163 70	62 08	60 29		15 75				
		CHANNEL - DEDICATED TRANSPORT	L	L													
	NOTE	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin Local Channel - Dedicated - 2-Wire Voice Grade	g perio	d = be	ULDVX			104.00	33 36	37 79	2.00		45.75				
	╁	Local Channel - Dedicated - 2-Wire Voice Grade  Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	<del> </del>		ULDVX	ULDV2 ULDR2	14 91 14 91	194 22 194 22	33 36		3 30 3 30	1	15 75 15 75	ļ			<del>                                     </del>
	+-	Local Channel - Dedicated - 4-Wire Voice Grade Nev Bat		<del> </del>	ULDVX	ULDV4	15 99	194 66	33 80	38 27	3 78		15 75			<del> </del>	
	<u> </u>	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36 83	178 50	154 61	22 89	15 74		15 75				
	1	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	35 99	178 50	154 61	22 89	15 74		15 75	-			
		Local Channel - Dedicated - DS1 - Zone 3	-		ULDD1	ULDF1	221 63	178 50	154 61	22 89	15 74		15 75	-			
	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 4			ULDD1	ULDF1	221 63	178 50	154 61	22 89	15 74						
	T	Local Channel - Dedicated - DS3 - Per Mile per month		1	ULDD3	1L5NC	9 66									1	
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	413 87	454 13	265 47	123 23	86 19		15 75				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	9 66										
		Local Channel - Dedicated - STS-1 - Facility Termination		<u> </u>	ULDS1	ULDFS	408 02	454 13	_ 265 47	123 23	86 19		15 75				
DARK	FIBER	D. 1 51									<del></del>			ļ	_		
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			USE	41.550							į į			I	
	-	Thereof per month - Local Channel			UDF	1L5DC	59 95	040.70	100.07	200.07	200.05	ļ	45.75				
	+	NRC Dark Fiber - Local Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<b>├</b>		UDF	UDFC4		642 79	138 67	326 97	203 85		15 75				
	1	Thereof per month - Interoffice Channel			UDF	1L5DF	28 27										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20 21	642 79	138 67	326 97	203 85	ļ	15 75				
	-	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<del>                                     </del>		001	ODI 14		042 / 5	130 07	320 97	203 60	-	1070				_
	1	Thereof per month - Local Loop			UDF	1L5DL	59 95										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		642 79	138 67	326 97	203 85		15 75				
8XX A	CCESS	EN DIGIT SCREENING		<u> </u>		1											
		8XX Access Ten Digit Screening, Per Call		<u> </u>	OHD		0 0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX										I					
		Number Reserved			OHD	N8R1X		2 60	0 44			ii	15 75			İ	
		8XX Access Ten Digit Screening, Per 8XX No Established W/O															
		POTS Translations			OHD			5 97	0.81	4 60	0 54		15 75				
	Ì	8XX Access Ten Digit Screening, Per 8XX No. Established With	1			İ											
	-	POTS Translations			OHD	N8FTX		5 97	0.81	4 60	0 54		15 75				
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			0.10												ŀ
	<del></del>	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX		2 60	1 30	<b>_</b>			15 75	L			
		Routing Per CXR Requested Per 8XX No	!		OHD	N8FMX		3 04	1 74	i		1	45.75			ł	
	+	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3 04	0 44				15 75 15 75				
	<del>                                     </del>	8XX Access Ten Digit Screening, Call Handling and Destination			C11D	1101 701	<del>                                     </del>	3 04	0 44	<del> </del>			1373				
	1	Features			OHD	N8FDX		2 60					15 75				
						110. 27.		2 00					1070				<del></del> -
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0 0006216									I	i
	1	8XX Access Ten Digit Screening, w/ POTS No Delivery, per				1			_							<b></b>	
		query	L		OHD		0 0006216									1	
LINE II	NFORMA	ATION DATA BASE ACCESS (LIDB)															
	<b>↓</b>	LIDB Common Transport Per Query			OOT		0 0000197										
	ļ	LIDB Validation Per Query			odn		0 0137053										
910114	LING (C	LIDB Originating Point Code Establishment or Change		ļ	OQT, OQU	NRPBX		34 52	34 52	42 33	42 33		15 75				
JIUNA	LING (C			-	LIDE	PERM											
	<del> </del>	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	<u> </u>		UDB	PT8SX	132 21										
	<del> </del>	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)	<u> </u>		UDB UDB	TPP++	0 0000597									<u> </u>	
	<del> </del>	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		<del></del>	UUB	TIPP++	16 55	35 74	35 74	16 53	16 53	ļ	15 75				<b> </b>
		link)			UDB	TPP++	16 55	35 74	05.74	40.50	40.50		4			1	
		CCS7 Signaling Usage, Per ISUP Message	<del>                                     </del>	<del> </del>	UDB UDB	+1155**	0 0000149	35 /4	35 74	16 53	16 53		15 75			ļ	ļ <u> </u>
	<del>                                     </del>	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683 55			<del>  </del>						-	<b> </b>
	T -	CCS7 Signaling Point Code, per Originating Point Code					363 35									<del></del>	<del></del>
		Establishment or Change, per STP affected		1	UDB	CCAPO	Į į	29 18	29 18	35 78	35 78		15 75			Į.	
	ERVICE	3-17		1		100, 110	1	49 10	43 16	30 18	35 / 8	L	10.10				

OMBONDLE	D NETWORK ELEMENTS - Mississippi											1			ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	ВС	s	usoc		_	RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring				oss	Rates (\$)		-
								First	Add'I	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-wr Voice Grade						14 91	194 22	33 36	37 79	3 30		15 75				· ·
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile						0 0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination						22 52	40 77	27 57	17 26	7 11		15 75				
	Local Channel - Dedicated - DS1 - Zone 1						36 83	178 50	154 61	22 89	15 74		15 75				
	Local Channel - Dedicated - DS1 - Zone 2		ļ <u>.</u>				35 99	178 50	154 61	22 89	15 74		15 75			I	
	Local Channel - Dedicated - DS1 - Zone 3		<u> </u>				221 63	178 50	154 61	22 89	15 74		15 75				_
. <u></u>	Local Channel - Dedicated - DS1 - Zone 4						221 63	178 50	154 61	22 89	15 74		15 75		,		
	Interoffice Transport - Dedicated - DS1 Per Mile						0 2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination						57 33	89 79	82 28	16 86	14 90		15 75				
													15 75		-	-	
CALLING NAM	IE (CNAM) SERVICE																
	CNAM For DB Owners - Service Establishment			OQV				23 09	23 09	21 23	21 23		15 75				
	CNAM For Non DB Owners - Service Establishment			OQV				23 09	23 09	21 23	21 23		15 75				
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV				996 62	737 08	270 49	198 89		15 75				
	CNAM For Non DB Owners - Service Provisioning With Point																
	Code Establishment	<u> </u>		oqv				344 32	246 56	276 85	198 89		15 75		1		
	CNAM for DB Owners, Per Query	L	ļ	OQV			0 0010231										
	CNAM for Non DB Owners, Per Query			ogv			0 0010231				_						
LNP Query Sei																	
	LNP Charge Per query		<u> </u>	OQV			0 0008477										
	LNP Service Establishment Manual							12 59	12 59	11 58	11 58		15 75				
OPERATOR	LNP Service Provisioning with Point Code Establishment		<u> </u>					596 94	304 96	270 49	198 89		15 75				
OF ENATOR CA	Oper Call Processing - Oper Provided, Per Min - Using BST																L
	LIDB						1 20										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB						1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB						0 20							7.			
	Oper Call Processing - Fully Automated, per Call - Using																
	Foreign LIDB	<u> </u>					0 20			1					•		1
INWARD OPER	RATOR SERVICES						-										
	Inward Operator Services - Verification, Per Minute		<u> </u>				1 15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute						i										
PRANDING O	PERATOR CALL PROCESSING		$\vdash$				1 15										l .
	based CLEC	<u> </u>	ļļ														
i aciiity	Recording of Custom Branded OA Announcement		<b>├</b> —-i														
<del></del>	Loading of Custom Branded OA Announcement per shelf/NAV					CBAOS		7,000 00	7,000 00				15 75				
UNEP	per OCN					CBAOL		500 00	500 00				15 75				
ONEF 1	Recording of Custom Branded OA Announcement		1														
	Loading of Custom Branded OA Announcement per shelf/NAV							7,000 00	7,000 00				15 75			,	
	per OCN Iding via OLNS for UNEP CLEC							500 00	500 00				15 75				
	Loading of OA per OCN (Regional)	<u> </u>	1														
DIRECTORY A	SSISTANCE SERVICES							1,200 00	1,200 00				15 75				
	TORY ASSISTANCE ACCESS SERVICE		<b>├</b>														L
DINEC	Directory Assistance Access Service Calls, Charge Per Call	-															
DIRECT	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)	<del>  </del>				0 275						]				
DINEC	Directory Assistance Call Completion Access Service (DACC),	MUU)															
1	Per Call Attempt		[		\ 							1	-				1
DIRECTORY A	SSISTANCE SERVICES		<del>                                     </del>				0 10					ļl					<b></b>
DIRECT	TORY ASSISTANCE DATA BASE SERVICE (DADS)									ļ							
	Directory Assistance Data Base Service Charge Per Listing						0 04			L		ļ					<u> </u>
	Directory Assistance Data Base Service, per month					BSOF											
	, seemen and add dering, per mornin		Ŀ			JUOUF )	150 00										1

ONRONDE	ED NETWORK ELEMENTS - Mississippi										T			ment <sup>,</sup> 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
BRANDING	DIRECTORY ASSISTANCE						First	Add'l	Fırst	Add'l	SOMEC	NAMOS	SOMAN	SOMAN	SOMAN	SOMAN
	ity Based CLEC		<del> </del>		+			•			-					
Facil	Recording and Provisioning of DA Custom Branded		ļ		-	ļ								-		
	Announcement			AMT	CBADA		3,000 00	3,000 00			1	15 75				1
	Loading of Custom Branded Announcement per Switch per	-	<del>                                     </del>		- CENTON		0,000 00	0,000 00			<del> </del>	10 70				1
	OCN			AMT	CBADC		1,170 00	1,170 00			1	15 75			ļ	ì
UNE	PCLEC				102/120		1,170 00	,,,,,,,,,,			1	1010				
	Recording of DA Custom Branded Announcement				*		3,000 00	3,000 00			<del> </del>	15 75				
	Loading of DA Custom Branded Announcement per Switch per										l l					
	OCN						1,170 00	1,170 00				15 75				
Unbi	anding via OLNS for UNEP CLEC				1 -				- 1		i e					
	Loading of DA per OCN (1 OCN per Order)		1				420 00	420 00				15 75				
	Loading of DA per Switch per OCN					1	16 00	16 00				15 75				
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		85 19	85 19	14 19	14 19		15 75				
VIRTUAL CO	LLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0 0268	12 37	11 87	6 04	5 45		15 75				
PHYSICAL C	OLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line													}		
	Splitting			UEPSR, UEPSB	PE1LS	0 0288	12 37	11 87	6 04	5 45		15 75				
AIN SELECT	IVE CARRIER ROUTING		ļ													
	Regional Service Establishment			SRC	SRCEC		101,685 12		8,640 51			15 75				
	End Office Establishment			SRC	SRCEO		167 49	167 49	1 71	1.71	ļ	15 75				
A 101 - D T 1 - C	Query NRC, per query			SRC		0 0030502										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE				<b></b>											
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			0.481	CAME		20.67	20.00	40.00	40.00		45.75				
	miliar Selup			A1N	ÇAMSE		39 67	39 67	40 92	40 92		15 75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7 87	7 87	9 14	9 14		15 75				
<del></del>	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7 87	7 87	9 14	9 14		15 75				
-	AIN SMS Access Service - User Identification Codes - Per User			ATIN	CANTE		7 07		9 14	9 14		15 / 5				
	ID Code			A1N	CAMAU		35 21	35 21	27 21	27 21		15 75				
	AIN SMS Access Service - Security Card, Per User ID Code,		<del> </del>	AIN	CAIVIAU		30 21	33 21	21 21	21 21	<del> </del>	1575				
l i	Initial or Replacement			A1N	CAMRC	i	42 13	42 13	11 78	11 78		15 75				į
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7,114	CAIVILLO	0 0021	42 10	42 13	1170	1170	1	13 / 3				
	AIN SMS Access Service - Session, Per Minute		1		+	0 5649					<del> </del>					
	AIN SMS Access Service - Company Performed Session, Per				<del> </del>	0 00.0				***	-					-
	Minute		1 1			0 8393					1					
AIN - BELLS	OUTH AIN TOOLKIT SERVICE										1					
T	AIN Toolkit Service - Service Establishment Charge, Per State,										<del> </del>					
	Initial Setup		i i	CAM	BAPSC	1	39 67	39 67	40 92	40 92	1	15 75				
	AIN Toolkit Service - Training Session, Per Customer		-		BAPVX		4,226 54	4,226 54			<u> </u>	15 75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				T											·
	DN, Term Attempt				BAPTT		7 87	7 87	9 14	9 14	1	15 75				ł
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per										<b></b>					
	DN, Off-Hook Delay				BAPTD	1	7 87	7 87	9 14	9 14	1	15 75				1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per										1		-		-	
	DN, Off-Hook Immediate		$\perp$		BAPTM		7 87	7 87	9 14	9 14	L	15 75			l	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34 67	34 67	14 44	14 44		15 75			<u> </u>	
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per										1					
	DN, CDP		ļl		BAPTC		34 67	34 67	14 44	14 44		15 75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
ļ	DN, Feature Code				BAPTF		34 67	34 67	14 44	14 44		15 75			l	
	AIN Toolkit Service - Query Charge, Per Query		$\sqcup$			0 0535577										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit														l	
	Subscription, Per Node, Per Query		1		1	0 0063509					1	1		1	1	1

INBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachi	nent 2	Exhil	oit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			-:-			Rec	Nonred		Nonrecurring					Rates (\$)		
	ANIT II I Committee Commit		<u> </u>				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilopytes		)			0 06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		<u> </u>			0.00										
	Subscription			CAM	BAPMS	11 11	7 87	7 87	5 54	5 54		15 75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2 71	8 71	8 71				15 75				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8 48	7 87	7 87	5 54	5 54		15 75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription		1	CAM	BAPES	0 09	8 71	8 71				15.75				
HANCED	EXTENDED LINK (EELs)			CAN	BAPES	0.09	8 / 1	8 / 1				15 75	<u> </u>			
	E. The monthly recurring and non-recurring charges below will	annly a	nd the	Switch-As-Is Charg	e will not app	ly for FFI s pro	visioned as '	Ordinarily Com	hined' Network	Flements						
	E The monthly recurring and the Switch-As-Is Charge and not t															
	E. Minimum billing is one month for DS1 and below and three m				T									-		
2-WII	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport												_			
	Combination - Zone 1		1	UNCVX	UEAL2	13 89	105 96	68 28	52 82	10 37		15 75				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	18 75	105 96	68 28	52 82	10 37		15 75				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	27 55	105 96	68 28	52 82	10 37		15 75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	_	†	LIVOVA	IOL/4L2	2/ 33	100 90	00 20	32 02	10.37		1373	•			
- 1	Combination - Zone 4		4	UNCVX	UEAL2	45 72	105 96	68 28	52 82	10 37		15 75				ĺ
$\neg$	Interoffice Transport - Dedicated - DS1 combination - Per Mile			-			-									
	per month	_	L	UNC1X	1L5XX	0 1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility						-									
	Termination per month		<b>├</b>	UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90		15 75				
	DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month		-	UNC1X	MQ1 1D1VG	102 85 0 5737	91 57 6 62	62 94	10 87	10 10		15 75				
_	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	IDIVG	0 5/3/	0.02	4 74						-		
	Interoffice Transport Combination - Zone 1	}	1	UNCVX	UEAL2	13 89	105 96	68 28	52 82	10 37		15 75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>	ON OVA	OLALZ	10 00	100 00	00 20	02.02	10 37		1373				-
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18 75	105 96	68 28	52 82	10 37		15 75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1								-							
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	27 55	105 96	68 28	52 82	10 37		15 75				L
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 4  Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVX	UEAL2	45 72	105 96	68 28	52 82	10 37		15 75				
1	per month			UNCVX	1D1VG	0 5737	6 62	4 74				15 75				
	Nonrecurring Currently Combined Network Elements Switch -As-			007/	1.0110	0 0737	0.02	74			_	13 / 3				-
	Is Charge			UNC1X	UNCCC		5 63	5 63	7 20	7 20		15 75				
4-WII	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR			_										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64		15 75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	LINE OF			400	0.4 ==								
	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64		15 75				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		Ť	0047	JULIALIA	50 03	102.27	24 09	00 00	14 04		15/5				-
	Transport Combination - Zone 4		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile												-			
	Per Month			UNC1X	1L5XX	0 1813										
1	Interoffice Transport - Dedicated - DS1 - Facility Termination Per													_		
	Month Changelization - Changel System DS1 to DS0 - combination Res			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90		15 75				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	*02.55	04.57	00.04	40.07	40.40						1
	Voice Grade COCI - DS1 to DS0 Channel System combination -	-	<del>                                     </del>	OIAC IX	MQ1	102 85	91 57	62 94	10.87	10 10		15 75				ļ
1	per month	1	1	UNCVX	1D1VG	0 5737	6 62	4 74			1	15 75				1

UNDUNDE	D NETWORK ELEMENTS - Mississippi			-								_		ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonred		Nonrecurring					Rates (\$)		
	Additional 4-Wire Analog Voice Grade Loop in same DS1						First	Add'I_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64		15 75			ľ	
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<del>                                     </del>	OTTO VA	OL, L		102 21	54 55		14 04		13 / 5			<del></del>	
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64		15 75			İ	İ
ì	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3_	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75				L
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4													
	Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75				
	per month			UNCVX	1D1VG	0 5737	6 62	4 74			f	16.75				
	Nonrecurring Currently Combined Network Elements Switch -As-		_	OHOV.	IBIVO	0 3737	0.02	7/4		_		15 75				
	Is Charge		l	UNC1X	UNCCC		5 63	5 63	7 20	7 20	] ]	15 75				1
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERC	FFICE	TRANSPORT (EEL)							· · · · · · · · · · · · · · · · · · ·					
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			Ī.,				_								
	Transport Combination - Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64		15 75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	24.55	400.50	00.05	00.00				i			
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		-	DIACDX	IUUL36	34 55	126 53	88 85	60 68	14 64		15 75				
Į.	Transport Combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64	} }	15 75				1
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				100200		120 00	55 65		17 07		_ 13 / 3			· -	
	Transport Combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64		15 75				Į
İ	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0 1813						15 75				1
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		]		l !			[								
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90	ļ.— <u>.</u>	15 75				
	Month			UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10		15 75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			3.13.11	1	102 00		UE 34	100/	10 10		1373				
	month (2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74				15 75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1							-			1					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64		15 75				
Ì	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	LINCOV	UDLEC	24.55	400.50	00.05								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64		15 75				
1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64	]	15 75				i
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				1002.00		12000	- 00 00	- 00 00	14 04	<del> </del>	- 1373				
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	88 85	60 68	14 64		15 75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2 4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1 22	6 62	4 74				15 75				
f	Is Charge			UNC1X	UNCCC		5 63	5 63	7.00	7.00						
4-WIRE	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERO	FFICE		DINCCC		5 63	5 63	7 20	7 20		15 75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1													
	Transport Combination - Zone 1		1	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64		15 75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_ 2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64		15 75				
	Transport Combination - Zone 3		3	UNCDX	LUDI 64									_		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- 3	UNCUX	UDL64	40 76	126 53	88 85	60 68	14 64		15 75				
	Transport Combination - Zone 4		4	UNCDX	UND64	32 25	126 53	88 85	60 68	14 64		15 75			1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1	52, 25	120 00	00 00	00 00	14 04	<del></del>	13 13				
	Per Month			UNC1X	1L5XX	0 1813			ľ							
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90	L	15 75				
	Channelization - Channel System DS1 to DS0 combination Per Month			LINOAV		ΙΤ										
	OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	102 85	91 57	62 94	10.87	10 10		15 75				
1	combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 22	6 62	4 74				15 75				

NEGNOLE	D NETWORK ELEMENTS - Mississippi													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
		<b></b>				Rec	Nonrec		Nonrecurring					Rates (\$)		
	1444	ļ	ļ.,		<b></b> .		First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	LINCDY	UDI CA	27.44	400.50	00.05		44.04		45.00		1		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	<del></del>	+-	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64		15 75				<u> </u>
ı	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64		15 75	ļ			
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<u> </u>	0.10271	USEU.		120 00	00 00	00 00		1	1073				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64	1 1	15 75	1	Ì	ì	Ì
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64		15 75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			LINODY	10100	4.00	0.00				i 1					
	Nonrecurring Currently Combined Network Elements Switch -As-	<del> </del>	<del> </del>	UNCDX	1D1DD	1 22	6 62	4 74				15 75				
	Is Charge			UNCTX	UNCCC		5 63	5 63	7 20	7 20	1	15 75	ł			
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA		011000		3 03	3 03	7 20	7 20		13 / 3				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		T	1	1											
	Transport - Zone 1		1	UNC1X	USLXX	79 08	253 93	158 45	46 10	12 07		15 75		i		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	i -							_							
	Transport - Zone 2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07		15 75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	LIGINA	200 74	252.00				<u> </u>		i			
-+-	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3	UNCIX	USLXX	206 74	253 93	158 45	46 10	12 07		15 75				
	Transport - Zone 4		4	UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07		15 75		1		
_	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<del> </del>	Ė	OTTO IX	100200	700 40	233 33	130 43	40 10	12 07		13 / 3				
	Per Month	Ì		UNC1X	1L5XX	0 1813										ĺ
	Interoffice Transport - Dedicated - DS1 combination - Facility					, <u>.</u>										
	Termination Per Month			UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90		15 75	<u> </u>			
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1			1			1							
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EPOEE	CE TO	UNC1X	UNCCC		5 63	5 63	7 20	7 20		15 75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	I		I LEEL)	<del>- </del>											
	1		1	UNC1X	USLXX	79 08	253 93	158 45	46 10	12 07		15 75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone				T			-					-		<del></del>	
	2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07	1 1	15 75	ŀ			
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1		·	1											
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07		15 75				
	4		4	UNC1X	USLXX	458 46	253 93	158 45	40.40				-			İ
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		-	UNCIA	USLAA	436 45	253 93	158 45	46 10	12 07	l	15 75				
	Per Month			UNC3X	1L5XX	4 29			ł		i i					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				1,=0,0,											
	month			UNC3X	U1TF3	641 90	280 37	163 70	62 08	60 29		15 75				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	107 85	179 17	94 52	34 30	32 82		15 75	7.			
-+	DS3 Interface Unit (DS1 COCI) combination per month		<u> </u>	UNC1X	UC1D1	12 96	6 62	4 74				15 75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	ŀ	1	UNC1X	USLXX	79 08	050.00	450.45								
_	Additional DS1Loop in DS3 Interoffice Transport Combination -		<del>  '-</del>	DINCIX	USLAA	79 08	253 93	158 45	46 10	12 07	<u> </u>	15 75				
	Zone 2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07	]	15 75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -						200 00	100 40	70 10	12.07		1010				
	Zone 3		3	UNC1X	USLXX	206 74	253 93	158 45	46 10	12 07		15 75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 4 DS3 Interface Unit (DS1 COCI) combination per month		4	UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07		15 75				
-+	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNC1X	UC1D1	12 96	6 62	4 74			$\Box$	15 75				
	Is Charge			UNC3X	UNCCC		5 63	E 00	7.00	7.00		45				
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (FFI )	DINCCC		5 63	5 63	7 20	7 20		15 75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1			+										<del></del>	
	Combination - Zone 1	l	1	UNCVX	UEAL2	13 89	105 96	68 28	52 82	10 37		15 75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport										- 1					
ı	Combination - Zone 2	l.	2	UNCVX	UEAL2	18 75	105 96	68 28	52 82	10 37	l f	15 75				

INBONE	DLED NETWORK ELEMENTS - Mississippi													ment 2		bit B
ATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		<u> </u>	-	ļ.,		Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	⊓NC∧X	UEAL2	27 55	105 96	68 28	52 82	10 37		15 75				
	A 1 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		1-	BHOVA	OLALZ	27 33	103 30	00 20	32 02	10 37		10 70				·
	Combination - Zone 4		4	UNCVX	UEAL2	45 72	105 96	68 28	52 82	10 37		15 75				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
-+-	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade	-		UNCVX	1L5XX	0 00088					<u> </u>					
	combination - Facility Termination per month			UNCVX	U1TV2	20 32	40 77	27 57	17 26	7 11		15 75			ļ	l
	Nonrecurring Currently Combined Network Elements Switch -As-		<del>† —</del>	DINOVA	01142	20 32	40 11	21 31	17 20	<del>- ' ' ' '</del>	<del>                                     </del>	10 75				ļ
	Is Charge			UNCVX	UNCCC		5 63	5 63	7 20	7 20		15 75				1
4-1	NIRE VOICE GRADE EXTENDED LOOP! 4 WIRE VOICE GRADE IN	EROFF	ICE TE	ANSPORT (EEL)								- 10.10				-
	4-WireVG Loop used with 4-wire VG Interoffice Transport		T												_	
	Combination - Zone 1	_	1	UNCVX	UEAL4	27 47	132 27	94 59	60 68	14 64		15 75		i		L
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport	<del></del>	2	UNCVX	UEAL4	38 26	132 27	94 59	60 68	14 64	-	15 75				<u> </u>
	Combination - Zone 3	ļ	3	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64		15 75				l
_	4-WireVG Loop used with 4-wire VG Interoffice Transport	<del></del>	<u> </u>	OI4OVX	OEXIL4	30 03	132 21	34 33	- 60 00	14 64						<u> </u>
1	Combination - Zone 4		4	UNCVX	UEAL4	50 03	132 27	94 59	60 68	14 64	1 !	15 75				ĺ
	Interoffice Transport - Dedicated - 4-wire VG combination - Per	T			+	-										
	Mile Per Month	L	1	UNCVX	1L5XX	88000 0	i		İ							1
	Interoffice Transport - Dedicated - 4- Wire Voice Grade		Ι		1											
-	combination - Facility Termination per month	<u> </u>	-	UNCVX	U1TV4	17 86	40 77	27.57	17 26	7 11	<u> </u>	15 75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	LINGGO			5.00	ا ۔ ا							1
- Ins	3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	HEROR		UNCCC			5 63	7 20	7 20	<b></b>	15 75				
	High Capacity Unbundled Local Loop - DS3 combination - Per	TE IKA	T OR	(EEL)		-										<del></del>
	Mile per month			UNC3X	1L5ND	11 20	ľ									l
	High Capacity Unbundled Local Loop - DS3 combination -		1		1		_				-					
	Facility Termination per month			UNC3X	UE3PX	252 17	454 13	265 47	123 23	86 19	1 1	15 75				1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4 29										
	Interoffice Transport - Dedicated - DS3 combination - Facility									-						
	Termination per per month  Nonrecurring Currently Combined Network Elements Switch -As-		—	UNC3X	U1TF3	641 90	280 37	163 70	62 08	60 29	i	15 75				
	Is Charge	1		UNC3X	UNCCC		5 63	5 63	7 20	7 20		45.75				ĺ
ST	S1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP	ORT (FFL)	014000		- 3 63	3 63	7 20	7 20	<u> </u>	15 75				
_	High Capacity Unbundled Local Loop - STS1 combination - Per	1		(222)							<del></del>					
	Mile per month			UNCSX	11.5ND	11 20			1		1 1	ì				l
	High Capacity Unbundled Local Loop - STS1 combination -							-								
-	Facility Termination per month			UNCSX	UDLS1	264 35	454 13	265 47	123 23	86 19		15 75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			LINGOV	41.530	4.00	I									1
	Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	4 29										
	Termination per month	1		UNCSX	U1TFS	644 21	280 37	163 70	62 08	60 29	ĺ	45.75				l
	Nonrecurring Currently Combined Network Elements Switch -As-			O GOOK	01113	044 21	200 37	103 70	62 06	60 29		15 75				<b>——</b>
	Is Charge		1	UNCSX	UNCCC		5 63	5 63	7 20	7 20		15 75				ŀ
2-V	VIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPO	T (EEL	)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
-	Transport - Zone 1		1	UNCNX	U1L2X	21 01	117 61	79 92	52 82	10 37		15 75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	1	1 ,	LINONY		27.50										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	2	UNCNX	U1L2X	27 59	117 61	79 92	52 82	10 37		15 75				
	Transport - Zone 3		3	UNCNX	U1L2X	37 34	117 61	79 92	52 82	10 37		15 75			·	1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	<u> </u>		O ILEA	37 34	117 01	1982	32 82	10.37		15/5				
	Transport - Zone 4		4	UNCNX	U1L2X	59 18	117 61	79 92	52 82	10 37		15 75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 1813						.0.0				
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
1	Termination per month	<u> </u>		UNC1X	U1TF1	51 72	89 79	82 28	16 86	14 90		15 75				ı

P	RATE ELEMENTS	Interi m												Incremental		Increment
P			Zone	BCS	usoc	_		RATES (\$)			Submitted Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
P						Rec	Nonre		Nonrecurring					Rates (\$)	·	
P	Óbarrada de Composições de Composiçõ		<del> </del>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	Channelization - Channel System DS1 to DS0 combination - per month	Ì	)	LINICAN	1,,,,	400.05	04.57									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		-	UNC1X	MQ1	102 85	91 57	62 94	10 87	10 10		15 75				
	combination - per month			UNCNX	UC1CA	2 62	6 62	4 74				46.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		+	S. C. C.	0010/1	2 02	- 0.02					15 75				<del> </del>
	Combination - Zone 1		1	UNCNX	U1L2X	21 01	117 61	79 92	52 82	10 37		15 75				1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1							1010				<del></del>
	Combination - Zone 2		2	UNCNX	U1L2X	27 59	117 61	79 92	52 82	10 37		15 75				1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		]						_			"				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3_	UNCNX	U1L2X	37 34	117 61	79 92	52 82	10 37		15 75		_		
	Combination - Zone 4		4	UNCNX	U1L2X	59 18	117 61	79 92	F0.00	40.07						1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		+	UNCINA	UILZA	29 10	117 61	79 92	52 82	10 37		15 75				
	combintaion- per month		İ	UNCNX	UC1CA	2 62	6 62	4 74				15 75				1
L	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	_	100.0		0.02	- ''				1070				<del></del>
	ls Charge			UNC1X	UNCCC		5 63	5 63	7 20	7 20		15 75				1
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -		T													
	Zone 1		1	UNC1X	USLXX	79 08	253 93	158 45	46 10	12 07		15 75				1
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2			LINGAN	Lian var											
	First DS1 Loop in STS1 Interoffice Transport Combination -	_	2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07		15 75				
	Zone 3		3	UNC1X	USLXX	206 74	253 93	158 45	46 10	40.07		45.55				(
	First DS1 Loop in STS1 Interoffice Transport Combination -	<del>-</del>	+-	ONCIA	USLAA	200 74	200 90	136 43	46 10	12 07		15 75				<del></del>
	Zone 4		4	UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07		15 75 (		i		1
li li	nteroffice Transport - Dedicated - STS1 combination - Per Mile		$\top$		T							- 10 10				
	Per Month			UNCSX	1L5XX	4 29			. ]							1
	nteroffice Transport - Dedicated - STS1 combination - Facility															
	Termination		<del> </del>	UNCSX	U1TFS	644 21	280 37	163 70	62 08	60 29		15 75		i		Ĺ
	STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month		<del> </del>	UNCSX	MQ3	107 63	179 17	94 52	34 30	32 82		15 75	_			
	Additional DS1Loop in STS1 Interoffice Transport Combination -		<del> </del>	UNC1X	UC1D1	12 96	6 62	4 74				15 75				-
	Zone 1		1	UNC1X	USLXX	79 08	253 93	158 45	46 10	12 07		15 75				1
	Additional DS1Loop in STS1 Interoffice Transport Combination -		<del>                                     </del>	OI4O1X	10000	73 00	200 90	100 40	40 10	12 07		15 /5				
	Zone 2		2	UNC1X	USLXX	129 38	253 93	158 45	46 10	12 07		15 75				1
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3_	UNC1X	USLXX	206 74	253 93	1 <u>5</u> 8 45	46 10	12 07		15 75				1
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 4		l .				-									i
	DS3 Interface Unit (DS1 COCI) combination per month		4	UNC1X	USLXX	458 46	253 93	158 45	46 10	12 07		15 75				L
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	12 96	6 62	4 74	_			15 75				
	s Charge			UNCSX	UNCCC	ŀ	5 63	5 63	7 20	7 20		15 75	i			i
	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROF	FICE T	FRANSI	PORT (EEL)	ONCCC			5 63	7 20	7 20		15 /5				
14	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	I LELLY	<del>                                     </del>							+				
	Combination - Zone 1		1	UNCDX	UDL56	27 44	126 53	88 85	60 68	14 64	1	15 75		1	1	í
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												_	_		
	Combination - Zone 2		2	UNCDX	UDL56	34 55	126 53	88 85	60 68	14 64		15 75			1	i
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3				1 1											i
	1-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		3	UNCDX	UDL56	40 76	126 53	88 85	60 68	14 64		15 75				
	Combination - Zone 4		4	UNCDX	UDL56	32 25	126 53	00.05	20.00		İ	4	1	}		i
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -		+	O. TODA	JULUE	32 23	126 53	88 85	60 68	14 64		15 75				
	Per Mile			UNCDX	1L5XX	0 00088	ļ			l						i
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -	-			1.20.01	2 22000		·					_		-	
	acility Termination			UNCDX	U1TD5	14 14	40 78	27 57	17 26	7 11		15 75				ı
	Nonrecurring Currently Combined Network Elements Switch -As-							-		-						
ls	s Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF			UNCDX	UNCCC		5 63	5 63	7 20	7 20		15 75				i

DURONDER	D NETWORK ELEMENTS - Mississippi												Attach	ment, 2	Eyhi	bit B
												Svc Order Submitted Manually	Incremental	Incremental Charge -	Incremental Charge -	Incremen Charge
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual S Order vs Electroni Disc Add
		l				Rec	Nonre	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
						Nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27 44	126 53	88 85	60 68	14 64		15 75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport				00201	27,11	120 00	0000	00 00	14 04		1375			<del></del>	<del>                                     </del>
	Combination - Zone 2		2	UNCDX	UDL64	34 55	126 53	88 85	60 68	14 64		15 75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			1												
	Combriation - Zone 3		3	UNCDX	UDL64	40 76	126 53	88 85	60 68	14 64	i i	15 75		ļ		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32 25	126 53	88 85	60 68	14 64		15 75	-			,
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				52.00	02.20	120 00	- 00 05	- 00 00			13/3	-		<del> </del>	<del></del>
	Per Mile			UNCDX	1L5XX	0 00088										L
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	14 14	40 78	27 57	17 26	7 11		15 75				
	Nonrecurring Currently Combined Network Elements Switch -As-		<b></b>		1			21 07	17 20			1373				<del> </del>
	Is Charge	l		UNCDX	UNCCC		5 63	5 63	7 20	7 20		15 75				ĺ
	NETWORK ELEMENTS		1													
When	used as a part of a currently combined facility, the non-recurr	ng cha	ges do	not apply, but a	Switch As is cl	harge does app	oly									
When	used as ordinarily combined network elements in All States, the	ne non-	recurri	ng charges apply a	and the Switch	As Is Charge	loes not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each cor	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5 63	5 63	7 20	7 20		15 75				
	Nonrecurring Currently Combined Network Elements Switch -As-				5.1000		0.00	3 03	7 20	7 20		13 / 3				<del></del>
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5 63	5 63	7 20	7 20		15 75				ł
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5 63	5 63	7 20	7 20		15 75				
	Nonrecurring Currently Combined Network Elements Switch -As-						_		/ 20 1	7 20		15/5				
-	Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5 63	5 63	7 20	7 20		15 75				ļ
	Is Charge - STS1		١.	UNCSX	UNCCC		5 63	5 63	7 20	7 20		15 75				ı
NOTE	Local Channel - Dedicated Transport - minimum billing period	i - Belo	w D\$3	one month, DS3 a	nd above=four	months				- 7 20		- 10 70				
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCVX	ULDV2	14 91	194 22	33 36	37 79	3 30		15 75				
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCVX	ULDV4	15 99	194 66	33 80	38 27	3 78		15 75				
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ÜLDF1	36 83	178 50	154 61	22 89	15 74		15 75			-	
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	35 99	178 50	.154 61	22 89	15 74		15 75				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	221 63	178 50	154 61	22 89	15 74		15 75		-		
	Local Channel - Dedicated - DS1- Per Month Zone 4		4	UNC1X	ULDF1	221 63	178 50	154 61	22 89	15 74		15 75				
	Local Channel - Dedicated - DS3 - Per Mile per month	-		UNC3X	1L5NC	9 66			- 22 00	1014		13 13				
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	413 87	454 13	265 47	123 23	86 19		15 75				
]	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	9 66			120 20			1373				
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	408 02	454 13	265 47	123 23	86 19		15 75				
	al Features & Functions				1 1							10.10		_		
	PLEXERS														-	
NOTE	minimum billing period is one month for DS1 to DS0 Channel	System	and ir	terfaces										*****		
NOTE:	minimum billing period is three months for DS3 to DS1 and ab	ove Ch	annel	System and interfa	ices											
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	102 85	91 57	62 94	10.87	10 10		15 75				
1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				T											
	month (2 4-64kbs)			UDL	1D1DD	1 22	6 62	4 74				15 75			i	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA										-	
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	2 62	6 62	4 74				15 75				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	0 5737 170 63	6 62 179 17	4 74	01.00	-00 0=		15 75		_		
	STS1 to DS1 Channel System per month			UXTS1	MQ3	170 63	179 17	94 52	34 30	32 82		15 75				
	DS3 Interface Unit (DS1 COCI) used with Loop per month	-		USL	UC1D1	12 96	6 62	94 52	34 30	32 82		15 75				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				00101	12 90	0.02	4 74				15 75				
_	month			ULDD1	UC1D1	12 96	6 62	4 74	1			15 75				
	op Feeder															
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			UNC1X	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	55 19	101 97	64 29	63 68	17 64						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X	USBFG	100 03	101 97	64 29	63 68	17 64						
	personaled Sub-Loop reduct Loop, 4-vvire DST - Zone 3	- 1	3	UNC1X	USBFG	183 66	101 97	64 29	63 68	17 64						

	D NETWORK ELEMENTS - Mississippi		Υ		,	, ,								ment 2		bit B
			1	1		1					Svc Order	Svr Order	Incremental	Incremental	Incremental	Increment
		l									Submitted		Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc			Manual S
		m						10-11-0 (4)			per LSR	per LSR	Order vs.	Order vs	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
												ĺ	1st	Add'i	Disc 1st	Disc Add'
-						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)		4_	UNC1X	USBFG	430 04	101 97	64 29	63 68	17 64					·	
Excha	nge Ports		<u> </u>													_
NOTE	Although the Port Rate includes all available features in GA,	KY, LA 8	& TN, ti	he desired feature:	s will need to b	e ordered using	n retail USOCs									
2-WIRI	E VOICE GRADE LINE PORT RATES (RES)	_ <del></del>	T				g retain 00003	<u></u>								
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 41	2 39	2 29	1 42	1 33	-	15 75				
	F	}									-	- 10,70	• •		<del> </del>	<del> </del>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 41	2 39	2 29	1 42	1 33		15 75		İ		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR												
	Exchange Ports - 2-Wire VG unbundled MS extended local		<del> </del>	UEPSR	UEPRO	1 41	2 39	2 29	1 42	1 33		15 75		<u>.</u>	i	
	dialing parity Port with Caller ID - Res	1		UEPSR	UEPAT	1 41	2 39	2 29	, , ,			T				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			OLI OIL	JOET AT		2 39	2 29	1 42	1 33		15 75				
	with Caller ID (LUM)	Ι.		UEPSR	UEPAP	1 41	2 39	2 29	1 42	1 33		15 75			1	[
	Exchange Ports - 2-Wire Voice Mississippi Residence Dialing				T*			2.20				1373	_			
	Plan without Caller ID			UEPSR	UEPWJ	1 41	2 39	2 29	1 42	1 33		15 75				
	2-Wire voice unbundled Low Usage Line Port without Caller ID							· ·		,						
	Capability Subsequent Activity			UEPSR	UEPRT	1 41	2 39	2 29	1 42	1 33		15 75			ļ	ľ
FEATU		-		UEPSR	USASC	0 00	0 00	0 00				15 75		,		
	All Available Vertical Features			UEPSR	UEPVF	2 56								_		
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEPVF	2 56	0 00	0 00				15 75				
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	-	-		·		_									
	Bus			UEPSB	UEPBL	1 41	2 39	2 29	1 42	1 33		15 75				
1	Exchange Ports - 2-Wire VG unbundled Line Port with								172	1 33		10 70				
	unbundled port with Caller+E484 ID - Bus		L	UEPSB	UEPBC	1 41	2 39	2 29	1 42	1 33		15 75				
	Eventone Barta O.W April, J. B. J. J. B.												_			<b></b>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus  Exchange Ports - 2-Wire VG unbundled MS extended local			UEPSB	UEPBO	1 41	2 39	2 29	1 42	1 33		15 75				
	dialing parity Port with Calier ID - Bus			UEPSB	LIEBAN									-		-
	Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPAY	1 41	2 39	2 29	1 42	1 33		15 75				
	Caller ID - Bus	Ī	ĺ	UEPSB	UEPB1	1 41	2 39	2 29	4.40	4.00	ĺ					
	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan			02.00	- OLI DI	191	2 39	2 29	1 42	1 33		15 75				
	without Caller ID			UEPSB	UEPWK	1 41	2 39	2 29	1 42	1 33		15 75			l i	
	2-Wire voice unbundled Incoming Only Port without Caller ID				<del>                                     </del>				172	1 33	•	1575				
	Capability		L l	UEPSB	UEPBE	1 41	2 39	2 29	1 42	1 33	- 1	15 75				
FEATU	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00		-		15 75	-			
FEATO	All Available Vertical Features															
EXCHA	NGE PORT RATES (DID & PBX)			UEPSB	UEPVF	2 56	0 00	0 00			7,-	15 75				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	1 41	31 45				_					
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 41	31 45	14 93 14 93	14 38 14 38	0 92		15 75				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 41	31 45	14 93	14 38	0 92 0 92		15 75				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 41	31 45	14 93	14 38	0 92		15 75 15 75				
_	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 41	31 45	14 93	14 38	0 92	-	15 75				
+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 41	31 45	14 93	14 38	0 92		15 75				
<del></del>	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXA	1 41	31 45	14 93	14 38	0 92	1	15 75				
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXB	1 41	31 45	14 93	14 38	0 92		15 75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	1 41	31 45	14 93	14 38	0 92		15 75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFOP	DEPAD -	1 41	31 45	14 93	14.38	0 92		15 75				
	Capable Port		l,	UEPSP	UEPXE	1 41	31 45	14.00	44.00							
T	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				JULY AL	; 41	31 45	14 93	14 38	0 92		15 75				
	Administrative Calling Port	1	Į.	UEPSP	UEPXL	1 41	31 45	14 93	14 38	0 92	ļ	15 75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1		31 40	17 00	14 30	0 92		10 /0				
-	Room Calling Port			JEPSP	UEPXM	1 41	31 45	14 93	14 38	0 92		15 75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital							- 30	50	- 0 02	-	1373	-			
	Discount Room Calling Port			JEPSP	UEPXO	1 41	31 45	14 93	14 38	0 92	I	15 75				

	DUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment 2	Exhi	bit B
							1					Svc Order	Syc Order	Incremental	Incremental		
		,										Submitted					1
		1				1									Charge -	Charge -	Charge -
ATE	GORY	RATE ELEMENTS	Interi	7	BCS	unna			DATES (4)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
	-001(1	KATE ELEMENTS	m	Zone	BCS	USOC	ļ		RATES (\$)			per LSR	perLSR	Order vs.	Order vs	Order vs	Order vs.
		i										,,					
														Electronic-	Electronic-	Electronic-	Electronic
			ı	1	<b>\</b>	Į.	1					1	'	1st	Add'l	Disc 1st	Disc Add'
				<del> </del>		<del> </del>	<del></del>	N						L	<u> </u>		<u> </u>
		<del></del>					Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy			1									-			
		Calling Port			UEPSP	UEPXQ	1 41	31 45	14 93	14 38	0 92		15 75		i		
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional					<del> </del>	01.10	17.50		0 32		1373		<u> </u>		
		Calling Port			UEDED.	LIEBUR	1										1
					UEPSP	UEPXR	1 41	31 45	14 93	14 38	0 92	1	15 75	)	1	1	}
		2-Wire Voice Unbundled PBX Port, Mississippi only		L	UEPSP	UEPA5	1 41	31 45	14 93	14 38	0 92		15 75				-
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 41	31 45	14 93	14 38	0 92		15 75			<del></del>	
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	- 1100	0 32						
	FEATU			_	02.01	OUNCE	0.00	0.00	0 00				15 75				
	LAIC											l _ i			Į.		
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2 56	0.00	0 00				15 75				
	EXCH	ANGE PORT RATES (COIN)				1											
		Exchange Ports - Com Port		1	<del></del>		141	2 39	2 29	1 42	1.00		45.75				<b></b>
_	NOTE	Transmission/usage charges consisted with DOTO	diab - '		will also 1977	famous a second	[41]	2 39	2 29	1 42	1 33		15 75	<u></u>			
	- NOTE	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	ircuit switche	o voice and/or	circuit switche	ed data transmi	ssion by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.	1		1
	NOTE	Access to B Channel or D Channel Packet capabilities will be	availab	ole only	through BFR/New	<b>Business Re</b>	quest Process	Rates for the	packet capabil	ities will be de	termined via t	he Bona Fid	e Request/I	New Busines	s Request Pro	cess.	
JNBL	JNDLED	LOCAL EXCHANGE SWITCHING(PORTS)		j		T	<u> </u>						42001	Gasines.			<del> </del>
		ANGE PORT RATES	_			<del> </del>	<del></del>					<b> </b>		<u> </u>		L	
	-2007			$\vdash$ $\vdash$ $\vdash$		I		,									
		Exchange Ports - 2-Wire DID Port		LI	UEPEX	UEPP2	8 25	120 00	18 85	61 77	3 88		15 75		7.		l
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID													<del>                                     </del>		<del> </del>
	i	capability		1	UEPDD	UEPDD	58 41	203 19	96 25	74.00							
				-						74 86	2 54		15 75				
		Exchange Ports - 2-Wire ISDN Port (See Notes below )			UEPTX UEPSX	U1PMA	13 69	73 19	53 30	47 90	10 76		15 75				
		All Features Offered		'	UEPTX UEPSX	UEPVF	2 56	0.00	0 00				15 75				<del> </del>
	NOTE	Transmission/usage charges associated with POTS circuit sw	utched	116940	will also apply to o	reuit quatebe	d voice and/or	arravit avetala	d data toon	bu D Ob			1070				·
	NOTE	Access to P Channel as D Channel Backet asset ildia will be		tooge	All also apply to c	neun switche	d voice and/or	Circuit Switche	d data transmi	ission by B-Ch	anneis associ	ated with 2-1	MIL ISON D	orts	L		<u> </u>
	NOIL	Access to B Channel or D Channel Packet capabilities will be	availab	ile only	through BFR/New	Business Re	quest Process	Rates for the	packet capabil	ities will be det	termined via ti	ne Bona Fid	e Request/N	New Business	Request Pro	cess.	
		Exchange Ports - 2-wire ISDN Port Channel Profiles		1 1	UEPTX UEPSX	U1UMA	0 00	0.00	0.00	1							
		Exchange Ports - 4-Wire ISDN DS1 Port		$\vdash$ $\lnot$	UEPEX	UEPEX	84 63	205 00	102 14	81 65	20 69		15 75				<del></del>
	UNBU	NOLED PORT with REMOTE CALL FORWARDING CAPABILITY				OE: EX	- 04 00	200 00	102 14	- 0100	20 03		10 70				1
		NOLED REMOTE CALL FORWARDING SERVICE - RESIDENCE											l				
	ONDU											1	i				
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 41	2 39	2 29	1 42	1 33		15 75		· · · · · ·		
													- ', ',				<del> </del>
	- 1	Unbundled Remote Call Forwarding Service, Local Calling - Res		i I	UEPVR	UERLC	1 41	2 39	2.20	4 40	4.00						
	-	Unbundled Remote Call Forwarding Service, InterLATA - Res							2 29	1 42	1 33		15 75				<u> </u>
	-+			$\Box$	UEPVR	UERTE	1 41	2 39	2 29	1 42	1 33		15 75				
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			ÜEPVR	UERTR	1 41	2 39	2 29	1 42	1 33		15 75				
	Non-R	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -				<del> </del>											
	i	Switch-as-is		!!		1	1						Į.				
					UEPVR	USAC2		0 0988	0 0988			: [	15 75				
		Unbundled Remote Call Forwarding Service - Conversion with														_	
	l l	allowed change (PIC and LPIC)	- 1	\ \	UEPVR	USACC	\ \ \	0 0988	0 0988	i i			1				1
	UNRU	NDLED REMOTE CALL FORWARDING - Bus		<del>  </del>	~~· vi/	100000		0 0300	0.0998								
	0.000	TOTAL ONLE TONTAKDING - BUS		<b>└</b>													
		I		l i													
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEP <b>VB</b>	UERAC	1 41	2 39	2 29 i	1 42	1 33		15 75	i	!		l
			-			1	- <del></del>			172			.515				<del></del>
	1	Unbundled Remote Call Forwarding Service, Local Calling - Bus	i		LIEDVO	UEDI O							ļ				
	+	Unburidled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 41	2 39	2 29	1 42	1 33		15 75				
	4	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTÉ	1 41	2 39	2 29	1 42	1 33		15 75				
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1 41	2 39	2 29	1 42	1 33		15 75				
		Unbundled Remote Call Forwarding Service Expanded and		<del></del>		12-111	17!	2 03	2 23	1 42	1 93		13 /3				
	1	Exception Local Calling	1		UEON D	l											l
	1000				UEPVB	UERVJ	1 41	2 39	2 29	1 42	1 33		15 75				1
	Non-Re	ecurring		Ŧ	· ·												
		Unbundled Remote Call Forwarding Service - Conversion -															
	1	Switch-as-is			UEPVB	USAC2		0.0000	0.0000	1							
	<del> </del>	Unbundled Remote Call Forwarding Service - Conversion with			ULF VB	IUSAC2		0 0988	0 0988				15 75				<u></u>
			1					l			7						
		allowed change (PIC and LPIC)			UEPV <b>B</b>	USACC	1	0 0988	0 0988				1				l
JNBŪ	INDLED L	OCAL SWITCHING, PORT USAGE				1			- 2000						<del></del>		<b></b>
		fice Switching (Port Usage)				<del> </del>											
	End Of					L			i								
		End Office Switching Function, Per MOU	Т	I			0 0010269										
		End Office Trunk Port - Shared, Per MOU		$\neg \neg$		1 1	0 000161					+					
	Tandar	n Switching (Port Usage) (Local or Access Tandem)					0.000101										
	romuer					1											
		Tandem Switching Function Per MOU					0 0001723										
		Tandem Trunk Port - Shared, Per MOU	- 1				0 0001828										
	Comm	on Transport	-+	- $+$		+	5 555 1025										
						<b></b> _				1							L
	1	Common Transport - Per Mile, Per MOU		- 1		1	0 0000026	7									

	<del></del>	NETWORK ELEMENTS - Mississippi			,									Attachi	ment 2	Exhi	bit B
ATEGORY	,	RATE ELEMENTS	Interí m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Incremental Charge -	Incremen Charge
						<del> </del>	Rec	Nonre	curring	Nonrecurring	Disconnect	-			Rates (\$)	UISC ISC	DISC AGO
		Common Transport Feedbas T D. MOU						First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SÖMAN
BUNDI FI	DPC	Common Transport - Facilities Termination Per MOU DRT/LOOP COMBINATIONS - COST BASED RATES					0 0004541										
Cost	t Bas	sed Rates are applied where BellSouth is required by ECC ar	d/or St	ate Co	mmission rule to n	roudel Inhus	diad ta I Down		<u> </u>								
Lean	lures	Strail apply to the unbundled Port/Loop Combination . Cos	t Racon	Date :	eaction in the came		111	t - 4h - Ot 1 4		d Bort spetian							
													n Port/I pon	Combination			
			ently Co	ombin	ed Combos For Cu	rrently Combi	ned Combos th	ne nonrecurrir	ng charges shal	be those ider	ntified in the N	on recurring	Currently	Combined ea	etione		
		THE THE TOTAL TREES							Ĭ			1	- Children	Oombined se	cuons.		-
UNE		t/Loop Combination Rates -Wire VG Loop/Port Combo - Zone 1				ļ											
-		-Wire VG Loop/Port Combo - Zone 1 -Wire VG Loop/Port Combo - Zone 2		1 2	-	+ -	12 22							_			
$\neg$	2	-Wire VG Loop/Port Combo - Zone 3		3		<del> </del>	17 13 26 26		ļ								
		-Wire VG Loop/Port Combo - Zone 4		4			26 26 44 91		<del></del>			ļ. <u>.                                   </u>					
UNE	Loo	p Rates				<del>                                     </del>	44 91		<del></del>								
	2	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UÉPLX	10 98		<del> </del>			<del> </del>					
	2	-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15 91										<b></b>
		-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	25 04										
2-W:		-Wire Voice Grade Loop (SL1) - Zone 4 Dice Grade Line Port Rates (Res)	<u> </u>	4	UEPRX	UEPLX	43 68							-		-	<del>                                     </del>
		-Wire voice unbundled port - residence			UEPRX	UEPRL									-		
	2.	-Wire voice unbundled port with Caller ID - res	-		UEPRX	UEPRC	1 23 1 23	40 31	19 84	24 90	6 58		15 75				
1.	2-	-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 23	40 31 40 31	19 84 19 84	24 90	6 58		15 75				
	12-	-Wire voice Grade unbundled Mississippi extended local			-	GELLIC	123	40.31	19 64	24 90	6 58	-	15 75				-
	dı	aling parity port with Caller ID - res			UEPRX	UEPAT	1 23	40 31	19 84	24 90	6 58	l l	15 75	ł			l
	2-	Wire voice unbundles res, low usage line port with Caller ID							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0.50	-	15 /5				
-		UM)			UEPRX	UEPAP ,	1 23	40 31	19 84	24 90	6 58		15 75				
ľ	W.	-Wire Voice Unbundled Mississippi Residence Dialing Plan athout Caller ID				l						-					
	2	Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPWJ	1 23	40 31	19 84	24 90	6 58		15 75				
_	C	apability			UEPRX	UEPRT	1 23	40.04									
FEAT			-		02.100	OLF KI	1 23	40 31	19 84	24 90	6 58		15 75				
		Il Features Offered			UEPRX	UEPVF	2 56	0 00	0.00				15 75				
LOCA		UMBER PORTABILITY							0.00	-		-	15/5				
NONE	BECI	ocal Number Portability (1 per port) URRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	LNPCX	0 35										
-	12-	Wire Voice Grade Loop / Line Port Combination - Conversion -										-					
	S	witch-as-is			UEPRX		ľ			-							
	2-	Wire Voice Grade Loop / Line Port Combination - Conversion -	-		UEPRA	USAC2		0 0988	0 0988				15 75			1	
	S	witch with change	i	ļ	UEPRX	USACC		0 0988	0 0988			Ţ					
	2-	Wire Voice Grade Loop / Line Port Combination - Conversion -	_			130,100		0.0968	0.0988				15 75				
	_ JSu	ubsequent Database Update				1		0 00	0.00	1			15.75				
ADDI.		VAL NRCs							- 000				15 75			i	
	12-	Wire Voice Grade Loop/Line Port Combination - Subsequent	Ī														
2-WIR		OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0 00	0.00	0.00		_		15 75	1		l	
UNE F	Port/	Loop Combination Rates				<del>                                     </del>											
		Wire VG Loop/Port Combo - Zone 1		-1		<del> </del>	10.00										
	2-1	Wire VG Loop/Port Combo - Zone 2	+	2	· · · · · · · · · · · · · · · · · · ·	<del>   </del>	12 22 17 13										
	2-1	Wire VG Loop/Port Combo - Zone 3	- +	3		<del>                                     </del>	26 26										
UNE L		Rates		1		<b>—</b>	20 20										
$\dashv$	2-1	Wire Voice Grade Loop (SL1) - Zone 1			JEPBX	UEPLX	10 98		<del>+</del>	-							
+-	2-1	Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	15 91										
+	15-7	Wire Voice Grade Loop (SL1) - Zone 3 Wire Voice Grade Loop (SL1) - Zone 4			JEPBX	UEPLX	25 04			-		_		<del></del>			
2-Wire	e Vo	ice Grade Line Port (Bus)		4	JEPBX	UEPLX	43 68								-		
	2-1	Wire voice unbundled port without Caller ID - bus			JEPBX	UEPBL											
_]	2-\	Wire voice unbundled port with Caller + E484 ID - bus			JEPBX JEPBX	UEPBC	1 23 1 23	40 31	19 84	24 90	6 58		15 75				
	{2-V	Wire voice unbundled port outgoing only - bus			JEP8X	UEPBO	1 23	40 31 40 31	19 84 19 84	24 90 24 90	6 58		15 75				
	2-V	Wire voice Grade unbundled Mississippi extended local				† <del></del>	1 23	40.31	19 84	24 90	6 58		15 75				

OMBONDLED !	NETWORK ELEMENTS - Mississippi		_								1			ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual So Order vs Electronic Disc Add
							Nonred	curring	Nonrecurring	Disconnect		L	oss	Rates (\$)	L	l .
			,			Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 23	40 31	19 84	24 90	6 58		15 75				
	Wire Voice Unbundled Mississippi Business Dialing Plan					1										
	thout Caller ID Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPWK	1 23	40 31	19 84	24 90	6 58		15 75				
	apability			UEPBX	UÉPBE	1 23	40 31	19 84	24 90	6 58		15 75				
	UMBER PORTABILITY			GE. BX	- OLI DE	123	40.51	13 04	24 30	0.50		1070			<del> </del>	
	cal Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURE	S		_								-					
	Features Offered			UEPBX	UEPVF	2 56	0 00	0 00				15 75				
	JRRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Wire Voice Grade Loop / Line Port Combination - Conversion -				1										1	
	vitch-as-is Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		0 0988	0 0988	ļ			15 75				
	with with change			UEPBX	USACC	į.	0 0988	0 0988	į l			15 75		ļ	ļ	1
	Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFBA	USACC		0 0366	0.0960				13 73				
	ubsequent Database Update				1 1		0.00	0.00	1 1			15 75				
ADDITION	IAL NRCs				<del></del>						<del> </del>	- 10.10				
	Wire Voice Grade Loop/Line Port Combination - Subsequent															
	ctivity		l	UEPBX	USAS2		0.00	0 00			1	15 75		ł	Į	l
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	Loop Combination Rates		ļ.,	<u> </u>		40.00										
	Wire VG Loop/Port Combo - Zone 1 Wire VG Loop/Port Combo - Zone 2		2			12 22 17 13										
	Wire VG Loop/Port Combo - Zone 3		3			26 26					<del> </del>					ļ <u>-</u>
	Wire VG Loop/Port Combo - Zone 4		4		++	44 91										
UNE Loop			<del>-</del>								·					
	Wire Voice Grade Loop (SL 1) - Zone 1		1	ÜEPRG	UEPLX	10 98					_					
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15 91										
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25 04										
	Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43 68										
	ice Grade Line Port Rates (RES - PBX) Wire VG Unbundled Combination 2-Way PBX Trunk Port -		<u> </u>													
Re			ŀ	UEPRG	UÉPRD	1 23	69 37	32 48	37 86	0.47		45.75		-		
	UMBER PORTABILITY			UEPRO	UEPRD	1 23	09 37	32 40	3/ 80	6 17		15 75				
	cal Number Portability (1 per port)	_		UEPRG	LNPCP	3 15	0 00	0 00				15 75				
FEATURE																
	Features Offered			UEPRG	UEPVF	2 56	0.00	0 00	<del></del>			15 75			_	
	JRRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Wire Voice Grade Loop/ Line Port Combination (PBX) -							-								
	onversion - Switch-As-Is			UEPRG	USAC2		7 96	1 91	ļi			15 75		.,	_	
	Wire Voice Grade Loop/ Line Port Combination (PBX) - onversion - Switch with Change			UEPRG	USACC		7.00				1	45.50			i	
	Wire Voice Grade Loop / Line Port Combination - Conversion -		_	UEPRG	USACC		7 96	1 91	ļ			15 75				
	bsequent Database Update				1 1	l	0 00	0 00	1			15 75			)	
ADDITION							000	- 000	<del></del>			1070			<del> </del>	
2-1	Wire Voice Grade Loop/ Line Port Combination (PBX) -		_								-			-		
	bsequent Activity			UEPRG	USAS2	0 00	0 00	0 00				15 75				
	BX Subsequent Activity - Change/Rearrange Multiline Hunt															
	оир						7 36	7 36				15 75				
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Loop Combination Rates				<del> </del>											<u> </u>
	Wire VG Loop/Port Combo - Zone 1		1	<del> </del>	<del></del>	12 22					L			ļ	ļ	
	Wire VG Loop/Port Combo - Zone 1 Wire VG Loop/Port Combo - Zone 2		2			17 13			<del>                                     </del>		<del> </del>					
	Wire VG Loop/Port Combo - Zone 3		3	<del>                                     </del>	+	26 26			<del></del>						<del></del>	<del> </del>
	Wire VG Loop/Port Combo - Zone 4	_	4		++	44 91			<del> </del>			_		<del> </del>	<del>-</del>	+
UNE Loop			<u> </u>		-				<del>  -</del>		<del> </del>			<del>                                     </del>	<del> </del> -	
2-\	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10 98			<del>  </del>					l —	<u> </u>	<del> </del>
2-\	Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	15 91	*	-								
2-1	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25 04		· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>						l	1

OMBONDE	ED NETWORK ELEMENTS - Mississippi			1	. , ,									nent 2		bit <sup>,</sup> B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Suhmitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment: Charge - Manual Sv Order vs Electronic Disc Add
			<del> </del>			Rec	Nonrec			Disconnect				Rates (\$)		
	2-Wire Voice Grade Loop (SL 1) - Zone 4		<b>-</b>	UEPPX	UEPLX	40.00	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 14/			4	UEPPX	UEPLX	43 68										
2-44 11	re Voice Grade Line Port Rates (BUS - PBX)		<del>                                     </del>		-											
j	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1 23	69 37	32 48	07.00							{
	Line Side Unbundled Outward PBX Trunk Port - Bus		├	UEPPX	UEPPO	1 23	69 37	32 48	37 86 37 86	6 17	ļ	15 75				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		<del>  -</del>	UEPPX	UEPP1	1 23	69 37	32 48 32 48		6 17	ļ	15 75				
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPPX	UEPLD	1 23	69 37	32 48 32 48		6 17	ļ	15 75				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 23	69 37			6 17		15 75				
+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPPX	UEPXB	1 23	69 37	32 48 32 48		6 17 6 17	1	15 75				
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 23	69 37	32 48		6 17	ļ	15 75 15 75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPPX	UEPXD	1 23	69 37	32 48								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFX	DEFAU	1 23	09 37	32 48	37 86	6 17		15 75	-			
	Capable Port	Ì		UEPPX	UEPXE	1 23	69 37	32 48	27.00	6 47		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	<del>                                     </del>	OLFFA	JOET AE	1 23	69.37	32 48	37 86	6 17		15 75				
-	Administrative Calling Port	1		UEPPX	UEPXL	1 23	69 37	32 48	37 86	6 17		45.75				
_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFA	ULFAL	123	09 37	32 40	3/ 00	0 17		15 75				
[	Room Calling Port		ì	UEPPX	UEPXM	1 23	69 37	32 48	37 86	6 17		45.75				
<del></del> -	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-	ULFFX	ULFAIN	1 23	09 37	32 40	37.00	0.17		15 75		_		
	Discount Room Calling Port			UEPPX	UEPXO	1 23	69 37	20.40	27.00	0.47		45.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		-	DEFFA	UEPAU	123	- 69 37	32 48	37 86	6 17		15 75				
	Calling Port			UEPPX	UEPXQ	1 23	60.07	20.40	27.00	0.47						
<del>-   -</del>	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		-	UEPPA	UEPAQ	1 23	69 37	32 48	37 86	6 17		15 75				
	Calling Port			UEPPX	UEPXR	4.00	00.07	00.40							]	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 23 1 23	69 37 69 37	32 48	37 86	6 17	-	15 75				
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1 23	69 37	32 48		6 17		15 75				
LOCA	AL NUMBER PORTABILITY			UEFFA	UEPAS	123	69 37	32 48	37 86	6 17		15 75				
E002	Local Number Portability (1 per port)			UEPĖX	LNPCP	3 15	0.00	0 00		-						
FEAT	TURES			UEFFX	LINPOP	3 15	0 00	0.00				15 75				
,	All Features Offered		<del> </del>	UEPPX	UEPVF	2 56	0 00	0 00			-					
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFA	- UEPVF	2 30	0 00	0.00				15 75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<del> </del>	_					-							
1	Conversion - Switch-As-Is			UEPPX	USAC2		7 96	1 91			1	45.75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLF FX	USACZ		7 90	181				15 75				
ĺ	Conversion - Switch with Change			UEPPX	USACC	1	7 96	1 91			1	45.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<u> </u>	OLFFX	- USACC		7 90	191				15 75				
	Subsequent Database Update					1	0 00	0 00				45.75	į.			
ADDI	TIONAL NRCs						0.00	0 00				15 75		_	,	
1,22.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				<del></del>							_				
	Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00				45.35				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		$\vdash$	22117	OUNUZ	0.00	0 00	0 00	<del></del>			15 75				
	Group				-		7 36	7 36				45.75				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT -			+		1 30	/ 30				15 75				
	Port/Loop Combination Rates	<del></del> -			<del></del>				<del></del>							
1	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+ +	12 22				···						
1	2-Wire VG Coin Port/Loop Combo – Zone 2		2			17 13	_									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3	-		26 26										
	2-Wire VG Coin Port/Loop Combo – Zone 4		4		+	44 91									-	
UNE	Loop Rates	-			<del></del>	44 91			<del>                                     </del>		l	i				
1	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPCO	UEPLX	10 98			-			-				
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15 91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25 04			<del></del>							
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43 68						-				
2-Wir	e Voice Grade Line Ports (COIN)		<u> </u>		132.20	40.00										
	2-Wire Coin 2-Way without Operator Screening and without				<del> </del>											
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1 23	40 31	19 84	24 90	6 58		15.75				
	2-Wire Coin 2-Way without Operator Screening and without		$\vdash$		105.10	1 23	40.31	19 04	24 90	80 0		15 75				
	Blocking, with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1 23	40 31	19 84	24 90	6 58		15 75	l			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011.			22, 00	OL: WO	123	40 31	19 64	24 90	6 58		15 /5			-	
1	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1 23	40 31	19 84	24 90	6 58	ı	15 75	1			

	ED NETWORK ELEMENTS - Mississippi	<del></del>												ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremen Charge
<del></del>						Rec	Nonred		Nonrecurring				oss	Rates (\$)	L.	1.,
	2-Wire Coin 2-W with Operator Screening and Blocking 011,						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	900/976, 1+DDD, with Dialing Parity (MS)			UEPCO	UEPMA	1 23	40 31									
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		<del> </del> -	DEPCO	UEPMA	1 23	40 31	19 84	24 90	6 58		15 75				
ľ	(AL, LA, MS)		l	UEPCO	UEPRB	1 23	40 31	19 84	24 90	6 58		15 75				ĺ
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking,		1				10-01	1001	24 30	0.50		1575				
	with Dialing Parity (MS)			UEPCO	UEPMB	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Corn 2-Way with Operator Screening & Blocking														·-	<del>                                     </del>
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)  2-Wire Coin 2-W Operator Screening 900 Block 900/976.			UEPCO	UEPCD	1 23	40 31	19 84	24 90	6 58		15 75				
	1+DDD, 011+, Local, with Dialing Parity (MS)		1	UEPCO	UEPCJ	1										
-	2-Wire Coin Outward without Blocking and without Operator	_		DEPCO	UEPCJ	1 23	40 31	19 84	24 90	6 58		15 75				
	Screening (KY, LA, MS)			UEPCO	UEPRN	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Coin Outward without Blocking and without Operator					1 23	70 31	1904	24 90	0 08		15 /5				ļ
_	Screening, With Dailing Parity (MS)			UEPCO	UEPME	1 23	40 31	19 84	24 90	6 58		15 75				
- 1	2-Wire Coin Outward with Operator Screening and 011 Blocking							-				10.10				
_	(GA, KY, MS)			UEPCO	UEPRJ	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking, with Dialing Parity (MS)			LIEBOO	I											
_	2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPMD	1 23	40 31	19 84	24 90	6 58		15 75				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 23	40 31	19 84	24.00	0.50						
	2-Wire Coin Outward Operator Screening & Blocking 900/976,		-	OL CO	OLF KH	1 23	40.31	19 84	24 90	6 58		15 75				
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD,							15 04	24 30	0.50		15 75				
	011+, and Local, with Dialing Parity (MS)			UEPCO	UEPÇS	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Corn Outward Smartline with 900/976 (all states except LA)				1 }											
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1 23	40 31	19 84	24 90	6 58		15 75				
- 1	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4 62	0.00	0 00								
LOCA	L NUMBER PORTABILITY			021 00	UNLCO	4 02	0.00	0 00	0 00	0.00						
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35						~				
NONE	RECURRING CHARGES - CURRENTLY COMBINED							-							_	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			-						""						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USAC2		0 0988	0 0988				15 75				
	Switch with change			UEPCO	USACC								_			
ADDIT	TIONAL NRCs		-	DEPCO	USACC		0 0988	0 0988				15 75				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0 00	0.00	1			15 75				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE P	ORT (F	RES)								1070				
UNE	Port/Loop Combination Rates									-						
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1			15 16										
+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		<del>  </del>	20 02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4	<del></del>		28 82 46 99										
UNE L	oop Rates				+ +	46 99										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13 89										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	18 75										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	27 55										
2 18/3	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45 72								·+		
Z-VVITE	2 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		[													
+	2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRL	1 27	108 35	70 57	54 24	11 70		15 75				
-	2-Wire voice unbundled port outgoing only - res			UEPFR UEPFR	UEPRC	1 27	108 35	70 57	54 24	11 70		15 75				
	2-Wire voice Grade unbundled Mississippi extended local			UEFFR	UEPRO	1 27	108 35	70 57	54 24	11 70		15 75				
L	dialing parity port with Caller ID - res		1	UEPFR	UEPAT	1 27	108 35	70 57	54 24	44.70	İ	45				
	2-Wire voice unbundles res, low usage line port with Caller ID				021711	1,21	100 33	/0 5/	54 24	11 70		15 75				
- 1	(LUM)		lı lı	JEPFR	UEPAP	1 27	108 35	70 57	54 24	11 70		15 75	ŀ			

JNBUNDLED NE	TWORK ELEMENTS - Mississippi													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Voice Unbundled Mississippi Residence Dialing Plan				1 1							45.75			İ	
	ut Caller ID			UEPFR	UEPWJ	1 27	108 35	70 57	54 24	11_70		15 75				<b>-</b>
	E TRANSPORT													-	<del> </del>	-
	office Transport - Dedicated - 2 Wire Voice Grade - Facility ination			UEPFR	U1TV2	20 32	40 77	27 57	17 26	7 11				ĺ		
	ination office Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-		OLF I I	1011172	20 32	70.77	2101	17 20	/						
	action Mile			UEPFR	1L5XX	0 0088										
FEATURES	Solio II II III O															
	eatures Offered			UËPFR	UEPVF	2 56	0.00	0 00				15 75				
	BER PORTABILITY															
Local	Number Portability (1 per port)			UEPFR	LNPCX	0 35				, ,						
NONRECURE	RING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire	e Loop / Dedicated IO Transport / 2 Wire Line Port															
	oination - Conversion - Switch-as-is			UEPFR	USAC2		16 94	3 72				15 75				ļ
	e Loop / Dedicated IO Transport / 2 Wire Line Port					1										
	oination - Conversion - Switch-With-Change			UEPFR	USACC		16 94	3 72				15 75				<b>_</b>
	E LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (	BUS)												ļ—
	op Combination Rates					15.10								_		
	e VG Loop/IO Tranport/Port Combo - Zone 1		1		1	15 16									ļ	
	e VG Loop/IO Tranport/Port Combo - Zone 2		2		+ +	20 02 28 82										
	e VG Loop/IO Tranport/Port Combo - Zone 3 e VG Loop/IO Tranport/Port Combo - Zone 4		3			46 99										
UNE Loop Ra			4		-	40 99								-		
	e Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13 89		· · · · · · · · · · · · · · · · · · ·	<del> </del>						<del> </del>	
	e Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	18 75									<del> </del>	
	e Voice Grade Loop (SL2) - Zone 3			UEPF8	UECF2	27 55				<del></del>					<del></del>	
	e Voice Grade Loop (SL2) - Zone 4			UEPFB	UECF2	45 72										-
	Grade Line Port (Bus)	-														
	e voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 27	108 35	70 57	54 24	11 70		15 75				
	e voice unbundled port with Caller + E484 ID - bus			ÜEPFB	UEPBC	1 27	108 35	70 57	54 24	11 70		15 75				
2-Wire	e voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 27	108 35	70 57	54 24	11 70		15 75				
2-Wire	e voice Grade unbundled Mississippi extended local				1											
	g parily port with Caller ID - bus			UEPFB	UEPAY	1 27	108 35	70 57	54 24	11 70		15 75				
	e voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 27	108 35	70 57	54 24	11 70		15 75				
	e Voice Unbundled Mississippi Business Dialing Plan					-										
	ut Caller ID			UEPFB	UEPWK	1 27	108 35	70 57	54 24	11 70		15 75				
	BER PORTABILITY				_											
	Number Portability (1 per port)			UEPFB	LNPCX	0 35										
	E TRANSPORT															
	ffice Transport - Dedicated - 2 Wire Voice Grade - Facility nation				l								i			
	nation ffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	20 32	40 77	27 57	17 26	7 11						
	action Mile			UEDED	41.550/	0.0000										
FEATURES	econ wife			UEPFB	1L5XX	0 0088										
	eatures Offered			UEPFB	UEPVF	0.50										
	RING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	ÜEPVF	2 56	0 00	0 00				15 75				
2-Wire	e Loop / Dedicated IO Transport / 2 Wire Line Port				<del>- </del>											
	pination - Conversion - Switch-as-is			UEPFB	USAC2		16 94	3 72				45.75				
	e Loop / Dedicated IO Transport / 2 Wire Line Port			OCI I D	03/102		10 94	372				15 75				
	unation - Conversion - Switch with change			UEPFB	USACC		16 94	3 72				15 75				1
	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1-07.00		10 34	512				13 13				
	op Combination Rates				1 - 1					<del></del>						
2-Wire	e VG Loop/IO Tranport/Port Combo - Zone 1		1		1	15 16										
	e VG Loop/IO Tranport/Port Combo - Zone 2		2		1	20 02	-									
2-Wire	e VG Loop/IO Tranport/Port Combo - Zone 3		3		1	28 82										
2-Wire	e VG Loop/IO Tranport/Port Combo - Zone 4		4			46 99										<del> </del>
UNE Loop Ra					1								-			<del> </del>
	e Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13 89										
1 12-M/rec	e Voice Grade Loop (SL2) - Zone 2		2	UÉPFP	UECF2	18 75										

UNBLINDI F	D NETWORK ELEMENTS - Mississippi	-					-						Attachi	ment 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted			Incremental Charge -	Incrementa Charge -
													1st	Add'I	Disc 1st	Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	27 55								1		
i	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPÉP	UECF2	45 72										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
			1													l
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 27	137 41	80 14	67 20	11 29		15 75				
—— <del> </del>	Line Side Unbundled Outward PBX Trunk Port - Bus		-	UEPFP UEPFP	UEPPO UEPP1	1 27 1 27	137 41 137 41	80 14 80 14	67 20 67 20	11 29 11 29		15 75 15 75				
	Line Side Unbundled Incoming PBX Trunk Port - 8us 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 27	137 41	80 14	67 20	11 29						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 27	137 41	80 14	67 20	11 29		15 75 15 75	****	-		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPEP	UEPXB	1 27	137 41	80 14	67 20	11 29		15 75				-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	1 27	137 41	80 14	67 20	11 29		15 75				
	2-Wire Voice Unburidled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 27	137 41	80 14	67 20	11 29		15 75		<del>                                     </del>		<b>-</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				- 02. 70		107 41	00 14	0, 20	1129	<u> </u>	13,73		1		
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	1 27	137 41	80 14	67 20	11 29		15 75				
	Administrative Calling Port			UEPFP	UEPXL	1 27	137 41	80 14	67 20	11 29		15 75	-			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1 27	137 41	80 14	67 20	11 29		15 75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1 27	137 41	80 14	67 20	11 29		15 75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPFP	UEPXQ	1 27	137 41	80 14	67 20	11 29		15 75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPFP	UEPXR	1 27	137 41	80 14	67 20	11 29		15 75			,	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 27	137 41	80 14	67 20	11 29	i	15 75				
LOCAL	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port NUMBER PORTABILITY			UEPFP	UEPA5	1 27	137 41	80 14	67 20	11 29		15 75				
LOUA	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00				15 75				
INTER	OFFICE TRANSPORT			OC: 11	1111 01	3 13	0 00	0.00	-			1373				
11.1.2.1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										<del> </del>		-		-	
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	U1TV2	20 32	40 77	27 57	17 26	7 11						
FEATU	or Fraction Mile			UEPFP	1L5XX	0 0088										
7 2010	All Features Offered			UEPFP	UEPVF	2 56	0.00	0 00				15.75				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UCFFF	UEPVF	2 30	- 000	0.00				15 75				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			-								<del></del> i				
	Combination - Conversion - Switch-as-is			UEPFP	USAC2	ŀ	16 94	3 72				15 75				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				007.02		10 04	512				1373				
	Combination - Conversion - Switch with change			UEPPP	USACC		16 94	3 72				15 75				
NBUNDLED I	PORT/LOOP COMBINATIONS - COST BASED RATES											- 10.70	-			
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1											
UNE P	ort/Loop Combination Rates												٠			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21 32			***							
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26 16		·								
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34 98										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53 15						i				
UNE L	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	13 89						1				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	18 75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	27 55										
I III C	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX	UECD1	45 72										
UNE P	ort Rate				1											
HOND	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7 43	225 96	87 13	114 59	14 25		15 75			1 97	
NUNK	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		7 35	1 88				15 75			1 97	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		7 35	1 88				15 75			1 97	

MOUNDER	D NETWORK ELEMENTS - Mississippi													i Attachi	ment. 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental	incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						<u> </u>	Rec	Nonrec	urring	Nonrecurring	g Disconnect		<u> </u>	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	IONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26 94	26 94				15 75			1 97	
Teleph	one Number/Trunk Group Establisment Charges	<u> </u>					ļ I										<u></u>
	DID Trunk Termination (One Per Port)	ļ		UEPPX		NDT	0 00	0 00	0 00	_			15 75			1 97	
	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX		ND4	0 00	0 00	0 00				15 75			1 97	
	DID Numbers, Non- consecutive DID Numbers , Per Number	<del> </del>		UEPPX		ND5	0 00	0 00	0 00				15 75			1 97	ļ
	Reserve Non-Consecutive DID numbers Reserve DID Numbers	ļ <u>-</u>	-	UEPPX		ND6	0 00	0 00	0 00				15 75			1 97	ļ
LOCAL	NUMBER PORTABILITY		-	DEPPX		NUV	0 00	0 00	0 00				15 75			1 97	-
	Local Number Portability (1 per port)		-	UEPPX		LNPCP	0.45	0 00	0.00								
	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POPT			LINEUP	3 15	0 00	0.00		-	-			<del>                                     </del>	1	
	ort/Loop Combination Rates	IAE SIDE	FORI		~	+	1					<del> </del>	<del>-</del>		<del>                                     </del>	<del> </del>	<del></del>
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1	<del> </del>		1							<del> </del>		<del>                                     </del>	<del> </del>	<del></del>
-	UNE Zone 1		1	UEPPB	UEPPR	.	28 59								1		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del> </del>	<del>                                     </del>	OL: I D	OLITI	<del>\                                    </del>	2000										<del></del>
Ì	UNE Zone 2		2	UEPPB	UEPPR		35 00					l	]				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	02.10		<del></del>	55.55				1	-			<del> </del>		
	UNE Zone 3		3	UEPPB	UEPPR		45 18								ĺ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -											<u> </u>	-		<del> </del>		<del> </del>
	UNE Zone 4		4				67 61				ļ	İ					
UNE L	pop Rates																<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UÉPPB	UEPPR	USL2X	18 26				i		15 75			1 97	
											· · · · · ·						-
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	24 67						15 75			1 97	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR	USL2X	34 85						15 75			1 97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57 28						15 75			1 97	
UNE P	ort Rate	L													[		
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10 33	190 80	133 22	100 72	21 13		15 75			1 97	
NONRE	CURRING CHARGES - CURRENTLY COMBINED	ļ				1											
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion																
ADDIT	IONAL NRCs		-	UEPPB	UEPPR	USACB	0 00	38 73	27 17				15 75			1 97	<u> </u>
	NUMBER PORTABILITY		ļ			<del> </del>											
LOCAL		-		LIEDDD	LICODO	LNDOV		0.00									<u> </u>
B CHA	Local Number Portability (1 per port) NNEL USER PROFILE ACCESS	<del> </del>		UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								<u> </u>
B-CHA	CVS/CSD (DMS/5ESS)		ļ	UEPPB	UEPPR	U1UCA	0.00	0.00								<u> </u>	L
	CVS (EWSD)	<u> </u>	ļ	UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								ļ
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0 00								<u> </u>
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	CMS &	TAD	UEPPB	UEPPR	DIOCC	0 00	0.00	0 00								<b>├</b>
	CVS/CSD (DMS/5ESS)	C,IVI 3, a	1111)	UEPPB	UEPPR	U1UCD	0 00	0.00	0 00								<del></del>
	CVS (EWSD)	<del> </del>	<b>†</b>	UEPPB	UEPPR	U1UCE	0.00	0.00	0 00	-	-	<del> </del>		-	<del> </del>	-	<del>                                     </del>
	CSD	<del> </del>	<b>-</b>	UEPPB	UEPPR	U1UCF	0 00	0.00	0 00	_	<u> </u>		·-		ļ	<del> </del>	-
	TERMINAL PROFILE	-	<b>-</b>	OLI I D	- QEITH	101001		- 000							-	ļ	<del>                                     </del>
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0.00	0 00							ļ	-
VERTI	CAL FEATURES			JE. I B		0.000	0 00	- 000	0 00								<u> </u>
ŀ	All Vertical Features - One per Channel B User Profile		-	UEPPB	UĒPPR	UEPVF	2 56	0 00	0 00				15 75			1 97	-
	OFFICE CHANNEL MILEAGE	l				†			5 50				13,73			1 ""	<del> </del>
	Interoffice Channel mileage each, including first mile and					1											t
	facilities termination	ļ			UEPPR	M1GNC	22 5298	40 77	27 57	17 26	7 11		15 75			1 97	1
	Interoffice Channel mileage each, additional mile	1			UEPPR	M1GNM	0 0098	0 00	0 00		l				1	1	<b>†</b>
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT				Ι.				-						l	<del> </del>
	ort/Loop Combination Rates					1	1								1	1	<b>—</b> —
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1			*							Ì	
	Zone 1		1	UEPPP			155 43										
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						· <b>-</b> i										
													ī			ı	1
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			205 74				<u> </u>						

DUROUDE	ED NETWORK ELEMENTS - Mississippi												Attachr		Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
		L				Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE								1							
	Zone 4		4	UEPPP		534 81										
UNE I	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	79 08						15 75			1 97	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	129 38						15 75			1 97	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	206 74						15 75			1 97	
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP	USL4P	458 46						15 75			1 97	
UNE F	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port	_		UEPPP	UEPPP	76 35	458 93	260 59	127 75	32 76		15 75			1 97	
NONE	ECURRING CHARGES - CURRENTLY COMBINED				1				-							
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		<del> </del>		-						1					
1	Combination - Conversion -Switch-as-is		1	UEPPP	USACP	0 00	119 76	79 01			ļ [	15 75			1 97	
ADDI	TIONAL NRCs			OLFFF	JOAGE	0.00	11876	/901			·	10 70			197	
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		-		+											
		l	1	UEPPP	PR7TF	ŀ	0.40	1				45.75				
	Inward/two way Tel Nos (except NC)			UEPPP	PR/IF		0 49					15 75			1 97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	i			I I											
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11 58	11 58				15 75			1 97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1			1											
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23 15	23 15				15 75			1 97	
LOCA	L NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										-
INTER	RFACE (Provsioning Only)	_	1				-									
	Voice/Data		· · · · ·	UEPPP	PR71V	0 00	0 00	0 00								
	Digital Data			UEPPP	PR71D	0 00	0 00	0 00								
	Inward Data		_	UEPPP	PR71E	0 00	0 00	0 00								
Now	or Additional "B" Channel			OLI III	1110772	0 00	0 00	0 00								
New C	New or Additional - Voice/Data B Channel		-	UEPPP	PR7BV	0 00	14 61					45.75			1 97	
		<u> </u>										15 75				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	14 61					15 75			1 97	
	New or Additional Inward Data B Channel		ļ.,_	UEPPP	PR7BD	0 00	14 61					15 75			1 97	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0 00	0 00	0 00								
	Outward		L	UEPPP	PR7C0	0 00	0 00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile	1		UEPPP	1LN1A	57 53	89 79	82 28	16 66	14 90		15 75			1 97	
	Each Airline-Fractional Additional Mile			ÜEPPP	1LN1B	0 20				_						
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT								-							
UNE I	Port/Loop Combination Rates				1											
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		131 78	-					15 75	_		1 97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC	1	182 07					† · · · · · · · · · · · · · · · · · · ·	15 75			1 97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	_		UEPDC		259 44						15 75			1 97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	1 -	511 15						15 75	_		1 97	
LINE I	Loop Rates			OLI DO	+	01110						13 10			1 37	
Oit L	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79 08				_		15 75			1 97	
-	4-Wire DS1 Digital Loop - UNE Zone 2		· ·		USLDC	129 38										
		<del>-</del>		UEPDC								15 75			1 97	
-	4-Wire DS1 Digital Loop - UNE Zone 3	-		UEPDC	USLDC	206 74						15 75			1 97	
IIII -	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458 46						15 75			1 97	
UNE	Port Rate	<u> </u>			1											
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52 70	457 12	254 70	120 96	14 61		15 75			1 97	
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
i	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is		1	UEPDC	USAC4	I	130 24	67 41	ı			15 75			1 97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1						-					
	- Conversion with DS1 Changes		1	UEPDC	USAWA		130 24	67 41	!			15 75			1 97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							U. 11			-	10.70				
	- Conversion with Change - Trunk	1	1	UEPDC	USAWB		130 24	67 41				15 75			1 97	
ADDIT	TIONAL NRCs			OLF DC	JOANVE		130 24	0/41				10 / 0			197	
AUDI					<del>                                     </del>											
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk	l	1	UÉPDÇ	UDTTA	- 1	14 56	14 56			1	15 75			1 97	

BUNDLE	NETWORK ELEMENTS - Mississippi													ment, 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					-		Nonrec	urring	Nonrecurring	Disconnect	1			Rates (\$)		
						Rec	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14 56	14 56			<u> </u>	15 75			1 97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14 56	14 56				15 75			1 97	<del> </del>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	ł			LIDTED		44.50	14 56	ŀ			15 75			1 97	1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14 56	14 50			<u> </u>	1373				<del>                                     </del>
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan Activation / Chan - 2-Way DID w User Trans		į	UEPDC	UDTTE	1	14 56	14 56	1			15 75			1 97	
DIBOL	AR 8 ZERO SUBSTITUTION			DEI DC	OBITE		1,00					1	· · ·		1	
BIFUL	B8ZS -Superframe Format		1	UEPDC	CCOSF		0.00	600 00			-	15 75			1 97	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600 00				15 75			1 97	
Alterna	ate Mark Inversion															L
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								<u> </u>
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00								4
Teleph	one Number/Trunk Group Establisment Charges										<b> </b>	45.75			1 97	
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00						15 75 15 75			1 97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00					-	15 75	<b>!</b>		1 97	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00						15 75			1 97	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4 ND5	0 00					+	15 75		-	1 97	
	DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPDC UEPDC	ND6	0 00	0.00	0.00			+	15 75		<del> </del>	1 97	
	Reserve Non-Consecutive DID Nos Reserve DID Numbers		<del> </del>	UEPDC	NDV	0 00	0 00	0 00			!	15 75			1 97	1
D-3:-	Ited DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	l Digita	II oon			- 000	- 0 00				1	1				
Dedica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	I TOUTE BELL	J Humay on			•			1					T
	Termination)			UEPDC	1LNO1	57 33	89 79	82 28	16 86	14 90		15 75		<u> </u>	1 97	1
	Termination		<b>-</b>													1
1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0 20	0 00	0.00								-
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities										1	1				
	Termination)			UEPDC	1LNO2	0 00	0 00	0.00			-		<del> </del>			+
	Interoffice Channel Mileage - Additional rate per mile - 9-25		ļ.	l			0.00									
	miles		<b>_</b>	UEPDC	1LNOB	0 20	0 00	0 00				ļ	1	<b> </b>		+
ı	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		İ	HEDDO	1LNO3	0 00	0 00	0 00	0 00		1			ĺ		
	Termination)		+	UEPDC	TIENO3	0 00	. 000	000	0.00		<del>-</del>	-	-		<u> </u>	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0 20	0.00	0.00					1		1	1
_	Local Number Portability, per DS0 Activated	<del> </del> -		UEPDC	LNPCP	3 15	0 00	0 00	0.00			<u> </u>				
	Central Office Termininating Point		1	UEPDC	CTG	0.00					1					
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
System	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivation	5	1								ļ			-	4
Each	System can have up to 24 combinations of rates depending or	type a	nd nun	ber of ports use	d									<b></b>		
UNE	S1 Loop	Ι										ļ		<del>                                     </del>		+
	4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	79 08	0 00	0 00				<del>                                     </del>		+	<del> </del>	
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129 38	0 00	0 00				<del> </del>	<del> </del>			+
	4-Wire DS1 Loop - UNE Zone 3	ļ	3	UEPMG	USLDC	206 74	0 00	0.00				15 75	+	_	1 97	+
	4-Wire DS1 Loop - UNE Zone 4	1	4	UEPMG	USLDC	458 46	0.00	0.00				1373	<del></del>		101	+
UNE	SO Channelization Capacities (D4 Channel Bank Configuration	ns)		ÜEPMG	VUM24	95 06	0 00	0.00			+	15 75	+	<b>-</b>	1 97	+
_	24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM48	190 12	0 00	0 00	_			15 75			1 97	
	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s	<del> </del>		UEPMG	VUM96	380 24	0 00	0 00	-			15 75		T	1 97	
-	144 DS0 Channel Capacity - 1 per 6 DS1s		+	UEPMG	VUM14	570 36	0 00	0 00				15 75			1 97	
<u> </u>	192 DS0 Channel Capacity - 1 per 8 DS1s	_	+	UEPMG	VUM19	760 48	0 00	0 00				15 75			1 97	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	950 60	0 00	0 00				15 75			1 97	
	288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,140 72	0 00	0 00				15 75			1 97	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520 96	0 00	0 00			ļ	15 75			1 97	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,901 20	0.00	0.00			<del> </del>	15 75			1 97	
	576 DS0 Channel Capacity -1 per 24 DS1s	1	1	UEPMG	VUM57	2,281 44	0 00	0 00				15 75 15 75			1 97	
	672 DS0 Channel Capacity - 1 per 28 DS1s	_		UEPMG	VUM67	2,661 68	0.00	0.00								

T	D NETWORK ELEMENTS - Mississippi	T	_	· ·	T	· ·					10 = :	·		ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
$\longrightarrow$			<u> </u>			Rec		urring	Nonrecurring				oss	Rates (\$)		
Multiple	es of this configuration functioning as one are considered Ai	dd'l afte	r the m	inimum system con	figuration is	oountad .	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	NRC - Conversion (Currently Combined) with or without	T DICE	1 1010 17	Timinam system com	ingulation is	counted.			-							
1 1	BellSouth Allowed Changes			UEPMG	USAC4	0 00	151 35	8 41				45.75				
System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Combi	ination Curre	ently Exists and	101 00	0.41	-		<del> </del>	15 75	ļ <u> </u>		1 97	
New (No	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s		Γ΄ Τ		-	-		-					<del></del>
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port					,	-									_
	and Assoc Fea Activation  8 Zero Substitution	ļ <u> </u>		UEPMG	VUMD4	0.00	715 15	327 39	148 05	17 56	<u>L</u> .	15 75			1 97	ŀ
	Clear Channel Capability Format, superframe - Subsequent	<del>  -</del>	<u> </u>													
	Activity Only			UEPMG	CCOSF	0 00	0.00	000.00								
	Clear Channel Capability Format - Extended Superframe -			OLFING	CCOSF	0 00	0 00	600 00				15 75			1 97	
	Subsequent Activity Only	1		UÉPMG	CCOEF	0 00	0.00	600 00			1	15 75				
	te Mark Inversion (AMI)					- 000	0.00	000 00				15 / 5			1 97	
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0 00			<del> </del>					
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00	-				-			
Exchang	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchang	ge Ports													***		-
<sub> </sub>	Line Side Combination Channelized PBX Trunk Port - Business			HE DOW												
— <del>                                     </del>	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX UEPPX	UEPCX	1 23	0 00	0 00	0 00	0 00		15 75			1 97	
<del></del>	2.10 Glad Cetthare Chamicized I BX Hunk I Oil - Business		_	UEPPX	UEPOX	1 23	0 00	0 00	0.00	0 00		15 75			1 97	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 23	0 00	0.00	0.00							·
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	_		UEPPX	UEPDM	7 40	0 00	0 00	0 00	0.00		15 75			1 97	
ı	Unbundled Exchange Ports, 2-Wire Channelized - Outdeal -			OLI I X	OL, DIVI	7 40	0 00	0 00	0 00	0 00		15 75			1 97	
] [0	(AL, KY, LA, MS, & TN)(Conversion from Network Access											,				
	Service)			UEPPX	UEPCY	1 23	0 00	0 00	0 00	0 00		15 75		İ	4.07	
	Unbundled Exchange Ports, 2-Wire Channelized - Combination			_						0.00		10 70			1 97	
	(AL, KY, LA, MS, & TN) (Conversion from Network Access Service)												ŀ			
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial–			UEPPX	UEPCT	1 23	0 00	0 00	0 00	0 00		15 75		1	1 97	
1 1	Mississippi Only Calling Plan	l i	- 1	UEDOV	l	}							-			
	Unburidled Exchange Ports, 2-Wire Channelized – Two Way -		-	UEPPX	UEPC4	1 23	0 00	0 00	0.00	0 00		15 75			1 97	
	Mississippi Only – Calling Plan			UEPPX	UEPA5	1.00	0.00		1							
	Activations - Unbundled Loop Concentration			ULFFA	UEPAS	1 23	0 00	0 00	0 00	0 00		15 75			1 97	
	Feature (Service) Activation for each Line Port Terminated in D4	<del></del>		<del></del>												
	Bank			UEPPX	1PQWM	0 61	25 36	13 39	4 29	4 26		45.55	1			
	eature (Service) Activation for each Trunk Port Terminated in						20 00	10 00	4 23	4 20		15 75			1 97	
	D4 Bank		- 1	UEPPX	1PQWU	0 61	78 03	18 39	60 66	11 85	ļ	15 75		f	1 97	
lelephor	ne Number/ Group Establishment Charges for DID Service								- 0000			1373	<del> </del>		197	
	DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States				NDT	0.00	0 00	0 00				15 75			1 97	
-   -   L	Non-Consecutive DID Numbers - per number				ND4	0 00	0 00	0 00				15 75			197	
F	Reserve Non-Consecutive DID Numbers				ND5	0 00	0 00	0 00				15 75			1 97	
	Reserve DID Numbers	-			ND6	0 00	0 00	0 00				15 75			1 97	
	umber Portability		-+	UEPPX	NDV	0 00	0 00	0 00				15 75		_	1 97	
Ĭ.	ocal Number Portability - 1 per port			UEPPX	LNPCP	2.15	0.00									
FEATUR	ES - Vertical and Optional			OLI FA	LINPCP	3 15	0 00	0 00								
Local Sw	vitching Features Offered with Line Side Ports Only							<del></del>								
	All Features Available			UEPPX	UEPVF	2 56	0 00	0 00				15 75				
N	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port				UEPA5	14 00	90 00	90 00				15 75			1 97	
BUNDLED CE	NTREX PORT/LOOP COMBINATIONS - COST BASED RATES	: T									-	10 / 0				
2 Enstern	Based Rates are applied where BellSouth is required by FCC	and/or S	tate C	ommission rule to p	roviđe Unbu	ndled Local Sw	itching or Swi	tch Ports.		_		-				
L. I Gatuit	es sital apply to the unbundled PortLoop Combination - Co	ast Base	ri Rato	section in the came	manner oc f	hau ara rentar	1 h = h = C4 = = -1	A1	led Port sectio	n of this Rate	Exhibit.					
												Hn Port/Loc	p Combination	ons.		
	est and additional Port nonrecurring charges apply to Not Cu so and are categorized accordingly.	rrently (	Combi	ned Combos For C	urrently Con	bined Combos	s, the nonrecu	ring charges	shall be those i	dentified in th	e Nonrecurr	ing - Currer	tly Combined	sections. A	dditional NRC	Cs mav
	o and are categorized accordingly.															,
5. Marko	t Rates for Unbundled Centrey Portil can Cambination			I P												
5. Marke	et Rates for Unbundled Centrex Port/Loop Combination will be ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	e negot	rated o	on an Individual Cas	e Basis, unti	l further notice								· · ·		

JNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment 2	Exhi	bit B
			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											1					
		Interi	_					DATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svo
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
			ļ										1st	Add'I	Disc 1st	Disc Add'l
														7,00	0.50 .50	Dioc Add !
							Nonrec	urring	Nonrecurring	Disconnect	<del> </del>		OSS	Rates (\$)		1
			<del> </del>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	1		1				rirst	AUG 1	11131	Auui	SOME	SOMAN	JOHAN	SOMAN	JOHAN	SCHAN
UNE	Port/Loop Combination Rates (Non-Design)															
l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
ı	Non-Design		1	UEP91		12 22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
i	Non-Design		2	UEP91		17 13										1
-+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			<b>0 -</b> 0,							<del></del>				· · · ·	
1			-	UEP91		26 26										l
	Non-Design		3	UEP91		20 20										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											1
1	Non-Design		4	UEP91		44 91									İ	
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1			l	1	
- 1			1	UEP91		15 12							1		1	
	Design			02591		19 12					<del> </del>		l	-		
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l									1		1	
	Design		2	UEP91		19 98						L	L		<u> </u>	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														1	
- 1	Design		3	UEP91		28 78							1		1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		T -	· · · · · · · · · · · · · · · · · · ·							1		1		1	1
1			4	UEP91	1	46 95							1	1	1	
<del></del>	Design		4	UEP91	-	40 95									ļ	
UNE L	oop Rate															
J	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10 98			[						1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15 91					T					
T T	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25 04					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43 68					_					
			· · · · · ·												ļ	ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13 89									<b></b>	L
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18 75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27 55									ł	
$\neg$	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45 72										
UNE F											ļ					1
	ates (Except North Carolina and Sout Carolina)				<del></del>						· · · · · · · · · · · · · · · · · · ·			<del> </del>	1	-
All St				UCDO4	LICENA.	1 23	40.04	40.04	-04.00	0.50		45.75			ļ	<del> </del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1 23	40 31	19 84	24 90	6 58		15 75				<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1											1
	Area			UEP91	UEPYB	1 23	40 31	19 84	24 90	6 58		15 75				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1 23	40 31	19 84	24 90	6 58		15 75				1
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	02, 31	- 001 111	- '20		15 07	24 30	0.50		10,70		<del></del>		<del>                                     </del>
	Center)2 Basic Local Area		L	UEP91	UEPYM	1 23	108 35	70 57	54 24	11 70	ļ	15 75	ļ	L	ļ	l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					1							1	1	1	1
	Term - Basic Local Area		1	UEP91	UEPYZ	1 23	108 35	70 57	54 24	11 70	1	15 75	1	1	1	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-					_				1			1	l	<u> </u>
	- Basic Local Area		1	UEP91	UEPY9	1 23	40 31	19 84	24 90	6 58		15 75	ŀ		1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -		<del> </del>	05.01	JEI 10		40 31	10 04	2-7 50	0.36	1	1073	<b> </b>		l	
			1	LIEBO4	UED: //								ļ		1	
	Basic Local Area		1	UEP91	UEPY2	1 23	40 31	19 84	24 90	6 58	1	15 75		L		ļ
AL, K	Y, LA, MS, & TN Only		L	L										L		
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1 23	40 31	19 84	24 90	6 58	1	15 75				
1	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPQB	1 23	40 31	19 84	24 90	6 58		15 75	·	<del>                                     </del>	1	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<del> </del>	UEP91	UEPQH	1 23	40 31	19 84	24 90	6 58	+	15 75	1		<del> </del>	<del> </del>
_			1	001.91	JERUN	123	40.31	19 64	24 90	0 36	-	10/5			-	<del> </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	l								1	}			1
	Center)2			UEP91	UEPQM	1 23	108 35	70 57	54 24	11 70		15 75				l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															l .
	Term			UEP91	UEPQZ	1 23	108 35	70 57	54 24	11 70		15 75				
			<del> </del>	<del>  </del>		. 20	.55.50		U. 2-7			.5.0			1	<del> </del>
	2 Wise Verse Grade Port terminated in an Magainti as assurable		i	UEP91	UEPQ9	1 23	40 31	19 84	24 90	6 58	1	15 75		1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<b>!</b>											-	ļ	ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term		L	UEP91	UEPQ2	1 23	40 31	19 84	24 90	6 58		15 75			<u> </u>	ļ
Local	Switching												I			
	Centrex Intercom Funtionality, per port			ÚEP91	URECS	0 7947							Ι		1	
Local	Number Portability			† · · · · ·	1	2.0.7			<del>                                     </del>		1	<del> </del>	<del>                                     </del>	<del> </del>	1	<b> </b>
			-	UEP91	LNPCC	0 35			ļI		<del></del>		1	+	<del> </del>	<del>                                     </del>
<del></del>	Local Number Portability (1 per port)		<b>├</b>	05791	LINPUU	0.35					1	ļ	ļ	<del> </del>	1	-
Featu			Щ.						<u> </u>		1		1	L	<del></del>	
1	All Standard Features Offered, per port		1 -	UEP91	UEPVF	2 56				l	1	15 75				1

Version 4Q02 12/18/02 Page 264 of 416

JNBUNDLED NETWORK ELEMENTS - Mississippi							***			n c. 1	C	Attachr			bit B
ATEGORY RATE ELEMENTS	Inter m	<sup>1</sup> Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
					Rec	Nonrec		Nonrecurring			r		Rates (\$)		
		<u> </u>				First	Add'I	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
All Select Features Offered per port			UEP91	UEPVS	0 00 2 56	404 98					15 75 15 75				<del> </del>
All Centrex Control Features Offered, per port			UEP91	UEPVC	2 50						13 / 3				<del> </del>
NARS		+	UEP91	UARCX	0 00	0 00	0.00			·					<del> </del>
Unbundled Network Access Register - Combinat	ion	_	UEP91	UAR1X	0 00	0 00	0 00	-		+					<b>†</b>
Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0.00	0.00			-					1
Miscellaneous Terminations		_	02/01	- Graver						T''					Ť ·
2-Wire Trunk Side		+													
Trunk Side Terminations, each			UEP91	CENA6	8 25	120 00	18 85	61 77	3 88		15 75				
Interoffice Channel Mileage - 2-Wire															
Interoffice Channel Facilities Termination - Voice	Grade		UEP91	M1GBC	22 52	40 77	27 57	17 26	7 11		15 75				
Interoffice Channel mileage, per mile or fraction of			UEP91	M1GBM	0 0098										
Feature Activations (DS0) Centrex Loops on Channel	ized DS1 Service									<u> </u>				ļ	
D4 Channel Bank Feature Activations										<u> </u>			ļ <u>.                                    </u>	· · · · · · · · · · · · · · · · · · ·	-
Feature Activation on D-4 Channel Bank Centrex	Loop Slot		UEP91	1PQWS	0 57					1				-	
Feature Activation on D-4 Channel Bank FX line			UEP91	1PQW6	0 57										
Feature Activation on D-4 Channel Bank FX Trur Slot	nk Side Loop		UEP91	1PQW7	0 57										
Feature Activation on D-4 Channel Bank Centrex	Loop Slot -									1	i .				
Different Wire Center		-	UEP91	1PQWP	0 57					-					
Feature Activation on D-4 Channel Bank Private			UEP91	1PQWV	0 57								_		
Feature Activation on D-4 Channel Bank Tile Lin- Slot	e/Trunk Loop		UEP91	1PQWQ	0 57										
Feature Activation on D-4 Channel Bank WATS I	Loop Slot		UEP91	1PQWA	0 57					I					
Non-Recurring Charges (NRC) Associated with UNE-	P Centrex							<b></b>						ļ. <u></u>	
Conversion - Currently Combined Switch-As-Is w	vith allowed		UEP91	USAC2	1	0 10	0 10			1	15 75				
changes, per port		+	UEP91	USACN		37 97	16 68	1		1	15 75	<del> </del>		<del> </del>	
Conversion of Existing Centrex Common Block New Centrex Standard Common Block		+	UEP91	MIACS	0.00	666 32	10 00	1		· · ·	15 75				
New Centrex Standard Common Block			UEP91	MIACC	0 00	666 32				1	15 75				
Secondary Block, per Block			UEP91	M2CC1	0 00	77 91				1	15 75				
NAR Establishment Charge, Per Occasion			UEP91	URECA	0 00	72 63					15 75				I
UNE-P CENTREX - 5ESS (Valid in All States)															1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Co	ombo														
UNE Port/Loop Combination Rates (Non-Design)														ļ	
2-Wire VG Loop/2-Wire Voice Grade Port (Centri	ex) Port Combo -				1						<b>!</b>				
Non-Design		1	UEP95		12 22			<b>.</b>			L	<u> </u>		-	
2-Wire VG Loop/2-Wire Voice Grade Port (Centre	ex)Port Combo -	-								1		1			
Non-Design		2_	UEP95		17 13						-	<del> </del>	<b>_</b>	ļ	
2-Wire VG Loop/2-Wire Voice Grade Port (Centre	ex)Port Combo -	1	LIEDOE		26 26							1		1	
Non-Design	av) Bort Comba	3	UEP95		26 ∠6			-	<del> </del>	<del>                                     </del>	<u> </u>	<del> </del>	<del>                                     </del>	+	<del> </del>
2-Wire VG Loop/2-Wire Voice Grade Port (Centre	ex) Port Combo -	4	UEP95		44 91							I			
Non-Design   UNE Port/Loop Combination Rates (Design)		- 4	JEF 95	-	44 51					<del>  -</del>	<del>                                     </del>	<u> </u>		1	
2-Wire VG Loop/2-Wire Voice Grade Port (Centre	ex) Port Combo	-	1		† †			· · · · · · · · · · · · · · · · · · ·	1	<del> </del>		İ	<u> </u>		
Design		1	UEP95		15 12					ļ	<u> </u>			<del> </del>	-
2-Wire VG Loop/2-Wire Voice Grade Port (Centri Design		2	UEP95		19 98					ļ					
2-Wire VG Loop/2-Wire Voice Grade Port (Centri Design	·	3	UEP95		_ 28 78									-	
2-Wire VG Loop/2-Wire Voice Grade Port (Centri Design	ex) Port Combo -	4	UEP95		46 95							1			
UNE Loop Rate		<u> </u>	1					<u> </u>		1					
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10 98	-		1							
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15 91										
2-Wire Voice Grade Loop (SL 1) - Zone 3				UECS1	25 04										
2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43 68									1	<del></del> _

ABONDE	D NETWORK ELEMENTS - Mississippi													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			-			Rec	Nonrec First		Nonrecurring		COMEC	SOMAN		Rates (\$)	COMAN	00111
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13 89	FIFST	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 7  2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18 75									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP95	UECS2	27 55										
_	2-Wire Voice Grade Loop (SL 2) - Zone 4			UEP95	UECS2	45 72			-		<del> </del>		<del> </del>			
UNE P	ort Rate	<b>—</b> —	<u> </u>	02. 00	102002	.0 72	-									
All Sta		_			<del> </del>					-	<del> </del>					
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		†	UEP95	UEPYA	1 23	40 31	19 84	24 90	6 58	<del> </del>	15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)		··	UEP95	UEPYB	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		l	UEP95	UEPYH	1 23	40 31	19 84	24 90	6 58		15 75	l	L		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1 23	108 35	70 57	54 24	11 70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<del>                                     </del>	UEPSS	UEPYZ	1 23	108 35	/0 5/	54 24	11 70	<del> </del>	15 75				<del>                                     </del>
	- Basic Local Area			UEP95	UEPY9	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1 23	40 31	19 84	24 90	6 58	1.	15 75	_			
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPQB	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPQH	1 23	40 31	19 84	24 90	6 58	<del></del>	15 75				
	Center)2  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1 23	108 35	70 57	54 24	11 70		15 75				
	Term			UEP95	UEPQZ	1 23	108 35	70 57	54 24	11 70		15 75	ļ			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 23	40 31	19 84	24 90	6 58		15 75				
	GA Only												<b></b>			
Local	Switching		<del> </del>	UEP95	UDEGO	0.7047									L	
Lagal	Centrex Intercom Funtionality, per port  Number Portability		1	UEP95	URECS	0 7947					ļ					
Local	Local Number Portability (1 per port)		-	UEP95	LNPCC	0 35					ļ					
Featur			<del> </del>	DEPSS	LNPCC	0.35							<del></del>		_	
1 Gatur	All Standard Features Offered, per port			UEP95	UEPVF	2 56					<del> </del>	15 75			_	<del>                                     </del>
	All Select Features Offered, per port			UEP95	UEPVS	0 00	404 98			-	<del> </del>	15 75	<del> </del>		_	
-	All Centrex Control Features Offered, per port		<del>                                     </del>	UEP95	UEPVC	2 56	10.7 30					15 75	<b>—</b>			-
NARS			T .		1						<del></del>					
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0 00	0.00				15 75	$\overline{}$		-	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0 00	0 00			T	15 75	1			
	Unbundled Network Access Register - Outdial		L	UÉP95	UAROX	0.00	0 00	0 00	-			15 75	t			T
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8 25	120 00	18 85	61 77	3 88		15 75				
4-Wire	Digital (1.544 Megabits)	<u> </u>	ļ		<u> </u>											
-	DS1 Circuit Terminations, each		ļ	UEP95	M1HD1	58 41	203 19	96 25	74 86	2 54	ļ	15 75	ļ			
Interes	DS0 Channels Activated, each fice Channel Mileage - 2-Wire		-	UEP95	M1HDO	0 00	14 56				ļ					
interor	Interoffice Channel Facilities Termination	-		UEP95	MIGBC	22.50	40 77	27 57	47.00	7.11		15 75			L	<del> </del>
+-	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBO	22 52 0 0098	40 //	2/ 5/	17 26	7 11	<del> </del>	15/5				-
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLFSJ	MIGDIM	0.0098	-			-	<del> </del>	ļ	<del></del>		<b> </b>	<del> </del>
	annel Bank Feature Activations	_	<del> </del>		+					ļ			<del> </del>		<b> </b>	
2.5	Feature Activation on D-4 Channel Bank Centrex Loop Stot		1	UEP95	1PQWS	0 57									-	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57				-						
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	_	<b>†</b>	UEP95	1PQW7	0.57										

JNBUNDLE	D NETWORK ELEMENTS - Mississippi													nent. 2		oit <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonre			g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Stot - Different Wire Center			UEP95	1PQWP	0 57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0 57										
	Slot		-	UEP95	1PQWQ	0.57			<b>-</b>							<u> </u>
- I	Feature Activation on D-4 Channel Bank WATS Loop Slot		<del> </del>	UEP95	IPQWA	0.57			+							<u> </u>
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0 10	0 10				15 75				
<del></del>	changes, per port  Conversion of Existing Centrex Common Block, each	-	-	UEP95	USACN		37 97	16 68		<del>                                     </del>	<del> </del>	15 75				
	New Centrex Standard Common Block		<del>                                     </del>	UEP95	M1ACS	0 00	666 32	10 00		<del></del>		15 75	<b>-</b>			
			-	UEP95	MIACC	0 00	666 32			<del> </del>		15 75				
	New Centrex Customized Common Block  NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 63		<b> </b>			15 75	ļ			
			<u> </u>	UEP95	URECA	0.00	72 03					15 75				
	CENTREX - DMS100 (Valid in All States)									ļ	-					
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>		_					ļ						
UNE P	ort/Loop Combination Rates (Non-Design)		<u> </u>													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.	l <b></b> _												
	Non-Design		1	UEP9D		12 22				ļ						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1							1							l
	Non-Design		2	UEP9D		17 13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		26 26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					i				ļ						
	Non-Design		4	UEP9D		44 91										
UNE P	ort/Loop Combination Rates (Design)									ļ						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1						1							
	Design		1	UEP9D		15 12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		19 98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		28 78									-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design	l	4	UEP9D		46 95					1					
UNE L	oop Rate								<u> </u>							
- 1	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	10 98			]		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	l		UEP9D	UECS1	15 91										
ı	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP90	UECS1	43 68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13 89										
i	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18 75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27 55		,		1	1					
1	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45 72										
UNE P	ort Rate									1						
ALL S	TATES		1							1	1					
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	1 23	40 31	19 84	24 90	6 58	<u> </u>	15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1 23	40 31	19 84	24 90	6 58		15 75			-	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1 23	40.31	19 84	24 90	6 58	Ī	15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		<del>                                     </del>	UEP9D	UEPYF	1 23	40.31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		<del>                                     </del>	OLF 3D	OLPIF	1 23	40.31	19 04	24 90	0.38	+	10 10	<del> </del>		_	-
1	Area	1	1	UEP9D	UÉPYG	1 23	40 31	19 84	24 90	6 58		15 75		1		

NRONDLE	ED NETWORK ELEMENTS - Mississippi		,	1								-	Attachr			oit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYT	1 23	40 31	19 84	24 90	6 58		15 75			1	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEFSD	UEFTI	123	40.31	19 04	24 90	0.56		13 73				
	Area			UEP9D	UEPYU	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1 23	40 31	19 84	24 90	6 58		15 75				
- 1	Area			UEP9D	UEPY3	1 23	40 31	19 84	24 90	6 58		15 75	ł		1	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local							-								
	Area			UEP9D	UEPYH	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex/Calter ID/Msg Wtg Lamp			UEP9D	UEPYW	1 23	40 31	19 84	24 90	6 58		15 75	1			
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPTVV	123	40 31	19 04	24 90	0.56	_	10 73				
	Basic Local Area			UEP9D	UEPYJ	1 23	40 31	19 84	24 90	6 58		15 75			]	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area			UEP9D	UEPYM	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1 23	108 35	70 57	54 24	11 70		15 75			j l	
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			DEPAD	UEPTO	123	106 33	70 57	54 24	1170		13 /3				
	Basic Local Area			UEP9D	UEPYP	1 23	108 35	70 57	54 24	11 70		15 75			!	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYR	1 23	100.25	70 57	54 24	11 70		15 75				
<del></del>	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPTR	1 23	108 35	7057	54 24	11 70		15 / 5				
	Basic Local Area			UEP9D	UEPYS	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	1 23	108 35	70 57	54 24	11 70		15 75				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		-	UEP9D	OEP15	123	106.33	70 57	54 24	1170		1373			<del> </del>	
	Basic Local Area		ļ	UEP9D	UEPY6	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area		<u> </u>	UEP9D	UEPY7	1 23	108 35	70 57	54 24	11 70		15 75				
j	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		┼	OEL 90	UEP 12	123	100 33	70 57	34 24	1170		1373		· · · · · · · · · · · · · · · · · · ·		
	Basic Local Area			UEP9D	UEPY9	1 23	40 31	19 84	24 90	6 58		15 75	1			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area		ļ	UEP9D	UEPY2	1 23	40 31	19 84	24 90	6 58		15 75				
AL, K	Y, LA, MS, SC, & TN Only   2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1 23	40 31	19 84	24 90	6 58		15 75	<del></del>		-	
	2-Wire Voice Grade Port (Centrex 800 termination)		<del> </del>	UEP9D	UEPQB	1 23	40 31	19 84		6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		<del>                                     </del>	UEP9D	UEPQC	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1 23	40 31	19 84		6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3		Ì	UEP9D	UEPQE	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		_	UEP9D	UEPQU	1 23	40 31	19 84	24 90	6 58	<u> </u>	15 75			ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3		L	UEP9D	UEPQV	1 23	40 31	19 84	24 90	6 58	1	15 75	<del> </del>			<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UÉP9D	UEPQ3	1 23	40 31	19 84	24 90	6 58	-	15 75	-		<del> </del>	
-+-	2-Wire Voice Grade Port (Centrex with Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1	UEP9D	UEPQH	1 23	40 31	19 84	24 90	6 58	<del> </del>	15 75			1	<del> </del>
	Indication)3			UEP9D	UEPQW	1 23	40 31	19 84	24 90	6.58		15 75				
<del></del>	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		<b>!</b>	UEP9D	UEPQJ	1 23	40 31	19 84	24 90		<del> </del>	15 75			<u> </u>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	<del> </del>	<del>                                     </del>		102.30	. 20		1004	1 2.00	300	t	1				
	2		1	UEP9D	UEPQM	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		-	UEP9D	UEPQO	1 23	108 35	70 57	54 24	11 70		15 75			1	

<b>SUNDLE</b>	D NETWORK ELEMENTS - Mississippi												Attachr	nent 2	Exhi	bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
			ļ			Rec	Nonred		Nonrecurring					Rates (\$)		
+-			-	-			First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1 23	108 35	70 57	54 24	11 70		15 75	_			
		-														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP90	UEPQR	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		<u></u>	UEP9D	UEPQ5	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1 23	108 35	70 57	54 24	11 70		15 75		<u> </u>		
	AW V 0 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1															
+-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP9D UEP9D	UEPQ9 UEPQ2	1 23 1 23	40 31 40 31	19 84 19 84	24 90 24 90	6 58 6 58		15 75 15 75			-	
Local	Switching		-	DEF9D	UEFQZ	123	40.31	19 04	24 90	0.00		13 / 3			<del>}</del>	
1	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 7947									·	
Local	Number Portability															
<del> </del>	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										
Featur	All Standard Features Offered, per port			UEP9D	UEPVF	2 56						15 75			-	
+	All Select Features Offered, per port			UEP9D	UEPVS	0 00	404 98					15 75				
	All Centrex Control Features Offered, per port		<del> </del>	UEP9D	UEPVC	2 56	.0.00					15 75				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0.00		_		15 75				
<del></del>	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00				15 75				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0 00	0 00	0 00				15 75				
	llaneous Terminations Trunk Side														-	
2-11116	Trunk Side Terminations, each	-		UEP9D	CEND6	8 25	120 00	18 85	61 77	3 88		15 75			1	
4-Wire	Digital (1.544 Megabits)			OLI 3D	CENDO	023	120 00	10 00	0177	3 00		13 7 3				
	DS1 Circuit Terminations, each			UEP9D	M1HD1	58 41	203 19	96 25	74 86	2 54		15 75	-			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	14 56									
Interof	ffice Channel Mileage - 2-Wire						,									
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22 52	40 77	27 57	17 26	7 11		15 75				
Fortur	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		UEP9D	MIGBM	0 0098	_								-	
	annel Bank Feature Activations			-												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		_	UEP9D	1PQWS	0.57										
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0 57							-			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 57										
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot		<u>L</u>	UEP9D	1PQWQ	0 57										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D UEP9D	1PQWQ 1PQWA	0 57 0 57										
Non-R	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot lecurring Charges (NRC) Associated with UNE-P Centrex															
Non-R	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot						0.10	0 10				15 75				

MOUNDLE	D NETWORK ELEMENTS - Mississippi												Attachi	ment <sup>.</sup> 2	Exhi	ibit <sup>.</sup> B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge -		Incremer Charge Manual S Order v
					1	Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
· <del>- 1</del>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666 32				1	15 75				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666 32					15 75				+
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72 63					15 75		<b> </b>		+
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				1										<del></del>	+
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				<del></del>											
	ort/Loop Combination Rates (Non-Design)				1 1										<del></del>	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						-									+
	Non-Design		1	UEP9E	1	12 22										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			00.730	<del> </del>	12 22								ļ- <u>-</u>	1	<b>├</b>
	Non-Design		2	UEP9E		17 13									1	ŀ
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9E		17 13										┿
i	Non-Design		3	UEP9E		20.00									l	
_			. 3	UEP9E		26 26										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.												ŀ	
	Non-Design		4	UEP9E		44 91										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												i			
	Design		1	UEP9E		15 12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		19 98	i		]							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															<b>†</b>
	Design		3	UEP9E		28 78	1									i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															+
	Design	ļ	4	UEP9E		46 95										1
UNE L	pop Rate		<u> </u>	<u> </u>		10 00				_	1					<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		7	UEP9E	UECS1	10 98										+
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEP9E	UECS1	15 91					-	-			<b></b>	<del></del>
-	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS	25 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43 68										ļ
-	2-Wire Voice Grade Loop (SL 1) - Zorie 4  2-Wire Voice Grade Loop (SL 2) - Zorie 1															-
_			1	UEP9E	UECS2	13 89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18 75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	27 55										İ
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45 72										
	ort Rate															
AL, FL	KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1										]	
	Area			UEP9E	UEPYB	1 23	40 31	19 84	24 90	6 58		15 75			1	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local										T				1	Γ
	Area			UEP9E	UEPYH	1 23	40 31	19 84	24 90	6 58		15 75				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
- 1	Center)2 Basic Local Area			UEP9E	UEPYM	1 23	108 35	70 57	54 24	11 70		15 75				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>
1	Term - Basic Local Area			UEP9E	UEPYZ	1 23	108 35	70 57	54 24	11 70		15 75				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent							,,,,,			1	10.0				+
l	- Basic Local Area			UEP9E	UEPY9	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -		<del>                                     </del>	02.02	- 02. 10	120		10 04	2730			13 73				+
ŀ	Basic Local Area			UEP9E	UEPY2	1 23	40 31	19 84	24 90	6 58		15 75				1
	, LA, MS, & TN Only			OLF OL	OLF 12	1 23	40 31	19 04	24 90	6 30		13 / 5			<b></b>	<del> </del>
	2-Wire Voice Grade Port (Centrex )		-	UEP9E	UEPQA	4.00	40 31	40.04	04.00	0.50		45.75				
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)					1 23		19 84	24 90	6 58		15 75				-
		<b></b>	<b>I</b>	UEP9E	UEPQB	1 23	40 31	19 84	24 90	6 58		15 75				<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP9E	UEPQH	1 23	40 31	19 84	24 90	6 58	ļ	15 75				1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1											
	Center)2			UEP9E	UEPQM	1 23	108 35	70 57	54 24	11 70		15 75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term			UEP9E	UEPQZ	1 23	108 35	70 57	54 24	11 70		15 75				
							· · · ·				1				1	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1 23	40 31	19 84	24 90	6 58		15 75				1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1 23	40 31	19 84	24 90	6 58	1	15 75				t
	Switching			<del>-</del>		1 20	70 51	10.04	27 00	0.00		10,0		<u> </u>	-	+

MBUNDLE	ED NETWORK ELEMENTS - Mississippi	<b>,</b>	<del></del>											ment 2		bit 🖪
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)	1 2277	
	Centrex Intercom Funtionality, per port		<del> </del>	UEP9E	URECS	0 7947	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Number Portability	-	┼	UEP9E	URECS	0 /94/					<del></del>					
Locar	Local Number Portability (1 per port)		1-	UEP9E	LNPCC	0 35										
Featu			<del> </del>	OLI OL	2141 00	0 30					1	-				1
	All Standard Features Offered, per port		<del> </del>	UEP9E	UEPVF	2 56					<del> </del>	15 75				
	All Select Features Offered, per port	-	1	UEP9E	UEPVS	0.00	404 98				<del>                                     </del>	15 75				
~ <del>~</del> ·	All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	2 56					1	15 75				
NARS					-1 -1						<del> </del>					
	Unbundled Network Access Register - Combination			UEP9E	UARÇX	0.00	0 00	0.00			1	15 75				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0 00	0 00	1			15 75				
	Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0 00	0 00	0 00				15 75				
Misce	Ilaneous Terminations									•						
2-Wire	e Trunk Side	1													1	
	Trunk Side Terminations, each			UEP9E	CEND6	8 25	120 00	18 85	61 77	3 88		15 75				
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58 41	203 19	96 25	74 86	2 54		15 75		· · · · · · · · · · · · · · · · · ·	1	
	DS0 Channel Activated Per Channel	i		UEP9E	M1HDO	0 00	14 56			•		15 75				
Interd	ffice Channel Mileage - 2-Wire							· · · · ·								
	Interoffice Channel Facilities Termination		1	UEP9É	MIGBC	22 52	40 77	27 57	17 26	7 11		15 75				
	Interoffice Channel mileage, per mile or fraction of mile		T	UEP9E	MIGBM	0 0098						_				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e							1							
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 57						15 75				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 57						15 75				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0 57						15 75				
	Feature Activation on D-4 Channel Bank Centrex Loop Stot - Different Wire Center			UEP9E	1PQWP	0 57						15 75				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 57						15 75				
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	<del> </del>	+	OLI SL	11 0000	0.57					-	10 70		-		
	Slot			UEP9E	1POWQ	0 57	1					15 75				
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del> </del>	<del> </del>	UEP9E	1PQWA	0.57						15 75		ļ		
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	_		OLI SL	11 0117	0.57	-				<del> </del>	1373			<del></del>	
1.10	NRC Conversion Currently Combined Switch-As-Is with allowed	-	<del> </del>		-+											-
	changes, per port			UEP9E	USAC2	ļ	0 10	0 10				15 75		1		
	Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN		37 97	16 68	<u> </u>			15 75				
	New Centrex Standard Common Block	· · · · · · · · · · · · · · · · · · ·		UEP9E	M1ACS	0 00	666 32	10 00				15 75				
	New Centrex Customized Common Block			UEP9E	M1ACC	0 00	666 32		<del> </del>		<del> </del>	15 75			<del> </del>	-
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72 63					15 75				
UNE-I	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		<del>                                     </del>	02.02	D. LEGIT	0.00	72 00				<del> </del>	.0.0				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo										ļi	~~~~				
UNE	Port/Loop Combination Rates (Non-Design)		+		1											-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-							ļ							
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	1	UEP93		12 22										
	Non-Design		2	UEP93		17 13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		26 26										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł	1		1 1				]						1	
	Non-Design		4	UEP93		44 91										<u> </u>
UNE	Port/Loop Combination Rates (Design)			<u> </u>												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		15 12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		<del> </del>	UEP93	1.	19 98				-						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			UEP93	1	28 78										

Version 4Q02 12/18/02 Page 271 of 416

INDUNDE	D NETWORK ELEMENTS - Mississippi												Attachi	ment 2	Exhi	bit <sup>.</sup> B
\TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
" '					+ 1		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
			1-			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del> </del>		1 1			71441	1,1151	Addi	COMEG	USMAN	JONAIN	CONIAN	JOHAN	JOHAN
	Design		4	UEP93	1 1	46 95										1
UNE L	oop Rate				<b></b>						<del>                                     </del>					<del></del>
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10 98					· · · · · · · · · · · · · · · · · · ·				-	+
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP93	UECS1	15 91			<del></del>	-	<del>                                     </del>					<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	25 04					1					+
	2-Wire Voice Grade Loop (SL 1) - Zone 4			UEP93	UECS1	43 68				<del></del>						
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13 89					<del> </del>					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18 75										+
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	27 55			<del>                                     </del>							
	2-Wire Voice Grade Loop (St. 2) - Zone 4			UEP93	UECS2	45 72										
UNE F	ort Rate		<del></del>	† <del></del>	12202	/2			<del>  </del>						<del> </del>	+
	Y, LA, MS, & TN only		1		-				<del>                                     </del>		<del>                                     </del>					<del></del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1 23	40 31	19 84	24 90	6 58		15 75				+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			32,00	-   -	. 20	1001	1004	27.50	0.00	-	10.70			-	<del></del>
	Area	ŀ		UEP93	UEPYB	1 23	40 31	19 84	24 90	6 58		15 75			1	1
_	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02,00	- OLY ID	120	40.31	13 04	24 50	0.30	<del> </del>	1373			<del> </del>	+
	Area			UEP93	UEPYH	1 23	40 31	19 84	24 90	6 58		15 75			!	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			GE7 30	- 02/11/	123	40.31	13 04	24 90	0.56	1	1073				
	Center)2 Basic Local Area			UEP93	UEPYM	1 23	108 35	70 57	54 24	11 70		46 76				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	OCF 83	UEFTIN	1 23	100 33	70 57	34 24	1170	1	15 75				
	Term - Basic Local Area		1	UEP93	UEPYZ	1 23	400.05	70.57	54.04	44.70		45.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<del> </del>	UEP93	UEPTZ	123	108 35	70 57	54 24	11 70		15 75				
- 1	- Basic Local Area		į .	UEP93	UEPY9	1 23	40 31	19 84	0.00			45.75				
<del></del>	2-Wire Voice Grade Port Terminated on 800 Service Term -		-	UEP93	UEPT9	123	40.31	19 84	24 90	6 58		15 75				
1	Basic Local Area		1	UEP93	UEPY2	4.00	40.04	40.04		0.50		45.75				
	2-Wire Voice Grade Port (Centrex )		<u> </u>	UEP93		1 23	40 31	19 84	24 90	6 58		15 75				<b></b>
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQA	1 23	40 31	19 84	24 90	6 58		15 75				
					UEPOB	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1 23	40 31	19 84	24 90	6 58		15 75				<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2															1
				UEP93	UEPQM	1 23	108 35	70 57	54 24	11 70		15 75				<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															j
	Term			UEP93	UEPQZ	1 23	108 35	70 57	54 24	11 70		15 75				<u> </u>
	0.11/2 1/2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1			l					1 }							
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1 23	40 31	19 84	24 90	6 58		15 75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1 23	40 31	19 84	24 90	6 58		15 75				
Local	Switching															į
	Centrex Intercom Funtionality, per port			UEP93	URECS	0 7947										
Local	Number Portability		ļ													}
	Local Number Portability (1 per port)			UEP93	LNCCC	0 35										
Featur					_											
<del></del>	All Standard Features Offered, per port			UEP93	UEPVF	2 56						15 75				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2 56						15 75			L	
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0 00	0.00	0 00				15 75				
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0 00	0 00	0 00				15 75				
	Unbundled Network Access Register - Outdial		L	UEP93	UAROX	0 00	0 00	0.00				15 75				
	laneous Terminations		<u> </u>			-										
2-Wire	Trunk Side		L													
	Trunk Side Terminations, each		تــــــــــــــــــــــــــــــــــــــ	UEP93	CEND6	8 25	120 00	18 85	61 77	3 88		15 75				
4-Wire	Digital (1.544 Megabits)															
-	DS1 Circuit Terminations, each			UEP93	M1HD1	58 41	203 19	96 25	74 86	2 54		15 75				
-	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14 56				[	15 75				
Interol	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			ÜEP93	MIGBC	22 52	40 77	27 57	17 26	7 11		15 75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0 0098										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	$\Box$					-	- 1		[					
D4 Ch	annel Bank Feature Activations														l .	
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57			T						1	T

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment. 2	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Svo Order vs
	· · · · · · · · · · · · · · · · · · ·	<u> </u>				_ 1	Nonrec	urrina	Nonrecurrin	ng Disconnect	<del>                                     </del>	1	OSS	Rates (\$)	L-	
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Stot			UEP93	1PQW6	0 57					1					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0 57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0 57								•		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP93	1PQWV	0 57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0 57							-			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57					l					
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex									"	† · · · · · · · · · · · · · · · · · · ·					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0 10	0 10				15 75				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37 97	16 68								1
	New Centrex Standard Common Block	1	1	UEP93	M1ACS	0 00	666 32			T	1	15 75				
	New Centrex Customized Common Block		1	UEP93	M1ACC	0 00	666 32				t	15 75	-			
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72 63				1	15 75				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			·				_			1					<b>———</b>
	2 - Requres Interoffice Channel Mileage										i .					· · · · · · · · · · · · · · · · · · ·
	- Requires Specific Customer Premises Equipment										1	l	· · -			<u> </u>
Note.	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	General Term	ns and Conditio	ns.	-					· · · · · · · · · · · · · · · · · · ·			1

JNBUNDLED N	NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	bit: B
				I	1	T " " '					Svc Order	Svr. Order	Incremental		Incremental	
i			1		1							Submitted	Charge -	Charge -	Charge -	Charge
l l			1													
ATEGORY	RATE ELEMENTS	Interi	<b>7</b>	BCS	usoc			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
ATEGORI	KAIE ELEMENIS	m	Zone	BCS	USUC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs	Order vs	Order
1					Į.	1							Electronic-	Electronic-	Electronic-	Electron
1			1										1st	Add'I	Disc 1st	Disc Ad
					ı								151	Addi	DISC 1St	DISC AG
					1	1 _ [	Nonre	curring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)		
			1		<del> </del>	Rec	First	Add'I	First	Add'I	SOMEC	COMAN	SOMAN		SOMAN	SOMA
The "Zone	" shown in the sections for stand-alone loops or loops as	port of	2.000	hination refers to C		Doguerand U	IF Tonce To	I Add I	hiarlin Danna	AUG I	SOWIEC	3 WAN	SOWAN	SUMAN	SUMAN	SUMA
THE ZONE	s shown in the sections for stand-alone loops of loops as	part of	a com	Dination refers to G	eograpincan	y Deaveraged Of	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zon	uesignatio	ons by Centi	rai Office, refe	er to Internet	Website	
	v.interconnection bellsouth com/become_a_clec/html/inter	connec	tion.ht	tm												
PERATIONAL SU	UPPORT SYSTEMS															
NOTE (1)	Electronic Service Order CLEC should contact its contract	ct nego	tiator it	f it prefers the state	specific elec	tronic service o	rdering charge	s as ordered b	y the State Co	mmissions. T	he electron	c service or	rdering charg	e currently co	ntained in th	is rate
exhibit is t	the BellSouth regional electronic service ordering charge	CLEC	mav ele	ect either the state s	specific Com	mission ordered	rates for the	electronic serv	ice ordering c	harnes or CLE	C may elect	the region:	al electronic s	enuce orderi	na charae	
NOTE (2)	Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate I	lieted in this	catagon, Plane	o refer to Pell	Couth's Busin	non Dulan for b	and Ordering	(DDD I C) A	determina	of a sectionic s	service orderi	ig charge	
10.2 (2)	Any clement that dan be ordered electromeany will be bill		runig .	to the Some Crate i	iisteu iii tiirs	category rieas	e relei to bell	South 5 Busin	ess Rules for t	Local Ordening	(BBK-LU) II	o determine	ir a product o	an de ordere	a electronical	lly. For
tnose eien	ments that cannot be ordered electronically at present per t	the BBR	t-LO, tr	ne listed SOMEC rat	e in this cate	gory reflects the	e charge that v	vould be billed	to a CLEC or	ice electronic d	rdering cap	pabilities co	me on-line fo	r that elemen	. Otherwise,	the mane
ordering o	charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth												
Ele	ectronic OSS Charge, per LSR, submitted via BST's OSS	T		I								r i			T	T
	eractive interfaces (Regional)	1		1	SOMEC		3 50								1	
	TE ADVANCEMENT CHARGE	<del>                                     </del>	<del>                                     </del>		COIVILO	<del>  </del>	. 330			ļ			<del></del>	<b></b>	ļ	<b></b>
		D-110:	46.10 = 2	1 0 No 4 To 27 O		1						<u> </u>	ļ		l	
NOIE IN	e Expedite charge will be maintained commensurate with I	BellSou	in s FC	No.1   ariff, Secti	on 5 as appli	icable.				<u> </u>						L
	NE Expedite Charge per Circuit or Line Assignable USOC, per	ı		ALL UNE EXCEPT												
Da		f	1	UNE-P	SDASP	1	200 00		1				1	1	1	
BUNDLED EXC	CHANGE ACCESS LOOP			1	1				<b> </b>			ļ —	<del></del>			<del>                                     </del>
	NALOG VOICE GRADE LOOP	-	<b>t</b>	<del></del>	1	<del> </del>		<del></del>	<del> </del>	-	L	<del> </del>	<del></del>			<b></b>
			-	UEANL	UEAL2	40.44	53.00									
	Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1			12 11	57 99	42 37					26 94	12 76		
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21 24	57 99	42 37					26 94	12 76		
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33 65	57 99	42 37					26 94	12.76		1
Un	bundled Miscellaneous Rate Element, Tag Loop at End User		1						1							
	emise		1	UEANL	URETL		8 33	0 83	1			i I	26 94	12 76		
	op Testing - Basic 1st Half Hour	-				+		0 03								
			├	UEANL	URET1		76 24						26 94	12 76		
	op Testing - Basic Additional Half Hour			UEANL	URETA		39 51						26 94	12 76		
	EC to CLEC Conversion Charge Without Outside Dispatch															1
l luv	VL-SL1)			UEANL	UREWO		15 76	8 93					26 94	12 76		}
	bundled Voice Loop, Non-Design Voice Loop, billing for BST			02/1/2	10.12110		10.0	0 30		<del> </del>			20 34			<del></del>
	oviding make-up (Engineering Information - E1)			UEANL	UEANM		28 74	28 74								L
									-							ļ
	nual Order Coordination for UVL-SL1s (per loop)		ļ	UEANL	UEAMC		61 38	61 38								İ
	der Coordination for Specified Conversion Time for UVL-SL1	i			]											
	er LSR)	ļ		UEANL	OCOSL		45 34									
2-WIRE Un	bundled COPPER LOOP										-					<del></del>
	Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10 16	35 27	15 60					26 94	12 76		
	Wire Unbundled Copper Loop - Non-Designed - Zone 2	-								-						
				UEQ	UEQ2X	17 55	35 27	15 60					26 94	12 76		
	Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27 58	35 27	15 60					26 94	12 76		
Un	bundled Miscellaneous Rate Element, Tag Loop at End User		-													
Pre	emise			UEQ	URETL		8 33	0.83					26 94	12 76		
Oro	der Coordination 2 Wire Unbundled Copper Loop - Non-		<u> </u>			1		0.00	· · · · · · · · · · · · · · · · · · ·	<u> </u>			20 34	12 70		
	esigned (per loop)	1	1	UEQ	USBMC	1	45.04									
			<del>                                     </del>	UCU	USBIVIC	<b> </b>	45 34					ļ			ļ	L
	bundled Copper Loop, Non-Design Copper Loop, billing for	1	1		1	1										
	BT providing make-up (Engineering Information - E+)		L	UEQ	UEQMU		28 74	28 74					26 94	12 76		
Loc	op Testing - Basic 1st Half Hour		T	UEQ	URET1		76 24						26 94	12 76		
	op Testing - Basic Additional Half Hour			UEQ	URETA	<del> </del>	39 51			<del> </del>			26 94	12 76		<u> </u>
	EC to CLEC Conversion Charge Without Outside Dispatch	<del>                                     </del>	<del> </del>		JILIA	+ +	30 0 (			<del> </del>		1	20 94	12/0		-
	CL-ND)	l	!	1,150	Lupeure	1				1		1		l .		
		<b> </b>	-	UEQ	UREWO	<del>  </del>	14 26	7 42					26 94	12 76		
	HANGE ACCESS LOOP	L				<u> </u>										
	NALOG VOICE GRADE LOOP		L	l			-									
2 V	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	ne 1	1	1	UEPSR UEPSB	UEALS	12 11	57 99	42 37					26 94	12 76	.	
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>		JEALU	<del> ''<sup>'</sup> </del>	31 38	44 37	-	<del></del>			20 94	1210		
	ne 1			LIEDOD LIEDOS	1,5400					1		i l				
		<u> </u>	11	UEPSR UEPSB	UEABS	12 11	57 99	42 37		1			26 94	12 76		
	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l								ļ						
Zor	ne 2	l	2	UEPSR UEPSB	UEALS	21 24	57 99	42 37		1			26 94	12 76		
2 V	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-			T	†=====		3. 50	0/		<del></del>			2004			
	ne 2	l	2	UEPSR UEPSB	LIEABO	34.04	67.00	40.07		ľ				40.70		
			1	OLFOR OLFOB	UEABS	21 24	57 99	42 37		<b></b>			26 94	12 76		
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l			1					l						
	ne 3		3	UEPSR UEPSB	UEALS	33 65	57 99	42 37		ĺ			26 94	12 76		
2 V	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1											
		l	ا ہا	UEPSR UEPSB	UEABS	33 65	57 99	42 37		1		1	26 94	12 76		
Zor	1183															

INBUNDLED NE	TWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
O MUDE ANA	LOG VOICE GRADE LOOP						First	Adďl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
									_							
	re Analog Voice Grade Loop - Service Level 2 w/Loop or and Start Signaling - Zone 1		1	IUEA	UEAL2	14 97	142 97	106 56			1					}
	re Analog Voice Grade Loop - Service Level 2 w/Loop or	<del></del> -		UEA	UEALZ	14 97	14297	106.56		-	ļ		26 94	12 76		
	and Start Signaling - Zone 2		2	UEA	UEAL2	25 93	142 97	106 56					26 94	12 76		1
	re Analog Voice Grade Loop - Service Level 2 w/Loop or			52.1	02,422	2000	142 07	100 00				-	20 54	12 70		<del></del>
	ind Start Signaling - Zone 3		3	UEA	UEAL2	40 81	142 97	106 56			1		26 94	12 76	1	
	r Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34							12.70		
	re Analog Voice Grade Loop - Service Level 2 w/Reverse															
	ery Signaling - Zone 1		1	UEA	UEAR2	14 97	142 97	106 56					26 94	12 76		1
	re Analog Voice Grade Loop - Service Level 2 w/Reverse	]	_													
	ery Signaling - Zone 2		2	UEA	UEAR2	25 93	142 97	106 56		ļ	$\perp$		26 94	12 76		
	re Analog Voice Grade Loop - Service Level 2 w/Reverse ery Signaling - Zone 3	1	3	UEA	UEAR2	40.6.	440.07	400		1						
	r Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UEA	OCOSL	40 81	142 97 45 34	106 56					26 94	12 76		<u> </u>
	C to CLEC Conversion Charge without outside dispatch	——		UEA	UREWO		87 64	36 33		·			26 94	12 76		
	Tagging - Service Level 2 (SL2)			UEA	URETL		10 45	1 03					26 94	12 76		-
4-WIRE ANAI	LOG VOICE GRADE LOOP	-	_	02.			10 40	1 00					20 34	12 /0		
	re Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21 32	288 47	237 45		-	+		26 94	12 76		
4-Win	re Analog Voice Grade Loop - Zone 2			ÜEA	UEAL4	36 27	288 47	237 45		-	-		26 94	12 76	-	<del>                                     </del>
	re Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56 57	288 47	237 45					26 94	12 76		<del></del>
	r Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34				1				-	<b>†</b>
	to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 64	36 33					26 94	12 76		
	DIGITAL GRADE LOOP															
2-Wire	re ISDN Digital Grade Loop - Zone 1 re ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	19 42	325 91	251 31					26 94	12 76		
2-1//10	re ISDN Digital Grade Loop - Zone 2 re ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	32 88	325 91	251 31					26 94	12 76		L
	Coordination For Specified Conversion Time (per LSR)		3 -	UDN	U1L2X OCOSL	51 14	325 91 45 34	251 31			1		26 94	12 76		
	C to CLEC Conversion Charge without outside dispatch		-	UDN	UREWO		91 55	44 12			<u> </u>		26 94	12 76		
	rersal Digital Channel (UDC) COMPATIBLE LOOP		-	CDIT	OKENO		91 33	44 12	<del></del>		<del> </del>		20 94	12 / 6		
	re Universal Digital Channel (UDC) Compatible Loop - Zone					-					<del>                                     </del>					<del></del>
1			1	UDC	UDC2X	19 42	325 91	251 31		İ			26 94	12 76		
2-Wire	re Universal Digital Channel (UDC) Compatible Loop - Zone										·			12.10		
2			2	UDC	UDC2X	32 88	325 91	251 31					26 94	12 76		l
2-Wire	e Universal Digital Channel (UDC) Compatible Loop - Zone															
3			3	UDC	UDC2X	51 14	325 91	251 31					26 94	12 76		
	to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91 55	44 12					26 94	12 76		
	MMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP TO Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOP													
& faci	e Onbundled ADSL Loop including manual service inquiry		1	UAL	UAL2X	11 00	264 71	145 60								1
	e Unbundled ADSL Loop including manual service inquiry	<del></del>	<del>- '</del>	U.T.	UMLZA	11 00	204 (1	145 60		<del></del>						<b>—</b> —
	ility reservation - Zone 2		2	UAL	UAL2X	18 39	264 71	145 60								İ
2 Wire	e Unbundled ADSL Loop including manual service inquiry				U, LEX	10 00		143 00			<del> </del>					···
& faci	ulity reservation - Zone 3		3	UAL	UAL2X	28 42	264 71	145 60								
	r Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34			<del></del> -						
2 Wire	e Unbundled ADSL Loop without manual service inquiry &											_				
	y reservaton - Zone 1		1	UAL	UAL2W	11 00	190 25	114 82					26 94	12 76		İ
	e Unbundled ADSL Loop without manual service inquiry &				1											
	y reservator - Zone 2 e Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	18 39	190 25	114 82					26 94	12 76		<u> </u>
	y reservator - Zone 3		3	UAL	UAL2W	20.40	400.00	444.50			Į l	Į			!	1
	r Coordination for Specified Conversion Time (per LSR)		٠,	UAL	OCOSL	28 42	190 25 45 34	114 82			++		26 94	12 76		<b>-</b>
	C to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 12	40 36		<del> </del>	+	_	26 94	12 76		<del></del>
2-WIRE HIGH	BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP				00 12	40.30			<del>  -  </del>		20 94	12 /6		<del></del>
2 Wire	e Unbundled HDSL Loop including manual service inquiry				<del>-  -</del>						+					-
& facil	Itty reservation - Zone 1		_ 1	UHL	UHL2X	9 01	284 74	163 54					0 00	0 00		1
	e Unbundled HDSL Loop including manual service inquiry															_
& facil	lity reservation - Zone 2		2	UHL	UHL2X	14 87	284 74	163 54					0 00	0 00		Í

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment <sup>.</sup> 2	Exhil	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	1 -	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurrin	g Disconnect		1	oss	Rates (\$)		L
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3			UHL	UHL2X	22 82	284 74	163 54					0.00	0 00		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34						ļ			
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9 01	207 48	132 05				ļ	26 94	12 76		<b>ļ</b>
	2 Wire Unbundled HDSL Loop without manual service inquiry					44.03	207.40	100.05			İ		00.04	40.70		
	and facility reservation - Zone 2		Z	UHL	UHL2W	14 87	207 48	132 05			ļ		26 94	12 76		
1	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	22 82	207 48	132 05					26 94	12 76	1	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	22 02	45 34	132 03		+			20 94	12 70		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 06	40 36	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del></del>	26 94	12 76		<del> </del>
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	<u> </u>	0.,2,70			40 30	<del>                                     </del>	-	<del>                                     </del>		20 34	1270		
	4 Wire Unbundled HDSL Loop including manual service inquiry	l === :						-		· ·		· · · ·		<u> </u>		
}	and facility reservation - Zone 1	J	1	UHL	UHL4X	10 62	341 65	220 45							1	
	4-Wire Unbundled HDSL Loop including manual service inquiry									1						
1	and facility reservation - Zone 2		2	UHL	UHL4X	17 67	<b>34</b> 1 65	220 45							l	
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	27 24	341 65	220 45								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	4-Wire Unbundled HDSL Loop without manual service inquiry									ĺ				ŀ		
	and facility reservation - Zone 1		1	UHL	UHL4W	10 62	264 39	188 96				ļ	26 94	12 76		
	4-Wire Unbundled HDSL Loop without manual service inquiry											1				
	and facility reservation - Zone 2		2	UHL	UHL4W	17 67	264 39	188 96	<u> </u>			<b>.</b>	26 94	12 76		ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry		l .		1									40.70	1	ł
	and facility reservation - Zone 3		3	UHL	UHL4W	27 24	264 39	188 96			<b>_</b> -	L	26 94	12 76		<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	UHL	OCOSL		45 34 86 06	40 36	<u> </u>				26 94	12 76	-	<del></del>
4 14(1)	CLEC to CLEC Conversion Charge without outside dispatch RE DS1 DIGITAL LOOP			UHL	UREWO		86.06	40 36	ļ	<u> </u>			26 94	12 /6		
4-9911	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47 60	714 84	421 47	<del> </del>	1		<del>∤</del>	42 19	12 76		<del></del>
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	84 36	714 84	421 47			<u> </u>	+	42 19			<del></del>
	4-Wire DS1 Digital Loop - Zone 3	_		USL	USLXX	134 29	714 84	421 47			<del> </del>	·	42 19			<del> </del>
	Order Coordination for Specified Conversion Time (per LSR)	-	-	USL	OCOSL	134 23	48 31	72177			<del> </del>	·	<del>2 /3</del>	12 70		-
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100 99	43 00			f	f	26 94	12 76		1
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1		- STALLING		.00.00							<del>                                     </del>		
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	25 32	489 04	337 51		· · · · · ·	·	<del>                                     </del>	26 94	12 76		
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	43 11	489 04	337 51		T			26 94	12 76		
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	67 26	489 04	337 51			1		26 94	12 76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25 32	489 04	337 51					26 94	12 76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43 11	489 04	337 51					26 94	12 76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67 26	489 04	337 51					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)		Ĺ	UDL.	OCOSL		45 34				<u> </u>	ļ		L		<del></del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25 32	489 04	337 51		ļ			26 94	12 76	ļ	<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43 11	489 04	337 51			<u> </u>		26 94			1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67 26	489 04	337 51					26 94	12 76		<del> </del>
	Order Coordination for Specified Conversion Time (per LSR)		<b>_</b>	UDL	OCOSL		45 34 102 03	49 70	<del> </del>		<u> </u>	1	26 94	12 76	ļ	
2 18/1	CLEC to CLEC Conversion Charge without outside dispatch		ļ	UDL	UREWO		102 03	49 / 0	-			1	26 94	12 /6	ļ	<del></del>
2-991	RE Unbundled COPPER LOOP  [2-Wire Unbundled Copper Loop/Short including manual service]	<del> </del> -	<del> </del>	<del> </del>				<del></del>	<del> </del>		<del>                                     </del>	<del> </del>	<del> </del>	+	<del> </del>	<del> </del>
	inquiry & facility reservation - Zone 1		1	lucL	UCLPB	13 26	262 86	143 75						1		
<del>                                     </del>	2-Wire Unbundled Copper Loop/Short including manual service	<del></del>	<del>  '-</del> -	-	OOLED	13 20	202 00	140 70	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	+	<del> -</del>	
	inquiry & facility reservation - Zone 2	ŀ	2	UCL	UCLPB	22 39	262 86	143 75		1		1	ŀ			
<del></del>	2 Wire Unbundled Copper Loop/Short including manual service		<del> </del>		1005. 5	22 03	202 00	140 10	+	+	<del> </del>	<u> </u>	<del> </del>		1	<del>                                     </del>
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34 80	262 86	143 75					1			
	Order Coordination for Unbundled Copper Loops (per loop)		<del>  ~</del>	ÜCL	UCLMC	5.50	61 38	61 38		1	T	-	1			
	2-Wire Unbundled Copper Loop/Short without manual service			·	1						i —		1			
ı l	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13 26	188 39	112 96		1			26 94	12 76		
	2-Wire Unbundled Copper Loop/Short without manual service		1									1			1	
[	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22 39	188 39	112 96		1	1		26.94	12 76		1

CATEGORY			1 1	1	I I											
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	_Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire Unbundled Copper Loop/Short without manual service		3	luci	UCLPW	24.00	100.00				ĺ					
	inquiry and facility reservation - Zone 3				UCLPW	34 80	188 39	112 96					26 94	12 76		
<del></del>	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38	<u> </u>							
1	2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	13 26	262 86	143 75	1 1							
<del></del>	2-Wire Unbundled Copper Loop/Long - includes manual svc		-	OCL	UCLZL I	13 20	202 00	143 75	-							<del> </del>
ì	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	22 39	262 86	143 75								ļ
	2-Wire Unbundled Copper Loop/Long - includes manual syc		1	OGL	GOLZE	22 30	202 00	14373	<del></del>							<del> </del>
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	34 80	262 86	143 75								
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	0.00	61 38	61 38						-		<del>                                     </del>
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	13 26	188 39	112 96			i		26 94	12 76		1
	2-Wire Unbundled Copper Loop/Long - without manual service				1				<u> </u>							
	inquiry and facility reservation - Zone 2	L ::	2	UCL	UCL2W	22 39	188 39	112 96	[ 1				26 94	12 76		1
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3			UCL	UCL2W	34 80	188 39	112 96	1				26 94	12 76		ĺ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	CLEC to CLEC Conversion Charge without outside dispatch				1											
	(UCL-Des)			UCL	UREWO		97 14	42 44					26 94	12 76		I
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry			l	1											
	and facility reservation - Zone 1		1	UCL	UCL4S	17 36	311 03	191 93								
1	4-Wire Copper Loop/Short - including manual service inquiry		_		1											1
	and facility reservation - Zone 2		2	UCL	UCL4S	29 61	311 03	191 93								
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	46 26	311 03	404.00								ĺ
-+-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	46 26	61 38	191 93		-						-
-	4-Wire Copper Loop/Short - without manual service inquiry and			UCL	UCLINC		01 36	61 38								
	facility reservation - Zone 1		1	UCL	UCL4W	17 36	236 57	161 14			1 1		26 94	12 76		ĺ
	4-Wire Copper Loop/Short - without manual service inquiry and			OOL	OOL4W	17 30	250 51	101 14			1		20 94	12 70		<b>—</b>
	facility reservation - Zone 2		2	UCL	UCL4W	29 61	236 57	161 14			1 1		26 94	12 76		ĺ
	4-Wire Copper Loop/Short - without manual service inquiry and			502	1002:::		200 07		<del>                                     </del>			-	20 04	1210		<u> </u>
	facility reservation - Zone 3		3	UCL	UCL4W	46 26	236 57	161 14					26 94	12 76		1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Unbundled Copper Loop/Long - includes manual svc					- 1					t					
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	17 36	311 03	191 93								1
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	29 61	311 03	191 93								L
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 3			UCL	UCL4L	46 26	311 03	191 93	<u> </u>							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38	1							L
	4-Wire Unbundled Copper Loop/Long - without manual svc		,	LIGI	1101.46				1							1
<del></del>	inquiry and facility reservation - Zone 1		1	ncr	UCL4O	17 36	236 57	161 14					26 94	12 76		<b>——</b>
1	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		,	uei	1,101,40	20.01	202 5-	404								1
	4-Wire Unbundled Copper Loop/Long - without manual svc		2	UCL	UCL40	29 61	236 57	161 14		_			26 94	12 76		
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	40.00	220.5-	404 4 *					20.01	10.70		1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL40 UCLMC	46 26	236 57 61 38	161 14 61 38	<del> </del>				26 94	12 76		<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch			UVL	JOLIVIC		0138	0138	+							<del></del>
İ	(UCL-Des)	i		UCL	UREWO		97 14	42 44								ĺ
OOP MODIFIC					J			72 44								
				UAL, UHL, UCL.	<del>                                     </del>						<del>                                     </del>					
				UEQ, ULS, UEA,			ļ		]							1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,			l					•				ĺ
	pair less than or equal to 18k ft			UEPSB	ULM2L		21 24	21 24								1
	Unbundled Loop Modification, Removal of Load Coils - 2 wire				1 1					-				_		
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		119 24	119 24								ĺ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft										·					

ONBONDLE	D NETWORK ELEMENTS - North Carolina		<b>,</b>	<b>,</b>										ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect	1	<u> </u>	oss	Rates (\$)	<b>L</b>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft		<u> </u>	UCL	ULM4G		119 24	119 24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, loer unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,				2.2.								
SUB-LOOPS	per unourialed loop		ļ	UEPSB	ULMBT		24 84	24 84		1						
	Lan Distribution		<u> </u>								-					
Sub-L	oop Distribution		4		1					-						
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Sel-	] .			Lucena		070.57			1						1
	Ор	-	<u> </u>	UEANL	USBSA		373 57			ļ. <u>.</u>						ļ <u>.</u>
	Sub Loop Per Cross Poy Longton Dec 25 Dec Bear Contin	۱.		LIEANII	Lieben	j	22.70			1						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-		UEANL	USBSB		33 78			1	1					ļ
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			LIEANI	Liches	ł	66.76									
	Facility Set-Up	1		UEANL	USBSC		234 76									1
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel				Lucron		24.25			1						l
	Set-Up		<u> </u>	UEANL	USBSD		81 05			ļ						<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		١.						ì							Ì
	Zone 1	-	1	UEANL	USBN2	7 31	126 03	54 54					26 94	12 76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
	Zone 2	1	2	UEANL	USBN2	11 93	126 03	54 54					26 94	12 76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	١.			1										Į	
	Zone 3	ı	3	UEANL	USBN2	18 20	126 03	54 54					26 94	12 76		
					1										]	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		Ļ	UEANL	USBMC		61 38	61 38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		l .	l	I										į.	
	Zone 1		1_1_	UEANL	USBN4	8 44	156 52	79 66		ļ			26 94	12 76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		l _		1						1				İ	
	Zone 2		2	UEANL	USBN4	13 81	156 52	79 66					26 94	12 76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1											
	Zone 3		3	UEANL	USBN4	21 10	156 52	79 66					26 94	12 76		
					1						1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		61 38	61 38			l					
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	<u> </u>	UEANL	USBR2	2 79	114 05	37 20			l		26 94	12 76		
			1		1								i		İ	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		61 38	61 38			1					
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-	L	UEANL	USBR4	3 74	127 67	50 82					26 94	12 76		
					1											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		61 38	61 38								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6 10	137 10	60 24					26 94	12 76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	9 70	137 10	60 24					26 94	12 76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	!_	3	UEF	UCS2X	14 59	137 10	60 24					26 94	12 76		
i					1											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<b>↓</b>	UEF	USBMC		61 38	61 38								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1		UEF	UCS4X	6 58	162 24	85 38					26 94	12 76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		ÜEF	UCS4X	10 51	162 24	85 38		T			26 94	12 76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ł	3	UEF	UCS4X	15 84	162 24	85 38					26 94	12 76		
J															i	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		61 38	61 38								
Unbur	ndled Sub-Loop Modification															
1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			l		1										
	Coil/Equip Removal per 2-W PR		L	UEF	ULM2X		124 51	1 82					26 94	12 76	<u> </u>	<u> </u>
1	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coll/Equip Removal per 4-W PR		<u> </u>	UEF	ULM4X	1	124 51	1 82					26 94	12 76	}	
1	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged												1			
	Tap Removal, per PR unloaded			UEF	ULM4T		249 25	47 30			<u> </u>		26 94	12 76	1	
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 4351	64 98									
Netwo	rk Interface Device (NID)									1				*		
1	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		86 37	56 69			1		26 94	12 76		t

	D NETWORK ELEMENTS - North Carolina													ment 2	Exhib	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Add
					-	Rec	Nonrec			Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add¹l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Network Interface Device (NID) - 1-6 lines	- 1		UENTW	UND16		127 93	98 21					26 94	12 76		
	Network Interface Device Cross Connect - 2 W	- 1	ļ	UENTW	UNDC2		11 68	11 68					26 94	12 76		
	Network Interface Device Cross Connect - 4W	ı	<u> </u>	UENTW	UNDC4		11 68	11 68					26 94	12 76		
JB-LOOPS																
Sub-L	oop Feeder										<u> </u>	_				
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		373 57									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC			33 78	33 78								İ
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523 51	11 31				_	19 99	19 99		1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	10 41	122 52	46 61					26 94	12 76		L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															1
	Grade - Zone 2		2	UEA	USBFA	17 31	122 52	46 61			1		26 94	12 76		1
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	26 67	122 52	46 61			ļ		26 94	12 76		l .
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 34									i
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1													
i	Grade - Zone 1		1	UEA	USBFB	10 41	122 52	46 61					26 94	12 76		1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice														*	
	Grade - Zone 2		2	UEA	USBFB	17 31	122 52	46 61					26 94	12 76		1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice										1					
	Grade - Zone 3		3	UEA	USBFB	26 67	122 52	46 61					26 94	12 76		ı
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	10 41	122 52	46 61					26 94	12 76		i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,										1					
	Voice Grade - Zone 2		2	UEA	USBFC	17 31	122 52	46 61			1		26 94	12 76		i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	26 67	122 52	46 61			1		26 94	12 76		i
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 34									
ı	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		1													
	Grade - Zone 1		1	UEA	USBFD	19 96	226 36	144 28					26 94	12 76		i
1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		i													
	Grade - Zone 2		2	UEA	USBFD	33 91	226 36	144 28					26 94	12 76		i
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		ł													
	Grade - Zone 3		3	UEA	USBFD	52 85	226 36	144 28					26 94	12 76		i
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice						i									
	Grade - Zone 1		1	UEA	USBFE	19 96	226 36	144 28					26 94	12 76		i
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							1								i
	Grade - Zone 2		2	UÉA	USBFE	33 91	226 36	144 28					26 94	12 76		i
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	52 85	226 36	144 28					26 94	12 76		i
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	17 24	202 01	105 88					26 94	12 76		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	29 17	202 01	105 88					26 94	12 76		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	45 37	202 01	105 88					26 94	12 76		
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	17 24	202 01	105 88					26 94	12 76		i
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	29 17	202 01	105 88					26.94	12 76		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	45 37	202 01	105 88					26 94	12 76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	35 65	393 01	153 37					42 19	12 76		i
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	63 18	393 01	153 37					42 19	12 76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	100 58	393 01	153 37					42 19	12 76		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		48 31			1 -				.2.70		
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UÇL	USBFH	9 14	172 89	90 81					26 94	12 76		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone							- 55 51					2004			
1	2		2	UCL	USBFH	14 90	172 89	90 81			1		26 94	12 76		i

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment. 2		bit, B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBEH	22 71	172 89	90.81					26 94	12 76		
	Order Coordination For Specified Conversion Time, per LSR		-	UCL	OCOSL	- 22 / 1	45 34	5001			<u> </u>	<del></del>	20 34	12,70		<del> </del>
_	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	NCr	USBFJ	13 41	207 14	134 77					26 94	12 76		
<del></del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	22 42	207 14	134 77					26 94	12 76		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	34 66	207 14	134 77			1		26 94	12 76		1
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	24 27	215 00	132 92					26 94	12 76		
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	41 55	215 00	132 92					26 94	12 76		
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	65 02	215 00	132 92					26 94	12 76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		Ϊ.		[]											
	Zone 1		1	UDL	USBFO	24 27	215 00	132 92					26 94	12 76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_		110050		045.00							10.70	1	
-	Zone 2		2	UDL	USBFO	41 55	215 00	132 92	ļ l			-	26 94	12 76		<del></del>
1	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1 ,	lubi	USBFO	65 02	215 00	132 92	1				26 94	12 76	I	
	Zone 3 Order Coordination For Specified Time Conversion, per LSR		3	UDL	OCOSL	65 02	45 34	132 92	<del></del>		-	<del> </del>	20 94	12 /6		<del> </del>
				UUL	OCOSL		45 34				1					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	24 27	215 00	132 92					26 94	12 76		
_	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		<del></del>	ODL -	03017	27 21	210 00	102 32	-				20 54	12.70	-	-
	Zone 2		2	UDL	USBFP	41 55	215 00	132 92					26 94	12 76		
-	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1-		00011	7100	21000	102.02	· · · · · · ·				200.	12.13		
1	Zone 3		3	JUDL	USBEP	65 02	215 00	132 92			1	ł	26 94	12 76		
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	-	45 34				1					
UB-LOOPS	oran account of the control of the c				-1	•					-					
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	· I		UE3	1L5SL	16 03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	1		UE3	ÜSBF1	350 32	3,399 57	406 81	164 08	93 01			26 94	12 76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month	1	<u> </u>	UDLSX	1L5SL	16 03					L					ļ
	Sub Loop Feeder - STS-1 - Facility Termination Per Month		<u> </u>	UDLSX	USBF7	376 06	3,399 57	406 81	164 08	93 01	ļ		26 94	12 76	<u> </u>	
	Sub Loop Feeder – OC-3 – Per Mile Per Month	1		UDLO3	1L5SL	12 16										L
l l	Sub Loop Feeder - OC-3 - Facility Termination Protection Per		ł			1								ł		
	Month		<b>!</b> -	UDLO3	USBF5	56 60	0.000 57	400.04	424.50	00.04		<del>  </del>	20.04	12 76		-
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	1	ļ	UDLO3	USBF2	564 14	3,399 57	406 81	164 08	93 01			26 94	12 /6	<del> </del>	<del>  -</del> -
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14 97									<del> </del>	<del> </del>
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per		ĺ	UDL12	USBF6	639 50			1		1	1		ł		i
	Month Sub Loop Feeder - OC-12 - Facility Termination Per Month	<del>-</del>		UDL12	USBF3	1,841 00	3,399 57	406 81	164 08	93 01			26 94	12 76		ļ ——·
	Sub Loop Feeder - OC-12 - Pacinty Termination Per Month		<del>-</del>	UDL12	1L5SL	49 10	3,399 31	400 01	104 00	9301	+		20 94	12 70	<del></del> -	
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	<u>'</u>	<del> </del>	UDL46	ILJSL	45 10				_	+				1	<del>                                     </del>
	Month			UDL48	USBF9	319 92			1 1	ł						
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	<del></del>	1 -	UDL48	USBF4	1,603 00	3,585 57	406 81	160 39	90 92			26 94	12 76		
	Sub Loop Feeder - OC-12 Interface On OC-48	i i	<del></del>	UDL48	USBF8	360 95	804 30	406 81	160 39	90 92			26 94	12 76	t	1
INBUNDLED	LOOP CONCENTRATION			002.10	1000.0	300 30										
T	Unbundled Loop Concentration - System A (TR008)		<del>                                     </del>	ulc	UCT8A	398 41	652 26	652 26					† · · · · · · · · · · · · · · · · · · ·		<del> </del>	1
	Unbundled Loop Concentration - System B (TR008)		1	ULC	UCT8B	58 36	271 78	271 78								
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439 73	652 25	652 26						<u> </u>		
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98 34	271 78	271 78								
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 52	126 85	92 35	33 65	9 42						
	Unbundled Loop Concentration - ISDN Loop Interface (Brite				7'									1		
	Card)			UDN	ULCC1	8 77	21 11	21 00	10 81	10 74				J		<u></u>
	Unbundled Loop Concentration - UDC Loop Interface (Brite															1
	Card)			UDC	ULCCU	8 77	21 11	21 00	10 81	10 74			ļ	<del> </del>	ļ	<b>_</b>
	Unbundled Loop Concentration2 Wire Voice-Loop Start or													1		1
	Ground Start Loop Interface (POTS Card)		1	UEA	ULCC2	0 89	35 73	35 49			L		<del> </del>	<del> </del>	ļ	<b></b>
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1		1					ا	1		1		1	1
	Loop Interface (SPOTS Card)		<u> </u>	UEA	ULCCR	13 03	21 11	21 00	10 81	10 74				<b>_</b>		1
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1		l	1											1
1	(Specials Card)	I	1	UEA	ULCC4	7 77	21 11	21 00	10 81	10 74	1	1	1	1	l	

JNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'i	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card	<u> </u>	ļ	ULC	UCTTC	37 98	21 11	21 00	10 81	10 74	-					<del></del>
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL.	ULCC7	11 51	21 11	21 00	10 81	10 74						-
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11 51	21 11	21 00	10 81	10 74						
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC6	11 51	21 11	21 00	10 81	10 74						
LINE OTHER	Interface PROVISIONING ONLY - NO RATE	<b>├</b>		UDL -	ULCCO	11 31	2111	2100	1031	10 14	_					
UNE OTHER,	NID - Dispatch and Service Order for NID installation	<del> </del>	-	UENTW	UNDBX	0 00	0 00									
			-	UENTW	UENCE	0 00	0 00							-		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	+-	UEANL,UEF,UEQ,U	DENCE	0.00	0 00		-		<del>                                     </del>					
	N. J. C. J. M. Branco C. L. Ma Bata			ENTW	UNECN	0 00	0 00		.		l	l				
	Unbundled Contract Name, Provisioning Only - No Rate	-		ENIW	UNECH	0 00 1	0 00				+			<del>                                     </del>		
UNE OTHER,	PROVISIONING ONLY - NO RATE		+								1					
	Unbundled Contact Name, Provisioning Only - no rate			UAL.UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	l	Ĭ						1							
	rate	ļ	<u> </u>	UEA,USL,UCL,UDL	USBFR	0 00	0 00					1	ļ			
	Unbundled DS1 Loop - Superframe Format Option - no rate		1	USL	CCOSF	0 00	0 00				ļ	1	ļ			
	Unbundled DS1 Loop - Expanded Superframe Format option -					,										
	no rate			USL	CCOEF	0 00	0 00						ļ			+
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP	L.,														+
NOTE	. minimum billing period of three months for DS3 and above L	ocal Lo	op		1							-	·			<del>-</del>
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	13 33					ļ					
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	450 69	1,071 00	646 12					53 48	53 48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	13 33										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UÐLSX	IUDLS1	464 26	1,071 00	646 12					53 48	53 48		
LOOP MAKE		1	+										1		_	I
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	1		UMK	UMKLW		55 44	55 44								
	Loop Makeup - Preordering With Reservation, per spare facility quened (Manual)			UMK	UMKLP		55 73	55 73								
	Loop MakeupWith or Without Reservation, per working or		1	UMK	PSUMK		0 6960821	0 6960821								
LUCU ERECU	spare facility queried (Mechanized)		+	UNIK	FSUMK		0 0300021	0 0300021								<del>                                     </del>
		-	+		<del> </del>						<del></del>		+			<del> </del>
	SHARING TTERS-CENTRAL OFFICE BASED		+						<del> </del>		_	· · -		<del> </del>		
SPLI	Line Sharing Splitter, per System 96 Line Capacity	-	+	ULS	ULSDA	181 18	631 54	0 00	<del> </del>		+	<del> </del>	26 94	12 76		1
<u> </u>		<u> </u>	+	ULS	ULSDB	38 99	631 54	0.00	<del> </del>		1	<del> </del>	26 94			1
$\vdash$	Line Sharing Splitter, per System 24 Line Capacity	<del> </del>	+	ULS	ULSD8	12 73	424 61	0 00	<del>-</del>		+	<del>                                     </del>	26 94	12 76		
$\vdash$	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-		+	ULS	ULSD8	12/3	424 61	0.00			+	<del> </del>	20 04	12 70	<del> </del>	<del> </del>
	deactivation (per LSOD)			ULS	ULSDG		146 32	31 27					26 94	12 76		
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM									L	1			
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0 61	54 71	28 77				ŀ	26 94	12 76		
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35 42	16 57					26 94	12 76		
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35 14	16 29					26 94	12 76		
	Line Sharing - per Line Activation (DLEC owned Splitter)	1		ULS	ULSCC	0.61	47 44	19 31					26 94	12 76		
LINE	SPLITTING	1			1											
	USER ORDERING-CENTRAL OFFICE BASED		1	-	1											
				+ · · · · · · · · · · · · · · · · · · ·	1. := = = =				+			T			1	
	Line Splitting - per line activation DLEC owned splitter	1		UEPSR UEPSB	UREOS	0 61			i		1	1	26 94	12 76		

CATEGORY			1	1	1	1					1 Syc Order	Cur Order	Incremental			
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		T
		L .	ļ	UEDOD UEDOD	LIBERY!		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Splitting - per line activation BST owned - virtual	1	<b>├</b>	UEPSR UEPSB	UREBV	0 61	56 92	28 59			<del> </del>		26 94	12 76		<del> </del>
	TE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE		ļ								-					-
	Remote Site Line Share BellSouth Owned Splitter, 24 Port		+	ULS	ULSRB	54 47	113 79	0.00			+		26 94	12 76		-
	Remote Site Line Share Cable Pair Activation CLEC Owned at	<u> </u>	1	020	GEORE	97.77	11070		<del> </del>		1			12.70		1
	RS and Deactivation	1		ULS	ULSTG		74 38	0.00	ļ				26 94	12 76		1
	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	MAKA	REMO													
	Remote Site Line Share Line Activation for End User Served at	T	T								1					
	RS, BST Splitter	1		ULS	ULSRC	0 61	56 92	28 59	1				26 94	12 76		
	RS Line Share Line Activation for End User served at RS, CLEC		1													1
	Splitter	1	<u> </u>	ULS	ULSTC	0 61	56 92	28 59	<u> </u>				26 94	12 76		1
	Remote Site Line Share Subsequent Activity-RS BST Owned	1 .		l												
	Splitter St. C. L. C. L. C. L. C. L. C. C. C. C. C. C. C. C. C. C. C. C. C.	1 '	<del>  -</del>	ULS	ULSRS		48 71	17 67			+		26 94	12 76	ļ	-
	Remote Site Line Share Subsequent Activity-RS CLEC Owned	١.		ULS	ULSTS		48 71	17 67					26 94	12 76		
	Splitter DEDICATED TRANSPORT	<u> </u>	-	ULS	ULSIS		46 / 1	17 07	1	1	-		26 94	12 / 6		
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billie	a pori	d below DC3-on	n month, abou	n DS3-four mo	nthe			<del> </del>	+					
	OFFICE CHANNEL - DEDICATED TRANSPORT	1	lg pen	Ju - Below 2003-011	e month, abov	6 DO3-1041 1110	mina .									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1							1						1
'	Per Mile per month			U1TVX	1L5XX	0 0125					1					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1								<del> </del>						
	Facility Termination		1	บาтงx	U1TV2	18 00	137 48	52 58			1		38 07	38 07		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	T														
	Rev Bat - Per Mile per month	l	1	U1TVX	1L5XX	0 0125									L	ļ
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -	-	T								i					
	Facility Termination			U1TVX	U1TR2	18 00	137 48	52 58			1	ļ	38 07	38 07		ļ
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1		l							1		1			
	Per Mile per month	ļ <u>.</u>		U1TVX	1L5XX	0 0125				_					<del></del>	<del> </del>
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	U1TV4	22 16	106 11	65 95			1		22 32	22 32		
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile	ļ	+	UTIVA	01174	22 10	106 11	00.90	ļ		+		22 32	22 32		
	per month			U1TDX	1L5XX	0 0282									ļ	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	!		UTIDA	ILOAA	0 0202										· · · · · · · · · · · · · · · · · · ·
	Termination			U1TDX	U1TD5	17 40	137 48	52 58					38 07	38 07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	<del>                                     </del>	+		1-::				<u> </u>		1					
	per month	ļ		U1TDX	1L5XX	0 0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1											-			
	Termination			U1TDX	U1TD6	17 40	137 48	52 58					38 07	38 07		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
'	month		<u> </u>	U1TD1	1L5XX	0 5753										
1 '	Interoffice Channel - Dedicated Tranport - DS1 - Facility		İ		LIATE:		612.1							22.52	l	
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	-	+	U1TD1	U1TF1	71 29	217 17	163 75	ļ	+	+		38 07	38 07		
'	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Imonth			U1TD3	1L5XX	12 98							]		1	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	-	1	נטווט	ILSXX	12 98			1	+			1		1	
	Termination per month	1	1	U1TD3	U1TF3	720 38	794 94	579 55			1	1	91 26	91 26	1	1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	+	+	0.1.00	1011110	, 20 30	, 54 54	5,555		1	+	<del>                                      </del>	3120	5,20		
	month	1		U1TS1	1L5XX	6 14									1	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1				t	1	†		· ·			
'	Termination	1		U1TS1	U1TFS	790 37	642 23	408 89	i			ł	53 48	53 48		
	CHANNEL - DEDICATED TRANSPORT															
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	ng peri														
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX	ULDV2	11 24	553 80	89 69			1		42 17	12 76		1
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	19 91	553 80						42 17	12 76		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3	1		ULDVX	ULDV2	31 70	553 80			<del> </del>	+	-	42 17		-	+
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1	1	1	ULDVX	ULDV4	12 03	562 23	92 67			<del> </del>	<del> </del>	42 17		<del></del>	+
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	1	2	ULDVX	ULDV4	21 33	562 23	92 67		1	+		42 17 42 17	12 76 12 76	-	+
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 Local Channel - Dedicated - DS1 - Zone 1	-	1	ULDVX ULDD1	ULDV4 ULDF1	33 95 27 05	562 23 534 48	92 67 462 69				<del> </del>	86 15	12 76	<del> </del>	+

UNDUND	LED NETWORK ELEMENTS - North Carolina			<del></del>							12 2 2			ment 2		bit B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual \$\ Order vs.
		<u> </u>		ļ		Rec	Nonrec			g Disconnect				Rates (\$)		
						1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	47 94	534 48	462 69					86 15	1 77	1	<u> </u>
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	76 32	534 48	462 69					86 15	1 77	i	
	Local Channel - Dedicated - DS3 - Per Mile per month	L		ULDD3	1L5NC	0 9954									l	
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	298 92	562 25	527 88					56 25	56 25		I
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	0 9954										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	286 13	1,071.00	646 12					53 48	53 48		Ī
DARK FIBE	R									7						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									i						
	Thereof per month - Local Channel			UDF	1L5DC	64 04				İ						
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,347 00	279 87		<del> </del>	1					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	27 71									1	1
	NRC Dark Fiber - Interoffice Channel	<b>1</b>		UDF	UDF14		1,807 00	562 96		1					1	1
<del></del>	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	-	100,	100		1,00.00	002 00	<u> </u>		<u> </u>	<del></del>				+
	Thereof per month - Local Loop			UDF	1L5DL	64 04										
<del></del>	NRC Dark Fiber - Local Loop		-	UDF	UDFL4	0 0	1,347 00	279 87			1				<del> </del>	<del></del>
SYY ACCES	SS TEN DIGIT SCREENING			1001	ODI ET		1,347 00	2/50/			+					+
OAA ACCES	8XX Access Ten Digit Screening, Per Call			OHD		0 0005								-		+
	8XX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, Reservation Charge Per 8XX			UHU		0 0005			ļ	<del></del>						+
			1	au In	LIND IV		2.05				į į					
	Number Reserved		<u> </u>	OHD	N8R1X		7 05	0 96			1		26 94			
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O		1			1			ļ		1					
	POTS Translations			OHD			23 82	2 73					41 35			
	8XX Access Ten Digit Screening, Per 8XX No Established With		•			ĺ								1		
	POTS Translations	l		OHD	N8FTX		23 82	2 73					41 35			
	8XX Access Ten Digit Screening, Customized Area of Service	T	ļ ——.					12								
	Per 8XX Number			OHD	N8FCX	ŧ	5 63	2 82						1		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR								-		1					
	Routing Per CXR Requested Per 8XX No			lohd	N8FMX	į	6 59	3 77								
	8XX Access Ten Digit Screening, Change Charge Per Request	1		ОНО	N8FAX		8 01	0 96		1			26 94			
	8XX Access Ten Digit Screening, Call Handling and Destination	!								1			•			1
	Features	1		OHD	N8FDX		5 63									
LINE INFOR	RMATION DATA BASE ACCESS (LIDB)		_								<del>                                     </del>	· ·				<b>†</b>
	LIDB Common Transport Per Query	!		ООТ		0 00003										1
	LIDB Validation Per Query		h -	oau		0 0134				<del> </del>	<del> </del>					1
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0 0 10 1	62 26			<del> </del>			26 94	26 94		<del> </del>
SIGNALING		-		041,040	- Juliu BX		02 20			+			20 04	2004		
OIGIVALITO	CCS7 Signaling Connection, Per link (A link)	-		UDB	TPP++	18 22	278 02	278 02		· · · ·	-		41 35	41 35		+
	CCS7 Signaling Connection, Per link (B link) (also known as D			000	- 1''' 1''	10 22	270 02	27002			<del> </del>		4133	41 33		1
	link)	ļ		UDB	TPP++	18 22	278 02	278 02		I			41 35	41 35	1	1
<del>                                     </del>	CCS7 Signaling Termination, Per STP Port	-		UDB	PT8SX	132 83	2/0 02	210 02	ļ. <u> </u>	<del> </del>	1.		4133	4133	-	<del> </del>
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message	-	<b>-</b>		1,1007					-	+				<del> </del>	+
<del></del>		-	-	UDB		0 00004				1	-			-	+	+
	CCS7 Signaling Usage, Per TCAP Message	<u> </u>		UDB	071153	0 00009					<del> </del>			ļ		1
<del></del>	CCS7 Signaling Usage Surrogate, per link per LATA	<b>-</b>		UDB	STU56	338 98				<b>.</b>	ļ .				<b></b>	<del></del>
	CCS7 Signaling Point Code, per Originating Point Code		l	l			[			1			_		1	1
$\vdash$	Establishment or Change, per STP affected	<u> </u>		UDB	CCAPO		40 00	40 00		-	1		19 99	19 99	<u> </u>	<del></del>
	CCS7 Signaling Point Code, per Destination Point Code			l												1
	Establishment or Change, Per Stp Affected		<u> </u>	UDB	CCAPD		8 00	8 00			ļ		19 99	19 99		1
E911 SERV																1
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11 24	553 80	89 69					42 17	12 76		1
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19 91	553 80	89 69					42 17	12 76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31 70	553 80	89 69					42 17	12 76		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0282					1 ""					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			<u> </u>						1						
	Termination		1	1		18 00	137 48	52 58		1			38 07	38 07	1	
	Local Channel - Dedicated - DS1 - Zone 1		1	t -		27 05	534 48	462 69		<b>+</b>			86 15	177	<del> </del>	<b>—</b>
· · ·	Local Channel - Dedicated - DS1 - Zone 2	<del> </del>	2	<del> </del>		47 94	534 48	462 69		1	+		86 15	1 77		+
<del></del>	Local Channel - Dedicated - DS1 - Zone 3	+	3	<del> </del>		76 32	534 48	462 69	<del></del>	<del>                                     </del>	+		86 15	1 77	+	+

ONBONDER	D NETWORK ELEMENTS - North Carolina												Attach	ment. 2	Exhil	bit B
	T										Svc Order	Svc Order	Incremental		Incremental	Increment
												Submitted				
													-	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						1.1			per Loix	per LON				
		i		İ							1		Electronic-	Electronic-	Electronic-	Electronic
		ì		ł .									1st	Add'l	Disc 1st	Disc Add'
		1									1					
		1				_	Nonred	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)	•	
		1	1			Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							11130	Addi	11130	7001	SOME	317191714	SOMAN	JOHIAN	SUMAN	SOMAN
1			1								1				}	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination			[		71 29	217 17	163 75			1		38 07	38 07		
CALLING NA	ME (CNAM) SERVICE										1	T				
<del></del>	CNAM For DB Owners - Service Establishment		1	οον	-		75 62				1			<b>†</b>		
<del></del>	CNAM For Non DB Owners - Service Establishment	-	+	oov		<del> </del>		-			<del> </del>			-		
				OUV			75 62		ļ <u>.</u>							
	CNAM For DB Owners - Service Provisioning With Point Code						i		į.		į.	i		ļ		
	Establishment (Initial)	1		OQV			2,354 00	2,354 00	ł					1		
	CNAM For DB Owners - Service Provisioning With Point Code	1									1	1				
	Establishment (Subsequent)	1		ogv			1,739 00	1,739 00						İ		
			_	OQV			1,733 00	1,755 00								
	CNAM For Non DB Owners - Service Provisioning With Point	l		l					i	1	1			I	l	1
	Code Establishment (Initial)			OQV			1,072 00	1,072 00						I	l	1
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment (Subsequent)	1		ogv			768 44	768 44	1	1	1	1		I	l	F
<del></del>	CNAM for DB & Non DB Owners, Per Query	<del>                                     </del>	+	OQV		0 0009592	7.50 44	100 44		+	<del> </del>	<del></del>		-		<b></b>
			-	OUV		0.0009592		·		<del> </del>		ļ				ļ
LNP Query Se																
	LNP Charge Per query			OQV		0 00084										
	LNP Service Establishment Manual			OQV		1	41 25									
<b>—</b>						<del> </del>	7.20									
	1900 0 00 00 00 00 00 00 00 00 00 00 00 0		1								]	ł	1			
	LNP Service Provisioning with Point Code Establishment (Initial)			οαν		1	1,563 00	1,563 00				1				
	LNP Service Provisioning with Point Code Establishment		1								i	!				
	(Subsequent)		1	logv			883 99	883 99			i	1				
OPERATOR C	ALL PROCESSING		+			<del> </del>						1				
OI EIGH OIL C			1									}				
	Oper Call Processing - Oper Provided, Per Min - Using BST		1	1							1	}				
	LIDB					1 20					1	1				
	Oper Call Processing - Oper Provided, Per Min - Using											1				
!	Foreign LIDB		+	į		1 24								ĺ		
-	Oper Call Processing - Fully Automated, per Call - Using BST					127				<del> </del>	<del> </del>			<del> </del>		
		1		1						1				1		
	LIDB		L			0 20				1						
	Oper Call Processing - Fully Automated, per Call - Using	Į		-						1						
	Foreign LIDB					0 20				1				Ī		1
INWARD OPE	RATOR SERVICES		1							<del> </del>						-
THE OF E	Inward Operator Services - Verification, Per Minute		+			1.15			<b></b>	1						1
						1 15		.,	l	l						
	Inward Operator Services - Verification and Emergency Interrupt	1								1						
	- Per Minute	l				1 15				1						
BRANDING - 0	OPERATOR CALL PROCESSING								-	1						
	y based CLEC	<del> </del>	<b></b>					-		1						
1 acin	Recording of Custom Branded OA Announcement	<del></del>	<b>├</b>		00400		7.000.00	7 000 00		<del>                                     </del>						
					CBAOS		7,000 00	7,000 00					26 94	12 76		
	Loading of Custom Branded OA Announcement per shelf/NAV	1	1						1	1						1
	per OCN	Į.		1	CBAOL		500 00	500 00	1	1	1	[	26 94	12 76		i
UNEP	CLEC	T						•		1	1					
	Recording of Custom Branded OA Announcement	l	+	<b>†</b>			7,000 00	7,000 00	<b> </b>	<del>                                     </del>	<del> </del>	<del> </del>	26 94	12 76		+
	Loading of Custom Branded OA Announcement per shelf/NAV	-	+			_	7,000,00	7,000 000	<u> </u>	-	<del> </del>	<del> </del>	20 94	12 / 0		-
		l			1					!	1			1		1
	per OCN		<u></u>				500 00	500 00	L	1	L		26 94	12 76		
Unbra	nding via OLNS for UNEP CLEC	1							1	i						
	Loading of OA per OCN (Regional)						1,200 00	1,200 00		1	1		26 94	12 76		
DIRECTORY A	ASSISTANCE SERVICES		+			<u> </u>	.,200 00	.,200 00	l	1	<del> </del>	<del> </del>		12,0		-
	CTORY ASSISTANCE ACCESS SERVICE		+	<b>-</b>	+	-			-	<del> </del>	+	<b></b>		-		
DIREC			<b>↓</b>							<b>_</b>	ļ					
<u> </u>	Directory Assistance Access Service Calls, Charge Per Call	L	1			0 275				<u> </u>	L	L		L		
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (	DACC)	⊥ ¯													
	Directory Assistance Call Completion Access Service (DACC).					1				T	1					1
	Per Call Attempt		1			0 062			1	ı	1	[		1		ļ
DIRECTORY	ASSISTANCE SERVICES		<del> </del>			0 002			ļ	1	<del></del>	<del></del>		-		
			1						ļ <u></u>	L						
DIREC	CTORY ASSISTANCE DATA BASE SERVICE (DADS)					<u> </u>					L	L		[		
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month		1		DBSOF	150 00				<del>                                     </del>	1	1				
BRANDING	DIRECTORY ASSISTANCE		+		- 10000	130 00	-	<del></del>		<del> </del>	+			<del> </del>		-
		-	ļ	<b> </b>					ļ	<b>!</b>	ļ	ļ				
Facilit	y Based CLEC					L				1						
	Recording and Provisioning of DA Custom Branded	1							l							
I I	Announcement	1	1	AMT	CBADA	t	3,000 00	3,000 00	l	I	1	I	26 94	12 76	1	1

OHDO	INULE	NETWORK ELEMENTS - North Carolina													ment, 2		ıbit. B
CATEG	ORY .	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170 00	1,170 00					26 94	12 76		
	UNEP C				AWIT .	CBADC	-	7,170 00	1,170 00					20 94	12 /6		+
	0,,,,,	Recording of DA Custom Branded Announcement				1	<b>†</b>	3,000 00	3,000 00			<del> </del>		26 94	12 76		+
		Loading of DA Custom Branded Announcement per Switch per					· ·										1
		OCN						1,170 00	1,170 00					26 94	12 76		
		ding via OLNS for UNEP CLEC		ļ			ļ		122.22								<u> </u>
		Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN		-	-			420 00 16 00	420 00 16 00					26 94 26 94	12 76 12 76	-	<b>_</b>
SELEC	TIVE RO			<del> </del>				16 00	16 00			-		20 94	12 / 6	<del></del>	+
OLLLO	1	Selective Routing Per Unique Line Class Code Per Request Per								<del></del>		· · · · · ·		l <del>-</del> · · · · · · · · · · · · · · · · · · ·			+
L		Switch				USRCR		82 25	82 25	14 14	14 14			26 94	12 76		
VIRTU		OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
nuveir		Splitting LOCATION			UEPSR, UEPSB	VE1LS	0 0287	33 96	32 08	36 72	34 84			19 99	19 99		<u> </u>
PHISI		Physical Collocation-2 Wire Cross Connects (Loop) for Line						<u> </u>	. <del></del>								<del> </del>
		Splitting			UEPSR, UEPSB	PE1LS	0 0309	33 53	31 65	36 29	34 41			19 99	19 99		
AIN SÉ		E CARRIER ROUTING			GET GIV, GET GE	1 2 120	0 0000	00 00	. 0100	00 20	04.41			10 00	10 00	-	+
		Regional Service Establishment			SRC	SRCEC		215,597 00									1
		End Office Establishment			SRC	SRCEO		347 27									1
		Query NRC, per guery			SRC		0 0053758										
AIN - B		JTH AIN SMS ACCESS SERVICE															<u> </u>
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294 77									
		inimai Setup			AIN	CAMSE		294 //									+
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86 94									
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86 94									1
		AIN SMS Access Service - User Identification Codes - Per User													-		
		ID Code			A1N	CAMAU		200 83									
		AIN SMS Access Service - Security Card, Per User ID Code,				1											
		Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0 0023	172 05									
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute					0 0023					<del> </del>					
		AIN SMS Access Service - Gession, Fer William Session, Per					00/91			-							+
		Minute				[	2 08									İ	
AIN - B		ITH AIN TOOLKIT SERVICE															1
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		290 05									
		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPVX		8,363 00									<del> </del>
		DN, Term Attempt				BAPTT	1	72 76				1					
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAITI		72.70									+
		DN, Off-Hook Delay				BAPTD	!	72 76								-	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		72 76									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1								1				1	
		DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPTO		149 95				<u> </u>					<del> </del>
		DN, CDP		1		BAPTC		149 95							<u> </u>	1	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1	<del> </del>	DAF IC		149 95				<del> </del>				-	+
	L	DN, Feature Code				BAPTF	i l	149 95							1		
		AIN Toolkit Service - Query Charge, Per Query					0 02										<del>                                     </del>
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query		1			0 005							L			<u> </u>
		AlN Toolkit Service - SCP Storage Charge, Per SMS Access								1					1		
		Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		<b> </b>			1 45								<b></b>	<u> </u>	
		Aug Louisi Service - Monthly report - Per AIN Lookil Service		1	I .	1	1			i I			i .	1	1	1	1

Version 4Q02 12/18/02 Page 285 of 416

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina		1	ī		ı — — — — — — — — — — — — — — — — — — —						<u> </u>	Attachr			bit B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec		Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				<b>1</b>	<b>.</b>		Rec	Nonrec		Nonrecurring					Rates (\$)		
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Subscription			CAM	BAPLS	0 08	47 20									
	+	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIN	DAFES	0.00	47 20				h					-
		Subscription	l		CAM	BAPDS	15 90	71 80			ŀ						
	1	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription	L		CAM	BAPES	0 003	47 20									
ENHA		XTENDED LINK (EELs)	L	L	L												
	NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	ge will not app	ly for EELs pro	ovisioned as ' (	Ordinarily Con	bined' Networ	k Elements.						<u> </u>
<u> </u>		The monthly recurring and the Switch-As-Is Charge and not the Minimum billing is one month for DS1 and below and three m				will apply for	EELS provision	ed as Curren	tly Combined	Network Elem	ents.						<b></b>
		E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				+											<del> </del>
	- 1110	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				1											
1		Combination - Zone 1		1	UNCVX	UEAL2	14 97	142 97	106 56	1	1						
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		ĺ													
		Transport Combination - Zone 2		2	UNCVX	UEAL2	25 93	142 97	106 56								
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed									1						
		Transport Combination - Zone 3		3	UNCVX	UEAL2	40 81	142 97	106 56								
	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		-	UNC1X	1L5XX	0 5753										
	+	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	DNCIX	, LOAA	0 3733										<del></del>
		Termination per month			UNC1X	U1TF1	71 29	217 17	163 75		1			38 07	38 07		
	+	DS1 Channelization System Per Month		<b>†</b>	UNC1X	MQ1	146 69	197 78	140 06			-		38 07	38 07		
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month		1	UNCVX	1D1VG	1 27	13 09	9 38					38 07	38 07		
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1					1										
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14 97	142 97	106 56	<u></u>		ļ .					
		Each Additional 2-Wire VG Loop(SL2) in the same DS1					05.00	440.07	100 50								
		Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	25 93	142 97	106 56			ļ					
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40 81	142 97	106 56			1	1	1			
		Voice Grade CQCI - DS1 to DS0 Channel System combination -		٠-	UNOVX	- 102/122	,,,,,,	11207	100 00							-	
		per month	1		UNCVX	1D1VG	1 27	13 09	9 38					38 07	38 07		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		ļ
	4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	RANSPORT (EEL)							_					<u> </u>
ľ		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	١.,	UNCVX	UEAL4	21 32	288 47	237 45								Ì
	_	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		11	UNCVA	UEAL4	21 32	200 47	237 45	-		<del></del>			_		<del> </del>
		Transport Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45		Ì						
	1	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<del>  -</del>			032.		20. 10								
		Transport Combination - Zone 3		3	UNCVX	UEAL4	56 57	288 47	237 45								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			-										<u> </u>		
		Per Month			UNC1X	1L5XX	0 5753										ļ
	1	Interoffice Transport - Dedicated - DS1 - Facility Termination Per					74.00	0.47.47	400.75						00.07		
<u> </u>		Month Channelization - Channel System DS1 to DS0 combination Per	_	+	UNC1X	U1TF1	71 29	217 17	163 75		<del> </del>	<del> </del>	<del> </del>	38 07	38 07		<del></del>
		Month			UNC1X	MQ1	146 69	197 78	140 06	1	1			38 07	38 07		1
		Voice Grade COCI - DS1 to DS0 Channel System combination -		+	ONCIA	- WiQ1	140 09	197 70	140 00		1			30 07	30 07		
		per month	1		UNCVX	1D1VG	1 27	13 09	9 38	1	1			38 07	38 07		l
		Additional 4-Wire Analog Voice Grade Loop in same DS1		1						1							
L		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21 32	288 47	237 45								
		Additional 4-Wire Analog Voice Grade Loop in same DS1		1 -									1				
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45		ļ	-	<del> </del>				ļ
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	ł	3	UNCVX	UEAL4	56 57	288 47	237 45								
		Voice Grade COCI - DS1 to DS0 Channel System combination -	<del>                                     </del>	+ -	DINGVA	UEAL4	30 37	200 47	23/ 45	<del>                                     </del>	<del> </del>	1	<del> </del>	<del> </del>		<del> </del>	<del> </del>
		per month			UNCVX	1 <b>D1</b> VG	1 27	13 09	9 38	1		1		38 07	38 07		
	1	Nonrecurring Currently Combined Network Elements Switch -As-		†	1	1			- 30	<b></b>	1	1	1	1		1	
1	1	Is Charge	1		UNC1X	UNCCC		21 75	21 75	32 28	10 96	<u> </u>	L	38 07	38 07		
		E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1															

POUNDE	ED NETWORK ELEMENTS - North Carolina	_									·			ment 2		bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonred			Disconnect				Rates (\$)		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	<b>!</b>			+	_	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Transport Combination - Zone 1	İ	1	UNCDX	UDL56	25 32	489 04	337 51		]						
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	<del> </del>	<del>-</del>	UNCDA	IODESO	23 32	403 04	337 31	<del></del>							<del> </del> -
Į.	Transport Combination - Zone 2		2	UNCDX	UDL56	43 11	489 04	337 51							}	İ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3_	UNCDX	UDL56	67 26	489 04	337 51								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	İ		UNC1X	1L5XX	0 5753								ĺ		
_	Interoffice Transport - Dedicated - DS1 - combination Facility	-	<del> </del>	UNCIA	TLSAA -	0 3/33										_
	Termination Per Month		İ	UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		<u> </u>	UNC1X	MQ1	146 69	197 78	140 06					38 07	38 07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)	Ī		LINODY	I DADO	0.00	45.70	44.00								İ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2 00	15 76	11 28					38 07	38 07		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 32	489 04	337 51				'		ì	Ì	Ì
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				1					_			-			
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43 11	489 04	337 51						l	1	ĺ
ł	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				1											
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -	-	- 3	UNCDX	UDL56	67 26	489 04	337 51								
i	combination per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	UITODX	10100		1010	1120					38 07	3007	-	-
	Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07	į	
4-WIF	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL	)											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.22	489 04	007.54								
+	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL64	25 32	489 04	337 51	ļ							
	Transport Combination - Zone 2	ł	2	UNCDX	UDL64	43 11	489 04	337 51								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1						<del></del>	<del></del> -			-			
	Transport Combination - Zone 3		3	UNCDX	UDL64	67 26	489 04	337 51								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINGAY	1.500	0.5750										
	Interoffice Transport - Dedicated - DS1 combination - Facility	_		UNC1X_	1L5XX	0 5753										
	Termination Per Month	l		UNC1X	JU1TF1	71 29	217 17	163 75					38 07	38 07		1
	Channelization - Channel System DS1 to DS0 combination Per						· · · · · · · · · · · · · · · · · · ·									
	Month			UNC1X	MQ1	146 69	197 78	140 06					38 07	38 07		ļ
1	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		1	LINCOV	1,0,00	0.00	45									
+	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	<del></del>	<del> </del>	UNCDX	1D1DD	2 00	15 76	11 28					38 07	38 07		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25 32	489 04	337 51								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	_						55. 01		· · ·						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43 11	489 04	337 51								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		1	LINCDY	T. T.					-						
	OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	67 26	489 04	337 51						ļ		
	combination - per month (2 4-64kbs)	İ		UNCDX	101DD	2 00	15 76	11 28	i				38 07	38 07		
1	Nonrecurring Currently Combined Network Elements Switch -As-				1	2.50		17 20	_,				30 07	30.07		-
4	Is Charge		L	UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TRA	ANSPORT (EEL)												
1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	47.00	7440	404 4-								
1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		'-	UNCIX	USLXX	47 60	714 84	421 47						ļ		
	Transport - Zone 2		2	UNC1X	USLXX	84 36	714 84	421 47								
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice				1											
+	Transport - Zone 3		3	UNC1X	USLXX	134 29	714 84	421 47						L		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				I T											
	Per Month		!	UNC1X	1L5XX	0 5753										I

ONBONDE	D NETWORK ELEMENTS - North Carolina													ment 2		brt B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		L			Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1		1		1		ļ					
	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TRA	ANSPORT (EEL)					<del> </del>		<u> </u>	<del>                                     </del>		-		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	47 60	714 84	421 47			l	İ				
	First DE II and in DC2 Intereffice Transport Combustion, Zone		+-	UNCIX	USLAA	47 60	/14 04	42147			ļ	<u> </u>	<del> </del>			
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84 36	714 84	421 47								
1	First DS1Loop in DS3 Interoffice Transport Combination - Zone		١.		1											
	3		3	UNC1X	USLXX	134 29	714 84	421 47					ļ		1	-
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGOV	41.500	40.00										
	Per Month			UNC3X	1L5XX	12 98							<del> </del>			-
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	U1TF3	720 38	794 94	579 55					38 07	38 07		
	month DS3 to DS1 Channel System combination per month	<del> </del>	-	UNC3X	MQ3	233 10	403 97	234 40				·	38 07	38 07		<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) combination per month	1	ļ —	UNC1X	UC1D1	16 07	13 09	9 38	1				38 07	38 07		<del> </del>
	Additional DS1Loop in DS3 Interoffice Transport Combination -	<del> </del>		UNCIX	OCIDI	10 07	13 03	9 30	<del> </del>				3007	30 07		<del> </del>
	Zone 1	1	١,	UNC1X	USLXX	47 60	714 84	421 47	1							ł
	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	+ '-	UNCIA	USEAX	47 00	71404	72177	+ +					<del> </del>		<del>                                     </del>
	Zone 2		2	UNC1X	USLXX	84 36	714 84	421 47								
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1 .	İ					1 1		ļ			1		
	Zone 3		3	UNC1X	USLXX	134 29 16 07	714 84 13 09	421 47 9 38					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UC1D1	16 07	13 09	9 30			1		38 07	36 07		
1	Is Charge			UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
2 14/10	IN Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TERNER	ICE TO		UNCCC		2173	2173	32 20	10 30	<del></del>		30.07	30 01	-	<del> </del>
2-4411	2-WireVG Loop used with 2-wire VG Interoffice Transport	I	IGE II	L		_		·			·					1
	Combination - Zone 1	1	1	UNCVX	UEAL2	14 97	142 97	106 56								
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	<del></del> -	51151X	02/12						<del> </del>					
	Combination - Zone 2		2	UNCVX	UEAL2	25 93	142 97	106 56						1		
	2-WireVG Loop used with 2-wire VG Interoffice Transport	-												i	_	
	Combination - Zone 3		3	UNCVX	UEAL2	40 81	142 97	106 56						1		
<del></del>	Interoffice Transport - Dedicated - 2-wire VG combination - Per									•	i	1		1		
l l	Mile Per Month			UNCVX	1L5XX	0 0282					1					L
	Interoffice Transport - Dedicated - 2- Wire Voice Grade														İ	
	combination - Facility Termination per month	l		UNCVX	U1TV2	18 00	137 48	52 58					38 07	38 07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-					,										1
	Is Charge	<u> </u>	L	UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE T	RANSPORT (EEL)										<u>i                                     </u>		
	4-WireVG Loop used with 4-wire VG Interoffice Transport	1									ļ	1				
	Combination - Zone 1		1_1_	UNCVX	UEAL4	21 32	288 47	237 45				ļ	ļ	ļ		+
	4-WireVG Loop used with 4-wire VG Interoffice Transport			1,0,0,0,		20.07	000 47	207.45					1		Ì	
	Combination - Zone 2		2	UNCVX	UEAL4	36 27	288 47	237 45	-		ļ			<u> </u>	<b> </b>	+
l i	4-WireVG Loop used with 4-wire VG Interoffice Transport		1		115 41 4	56 57	288 47	237 45						ļ.		
$\vdash$	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	30 37	266 47	237 45	4-		+	-	<del></del>	<del> </del>		
	Mile Per Month			UNCVX	1L5XX	0 0282						1		1		
	Interoffice Transport - Dedicated - 4- Wire Voice Grade	+	+	DINCVA	16377	0 0202			1			<del> </del>				<del></del>
	combination - Facility Termination per month			UNCVX	U1TV4	22 16	106 11	65 95			1	1	38 07	38 07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-	_	+	ONCVA	011144	22 10	100 11	- 00 00			1		-			t
	Is Charge	1		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
กรรก	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR		311000		2.70		1 22 20		<u> </u>	<u> </u>			1	
	High Capacity Unbundled Local Loop - DS3 combination - Per	<del></del>	T	1,,	-			-			<del>                                     </del>		1	1	1	
	Mile per month		1	UNC3X	1L5ND	13 33									1	
<del></del>	High Capacity Unbundled Local Loop - DS3 combination -	<del> </del>	1	<del></del>					1			1				T
	Facility Termination per month		1	UNC3X	UE3PX	450 69	1,071 00	646 12	1			İ	38 07	38 07		
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month	+	1	UNC3X	1L5XX	12 98					T					

בט מב	TWORK ELEMENTS - North Carolina										I			ment 2		oit B
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Suhmitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	office Transport - Dedicated - DS3 combination - Facility				<b></b> _	[									İ	
	ination per per month		<b></b>	UNC3X	U1TF3	720 38	794 94	579 55					38 07	38 07		
Is Cha	recurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC	;	21 75	21 75	32 28	10 96			38 07	38 07		
	AL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	L FICE TE	ANSP		DIVICEO		2173	2175	32 20	10 30	<del> </del>	<del>-</del>	. 36 U/	36 07		
	Capacity Unbundled Local Loop - STS1 combination - Per		1	1							<del>                                     </del>					
	per month		1	UNCSX	1L5ND	13 33		•								
High (	Capacity Unbundled Local Loop - STS1 combination -										1					
Facilit	lity Termination per month			UNCSX	UDLS1	464 26	1,071 00	646 12					38 07	38 07		
	office Transport - Dedicated - STS1 combination - Per Mile		1	T												
per m			l	UNCSX	1L5XX	6 14										
	office Transport - Dedicated - STS1 combination - Facility		i	1							1					•
	nination per month	<u></u>	<b> </b>	UNCSX	U1TFS	790 37	642 23	408 89					38 07	38 07		
	ecurring Currently Combined Network Elements Switch -As-		1			•	a	a. ==			1					
ls Cha		T (551		UNCSX	UNCCC		21 75	21 75	32 28	10 96	1		38 07	38 07		
	N EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR 2-Wire ISDN Loop in a DS1 Interoffice Combination	(I (EEL	1	-							-			-		
	sport - Zone 1		1	UNCNX	U1L2X	19 42	325 91	251 31			1					
	2-Wire ISDN Loop in a DS1 Interoffice Combination		+ '-	DIVERN	UILZA	10 42	323 31	23131			<del> </del>					
	sport - Zone 2		2	UNCNX	U1L2X	32 88	325 91	251 31			1					
	2-Wire ISDN Loop in a DS1 Interoffice Combination		+	UNCHA	UILEX	52.00	323 31	20101			+					
	sport - Zone 3		3	UNCNX	U1L2X	51 14	325 91	251 31			1					
	office Transport - Dedicated - DS1 combination - Per Mile		1	UNC1X	1L5XX	0 5753										
	office Transport - Dedicated - DS1 combintion - Facility															
	nination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07	l	
Chanr	nnelization - Channel System DS1 to DS0 combination -									•						
рег т				UNC1X	MQ1	146 69	197 78	140 06					38 07	38 07		
2-wire	re ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	bination - per month			UNCNX	UC1CA	3 59	15 76	11 28			ļ		38 07	38 07		
	tional 2-wire ISDN Loop in same DS1Interoffice Transport		l .		1											
	bination - Zone 1		1	UNCNX	U1L2X	19 42	325 91	251 31			ļ					
	tional 2-wire ISDN Loop in same DS1Interoffice Transport	}	1 2	LINCHY	LIII av	32 88	225.04	251.21						l		
	bination - Zone 2 tional 2-wire ISDN Loop in same DS1Interoffice Transport	-	-	UNCNX	U1L2X	34 60	325 91	251 31			-	ļ	<del></del>			
	Ibination - Zone 3	]	3	UNCNX	U1L2X	51 14	325 91	251 31				[				
	re ISDN COCI (BRITE) - DS1 to DS0 Channel System	-	۲	ONCIVA	O ILEX	51 17	320 01	20101			···			_		
	bintaion- per month		1	UNCNX	UC1CA	3 59	15 76	11 28					38 07	38 07		
	recurring Currently Combined Network Elements Switch -As-		<b>—</b> —									-				
Is Cha	narge			UNC1X	UNCCC	l i	21 75	21 75	32 28	10 96		į	38 07	38 07		
	DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)	]											
	DS1 Loop in STS1 Interoffice Transport Combination -								·		1					
Zone			1	UNC1X	USLXX	47 60	714 84	421 47			l				L	
	DS1 Loop in STS1 Interoffice Transport Combination -		_	I	<b>.</b>											
Zone		ļ	2	UNC1X	USLXX	84 36	714 84	421 47			ļ		<b> </b>			
	DS1 Loop in STS1 Interoffice Transport Combination -		1	LINIOAV	LIGUAGE	134 29	714 84	404 47					1		1	
Zone	e 3 roffice Transport - Dedicated - STS1 combination - Per Mile	-	3	UNC1X	USLXX	134 29	/14 84	421 47						<b>-</b>	<del> </del>	<b> </b>
Per M				UNCSX	1L5XX	6 14							1	1		1
	office Transport - Dedicated - STS1 combination - Facility	ļ	+	DINCOA	ILOAA	0 14			-					<del>                                     </del>	<del> </del>	<del>                                     </del>
	nination		1	UNCSX	U1TFS	790 37	642 23	408 89					38 07	38 07		
	1 to DS1 Channel System conbination per month	<b>†</b>	1	UNCSX	MQ3	233 10	403 97	234 40			<del> </del>		38 07	38 07		T -
	Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38			<u> </u>		38 07	38 07		
	tional DS1Loop in STS1 Interoffice Transport Combination -			T										1		
Zone			1	UNC1X	USLXX	47 60	714 84	421 47						1		
Addıtı	tional DS1Loop in STS1 Interoffice Transport Combination -											-				
Zone		L	2	UNC1X	USLXX	84 36	714 84	421 47							1	
	tional DS1Loop in STS1 Interoffice Transport Combination -											1	l		1	
Zone			3								1		ļ <u></u>			ļ
Zone Additi Zone	e 2 tional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X UNC1X UNC1X	USLXX USLXX UC1D1	84 36 134 29 16 07	714 84 714 84 13 09	421 47 421 47 9 38					38 07	38 07		

Version 4Q02 12/18/02 Page 289 of 416

	D NETWORK ELEMENTS - North Carolina										-		Attachr	nent 2	Exhil	oit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incrementa Charge -
			<u> </u>	·		Rec	Nonred First	arring Add'l	Nonrecurring		001150	0011411		Rates (\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-		1				First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Is Charge		1	UNCSX	UNCCC	1	21 75	21 75	32 28	10 96	i		38 07	38 07		
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE	TRANS		511000		2113	2175	32 20	10 30			30 07	38 07		
1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	1	1												
	Combination - Zone 1		1	UNCDX	UDL56	25 32	489 04	337 51					į			
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												-			
	Combination - Zone 2		2	UNCDX	UDL56	43 11	489 04	337 51								
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	i				7-1										
	Combination - Zone 3		3	UNCDX	UDL56	67 26	489 04	337 51	1							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				- 1											
	Facility Termination		<del> </del>	UNCDX	U1TD5	17 40	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge										1					
4 WIDI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FEIGE	FDANC	UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
4-1711/1	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	IKANS	PORT (EEL)	-											
1	Combination - Zone 1		1	UNCDX	UDL64	25 32	489 04 :	227.54								
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		+ '	DINCUX	UDL04	20 32	469 04	337 51								
	Combination - Zone 2		2	UNCDX	UDL64	43 11	489 04	337 51								
-	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	<del>                                     </del>	<del> </del>	ONCOX	UDE04	43 11	409 04	337 31	ļ i							
	Combination - Zone 3		3	UNCDX	UDL64	67 26	489 04	337 51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		+ů	STACE A	IODE04	07 20	403 04	337 31							_	
	Per Mile		1	UNCDX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		<del> </del>	D. TODA	TEBROT	0 0202	•									
	Facility Termination		1	UNCDX	U1TD6	17 40	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-						. , , , , ,	02.00					30 01	30 07		
	Is Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	NETWORK ELEMENTS													00 01		
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	o not apply, but a	Switch As Is cl	harge does app	ly.									
When	used as ordinarily combined network elements in All States, the	ne non-	recurri	ing charges apply	and the Switch	As Is Charge d	loes not.									
Nonred	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each co	mbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	ļ														
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-								1							
<u></u>	Is Charge - 56/64 kbps			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			LINOAV	LINGOO		04.76									
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-		+	UNC1X	UNCCC		21 75	21 75	32 28	10 96	<b></b>		38 07	38 07		
	Is Charge - DS3			UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-		+	5/105X	- 1014000		2175	21/5	32 28	10 96			38 07	38 07		
	Is Charge - STS1			UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
NOTE:	Local Channel - Dedicated Transport - minimum billing period	l - Belo	w DS3			r months	2170	2175	32 20				36 07	36 07		
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2	11 24	553 80	89 69	<del>                                     </del>							
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2	_	2	UNCVX	ULDV2	19 91	553 80	89 69					-			
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNCVX	ULDV2	31 70	553 80	89 69							-	
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	12 03	562 23	92 67						-		-
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	21 33	562 23	92 67							-	
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNCVX	ULDV4	33 95	562 23	92 67		_	-					
			1	UNC1X	ULDF1	27 05	534 48	462 69						•		
	Local Channel - Dedicated - DS1 per month Zone 1							100.00			1					
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	47 94	534 48	462 69								
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X UNC1X	ULDF1 ULDF1	76 32	534 48 534 48	462 69 462 69								
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1-Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		2	UNC1X UNC1X UNC3X	ULDF1 ULDF1 1L5NC	76 32 0 9954	534 48	462 69								
	Local Channel - Dedicated - DS1 Per Month Zone 2 Local Channel - Dedicated - DS1 - Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination		2	UNC1X UNC1X UNC3X UNC3X	ULDF1 ULDF1 1L5NC ULDF3	76 32 0 9954 298 92										
	Local Channel - Dedicated - DS1 Per Month Zone 2 Local Channel - Dedicated - DS1 - Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month		2	UNC1X UNC1X UNC3X UNC3X UNC3X	ULDF1 ULDF1 1L5NC ULDF3 1L5NC	76 32 0 9954 298 92 0 9954	534 48 562 25	462 69 527 88								
	Local Channel - Dedicated - DS1 Per Month Zone 2 Local Channel - Dedicated - DS1 - Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination		2	UNC1X UNC1X UNC3X UNC3X	ULDF1 ULDF1 1L5NC ULDF3	76 32 0 9954 298 92	534 48	462 69								
	Local Channel - Dedicated - DS1 Per Month Zone 2 Local Channel - Dedicated - DS1 - Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month		2	UNC1X UNC1X UNC3X UNC3X UNC3X	ULDF1 ULDF1 1L5NC ULDF3 1L5NC	76 32 0 9954 298 92 0 9954	534 48 562 25	462 69 527 88								

INBUNDLED	NETWORK ELEMENTS - North Carolina							_			T=		ment. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
					-	Rec	Nonrect		Nonrecurring Discon		1		Rates (\$)	0011411	SOMAN
						Nec .	First	Add'l	First Ad	II SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
NOTE: m	unimum billing period is three months for DS3 to DS1 and a	bove Cl	hannel	System and inter	faces						+	24 85	8 16		<del></del>
- Ic	Channelization - DS1 to DS0 Channel System	1	L	UXTD1	MQ1	146 69	197 78	140 06			<del></del>	24 85	8 10		
] m	DCU-DP COCI (data) - DS1 to DS0 Channel System - per nonth (2 4-64kbs)			UDL.	1D1DD	2 00	13 09	9 38			<u> </u>	24 85	8 16	-	
	P-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3 59	13 09	9 38				24 85	8 16		
- IV	loice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 27	13 09	9 38				24 85	8 16		<del></del>
	DS3 to DS1 Channel System per month		T.	UXTD3	MQ3	233 10	403 97	234 40				24 78 38 07	7 42 38 07		
Is	STS1 to DS1 Channel System per month			UXTS1	MQ3	233 10	403 97	234 40					8 16		+
	DS3 Interface Unit (DS1 COCI) used with Loop per month			ÜSL	UC1D1	16 07	13 09	9 38				24 85	8 16		<del></del>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	16 07	13 09	9 38				24 85	8 16		
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	16 07	13 09	9 38				24 85	8 16		
	pp Feeder		1												<u> </u>
Jab-200	John John John John John John John John		sw	UNC1X	USBFG								L		<del></del>
	John Miles Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			UNC1X	USBFG	35 65	393 01	153 37							
	Jubundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	63 18	393 01	153 37							
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	-		UNC1X	USBFG	100 58	393 01	153 37						İ	
	John John John John John John John John			UNC1X	USBFG										
BUNDI ED LO	DCAL EXCHANGE SWITCHING(PORTS)		<del> </del>	***************************************		· <del>-</del>									
Evehana	no Ports	-	<b>—</b> —	·	-							1	]		
NOTE: A	Although the Port Rate includes all available features in GA,	KY. LA	& TN. 1	he desired featur	es will need to b	e ordered usin	g retail USOCs								
2-WIRE	VOICE GRADE LINE PORT RATES (RES)	1	T,				-								
2-11112	Exchange Ports - 2-Wire Analog Line Port- Res	<b>-</b>	<u> </u>	UEPSR	UEPRL	2 19	21 60	21 60	-			26 94	12 76		<u> </u>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 19	21 60	21 60				26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 19	21 60	21 60				26 94	12 76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1	+	CLIGIT	BETTIO						1			1	I
l lv	with Caller ID (LUM)		-	UEPSR	UEPAP	2 19	21 60	21 60				26 94	12 76		┼
	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPRT	2 19	21 60	21 60				26 94	12 76	i	l.
	Capability Subsequent Activity	<del>                                     </del>	<del> </del>	UEPSR	USASC	0 00	0 00	0 00				26 94	12 76	1	
FEATUR		-	<del> </del>	TOLI GIV	00/100									1	T
	All Available Vertical Features	+	<del>                                     </del>	UEPSR	UEPVF	3 40	0 00	0.00				26 94	12 76		
2 WIDE	VOICE GRADE LINE PORT RATES (BUS)	_		OCI OIX	V=:				<del>                                     </del>		-				
E	Bus			UEPSB	UEPBL	2 19	21 60	21 60				26 94	12 76		
	Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	2 19	21 60	21 60				26 94	12 76		
		<u> </u>	+-	UEPSB	UEPBO	2 19	21 60	21 60				26 94	12 76	· ·	
E	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exhange Ports - 2-Wire VG unbundled incoming only port with		<del> </del>	UEPSB	UEPB1	2 19	21 60	21 60			1	26 94	12 76		
- 1	Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID		+	UEPSB	UEPBE	2 19	21 60	21 60				26 94	12 76		
	Capability	1		UEPSB	USASC	0 00	0 00	0 00	<del> </del>		<del> </del>	1 2001	1		
	Subsequent Activity	ļ	+	UEFSB	USASC	0.00	0 00	000							_
FEATUR		+		UEPSB .	UEPVE	3 40	0 00	0.00	· · · · · · · · · · · · · · · · · · ·			26 94	12 76		
	All Available Vertical Features	+	+	ULFOR	OEF VI	- 540	- 5 00	3 00	<del>                                     </del>				1		1
	NGE PORT RATES (DID & PBX)	+-	+	UEPSE	UEPRD	2 18	21 60	21 60	···			26 94	12 76		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	+		UEPSE	UEPPC	2 18	21 60	21 60	<del>                                     </del>			26 94			$\top$
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	+	+	UEPSP	UEPPO	2 18	21 60	21 60	<del> </del>			26 94			T
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus				UEPP0	2 18	21 60	21 60	<del> </del>			26 94			
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<del> </del>	+	UEPSP			21 60	21 60	<del>   </del>			26 94			
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	2 18		21 60	<del> </del>		<del> </del>	26 94			1
	2-Wire Voice Unbundled PBX LD Terminal Ports	1	+	UEPSP	UEPLD	2 18	21 60					26 94			1
	2-Wire Vice Unbundled 2-Way PBX Usage Port	1		UEPSP	UEPXA	2 18	21 60	21 60			+	26 94			+
1 7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	- 1	UEPSP	UEPXB	2 18	21 60	21 60	<u> </u>				1210	<del></del>	

JNBUNDLF	ED NETWORK ELEMENTS - North Carolina													ment 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonreci	urring	Nonrecurring	Disconnect				Rates (\$)		
-		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1											i		
	Capable Port	ĺ		UEPSP	UEPXE	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
ļ	Administrative Calling Port			UEPSP	UEPXL	2 18	21 60	21 60					26 94	12 76	ļ	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											] .			i	
i i	Room Calling Port		1	UEPSP	UEPXM	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		T	UEPSP	UEPXS	2 18	21 60	21 60					26 94	12 76		
	Subsequent Activity		T	UEPSP	USASC	0 00	0 00	0 00					26 94	12 76		
FEAT	URES													<u> </u>		
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3 40	0 00	0 00					26 94	12 76		
EXCH	IANGE PORT RATES (COIN)		i									ļ				
	Exchange Ports - Coin Port		1			2 59	21 60	21 60			l	<u></u>	26 94	12 76		
NOTE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to	circuit switche	d voice and/or	circuit switche	d data transn	ussion by B-Cha	annels associ	ated with 2	-wir- ISDN p	orts			
NOTE	Access to B Channel or D Channel Packet capabilities will b	e availa	ble onl	y through BFR/Nev	v Business Re	quest Process.	Rates for the	packet capabi	lities will be det	ermined via t	he Bona Fi	de R∘quest/l	New Busines	s Request Pro	cess.	
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)		1	T												
EXCH	IANGE PORT RATES		T		1											
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12 36	81 84	81 84					26 94	12 76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		1			ľ										1
	capability	1		UEPDD	UEPDD	123 65	116 59	69 92					26 94	12 76		l
	Exchange Ports - 2-Wire ISDN Port (See Notes below )	1		UEPTX UEPSX	U1PMA	24 50	62 29	62 29	1			[	55 30	55 30		1
-	All Features Offered			UEPTX UEPSX	UEPVF	3 40	0 00	0 00								
NOTE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to	circuit switche	d voice and/or	circuit switche	d data transn	nission by B-Cha	annels associ	ated with 2	-wirn ISDN p	orts.			
NOTE	. Access to B Channel or D Channel Packet capabilities will b	e availa	ble onl	y through BFR/Nev	v Business Re	quest Process	Rates for the	packet capabi	lities will be det	ermined via t	he Bona Fi	e Request/	New Busines	s Request Pro	cess	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles		T	UEPTX UEPSX	U1UMA	0.00	0.00	0 00								
	Exchange Ports - 4-Wire ISDN DS1 Port	1	1	UEPEX	UEPEX	179 75	241 63	241 63					53 89	53 89		
UNBL	INDLED PORT with REMOTE CALL FORWARDING CAPABILIT	Ý	1		·				T					[ ]		
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				<del>-</del> -											
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<b>—</b>	UEPVR	UERAC	2 19	21 60	21 60			-		26 94	12 76		Ϊ
		1	$\vdash$											1		
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2 19	21 60	21 60				ļ	26 94	12 76		
	Unbundled Remote Call Forwarding Service, InterLATA - Res	1	1	UEPVR	UERTE	2 19	21 60	21 60				l	26 94	12 76		
-	Unbundled Remote Call Forwarding Service, IntraLATA - Res		+	UEPVR	UERTR	2 19	21 60	21 60					26 94	12 76		
Non-f	Recurring										T					
	Unbundled Remote Call Forwarding Service - Conversion -															
. [	Switch-as-is			UEPVR	USAC2		2 77	0.40					26 94	12 76		
	Unbundled Remote Call Forwarding Service - Conversion with	+	1						+							T
.	allowed change (PIC and LPIC)			UEPVR	USACC	1	2 77	0 40	i l			1				
LINE	UNDLED REMOTE CALL FORWARDING - Bus	1	+	1001 411					<u> </u>			1				1
CITE	SKEED KEMOTE GALLT GIVITARDING - BES		+	<del> </del>	1						·	<del> </del>	1			
j	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2 19	21 60	21 60					26 94	12 76		
	Official Remote Gail Forwarding Gervice, Area Gailing - Bas		+	021 40	0,000	2.0	2.00	2.00	<del> </del>		<del>                                     </del>				† · ·	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2 19	21 60	21 60	1				26 94	12 76		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<del>'\</del>		UEPVB	UERTE	2 19	21 60	21 60				<del>                                       </del>	26 94	12 76		<del> </del>
	Unbundled Remote Call Forwarding Service, IntelEATA - Bus	1	+	UEPVB	UERTR	2 19	21 60	21 60			·		26 94	12 76		
	Unbundled Remote Call Forwarding Service, IntraCATA - Bos	+	+	OLFVD	OLIVIN	2 13	2100	2100			<del> </del>				1	1
1 -	Exception Local Calling	1	1	UEPVB	UERVJ	2 19	21 60	21 60			1	1	26 94	12 76		1
_	revespoor cocar canny			OCT YD	100,000	1 4 10	2100	21 00	<del>                                     </del>		<del>                                     </del>		1 23 37	1		<del>                                     </del>
Nor f	Pocurring								. 1			1				1
Non-f	Recurring		+						1				·	<del> </del>		
Non-I	Unbundled Remote Call Forwarding Service - Conversion -			LIED\/B	LISAC?		2 77	0.40					26 94	12 76		
Non-I	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2 77	0 40					26 94	12 76	-	
Non-I	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with												26 94	12 76		
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB UEPVB	USAC2 USACC		2 77 2 77	0 40 0 40					26 94	12 76		
UNBUNDLED	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DIOCAL SWITCHING, PORT USAGE												26 94	12 76		
UNBUNDLED	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)					0.0015							26 94	12 76		

Page 292 of 416

ONDONDLE	NETWORK ELEMENTS - North Carolina													ment 2		oit B
											Svc Order Submitted Elec	Suhmitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Increment Charge - Manual Sy
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs Electronic
													1st	Add'i	Disc 1st	Disc Add'
						Rec	Nonre			g Disconnect				Rates (\$)		
	Contains (Booth)	<b>!</b>					First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switching (Port Usage) (Local or Access Tandem)	<b>!</b>				0.0006	ļ									
	Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU	<b>!</b>				0 0006				ļ	-					
	on Transport	<b>-</b>				0 0003				<del> </del>						
	Common Transport - Per Mile, Per MOU	<del>                                     </del>				0.00001					<del> </del>					
	Common Transport - Facilities Termination Per MOU		-			0 00034	ļ			<del> </del>	<del> </del>					
	ORT/LOOP COMBINATIONS - COST BASED RATES	i –				0 00004				<del> </del>						
	ased Rates are applied where BellSouth is required by FCC ar	ıd/or St	ate Cor	nmission rule to pre	ovide Unbun	dled Local Swi	tching or Swit	ch Ports		1						
	s shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate E	xhibit					
	ice and Tandem Switching Usage and Common Transport Us											Port/Loop	Combination	ns		
	t and additional Port nonrecurring charges apply to Not Curr															
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				T											
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		1	13 03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21 33										
	2-Wire VG Loop/Port Combo - Zone 3		3			32 61					I					
	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		_	UEPRX	UEPLX	10 75										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	19 05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30 33										
	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 28	79 59	63 97		1			40 18	9 45		<u></u>
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 28	79 59	63 97					40 18	9 45		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 28	79 59	63 97					40 18	9 45		
	2-Wire voice unbundles res, low usage line port with Caller ID	1														
	(LUM)			UEPRX	UEPAP	2 28	79 59	63 97					40 18	9 45		
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
FEATUR	Capability			UEPRX	UEPRT	2 28	79 59	63 97		<del> </del>			40 18	9 45		
	All Features Offered			UEPRX	UEPVF	3 40	0.00	0.00		<del> </del>	<b>_</b>		40 18	9 45		
	NUMBER PORTABILITY	-	-	UEPRA	UEPVF	3 40	0.00	0.00		-			40 18	9 45		
	Local Number Portability (1 per port)	<u> </u>	1	UEPRX	LNPCX	0 35				1						
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFRA	LINE CX	0 33				<del></del>						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	1		<del>                                     </del>	-	<b>-</b>									
	Switch-as-is		}	UEPRX	USAC2		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OCI TOX	OUNUE	<del> </del>	<del></del>	0 70		<del> </del>	ļ		70 10	5 45		
	Switch with change			UEPRX	USACC		2 77	0 40			1		40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	JE: TIK	100,100	<del> </del>								0.10		· · · ·
	Subsequent Database Update						1 42						10 27		[	
	ONAL NRCs			• • • • • • • • • • • • • • • • • • • •						<u> </u>	1					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													
	Activity			UEPRX	USAS2	0 00	0.00	0.00			1		40 18	9 45		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)										·					
	ort/Loop Combination Rates									l	I					
	2-Wire VG Loop/Port Combo - Zone 1		1			13 03								l		
	2-Wire VG Loop/Port Combo - Zone 2		2			21 33										
	2-Wire VG Loop/Port Combo - Zone 3		3		ļ	32 61										
	op Rates	<b> </b>	ļ		L	ļ					L					
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	10 75					ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	19 05				-	ļ			ļ		
	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	30 33	<b></b>			<b> </b>	ļ			ļ	ļ	
				HEDDY	LIEBBI	0.00				ļ			10.10	0.45		
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 28	79 59	63 97	ļ <del></del>	<del> </del>	ļ		40 18	9 45		ļ
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 28	79 59	63 97					40 18	9 45	<b> </b>	
	2-Wire voice unbundled port outgoing only - bus	ļ	<b> </b>	UEPBX	UEPBO	2 28	79 59	63 97		<del></del>			40 18	9 45	ļ	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		<del>                                     </del>	UEPBX	UPEB1	2 28	79 59	63 97					40 18	9 45		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability		1	HEDDY			70			1	1		40.5		i	1
	1 apapung	i	1	UEPBX	UEPBE	2 28	79 59	63 97	1	1	1		40 18	9 45	1	1

Version 4Q02 12/18/02 Page 293 of 416

JNBUNDLED NETW	VORK ELEMENTS - North Carolina													nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	ımber Portability (1 per port)		L	UEPBX	LNPCX	0.35					-		ļ			
FEATURES						2.12	0.00	0 00			ļ. ——		40 18	9 45		
All Featu	ures Offered			UEPBX	UEPVF	3 40	0.00	0 00	****		<del> </del>		40 10	345	-	<del>                                     </del>
NONRECURRIN	G CHARGES (NRCs) - CURRENTLY COMBINED										-			_		
Switch-a				UEPBX	USAC2		2 77	0 40					40 18	9 45		ļ
	/oice Grade Loop / Line Port Combination - Conversion - vith change			UEPBX	USACC		2 77	0 40					40 18	9 45		
	/oice Grade Loop / Line Port Combination - Conversion - uent Database Update						1 42						10 27			ļ
ADDITIONAL NE	RCs													<del> </del>	-	<del></del>
2-Wire V	/oice Grade Loop/Line Port Combination - Subsequent															
Activity				UEPBX	USAS2		0 00	0 00			<del>                                     </del>		40 18	9 45	-	+
	GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)									-			-			+
	Combination Rates									+	-		<del> </del>	<del>-</del>	<del> </del>	+
	/G Loop/Port Combo - Zone 1	1	1			13 03				+	<del>├</del>			-	<del> </del>	+
	/G Loop/Port Combo - Zone 2		2			21 33 32 61				-	<del> </del>		_	1		+
	/G Loop/Port Combo - Zone 3		3		_	32 61				+ -	<del> </del>		<del>                                     </del>	<del>                                     </del>		<b>—</b>
UNE Loop Rate			_	UEPRG	TIEPLX	10.75					1	ŧ				1
	/oice Grade Loop (SL 1) - Zone 1	-	2	UEPRG	UEPLX	19 05				-	1			_		+
	/oice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	30 33					+				_	t
	/orce Grade Loop (SL 1) - Zone 3	<del> </del>	3	UEFRG	- OLFLA	30 33										
	rade Line Port Rates (RES - PBX) /G Unbundled Combination 2-Way PBX Trunk Port -	<del> </del>	1						-							
	/G Unbundled Combination 2-way PBX Iffulk Poll -			UEPRG	UEPRD	2 28	164 57	128 16		1			40 18	9 45		
Res	R PORTABILITY	-	1	OLF NO	OLITO		10.107									
	umber Portability (1 per port)		1	UEPRG	LNPCP	3 15	0 00	0 00			1					
FEATURES	amber Cortainty (1 per pert)		<del>                                     </del>				-								İ	
	ures Offered		1	UEPRG	UEPVF	3 40	0.00	0 00					40 18	9 45		
NONRECURRIN	IG CHARGES (NRCs) - CURRENTLY COMBINED		1		-											<u> </u>
2-Wire V	Voice Grade Loop/ Line Port Combination (PBX) - sion - Switch-As-Is			UEPRG	USAC2		2 77	0.40					40 18	9 45		
	Voice Grade Loop/ Line Port Combination (PBX) -	1	+	OEI NO	50,102											
	sion - Switch with Change			UEPRG	USACC		2 77	0 40					40 18	9 45		
2-Wire V	Voice Grade Loop / Line Port Combination - Conversion -	1	†		-											
Subseni	uent Database Update			Į.			1 42				ŀ		10 27			
ADDITIONAL N																<del></del>
	Voice Grade Loop/ Line Port Combination (PBX) - uent Activity			UEPRG	USAS2	0 00	0 00	0.00					40 18	9 45		
2-WIRE VOICE	GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										ļ <u>.</u>		ļ	<b>_</b>	<del> </del>	+
UNE Port/Loop	Combination Rates												ļ	<del></del>	ļ	4
	VG Loop/Port Combo - Zone 1	I	1			13 03						<b>└</b>			<u> </u>	+
	VG Loop/Port Combo - Zone 2		2			21 33					_		+	<del> </del>	<del>  -</del>	+
	VG Loop/Port Combo - Zone 3	ļ	3		1	32 61				<del>-</del>	-	1	+	<del>                                     </del>		+
UNE Loop Rate		1	<del> </del>	UEDDY	- LIEDLY	10 75		-	-	+			1	+	<del> </del>	+
	Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	10 /5			+	-	+	<del> </del>	<del> </del>			
	Voice Grade Loop (SL 1) - Zone 2	1	3	UEPPX	UEPLX	30 33				+	+	<del>                                     </del>	-	+	1	+
	Voice Grade Loop (SL 1) - Zone 3 rade Line Port Rates (BUS - PBX)	1	+-3-	UEPPA	UEFLA	30 33			· · · · · · · · · · · · · · · · · · ·	+	+	<del>                                     </del>	+	1		
z-wire voice G	irade Line Fort Rates (DU3 - FDA)	1		<del> </del>				· · · · · · · · · · · · · · · · · · ·	1		<b>+</b>				T	T
1,000 8:4	de Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	2 28	164 57	128 16			1		40 18	9 45		
	de Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO	2 28	164 57	128 16					40 18			
	de Unbundled Incoming PBX Trunk Port - Bus	<del> </del>	+	UEPPX	UEPP1	2 28	164 57	128 16	1	1		L	40 18			
	Voice Unbundled PBX LD Terminal Ports	1	+	UÉPPX	UEPLD	2 28	164 57	128 16			1		40 18			
	Voice Unbundled 2-Way Combination PBX Usage Port	1	+	UEPPX	UEPXA	2 28	164 57	128 16		1			40 18			
	Voice Unbundled PBX Toll Terminal Hotel Ports	1	+	UEPPX	UEPXB	2 28	164 57	128 16					40 18			<del></del>
	Voice Unbundled PBX LD DDD Terminals Port	1	+	UEPPX	UEPXC	2 28	164 57	128 16					40 18			
	Voice Unbundled PBX LD Terminal Switchboard Port	1	+	UEPPX	UEPXD	2 28	164 57	128 16				1	40 18	9 45	1	1

								•			1					bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge - Manual Si Order vs
						Rec	Nonrec		Nonrecurring		201150	005001		Rates (\$)		001141
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		ļ				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPPX	UEPXE	2 28	164 57	128 16			Ì		40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFFA	OLF AL	2 20	104 37	120 10			<b>+</b>		40 10	3 43		+
	Administrative Calling Port			UEPPX	UEPXL	2 28	164 57	128 16					40 18	9 45		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							-								
	Room Calling Port			UEPPX	UEPXM	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital										l .			i		
	Discount Room Calling Port			UEPPX	UEPXO	2 28	164 57	128 16					40 18	9 45		
<del></del>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 28	164 57	128 16			+		40 18	9 45		-
LOCA	L NUMBER PORTABILITY		-	UEPPX	LNPCP	3 15	0.00	0 00					40 18	9 45	<del> </del>	+
FEATU	Local Number Portability (1 per port)		-	ULFFA	LIVEUP	3 13	0.00	0.00	-	-	1		40 10	945		<del> </del>
FEAT	All Features Offered			UEPPX	UEPVF	3 40	0 00	0 00		<del>                                     </del>	+		40 18	9 45	<del> </del>	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del> </del>	2=110	JC. VI	0.40	0.00	0.00	1	<u> </u>	<del> </del>		10.10	1		<del>                                     </del>
1.544	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<b></b>						-							
	Conversion - Switch-As-Is			UEPPX	USAC2		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		2 77	0 40					40 18	9 4 5		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					ļ								1		
	Subsequent Database Update						1 42						10 27			
ADDIT	TIONAL NRCs										1				-	+
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0 00			i		40 18	9 45		
2 14/16	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	ļ		DEPPA	USASZ	0.00	0.00	0 00			-		40 10	3 43		<del></del>
	Port/Loop Combination Rates	<del>``</del>								-	<del>                                     </del>					
- 101121	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13 03									<del> </del>	
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			21 33										
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			32 61							*			
UNE L	.oop Rates		į.													
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10 75										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19 05					1					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30 33					<u> </u>				ļ	+
2-Wire	Voice Grade Line Ports (COIN)		1								-				<del> </del>	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	2 28	79 59	63 97					40 18	9 45		1
	2-Wire Coin 2-Way with Operator Screening (NC)		1	UEPCO	UEPNC	2 28	79 59	63 97			1		40 18	9 45	t	<del>                                     </del>
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,		<del> </del>	021 00	OLI IVO	.2 20	13 35				1		- 70 10	0 .0	<b>-</b>	t
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2 28	79 59	63 97					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking					=										
1	(NC)	L	J	UEPCO	UEPNB	2 28	79 59	63 97		İ			40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening 900 Blocking						•									
	900/976, 1+DDD, 011+, and Local (NC, TN)		ļ	UEPCO	UEPCA	2 28	79 59	63 97					40 18	9 45		
1	2-Wire Coin Outward with Operator Screening and 011 Blocking	1		UEBOO			70.5-	20.5-		l	1					1
-+-	(NC)			UEPCO	UEPNE	2 28	79 59	63 97	1				40 18	9 45	ļ	<del> </del>
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2 28	79 59	63 97	1	1	1		40 18	9 45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	<b>—</b>		UEPCO	UEPCK	2 28	79 59	63 97			t		40 18	9 45		<del> </del>
-	2-Wire Coin Outward Smartline with 900/976 (all states except		<del>                                     </del>	02.00	02, 01				<del> </del>	1	<del>                                     </del>		10 10	1 3 40		1
1	LA)			UEPCO	UEPCR	2 28	79 59	63 97	ł		]	1	40 18	9 45		1
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)				1					1				İ		
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 70	0 00	0 00	0 00	0.00			40 18	9 45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35					ļ					<b></b>
NONR	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>						ļ				ļ		ļ	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1	UEPCO	USAC2		2 77	0 40					40 18	9 45		
$\longrightarrow$	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															

NBUND	LED NETWORK	LEMENTS - North Carolina								÷		,			ment 2		bit. B
ATEGOR	ΥΥ	RATE ELEMENTS	Inter: m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Rec	Nonrec			g Disconnect			OSS	Rates (\$)		·
	2111			ļ				Fırst	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Subsequent Data	de Loop / Line Port Combination - Conversion -		1		1		1 42									ł
Δ.	DITIONAL NRCs	abase opdate		<del></del>				1 42			ļ	+					
-   ~		de Loop/Line Port Combination - Subsequent															1
	Activity	de Ecopiene i on combination dubacquam			UEPCO	USAS2		0 00	0 00					40 18	9 45		1
2-V		WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (		1											· · · ·
ŪN	E Port/Loop Combin	ation Rates		Τ	,												
	IE Loop Rates										1						1
2-1	Nire Voice Grade Line											J					
		undled port - residence	<u> </u>	<u> </u>	UEPFR	UEPRL	2 19	225 00	225 00					40 18	9 45		
		undled port with Caller ID - res		<u> </u>	UEPFR	UEPRC	2 19	225 00	225 00		ļ			40 18	9 45	ļ	
		undled port outgoing only - res	ļ		UEPFR	UEPRO	2 19	225 00	225 00	<u> </u>				40 18	9 45	ļ	<del>                                     </del>
		undles res, low usage line port with Caller ID			LIEBED			005.05	005.00			1		10.40		I	1
	(LUM)	0.07		<u> </u>	UEPFR	UEPAP	2 19	225 00	225 00	ļ		-		40 18	9 45		
IN.	TEROFFICE TRANSP		<del> </del>	-	-					ļ	<del> </del>	1	-			<del> </del>	1
1	Termination	port - Dedicated - 2 Wire Voice Grade - Facility		1	UEPFR	U1TV2	18 00	140 00	71 00			1	1				
		oort - Dedicated - 2 Wire Voice Grade - Per Mile	ļ	1	UEPFR	U11V2	16 00	140 00	7100	<u>-</u>		1		-			<del> </del>
	or Fraction Mile	on - Dedicated - 2 wire voice Grade - Per Mile		ł	UEPFR	1L5XX	0 0125							1			
	ATURES			├	UEPFR	ILSAA	0.0125					1			-		+
	All Features Offe	red		1	UEPFR	UEPVF	3 40	0 00	0.00			1		40 18	9 45		<u> </u>
1.0	CAL NUMBER PORT			1	OLI I K	102.1	0 10	0.00									
- 20		ortability (1 per port)	<del> </del>	†	UEPFR	LNPCX	0 35					†					
NC		GES (NRCs) - CURRENTLY COMBINED	<del> </del>										-				
- 1		dicated IO Transport / 2 Wire Line Port														1	
		onversion - Switch-as-is			UEPFR	USAC2		9 03	1 87					40 18	9 45		
		dicated IO Transport / 2 Wire Line Port															
		onversion - Switch-With-Change	[	l	UEPFR	USACC		9 03	1 87					40 18	9 45		
		WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	ORT (	BUS)											L	
	VE Port/Loop Combin	ation Rates															ļ
	iE Loop Rates															<u> </u>	
2-1	Wire Voice Grade Line		ļ						***			ļ		40 18	0.45	ļ	ļ
		undled port without Caller ID - bus	<u> </u>	<b></b>	UEPFB UEPFB	UEPBL	2 19	225 00	225 00					40 18			<u> </u>
		undled port with Caller + E484 ID - bus	-		UEPFB	UEPBO	2 19 2 19	225 00 225 00	225 00 225 00		ļ	1		40 18	9 45		-
		undled port outgoing only - bus undled incoming only port with Caller ID - Bus	<del></del>	<b></b>	UEPFB	UEPB0	2 19	225 00	225 00					40 18	9 45		1
1.0	CAL NUMBER PORT		<del> </del>	<del> </del>	UEFFB	UEFBI	2 19	223 00	223 00		<del> </del>			40 10	0 40		
		ortability (1 per port)	1		UEPFB	LNPCX	0 35										
IÑ.	TEROFFICE TRANSP		1		OLF / B	LINFOX	.000						ļ	<del></del>	·		<del>                                     </del>
		port - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>		1						_			t .			<del> </del>
- 1	Termination	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	UEPFB	U1TV2								1	1		
		port - Dedicated - 2 Wire Voice Grade - Per Mile			T	-   -					1	1		1		1	
-	or Fraction Mile		1		UEPFB	1L5XX									1	1	I
FE	ATURES		1		<del> </del>												
	All Features Offe		L		ÜEPFB	UEPVF	3 40	0.00	0 00					40 18	9 45		
NC		GES (NRCs) - CURRENTLY COMBINED															
		dicated IO Transport / 2 Wire Line Port															
_		onversion - Switch-as-is		ļ	UEPFB	USAC2		9 03	1 87	1	<del> </del>	<b>↓</b>		40 18	9 45	<b></b>	1
		dicated fO Transport / 2 Wire Line Port	l								1		1				
<del> -</del> -		onversion - Switch with change	<del> </del>	L	UEPFB.	USACC		9 03	1 87		ļ	-	-	40 18	9 45	<del> </del>	1
		LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<del> </del>	ļ						ļ		ļ	1	1		<del> </del>	<del> </del>
	NE Port/Loop Combin	ation Kates	-		<del>-</del>							-		-	-		
	NE Loop Rates	e Port Rates (BUS - PBX)	1	-		<del></del>					-	<del> </del>	-	1		<del>                                     </del>	+
2-1	rine voice Grade Line	e FULL Mates (DUS - FDA)	<del> </del>		<del> </del>						<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>
	Line Side Hobiro	dled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	2 18	225 00	225 00			1		40 18	9 45		1
_		dled Outward PBX Trunk Port - Bus	<del> </del>		UEPFP	UEPPO	2 18	225 00	225 00		<del> </del>	<del>  -</del>	<del> </del>	40 18		<del> </del>	<del> </del>
-+		dled Incoming PBX Trunk Port - Bus	1	<u> </u>	UEPFP	UEPP0	2 18	225 00	225 00		<del> </del>	+	<u> </u>	40 18	9 45		<del> </del>
		oundled PBX LD Terminal Ports	+	+	UEPFP	UEPLD	2 18	225 00	225 00		<del> </del>	+	<del></del>	40 18			<b>†</b>

Version 4Q02 12/18/02 Page 296 of 416

INBUNDL	ED NETWORK ELEMENTS - North Carolina											-		ment 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs
			1			Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2 18	225 00	225 00					40 18	9 45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		_	UEPFP	UEPXB	2 18	225 00	225 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2 18	225 00	225 00					40 18	9 45		<b>⊢</b> —
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2 18	225 00	225 00		<u> </u>	<u> </u>		40 18	9 45		<b>↓</b> _
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				1											1
	Capable Port			UEPFP	UEPXE	2 18	225 00	225 00					40 18	9 45	<b></b>	ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2 18	225 00	225 00					40 18	9 45		<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		i						1					
	Room Calling Port			UEPFP	UEPXM	2 18	225 00	225 00	ļ				40 18	9 45	ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		]	]						1		l	1	l _	I	1
	Discount Room Calling Port	L	L	UEPFP	UEPXO	2 18	225 00	225 00		<del></del>	ļ	ļ. —	40 18	9 45	ļ	<del> </del> _
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2 18	225 00	225 00		1	<u> </u>		40 18	9 45	ļ <u>-</u>	<del></del>
LOC	AL NUMBER PORTABILITY											L	<u></u>			
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00					40 18	9 45		
INTE	ROFFICE TRANSPORT		ļ							ļ	ļ	ļ	ļ <del>-</del> ——			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX											
FEA	TURES															
	All Features Offered		1	UEPFP	UEPVF	3 40	0.00	0 00					40 18	9 45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					-										1
i	Combination - Conversion - Switch-as-is		1	UEPFP	USAC2		9 03	1 87					40 18	9 45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								T							_
	Combination - Conversion - Switch with change			UEPFP	USACC		9 03	1 87					40 18	9 45		L
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WI	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates														L	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20 97								Í		<u> </u>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			27 80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37 08					I					1
UNE	Loop Rates	Ľ														1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8 85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15 68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24 96										
UNE	Port Rate													L		
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12 12	224 81	188 40					40 18	9 45		1
NON	RECURRING CHARGES - CURRENTLY COMBINED		<u> </u>											<u> </u>	L	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		13 26	8 39					53 89	11 34		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		13 26	8 39					53 89	11 34		
ADD	ITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			ÜEPPX	USAS1		53 49						40 18	9 45		L
Tele	phone Number/Trunk Group Establisment Charges															
-	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00								<b></b>
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0 00	0 00	0 00						1		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00	1							
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0 00	0 00	0 00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0 00	0 00				T				
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00	1		1				1	
LOC	AL NUMBER PORTABILITY		$\vdash$								<del>                                     </del>		·		1	T
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00		1						
2-WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	E POP						<del></del>	T	<del>                                     </del>		1	· · · · · ·		1
	Port/Loop Combination Rates									+	+		1	·	t	+

UNBL	INDLE	D NETWORK ELEMENTS - North Carolina													Attachr			bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	E	ecs	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
	7		<u> </u>					Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -										1						
		UNE Zone 1	L	1	UEPPB	UEPPR		38 84										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		50 01										
	Ì	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	<u> </u>	UNE Zone 3	ļ	3	UEPPB	UEPPR		65 18										
	UNE L	oop Rates			1								<u> </u>	<b> </b>				
		2-Wire ISDN Digital Grade Loop - UNE Zone 1	L	1	UEPPB	UEPPR	USL2X	14 47					<u> </u>					
				١.				25.24										
	<del> </del>	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		25 64										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40 81					-				1	
	UNE P	ort Rate	<del> </del>	-	LIEDOR	HEDDE	LICOPP	04.07	200.00	302 77	ļ		<del> </del>		19 99	19 99	<b>!</b>	<b>+</b>
	NONE	Exchange Port - 2-Wire ISDN Line Side Port	₩	_	UEPPB	UEPPR	UEPPB	24 37	388 20	302 //	<del> </del>	ł	-		19 99	19 99	<del> </del>	<del> </del>
	NONR	ECURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	-	1		<del> </del>				-	<del> </del>	-			<del>-</del>	<del> </del>	1
	1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion	1		LIEDDE	UEPPR	USACB	0 00	174 35	174 35	1	I					1	[
	ADDIT	IONAL NRCs	+		DEFFE	UEPPK	JOACB	0.00	174 33	174 35	-	<del>                                     </del>	<del>                                     </del>			<del> </del>	· · ·	1
		L NUMBER PORTABILITY	<del> </del>	_	1		+						<del> </del>					+
	LOCA	Local Number Portability (1 per port)	+	+	UEPPB	UEPPR	LNPCX	0 35	0 00	0 00	<del></del>	<del> </del>						
-	B-CHA	NNEL USER PROFILE ACCESS:	1		TOE! TO	OLITI	LINI OX	- 000	0 00	0 00					-			
	D-0112	CVS/CSD (DMS/5ESS)	·	1-	UEPPB	UEPPR	U1UCA	0 00	0 00	0 00			_					
-	+	CVS (EWSD)	+		UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
	+	CSD CSD	+	1		UEPPR	U1UCC	0 00	0 00	0 00	-		-				-	
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	C.MS. 8	TN	JUL. 1 D		0.000								· · · · · · ·			
		TERMINAL PROFILE	1	1									1					
	1000.1	User Terminal Profile (EWSD only)	···-		<b>UEPPB</b>	UEPPŘ	U1UMA	0 00	0 00	0.00								-
	VERTI	CAL FEATURES	<del>                                     </del>		122								1					
		All Vertical Features - One per Channel B User Profile	<del> </del>		UEPPB	UEPPR	UEPVF	3 40	0.00	0.00			1					
	INTER	OFFICE CHANNEL MILEAGE								•								
		Interoffice Channel mileage each, including first mile and											1					
		facilities termination			UEPPB	UEPPR	M1GNC	18 0282	137 48	52 58			1		19 99	19 99		
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0282	0 00	0 00								
	4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISON DS1 DIGITAL TRUNI	K PORT															
	UNE P	ort/Loop Combination Rates																
•	1 "	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			226 55										
	1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1				<del> </del>				-	İ						
		Zone 2		2	UEPPP			263 28			1							
	T	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	T				-						1		1		
	1	Zone 3		3	UEPPP		1	313 15	L						<u> </u>	<u> </u>	1	
	UNE L	oop Rates										L				I <u></u>		
	1	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47 54										I
	1	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84 27										
	1	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	134 14				1						
	UNE P	ort Rate		L.	<u> </u>													
		Exchange Ports - 4-Wire ISDN DS1 Port		L	UEPPP		UEPPP	179 01	956 47	663 10					19 99	19 99	ļ	
	NONR	ECURRING CHARGES - CURRENTLY COMBINED											1					
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															1	
	1	Combination - Conversion -Switch-as-is			UEPPP		USACP	0 00	481 51	481 51		ļ	ļ <u>-</u>				1	<del></del>
	ADDIT	IONAL NRCs	1	<u> </u>	<u> </u>		ļ					<b></b>					<del> </del>	<del></del>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG		1 17	1 17								
		4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)			UEPPP		PR7TP		28 17	28 17								
<u>-</u>	T	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -											1					
	1000	Subsequent Inward Tet Numbers	-	+	UEPPP		PR7ZT		56 33	56 33	<u> </u>	ļ ———	+	ļ		<del>                                     </del>	+	+
	LUCA	L NUMBER PORTABILITY	-	+	LIEBOE		LNDCH				<del> </del>		1	<del> </del>	1	<del></del>	<del>                                     </del>	+
	INCTE	Local Number Portability (1 per port)	-	1	UEPPP		LNPCN	1 75			ļ		1		<del>                                     </del>	<del> </del>	<del> </del>	<del></del>
	_µn≀ER	FACE (Provsioning Only)		1	1		1	L	L		L	L			L	L .		

NRONDLED NETW	ORK ELEMENTS - North Carolina				· i		-				C 0-1	S O	Attachr		Incremental	bit B Incremen
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge
1 1						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Voice/Dat	а			UEPPP	PR71V	0 00	0 00	0 00								
Digital Da				UEPPP	PR71D	0 00	0 00	0 00								
Inward D				UEPPP	PR71E	0 00	0 00	0 00			L					L
New or Addition	al "B" Channel															
	dditional - Voice/Data B Channel			UEPPP	PR7BV	0 00	36 92						19 99	19 99		
	dditional - Digital Data B Channel			UEPPP	PR7BF	0 00	36 92				1		19 99	19 99		l
New or A	dditional Inward Data B Channel			UEPPP	PR7BD	0 00	36 92						19 99	19 99		
CALL TYPES																1
Inward			L	UEPPP	PR7C1	0 00	0 00	0.00								
Outward				UEPPP	PR7C0	0 00	0 00	0 00								
Two-way				UEPPP	PR7CC	0 00	0 00	0.00			ļ					L
Interoffice Chan		L														<b></b>
	ch Including First Mile			UEPPP	1LN1A	71 8653	217 17	163 75	0 00				19 99	19 99		<del></del>
	ne-Fractional Additional Mile			UEPPP	1LN1B	0 5753										
4-WIRE DS1 DIG	ITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Combination Rates															
	Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		171 06										
4W DS1	Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		207 79										
4W DS1	Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		257 66										
UNE Loop Rates	•															
4-Wire D	S1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47 54										L
4-Wire D	S1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84 27										
4-Wire D	S1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134 14										l
UNE Port Rate																1
4-Wire Di	DITS Digital Trunk Port			UEPDC	UDD1T	123 52	831 43	491 39			l		19 99	19 99		
NONRECURRING	CHARGES - CURRENTLY COMBINED										l					
4-Wire D	S1 Digital Loop / 4-Wire DDITS Trunk Port Combination						·								!	
- Switch-	as-is	ļ		UEPDC	USAC4		490 38	490 38				L				<u> </u>
4-Wire D	S1 Digital Loop / 4-Wire DDITS Trunk Port Combination		Ī												İ	1
- Convers	sion with DS1 Changes	1		UEPOC	USAWA		490 38	490 38								1
4-Wire D	S1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
- Convers	sion with Change - Trunk			UEPDC	USAWB		490 38	490 38						i		1
ADDITIONAL NE																
4-Wire D	S1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
Service A	ctivity Per Service Order			UEPDC	USA\$4	- 1	127 63	127 63			i					
	S1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	ent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA	1	28 81	28 81								
4-Wire D	S1 Loop / 4-Wire DDITS Trunk Port - Subsequent										T				ļ	
Channel	Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 81	28 81				l				
4-Wire D	S1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
Activation	/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 81	28 81					19 99	19 99		
4-Wire D	S1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan		i i													
Activation	Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 81	28 81				l	19 99	19 99		İ
4-Wire D	S1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	/ Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 81	28 81								
BIPOLAR 8 ZER	O SUBSTITUTION															
B8ZS -St	perframe Format			UEPDC	CCOSF		0.00	615 00								
	xtended Superframe Format			UEPDC	CCOEF		0 00	615 00								
Alternate Mark I			1	1								T				L
	erframe Format			UEPDC	MCOSF		0 00	0 00			1					
	ended SuperFrame Format	T		UEPDC	МСОРО		0 00	0 00			L					
	ber/Trunk Group Establisment Charges	T	1		"					·						
Telephor	e Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00							19 99	19 99		
Telephor	e Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00					T		19 99	19 99		1
Telephor	e Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00							19 99	19 99		
	bers, Establish Trunk Group and Provide First Group		T									·				1
	Numbers			UEPDC	NDZ	0 00	0 00	0 00				ŀ		1		
	bers for each Group of 20 DID Numbers		<del>                                     </del>	UEPDC	ND4	0.00					T		Ī			
	bers, Non- consecutive DID Numbers , Per Number	_	1	UEPDC	ND5	0 00					1	1	1			

NBUNDLED NETWORK ELEMENTS - North Carolina										la . a :	0.		ment 2		bit B
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					Rec	Nonrec		Nonrecurring					Rates (\$)		
						First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0 00							L	
Reserve DID Numbers	1	L'	UEPDC	NDV	0 00	0 00	0 00							L	ļ
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDIT	S Trunk Port						<u> </u>					
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	71 29	217 17	163 75	0 00	0 00			19 99	19 99		
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0 5753	0 00	0 00								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
Termination)	<b>_</b>		UEPDC	1LNO2	0.00	0 00	0 00								<u> </u>
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 5753	0 00	0 00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities					[						į		1		
Termination)	<del> </del>	<del> </del>	UEPDC	1LNO3	0 00	0 00	0 00	0.00							
Interoffice Channel Mileage - Additional rate per mile - 25+ miles	3		UEPDC	1LNOC	0 5753	0 00	0 00								
Local Number Portability, per DS0 Activated	T		UEPDC	LNPCP	3 15	0 00	0 00	0.00		i					
Central Office Termininating Point			UEPDC	CTG	0 00							1			
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT										ļ. <u>.</u>					
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac										<b>_</b>					
Each System can have up to 24 combinations of rates depending o	n type a	nd num	ber of ports used	1						-		<u> </u>			<del> </del>
UNE DS1 Loop		1	UEPMG	USLDC	47 54	0.00	0 00			<del> </del>	-				<del> </del>
4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84 27	0.00	0 00			<del>                                     </del>					+
4-Wire DS1 Loop - UNE Zone 2	+	3	UEPMG	USLDC	134 14	0 00	0 00			<del>                                     </del>	<del></del>		<u> </u>		
UNE DSO Channelization Capacities (D4 Channel Bank Configuration	nns)	<u> </u>	OLI WO	DOLLOG	104 14		- 000		_	<del>                                     </del>					<del></del>
24 DSO Channel Capacity - 1 per DS1	1	1	UEPMG	VUM24	123 06	0 00	0 00					19 99	19 99		
48 DSO Channel Capacity - 1 per 2 DS1s	+	<del>†                                      </del>	UEPMG	VUM48	246 12	0 00	0 00				· · · · · ·	19 99	19 99		T
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492 24	0 00	0.00					19 99	19 99		
144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	738 36	0 00	0 00					19 99	19 99		
192 DS0 Channel Capacity -1 per 8 DS1s	1	1 .	UEPMG	VUM19	984 48	0 00	0 00					19 99	19 99		L
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230 60	0.00	0 00					19 99	19 99		
288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476 72	0 00	0 00					19 99	19 99		
384 DS0 Channel Capacity - 1 per 16 DS1s	4	ļ	UEPMG	VUM38	1,968 96	0 00	0.00		<u> </u>	ļ	<u> </u>	19 99	19 99		-
480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461 20	0.00	0 00			<del></del>		19 99 19 99	19 99 19 99		₩
576 DS0 Channel Capacity -1 per 24 DS1s	1	<b>↓</b>	UEPMG	VUM57	2,953 44	0 00	0 00					19 99	19 99		<b>⊹</b> -
672 DS0 Channel Capacity - 1 per 28 DS1s		ا	UEPMG	VUM67	3,445 68	0.00	0 00					19 99	19 99		
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wi	th Chan	neliztio	n with Port - Con	iversion Charge	Based on a Sys	stem					<del>                                     </del>		ļ		+
A Minimum System configuration is One (1) DS1, One (1) D4 Chann Multiples of this configuration functioning as one are considered A	dd'i afta	anu U	unimum evetom	s with realure r	counted.					1	<del> </del>			<del></del>	<del></del>
NRC - Conversion (Currently Combined) with or without	- Cuu i ante	i the n	Inimidin system (	Cornigionation is	Counted			-			<del> </del>	1	·	<del> </del>	+
Bell South Allowed Changes		1	UEPMG	USAC4	0 00	330 61	16 64					19 99	19 99	i	
System Additions at End User Locations Where 4-Wire DS1 Loop w	rith Char	neliza	tion with Port Co	moination Curre	ntly Exists and										
New (Not Currently Combined) in all states, except in Density Zone	1 of Top	8 MSA	\'s		I										
1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
and Assoc Fea Activation	1		UEPMG	VUMD4	0 00	743 74	326 22	149 02	17 68	ļ	1	19 99	19 99		<del> </del>
Bipolar 8 Zero Substitution	1	ļ			1					-		ļ			<del></del>
Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0 00	0 00	615 00								
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	615 00								
Alternate Mark Inversion (AMI)		1								İ					
Superframe Format			UEPMG	MCOSF	0.00	0 00	0 00				L				
Extended Superframe Format		T	UEPMG	МСОРО	0.00	0 00	0.00								
Exchange Ports Associated with 4-Wire DS1 Loop with Channeliza	tion with	Port													<b>⊥</b>
Exchange Ports	للله ا								ļ			ļ		ļ	+
															1
Line Side Combination Channelized PBX Trunk Port - Business	4		UEPPX	UEPCX	2 28	0 00	0 00	0 00	0.00		<u> </u>	40 18	9 45		+
Line Side Outward Channelized PBX Trunk Port - Business	1		UEPPX	UEPOX	2 28	0 00	0 00	0 00	0.00		L	40 18	9 45		

HOUNDLE	D NETWORK ELEMENTS - North Carolina		_		-						T=			ment, 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ļ									·					
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	2 28	0 00	0.00	0 00	0 00			40 18	9 45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	ļ	<del> </del>	UEPPX	UEPDM	13 26	0 00	0 00	0 00	0 00			40 18	9 45		
Featur	e Activations - Unbundled Loop Concentration   Feature (Service) Activation for each Line Port Terminated in D4	ļ	-											<u> </u>		
	Bank	İ		UEPPX	1PQWM	0 65	25 27	13 34	4 15	4 12			40.40	0.15		
	Feature (Service) Activation for each Trunk Port Terminated in	<del> </del>	+	UEFFX	TFQVVIV	0.63	20 21	13 34	4 15	4 12	<del> </del>		40 18	9 45		
	D4 Bank			UEPPX	1PQWU	0 65	77 75	18 33	58 74	11 48			40 18	9 45		
Teleph	one Number/ Group Establishment Charges for DID Service		+	OLI I X	III GVVC	0 00		10 33	30 74	11 40			40 10	9 40		
1.51.251.	DID Trunk Termination (1 per Port)	<del> </del>	+	UEPPX	NDT	0.00	0.00	0.00		-		-				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)	ļ .	<del> </del>	UEPPX	NDZ	0 00	0 00	0 00		•						
1	DID Numbers - groups of 20 - Valid all States		+	UEPPX	ND4	0 00	0 00	0.00			_					
	Non-Consecutive DID Numbers - per number	<u> </u>	+	UEPPX	ND5	0 00	0.00	0 00								
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0 00	0 00	0.00			<del>                                     </del>		<del> </del>			
-	Reserve DID Numbers	l	+	UEPPX	NDV	0.00	0 00	0.00					-			-
Local I	Number Portability		1				- 000	0 00			i			1		
	Local Number Portability - 1 per port		+	UEPPX	LNPCP	3 15	0.00	0.00								
FEATU	IRES - Vertical and Optional		+	02.11	- 2.11.01		- 000	0 00			· · · · · · · · · · · · · · · · · · ·		-	<del>                                     </del>		
	Switching Features Offered with Line Side Ports Only		1											-		
	All Features Available	<del>                                     </del>	+	UEPPX	UEPVF	3 40	0.00	0.00	+			-	40 18	9 45		
BUNDLED	PORT LOOP COMBINATIONS - MARKET RATES		<del> </del>	02.17	102. 11	0.0	- 000	- 0 00					40.10	3 40		
	Rates shall apply where BellSouth is not required to provide	unhun	dled lo	cal switching or s	witch norts per	FCC and/or Sta	ate Commissio	n rules					-			
			2100 10	T T	The ports por	. oo anaron ota										
	cludes						1							1		
This in Unbun The To BellSo Rates,	dled port/loop combinations that are Currently Combined or ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precei	ale, Mia ally bill ding in	ami), G the rec lieu of	A (Atlanta), LA (Ne curring and non-re	w Orleans), NC curring Market	(Greensboro-W Rates in this se	Vinston Salem ection except f	Highpoint/Cha or nonrecurrin	arlotte-Gastonia	-Rock Hill), 1	N (Nashville	e) FL and NC	. In the interi	m where Bell	South cannot	bill Mark
This in Unbun The To BellSo Rates, The Ma	dled port/loop combinations that are Currently Combined or ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section prece arket Rate for unbundled ports includes all available features	ale, Mia ally bill ding in in all st	ami), G the rec lieu of tates	A (Atlanta), LA (Ne curring and non-re the Market Rates	w Orleans), NC curring Market and reserves th	(Greensboro-W Rates in this se e right to true-u	Vinston Salem ection except f up the billing c	Highpoint/Cha or nonrecurrin lifference	arlotte-Gastonia g charges for n	a-Rock Hill), 1 ot currently o	N (Nashville combined in	FL and NC				
This in Unbun The To BellSo Rates, The Ma	dled port/loop combinations that are Currently Combined or ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precei	ale, Mia ally bill ding in in all st	ami), G the rec lieu of tates	A (Atlanta), LA (Ne curring and non-re the Market Rates	w Orleans), NC curring Market and reserves th	(Greensboro-W Rates in this se e right to true-u	Vinston Salem ection except f up the billing c	Highpoint/Cha or nonrecurrin lifference	arlotte-Gastonia g charges for n	a-Rock Hill), 1 ot currently o	N (Nashville combined in	FL and NC				
This in Unbun The To BellSo Rates, The Ma End Of (USOC	dled port/loop combinations that are Currently Combined or ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd with currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceinket Rate for unbundled ports includes all available features fitce and Tandem Switching Usage and Common Transport UsageU).	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of tates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Ma End Of (USOC	dled port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preceirket Rate for unbundled ports includes all available features if the and Tandem Switching Usage and Common Transport UsureCU).  URECU).  t Currently Combined scenarios the Nonrecurring charges are	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of tates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Ma End Of (USOC For No Addition	died port/loop combinations that are Currently Combined or ip 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section prece- arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport U- URECU). It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of tates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Of (USOC For No Additio	dled port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceiver. Rate for umbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport UsuRECU).  It Currently Combined scenarios the Nonrecurring charges are not in NRCs may apply also and are categorized accordingly.	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of tates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Od (USOC For No Additio	dled port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features iffice and Tandem Switching Usage and Common Transport UsuRECU).  It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of ates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Od (USOC For No Additio	died port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precedence and the cost-Based section precedence and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Usage (Company) to the Company of the Compa	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of tates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Of (USOC For No Additio	dled port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport UtuRECU).  It Currently Combined scenarios the Nonrecurring charges are noted NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2	ale, Mia ally bill ding in in all st sage rai	the reclieu of lates in the lat	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u it shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Of (USOC For No Addition 2-WIRE UNE P.	dled port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Rate of Common Transport UsureCU).  It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill ding in in all st sage rai	ami), G the rec lieu of tates tes in t	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Of (USOC For No Addition 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preceived the for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport UsageCU).  It Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  poop Rates	ale, Mia ally bill ding in in all st sage rai	the reclieu of lates in the lat	A (Atlanta), LA (Ne curring and non-re the Market Rates he Port section of	w Orleans), NC curring Market and reserves th this rate exhibi	(Greensboro-W Rates in this se e right to true-u it shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The To BellSo Rates, The Mi End Of (USOC For No Addition 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or In 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section precenter Rate for umbundled ports includes all available features rifice and Tandem Switching Usage and Common Transport Uther United States of the Monrecurring charges are not included and the many section of the Monrecurring charges are not included and the Monrecurring charges and the Monrecurring charges are not included and the Monrecurring charges are not included and i	ale, Mia ally bill ding in in all st sage rai	the reclieu of lates tes in the lates in the lates are l	A (Atlanta), LA (Ne surring and non-re the Market Rates he Port section of First and Addition	w Orleans), NC curring Market and reserves th this rate exhibi al NRC column	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charç
This in Unbun The To BellSo Rates, The Mi End Of (USOC For No Addition	died port/loop combinations that are Currently Combined or Lip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section proceinket Rate for unbundled ports includes all available features in the available features in the available features in the common Transport Utilized (Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire Voice Grade Loop (SL1) - Zone 1  [2-Wire Voice Grade Loop (SL1) - Zone 2	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne zurring and non-re the Market Rates he Port section of First and Addition	w Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX	(Greensboro-M Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preceivance and Tandem Switching Usage and Common Transport UsureCU).  It Currently Combined scenarios the Nonrecurring charges are and INRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne surring and non-re the Market Rates he Port section of First and Addition	w Orleans), NC curring Market and reserves th this rate exhibi al NRC column	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port	Vinston Salem ection except f up the billing c all combination	Highpoint/Cha or nonrecurrin lifference ons of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	Combination	ns which have	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The MR End Of (USOC For No Addittic 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precenter Rate for umbundled ports includes all available features rifice and Tandem Switching Usage and Common Transport UtuRECU).  It Currently Combined scenarios the Nonrecurring charges are nail NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne zurring and non-re the Market Rates left the Market Rates left the Port section of First and Addition  UEPRX UEPRX UEPRX UEPRX	w Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 33	Vinston Salem sction except f up the billing of all combination USOC. For Cu	Highpoint/Ch. or nonrecurrin ifference ins of loop/poi	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	o Combination	ns which have	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or Lip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceiver. The state of the Cost-Based section preceivers and the cost-Based section preceivers	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne zurning and non-re the Market Rates.  I he Port section of First and Addition  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	we Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	(Greensboro-M Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33	Vinston Salem sction except fup the billing call combinate USOC. For Cu	Highpoint/Ch. or nonrecurrin lifference sins of loop/poi rrently Combin	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	o Combination in the NRC - 6	ns which have	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or 1p 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Rate of Composition of Composition Composition of Composition Composition Rates and Include Rate of Cost (Res) or Cost (Res) or Cost (Res) or Cost (Res) or Cost (Res) or Cost (Res) or Rates (Res)	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne purring and non-returning an	w Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33	Vinston Salem excition except if up the billing of all combination USOC. For Cu	Highpoint/Ch. or nonrecurrin lifference sins of loop/poi urrently Combin  90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	in the NRC - 0	Currently Com	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or In 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features infice and Tandem Switching Usage and Common Transport UtuRECU).  It Currently Combined scenarios the Nonrecurring charges are not NRCs may apply also and are categorized accordingly of Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne zurning and non-re the Market Rates.  I he Port section of First and Addition  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	we Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	(Greensboro-M Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33	Vinston Salem sction except fup the billing call combinate USOC. For Cu	Highpoint/Ch. or nonrecurrin lifference sins of loop/poi rrently Combin	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	o Combination in the NRC - 6	ns which have	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or 1p 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanical BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Rate of Composition of Composition Composition of Composition Composition Rates and Include Rate of Cost (Res) or Cost (Res) or Cost (Res) or Cost (Res) or Cost (Res) or Cost (Res) or Rates (Res)	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne purring and non-returning an	w Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33	Vinston Salem excition except if up the billing of all combination USOC. For Cu	Highpoint/Ch. or nonrecurrin lifference sins of loop/poi urrently Combin  90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	in the NRC - 0	Currently Com	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	died port/loop combinations that are Currently Combined or to 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceivers that fare for unbundled ports includes all available features in the control of the c	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-rethe Market Rates he Port section of First and Addition  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	(Greensboro-M Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00	Winston Salem exciton except fup the billing of all combination up to the billing of all combination up to the billing of the	Highpoint/Ch. or nonrecurrin lifference sins of loop/poi rrently Combil grently Combil 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18	Currently Com	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Additt 2-WIRE UNE P.	dled port/loop combinations that are Currently Combined or 1p 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Cost-Based section preceived Rate for unbundled ports includes all available features in the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Composition of the Rate of Rate of Composition of the Rate of Rate of Composition of Rate of R	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne purring and non-re the Market Rates.  The Market Rates in the Market Rates.  A distribution of First and Addition  UEPRX	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	(Greensboro-M Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00	Winston Salem exciton except fup the billing of all combination up to the billing of all combination up to the billing of the	Highpoint/Ch. or nonrecurrin lifference sins of loop/poi rrently Combil grently Combil 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18	Currently Com	e a flat rate us	age charg
This in Unbun Unbun The TC BellSo Rates, The Mic End Ol (USOC For No Additional UNE P. UNE P. UNE P. UNE P. UNE P. UNE L. UNE C. Wire	died port/loop combinations that are Currently Combined or Ip 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features rifice and Tandem Switching Usage and Common Transport UtuRECU).  It Currently Combined scenarios the Nonrecurring charges are neal NRCs may apply also and are categorized accordingly of Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-rethe Market Rates he Port section of First and Addition  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX  24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00	winston Salem schon except fup the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi lifferently Combin iferently Combin liferently Combin	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18	9 45 9 45	e a flat rate us	age charg	
This in Unbun Unbun The TC BellSo Rates, The Mic End Ol (USOC For No Addition UNE P. UNE P. UNE P. UNE P. UNE P. UNE P. UNE L. UNE P. UNE L. UNE P. UNE D. UNE L. UNE P. UNE D. UNE D. UNE L. UNE P. UNE D. U	died port/loop combinations that are Currently Combined or to the MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section preceivers Rate for unbundled ports includes all available features in the American Street and Tandem Switching Usage and Common Transport UsureCU).  It Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VICO Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Soop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled see, low usage line port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (Capability)	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne purring and non-re the Market Rates.  The Market Rates in the Market Rates.  A distribution of First and Addition  UEPRX	UEPLX  24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00	winston Salem schon except fup the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi lifferently Combin iferently Combin liferently Combin	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18	9 45 9 45	e a flat rate us	age charg	
This in Unbun Unbun The TC BellSo Rates, The Mi End Ol (USOC For No Addittic UNE P. UNE P. UNE P. UNE P. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UNE P. UNE L. UN	died port/loop combinations that are Currently Combined or In 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features infice and Tandem Switching Usage and Common Transport UsuRECU).  It Currently Combined scenarios the Nonrecurring charges are not NRCs may apply also and are categorized accordingly in Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne purring and non-retained to the Market Rates.  The Market Rates he Port section of First and Addition  UEPRX	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00	winston Salem schon except fup the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi lifferently Combin iferently Combin liferently Combin	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18	9 45 9 45	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The M End Of (USOC For No Addittic 2-WIRE UNE P.  UNE L.  2-Wire	died port/loop combinations that are Currently Combined or In 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features infice and Tandem Switching Usage and Common Transport UsuRECU).  It Currently Combined scenarios the Nonrecurring charges are not NRCs may apply also and are categorized accordingly in Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Ne purring and non-retained to the Market Rates.  The Market Rates he Port section of First and Addition  UEPRX	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00	winston Salem schon except fup the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi lifferently Combin iferently Combin liferently Combin	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18	9 45 9 45	e a flat rate us	age charç
This in Unbun The TC BellSo Rates, The Mill End Of (USOC For No Additt 2-WIRE UNE P.  UNE P.  2-Wire LOCAL FEATU	died port/loop combinations that are Currently Combined or to 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section preceivers faste for unbundled ports includes all available features in the American Section of the American Section of the Cost-Based section preceivers and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Common Transport Usage and Tandem Switching Usage and Common Transport Usage Common Transport U	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-retained and non-retai	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT LNPCX	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00 14 00 14 00 0 35	Winston Salem except of up the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi rrently Combin 90 00 90 00 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The Mi End Of (USOC For No Additt 2-WIRE UNE P.  UNE P.  2-Wire LOCAL	died port/loop combinations that are Currently Combined or Up 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features of fice and Tandem Switching Usage and Common Transport UsuRECU).  1 Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY	ale, Mia ally bill ding in in all st sage rai	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-retained and non-retai	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT LNPCX	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00 14 00 14 00 0 35	Winston Salem except of up the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi rrently Combin 90 00 90 00 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The Mi End Of (USOC For No Addittic 2-WIRE UNE P.  UNE L.  2-Wire LOCAL	died port/loop combinations that are Currently Combined or Up 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanics BellSouth shall bill the rates in the Cost-Based section preceived Rate for unbundled ports includes all available features of fice and Tandem Switching Usage and Common Transport UsuRECU).  1 Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LDM)  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY  1-WIMBER PORTABILITY	ale, Mitalian de M	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-retained and non-retai	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT LNPCX	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00 14 00 14 00 0 35	Winston Salem except of up the billing of all combination.  USOC. For Cu  90 00 90 00 90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi rrently Combin 90 00 90 00 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The Mill End Of (USOC For No Addittic 2-WIRE UNE P.  UNE L.  2-Wire LOCAL	died port/loop combinations that are Currently Combined or to 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section precenter Rate for umbundled ports includes all available features of fice and Tandem Switching Usage and Common Transport Ut URECU).  It Currently Combined scenarios the Nonrecurring charges are nat INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly and INRCs may apply also and are categorized accordingly	ale, Mitalian de M	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-retained and non-retai	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPAP UEPRT LNPCX UEPVF	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00 14 00 14 00 0 35	90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi lifferently Combin rrently Combin 90 00 90 00 90 00 90 00 90 00 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45	e a flat rate us	age charg
This in Unbun The TC BellSo Rates, The Mi End Of (USOC For No Addittic 2-WIRE UNE P.  UNE L.  2-Wire LOCAL	died port/loop combinations that are Currently Combined or to 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd uth currently is developing the billing capability to mechanica BellSouth shall bill the rates in the Cost-Based section processarket Rate for unbundled ports includes all available features of tice and Tandem Switching Usage and Common Transport Usage.  URECU).  t Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  Volce Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - Res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice Unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice Unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice Unbundled Low Usage Line Port without Caller ID (LUM)  3-Wire Voice Grade Loop (Lune Port Combination - Switch-as-is	ale, Mitalian de M	the reclieu of tates tes in the in th	A (Atlanta), LA (Nezurning and non-retained and non-retai	W Orleans), NC curring Market and reserves th this rate exhibit al NRC column  UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPAP UEPRT LNPCX UEPVF	(Greensboro-W Rates in this se e right to true-u t shall apply to s for each Port 24 75 33 05 44 33 10 75 19 05 30 33 14 00 14 00 14 00 14 00 14 00 0 35	90 00 90 00 90 00	Highpoint/Ch. or nonrecurrin lifference lins of loop/poi lifferently Combin rrently Combin 90 00 90 00 90 00 90 00 90 00 90 00 90 00 90 00	arlotte-Gastonia g charges for n	ents except	N (Nashville combined in for UNE Con	FL and NC	40 18 40 18 40 18 40 18 40 18	9 45 9 45 9 45 9 45	e a flat rate us	age charg

Version 4Q02 12/18/02 Page 301 of 416

UNBUNDLED NET	WORK ELEMENTS - North Carolina													nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svo Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonreci			g Disconnect	201150	001141		Rates (\$)	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAI
	2-Wire Voice Grade Loop/Line Port Combination -		1	LIEDDY	USAS2		0.00	0 00					40 18	9 45		
Subse				UEPRX	USASZ		0.00	000		· · · · · · · · · · · · · · · · · · ·			40 10	3 43		<b></b>
	GRADE LOOP WITH 2-WIRE LINE PORT (BUS) p Combination Rates	-	<del> </del>	<del></del>						<del> </del>						<b>†</b>
	VG Loop/Port Combo - Zone 1	<del></del>	1			24 75										
	VG Loop/Port Combo - Zone 2		2			33 05					1					
	VG Loop/Port Combo - Zone 3		3			44 33										
UNE Loop Rat		T	1													
	Voice Grade Loop (SL1) - Zone 1	<b></b>	1	UEPBX	UEPLX	10 75										
	Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19 05					ļ					
2-Wire	Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30 33										
	Grade Line Port (Bus)															
2-Wire	voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00		<del></del>			40 18 40 18	9 45 9 45		<del> </del>
2-Wire	voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00	-	<del>                                     </del>	<del> </del>		40 18	9 45	<del></del>	+
	voice unbundled port outgoing only - bus		<del> </del>	UEPBX	UEPBO	14 00	90 00	90 00	<del>                                     </del>	<del> </del>	<del> </del>	-	40 18	9 45	-	<del> </del>
	voice unbundled Incoming Only Port without Caller ID			LIEDBY	UEBBE	14 00	90 00	90 00		1	1		40 18	9 45	I	1
Capab		ļ	<b>-</b>	UEPBX	UEPBE	14 00	90.00	90 00		+	+	<del></del>	40.10	3 43		<del> </del>
	BER PORTABILITY		-	UEDDV	LNDCY	0 35				+	<del> </del>			<del></del>	-	
	Number Portability (1 per port)	<u> </u>		UEPBX	LNPCX	0.33					+		·			<del> </del>
FEATURES		├		UEPBX	UEPVF	0.00	0.00	0.00	_	<del>                                     </del>	+		40 18	9 45		T
	atures Offered ING CHARGES - CURRENTLY COMBINED	1	<del> </del>	UEFBA	OEFVI	0 00				_		_			<u> </u>	<del></del>
NONRECURK	ING CHARGES - CURRENTLY COMBINED		+	ļ		-					1					
2 18/100	Voice Grade Loop / Line Port Combination - Switch-as-is		1	UEPBX	USAC2	i l	41 50	41 50			1	1	40 18	9 45		
	Voice Grade Loop / Line Port Combination - Switch with		+	OCT BX	100/102					<u> </u>						
chang				UEPBX	USACC		41 50	41 50					40 18	9 45	]	1
ADDITIONAL		1		02.0		-1	-						I		ļ	
	2-Wire Voice Grade Loop/Line Port Combination -		+													
Subse			1	ŲEPBX	USAS2	į l	0 00	0.00				İ	40 18	9 45	ļ	
2-WIRE VOICE	E GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	· · · ·	1													↓
UNE Port/Log	p Combination Rates	1											1	<u> </u>		
	VG Loop/Port Combo - Zone 1		1			24 75										<u> </u>
2-Wire	VG Loop/Port Combo - Zone 2		2			33 05							<b>4</b>			
2-Wire	VG Loop/Port Combo - Zone 3		3			44 33				<u> </u>	<u> </u>					<del> </del>
UNE Loop Ra			1				_						-		<del> </del>	+
	Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	10 75					_	-	<u> </u>			<del> </del>
	Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	19 05								<del> </del>		+
2-Wire	Voice Grade Loop (SL1) - Zone 3	·	3	UEPRG	UEPLX	30 33			-	+	+	<del> </del>	+	-	<del>                                     </del>	+
2-Wire Voice	Grade Line Port Rates (RES - PBX)	+	-			<del>  </del>			<del>                                     </del>	+	+	<del>                                     </del>	+	<del> </del>	<del> </del>	<del> </del>
	e VG Unbundled Combination 2-Way PBX Trunk Port -	1	1	LIEDDO	UEPRD	14 00	90 00	90 00		1	1		40 18	9 45	1	1
Res	TO CONTAIN ITY		+	UEPRG	DEPRO	14 00	90 00	90.00	<del> </del>	+	+ -	<del> </del>	1 70 10	3 40	<del> </del>	1
	BER PORTABILITY	<del> </del>	+	UEPRG	LNPCP	3 15	0 00	0 00		+	+	t	+	1	<del> </del>	1
	Number Portability (1 per port)	<del> </del>	+	DEFRO	LINEUP	3 15	0.00		<u> </u>	+	1				1	1
FEATURES	atures Offered	+	+	UEPRG	UEPVF	0 00	0 00	0.00	<del> </del>		1	<b>—</b>	40 18	9 45	1	
	ING CHARGES - CURRENTLY COMBINED	1	+	JULI INO	OL: VI	1 000	0.00			<del>                                     </del>	1 -		1			T
NONRECORK	ING CHARGES - CORRENTE I COMBINED	1	+			<del>                                     </del>				<del>                                     </del>	1		1			
2-10/100	e Voice Grade Loop/ Line Port Combination - Switch-As-Is	1		UEPRG	USAC2		41 50	41 50		1			40 18	9 45	L	
	e Voice Grade Loop/ Line Port Combination - Switch with	1	+	1												
Chang		1		UEPRG	USACC	1 1	41 50	41 50					40 18	9 45	1	
ADDITIONAL				1												
	Loop/Line Side Port Combination - Non feature -	1	1	1												1
Subse	equent Activity- Nonrecurring	I					0.00	0 00		ļ			40 18	9 45	<b>_</b>	+
	Subsequent Activity - Change/Rearrange Multiline Hunt	T										1		l		1
Group	)		Ш.	1			14 64	14 64				<b>↓</b>	40 18	9 45	<del> </del>	+
	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)									ļ		L		<u> </u>	+	+
	pp Combination Rates	1	1						ļ			<del> </del>		<del> </del>		
	e VG Loop/Port Combo - Zone 1		1			24 75							-	+	- <del> </del>	+
1 2-Wire	e VG Loop/Port Combo - Zone 2	I	2			33 05			1	l			1			

DINDONDELD	NETWORK ELEMENTS - North Carolina	_			<del>,</del>									ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					<del> </del>	Rec	Nonrec			g Disconnect				Rates (\$)		
	2-Wire VG Loop/Port Combo - Zone 3		3		+	44 33	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	op Rates		-3		+ +	44 33				-		1		<u> </u>		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10 75				ļ						
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPPX	UEPLX	19 05					-				<del></del>	
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPPX	UEPLX	30 33										<del> </del>
2-Wire V	/oice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00					40 18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00					40 18	9 45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPP1	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX UEPPX	UEPLD UEPXA	14 00 14 00	90 00	90 00		1			40 18 40 18	9 45		
	2-Wire Voice Unburidled 2-Way Combination PBX 0sage Pon 2-Wire Voice Unburidled PBX Toll Terminal Hotel Ports	+		UEPPX	UEPXB	14 00	90 00	90 00			<del> </del>	·	40 18 40 18	9 45 9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	<b>-</b>	1	UEPPX	UEPXC	14 00	90 00	90 00		<del> </del>	-		40 18 40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90 00		<del> </del>	+		40 18	9 45		
1 2	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				+		22 00	22 00		1				V 40		
	Capable Port			UEPPX	UEPXE	14 00	90 00	90 00			1	] [	40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										1					
	Administrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00			1		40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14 00	90 00	90 00		ļ. <u>.</u>			40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				l											
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO	14 00	90 00	90 00	_				40 18	9 45		
	NUMBER PORTABILITY		<del></del>	UEPPX	UEPXS	14 00	90 00	90 00			ļ		40 18	9 45		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00			<del> </del>					
FEATUR				OLI I X	LINFOR	3 10	0.00				+					
1	All Features Offered		· · · · · ·	UEPPX	UEPVF	0 00	0 00	0.00			1		40 18	9 45		
NONREC	CURRING CHARGES - CURRENTLY COMBINED								-		1		10.10	3 40		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 50	41 50			1		40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with				1											
	Change DNAL NRCs		<u> </u>	UEPPX	USACC		41 50	41 50					40 18	9 45		
ADDITIO	ONAL NRCS	-														
-	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0 00	0.00		1			40.40	0.45		
	2 Wire Loop/Line Side Port Combination - Non feature -			OLFFX	U3A32		0.00	0.00		ļ	+		40 18	9 45		
	Subsequent Activity- Nonrecurring						0 00	0 00		ĺ			40 18	9 45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1			0.00		<del>                                     </del>	+		70 10			
	Group				1		14 64	14 64					40 18	9 45		
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T														
	rt/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			24 75										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	<u> </u>	2		1	33 05										
	pp Rates		3			44 33										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	ÚEPCO	UEPLX	10 75					ļ. :					
	2-Wire Voice Grade Loop (SL1) - Zone 1	-	2	UEPCO	UEPLX	19 05					<del> </del>					
2	2-Wire Voice Grade Loop (SL1) - Zone 3	<del>                                     </del>		UEPCO	UEPLX	30 33					ļ					
2-Wire V	oice Grade Line Port Rates (Coin)	<del> </del>	Ť		30.27	30 33					<del>                                     </del>					
	2-Wire Coin 2-Way without Operator Screening and without		$\Box$		1					<del> </del>						
	Blocking (NC)	<u> </u>		UEPCO	UEPND	14 00	90 00	90 00					40 18	9 45		
2	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14 00	90 00	90 00		1			40 18	9 45		
2	2-Wire Coin 2-Way with Operator Screening and Blocking 011,	ı i								T						
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14 00	90 00	90 00					40 18	9 45		
2	2-Wire Coin 2-Way with Operator Screening and 011 Blocking NC)			LIEDOO	lusava											
			$\vdash$	UEPCO	UEPNB	14 00	90 00	90 00					40 18	9 45		
	2-Wire Corn 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)	1		UEPCO	UEPCA	14 00	90 00	90 00		1	j		40 18	9 45		

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachr	nent 2	Exhi	bit B
		latan				•						Submitted	Charge -	Incremental Charge - Manual Svc	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Rec	Nonred			g Disconnect				Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	NC)		1	UEPCO	UEPNE	14 00	90 00	90 00					40 18	9 45		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14 00	90 00	90 00			1		40 18	9 45		l .
	NUMBER PORTABILITY		1	UEFCO	OEFCE.	14 00	90 00	90 00			1		40 10	943		
	Local Number Portability (1 per port)	-	1	UEPCO	LNPCX	0 35					+					
	CURRING CHARGES - CURRENTLY COMBINED		1	02. 00	12.11.0/						1					
11071111			<del> </del>		· · · · · · · · · · · · · · · · · · ·											
:	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		Į.	UEPCO	USAC2		41 50	41 50			1		40 18	9 45		l .
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with										1					
	Change		1	UEPCO	USACC		41 50	41 50					40 18	9 45		l
ADDITIO	NAL NRCs															
			Ĭ													
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0 00			1		40 18	9 45		l
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												
	rt/Loop Combination Rates		<u> </u>		1											
	op Rates				<b></b> i											
	orce Grade Line Port Rates (Res)		ļ		1								10.10			
	2-Wire voice unbundled port - residence		<del> </del>	UEPFR	UEPRL	14 00	225 00	170 00			<u> </u>		40 18	9 45		
	2-Wire voice unbundled port with Caller ID - res		ļ	UEPFR	UEPRO	14 00	225 00	170 00					40 18	9 45		+
	2-Wire voice unbundled port outgoing only - res		+	UEPFR	UEPRO	14 00	225 00	170 00			-		40 18	9 45		<del></del>
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1	UEPFR	UEPAP	14 00	225 00	170 00			1		40 18	9 45		1
	FFICE TRANSPORT		ļ	UEFFR	UEFAF	14 00	225 00	170 00					40 10	343		
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				<del> </del>						1					
	Termination		1	UEPFR	U1TV2	18 00	140 00	71 00	[			1				l .
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	OLI TIV	UTIVE	10 00	140 00	1100			<del>                                     </del>					
	or Fraction Mile		1	UEPFR	1L5XX	0 0125					1					l .
FEATUR			1		1						İ —					
	All Features Offered		<del> </del>	UEPFR	UEPVF	0 00	0 00	0.00		1	1		40 18	9 45		
	NUMBER PORTABILITY		1		† · †											
L	Local Number Portability (1 per port)		1	UEPFR	LNPCX	0 35										
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1											
	Combination - Conversion - Switch-as-is			UEPFR	USAC2	l	9 03	1 87					40 18	9 45		1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	1		1						!				1
	Combination - Conversion - Switch-With-Change	<u></u>	<u> </u>	UEPFR	USACC	-	9 03	1 87			ļ		40 18	9 45		-
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)	1											ļ — — —
	VLoop Combination Rates				1 1						ļ					-
	op Rates		1													-
	oice Grade Line Port (Bus)		<b>↓</b>	HEDED	LIEBB!	11.00	205.00	170.00			1		40.40	0.45		<del></del>
	2-Wire voice unbundled port without Caller ID - bus			UEPFB UEPFB	UEPBL	14 00 14 00	225 00	170 00		<del> </del>	·		40 18	9 45		<del>                                     </del>
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBC UEPBO	14 00	225 00 225 00	170 00 170 00		ļ			40 18 40 18	9 45		<del></del>
	2-Wire voice unbundled incoming only port with Caller ID - Bus		ļ	UEPFB	UEPB0	14 00	225 00	170 00					40 18	9 45		+
	NUMBER PORTABILITY			UEPFB	DEPBI	14 00	225 00	170 00		-	ļ	<u> </u>	40 18	9 40		+
	ocal Number Portability (1 per port)		<del> </del>	UEPFB	LNPCX	0 35			1					<del></del> -		+
	FFICE TRANSPORT		+	00.10	LINFOX	0 33			+	1	+	<del> </del>	<del></del> -			
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del> </del>	+	1	+ +				-	1				<del>-</del>		
	Termination	1		UEPFB	U1TV2				İ		1	]				l
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<b> </b>	<b>†</b>		1						<b>—</b> —					
	or Fraction Mile	ĺ		UEPFB	1L5XX	i					1					1
FEATUR		<b>T</b>	<del> </del>		1					1	<b></b>	† · · · · · · · · · · · · · · · · · · ·				
1	All Features Offered			UEPFB	UEPVF	0.00	0.00	0 00		1	1		40 18	9 45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1						1					
	Combination - Conversion - Switch-as-is			UEPFB	USAC2	1	9 03	1 87	L		1		40 18	9 45		
	2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port															
1 (	Combination - Conversion - Switch with change	1		UEPF8	USACC	l	9 03	1 87	1				40 18	9 45		1

IBUNDLED	NETWORK ELEMENTS - North Carolina												Attachi	ment 2	Exhii	bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
			L			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	rt/Loop Combination Rates															
	op Rates		L													
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14 00	225 00	170 00					40 18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14 00	225 00	170 00					40 18	9 45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Ports		L	UEPFP	UEPLD	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14 00	225 00 ;	170 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14 00	225 00	170 00					40 18	9 45		
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14 00	225 00	170 00					40 18	9 45		
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	14 00	225 00	170 00					40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPEP	UEPXS	14 00	225 00	170 00			·		40 18	9 45		
	NUMBER PORTABILITY		-	OLI II	OLI AO	14 00	220 00	110 00			1		40 10	3 40		
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0.00	0.00			1		40 18	9 45		
	OFFICE TRANSPORT		_	00.111	LITT OF								10 10	0.10		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX											
FEATUR				QLIII	ILUXX						+					
	All Features Offered		-	UEPFP	UEPVF	0 00	0 00	0.00					40 18	9 45		-
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIT	OLF VI	0.00	0.00	0.00			+		40 10	3 43		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9 03	1 87					40 18	9 45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		9 03	1 87					40 18	9 45		
UNDI ED D	ORT/LOOP COMBINATIONS - MARKET BASED RATES		-	UEFFF	USACC		9 03	107					40 10	543		
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT														
	ort/Loop Combination Rates	FUNI	<del></del>								1					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			60 85										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			67 68					-					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			77 96					-					
	op Rates		-	-	-	77 90					-			-		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	<del></del> -	1	UEPPX	UECD1	8 85					+			<del></del>		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15 68					+	-		<del> </del>		<b></b>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UÉCD1	25 96				<b></b>	-			<del>                                     </del>	<del> </del>	<del></del>
UNE Po			-	ULTEA	OECD1	20 90			-		<del></del>			-		
	Exchange Ports - 2-Wire DID Port		<del> </del>	UEPPX	UEPD1	52 00	485 00	75 00		1	1		40 18	9 45		-
	CURRING CHARGES - CURRENTLY COMBINED		+	OLIFFA	UEFUI	52 00	400 00	75 00					40 10	9 45	<del></del>	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		<del> </del>	<del> </del>					-		<del> </del>					<del> </del>
	Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		200 00	75 00					53 89	11 34		
,	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		200 00	75 00					53 89	11 34		
	ONAL NRCs		<u> </u>		1											
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		ļ	UEPPX	USAS1	<u>-</u>	75 00						40 18	9 45	l	
Telepho	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00			1					1
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0 00	0 00	0 00								

Version 4Q02 12/18/02 Page 305 of 416

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			,								1			nent 2		brt B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	USOC			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
							Rec	Nonrec			g Disconnect				Rates (\$)		
								Fırst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0 00	0 00			ļ					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0 00	0 00	0 00			<u> </u>					
	Reserve Non-Consecutive DID numbers	ļ	<del> </del>	UEPPX		ND6	0 00	0 00	0 00								<b></b>
1004	Reserve DID Numbers	-	-	UEPPX		NDV	0 00	0 00	0 00								
	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX		LNPCP	3 15	0 00	0 00	···	ļ	<del> </del>					-
2 WIDE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E BOB			LNPCP	3 13	0 00	0 00		ļ	<del></del>					<del> </del>
	ort/Loop Combination Rates	INC SIDE	I FOR	<u>'</u>		1											
O,ILI (	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del> </del> -		<del>                                     </del>		·						+					+
	UNE Zone 1		1	UEPPB	UEPPR		79 47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	1		†											
	UNE Zone 2		2	UEPPB	UEPPR		90 64				1						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	1		††											
	UNE Zone 3	<u>L</u>	3	UEPP8	UEPPR		105 81										
UNE Lo	oop Rates	<u> </u>															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14 47							_			
		T															
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25 64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40 81										1
	ort Rate			ļ							ļ						
	Exchange Port - 2-Wire ISDN Line Side Port	<u></u>	ļ	UEPP8	UEPPR	UEPPB	65 00	450 00	375 00					19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED	L	ļ <u>.</u>	ļ <u>.</u>													
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					l I											
	Combination - Conversion - Top 8 MSAs only	ļ		UEPPB	UEPPR	USACB	0 00	200 00	200 00		<u> </u>	<del>                                     </del>					
	ONAL NRCs	<b>i</b>									<u> </u>						-
	NUMBER PORTABILITY	-	<u> </u>	LIEDDD	HEDDD	LNBOY	0.05	0.00	2.22		1	-					-
	Local Number Portability (1 per port)		-	UEPPB	UEPPR	LNPCX	0 35	0 00	0 00		ļ <del> </del>						<del> </del>
B-CHA	NNEL USER PROFILE ACCESS [CVS/CSD (DMS/5ESS)	1	-	UEPPB	UEPPR	U1UCA	0 00	0 00	0 00	<del></del>		-					<del></del>
	CVS (EWSD)	<del>                                     </del>	+	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		<del>-</del>	+	<u> </u>				
	ICSD		1		UEPPR	U1UCC	0 00	0 00	0 00		1	1	-				
	NNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	CMS 8	LTNI	UEFFB	DEFFR	0.000	- 000	0.00	0 00			<u> </u>					+
	TERMINAL PROFILE	1	1	<del> </del>								<del> </del>	ļ				
	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	U1UMA	0 00	0 00	0 00	-		<del> </del>					
	CAL FEATURES		†	1								<del> </del>					
	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	3 40	0.00	0.00		· · · · · · · · · · · · · · · · · · ·			19 99	19 99		
	OFFICE CHANNEL MILEAGE		1														
	Interoffice Channel mileage each, including first mile and											1					
	facilities termination			UEPPB	UEPPR	M1GNC	18 0282	137 48	52 58					19 99	19 99		l
	Interoffice Channel mileage each, additional mile		1	UEPPB	UEPPR	M1GNM	0 0282	0 00	0 00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	( PORT															
UNE Po	ort/Loop Combination Rates										1						
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 1		1	UEPPP		1	947 54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		l								1		1			
	Zone 2		2	UEPPP			984 27				1						<b></b>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	_	LIEBER								1	]	l			
	Zone 3	<b>_</b>	3	UEPPP		1	1,034 14				-	<u> </u>		ļ			1
		<b>├</b>	1	UEPPP		LICLAR.	47 54		<del> </del>		-	1	<del> </del>	<del> </del>	<b> </b>		+
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	<b>├</b>		UEPPP		USL4P USL4P	84 27				<del> </del>	<del> </del>	<del></del>	<del> </del>	ļ		<del></del>
		<del>                                     </del>		UEPPP		USL4P USL4P						<del> </del>			-		+
	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	JUEPPP		UOL4P	134 14				<u> </u>		-	<del> </del>	<u> </u>		+
	Exchange Ports - 4-Wire ISDN DS1 Port	<del> </del>	-	UEPPP		UEPPP	900 00	1,150 00	1,150 00		<del> </del>		<del></del>	19 99	19 99		<del></del>
	ECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	+	UEPPP		DEFFE	900 00	4, 150 00	1,100.00	<u> </u>	<del> </del>	<del> </del>	-	19 99	19 99	<del> </del>	+
INCIAKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<del> </del>	+-	+		<del>  </del>				<del>                                     </del>	1	<del> </del>	1				
										1	1	1	1			1	I .
	Combination - Conversion -Switch-As-Is Top 8 MSAs only		1	UEPPP		USACP	0 00	925 00	925 00			1	1	1		1	1

UNBUNDI ED NET	WORK ELEMENTS - North Carolina										<del>,</del>		Attachr			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring			0011111		Rates (\$)	SOMAN	SOMAN
			Γ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		ļ	}		i		4.47								
Subse	equent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1 17	1 17						<del></del>		+
	DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	<u> </u>			PR7TP		28 17	28 17	1			İ		i		
	y Outward tel nos (NC only)	1		UEPPP	PR/IP		20 17	20 17			<del> </del>					
	DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	UEPPP	PR7ZT	1	56 33	56 33								1
	equent Inward Telephone Numbers		-	UEPPP	FINE		- 30,00				·	_				
	BER PORTABILITY Number Portability (1 per port)	-	-	UEPPP	LNPCN	1 75										
	Provsioning Only)	<del></del>	<del> </del>	02.777		-	-									
Voice/			<u> </u>	ÜEPPP	PR71V	0 00									1	<u> </u>
Digital		t	t	UEPPP	PR71D	0.00										<b></b>
Inward		1	<del>                                     </del>	UEPPP	PR71E	0 00								_	<del></del>	
	ional "B" Channel	T									<u> </u>			1000	-	<del> </del>
	or Additional - Voice/Data B Channel	T		UEPPP	PR7BV	0.00	36 92				<u> </u>		19 99	19 99		+
	or Additional - Digital Data B Channel	l	1	UEPPP	PR7BF	0 00	36 92					<del> </del>	19 99	19 99		+
	or Additional Inward Data B Channel	l	L	UEPPP	PR7BD	0.00	36 92		ļ		<del> </del>		19 99	19 99		+
CALL TYPES		I									<del></del>	<del> </del>		<del> </del>	<b>-</b>	
Inward				UEPPP	PR7C1	0 00						-		-	+	<del></del>
Outwa			<u> </u>	UEPPP	PR7C0	0 00					<u> </u>	<del> </del>		-		+
Two-w	vay			UEPPP	PR7CC	0.00					<del> </del>	<del> </del>	ł		<del>                                     </del>	+
	nannel Mileage		l									-	19 99	19 99		+
Fixed	Each Including First Mile		<u></u>	UEPPP	1LN1A	71 8653	217 17	163 75	0 00				19 99	15 55		+
	Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0 5753					-	<del>                                     </del>	_		<del> </del> -	+
4-WIRE DS1 I	DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>									<del>                                      </del>		<del> </del>	†	+
UNE Port/Loc	op Combination Rates		1								<del> </del>	<del> </del>	<del> </del>	<del>  -</del>	1	+
4W D	S1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		797 54					-		<del> </del>	<del> </del>		+
4W D	S1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		834 27							<del> </del>	-		+
4W D	S1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	L	3	UEPDC		884 14			<del>-</del>		<u> </u>	<del>  -</del>	-			1
UNE Loop Ra			<del></del>		LIOI DO	47 54			-		<del> </del>				<del> </del>	
	e DS1 Digital Loop - UNE Zone 1	ļ	1	UEPDC	USLDC	84 27			-		<del>                                     </del>		-			
4-Wire	e DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPDC	USLDC	134 14					<del></del>					
	e DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLUC	134 14					+	1				
UNE Port Rat			<b> -</b> -	UEPDC	UDD1T	750 00	1,050 00	480 00	0 00	0.00			19 99	19 99		
4-Wir	e DDITS Digital Trunk Port	+	<b>-</b>	DEPDC	100011	750 00	7,000 00	100 00								T
	RING CHARGES - CURRENTLY COMBINED	-	<del> </del>									-				
	e DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4	1	288 86	133 87			1		1			
- Swit	ch-As-Is Top 8 MSAs only		+	DEFUC	USACT											T
	- DC4 Directal Loop L4 Wire DDITC Trunk Bort Combination									Ì		1		I	1	
	e DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination eversion with DS1 Changes Top 8 MSAs only	1		UEPDC	USAWA	[	288 86	133 37				<u> </u>	<u> </u>		<del></del>	4
- Con	version with DST Changes rop 8 MSAs only	+	+-	102, 00	33.177	1							1		1	1
4 100-	e DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1							į						1
4-vvii	e DS1 Digital Ecopy 4-Wire DB113 THINK Folt Combination	1		UEPDC	USAWB		288 86	133 37						<u> </u>		
ADDITIONAL		+	_	1000											<u> </u>	
	e DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	+	<b>+</b>												1	1
	ce Activity Per Service Order			UEPDC	USAS4		127 63	127 63		_		L	<u> </u>			
	e DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1	<del></del>									i	]	1	1	
Subs	equent Channel Activation/Chan - 2-Way Trunk	1	1	UEPDC	UDTTA		28 81	28 81					<u> </u>			+
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	1									1		ł		
	inel Activation/Chan - 1-Way Outward Trunk	1		UEPDC	UDTTB	[	28 81	28 81			ļ	<u> </u>		1		+
4-Wir	e DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1						1			1		40.00	19 99	.	1
	ation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC	L	28 81	28 81	ļ				19 99	19 95		+
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan	T								1		1	40.00	19 99	.	
Activa	ation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 81	28 81					19 99	19 98	<del></del>	+
4-Wir	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1				-	_			1					1
Activa	ation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE		28 81	28 81		ļ		<del></del>	+	<del> </del>	+	+
	ZERO SUBSTITUTION	1								L		-	40.00	19 99		+
B875	S -Superframe Format			UEPDC	CCOSF		0 00	615.00					19 99			+
10020	S - Extended Superframe Format		1	UEPDC	CCOEF		0 00	615.00	)				19 99	19 9	a I	

UNBUNDLED I	NETWORK ELEMENTS - North Carolina													ment. 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec		Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring				oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Mark Inversion				HOORE		0.00	0.00								
	MI -Superframe Format	<u> </u>		UEPDC	MCOSF		0 00	0 00								<del></del>
	MI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00						_	_	<del></del>
	e Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00							19 99	19 99		<del> </del>
	elephone Number for 2-Way Trunk Group elephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00							19 99	19 99		<del> </del>
	elephone Number for 1-Way Inward Trunk Group Without DID		-	UEPDC	UDTGZ	0.00			_		_		19 99	19 99		
	ID Numbers, Establish Trunk Group and Provide First Group			OEF DC	100102	0.00		-			-		15 55	19 99	-	<del> </del>
	20 DID Numbers			UEPDC	NDZ	0 00	0 00	0.00							]	
	ID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00	0 00	0 00			-		<del></del>	_	<del></del>	
	ID Numbers, Non-consecutive DID Numbers, Per Number		-	UEPDC	ND5	0 00	0 00	0 00					_			<del>                                     </del>
	eserve Non-Consecutive DID Nos		t	UEPDC	ND6	0 00	0 00	0 00		-			<b>-</b>		1	
	eserve DID Numbers			UEPDC	NDV	0 00	0.00	0 00	<del> </del>						l	
	DS1 (Interoffice Channel Mileage) -		t -		1		2 00_								<u> </u>	<u> </u>
	or 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port							•						1	1	
	teroffice Channel Mileage - Fixed rate 0-8 miles (Facilities ermination)			UEPDC	1LNO1	71 29	217 17	163 75	0 00	0.00			19 99	19 99		
							_						-			
Int	teroffice Channel Mileage - Additional rate per mile - 0-8 miles		ļ	UEPDC	1LNOA	0 5753	0 00	0 00						l		
Int	teroffice Channel Mileage - Fixed rate 9-25 miles (Facilities						•									
Те	ermination)		1	UEPDC	1LNO2	0 00	0 00	0 00						1	l .	
Int	teroffice Channel Mileage - Additional rate per mile - 9-25															
mı	iles	1	ł	UEPDC	1LNOB	0 5753	0 00	0 00					1	Ì	Ì	1
Int	teroffice Channel Mileage - Fixed rate 25+ miles (Facilities															
Te	ermination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00		ļ					
l l l		1		LIEBBO	41.110.0	0.5750	0.00	0.00							1	
	teroffice Channel Mileage - Additional rate per mile - 25+ miles		ļ	UEPDC UEPDC	1LNOC LNPCP	0 5753 3 15	0 00	0 00	0.00						<b>!</b>	
	ocal Number Portability, per DS0 Activated	<del></del>		UEPDC	ICTG	0 00	0.00	0.00	0.00		-					
4 WIDE D	entral Office Termininating Point S1 LOOP WITH CHANNELIZATION WITH PORT		<del> </del> -	UEPDC	ICIG	0.00					<del>                                     </del>			-		
				_						<del></del>	-			-		
	s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti can have various rate combinations based on type and nui										1			_	-	<del> </del>
UNE DS1		Tiber of	ports	I Sec	<del></del>			-			<del> </del>					<del></del>
	Wire DS1 Loop - UNE Zone 1	<del></del>	1	ÜEPMG	USLDC	47 54			_		<del> </del>					
	Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84 27	0.00	0.00			<del> </del>			-		<del>                                     </del>
	Wire DS1 Loop - UNE Zone 3	<del>                                     </del>	3	UEPMG	USLDC	134 14	0 00	0.00			<del> </del>	<del> </del>	<u> </u>			<del></del>
	Channelization Capacities (D4 Channel Bank Configuration	ns)	۱ŭ	OLI MO	GGEBG			- 000			<del>                                     </del>			-		
	4 DSO Channel Capacity - 1 per DS1	,	1	UEPMG	VUM24	123 06	0 00	0 00					19 99	19 99		
	B DSO Channel Capacity - 1 per 2 DS1s	<del> </del>	†	UEPMG	VUM48	246 12	0.00	0.00			1		19 99	19 99		
	DSO Channel Capacity -1per 4 DS1s		i –	UEPMG	VUM96	492 24	0.00	0 00	<del> </del>				19 99	19 99		
	44 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>		UEPMG	VUM14	738 36	0 00	0 00					19 99	19 99		<del></del>
	92 DS0 Channel Capacity -1 per 8 DS1s	<u> </u>		UEPMG	VUM19	984 48	0.00	0.00					19 99	19 99		
	40 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230 60	0 00	0 00					19 99	19 99		
	38 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476 72	0.00	0.00					19 99	19 99		
	84 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968 96	0 00	0 00					19 99	19 99	1	
	B0 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461 20	0 00	0.00				Ì	19 99	19 99		
57	76 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953 44	0.00	0 00				_	19 99	19 99		
	72 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445 68	0 00	0 00					19 99	19 99		
Non-Recu	arring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Con	version Charge	Based on a Sys	stem				T					
A Minimu	ım System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	p To 24 DSO Port	s with Feature A	ctivations.					I					
	of this configuration functioning as one are considered Ac	dd'I afte	r the m	ninimum system o	onfiguration is	counted.										
	RC - Conversion (Currently Combined) with or without		1													
	ellSouth Allowed Changes - Top 8 MSAs Only		L	UEPMG	USAC4	0 00	330 61	16 64	1			L	19 99	19 99		
	dditions Where Currently Combined and New (Not Current)	ly Comb	ined)													
	y Zone 1 Top 8 MSAs			l												
	DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	ea Activation -	l		UEPMG	VUMD4	0 00	743 74	326 22	149 02	17 68			19 99	19 99		
Dineter 9	Zero Substitution	1			1				(						١	1

Version 4Q02 12/18/02 Page 308 of 416

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhib	oit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		<b></b>	ļ			-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0 00	0 00	615 00			ļ		ļ			
	Clear Channel Capability Format - Extended Superframe -			OLF MG	100031	0 00	0.00	613 00			<u> </u>					
1	Subsequent Activity Only		l	UEPMG	CCOEF	0 00	0.00	615 00			ŀ					
Altern	ate Mark Inversion (AMI)															
	Superframe Format  Extended Superframe Format		<u> </u>	UEPMG UEPMG	MCOSF MCOPO	0 00	0 00	0 00								
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPMG	MCOPO	0 00	0 00	0.00								
	ange Ports	) With	1													
	Ĭ	1											-			
	Line Side Combination Channelized PBX Trunk Port - Business		<u> </u>	UEPPX	UEPCX	14 00	0 00	0 00	0 00	0 00			40 18	9 45		
	Line Side Outward Channelized PBX Trunk Port - Business	-	1	UEPPX	UEPOX	14 00	0 00	0 00	0 00	0.00			40 18	9 45		
	Line Side Inward Only Channelized PBX Trunk Port without DID	1	1	UEPPX	UEP1X	14 00	0 00	0 00	0 00	0 00			40 18	9 45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52 00	0 00	0 00	0 00	0.00			40 18	9 45		
Featu	re Activations - Unbundled Loop Concentration		L							- 5 50			.5.0	J .0		
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank		ļ	UEPPX	1PQWM	0 65	40 00	20 00	10 00	5 00			40 18	9 45		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0 65	110 00	30 00	75.00	15.00			40.40	0.45		
Teleni	hone Number/ Group Establishment Charges for DID Service		-	UEPPX	IPQWO	0 00	110 00	30 00	75 00	15 00			40 18	9 45		
1.000	DID Trunk Termination (1 per Port)			UEPPX	NOT	0 00	0 00	0.00		· · · · · · · · · · · · · · · · · · ·						
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		† <u> </u>	UEPPX	NDZ	0 00	0 00	0 00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00								
	Non-Consecutive DID Numbers - per number	1	-	UEPPX	ND5	0 00	0 00	0 00								
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers	-	-	UEPPX UEPPX	ND6 NDV	0 00	0 00	0 00								
Local	Number Portability	-	+	ULFFA	INDV	0.00	0 00									
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only			LIEBBY												
HARLINDI ED	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	<u> </u>	-	UEPPX	UEPVF	3 40	0 00	0.00					40 18	9 45		
	at Based Rates are applied where Bell-South is required by FCC		State 0	Commission rule to	p provide Unbu	andled Local Sw	vitching or Sv	utch Ports								
	tures shall apply to the Unbundled Port/Loop Combination - C								lled Port section	on of this Rate	Exhibit				-	
3 End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section	of this rate exh	ibit shall apply	to all combina	tions of loop/p	ort network el	ements excep	t for UNE C	oin Port/La	op Combinat	ions		
	first and additional Port nonrecurring charges apply to Not Ci	urrently	Comb	ined Combos. Fo	r Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecui	ring - Curre	ently Combine	ed sections	Additional NR	Cs may
	also and are categorized accordingly.										,					
DINE	rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 5ESS (Valid in All States)	be neg	otiated	on an Individual (	ase Basis, uni	til further notice	) <u>.</u>									
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<del> </del>									· · · · ·				
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		13 03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		21 33										
l I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del></del> -		UEP95		21 33										
	Non-Design		3	UEP95		32 61										
			+													
UNÉ P	Port/Loop Combination Rates (Design)															
UNÉ P	Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -							,	1					1		
UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP95		17 25	~~~~									
UNÉ F	Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-															
UNÉ P	Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1 2	UEP95 UEP95		17 25 28 21										
UNÉ P	Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-															
	Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Dosign  oop Rate		2	UEP95		28 21										
	Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Design  2-Wire Voice Grade Loop (SL 1) - Zone 1		3	UEP95 UEP95 UEP95	UECS1	28 21 43 09										
	Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Dosign  oop Rate		3 1 2	UEP95	UECS1 UECS1 UECS1	28 21 43 09	110.30									

Version 4Q02 12/18/02 Page 309 of 416

NBUNDLED I	NETWORK ELEMENTS - North Carolina			T	, ,						T			ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					i	Rec	Nonrec	urring	Nonrecurrin	g Disconnect				Rates (\$)		
			l			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-\	Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14 97					T					
	Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25 93					T		T			
2-1	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	40 81										
UNE Port			1		1								L			
All States			1.													
	Wire Voice Grade Port (Centrex.) Basic Local Area			UEP95	UEPYA	2 28	79 59	63 97					40 18	9 45		
	Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2 28	79 59	63 97					40 18	9 45		
	Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1								1		1			
	rea		<u> </u>	UEP95	UEPYH	2 28	79 59	63 97					40 18	9 45		
	Wire Voice Grade Port (Centrex from diff Serving Wire		1		- 1						i					
	enter)2 Basic Local Area			UEP95	UEPYM	2 28	164 57	128 16					40 18	9 45		
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1						1					1		
	erm - Basic Local Area		ļ	UEP95	UEPYZ	2 28				ļ			40 18	9 45		ļ
	Wire Voice Grade Port terminated in on Megalink or equivalent	)	1	ł	1	[			ļ.					l		1
	Basic Local Area		ļ	UEP95	UEPY9	2 28	79 59	63 97	<u> </u>				40 18	9 45		
	Wire Voice Grade Port Terminated on 800 Service Term -						1									1
	asic Local Area		ļ	UEP95	UEPY2	2 28	79 59	63 97		<b>_</b>	ļ		40 18	9 45		
NC Only			-	ļ <u>.</u>					<u> </u>		<b>_</b>					ļ
	Wire Voice Grade Port (Centrex.)		ļ	UEP95	UEPUA	2 28	79 59	63 97		ļ	<u> </u>		40 18	9 45		
	Wire Voice Grade Port (Centrex 800 termination)		-	UEP95	UEPUB	2 28	79 59	63 97		-			40 18	9 45		
	Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2 28	79 59	63 97			<u> </u>		40 18	9 45		-
	Wire Voice Grade Port (Centrex from diff Serving Wire		Į.								Į.					1
	enter)2		_	UEP95	UEPUM	2 28	164 57	128 16		ļ	ļ		40 18	9 45	<u> </u>	
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBAS	1			400.40					40.40	0.45		
I e	erm		-	UEP95	UEPUZ	2 28	164 57	128 16			<b>!</b>		40 18	9 45		
				u <b>c</b> nos	1.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.00	70.50	00.07			1		40 18	9 45		
2-1	Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP95 UEP95	UEPU9	2 28	79 59 79 59	63 97 63 97			ļ		40 18	9 45		
	Wire Voice Grade Port Terminated on 800 Service Term		<del> </del>	UEP95	UEPU2	2 28	79 59	63 97		<u> </u>	<del> </del>		40 18	9 45		
Local Swi	entrex Intercom Funtionality, per port		<del> </del>	UEP95	URECS	0 903					<del> </del>			-	ļ	
	mber Portability		-	UEP93	UNECS	0 903					+			<del> </del>		
	ocal Number Portability (1 per port)		1	UEP95	LNPCC	0 35		-						<del>                                     </del>		<del> </del>
Features			<del> </del>	UCF 93	LINECC					+	1			-		_
	Il Standard Features Offered, per port		<del></del> -	ÜEP95	UEPVF	3 40				+	<del>                                     </del>			<del> </del>		
	Il Select Features Offered, per port		<del> </del>	UEP95	UEPVS	0 00	457 83				<del> </del>			-		_
	Il Centrex Control Features Offered, per port		-	UEP95	UEPVC	3 40	457 65	_			<del>- </del>					<del></del>
NARS	Centrex Control Features Officied, per port		-	OLF 93	DLF VC	340		-		<del> </del>	_					<del> </del>
	nbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0 00	-	<del> </del>	+	******	40 18	9 45		
	nbundled Network Access Register - Combination		<u> </u>	UEP95	UAR1X	0 00	0 00	0 00		<del> </del>	+		40 18	9 45		
	nbundled Network Access Register - Outdial	_	-	UEP95	UAROX	0 00	0 00	0.00		+	+		40 18	9 45		
	neous Terminations		<del>}</del>	OLF 85	DAROX	0 00	0.00	0.00	_	<u> </u>	+	<del> </del>	- 40 10	340		<del> </del>
2-Wire Tru			+						<del> </del>		<del> </del>	<del></del>		<del>                                     </del>		_
	runk Side Terminations, each		1	UEP95	CEND6	12 36					·-			<del>                                     </del>		
	gital (1.544 Megabits)		+	021 00	OL. 150	12.00		-	+				-	_		_
	S1 Circuit Terminations, each		<del>  -</del>	UEP95	M1HD1	123 65			+		<del>                                     </del>		40 18	9.45		
- DS	S0 Channels Activated, each		<del>                                     </del>	UEP95	M1HDO	0 00	28 81		<del> </del>	<u> </u>	+		40 18	9 45		· · · · · ·
	e Channel Mileage - 2-Wire		+	021 30	WITTIBO		2001		+	-	+		- · · · · ·	<u> </u>		<u> </u>
	steroffice Channel Facilities Termination		+	UEP95	MIGBC	18 00			+		+		<del>                                     </del>	· - · ·	<del>                                     </del>	-
	Iteroffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	-	UEP95	MIGBM	0 0282			<del> </del>	1	+	-	<del>                                     </del>	<del>                                     </del>	1	<u> </u>
	Activations (DS0) Centrex Loops on Channelized DS1 Service			7		3 0202	-		<del>                                     </del>	<del> </del>	+	<del> </del>	1	1	1	
	nel Bank Feature Activations	i –	1	<u> </u>						<del>                                     </del>	<del>                                     </del>				<del> </del>	1
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 65					1				<del></del>	
-1-1	Service Service Service Coop Olds	<del>                                     </del>		1					<del>                                     </del>	1	+	ļ	<del> </del>	T	1	
Fe	eature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0 65									I	
	eature Activation on D-4 Channel Bank FX Trunk Side Loop	<u> </u>	$\vdash$	<del>                                     </del>	1											
	lot	1		UEP95	1PQW7	0 65					1				I	1
	eature Activation on D-4 Channel Bank Centrex Loop Slot -		+	1	1				<del> </del>	1	+					
	ifferent Wire Center	l	Į.	UEP95	1PQWP	0.65			1	1	1	Į.	Į.	į.	1	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES (\$)	N			Suhmitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec First	Add'l	First	ng Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
							riist	Addi	First	Addi	SOMEC	SOWAN	SUMAN	SUMAN	SUMAIN	SOWAN
i	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 65										
	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot			OLF 50	IFGWV	0.00										
İ	Slot	l		UEP95	1PQWQ	0 65	İ									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 65					1	-				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex													···		
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		2 77	0 40					40 18	9 45		
	New Centrex Standard Common Block			UEP95	M1ACS	0 00	695 11						40 18	9 45		
	New Centrex Customized Common Block			UEP95	M1ACC	0 00	695 11						40 18	9 45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 73						40 18	9 45		
	CENTREX - DMS100 (Valid in All States)															L
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		L							1						<b></b>
UNE P	ort/Loop Combination Rates (Non-Design)									<u> </u>						L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	Ι.	LIEBOR		40.55	Ì			1						1
	Non-Design		1	UEP9D		13 03					1					<del></del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOD		24.00										
	Non-Design		2	UEP9D		21 33										<del> </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9D	1 1	32 61										
LINE D	pron-besign ort/Loop Combination Rates (Design)		3	UEP9D		32 01				-	1					<del></del>
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Design		1	UEP9D	1	17 25					i					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	021 30		17 23					-					
	Design		2	UEP9D	1	28 21										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	00,00		2021					1					
	Design		3	UEP9D		43 09										1
UNE L	oop Rate				1		<del>-</del>			† · · · ·	1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10 75				1	1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19 05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	30 33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	14 97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25 93										L
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40 81										<u> </u>
	ort Rate		ļ													
ALL ST			<u> </u>	LIEBAR			70.50									<del></del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2 28	79 59	63 97			ļ	· · · -	40 18	9 45		-
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2 28	79 59	63 97					40 18	9 45	ł	1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OEF 3D	DEFTB	2 40	78 08	03 97		1	1		40 10	845	ļ	<del> </del>
	Area		l	UEP9D	UEPYC	2 28	79 59	63 97			<b>!</b>		40 18	9 45	!	1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		<del> </del>	OCT 90	OLF 10	2 20	10 35	05 81		<del> </del>	<del></del>		40 10	343	<u> </u>	<del></del>
	Area			UEP9D	UEPYD	2 28	79 59	63 97			}		40 18	9 45	l	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		<b></b>	02.00	02.12	2.20	10 05	0001					10 10	0.,0		
	Area		1	UEP9D	UEPYE	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local										1					
	Area		i	UEP9D	UEPYF	2 28	79 59	63 97			i	:	40 18	9 45	1	İ
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	2 28	79 59	63 97					40 18	9 45		ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area		L	UEP9D	UEPYT	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local				1											
	Area			UEP9D	UEPYU	2 28	79 59	63 97		1			40 18	9 45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1	l										l		
	Area		<u> </u>	UEP9D	UEPYV	2 28	79 59	63 97	L	ļ	1		40 18	9 45		
- 1	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	LIEBOO	Lucava								40 : 5		1	
	Area		<u> </u>	UEP9D	UEPY3	2 28	79 59	63 97		1	<del></del>		40 18	9 45	ļ	
1	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	l	1		1					1	1	1		I		1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit <sup>.</sup> B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge -
												<u> </u>			Disc 1st	Disc Add 1
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add¹l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				1								40.0	0.45		
	Indication))3 Basic Local Area			UEP9D	UEPYW	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3					2 28	79 59	63 97					40 18	9 45		
	Basic Local Area		<u> </u>	UEP9D	UEPYJ	2 28	79 59	6397					40 10	9 45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area		l	UEP9D	UEPYM	2 28	164 57	128 16					40 18	9 45		
<del></del>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	-		OLI OD	JOE! THE		10107	.20 .0			<del>                                     </del>					
	Basic Local Area			UEP9D	UEPYO I	2 28	164 57	128 16			1	'	40 18	9 45		1
-+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area		<u></u>	UEP9D	UEPYQ	2 28	164 57	128 16			ļ		40 18	9 45		<b>└</b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			LIEBOD	LIFFOUR	0.00	404.57	100.10					40 18	9 45		ĺ
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	2 28	164 57	128 16	_				40 18	9 45		<del></del>
	Basic Local Area		1	UEP9D	UEPYS	2 28	164 57	128 16					40 18	9 45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	-	-	OEF 9D	OLF 13	2.20	104 37	120 10			<del>                                     </del>		40 10	943		
	Basic Local Area			UEP9D	UEPY4	2 28	164 57	128 16					40 18	9 45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02.00	102. 11		- 10107	120 10					10 10			
	Basic Local Area			UEP9D	UEPY5	2 28	164 57	128 16			1		40 18	9 45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3				1											
	Basic Local Area			UEP9D	UEPY6	2 28	164 57	128 16			i 1		40 18	9 45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3							_								
	Basic Local Area			UEP9D	UEPY7	2 28	164 57	128 16					40 18	9 45		L
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term			UEP9D	UEPYZ	2 28	164 57	128 16					40 18	9 45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D		2.00	70.50	40.07					10.10	0.45		i
	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	2 28	79 59	63 97			-		40 18	9 45		
	Local Area			UEP9D	UEPY2	2 28	79 59	63 97		1			40 18	9 45		ĺ
NC Or				OEF-3D	OEF 12	2 20	79 39	03.91			-		40 18	9 43		
- 1.00	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2 28	79 59	63 97		·			40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D UEP9D	UÉPUG UEPUT	2 28	79 59 79 59	63 97	_	<b></b>			40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPUU	2 28	79 59	63 97 63 97					40 18 40 18	9 45 9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUV	2 28	79 59	63 97		1			40 18 40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2 28	79 59	63.97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				1			55.57				-	70 10		-	
	Indication)3			UEP9D	UEPUW	2 28	79 59	63 97					40 18	9 45		i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2 28	79 59	63 97					40 18	9 45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															1
	2			UEP9D	UEPUM	2 28	164 57	128 16		<u> </u>			40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2 28	164 57	128 16					40 18	9 45		
-	2 Wire Verse Crade Best (Control of the DWC (EDG MESSON)			LIEDOD	LUEDUD	0.55	404.5-	400 : 0								i
<del></del>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPUP UEPUQ	2 28	164 57	128 16			<b>——</b>		40 18	9 45		
	2 This Told Grade Fort (Centrexidine) SWC (EBS-5209)2, 3	-		UEFBU	DEPUQ	2 28	164 57	128 16		-			40 18	9 45		
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1		UEP9D	UEPUR	2 28	164 57	128 16		1			40 18	9 45		ĺ
	(10112)21							120 10						0 40		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2 28	164 57	128 16		I			40 18	9 45		ı
					1											
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	2 28	164 57	128 16		I	1		40 18	9 45		1

NBUNDLED NETWORK ELEMENTS - North Carolina													ment 2		bit <sup>,</sup> B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	_			Submitted Manually	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs Electronic-	Charge Manual St Order vs Electronic
		İ		i								1st	Add'I	Disc 1st	Disc Add
		<u> </u>			Rec	Nonrec			g Disconnect				Rates (\$)		
	ļ					First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		ļ	UEP9D	UEPU5	2 28	164 57	128 16					40 18	9 45		1
2-Wire Voice Grade Port (Centrexidiner SWC /EBS-M3206)2, 3	+	1-	DEPSD	OEF03	2 20	104 37	120 10			+		40.10	3.10		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2 28	164 57	128 16		1			40 18	9 45		
	T										ļ	40.40	9 45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	1		UEP9D	UEPU7	2 28	164 57	128 16					40 18	9 45		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPUZ	2 28	164 57	128 16				1	40 18	9 45		
Tem.	···	1	02.700	52.02						1					
2-Wire Voice Grade Port terminated in on Megalink or equivalen	t		UEP9D	UEPU9	2 28	79 59	63 97					40 18	9 45		ļ
2-Wire Voice Grade Port Terminated on 800 Service Term	l		UEP9D	UEPU2	2 28	79 59	63 97					40 18	9 45		
Local Switching	<u> </u>														-
Centrex Intercom Funtionality, per port	ļ	<u> </u>	UEP9D	URECS	0 903					<del>                                     </del>		<u> </u>		<del>  _</del> -	
Local Number Portability				LNPCC	0 35							-	<del> </del>		<del></del>
Local Number Portability (1 per port)	+	+	UEP9D	LNPCC	0.35	-		_	+	+	<del>                                     </del>		<del> </del>		
Features All Standard Features Offered, per port	+	1	UEP9D	UEPVF	3 40					<del> </del> -				†	
All Select Features Offered, per port	-	+	UEP9D	UEPVS	0 00	457 83				<del>                                     </del>		40 18	9 45		
All Centrex Control Features Offered, per port	+	-	UÉP9D	UEPVC	3 40		-			1					
NARS	+		02.00	02.10		~								l	
Unbundled Network Access Register - Combination		<del> </del>	UEP9D	UARCX	0 00	0 00	0.00					40 18	9 45		
Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0 00	0 00					40 18	9 45	ļ	
Unbundled Network Access Register - Outdial	1	1	UEP9D	UAROX	0.00	0.00	0 00					40 18	9 45		ļ
Miscellaneous Terminations	1										_				ļ
2-Wire Trunk Side								<u> </u>				-		ļ <u></u>	<del> </del>
Trunk Side Terminations, each	1		UEP9D	CEND6	12 36			-		ļ	<del> </del>		<u> </u>	<del> </del>	
4-Wire Digital (1.544 Megabits)				1441154	123 65						+	40 18	9 45	-	-
DS1 Circuit Terminations, each	+	+	UEP9D	M1HD1 M1HDO	0 00	28 81			<del> </del>	-	<b>+</b>	40 18	9 45		+
DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire	+	1-	UEP9D	MINDO	0 00	20 01				1	-	10.10			<del> </del>
Interoffice Channel Facilities Termination	+	+	UEP90	MIGBC	18 00					1			T-		
Intereffice Channel mileage, per mile or fraction of mile		+	UEP9D	MIGBM	0 0282			_	1-						
Feature Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce	1													
D4 Channel Bank Feature Activations														<u> </u>	<u> </u>
Feature Activation on D-4 Channel Bank Centrex Loop Slot		J.,	UEP9D	1PQWS	0 65										
Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 65			1		<del> </del>	<del> </del>	-			
Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP9D	1PQW7	0 65									1	1
Slot	-	+	DEP90	TPQW/	0.65				-	-	<del> </del>	+		+	1
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	1		UEP9D	1PQWP	0 65		ì	!							
Different Wife Central	<del> </del>	-	OLI SD	11 41	3.50			· ·	1	1	T			1	
Feature Activation on D-4 Channel Bank Private Line Loop Slot	i		UEP9D	1PQWV	0 65			i							
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1													i
Siot			UEP9D	1PQWQ	0 65										ļ
Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 65									<del></del>	ļ
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
NRC Conversion Currently Combined Switch-As-Is with allowed	1										1	40 18	9 45		
changes, per port	+	<b> </b>	UEP9D	USAC2	0.00	2 77 695 11	0 40	<del> </del> -	+	+	<del>  -</del>	40 18			+
New Centrex Standard Common Block	+	+	UEP9D UEP9D	M1ACS M1ACC	0 00	695 11			-	+	+ $-$	40 18			1
New Centrex Customized Common Block		+-	UEP9D	URECA	0 00	72 73		-	+	+	<del> </del>	40 18			
NAR Establishment Charge, Per Occasion  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSI	+	-	OCT 3D	UNEUA	1 000	12.13		<del> </del>	<del> </del>	+	T	1			
Note 2 - Required Port for Centrex Control in TAESS, SESS & EWSL	+	+		<del>                                     </del>					<del></del>	<del>                                     </del>	T		1		T
Note 3 - Requires Specific Customer Premises Equipment	+	+						1							
NBUNDLED CENTREX PORT/LOOP COMBINATIONS - MARKET RATES		1	<del> </del> -												
1. Market Rates are applied where BellSouth is not required by FCC	andior	State (	Commission rule t	o provide Unbu	indled Local Sv	witching or Sw	itch Ports.								
2 Pacurana Charges for all Standard Centrey and Centrey Coprol	eatures	are Inc	cluded in the Mar	ket Rate	1						<u> </u>	L	<u> </u>	<b></b>	
3. End Office and Tandem Switching Usage and Common Transpor	t Usage	rates i	n the Port section	of this rate exh	ibit shall apply	to all combin	ations of loop	/port network	elements exce	pt for UNE	Coin Port/L	oop Combina	tions.	1	

IRONDLEI	NETWORK ELEMENTS - North Carolina					_								nent. 2		bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec	Svc Order Submitted Manually per LSR	1	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
			Ĺ		نــــــــــــــــــــــــــــــــــــــ		First	Add'I	First	Add'I			SOMAN	SOMAN	SOMAN	SOMAN
	first and additional Port nonrecurring charges apply to Not Cu	irrently	Comb	ined Combos For	Currently Cor	nbined Combo	s, the nonrect	irring charges	shall be those	e identified in t	the Nonrecu	rring - Curre	ently Combine	ed sections	Additional NF	(Cs may
	Iso and are categorized accordingly CENTREX - 5ESS (Valid in All States)				т т					1	T					т
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ		+					<del> </del>	1				<del></del>	<del></del>
	ort/Loop Combination Rates (Non-Design)				+					<del></del>						
			-							+	_				<del></del>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	UEP95		24 75			ĺ		ł	1	ł			
	Non-Design			UEP95	<del>  </del>	24 / 3				<del>                                     </del>						+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.	LIEBOS		20.05							ł		]	
	Non-Design		2	UEP95		33 05				ļ						<del> </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ì	_	l						1						1
	Non-Design		3	UEP95	<b></b>	44 33			ļ	<del></del>	-		<del></del>			
UNE Po	ort/Loop Combination Rates (Design)		L								ļ					+
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1			{					Į.		l	i		
	Design		1	UEP95	1	28 97					<b> </b>					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														ì	
	Design		2	UEP95		39 93					<u> </u>					<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												_			į.
	Design		3	UEP95		54 81			i							
UNE LO	oop Rate								ľ	-						
	2-Wire Voice Grade Loop (St. 1) - Zone 1		1	UEP95	UECS1	10 75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19 05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30 33				<u> </u>	-				<u> </u>	
<del></del>	2-Wire Voice Grade Loop (St. 2) - Zone 1		Ť	UEP95	UECS2	14 97					· · · · · ·			-		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25 93								-		<b>†</b>
	2-Wire Voice Grade Loop (St. 2) - Zone 3			UEP95	UECS2	40 81	<del>_</del>			·						
	prt Rate	-	٠,	OLF 80	ULCOZ				-	+	+					· · · · · · ·
All Stat			-							<del></del>	+					<del> </del>
			<del></del>	UEP95	UEPYA	14 00	105 00	85 00		<del> </del>	<del> </del>		40 18	9 45		+
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP95	UEPYB	14 00	105 00	85 00	-	+	<del></del>		40 18	9 45		<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95	TOEPTB	14 00	105 00	85 00					40.10	9 43		+
į.	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPYH	14 00	105 00	85 00			1		40 18	9 45		
	Area		-	UEP95	UEPTH	14 00	105 00	60.00		<del></del>	<del> </del>		40 10	3 43		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								!	-			40.40	9 45		1
	Center)2 Basic Local Area		↓	UEP95	UEPYM	14 00	215 00	165 00					40 18	9 45	-	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l l							ļ				
	Term - Basic Local Area		1	UEP95	UEPYZ	14 00					<del></del>		40 18	9 45		
ł	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1 1								ì			
	- Basic Local Area			UEP95	UEPY9	14 00	105 00	85 00					40 18	9 45		↓
	2-Wire Voice Grade Port Terminated on 800 Service Term -									1	1				1	1
	Basic Local Area	L	<u> </u>	UEP95	UEPY2	14 00	105 00	85 00		1			40 18	9 45	<u> </u>	
NC Onl															L	
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPUA	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	14 00	105 00	85 00					40 18	9 45		T .
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	14 00	105 00	85 00		1			40 18	9 45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				<del> </del>											
	Center)2			UEP95	UEPUM	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1		T									· · · · · ·		
	Term	1	1	UEP95	UEPUZ	14 00	215 00	165 00				1	40 18	9 45		1
			1	1	1:						1	<b>T</b>				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPU9	14 00	105 00	85 00		1	1		40 18	9 45	1	1
-	2-Wire Voice Grade Port Terminated on 800 Service Term		+	UEP95	UEPU2	14 00	105 00	85 00		1			40 18	9 45		1
Local 9	Switching		t —	1	1				<del> </del>	1	1					<b>†</b>
	Centrex Intercom Funtionality, per port	<del>                                     </del>	†	UEP95	URECS	0 903			<del>                                     </del>	<del>                                     </del>	+				<del> </del>	†
	Number Portability		1	00.00	JOINE OF	0 303				+	+	<del> </del>	<del> </del> -			+
COGAI I		<del> </del>	1	UEP95	LNPCC	0 35		<del></del>	<del> </del>	<del> </del>	+		-		<del> </del>	+
Ecot.	Local Number Portability (1 per port)		+	OEL 30	LINFOC	0.35		ļ	<del> </del>	+		<del> </del>	<del> </del>	<del> </del>		+
Feature		<u> </u>	<b></b>	Lienos	LIEDVE	0.00		-	-	+		<del> </del>	<del> </del>		<b></b>	+
	All Standard Features Offered, per port	<u> </u>	1	UEP95	UEPVF	0 00				+					<del> </del>	
1	All Select Features Offered, per port			UEP95 UEP95	UEPVS	0 00	457 83		ļ <u>.</u>	<del></del>	+		<del></del>		-	+
	All Centrex Control Features Offered, per port															

NEGNOTE	D NETWORK ELEMENTS - North Carolina				1 -						Suc Order	Svr Order	Attachr	Incremental		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect	001150	001111		Rates (\$)	COULAN	SOMAN
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN 40 18	<b>SOMAN</b> 9 45	SOMAN	SUMAN
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00		-			40 18	9 45	-	<del>                                     </del>
	Unbundled Network Access Register - Indial			UEP95	UAR1X UAROX	0 00	0 00	0 00		+	-		40 18	9 45		
	Unbundled Network Access Register - Outdial	_		UEP95	UARUX	000	0.00			+	<del></del>		70.10			<del></del>
	ellaneous Terminations e Trunk Side	_								+	<del>                                     </del>					1-
2-Wire	Trunk Side Trunk Side Terminations, each		-	UEP95	CEND6	12 36										l
4 Mire	e Digital (1.544 Megabits)		-	OLF 93	OLIVEO	12 30									,	
4-99116	DS1 Circuit Terminations, each		<del>                                     </del>	UEP95	M1HD1	123 65					1		40 18	9 45		
	DS0 Channels Activated, each		<del> </del>	UEP95	M1HDO	0 00	28 81						40 18	9 45		
Intero	office Channel Mileage - 2-Wire	-														
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18 00										<b>↓</b>
	Interoffice Channel mileage, per mile or fraction of mile		T	UEP95	MIGBM	0 0282										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														<u> </u>
	nannel Bank Feature Activations									1	ļ	L				<b></b>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 65				1				<u> </u>		
			1			_						1		}		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	L		UEP95	1PQW6	0 65			<u> </u>	ļ	<del> </del>		<del> </del>			<del> </del>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1													1	1
	Slot			UEP95	1PQW7	0 65										<del></del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	ļ	1			0.05	ļ				ļ	j				
	Different Wire Center		ļ	UEP95	1PQWP	0 65					+			<u> </u>		<del> </del>
1					L DOUBLE	0 65									1	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		├	UEP95	1PQWV	0 65					+		<del> </del>			-
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			UEP95	1PQWQ	0 65					ŀ					
	Slot		-	UEP95	1PQWA	0 65				<del>                                     </del>	<del>                                     </del>					1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	<u> </u>	UEP95	IFQVA	0 63			<del></del>	+	<del> </del>				-	
Non-r	Recurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed		-													
	changes, per port		1	UEP95	USAC2	}	277	0 40					40 18	9 45		1
	New Centrex Standard Common Block		<del> </del>	UEP95	MIACS	0 00	695 11				+		40 18	9 45		
	New Centrex Customized Common Block		+	UEP95	M1ACC	0 00	695 11	_		7 -	1		40 18	9 45		
	NAR Establishment Charge, Per Occasion	_	+	UEP95	URECA	0 00	72 73		_	·			40 18	9 45		
LINE	P CENTREX - DMS100 (Valid in All States)		<del>                                     </del>													
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1													
	Port/Loop Combination Rates (Non-Design)															<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP9D		24 75										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T							J	}	]	ļ			
1	Non-Design		2	UEP9D		33 05							ļ			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		3	UEP9D		44 33				-	-	<del> </del> -	ļ. ——	<u> </u>		-
UNE	Port/Loop Combination Rates (Design)									ļ		<b>—</b>			·	+
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		l					ļ	-				l		1
	Design	ļ	1	UEP9D		28 97					<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>		+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOD	1 1	20.00								1	1	
	Design	ļ	2_	UEP9D		39 93				<del>+</del>	+	<del> </del>	+	<del> </del>	-	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D		54 81						1	Į.	1		
	Design	├	3	UEP9U		54 81			<del></del>	+	+				· · · · · ·	
UNE	Loop Rate   2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10 75			-	<del></del>	+	<del>                                     </del>	-		·	
	2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>	2	UEP9D	UECS1	19 05			<del> </del>	1	1	<del> </del>	1	1		1
-+-	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30 33				<del>                                     </del>	+	-		T		
-+	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP9D	UECS2	14 97					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	_	2	UEP9D	UECS2	25 93			<del>                                     </del>		1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3	t —	3	UEP9D	UECS2	40 81			1	1	T -					
UNF	Port Rate	1 -	Ť	1				·		7	T					ļ
	STATES		<b></b>						1	1						
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	-	t -	UEP9D	UEPYA	14 00	105 00	85 00					40 18	9 45	1	1

ONBONDE	D NETWORK ELEMENTS - North Carolina												Attachn		Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	January Contract Cont		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
İ	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OEFBD	UEFTB	14 00	103 00				1		40 16	9 45		
	Area			UEP9D	UEPYC	14 00	105 00	85 00	l				40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local								-		1					
	Area		ļ	UEP9D	UEPYD	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	UEPYE	44.00	405.00	05.00	1 1				40.40	0.45		
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPTE	14 00	105 00	85 00				-	40 18	9 45		
-	Area			UEP9D	UEPYF	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	14 00	105 00	85 00			ļ		40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				l											
<del></del>	Area  2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	14 00	105 00	85 00					40 18	9 45		
	Area			UEP9D	UEPYU	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				102.10	11.00	100 00	00 00			<del> </del>		40.10			
	Area	1		UEP9D	UEPYV	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area		ļ. <b>.</b>	UEP9D	UEPY3	14 00	105 00	85 00					40 18	9 45	-	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14 00	105 00	85 00	İ				40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OEFSD	UEFIN	14 00	105 00	85 00			+		40 10	543		
	Indication))3 Basic Local Area			UEP9D	UEPYW	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area			UEP9D	UEPYJ	14 00	105 00	85 00					40 18	9 45	i	
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYM	14 00	045.00	405.00					40 18	9 45		
_	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	-		UEP9D	UEPTIVI	14 00	215 00	165 00			<del></del>		40 10	9 40	-	
	Basic Local Area	ĺ		UEP9D	UEPYO	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3				<del> </del>											
	Basic Local Area			UEP9D	UEPYP	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			LIEBOD	luenvo	44.00	045.00	405.00					40.40	0.45		
_	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		₩-	UEP9D	UEPYQ	14 00	215 00	165 00	<del></del>				40 18	9 45		
	Basic Local Area	l		UEP9D	UEPYR	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3				1								10 10			
	Basic Local Area			UEP9D	UEPYS	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3				l										1	
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		<del> </del>	UEP9D	UEPY4	14 00	215 00	165 00			<del> </del>		40 18	9 45		
1	Basic Local Area	]		UEP9D	UEPY5	14 00	215 00	165 00	1 1				40 18	9 45		
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		<del> </del>	02.00	102.10	1100	2.000	100 00					10.10			
	Basic Local Area			UEP9D	UEPY6	14 00	215 00	165 00	[ [				40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	l														
	Basic Local Area		L	UEP9D	U€PY7	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		1	UEP9D	UEPYZ	14 00	215 00	165 00					40 18	9 45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			ÚEF 9D	UEF 12	14 00	213 00	103 00			<del>                                     </del>		40 10	940		
1	Basic Local Area			UEP9D	UEPY9	14 00	105 00	85 00					40 18	9 45		i
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area	<u></u>	ļ	UEP9D	UEPY2	14 00	105 00	85 00			<u> </u>		40 18	9 45		ļ
NC O		-	-	LIEDOD	UEPUA	14.00	10E 00	05.00	ļ		-		40 18	9 45		
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)	-	-	UEP9D UEP9D	UEPUA	14 00 14 00	105 00 105 00	85 00 85 00	<del></del>		<del> </del>		40 18	9 45		
<del></del>	2-Wire Voice Grade Port (Centrex 600 termination)	-		UEP9D	UEPUC	14 00	105 00	85 00	·				40 18	9 45	-	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	14 00	105 00	85 00			-		40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	14 00	105 00	85 00			1		40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	14 00	105 00	85 00					40 18	9 45		

NABONDEE	D NETWORK ELEMENTS - North Carolina		,											ment 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted	Suhmitted		Incremental Charge - Manual Svc Order vs Electronic- Add'I	incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
							Nonrec	urring	Nonrecurrin	a Disconnect	<del> </del>		oss	Rates (\$)	1	<del>'                                    </del>
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	14 00	105 00	85 00					40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPUT	14 00	105 00	85 00		1			40 18	9 45		· .
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	14 00	105 00	85 00			+		40 18	9 45	i	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	_	<del></del>	UEP9D	UEPUV	14 00	105 00	85 00		+	1		40 18	9 45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	14 00	105 00	85 00		-	i		40 18	9 45		<del> </del>
•	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	14 00	105 00	85 00	_	+	<del> </del>		40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp	<del> </del>		021 00	OLI OII	14 00	100 00	35 00		+	<del>                                     </del>		40 10	945		
l l	Indication)3	ļ .		UEP9D	UEPUW	14 00	105 00	85 00	i	Į.			40 18	9 45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		_	UEP9D	UEPUJ	14 00	105 00	85 00		<del> </del>			40 18	9 45		
<del></del>	2-Wire Voice Grade Port (Centrex Msg Wig Lamp Indication)3			OEFBD	UEFUJ	14 00	105 00	85 00		1			40 18	9 45		ļ
	2	l		UFP9D	UEPUM	14 00	245.00	105.00	1				40.00		1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		+	UEP9D			215 00	165 00	ļ				40 18	9 45	-	-
	2-vviile voice Grade Port (Certifex/differ SvvC /EBS-PSET)2, 3		<del> </del>	05590	UEPUO	14 00	215 00	165 00					40 18	9 45	ļ	
	2 Mire Voice Conde Bost (Controllettes DIMC IEEE MESSON)			MEDOD	LIEDUD	4.00	045.55	405.00						1	1	
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		-	UEP9D	UEPUP	14 00	215 00	165 00			.		40 18	9 45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		1-	UEP9D	UEPUQ	14 00	215 00	165 00					40 18	9 45	ļ	
	2 Mars Varia Conta Bart (Contact of Fig. 1900) (FFC 1900)		1	LIEBOR		1					1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		_	UEP9D	UEPUR	14 00	215 00	165 00					40 18	9 45		
					1	- 1										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		<u> </u>	UEP9D	UEPUS	14 00	215 00	165 00					40 18	9 45		
				1	1 1						i			1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	14 00	215 00	165 00					40 18	9 45		
				i			1			1						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	14 00	215 00	165 00					40 18	9 45		ļ
		ŀ														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	14 00	215 00	165 00					40 18	9 45		
						- 1										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	14 00	215 00	165 00			1		40 18	9 45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1													
	Term		1	UEP9D	UEPUZ	14 00	215 00	165 00			1		40 18	9 45		
			1						-							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		İ	UEP9D	UEPU9	14 00	105 00	85 00			1 1		40 18	9 45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	14 00	105 00	85 00	<del></del>		<del>-</del>		40 18	9 45		
Local	Switching			32. 32	- 02.02	11.00	100 00	- 00 00		<del>                                     </del>	<del>  </del>		40 10	3 73		
	Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0 903				<del> </del>	+					
Local	Number Portability			02.00	JOINEGO					<del>                                     </del>	+					
Loour	Local Number Portability (1 per port)	-		UEP9D	LNPCC	0 35										
Featur			-	OLFBD	LINFOC	0 33				ļ	+					
- Februar	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
+	All Select Features Offered, per port			UEP9D	UEPVS	0 00	457 83				+		40 18	9 45		-
	All Centrex Control Features Offered, per port		_	UEP9D	UEPVS	0 00	457 83				ļ	<b></b>	40 18	9 45		
NARS				UEP9D	DEPVC	0 00				ļ						
INAKS				LIEDOD	LIA DOV						<u> </u>					
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0.00	0 00					40 18	9 45		
	Unbundled Network Access Register - Inward		ļ	UEP9D	UAR1X	0 00	0 00	0 00					40 18	9 45		
	Unbundled Network Access Register - Outdial		L	UEP9D	UAROX	0.00	0 00	0 00					40 18	9 45		
	laneous Terminations															
2-Wire	Trunk Side															
1	Trunk Side Terminations, each		L	UEP9D	CEND6	12 36										
4-Wire	Digital (1.544 Megabits)															I
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123 65							40 18	9 45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	28 81				1		40 18	9 45		
Interof	fice Channel Mileage - 2-Wire							_			1					
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18 00	•				<del>  </del>					<del>                                     </del>
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0 0282	• • • • • • • • • • • • • • • • • • • •									
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е			-						<del> </del>					
	annel Bank Feature Activations				-						<del>   </del>		-			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0 65	-		<b></b>		+					-
					1	¥ 30				<del>                                     </del>	+					<del></del>
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 65				1	]			Ì	İ	1

NBUI	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment 2	Exhi	bit. B
ATEG		RATE ELEMENTS	Interí m	Zone	BCS	usoc			RATES (\$)			Submitted	Su⊵mitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs
			!					Nonrec	urrina	Nonrecurrin	g Disconnect	<del>                                     </del>		OSS	Rates (\$)	L	
			1				Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMÁN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0 65		-								
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 65										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 65										
		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Stot			UEP9D	1PQWQ	0 65										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 65				<u> </u>						1
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2 77	0 40					40 18	9 45		
		New Centrex Standard Common Block			UEP9D	M1ACS	0 00	695 11						40 18	9 45		
		New Centrex Customized Common Block			UEP9D	M1ACC	0 00	695 11						40 18	9 45		1
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	72 73						40 18	9 45		
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	2 - Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment			·												
$\neg$	Note	Rates displaying an "R" in Interim column are interim and sul	ject to	rate tru	e-up as set forth i	in General Term	s and Conditio	ns.									

INDUNDI ED N	ETWORK ELEMENTS - South Carolina												Attachr			bit. B
ON BOINDLED W	ETWORK ELLMENTS - South Curonid		1					_		<u> </u>	Svc Order	Svr Order	Incremental	Incremental	Incremental	Increment
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
l l		Interi	,			ļ		RATES (\$)				per LSR		Order vs.	Order vs	Order vs
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	ĺ		KAIES (#)			per LSR	perLSK	Order vs.		1	
		m	i l		i						Į.		Electronic-	Electronic-	Electronic-	Electronic
l			1 1										1st	Add'l	Disc 1st	Disc Add
			1 1									l	000	Rates (\$)		
						Rec	Nonrec		Nonrecurring		DOMEC	COMAN		SOMAN	SOMAN	SOMÁN
							First	Add'l	First	Add'l	SUMEC	SOMAN	SUMAN	SOMAN	Mahaita:	COMPAR
The "Zone"	" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	eographically	/ Deaveraged Ul	IE Zones. To	view Geograph	iically Deaveraç	ged UNE Zone	Designation	ns by Cent	rai Office, reit	er to internet	wensite.	
http://usere/	v.interconnection bellsouth com/become_a_clec/html/inter	connec	tion ht	m												
PERATIONAL SI	JPPORT SYSTEMS	Γ									<u> </u>	L .	l. ;		americad in th	in rate
		t nego	tiator if	it prefers the state :	specific elect	tronic service of	dering charge	s as ordered b	y the State Con	nmissions T	he electron	ic service o	raering charg	e currently c	ontained in G	iis rate
																illy For
NOTE (2)	Any element that can be ordered electronically will be bill nents that cannot be ordered electronically at present per t	he BBE	LO th	o listed SOMEC rate	e in this cate	gory reflects the	charge that v	ould be billed	to a CLEC onc	e electronic o	ordering cap	abilities co	me on-line fo	r that elemer	t. Otherwise,	the manua
those elem	nents that cannot be ordered electronically at present per t	ne bbr	(-LO, III	- 11-110-114	e III tima cate	gory remotes the	, c., a. g									
ordering c	harge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSK	o BellSouth	SOMAN				1 97		F T					
Mai	nual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN						<del></del>				T	
Ele	ectronic OSS Charge, per LSR, submitted via BST's OSS								l							1
	eractive interfaces (Regional)				SOMEC		3 50					<del></del>		<del> </del>	+	1
NE CERVICE DA	TE ADVANCEMENT CHARGE	1									<del></del>	<del></del>		<del></del>		
NOTE: The	e Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	on 5 as appli	çable.					<b></b>		-	<del> </del>	+	
- HOTE THE	NE Expedite Charge per Circuit or Line Assignable USOC, per	T T	1	ALL UNE EXCEPT			-								1	
Da			1	UNE-P	SDASP		200 00					<u> </u>			<del>-</del>	
	CHANGE ACCESS LOOP	<del></del>	1		<del> </del>									<del></del>	<b>_</b>	<del></del>
NBUNDLED EXC	MANUE ACCESS LOUP		<b>+</b>	<del> </del>	1									<u> </u>		$\perp$
2-WIRE AN	NALOG VOICE GRADE LOOP		1	UEANL	UEAL2	14 94	37 92	17 62	23 56	5 32		15 69			1	
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	21 39	37 92	17 62	23 56	5 32		15 69				
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>-</del>		UEANL	UEAL2	26 72	37 92	17 62	23 56	5 32		15 69		1 -	T '	
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<u> </u>	3	UEANL	UEAL2	20 / 2	31 32	17 02	20 00							
Un	bundled Miscellaneous Rate Element, Tag Loop at End User		1			1	0.00	0.83			i	15 69	1		į.	
Pre	remise			UEANL	URETL		8 33				-	15 69	-	<del> </del>		+
Lor	op Testing - Basic 1st Half Hour	1		UEANL	URET1		34 23	34 23							-	
	op Testing - Basic Additional Half Hour		1	UEANL	URETA		19 90	19 90				15 69		<u> </u>	+	<del></del>
	EC to CLEC Conversion Charge Without Outside Dispatch		1		1				i I		1					
	IVL-SL1)		1	UEANL	UREWO	1	15 81	8 96				15 69		<u> </u>	<del></del>	
	hbundled Voice Loop, Non-Design Voice Loop, billing for BST	<del> </del>		-	1											ì
l lun	abunated voice Loop, Mon-Design voice Loop, billing for 531	1		UEANL	UEANM		13 47	13 47								4.——
pro	oviding make-up (Engineering Information - E I )	<del>                                     </del>	+	UEANL	UEAMC		8 17	8 17								
Ma	anual Order Coordination for UVL-SL1s (per loop)	-		DEANL	ULANO		0 11					1				
Or	rder Coordination for Specified Conversion Time for UVL-SL1		1		ocosL	1	18 13	18 13					ì			
(pe	er LSR)			UEANL	OCOSL		10 13	10 13			<del></del>		<del></del>		-	
2-WIRE Ur	nbundled COPPER LOOP						00.10	16 10	22 66	4 42	<del> </del> -	15 69		<del></del>		
2-1	Wire Unbundled Copper Loop - Non-Designed Zone 1	1_		UEQ	UEQ2X	12 94	36 40			4 42	-	15 69		<del> </del>		
2 \	Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	14 51	36 40	16 10	22 66		<del> </del>			<del> </del>		
	Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15 02	36 40	16 10	22 66	4 42	<b>_</b>	15 69	<del> </del>	+· <del></del>	<del> </del>	+
100	nbundled Miscellaneous Rate Element, Tag Loop at End User		1					ļ					1	1		1
	remise	1		luea	URETL		8 33	0.83		_		15 69		ļ		+
	remise rder Coordination 2 Wire Unbundled Copper Loop - Non-		+	<del> </del>	<del>                                     </del>								1		l	1
		1		UEQ	USBMC	i	8 17	8 17			1		1			
	esigned (per loop)	+	+	-	1000,000	<del> </del>									1	1
l lur	nbundled Copper Loop, Non-Design Copper Loop, billing for	1		UEQ	UEQMU		13 47	13 47	[ ]			15 69				
	ST providing make-up (Engineering Information - E I)	<del> </del>	+		URET1	+	34 23	34 23	1			15 69				
	pop Testing - Basic 1st Half Hour	1	4	UEQ		<del> </del>	19 90	19 90				15 69		-t·		
Lo	pop Testing - Basic Additional Half Hour			UEQ	URETA		19 90	19 90			+	1				
Ici	LEC to CLEC Conversion Charge Without Outside Dispatch	1		1	1			1 7			1	15 69	1	1	1	Į.
l l(U	JCL-ND)			UEQ	UREWO	1	14 30	7 45		L		10 09	+	+	-	+
INBUNDLED EXC	CHANGE ACCESS LOOP									ļ	<del> </del>	+-	<del> </del>	+-	+	
2-WIRE A	NALOG VOICE GRADE LOOP										<del></del>	+-	+	+	+	+
10 1	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1										1			
	one 1		1 1	UEPSR UEPSB	UEALS	14 94	37 92	17 62	23 56	5 32		15 69	<u> </u>	<del> </del>		
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	+ -	1	1	†						1	1	1		
		1	1 1	UEPSR UEPSB	UEABS	14 94	37 92	17 62	23 56	5 32		15 69	11			
120	one 1	+-	+-'-	OL. OIL DET OU		1			T				1			
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1 2	UEPSR UEPSB	UEALS	21 39	37 92	17 62	23 56	5 32	:	15 69	) [			
	one 2	+	2	DEPOR DEPOB	UEALS	41 39	31 32	1, 02	20 30			T				
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	۱.	LIEBOR LIEBOS	LIEADO	24.20	27.02	17.62	23 56	5 32	,	15 69	• I		1	1
	one 2		2	UEPSR UEPSB	UEABS	21 39	37 92	17 62	23 30	- 3 32	+ -	1.500	<del> </del>	_		
2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1	1	l				00.50		,	15 69	.	1	1	
	one 3	1_	3	UEPSR UEPSB	UEALS	26 72	37 92	17 62	23 56	5 32	<del>-</del>	15 65	<del>'  </del>	<del> </del>	+	+
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	7	1		1			1			1		.	1	1	1
	End opining	1	3	UEPSR UEPSB	UEABS	26 72	37 92	17 62	23 56	5 32	S 1	15 69	) I	1	1	1

	D NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhi	ıbit <sup>,</sup> B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
					<u> </u>						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			l		i I						Elec	Manually	Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			1			1	1	1
MILGORI	RATE ELEMENTS	m	Lone	003	0300			INATEG (4)			per LSR	perLSR	Order vs	Order vs.	Order vs	Order vs
					i l							j	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add'
													'''	1	2.50 .50	Dioc Add
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
	<del> </del>					Rec	First	Add'I	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
INDIANOL ED	EVOLUNDE A COECO LOOD		-				11151	Auui	rirst	Auu	SOMEC	3. WINDIN	SOMAN	SUMAN	SOMAN	SOWAN
	EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP								j			ļ.		1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
1	Ground Start Signaling - Zone 1		1 1	UEA	UEAL2	16 68	105 98	68 43	53 05	10 61		15 69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-									1,0,00		<del> </del>	<del> </del>	
			2	UEA	UEAL2	22.42	405.00	20.40	50.05	40.04		45.00				
	Ground Start Signaling - Zone 2			UEA	UEALZ	23 13	105 98	68 43	53 05	10 61		15 69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				- }											1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28 46	105 98	68 43	53 05	10 61		15 69				i
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 13									1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											<del></del>			l	†
	Battery Signaling - Zone 1		1	UEA	UEAR2	16 68	105 98	68 43	53 05	10 61	1	15 69		I	Į.	l
			<del>- '-</del>	024	UEMRZ	10 00	105 96	00 43	. 53.05	10 01	1	10 09			<del>                                     </del>	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l	<u> </u>		_				1	1	l	I		
	Battery Signaling - Zone 2		2	UEA	UEAR2	23 13	105 98	68 43	53 05	10 61		15 69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										1			1		
	Battery Signaling - Zone 3		3	UEA	UEAR2	28 46	105 98	68 43	53 05	10.61	ì	15 69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 13	30 10	00 00	10 01	-	1000				<del></del>
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87 90	36 44			-	45.00		<del> </del>	<del> </del>	<del></del>
												15 69				
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		10 45	1 03				15 69				
4-WIRE	E ANALOG VOICE GRADE LOOP											1		Į.		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32 59	132 38	94 83	59 35	14 61		15 69				1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43 89	132 38	94 83	59 35	14 61		15 69				<del></del>
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43 38	132 38	94 83	59 35	14 61	· · · · -	15 69				<del></del>
			3			43 30		94 65 [	29 22	14 01		15 68				<b>↓</b>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18 13				ļ					
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 90	36 44				15 69				
2-WIRE	E ISDN DIGITAL GRADE LOOP				1											
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25 21	117 58	80.03	53 05	10 61		15 69				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32 76	117 58	80 03	53 05	10 61		15 69				+
	2-Wile ISBN Digital Grade Loop - Zone 2		_													
	2-Wire ISDN Digital Grade Loop - Zone 3		3_	UDN	U1L2X	37 70	117 58	80 03	53 05	10 61	1	15 69				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18 13				l					I
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 82	44 25				15 69				
2-WIRI	E Universal Digital Channel (UDC) COMPATIBLE LOOP						**									1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				<del></del>						1				<del> </del>	+
	4		1	uno	LIDGOV	05.04	447.50	00.00	50.05	40.04	ł	45.00				
	1			UDC	UDC2X	25 21	117 58	80 03	53 05	10 61		15 69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				1 1	İ					!				i	
	2		2	UDC	UDC2X	32 76	117 58	80 03	53 05	10 61	1	15 69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone									***						<b>†</b>
	3	1	3	UDC	UDC2X	37 70	117 58	80 03	53 05	10 61	]	15 69			i	
	CLEC to CLEC Conversion Charge without outside dispatch		٠.	ÜDC	UREWO	37 70 1			33 03	10 01	!					ļ
					UREWU		91 82	44 25			1	15 69				
2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP												_	<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry	l i			1 !	j					i	-				
	& facility reservation - Zone 1		1	UAL	UAL2X	12 19	120 84	70 56	50 37	7 93	1	15 69		i		
	2 Wire Unbundled ADSL Loop including manual service inquiry														<u> </u>	+
	& facility reservation - Zone 2		2	UAL	UAL2X	13 71	120 84	70 56	50 37	7 93	1	15 69				
<del></del>	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	13 / 1	120 04	70 36	30 37	7 93	·	15 69				
					1 1	į					Į.	į .				
	& facility reservation - Zone 3		3	UAL	UAL2X	14 14	120 84	70 56	50 37	7 93		15 69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 13									1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
1	facility reservation - Zone 1		1	UAL	UAL2W	12 19	95 81	57 82	50 37	7 93	ŀ	15 69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UNL	UALZVV	12 13	93 01	37 02	30 37	7 93		13 69				
1			ا ہا	l					+		I			1	I	
	facility reservation - Zone 2		2	UAL	UAL2W	13 71	95 81	57 82	50 37	7 93	<u> </u>	15 69				
i i	2 Wire Unbundled ADSL Loop without manual service inquiry &					ŀ										
	facility reservaton - Zone 3		3	UAL	UAL2W	14 14	95 81	57 82	50 37	7 93	1	15 69			1	
7	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 13			. 00					1	+
	CLEC to CLEC Conversion Charge without outside dispatch	$\vdash$		UAL				40.40			<del> </del>	45.00			<del> </del>	+
0 141151				UAL	UREWO		86 38	40 48			<b> </b>	15 69			ļ	<b></b>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	HBLE L	.UOP													
1	2 Wire Unbundled HDSL Loop including manual service inquiry				" '~											
	& facility reservation - Zone 1		1	UHL	UHL2X	9 58	129 52	79 24	50 37	7 93		15 69		!		
	2 Wire Unbundled HDSL Loop including manual service inquiry									, 50	<del></del>	1 .0 00		<del></del>	<del>                                     </del>	+
_																

UNBUNDI F	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	•	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
					<del>-</del>		Nonrec	urnna	Nonrecurnno	Disconnect	<del> </del>		oss	Rates (\$)	1	
			├		+	Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry				1											
.	& facility reservation - Zone 3		3	UHL	UHL2X	11 40	129 52	79 24	50 37	7 93	1	15 69				<u> </u>
. — —	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 13									<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry							-	į į					[		
	and facility reservation - Zone 1		1	UH <b>L</b>	UHL2W	9 58	104 49	66 50	50 37	7 93		15 69			<u> </u>	<del> </del>
	2 Wire Unbundled HDSL Loop without manual service inquiry						404.40	66.50	50.07	7 93		15 69				
	and facility reservation - Zone 2		2	UHL	UHL2W	10 92	104 49	66 50	50 37	1 93		10 09	l —		ļ. —	+
l	2 Wire Unbundled HOSL Loop without manual service inquiry		3	UHL	UHL2W	11 40	104 49	66 50	50 37	7 93		15 69				ļ
	and facility reservation - Zone 3			UHL	OCOSL	11 40	18 13	00 30	30 31	1 33	<del> </del>	10 00				-
<del></del>	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		86 32	40 48				15 69			•	
A WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE I	OOP	OTIL .	- O'NETTO		50 02	10 10			<del>                                     </del>			1		
4-4416	4 Wire Unbundled HDSL Loop including manual service inquiry		1			-						-				T
1 1	and facility reservation - Zone 1		1	UHL	UHL4X	16 02	158 18	107 89	55 12	10 38		15 69		_		
<del></del>	4-Wire Unbundled HDSL Loop including manual service inquiry	-									_					
	and facility reservation - Zone 2	i	2	UHL	UHL4X	14 33	158 18	107 89	55 12	10 38		15 69			ļ <u></u>	
	4-Wire Unbundled HDSL Loop including manual service inquiry															
1	and facility reservation - Zone 3		3	UHL	UHL4X	16 84	158 18	107 89	55 12	10 38	1	15 69	ļ			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 13									
	4-Wire Unbundled HDSL Loop without manual service inquiry												ſ	[		
	and facility reservation - Zone 1	l	1	UHL	UHL4W	16 02	133 14	95 16	55 12	10 38		15 69			<del> </del>	<del> </del>
	4-Wire Unbundled HDSL Loop without manual service inquiry								== .0		ļ	45.00		1		
l	and facility reservation - Zone 2		2	UHL	UHL4W	14 33	133 14	95 16	55 12	10 38	ļ —	15 69			<del> </del>	
	4-Wire Unbundled HDSL Loop without manual service inquiry	ļ	١.			40.04	100 11	00.40	55 10	10 38		15 69	Ì			
	and facility reservation - Zone 3		3	UHL	UHL4W	16 84	133 14	95 16	55 12	10 38	+	15 09			-	
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	↓	UHL	OCOSL		18 13 86 32	40 48			<del> </del>	15 69				+
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		50 32	40 48			<del> </del>	10 03	<del> </del>	<del>                                     </del>		+
4-WIR	E DS1 DIGITAL LOOP	-	1	USL -	USLXX	79 51	253 03	157 89	44 80	11 73	<del> </del>	15 69				
L	4-Wire DS1 Digital Loop - Zone 1	-		USL	USLXX	136 00	253 03	157 89		11 73		15 69				
ļ	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229 15	253 03	157 89	44 80	11 73		15 69				1
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	USL	OCOSL		18 13				<b>†</b>					
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	UREWO		101 30	43 13				15 69				
4-WIR	E 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1										I .			
1	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	29 93	126 66	89 12	59 35	14 61		15 69		T		
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL.	UDL19	33 99	126 66	89 12	59 35	14 61		15 69				<u> </u>
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	34 74	126 66	89 12	59 35	14 61		15 69				-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29 93	126 66	89 12		14 61		15 69				+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33 99	126 66	89 12	59 35	14 61		15 69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34 74	126 66	89 12	59 35	14 61	<u> </u>	15 69			-	+
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 13		50.05	44.64	<del> </del> -	15 69	ļ	<del>                                     </del>	<del> </del>	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29 93	126 66	89 12	59 35	14 61					<del></del>	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33 99	126 66	89 12	59 35	14 61 14 61		15 69 15 69		<u> </u>		+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ	3	UDL	UDL64	34 74	126 66	89 12	59 35	14 61	<del>                                      </del>	15 09				+
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18 13	49 85	ļ	ļ <u>-</u>		15 69	<del> </del>	ļ <u> </u>	<del></del>	+
	CLEC to CLEC Conversion Charge without outside dispatch		<b>+</b>	UDL	UREWO	-	102 34	49 85	<del>-</del>		<del> </del>	15 65		<del> </del>	<del></del>	+
2-WIF	RE Unbundled COPPER LOOP		ļ	<del></del>						<del></del>				<u> </u>		+
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 19	119 91	69 62	50 37	7 93	,	15 69				
<del>                                     </del>	2-Wire Unbundled Copper Loop/Short including manual service	<del> </del>	٠,		OCLID	12 13	11001	00 02								1
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 71	119 91	69 62	50 37	7 93	3	15 69				
	2 Wire Unbundled Copper Loop/Short including manual service		-	OCL .	OCE D		11001		1	-						
	Inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14 14	119 91	69 62	50 37	7 93		15 69		1		
<del>                                     </del>	Order Coordination for Unbundled Copper Loops (per loop)	1	† <u> </u>	UCL	UCLMC		8 17	8 17								
<b></b>	2-Wire Unbundled Copper Loop/Short without manual service	t	1	†												
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12 19	94 87	56 89	50 37	7 93	3	15 69	<b></b>		<del></del>	
<del></del>	2-Wire Unbundled Copper Loop/Short without manual service	<del> </del>	1												1	
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13 71	94 87	56 89	50 37	7 93	3	15 69				

<b>NURUNDE</b>	ED NETWORK ELEMENTS - South Carolina				· T						10 O. I	E 6		nent 2		oit <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		001150	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
					1		First	Adďi	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAP
1	2-Wire Unbundled Copper Loop/Short without manual service		١,	UCL	LICLEW	14 14	94 87	56 89	50 37	7 93		15 69		i		
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14 14	8 17	8 17	30 37	7 93		13 09	-			
	Order Coordination for Unbundled Copper Loops (per loop)			IUCL	OCLIVIC	_	8 17	0 17			<del> </del>					
	2-Wire Unbundled Copper Loop/Long - includes manual srvc		1	UCL	UCL2L	38 22	119 91	69 62	50 37	7 93	i	15 69	1			
$\rightarrow$	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Long - includes manual svc		<del> </del>	UCL	JOCE I	90 22	113 31	35 GE	000.	, 30	1	10 00				
	inquiry and facility reservation - Zone 2		2	UCL.	UCL2L	55 33	119 91	69 62	50 37	7 93		15 69	1			
_	2-Wire Unbundled Copper Loop/Long - includes manual svc		<u> </u>		199222											
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67 95	119 91	69 62	50 37	7 93		15 69				l
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	ÜCLMC		8 17	8 17								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1_1_	UCL	UCL2W	38 22	94 87	56 89	50 37	7 93		15 69				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	55 33	94 87	56 89	50 37	7 93		15 69				
	2-Wire Unbundled Copper Loop/Long - without manual service											15.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	67 95	94 87	56 89	50 37	7 93	+	15 69			L	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	ÜCLMC		8 17	8 17								-
	CLEC to CLEC Conversion Charge without outside dispatch						04.07	42 57			1	15 69				
	(UCL-Des)		ļ	UCL	UREWO		94 87	42 57	<del></del>			15 09			<u> </u>	
4-WII	RE COPPER LOOP		-								<del></del>	-				
	4-Wire Copper Loop/Short - including manual service inquiry		1	UCL	UCL4S	19 64	144 17	93 88	55 12	10 38		15 69				ļ
	and facility reservation - Zone 1		-	UCL	UCL43	19 04	144 17	33 00	33 12	10 30	-	10 03				1
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20 90	144 17	93 88	55 12	10 38		15 69				
_	4-Wire Copper Loop/Short - including manual service inquiry		<del>  -</del>	001	100240	20 00	177.17		00.12						· · ·	
	and facility reservation - Zone 3		3	UCL	UCL4S	19 34	144 17	93 88	55 12	10 38		15 69		1		
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		8 17	8 17	i					-		
	4-Wire Copper Loop/Short - without manual service inquiry and		1													
	facility reservation - Zone 1		1	UCL	UCL4W	19 64	119 13	81 15	55 12	10 38		15 69				
	4-Wire Copper Loop'Short - without manual service inquiry and											T			1	
	facility reservation - Zone 2	•	2	UCL.	UCL4W	20 90	119 13	81 15	55 12	10 38		15 69				
	4-Wire Copper Loop/Short - without manual service inquiry and															1
	facility reservation - Zone 3	1	3	UCL	UCL4W	19 34	119 13	81 15	55 12	10 38		15 69			L	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 17	8 17				<u> </u>			<del> </del>	
	4-Wire Unbundled Copper Loop/Long - includes manual svc					i					1		ł	1		
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	77 29	144 17	93 88	55 12	10 38	-	15 69	i			
	4-Wire Unbundled Copper Loop/Long - includes manual svc			l	1	,	,			10.55		45.00			1	
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	118 78	144 17	93 88	55 12	10 38	ļ	15 69	4			
1	4-Wire Unbundled Copper Loop/Long - includes manual svc	1	١.			144 10	144 17	93 88	55 12	10 38		15 69				
	inquiry and facility reservation - Zone 3	<del> </del>	3	UCL	UCL4L	144 10		8 17	35 12	10 36	-	13 08				
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		8 17	61/			<del>                                     </del>	<del> </del>	<del>  -</del>	-		<del>                                     </del>
	4-Wire Unbundled Copper Loop/Long - without manual svc		1	UCL	UCL4O	77 29	119 44	81 45	55 12	10 38		15 69				
	inquiry and facility reservation - Zone 1	-	+ '-	UCL	UCL4U	11 29	119 44	6145	03 12	10 30	+	13 03		<del> </del>	<del> </del>	
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	118 78	119 44	81 45	55 12	10 38		15 69			1	
	4-Wire Unbundled Copper Loop/Long - without manual svc		<del>  -</del> -	JUCE	OCE40	11070	110 44	0143	33 12	10 00		10 00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	144 10	119 44	81 45	55 12	10 38	.	15 69				
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	<del>                                     </del>	UCL	UCLMC		8 17	8 17			<del>                                     </del>				1	
_	CLEC to CLEC Conversion Charge without outside dispatch	1	†	1	1								T			
	(UCL-Des)		1	JUCL	UREWO		94 87	42 57				15 69	L		<u> </u>	<u> </u>
OP MODI	FICATION		1	1 -	1											
1			T	UAL, UHL, UCL,												1
			1	UEQ, ULS, UEA,	1 1							1		İ		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	] ]	l	i					1	1	1		
1	pair less than or equal to 18k ft		L	UEPSB	ULM2L		32 46	32 46				15 69	1			<del> </del>
	Unbundled Loop Modification, Removal of Load Coils - 2 wire												1		1	
	greater than 18k ft	L		UCL, ULS, UEQ	ULM2G		170 89	170 89			1	15 69	1			1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire												1			1
	less than or equal to 18K ft	1	1	UHL, UCL	ULM4L	1	32 46	32 46		l		15 69		1	l	

Version 4Q02 12/18/02 Page 322 of 416

UNBLINDLE	D NETWORK ELEMENTS - South Carolina													ment 2		ibit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs
							Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
			<del> </del>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															1
	pair greater than 18k ft			UCL	ULM4G		170 89	170 89				15 69				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32 48	32 48				15 69			_	
SUB-LOOPS	per unbundied loop		!								L					+
	Loop Distribution										-	ļ —				+
- 000	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1									15 69	1		1	1
l	Up			UEANL	USBSA		241 42	241 42				15 69	_		<del>                                     </del>	+
				LIFANII	USBSB	I	22 69	22 69				15 69				l
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		<b></b>	UEANL	USBSB		22 03	22 03				- 10 111				
1 1	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSC		177 84	177 84				15 69				
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		_	DEPART.												
	Set-Up	1	1	UEANL	USBSD		55 58	55 58				15 69		<del> </del>		-
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -											45.00				
	Zone 1	- 1	1_1_	UEANL	USBN2	8 87	65 94	31 03	45 35	6 71	-	15 69	-	+	<del> </del>	+
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					40.50	65 94	31 03	45 35	6 71		15 69	1		1	
	Zone 2	ŀ	2	UEANL	USBN2	12 58	65 94	31 03	45 35	071	<del> </del>	10 00			1	1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	١.	3	UEANL	USBN2	14 79	65 94	31 03	45 35	671		15 69				
	Zone 3	-	+-	UEANL	OSBINZ	1473	00 04	- 0100	-							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8 17	8 17								
$\overline{}$	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+													
	Zone 1		1	UEANL	USBN4	14 11	79 21	44 29	49 82	9 09		15 69		_		+
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -									9 09		15 69		1		
	Zone 2		2	UEANL	USBN4	19 40	79 21	44 29	49 82	9 09	<del> </del>	15 09		<del>                                     </del>	-	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				USBN4	18 90	79 21	44 29	49 82	9 09		15 69				
	Zone 3		3	UEANL	USBN4	10 90	7521	77 20	45.02	2 30				1-		
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	8 17	8 17			1		1		<u> </u>	
<b></b>	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	+	UEANL	USBR2	2 41	53 13	18 21	45 35	6 71		15 69				
$\vdash$	Sub-Loop 2-Wile Hill abdillating Network Clasic (INC)	i i														
	Order Coordination or Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 17	8 17				45.00				+
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5 36	59 38	24 47	49 82	9 09	<u> </u>	15 69	-	-		+
				1			8 17	8 17				1		1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC UC\$2X	7 11	65 94	31 03		6 71	+	15 69	-		1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+	2	DEF	UCS2X	9 83	65 94	31 03	45 35	6 7 1		15 69				
$\vdash$	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- <del>-</del>		UEF	UCS2X	10 48	65 94	31 03		6 71		15 69				
$\vdash$	2 Wife Copper Unbuttated Sub-Loop Distribution - Zotte 3	<del>-</del>	+ "	02.	1						-					1
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 17	8 17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	7 85	79 21	44 29		9 09		15 69		-		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	14 17	79 21	44 29		9 09		15 69 15 69		<del> </del>		+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12 64	79 21	44 29	49 82	9 05	-	15 68	<del>'\</del>		+	+
			1	lucc.	USBMC	1	8 17	8 17								
<del></del>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		+	UEF	USBMC	-	8 17	0.17	+			+	+	1		
Unbi	undled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load	<del>                                     </del>	+-							1		1		1		
1	Coll/Equip Removal per 2-W PR			UEF	ULM2X		176 17	5 11	l			15 69	9			
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176 17	5 11				15 69	9			
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged									i			.	1		
[ [	Tap Removal, per PR unloaded	<u> </u>		UEF	ULM4T		278 82	6 13		<b></b>		15 69		+	+	
Unb	undled Network Terminating Wire (UNTW)						20.00	20.00			-	15 69		+		+
	Unbundled Network Terminating Wire (UNTW) per Pair	-		UENTW	UENPP	0 3303	30 20	30 20		+		13 00	<del>'</del>	1	+	
	vork Interface Device (NID)	1	1	1	1	I	)	l			<del> </del>	15 69				_

IINBUNDI F	D NETWORK ELEMENTS - South Carolina										,		Attachr			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		SOMÁN
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Network Interface Device (NID) - 1-6 lines			ÜENTW	UND16		64 42	49 53			ļ	15 69				<del></del>
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5 92	5 92			l	15 69				<b>↓</b>
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5 92	5 92			<u> </u>	15 69			<u> </u>	
SUB-LOOPS	Network interface Device creas defined.					_	· ·									<u> </u>
	oop Feeder				1											
Sub-E	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		241 42					15 69				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												1
	set-up	l		UDN,UCL,UDL,UDC	USBFX		22 69	22 69				15 69				<b>_</b>
<del></del>	USL Feeder DS1 Sel-up at DSX location, per DS1 termination		†	USL	USBFZ		523 87	11 34				15 69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	8 93	93 28	56 69	54 68	13 74		15 69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		2	UEA	USBFA	11 74	93 28	56 69	54 68	13 74		15 69				
-	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,					14 74	93 28	56 69	54 68	13 74		15 69	<u> </u>			
l I	Voice Grade - Zone 3		3	UEA	USBFA	14 /4	18 13	20 09	34 00	13.74	+	10 00			1	-
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18 13									1
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	8 93	93 28	56 69	54 68	13 74		15 69			-	<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	11 74	93 28	56 69	54 68	13 74		15 69				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	14 74	93 28	56 69	54 68	13 74		15 69				
<del></del> -	Order Coordination for Specified Time Conversion, per LSR	1	Ť.	UEA	OCOSL		18 13						l			
_	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	<del></del>	1	-	<del> </del>				1			i	1	Ì		
	Voice Grade - Zone 1		1	UEA	USBFC	8 93	93 28	56 69	54 68	13 74		15 69	1			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	<del></del>	+ -	<u></u>	1				1						1	1
	Voice Grade - Zone 2	l	2	UEA	USBFC	11 74	93 28	56 69	54 68	13 74		15 69				<b></b>
<del></del>	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		+-=					-			1		ŧ	1		
	Battery, Voice Grade - Zone 3		1 3	UEA	USBFC	14 74	93 28	56 69	54 68	13 74		15 69	<u> </u>		<u> </u>	<del></del>
<del></del>	Order Coordination For Specified Conversion Time, per LSR		1.	UEA	OCOSL		18 13								-	<del> </del>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1	<del>                                     </del>											ł		
	Grade - Zone 1		1	UEA	USBFD	21 63	107 91	70 36	62 26	17 52		15 69	Ļ	ļ	ļ	
	Unbundled Sub-Loop Feeder Loop 4 Wire Ground-Start, Voice		١.		LIODED	27.57	107 91	70 36	62 26	17 52		15 69				
	Grade - Zone 2	-	2	UEA	USBFD	27 57	107 91	.70 30	02.20	17 32		1000		<del> </del>		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		3	UEA	USBFD	26 04	107 91	70 36	62 26	17 52	: 1	15 69	. [	1		
	Grade - Zone 3		+ 3	UEA	OCOSL	2,0 04	18 13	.,,,,,,		-				1		
<u> </u>	Order Coordination For Specified Conversion Time, Per LSR	-	+	UEA	- OCCOSE		.0 .0			1						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	1 1	UEA	USBFE	21 63	107 91	70 36	62 26	17 52	:	15 69				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	-		1027	- CODI L							1 -		1		
	Grade - Zone 2		2	UEA	USBFE	27 57	107 91	70 36	62 26	17 52	2	15 69	· İ.		<u> </u>	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		+-	-	1000											
1 1	Grade - Zone 3	ì	3	UEA	USBFE	26 04	107 91	70 36	62 26	17 52	2	15 69	<u> </u>			
_	Order Coordination For Specified Conversion Time, Per LSR	+	+	ÜEA	OCOSL		18 13								1	<del></del>
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	+	1 1	UDN	USBFF	17 05	106 47	68 92				15 69				
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	1	2	UDN	USBFF	20 92	106 47	68 92				15 69			<b></b>	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	23 49	106 47	68 92	55 81	13 3	7	15 69	2		<del>-</del>	
<del>  </del>	Order Coordination For Specified Conversion Time, Per LSR	<b>—</b>	1	UDN	OCOSL		18 13					ļ		<u> </u>	<del>-</del>	
<del></del>	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17 05	106 47	68 92				15 69		ļ		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	20 92	106 47	68 92				15 69		ļ	+	+
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	3		USBFS	23 49	106 47	68 92				15 69		<del> </del> -		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	1	USL	USBFG	55 85	102 19	64 64				15 69		-	<del> </del>	+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	1	2	USL	USBFG	109 16	102 19	64 64				15 69		+	<del> </del>	+
<del></del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3		USBFG	203 35	102 19	64 64	62 26	17.5	2	15 69	<u></u>	+	<del></del>	+
	Order Coordination For Specified Conversion Time, Per LSR	1	1	ŲSL	OCOSL		18 13			1		1	-	1	<b></b>	+
<del></del>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	1	UCL	USBFH	5 98	83 97	46 42	53 14	106		15 69	,	+		
-	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	1									_		, I	1		1
1 1	la	1	2	UCL	USBFH	4 80	83 97	46 42	2 53 14	106	9	15 69	<sup>7</sup>			

ONBONDLE	D NETWORK ELEMENTS - South Carolina													ment 2		ort B
CATEGORY	RATE ELEMENTS	Interi m Z	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone						11131	Auu	TH'St	Addi	SOMEC	SCHAN	JOHAN	SOMAN	SOMAN	SUMAN
	3		3	UCL	USBFH	4 59	83 97	46 42	53 14	10 69		15 69				
	Order Coordination For Specified Conversion Time, per LSR		_	UCL	OCOSL	10.01	18 13				ļ <u></u> ļ					<b></b>
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL UCL	USBFJ	13 21 8 28	101 22 101 22	63 67 63 67	58 03 58 03	13 29 13 29		15 69 15 69				<del></del>
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8 42	101 22	63 67	58 03	13 29		15 69				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	0 42	18 13	03 07	36 03	1329		10 09				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	21 02	102 19	64 64	62 26	17 52		15 69		<del>-</del>		
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	21 30	102 19	64 64	62 26	17 52	<del> </del>	15 69				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			UDL	USBFN	20 17	102 19	64 64	62 26	17 52		15 69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -												<u> </u>			
	Zone 1		1	UDL	USBFO	21 02	102 19	64 64	62 26	17 52		15 69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	21 30	102 19	64 64	62 26	17 52		15 69				ł
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_	002	1505. 5	2100	102.10	V- V-	02.20	17 02		10 00				
	Zone 3		3	UDL	USBFO	20 17	102 19	64 64	62 26	17 52		15 69			1	
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL.		18 13									·
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBEP	21 02	102 19	64 64	62 26	17 52	1	15 69		·		1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UUL	USBFF	2102	102 19	04 04	02 20	17 52		13 69				
	Zone 2		2	UDL	USBFP	21 30	102 19	64 64	62 26	17 52		15 69				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	20 17	102 19	64 64	62 26	17 52	) ]	15 69				ł
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18 13									
SUB-LOOPS																
Sub-Le	pop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20 44										i
	Sub Loop Feeder - DS3 - Facility Termination Per Month	1		UE3	USBF1	348 12	3,408 62	407 90	160 83	91 17		15 69				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	1		UDLSX	1L5SL	20 44										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	!		UDLSX	USBF7	369 07	3,408 62	407 90	160 83	91 17		15 69				<del></del>
	Sub Loop Feeder - OC-3 - Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per	1		UDLO3	1L5SL	15 51										i
	Month	1 , 1		UDLO3	USBF5	56 04										í
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	1		UDLO3	USBF2	565 50	3,408 62	407 90	160 83	91 17		15 69				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	1		UDL12	1L5SL	19 08	3,400 02	407 30	100 03	31 17		13 03				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per			00212	12002	10 00						-				
	Month	1		UDL12	USBF6	669 82					1 1					ı
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,840 00	3,408 62	407 90	160 83	91 17		15 69				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	-		UDL48	1L5SL	62 60										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month			UDL48	USBF9	326 16										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	1		UDL48	USBF4	1,560 00	3,594 62	407 90	160 83	91 17		15 69			1	·
MAINE ES	Sub Loop Feeder - OC-12 Interface On OC-48	ı		UDL48	USBF8	366 86	806 47	407 90	160 83	91 17		15 69				<del></del>
INBUNULED I	LOOP CONCENTRATION	$\vdash$			LIGTOR	040.70	000 10	200.12				45.00				
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)	-		ULC ULC	UCT8A UCT8B	318 73 46 69	326 13 135 89	326 13 135 89			<b></b>	15 69 15 69				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	351 78	326 13	326 13			-	15 69				
	Unbundled Loop Concentration - System A (TK303)			ULC	UCT3B	78 67	135 89	135 89				15 69				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4 42	63 43	46 18	16.83	4 71		15 69				
1	Unbundled Loop Concentration - ISDN Loop Interface (Brite	<del>                                     </del>			155.50	1.72	00 40		10 33	7.1	<del>                                     </del>	10 00		<del></del>	<del> </del>	
	Card)			UDN	ULCC1	7 02	10 56	10 50	5 41	5 37		15 69				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7 02	10 56	10 50	5 41	5 37		15 69				
<del></del>	Unbundled Loop Concentration2 Wire Voice-Loop Start or	<del>                                     </del>		000	OECCO.	1 02	10.96	10 30	5 41	537		15 69				
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1 75	10 56	10 50	5 41	5 37		15 69				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	10.40	40.50									
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			·		10 42	10 56	10 50	5 41	5 37	<del> </del>	15 69				
1	(Specials Card)		}	UEA	ULCC4	6 22	10 56	10 50	5 41	5 37		15 69			1	1

ONDONDLI	ED NETWORK ELEMENTS - South Carolina	τ	<b>,</b> -								la a :		Attachi			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
			<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
	Hebundled Lear Consentration TEST CIDCUIT Cond		-	LIL C	UCTTC	30 38	First	Add'I	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop	<del>                                     </del>	┼	ULC	UCITE	_30.38	10 56	10 50	5 41	5 37		15 69				1
	Interface			UDL	ULCC7	9 21	10 56	10 50	5 41	5 37		15 69				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9 21	10 56	10 50	5 41	5 37		15 69				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop					321	10 30	10 30	341	3 31		13 09				
	Interface			UDL	ULCC6	9 21	10 56	10 50	5 41	5 37		15 69				i
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation	L	L	UENTW	UNDBX	0.00	0 00				L					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0.00									
				UEANL, UEF, UEQ, U												
	Unbundled Contract Name, Provisioning Only - No Rate	ļ	ļ	ENTW	UNECN	0 00	0 00				ļ				ļ	
UNE OTHER,	PROVISIONING ONLY - NO RATE	ļ	1								1					
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate		1	UEA,USL,UCL,UDL	USBFR	0.00	0 00								ļ	<u> </u>
	Unbundled DS1 Loop - Superframe Format Option - no rate	<u> </u>	1	JUSL	CCOSF	0.00	0 00					1				
	Unbundled DS1 Loop - Expanded Superframe Format option -			1			0.00							i		
	no rate			USL	CCOEF	0 00	0.00									
	TY UNBUNDLED LOCAL LOOP	<u> </u>		<u> </u>												
NOTE	minimum billing period of three months for DS3 and above L	ocal Lo	op_												<b></b>	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12 26										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	306 36	452 52	264 53	119 75	83 77		15 69				1
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UDLSX	1L5ND	12 26						15 69				
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	313 49	452 52	264 53	119 75	83 77		15 69				
LOOP MAKE																
	Loop Makeup - Precidening Without Reservation, per working or spare facility gueried (Manual)			UMK	UMKLW		24 04	24 04			1					
	Loop Makeup - Precidering With Reservation, per spare facility			G.T.I.T	J			2.07								
	queried (Manual)		l	UMK	UMKLP		25 49	25 49								
	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	PSUMK		0 34	0 34								
HIGH EREOL	JENCY SPECTRUM	<del>                                     </del>		OWIN	1 OOMIN		0.54	0.34			<del> </del>					-
	SHARING	<del> </del>	<u> </u>	+							1				· · · · · · · · · · · · · · · · · · ·	
	TTERS-CENTRAL OFFICE BASED		<u> </u>		<del>   </del>						1					
	Line Sharing Splitter, per System 96 Line Capacity	<del> </del>	┼──	ULS	ULSDA	216 22	189 21	0.00	178 38	0.00	-	15 69				
	Line Sharing Splitter, per System 24 Line Capacity		-	ULS	ULSDB	54 05	189 21	0 00	178 38	0.00	<del> </del>	15 69				
	Line Sharing Splitter, Per System, 8 Line Capacity	1 7	1	ULS	ULSD8	18 02	189 21	0 00	178 38	0 00	<del>                                     </del>	15 69			<del> </del>	<del> </del>
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-	<del></del>	<del> </del>	1020	02020	10 02		0.00	170 30	0.00	•	15 05				
	deactivation (per LSOD)		i	ULS	ULSDG		86 67	0 00	49 95	0.00		15 69			]	
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM.		[ <u>-</u>				1		1		1			<b> </b>
	Line Sharing - per Line Activation (BST owned Splitter)	T	Ĭ .	ULS	ULSDC	0.61	18 55	10 62	10 04	4 93	1	15 69		****	T	
	Line Sharing - per Subsequent Activity per Line	l											1		1	
	Rearrangement(BST Owned Splitter)	_	<u> </u>	ULS	ULSDS		16 42	8 21			ļ	15 69				
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16 42	8 21				15 69				
<del>    -</del>	Line Sharing - per Line Activation (DLEC owned Splitter)		t	ULS	ULSCC	0 61	47 44	19 31	20 67	12 74	<del> </del>	15 69				
LINE	SPLITTING	†	<b>†</b>	1			7, 77	15 51	2007	12 14		10 00			<b> </b>	<del> </del>
	USER ORDERING-CENTRAL OFFICE BASED	<del> </del>	+	+		+			<del> </del>		<del> </del>	<del>                                     </del>			<u> </u>	
		<del></del>	1	UEPSR UEPSB	UREOS	0 61	· · · · · · · · · · · · · · · · · · ·		t		<del> </del>	<del> </del>	<del> </del>		l	<del>                                     </del>
	Line Splitting - per line activation DLEC owned splitter	1 1														

Version 4Q02 12/18/02 Page 326 of 416

REMOTE S   SPLITTERS   SPLITTERS   Ren	RATE ELEMENTS  The Splitting - per line activation BST owned - virtual SITE HIGH FREQUENCY SPECTRUM  IS-REMOTE SITE  The Share BellSouth Owned Splitter, 24 Port  The Share Cable Pair Activation CLEC Owned at 5 and Deactivation  R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM  THE Share Line Share Line Activation for End User Served at 5, BST Splitter  S Line Share Line Activation for End User served at RS, CLEC sittler  The Share Line Share Subsequent Activity-RS BST Owned solition of the Site Line Share Subsequent Activity-RS CLEC Owned solitions.	Interi m	Zone	BCS  UEPSR UEPSB  ULS	USOC	Rec 0 61	Nonrec First	RATES (\$) curring Add'i	Nonrecurring	Disconnect	Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
REMOTE S SPLITTERS SPLITTERS Ren Ren Ren Ren Ren Ren Ren Ren Ren Ren	SITE HIGH FREQUENCY SPECTRUM  IS-REMOTE SITE  IMPORT SITE	I I AKA I	REMOT	ULS	UREBV		First			Disconnect			088	Rates (\$)		
REMOTE S   SPLITTERS   SPLITTERS   Ren	SITE HIGH FREQUENCY SPECTRUM  IS-REMOTE SITE  IMPORT SITE	I I AKA I	REMOT	ULS	UREBV	0 61		' Add'i			<del></del>				T	T ======
REMOTE S   SPLITTERS   SPLITTERS   Ren	SITE HIGH FREQUENCY SPECTRUM  IS-REMOTE SITE  IMPORT SITE	I I AKA I	REMOT	ULS	UREOV	0 01	37 09	21 24	First 20 07	Add'l 9.85	SOMEC	50MAN 15 69	SOMAN	SOMAN	SOMAN	SÖMAN
SPLITTERS Ren RS END USER RS, RS Spli Ren Spli Ren Spli UNBUNDLED DEDI NOTE INT INTEROFFI Per	RESPENDITE SITE  Intole Site Line Share BellSouth Owned Splitter, 24 Port  mote Site Line Share Cable Pair Activation CLEC Owned at  S and Deactivation  R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM  armote Site Line Share Line Activationfor End User Served at  S, BST Splitter  S Line Share Line Activation for End User served at RS, CLEC  billiter  mote Site Line Share Subsequent Activity-RS BST Owned  billiter  mote Site Line Share Subsequent Activity-RS CLEC Owned  billiter  DICATED TRANSPORT	I AKA I	REMOT			1 1	37 09	2124	20 07	9 63	$\vdash$	13 09		<u> </u>		<b>—</b>
Ren Ren RS END USER Ren RS, RS Sph Ren Spli Ren Spli UNBUNDLED DEDI NOTE INT INTEROFFI Inte	emote Site Line Share BellSouth Owned Splitter, 24 Port smote Site Line Share Cable Pair Activation CLEC Owned at 5 and Deactivation on the Common of the Co	I AKA I	REMOT													<b>†</b>
RS END USER Ren RS, RS Sph Ren Sph Ren Sph UNBUNDLED DEDI NOTE INT INTEROFF! Inte	6 and Deactivation  R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM  mote Site Line Share Line Activation for End User Served at  5, BST Spitter  5 Line Share Line Activation for End User served at RS, CLEC  bittler  mote Site Line Share Subsequent Activity-RS BST Owned  bitter  mote Site Line Share Subsequent Activity-RS CLEC Owned  bitter  DICATED TRANSPORT		REMOT		ULSRB	38 61	115 04	0 00	85 18	0.00		15 69				<del> </del>
END USER Ren RS, RS Spli Ren Spli Ren Spli Run UNBUNDLED DEDI NOTE INT INTEROFFI Inte	R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM errote Site Line Share Line Activation for End User Served at 5, BST Splitter 6 Line Share Line Activation for End User served at RS, CLEC billiter emote Site Line Share Subsequent Activity-RS BST Owned billiter emote Site Line Share Subsequent Activity-RS CLEC Owned billiter emote Site Line Share Subsequent Activity-RS CLEC Owned billiter		REMOT					i								
Ren RS, Spli Ren Spli Ren Spli Ren Spli Ren INTEROFFI Inte	arrote Site Line Share Line Activation for End User Served at 5, BST Splitter  5 Line Share Line Activation for End User served at RS, CLEC bittler  bittler  short Site Line Share Subsequent Activity-RS BST Owned bittler  profe Site Line Share Subsequent Activity-RS CLEC Owned bittler  profe Site Line Share Subsequent Activity-RS CLEC Owned bittler		REMOT	ULS	ULSTG		95 83	0 00	68 37	0.00		15 69		<u> </u>		
RS. RS Spli Ren Spli Ren Spli UNBUNDLED DEDI NOTE INT INTEROFFI Inte	5, BST Splitter 5 Line Share Line Activation for End User served at RS, CLEC billion share Line Activation for End User served at RS, CLEC billion share Subsequent Activity-RS BST Owned billion share Subsequent Activity-RS CLEC Owned billion share Subsequent Subseq	I I		E SITE LINE SHARI	ING		ļI	<del> </del>	ļ				J			
RS Spli Ren Spli Rore NOTE INT INTEROFFI Inte	S Line Share Line Activation for End User served at RS, CLEC billier smole Site Line Share Subsequent Activity-RS BST Owned billier smole Site Line Share Subsequent Activity-RS CLEC Owned billier smole Site Line Share Subsequent Activity-RS CLEC Owned billier SITE STANSPORT	1	1	ULS	ULSRC	0.61	37 09	21 24	20 07	9 85		15 69	. !	i '		
Sph Ren Sph Ren Sph Ren Sph UNBUNDLED DEDI NOTE INT INTEROFFI Inte	bitter mote Site Line Share Subsequent Activity-RS BST Owned bitter mote Site Line Share Subsequent Activity-RS CLEC Owned bitter DICATED TRANSPORT	1	<del>                                     </del>	ULS	ULSRC	0.01	37 09	2124	20 07	9 95	<del></del>	12.69		<u> </u>		<del></del>
Ren Spli Ren Spli UNBUNDLED DEDI NOTE INT INTEROFFI Inter	emote Site Line Share Subsequent Activity-RS BST Owned billiter emote Site Line Share Subsequent Activity-RS CLEC Owned billiter DICATED TRANSPORT	<u> </u>		ULS	ULSTC	0.61	37 09	21 24	20 07	9 85	1	15 69	. !	í '		
Spli Ren Spli UNBUNDLED DEDI NOTE INT INTEROFFI Inte	biliter smole Site Line Share Subsequent Activity-RS CLEC Owned biliter DICATED TRANSPORT	ı	<b>†</b>		1525.0	3 31	5. 35		2557		<del></del>	10.00		l		<b>†</b>
Splinon Splino	olitter DICATED TRANSPORT	1		ULS	ULSRS		49 26	17 87			1	15 69	!	Ι '	l	1
NOTE INT INTEROFFI Inte	DICATED TRANSPORT							i								
NOTE INT INTEROFFI Inte Per				ULS	ULSTS		49 26	17 87			L	15 69	J			1
INTEROFFI Inte Per		L	<u> </u>	<u> </u>	<u> </u>			<del></del>			<b> </b>	<b>└─</b>	,!	<u> </u>		1
Inte Per	TEROFFICE CHANNEL DEDICATED TRANSPORT - minimul	m billin	g perio	od - below DS3=one	month, abov	e DS3=four mo	nths	<del></del>			<u> </u>	⊢	<i> </i>	·		ļ
Per	FICE CHANNEL - DEDICATED TRANSPORT leroffice Channel - Dedicated Transport - 2-Wire Voice Grade						<del> </del>	·			$\vdash$	$\vdash$		<del>                                     </del>		
	reroffice Channel - Dedicated Transport - 2-Wire Voice Grade - er Mile per month	1		U1TVX	1L5XX	0 0167	1	i	1		1	1 )	. !	í '		i
	teroffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1	01147	ILSAA	0 0 107	<del> </del>		<del> </del>		$\vdash$	<del>                                     </del>				<del> </del>
	acility Termination	]		U1TVX	U1TV2	24 30	40 63	27 47	16 77	6 91	1	15 69	. !	í '		
	eroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		<del> </del>		102		10 00	i				10 00				
	ev Bet - Per Mile per month			U1TVX	1L5XX	0 0167	į į	i	1		1	1 )	. !	í '		1
	leroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		1"		1			i					1			
	scility Termination	i		U1TVX	U1TR2	24 30	40 63	27 47	16 77	6 91	L	15 69		L		
	leroffice Channel - Dedicated Transport - 4-Wire Voice Grade -						1	1			1	1 )	. !	í '		į
	er Mile per month			U1TVX	1L5XX	0 0167	ļ		<del></del>		$\vdash$	<b></b>	,	·		ļ
	leroffice Channel - Dedicated Transport - 4- Wire Voice Grade acility Termination			U1TVX	U1TV4	21 29	40 63	27 47	16 77	6 91	1	15 69	. !	í '		
	eroffice Channet - Dedicated Transport - 56 kbps - per mile	-	<u> </u>	UTIVA	01174	2128	40 03	2/4/	1077	0.91	$\vdash$	15 05			<del></del>	•
	er month	l		U1TDX	1L5XX	0 0167	i l	1			1	1 )	. !	í '		į.
	teroffice Channel - Dedicated Transport - 56 kbps - Facility			511BX	120701											
	rmination	1		U1TDX	U1TD5	16 76	40 63	27 47	16 77	6 91	1	15 69	. !	í '		
Inte	leroffice Channel - Dedicated Transport - 64 kbps - per mile							1								
	r month			U1TDX	1L5XX	0 0167	l	<b></b>				ļJ	J			
	eroffice Channel - Dedicated Transport - 64 kbps - Facility			l			1			0.04	1	45.00	. !	í '		
	ermination leroffice Channel - Dedicated Channel - DS1 - Per Mile per	ļ	₩	U1TDX	U1TD6	16 76	40 63	27 47	16 77	6 91	$\vdash$	15 69		<u> </u>		
	teroffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.3415	( I	1			1 1	1 1	. !	í '		
	eroffice Channel - Dedicated Tranport - DS1 - Facility		+	0.1101	1120/01	0.0410			<del>                                     </del>		<del></del>	<del>  </del>				
	ermination			U1TD1	U1TF1	77 14	89 47	81 99	16 39	14 48	1	15 69	. !	· '		
	eroffice Channel - Dedicated Transport - DS3 - Per Mile per							i						[		
mor	onth		<u></u>	U1TD3	1L5XX	8 02			1							
	eroffice Channel - Dedicated Transport - DS3 - Facility		I											1		
	rmination per month			U1TD3	U1TF3	880 65	279 37	163 12	60 33	58 59	igspace	15 69	ļ	<del> </del>		
	leroffice Channel - Dedicated Transport - STS-1 - Per Mile per				41.5927		1	l			1 !		, ,	1 '		
	onth leroffice Channel - Dedicated Transport - STS-1 - Facility		-	U1TS1	1L5XX	8 02	<del> </del>		+		<del></del>	$\vdash$		<u> </u>	<del> </del>	<del></del>
	remination			U1TS1	U1TFS	880 55	279 37	163 12	60 33	58 59		15 69	, ,	1 '	I	1
	HANNEL - DEDICATED TRANSPORT		$\vdash$	231	151115	333 33	2.00	100 12	1 55 55			1				<b></b>
	DCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	d = be	low DS3=one month	h, above DS3:	=four months									1	
	ical Channel - Dedicated - 2-Wire Voice Grade	,		ULDVX	ULDV2	15 33	193 53	33 24	36 72	3 21		15 69				
	cal Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	15 33	193 53	33 24		3 21		15 69				
	cal Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	16 54	193 97	33 68		3 68		15 69				
	cal Channel - Dedicated - DS1 - Zone 1	<u> </u>		ULDD1	ULDF1	42 62	177 87	154 06		15 30		15 69			L	<del></del>
	cal Channel - Dedicated - DS1 - Zone 2 cal Channel - Dedicated - DS1 - Zone 3	<u> </u>	2	ULDD1 ULDD1	ULDF1	70 32	177 87					1 45.55	,			
Loci		1	3		ULDF1	190 68	177 87	154 06 154 06		15 30 15 30		15 69 15 69				ļ

Version 4Q02 12/18/02 Page 327 of 416

ONBONDER	D NETWORK ELEMENTS - South Carolina													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		_				Rec	Nonrecu		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	446 00	452 52	264 53	119 75	83 77		15 69				<u> </u>
	Local Channel - Dedicated - STS-1- Per Mile per month		ļ	ULDS1	1L5NC	11 93	.== ==							ļ	ļ <u>.</u>	
1	Local Channel - Dedicated - STS-1 - Facility Termination	<b>.</b>	-	ULDS1	ULDFS	435 10	452 52	264 53	119 75	83 77		15 69		ļ	ļ	<b></b>
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	UDF	1L5DC	97 65			1							
	Thereof per month - Local Channel		ļ	UDF	UDFC4	97.65	640 51	138 17	317 76	198 11		15 69				
	NRC Dark Fiber - Local Channel		1	UDF	UDFC4		640 51	138 17	317 /6	19811	<del> </del>	15 69		-		-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		i	UDF	1L5DF	36 41					1		1			
	Thereof per month - Interoffice Channel  NRC Dark Fiber - Interoffice Channel		<del> </del>	UOF	UDF14	30 41	640 51	138 17	317 76	198 11	-	15 69	-			<del> </del>
				UUF	UUF 14	<del></del>	540 51	130 17	317 /0	196 11		13 09		<del> </del>	<del> </del>	<del></del>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	97 65					1		1		1	
<del></del>	NRC Dark Fiber - Local Loop			UDF	UDFL4	9/ 65	640 51	138 17	317 76	198 11	l	15 69	<del> </del>	<del> </del>		<del> </del>
SYY ACCESS	TEN DIGIT SCREENING	<del>                                     </del>	$\vdash$	001	UU/L4		040 01	130 17	317 10	130 11		10 09	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
OAA ACCESS	8XX Access Ten Digt Screening, Per Call		_	OHD		0 0006673									1	<del> </del>
<del></del>	8XX Access Ten Digt Screening, Fer Carr  8XX Access Ten Digt Screening, Reservation Charge Per 8XX		+	OIID		0 0000073					-		<del> </del>	<del></del>		-
	Number Reserved	1		ОНО	N8R1X		2 59	0 44	]			15 69				į.
-	8XX Access Ten Digit Screening, Per 8XX No Established W/O			0110	HOICIA		2 00	0 44	i					<del> </del>	-	1
	POTS Translations			OHD			5 95	0.81	4 58	0.54		15 69				
	8XX Access Ten Digit Screening, Per 8XX No Established With	-		OTID			3 33	001	7.00	0.04		10 00		<del> </del>		<del> </del>
	POTS Translations			OHD	N8FTX		5 95	0.81	4 58	0 54		15 69				1
	8XX Access Ten Digit Screening, Customized Area of Service		_	OHD	- INDETA		5 85	001	7.50	0.54		13 03		· · · · · · · · · · · · · · · · · · ·		
	Per 8XX Number			OHD	N8FCX		2 59	1 30				15 69				]
-	8XX Access Ten Digit Screening, Multiple InterLATA CXR	-	ļ	OTID	NOICX		2 33	1 30				10 00				
	Routing Per CXR Requested Per 8XX No			ОНО	N8FMX		3 03	1 74				15 69				
	8XX Access Ten Digit Screening, Change Charge Per Request	_	<del>-</del>	OHD	N8FAX	1	3 03	0 44	<del> </del>			15 69		1		
	8XX Access Ten Digit Screening, Criange Charge Fer Request		1	0110	1401700	1		· · · · · · · · · · · · · · · · · · ·			<del></del>	10 00		···		
	Features		1	OHD	N8FDX	]	2 59	2 59			1	15 69				
$\vdash$	8XX Access Ten Digit Screening, w/ 8XX No. Delivery	<del> </del>	+	OHD	I TOT DA	0 0006673	2.00									<u> </u>
<del></del>	8XX Access Ten Digit Screening, w/ POTS No Delivery		+	OHD		0 0006673					1					<del>                                     </del>
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		<del> </del>	0110		0.0000010					· · · · · · · · · · · · · · · · · · ·		1		<b>†</b>	
EINE IN CIXIN	LIDB Common Transport Per Query		1	OQT		0 0000246							1			<del> </del>
	LIDB Validation Per Query	-	1	OQU		0 0138158				-					İ	1
- +	LIDB Originating Point Code Establishment or Change	-	1	OQT, OQU	NRPBX	0 0 100 100	34 40		42 18			15 69		†		
SIGNALING (		1		-												<del>                                     </del>
JIONALINO (	CCS7 Signaling Connection, Per 56 Kbps Facility	}	1	UDB	TPP++	16 93	35 61	35 61	16 48	16 48					Ì	
	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	163 49	000.		10.10	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				İ		
	CCS7 Signaling Usage, Per TCAP Message		1	UDB	1.00%	0 0000692								<del>                                     </del>		T
	CCS7 Signaling Connection, Per link (A link)		†	UDB	TPP++	16 93	35 61	35 61	16 48	16 48		15 69			1	
	CCS7 Signaling Connection, Per link (B link) (also known as D		1									· · · · · · · · · · · · · · · · · · ·				
<b>!</b>	link)			UDB	TPP++	16 93	35 61	35 61	16 48	16 48		15 69			1	I
	CCS7 Signaling Usage, Per ISUP Message	1	<b>+</b> "	UDB		0 0000173	***									
1	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791 37	1				1					
	CCS7 Signaling Point Code, per Originating Point Code	i e														1
1	Establishment or Change, per STP affected	ļ		UDB	CCAPO		29 08	29 08	35 65	35 65		15 69				
	CCS7 Signaling Point Code, per Destination Point Code												ĺ			
	Establishment or Change, Per Stp Affected	i	1	UDB	CCAPD		29 08	29 08	35 65	35 65		15 69				
E911 SERVICE				1												
1	Local Channel - Dedicated - 2-wr Voice Grade	1	T			15 33	193 53	33 24	36 72	3 21		15 69				1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0167										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
1	Termination			1	l	24 30	40 63	27 47	16 77	6 91		15 69				ļ
	Local Channel - Dedicated - DS1 - Zone 1		I			42 62	177 87	154 06		15 30		15 69				
	Local Channel - Dedicated - DS1 - Zone 2	L				70 32	177 87	154 06		15 30		15 69				
	Local Channel - Decicated - DS1 - Zone 3	I	i			190 68	177 87	154 06	22 24	15 30		15 69				
	Interoffice Transport - Dedicated - DS1 Per Mile					0 3415										
										1				1		1
LI	Interoffice Transport - Dedicated - DS1 Per Facility Termination	L	1	L		77 14	89 47	81 99	16 39	14 48		15 69	L			L
CALL ING MA	ME (CNAM) SERVICE			I	7	T		-	1		1	1	1		1	1

Page 328 of 416

UNBUNDLED	NETWORK ELEMENTS - South Carolina													ment 2		ort B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
			-			<del></del>	Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		
<del>-  -  </del>					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	CNAM For DB Owners - Service Establishment		t	OQV			23 00	23 00	21 15	21 15		15 69				
	CNAM For Non DB Owners - Service Establishment			OQV			23 00	23 00	21 15	21 15		15 69				
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			993 09	734 47	269 53	198 18		15 69				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			343 09	245 69	275 87	198 18	<del></del>	15 69				
	CNAM for DB Owners, Per Query			OQV		0 0010433										
	CNAM for Non DB Owners, Per Query		ļ <u>-</u>	OQV		0 0010433		-	-		<del> </del> -		-			
LNP Query Ser	LNP Charge Per query					0 0008837			<del></del>		<del>-</del> -				·	<del></del>
	LNP Service Establishment Manual			<del> </del>		0.0000007	25 09	25 09	23 07	23 07	<del> </del>	15 69				
	LNP Service Provisioning with Point Code Establishment		1				594 82	303 88	269 53	198 18	<del> </del>	15 69			-	
	ALL PROCESSING								1							
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 20										
	Öper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24				_						
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB			2		0 20										
	ATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1 15										
ļ	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1 15										
	PERATOR CALL PROCESSING		1		_	ļ					ļ. <b>—</b> . —					ļ <u> </u>
Facility	based CLEC		ļ.—				7 000 00	7 000 00			<del></del>	15.00				
	Recording of Custom Branded OA Announcement		ļ		CBAOS		7,000 00	7,000 00			<del></del>	15 69		ļ		<del></del>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500 00	500 00				15 69				
UNEP (	Recording of Custom Branded OA Announcement		1-	<del></del>			7,000 00	7,000 00	<del></del>			15 69	<del> </del> -		<del> </del>	
	Loading of Custom Branded OA Announcement per shelf/NAV	<del></del>	1				7,000 00	7,000 00	<del> </del>			- 15 65				
	per OCN						500 00	500 00				15 69				
Unbran	ding via OLNS for UNEP CLEC		ļ								ļ	L				
	Loading of OA per OCN (Regional)		1				1,200 00	1,200 00				15 69			<del> </del>	
	SSISTANCE SERVICES FORY ASSISTANCE ACCESS SERVICE					<u> </u>					ļ.——				<del>                                     </del>	
	Directory Assistance Access Service Calls, Charge Per Call	<del></del>	<del></del>			0 275			<del> 1</del>		<del>                                     </del>		<del> </del>		<del> </del>	<del> </del>
DIRECT	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (E	DACC)	_			0210			<del> </del>				-			
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 10										
DIRECTORY AS	SSISTANCE SERVICES		$\vdash$	<del>                                     </del>		1			†							
	FORY ASSISTANCE DATA BASE SERVICE (DADS)				_				1		1					
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150 00										
	IRECTORY ASSISTANCE												ļ		<del></del>	
Facility	Based CLEC Recording and Provisioning of DA Custom Branded				CDADA		2 200 22	2.000.00				15.00			<del> </del>	
	Announcement Loading of Custom Branded Announcement per Switch per			AMT	CBADA		3,000 00	3,000 00				15 69 15 69			1	
UNEP (	OCN CLEC		$\vdash$	AMT	CBADC	<del>  </del>	1,170 00	1,170 00			<del> </del>	15 69	<del>                                     </del>			·
0	Recording of DA Custom Branded Announcement		<u> </u>		<del></del>	<del>                                     </del>	3,000 00	3,000 00	<del>                                     </del>			15 69			<u> </u>	
	Loading of DA Custom Branded Announcement per Switch per OCN			1			1,170 00	1,170 00				15 69				
Unbran	nding via OLNS for UNEP CLEC	<del> </del>	1	<del> </del>	-+			.,			<del>                                     </del>	1		<u> </u>		
- 12	Loading of DA per OCN (1 OCN per Order)		<b>†</b>		_		420 00	420 00				15 69				
	Loading of DA per Switch per OCN		1 -				16 00	16 00		****	<del>                                     </del>	15 69	I		1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment 2		bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring			001141		Rates (\$)	SOMAN	SOMAN
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
ELECTIVE R			L			ļ										$\vdash$
	Selective Routing Per Unique Line Class Code Per Request Per		i l		USRCR		84 89	84 89	14 14	14 14	ĺ	15 69				
	Switch			<del></del>	USRCR		64 69	04 05	14 14	14,14		10 00		<del></del>		
IRTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				+											
	Splitting		Í I	UEPSR, UEPSB	VE1LS	0 0317	12 32	11 83	6 04	5 45	l	15 69			l	
HYSICAL CO				02. 01., 02. 02	112.22											
III OIOAL GO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
- 1	Splitting		1	UEPSR, UEPSB	PE1LS	0 0341	12 32	11 83	6 04	5 45		15 69		L		
IN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,324 34	101,324 34	8,609 85	8,609 85		15 69				<del></del>
	End Office Establishment			SRC	SRCEO		175 66	175 66	1 70	1 70	I— —	15 69				
	Query NRC, per query			SRC		0 0035036										-
IN - BELLSO	UTH AIN SMS ACCESS SERVICE		_		ļ	ļ										-
	AIN SMS Access Service - Service Establishment, Per State,		1	l		!!	20.52	20.52	40.70	40 78	1	15 69			1	1
	Initial Setup	_		A1N	CAMSE		39 53	39 53	40 78	40 /8		15 69				
1	ANI ONG A SECOND POLICE DELICITION OF THE PROPERTY OF THE PROP			A1N	CAMDP		7 85	7 85	9 11	9 11		15 69				1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP CAM1P		7 85	7 85	911	9 11		15 69	_	<u> </u>		
	AIN SMS Access Service - Port Connection - ISDN Access		-	AIN	CAIVITE		7 65	7 03			<del></del>	10 03				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU	1 1	35 08	35 08	27 12	27 12	1	15 69			1	1
	AIN SMS Access Service - Security Card, Per User ID Code,			AIIN .	CANAD	<del>-</del>	. 33.00	95.00	12	21.12		10 00		-		
1	Initial or Replacement			A1N	CAMRC		41 98	41 98	11 74	11 74		15 69				1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				10, 11,11,10	0 0027										
	AIN SMS Access Service - Session, Per Minute				<del> </del>	0 7121										
	AIN SMS Access Service - Company Performed Session, Per				1											
	Minute		]	ļ	1	0 8364	1							_		
IN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,										ĺ					
	Initial Setup		L	CAM	BAPSC		39 53	39 53	40 78	40 78		15 69			_	
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211 54	4,211 54	0.00	0 00		15 69				
	AiN Toolkit Service - Trigger Access Charge, Per Trigger, Per					l i					1		i			ĺ
	DN, Term_Attempt				BAPTT		7 85	7 85	9 11	9 11		15 69				
i	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per											45.00				ĺ
-	DN, Off-Hook Delay				BAPTD	<u> </u>	7 85	7 85	9 11	9 11		15 69				<del></del>
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM.	1	7 85	7.05	,,,	0.11		15.00				1
	DN, Off-Hook Immediate				BAPTM		/ 85	7 85	9 11	9 11		15 69	<del></del>			
Ì	AIN Toolkil Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34 54	34 54	14 39	14 39		15 69	'			l .
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	_		<del></del>	BAPIO	<del> </del>	34 54	34 34	14 39	14 39		13 09				
l	DN, CDP				BAPTC		34 54	34 54	14 39	14 39		1 <b>5</b> 69				1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF 10	<del></del>	54 54	34 34	14 39	14.03	-	10 09				
	DN. Feature Code				BAPTE	1	34 54	34 54	14 39	14 39		15 69		1		
	AIN Toolkit Service - Query Charge, Per Query		$\vdash$		1	0 0558238	2.57									
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1											
	Subscription, Per Node, Per Query				ł	0 0069214	ļ		Į ,					ļ		
1	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1		-									
	Account, Per 100 Kilobytes					0 07										
	AIN Toolkil Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	11 87	7 85	7 85	5 52	5 52		15 69				<b></b>
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															1
	Subscription			CAM	BAPLS	3 51	8 68	8 68				15 69		L		-
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service													ļ	J	1
	Subscription		<u> </u>	CAM	BAPDS	8 48	7 85	7 85	5 52	5 52		15 69				
l	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit						1	0.00			1	45.50	]			1
NUANCES E	Service Subscription (TENDED LINK (EELs)			CAM	BAPES	0 12	8 68	8 68				15 69			<del></del>	
				0 11 1 1 5	<u> </u>	L (	1-1-1-1-1	-1:	h !	. 51	<u> </u>					
	The monthly recurring and non-recurring charges below will a	apply at	nd the	Switch-As-Is Charg	e will not app	ny for EELS pro	visioned as 1	лапапну соп	inined Network	k ⊏iements	l			L		

INBUNDL	ED NETWORK ELEMENTS - South Carolina										1			nent. 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
L			L			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Minimum billing is one month for DS1 and below and three m				L									<u> </u>		<del>                                     </del>
2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)					ļ		<u> </u>				ļ <u>.</u>	
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	i	Ι.			46.65	407.00	68 43	53 05	10 61		15 69	ľ			
	Combination - Zone 1	-	1	UNCVX	UEAL2	16 68	105 98	00 43	33 05	10 61	<del> </del>	13 03				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	23 13	105 98	68 43	53 05	10 61	1	15 69			1	
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	<del> </del>	+-	ONCVA	ULALZ	. 23 13	100 00	00 40	30 00	10 01		10 00			-	ļ .
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28 46	105 98	68 43	53 05	10 61	1	15 69	İ		]	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		۲	OHOVA	1027,122	20 10	100,00									1
	per month			UNC1X	1L5XX	0 27										
	Interoffice Transport - Dedicated - DS1 combination - Facility		<del> </del>		1											
1	Termination per month	1		UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48		15 69				
	DS1 Channelization System Per Month			UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81		15 69				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		1	UNCVX	1D1VG	0 56	6 59	4 73				15 69				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1								1				1	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 68	105 98	68 43	53 05	10 61		15 69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	1												1	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23 13	105 98	68 43	53 05	10 61	<u> </u>	15 69				<u> </u>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 46	105 98	68 43	53 05	10 61	ļ	15 69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -	1							i			45.00		ł		
	per month			UNCVX	1D1VG	0 56	6 59	4 73	<u> </u>			15 69				
	Nonrecurring Currently Combined Network Elements Switch -As-	-				1		5.04	7.00	7 00	ł	15 69		1		
	Is Charge		1000	UNC1X	UNCCC		5 61	5 61	7 00	7.00	<del> </del>	15 69				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE IF	ANSPORT (EEL)	<del></del>						<del> </del>				-	<del></del>
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			1000	UEAL4	32 59	132 38	94 83	59 35	14 61	i	15 69	1	1		
	Transport Combination - Zone 1	<del>  -</del> -	1	UNCVX	UEAL4	32 39	132 36	94 03	39 33	14 01		10 03	<u> </u>		<del>                                     </del>	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61	1	15 69	i		į	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	+	<del> </del> -	DINCVA	OEAL4	43.03	102 00	54 d5	00 00	140.	<u> </u>	10 00	l			
	Transport Combination - Zone 3		3	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61	1	15 69	ł			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<del> </del>	+ -	UITOTA	DE/IL.			0.00	-							
	Per Month			UNC1X	1L5XX	0 27									]	1
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				1						1-					
i	Month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48		15 69				
	Channelization - Channel System DS1 to DS0 combination Per	ļ · · · ·	1		+											
i	Month	1		UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81		15 69				
*	Voice Grade COCI - DS1 to DS0 Channel System combination -	1														
	per month			UNCVX	1D1VG	0 56	6 59	4 73	1			15 69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1				T										Į.	
	Interoffice Transport Combination - Zone 1	J	1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61	1	15 69	ļ			<del></del>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		T								1		1		ĺ	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61	ļ <u>.</u>	15 69			ļ	<del> </del>
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1									ļ		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61	<u> </u>	15 69				+
1	Voice Grade COCI - DS1 to DS0 Channel System combination -	1		l				4.70				45.00			ļ	
	per month	<b>!</b>	ļ	UNCVX	1D1VG	0 56	6 59	4 73			1	15 69			-	1
	Nonrecurring Currently Combined Network Elements Switch -As-	1			LINGOO		5 61	5 61	7 00	7 00		15 69				1
4 14.0	Is Charge RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	L	DEFICE	UNC1X	UNCCC		100	10 0	1 00	1 ,00	+	13.09		<del></del>		<del></del>
4-W	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTER	OFFICE	TRANSPORT (EEL)	'				+	<del>                                     </del>	+	<del> </del>	<del>                                     </del>	<del> </del>		+
		1	1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61		15 69			j	
	Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	+	+	ONCDA	JULSO	29 93	120 00	05 12	39 33	14 01	+	15 05		<del></del>	†	1
	Transport Combination - Zone 2	1	2	UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61		15 69				
-+	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	+	+-	CHODA	COLOU	00 00	120 00		1 25 00	1	<del> </del>	1	<b>—</b>		1	
	Transport Combination - Zone 3	1	3	UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61		15 69		1		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	+	+ -		1-5255	5.11			1	1		1				
. !	Per Month	1	1	UNC1X	1L5XX	0 27		1	1	1	1	1	1	1	1	1

NBUNDLE	D NETWORK ELEMENTS - South Carolina			·	<del></del>						001	0 0. 1		ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge
		Γ.	<u> </u>			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 - combination Facility		<del> </del>		+		FIFSL	Add I	FIISL	Audi	JOINE	J. MIAN	JOHAN	JOHAN	COMAN	JOINAI
	Termination Per Month			UNC1X	U1TF1	61 71	89 47	81 99	16 3 <u>9</u>	14 48		15 69				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81		15 69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 19	6 59	4 73				15 69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			I NIODY	LIDI CC	29 93	126 66	89 12	59 35	14 61		15 69				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	ļ	1	UNCDX	UDL56	29 93	126 66	09 12	59 33	14 01	<del> </del>	13 03				<del></del>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61	<u> </u>	15 69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61		15 69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -	ì		LINODY	10100	1 19	6 59	4 73				15 69				
	combination per month (2 4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	UNCDX	1D1DD	1 19	639	473			· · · · · ·	15 05			_	+
	is Charge		ļ.,	UNC1X	UNCCC		5 61	5 61	7 00	7 00		15 69				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE	TRANSPORT (EEL	-)			_			ļ—			<del></del>		<del></del>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61		15 69				<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61	ļ	15 69				<del> </del>
	Transport Combination - Zone 3	1	3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61		15 69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 27									_	
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48		15 69				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107 57	91 24	62 71	10 56	9.81	-	15 69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)  Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_	UNCDX	1D1DD	1 19	6 59	4 73				15 69				_
	Interoffice Transport Combination - Zone 1	ļ	1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61		15 69			ļ	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61		15 69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61		15 69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 19	6 59	4 73				15 69				1
1.14/10	Nonrecurring Currently Combined Network Elements Switch -As- is Charge IE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	Í	VOE 70	UNC1X	UNCCC		5 61	5 61	7 00	7 00		15 69				
4-1411	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	ERUFF	1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73		15 69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89		11 73		15 69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	261 89	253 03	157 89		11 73		15 69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	1	ļ	UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48		15 69				<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge		105 55	UNC1X	UNCCC		5 61	5 61	7 00	7 00		15 69				<del> </del>
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EROFF	ICE TR	ANSPORT (EEL)							1 -	<del> </del>	<del> </del>	<del> </del> -		+
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	11	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73	-	15 69		-		
	Triist De (Loop in Des interonice Transport Combination - Zone		1 2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73	1	15 69			1	1

Version 4Q02 12/18/02

NBUNDLE	D NETWORK ELEMENTS - South Carolina			<del>,</del>							00	0	Attachr			bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge • Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			<del></del>			First	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	JUMAN
	3		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73	i	15 69				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month		Ļ	UNC3X	1L5XX	6 42										
-	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	704 52	279 37	163 12	60 33	58 59	l	15 69				1
1 -	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	144 02	178 54	94 18	33 33	31 90		15 69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8 64	6 59	4 73				15 69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -					90 87	252.02	157 89	44 80	11 73		15 69				
	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	90 87	253 03	157 89	44 80	1173		15 09				
	Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73		15 69				_
	Additional DS1Loop in DS3 Interoffice Transport Combination -	_														
	Zone 3		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73		15 69				
	DS3 Interface Unit (DS1 COCI) combination per month		-	ÜNC1X	UC1D1	8 64	6 59	4 73	<del> </del>			15 69			ļ.	
ł	Nonrecurning Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		5 61	5 61	7 00	7 00		15 69			ļ	
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T		-0.1000											
	2-WireVG Loop used with 2-wire VG Interoffice Transport				1											
	Combination - Zone 1		1	UNCVX	UEAL2	16 68	105 98	68 43	53 05	10 61		15 69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	IUEAL2	23 13	105 98	68 43	53 05	10 61		15 69	ļ			
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVA	OLAL2	23 13	103 30	00 40	_33 03	1001	-	10 00			<del>                                     </del>	· · · · · · ·
]	Combination - Zone 3		3	UNCVX	UEAL2	28 46	105 98	68 43	53 05	10 61	ĺ	15 69	<u> </u>		i	
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0 0134							<u> </u>		ļ	-
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	19 44	40 63	27 47	16 77	6 91		15 69				
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	UNCVX	01172	75 44	40 00	21 -1	1071			10 00				
	is Charge			UNCVX	UNCCC		5 61	5 61	7 00	7 00		15 69				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
- [	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32 59	132 38	94 83	59 35	14 61	ł	15 69	Ì		ł	
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<u> </u>	UNCVX	ULAL4	32 39	132 30	34 03	09 35	1401		10 00				
	Combination - Zone 2		2	UNCVX	UEAL4	43 89	132 38	94 83	59 35	14 61		15 69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	43 38	132 38	94 83	59 35	14 61	<u> </u>	15 69				
-	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0134					1		1		1	
_	Interoffice Transport - Dedicated - 4- Wire Voice Grade		<del>                                     </del>	G. I.O. T. T.	123751	0 0 10										
	combination - Facility Termination per month	İ		UNCVX	U1TV4	17 03	40 63	27 47	16 77	6 91		15 69				
- I	Nonrecurring Currently Combined Network Elements Switch -As-									7.00		45.00				
Dea D	Is Charge  IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	ETDA	NEDOL	UNCVX	UNCCC		5 61	5 61	7 00	7 00	<del></del>	15 69	<u> </u>			
D33 D	High Capacity Unbundled Local Loop - DS3 combination - Per	EIRA	Naror	T (EEL)	+		-		<del> </del> -				<del></del>		-	
1	Mile per month	İ		UNC3X	1L5ND	12 26			1 _ '		L					<u></u>
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month		1	UNC3X	UE3PX	306 36	452 52	264 53	119 75	83 77		15 69				<del> </del> -
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		-	UNC3X	1L5XX	6 42	-						<del>                                     </del>		-	<del> </del>
l	Termination per per month	ļ		UNC3X	U1TF3	704 52	279 37	163 12	60 33	58 59		15 69		1	ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-			-	1										1	
	Is Charge			UNC3X	UNCCC		5 61	5 61	7 00	7 00	<u> </u>	15 69			ļ	
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE T	RANSP	ORT (EEL)					<del> </del>			<u> </u>			<u> </u>	<del> </del>
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	12 26										1
	High Capacity Unbundled Local Loop - STS1 combination -		+	10.100/	120140	12 20			<del>                                     </del>		†	T -	<del>                                     </del>			
	Facility Termination per month			UNCSX	UDLS1	313 49	452 52	264 53	119 75	83 77		15 69			<u> </u>	

NBUNDLE	D NETWORK ELEMENTS - South Carolina					/					· · · · · · · · · · · · · · · · · · ·		Attachr			bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
				-	1	Rec	Nonrec	urring	Nonrecurring		L			Rates (\$)		
	-	1			1 -	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	Interoffice Transport - Dedicated - STS1 combination - Per Mile		T	1									1			
	per month		1	UNCSX	1L5XX	6 42										
	Interoffice Transport - Dedicated - STS1 combination - Facility		1													
	Termination per month		1	UNCSX	U1TFS	704 44	279 37	163 12_	60 33	58 59	<u> </u>	15 69				L
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
	Is Charge	1		UNCSX	UNCCC		5 61	5 61	7 00	7 00		15 69				
2-WIR	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	-)								ļ					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T				1					l	1				
	Transport - Zone 1		1	UNCNX	U1L2X	25 21	117 58	80 03	53 05	10 61		15 69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination												1		i	
ì	Transport - Zone 2		2	UNCNX	U1L2X	32 76	<b>1</b> 17 58	80 03	53 <u>05</u>	10 61		15 69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	İ					ļ									
	Transport - Zone 3		3	UNCNX	U1L2X	37 70	117 58	80 03	53 05	10 61		15 69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 27						L				+
	Interoffice Transport - Dedicated - DS1 combintion - Facility		1		i i					4.40		45.00	1			
	Termination per month			UNC1X	U1TF1	61 71	89 47	81 99	16 39	14 48		15 69	1		<del> </del>	
	Channelization - Channel System DS1 to DS0 combination -				1			00.74	40.50	0.04		45.00			1	
	per month	1		UNC1X	MQ1	107 57	91 24	62 71	10 56	9 81	ļ	15 69	ļ		<u> </u>	+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System											45.00				1
	combination - per month			UNCNX	UC1CA	2 56	6 59	4 73				15 69		ļ	· <del></del>	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1		1				50.00	40.04		15 69				
	Combination - Zone 1		1_1_	UNCNX	U1L2X	25 21	117 58	80 03	53 05	10 61	<b> </b>	19 69	<del>                                     </del>			<del> </del>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1	1		00.00	50.05	40.04	1	15 69	İ		ļ	
	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	32 76	117 58	80 03	53 05	10 61	+	12 69	<del> </del>		1	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1		.47.50	00.00	50.05	10 61	1	15 69	1		i	
	Combination - Zone 3	1	3	UNCNX	U1L2X	37 70	117 58	80 03	53 05	10 61	<del> </del>	13 09	1			+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1				0.50	6 59	4 73				15 69				1
	combintaion- per month	-	<u> </u>	UNCNX	UC1CA	2 56	80.0	4/3			_	13 03				+
	Nonrecurring Currently Combined Network Elements Switch -As-	-	1	LINGAY	LINGSS		5 61	5 61	7 00	7 00	.	15 69		l		
	Is Charge	I TEDOS	LIGET	UNC1X	UNCCC		361	3 01	7 00	7 00	-	10.03				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	VIEROF	FICE I	RANSPORT (EEL)								<u> </u>			-	+
- 1	First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73	. ]	15 69			i	
	Zone 1	+	<del></del>	UNCIA	USLAA	50 01	200 00	137 03			·	10 00				_
	First DS1 Loop in STS1 Interoffice Transport Combination -	i	2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73	.	15 69				
	Zone 2	_		UNCIA	- USLAA -	100 40	200 00	107 03				10.00				
	First DS1 Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73		15 69		1		
	Zone 3	+		UNCIX	03200	20100	200 00	107 00	11.00						T	
- 1	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month	1		UNCSX	1L5XX	6 42				[	1	1				1
-	Interoffice Transport - Dedicated - STS1 combination - Facility	+	+	UNCOX	123/01	0 12						1				1
	Termination			UNCSX	U1TFS	704 44	279 37	163 12	60 33	58 59	, [	15 69		1		
	STS1 to DS1 Channel System conbination per month	<del> </del>		UNCSX	MQ3	144 02	178 54	94 18	33 33	31 90		15 69		-		
	DS3 Interface Unit (DS1 COCI) combination per month	+		UNC1X	UC1D1	8 64	6 59	4 73	00 00			15 69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -	+	1-	DIVOTA	CCIDI							<del>                                     </del>	1	·		1
	Zone 1		1	UNC1X	USLXX	90 87	253 03	157 89	44 80	11 73	<sub>3</sub>	15 69				1
<del></del>	Additional DS1Loop in STS1 Interoffice Transport Combination -	1	+-	1-1101/	002:01	55.57	200 00		1		1					T
	Zone 2		2	UNC1X	USLXX	155 43	253 03	157 89	44 80	11 73	3	15 69	1	1		
	Additional DS1Loop in STS1 Interoffice Transport Combination -	.	+-													
	Zone 3		3	UNC1X	USLXX	261 89	253 03	157 89	44 80	11 73	3	15 69				
	DS3 Interface Unit (DS1 COCI) combination per month	1	T -	UNC1X	UC1D1	8 64	6 59	4 73				15 69				
	Nonrecurring Currently Combined Network Elements Switch -As	;-	+		1											
	Is Charge			UNCSX	UNCCC		5 61	5 61	7 00	7 00		15 69				
4-WII	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERC	FFICE	TRANS		1										1	
1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	T	T''	1											
	Combination - Zone 1	1	1	UNCDX	UDL56	29 93	126 66	89 12	59 35	14 61	<u> </u>	15 69				<del></del>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	1											1		1
	Combination - Zone 2		2	UNCDX	UDL56	33 99	126 66	89 12	59 35	14 61	<u> </u>	15 69		1		<del></del>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	1				•						1	1	1	ì
1	Combination - Zone 3	1	3	UNCDX	UDL56	34 74	126 66	89 12	59 35	14 61	1 1	15 69	-1	1	1	1

INBUNDLED N	NETWORK ELEMENTS - South Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring		_			Rates (\$)		
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Int	teroffice Transport - Dedicated - 4-wire 56 kbps combination -															
Pe	er Mile	l		UNCDX	1L5XX	0 0134	1									
Int	teroffice Transport - Dedicated - 4-wire 56 kbps combination -															
Fa	acility Termination	J	J	UNCDX	U1TD5	13 41	40 63	27 47	16 77	6 91	ì	15 69				
No	onrecurring Currently Combined Network Elements Switch -As-										ſ					İ
ls ·	Charge		ļ	UNCDX	UNCCC		5 61	5 61	7 00	7 00		15 69			<u> </u>	
4-WIRE 64	4 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSI	ORT (EEL)												ļ
	wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
l co	ombination - Zone 1	ļ	1	UNCDX	UDL64	29 93	126 66	89 12	59 35	14 61		15 69			<u></u>	↓
4-1	wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			-	Ti"											
l lcc	ombination - Zone 2	ì	2	UNCDX	UDL64	33 99	126 66	89 12	59 35	14 61	<u> </u>	15 69				
	wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport											ĺ				
Co	ombination - Zone 3		3	UNCDX	UDL64	34 74	126 66	89 12	59 35	14 61	i	15 69			l	
Int	teroffice Transport - Dedicated - 4-wire 64 kbps combination -														1	
Pe	er Mile	l		UNCDX	1L5XX	0 0134									<u> </u>	ļ
Int	teroffice Transport - Dedicated - 4-wire 64 kbps combination -															1
Fa	acility Termination	1	l	UNCDX	U1TD6	13 41	40 63	27 47	16 77	6 91		15 69				L
No.	onrecurring Currently Combined Network Elements Switch -As-															
ls	Charge			UNCDX	UNCCC	1	5 61	5 61	7 00	7 00		15 69			l	
	TWORK ELEMENTS		1													
	ed as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is c	harge does app	ily.									
	ed as ordinarily combined network elements in All States, t															1
	ring Currently Combined Network Elements "Switch As Is"					T										
	onrecurring Currently Combined Network Elements Switch -As-	<b>_</b> _	1		T			· · ·		~						
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5 61	5 61	7 00	7 00	ł .	15 69	ŀ			
	onrecurring Currently Combined Network Elements Switch -As-															
	Charge - 56/64 kbps			UNCDX	UNCCC		5 61	5 61	7 00	7 00		15 69				
	onrecurring Currently Combined Network Elements Switch -As-															
	Charge - DS1	ŀ		UNC1X	UNCCC		5 61	5 61	7 00	7 00		15 69				
	onrecurring Currently Combined Network Elements Switch -As-	_	-			1										
	Charge - DS3			UNC3X	UNCCC		5 61	5 61	7 00	7 00		15 69				
	onrecurring Currently Combined Network Elements Switch -As-			011007	- CHOOD											
	Charge - STS1		į.	UNCSX	UNCCC		5 61	5 61	7 00	7 00		15 69		i		
	ocal Channel - Dedicated Transport - minimum billing perior	l - Belo	w DS3			r months			7 50							
	ocal Channel - Dedicated - 2-Wire Voice Grade	- 5010	1	UNCVX	ULDV2	15 33	193 53	33 24	36 72	3 21		15 69				
	ocal Channel - Dedicated - 4-Wire Voice Grade		<del> </del>	UNCVX	ULDV4	16 54	193 97	33 68	37 19	3 68	<del> </del>	15 69				
	ocal Channel - Dedicated - 4-Wife Voice Grade	ļ	1	UNC1X	ULDF1	42 62	177 87	154 06	22 24	15 30		15 69	<del></del>		<del> </del>	
	ocal Channel - Dedicated - DS1 Per Month Zone 2	_		UNC1X	ULDF1	70 32	177 87	154 06	22 24	15 30		15 69			<del> </del>	<del>                                     </del>
	ocal Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	190 68	177 87	154 06		15 30		15 69	<del>-</del>		<u> </u>	<del> </del>
	ocal Channel - Dedicated - DS3 - Per Mile per month	_	+-	UNC3X	1L5NC	11 93	171 01	134 00	22 24	10 30	<del></del>	10 05	<del>                                     </del>	<del></del>	<del>                                     </del>	<del></del>
	ocal Channel - Dedicated - DS3 - Per Wille per month	-	<del> </del>	UNC3X	ULDF3	446 00	452 52	264 53	119 75	83 77		15 69	<del>                                     </del>	-	<del> </del>	+
	ocal Channel - Dedicated - DS3 - Facility Termination	<del></del>	<del> </del>	UNCSX	1L5NC	11 93	402 52	204 53	11975	03 //		10 09				+
	ocal Channel - Dedicated - STS-1- Per Mile per month		-	UNCSX	ULDFS	435 10	452 52	264 53	119 75	83 77		15 69			<del>                                     </del>	<del> </del>
		_	+	חערפע	ULUFS	435 10	452 52	264 53	119 /5	03 //	<del> </del>	10 09		<del></del>	1	<del> </del>
MULTIPLE	Features & Functions.		₩-					<del></del>			<del> </del>			<del></del>		+
		Cuete.	L		+	ł					<del></del>		<del> </del>	<del> </del>	<del> </del>	+
	nimum billing period is one month for DS1 to DS0 Channe					+						<del></del>	<del>                                     </del>			+
NOTE MIL	nimum billing period is three months for DS3 to DS1 and a	Dove C	Iannel			107 57	91 24	62 71	10 56	9 81	<del> </del>	15 69	<del>                                     </del>		<del>                                     </del>	+
	hannelization - DS1 to DS0 Channel System	ļ	1-	UXTD1	MQ1	107.57	9124	02 / 1	10.56	981	<del> </del>	15 09	<del> </del>	<del></del>		+
	CU-DP COCI (data) - DS1 to DS0 Channel System - per	l		LIDI	10100		6 59	4.70	1	1		15 69		I		
	onth (2 4-64kbs)	l	-	UDL	1D1DD	1 19	0 59	4 73			<del> </del>	10.08		<del> </del>	-	+
	wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	l		LIBNI	LICACA	3.50	6.50	4 73				15 69	1			1
	onth Book Book Book Book Book Book Book Boo	<b>_</b>	<del> </del>	UDN	UC1CA	2 56	6 59				<del></del>	15 69	<del> </del>	<del> </del>	<b> </b>	+
	oice Grade COCI - DS1 to DS0 Channel System - per month	ļ	<del> </del>	UEA	1D1VG	0 56	6 59	4 73		24.55	<u> </u>				<del> </del>	+
	S3 to DS1 Channel System per month		<u> </u>	UXTD3	MQ3	144 02	178 54	94 18		31 90	<del></del>	15 69	<del></del>		<b> </b>	+
	TS1 to DS1 Channel System per month		<u> </u>	UXTS1	MQ3	144 02	178 54	94 18	33 33	31 90		15 69	<del></del>			<del> </del>
	S3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	8 64	6 59	4 73				15 69			ļ	<del></del>
	S3 Interface Unit (DS1 COCI) used with Local Channel per	1					_ [			1	l	i	1	1		1
	onth	1	i	ULDD1	UC1D1	8 64	6 59	4 73	1	1	i	15 69	1	I	1	1

JNBUNDLEC	NETWORK ELEMENTS - South Carolina						_,			·	r= - ·	0.0	Attachr			Increment
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1	Rec	Nonreci		Nonrecurring					Rates (\$)		COMAN
-						Rec	First	Add'I	First	Add'l	SOMEC	S∩MAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel				1		6 59	4 73				15 69				
	per month			U1TD1	UC1D1	8 64	0 29	473				10 00				
Sub-Lo	op Feeder		-	LINICAY	USBFG							-		-		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X UNC1X	USBFG	55 85	102 19	64 64	62 26	17 52						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1 2	UNC1X	USBFG	109 16	102 19	64 64	62 26	17 52	-			·		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		3	UNC1X	USBFG	203 35	102 19	64 64	62 26	17 52						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG	250 00										
VIDUADI ED I	OCAL EXCHANGE SWITCHING(PORTS)		+-	011017	1000.0	_									l	
1E walan	no Porto				<del>-</del>		-									
NOTE	ge Ports Although the Port Rate includes all available features in GA, I	KY, LA	& TN. 1	he desired feature	s will need to b	e ordered usin	g retail USOCs									<del></del>
2-WIPE	VOICE GRADE LINE PORT RATES (RES)	, ,	T	1	1	i										<del></del>
	Exchange Ports - 2-Wire Analog Line Port- Res	1		UEPSR	UEPRL	1 65	2 38	2 28	1 42	1 33		15 69				<del></del>
-	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 65	2 38	2 28	1 42	1 33		15 69				
				UEPSR	UEPRO	1 65	2 38	2 28	1 42	1 33		15 69				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res Exchange Ports - 2-Wire VG unbundled SC extended local		<del> </del>	UEFSK	OLFINO	1 00										
	dialing parity Port with Caller ID - Res			UEPSR	UEPAU	1 65	2 38	2 28	1 42	1 33		15 69				<del></del>
	Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1 65	2 38	2 28	1 42	1 33	<u> </u>	15 69				<del> </del>
	Exchange Ports - 2-Wire VG unbundled res, low usage line port twith Caller ID (LUM)			UEPSR	UEPAP	1 65	2 38	2 28	1 42	1 33		15 69	ļ		ļ	<u> </u>
	Exchange Ports - 2-Wire VG South Carolina Residence Dialing Plan without Caller ID			UEPSR	UEPWL	1 65	2 38	2 28	1 42	1 33		15 69				
	Exchange Ports - 2-Wire VG South Carolina Residence Area Calling Plan without Caller ID capability		1	UEPSR	UEPRS	1 65	2 38	2 28	1 42	1 33		15 6 <u>9</u>				
	2-Wire voice unbundled Low Usage Line Port without Caller ID	T		UEPSR	VEPRT	1 65	2 38	2 28	1 42	1 33		15 69				
	Capability Subsequent Activity		1	UEPSR	USASC	0 00	0 00	0.00		-		15 69				Ī
FEATU		<b>†</b>	<del> </del>		1			-								
	All Available Vertical Features		<b></b>	UEPSR	UEPVF	3 04	0 00	0 00			T	15 69				<b>_</b>
	VOICE GRADE LINE PORT RATES (BUS)		T								ļ					<del></del>
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1	UEPSB	UEPBL	1 65	2 38	2 28	1 42	1 33		15 69				
	Bus  Exchange Ports - 2-Wire VG unbundled Line Port with			UEFOB	OEFBL	1 03	2 33						1			
	unbundled port with Caller+E484 ID - Bus	-		UEPSB	UEPBC	1 65	2 38	2 28	1 42	1 33	<del> </del>	15 69				+
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus	<u> </u>		UEPSB	UEPBO	1 65	2 38	2 28	1 42	1 33		15 69			<del> </del>	-
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus			UEPSB	UEPAZ	1 65	2 38	2 28	1 42	1 33	<u> </u>	15 69			-	<del> </del>
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		-	UEPSB	UEPB1	1 65	2 38	2 28	1 42	1 33		15 69			<b></b>	
	Exchange Ports - 2 Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1 65	2 38	2 28	1 42	1 33		15 69			<u> </u>	
-	Exchange Ports - 2-Wire Voice South Carolina Business Dialing	_		UEPSB	UEPWM	1 65	2 38	2 28	· · · · ·	1 33		15 69				
	Plan without Caller ID  Exchange Ports - 2-Wire Voice South Carolina Business Area	+		1						1 33		15 69				
	Calling Port without Caller ID  2-Wire voice unbundled Incoming Only Port without Caller ID		+	UEPSB	UEPBB	1 65	2 38	2 28								1
	Capability Subsequent Activity		-	UEPSB UEPSB	UEPBE USASC	1 65 0 00	2 38 0 00	2 28 0 00		1 30	,	15 69 15 69				<b></b>
FEATU		+	+	1 = = = = = = = = = = = = = = = = = = =									ļ <u> </u>	ļ		
I EAT	All Available Vertical Features	<b>†</b>	1	UEPSB	UEPVF	3 04	0 00	0 00				15 69		ļ		+
	All Available Vertical Features	1	+		UEPVF	3 04	0 00	0.00	)			15 69	<u> </u>	<b>_</b>		+
EXCH	ANGE PORT RATES (DID & PBX)	1		-								<u> </u>				+
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 65	31 34	14 88		0.9		15 69			<del></del>	+
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPPC	1 65	31 34	14 88		0.9		15 69		+	+	+
-	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 65	31 34	14 88	13 97	0.9	<u> </u>	15 69	<u>' 1</u>			

2.12011DEED 1	NETWORK ELEMENTS - South Carolina			I							la - : :			ment. 2		oit, B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted		Incremental Charge - Manual Svc Order vs	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		·
							First	Add'l	First	Adď	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 65	31 34	14 88	13 97	0 90		15 69				
	Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 65	31 34	14 88	13 97	0 90		15 69		[		
	Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 65	31 34	14 88	13 97	0.90		15 69				
	Wire Vice Unbundled 2-Way PBX Usage Port		ļ	UEPSP	UEPXA	1 65	31 34	14 88	13 97	0 90		15 69			I	
	Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 65	31 34	14 88	13 97	0 90		15 69				
	Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 65	31 34	14 88	13 97	0 90		15 69		l .	ļ	
	Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 65	31 34	14 88	13 97	0.90		15 6 <del>9</del>				
	Wire Voice Unbundled PBX LD Terminal Switchboard IDD	İ		i					f I		i .			1		
	apable Port			UEPSP	UEPXE	1 65	31 34	14 88	13 97	0 90		15 69				
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										l i					
	dministrative Calling Port	<u> </u>	ļ	UEPSP	UEPXL	1 65	31 34	14 88	13 97	0 90		15 69			<u> </u>	
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l														
	oom Calling Port			UEPSP	UEPXM	1 65	31 34	14 88	13 97	0 90		15 69		L	L	
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l		l	1						"					
	scount Room Calling Port		ļ	UEPSP	UEPXO	1 65	31 34	14 88	13 97	0 90		15 69				
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 65	31 34	14 88	13 97	0 90		15 69			l	
	Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	alling Port			UEPSP	UEPXT	1 65	31 34	14 88	13 97	0 90		15 69				
	ubsequent Activity		L	UEPSP	USASC	0.00	0 00	0.00				15 69				
FEATURE																
	Available Vertical Features			UEPSP UEPSE	UEPVF	3 04	0 00	0 00				15 69				
	GE PORT RATES (COIN)		ļ.,													
	change Ports - Coin Port					1 65	2 38	2 28	1 42	1 33		15 69				
	tching Features offered with Port				_											
	ansmission/usage charges associated with POTS circuit sv														1	
	cess to B Channel or D Channel Packet capabilities will be	availat	ole only	y through BFR/Nev	v Business Rec	quest Process	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	e R⊬quest/l	New Business	s Request Pro	cess	
	CAL EXCHANGE SWITCHING(PORTS)															
	BE PORT RATES															
	change Ports - 2-Wire DID Port			UEPEX	UEPP2	8 86	119 57	18 78	60 03	3 77		15 69				
	change Ports - EDITS Port - 4-Wire DS1 Port with DID															
	pability			UEPDD	UEPDD	73 62	202 47	95 90	72 75	2 47		15 69				
	change Ports - 2-Wire ISDN Port (See Notes below )			UEPTX UEPSX	U1PMA	13 38	72 93	53 11	47 90	10 76		15 69				
	Features Offered			UEPTX UEPSX	UEPVF	3 04	0 00	0 00								
NOTE Tra	ansmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to	circuit switche	d voice and/or	circuit switche	ed data transm	ission by B-Ch	iannels associ	ated with 2-	wire ISDN p	orts.			
	cess to B Channel or D Channel Packet capabilities will be	availat	ole only						lities will be de	termined via t	he Bona Fid	e R∘quest/l	New Business	Request Pro	cess.	
	change Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00								
	change Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107 44	204 27	101 78	79 35	20 10		15 69				
	ED PORT with REMOTE CALL FORWARDING CAPABILITY		$\perp$													
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE		<b> </b>		1											
Un	bundled Remote Call Forwarding Service, Area Calling, Res		$\sqcup$	UEPVR	UERAC	1 65	2 38	2 28	1 42	1 33		15 69				
	bundled Remote Call Forwarding Service, Local Calling - Res		$\perp$	UEPVR	UERLC	1 65	2 38	2 28	1 42	1 33	ļl	15 69				
	bundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 65	2 38	2 28	1 42	1 33		15 69				
	bundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 65	2 38	2 28	1 42	1 33		15 69				
Non-Recu																
	bundled Remote Call Forwarding Service - Conversion -															
	vitch-as-is			UEPVR	USAC2		0 10	0 10				15 69			i	
	bundled Remote Call Forwarding Service - Conversion with					I										
	owed change (PIC and LPIC)			UEPVR	USACC		0 10	0 10								
UNBUNDL	ED REMOTE CALL FORWARDING - Bus															
Un	bundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1 65	2 38	2 28	1 42	1 33	† I	15 69				
	<u>-</u>										{					
	bundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1 65	2 38	2 28	1 42	1 33	ļ l	15 69				
				UEPVB	UERTE	1 65	2 38	2 28	1 42	1 33	]	15 69				
Un	bundled Remote Call Forwarding Service, InterLATA - Bus															
Un Un	bundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1 65	2 38	2 28	1 42	1 33		15 69				
Un Un Un	abundled Remote Call Forwarding Service, IntraLATA - Bus abundled Remote Call Forwarding Service Expanded and			UEPVB					1 42			15 69				
Un Un Un	abundled Remote Call Forwarding Service, IntraLATA - Bus abundled Remote Call Forwarding Service Expanded and acception Local Caling								1 42			15 69 15 69				

UNBUNDLED NET	WORK ELEMENTS - South Carolina												Attachi	nent 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			001111		Rates (\$)		
			<u> </u>				First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	dled Remote Call Forwarding Service - Conversion -										1					
Switch-				UEPVB	USAC2		0 10	0 10				15 69				
	dled Remote Call Forwarding Service - Conversion with	1					•				[					
	3 change (PIC and LPIC)			UEPVB	USACC		0 10	0 10								
	SWITCHING, PORT USAGE															
	itching (Port Usage)		ļ													ļ
	fice Switching Function, Per MOU		ļ			0 0010519					1					
	fice Trunk Port - Shared, Per MOU					0 0002136							L			<u> </u>
	hing (Port Usage) (Local or Access Tandem)															
	n Switching Function Per MOU		ļ			0 0001634										<del></del>
	n Trunk Port - Shared, Per MOU	ļ	ļ	ļ. <del></del>		0 0002863					1					<b></b>
Common Tran			1			<del>                               </del>					<b>!</b>					
	on Transport - Per Mile, Per MOU		ļ			0 0000045										ļ
	on Transport - Facilities Termination Per MOU		1			0 0004095					<b></b>		L		<u> </u>	<b>4</b>
	OOP COMBINATIONS - COST BASED RATES	L	1	L		ببل	ļ.,,	l <u></u> .		. <del></del>						
	ates are applied where BellSouth is required by FCC an								L <u>.</u>		1					-
	apply to the Unbundled Port/Loop Combination - Cost												<u> </u>			
End Office and	f Tandem Switching Usage and Common Transport Us	sage rat	es ın ti	ne Port section of	this rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except	for UNE Coi	n Print/Loop	Combination	15.		<del></del> _
The first and a	dditional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos For Cu	urrently Comb	ined Combos t	ne nonrecurrin	g charges sha	be those ider	tified in the N	onrecurring	- Currently	Combined s	ections		
	GRADE LOOP WITH 2-WIRE LINE PORT (RES)					<u> </u>										ļ
	p Combination Rates															
	VG Loop/Port Combo - Zone 1		1			14 89										
	VG Loop/Port Combo - Zone 2		2			21 52										
	VG Loop/Port Combo - Zone 3		3			27 17										
UNE Loop Rat	es		I													l
2-Wire	Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13 76										J
2-Wire	Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20 38										
2-Wire	Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26 04		ĺ		***						
2-Wire Voice C	Grade Line Port Rates (Res)															
	voice unbundled port - residence			UEPRX	UEPRI.	1 13	40 30	19 90	24 98	6 65		15 69				I
2-Wire	voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 13	40 30	19 90	24 98	6 65		15 69				
	voice unbundled port outgoing only - res		1	UEPRX	UEPRO	1 13	40 30	19 90	24 98	6 65		15 69				
2-Wire	voice Grade unbundled South Carolina extended local															
	parity port with Caller ID - res			UEPRX	UEPAU	1 13	40 30	19 90	24 98	6 65	i i	15 69		ĺ		
2-Wire	voice unbundled South Carolina Area Calling port with															
Caller I	D - res (LWδ)			UEPRX	UEPAJ	1 13	40 30	19 90	24 98	6 65		15 69				
2-Wire	voice unbundles res, low usage line port with Caller ID		1													
(LUM)				UEPRX	UEPAP	1 13	37 93	16 72			}	15 69		1		
2-Wire	Voice Unbundled South Carolina Residence Dialing Plan														<del></del>	
	Caller ID		1	UEPRX	UEPWL	1 13	40 30	19 90	24 98	6 65	1	15 69				
	voice unbundled South Carolina Area Calling Port		<del> </del>			l										
	Caller ID Capability			UEPRX	UEPRS	1 13	40 30	19 90	24 98	6 65	1	15 69	ł		ļ	
	voice unbundled Low Usage Line Port without Caller ID		-	02. 1	- 02.70	1.10	10 00	10 00	2,00	- 0 00						t
Capabi			1	UEPRX	UEPRT	1 13	40 30	19 90	24 98	6 65		15 69	1			
FEATURES	,		-	0277111	102.11.		10 00		2.00	0 00		10 00			1	
	tures Offered		1	UEPRX	UEPVF	3 04	0.00	0 00				15 69				<del></del>
	ER PORTABILITY		<del> </del>	DELLIN	021 71	1 307	0.00					10 00				<del> </del>
	lumber Portability (1 per port)		+	UEPRX	LNPCX	0 35										
	NG CHARGES (NRCs) - CURRENTLY COMBINED		1	OLFTON	LIVICA	0.55	-								<u> </u>	+
	Voice Grade Loop / Line Port Combination - Conversion -		+		-											+
Switch-		l		UEPRX	USAC2		0 10	0 10				15 69	ŀ			1
		<b></b>	+	UEPKA	USACZ	1	0 10	0 10			<del> </del>	10.09	<del> </del>	<del> </del>	ļ-	+
	Voice Grade Loop / Line Port Combination - Conversion -	l		LIEDDA	USACC		0.40	0.40				15.00	1	1		1
ADDITIONAL N	with change	<u> </u>	<del></del>	UEPRX	USACC	-	0 10	0 10				15 69			<del>  -</del>	+
			<del> </del>			-							1		<del> </del>	
	Voice Grade Loop/Line Port Combination - Subsequent										1	45.00				1
Activity		ļ	<del> </del>	UEPRX	USAS2	0 00	0.00	0.00			-	15 69				
	GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<b> </b>	1								ļ				ļ	+
	Combination Rates		—												L	<b></b>
	VG Loop/Port Combo - Zone 1	3	1 1	,	1	14 89	1	1	ı	ı	1	l .	I .	ı	1	1

Version 4Q02 12/18/(2

					1											
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge • Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire VG Loop/Port Combo - Zone 2		2			21 52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27 17					<u> </u>					
	pop Rates					10.70					<del> </del>		ļ			
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	13 76						<del></del>	<u> </u>	-		
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20 38					<del> </del>	-				<del> </del>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26 04							ļ			
2-Wire	Voice Grade Line Port (Bus)		<u> </u>	LICDDY	UEPBL	1 13	40 30	19 90	24 98	6 65		15 69	}			<del> </del>
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBC	1 13	40 30	19 90	24 98	6 65	<del>[</del>	15 69				+
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	ÚÉPBX UEPBX	UEPBO	1 13	40 30	19 90	24 98	6 65	1	15 69				<del> </del>
	2-Wire voice unbundled port outgoing only - bus		1	UEPBA	UEFBU	1 13	40.30	19.90	24 30	0.00	<del></del>	15 05				<del></del>
	2-Wire voice Grade inbundled South Carolina extended local		1	UEPBX	UEPAZ	1 13	40 30	19 90	24 98	6 65		15 69	1		l	
	dialing parity port with Caller ID - bus  2-Wire voice unbunded incoming only port with Caller ID - Bus		<b>├</b>	UEPBX	UPEB1	1 13	40 30	19 90	24 98	6 65		15 69	<del> </del>			<del> </del>
		-	1	DEPON	- UFEBI	1 13	40.30	19 90	24 90		1	10 09	<u> </u>			<del></del>
	2-Wire voice unbundled South Carolina Bus Area Calling Port			UEPBX	UEPAB	1 13	40 30	19 90	24 98	6 65		15 69	1		l	
	with Caller ID (LMB)  2-Wire Voice Unbundled South Carolina Business Dialing Plan	-	-	OLPDA	UEFAD	1 13	40 30	19 90	24 90	0.00		10 03	<del> </del>	<del> </del>		
	without Caller ID			UEPBX	UEPWM	1 13	40 30	19 90	24 98	6 65		15 69				ļ <u> </u>
	2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability			UEPBX	UEPBB	1 13	40 30	19 90	24 98	6 65		15 69				ļ
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1 13	40 30	19 90	24 98	6.65		15 69				
LOCAL	NUMBER PORTABILITY												ļ. <u></u>			
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										<u> </u>
FEATU	IRES		T								ļ					
	All Features Offerec			UEPBX	UEPVF	3 04	0 00	0 00				15 69				
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 10	0 10				15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 10	0 10				15 69				
ADDITI	IONAL NRCs										1					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0 00	0 00				15 69				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1		1						1					
	ort/Loop Combination Rates		<b></b>													
	2-Wire VG Loop/Port Combo - Zone 1		1			14 89	-									
	2-Wire VG Loop/Port Combo - Zone 2		2			21 52					1	l				
	2-Wire VG Loop/Port Combo - Zone 3		3			27 17					1					
	oop Rates										<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	13 76									l	
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	20 38									L	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26 04									1	
	Voice Grade Line Port Rates (RES - PBX)		<u> </u>													<del> </del>
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 13	69 26	32 50	37 53	6 22		15 69				
	NUMBER PORTABILITY															<u> </u>
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0 00	0 00				15 69				
FEATU														<u> </u>		
	All Features Offerec		1	UEPRG	UEPVF	3 04	0.00	0 00				15 69	<u> </u>	L		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7 93	1 91				15 69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		7 93	1 91				15 69				
ADDIT	IONAL NRCs	<del>                                     </del>	t		357.55							<u> </u>				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -											15.55				
+-	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USAS2	0 00	0 00 7 34	0 00 7 34				15 69 15 69		-	-	

IBUNDLE	D NETWORK ELEMENTS - South Carolina													nent 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Increment Charge Manual S Order value
													1st	Add'I	Disc 1st	Disc Ad
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)	`	
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										L					
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Por Combo - Zone 1		1			14 89						ļ				
	2-Wire VG Loop/Por Combo - Zone 2		2			21 52							-			
<u> </u>	2-Wire VG Loop/Port Combo - Zone 3		3		<del></del>	27 17										
UNEL	oop Rates		1	UEPPX	UEPLX	13 76										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20 38					<del>                                     </del>					
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPPX	UEPLX	26 04										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		Ť	02.17.												
	,			*****												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPPX	UEPPC	1 13	69 26	32 50	37 53	6 22		15 69			ļ	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 13	69 26	32 50	37 53	6 22		15 69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 13	69 26	32 50	37 53	6 22		15 69	ļ	ļ		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 13	69 26	32 50	37 53	6 22		15 69	<del> </del>			-
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		ļ	UEPPX	UEPXA	1 13	69 26	32 50	37 53	6 22 6 22		15 69 15 69			<b></b>	ļ
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<b> </b>	UEPPX	UEPXB	1 13 1 13	69 26 69 26	32 50 32 50	37 53 37 53	6 22		15 69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX UEPPX	UEPXC UEPXD	1 13	69 26	32 50	37 53	6 22		15 69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	DEPAD	1 13	09 20	32 30	37 33	0 22	-	13 03				<del> </del>
	Capable Port			UEPPX	UEPXE	1 13	69 26	32 50	37 53	6 22		15 69	ļ <del>.</del>			ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UÉPXL	1 13	69 26	32 50	37 53	6 22		15 69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 13	69 26	32 50	37 53	6 22		15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 13	69 26	32 50	37 53	6 22		15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 13	69 26	32 50	37 53	6 22	<del> </del>	15 69				ļ
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPPX	UEPXT	1 13	69 26	32 50	37 53	6 22		15 69				ļ
LOCA	L NUMBER PORTABILITY										<b></b>	45.00				<u> </u>
	Local Number Portability (1 per port)		ļ	UEPPX	LNPCP	3 15	0.00	0 00				15 69	ļ			
FEAT			-	LIEDEN	- UED / E	3 04	0.00	0 00		-	<del> </del>	15 69				
	All Features Offered	<u> </u>	-	UEPPX	UEPVF	3 04	0 00	0.00				13 03				
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															<u> </u>
	Conversion - Switch-As-Is		ļ	UEPPX	USAC2		7 93	1 91				15 69				
	Wire Voice Grade Loop/ Line Port Combination (PBX) -     Conversion - Switch with Change			UEPPX	USACC		7 93	1 91		_		15 69				
ADDIT	TIONAL NRCs		1					<del></del>				<del> </del>				ļ <u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		<u> </u>	UEPPX	USAS2	0 00	0 00	0 00				15 69				ļ
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 34	7 34				15 69				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹Т												<b></b>		
UNE	ort/Loop Combination Rates		<b>.</b>			11.00					+	ļ <u> </u>			<u> </u>	-
	2-Wire VG Coin Por/Loop Combo – Zone 1	-	1 2			14 89 21 52					<del> </del>	ļ				-
	2-Wire VG Coin Por/Loop Combo – Zone 2 2-Wire VG Coin Por/Loop Combo – Zone 3		3		-	27 17					1		<del> </del>			
LINE 1	Loop Rates	<del></del>	<del>                                     </del>		_	21 11					+		<del> </del>	<del>                                     </del>	<del>                                     </del>	
JUNE	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPCO	UEPLX	13 76			<del> </del>		<u> </u>					<del> </del>
1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20 38						<del>                                     </del>	1			
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	26 04					T		1			
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	1 13	40.30	19 90	24 98	6 65		15 69				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)		1	UEPCO	UEPSA	1 13	40 30	19 90	24 98	6 65		15 69				

NRONDLE	D NETWORK ELEMENTS - South Carolina		, ,											ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Suhmitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		$\vdash$		+ $ +$		First	Add'l	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
	(SC)			UEPCO	UEPSH	1 13	40 30	19 90	24 98	6 65		15 69				
-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking,															
	with Dialing Parity (SC)			UEPCO	UEPSC	1 13	40 30	19 90	24 98	6 65	<del> </del>	15 69				
	2-Wire Coin 2-Way with Operator Screening and 900 Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Coin 2-W Operator Screen 900 Block 900/976, 1+DDD,															
	011+, Local, Enhanced Call OPT 3YV (SC)  2-Wire Coin 2-W Operator Screen 900 Block 900/976, 1+DDD,			UEPCO	UEPCE	1 13	40 30	19 90	24 98	6 65		15 69		1		
	011+, Local, Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Coin Outward without Blocking and without Operator												-			
	Screening (SC)		$\perp$	UEPCO	UEPSG	1 13	40 30	19 90	24 98	6 65		15 69				ļ
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	1 13	40 30	19 90	24 98	6 65	Ì	15 69				
	2-Wire Coin Outward with Operator Screening and Blocking			02.00												
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD,			<u>GEFCO</u>	OLF CIVI	113	40 30	19 90	24 30	0 03		15 05				
	011+, Local, Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1 13	40 30	19 90	24 98	6 65		15 69				ļ
	2-Wire 2-Way Smarline with 900/976 (all states except LA)			UEPCO	UEPCK	1 13	40 30	19 90	24 98	6 65		15 69				<del> </del>
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 13	40 30	19 90	24 98	6 65		15 69				
ADDIT	IONAL UNE COIN PORT/LOOP (RC)			02.00	OE: O: (		10 00	1000	2.00				<b>†</b>			
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4 05	0 00	0.00	0 00	0 00		15 69				ļ
LOCA	L NUMBER PORTABILITY	ļ	1	UEPCO	LNPCX	0 35								<del></del>		<del> </del>
NONR	Local Number Portability (1 per port)  ECURRING CHARGES - CURRENTLY COMBINED	_		<u>UEFCC</u>	LINFOX	0 33							-			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										T					
	Switch-as-is			UEPCO	USAC2		0 10	0 10			<del> </del>	15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		0 10	0 10				15 69				
ADDIT	TONAL NRCs		1		100,100											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent											45.00				
2 14/15	Activity  E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	 	DODT (	UEPCO	USAS2		0.00	0 00	-		<del> </del>	15 69			-	
	Port/Loop Combination Rates	LINE	1	(23)								<del></del>		İ		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			22 50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30 56								ļ		<b></b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37 22					-	<del> </del>		-		-
UNE	cop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	20 85	-	-			1			-		+
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	28 91					-					
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	35 57					<del> </del>	1				<b>†</b>
2-Wire	Voice Grade Line Port Rates (Res)		<del>                                     </del>		920:2	50 5.								· · · · · ·		1
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 65	108 36	70 71	1 42	1 33		15 69				
	2-Wire voice unbundled port with Caller ID - res		1	UEPFR	UEPRC	1 65	108 36	70 71	1 42	1 33		15 69				
	2-Wire voice unburnifed port outgoing only - res		1	UEPFR	UEPRO	1 65	108 36	70 71	1 42	1 33		15 69				
	2-Wire voice Grade unbundled South Carolina extended local											45.00		-		
	dialing parity port with Caller ID - res  2-Wire voice unbundled South Carolina Area Calling port with	<u> </u>	$\vdash$	UEPFR	UEPAU	1 65	108 36	70 71	1 42	1 33	-	15 69	-	<del> </del>		<u> </u>
	Caller ID - res (LW8)	ļ		UEPFR	UEPAJ	1 65	108 36	70 71	1 42	1 33		15 69				
	2-Wire voice unbundles res, low usage line port with Caller ID											45.00				
	(LUM) 2-Wire Voice Unburdled South Carolina Residence Dialing Plan			UEPFR	UEPAP	1 65	108 36	70 71	1 42	1 33	<del> </del>	15 69		<b>-</b>	ļ <del></del>	
	without Caller ID	]		UEPFR	UEPWL	1 65	108 36	70 71	1 42	1 33		15 69				
	OFFICE TRANSPORT	<b> </b>	1		1									ļ		
INTER	Interoffice Transpor - Dedicated - 2 Wire Voice Grade - Facility															

Version 4Q02 12/18/02 Page 341 of 416

INDIINDIE	D NETWORK ELEMENTS - South Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge -
- T	-					Rec	Nonrect		Nonrecurring					Rates (\$)	COMAN	SOMAN
	-					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								1			ļ		ļ		
	or Fraction Mile			UEPFR	1L5XX	0 0167										
FEAT			$\Box$								ļ	15.55				ļ
	All Features Offered			UEPFR	UEPVF	3 04	0 00	0 00			ļ <u>-</u>	15 69			<del></del>	+
LOCA	L NUMBER PORTABILITY														<del></del>	
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35								<del> </del>	+	+
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>										<b></b>		<del> </del>	<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		ļ							15.00				1
	Combination - Conversion - Switch-as-is		1	UEPFR	USAC2		17 00	3 74				15 69	<del> </del>	-	<del></del>	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										Į.	45.00		1		
	Combination - Conversion - Switch-With-Change		1	UEPFR	USACC		17 00	3 74			<del>  -</del>	15 69	<u> </u>	<del> </del>	<del> </del>	+
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)							<u> </u>	<u> </u>	ļ			+
UNF F	Port/Loop Combination Rates		I									<u> </u>		ļ <del></del>	+	+
- 10.112	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			22 50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30 56					<b></b>					+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37 22					<u> </u>		<u> </u>	ļ <u>-</u>	ļ	
UNE	Loop Rates														ļ	<del></del>
- ONL I	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	20 85								ļ	·	<del>                                     </del>
-	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	28 91									_	1
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	35 57										
2 14/:	e Voice Grade Line Port (Bus)	_	+ -				_					1				
2-Wire	2-Wire voice unbundled port without Caller ID - bus		+	UEPFB	UEPBL	1 65	108 36	70 71	1 42	1 33	T	15 69				<u> </u>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 65	108 36	70 71	1 42	1 33		15 69			l	
		-		UEPFB	UEPBO	1 65	108 36	70 71	1 42	1 33		15 69				
	2-Wire voice unbundled port outgoing only - bus		+	UEFT B	ÇLI DO	- 100	100.00				<u> </u>					
	2-Wire voice Grade unbundled South Carolina extended local		1	UEPFB	UEPAZ	1 65	108 36	70 71	1 42	1 33	i	15 69	1			
	dialing parity port with Caller ID - bus		+	UEPFB	UEPB1	1 65	108 36	70 71	1 42	1 33		15 69	1		1	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UCFFB	- OLT B	- 100	- 100 00				<del>                                     </del>				1	
	2-Wire voice unbundled South Carolina Bus Area Calling Port			UEPFB	UEPAB	1 65	108 36	70 71	1 42	1 33		15 69		1		
	with Caller ID (LMB)	<u> </u>	+-	UEPFB	UEFAD	1 03	100 00		<u> </u>		t					T
	2-Wire Voice Unbundled South Carolina Business Dialing Plan		1	UEPFB	UEPWM	1 65	108 36	70 71	1 42	1 33	1	15 69			1	
	without Caller ID		+—	UEPFB	DEPVIVI	103	100 30	7071			1		<del>-</del>			
LOCA	AL NUMBER PORTABILITY	<u> </u>	+	LIEDER	LNPCX	0 35		<del></del>			<del> </del> -		1			
	Local Number Portability (1 per port)	1	ļ <u>-</u>	UEPFB	LINPUX	0 33										1 -
INTE	ROFFICE TRANSPORT		<b>-</b>			_					_	<b>—</b>				T
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		ì		. WTD 40	24.20	40 63	27 47	16 77	6 9 1	1				1	ļ
	Termination	ļ	1	UEPFB	U1TV2	24 30	40 63	2/4/	1077	- 5 3 1		+		T		1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	LIEDED	41.5307	0 0167			1	1						1
	or Fraction Mile	<u> </u>	+-	UEPFB	1L5XX	0.0167			+	<del></del>		+	<del>-</del>			_
FEAT	URES	ļ <u>-</u>	1	LIEBED -	UEPVF	3 04	0 00	0.00	-		+	15 69	1			
	All Features Offered			UEPFB	DEPVE	3 04	0 00	0.00	·		+	10.00	<del>                                     </del>		<del>  -</del> -	1
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>						<del>-</del>	<del> </del> -		+	+	+	+	T	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		110.000		47.00	374			1	15 69	.			
1	Combination - Conversion - Switch-as-is	l		UEPFB	USAC2	ļl	17 00	3 74	<del> </del>		+	10.09	+	<del> </del>	+	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		1							15 69	. [			
- 1	Combination - Conversion - Switch with change	L		UEPFB	USACC		17 00	3 74	-	ļ- —	+	13 69	+	<del>  -</del>	<del> </del>	+
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)								1	<del></del>	+	+-	+	+	-	+
	Port/Loop Combination Rates		1						-	ļ <del>-</del> -	+	+	+	+	+	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			22 50			1	<del>                                     </del>	<del> </del>	<del> </del>	+		<del> </del>	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30 56			<del> </del>	<del></del>	<del> </del>	+	+	+		+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37 22					+		+	<del> </del>	+	+
UNE	Loop Rates										<del></del>			<del> </del>	+	+
1	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	20 85			<u> </u>		<u> </u>	+		+	+	+
	2-Wire Voice Grade Loop (SL2) - Zone 2	T-	2	UEPFP	UECF2	28 91						-		<del> </del>		+
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	35 57				ļ <u> </u>	<b>_</b>			+	+	+
2-14/11	re Voice Grade Line Port Rates (BUS - PBX)	1	1	1								<b>—</b>	ļ	4	+	
2-441	5 TOTO D. DEC CHIO I OIL INGIOS (BOO I ON)	1	1								1	1	.		1	1
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	1 65	137 32	83 31	67 02	11 5		15 69		<u> </u>		+
	Line Side Unbundled Outward PBX Trunk Port - Bus	+	+-	UEPFP	UEPPO	1 65	137 32	83 31	67 02	11 5	1	15 69				
	nine ane coolinger corward coa num cut. Dus	1	1	UEPFP	UEPP1	1 65	137 32	83 31	67 02	11.5	1	15 69	a L	1	1	1

PINDUNDITEL	NETWORK ELEMENTS - South Carolina													ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted		Charge -	Charge -	Increment Charge Manual S Order vs Electronic
			ļ			1	Nonrec	urrina	Nonrecurring	Disconnect		<u> </u>		Rates (\$)		
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports	<del></del>		UEPFP	ÜĒPLD	1 65	137 32	83 31	67 02	11 51	JOINED	15 69	COMPAN	- COMPAN	- John Ait	- COMPAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<del> </del>	UEPFP	UEPXA	1 65	137 32	83 31	67 02	11 51		15 69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	LIEPEP	UEPXB	1 65	137 32	83 31	67 02	11 51		15 69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	<del></del>		UEPFP	UEPXC	1 65	137 32	83 31	67 02	11 51		15 69				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 65	137 32	83 31	67 02	11 51		15 69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD									., .,	-					1
	Capable Port	ł		UEPFP	UEPXE	1 65	137 32	83 31	67 02	11 51		15 69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			-	- GE: AL		10. 02		U.SE	., .,					<del> </del>	
	Administrative Calling Port	ł		UEPFP	UEPXL	1 65	137 32	83 31	67 02	11 51		15 69	!		į	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l		OLI III	OLI AL		107 52	00 01	0, 02	77.01		10 00				
	Room Calling Port	l		UEPFP	UEPXM	1 65	137 32	83 31	67 02	11 51		15 69	[	1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<del></del>			021.745		-101 02	50 51	0.02	11.01		10 00		!	<del> </del>	
	Discount Room Calling Port	İ		UEPEP	UEPXO	1 65	137 32	83 31	67 02	11 51		15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	l		UEPFP	UEPXS	1 65	137 32	83 31	67 02	11 51	<del> </del>	15 69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	<b> </b>		OLI II	02.70	1 00	107 32	- 00 01	0,02	1131		10 03		-		-
	Calling Port			UEPFP	UEPXT	1 65	137 32	83 31	67 02	11 51		15 69				
	NUMBER PORTABILITY			OLFIF	OLF XI	103	137 32	00.01	07 02	11 31		13 09				1
	Local Number Portability (1 per port)	ļ .		UEPFP	LNPCP	3 15	0.00	0.00	l			15 69			-	-
	DEFICE TRANSPORT	<b></b>	-	OLITI	ENTO	3 13	0.00	0.00	<del>                                     </del>			10.09				
	Interoffice Transpot - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	24 30	40 63	27 47	16 77	6 91						l
	Interoffice Transpot - Dedicated - 2 Wire Voice Grade - Per Mile			ULFFF.	1071V2	24 30	40 03	21 41	1077	0.91						
	or Fraction Mile	·		UEPFP	1L5XX	0 0167										ŀ
FEATUR				OLITI	TL3/XX	0 0 107										
	All Features Offered			UEPFP	UEPVF	3 04	0 00	0 00				15 69			<u> </u>	
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	3 04	0 00	0.00				15 69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								_						-	-
	Combination - Conversion - Switch-as-is		ĺ	UEPFP	USAC2	1	17 00	3 74			1	15 69	i			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UCPFP	USACZ		17 00	374			-	10 09			ļ	
				UEPFP	USACC	1	17 00	3 74				45.00	ļ			
	Combination - Conversion - Switch with change ORT/LOOP COMBINATIONS - COST BASED RATES			UEPFP	USACC		17 00	3 /4				15 69				
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT														
	ort/Loop Combination Rates	FURI			<del></del>							_		-		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1				<del></del>	23 75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			30 20	-									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		2			35 52					<u> </u>					
	op Rates	-	3		$\rightarrow$	35 52										
				LIEDDY	UEODA	40.00										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	16 68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23 13										
UNE Po	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28 46					<b></b>			ļ	<b></b>	
UNE PO	irt Rate Exchange Ports - 2-Wire DID Port			LIEDDY		7.00	005.55	07.00	110.00					ļ	<b>_</b>	
	Exchange Ports - 2-Wire DID Port CURRING CHARGES - CURRENTLY COMBINED			UEPPX	UEPD1	7 06	225 55	87 21	113 08	14 38			15 69			
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1			1											1
	Switch-as-is			UEPPX	USAC1		7 32	1 87					15 69			
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7 32	1 87					15 69			
	ONAL NRCs															
	2-Wire DID Subsecuent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26 84						15 69			
	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0 00	0 00					15 69			
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers		L	UEPPX	NDZ	0.00	0 00	0 00			L !		15 69		L	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0 00	0 00					15 69			
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPPX	ND5	0.00	0 00	0 00					15 69			
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0.00	0.00					15 69			
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00					15 69			
LOCAL	NUMBER PORTABILITY				1										1	1
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0.00			1		<b>i</b>		† <del></del>	

	LED NETWORK ELEMENTS - South Carolina	r	1	1							<b></b>	1-			ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	1	3CS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
							Rec	Nonre		Nonrecurring					Rates (\$)		
0.14	IDE IODA DIGITAL OF IDEA OF WITH A WINE IODA DIGITAL OF		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SID	E PORT														
UNE	Port/Loop Combination Rates		-														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		30 86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			1													
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		38 60										
	UNE Zone 3	1		UEPPB	UEPPR		44.00								1		
LINE	Loop Rates	1	3	UEPPB	UEPPR		44 23								-		
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	ÜEPPB	UEPPR	LIOLOY	21 90			-					ļ		
	2-Wile ISDN Digital Grade Loop - dive Zorie 1		+ -	UEPPB	UEPPR	USLZA	2190							15 69			
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	LIEL 2V	20.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	+					29 64					ļ		15 69	ļ		
TIME	Port Rate	+	3	UEPPB	UEPPR	USL2X	35 27							15 69			
UNE	Exchange Port - 2-Wire ISON Line Side Port	+	+	HEDDE	UEPPR	Licops	8 96	400 5							<u> </u>		
NON	RECURRING CHARGES - CURRENTLY COMBINED		<del> </del>	DEPPE	UEPPR	DEPAR	8 96	190 51	133 14	100 95	21 37			15 69			
NON		-	1			1						<u> </u>					
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port											! !					
	Combination - Conversion			UEPPB	UEPPR	USACB	0 00	38 59	27 08					15 69			
	DITIONAL NRCs		1														
LOC	CAL NUMBER PORTABILITY	<u> </u>															
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0 00								
B-CI	HANNEL USER PROFILE ACCESS	l															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0 00	0.00								
	CVS (EWSD)	ĺ		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0 00	0.00		*						
B-Cł	HANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS S	C,MS, 8	TN)			1						1					
	CVS/CSD (DMS/5ESS)		T	UEPPB	UEPPR	U1UCD	0 00	0.00	0.00			1					
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCE	0 00	0 00	0 00							<b> </b>	
	CSD		1	UEPPB		U1UCF	0 00	0 00	0 00	<u> </u>							
USE	R TERMINAL PROFILE		$\vdash$							ļ							<del> </del> -
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0 00	0 00		<del></del>	<del></del>	-		<del> </del>		_
VER	TICAL FEATURES	<del>                                     </del>		02	OZ. I II	0.0		0 00									-
-	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	3 04	0 00	0 00	-				15 69			
INTE	ROFFICE CHANNEL NILEAGE	1		OLITE	OLITIN	OLT VI	3 04	- 000	0.00					15 69			ļ
	Interoffice Channel mileage each, including first mile and	1	-									ļ					<u> </u>
	facilities termination			LIEDDE	UEPPR	M1GNC	24 30	40 63	27 47	40.77				45.00			}
-	Interoffice Channel mileage each, additional mile		-		UEPPR					16 77	6 91			15 69			
4-18/1	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	V DODT	ļ	UEPPB	UEPPR	M1GNM	0 0167	0 00	0 00				_				ļ
LINE	Port/Loop Combination Rates	KFOKI		-													
-   0142	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+			-	1										_	
	Zone 1		1	UEPPP			470.00					1	1			l	1
_	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			176 82										
	Zone 2					1							- 1				
		1	2	UEPPP		<u> </u>	241 38					ļl					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											]					
	Zone 3	ļ	3	UEPPP			347 84										
UNE	Loop Rates	<u> </u>	<u> </u>														
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	90 87							15 69			
	4-Wire DS1 Digital Loop - UNE Zone 2	1		UEPPP		USL4P	155 43							15 69			
_	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	261 89							15 69			
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	85 95	457 30	259 67	124 15	31 83			15 69			
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1							-			1					İ
	Combination - Conversion -Switch-as-is	ļ		UEPPP		USACP	0 00	119 34	78 73				]	15 69			1
ADD	ITIONAL NRCs	1	Ι				i			1							
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-	1 -									<del></del>	<del>  </del>			<u> </u>		
	Inward/two way Tel Nos (except NC)	1		UEPPP		PR7TF	İ	0 49	0 49			{		15 69	I	1	1
$\neg$	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		+									<del> </del>		15 05			<del> </del>
	Outward Tel Numbers (All States except NC)	1	1	UEPPP		PR7TO	l	11 54	11 54					15 69		1	1

OMBONDLED NET	WORK ELEMENTS - South Carolina	,	1	ı	тт						C O	C O	Attachr			bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted : Elec per LSR	Suhmitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
T						Rec	Nonrec		Nonrecurring					Rates (\$)		1
						TIEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - quent Inward Tel Numbers		1	UEPPP	PR7ZT		23 07	20.07					15 69			
	ER PORTABILITY	-	1	UEPPP	PR/ZI		23 07	23 07					15 69			-
	lumber Portability (1 per port)		<u> </u>	UEPPP	LNPCN	1 75										<del> </del>
Voice/D				UEPPP	PR71V	0 00	0.00	0 00			<del>                                     </del>					
Digital I			1	UEPPP	PR71D	0 00	0 00	0.00								
Inward			t	UEPPP	PR71E	0 00	0 00	0.00			<b></b>					
	onal "B" Channel				1											
	Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14 56						15 69			<del>                                     </del>
New or	Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	14 56						15 69			
New or	Additional Inward Data B Channel			UEPPP	PR7BD	0 00	14 56						15 69			
CALL TYPES										L						
Inward				UEPPP	PR7C1	0 00	0 00	0 00								
Outwar				UEPPP	PR7C0	0 00	0 00	0 00								
Two-wa				UEPPP	PR7CC	0 00	0 00	0 00								
Interoffice Cha											1					
	Each Including First Mile	<u> </u>	ļ	UEPPP	1LN1A	77 4815	89 47	81 99	16 39	14 48	1		15 69			
	arline-Fractional Additional Mile			ŲEPPP	1LN1B	0 3415					1					
	IGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	ļ														
	p Combination Rates	ļ	<u> </u>		1	110.77										
4W DS	1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC	<del>  </del>	149 77										
4W DS	1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ļ		UEPDC		214 33										<del> </del>
	1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	320 78										
UNE Loop Rate			1 .	UEPDC	USLDC	90 87							15 69			
4-VVire	DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	155 43							15 69			-
4-VVIII 4-VVIII	DS1 Digital Loop - UNE Zone 2 DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	261 89					<del>                                     </del>		15 69		ļ	+
UNE Port Rate			-	UEFDC	USLUC	201 09					<del> </del>		15 65			
	DDITS Digital Trunk Port		-	UEPDC	UDD1T	58 90	455 50	253 79	117 55	14 20	l- 1		15 69			<del></del>
	NG CHARGES - CURRENTLY COMBINED		1	02, 00	100011	- 00 30	400 00	200 7 3	117 00	14 20	1		10 00			<del> </del>
	DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1		<del>                                     </del>											-
	h-as-is			UEPDC	USAC4		129 78	67 17			1		15 69			
	DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	02:00	1991.01											
	ersion with DS1 Changes		l	UEPDC	USAWA		129 78	67 17			1		15 69			
	DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		<del>                                     </del>													1
	ersion with Change - Trunk			UEPDC	USAWB		129 78	67 17					15 69			
ADDITIONAL N																
4-Wire	DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
Channe	el Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB	-	14 51	14 51					15 69			
	DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	on/Chan Inward Trunk w/ou! DID			UEPDC	UDTTC		14 51	14 51					15 69			
	DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
Activati	on Per Chan - Inward Trunk with DID	l		UEPDC	UDTTD		14 51	14 51					15 69			
	DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	on / Chan - 2-Way DID w User Trans	ļ <u>.</u>	ļ	UEPDC	UDTTE		14 51	14 51					15 69			
	RO SUBSTITUTION	l	L													
	Superframe Format			UEPDC	CCOSF		0 00	605 00					15 69			ļ
	Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0 00	605 00					15 69			ļ
Alternate Mark		L		Lucano	1										ļ	<b> </b>
	uperframe Format		1	UEPDC	MCOSF		0 00	0 00			ļ					<u> </u>
	xtended SuperFrame Format			UEPDC	MCOPO		0 00	0 00								+
	mber/Trunk Group Establisment Charges		1	LUEDDO	I Interest						<b> </b>		1 2 2 2		_	<del></del>
	one Number or 2-Way Trunk Group	-	<b>!</b>	UEPDC	UDTGX	0 00					<b>-</b>		15 69			+
	one Number or 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00							15 69			
Telepho	one Number or 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0 00					<del> </del>		15 69		-	<del></del>
	imbers, Establish Trunk Group and Provide First Group	1	1		1		[						45.00		1	l .
	ID Numbers	<b> </b>	ļ	UEPDC	NDZ	0 00	0 00	0 00			1		15 69		<b></b>	₩
	imbers for each Group of 20 DID Numbers	L		UEPDC	ND4	0 00					<b></b>		15 69		-	<del></del>
Nu	imbers, Non-consecutive DID Numbers, Per Number	1		UEPDC	ND5	0 00	0 00	0 00					15 69			

Version 4Q02 12/18/02 Page 345 of 416

UNDLED	NETWORK ELEMENTS - South Carolina							-						ment. 2		oit B
GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonreci			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00					15 69			
	Reserve DID Numbers		Ļ.	UEPDC	NDV	0 00	0 00	0 00		ļ			15 69			
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port				<del>                                     </del>	<del></del>	<del> </del>				<del> </del>	
	nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities Fermination)			UEPDC	1LNO1	77 14	89 47	81 99	16 39	14 48	1		15 69			
	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 3415	0 00	0 00								
	nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEBBO	41.1100	0.00	0 00	0.00						İ		
	Termination)		-	UEPDC	1LNO2	0 00	0 00	0 00		-	<del></del>					
	nteroffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 3415	0.00	0 00					l	1	1	1
	nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities		+	02.00	10,00	0 0410	0 50	_0.00		1	+	<b>-</b>			t	-
	Termination)			UEPDC	1LNO3	0 00	0 00	0 00	1			Į.	l	1	I	
<del> </del>			<del>                                     </del>	1	1					<u> </u>			1			
h	interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0 3415	0.00	0.00	1	1	1 _	l	İ		I	l
	ocal Number Portability, per DS0 Activated		<b>†</b>	UEPDC	LNPCP	3 15	0.00	0.00								
	Central Office Termininating Point		†	UEPDC	CTG	0 00		· -	-							
4-WIRE I	DS1 LOOP WITH CHANNELIZATION WITH PORT															
System i	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	,													
Each Sy	stem can have up to 24 combinations of rates depending on	type ar	nd nun	nber of ports used												
UNE DS1	1 Loop															
14	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90 87	0 00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155 43	0.00	0 00					ļ			
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261 89	0 00	0 00								
	O Channelization Capacities (D4 Channel Bank Configuration	18)	1													
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82 78	0.00	0.00			-	-	15 69			
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165 56	0 00	0.00					15 69 15 69			<del></del>
	96 DSO Channel Capacity -1per 4 DS1s		ļ	UEPMG	VUM96	331 12	0 00	0 00		<u> </u>	+	<u> </u>	15 69		<del></del>	
	144 DS0 Channel Capacity - 1 per 6 DS1s		<u> </u>	UEPMG	VUM14	496 68 662 24	0 00	0 00	<del> </del>	-			15 69			
	192 DS0 Channel Capacity -1 per 8 DS1s		-	UEPMG UEPMG	VUM19 VUM20	827 80	0 00	0 00				-	15 69	-	-	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	993 36	0.00	0.00	<del> </del> -		-	-	15 69		<del> </del>	-
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM38	1,324 48	0 00	0 00	<del> </del>		+		15 69	<del> </del>	† · · · · · ·	
	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s	-		UEPMG	VUM40	1,655 60	0.00	0 00	<del> </del>	<del></del>	+		15 69		<del> </del>	
	576 DS0 Channel Capacity -1 per 20 DS1s			UEPMG	VUM57	1,986 72	0 00	0 00		<del> </del>	+		15 69			
	672 DS0 Channel Capacity - 1 per 28 DS1s		<del>                                     </del>	UEPMG	VUM67	2,317 84	0 00	0 00			<del> </del>	<del></del>	15 69		-	-
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chane	oduztic								<del> </del>		10.00			
	num System configuration is One (1) DS1, One (1) D4 Channe						J.						<del>                                     </del>			
	es of this configuration functioning as one are considered Ac									<del> </del>						
	NRC - Conversion (Currently Combined) with or without	T	T	1							T				-	1
	BellSouth Allowed Changes	ł	}	UEPMG	USAC4	0 00	150 81	8 38	į	1	į.	1	15 69	1	ļ	ļ
	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	neliza		bination Curre	ently Exists and										
	ot Currently Combined) in all states, except in Density Zone 1															
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	,														
l la	and Assoc Fea Activation	L		UEPMG	VUMD4	0 00	717 71	425 81	149 08	17 69	1		15 69			
Bipolar I	8 Zero Substitution													L		
	Clear Channel Capability Format, superframe - Subsequent															1
/	Activity Only			UEPMG	CCOSF	0 00	0 00	605 00						L		<u> </u>
	Clear Channel Capability Format - Extended Superframe -												ŀ	1		1
	Subsequent Activity Only	L		UEPMG	CCOEF	0.00	00,0	605 00		1		L	<b> </b>	<del> </del>	<del> </del>	<del>  -</del>
	e Mark Inversion (AMI)		1								ļ	ļ				<b>_</b>
	Superframe Format	-	1	UEPMG	MCOSF	0 00	0.00	0 00		<del> </del> -		<del> </del>		<u> </u>	ļ	ļ. —
	Extended Superframe Format	L		UEPMG	MCOPO	0 00	0 00	0 00		1	+	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	1
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	ļ		ļ			<del>                                     </del>	<del></del>	+	ļ	<del> </del>	<del> </del>	<del> </del>	+
Exchang	ge Ports		+			<del>  </del>			<del> </del>			<del> </del>		-	+	
	to a Out of the out of		1	LIEDDA	LIEBOY		0.00	0.00	1 000		,		15.60	1		
		-	1									1		<del> </del>	<del>\</del>	
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX UEPPX	UEPCX UEPOX	1 13 1 13	0 00	0 00	0 00				15 69 15 69		<del></del>	

JNBUNDLED NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhit	ort B
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'i
					Rec	Nonrec		Nonrecurring					Rates (\$)		
	-	1			1100	First	Add'l	First	Adďi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Land Catalog and C			UEPPX	UEP1X	1 13	0 00	0.00	0 00	0.00						
Line Side Inward Only Channelized PBX Trunk Port without DID  2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	IUEPDM	7 09	0 00	0 00	0 00	0.00			15 69 15 69		ļ	
Feature Activations - Unbundled Loop Concentration	1	1	OCITIX	OE! DIVI	7 03	0 00			0.00			13 03	<del></del> -		
Feature (Service) Activation for each Line Port Terminated in D4		1					-								
Bank			UEPPX	1PQWM	0 56	25 45	13 44	4 20	4 17			15 69			
Feature (Service) Activation for each Trunk Port Terminated in		i								}					
D4 Bank Telephone Number/ Group Establishment Charges for DID Service	-	-	UEPPX	1PQWU	0.56	78 31	18 46	59 37	11 60			15 69			
DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			<u> </u>		<u> </u>	-		
Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0 00								
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0.00								
Non-Consecutive DID Numbers - per number	ļ		UEPPX	ND5	0 00	0 00	0 00								
Reserve Non-Consecutive DID Numbers		<u> </u>	UEPPX	ND6	0 00	0 00	0 00	-							
Reserve DID Numbers Local Number Portability	<del> </del>		UEPPX	NDV	0.00	0.00	0 00								
Local Number Portability - 1 per port	1	1	UEPPX	LNPCP	3 15	0 00	0.00								
FEATURES - Vertical and Optional			02.77		3.0										
Local Switching Features Offered with Line Side Ports Only															
All Features Availat le			UEPPX	UEPVF	3 04	0 00	0 00	,				15 69			
NBUNDLED PORT LOOP COMBINATIONS - MARKET RATES	1	<u> </u>	L,	<u></u>	L										
Market Rates shall apply where BellSouth is not required to provide This includes	unbune	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules								
i nis incrudes	ł.			1				1 .							
Unbundled northoon combinations that are Currently Combined or	Not Cur	rently (	Combined in Zone 1	of the Ton 8	MSAS in BellS	outh's region	or and users	with 4 or more [	nalevuus na	tunes					
Unbundled port/loop combinations that are Currently Combined or The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft, Lauderd											8).				
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic	ale, Mia ally bill	mı), G.	A (Atlanta), LA (Nev curring and non-rec	Orleans), NO urring Market	(Greensboro-V	Vinston Salem ection except f	-Highpoint/Ch or nonrecurrir	arlotte-Gastoni	a-Rock Hill); T	N (Nashville		In the interi	m where Bells	South cannot	bill Market
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece	ale, Mia ally bill ding in	mı), G. the rec lieu of	A (Atlanta), LA (Nev curring and non-rec the Market Rates at	Orleans), NO urring Market	(Greensboro-V	Vinston Salem ection except f	-Highpoint/Ch or nonrecurrir	arlotte-Gastoni	a-Rock Hill); T	N (Nashville		In the interi	m where Bell	South cannot	bill Market
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features	ale, Mia ally bill ding in in all st	mı), G the rec lieu of ates.	A (Atlanta), LA (Nev curring and non-rec the Market Rates an	Orleans), NO urring Market nd reserves th	(Greensboro-V Rates in this so ie right to true-i	Vinston Salem ection except f up the billing o	-Highpoint/Ch or nonrecurrir lifference	arlotte-Gastoni ig charges for n	a-Rock Hill); T not currently o	N (Nashville ombined in	FL and NC				
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U	ale, Mia ally bill ding in in all st	mı), G the rec lieu of ates.	A (Atlanta), LA (Nev curring and non-rec the Market Rates an	Orleans), NO urring Market nd reserves th	(Greensboro-V Rates in this so ie right to true-i	Vinston Salem ection except f up the billing o	-Highpoint/Ch or nonrecurrir lifference	arlotte-Gastoni ig charges for n	a-Rock Hill); T not currently o	N (Nashville ombined in	FL and NC				
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. es in t	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this so he right to true-I t shall apply to	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges and Common Transport U (USOC URECU).	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. es in t	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this so he right to true-I t shall apply to	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. es in t	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this so he right to true-I t shall apply to	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently Is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges and Common Transport U (USOC URECU).	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. es in t	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this so he right to true-I t shall apply to	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Pot Combo - Zone 1	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. es in t	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this side right to true- lit shall apply to s for each Port	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the in the l	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this si- te right to true- to shall apply to s for each Port	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WiRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Pot Combo - Zone 1  2-Wire VG Loop/Pot Combo - Zone 2  2-Wire VG Loop/Pot Combo - Zone 3	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. les in the l	A (Atlanta), LA (Nev curring and non-rec the Market Rates an he Port section of the	v Orleans), No urring Market nd reserves th l nis rate exhib	(Greensboro-V Rates in this side right to true- lit shall apply to s for each Port	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates    2-Wire VG Lcop/Pot Combo - Zone 1     2-Wire VG Lcop/Pot Combo - Zone 2     2-Wire VG Lcop/Pot Combo - Zone 3     UNE Loop Rates	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. Les in the I	A (Atlanta), LA (Nev curring and non-rec the Market Rates at he Port section of the First and Additional	v Orleans), NC urring Market ing Market dreserves th lis rate exhib	c (Greensboro-Nates in this size right to true- le right to true- lit shall apply to s for each Port	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Pot Combo - Zone 1  2-Wire VG Loop/Pot Combo - Zone 2  2-Wire VG Loop/Pot Combo - Zone 3  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. tes in the in the l	A (Atlanta), LA (Nev curring and non-rec the Market Rates at the Port section of the First and Additional	v Orleans), NC urring Market nd reserves th l nis rate exhib NRC column	c (Greensboro-Nates in this side right to true-lit shall apply to s for each Port 27 76 34 38 40 04 13 76 13 76	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 3   UNE Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates ar he Port section of the First and Additional UEPRX UEPRX UEPRX	v Orleans), NC urring Market do reserves th his rate exhib  NRC column  UEPLX  UEPLX	(Greensboro-Rates in this size the size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in the size	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Pot Combo - Zone 1  2-Wire VG Loop/Pot Combo - Zone 2  2-Wire VG Loop/Pot Combo - Zone 3  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1	ale, Mia ally bill ding in in all sta sage rat	the rec lieu of ates. tes in the in the l	A (Atlanta), LA (Nev curring and non-rec the Market Rates at the Port section of the First and Additional	v Orleans), NC urring Market nd reserves th l nis rate exhib NRC column	c (Greensboro-Nates in this side right to true-lit shall apply to s for each Port 27 76 34 38 40 04 13 76 13 76	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3]  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates ar he Port section of the First and Additional UEPRX UEPRX UEPRX	v Orleans), NC urring Market do reserves th his rate exhib  NRC column  UEPLX  UEPLX	(Greensboro-Rates in this size the size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in this size in the size	Vinston Salem ection except f up the billing o all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES) UNE POYLLOOP Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3]  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3]  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  [2-Wire Voice Grade Line Port (Res) [2-Wire Voice unbundled port - residence] [2-Wire voice unbundled port with Caller ID - res	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev turring and non-rec the Market Rates at the Port section of ti  First and Additional  UEPRX UEPRX UEPRX UEPRX	v Orleans), NC urring Market nd reserves th l l NRC column  UEPLX UEPLX UEPLX UEPLX	27 76 34 38 40 04 13 76 20 38 26 04	Winston Salem ection except if up the billing of all combination	-Highpoint/Ch or nonrecurrir lifference ons of loop/po	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-Wire VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice Grade Line Port (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates ar he Port section of ti  First and Additional  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	v Orleans), NC urring Market dd reserves tr lis rate exhib  NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX	(Greensboro-Rates in this size n the size in this size in the size in t	Winston Salem ection except fi up the billing of all combination USOC For Co	-Highpoint/Chor nonrecurring inference ons of loop/pourrently Combination of the combinat	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC n Port/Loop s are listed	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-Wire VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates    2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)    2-Wire Voice Grade Line Port (Res)   2-Wire voice unbundled port - residence   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates at the Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	v Orleans), NC urring Market do reserves th lis rate exhib  NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC	27 76 34 38 40 04 13 76 20 38 26 04 14 00 14 00	Winston Salem ection except if up the billing of all combinator USOC For Cu	Highpoint/Chor nonrecurring inference ons of loop/pointently Combination of the combinati	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC  n Port/Loop s are listed  15 69 15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BetSouth's region are; FL (Orlando, Ft, Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-Wire VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Pot Combo - Zone 1  2-Wire VG Loop/Pot Combo - Zone 2  2-Wire VG Loop/Pot Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates ar the Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	VOrleans), NC urring Market do reserves th lis rate exhib  NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	(Greensboro-Rates in this size e in the size in this size in the size i	Winston Salem cition except frup the billing of all combinators.  USOC For Cu  90 00 90 00 90 00	90 00 90 00 90 00	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC  n Port/Loop s are listed  15 69 15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE POT/Loop Combination Rates  2-Wire VG Loop/Po1 Combo - Zone 1 2-Wire VG Loop/Po1 Combo - Zone 2 2-Wire VG Loop/Po1 Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port (Res)  2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID Capability 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates at he Port section of ti First and Additional  UEPRX	VOrleans), NC urring Market do reserves the listrate exhib  NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	27 76 34 38 40 04 13 76 20 38 26 04 14 00 14 00 14 00	Winston Salement of the second	Highpoint/Chor nonrecurring lifference ons of loop/pointently Combination of the combinat	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	FL and NC  In Port/Loop  s are listed  15 69  15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BetISouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - Capability  2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID Capability  2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates at the Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	VORIGINAL NOTICE OF THE PROPERTY OF THE PROPER	27 76 34 38 40 04 13 76 20 38 26 04 14 00 14 00 14 00	Winston Salemetrion except frup the billing of all combinators.  USOC For Cu  90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Pot Combo - Zone 1  2-Wire VG Loop/Pot Combo - Zone 2  2-Wire VG Loop/Pot Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port with Caller ID Capability  2-Wire voice Unbundled South Carolina Residence Dialing Plan without Caller ID  2-Wire voice Unbundled South Carolina Area Calling Port without Caller ID Capability  2-Wire voice Unbundled South Carolina Area Calling Port without Caller ID Capability	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates at the Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	VOrleans), NC urring Market di reserves th  Inis rate exhib  NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPRT UEPRT UEPWL	27 76 34 38 40 04 13 76 20 38 26 04 14 00 14 00 14 00 14 00	90 00 90 00 90 00	90 00 90 00 90 00	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	15 69 15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are; FL (Orlando, Ft, Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-Wire VOIC ERADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire Voice Grade Loop (SL1) - Zone 3 [2-Wire voice unbundled port vith Caller ID - res [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port utgoing only - res [2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability [2-Wire v	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates ar the Port section of ti  First and Additional  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	VOrleans), NC urring Market do reserves th lis rate exhib NRC column UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP UEPRT UEPWL	(Greensboro-Rates in this size e in the size in	90 00 90 00 90 00	90 00 90 00 90 00	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	15 69 15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are; FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece The Market Rate for unbundled ports includes all available features End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - ros  2-Wire voice unbundled port outgoing only - ros  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID Capability  2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability  2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  LOCAL NUMBER PORTABILITY	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates ar the Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	VORIGINAL NOTICE OF THE PROPERTY OF THE PROPER	27 76 20 38 26 04 14 00 14 00 14 00 0 35 0 10 18 18 18 18 18 18 18 18 18 18 18 18 18	90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	15 69 15 69	Combination	ns which have	e a flat rate us	age charge
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd BellSouth currently is developing the billing capability to mechanic Rates, BellSouth shall bill the rates in the Cost-Based section prece. The Market Rate for unbundled ports includes all available features. End Office and Tandem Switching Usage and Common Transport U (USOC URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LCOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Lcop/Port Combo - Zone 1  2-Wire VG Lcop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID Capability  2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  LOCAL NUMBER PORTABILITY  LOCAL NUMBER PORTABILITY	ale, Mia ally bill ding in in all sta sage rat	the recilieu of ates. tes in the I	A (Atlanta), LA (Nev urring and non-rec the Market Rates at the Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	VOrleans), NC urring Market di reserves th  Inis rate exhib  NRC column  UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPRT UEPRT UEPWL	27 76 34 38 40 04 13 76 20 38 26 04 14 00 14 00 14 00 14 00	90 00 90 00 90 00	90 00 90 00 90 00	arlotte-Gastoni ng charges for n rt network elem	a-Rock Hill); Toot currently o	N (Nashville ombined in or UNE Coil	15 69 15 69	Combination	ns which have	e a flat rate us	age charge

Version 4Q02 12/18/02 Page 347 of 416

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina		,										Attachr			bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			l			Rec	Nonrec			g Disconnect				Rates (\$)		
			<b>!</b>		<u> </u>	-	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ľ	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	4	ł	UEPRX	USAS2	1	0 00	0 00		1	ļ	15 69			ļ	
2 WIE	Subsequent RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<del> </del>	DEFRA	- U3A32		- 000	0.00			<del> </del>	10 00				-
	Port/Loop Combination Rates		1							<del></del> -					1	
- ONE	[2-Wire VG Loop/Port Combo - Zone 1		1	-	<del> </del>	27 76				1						
	2-Wire VG Loop/Port Combo - Zone 2		2			34 38									Ì	
	2-Wire VG Loop/Port Combo - Zone 3		3			40 04										<b></b>
UNE	Loop Rates										<u> </u>					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13 76				ļ						
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20 38									<del> </del>	<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPBX	UEPLX	26 04			<del> </del> -	-	<del> </del>				<del>                                     </del>	<del></del>
2-Wir	re Voice Grade Line Port (Bus)	<del></del>	-	UEPBX	UEPBL	14 00	90 00	90 00	-	<del> </del>	+	15 69			<del>                                     </del>	
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	14 00	90 00	90 00	<del>-</del>	<del> </del>	+	15 69			l	
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00		†		15 69				
<del></del>	2-Wire voice Grade unbundled South Carolina extended local		<del> </del>	021 271	152.55						<del></del>					
	dialing parity port with Caller ID - bus	}		UEPBX	UEPAZ	14 00	90 00	90 00		1		15 69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port	†			-1 1											J.
	with Caller ID (LMB)		}	UEPBX	UEPAB	14 00	90 00	90 00			l	15 69				
	2-Wire voice unbundled Incoming Only Port without Caller ID	_								1						1
	Capability			UEPBX	UEPBE	14 00	90 00	90 00				15 69		<u> </u>		
	2-Wire Voice Unbuncled South Carolina Business Dialing Plan										1	45.00				
	without Caller ID		<u> </u>	UEPBX	UEPWM	14 00	90 00	90 00		ļ	<del> </del>	15 69			<del></del>	<del> </del>
	2-Wire voice unbundled South Carolina Business Area Calling				UEPBB	14 00	90 00	90 00		1		15 69				1
1.00	Port without Caller IC Capability AL NUMBER PORTABILITY	<b>├</b>	1	UEPBX	UEPBB	14 00	90 00 1	90 00			<del>  </del>	13 03				+
LOCA	Local Number Portability (1 per port)	ļ	<del> </del>	UEPBX	LNPCX	0 35			<u> </u>			<del> </del>		_ <del>-</del>	<del></del>	
FEAT	TURES			OLI BX	- Liu On											
1.54	All Features Offered		+	UEPBX	UEPVF	0 00	0 00	0 00	1	1		15 69				
ADDI	TIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -										T	1				
	Subsequent			UEPBX	USAS2		0 00	0 00				15 69			ļ	<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<u> </u>						ļ <u> </u>			ļ <u>-</u>	ļ			-
UNE	Port/Loop Combination Rates		<u> </u>						ļ					<del> </del>		<del></del>
1	2-Wire VG Loop/Port Combo - Zone 1		1	<u> </u>		27 76						<del> </del>	<del> </del>	<del></del>		<del></del>
	2-Wire VG Loop/Port Combo - Zone 2	ļ	2			34 38 40 04			·						<del> </del>	<del></del>
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3	<del></del>	-	40 04						<del> </del>				<del> </del>
UNE	Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPRG	UEPLX	13 76			<del></del>	<del>  -</del>	<b></b>	<del> </del>	h			
+-	2-Wire Voice Grade Loop (SL1) - Zone 2	<del> </del>		UEPRG	UEPLX	20 38					<b>†</b>	<del>-</del>	-		· ·	
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	26 04				1	f					
2-Wii	re Voice Grade Line Port Rates (RES - PBX)		Ť	<del> </del>	1-33					T						
1 1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	T	T	_											1
	Res		L	UEPRG	UEPRD	14 00	90 00	90 00				15 69	<u></u>			<u> </u>
Loc	AL NUMBER PORTABILITY									<u> </u>			ļ	<u> </u>		
	Local Number Portability (1 per port)	1	$oxedsymbol{oxed}$	UEPRG	LNPCP	3 15	0 00	0 00	<del> </del> _	ļ	1		ļ	<del></del>	-	
FEAT	TURES		1					0.00	<del></del>		<del></del>	15 69	<del> </del>	<del> </del>	l	+
	All Features Offered	-	+-	UEPRG	UEPVF	0 00	0.00	0 00	<del></del> -	<del> </del>	<del> </del>	10 09	<del> </del>		<del> </del>	+
	RECURRING CHARGES - CURRENTLY COMBINED	-	+-	<del> </del>		_ <del></del>			<del> </del>	+	+ -	<del>                                     </del>	<del>                                     </del>	<del> </del>	+	+
ADD	2 Wire Loop/Line Sice Port Combination - Non feature -	1	+	<del></del>					<del> </del>		<del> </del> -	<del>                                     </del>	<del> </del>	<del></del>	<del>                                     </del>	+
1 1	Subsequent Activity- Nonrecurring				1	[	0 00	0.00		1	1	15 69	1	1	1	
<del></del>	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	+	<del> </del>			5 00	3 00	+		1	1	1			1
	Group	1				i 1	14 64	14 64				15 69	1	1	L	L
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	†	1						1		T					
	Port/Loop Combination Rates	1		<del></del>									1			
	2-Wire VG Loop/Port Combo - Zone 1		_1			27 76									<b></b>	ļ
	2-Wire VG Loop/Port Combo - Zone 2		2			34 38					ļ	1		L	1	<del></del>
	2-Wire VG Loop/Port Combo - Zone 3		3			40 04			<u> </u>				<u> </u>	L		<u> </u>

UNE Loo  2- 2- 2- 2- 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	l	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs	Increments Charge - Manual Sv Order vs
UNE Loo	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc Order vs	Manual Sv Order vs
UNE Loo 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc Order vs	Order vs
UNE Loo 2.2.2.2.2.2.2.2.1.1.1.1.1.1.1.1.1.1.1.1	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1	BCS	USOC			RATES (\$)							Order vs	Order vs
UNE Loo 2.2.2.2.2.2.2.4.1.1.1.1.1.1.1.1.1.1.1.1.	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.		
UNE Loo 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	m	1													
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1										Electronic-	Electronic-	Electronic-	Electronic
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1										1st	Add'I	Disc 1st	Disc Add
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1		_								ISI	Addi	Disc 1st	Disc Add
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1		4	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1		<del></del> +		7 1131	- Add I	11101							
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		1		NEDI V	13 76										
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPLX											
2-Wire Vo	2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		2	UEPPX	UEPLX	20 38										<del></del>
2-Wire Vo	Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		3	UEPPX	UEPLX	26 04									ļ ——	
Li Li 2 2 2 2 2 2	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus				1				1							
2- 2- 2- 2- 2- 2- 2- 2-	Line Side Unbundled Outward PBX Trunk Port - Bus		+								T .	i	1		1	1
2- 2- 2- 2- 2- 2- 2- 2-	Line Side Unbundled Outward PBX Trunk Port - Bus	i		UEPPX	UEPPC	14 00	90 00	90 00	1			15 69	}			1
2- 2- 2- 2- 2- 2-	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00			<del>                                     </del>	15 69				
2- 2- 2- 2-											1	15 69	<del> </del>			
2- 2- 2- 2-	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00			<u> </u>		l . ——			
2-	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00			<u> </u>	15 69				
2-	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	14 00	90 00	90 00			1	15 69				L
2-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	l	<del> </del>	UEPPX	UEPXB	14 00	90 00	90 00				15 69			_	
	2-vyile voice unduffuled PDA Toll Terminal noter Ports		+	UEPPX	UEPXC	14 00	90 00	90 00			1	15 69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ	₩					90 00			<del>  -</del>	15 69				
2	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90.00			<del>                                     </del>	13 03				<del>                                     </del>
1 2	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1			l										
l lin	Capable Port	ŀ	1	UEPPX	UEPXE	14 00	90 00	90 00			<u> </u>	15 69				<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			-	<del></del>									ĺ		
				UEPPX	UEPXL	14 00	90 00	90 00				15 69				
	Administrative Calling Port		-	UEPPA	UEFAL	14 00	30 00	30 00						<del>                                     </del>		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			1	1 1							45.00		1		
F	Room Calling Port			UEPPX	UEPXM	14 00	90 00	90 00				15 69				
2	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1				i							
	Discount Room Calling Port		i .	UEPPX	UEPXO	14 00	90 00 1	90 00	1			15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	_	+	UEPPX	UEPXS	14 00	90 00	90 00				15 69				
			-	OCFFX	GET AG	14 00	50.00									
	NUMBER PORTABILITY					5.45		0.00			+					
L	Local Number Portability (1 per port)		1	UEPPX	LNPCP	3 15	0 00	0 00			<del></del>		-			
FEATURI	RES		1		1				i							
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0 00				15 69				
	CURRING CHARGES - CURRENTLY COMBINED		<b></b>													
	ONAL NRCs		1													
AUDITIO	JUAL HINGS		1								<del> </del>					
,	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		1	UEPPX	USAS2		0 00	0 00			Į.	15 69	į		1	1
			-	UEFFA	U3A32		0 00	0.00	_		-	- 10 00			· · · · · · · · · · · · · · · · · · ·	<del> </del>
	2 Wire Loop/Line Side Port Combination - Non feature -										)	45.00	l		1	1
	Subsequent Activity- Nonrecurring						0 00	0 00			<b></b>	15 69				
P	PBX Subsequent Activity - Change/Rearrange Multiline Hunt										i		İ		1	1
	Group						7 34	7 34	1		i	15 69				
2-WIRE V	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T	1								}					l
	rt/Loop Combination Rates	<u> </u>	+								1			· ·		
	2-Wire VG Coin Port/Loop Combo – Zone 1		1	<del></del>		27 76					†					
					<del></del>	34 38			-		+		<del> </del>			
	2-Wire VG Coin Port/Loop Combo – Zone 2		2									-				<del></del>
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			40 04						L			ļ	
UNE Loc	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13 76										1
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	20 38								1		
		-									<del> </del>			<del> </del>		+
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26 04						ļ —			-	<del>                                     </del>
2-Wire V	Voice Grade Line Port Rates (Coin)															
2	2-Wire Coin 2-Way without Operator Screening and without		1		1 7						1		1	1		1
	Blocking (SC)		1	UEPCO	UEPSD	14 00	90 00	90 00				15 69				i
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,		+						-							
				UEPCO	UEPRA	14 00	90 00	90 00				15 69		1		
	900/976, 1+DDD (AL, KY, LA, MS, SC)		+	02500	UEFRA	14 00	90 00	90 00	<del>  </del>		+	15 05	-			t
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,	ł	1	l	1		[		ļ l		1		Į.		1	1
9	900/976, 1+DDD (SC)	L		UEPCO	UEPSA	14 00	90 00	90 00			.1	15 69	<u> </u>			<del></del>
2	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	T		1							1	1				1
	(SC)	1	1	UEPCO	UEPSH	14 00	90 00	90 00				15 69				1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking,	<b>-</b>	+	1		1.00	11.00				1		1	<u> </u>		
		1	1	LIEDCO	LIEBSC	14.00	00.00	00.00				15 69		1	1	1
	with Dialing Parity (SC)			UEPCO	UEPSC	14 00	90 00	90 00			+	15 69	<del> </del>	+		+
2	2-Wire Coin 2-Way with Operator Screening and Blocking.											1		1	Į.	
0	900/976, 1+DDD, 011+, and Local (SC)	1	1	UEPCO	UEPCC	14 00	90 00	90 00				15 69		1		<u></u>
1 15	2-Wire Coin 2-W Oper Screen & Blocking 900/976, 1+DDD,	T			-						i	T	1			1
	011+ & Local, Enhanced Calling OPT 3YV (SC)	i	1	UEPCO	UEPCE	14 00	90 00	90 00	1 I		1	15 69	1	1	1	1

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina													Attachr			bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	ВС	s	usoc			RATES (\$)				Submitted Manually		Charge -	Charge -	Increment Charge Manual St Order vs Electronic Disc Add
T			1			1	Rec	Nonrec	urring	Nonrecurrin	g Disconnect	•	•		Rates (\$)		
							Rec	First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-W Oper Screen & Block 900/976, 1+DDD, 011+, & Local, Enhanced Calling OPT AP7 (SC)			UEPCO		UEPCF	14 00	90 00	90 00				15 69				
	2-Wire Coin Outward without Blocking and without Operator			UEPCO		UEPSG	14 00	90 00	90 00				15 69				
-	Screening (SC) 2-Wire Coin Outward with Operator Screening and 011 Blocking																
	(SC)			UEPCO		UEPSF	14 00	90 00	90 00		-	ļ	15 69				-
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO		UEPSJ	14 00	90 00	90 00				15 69				
	2-Wire Coin Outward with Operator Screening and Blocking			UEPCO		UEPCM	14 00	90 00	90 00				15 69				
	900/976, 1+DDD, 011+, and Local (SC)  2-Wire Coin Out Oper Screen & Block 900/976, 1+DDD, 011+,			UEPCO			14 00	90 00	90 00				13 69				-
	& Local , w/ Enhanced Call OPT 3YW (SC)		ļ	UEPCO		UEPCP	14 00	90 00	90 00		-		15 69				
LUCA	L NUMBER PORTABILITY  Local Number Portability (1 per port)		<del> </del>	UEPCO		LNPCX	0 35				1						
ADDI*	TIONAL NRCs			52, 55													
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0 00	0.00				15 69				
NBUNDLED	PORT/LOOP COMBINATIONS - MARKET BASED RATES			02700		USASZ		0.00	0.00				13 03				<del> </del>
2-WIF	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				73 68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			<u> </u>	80 13 85 46			ļ				ļ			
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			<del> </del>	85 46							<del> </del>			
UNL	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16 68					<del> </del>					†
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23 13										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	28 46										
UNE	Port Rate	<b></b>															
No.	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	57 00	600 00	75 00				15 69				
NUN	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-	_		-		-										-
	Switch-As-Is Top 8 MSAs only	<u> </u>		UEPPX		USAC1		125 00	75 00				15 69				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion											ł	45.00			1	
ADDI	with BellSouth Allowable Changes Top 8 MSAs only TIONAL NRCs	-	-	UEPPX		USA1C		125 00	75 00				15 69			-	ļ
ADDI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		+	UEPPX	_	USAS1		53 68				<del>                                     </del>	15 69				
Telep	hone Number/Trunk Group Establisment Charges			OLI TX		COACI		33 00		<del></del>		<del>                                     </del>	15 05				
70.00	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0 00			·	<del> </del>				
	DID Numbers, Establish Trunk Group and Provide First Group		1										····				
	of 20 DID Numbers		l	UEPPX		NDZ	0 00	0 00	0 00								
	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX		ND4	0 00	0 00	0.00								ļ
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX		ND5 ND6	0 00	0 00	0 00								
	Reserve DID Numbers	<del> </del>	╁─┈	UEPPX		NDV	0.00	0.00	0 00		-	<del> </del>					
LOCA	L NUMBER PORTABILITY	<del> </del>	<del> </del>	DEI IX		145	0 00	0 00	0.00		• • •		<del> </del>		ļ <del></del>	_	
	Local Number Portability (1 per port)	<del> </del>	†	UEPPX		LNPCP	3 15	0 00	0 00				$\vdash$				
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT	·													
UNE	Port/Loop Combination Rates																ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		76 90										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2		UEPPR		84 64								_		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -										-						<u> </u>
iikie	UNE Zone 3 Loop Rates	<b> </b>	3	UEPPB	UEPPR		90 27				1	ļ	ļ. <u>.</u>				-
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21 90			ļ	+	<del> </del>	-			<del>                                     </del>	1
		<u> </u>	<del>                                     </del>								<u> </u>					<del> </del>	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3		UEPPR UEPPR		29 64 35 27			ļ	+	<del> </del>					<del>                                     </del>
TIME !	Port Rate	<del> </del>	1 5	100110	OLI IN	SOLZA	33 21				+	+	<del> </del>			-	<b>-</b>

NBUNDLE	D NETWORK ELEMENTS - South Carolina														nent. 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		<del>                                     </del>		<del>-</del>		<del>-</del>		Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	l	
		T		· · ·			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	55 00	525 00	400 00				15 69				
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
l	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			1											ļ		
<del></del>	Combination - Conversion - Top 8 MSAs only		⊢—	UEPPB	UEPPR	USACB	0 00	225 00	225 00		-		15 69	<del></del>	<u> </u>		<del></del>
	IONAL NRCs L NUMBER PORTABILITY	<b>├</b>		1		1					<del>                                     </del>	<del> </del>					
LUCAI	Local Number Portability (1 per port)	<del> </del>		ÜEPPB	UEPPR	LNPCX	0 35	0 00	0 00		<del> </del>				_		
B-CHA	NNEL USER PROFILE ACCESS	-		OLI TO	- OLITIC	Lit. Ox	- 555										
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0 00	0 00					·			
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0.00	0 00								
	CSD			UEPPB	UEPPR	U1UCC	0 00	0 00	0 00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS S	С,МS, 8	TN)			113.165					<del>  -</del>						
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0 00	0 00	0 00								
	CVS (EWSD)	1		UEPPB	UEPPR		0 00	0 00	0 00			+					
HEED	TERMINAL PROFILE	┼		UEPPB	UEPPR	UTUCE	0.00	0 00	0.00					<del></del>			-
USER	User Terminal Profile (EWSD only)	-	<del></del>	UEPPB	LIEPPR	U1UMA	0 00	0 00	0.00		-	_					
VERTI	CAL FEATURES			02,		10.000						+					
- 1	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3 04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE					1											
	Interoffice Channel mileage each, including first mile and									1					}	ł	1
l	facilities termination				UEPPR	M1GNC	24 30	60 00	40 00	25 00	10 00		15 69				ļ
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0167	0.00	0 00		<del></del>						
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	( PORT		ļ						<u> </u>							-
UNE P	ort/Loop Combination Rates	1-										+				- <del></del>	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			940 87			1		[		[	1	ĺ	ì
$\rightarrow$	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<del> -</del>	ULFFF			340 07				<del> </del>	i					
	Zone 2		2	UEPPP			1,005 43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		ΙŤ			T											
}	Zone 3		3	UEPPP		L.	1,111 89		_		1	1		_			
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		_ 1	UEPPP		USL4P	90 87						15 69				
$\rightarrow$	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155 43					ļ	15 69				
- LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate		3	UEPPP		USL4P	261 89					4	15 69	<del> </del>			
UNEP	Exchange Ports - 4-Wire ISDN DS1 Port		├	UEPPP		UEPPP	850 00	1,150 00	1,150 00		<del></del>	<del></del>	15 69				<del> </del>
NONE	ECURRING CHARGES - CURRENTLY COMBINED	<del> </del>		UEFFF		OEFFF	. 830 00	1,130 00	1,150 00				13 03				<del></del>
- 1.0	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<b>-</b>	-			<del>                                     </del>			-								
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0 00	950 00	950 00				15 69				
ADDIT	IONAL NRCs					T											
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Telephone Numbers (except NC)			UEPPP		PR7TF		0 9822					15 69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -					1_				1	1						
	Outward Tel Numbers (All States except NC)	1	<u> </u>	UEPPP		PR7TO		23 02	23 02			ļ <u>.</u>	15 69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port	1	Į	UEPPP		DDZZZ	i	46.05	10.05	J		1	45.00	1		1	
LOCAL	Subsequent Inward Telephone Numbers  L NUMBER PORTABILITY	<del> </del>	-	UEPPP		PR7ZT		46 05	46 05	ļ		-	15 69			<del></del>	<del></del>
LOCA	Local Number Portability (1 per port)		-	UEPPP		LNPCN	1 75	_				+			<del></del>		
INTER	FACE (Provsioning Only)	<b>-</b>	t	1			. , , ,		_	<del> </del>		+	<del>                                     </del>	<del> </del>	<del></del>		<del> </del>
	Voice/Data	t	T	UEPPP		PR71V	0 00	0 00	0 00					1			
	Digital Data	1	l	UEPPP		PR71D	0.00	0.00	0 00		·					1	
	Inward Data			UEPPP		PR71E	0 00	0.00	0 00								
New o	r Additional "B" Channel																
	New or Additional - Voice/Data B Channel	1	<u> </u>	UEPPP		PR7BV	0 00	40 00									L
-	New or Additional - Digital Data B Channel	<u> </u>		UEPPP		PR7BF	0 00	40 00		ļ	ļ	4	-		ļ		<del></del>
CALL	New or Additional Inward Data B Channel TYPES	1	<del> </del>	UEPPP		PR7BD	0.00	40 00		<del>                                     </del>	<u> </u>		<b> </b>	<del></del>	<del>                                     </del>		<del></del>
CALL	Inward	1	L	UEPPP		PR7C1	0 00	0 00	0 00	L		_ <del> </del>	L	L	L		

INRONDI	LED	NETWORK ELEMENTS - South Carolina													ment 2		oit B
ATEGORY	,	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
	-					+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
	+					<del></del>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Dutward			UEPPP	PR7C0	0.00	0.00	0 00								
		Two-way			ÜEPPP	PR7CC	0 00	0 00	0 00								
Inte		ce Channel Mileage			02												
- 1		ixed Each Including First Mile			UEPPP	1LN1A	77 4815	89 47	81 99	16 39	14 48		15 69		-		
		ach Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415								1		
4-W	IRE C	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	E Por	t/Loop Combination Rates															
		IW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840 87										
		W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		905 43										
		IW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011 89										
UNE		p Rates													L		
		-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	90 87			ļ							
		-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	155 43						ļ	<b></b>		-	-
		-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261 89					l					
UNE		1 Rate		ļ	MERE.	LIDDAT	750.00	4.005.07	478 99	040.50	20 94	-	15 69	1			
- 1		-Wire DDITS Digital Trunk Port		ļ	UEPDC	UDD1T	750 00	1,005 07	478 99	213 53	20 94		15 69				
NON		CURRING CHARGES - CURRENTLY COMBINED		<b></b>		1											
1		I-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	USAGE		250.50	124.22				15 69				
		Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259 56	134 33	-			15 69				
	١,	West DC4 Destables of A Marie DDITC Tarrely Dest Combination				1											
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		259 56	134 33	Ì			15 69		ľ		
		Conversion with DS1 Changes Top 8 MSAs only			UEPUC	USAVVA		239 30	134 33				13 09				
		I-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						I									
		Conversion with Change - Trunk Top 8 MSAs only	i		UEPDC	USAWB		259 56	134 33				15 69		1		
ADE		NAL NRCs			DEFDC	USAWB		239 30	104 00				10 03		<del>                                     </del>		
ADL		I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		+										-	l		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29 01	29 01			ŀ	15 69				
		-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02.00	- 1001111		25 0.	200.								
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	attau		29 01	29 01	Į			15 69		1		
		-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	i	29 01	29 01			į	15 69		}		
		I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan															
	1	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTO		29 01	29 01			1	15 69	1			
		I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	A	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		29 01	29 01				15 69				
BIP		R 8 ZERO SUBSTITUTION															
		38ZS -Superframe Format			UEPDC	CCOSF		0 00	605 00								
		38ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0 00	605 00			1					
Alte		e Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00				-				
Tele		ne Number/Trunk Group Establisment Charges															
		Felephone Number for 2-Way Trunk Group		l .	UEPDC	UDTGX	0 00						15 69				
		Felephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00					l	15 69				
		Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGZ	0 00			1		<u> </u>	15 69		<del> </del>		
1		DID Numbers, Establish Trunk Group and Provide First Group								1				i	1		
		of 20 DID Numbers		<u> </u>	UEPDC	NDZ	0 00	0 00	0.00			1.	15 69			-	ļ
		DID Numbers for each Group of 20 DID Numbers	ļ	<b> </b>	UEPDC	ND4	0 00			-		<b></b>	15 69	-			-
		DID Numbers, Non- consecutive DID Numbers , Per Number	l	<del> </del>	UEPDC	ND5	0 00	0 00	0 00			<b>!</b>	15 69	ļ		-	
		Reserve Non-Consecutive DID Nos	<b>-</b>	<u> </u>	UEPDC	ND6	0 00	0 00	0 00	<del></del>		ļ <u>-</u>	15 69 15 69	ļ	1	ļ <u> </u>	1
		Reserve DID Numbers		1	UEPDC	NDV	0.00	0 00	0 00			<u> </u>	15 69	1	-	ļ	
		ed DS1 (Interoffice Channel Mileage) -		<del>                                     </del>						<del> </del>		ļ <u>-</u>	<del> </del>	-	+	<del> </del>	ļ
		for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port		1		+				1		<del> </del>	-	<del> </del>	<del> </del>		<del></del>
-		nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities Fermination)			UEPDC	1LNO1	77 14	89 47	81 99	16 39	14 48		15 69	1		1	
-		endination)	<b>-</b>	+	DEFDC	ILINO1	// 14	09 47	6199	10 39	14 46		10 09	+		-	<del></del>
1	- 1	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles	l	1	UEPDC	1LNOA	· I	1		1	I	1	1	I	l .	1	1

Version 4Q02 12/18/02 Page 352 of 416

UNBUNDLED N	IETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremen Charge
1					1		Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inte	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities				1											
	rmination)			UEPDC	1LNO2	0 00	0 00	0 00					· · · · · · · · · · · · · · · · · · ·			
	eroffice Channel Mileage - Additional rate per mile - 9-25				1									1		
mile	es eroffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0 7598	0 00	0 00								
	eromice Channel Mileage - Fixed rate 25+ miles (Facilities rmination)			UEPDC	1LNO3	0 00	0 00	0 00								
l lei	mination)			UEFBC	ILNOS	0 00	0.00	0.00								-
Inte	eroffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 7598	0.00	0 00								
	cal Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0.00	0 00								
	ntral Office Termininating Point			UEPDC	CTG	0.00		•								t
	S1 LOOP WITH CHANNELIZATION WITH PORT															
System is	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			Ī	·										
A system o	can have various rate combinations based on type and nur			used												
UNE DS1 L																<u> </u>
	Vire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90 87	0.00	0 00			ļ					-
	Vire DS1 Loop - UNE Zone 2			UEPMG	USLDC	155 43	0.00	0.00								
	Vire DS1 Loop - UNE Zone 3	ــــــــــــــــــــــــــــــــــــــ	3	UEPMG	USLDC	261 89	0.00	0 00								1
	Channelization Capacities (D4 Channel Bank Configuration	15)			1 11 11 20 1	100.42	2.00	2.00				45.00				1
	DSO Channel Capacity - 1 per DS1			UEPMG UEPMG	VUM24 VUM48	103 47 206 94	0.00	0 00				15 69 15 69				1
	DSO Channel Capacity - 1 per 2 DS1s DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413 88	0.00	0 00				15 69				<del>                                     </del>
	4 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	620 82	0.00	0 00			<del></del>	15 69			-	+
	2 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	827 76	0 00	0 00		-		15 69				<del>                                     </del>
	0 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,034 70	0 00	0 00				15 69				<del> </del>
	8 DS0 Channel Capacity - 1 per 12 DS1s		_	UEPMG	VUM28	1,241 64	0 00	0 00		-		15 69				
	4 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,655 52	0 00	0 00			<del> </del>	15 69				
	0 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,069 40	0.00	0 00			<del> </del>	15 69				
	6 DS0 Channel Capacity -1 per 24 DS1s	-		UEPMG	VUM57	2,483 28	0 00	0 00				15 69				
672	2 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,897 16	0 00	0 00				15 69				
	rring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	n System configuration is One (1) DS1, One (1) D4 Channe															
	of this configuration functioning as one are considered Ac	d'I after	the m	iinimum system con	figuration is	counted										
INR	C - Conversion (Currently Combined) with or without		1								1				1	Ì
	IlSouth Allowed Changes - Top 8 MSAs Only	Ĺ	<u> </u>	UEPMG	USAC4	0 00	150 81	8 38				15 69				
	ditions Where Currently Combined and New (Not Currentl	y Comb	ined)												ļ	
	Zone 1 Top 8 MSAs DS1/D4 Channel Bank - Add NRC for each Port and Assoc		-		<del></del>											
	a Activation -			UEPMG	VUMD4	0 00	717 71	425 81	149 08	17 69	1	15 69				
	Zero Substitution			UEFING	V0101D4	0 00	71771	42001	149 00	17 69	-	15 09		<del></del>		
	ear Channel Capability Format, superframe - Subsequent				-											
	tivity Only		ļ.	UEPMG	CCOSF	0 00	0 00	605 00								
	ear Channel Capability Format - Extended Superframe -			OLI MO	100001	000		000 00								
	bsequent Activity Only			UEPMG	CCOEF	0 00	0.00	605 00							ļ	
	Mark Inversion (AMI)				1						1					<del></del>
Su	perframe Format			UEPMG	MCOSF	0.00	0.00	0 00								
Ext	tended Superframe Format			UEPMG	мсоро	0 00	0 00	0.00								
	Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								T					
Exchange	Ports															
	e Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14 00	0 00	0.00	0 00	0 00		15 69		ļ		
Lin	e Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14 00	0 00	0 00	0 00	0.00		15 69		<u> </u>		-
	o Sido laward Only Channeland BBV Truel D. 1 11 125	1	1	LIEDBY	LIEBAN	1 445-						45.55		l .		1
	e Side Inward Only Channelized PBX Trunk Port without DID Vire Trunk Side Unbundled Channelized DID Trunk Port		ļ	UEPPX	UEP1X UEPDM	14 00 57 00	0.00	0 00	0 00	0 00		15 69		<u> </u>		+
	tivations - Unbundled Loop Concentration			UEPPX	UEPUM	57 00	0.00	0 00	0 00	0 00		15 69		-	-	+
	ature (Service) Activation for each Line Port Terminated in D4		<del>                                     </del>		+					-	<u> </u>			1		+
Bar				VEPPX	1PQWM	0 70	40 00	20 00	6 00	5.00		15.69		1		1
	ature (Service) Activation for each Trunk Port Terminated in		·		//	<del> </del>	70 00	20 00	0.00			10.05		<del>                                     </del>		+
	Bank		1	UEPPX	1PQWU	0 70	110 00	30 00	65 00	20 00		15 69		1	1	1

	LED NETWORK ELEMENTS - South Carolina													ment 2		oit. B
ATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Suhmitted		Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
		-	<b>↓</b>			<del></del>	Nonrec	umina	Nonrecurring	Disconnect			088	Rates (\$)		
		-				Rec	First	Add'l	First	Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tol	lephone Number/ Group Establishment Charges for DID Service	<del>  -</del>	+			<del></del>	11130		- 1130	Auu	COMILO	- C - MIPAN	COMPIL	001117411	OUNITAR	
	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0 00	0 00	0 00				15 69				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)	+	<del>                                     </del>	UEPPX	NDZ	0.00	0 00	0 00				15 69				
	DID Numbers - groups of 20 - Valid all States	<del> </del>	1	UEPPX	ND4	0.00	0 00	0.00				15 69				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0 00	0.00				15 69				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00				15 69				
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00				15 69				
Lo	cal Number Portability															
	Local Number Portability - 1 per port	<u> </u>		UEPPX	LNPCP	3 15	0.00	0 00						ļ		
	ATURES - Vertical and Optional		<u> </u>											<del></del>		
Lo-	cal Switching Features Offered with Line Side Ports Only		₩	UEPPX	UEPVF	3 04	0 00	0.00				15 69		<del></del>		<del> </del>
INDIAD	All Features Available ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	<u>_</u>	<del> </del>	UCPPA	UEPVF	3 04	0 00				ļ	10 09	<del></del>	+		-
	Cost Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to	n provide linhi	undled Local S	vitching or Su	itch Ports			<del></del>		<del></del>	<del> </del>		-
2 1	Features shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sa	me manner as	they are annue	d to the Stand	Alone Unhun	dled Port secti	on of this Rate	Exhibit.		_			_
3 1	End Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section	of this rate exh	ibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	The first and additional Port nonrecurring charges apply to Not C														Additional NR	Cs may
	ply also and are categorized accordingly.	uncina	Comb	illed Colliboa. 10	i Currently Go	momed combo	s, die nomed	ining charges	Silair DC (11036	identalied in t	ic itoliiccu	ining · Guii	ondy combin	ca sociionoi	Additional nat	
	Market Rates for Unbundled Centrex Port/Loop Combination will	he nea	otiated	on an Individual (	See Basis un	til further notice						1	Γ			
	IE-P CENTREX - 5ESS (Valid in All States)	T neg	I	On an marviduar c	Jase Dasis, un	The rest of the second							<del>                                     </del>	<del> </del>		
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<del> </del>	1		<del></del>	<del> </del>					<u> </u>		<del>                                     </del>	<del> </del>		-
	E Port/Loop Combination Rates (Non-Design)	+			<del> </del>	-						-				-
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		<del>                                     </del>			†					<u> </u>					
	Non-Design		1	UEP95		14 89						l		1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	_	1									[				
	Non-Design		2	UEP95		21 52						1	[			
	10 Mars VICI IO Mars VICI - Conda Bad VICE - A Conda															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										!					
	Non-Design		3_	UEP95		27 17										
UN	Non-Design IE Port/Loop Combination Rates (Design)		3_	UEP95		27 17										-
UN	Non-Design  IE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		-	_												
UN	Non-Design  IE PortLoop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voxce Grade Port (Centrex) Port Combo Design		3	UEP95 UEP95		27 17 17 81										
UN	Non-Design  IE Port/Loop Combination Rates (Design)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1	UEP95		17 81										
UN	Non-Design  IE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo  Design		-	_												
UN	Non-Design   IE PortLoop Combination Rates (Design)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1 2	UEP95 UEP95		17 81 24 26										
	Non-Design		1	UEP95		17 81										
	Non-Design    IE Port/Loop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     1E Loop Rate		1 2 3	UEP95 UEP95 UEP95	LIECSI	17 81 24 26 29 59										
	Non-Design    IE PortILoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    10		1 2 3	UEP95 UEP95 UEP95 UEP95	UECS1	17 81 24 26 29 59										
	Non-Design    IE PortLoop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     IE Loop Rate     2-Wire Voice Grade Loop (SL 1) - Zone 1     2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	17 81 24 26 29 59 13 76 20 38										
	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3		1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1	17 81 24 26 29 59 13 76 20 38 26 04										
	Non-Design    IE PortILoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    1E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	17 81 24 26 29 59 13 76 20 38 26 04 16 68										
	Non-Design    IE PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    IE Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 2    2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	17 81 24 26 29 59 13 76 20 38 26 04 16 68 23 13										
UN	Non-Design    IE PortILoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    1E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	17 81 24 26 29 59 13 76 20 38 26 04 16 68										
UN	Non-Design     E Port'Loop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     E Loop Rate     2-Wire Voice Grade Loop (SL 1) - Zone 1     2-Wire Voice Grade Loop (SL 1) - Zone 2     2-Wire Voice Grade Loop (SL 1) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 1     2-Wire Voice Grade Loop (SL 2) - Zone 2     2-Wire Voice Grade Loop (SL 2) - Zone 2     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     3-Wire Voice Grad		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	17 81 24 26 29 59 13 76 20 38 26 04 16 68 23 13										
UN	Non-Design     EPortLoop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     ELoop Rate     2-Wire Voice Grade Loop (SL 1) - Zone 1     2-Wire Voice Grade Loop (SL 1) - Zone 2     2-Wire Voice Grade Loop (SL 1) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 1     2-Wire Voice Grade Loop (SL 2) - Zone 2     2-Wire Voice Grade Loop (SL 2) - Zone 3     EPort Rate		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	17 81 24 26 29 59 13 76 20 38 26 04 16 68 23 13	40 30	19 90	24 98	6 65		15 69				
UN	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	17 81 24 26 29 59 13 76 20 38 26 04 16 68 23 13 28 46	40 30 40 30	19 90	24 98 24 98	6 65		15 69 15 69				
UN	Non-Design     EPortLoop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     15 Loop Rate     2-Wire Voice Grade Loop (SL 1) - Zone 1     2-Wire Voice Grade Loop (SL 1) - Zone 2     2-Wire Voice Grade Loop (SL 1) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 1     2-Wire Voice Grade Loop (SL 2) - Zone 3     15 Port Rate     15 Port Rate     15 Port Rate     15 Port Rate     15 Port Rate     16 Port Rate     17 Port Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13	40 30	19 90	24 98	6 65		15 69						
UN	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 2    2-Wire Voice Grade Loop (SL 2) - Zone 3    E Port Rate    E Port Rate    E Vire Voice Grade Port (Centrex ) Basic Local Area    2-Wire Voice Grade Port (Centrex 800 termination)    2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46												
UN	Non-Design		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13	40 30 40 30	19 90 19 90	24 98 24 98	6 65 6 65		15 69 15 69						
UN	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 3    E Port Rate    E Port Rate    E Port Rate    E Vire Voice Grade Port (Centrex ) Basic Local Area    2-Wire Voice Grade Port (Centrex 800 termination)    2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area    2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area    2-Wire Voice Grade Port (Centrex from diff Serving Wire Centre)2 Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13	40 30	19 90	24 98	6 65		15 69						
UN	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    E Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 3    E Port Rate    E Port Rate    E Vire Voice Grade Port (Centrex ) Basic Local Area    2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area    2-Wire Voice Grade Port (Centrex from dift Serving Wire Center)2 Basic Local Area    2-Wire Voice Grade Port (Centrex from dift Serving Wire Center)2 Basic Local Area    2-Wire Voice Grade Port (Centrex from dift Serving Wire Center)2 Basic Local Area    2-Wire Voice Grade Port (Centrex from dift Serving Wire Center)2 Basic Local Area    2-Wire Voice Grade Port (Dentrex from dift Serving Wire Center)2 Basic Local Area    2-Wire Voice Grade Port (Dentrex from dift Serving Wire Center)2 Basic Local Area    2-Wire Voice Grade Port (Dentrex from dift Serving Wire Center)2 Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13 1 13	40 30 40 30 108 36	19 90 19 90 70 71	24 98 24 98 54 47	6 65 6 65 11 94		15 69 15 69 15 69						
UN	Non-Design		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13	40 30 40 30	19 90 19 90	24 98 24 98	6 65 6 65		15 69 15 69						
UN	Non-Design		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13 1 13	40 30 40 30 108 36 108 36	19 90 19 90 70 71 70 71	24 98 24 98 54 47 54 47	6 65 6 65 11 94		15 69 15 69 15 69						
UN	IROn-Design     IE Port Loop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     1E Loop Rate     2-Wire Voice Grade Loop (SL 1) - Zone 1     2-Wire Voice Grade Loop (SL 1) - Zone 2     2-Wire Voice Grade Loop (SL 1) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 1     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Port (Centrex) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area     2-Wire Voice Grade Port, Diff Serving Wire Center - Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area     2-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in on Megalink or equivalent     3-Wire Voice Grade Port (Emminated in On Megalink or equivalent     3-Wire Voice Grade Port (Emminated in On Megalink or equivalent     3-Wire Voice Gra		1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UECY2 UECY2 UEPYA UEPYB UEPYH UEPYH	17 81 24 26 29 59 13 76 20 38 26 04 16 68 23 13 28 46 1 13 1 13 1 13	40 30 40 30 108 36	19 90 19 90 70 71	24 98 24 98 54 47	6 65 6 65 11 94		15 69 15 69 15 69				
UN	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 2    2-Wire Voice Grade Loop (SL 2) - Zone 3    E Port Rate    States    2-Wire Voice Grade Port (Centrex) Basic Local Area    2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area    2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area    2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area    2-Wire Voice Grade Port (Tentrex from Mire Center - 800 Service Term - Basic Local Area    2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13 1 13 1 13	40 30 40 30 108 36 108 36 40 30	19 90 19 90 70 71 70 71 19 90	24 98 24 98 54 47 54 47 24 98	6 65 6 65 11 94 11 94 6 65		15 69 15 69 15 69 15 69 15 69						
UN	Non-Design     PortLoop Combination Rates (Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design     2-Wire Voice Grade Loop (SL 1) - Zone 1     2-Wire Voice Grade Loop (SL 1) - Zone 2     2-Wire Voice Grade Loop (SL 1) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Loop (SL 2) - Zone 3     2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)     2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area     2-Wire Voice Grade Port Terminated in on Megalink or equivalent     Basic Local Area     2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area     2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area     2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area     2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area     2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area     2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13 1 13	40 30 40 30 108 36 108 36	19 90 19 90 70 71 70 71	24 98 24 98 54 47 54 47	6 65 6 65 11 94		15 69 15 69 15 69						
UN	Non-Design    E PortLoop Combination Rates (Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design    2-Wire Voice Grade Loop (SL 1) - Zone 1    2-Wire Voice Grade Loop (SL 1) - Zone 2    2-Wire Voice Grade Loop (SL 1) - Zone 3    2-Wire Voice Grade Loop (SL 2) - Zone 1    2-Wire Voice Grade Loop (SL 2) - Zone 2    2-Wire Voice Grade Loop (SL 2) - Zone 3    E Port Rate    States    2-Wire Voice Grade Port (Centrex) Basic Local Area    2-Wire Voice Grade Port (Centrex with Caller ID) 1Basic Local Area    2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area    2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area    2-Wire Voice Grade Port (Tentrex from Mire Center - 800 Service Term - Basic Local Area    2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area    2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		1 2 3 1 2 3 1 2 2	UEP95  20 38 26 04 16 68 23 13 28 46 1 13 1 13 1 13 1 13	40 30 40 30 108 36 108 36 40 30	19 90 19 90 70 71 70 71 19 90	24 98 24 98 54 47 54 47 24 98	6 65 6 65 11 94 11 94 6 65		15 69 15 69 15 69 15 69 15 69						

Version 4Q02 12/18/02 Page 354 of 416

JNBUNDŁ∣	ED NETWORK ELEMENTS - South Carolina											l	Attachi	nent: 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge
						Rec	Nonrec		Nonrecurring		001150	COMAN		Rates (\$)	DOMAN	0011411
	10 M N O 1 D 1 (0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			LIEBOE	UEPQH		First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del>                                     </del>		UEP95	DEPUH	1 13	40 30	19 90	24 98	6 65		15 69			1	<del></del>
ł	Center)2	1		UEP95	UEPQM	1 13	108 36	70 71	54 47	11 94		15 69			ĺ	1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 80	OCF QIVI	- 10	100 30	10 / 1	34 47	11 54		10 00				<b>—</b>
	Term	l		UEP95	UEPQZ	1 13	108 36	70 71	54 47	11 94		15 69				1
					1			_								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ŀ		UEP95	UEPQ9	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1 13	40 30	19 90	24 98	6 65		15 69				
Local	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 7996										
Local	Number Portability			HEDOL	LNDGG										ļ	1
	Local Number Portability (1 per port)			UEP95	LNPCC	0 35									ļ	<del></del>
Featu	All Standard Features Offered, per port	-	-	UEP95	UEPVF	3 04			-	-		15 69			-	<del></del>
	All Select Features Offered, per port	l	$\vdash$	UEP95	UEPVS	0 00	406 42				ļ	15 69			<del> </del>	<del></del>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3 04	400 42					15 69		-	<del>                                     </del>	
NARS					1							10 33				
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0 00	0 00				15 69		-		
	Unbundled Network Access Register - Indial	l		UEP95	UAR1X	0 00	0 00	0 00				15 69				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0.00			<b>1</b>	15 69	•			
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8 86	119 57	18 78	60 03	3 77		15 69				
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	73 62	202 47	95 90	72 75	2 47		15 69				
	DS0 Channels Activated, each			UEP95	M1HDQ	0 00	14 51					15 69				
Interd	office Channel Mileage - 2-Wire	L		UEP95	MIGBC	24 30										ļ
	Interoffice Channel Facilities Termination  Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	MIGBC	0 0167	40 63	27 47	16 77	6 91		15 69				<del></del>
Featu	ure Activations (DS9) Centrex Loops on Channelized DS1 Servic			OEF93	IVIIGEIVI	0.0167										
	hannel Bank Feature Activations	i i			+											-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 56						15 69				
	Today of the today			02.00	1, 2,10	- 555						10 00				
i	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 56	1					15 69				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop						.									
	Slot			UEP95	1PQW7	0 56						15 69				1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
	Different Wire Center			UEP95	1PQWP	0 56			1			15 69				
	Endough to the second						ļ		ļ							1
	Feature Activation on D-4 Channel Bank Private Line Loop Stot	<b></b>		UEP95	1PQWV	0 56				·	ļ	15 69				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0 56	ļ	l	1			45.00				1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del></del>	<b></b>	UEP95	1PQWQ 1PQWA	0 56						15 69 15 69				<del></del>
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	<del></del>	<del> </del>	OL: 90	III-QWA	0.36						15 69				<del> </del>
140111	NRC Conversion Currently Combined Switch-As-ls with allowed				<del>                                     </del>		+	-								
	changes, per port			UEP95	USAC2		37 93	16 72	l			15 69				1
	New Centrex Standard Common Block			UEP95	M1ACS	0 00	668 70	1072				15 69				
	New Centrex Customized Common Block			UEP95	M1ACC	0 00	668 70					15 69				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72 89	1			<u> </u>	15 69		· · · · · · · · · · · · · · · · · · ·		
	P CENTREX - DMS100 (Valid in All States)						1									
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D	1	14 89									ļ <u>.</u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l <u>.</u>	1	[	$\neg$					"				
	Non-Design		2	UEP9D	1	21 52					ļ				ļ	<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD	1											
1	Non-Design	1	3	UEP9D	1	27 17					1				1	1

MOUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment 2	Exhi	bit B
		I									Svc Order	Svr Order	Incremental	Incremental	Incremental	Incremen
			1		·							Submitted		Charge -	Charge -	Charge
			1								Elec	1				
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Manually	Manual Svc	1	1	1
AIEGURI	RATE ELEMENTS	m	Zone	BC3	0300			KAIES (3)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order vs
			1										Electronic-	Electronic-	Electronic-	Electronic
			1	1	-								1st	Add'I	Disc 1st	Disc Add'
			1		1 1								131	Add.	Disc ist	Disc Add
						_	Nonred	curring	Nonrecurring	Disconnect		•	OSS	Rates (\$)		-
	···		i		1	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		i	<del> </del>	<del></del>						-			00	00	1 00
	Design		1	UEP9D	-   - !	17 81										1
·	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+ '-	OCT 3D		17 01					-			ļ		<b>↓</b>
					1 1											1
	Design		2	UEP9D		24 26										1
}	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		ĺ		ì										j	
	Design		3	UEP9D		29 59							ļ		į.	
UNE	Loop Rate														· · · · · · · · · · · · · · · · · · ·	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13 76					<del> </del>	-	<del> </del>			+
	2-Wire Voice Grade Lcop (SL 1) - Zone 2		2	UEP9D	UECS1	20 38					<del>                                     </del>	<del>                                     </del>		<b></b>		
_	2 Miles Voice Grade Leep (GL 1) - Zone 2	-												<del> </del>		4
	2-Wire Voice Grade Loop (SL. 1) - Zone 3	-	3	UEP9D	UECS1	26 04					<b></b>	ļ	L	<u> </u>		
_	2-Wire Voice Grade Lcop (SL 2) - Zone 1	<u> </u>	1	UEP9D	UECS2	16 68					1	1		L	L	
	2-Wire Voice Grade Lcop (SL 2) - Zone 2		2	UEP9D	UECS2	23 13			1		l	L				
	2-Wire Voice Grade Loop (SL 2) - Zone 3	L	3	UEP9D	UECS2	28 46										
UNE	Port Rate															1
ALL:	STATES			1												<del> </del>
	2-Wire Voice Grade Port (Centrex.) Basic Local Area			UÉP9D	UEPYA	1 13	40 30	19 90	24 98	6 65	<u> </u>	15 69		<u> </u>		<del></del>
<del></del>	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		+	021 30	1021 (A	1 13	40 30	19 90	24 90	0 03	-	13 09		-		ļ
				LIEBOD	UEDVO		40.00									1
	Area			UEP9D	UEPYB	1 13	40 30	19 90	24 98	6 65	L.	15 69		<b>.</b>		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local				1 1								1		1	
	Area			UEP9D	UEPYC	1 13	40 30	19 90	24 98	6 65		15 69			i	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local										T					
	Area			UEP9D	UEPYD	1 13	40 30	19 90	24 98	6 65	1	15 69	l		Ì	
i	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			· · · · · · · · · · · · · · · · · · ·								- 10 00			<del> </del>	
	Area			UEP9D	UEPYE	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1	02.00	102.72		40 00	10 00	24 30	0 00		10 00				
	Area		1	LICOOD	luenve [	4.40	40.00				1		l			
				UEP9D	UEPYF	1 13	40 30	19 90	24 98	6 65	1	15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		ĺ	į							1					
	Area			UEP9D	UEPYG	1 13	40 30	19 90	24 98	6 65		15 69	[			
- 1	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local														1	
i	Area			UEP9D	UEPYT	1 13	40 30	19 90	24 98	6 65	İ	15 69		1		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local													<del> </del>		<del>                                     </del>
ŀ	Area	ļ		UEP9D	UEPYU	1 13	40 30	19 90	24 98	6 65		15 69		1		
-	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	<del>                                     </del>		02.05	102, 10		40.00	10 00	24 80	0 00		13 03				
	Area			LIEDOD	UEPYV	4.40	40.00	40.00	04.00							ł
			<u> </u>	UEP9D	DEPYV	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				- 1								1			
	Area			UEP9D	UEPY3	1 13	40 30	19 90	24 98	6 65		15 69	ļ		1	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															1
	Area			UEP9D	UEPYH	1 13	40 30	19 90	24 98	6 65	1	15 69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1					.000				15 05				├──
i	Indication))3 Basic Local Area		ì	UEP9D	UEPYW	1 13	40 30	19 90	24 98	0.05		45.00				
	2-Wire Voice Grade Port (Centrex/Msq Wtg Lamp Indication))3		<del>                                     </del>	OLF 3D	· OLFIW	1 13	40.30	19 90	24 90	6 65	<del> </del>	15 69		ļ		
l	Basic Local Area		1	LIEBOD.									<u> </u>		ļ	
			<u> </u>	UEP9D	UEPYJ	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		ļ.		1 1	•					İ	ł				
	2 Basic Local Area		ł	UEP9D	UEPYM	1 13	108 36	70 71	54 47	11 94		15 69		]		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3									•		T				
	Basic Local Area	ŀ	1	UEP9D	UEPYO	1 13 [	108 36	70 71	54 47	11 94		15 69			l	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3								****			10 00				
	Basic Local Area			UEP9D	UEPYP	1 13	108 36	70 71	54 47	11 94	1	15.00		1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	<del>                                     </del>	$\vdash$		JOE: IF	1 13	100 30	(0 (1	54 47	1194		15 69		-	ļ	<del></del>
1	Basic Local Area	1	1	UEP9D	UEPYQ	4.45	100.00		-41			45.5-		1	l	1
<del></del>		<u> </u>	<del>                                     </del>	OCLAD	UEPTU	1 13	108 36	70 71	54 47	11 94		15 69				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		1		1	I			I							
	Basic Local Area	ļ	ļ	UEP9D	UEPYR	1 13	108 36	70 71	54 47	11 94		15 69				1
-	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5312)2, 3		1							-				1		
	Basic Local Area			UEP9D	UEPYS	1 13	108 36	70 71	54 47	11 94		15 69		ł		
ı	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5008)2, 3										1					<del> </del>
	Basic Local Area		!	UEP9D	UEPY4	1 13	108 36	70 71	54 47	11 94		15 69		!		
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5208)2, 3			<del> </del>		1 73	100 00	1071	. 34 47	11 34	1	13 09		<del> </del>		<del></del>
1	Basic Local Area	l		UEP9D	UEPY5	1 13	108 36	70 71	54 47	11 94	1	15 69	1	!	Ì	1

PONDL	ED NETWORK ELEMENTS - South Carolina										D C	C		nent 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First		COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
_	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5216)2, 3						FIFST	Addi	FIFSt	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	Basic Local Area	1		UEP9D	UEPY6	1 13	108 36	70 71	54 47	11 94	1	15 69				
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5316)2, 3			02.00	0.2.10		100 00		0		-	10 00				
-	Basic Local Area	i		UEP9D	UEPY7	1 13	108 36	70 71	54 47	11 94		15 69	'			
	2-Wire Voice Grade Pcrt, Diff Serving Wire Center - 800 Service	-														
	Term			UEP9D	UEPYZ	1 13	108 36	70 71	54 47	11 94		15 69				
	2-Wire Voice Grade Pcrt terminated in on Megalink or equivalent			UEP9D	UEPY9	1 13	40 30	19 90	24 98	6 65		15 69				
-	Basic Local Area  2-Wire Voice Grade Pcrt Terminated on 800 Service Term Basic			UEP9D	UEP 19	1 13	40.30	19 90	24 90	0 00		15 69				<del> </del>
	Local Area			UEP9D	UEPY2	1 13	40 30	19 90	24 98	6 65		15 69				
AL, I	(Y, LA, MS, SC, & TN Only				1											
	2-Wire Voice Grade Pcrt (Centrex)			UEP9D	UEPQA "	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Pcrt (Centrex 800 termination)			UEP9D	UEPQB	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Pcrt (Centrex / EBS-PSET)3		1	UEP9D	UEPQC	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Pcrt (Centrex / EBS-M5009)3			UEP9D	UEPQD	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Pcrt (Centrex / EBS-M5209)3			UEP9D	UEPOE	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Pcrt (Centrex / EBS-M5112)3			UEP9D	UEPQF	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D UEP9D	UEPQT	1 13 1 13	40 30	19 90	24 98	6 65		15 69 15 69			ļ	
	2-Wire Voice Grade Pcrt (Centrex / EBS-M5208)3 2-Wire Voice Grade Pcrt (Centrex / EBS-M5216)3		ļ	UEP9D	UEPQV	1 13	40 30 40 30	19 90 19 90	24 98 24 98	6 65 6 65		15 69				
	2-Wire Voice Grade Pcft (Centrex / EBS-M5216)3	_		UÉP9D	UEPQ3	1 13	40 30	19 90	24 98	6 65		15 69			ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)		-	UEP9D	UEPQH	1 13	40 30	19 90	24 98	6 65		15 69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		<del> </del> -	OL-3D	OLF GIT		40 30	13 30	24 90	0.03		13 09	***************************************			
	Indication)3	l		UEP9D	UEPOW	1 13	40 30	19 90	24 98	6 65		15 69			l	
_	2-Wire Voice Grade Pcrt (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1 13	40 30	19 90	24 98	6 65	<u> </u>	15 69				
	2-Wire Voice Grade Pcrt (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPOM	1 13	108 36	70 71	54 47	11 94		15 69				
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1 13	108 36	70 71	54 47	11 94		15 69				
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1 13	108 36	70 71	54 47	11 94		15 69				
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1 13	108 36	70 71	54 47	11 94		15 69				
	2 W V O B /O   14f CMC /FBO M544030 2		1	LIEBOB	lusson	4.40	400.00	70.74				45.00				
-	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5112)2, 3		<del>                                     </del>	UEP9D	UEPQR	1 13	108 36	70 71	54 47	11 94	ļ	15 69				
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1 13	108 36	70 71	54 47	11 94		15 69				
+	2 Tolog Grade / Gr (Germendine) 3440 /CD3-400312)2, 3		<b>†</b>	021 00	OL: 40	1 13	100 30	10 11	3447	11 94		1009			<del> </del> -	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		ŀ	UEP9D	UEPQ4	1 13	108 36	70 71	54 47	11 94		15 69				
1	, , , , , , , , , , , , , , , , , , , ,			<del></del>	1				1 1			,,,,,,				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		L_	UEP9D	UEPQ5	1 13	108 36	70 71	54 47	11 94		15 69	i			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		ļ	UEP9D	UEPQ6	1 13	108 36	70 71	54 47	11 94		15 69				
	234 1/ 0 1 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2				1 1				1							
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	ļ		UEP9D	UEPQ7	1 13	108 36	70 71	54 47	11 94		15 69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1 13	400.00	70.74	64.47	44.04		45.00				
+	Term		-	DEP9D	. DEPUZ	1 13	108 36	70 71	54 47	<b>1</b> 1 94		15 69				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 13	40 30	19 90	24 98	6 65	ŀ	15 69				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1 13	40 30	19 90	24 98	6 65		15 69			<del> </del>	<del> </del>
Loca	l Switching						10 00	10 00	27.50	0.00		10 00	· · · · ·		-	
	Centrex Intercom Funtonality, per port			UEP9D	URECS	0 7996				-		15 69				
Loca	l Number Portability									-						
	Local Number Portability (1 per port)			UEP9D	LNPCC	0 35										l
Feat																
	All Standard Features Offered, per port			UEP9D	UEPVF	3 04						15 69				
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	406 42					15 69				
- INIA TO	All Centrex Control Features Offered, per port		<b>_</b>	UEP9D	UEPVC	3 04						15 69				
NAR		ļ	<b> </b>	L	1				<u> </u>							
ŧ	Unbundled Network Access Register - Combination	L .		UEP9D	UARCX	0 00	0 00	0 00				15 69				

Version 4Q02 12/18/02

BUNDLE	O NETWORK ELEMENTS - South Carolina												Attach	nent 2	Exhit	bit B
			ľ								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremer
											Submitted	Suhmitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR	Order vs.	Order vs	Order vs	Order vs
		m						• • •			per Lor	per Lon	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add
			-	ļ				•	N	D'		l			2.00 7.00	
i			<del> </del>	1		Rec	Nonrecu		Nonrecurring		201150	SOMAN		Rates (\$)	000000	
			<u> </u>				First	Add'l	First	Addʻl	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00		<u> </u>		15 69				
	Unbundfed Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0 00	0 00	0 00				15 69				
	aneous Terminations															ļ
	Trunk Side								i							
	Trunk Side Terminations, each			UEP9D	CEND6	8 86	119 57	18 78	60 03	3 77		15 69				
4-Wire	Digital (1.544 Megabits)	1					1		j							
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73 62	202 47	95 90	72 75	2 47		15 69				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	14 51					15 69				
Interof	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination		l -	UEP9D	MIGBC	24 30	40 63	27 47	16 77	6.91		15 69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0 0167						1				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1									1				
	nnel Bank Feature Activations			†							1					
	Feature Activation on C-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 56						15 69				
			1													
	Feature Activation on C-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0 56						15 69				
	Feature Activation on C-4 Channel Bank FX Trunk Side Loop			1	-											
	Slot			UEP9D	1PQW7	0 56						15 69				
	Feature Activation on C-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	<b>.</b>		UEP9D	1PQWP	0 56						15 69				<u> </u>
	Feature Activation on C-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 56						15 69				
	Feature Activation on C-4 Channel Bank Tile Line/Trunk Loop										† ·					
	Slot	Ì		UEP9D	1PQWQ	0 56						15 69				
	Feature Activation on C-4 Channel Bank WATS Loop Slot		+	UEP9D	1PQWA	0.56						15 69				
	ocurring Charges (NRC) Associated with UNE-P Centrex		+	021.00	111 021111	0.00						10.00				<del>                                     </del>
	NRC Conversion Currently Combined Switch-As-Is with allowed		+					-				<del> </del>			· ····-	†
	changes, per port	ĺ		UEP9D	USAC2		37 93	16 72				15 69				
-+	New Centrex Standard Common Block	<del> </del>	+	UEP9D	M1ACS	0 00	668 70	10 72			<del> </del>	15 69			<del>                                     </del>	<del></del>
-	New Centrex Standard Common Block	l	<del></del>	UEP9D	M1ACC	0 00	668 70				+	15 69				+
-		-	+	UEP9D	URECA	0 00	72 89				<del> </del>	15 69			<del> </del>	<del></del>
	NAR Establishment Charge, Per Occasion	-	+	OEP9D	UKECA	0 00	12 89					10.69				+
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	<b> </b>	-	ļ							ļ	ļ				
	- Requres Interoffice Channel Mileage		-	ļ								ļ		ļ		
INote 3	- Requires Specific Customer Premises Equipment	1	1	le-up as set forth						l	l		1			1

INBUNDLE	D NETWORK ELEMENTS - Tennessee				-								Attach	ment 2	Exhit	oit: B
JIIDOI IDEE				·	T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
				<b>,</b>								Submitted		Charge -	Charge -	Charge
		1									l	ı				_
	DATE EL EMENTO	Interi		BCS	USOC	ì		RATES (\$)			Elec	Manually			Manual Svc	Manual S
CATEGORY	RATE ELEMENTS	m	Zone	BUS	USUC			KATES (4)			per LSR	per LSR		Order vs.	Order vs	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
	i	İ									l		1st	Add'l	Disc 1st	Disc Add'l
												<u>l</u>	<u> </u>			
					ļ <del></del>	Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		L	Щ.		·		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	one" shown in the sections for stand-alone loops or loops as				eographicali	y Deaveraged U	NE Zones. 10	view Geograp	nically Deavers	igea UNE Zone	Designatio	ons by Cent	rai Office, rer	er to internet i	vebsite	
	www.interconnection.bellsouth.com/become_a_clec/html/inter L SUPPORT SYSTEMS	connec	tion nt	im	1											
INOTE	(1) Electronic Service Order CLEC should contact its contract	t pogot	trator if	it profess the state	enecific elec	tronic service c	rdering charge	e as ordered b	ov the State Co	mmissions T	ha electron	c service o	rdering charc	le currently co	ntained in the	e rato
	t is the BellSouth regional electronic service ordering charge.															3 rate
	(2) Any element that can be ordered electronically will be bill-															v For
	elements that cannot be ordered electronically at present per t															
	ng charge, SOMAN, will be applied to a CLECs bill when it sub				e in this cate	egory reflects th	e charge that v	rould be blilet	I to a GEEG OII	ce electronic c	racing cap	abiii iica co	inc on-ine ic	i triat crement	. Otherwise,	ine manual
Orderii	Electronic OSS Charge, per LSR, submitted via BST's OSS	inits at	LOK	O Delibouti	Т					Γ		Γ-	I			
	interactive interfaces (Regional)				SOMEC		3 50			ļ			l			
INE SERVICE	DATE ADVANCEMENT CHARGE		1		CONICO		5 50	-	<del> </del>				<del> </del>	<del> </del>		-
	The Expedite charge will be maintained commensurate with t	BellSon	th's FC	C No 1 Tariff Section	on 5 as anni	icable			<del> </del>							
INO IL	UNE Expedite Charge per Circuit or Line Assignable USOC, per	Jenson	10131	ALL UNE EXCEPT	Т	TCGDIC		-	<del> </del>				<del> </del>			
	Day	ŀ		UNE-P	SDASP		200 00						1			
INDIINDI ED	EXCHANGE ACCESS LOOP		<del>  -</del>	UNE-F	JODAGE	<del>                                     </del>	200 00						<del>                                      </del>	<del> </del> -		
	E ANALOG VOICE GRADE LOOP			_	<del> </del>	<del> </del>	_									
2-VVIRI			1	UEANL	UEAL2	13 19	31 99	20 02	10 65	141	<b></b>		20 35	10 54	13 32	13 3
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	17 23			10 65	141	<b>_</b>		20 35	10 54	13 32	13 3
$\longrightarrow$	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL			31 99 31 99	20 02		141				10 54	13 32	13 3
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22 53	31 99	20 02	10 65	141		<del></del>	20 35	10 54	13.32	13 3
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEANL		i	8 33	2.00				1	20 35	10 54	13 32	13 3
	Premise		<b>├</b>		URETL			0 83			<b>i</b> — —	<u> </u>	20 35	10 54	13 32	
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEANL	URET1	<u> </u>	78 92	78 92				<u> </u>		10 54		13 3
$\longrightarrow \longleftarrow$	Loop Testing - Basic Additional Half Hour			UEANL	URETA	<u> </u>	23 33	23 33			<u> </u>	ļ	20 35	10 54	13 32	13 3
ł	CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDELLO		45.00	0.05				İ		40.54	42.00	40.0
	(UVL-SL1)			UEANL	UREWO	<del> </del>	15 80	8 95			<u> </u>		20 35	10 54	13 32	13 3
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		ł		UT AND A	1	00.00	00.00	1			\ \	ì	1	1	
$\longrightarrow$	providing make-up (Ergineering Information - E I )		-	UEANL UEANL	UEANM UEAMC		28 80	28 80								
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		36 52	36 52	-						<u> </u>	
	Order Coordination for Specified Conversion Time for UVL-SL1	İ		175 458	00001		24.00	24.00								
2 14(17)	(per LSR)		<del></del>	UEANL	OCOSL.		34 29	34 29	ļ			<u> </u>			_	
Z-WIRI	E Unbundled COPPERLOOP	ļ .	1	UEO	UEQ2X	13 19	31 99	00.00	10 65	141			20 35	10 54	13 32	13.3
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ				20 02								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 3 13 3
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	22 53	31 99	20 02	10 65	1 41	ļ		20 35	10 54	13 32	13 3
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User					1					1		00.05	40.54	40.00	40.0
	Premise			UEQ	URETL	<b></b>	8 33	0 83				-	20 35	10 54	13 32	13 3
	Order Coordination 2 Wire Unbundled Copper Loop - Non-		l				00.50	00.50	}			i		i		
	Designed (per loop)		<u> </u>	UEQ	USBMC		36 52	36 52					ļ			
1	Unbundled Copper Loop, Non-Design Copper Loop, billing for			Luco					1	1					40.0-	
	BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		28 80	28 80					20 35	10 54	13 32	13 3
	Loop Testing - Basic 1st Half Hour		<b></b>	UEQ	URET:		78 92	78 92				ļ	20 35		13 32	13 (
	Loop Testing - Basic Additional Half Hour		L	UEQ	URETA		23 33	23 33					20 35	10 54	13 32	13 3
1	CLEC to CLEC Conversion Charge Without Outside Dispatch				1	1							1			
<u>-</u>	(UCL-ND)			UEQ	UREWO		14 29	7 44					20 35	10 54	13 32	13 3
	EXCHANGE ACCESS LOOP		<del>-</del>			<u> </u>										
2-WIRI	E ANALOG VOICE GRADE LOOP		<u> </u>													
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			1	l							1	1			
	Zone 1		1_1_	UEPSR UEPSB	UEALS	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 (
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1									1					
	Zone 1	<u> </u>	1_1_	UEPSR UEPSB	UEABS	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 (
1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	ì	_		l					l .			1	1		l .
	Zone 2	ļ	2	UEPSR UEPSB	UEALS	17 23	31 99	20 02	10 65	1 41	ļ	L	20 35	10 54	13 32	13
1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	1		1	1				l .			1	1	1	_
	Zone 2		2	UEPSR UEPSB	UEABS	17 23	31 99	20 02	10 65	1 41	1	1	20 35	10 54	13 32	13
f	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		I	1					İ	1					
	Zone 3		3	UEPSR UEPSB	UEALS	22 53	31 99	20 02	10 65	1 41	1	L	20 35	10 54	13 32	13 3
	2 Wire Analog Voice G-ade Loop-Service Level 1-Line Splitting-												1			
	Zone 3	L	3	UEPSR UEPSB	UEABS	22 53	31 99	20 02	10 65	1 41	l		20 35	10 54	13 32	13
JNBUNDLED	EXCHANGE ACCESS LOOP						L						L			

ADOMOLE	D NETWORK ELEMENTS - Tennessee										C O	0		ment 2		bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted Manually		Charge - Manual Svc Order vs Electronic- Add'!	Charge -	Charg
		_					Nonrecurring		Nonrecurring	Disconnect		L	OSS	Rates (\$)		!
			<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-WIRE	ANALOG VOICE GRADE LOOP															
T	2-Wire Analog Voice Glade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 56	75 06	48 20	28 70	17 64			20 35	10 54	13 32	1
	2-Wire Analog Voice Glade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	1
	2-Wire Analog Voice G ade Loop - Service Level 2 w/Loop or		١,	UEA	UÉAL2	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	1
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	ļ	3	UEA	OCOSL	20 20	34 29	46 20	20 /0	17 04	-		20 33	10 54	13 32	ļ!
	2-Wire Analog Voice G ade Loop - Service Level 2 w/Reverse		-	UEA	- OCOSL	-	34 29				<del> </del>		-		<del> </del>	
	Battery Signaling - Zore 1		1	UEA	UEAR2	16 56	75 06	48 20	28 70	17 64			20 35	10 54	13 32	1
	2-Wire Analog Voice G ade Loop - Service Level 2 w/Reverse		<u> </u>	1027	027.012		.000	10 20	20.0					1001	,,,,,	<u> </u>
	Battery Signaling - Zone 2		2	UEA	UEAR2	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	.
	2-Wire Analog Voice G ade Loop - Service Level 2 w/Reverse			1	<del></del>						<del> </del>		1	1		·
	Battery Signaling - Zone 3		3	UEA	UEAR2	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75 06	36 41					20 35	10 54	13 32	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		10 45	1 03			1		20 35	10 54	13 32	
4-WIRE	ANALOG VOICE GRADE LOOP		<u> </u>	ļ <u>.</u>												
	4-Wire Analog Voice G ade Loop - Zone 1			UEA	UEAL4	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	
	4-Wire Analog Voice G ade Loop - Zone 2			UEA	UEAL4 UEAL4	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	
	4-Wire Analog Voice G ade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		1 3	UEA	OCOSL.	42 17	122 76 34 29	85 57	76 35	39 16		-	20 35	10 54	13 32	ļ
-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75 06	36 41		<u> </u>			20 35	10 54	13 32	
2-WIRE	ISDN DIGITAL GRADE LOOP		<del>                                     </del>	ULA	UNEWO		75 00	30 41				-	20 33	10 34	13 32	
	2-Wire ISDN Digital Grade Loop - Zone 1	<del> </del>	1	UDN	U1L2X	22 22	142 76	88 88	76 35	39 16		<u> </u>	20 35	10 54	13 32	
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29 02	142 76	88 88	76 35	39 16	<del> </del>	<del> </del>	20 35	10 54	13 32	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37 95	142 76	88 88		39 16			20 35	10 54	13 32	
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34 29					i				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 77	44 22					20 35	10 54	13 32	
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															İ
	2-Wire Universal Digita Channel (UDC) Compatible Loop - Zone		1													
	11		1	NDC	UDC2X	22 22	142 76	88 88	76 35	39 16			20 35	10 54	13 32	
	2-Wire Universal Digita Channel (UDC) Compatible Loop - Zone											i				
4	2		2	UDC	UDC2X	29 02	142 76	88 88	76 35	39 16	L	l — ———	20 35	10 54	13 32	
	2-Wire Universal Digita Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	37 95	142 76	88 88	70.00	20.40		1	00.05		40.00	
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	37 95	91 77	44 22	76 35	39 16	1		20 35 20 35	10 54 10 54	13 32 13 32	-
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRLE	1 005		ONEVVO		9177	44 22			<del> </del>		20 35	10 54	13 32	
	2 Wire Unbundled ADSL Loop including manual service inquiry		I	T							-		<del> </del>			-
	& facility reservation - Zone 1		1 1	UAL	UAL2X	13 82	270 01	234 63	74 54	39 14	1	1	20 35	10 54	13 32	
	2 Wire Unbundled ADSL Loop including manual service inquiry				10.1.2.1						<del> </del>		- 2000	1001	10 02	
	& facility reservation - Zone 2		2	UAL	UAL2X	18 05	270 01	234 63	74 54	39 14	1		20 35	10 54	13 32	
	2 Wire Unbundled ADSL Loop including manual service inquiry												1			
	& facility reservation - Zone 3		3	UAL	UAL2X	23 60	270 01	234 63	74 54	39 14			20 35	10 54	13 32	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34 29				1					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	١.	١.													
	facility reservation - Zone 1		1	UAL	UAL2W	13 82	31 99	20 02	10 65	1 41			20 35	10 54	13 32	
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	١.	1			40.05	24.00	22.22	40.05		1					
+	2 Wire Unbundled ADSL Loop without manual service inquiry &	-	2	UAL	UAL2W	18 05	31 99	20 02	10 65	1 41	ļ <u>.</u>	<u> </u>	20 35	10 54	13 32	ļ
	facility reservation - Zone 3		3	UAL	UAL2W	23 60	31 99	20 02	10 65	1 41			20.05	40.54	43.00	İ
<del> </del>	Order Coordination for Specified Conversion Time (per LSR)	<del>- '</del>	,	UAL	OCOSL	23 00	34 29	20 02	10 65	141	-		20 35	10 54	13 32	
	CLEC to CLEC Conversion Charge without outside dispatch	<del></del>		UAL	UREWO		31 99	20 02	<del>                                     </del>			-	20 35	10 54	13 32	-
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP				3,33	20 02	1		<del>                                     </del>	<u> </u>	20.30	10 34	15 32	1
	2 Wire Unbundled HD\$L Loop including manual service inquiry	T			+						<del></del>	<del> </del>	† <del></del> -		<del> </del>	1
	& facility reservation - Zone 1		1	UHL	UHL2X	10 83	270 01	234 63	74 54	39 14			20 35	10 54	13 32	
	2 Wire Unbundled HDSL Loop including manual service inquiry	I —										T	1		1	T
1	& facility reservation - Zone 2	1	2	UHL	UHL2X	14 15	270 01	234 63	74 54	39 14		1	20 35	10 54	13 32	

INBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachi	ment. 2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring			Disconnect				Rates (\$)		J
						1100	First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry		_	<b>.</b>		40.50	070.04	004.00	7.64			1				
-+-	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2X OCOSL	18 50	270 01 34 29	234 63	74 54	39 14		l	20 35	10 54	13 32	13 3
	2 Wire Unbundled HD3L Loop without manual service inquiry			URL	OCOSE		34 29						<del></del>			
ļ	and facility reservation - Zone 1	1	1	UHL	UHL2W	10 83	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 3
	2 Wire Unbundled HD3L Loop without manual service inquiry	,	<u> </u>	O. IL	0,12,1,	10 30	0100	20 02	10 00	1 - 1			20 33	10 34	10.02	130
	and facility reservation - Zone 2	1	2	UHL	UHL2W	14 15	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13.3
	2 Wire Unbundled HD3L Loop without manual service inquiry				· · · · · · · · · · · · · · · · · · ·											1
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	18 50	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29			·						
	CLEC to CLEC Conversion Charge without outside dispatch	!		UHL	UREWO		31 99	20 02					20 35	10 54	13 32	13 (
4-W1H	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	LIBLE I	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	13 93	070.00	044.00								
	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry		- '	UNL	UNL4X	13 93	279 60	244 22	74 54	39 14			20 35	10 54	13 32	13 3
	and facility reservation - Zone 2		2	UHL	UHL4X	18 20	279 60	244 22	74 54	39 14			20 35	10 54	13 32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry			UTIL	OTIE4X	10 20	219 00	244 24	74 54	39 14			20 35	10 54	13 32	13 3
	and facility reservation - Zone 3		3	UHL	UHL4X	23 80	279 60	244 22	74 54	39 14			20 35	10 54	13 32	13 3
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCÓSL		34 29	222			-		20 00	1001	10 02	100
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL4W	13 93	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13
	4-Wire Unbundled HDSL Loop without manual service inquiry										· · · · · · · ·					
	and facility reservation - Zone 2	- 1	2	UHL	UHL4W	18 20	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 3
	4-Wire Unbundled HDSL Loop without manual service inquiry		ĺ													
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	23 80	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13:
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
4 1405	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		31 99	20 02					20 35	10 54	13 32	13
4-VVIH	4-Wire DS1 Digital Loop - Zone 1		1	LICI	USLXX	57 73	313 08	040.70	00.00	40.45			40.00		11.05	ļ <u>.</u>
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75 40	313 08	219 72 219 72	96 86 96 86	40 45 40 45			18 98 18 98	8 43 8 43	11 95 11 95	11
<del></del>	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	98 59	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11
<del></del>	Order Coordination for Specified Conversion Time (per LSR)		Ť	USL	OCOSL	30 38	34 59	21972	50 00	4045			10 90	043	1195	- ''
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130 47	40 11					20 35	10 54	13 32	13
4-WIF	RE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP												20.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1002	
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	31 10	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	4 Wire Unbundled Digtal 19 2 Kbps		2		UDL19	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	4 Wire Unbundled Digtal 19 2 Kbps			UDL	UDL19	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	4 Wire Unbundled Digtal Loop 56 Kbps - Zone 1		1		UDL56	31 10	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	4 Wire Unbundled Digtal Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)			UDL UDL	UDL56	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	4 Wire Unbundled Digtal Loop 64 Kbps - Zone 1		1		OCOSL UDL64	31 10	34 29 207 01	111 20	90 70	44 18			00.05	40.54	40.00	- 40
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	40 61	207 01	141 38 141 38	90 70	44 18			20 35 20 35	10 54 10 54	13 32 13 32	13
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	35 11	34 29	141 30	90 70	44 10			20 33	10 34	13 32	13.
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 28	49 82					20 35	10 54	13 32	13
2-WIR	E Unbundled COPPER LOOP												2000			
	2-Wire Unbundled Copper Loop/Short including manual service												-			
	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13
	2 Wire Unbundled Copper Loop/Short including manual service															<del></del>
	inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								ļ
	2-Wire Unbundled Copper Loop/Short without manual service		,		1101.514		2.00									
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service	1	1	UCL	UCLPW	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 3
1	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	17 23	31 99	20 02	10 65	1 41	l		20 35	10 54	13 32	13 3

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attach	ment, 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1	-			Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'l	201150	SOMAN	SOMAN	Rates (\$)		
	2-Wire Unbundled Copper Loop/Short without manual service	1			<del> </del>		FIISI	Addi	First	Addi	SOMEC	SUMMAN	SUMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCLPW	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination fo Unbundled Copper Loops (per loop)	ļ	_	UCL	UCLMC		36 52	36 52								
	2-Wire Unbundled Cooper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1	Ι.	1	UCL	UCL2L	13 19	31 99	20 02	10 65	1 41			80.05			
	2-Wire Unbundled Cooper Loop/Long - includes manual svc	<u> </u>	<del>  '</del> -	UCL	OCL2L	13 19	31 99	20 02	10 65	141			20 35	10 54	13 32	13 32
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Unbundled Cooper Loop/Long - includes manual svc		i .											-		
	inquiry and facility reservation - Zone 3 Order Coordination fo Unbundled Copper Loops (per loop)	1	3	UCL	UCL2L UCLMC	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Unbundled Cooper Loop/Long - without manual service	<del> </del>	-	UCL	UCLMC		36 52	36 52	<u> </u>				-			
	inquiry and facility reservation - Zone 1	1 1	1	UCL	UCL2W	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Unbundled Cooper Loop/Long - without manual service						, i						2000	10.04	10 32	15 52
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Unbundled Cooper Loop/Long - without manual service inquiry and facility reservation - Zone 3	١,	3	UCL	UCL2W	22 53	31 99	20 02	10 65	1 41			00.00	10.51	40.0-	
-	Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>	-	UCL	UCLMC	22 33	36 52	36 52	10 65	1 41	-		20 35	10 54	13 32	13 32
	CLEC to CLEC Conversion Charge without outside dispatch	1						0002			l					<del> </del>
	(UCL-Des)	ı		UCL	UREWO		31 99	20 02			Ĺ		20 35	10 54	13 32	13 32
	COPPER LOOP  4-Wire Copper Loop/Short - including manual service inquiry	-	ļ		-											
	and facility reservation - Zone 1		1	UCL	UCL4S	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop/Short - including manual service inquiry				100210	2410	122 70		70 33				20 35	10 54	13 32	13 32
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3	١.,	3	UCL		45.45									, i	
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL	UCL4S UCLMC	42 17	122 76 36 52	85 57 36 52	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop/Short - without manual service inquiry and		<b></b> -	302	OCLIVIC		30.32	36 32								<b> </b>
	facility reservation - Zcne 1	1	1	UCL	UCL4W	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Copper Loop/Short - without manual service inquiry and	١.														
	facility reservation - Zcne 2 4-Wire Copper Loop/Short - without manual service inquiry and		2	ncr_	UCL4W	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	facility reservation - Zcne 3	l ,	3	UCL	UCL4W	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	42.22
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52	7035					10 54	13 32	13 32
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc		1	UCL	UCL4L	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	inquiry and facility reservation - Zone 2	l ,	2	UCL	UCL4L	32 25	122 76	85 57	76 35	39 16			20 35	40.54		
	4-Wire Unbundled Copper Loop/Long - includes manual svc		-	GGE	OCE4E	32 23	122 70	63 37	/6 35	39 10			20 35	10 54	13 32	13 32
	inquiry and facility reservation - Zone 3	L	3	UCL	UCL4L	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svo			UCL	UCLMC		36 52	36 52								
	inquiry and facility reservation - Zone 1		1	UCL	UCL40	24 70	122 76	05.57	70.05	00.40						
	4-Wire Unbundled Copper Loop/Long - without manual svc	<u> </u>	<u> </u>	00L	OCL40	24 10	122 /6	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Unbundled Copper Loop/Long - without manual svc															
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL40 UCLMC	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	CLEC to CLEC Conversion Charge without outside dispatch	-	<b></b>	UCL	UCLMC		36 52	36 52								
	(UCL-Des)	ı	İ	UCL	UREWO		31 99	20 02	ł				20 35	10 54	13 32	13 32
OOP MODIFIC	ATION											•	20 30	10.54	13 32	13 32
1				UAL, UHL, UCL,												
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL, UEPSR,												, l
	pair less than or equal to 18k ft	1		UEPSB	ULM2L	1	65 40	65 40					20 35	10 54	13 32	13 32
	Unbundled Loop Modrication, Removal of Load Coils - 2 wire						90.0	00 40			-		20 33	10 54	13 32	13 32
	greater than 18k ft  Jinbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS, UEQ	ULM2G		710 71	23 77					20 35	10 54	13 32	13 32
	ess than or equal to 13K ft	,		UHL, UÇL	ULM4L		CF 40	05.5								
				OTAL, OUL	JULM4L		65 40	65 40					20 35	10 54	13 32	13 32

	D NETWORK ELEMENTS - Tennessee	7	_	1		_								nent 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Su! mitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'i	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charg
		ļ	ļ ī			Rec	Nonrecurring		Nonrecurring				oss	Rates (\$)	l	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		<del> </del>		<del></del>		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	pair greater than 18k ft	i i		UCL	ULM4G		710 71	23 77					20.25	10.51		
			1	UAL, UHL, UCL,				20 11					20 35	10 54	1 <u>3</u> 32	<del> </del>
		1		UEQ, ULS, UEA,			1		[ [							Ì
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR,			1		1 - 1							1
B-LOOPS	per unbunuleo toop	<del>- '-</del>	-	UEPSB	ULMBT		65 44	65 44					20 35	10 54	13 32	
	pop Distribution	_					ļ									
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	-	_		+		<del>-</del> -								<u> </u>	<b></b>
	Up	1		UEANL	USBSA		517 25	517 25				1	20 35	10 54	13 32	1
													20 33	10 54	13 32	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		ļ.,	UEANL	USBSB		42 68	42 68					20 35	10 54	13 32	1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	١.,	ŀ	UEANL												
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		├	UEANL	USBSC		313 01	313 01		. <u> </u>			20 35	10 54	13 32	
	Set-Up	,		UEANL	USBSD		108 06	108 06								ī
"	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	_		0.0.00	COBCO		100 00	100 00		_			20 35	10 54	13 32	
	Statewide		sw	UEANL	USBN2	10 02	148 84	112 34	73 14	36 65		Ï	20 35	10 54	13 32	1
	Order Consideration (collection to a Review	_	ļ										20 33	10 34	13 32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		34 29	34 29	i							1
	Zone 1		1	UEANL	USBN4	<b>-</b>										
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<del>-</del>	DEAINE	USBN4	7 30	147 93	75 11	99 96	16 98			20 35	10 54	13 32	
	Zone 2		2	UEANL	USBN4	9 54	147 93	75 11	99 96	16 98	i i					1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1000	0 0 -	147 33		99 96	10 98			20 35	10 54	13 32	
	Zone 3		3	UEANL	USBN4	12 47	147 93	75 11	99 96	16 98		İ	20 35	10 54	13 32	'n
	Order Construction for the state of the stat												20 00	10 34	13 32	
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC		34 29	34 29								
	odb-coop 2-Wile intrabuliding Network Cable (INC)			UEANL	USBR2	1 35	94 56	29 35					20 35	10 54	13 32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ī		UEANL	USBR4	2 26	116 14	34 29 37 10	-							
					1000		110 14	37 10					20 35	10 54	13 32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29						1		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	5 16	110 71	37 89	94 41	13 09			20 35	10 54	13 32	
<del></del>	2 Wire Copper Unburidled Sub-Loop Distribution - Zone 2			UEF	UCS2X	6 74	110 71	37 89	94 41	13 09			20 35	10 54	13 32	
	2 TATIS COPPER BIRDANIAN SUPPLEMENTAL SUPPLEMENTAL SUPPLEMENT SUPPLEMENTAL SUPPLEME		3	UEF	UCS2X	8 81	110 71	37 89	94 41	13 09			20 35	10 54	13 32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29			}					
	4 Wire Copper Unbuncled Sub-Loop Distribution - Zone 1	ī	1	UEF	UCS4X	6 52	117 12	44 30	99 96	16 98			20 35			
+	4 Wire Copper Unbuncled Sub-Loop Distribution - Zone 2		2		UCS4X	8 52	117 12	44 30	99 96	16 98	-	-	20 35	10 54 10 54	13 32 13 32	-
	4 Wire Copper Unbuncled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	11 14	117 12	44 30	99 96	16 98			20 35	10 54	13 32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF		ſ										
Unbund	lled Sub-Loop Modification			UEF	USBMC		34 29	34 29								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		-		<del> </del>											
	Coil/Equip Removal per 2-W PR			UEF	ULM2X	ŀ	335 36	7 82		İ	ŀ		20.01			
	Unbundled Sub-loop Modification - 4-W Copper Dist Load						000 00	102	-				20 34	10 54	13 32	
	Coll/Equip Removal pe 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		335 36	7 82				- 1	20 35	10 54	13 32	1
	Tap Removal, per PR unloaded				1				"		- 1	<del></del>			15.52	
Unbund	lled Network Terminating Wire (UNTW)			UEF	ULM4T		528 48	9 74					20 35	10 54	13 32	1
	Unbundled Network Terminating Wire (UNTW) per Pair	$\neg$	$\rightarrow$	UENTW	UENPP	0 4555	2 48									
Network	(Interface Device (NIC)		-		CLIVE	0 4000		2 48					20 35	10 54	13 32	
	Network Interface Device (NID) - 1-2 lines			JENTW	UND12		89 69	54 56	0 6391	0 6391			. 20.05			
!	Network Interface Device (NID) - 1-6 lines			JENTW	UND16		129 65	94 51	0 6522	0 6522			20 35 20 35	10 54 10 54	13 32	1
	Network Interface Device Cross Connect - 2 W			JENTW	UNDC2		11 11	11 11	0.0022	0 0022			20 35	10 54	13 32 13 32	
3-LOOPS	Network Interface Device Cross Connect - 4W			JENTW	UNDC4		11 11	11 11					20 35	10 54	13 32	1
														1007	10 02	

DINDONDEL	D NETWORK ELEMENTS - Tennessee												Attachr	nent 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge • Manual Svc Order vs Electronic- Disc 1st	Increment Charge
			-			Rec	Nonrecurring			Disconnect			oss	Rates (\$)	_	
Sub-La	pop Feeder		├				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	USL-Feeder, DS0 Sel-up per Cross Box location - CLEC		-	UEA.												
	Distribution Facility set-up		1	UDN,UCL,UDL,UDC	LICOTIA!											
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		-	UEA,	USBEN		517 25						20 35	10 54	13 32	13 3
	set-up			UDN,UCL,UDL,UDC	LIEBEN		40.00	40.00								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		$\vdash$	USL	USBFZ	_	42 68 531 04	42 68					20 35	10 54	13 32	13.3
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		_		OGDI Z		531.04	11 34					20 35	10 54	13 32	13 3
	Grade- Statewide		sw	l IUEA	USBFA	12 05	122 24	85 05	70.05	20.40		1		Í		
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	12 00	34 29	85 05	76 35	39 16			20 35	10 54	13 32	13 :
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice				00002		34 23									
	Grade - Statewide		sw	UEA	USBFB	12 05	122 24	85 05	76 35	39 16						
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL	1200	34 29	00 00	70 33	39 16			20 35	10 54	13 32	13 :
	Unbundled Sub-Loop Feeder Loop 2 Wire Reverse Battery,						0.120									
	Voice Grade Loop - Satewide		sw	UEA	USBFC	12 05	122 24	85 05	76 35	39 16			22.00			
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34 29	- 00 00	70 33	39 10			20 35	10 54	13 32	13 3
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21 52	137 31	61 93	118 04	30 13			20 35	40.54		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice							0.00	110 04				20 35	10 54	13 32	13.3
	Grade - Zone 2		2	UEA	USBFD	28 11	137 31	61 93	118 04	30 13			20.25	40.54		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice					-	101.01	0.00	110 04	30 13			20 35	10 54	13 32	13 3
	Grade - Zone 3		3	UEA	USBFD	36 76	137 31	61 93	118 04	30 13	1		20 35	10.51	40.00	
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29		11004	30 13			20 33	10 54	13 32	13 (
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice										-					
	Grade - Zone 1		1	UEA	USBFE	21 52	137 31	61 93	118 04	30 13		- f	20 35	10 54	40.00	40.6
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	- (	- 1										20 35	10 54	13 32	13 3
			2	UEA	USBFE	28 11	137 31	61 93	118 04	30 13			20 35	10 54	12.22	40.0
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3				"1								20 33	10 54	13 32	13 3
	Order Coordination Fcr Specified Conversion Time, Per LSR		3	UEA	USBFE	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 3
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1				OCOSL		34 29						20 33	10 54	13 32	13 3
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 1		1		USBFF	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 9
_	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 9
	Order Coordination Fcr Specified Conversion Time, Per LSR				USBFF	27 51	142 83	67 45	104 64	18 53	_		19 99	19 99	19 99	19 9
$\neg$	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)				OCOSL		34 29							- 10.00	10 00	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2		USBFS	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 9
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	-	3		USBFS	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 9
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1		USBFS USBFG	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 9
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	-	2			39 74	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 9
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	$\overline{}$			USBFG USBFG	51 90	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19.9
	Order Coordination Fcr Specified Conversion Time, Per LSR	-+			OCOSL	67 86	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19.9
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1		USBFH	0.50	34 59									
7	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	-		JOL	USBEH	9 52	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 9
	2		2	JCL	USBFH	12 43	444.07									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	$\overline{}$	- +	JOL	USBER	12 43	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 9
_ [	3	i	3	JCL	USBFH	46.00	444.0=						-			
	Order Coordination For Specified Conversion Time, per LSR				OCOSL	16 26	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 9
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1 (		JSBFJ	14 37	34 29								-	
!	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2 1		JSBFJ	18 76	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 9
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3 1		JSBFJ JSBFJ	24 53	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 9
	Order Coordination For Specified Conversion Time, per LSR				OCOSL	24 33	123 41 34 29	48 03	110 44	22 53			19 99	19 99	19 99	19 9
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop				JSBFN	26 06	116 00	40 62	100.00							
	Sub-Loop Feeder - Pe 4-Wire 19 2 Kbps Digital Grade Loop		2 (		JSBFN	34 03	116 00	40 62	106 82	18 91		$\longrightarrow$	19 99	19 99	19 99	19 9
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	-+			JSBFN	44 50	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 9
	Sub-Loop Feeder - Pe 4-Wire 56 Kbps Digital Grade Loop -	-	- 1			-1-1 00	11000	40.62	106 82	18 91			19 99	19 99	19 99	19 9
. 1  2	Zone 1	- 1	1 1	JDL (	JSBFO	26 06	116 00	40 62	106 82	40.04	1			. Г		
	Sub-Loop Feeder - Pe 4-Wire 56 Kbps Digital Grade Loop -		1	`		20 00	. 10 00	40.02	100 82	18 91			19 99	19 99	19 99	19 9
											- 1					
	one 2		2	JDL t	JSBFO	34 03	116.00	40.62	106.00	40.04	- 1					
-	Cone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Cone 3		2 L		JSBFO	34 03	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99

Version 4Q02 12/18/02

	D NETWORK ELEMENTS - Tennessee		,	,	-,								Attachi	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increme
						Rec	Nonrecurring		Nonrecurring	Disconnect	t	_	OSS	Rates (\$)	l	
	Order Constitution From Control III	<del>  _</del>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 29						-			1 1 1 1 1 1
ı	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1								-		Ī		_			
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	26 06	116 00	40 62	106 82	18 91			19 99	19 99	19 99	1
	Zone 2	i					i									<del>-</del>
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-	UDL	USBFP	34 03	116 00	40 62	106 82	18 91			19 99	19 99	19 99	1
- 1	Zone 3		3	UDL	USBFP	4										i
	Order Coordination For Specified Conversion Time, per LSR	<del></del>	-	UDL	OCOSL	44 50	116 00	40 62	106 82	18 91			19 99	19 99	19 99	1
B-LOOPS	See See See See See See See See See See	<del> </del>		UDL	JUCUSL		34 29									
Sub-L	pop Feeder	<b>-</b>			+											
	Sub Loop Feeder - DS3 - Per Mile Per Month	<del> </del>		UE3	1L5SL	14 11										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	<del></del>		UE3	USBF1	333 26	3,406 61	407 68	405.47							
	Sub Loop Feeder - STS-1 - Per Mile Per Month	<del>                                     </del>		UDLSX	1L5SL	14 11	3,400 01	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	T-i		UDLSX	USBF7	359 02	3,406 61	407 68	165 17	F04 21						
	Sub Loop Feeder - OC-3 - Per Mile Per Month	ti	<b>—</b>	UDLÖ3	1L5SL	10 71	3,400 01	407 68	100 1/	501 31			20 35	10 54	13 32	ļ
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per		<u> </u>		1	10 /1		***								L
	Month	1	1	UDLO3	USBF5	56 64							į			
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	546 31	3,406 61	407 68	165 17	501 31			20.05			
	Sub Loop Feeder - OC-12 - Per Mile Per Month	ı		UDL12	1L5SL	13 18	3,400 01	407 00	103 17	30131			20 35	10 54	13 32	ļ
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per				1											
	Month	1	l	UDL12	USBF6	639 98					ļ	ŀ				
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	T	_	UDL12	USBF3	1,697 00	3,406 61	407 68	165 17	501 31			20 35			
	Sub Loop Feeder - OC-48 - Per Mile Per Month	1		UDL48	1L5SL	43 22	0,400 01	407 00	103 17	30131			20 35	10 54	13 32	
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	1			1.2.3.5						_					
	Month	1		UDL48	USBF9	320 36								Į		İ
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	1		UDL48	USBF4	1,457 00	3,592 61	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder - OC-12 Interface On OC-48	1		UDL48	USBF8	361 44	806 02	407 68	165 17	501 31			20 35	10 54	13 32	
UNDLED	OOP CONCENTRATION												20 33	10 34	13.32	
	Unbundled Loop Concentration - System A (TR008)	<u> </u>		ULC	UCT8A	500 18	613 60	613 60		-			20 35	10 54	13 32	
-	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	54 82	255 67	255 67					20 35	10 54	13 32	
	Unbundled Loop Concentration - System A (TR303)			ÜLC	UCT3A	539 00	613 60	613 60	"				20 35	10 54	13 32	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92 37	255 67	255 67					20 35	10 54	13 32	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6 23	74 39	53 07	30 23	8 46		-	20 35	10 54	13 32	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite												20 00	10 54	13 32	
	Card)			UDN	ULCC1	8 46	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
	Unbundled Loop Concentration - UDC Loop Interface (Brite												- 2000	70 04	10 02	
	Card)			UDC	ULCCU	8 46	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
	Unbundled Loop Concentration2 Wire Voice-Loop Start or												20 00	10.54	13 02	
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 32	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1											10 34	10 02	
	Loop Interface (SPOTS Card)			UEA	ULCCR	12 45	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)													1004	10.02	
				UEA	ULCC4	7 53	8 69	8 65	9 71	9 65		į.	20 35	10 54	13 32	1
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35 77	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface													- 10.01		
<del></del>				UDL	ULCC7	11 03	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		ľ		1 1										0 02	•
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	11 03	8 69	8 65	9 71	9 65	i		20 35	10 54	13 32	
	Interface Coop Concentration - Digital 64 Kbps Data Loop	]						_								
+	monace			UDL	ULCC6	11 03	8 69	8 65	9 71	9 65			20 35	10 54	13 32	
THER P	ROVISIONING ONLY - NO RATE								9 71						52	
ZIILK, P	NID - Dispatch and Sevice Order for NID installation													<del></del>		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UNDBX	0 00	0 00									
	Street in Establishment, Provisioning Unity - No Rate			UENTW	UENCE	0 00	0 00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U			-						_			
OTHER P	ROVISIONING ONLY - NO RATE			ENTW	UNECN	0 00	0 00			1		]			1	
	TO NATE				ı I	T										_

ONBONDLE	D NETWORK ELEMENTS - Tennessee													ment 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1					i	i										1
				UAL,UCL,UDC,UDL,												1
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1	UDN,UEA,UHL,ULC	UNECN	0 00	0.00		_							1
ŀ	rate		1	UEA,UDN,UCL,UDC	LICATO	0 00	0 00									i
-	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		-	DEA,ODIN,OCE,ODC	USBFQ	0.00	0 00				-	-				<del></del>
	rate		1	UEA USL.UCL.UDL	USBFR	0 00	0 00									l .
	Unbundled DS1 Loop Superframe Format Option - no rate			USL	CCOSF	0 00	0 00	·			-					
~	Unbundled DS1 Loop Expanded Superframe Format option -		<u> </u>				3 00									
	no rate		ŀ	USL	CCOEF	0 00	0 00									i .
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP										1	_				
	minimum billing period of three months for DS3 and above L	ocal Lo	op													i
	High Capacity Unbundled Local Loop - DS3 - Per Mile per									-						1
	month		<u> </u>	ŲE3	1L5ND	9 19			<u>                                     </u>				[			1
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	374 24	595 37	304 50	234 83	170 16			36 84	36 84	19 01	19 0
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	9 19										
	High Capacity Unbundled Local Loop - STS-1 - Facility	ľ			l											
N-4- 74	Termination per month		ــــــــــــــــــــــــــــــــــــــ	JUDLSX	UDLS1	389 35	595 37	304 50	215 82	151 15	L		36 84	36 84	19 01	19 0
LOOP MAKE-U	Rates provided in TN for both electronic and manual Loop	Makeu	p are ir	iterim and subject to	retro-active	true-up adjust	ments pending	a permanent	rate ruling on t	hese rate eler	nents from t	ne Tenness	ee Regulator	Authority		<u> </u>
LOOF WAKE-C	Loop Makeup - Preordering Without Reservation, per working or		-													
1	spare facility queried (Manual)	R		UMK	UMKLW	1	0 76	0 76								l .
<del>- i -</del>	Loop Makeup - Preordering With Reservation, per spare facility	_ K	<del> </del> -	UIVIN	OWKLW		0.76	0 76								
ì	guened (Manual)	R	ļ	UMK	UMKLP		0.76	0 76								í
	Loop MakeupWith or Without Reservation, per working or		<del> </del>	Olvik	GWINE		0,0	070								<del> </del>
	spare facility queried (Mechanized)	R		UMK	PSUMK		0.76	0 76								1
HIGH FREQUE	NCY SPECTRUM		1	O.V.I.C	1 001111	·	- 0,0	0,0			<del> </del>					
LINE S	HARING		<del>                                     </del>			-			-							
SPLITT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100 00	150 00	0 00	0.00	0.00			20 35	10 54	13 32	13 3
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25 00	150 00	0 00	0 00	0 00			20 35	10 54	13 32	13 3
	Line Sharing-DEEC Owned Splitter in CO-CFA activation-															l .
	deactivation (per LSOE)			ULS	ULSDG		163 06	0 00	92 71	0.00			20 35	10 54	13 32	13 3
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	/ SPEC	TRUM	AKA LINE SHARING							1			-		l .
	Line Sharing - per Line Activation (BST owned Splitter)		L	ULS	ULSDC	0 61	40 00	21 39	0 00	0.00			20 35	10 54	13 32	13 3
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		30 00	15 00					20 35	10 54	13 32	13 3
1	Line Sharing - per Subsequent Activity per Line			l		1										i
	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)	,		ULS	ULSCS	200	30 00	15 00					20 35	10 54	13 32	13 3
LINE	PLITTING PER LINE Activation (DLEC owned Splitter)	-		ULS	ULSCC	0 61	47 44	19 31	0 00	0 00			20 35	10 54	13 32	13 3
	SER ORDERING-CENTRAL OFFICE BASED		<del> </del>								<b> </b>					
LIND U.	Line Splitting - per line activation DLEC owned splitter		<del> </del>	UEPSR UEPSB	UREOS	0.61										-
	Line Splitting - per line activation BST owned - physical	<del>                                     </del>	-	UEPSR UEPSB	UREBP	0.61	48 96	21 39	35 06	10 79			20 35	10 54	10.00	
	Line Splitting - per line activation BST owned - virtual	l-i-	1	UEPSR UEPSB	UREBV	0.61	48 96	21 39	35 06	10 79	<del> </del>				13 32	13 3
REMO	TE SITE HIGH FREQUENCY SPECTRUM	<del></del> -	1	SEI ON SEP SE	CITEDA	- 001	40 90	21 39	35 06	10 79	l		20 35	10 54	13 32	13 3
	FERS-REMOTE SITE		<del> </del>													
_ 1	Remote Site Line Share Bell South Owned Splitter, 24 Port	1	<del> </del>	ULS	ULSRB	38 83	115 00	0.00	85 63	0 00	+		20 35	10 54	13 32	13 3
	Remote Site Line Share Cable Pair Activation CLEC Owned at		†					2 00	50 00	0.00			20 33	10 04	15 32	133
1_	RS and Deactivation			ULS	ULSTG		95 80	0.00	68 73	0 00			20 35	10 54	13 32	13 3
END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	AKAI	REMOT	E SITE LINE SHARI	lG					2 00			20 00	10.04	10 02	
	Remote Site Line Share Line Activation for End User Served at										<del></del>	_				i
	RS, BST Splitter	L	<u></u>	ULS	ULSRC	0.61	40 00	31 39	35 06	10 79			20 35	10 54	13 32	13.3
	RS Line Share Line Adiivation for End User served at RS, CLEC														02	
	Splitter	1	<u></u>	ULS	ULSTC	0 61	40 00	31 39	35 06	10 79			20 35	10 54	13 32	133
	Remote Site Line Share Subsequent Activity-RS BST Owned			· ·							1					
1	Splitter			ULS	ULSRS		49 23	17 86			1		20 35	10 54	13 32	133

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment <sup>.</sup> 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
	- · · · · · · · · · · · · · · ·		<del> </del>			Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site Line Share Subsequent Activity-RS CLEC Owned														40.00	40.0
	Splitter	1		ULS	ULSTS		49 23	17 86					20 35	10 54	13 32	13 3
NBUNDLED	DEDICATED TRANSPORT			d below December		Dezefour mo	ntho		-		-					
NOTE	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu OFFICE CHANNEL - DEDICATED TRANSPORT	m billin	g peno	a - Delow D33=One	month, abov	9 D33=1007 1110	ritiis									
INIER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			***	+			-			-					
H	Per Mile per month		1	U1TVX	1L5XX	0 0054								l		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -								-							
	Facility Termination		l	U1TVX	U1TV2	18 58	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10.5
	Interoffice Channel - Dedicated Transpor I- 2-Wire Voice Grade															
	Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	18 58	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10 5
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	OTTRZ	10 30	33 35	17 37	27 90	331	-		20 33	2100		10 (
	Per Mile per month			U1TVX	1L5XX	0 0054					l i					
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				120101											·
	- Facility Termination			U1TVX	U1TV4	24 09	37 87	26 02	30 78	13 07			15 08	15 08	8 66	8 6
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile					-										
	per month			U1TDX	1L5XX	0 0174										
1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	17 98	55 39	17 37	27 96	3 51	ļ		20 35	21 09	9 80	10 5
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	1L5XX	0 0174						İ				
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	ILSAA .	00174			-							
	Termination			U1TDX	U1TD6	17 98	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10.5
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTTEX	01150	17 33	05 05	11 07	27 30				20 00	2.00	- 5 50	
	month			U1TD1	1L5XX	0 3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	77 86	112 40	76 27	19 55	14 99			20 35	21 09	9 80	10 5
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					[	1		1				1			
	month			U1TD3	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848 99	395 29	176 56	109 04	105 91			36 84	36 84	19 01	19 (
	Interoffice Channel - Ledicated Transport - STS-1 - Per Mile per			01103	UTIFS	040 99	393 29	170 30	109 04	105 91			30 64	30 04	19 01	190
	month			U1TS1	1L5XX	2 34										
	Interoffice Channel - Eedicated Transport - STS-1 - Facility						-									
	Termination			U1TS1	U1TFS	849 30	395 29	176 56	109 04	105 91			36 84	36 84	19 01	19 (
	CHANNEL - DEDICATED TRANSPORT															
NOIE.	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio					100.00									
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX	ULDV2	17 18	199 33	24 16	54 81	4 80						
<del>-  </del>	Local Channet - Dedicated - 2-Wire Voice Grade - Zone 2  Local Channet - Dedicated - 2-Wire Voice Grade - Zone 3			UNDVX	ULDV2 ULDV2	22 44 29 34	199 33	24 16	54 81	4 80						
	Local Channel - Dedicated - 2-Wire Voice Grade - 2016 3			JIIDVA	OLDVZ	29 34	199 33	24 16	54 81	4 80						
	Zone 1		1	ULDVX	ULDR2	17 18	199 33	24 16	54 81	4 80					j	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -		-			17 13		24,10	3701							
	Zone 2		2	ULDVX	ULDR2	22 44	199 33	24 16	54 81	4 80						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -					İ										
	Zone 3			ULDVX	ULDR2	29 34	199 33	24 16	54 81	4 80						
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX	ULDV4	18 18	201 53	24 83	55 52	5 51						
-	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2  Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			JLDVX	ULDV4	23 74	201 53	24 83	55 52	5 51						
	Local Channel - Dedicated - 4-wire voice Grade - Zone 3 Local Channel - Dedicated - DS1 - Zone 1			ULDVX ULDD1	ULDV4 ULDF1	31 05 36 24	201 53	24 83	55 52	5 51						
	Local Channel - Dedicated - DS1 - Zone 2			JLDD1	ULDF1	47 33	277 35 277 35	233 26 233 26	33 18 33 18	22 30 22 30						
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1	ULDF1	61 89	277 35	233 26	33 18	22 30						
	Local Channel - Dedicated - DS3 - Per Mile per month			JLDD3	1L5NC	7 15	230		00 10							
	Local Channel - Dedicated - DS3 - Facility Termination			JLDD3	ULDF3	611 30	595 37	304 50	215 82	151 15			36 84	36 84	19 01	19 (
	Local Channel - Dedicated - STS-1- Per Mile per month			JLDS1	1L5NC	7 15										
DI/ E1555	Local Channel - Dedicated - STS-1 - Facility Termination			JLDS1	ULDFS	599 59	588 07	297 20	215 82	151 15			20 35	21 09	9 80	10 5
RK FIBER	l		- 1		1											

UNBUNDLE	D NETWORK ELEMENTS - Tennessee		,								,	,		ment: 2		bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring				oss	Rates (\$)		
	Day Etha Fare Etha Olanda Bar Barta Maria Faretan						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per monthocal Channel			UDF	1L5DC	58 83			1							
-	NRC Dark Fiber - Local Channel		<del>                                     </del>	UDF	UDFC4	30 03	1,121 00	153 19	580 26	357 17			20 35	21 09	9 80	10 54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						·					_				1
	Thereof per month - nteroffice Channel			UDF	1L5DF	28 74										L
	NRC Dark Fiber - Interoffice Channel	-		UDF	UDF14		1,121 00	153 19	580 26	357 17			20 35	21 09	9 80	10 54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	İ		UDF	41.501	50.00	]							i		
<del></del>	Thereof per month - Local Loop  NRC Dark Fiber - Local Loop		_	UDF	1L5DL UDFL4	58 83	1,121 00	153 19	580 26	357 17			20 35	21 09	9 80	10 54
8XX ACCESS	TEN DIGIT SCREENING		-	ODF	UDFL4		1,121 00	153 19	360 26	357 17			20 35	21.09	9 50	10 54
UNI AGGEGG	8XX Access Ten Digi Screening, Per Call		<del>                                     </del>	OHD	-	0 0005192										_
7	8XX Access Ten Digi Screening, Reservation Charge Per 8XX						<del></del>	·								
	Number Reserved			OHD	N8R1X		5 21	0.76					20 35	20 35	13 28	13 28
	8XX Access Ten Digi Screening, Per 8XX No. Established W/O															
	POTS Translations		<u> </u>	OHD			11 47	1 46	7 34	0 7602		_	20 35	20 35	13 28	13 28
1 1	8XX Access Ten Digi Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		11 47	1 46	7 34	0 7602			20 35	20 35	13 28	40.00
<del>}</del>	8XX Access Ten Digi Screening, Customized Area of Service			UNU	INDETA		1147	1 46	/ 34	0 7602	·	_	20 35	20 35	13 28	13 28
<u> </u>	Per 8XX Number	1		OHD	N8FCX		4 47	2 24	1		1		20 35	20 35	13 28	13 28
	8XX Access Ten Dig: Screening, Multiple InterLATA CXR												2,0	2000		10 20
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX		5 23	3 00					20 35	20 35	13 28	13 28
	8XX Access Ten Digi Screening, Change Charge Per Request			OHD	N8FAX		5 97	0 76					20 35	20 35	13 28	13 28
	8XX Access Ten Digi Screening, Call Handling and Destination			0.10	LINE D.V						ļ ,					
LINE INFORM	Features ATION DATA BASE ACCESS (LIDB)		├	OHD	N8FDX		4 47				1.		20 35	20 35	13 28	13 28
LINE INFORM	LIDB Common Transport Per Query		-	OQT		0 0000354						_				<del></del>
	LIDB Validation Per Query			oou		0 0117403		. — .								· · · · ·
	LIDB Originating Point Code Establishment or Change	-		OQT, OQU	NRPBX		49 03						20 35	20 35	13 28	13 28
SIGNALING (C											1					
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138 41					L					
	CCS7 Signaling Usage, Per TCAP Message			UDB	TPP++	0 0000916	105.04	400.01			l	_				
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		<del>                                     </del>	UDB	IPP++	17 84	130 84	130 84			l		20 35	20 35	13 32	13 32
	link)			UDB	TPP++	17 84	130 84	130 84	1				20 35	20 35	13 32	13 32
	CCS7 Signaling Usage, Per ISUP Message	i	<del> </del> -	UDB	111111	0 0000373	150 04	130 04					20 33	20 33	13.32	13.32
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352 30	<del></del>									
	Signaling Point Code, per Originating Point Code Establishment		T													
<u> </u>	or Change, per STP		<u> </u>	UDB	CCAPO		121 77	121 77					20 35	20 35	13 32	13 32
CALLING NAM	E (CNAM) SERVICE CNAM for DB Owners, Per Query		<b>!</b> ——	000		0.0040544										
<del></del>	CNAM for Non DB Owners, Per Query			OQV OQV	<del></del>	0 0010541			-	_						
	CNAM (Non-Databs Owner), NRC, applies when using the	-		<u> </u>	-	0 0010341	<del></del>								_	
	Character Based User Interface (CHUI)	1		oav	CDDCH		595 00	595 00					20 35	20 35	13 28	13 28
OPERATOR C.	ALL PROCESSING	1									T					
	Oper Call Processing - Oper Provided, Per Min - Using BST															
	LIDB					1 08										
1 1	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB		ĺ			4.40										ı
<del></del>	Oper Call Processing - Fully Automated, per Call - Using BST		<del> </del> -i			1 13										<b>-</b>
	LIDB	l				0 1010353					1					
	Oper Call Processing - Fully Automated, per Call - Using	<b> </b>	<del> </del>			0 .010000			<del> </del>		<del>  </del>		ļ		<del></del>	
	Foreign LIDB	<u> </u>		L	}	0 122818	1						1			
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute		<u> </u>			1 03										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1	4.00										
BRANDING - C	PERATOR CALL PROCESSING	-				1 03	<del> </del>		ļ				<u> </u>	ļ		-
	y based CLEC						<u> </u>		<del>                                     </del>							-
	Recording of Custom Branded OA Announcement		_		CBAGS		1,555 00	1,553 00	7 03	7 03			19 99	19 99	19 99	19 99

ON SOMBLED ME I WORK	ELEMENTS - Tennessee		, -											ment 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted		Incremental Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge
	1					Rec	Nonrecurring			Disconnect				Rates (\$)		
			1			1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
per OCN	om Eranded OA Announcement per shelf/NAV	1			l											
UNEP CLEC					CBAOL		240 71	240 71		l			19 99	19 99		
	stom Branded OA Announcement	_					4 455 00									
	om Eranded OA Announcement per shelf/NAV	$\vdash$					1,555 00	1,555 00					19 99	19 99	19 99	19
per OCN	on Elanded OA Almodricoment per silemitat		, ,			ļ	240 71	240 71					10.00	40.00		
Unbranding via OLNS	for LNEP CLEC	_	<del> </del>		<del>-</del>		24071	240 / 1					19 99	19 99		
Loading of OA p	er OCN (Regional)						1,200 00	1,200 00					19 99	19 99		
RECTORY ASSISTANCE SE	RVICES						1,200 00	1,200 00			<del></del>		19 99	19 99		
DIRECTORY ASSISTA				-		-					_		-			
Directory Assista	ance Access Service Calls, Charge Per Call		1.			0 2286787	-									
DIRECTORY ASSISTAN	ICE CALL COMPLETION ACCESS SERVICE (	DACC)														
	ince Call Completion Access Service (DACC),															
Per Call Attemp		-	<b></b>			0 0364771										
	TERCEPT ACCESS SERVICE														7.1.	
DIRECTORY TRANSPO	s Intercept Per Query	_	$\sqcup$			0 017793										
DT-Local Chann		<del>-</del> -														
	terofice per mile				TEFHG	40 99	277 35	233 26	33 18	22 30			20 35	10 54	13 32	1
	terofice per facility termination	-			1L5NL	0 3562	-110.10									
	ransport per Directory Assistance Access	_	1	-		77 86	112 40	76 27	19 55	14 99			20 35	10 54	13 32	1
Service Per Call	removed per emedicity resistance recess					0 000271			ĺ			J				
	ransport per Directory Assistance Access					0.000271										
Service Per Call			1 1			0 0000165					· •					
Access Tandem	Switching Per Directory Assistance Access		<del>                                     </del>			0 0000103	<del></del>			-		_				
Service Per Call	,				1	0 0001875						1				
DT- Directory As	sistance Interconnection Per Directory		1 1			0 0001010						-				_
Assistance Serv	ce Call		1 1			0 00						- 1				
DT-Installation N	RC, Per Trunk or Signaling Connection	I			TPP++		204 62	4 43	136 09	4 43	_	-	20 35	10 54	13 32	1
RECTORY ASSISTANCE SER											_		20 00	-1001	1002	<u>'</u>
DIRECTORY ASSISTAN	ICE DATA BASE SERVICE (DADS)							-			-					
Directory Assista	nce Data Base Service Charge Per Listing					0 0485							-		_	
RANDING - DIRECTORY ASSIST	nce Data Base Service, per month				DBSOF	104 13										
Facility Based CLEC	STANCE		-		-											
	Provisioning of DA Custom Branded	<u> </u>	$\longrightarrow$		<u> </u>											
Announcement	Townsorming of DA Custom Brandeo			AMT	CDAC									_		
	om Branded Announcement per Switch per		<del>                                     </del>	MMI	CBADA		1,555 00	1,553 00	7 03	7 03			20 35	10 54	13 32	1
OCN OCS	Dianago Announcement per Switch per			AMT	CBADC		240.74	0.00	ŀ							
UNEP CLEC	<del></del>	-	<del>                                     </del>	CWIT	CBAUC		240 71	240 71					20 35	10 54		
Recording of DA	Custom Branded Announcement		-		<del></del>		1,555 00	1,553 00	7 03	7.00						
Loading of DA C	ustom Branded Announcement per Switch per		<del>-</del>		<del> </del>		1,000 00	1,053 00	/ 03	7 03			20 35	10 54	13 32	1
OCN						l	240 71	240 71		l			20.05			
Unbranding via OLNS f					T -	-	24071	240 / 1				-	20 35	10 54		
Loading of DA p	er OCN (1 OCN per Order)				1		420 00	420 00					20 35	10 54		
Loading of DA p	er Switch per OCN				T - 1		16 00	16 00		-		-	20 35	10 54		
LECTIVE ROUTING													20 35	10 34		
Selective Routing	Per Unique Line Class Code Per Request Per										- $+$					
Switch					USRCR		179 60	179 60		J			20 35	20 35		
RTUAL COLLOCATION	O.W. O													20 00		
	n-2 Wire Cross Connects (Loop) for Line														-	
YSICAL COLLOCATION				UEPSR, UEPSB	VE1LS	0 57	11 62	9 90	10 38	8 66			19 99	19 99	19 99	19
	ion-2 Wire Cross Connects (Loop) for Line		_													
Splitting	IOIT-2 YVIE Cross Connects (Loop) for Line			UEBOB LITTE												
N SELECTIVE CARRIER ROU	TING		l	UEPSR, UEPSB	PE1LS	0 0318	11 94	11 46					19 99	19 99	19 99	19
Regional Service			I,		lonor -											
End Office Estab				SRC SRC	SRCEC		190,638 00						20 35			
Query NRC, per				SRC	SRCEO		317 55	317 55	3 19	3 19			20 35	20 35	13 28	13
	quo. I			anc		0 0206047										

ONBONDER	ED NETWORK ELEMENTS - Tennessee													Attach	ment. 2	Exhi	bit· B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC		,	RATES (\$)				Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge -	
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
AIN - BELLSO	DUTH AIN SMS ACCESS SERVICE							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Service Establishment, Per State.																-
	Initial Setup			A1N		CAMSE		135 56	135 56		_			20 35	20 35	13 28	13 28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N		CAMDP		41 75	41 75					20 35	20 35	13 28	13 28
	AIN SMS Access Service - Port Connection - ISDN Access			A1N		CAM1P		41 75	41 75					20 35	20 35	13 28	13 28
	AIN SMS Access Service - User Identification Codes - Per User ID Code	Į		A1N		CAMAU	1	90.00	00.00								
-	AIN SMS Access Service - Security Card, Per User ID Code,	<del></del>		AIN		CAMAU		96 63	96 63					20 35	20 35	13 28	13 28
	Initial or Replacement	ļ		A1N	l	CAMRC		113 67	113 67					20 35	20 35	13 28	13 28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1 1			0.4	0 0024		11007					20 33	20 35	13 20	13 28
	AIN SMS Access Service - Session, Per Minute						0 0820123			_							
	AIN SMS Access Service - Company Performed Session, Per								-					·	-		
	Minute						2 27					1					
AIN - BELLS	OUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM		BAPSC		400.01									
	AIN Toolkit Service - Training Session, Per Customer			CAM		BAPVX	<del></del>	132 04	132 04					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per					DAPVA		7,915 00	7,915 00			-		20 35	20 35	13 28	13 28
	DN, Term Attempt					BAPTT		31 21	31 21		1			20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	_				9,		. 3121	3121		-			20 33	20 33	13 20	13 20
	DN, Off-Hook Delay				E	BAPTD		31 21	31 21		ĺ			20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1						<del>-</del>			- 20 00		10 20	10 20
	DN, Off-Hook Immediate					BAPTM		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per												-				
	DN, 10-Digit PODP  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<u> </u>			[	BAPTO		85 24	85 24					20 35	20 35	13 28	13 28
	DN, CDP		•		,	BAPTC		05.24	05.04			1		20.05	20.05	40.00	
	AIN Toolkit Service - Ingger Access Charge, Per Trigger, Per					BAPIC		85 24	85 24			-		20 35	20 35	13 28	13 28
	DN Feature Code		i i		l <sub>E</sub>	BAPTE	ļ	85 24	85 24		ļ			20 35	20 35	13 28	13 28
	AIN Toolkit Service - Query Charge, Per Query						0 0211882							20 00	20 03	13 20	13 20
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit										·	-					
	Subscription, Per Node, Per Query						0 0054774						1				
f	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilopytes																
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service						1 50										
	Subscription		l Ì.	CAM		BAPMS	17 43	33 52	33 52					00.05	00.05	40.00	
	AlN Toolkit Service - Special Study - Per AlN Toolkit Service	-	<u> </u>	O, 411		DAI IVIO	. 17 43	33 32	33 52		<b>-</b>			20 35	20 35	13 28	13 28
	Subscription			CAM	E	BAPLS	0 1321116	36 23	36 23					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service										-				20.00	10 20	10 20
	Subscription			CAM	E	BAPDS	17 35	33 52	33 52					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription									-							
ENHANCED E	XTENDED LINK (EELs)			CAM	E	BAPES	0 0511435	36 23	36 23					20 35	20 35	13 28	13 28
	The monthly recurring and non-recurring charges below will a	annh. a	l l	Switch A	s la Charas		by four EEL				<u> </u>						
NOTE	The monthly recurring and the Switch-As-Is Charge and not the	ne non-	recurrin	o chara	s-is Charge (	will not app	EELS pro	visioned as U	rdinarily Com	bined Networ	K Elements.						
NOTE	Minimum billing is one month for DS1 and below and three m	onths a	bove D	S1 service	ces	apply for i	LLS provision	as Current	y Combined	Network Elemi	ents.	<b></b>	.				
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	CE TRA	NSPOR	T (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				<del>``</del>												
	Combination - Zone 1		_ 1	UNCVX	ι	JEAL2	16 56	108 76	35 47	72 94	10 86		}	20 35	21 09	9 80	10 54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		l . I														
	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2 (	UNCVX	L	JEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Transport Combination - Zone 3		3 1	UNCVX	l.	JEAL2	20.00	400 70	a l				T				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	DINGVX		JEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	per month		i h	UNC1X	1	IL5XX	0 3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility		<u> </u>		<del>-</del>		3 0302										
	Termination per month			JNC1X		J1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
1	DS1 Channelization System Per Month			JNC1X		MQ1	80 77	105 76	14 48	3 04	2 74	<b>+</b>					

ONDONDLE	D NETWORK ELEMENTS - Tennessee													ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	Increment Charge -
	<del> </del>					Rec	Nonrecurring			g Disconnect				Rates (\$)		
	Voice Grade COCI DS1 To Ds0 Interface - Per Month		-	UNCVX	1D1VG	0 91	First 5 70	Add'I 4 42	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i "	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				13.1.0	- 0.51	3,0	442	<del></del>		<del> </del>					ļ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86	ĺ		20 35	21 09	9 80	10 54
Ì	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	04.00	100 70									
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			ONCVA	UEAL2	21 63	108 76	35 47	72 94	10 86	-		20 35	21 09	9 80	10 54
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86		ſ	20 35	21 09	9 80	10 54
İ	Voice Grade COCI - DS1 to DS0 Channel System combination - per month													2109		10 32
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	_		UNCVX	1D1VG	0 91	5 70	4 42								L
	lls Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20.05	24.00		
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TR	ANSPORT (EEL)			02.10	24 02	312	9 12			20 35	21 09	9 80	10 54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	LINOLOG												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32 26	108 76	35 47	72 94	10 86			20 35	24.00		
)	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice							30 17	12 54				20 35	21 09	9 80	10 54
	Transport Combination - Zone 3 Interoffice Transport Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42 18	108 76	35_47	72 94	10 86			20 35	21 09	9 80	10 54
	Per Month			UNC1X	1L5XX	0 3562										
	Interoffice Transport Dedicated - DS1 - Facility Termination Per				1,25701	0 3302								_		<del></del>
	Month Change Street Court Post Post			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1											
	Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCIA	MQT	80 77	105 76	14 48	3 04	2 74						
	per month		}	UNCVX	1D1VG	0 91	5 70	4 42			ŀ	1	ł		Ì	l
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1															
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 26	108 76	35 47	72 94	10 86		ļ				
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1 1		- 100 10	33 41	12 34	10 66			20 35	21 09	9 80	10 54
	Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCAX	UEAL4	42 18	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	per month		ĺ	UNCVX	1D1VG	0.91	5.70									
	Nonrecurring Currenty Combined Network Elements Switch -As-		-	DIVCVX	IDIVG	091	5 70	4 42								
4 14/100	ls Charge			UNC1X	UNCCC	ĺ	52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
4-VVIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 II First 4-Wire 56Kbps Eigital Grade Loop in a DS1 Interoffice	NTERO	FICE	TRANSPORT (EEL)									20 33	2109	9 00	10 54
	Transport Combination - Zone 1		1	UNCDX	UDL56	31 10	100.70	00.47	70.04							
	First 4-wire 56Kbps Dgital Grade Loop in a DS1 Interoffice				100250	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Transport Combination - Zone 3		2	UNCDX	1101.50								- 200	21 03	300	10 34
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	_	3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Per Month		j	UNC1X	1L5XX	0 3562	)		ì	Ì	Ì	Ì				
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month												+			
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
_ 1 1	Month (		l,	JNC1X	MQ1	80 77	105 76	14 48	3 04	2.74	T					
] ]	OCU-DP COCI (data) DS1 to DS0 Channel System - per				-	- 00 //	103 70	14 40	304	2 74						
$\dashv$	month (2 4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	0 91	5 70	4 42			}	İ	J	1	j	
	Interoffice Transport Combination - Zone 1		1 1	JNCDX	UDL56	24.40	100.75	25.45							+	
	Additional 4-Wire 56Ktps Digital Grade Loopin same DS1		<del>-                                     </del>	J.150A	UDLOU	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
1 1	Interoffice Transport Combination - Zone 2		2 (	JNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	T	10.51
	Additional 4-Wire 56Ktps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		2							10 00			20 35	∠109	9 80	10 54
_   -	OCU-DP COCI (data) - DS1 to DS0 Channel System -		3 (	JNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
1 1.	combination per month (2 4-64kbs)	1	١.	JNCDX	1D10D	0 91	5 70	i	1	Ŧ						

DINDUNDEE	D NETWORK ELEMENTS - Tennessee		· · · · · ·	1										ment 2	Exhil	bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-										!					T
	ls Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 5
4-WIRE	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	<u> </u>											
1	First 4-Wire 64Kbps Dgital Grade Loop in a DS1 Interoffice		١.,	LINGEN	luni at	04.40										
	Transport Combination - Zone 1 First 4-Wire 64Kbps Dgilal Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 5
	Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	40.00			00.05			
	First 4-Wire 64Kbps Dgital Grade Loop in a DS1 Interoffice			UNCDX	ODE04	40 01	100 / 6	35 47	12 94	10 86		_	20 35	21 09	9 80	10 5
	Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		ľ	ONOBA	100004	33 11	100 70	33 47	72 34	10 00	<del> </del>		20 33	2109	9 60	10.5
	Per Month			UNC1X	1L5XX	0 3562					i l					
	Interoffice Transport - Dedicated - DS1 combination - Facility				1.20,01	2 2202						-				
	Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 5
	Channelization - Channel System DS1 to DS0 combination Per										· · · · · ·			2.30	1 30	1 .,,,
	Month			UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74			20 35	21 09	980	10 5
	OCU-DP COCI (data) DS1 to DS0 Channel System															
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	0 91	5 70	4 42								
	Additional 4-Wire 64Ktps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	<b>31 1</b> 0	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 5
	Additional 4-Wire 64Ktps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 5
	Additional 4-Wire 64Ktps Digital Grade Loopin same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 5
1	OCU-DP COCI (data) DS1 to DS0 Channel System			LINCONY	10.00	0.04										
<del></del>	combination - per month (2 4-64kbs)			UNCDX	1D1DD	0 91	5 70	4 42								
i	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		50.70	24.62		0.40		ı			١	
4-WIDI	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	POEEK	CE TO		DINCCC		52 73	24 62	9 12	9 12		-	20 35	21 09	9 80	10.5
4-1711(	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	KOFFK	I IN	(NOPORT (EEL)	+ +											
	Transport - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10.5
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			DIVOTA	DOE/O	31 73	220 40	10174	7507	24 00			20 33	2109	9 00	10.5
	Transport - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 5
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_		100000								20 00	2103	500	103
	Transport - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	105
	Interoffice Transport - Dedicated - DS1 combination - Per Mile							-						4.00	- 000	100
	Per Month			UNC1X	1L5XX	0 3562										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															i –
	Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 5
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10.5
4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFIC	E TRA	NSPORT (EEL)	ļ l		<b></b>									
	First DS1Loop in DS3 hteroffice Transport Combination - Zone			LINGAY	LIGINA							- [				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 5
	2 Transport Combination - Zone		2	UNC1X	USLXX	75 40	228 40	,,,,,,,	70.0-	04.00		1				
-+-	First DS1Loop in DS3 hteroffice Transport Combination - Zone		-	UNCIA	DOLVY	/5 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10.5
	3		3	UNC1X	USLXX	98 59	228 40	10174	79 87	24.00			20.25	24.00	0.00	10-
<del>-  </del>	Interoffice Transport - Dedicated - DS3 combination - Per Mile		-	U11U1X	0352	90 08	ZZ0 4U	161 74	1981	24 88			20 35	21 09	9 80	10 5
	Per Month			UNC3X	1L5XX	2 34						-				ĺ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			200//	Low	2 54			<del></del>							<b> </b>
1	month			UNC3X	U1TF3	854 97	482 01	153 81	64 43	35 43			20 35	21 09	9 80	10 5
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	222 98	156 02	49 41	17 12	6 77			20 00	2103	3 00	<del> </del>
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -			-					<del></del>							
!	Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 5
	Additional DC4I DC2 I-t# T Ctt															
	Additional DS1Loop in DS3 Interoffice Transport Combination -		'													
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -	_	2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 5

MOUNDLE	D NETWORK ELEMENTS - Tennessee	,												ment 2		bit B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		ļ <u>.</u>				Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	DS3 interface Unit (DS1 COCI) combination per month	_	1	LINIOAY	UO4D4	47.60	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
_	Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	UNC1X	UC1D1	17 58	5 70	4 42								
	Is Charge		ì	UNC3X	UNCCC		52.72	04.00	0.40	0.40						
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFE	ICE TE	RANSPORT (FEL)	ONCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	T	1	1				****							
i	Combination - Zone 1	i	1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 80	11
	2-WireVG Loop used with 2-wire VG Interoffice Transport		· · · · ·		1					10 00			20 00	2103	300	<u>'</u>
	Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1													
	Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 80	11
	Interoffice Transport - Dedicated - 2-wire VG combination - Per												-			
	Mile Per Month	<u> </u>		UNCVX	1L5XX	0 0174										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	04.70	~~ ~~									
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>		UNCVX	U11V2	21 79	79 83	44 08	69 32	31 00			20 35	21 09	9 80	1
	Is Charge		1	UNCVX	UNCCC		52 73	24 62	0.43	0.40			00.05	04.00		١.
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	TEROFE	ICE TE		DINCCC		32 73	24 02	9 12	9 12			20 35	21 09	9 80	1
1 11111	4-WireVG Loop used with 4-wire VG Interoffice Transport	I		Land Oil (EEE)												
	Combination - Zone 1	l	1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	4-WireVG Loop used with 4-wire VG Interoffice Transport				1		100.10		- 1201	10 00				2103	3 00	
	Combination - Zone 2	l	2	UNCVX	UEAL4	32 26	108 76	35 47	72 94	10 86			20 35	21 09	9 80	
	4-WireVG Loop used with 4-wire VG Interoffice Transport		1				Ì					_	20,00	2.00	3 00	<u> </u>
	Combination - Zone 3		3	UNCVX	UEAL4	42 18	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
İ	Interoffice Transport - Dedicated - 4-wire VG combination - Per									-						
	Mile Per Month		ļ	UNCVX	1L5XX	0 0174		_								
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month	l .		UNCVX	1	07.00										
_	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV4	27 30	79 83	44 08	69 32	31 00			20 35	21 09	9 80	1
	Is Charge		l	UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	04.00	0.00	١.
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAN	NSPOR		1011000		32 73	24 02	312	9 12			20 35	21 09	9 80	1
	High Capacity Unbundled Local Loop - DS3 combination - Per			T						<del>-</del>						
	Mile per month			UNC3X	1L5ND	9 19			i							]
	High Capacity Unbundled Local Loop - DS3 combination -															i
$\bot$	Facility Termination per month			UNC3X	UE3PX	373 47	240 23	180 87	106 78	45 24			20 35	21 09	9 80	1 1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2 34										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		1	I II I COV							1					
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	854 97	482 01	153 81	64 43	35 43			20 35	21 09	9 80	1
	Is Charge			UNC3X	UNCCC		52 73	24.62	0.40	0.40						l .
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	EICE TR	ANSPI	ORT (FEL)	DINCCC		52 /3	24 62	9 12	9 12			20 35	21 09	9 80	1
-	High Capacity Unbundled Local Loop - STS1 combination - Per	102 110		JKI (LLL)	<del>  </del>											
	Mile per month			UNCSX	1L5ND	9 19										!
	High Capacity Unbundled Local Loop - STS1 combination -				1				-							
	Facility Termination per month			UNCSX	UDLS1	394 56	240 23	180 87	106 78	45 24	1		20 35	21 09	9 80	10
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			<u> </u>		-1	1						20,00	H. 00		·
	per month			UNCSX	1L5XX	2 34	1									
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month	<u> </u>		UNCSX	U1TFS	849 30	482 01	153 81	64 43	35 43			20 35	21 09	9 80	11
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		ł	LINORY	1											
2-WIRI	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /EEL		UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	1
2 33710	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	· (EEL)	-		+ +											
	Transport - Zone 1		1	UNCNX	U1L2X	22 22	108 76	35 47	72 94	10 86			20 35	21 09	9 80	.
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<del></del>		15122	22.22	100 70	35 47	12 34	10 86			20 35	2109	9 80	1
	Transport - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				T			50 11	1237	,0 00			20 00	2103	300	
	Transport - Zone 3	L		UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86		1	20 35	21 09	9 80	1(
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 3562		-								·····

	D NETWORK ELEMENTS - Tennessee		т								Sun Ordan	Sur Order	Incremental	nent 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurning					Rates (\$)		
			ļ				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90		,	20 35	21 09	9 80	10
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80 77	105 76	14 48	3 04	2 74			20 35	21 09	9 80	10
T	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		†		UC1CA											
-	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX		3 24	5 70	4 42					20 35	21 09	9 80	10
<del> </del>	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	22 22	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10
	Combination - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3 24	5 70	4 42					20 35	21 09	9 80	10
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	1
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	EROF	FICE T							3 12			20 00	2100	3 00	<del></del>
	First DS1 Loop in ST\$1 Interoffice Transport Combination -															
	Zone 1 First DS1 Loop in ST\$1 Interoffice Transport Combination -		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	1
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	
	Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2 34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849 30	482 01	153 81	64 43	35 43			20 35	21 09	9 80	1
	STS1 to DS1 Channe System conbination per month			UNCSX	MQ3	222 98	156 02	49 41	17 12	6 77	-		20 35	21 09	9 80	1 -
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	5 70	4 42					20 35	21 09	9 80	<del> </del> -
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	Ť	1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88						
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2								_				20 35	21 09	9 80	
	Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	98 59 17 58	228 40 5 70	161 74 4 42	79 87	24 88		-	20 35 20 35	21 09 21 09	9 80 9 80	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52 73		0.40							1
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROF	FICE T	RANSI	PORT (EEL)	UNCCC		52 / 3	24 62	9 12	9 12			20 35	21 09	9 80	· · · · ·
	4-wire 56 kbps Loop/4-wire 56 kbps interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	
	4-wire 56 kbps Loop/4 wire 56 kbps Interoffice Transport Combination - Zone 3			UNCDX												
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3		UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDX	1L5XX	0 0174										<u> </u>
	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	21 19	79 83	44 08	69 32	31 00			20 35	21 09	9 80	1
	Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FICE T	KANSI	ORT (EEL)												
	4-wire 64 kbps Loop/4 wire 64 kbps Interoffice Transport Combination - Zone 1		1_1_	UNCDX	UDL64	31_10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	4-wire 64 kbps Loop/4 wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	1
	4-wire 64 kbps Loop/4 wire 64 kbps Interoffice Transport		_		1	- 1001	.00 70	33 47	12 34	10 00			20 33	2109	8 00	<del></del> '

ONRONDE	D NETWORK ELEMENTS - Tennessee		,	r:										ment: 2		bit. B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
			\			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
			L			1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1					<b>i</b> 1							1		
	Per Mile		ļ	UNCDX	1L5XX	0 0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	U1TD6											1
	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-	_	-	UNCUX	UTTUB	21 19	79 83	44 08	69 32	31 00			20 35	21 09	9 80	10 5
Į.	Is Charge	1	ł	UNCDX	UNCCC		52 73	24 62	9 12	9 12	<b>!</b>		20 35	21 09	9 80	10.5
ADDITIONAL	NETWORK ELEMENTS	-	<del> </del>	UNCDX	DIVECC		32 73	24 02	3 12				20 33	2108	9 00	103
	used as a part of a currently combined facility, the non-recurr	ng cha	raes do	not apply but a !	Switch As Is c	harne does an	piv								<del></del>	<del> </del>
	used as ordinarily combined network elements in All States, ti										-				<del> </del>	<del></del>
	curring Currently Combined Network Elements "Switch As Is"					T to to a training to	1			_						
	Nonrecurring Currently Combined Network Elements Switch -As-		1		Τ			-								
	Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		52 73	24 62	9 12	9 12	[		20 35	21 09	9 80	10 5
	Nonrecurring Currentl/ Combined Network Elements Switch -As-														1	
	Is Charge - 56/64 kbps			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 5
	Nonrecurring Currently Combined Network Elements Switch -As-						T - T									
	Is Charge - DS1		<u> </u>	UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 5
	Nonrecurring Currently Combined Network Elements Switch -As-										7			1		
	Is Charge - DS3			UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 5
l l	Nonrecurring Currently Combined Network Elements Switch -As-	1	1			<b>\</b>					1					1
HOTE	Is Charge - STS1	l D-I-	DES	UNCSX	UNCCC	l	52 73	24 62	9 12	9 12			20 35	21 09	9 80	10.5
NOTE	Local Channel - Dedicated Transport - minimum billing period	- Belo					100.70	05.47	70.04	10.00				21.50	ļ	L
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2	17 18	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 8
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2			UNCVX	ULDV2	22 44	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10.5
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3			UNCVX	ULDV2	29 34	108 76	35 47	72 94	10 86	L		20 35	21 09	9 80	10.5
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1			UNCVX	ULDV4	18 18	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10.5
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2			UNCVX	ULDV4	23 74	108 76	35 47		10 86			20 35	21 09	9 80	10.5
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 3			UNCVX	ULDV4	31 05	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 5
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	36 24	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10.5
	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	47 33	228 40	161 74		24 88			20 35	21 09	9 80	10 (
	Local Channel - Dedicated - DS1- Per Month Zone 3	L	3	UNC1X	ULDF1	61 89	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 5
	Local Channel - Dedicated - DS3 - Per Mile per month		<b></b>	UNC3X	1L5NC	7 15	505.07	20150	0.15.05							
	Local Channel - Dedicated - DS3 - Facility Termination [Local Channel - Dedicated - STS-1- Per Mile per month			UNC3X UNCSX	ULDF3 1L5NC	611 30	595 37	304 50	215 82	151 15			20 35	21 09	9 80	10 9
<del></del>	Local Channel - Dedicated - STS-1 - Fer Mile per month	<del>}</del> —	├		ULDFS	7 15	500.07	207.00	015.00	- 457.45	-					
BALLI T	IPLEXERS			UNCSX	ULDFS	599 59	588 07	297 20	215 82	151 15			20 35	21 09	9 80	10.5
	minimum billing period is one month for DS1 to DS0 Channel						ļ		<u> </u>							<del> </del>
	minimum billing period is three months for DS1 to DS0 Channel								-	_			· · · · · · · · · · · · · · · · · · ·			<u> </u>
IVOIE	Channelization - DS1 to DS0 Channel System	bove Ci		UXTD1	MQ1	80 77	141 67	77 11	44.54	13 46			20 35			<del></del>
	OCU-DP COCI (data) DS1 to DS0 Channel System - per		-	UXIDI	MOT	8077	141 57		14 51	13 46			20 35	9 80	11 49	11
l l	month (2 4-64kbs)	Į.	i	UDL	1D1DD	1 82	6 07	4 66			t i	-	20 35	9 80	11 49	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	-		ODL	10100	102	807	4 66					20.35	9 80	11 49	11
	month	l		אפט	UC1CA	3 10	6 07	4 66	1 1				20 35	9 80	11 49	1 11
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 91	6 07	4 66					20 35	9 80	11 49	1 1
	DS3 to DS1 Channel System per month			UXTD3	MQ3	222 98	308 03	108 47	44 47	42 62			20 35	9 80	11 49	11
	STS1 to DS1 Channel System per month		-	UXTS1	MQ3	222 98	308 03	108 47	44 47	42 62			20 35	21 09	9 80	9.6
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	17 58	6 07	4 66	44 41	42 02			20 35	9 80	11 49	11
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		<del></del>	002	100101	17 30	007	4 00		_	-		20 33	300	1149	· · · · · · · ·
i	month	ļ		ULDD1	UC1D1		6 07	4 66					20 35	9 80	11 49	1 11
Sub-L	oop Feeder	<del>                                     </del>	†		100.01		007	- 4 00	<del> </del>			-	20 35	9 30	1149	<del> '</del>
<del></del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	-	SW	UNC1X	USBFG				t		<del></del>					
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<b> </b>		UNC1X	USBFG	39 74	116 00	40 62	106 82	18 91	<del></del>				<del> </del>	<b>—</b>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	51 90	116 00	40 62	106 82	18 91				<del> </del> -		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	67 86	116 00	40 62	106 82	18 91				<del> </del>		· · · · ·
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	1		UNC1X	USBFG		1									
	LOCAL EXCHANGE SWITCHING(PORTS)				1											
	nge Ports		1						T					<del></del>		
NOTE.	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usi	ng retail USOCs			_		-				
2-WIRI	E VOICE GRADE LINE PORT RATES (RES)	Γ			T	1								<del> </del>	1	
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	14

	D NETWORK ELEMENTS - Tennessee				<del>. ,</del>	,,,,,	<del></del>							nent: 2		bit <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrecurring First	Add'I		Disconnect	001150			Rates (\$)		
			-				FIRST	Add I	First	AddT	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 89	9 93	9 19	3 66	2 92		·	20 35	10 54	13 32	1
_	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res Exchange Ports - 2-Wire VG unbundled TN extended local		ļ	UEPSR	UEPRO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1
	dialing parity Port with Caller ID - Res			UEPSR	UEPAQ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus								- 000	- 2 32			20 33	10 34	13.32	
	with Caller ID - Res (AC7) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAH	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 1
	[port with Caller ID - Res (F2R)			UEPSR	UEPAK	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1 89	9 93	9 19	3 66	2 92	i		20 35	10 54	13 32	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exchange Ports - 2-Wre VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exchange Ports - 2-Wre VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 89	9 93	9 19	3 66	2 92						
$\top$	Exchange Port - 2-Wire VG Tennessee Residence Diating Plan without Caller ID			UEPSR	UEPWN	1 89	9 93	9 19					20 35	10 54	13 32	
	Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID			UEPSR	UEPRR	1 89			3 66	2 92			20 35	10 54	13 32	
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				1		9 93	9 19	3 66	2 92			20 35	10 54	13 32	
FEATL	Subsequent Activity			UEPSR UEPSR	UEPRT USASC	1 89 0 00	9 93	9 19	3 66	2 92			20 35 20 35	10 54 10 54	13 32 13 32	
FEAT	All Available Vertical Features			UEPSŘ	UEPVF	0 00	0 00									
2-WIRI	VOICE GRADE LINEPORT RATES (BUS)			OLFOR	DEFVE	0 00		0 00		_	-		20 35	10 54	13 32	
	Exchange Ports - 2-Wre Analog Line Port without Caller ID -						-					-				
1	Bus Exchange Ports - 2-Wre VG unbundled Line Port with			UEPSB	UEPBL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
+	unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exchange Ports - 2-Wre Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exchange Ports - 2-Wre VG unbundled TN extended local dialing parity Port with Caller ID - Bus		_	UEPSB	UEPAV	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Exchange Ports - 2-Wre VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)	-		UEPSB	UEPAC	1 89	9 93	9 19	3 66	2 92			20 35			
	Exchange Ports - 2-Wre VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1 89	9 93	9 19	3 66	2 92	-			10 54	13 32	
	Exchange Ports - 2-WVG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	1	_							20 35	10 54	13 32	
	Exchange Ports - 2-WVG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port				UEPAE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
<b>†</b>	Exchange Ports - 2-W VG unbundled TN, Business Line Inward,			JEPS8	UEPB2	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
+	Collierville & Memphis Local Calling Plan  Exchange Ports - 2-Wre Voice Tennessee Business Dialing			JEPSB	UEPB3	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
<del> </del>	Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID			JEPSB	UEPWO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Capability Subsequent Astronomy			JEPSB	UEPBE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
FEATU	Subsequent Activity RES			JEPSB	USASC	0 00	0.00	0 00					20 35	10 54	13 32	
	All Available Vertical Features			JEPSB	UÈPVF	0 00	0 00	0 00					20.25	40.51	40.00	
	INGE PORT RATES (DD & PBX)					0.00	0.00	0.00		<del></del>	<del></del>		20 35	10 54	13 32	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	I		JEPSE	UEPRD	1 79	9 93	9 19	3 66	2 92		+	20 35	10 54	13 32	

NRONDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	ibıt B
								-			Svc Order	Svr Order	Incremental	Incremental	Incremental	Increme
											Submitted	Suhmitted	Charge -	Charge -	Charge -	Charg
					1						Elec	Manually				
TEGORY	RATE ELEMENTS	Inter	Zone	BCS	usoc			RATES (\$)			per LSR					
		m									pertak	perLak	Order vs.	Order vs	Order vs	Order
		ì	}										Electronic-	Electronic-	Electronic-	
											l		1st	Add'l	Disc 1st	Disc Ac
		├	<del> </del>		<del> </del>		N					i				
	<del></del>					Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l_	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire VG Line Side Jnbundled 2-Way PBX Trunk - Bus		ļ	UEPSP	UEPPC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire VG Line Side Jnbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire VG Line Side Jnbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbunded PBX LD Terminal Ports			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbunded 2-Way PBX Tennessee Calling Port		t	UEPSP	UF PT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
_	2-Wire Voice Unbunded 1-Way Outgoing PBX Tennessee			GR. 01	102 12		0.00		- 000	2.32			20.55	10 54	10 02	+
1	Calling Port		1	UEPSP	UEPTO	1 79	9 93	9 19	2.00	0.00			00.05	40.54		
-	2-Wire Vice Unbundled 2-Way PBX Usage Port	<del> </del>	<del> </del>	UEPSP	UEPXA	1 79			3 66	2 92	_		20 35	10 54	13 32	
		<del>-</del>	<del> </del>				9 93	9 19	3 66	2 92	ļ. <u>.</u>	<u> </u>	20 35	10 54	13 32	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		Ļ	UEPSP	UEPXC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
$\rightarrow$	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	1		UEPSP	UEPXE	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1
	2-Wire Voice Unbunded 2-Way PBX Hotel/Hospital Economy				1		-							- 10 01	1002	<del> </del>
1	Administrative Calling Port			UEPSP	UEPXL	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbunded 2-Way PBX Hotel/Hospital Economy		<del> </del>	02.0	-102.72	- 1.10		3 10	3.00	2 32		l	20 33	10 34	13.32	+
	Room Calling Port		1	UEPSP	UEPXM	1 79	9 93	0.40	2.55	0.00			22.25			Į.
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy		<del>                                     </del>	UEPSP	UEPAWI	1/9	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
																1
	Administrative Calling Port TN Calling Port		ļ	UEPSP	UEPXN	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbunded 1-Way Outgoing PBX Hotel/Hospital				1											
	Discount Room Calling Port	_	I.	UEPSP	UEPXO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	.
	Unbundled Exchange Ports, PBX Trunk Combination,															1
	Collierville and Memphis Local Calling Plan		1	UEPSP	UEPA6	1 79	9 93	9 19	3 66	2 92	1		20 35	10 54	13 32	1 .
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,				1									1004	10 32	+
	Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	2-Wire Voice Unbunded 1-Way Outgoing PBX Measured Port		<del> </del>	UEPSP	UEPXS	1 79	9 93	9 19	3 66	2 92	_		20 35	10 54	13 32	
	2-Wire Voice Unbunded PBX Collierville and Memphis Calling		_	<u> </u>	OLI XO	173	3 33	9 19	3 00	2 92			20 35	10.54	13 32	
	Port		l i	LIEDOD	UEPXU	4.70	0.00	0.40								
_				UEPSP	UEPXU	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
l l	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	Calling Port			UEPSP	UEPXV	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
	Subsequent Activity			UEPSP	USASC	0 00	0.00	0.00					20 35	10 54	13 32	
FEATU																
_	All Available Vertical Features			UEPSP UEPSE	UEPVF	0 00	0 00	0.00					20 35	10 54	13 32	<del></del>
EXCH	INGE PORT RATES (COIN)								<del></del>				20 00	10 54	13 32	+
	Exchange Ports - Con Port		-		<del>                                     </del>	2 11	9 93	9 19	3 66	2 92	-		20 35	10.54	13 32	<del>1</del>
NOTE	Transmission/usage charges associated with POTS circuit sv	vitched	usane	will also apply to d	urcuit switched	t voice and/or	circuit cuitobo	d data transco	innian by D Ch	2 92		ICOM -	20 33	10 54	13 32	<del>-</del>
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availab	do only	through BED/Nov	Pusinees Des	voice and/or	Deter Switche	u uata transmi	ission by B-Cha	anneis associ	ated with 2-	MIL: IZDN E	orts.		l	<b>↓</b>
BUNDLED	OCAL EXCHANGE SWITCHING(PORTS)	availa	ne om	anough Britinew	Business Red	uest Process.	Rates for the	раскет сарабі	ittes will be det	ermined via t	ne Bona Fid	e R∘quest/I	New Business	s Request Pro	cess.	
	INGE PORT RATES														ļ	
EACHA				11555	I							i		L		
$ \vdash$	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 97	47 75	47 01	9 21	8 47			20 35	10 54	13 32	1
]	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability		L	UEPDD	UEPDD	35 74	75 93	38 15	8 77	8 04			20 35	10 54	13 32	1
	Exchange Ports - 2-Wre ISDN Port (See Notes below )			UEPTX UEPSX	U1PMA	16 26	30 23	29 49	4 10	4 10			20.25	10 54	13 32	
NOTE	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to o	ircuit switcher	l voice and/or	circuit switche	d data transm	iceion by B.Ch	onnole accori	ated with 2-	wire ISDN r	arta			<del></del>
NOTE	Access to B Channel or D Channel Packet capabilities will be	availab	le only	through BFR/New	Business Ren	uest Process	Rates for the	acket canabil	lities will be det	ermined via t	e Bona Fid	o Populari	low Pusines	Populant Dra		
	Exchange Ports - 2-Wre ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00	THE CELL	Commed via ti	ie Bolla Flu	e Rednesti	ACM DUPIUES:	a nequest Pro	cess.	<del> </del>
	Exchange Ports - 4-Wre ISDN DS1 Port			UEPEX	UEPEX	75 04	148 66	147 18	38 46	36 98			20.25	10.51	- 10.00	
UNBUN	IDLED PORT with RENOTE CALL FORWARDING CAPABILITY	-	1	GC: EX	OLF LA	75 04	140 00	147 18	38 46	36 98			20 35	10 54	13 32	—
UNRIIN	IDLED REMOTE CALL FORWARDING CAPABILITY				+									ļ		<u> </u>
- 311001				I I I I I I I I I I I I I I I I I I I	1									1		L
-	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
					1											
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	<del> </del>
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1 89	9 93	9 19	3 66	2 92			20.35			+
	ecurring			JE. VIC	DENTIN	1 09	9 93	9 19	3 00	2 92			∠0.35	10 54	13 32	1

UNBUNDLED NETWORK ELENENTS -	rennessee		.,		7								ment: 2		bit B
CATEGORY RATE ELE	MENTS Inte	ri Zon	e BCS	USOC			RATES (\$)				Su⊟mitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Charge -	Charge -
					Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Remote Call Forwardi	ng Service - Conversion -														
Switch-as-is			UEPVR	USAC2	ļ	1 03	0 29			ļ <u></u>		20 35	10 54	13 32	1 4
Unbundled Remote Call Forwards	ng Service - Conversion with		LIEDY (D			4.00	0.00						Į.		
allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARI	DINC Pur		UEPVR	USACC		1 03	0 29								
UNBUNDLED REMOTE CALL FORWARI	DING - Bus	-											i		
Unbundled Remote Call Forwardii	na Sanuca Aroa Callina - Rue		UEPVB	UERAC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
Bribandied Remote Carr biwardii	ig Service, Area Calling - Bus	_	OCF VB	- OLIVAC	1 08	5 53	פופ	300	2 32			20 33	10 34	13 32	1 4
Unbundled Remote Call Forwardii	an Sarvice Local Calling - Bus		UEPVB	UERLC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	14
Unbundled Remote Call Forwardii		_	UEPVB	UERTE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
Unbundled Remote Call Forwardii			UEPVB	UERTR	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	
Unbundled Remote Call Forwardii			OLI VD	OLIVIN	1 00	3 33	3 13	3 00	2 02			20 33	10 34	13.32	<u>''</u>
Exception Local Calling	ig Service Expanded and	- [	UEPVB	UERVJ	1 89	9 93	9 19	3 66	2 92	1		20 35	10 54	13 32	1.
Non-Recurring		_	UEFVB	UEKVJ	1 09	9 93	9 19	300	2 92			20 35	10 54	13.32	1.
Unbundled Remote Call Forwards	a Sonuo Conversion	+			<b></b>				-						
Switch-as-is	ig octylde - conversion -		UEPVB	USAC2		1 03	0 29					20 35	10 54	13 32	1 14
Unbundled Remote Call Forwardin	a Server Conversion with		OEFVB	USACZ		103	0.29					20 35	10 54	13.32	1.
allowed change (PIC and LPIC)	ig Service - Conversion with		UEPVB	USACC		1 03	0 29						!		
UNBUNDLED LOCAL SWITCHING, PORT USAG	c	-	UEPVB	USACC		103	0.29								
End Office Switching (Port Usage)	E .														
End Office Switching (Fort dage)	- MOU	_			0 0008041										
			<del></del>		0 0000041										<b></b> -
Tandem Switching (Port Usage) (Local of Tandem Switching Function Per M					0 0009778										
Common Transport	100	_	<del></del>		0.0009778										
	MOU	_			0.0000064										
Common Transport - P∋r Mile, Per		_													
Common Transport - Facilities Ter UNBUNDLED PORT/LOOP COMBINATIONS - CO			<del>_</del>		0 0003871										
Cost Based Rates are applied where Be		S1-1- C		dela Habana	died Level Cod		L D								-
Features shall apply to the Unbundled I	Port/Loop Combination Cost Pac	od Pata	costion in the co	me manner se th	oleu Local Swi	to the Stand Al	n Pons.	d Dart santian	of this Data E	vb.bis					
End Office and Tandem Switching Usag	e and Common Transport Heads	eu Nate	the Port costion	of this rate exhib	it chall applied	all combinate	one Unbundi	ed Port Section	or this Rate E	ANIDIT	. Doubli con	Cambinata			
The first and additional Port nonrecurri															
2-WIRE VOICE GRADE LOOP WITH 2-W		COILIDIT	ied Combos For	I Currently Combi	inea combos ti	ie nomecurring	i citaryes sita	ii be tilose loei	illieu in the N	onrecurring	- Cirriently	Combined St	ections.		
UNE Port/Loop Combination Rates	IKE EINE FORT (KES)	_	<del>                                     </del>		<u> </u>										
2-Wire VG Loop/Port Combo - Zor	ne 1	1			14 18										
2-Wire VG Loop/Port Combo - Zor		2	<del> </del>	_	18 01					<b></b>					-
2-Wire VG Loop/Port Combo - Zor		1 3			23 02										
UNE Loop Rates	16-3	+ -	+		23 02										
2-Wire Voice Grade Loop (SL1) - 2	Zone 1	1	UEPRX	UEPLX	12 48										
2-Wire Voice Grade Loop (SL1) - 2		1 2	UEPRX	UEPLX	16 31										
2-Wire Voice Grade Loop (SL1) - 2		3		UEPLX	21 32										
2-Wire Voice Grade Line Port Rates (Re		-	UEFRA	UEPLA	21 32					-					
2-Wire voice unbundled port - resi		-	UEPRX	UEPRL	1 70	22.44	15.00	0.45	2.04		45.00				
2-Wire voice unbundled port with t			UEPRX			22 14	15 25	8 45	3 91		15 69				
2-Wire voice unbundled port outgo		_		UEPRC	1 70	22 14	15 25	8 45	3 91		15 69				
2-Wire voice dribdholet port daigd			UEPRX	UEPRO	1 70	22 14	15 25	8 45	3 91		15 69				
j j2-vvire voice Grade diffundied re			HEDDY	UEDAO		00.44									
diolog posts part with Calley ID -			UEPRX	UEPAQ	1 70	22 14	15 25	8 45	3 91		15 69				
dialing parity port with Caller ID - r			UEPRX	LIEDALI	] ,		45.00				45.55				
2-Wire voice unbundled Tennesse	or real ride with equilibrium		HIEPRX	UEPAH	1 70	22 14	15 25	8 45	3 91		15 69				
2-Wire voice unbundled Tennesse res (AC7)			OLI TOX												
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse				Lumbau	[						15 69				1
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R)	e Area Calling port with Caller		UEPRX	UEPAK	1 70	22 14	15 25	8 45	3 91		10 00				
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse	e Area Calling port with Caller		UEPRX												
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse ID - res (TACER)	e Area Calling port with Caller			UEPAK UEPAL	1 70 1 70	22 14 22 14	15 25 15 25	8 45 8 45	3 91		15 69				
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse ID - res (TACER) 2-Wire voice unbundled Tennesse	e Area Calling port with Caller		UEPRX	UEPAL	1 70	22 14	15 25	8 45	3 91		15 69				
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse ID - res (TACER) 2-Wire voice unbundled Tennesse ID - res (TACER) 1D - res (TACSR)	e Area Calling port with Caller e Area Calling port with Caller e Area Calling port with Caller		UEPRX												
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse ID - res (TACER) 2-Wire voice unbundled Tennesse ID - res (TACSR) 2-Wire voice unbundled Tennesse ID - res (TACSR) 2-Wire voice unbundled Tennesse	e Area Calling port with Caller e Area Calling port with Caller e Area Calling port with Caller		UEPRX UEPRX UEPRX	UEPAL	1 70 1 70	22 14 22 14	15 25 15 25	8 45 8.45	3 91 3 91		15 69 15 69				
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse ID - res (TACER) 2-Wire voice unbundled Tennesse ID - res (TACSR) 2-Wire voice unbundled Tennesse ID - res (TACSR) 2-Wire voice unbundled Tennesse ID - res (1MF2X)	e Area Calling port with Caller e Area Calling port with Caller e Area Calling port with Caller e Area Calling port with Caller		UEPRX	UEPAL	1 70	22 14	15 25	8 45	3 91		15 69				
2-Wire voice unbundled Tennesse res (AC7) 2-Wire voice unbundled Tennesse ID - res (F2R) 2-Wire voice unbundled Tennesse ID - res (TACER) 2-Wire voice unbundled Tennesse ID - res (TACSR) 2-Wire voice unbundled Tennesse ID - res (TACSR) 2-Wire voice unbundled Tennesse	e Area Calling port with Caller e Area Calling port with Caller e Area Calling port with Caller e Area Calling port with Caller		UEPRX UEPRX UEPRX	UEPAL	1 70 1 70	22 14 22 14	15 25 15 25	8 45 8.45	3 91 3 91		15 69 15 69				

ARANDLEC	NETWORK ELENENTS - Tennessee			, <u> </u>							T -			nent 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	A J 211	Nonrecurring		SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(LUM)			UEPRX	UEPAP	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPRX	UEPWN	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Area Plus Port without Caller ID Capability			UEPRX	UEPRR	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1 70	22 14	15 25	8 45	3 91		15 69				
FEATU			<u> </u>													
	All Features Offered NUMBER PORTABILITY			UEPRX	UEPVF	0 00	0 00	0 00				15 69				<del> </del>
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35						<u> </u>				<del>                                     </del>
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFRA	LINFOX	0 33										<del>                                     </del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		-	UEPRX	USAC2		1 03	0 29				15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1 03	0 29				15 69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15 69				
	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00	0 00				15 69				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<u> </u>								ļ					
	ort/Loop Combination Rates		1		$\rightarrow$	44.40			-		ļ			ļ		
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		+	14 18 18 01										
	2-Wire VG Loop/Port Combo - Zone 3		3	<del> </del>	+ +	23 02									ļ	
	op Rates	ļ												-		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21 32										ļ
	Voice Grade Line Port (Bus)	-		UEPBX	UEDDI	1 70	22 14	15 25	8 45	3 91		15 69				-
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPBX	UEPBL UEPBC	1 70	22 14	15 25	8 45	3 91		15 69		<del> </del>		<del> </del>
	2-Wire voice unbundled port with Caller + E464 ID - bus	ł	<del> </del>	UEPBX	UEPBO	170	22 14	15 25	8 45	3 91		15 69			1	<del></del>
	2-Wire voice Grade unjunified Tennessee extended local	1	<u> </u>	OL, DX	OE DO			10 20	0 40	001		10 05				· · ·
	dialing parity port with Calter ID - bus			UEPBX	UEPAV	1 70	22 14	15 25	8 45	3 91		15 69		1		
	2-Wire voice unbundled incoming only port with Caller ID - Bus	i –		UEPBX	UPEB1	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling								1							
	Port Economy Option (TACC1)		ļ.,	UEPBX	UEPAC	1 70	22 14	15 25	8 45	3 91	<b></b>	15 69	<u> </u>			
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)	ļ	ļ	UEPBX	UEPAE	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID		<u>.</u>	UEPBX	UEPWO	1 70	22 14	15 25	8 45	3 91		15 69				<u> </u>
	Tennessee Inward Collerville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1 70	22 14	15 25	8 45	3 91		15 69				
	Tennessee 2-Way Collerville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1 70	22 14	15 25	8 45	3 91		15 69				
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1 70	22 14	15 25	8 45	3 91		15 69				
	NUMBER PORTABILITY Local Number Portabilty (1 per port)		1	UEPBX	LNPCX	0 35					<del> </del>	-			-	-
FEATU		ļ .	1	T	1							<del> </del>			L	
	All Features Offered		1	UEPBX	UEPVF	0 00	0.00	0.00				15 69				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1 03	0 29				15 69	[			

NARONDEED V	IETWORK ELEMENTS - Tennessee													ment 2		bit 🖪
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Suhmitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Vire Voice Grade Leop / Line Port Combination - Conversion -															
	ritch with change		l	UEPBX	USACC		1 03	0 29				15 69				
	Vire Voice Grade Loop / Line Port Combination - Conversion -						i			1						
	bsequent Database Update						0 76					15 69				
ADDITION			l													
	Vire Voice Grade Loop/Line Port Combination - Subsequent															
	tivity			UEPBX	USAS2	0 00	0.00	0 00	L			15 69				
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										,					
	Loop Combination Rates															
	Vire VG Loop/Port Combo - Zone 1		1 1			14 18										
	Vire VG Loop/Port Combo - Zone 2		2			18 01					L					
	Vire VG Loop/Port Combo - Zone 3		3			23 02										
	Vire Voice Grade Lrop (SL 1) - Zone 1		1	UEPRG	UEPLX	12 48										
	Vire Voice Grade Loop (St. 1) - Zone 2			UEPRG	UEPLX	16 31										
2-V	Vire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21 32										
2-Wire Voi	ce Grade Line Port Rates (RES - PBX)															
2-V	Vire VG Unbundled Combination 2-Way PBX Trunk Port -															
Re	s		1	UEPRG	UEPRD	1 70	22 14	15 25	8 45	3 91	1	15 69				
LOCAL NU	IMBER PORTABILITY												-			
Loc	cal Number Portability (1 per port)		1	UEPRG	LNPCP	3 15	0 00	0.00				15 69				
FEATURES	S															
	Features Offered			UEPRG	UEPVF	0 00	0 00	0 00				15 69			-	
NONRECU	RRING CHARGES (NRCs) - CURRENTLY COMBINED										<del></del>					
	Vire Voice Grade Loop/ Line Port Combination (PBX) -								***		1					
Coi	nversion - Switch-As-Is			UEPRG	USAC2		1 03	0 29				15 69				
	Vire Voice Grade Loop/ Line Port Combination (PBX) -										1 -					
	nversion - Switch wth Change			UEPRG	USACC	1	1 03	0 29				15 69				
	Vire Voice Grade Liop / Line Port Combination - Conversion -								· · · · · · · · · · · · · · · · · · ·		+	10 00				
	bsequent Database Update						0 76			1		15 69				
ADDITION										<del>                                     </del>		10 00				<del> </del>
	Vire Voice Grade Loop/ Line Port Combination (PBX) -				<del> </del>											<del>                                     </del>
	bsequent Activity			UEPRG	USAS2	0 00	0.00	0 00				15 69				1
	X Subsequent Activity - Change/Rearrange Multiline Hunt			OLI III	UJAJZ	0.00	0 00	0 00		<del> </del>		13 03				
	oup						14 64	14 64		}		15 69				1
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						17 07	14 04		<b>:</b>	_	10.00				
	Loop Combination Rates			-									• • • •			<del></del>
	Vire VG Loop/Port Combo - Zone 1		1		<del></del>	14 18					-					
	Vire VG Loop/Port Combo - Zone 2		2			18 01										ļ
	Vire VG Loop/Port Combo - Zone 3		3		<del></del>	23 02		_								-
UNE Loop			3	<del> </del>	$\rightarrow$	23 02										₽
	Vire Voice Grade Lcop (SL 1) - Zone 1		4	HEDDY	LIED! V											<del></del>
	Vire Voice Grade Lcop (SL 1) - Zone 1 Vire Voice Grade Lcop (SL 1) - Zone 2		2	UEPPX UEPPX	UEPLX	12 48								<b></b>		-
	Vire Voice Grade Ecop (SL 1) - Zone 2  Vire Voice Grade Lcop (SL 1) - Zone 3				UEPLX	16 31										
	ce Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	21 32										
2-44 IFE VOI	ce Grade Line Port Rates (BUS - PBA)															L
1	a Rida Habitadlad Camburatura C.W., RRV T., d. R			LIEDDY												
- Lin	e Side Unbundled Combination 2-Way PBX Trunk Port - Bus		-	UEPPX	UEPPC	1 70	22 14	15 25	8 45	3 91		15 69				
Lin	e Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 70	22 14	15 25	8 45	3 91		15 69				
	e Side Unbundled Incoming PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPP1	1 70	22 14	15 25	8 45	3 91		15 69				<u> </u>
	Vire Voice Unbundled PBX LD Terminal Ports			UEPPX	ÜEPLD	1 70	22 14	15 25	8 45	3 91		15 69				
	Vire Voice Unbundled 2-Way Combination PBX Tennessee					l										1
	lling Port		<u> </u>	UEPPX	UEPT2	1 70	22 14	15 25	8 45	3 91		15 69				
	Vire Voice Unbundled 1-Way Outgoing PBX Tennessee			l	[											1
	ling Port			UEPPX	UEPTO	1 70	22 14	15 25	8 45	3 91		15 69				
	Vire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 70	22 14	15 25	8 45			15 69				
	Vire Voice Unbundled PBX Toll Terminal Hotel Ports		<u> </u>	UEPPX	UEPXB	1 70	22 14	15 25	8 45			15 69				
	Vire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 70	22 14	15 25	8 45	3 91		15 69	, i			
	Vire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 70	22 14	15 25	8 45	3 91		15 69				
	Vire Voice Unbundled PBX LD Terminal Switchboard IDD			· ·							1					
	pable Port		1	UEPPX	UEPXE	1 70	22 14	15 25	8 45	3 91		15 69				1

Version 4Q02 12/18/02 Page 380 of 416

	ETWORK ELEMENTS - Tennessee											7	Attach	ment 2	Exhi	bit. B
											Svc Order	Svc Order			Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
FOODY	<b>=</b> . <b>=</b>	Interi									Elec		Manual Svc	Manual Svc		
EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)				per LSR				Manual S
		""		1				***			per LSR	perLSR	Order vs.	Order vs	Order vs.	Order vs
		1										] ;	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			000	Rates (\$)	L	l
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN		001111	
2-Wi	ire Voice Unbuncled 2-Way PBX Hotel/Hospital Economy				<b>-</b>			71441	11134	Addi	SOIVIEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
Adm	inistrative Calling Port	1		UEPPX	UEPXL	1 70	22 14	15 <b>2</b> 5	8 45	3.91		45.00		ļ		
2-Wi	ire Voice Unbuncled 2-Way PBX Hotel/Hospital Economy		1				26 17		6 43	391		15 69				
Roor	m Calling Port		l	UEPPX	UEPXM	1 70	22 14	15 25	8 45	201					1	
2-W	ire Voice Unbuncled 1W Out PBX Hotel/Hospital Economy	1			- 02: 7411		22 14	10 20	8 45	3 91	-	15 69				
Adm	inistrative Calling Port TN Calling Port	ĺ		UEPPX	UEPXN	1 70	22 14	45.05								_
2-Wi	ire Voice Unbuncled 1-Way Outgoing PBX Hotel/Hospital	†		OLITA	- JULI XIV	170	22 14	15 25	8 45	3 91		15 69				
	ount Room Calling Port			UEPPX	UEPXO	1 70						i				
2-Wi	re Voice Unbuncled 1-Way Outgoing PBX Measured Port	-		UEPPX			22 14	15 25	8 45	3 91		15 69		i		
2-WI	re Voice Unbundled PBX Collierville and Memphis Calling		-	UEPPX	UEPXS	1 70	22 14	15 25	8 45	3 91		15 69				
Port	To voice onouncied FBX Conterville and Memphis Caning				l	ļ						T				
	re Voice Unbunded 2-Way PBX Tennessee RegionServ		_	UEPPX	UEPXU	1 70	22 14	15 25	8 45	3 91	í	15 69				
2-V	ing Port	į l				I										
			<u> </u>	UEPPX	UEPXV	1 70	22 14	15 25	8 45	3 91		15 69				
	nessee PBX 2-Way Combo Each Additional Trunk				7.7	-								-		
Collie	erville and Memphis Local Calling Plan		I	UEPPX	UEPA6	1 70	22 14	15 25	8 45	3 91	I	15 69				
	nessee PBX 2-Way Combo First Trunk Collierville and	[										13 08				
	iphis Local Calling Plan			UEPPX	UEPA7	1 70	22 14	15 25	8 45	3 91	I	15 69				
LOCAL NUM	BER PORTABILITY							10 20	040	391	———i	15 69				
Loca	Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0 00				15.00				
FEATURES						3 13	- 000	0 00				15 69				
All Fe	eatures Offered		-	UEPPX	UÉPVF	0 00	0 00									
	RING CHARGES (NRCs) - CURRENTLY COMBINED		<del>- 1</del>	OLI I X	ULFVF		0 00	0 00				15 69				
12-Wir	re Voice Grade Loop/ Line Port Combination (PBX) -										_					
Conv	/ersion - Switch-As-Is			HEDDY						,						
	re Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		1 03	0 29		İ	1	15 69				
Conv	version - Switch with Change		ľ			-										
2 100	re Verse Conda Land Change			UEPPX	USACC		1 03	0 29				15 69				
2-VVII	re Voice Grade Loop / Line Port Combination - Conversion - sequent Database Update				1 1							-				
ADDITIONAL	sequent Database Opdate						0 76	J		i	1	15 69	i			
										-	-	1000		<del></del> -		
2-771	re Voice Grade Loop/ Line Port Combination (PBX) -		I				- 1						-			
	equent Activity			UEPPX	USAS2	0 00	0.00	0.00				15 69		i		
	Subsequent Activity - Change/Rearrange Multiline Hunt							- 000		-		13 69				
Grou		ı				1	14 64	14 64			İ	45.00	1			
UNE Port/Lo	op Combination Rates				<del></del>			17 07				15 69				
2-Wir	re VG Coin Port/Loop Combo – Zone 1		1			14 18			_							
2-Wir	e VG Coin Port/Loop Combo – Zone 2		2			18 01										
2-Wir	e VG Coin Port/Loop Combo – Zone 3	-	3		+	23 02		-								
UNE Loop Ra	ates				<del></del>	23 02										
2-Wir	e Voice Grade Loop (SL1) - Zone 1	$\neg$ $+$	1	UEPCO	UEPLX	12 48						I				
2-Win	e Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 31										
2-Wir	e Voice Grade Loop (SL1) - Zone 3			JEPCO												
2-Wire Voice	Grade Line Ports (COIN)	+	'	JLFCO	UEPLX	21 32										
	e Coin 2-Way without Operator Screening and without															_
Block	ing (TN)	ĺ	1.	IEDOO		1										
	e Coin 2-Way with Operator Screening and Blocking 011,		!	JEPCO_	UEPTB	1 70	22 14	15 25	8 45	3 91	ı	15 69	1	l		
900/0	176, 1+DDD (NC,TN)		I.									~				
2-10/15	e Coin 2-Way with Operator Screening and 011 Blocking			JEPCO	UEPRP	1 70	22 14	15 25	8 45	3 91		15 69				
(TN)	e Colli 2-way will Operator Screening and 011 Blocking	[	ľ								_	- 10 00				
	- Co- 2 W		l	JEPCO	UEPTA	1 70	22 14	15 25	8 45	3 91	ŀ	15 69	1			
22-9917	e Coin 2-Way with Operator Screening 900 Blocking		T									- 10 00				
900/9	76, 1+DDD, 011+, and Local (NC, TN)		1	JEPCO	UEPCA	1 70	22 14	15 25	8 45	3 91		15 69			1	
2-Wire	e Coin Outward with Operator Screening and 011 Blocking			·	T			10 20	0.43	- 391		19.09				
(TN)			- lu	JEPCO	UEPTC	1 70	22 14	15.25	0.45	20-	İ	45.00	1			
2-Wire	e Coin Outward with Operator Screening and Blocking				1525	170	22 14	15 25	8 45	3 91		15 69				
[900/9]	76, 1+DDD, 011+, and Local (TN)	i	- 1.	JEPCO	UEPOT	1 70	20.11	,	[				1		"	
2-Wire	e 2-Way Smartline with 900/976 (all states except LA)	+		JEPCO			22 14	15 25	8 45	3 91		15 69			i	
2-Wire	e Coin Outward Smartline with 900/976 (all states except			DEFOU	UEPCK	1 88						15 69				
LA)	secució vinariano wari socioro (an siales except		J.	15000		1	J									
	UNE COIN PORT/LOOP (RC)			JEPCO	UEPCR	1 88			1	İ	ŀ	15 69				
EINIT (	Coin Bodillers Comballing (FL)															
I DIVE (	Coin Port/Loop Combo Usage (Flat Rate)		Ų	JEPCO	URECU	3 45	0.00	0.00	0.00	0.00		15 69				

NRONDLE	D NETWORK ELEMENTS - Tennessee									terred.				ment 2		bit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svo Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portabilty (1 per port)			UEPCO	LNPCX	0 35										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				}			·								
	Switch-as-is			UEPCO	USAC2		1 03	0 29				15 69				
- 1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USACC				İ							
	Switch with change  2-Wire Voice Grade Loop/Line Port Combination - Subsequent		<del> </del>	DEPCO	USACC		1 03	0 29				15 69				
1	Activity			UEPCO	USAS2	0.00	0 00	0 00				15 69				į.
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (		1007.02	0 00	0 00	0.00				1000			<del> </del>	
	ort/Loop Combination Rates		1 ,	<u> </u>												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18 45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23 52							***	1		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30 17										
UNEL	oop Rates			HEDED	1,5050	40.50										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		1	UEPFR UEPFR	UECF2 UECF2	16 56 21 63			ļ							
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28 28			<u> </u>		<del>  </del>	L			<del> </del>	<del></del>
2-Wire	Voice Grade Line Port Rates (Res)		t	021711	ULUI-2	20 20			<u> </u>		<del> </del>	<del>-</del>		-	<del> </del>	<del></del>
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice Grade unjundled Tennessee extended local dialing parity port with Calter ID - res			UEPFR	UEPAQ	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPFR	UEPAH	1 89	84 99	57 39	32 36	20 56		15 69				į
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPFR	UEPAK	1 89	84 99	57 39	32 36	20 56		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)      2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAL	1 89	84 99	57 39	32 36	20 56		15 69				
	ID - res (TACSR)  2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAM	1 89	84 99	57 39	32 36	20 56		15 69				
	ID - res (1MF2X)  2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAN	1 89	84 99	57 39	32 36	20 56		15 69			1	
	ID - res (2MR)  2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAO	1 89	84 99	57 39	32 36	20 56		15 69				
	(LUM) 2-Wire Voice Unbundlid Tennessee Residence Dialing Plan			UEPFR	UEPAP	1 89	84 99	57 39	32 36	20 56		15 69				
INTER	without Caller ID OFFICE TRANSPORT			UEPFR	UEPWN	1 89	84 99	57 39	32 36	20 56		15 69				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	18 58	55 39	17 37	27 96	3 51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0 0174										
FEAT				. Inches	1											
1004	All Features Offered L NUMBER PORTABILITY			UEPFR	UEPVF	0 00	0 00	0 00				15 69				
LUCA	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35			-							ļ
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OCITI	LINFOX	_0.35					<del>  </del>				-	<del>                                     </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16 94	3 72	-			15 69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Converson - Switch-With-Change			UEPFR	USACC	:	16 94	3 72				15 69				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (	BUS)												
UNEP	ort/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+ +	40 45					ļ				ļ	<b> </b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1  [2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 45 23 52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	30 17										<del> </del>
UNE L	oop Rates		Ť		<del>                                      </del>	00 17					<del>  </del>				<del> </del>	<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	ÜĒPFB	UECF2	16 56	-			<del></del>	<del> -</del>	··· ——			<del>                                     </del>	<del></del>

MOUNDLED NE	ETWORK ELEMENTS - Tennessee		,	T										ment 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
		<u> </u>	↓				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	re Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21 63										
	re Voice Grade Lcop (SL2) - Zone 3		3	UEPFB	UECF2	28 28										
	e Grade Line Port (Bus)															
	ire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 89	84 99	57 39	32 36	20 56		15 69				
	ire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 89	84 99	57 39	32 36	20 56		15 69				
2-Wi	ire voice unbundled port outgoing only - bus		1	UEPFB	UEPBO	1 89	84 99	57 39	32 36	20 56		15 69				
2-Wi	ire voice Grade unbundled Tennessee extended local		1													
dialir	ng parity port with Caller ID - bus		1	UEPFB	UEPAV	1 89	84 99	57 39	32 36	20 56		15 69				
	ire voice unbundled incoming only port with Caller ID - Bus			ÜEPFB	UEPB1	1 89	84 99	57 39	32 36	20 56		15 69				
	ire voice unbundled Tennessee Bus 2-Way Area Calling	_			-							10 00			-	···-
	Economy Option (TACC1)	1		UEPFB	UEPAC	1 89	84 99	57 39	32 36	20 56		15 69				
	ire voice unbundled Tennessee Bus 2-Way Area Calling	<del>                                     </del>	<del>                                     </del>		- JOE, AC	1 09	04 99	31 38	32 30	20 36		10 09			<del> </del>	
	Standard Option (TACC2)			UEPFB	UEPAD	1 89	84 99	67.20	20.20	20.50		45.00			1	
	ire voice unbundled Tennessee Bus 2-Way Collierville and	<u> </u>	1	OCFEB	OEFAD	1 09	84 99	57 39	32 36	20 56	<b> </b>	15 69			ļ	
	nphis Local Calling Port (B2F)		1	UEPFB	UEPAE	1 89	04.00									
			_	UEPFB	UEPAE	1 89	84 99	57 39	32 36	20 56		15 69				
	ire Voice Unbundled Tennessee Business Dialing Plan				1.											
	out Calter ID		<u> </u>	UEPFB	UEPWO	1 89	84 99	57 39	32 36	20 56		15 69				
	nessee Inward Colferville and Memphis Local Calling Plan					Į	1									
(BUS				UEPFB	UEPB2	1 89	84 99	57 39	32 36	20 56		15 69				
	nessee 2-Way Collerville and Memphis Local Calling Plan				1				1							
(BUS		i		UEPFB	UEPB3	1 89	84 99	57 39	32 36	20 56		15 69			ł	
LOCAL NUM	MBER PORTABILITY		· · · · ·													
Loca	I Number Portability (1 per port)			UEPFB	LNPCX	0 35									_	
INTEROFFIC	CE TRANSPORT										ļ					
Inter	roffice Transport - Dedicated - 2 Wire Voice Grade - Facility														-	
	nination		]	UEPFB	U1TV2	18 58	55 39	17 37	27 96	3 51	}					
	roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		i	OLI I D	01172	10 30	30 38	17 37	27 90	331						
	raction Mile		Į.	UEPFB	1L5XX	0.0474										
FEATURES			-	UEPFB	TESXX	0 0174										
								-	i							
	eatures Offered		ļ	UEPFB	UEPVF	0 00	0 00	0 00				15 69				
	RING CHARGES NRCs) - CURRENTLY COMBINED															
	ire Loop / Dedicated IO Transport / 2 Wire Line Port		ľ				- 1		1		1 1					
	nbination - Converson - Switch-as-is			UEPFB	USAC2		16 94	3 72				15 69				
	ire Loop / Dedicated IO Transport / 2 Wire Line Port						1									
Com	nbination - Conversion - Switch with change			UEPFB	USACC		16 94	3 72				15 69			ļ	
	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Lo	pop Combination Rates											-				
2-Wii	re VG Loop/IO Tranport/Port Combo - Zone 1		1		1	18 45								-		
2-Wii	ire VG Loop/IO Tranport/Port Combo - Zone 2		2	-	-	23 52										
	ire VG Loop/IO Tranport/Port Combo - Zone 3		3			30 17										
UNE Loop R			1			00 11	+									
	ire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16 56		-								
	ire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	21 63										
	ire Voice Grade Losp (SL2) - Zone 3			UEPFP	UECF2	28 28										
	e Grade Line Port Rates (BUS - PBX)		3	DEPFP	UECF2	28 28										
2-11116 40106	e Grade Line Port Rates (BOS - PBA)				_   .											
1 1,000	Pude Hebrard of Combination C.W., DDV T. I.D. I.D.				1				1							
	Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 79	106 40	63 08	42 67	18 54		15 69				
Line	Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 79	106 40	63 08	42 67	18 54		15 69				
	Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 79	106 40	63 08	42 67	18 54		15 69				
	re Voice Unbundled PBX LD Terminal Ports			UEPFP	UÉPLD	1 79	106 40	63 08	42 67	18 54		15 69				
	re Voice Unbundled 2-Way Combination PBX Terinessee		[						İ							
	ng Port		[	UEPFP	UEPT2	1 79	106 40	63 08	42 67	18 54		15 69				
2-Wu	re Voice Unbundled 1-Way Outgoing PBX Tennessee										<b>-</b>					
	ng Port			UEPFP	UEPTO	1 79	106 40	63 08	42 67	18 54		15 69		İ		
	re Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 79	106 40	63 08	42 67	18 54		15 69				
	re Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 79	106 40	63 08	42 67		<del></del>			-		
	re Voice Unbundled PBX LD DDD Terminal Hotel Ports			UEPFP	UEPXC					18 54		15 69				
			-			1 79	106 40	63 08	42 67	18 54		15 69				
1 12-771	re Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	1 79	106 40	63 08	42 67	18 54		15 69			1	

IRONDEF	D NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	bit B
											Svc Order	Svc Order	Incremental		Incremental	
			1		1							Suhmitted		Charge -	Charge -	Charg
					1											
TEGORY	RATE ELEMENTS	Inter	7000	BCS	usoc			RATES (\$)				Manually	Manual Svc	Manual Svc	Manual Svc	Manual
LEGORT	RATE ELEMENTS	m	Zone	BCS	USUC			RAIES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electron
													1st	Add'I		
			1		1 1								151	Addi	Disc 1st	Disc Ad-
	7	<b></b> -	+		+ + + + + + + + + + + + + + + + + + + +		Nonrecurring		Nonrecurring	Disconnect				Rates (\$)	٠	
-	<del></del>		-	<del> </del>		Rec	First	Add'I	First		001150	000000				
_	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		_				First	Add I	FIRST	Add'I	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMA
							1									l
	Capable Port		L	UEPFP	UEPXE	1 79	106 40	63 08	42 67	18 54		15 69				İ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1													
	Administrative Callinc Port	ļ		UEPFP	UEPXL	1 79	106 40	63 08	42 67	18 54	]	15 69	ŀ			
	2-Wire Voice Unbunded 2-Way PBX Hotel/Hospital Economy				-1							10 00	-			
1	Room Calling Port	i		UEPFP	UEPXM	1 79	106 40	63 08	42 67	18 54	I	45.00		1		
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy	-	+	OLITI	- OLI AIM	173	100 40	03 00	42 07	16 54		15 69		<b> </b>		
- 1					1											
	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1 79	106 40	63 08	42 67	18 54		15 69				i
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1											
1	Discount Room Calling Port			UEPFP	UEPXO	1 79	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		]	UEPFP	UEPXS	1 79	106 40	63 08	42 67	18 54	+	15 69			<del></del>	
	2-Wire Voice Unbunded PBX Collierville and Memphis Calling		1	<del></del>	1	. , , ,	100 10		72.07	10 34		13 08	<del></del>	-		
	Port	1	1	UEPFP	UEPXU	1.70	100 40	60.00	40.07	40	ļ	45.00				
_		├	<b>!</b>	DEPFP	UEPXU	1 79	106 40	63 08	42 67	18 54	i	15 69		1		
	2-Wire Voice Unbunded 2-Way PBX Tennessee RegionServ		1	l .	l i						i			1		
	Califing Port		<u> </u>	UEPFP	UEPXV	1 79	106 40	63 08	42 67	18 54		15 69		1		
LOCA	L NUMBER PORTABILITY															
	Local Number Portablity (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00				15 69				
INTER	OFFICE TRANSPORT	ļ · · · · · ·	_	OLI II	10.1.0.		0 00					13 03				
111121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del></del>	<b>├</b>		+								-			
1					1 1											
	Termination		J	UEPFP	U1TV2	18 58	55 39	17 37	27 96	3 51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0 0174										
FEAT	JRES															
	All Features Offered		+	ÜEPFP	UEPVF	0 00	0 00	0 00			i	45.00				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		+	OLT I F	OLF VI	0 00	0 00	0 00				15 69				
NOW																
	2-Wire Loop / Dedicaled IO Transport / 2 Wire Line Port		1		1						1					
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16 94	3 72			ľ	15 69				
	2-Wire Loop / Dedicaled IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		16 94	3 72				15 69		i		
BUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES											.0 00				
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT		-												ļ
	ort/Loop Combination Rates	TOKI	├─-		+											
OHIL F			-													
	2-Wire VG Loop/2-Wie DID Trunk Port Combo - UNE Zone 1		1			18 38							L			1
	2-Wire VG Loop/2-Wie DID Trunk Port Combo - UNE Zone 2		2		1	19 87										
	2-Wire VG Loop/2-Wile DID Trunk Port Combo - UNE Zone 3		3			24 78				_				1		
UNE L	oop Rates				-						+			<del></del>		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9 60								<del> </del>		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	<b>—</b> —	2	UEPPX												
+-	2-Wire Analog Voice Grade Loop (CL2) - UNE Zone Z	<del>                                     </del>			UECD1	11 09										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<u> </u>	3	UEPPX	UECD1	16 00										
UNEP	ort Rate		<u> </u>										_			
$\perp$	Exchange Ports - 2-Wire DID Port		ഥ ⁻¯	UEPPX	UEPD1	8 78	45 44	29 94	8 45	3 91			30 89	7 03		
NONR	ECURRING CHARGES - CURRENTLY COMBINED										-			1		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	ŀ	1		1							_		<del> </del>		
- 1	Switch-as-is	1		UEPPX	USAC1		8 76	E 75					00			
<del></del>	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		-	OL: FA	USACI		8 /6	5 75					30 89	7 03		
	P-III P-III Control All - with Other Conversion			l	1											
<del></del>	with BellSouth Allowable Changes			UEPPX	USA1C		8 76	5 75					30 89	7 03		
Teleph	none Number/Trunk Group Establisment Charges		_					ĺ								
	DID Trunk Termination (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00				-		l		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0.00						-		<b></b>
	DID Numbers, Non-consecutive DID Numbers , Per Number	<del>                                     </del>	<del>                                     </del>	UEPPX	ND5	0 00	0 00							ļ		
	Reserve Non-Consecutive DID numbers							0 00								
		ļ		UEPPX	ND6	0 00	0.00	0.00						L		
	Reserve DID Numbers		Ш.	UEPPX	NOV	0 00	0 00	0 00								
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0.00						<del></del>		
2-WIRI	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	UE SIDE	PODT		1	- 0.0	0.00	0 00						<b></b>		_
LIME D	ort/Loop Combination Rates	** 3100	- roki		1											
ONEP					1											
- 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	}	l													
	UNE Zone 1		1 4	UEPPB UEPPI	5 I	32 27								I		1

NRONDLE	D NETWORK ELEMENTS - Tennessee														ment 2		bit, B
TEGORY	RATE ELEMENTS	Interi m	Zone	E	ics	usoc			RATES (\$)			Submitted	Suhmitted	Incremental Charge - Manual Svo Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	SIM ISOM Control Control and SIM ISOM Destablished							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grace Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	}	34 78	ı	i						ļ		
_	2W ISDN Digital Grace Loop/2W ISDN Digital Line Side Port -			QL- FB	- OLITA		34 70		-		<del></del>						
.	UNE Zone 3		3	UEPPB	UEPPR	1 1	44 32	1				1			1		
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1_	UEPPB	UEPPR	USL2X	16 20										
	2 Mars ISBN Destal Cond. Lane. LIME 7 2	,	2	UEPPB	UÉPPR	Lucian	18 71										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR	USL2X USL2X	28 25				~~						
UNE	Port Rate			OLFFO	OLFFR	USL2A	20 23	_								<b></b>	<del></del>
	Exchange Port - 2-Wije ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16 07	141 75	118 37	49 20	43 26			19 99	19 99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED														· ·		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0 00	117 23	117 23					19 99	19 99		
ADDIT	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activi-			<u> </u>		<del> </del>						L					<b></b>
l l	Non Feature/Add Trunk			UEPPB	UEPPR	USASB	'	212 88				1		19 99	19 99	Ì	1
LOCA	L NUMBER PORTABILITY			02118	OLITIN	UUAUU		212 00						13 33	15 55		<b>——</b>
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0.00								
B-CHA	ANNEL USER PROFILE ACCESS												-				
	CVS/CSD (DMS/5ESS)			ÜEPPB	UEPPR	U1UCA	0 00	0 00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0 00	0 00								
B CH	CSD ANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS SO		This	UEPPB	UEPPR	U1UCC	0.00	0 00	0.00								<del></del>
B-CH/	CVS/CSD (DMS/5ESS)	, M S, &	(N I	UEPPB	UEPPR	U1UCO	0 00	0 00	0 00								
_	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0 00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0 00	0 00	0.00			<del> </del>					
USER	TERMINAL PROFILE												-				
	User Terminal Profile EWSD only)			UEPPB	UEPPR	U1UMA	0 00	0 00	0 00								
VERT	ICAL FEATURES			UEDOD													<u> </u>
-	All Vertical Features - One per Channel B User Profile Interoffice Channel mleage each, including first mile and		_	UEPPB	UEPPR	UEPVF	0 00	0 00	0.00			-					
	facilities termination			UEPPB	UEPPR	M1GNC	17 91	53 99	17 37					19 99	19 99		ı
	Interoffice Channel mleage each, additional mile				UEPPR	M1GNM	0 173	0 00	0 00			-		13 35	19 99		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT				1								-			
UNE F	Port/Loop Combination Rates																
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					}											<i></i>
_	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1_	UEPPP			132 58										
	Zone 2		2	UEPPP			150 25										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITT			150 25					+					
- 1	Zone 3		3	UEPPP		1	173 44	1		1		1					
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	57 73										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	75 40										-
LIME	4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate		3	UEPPP		USL4P	98 59										-
UNEF	Exchange Ports - 4-Wre ISDN DS1 Port			UEPPP		UEPPP	74 85	415 53	366 90	89 28	77 43			19 99	19 99		
NONR	ECURRING CHARGES- CURRENTLY COMBINED		_	JL, FF		Jan 1	74 03	41003	300 90	09 28	11 43			19 99	19 99		_
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											+					
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0 00	328 53	328 53					19 99	19 99		ĺ
ADDIT	IONAL NRCs					I											
	4-Wire DS1 Loop/4-WISDN Digti Trk Port - Subsqt Activy-																
	Inward/two way Tel Ncs (except NC)			UEPPP		PR7TF		0 94						19 99	19 99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		20.00	22.22	Į.				40.00	40.00		í
_	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEFFP		FR/IU		22 36	22 36				-	19 99	19 99	<del>-</del>	
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		44 71	44 70					19 99	19 99		ı
LOCA	L NUMBER PORTABILITY					1						<del></del>					$\overline{}$

JNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachi	ment 2		bit B
ATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Sulfmitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)		├	UEPPP	LNPCN	1 75	First	Addi	11131	Addi	GOINE	OOMAN		- COMPART	00	
	ACE (Provisioning Only)			52												
	Voice/Data			UEPPP	PR71V	0 00	0.00	0 00								
	Digital Data			UEPPP	PR710	0 00	0.00	0 00								
	Inward Data		<del>                                     </del>	UEPPP	PR71E	0.00	0.00	0 00								
	Additional "B" Channel															
	New or Additional - Voice/Data B Channel	1		UEPPP	PR78V	0 00	28 39		1				19 99	19 99		
	New or Additional - Dgital Data B Channel		_	UEPPP	PR7BF	0.00	29 11						19 99	19 99		
	New or Additional Invard Data B Channel	<del> </del>		UEPPP	PR7BD	0 00	29 39						19 99	19 99		
CALL T					1											
	Inward			UEPPP	PR7C1	0 00	0 00	0 00								
	Outward			UEPPP	PR7C0	0 00	0 00	0 00								
	Two-way	_		UEPPP	PR7CC	0 00	0.00	0 00								
	ce Channel Mileage				-											
	Fixed Each Including First Mile			UEPPP	1LN1A	76 1825	145 98	109 85	19 55		T		19 99	19 99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 3525	_									
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-													
	rt/Loop Combination Rates										1					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93 28							19 99	19 99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC	++	110 95							19 99	19 99		
	4W DS1 Digital Loop/4W DOITS Trunk Port - UNE Zone 3	-		UEPDC		134 14				11/4-			19 99	19 99		
	op Rates				1											
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLOC	57 53										
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDÇ	USLDC	75 40										
- 1 2	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98 59							-			
UNE Por			_													
	4-Wire DOITS Digital Trunk Port	-		UEPDC	UDD1T	35 55	342 80	257 87	61 41	48 49			19 99	19 99		
	CURRING CHARGES - CURRENTLY COMBINED				<del> </del>											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								_							
	- Switch-as-is	1		UEPDC	USAC4		312 91	312 91			, ,	1	19 99	19 99		
4	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		312 91	312 91				1	19 99	19 99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										<del></del>					
-	Conversion with Change - Trunk			UEPDC	USAWB		312 91	312 91				l	19 99	19 99	1	
ADDITIO	DNAL NRCs				1										_	
- 4	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				<del></del>		-				<del></del>					
	Service Activity Per Service Order	[		UEPDC	USAS4		94 88	94 88				!		1		
14	1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				1											
	Subsequent Channel Activation/Chan - 2-Way Trunk	!		UEPDC	UDTTA		108 67	108 67					19 99	19 99	1	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
_	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108 67	108 67			i i		19 99	19 99		
	1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel				1								10 00	1000		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108 67	108 67			!	ì	19 99	19 99		
4	1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan												13 33	10 00		
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108 67	108 67					19 99	19 99		
4	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1			100 07					1000	15 55		
_   A	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108 67	108 67				- 1	19 99	19 99		
	R 8 ZERO SUBSTITUTION		_		1		-				<del></del>			10 03		
	38ZS -Superframe Format			UEPDC	CCOSF		0 00	590 00			<del>  </del>		19 99	19 99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	590 00					19 99	19 99		
	e Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0 00								
	AMI - Extended SuperFrame Format		$\neg \neg$	UEPDC	MCOPO		0 00	0 00			·					
	ne Number/Trunk Group Establisment Charges		_		1											
	elephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00	-				1	-	19 99	19 99		
	Felephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00							19 99	19 99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00							19 99	19 99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00					<del>  </del>		19 99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC							. 1	I	10 00	1000		

UNDLED NETWORK ELEMENTS - Tennessee				-,									ment 2		bit B
GORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order v Electron Disc Ac
				-		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)	·	1
***					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0 00								
Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0 00						1		Į .
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital I	Loop	with 4-Wire DDITS	Trunk Port											
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	75 83	145 98	109 85	19 66	14 99						
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 3525	0 00	0 00								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00								
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 3525	0 00	0 00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1														
Termination)			UEPDC	1LNO3	0 00	0 00	0 00								
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1														1	
Interoffice Channel Mileage - Additional rate per mile - 25+ miles	$\vdash$		UEPDC	1LNOC	0 3525	0 00	0.00								<u> </u>
Local Number Portabilty, per DS0 Activated	$\perp$		UEPDC	LNPCP	3 15	0.00	0.00								<b></b>
Central Office Termininating Point	-		UEPDC	CTG	0 00								-		-
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	tuations			-		-									ļ
Each System can have up to 24 combinations of rates depending or		d numi	her of ports used	-		_							<del> </del>		+
UNE DS1 Loop	Type and	T	ber of ports useu	-	<del>                                     </del>				<del></del>		_				1
4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	57 73	0 00	0 00	_							<u> </u>
4-Wire DS1 Loop - UNE Zone 2	_		UEPMG	USLDC	75 40	0.00	0.00							<del></del>	
4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	98 59	0.00	0 00	_		1					
UNE DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)			1											
24 DSO Channel Capacity - 1 per DS1	T		UEPMG	VUM24	131 87	0.00	0 00					19 99	19 99		
48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263 74	0 00	0 00					19 99	19 99		l
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527 48	0 00	0 00					19 99	19 99		
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791 42	0 00	0 00					19 99	19 99		
192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0 00	0 00				_	19 99	19 99		
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318 70	0 00	0 00					19 99	19 99		
288 DS0 Channel Capacity - 1 per 12 DS1s	1		UEPMG	VUM28	1,582 44	0 00	0 00					19 99 19 99	19 99 19 99		
384 DS0 Channel Capacity - 1 per 16 DS1s	+		UEPMG UEPMG	VUM38 VUM40	2,109 92 2,637 40	0 00	0.00					19 99	19 99		
480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s	+ +		UEPMG	VUM57	3,164 88	0 00	0 00					19 99	19 99		<del> </del>
672 DS0 Channel Capacity - 1 per 24 DS1s	<del>  </del>		UEPMG	VUM67	3,692 36	0.00	0 00					19 99	19 99		
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Channe						0.00		-			10 00	13 33		<del> </del>
A Minimum System configuration is One (1) DS1. One (1) D4 Channel						Stelli					_				
Multiples of this configuration functioning as one are considered A															
NRC - Conversion (Currently Combined) with or without				T	1										
BellSouth Allowed Changes			UEPMG	USAC4	0.00	303 61	15 74					19 99	19 99		
System Additions at End User Locations Where 4-Wire DS1 Loop w	th Chann	elizati	on with Port Com	bination Curre	ently Exists and										<u> </u>
New (Not Currently Combined) in all states, except in Density Zone	1 of Top 8	8 MSA	's												<u> </u>
DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation			UEPMG	VUMD4	0 00	704 68	441 48	138 36	16 41			19 99			
Bipolar 8 Zero Substitution	$\perp \perp \perp \perp \perp \perp$														ļ
Clear Channel Capabilty Format, superframe - Subsequent	1 T	7		l		Π.						l	I		
Activity Only	4		UEPMG	CCOSF	0.00	0 00	590 00							ļ	<u> </u>
Clear Channel Capabilty Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	590 00								
Alternate Mark Inversion (AMI)				_									ļ	ļ	<u> </u>
Superframe Format	$\perp$		UEPMG	MCOSF	0 00	0.00	0 00		L				-		<b>_</b>
Extended Superframe Format	ــــــــــــــــــــــــــــــــــــــ		UEPMG	МСОРО	0 00	0 00	0 00					ļ <u> </u>	-	<u> </u>	<del> </del>
Exchange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with F	ort			<del> </del>					<u> </u>		<b></b>	-	ļ	+
Exchange Ports		$\dashv$			<del></del>							-	-	<del>                                     </del>	$\vdash$
Line Side Combination Channelized PBX Trunk Port - Business		- 1	UEPPX	UEPCX	1 70	0.00	0.00	0.00	0.00			30 89	7 03		
u irie aige Compination Channelized PBX Trunk Pod - Business		- 1	UCCCA	IUEPUX	1 170	u au i	0.00	0.001			1	1 30.09	1 / 03	1	1

Version 4Q02 12/18/02 Page 387 of 416

NRONDI	LED NETWORK ELEMENTS - Tennessee													nent 2		bit B
TEGORY	r RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		L
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							]						-			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 70	0.00	0 00	0 00	0 00	1		30 89	7 03		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		ļ	UEPPX	UEPDM	8 97	0.00	0 00	0 00	0 00			30 89	7 03		
-	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access						i i									
1	Service)			UEPPX	UEPCY	1 70	0.00	0 00	0.00	0 00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized – Combination	_		OLFFX	UEFC	170	0.00	0.00	0 00	0 00			30 89	7 03		
ì	(AL, KY, LA, MS, & TN) (Conversion from Network Access				ŀ											
1	Service)			UEPPX	UEPCT	1 70	0 00	0 00	0 00	0.00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			02117	OEI OI	1.0	0.00	0 00	0.00				30 09	7 03		
	Tennessee Only Caling Plan - Regionsery		1	UEPPX	UEPÇZ	1 70	0 00	0 00	0.00	0.00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized - Two Way -	<u> </u>			<del>                                     </del>	1	1		550				00 00			
	Tennessee Only - Caling Plan - Regionsery			UEPPX	UEPXV	1 70	0.00	0 00	0 00	0 00	] [		30 89	7 03		
Fea	ture Activations - Unburdled Loop Concentration							****						. 55		
	Feature (Service) Activation for each Line Port Terminated in D4															<del> </del> -
	Bank (includes Q 1 4, P50 1, P 50 498)	<u></u>		UEPPX	1PQWM	2 02	23 94	12 64	3 82	3 80			30 89	7 03		
	Feature (Service) Activation for each Trunk Port Terminated in									-		-				1
	D4 Bank (includes Q 4, P50 1, P 50 498)			UEPPX	1PQWU	2 02	73 67	17 37	54 09	10 57			30 89	7 03		
Tele	phone Number/ Group Establishment Charges for DID Service									_						
	DID Trunk Terminatior (1 per Port)			UEPPX	NDT	0 00	0 00	0 00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00								
-	Non-Consecutive DID Numbers - per number		ļ	UEPPX	ND5	0 00	0 00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0 00	0 00								
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00								
Loc	al Number Portability			UEPPX	Libert											
EEA	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
	al Switching Features Offered with Line Side Ports Only															
1200	All Features Available			UEPPX	UEPVF	0.00	0 00	0.00								
UNDLE	D PORT LOOP COMBINATIONS - MARKET RATES		<del> </del> -	OLI I X	OLF VI		0.00	. 000								
	ket Rates shall apply where BellSouth is not required to provide	unbun	lled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules								
This	s includes		1					***							<del></del>	
Unb	undled port/loop combinations that are Currently Combined or I	Not Cur	ently (	ombined in Zone	1 of the Top 8	MSAS in BellS	outh's region f	or end users v	with 4 or more	OSO equivalen	tlines					
The	Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderd:	ale, Mia	mi); G/	A (Atlanta), LA (Nev	v Orleans), NO	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston	a-Rock Hill), T	N (Nashville	:)				
Bell	South currently is developing the billing capability to mechanica	lly bill	the rec	urring and non-rec	urring Market	Rates in this s	ection except f	or nonrecurrir	ng charges for i	not currently o	ombined in	FL and NC.	In the interi	m where Bells	outh cannot	bill Market
Rate	es, BellSouth shall bill the rates in the Cost-Based section preced	ling in	lieu of	the Market Rates a	nd reserves th	e right to true-	up the billing o	lifference								
	Market Rate for unbunded ports includes all available features i															
End	Office and Tandem Switching Usage and Common Transport Us	age rat	es in tl	ne Port section of t	his rate exhibi	it shall apply to	all combination	ns of loop/po	rt network elen	ents except 1	or UNE Coir	Port/Loop	Combination	s which have	a flat rate us	age charge
(US	OC. URECU)															
For	Not Currently Combined scenarios the Nonrecurring charges are	listed	n the F	irst and Additiona	I NRC column	s for each Port	USOC For Cu	rrently Combi	ined scenarios,	the Nonrecur	ring charges	are listed i	n the NRC - C	Currently Com	bined section	١.
Add	litional NRCs may apply also and are categorized accordingly.															
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
- 1	2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
-	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
		ı	3			35 32										
	2-Wire VG Loop/Port Combo - Zone 3															
UNE	Loop Rates				<del></del>						1					
UNE	Loop Rates 2-Wire Voice Grade Lcop (SL1) - Zone 1		1	UEPRX	UEPLX	12 48					<del></del>					
UNE	E-Loop Rates  2-Wire Voice Grade Lcop (SL1) - Zone 1  2-Wire Voice Grade Lcop (SL1) - Zone 2		2	UEPRX	UEPLX	16 31		-								
	E Loop Rates    2-Wire Voice Grade Lcop (SL1) - Zone 1   2-Wire Voice Grade Lcop (SL1) - Zone 2   2-Wire Voice Grade Lcop (SL1) - Zone 3															
	E Loop Rates  2-Wire Voice Grade Lcop (SL1) - Zone 1  2-Wire Voice Grade Lcop (SL1) - Zone 2  2-Wire Voice Grade Lcop (SL1) - Zone 3  ire Voice Grade Line Port (Res)		2	UEPRX UEPRX	UEPLX UEPLX	16 31 21 32	20.00									
	ELoop Rates  2-Wire Voice Grade Lcop (SL1) - Zone 1  2-Wire Voice Grade Lcop (SL1) - Zone 2  2-Wire Voice Grade Lcop (SL1) - Zone 3  ire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence		2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	16 31 21 32 14 00	90 00	90 00					30 89	7 03		
	ELoop Rates  2-Wire Voice Grade Lcop (SL1) - Zone 1 2-Wire Voice Grade Lcop (SL1) - Zone 2 2-Wire Voice Grade Lcop (SL1) - Zone 3  ire Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	16 31 21 32 14 00 14 00	90 00	90 00					30 89	7 03	7.1	
	E Loop Rates    2-Wire Voice Grade Lcop (SL1) - Zone 1   2-Wire Voice Grade Lcop (SL1) - Zone 2   2-Wire Voice Grade Lcop (SL1) - Zone 3   Ire Voice Grade Line Port (Res)   2-Wire voice unbundled port - residence   2-Wire voice unbundled port with Caller ID - res   2-Wire voice unbundled port outgoing only - res		2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	16 31 21 32 14 00										
	ELoop Rates  2-Wire Voice Grade Lcop (SL1) - Zone 1 2-Wire Voice Grade Lcop (SL1) - Zone 2 2-Wire Voice Grade Lcop (SL1) - Zone 3  Ire Voice Grade Line Port (Res)  2-Wire voice unbundled port esidence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade urbundled Tennessee extended local		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	16 31 21 32 14 00 14 00 14 00	90 00 90 00	90 00					30 89 30 89	7 03 7 03		
	E Loop Rates    2-Wire Voice Grade Lcop (SL1) - Zone 1   2-Wire Voice Grade Lcop (SL1) - Zone 2   2-Wire Voice Grade Lcop (SL1) - Zone 3   Ire Voice Grade Line Port (Res)   2-Wire voice unbundled port - residence   2-Wire voice unbundled port with Caller ID - res   2-Wire voice unbundled port outgoing only - res		2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	16 31 21 32 14 00 14 00	90 00	90 00					30 89	7 03		

NOUNDLE	ED NETWORK ELEMENTS - Tennessee			T							T			ment 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
			L			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbunded Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	14 00	90 00	90 00					30 89	7 03		
_	2-Wire voice unbunded Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbunded Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	14 00	90 00	90 00					30 89	7 03		
_	2-Wire voice unbunded Tennessee Area Calling port with Caller ID - res (2MR)		L	UEPRX	UEPAO	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)     2-Wire voice unbundled Low Usage Line Port without Caller ID		_	UEPRX	UEPAP	14 00	90 00	90 00					30 89	7 03		ļ
	Capability  2-Wire Voice Unburided Tennessee Residence Dialing Plan		<u> </u>	UEPRX	UEPRT	14 00	90 00	90 00					30 89	7 03		
	without Caller ID  2-Wire voice unbundled Tennessee Area Plus Port without			UEPRX	UEPWN	14 00	90 00	90 00					30 89	7 03		
LOCA	Caller ID Capability AL NUMBER PORTABILITY		ļ	UEPRX	UEPRR	14 00	90 00	90 00					30 89	7 03		
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEAT	URES					·-										
NONE	All Features Offered RECURRING CHARGES - CURRENTLY COMBINED			UEPRX	UEPVF	0 00	0 00	0 00					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41 50	41 50					30 89	7 03		
APPU	2-Wire Voice Grade Loop / Line Port Combination - Switch with change TIONAL NRCs			UEPRX	USACC		41 50	41 50					30 89	7 03	-	
ADDIT	NRC - 2-Wire Voice Crade Loop/Line Port Combination - Subsequent			UEPRX	110400	2.00	2.00									
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0 00	0 00	0 00	-		<del>  </del>		30 89	7 03		<del></del>
	Port/Loop Combination Rates				<del></del>			_	-	-	1 1					
	2-Wire VG Loop/Port Combo - Zone 1		1		-	26 48					1	-				
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
UNE	Loop Rates		L													
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX UEPBX	UEPLX	16 31 21 32					ļi					-
2-Wire	e Voice Grade Line Pot (Bus)		3	OLIBA	OELLY	21 32					<del></del>					
1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00	<del>  </del>				30 89	7 03		<del></del>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00	<del>                                     </del>				30 89	7 03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00	···				30 89	7 03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Terinessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	14 00	90 00	90 00					_30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling     Port Standard Option (TACC2)     2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			UEPBX	UEPAD	14 00	90 00	90 00					30 89	7 03		
_	2-wire voice unbundled Tennessee Bus 2-way Collierville and Memphis Local Calling Port (B2F) 2-Wire voice unbundled incoming Only Port without Callier ID			UEPBX	UEPAE	14 00	90 00	90 00					30 89	7 03		
	Capability  2-Wire Voice Unbundled Tennessee Business Dialing Plan		_	UEPBX	UEPBE	14 00	90 00	90 00				_	30 89	7 03		
LOCA	without Caller ID  L NUMBER PORTABILITY			UEPBX	UEPWO	14 00	90 00	90 00					30 89	7 03	_	ļ
	Local Number Portabilty (1 per port) URES	-		UEPBX	LNPCX	0 35										
	All Features Offered			UEPBX	UEPVF	0 00	0 00	0 00					30 89	7 03		
	RECURRING CHARGES - CURRENTLY COMBINED					0.00	0.00		L		L L		30 03	, , ,		<b></b>

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment 2	Exhil	ort B
						_						Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually			Manual Svc Order vs Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
		ļ	<u> </u>		<u> </u>		N		Nama	- Di			000	Rates (\$)		l
			-			Rec	Nonrecurring First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			-			**-	rnst	Augi	FIISL	Audi	SOMEC	3. HAN	SOMAN	SOMAN	SOWAN	JONIAN
l	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	<u>!</u>		UEPBX	USAC2		41 50	41 50		1			30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			OLFBX	OUAGE		- 7.1 30						30 00	7 03	· ·	
	change	1		UEPBX	USACC		41 50	41 50		1		ļ	30 89	7 03		
ADDI	FIONAL NRCs	<del>                                     </del>		GEI DA	1007.00					1				1		
1100	NRC - 2-Wire Voice Grade Loop/Line Port Combination -		<del> </del>							1						
	Subsequent	1		UEPBX	USAS2	0 00	0 00	0.00		}			30 89	7 03		
2-WIR	RE VOICE GRADE LOOPWITH 2-WIRE LINE PORT (RES - PBX)															
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1	1			26 48	1									
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32								1		
UNE L	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRG	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	16 31							1			
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21 32										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)			1												
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -										1					
	Res			UEPRG	UEPRD	14 00	90 00	90 00					30 89	7 03		
LOCA	L NUMBER PORTABILITY										<b>_</b>				ļ <u></u>	
1	Local Number Portability (1 per port)	-	ļ	UEPRG	LNPCP	3 15	0 00	0 00					1			<u> </u>
FEAT	URES			INDE			2.00	2.00				⊢	30 89	7 03		
	All Features Offered			UEPRG	ÜEPVF	0 00	0 00	0 00			+		30 89	7 03		
NONE	RECURRING CHARGES CURRENTLY COMBINED										1					
	244 44 24 24 24 24 24 24 24 24 24 24 24			UEPRG	USAC2		41 50	41 50					30 89	7 03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	ļ	-	UEPRG	USACZ		41 50	4150		<del></del>	1					
	Change	ļ		UEPRG	USACC		41 50	41 50		1			30 89	7 03		
ADDI	TIONAL NRCs	<del> </del>		OEFRG	USACC		4:30	7130		-			00 03	, 00		
ADDI	2 Wire Loop/Line Side Port Combination - Non feature -				-					<del>                                     </del>	+					
	Subsequent Activity- Nonrecurring						0.00	0 00		1			30 89	7 03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			<u> </u>										-		
	Group		Ì	i			14 64	14 64			ı	1	30 89	7 03		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										1				-	
	Port/Loop Combination Rates		1													
	2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ		UEPPX	UEPLX	16 31			ļ		1		ļ	ļ	1	
	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPPX	UEPLX	21 32				<del>                                     </del>		<u> </u>		1		<b></b>
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		<u> </u>	1						<del> </del>						
		1		LIEDOV	LIEDDO		20.00			1			20.00	7.00		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ	<u> </u>	UEPPX	UEPPC	14 00	90 00	90 00	1	+	-		30 89 30 89	7 03		l
<del>-  </del>	Line Side Unbundled Outward PBX Trunk Port - Bus	ļ		UEPPX	UEPPO	14 00 14 00	90 00	90 00	<del> </del>	<del>  -</del>	+	1	30 89	7 03	-	<b> </b>
	Line Side Unbundled Incoming PBX Trunk Port - Bus		<del> </del>	UEPPX UEPPX	UEPP1 UEPLD	14 00	90 00 90 00	90 00	ļ	+	+		30 89	7 03	<del> </del>	
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee	<del> </del>	$\vdash$	IUCHAY	UEPLU	14 00	90 00	90.00		+	+	1	30.09	7 03		
	Calling Port			UEPPX	UEPT2	14 00	90 00	90 00		1			30 89	7 03	1	
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	1	_	PULL LA	UEF 12	14 00	90 00	90 00		-	+		30.09	1 03	<del>                                     </del>	
	Calling Port		i	UEPPX	UEPTO	14 00	90 00	90 00					30 89	7 03	1	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	-	UEPPX	UEPXA	14 00	90 00	90 00		+	+	<del> </del>	30 89	7 03	<b>†</b>	<del> </del>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<del>                                     </del>	+	UEPPX	UEPXB	14 00	90 00	90 00		+	+	<del> </del>	30 89	7 03	<u> </u>	
	2-Wire Voice Unbundled PBX LD DDD Terminal Port	<del>                                     </del>	1	UEPPX	UEPXB	14 00	90 00	90 00	1	-	+	<del></del>	30 89	7 03	<del>                                     </del>	<del> </del>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	_	UEPPX	UEPXD	14 00	90 00	90 00	<del>                                     </del>	+	+	<del> </del>	30 89	7 03	· · · · · · · · · · · · · · · · · · ·	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	OLIFA	JULI AU	17 00	- 30 00	30 00	<del> </del>	+	<del> </del>	<del> </del>	1 00 00	1	<del>                                     </del>	1
1	Capable Port	1	1	UEPPX	UEPXE	14 00	90 00	90 00		1	1		30.89	7 03		1

NBUNDLE	ED NETWORK ELEMENTS - Tennessee		,	,									ment <sup>,</sup> 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			-	1			Nonrecurring		Nonrecurring Disconnect	<del> </del>	<u> </u>	OSS	Rates (\$)		
			1			Rec	First	Add'I	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						1								† · · · ·
	Administrative Calling Port		<u> </u>	UEPPX	UEPXL	14 00	90 00	90 00				30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	44.00	00.00					1			
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy	-	<del> </del>	UEPPX	UEPXM	14 00	90 00	90 00		<del> </del>		30 89	7 03		
- 1	Administrative Calling Port TN	1		UEPPX	UEPXN	14 00	90 00	90 00		1		30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			1								00 00	7 00		
	Discount Room Calling Port	L		UEPPX	UEPXO	14 00	90 00	90 00				30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14 00	90 00	90 00				30 89	7 03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1	UEPPX	UEPXU	14 00	90 00	90 00				20.00	7.02		
-	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ		1	DEFFX	DEFAU	14 00	90 00	90 00				30 89	7 03		
	Callling Port			UEPPX	UEPXV	14 00	90 00	90 00		İ		30 89	7 03		
	Tennessee PBX 2-Wa/ Combo Each Additional Trunk														
	Colliervilte and Memphis Local Calling Plan	ļ		UEPPX	UEPA6	14 00	90 00	90 00				30 89	7 03		
	Tennessee PBX 2-Wa/ Combo First Trunk Collierville and Memphis Local Callinc Plan	1		UEPPX	UEPA7	44.00	00.00	00.00							
LOCA	L NUMBER PORTABIL TY	<del>                                     </del>		UEPPX	UEPAI	14 00	90 00	90 00		+		30 89	7 03		1
	Local Number Portability (1 per port)		†	UEPPX	LNPCP	3 15	0.00	0 00		<del> </del>		-			
FEAT	URES		<b>†</b>							1					
	All Features Offered			UEPPX	UEPVF	0 00	0 00	0 00				30 89	7 03		
NONR	RECURRING CHARGES- CURRENTLY COMBINED														
į	2-Wire Voice Grade Lcop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Lcop/ Line Port Combination - Switch with			UEPPX	USAC2		41 50	41 50				30 89	7 03		
	Change			UEPPX	USACC		41 50	41 50				30 89	7 03		
ADDIT	TIONAL NRCs														
	2 When Various Constant and Change Bank Co. L. A. C. L.		l		l										
	2-Wire Voice Grade Lcop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -		-	UEPPX	USAS2	0 00	0 00	0 00				30 89	7 03		
	Subsequent Activity- Nonrecurring		ŀ				0 00	0 00		ŀ		30 89	7 03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt											30 03	7 03		
	Group						14 64	14 64				30 89	7 03		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T													
UNE	Port/Loop Combination Rates  2-Wire VG Coin Port/Loop Combo – Zone 1		1			26 48									
	2-Wire VG Coin Port/Loop Combo Zone 1		2		1	30 31									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	35 32				<del> </del>					
UNE L	oop Rates		Ť				-				··-				
	2-Wire Voice Grade Lcop (SL1) - Zone 1		1	UEPCO	UEPLX	12 48				<del>                                     </del>		-			
	2-Wire Voice Grade Lcop (SL1) - Zone 2			UEPCO	UEPLX	16 31									
0.1411-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21 32									
2-77176	e Voice Grade Line Por Rates (Coin)  2-Wire Coin 2-Way without Operator Screening and without		<u> </u>			-									
	Blocking (TN)  2-Wire Coin 2-Way with Operator Screening and Blocking 011.	_		UEPCO	UEPTB	14 00	90 00	90 00				30 89	7 03		
-	900/976, 1+DDD (NC, TN) 2-Wire Corn 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRP	14 00	90 00	90 00		-		30 89	7 03	-	
	(TN)			UEPCO	UEPTA	14 00	90 00	90 00				30 89	7 03		
_	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14 00	90 00	90 00				30 89	7 03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking     (TN)     2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPTC	14 00	90 00	90 00				30 89	7 03		
1.000	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (TN) L NUMBER PORTABILITY			UEPCO	UEPOT	14 00	90 00	90 00				30 89	7 03		
LUCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35	ļ	_							
Maria	ECURRING CHARGES · CURRENTLY COMBINED			OEFCO	LINEUX	0.35				ļ					

Version 4Q02 12/18/02 Page 391 of 416

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachr	nent 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	-		RATES (\$)				Submitted	Incremental		Incremental Charge -	Charge Manual S
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
ŀ									1							
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 50	41 50					30 89	7 03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with				1 1		i									1
	Change			UEPCO	USACC		41 50	41 50					30 89	7 03		1
ADDIT	IONAL NRCs															1.
				ł												
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2	0 00	0 00	0.00					30 89	7 03		
	E VOICE LOOP/ 2WIRE VOICE GRADE TO TRANSPORT/ 2-WIRE	LINE P	ORT (	RES)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30 56										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			35 63				_						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			42 28										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	16 56										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	21 63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28 28										1
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence	İ		UEPFR	UEPRL	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice Grade unbundled Tennessee extended local															1
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	14 00	115 00	75 00	40 00	30 00		15 69				1
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)			UEPFR	UEPAH	14 00	115 00	75 00	40 00	30 00		15 69				1
	2-Wire voice unbundled Tennessee Area Calling port with Caller										1					
	ID - res (F2R)			UEPFR	UEPAK	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller					Í										
	ID - res (TACER)			UEPFR	UEPAL	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller					i				-						<del>                                     </del>
	ID - res (TACSR)	[	į	UEPFR	UEPAM	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller															<del></del>
	ID - res (1MF2X)			UEPFR	UEPAN	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller										***					<del> </del>
	ID - res (2MR)			UEPFR	UEPAO	14 00	115 00	75 00	40 00	30 00		15 69				i
	2-Wire voice unbundles res, low usage line port with Caller ID						-									<del> </del>
	(LUM)			UEPFR	UEPAP	14 00	115 00	75 00	40 00	30 00		15 69				[
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan											-				
	without Caller ID			UEPFR	UEPWN	14 00	115 00	75 00	40 00	30 00		15 69				
INTER	OFFICE TRANSPORT									00 00						<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															<del></del>
	Termination	]		UEPFR	U1TV2	18 58	55 39	17 37	27 96	3 51		ļ	1			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					-										
	or Fraction Mile			UEPFR	1L5XX	0 0174										
FEATU	RES															$\vdash$
	All Features Offered			UEPFR	UEPVF	0 00	0 00	0 00	-			15 69	_			<del>                                     </del>
LOCAL	NUMBER PORTABILITY				<u> </u>							- 10 00	-			
	Local Number Portabilty (1 per port)			UEPFR	LNPCX	0 35			-							<del></del>
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1										<del></del>	<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										<del></del>					<del> </del>
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16 94	3 72				15 69				1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			-		* 1	-			-						<del>                                     </del>
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16 94	3 72				15 69				1
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE P	ORT (E	BUS)	1											t
	ort/Loop Combinatior Rates															<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	- 1	1		1	30 56					<del></del>		1			<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		<del>-                                     </del>	35 63				-	<del></del>					t
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			42 28							·			$\vdash$
	pop Rates								-							<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16 56										<del></del>

NOONDEL	D NETWORK ELEMENTS - Tennessee													ment 2	Exhi	bít. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Sut mitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		L
	<u> </u>						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	21 63										<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28 28										
2-Wire	Voice Grade Line Port (Bus)	<u> </u>	<u> </u>													
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14 00	115 00	75 00	40 00	30 00	L	15 69				
- + -	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB	UEPBC	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14 00	115 00	75 00	40 00	30 00		15 69				
- 1	2-Wire voice Grade inbundled Tennessee extended local				1 1	ļ										
	dialing parity port with Caller ID - bus			UEPFB	UEPAV	14 00	115 00	75 00	40 00	30 00	i	15 69				ł
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14 00	115 00	75 00	40 00	30 00		15 69				
	2-Wire voice unbuncled Tennessee Bus 2-Way Area Calling	ł			1 1	ļ		_								ı — —
+-	Port Economy Option (TACC1)	<u> </u>	<u> </u>	UEPFB	UEPAC	14 00	115 00	75 00	40 00	30 00	}	15 69			f	į.
	2-Wire voice unbuncled Tennessee Bus 2-Way Area Calling															r
	Port Standard Optios (TACC2)			UEPFB	UEPAD	14 00	115 00	75 00	40 00	30 00	)	15 69		ļ	Í	l.
	2-Wire voice unbuncled Tennessee Bus 2-Way Collierville and															
	Memphis Local Calling Port (B2F)		اــــا	UEPFB	UEPAE	14 00	115 00	75 00	40 00	30 00	ļ	15 69			(	ı
	2-Wire Voice Unbundled Tennessee Business Dialing Plan		1				"									
	without Caller ID			UEPFB	UEPWO	14 00	115 00	75 00	40 00	30 00	ļ J	15 69				
	Tennessee Inward Collierville and Memphis Local Calling Plan															
	(BUS)			UEPFB	UEPB2	14 00	115 00	75 00	40 00	30 00		15 69				
	Tennessee 2-Way Collierville and Memphis Local Calling Plan				7 -											
	(BUS)			UEPFB	UEPB3	14 00	115 00	75 00	40 00	30 00	i i	15 69				
LOCA	L NUMBER PORTABILITY				<del></del>					- 00 00		10 00			<del> </del>	
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35										
INTER	OFFICE TRANSPORT				1											
	Interoffice Transport Dedicated - 2 Wire Voice Grade - Facility										+					
1	Termination		Į Į	UEPFB	U1TV2	18 58	55 39	17 37	27 96	3 51	· }	ì				
	Interoffice Transport Dedicated - 2 Wire Voice Grade - Per Mile		1						27 50							
ł	or Fraction Mile			UEPFB	1L5XX	0 0174						ł		j		
FEAT	JRES				-							<del></del>				
	All Features Offered			UEPFB	UEPVF	0 00	0 00	0 00				45.00				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				+	- 0 00	- 000	0 00				15 69				
	2-Wire Loop / Dedicaed IO Transport / 2 Wire Line Port				<del>                                     </del>											
1	Combination - Convesion - Switch-as-is	,	J	UEPFB	USAC2		16 94	3 72			ļ	45.00				
	2-Wire Loop / Dedicaed IO Transport / 2 Wire Line Port	_	-		1007102		10 04	312				15 69				
ì	Combination - Conversion - Switch with change			UEPFB	USACC		16 94	3 72		ļ	Į.	45.00				
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1	0.0.1.0	100/100		10.54	3 /2				15 69				
	ort/Loop Combination Rates				<del></del>											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	30 56										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		<del> +</del>	35 63	<del></del>									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			42 28										
UNE L	oop Rates				+	42 28										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16 56										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP												
	2-Wire Voice Grade Loop (SL2) - Zone 3	-		UEPFP	UECF2	21 63										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		3	UEPFF	UECF2	28 28						l				
	Torac Orace Error Oil Nates (BOS-FBX)				<del> </del>											
ł	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		l.	UEPEP	luenno l			ĺ	ł	Į.	1	- 1	1			
+	Line Side Unbundled Outward PBX Trunk Port - Bus		l	UEPFP	UEPPC	14 00	106 40	63 08	42 67	18 54		15 69			i	
_	Line Side Unbundled ncoming PBX Trunk Port - Bus				UEPPO	14 00	106 40	63 08	42 67	18 54		15 69				<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPP1	14 00	106 40	63 08	42 67	18 54		15 69				
+	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee			UEPFP	UEPLD	14 00	106 40	63 08	42 67	18 54		15 69				
	Calling Port	- 1	I.		1		ŀ	i	ĺ							
				JEPFP	UEPT2	14 00	106 40	63 08	42 67	18 54		15 69		1	i	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port	J	I.	UEDEO.	1	[	. 7									
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPTO	14 00	106 40	63 08	42 67	18 54		15 69		}	}	
<del>                                     </del>	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	l		JEPFP	UEPXA	14 00	106 40	63 08	42 67	18 54		15 69				
$\rightarrow$ $-$				JEPFP	UEPXB	14 00	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			JEPFP	UEPXC	14 00	106 40	63 08	42 67	18 54		15 69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	i	Į.	JEPFP	UEPXD	14 00	106 40	63 08	42 67	18 54		15 69				

	D NETWORK ELEMENTS - Tennessee		1		<del>,</del>								Attach	ment 2		oit <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
		1	<del> </del>			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		+	<del></del>		-	First	Add'i	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port		ļ	UEPEP	UEPXE	14 00	106 40	63 08	40.0-							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<del> </del>	102111	OLI AL	14 00	100 40	63.08	42 67	18 54		15 69				
	Administrative Calling Port	1		UEPFP	UEPXL	14 00	106 40	63 08	42 67	10.54		45.00				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1-			11.00	100 40	03 00	4201	18 54		15 69	·			
	Room Calling Port		i	UEPFP	UEPXM	14 00	106 40	63 08	42 67	18 54	1 1	15 69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy											10 00				
	Administrative Calling Port TN Calling Port		ļ	UEPFP	UEPXN	14 00	106 40	63 08	42 67	18 54		15 69			i	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		1				,						-			
		ļ	1	UEPFP	UEPXO	14 00	106 40	63 08	42 67	18 54	l (	15 69				
$\rightarrow$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling		$\vdash$	UEPFP	UEPXS	14 00	106 40	63 08	42 67	18 54		15 69				
	Port		1	UEPFP	UEPXU	14.00		~~ ~-								
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	-	<del>                                     </del>	OLFFF	UEPAU	14 00	106 40	63 08	42 67	18 54	<u> </u>	15 69				
	Calling Port	1		UEPFP	UEPXV	14 00	106 40	63 08	40.07	10		,	I			
	NUMBER PORTABILITY	<u> </u>	t		OLI AV	14 00	100 40	80.08	42 67	18 54		15 69				
	Local Number Portability (1 per port)		$\vdash$	UEPFP	LNPCP	3 15	0 00	0 00				15 69				
	PFFICE TRANSPORT				-			0.00			· · · · i	13 68				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						_					_				
	Termination	<u> </u>		UEPFP	U1TV2	18 58	55 39	17 37	27 96	3 51					1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		ļ						_				-			
FEATUR			ļ	UEPFP	1L5XX	0 0174					İ		1			
	All Features Offered			LIEDED											-	
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	ł	ÜEPFP	UEPVF	0 00	0 00	0 00				15 69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	_	-		<del></del>											
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16 94	3 72	ļ				1			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				00/102		10 94	372				15 69				
	Combination - Conversion - Switch with change	l_		UEPFP	USACC		16 94	3 72				15 69	- 1	İ		
UNDLED PO	ORT/LOOP COMBINATIONS - MARKET BASED RATES					-			-			13 08				
2-WIRE	VOICE GRADE LOCP- BUS ONLY - WITH 2-WIRE DID TRUNK rt/Loop Combination Rates	PORT														
	2-Wire VG Loop/2-Wre DID Trunk Port Combo - UNE Zone 1		<b>.</b>												<del></del>	· · · · ·
	2-Wire VG Loop/2-Wre DID Trunk Port Combo - UNE Zone 1		1			49 60										
2	2-Wire VG Loop/2-Wre DID Trunk Port Combo - UNE Zone 3		3			51 09										
UNE Loc	op Rates				<del></del>	56 00										
[2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	ÜECD1	9 60										
2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	11 09										
2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	16 00										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	40 00	600 00	45 00	8 45	3 91			30 89	7 03		
NONREC	CURRING CHARGES - CURRENTLY COMBINED								- 0.70				30 89	7 03		
1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USAC1		100 00	42 50	ĺ	1	]	ļ	30 89	7 03	1	
	with BellSouth Allowable Changes Top 8 MSAs only			UEDDY		1			_		1			-,		
Telephoi	ne Number/Trunk Group Establisment Charges			UEPPX	USA1C		100 00	42 50					30 89	7 03		
Ī	DID Trunk Termination (One Per Port)	-		UEPPX	NDT	0.00										
Δ.	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00								
1 10	OID Numbers, Non-consecutive DID Numbers   Per Number			UEPPX	ND5	0 00	0 00	0 00								
F	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00			_					
	Reserve DID Numbers	1		UEPPX	NDV	0 00	0 00	0 00								
II DC:AL N	NUMBER PORTABILITY							- 5 50						···		
	ocal Number Portablity (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
IL		E SIDE	PORT	-												
2-WIRE I	SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	IE SIVE														
2-WIRE I	t/Loop Combination Rates	IE SIDE														
2-WIRE I	#ULoop Combination Rates #W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	IE SIDE		HEDDD				-	-							
2-WIRE I	t/Loop Combination Rates	IE SIDE	1	UEPPB UEPF	R	32 27							-			

JNBUNDLED N	NETWORK ELEMENTS - Tennessee														ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	ıcs	usoc			RATES (\$)			Submitted Elec per LSR	Suhmitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	V ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1 1											
	NE Zone 3		3	UEPPB	UEPPR		44 32										
2-1	Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16 20										
			١.				40.74			1			i				
	Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR UEPPR	USL2X	18 71 28 25										
2-1	Wire ISDN Digital Grade Loop - UNE Zone 3 cchange Port - 2-Wire ISDN Line Side Port		3	UEPPB UEPPB	UEPPR	USL2X UEPPB	80 00	525 00	400 00	75 00	70 00			30 89	7 03		
	JRRING CHARGES CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	80 00	525 00	400 00	/300	70 00	'		30.09	7 03		
	Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	<del></del>						- i				+					
	ombination - Converson - Top 8 MSAs only			LIEPPR	UEPPR	USACB	0 00	225 00	225 00					30 89	7 03		
ADDITION				02.70	OLI III.	100/100	- 000	22000	220 00								<del> </del>
	Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Active					<del> </del>											
	on Feature/Add Trunk			UEPPB	UEPPR	USASB		212 88						30 89	7 03		i
	UMBER PORTABILITY																
	ical Number Portabiliy (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0 00	0.00				-				
	EL USER PROFILE ACCESS																
	/S/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0 00	0 00	0 00								
	/S (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0 00	0.00								
CS				UEPPB	UEPPR	U1UCC	0.00	0 00	0 00								
	EL AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS SC	C,MS, &	TN)														
	VS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0 00	0 00	0 00							ļ	<u> </u>
	VS (EWSD)			UEPPB	UEPPR	U1UCE	0 00	0.00	0 00								<del>                                     </del>
cs				UEPPB	UEPPŘ	U1UCF	0 00	0.00	0 00			_					
	RMINAL PROFILE						2.00					+					
	ser Terminal Profile (EWSD only)		<u> </u>	UEPP8	UEPPR	U1UMA	0.00	0 00	0 00	1				· <del></del>			<del></del>
	FEATURES			UEPPB	UEPPR	UEPVF	0.00	0 00	0 00	-					<u> </u>		-
	Vertical Features - One per Channel B User Profile		-	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	· · · · · · · · · · · · · · · · · · ·							
	teroffice Channel mileage each, including first mile and cilities termination			UEPPB	HEDDD	M1GNC	17 91	53 99	17 37	1					ļ		
	teroffice Channel mileage each, additional mile		-		UEPPR	MIGNM	0 173	0 00	0 00			+-					
	S1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		QEFFB	UEFFR	IVITGINIVI	0 1/3	0.00	0.00							-	
	Loop Combination Rates	l Oiti															
	V DS1 Digital Loop/4/V ISDN DS1 Digital Trunk Port - UNE		<del> </del>	<del>                                     </del>		1											
	one 1		1	UEPPP		1 1	982 73			i l							
40	V DS1 Digital Loop/4/V ISDN DS1 Digital Trunk Port - UNE					<del>                                     </del>					•						
Zo	one 2		2	UEPPP			1,000 40					1				L	
	V DS1 Digital Loop/4N ISDN DS1 Digital Trunk Port - UNE		1			1											
Zo	one 3		3	UEPPP		1	1,023 59										
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	57 73										
	Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	75 40										
	Wire DS1 Digital Loox - UNE Zone 3		3	UEPPP		USL4P	98 59										
	change Ports - 4-Wile ISDN DS1 Port			UEPPP		UEPPP	925 00	950 00	950 00	130 00	100 00			30 89	7 03		
	JRRING CHARGES CURRENTLY COMBINED		1			<u>                                     </u>											
	Wire DS1 Digital Loos / 4-Wire ISDN DS1 Digital Trunk Port													20.00			
	ombination - Converson -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0 00	925 00	925 00					30 89	7 03		ļ
ADDITION												-				-	ļ
	Wire DS1 Loop/4-W SDN Digtl Trk Port - Subsqt Actvy- ward/two way Telephone Numbers (except NC)	1		UEPPP		PR7TF		0 94									
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	-	-	JOEPPP		F.R./ IF		0 94				···			-		<del> </del>
	utward Tel Numbers All States except NC)	1		UEPPP		PR7TO		22 36	22 36	! !					1		
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	OLFFF		1.00		22 30	22 30	<del> </del>		<del>                                     </del>					
	ubsequent Inward Teephone Numbers			UEPPP		PR7ZT		44 71	44 70								
	UMBER PORTABILITY		-	125,16		111/21		/'	77 70	<del>                                     </del>		1	_				<u> </u>
	ocal Number Portability (1 per port)		_	UEPPP		LNPCN	1 75								<del> </del>		-
	CE (Provsioning Only)	<b> </b>		t		1						1				·-	<del>                                     </del>
	pice/Data			UEPPP		PR71V	0 00	0 00	0.00			1					
	gital Data	ļ		UEPPP		PR71D	0 00	0.00	0.00	1		1					1
	ward Data			UEPPP		PR71E	0 00	0 00	0.00								
	dditional "B" Channel	<del></del>	_	<del></del>													1

Version 4O02 12/18/02 Page 395 of 416

INDONDE	LEL	NETWORK ELEMENTS - Tennessee		,	1							1-			nent. 2		bit. B
ATEGORY	,	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
			1			""	Rec	Nonrecurring		Nonrecurring			-		Rates (\$)		
								First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New or Additional - Vcice/Data B Channel			UEPPP	PR7BV	0 00	28 39									
		New or Additional - Digital Data B Channel	ļ		UEPPP	PR7BF	0 00	29 11									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	29 39									
CAL		YPES										1					
		Inward	1		UEPPP UEPPP	PR7C1	0 00	0 00	0 00								
_		Outward Two-way	-	-	UEPPP	PR7C0 PR7CC	0 00	0 00	0 00			-					
Into		ice Channel Mileage	<del> </del>	-	UEFFF	FR/CC	0 00	0.00	0.00			ļ		-			
mile		Fixed Each Including First Mile		-	UEPPP	1LN1A	76 1825	145 98	109 85	19 55							
		Each Airline-Fractional Additional Mile	<del>                                     </del>	_	UEPPP	1LN1B	0 3525	140 50	109 65	19 33							
4-W		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OCF 11	ILINID	0 3323										
		rt/Loop Combination Rates	<del> </del>	<del> </del>	<del> </del>				-			<del> </del>					
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del> </del>	1	UEPDC	+	93 28					<del> </del>					
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<del> </del>		UEPDC		110 95					<del>                                     </del>					
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<del>                                     </del>		UEPDC		134 14					<del>                                     </del>					
UNE		op Rates	<b>†</b>	۲Ť	1	+	.5. 14					·					<del></del>
		4-Wire DS1 Digital Loop - UNE Zone 1	<del> </del>	1	UEPDC	USLDC	57 53					<del> </del>					
		4-Wire DS1 Digital Loop - UNE Zone 2	<b>——</b>		UEPDC	USLDC	75 40			-		· · · · · ·					
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	98 59	*									
UNE	Po	rt Rate		<u> </u>								·					
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750 00	982 57	450 10	196 09	19 23			30 89	7 03		
NON		CURRING CHARGES - CURRENTLY COMBINED								-							
	- 1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
		- Switch-As-Is Top 8 NSAs only			UEPDC	USAC4		312 91	312 91					30 89	7 03		
	-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312 91	312 91					30 89	7 03		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1		1 1						1					
	1	- Conversion with Change - Trunk Top 8 MSAs only		L	UEPDC	USAWB		312 91	312 91					30 89	7 03		
ADD		DNAL NRCs										L					
	\$	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		94 88	94 88								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	ATTOU		108 67	108 67					30 89	7 03		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk									-						
+		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	-		UEPDC	UDTTB		108 67	108 67					30 89	7 03		
		Activation/Chan Inwaid Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		108 67	108 67					30 89	7 03		
	!	Activation Per Chan - hward Trunk with DID			UEPDC	UDTTD		108 67	108 67					30 89	7 03		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108 67	108 67					30 89	7 03		
BIPO	OLA	R 8 ZERO SUBSTITUTION				1				-				- 55 55	. 00		-
		B8ZS -Superframe Fo mat			UEPDC	CCOSF		0 00	590 00			<del> </del>	-				
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590 00								
Alter		e Mark Inversion						i i			-						
		AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								
		AMI - Extended Super rame Format			UEPDC	MCOPO		0 00	0 00								
Tele		ne Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00										
		Telephone Number fo 1-Way Outward Trunk Group	1		UEPDC	UDTGY	0 00										
		Telephone Number for 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0 00										
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		l	UEPDC	NDZ	0 00		0.00								
+-		DID Numbers for each Group of 20 DID Numbers	<del> </del>	-	UEPDC	ND2 ND4	0 00	0 00	0 00								ļ
		DID Numbers, Non- consecutive DID Numbers . Per Number	1	-	UEPDC	ND4 ND5	0 00										
	14		1									ļ					
		Reserve Non-Consecutive DID Nos		l	UEPDC	ND6	0 00	0 00	0.00								

UNBUNDLED I	NETWORK ELEMENTS - Tennessee							·						ment. 2		bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring			Disconnect				Rates (\$)		
	1 DO4 /1 4 - 45 - 01 - 1 M2 - 13	<b></b>	-		1		First	Add'l	First	Add'l	SOMEC	NAMCS	SOMAN	SOMAN	SOMAN	SOMAN
	d DS1 (Interoffice Channel Mileage) - for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port										1			-		
	nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities	-									<b></b>					<del> </del>
	ermination)	ŀ		UEPDC	1LNO1	75 83	145 98	109 85	19 66	14 99						
1 1	emmationy			OLI DO	101401	10 00	140.50	100 00	1500	14 03			-	<del> </del>		<del></del>
l <sub>In</sub>	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 3525	0 00	0 00						1		
	nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities			52, 50	12.13.1	0.0020			<u> </u>							<u> </u>
	ermination)	Ī		UEPDC	1LNO2	0 00	0 00	0 00								-
	steroffice Channel Mileage - Additional rate per mile - 9-25				i											
m	niles		ļ	UEPDC	1LNOB	0 3525	0.00	0 00								i
In	iteroffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	ermination)		L_	UEPDC	1LNO3	0 00	0 00	0 00	<u> </u>							
	iteroffice Channel Milage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 3525	0 00	0 00								
	ocal Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	L							
Ce	entral Office Termininating Point			UEPDC	CTG	0 00										
4-WIRE D	S1 LOOP WITH CHANNELIZATION WITH PORT															
	s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
A system	can have various rate combinations based on type and nu	mber of	ports	used												
UNE D\$1																
	-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	57 73	0 00	0 00								
4-	-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	75 40	0 00	0.00								1
4-	-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98 59	0 00	0 00								
UNE DSO	Channelization Capacities (D4 Channel Bank Configuration	ns)							}							
24	4 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131 87	0 00	0.00					30 89	7 03		
48	8 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263 74	0.00	0.00					30 89	7 03		
	6 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527 48	0 00	0 00				100	30 89	7 03		
14	44 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791 42	0 00	0 00					30 89	7 03		
19	92 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0 00	0 00					30 89	7 03		
24	40 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318 70	0 00	0 00					30 89	7 03		
28	88 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582 44	0 00	0 00					30 89	7 03		
38	84 DS0 Channel Capacity - 1 per 16 DS1s			UEPMĠ	VUM38	2,109 92	0 00	0 00					30 89	7 03		
48	80 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637 40	0 00	0 00					30 89	7 03		
	76 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164 88	0 00	0 00					30 89	7 03		
67	72 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692 36	0 00	0.00					30 89	7 03		
	urring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
A Mınimu	ım System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports	with Feature A	ctivations.										
Multiples	of this configuration functioning as one are considered Ac	dd'I after	r the m	ınımum system co	nfiguration is o	counted.										
	RC - Conversion (Currently Combined) with or without							_								
	ellSouth Allowed Changes - Top 8 MSAs Only	L	L	UEPMG	USAC4	0 00	303 61	15 74		<u></u>			30 89	7 03	<u> </u>	
	Additions Where Currently Combined and New (Not Current)	y Comb	ined )													
	y Zone 1 Top 8 MSAs															
	DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	ea Activation -			UEPMG	VUMD4	0 00	704 68	441 48	138 36	16 41			30 89	7 03		
Bipolar 8	Zero Substitution															
	lear Channel Capabuty Format, superframe - Subsequent															
	ctivity Only			UEPMG	CCOSF	0 00	0 00	590 00								
	lear Channel Capabirty Format - Extended Superframe -															
	ubsequent Activity Only		L	UEPMG	CCOEF	0.00	0 00	590 00	<u> </u>				L			1
	Mark Inversion (ANI)															
	uperframe Format			UEPMG	MCOSF	0.00	0 00	0 00								
	xtended Superframe Format			UEPMG	МСОРО	0 00	0 00	0 00								
	e Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exchange	e Ports															
	ne Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14 00	0 00	0 00	0 00	0 00			30 89	7 03		
Lır	ne Side Outward Channelized PBX Trunk Port - Business	i		UEPPX	UEPOX	14 00	0 00	0 00	0.00	0 00			30 89	7 03		
1 1.	ne Side Inward Only Channelized PBX Trunk Port without DID	4		UEPPX	UEP1X	14 00	0 00	0 00	0 00	0 00	1		30 89	7 03	I	1

Version 4Q02 12/18/02

	D NETWORK ELEMENTS - Tennessee													nent 2	Exhit	oit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
			ļ			Rec	Nonrecurring	A 440	Nonrecurring		SOMEC	SOMAN.		Rates (\$)	SOMAN	201411
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40 00	First 0 00	Add'I 0 00	First 0 00	Add'l 0 00	SOMEC	50MAN	SOMAN 30 89	<b>SOMAN</b> 7 03	SUMAN	SOMAN
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)			UEPPX	UEPCY	14 00	0 00	0 00	0.00	0 00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN		<b>.</b>	UEPPX	UEPCT	14 00	0 00	0 00	0.00	0.00			30 89	7 03		
	Unbundled Exchange Ports, 2-Wire Channelized - Outdial -		† <del></del>	<u>"-</u>	1											
	Tennessee Only – Caling Plan - Regionserv Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			UEPPX	UEPCZ	14 00	0 00	0 00	0 00	0 00			30 89	7 03		
	Tennessee Only – Caling Plan - Regionserv		ļ	UEPPX	UEPXV	14 00	0.00	0 00	0 00	0 00			30 89	7 03		
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q 1 4, P 50 1, & P 50 498)			UEPPX	1PQWM	2 02	40 00	20 00	6 00	5 00						
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q 4, P 50 1 & P 50 498)			UEPPX	1PQWU	2 02	110 00	30 00	75 00	15 00						•
Teleph	none Number/ Group Establishment Charges for DID Service		L													
	DID Trunk Terminatior (1 per Port)			UEPPX	NDT	0 00	0 00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00								
	Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND5 ND6	0 00	0 00	0.00								
	Reserve Non-Consective DID Numbers Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00								
Local	Number Portability		-	UEPPA	INDV	0.00	0.00	0.00								
Local	Local Number Portability - 1 per port		1	UEPPX	LNPCP	3 15	0 00	0.00			-					
FEAT	JRES - Vertical and Optional			OLFFX	LINE	3 13	0 00	0.00								
	Switching Features Offered with Line Side Ports Only															
1	All Features Available	-	1	UEPPX	UEPVF	0 00	0 00	0.00								
NBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3			1											
Is Can																
	t Based Rates are applied where BellSouth is required by FCC															
2 Feat	tures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the san	ne manner as	they are applie	d to the Stand-	Alone Unbun								
2 Feat 3. End	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport	ost Bas Usage	ed Rat rates ir	e section in the san the Port section of	ne manner as f this rate exhi	they are application	ed to the Stand- to all combinat	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C					<u> </u>
2 Feat 3. End 4 The	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	ost Bas Usage	ed Rat rates ir	e section in the san the Port section of	ne manner as f this rate exhi	they are application	ed to the Stand- to all combinat	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Co also and are categorized accordingly	ost Bas Usage Irrently	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply : 5 Mar	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly ri	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply a 5 Mar UNE-P	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 5 Mar UNE-P 2-Wire	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly riket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - TAESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 5 Mar UNE-P 2-Wire	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cu also and are categorized accordingly ricet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL.FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 5 Mar UNE-P 2-Wire	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For on an Individual Ca	ne manner as f this rate exhi Currently Cor	they are applic bit shall apply mbined Combo il further notic	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 5 Mar UNE-P 2-Wire	tures shall apply to the Unbundled Port/Loop Combination - Coop Coop Combination - Coop Coop Coop Coop Coop Coop Coop Co	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 5 Mar UNE-P 2-Wire	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cu also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL.FL, GA,KY, LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For on an Individual Ca	ne manner as f this rate exhi Currently Cor	they are applic bit shall apply mbined Combo il further notic	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 5 Mar UNE-P 2-Wire	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will UCENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combio ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combio- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combio- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combio- Non-Design	ost Bas Usage Irrently be nego	ed Rat rates in Comb	e section in the san the Port section of ined Combos For on an Individual C: UEP91	ne manner as f this rate exhi Currently Cor	they are applied bit shall apply inbined Combo if further notice 14 18 18 01	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cu also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For on an Individual Ca	ne manner as f this rate exhi Currently Cor	they are applied but shall apply about shall apply about the formula of the following	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cu also and are categorized accordingly rest Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL.FL, CA,KY, LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	ost Bas Usage Irrently be nego	ed Rat rates in Comb	e section in the san the Port section of ined Combos For on an Individual C: UEP91	ne manner as f this rate exhi Currently Cor	they are applied bit shall apply inbined Combo if further notice 14 18 18 01	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Coop Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cualso and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will CENTREX - TAESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	ost Bas Usage Irrently be nego	ed Rat rates in Comb	e section in the san the Port section of ined Combos For on an Individual C: UEP91	ne manner as f this rate exhi Currently Cor	they are applied bit shall apply inbined Combo if further notice 14 18 18 01	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply : 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combio ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combio- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combio- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combio- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combio- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combination Rates (Design)	ost Bas Usage Irrently be nego	ed Rat rates ir Comb	e section in the san the Port section of ined Combos For on an Individual C: UEP91 UEP91 UEP91	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo il further notice 14 18 18 01 23 02 18 26	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Coloffice and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cualso and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - TAESS - (Valid in AL., FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	ost Bas Usage Irrently be nego	ed Ratrates in Comb ottiated  1 2 3	e section in the san the Port section of ined Combos For on an Individual C:  UEP91  UEP91  UEP91  UEP91	ne manner as f this rate exhi Currently Cor	they are applications that apply in the property of the proper	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly reter Rates for Unbundled Centrex Port/Loop Combination will CENTREX - TAESS - (Valid in ALFL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	ost Bas Usage Irrently be nego	ed Ratrates in Comb	e section in the san the Port section of ined Combos For on an Individual Ca  UEP91  UEP91  UEP91	ne manner as f this rate exhi Currently Cor	they are applied but shall apply mbined Combo il further notice 14 18 18 01 23 02 18 26	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mai UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly rket Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in ALFL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	ost Bas Usage Irrently be nego	ed Ratrates in Comb otiated	e section in the san the Port section of ined Combos For on an Individual C:  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	ne manner as f this rate exh Currently Cor ase Basis, unt	they are applied but shall apply mbined Combo il further notice 14 18 18 01 23 02 18 26 23 33 29 98	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mai UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - TAESS - (Valid in AL., FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design - Quality Poice Grade Port (Centrex)Port Combo - Design - Quality Poice Grade Port (Centrex)Port Combo - Design - Quality Poice Grade Port (Centrex)Port Combo - Design	ost Bas Usage Irrently be nego	ed Ratrates ir Comb otiated	e section in the san the Port section of ined Combos For on an Individual Ca  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	ne manner as I this rate exhi Currently Cor ase Basis, unt	they are applicated but shall apply inbined Combo il further notice	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Pert nonrecurring charges apply to Not Cu also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design	ost Bas Usage Irrently be nego	ced Ratrates ir Comb	e section in the san the Port section of ined Combos For on an Individual Ca  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	UECS1 UECS1 UECS1	they are applied but shall apply mbined Combo il further notice il	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorizad accordingly riset Rates for Unbundled Centrex Port/Loop Combination will II CENTREX - 1AESS - (Valid in ALF, LGA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 2	ost Bas Usage Irrently be nego	ted Rate irrates ir Comb	e section in the san the Port section of ined Combos For on an Individual Combos For on Individual Combos For One Individual Combos For One Individual Combos For One Individual Combos For One Individual Combos For One Individual Combos For Individual	ne manner as f this rate exhi Currently Cor ase Basis, unt	14 18 18 01 23 02 18 26 23 33 29 98 16 31 21 32	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mai UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 0-ti/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 0-ti/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design	ost Bas Usage Irrently be nego	ted Rate irrates ir Comb otilated	e section in the san the Port section of ined Combos For on an Individual Cause of the Port Section of the	UECS1 UECS1 UECS2	14 18 18 01 23 02 18 26 23 33 29 98 12 48 16 31 21 32 16 56	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - TAESS - (Valid in AL.FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 0-T/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 0-T/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 0-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	ost Bas Usage Irrently be nego	ottlated	e section in the san the Port section of ined Combos For on an Individual Cause of the Port Section of the	UECS1 UECS2 UECS2	14 18 18 01 23 02 18 26 23 33 29 98 12 48 16 31 21 32 16 56 21 63	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply: 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorizad accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in ALF, LGA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	ost Bas Usage Irrently be nego	ottlated	e section in the san the Port section of ined Combos For on an Individual Cause of the Port Section of the	UECS1 UECS1 UECS2	14 18 18 01 23 02 18 26 23 33 29 98 12 48 16 31 21 32 16 56	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may
2 Feat 3. End 4 The apply 5 Mar UNE-P 2-Wire UNE P	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorizad accordingly riset Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in ALF, LGA, KY, LA, MS, &TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	ost Bas Usage Irrently be nego	ottlated	e section in the san the Port section of ined Combos For on an Individual Cause of the Port Section of the	UECS1 UECS2 UECS2	14 18 18 01 23 02 18 26 23 33 29 98 12 48 16 31 21 32 16 56 21 63	ed to the Stand- to all combinators, the nonrecur	Alone Unbun tions of loop/	port network el	ements excep	t for UNE C				Additional NR	Cs may

Version 4Q02 12/18/02 Page 398 of 416

NBUNDLE	D NETWORK ELEMENTS - Tennessee													ment 2	Exhi	bit B
			I		T						Svc Order	Svr Order	Incremental	Incremental	Incremental	Increme
			ł		l 1						Submitted	Suhmitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually				
		Interi	l_		usoc			RATES (\$)								
FEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES (\$)			perLSR	per LSR	Order vs	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electron
					1 1								1st	Add'l	Disc 1st	Disc Ad
					1 . 1							L				1
T.							Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
	4					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
				OLIBI	021 10	170	22.11	10 20	0.10		<u> </u>		1			
	2-Wire Voice Grade Pert (Centrex with Caller ID)1Basic Local		1 .	UEP91	UEPYH	1 70	22 14	15 25	8 45	3 91		30 89	7 03		į.	
	Area			UEP91	UEPTH	170	22 14	10 20	0 43	331		00 00	1 00		<del> </del>	_
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1			4.70	00.44	45.05	8 45	3 91		30 89	7 03		1	
	Center)2 Basic Local Area			UEP91	UEPYM	1 70	22 14	15 25	6 43	391		30.09	7 03		<del></del>	<del> </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														ł	
1	Term - Basic Local Area			UEP91	UEPYZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area	İ		UEP91	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
-	2-Wire Voice Grade Pert Terminated on 800 Service Term -	<b>—</b>			1											T
		i		UEP91	UEPY2	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		1
	Basic Local Area		-	DEPSI	UEFTZ	1 70	22 14	15 25	043	231	+	1 30 03	, 55	<del>                                     </del>		<del>                                     </del>
AL, KY	, LA, MS, & TN Only	<b>i</b>			1				ļ <del></del>		+	55.55	7.00	-	<del>                                     </del>	
	2-Wire Voice Grade Port (Centrex.)	l		UEP91	UEPQA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1 70	22 14	15 25		3 91	L	30 89	7 03		ļ	<b></b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1 70	22 14	15 25	8 45	3 91		30 89	7 03			<u> </u>
<del></del>	2-Wire Voice Grade Port (Centrex from diff Serving Wire		+						_						I	
				UEP91	UEPQM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	Center)2		<del>                                     </del>	ULFST	OLI QIVI		22 14	1020	0.10						<del> </del>	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		i			4 70	00.44	45.05	0.45	3 91		30 89	7 03	ł		
	Term		1	UEP91	UEPQZ	1 70	22 14	15 25	8 45	391		30.09	7 03			<del> </del>
			1								1	1		i		
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1 70	22 14	15 25	8 45	3 91		30 89	7 03	l		
-	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
Local	Switching		<del>                                     </del>						T						T	
LOCAL .			1	UEP91	URECS	0 6381					<b></b>					
	Centrex Intercom Funionality, per port		<b> </b>	OLF 31	OINEGO	0 0001			<del>                                     </del>			1			1	<del> </del>
Local	Number Portability		ļ										<del> </del>		+	<del> </del>
	Local Number Portability (1 per port)			UEP91	LNPCC	0 35			<del>                                     </del>		_					<del>                                     </del>
Featur											<u> </u>	00.00	7.00	<u> </u>		
	All Standard Features Offered, per port		1	UEP91	UEPVF	0 00						30 89	7 03	<u> </u>		
	All Select Features Ofered, per port		1	UEP91	UEPVS	0.00	433 78					30 89	7 03			
1	All Centrex Control Feetures Offered, per port		1	UEP91	UEPVC	0.00						30 89	7 03		Į.	
NARS		-	1												1	
III.	Unbundled Network Access Register - Combination	<u> </u>	+	UEP91	UARCX	0 00	0 00	0.00				30 89	7 03			
		1	<del>  -</del> -	UEP91	UAR1X	0 00	0 00	0 00				30 89	7 03			
	Unbundled Network Access Register - Indial		<u> </u>			0 00	0.00	0.00				30 89	7 03	t		1
	Unbundled Network Access Register - Outdral		ļ	UEP91	UAROX	0 00	0.00	- 000			ļ	30 08	7 03		-	
	laneous Terminations		1						<u> </u>		ļ <u> </u>	ļ		1		+
2-Wire	Trunk Side		1								i			<u> </u>		
	Trunk Side Terminations, each			UEP91	CENA6	8 78	22 14	15 25	8 45	3 91		30 89	7 03			
Intero	fice Channel Mileage 2-Wire		1										1			
1	Interoffice Channel Facilities Termination - Voice Grade	t	1	UEP91	M1GBC	18 58	22 14	15 25	8 45	3 91		30 89	7 03		1	
	Interoffice Channel mieage, per mile or fraction of mile		1	UEP91	M1GBM	0 0174					1		1	T-		
F	e Activations (DS0) Centrex Loops on Channelized DS1 Service		+	02.31	IVII GDIVI	0 0174			<u> </u>	<del> </del>	<del> </del>	<u> </u>	<u> </u>	<del>                                     </del>		1
		e										+				+
D4 Ch	annel Bank Feature Activations	1	1		1				-		ļ		<del> </del>	<del> </del>	<del> </del>	<del> </del>
	Feature Activation on 0-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0 66			ļ	1	<b>_</b>	<del></del>	<b>_</b>	<b> </b>	<del></del>	<b> </b>
			1				1		ĺ		1	i	1	1		
	Feature Activation on 0-4 Channel Bank FX line Side Loop Slot		}	UEP91	1PQW6	0 66					<u> </u>	<u> </u>	1			1
	Feature Activation on 0-4 Channel Bank FX Trunk Side Loop		1													
	Slot		1	UEP91	1PQW7	0 66					1	1	1	1	1	1
	Feature Activation on 0-4 Channel Bank Centrex Loop Slot -	<b>-</b>	+	<del> </del>	1 - 111	1 30					1				1	T
				UEP91	1PQWP	0 66				1	1	1	1	1		
	Different Wire Center	ļ	+	DELAI	IFUWF	0.00	<del>-</del>		1	<del> </del>	+	+	<del>                                     </del>	1		<del>                                     </del>
Ţ		1	1	l	l.no					1	ł	1		1	l	1
	Feature Activation on 0-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 66			-		-		<del> </del>		<del> </del>	+
	Feature Activation on 0-4 Channel Bank Tije Line/Trunk Loop						1		1	1	1		1			l
1	Slot	i	1	UEP91	1PQWQ	0 66	1		1	1	I	L	<u> </u>	L		1
-	Feature Activation on 3-4 Channel Bank WATS Loop Stot		1	UEP91	1PQWA	0 66			1							
No. C		_	1	32, 91	327775	- 555			+	<del>                                     </del>				1		
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	<b></b>		-			-				+	1	+	<del> </del>		
	Conversion - Currently Combined Switch-As-Is with allowed		1						1	1	1	30 89	7 03	1	1	
	changes per port		1	UEP91	USAC2		1 03	0 29			1				+	+
	New Centrex Standard Common Block	1	1	UEP91	M1ACS	0.00	658 60		1		1	30 89	7 03	l		1

BUNDLED NETWORK ELEMENTS - Tennessee													ment 2	Exhil	bit B
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
1	- 1					Nonrecurring	•	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
					Rec	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMA
New Centrex Customized Common Block		<b>-</b>	UEP91	M1ÄCC	0 00	658 60		THOC	Avui	COMILO	30 89	7 03	JUNIAN	3000	30111
Secondary Block, per Block			UEP91	M2CC1	0 00	73 55				+			<del> </del>		
					0 00			i		1	30 89	7 03			
NAR Establishment Charge, Per Occasion		ļ	UEP91	URECA		68 57			··	1	30 89	7 03			
UNE-P CENTREX - 5ESS (Valid in All States)											<u> </u>				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port	t Combo -														
Non-Design		1	UEP95		14 18	ì									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port	Combo -	T									_				
Non-Design		2	UEP95	]	18 01										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port	Combo -														$\vdash$
Non-Design		3	UEP95		23 02									1	İ
UNE Port/Loop Combination Rates (Design)		-	02, 00		20 02					1				ļ	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port	Combo														
	Combo -	1	UEP95		40.00							1			
Design		1	UEP95	_	18 26							ļ <u>.</u>			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port	Combo -														
Design		2	UEP95		23 33										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port	Combo -														
Design		3	UEP95		29 98										
UNE Loop Rate										1					
2-Wire Voice Grade Lcop (SL 1) - Zone 1		1	UEP95	UECS1	12 48		•			1					
2-Wire Voice Grade Lcop (SL 1) - Zone 2		2	UEP95	UECS1	16 31				-	<del> </del>					
2-Wire Voice Grade Lcop (SL 1) - Zone 3		3	UEP95	UECS1	21 32		·	+		1					<del> </del>
2-Wire Voice Grade Lcop (SL 2) - Zone 1		1	UEP95	UECS2	16 56					<del> </del>					
2-Wire Voice Grade Lcop (SL 2) - Zone 1		2	UEP95	UECS2	21 63					<del> </del>					-
2-Wire Voice Grade Lcop (SL 2) - Zone 3		3	UEP95	UECS2	28 28					<u> </u>					
UNE Port Rate		1								ļ					
All States								l		1					l
2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1 70	22 14	15 25		3 91	i	30 89	7 03			
2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic	Local														
Area		ŀ	UEP95	UEPYH	1 70	22 14	15 25	8 45	3 91		30 89	7 03	[		
2-Wire Voice Grade Port (Centrex from diff Serving Wire	,									<del> </del>					
Center)2 Basic Local Area	1		UEP95	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03	i		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800	Conson		OLI 33	OCI IIVI	170	22 17	10 20	043	331		30 03	7 03			
	Celvice	1	LIEDOS	UCDV7	4 70	22.4.	45.05	1 0.15	2.04	1	20.00	1 7.00	1		1
Term - Basic Local Area			UEP95	UEPYZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03	ļ		
2-Wire Voice Grade Port terminated in on Megalink or ei	quivalent	1						1		1			1		
- Basic Local Area			UEP95	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03			L
2-Wire Voice Grade Port Terminated on 800 Service Ter	rm -														
Basic Local Area			UEP95	UEPY2	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03	1		
AL, KY, LA, MS, SC, & TN Only															
2-Wire Voice Grade Port (Centrex.)			UEP95	UEPQA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			<del>                                     </del>
2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95	UEPQB	1 70	22 14	15 25		3 91		30 89				
2-Wire Voice Grade Port (Centrex with Caller ID)1		<del>                                     </del>	UEP95	UEPQH	1 70	22 14	15 25		3 91	<del> </del>	30 89	7 03			
2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	-	OL: 00	- GET WIT	1.10	22 14	10 20	043	3.81	<del> </del>	30 08	7 03			-
Center)2	1		UEP95	UEPQM	1 70	22 14	45.05	0.45	0.04		00.00	7.00			
		-	UEP95	UEPQW	170	22 14	15 25	8 45	3 91	<del> </del>	30 89	7 03			-
2-Wire Voice Grade Port, Diff Serving Wire Center - 800	service					[				1			i		
Term			UEP95	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
2-Wire Voice Grade Port terminated in on Megalink or ei			UEP95	UEPQ9	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
2-Wire Voice Grade Port Terminated on 800 Service Ter	m		UEP95	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		
FL & GA Only		T								1					
Local Switching		1								1					
Centrex Intercom Funtonality, per port			UEP95	URECS	0 6381			1		<del> </del>		t	1		<b>—</b>
Local Number Portability	<del></del>	<del>                                     </del>			3 0001		<del></del>			+			<del> </del>		<del></del>
Local Number Portability (1 per port)		<del>                                     </del>	UEP95	LNPCC	0 35			1		<del> </del>		-	-	-	-
Features	<del></del> -		UL193	LINFOC	0.35					-			ļ		<del> </del>
		<b>!</b>		1,550,5				L					1		<b></b>
All Standard Features Offered, per port			UEP95	UEPVF	0 00						30 89	7 03			
All Select Features Ofered, per port		]	UEP95	UEPVS	0 00	433 78				1	30 89	7 03	1	!	

	ED NETWORK ELEMENTS - Tennessee			···									Attachr	nent <sup>.</sup> 2	Exhi	bit <sup>.</sup> B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Su' mitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increme Charge
<del> </del>		-				Rec	Nonrecurring First	Add'I	Nonrecurring First					Rates (\$)		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	First	Add I	FIFSt	Add'i	SOMEC		SOMAN	SOMAN	SOMAN	SOMA
NAR		1			1001110							30 89	7 03			
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00				30 89	7 03			
	Unbundled Network Access Register - Indial	1.		UEP95	UAR1X	0.00	0 00	0 00				30 89	7 03			-
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	-			30 89	7 03			<del></del>
	ellaneous Terminations															
2-991	Trunk Side Trunk Side Terminatons, each												-			
4-Wii	re Digital (1 544 Megabits)			UEP95	CEND6	8 78	47 75	47 01	9 21	8 47		30 89	7 03		···	<del> </del>
7	DS1 Circuit Terminatons, each	-		UEP95	M1HD1	0								-		
$\neg$	DS0 Channels Activated, each	<del> </del>	-	UEP95	M1HD0	35 55	75 93	38 15				30 89	7 03			
Inter	office Channel Mileage - 2-Wire	_	-	OC1 90	- WITHDO	0 00	108 67					30 89	7 03			
	Interoffice Channel Facilities Termination	1		UEP95	MIGBC	18 58	22 14	15 25	8 45	3 91	ļ	20.00				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 0174	22 14	15 25	8 45	3 91		30 89	7 03			
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce			1	55.74		-	_							
D4 C	hannel Bank Feature Activations										<del>                                     </del>					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1POWS	0 66			-							
	Enature Astruction on D.4 Channel Bard, EV														-···	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66						J		ļ		i
	Feature Activation on 0-4 Channel Bank FX Trunk Side Loop Slot				1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0 66							1			
	Different Wire Center	[		LIEDOS			1									
<del></del>	Billiotetti VVIIe Ceritei			UEP95	1PQWP	0 66									ı	
-	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP95	1PQWV	0.00			- 1							_
	Feature Activation on D-4 Channel Bank Trie Line/Trunk Loop			UEF95	IPQVV	0 66	_									
İ	Síol			UEP95	1PQWQ	0 66		ĺ	- 1				1			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66										
Non-F	Recurring Charges (NFC) Associated with UNE-P Centrex				1. 2	- 000										
	NRC Conversion Cur ently Combined Switch-As-Is with allowed				-											
	changes, per port	[		UEP95	USAC2		1 03	0 29				30 89	7 03	1		
	New Centrex Standard Common Block			UEP95	M1ACS	0 00	658 60			_	-	30 89	7 03			
	New Centrex Customzed Common Block			UEP95	M1ACC	0 00	658 60					30 89	7 03			
LINE	NAR Establishment Charge, Per Occasion P CENTREX - DMS100 (Valid in All States)			UEP95	URECA	0 00	68 57					30 89	7 03			
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP9D		44.40										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	- +	OL-3D	+	14 18										
	Non-Design		2	UEP9D		18 01		- 1		- 1		1	I			
	2-Wire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo -			02.00	<del>                                     </del>	1001										
	Non-Design		3	UEP9D		23 02	1						1			
UNE F	Port/Loop Combination Rates (Design)			74			-			-						
	2-Wire VG Loop/2-Wile Voice Grade Port (Centrex) Port Combo -	1														-
	Design		1	UEP9D	1	18 26									1	
	2-Wire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo -															
+	Design		. 2	JEP9D		23 33		}		l		1		- 1		
ı	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_ [								-	-			-	
LINE	Design .oop Rate		3 1	JEP9D		29 98							1	- 1		
ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		4	IEDOD.							-					
+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			JEP9D	UECS1	12 48										
<del> </del>	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			JEP9D	UECS1	16 31									- +	
1	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1			JEP9D	UECS1	21 32										_
	2-Wire Voice Grade Loop (SL 2) - Zone 2			JEP9D	UECS2	16 56										
+	2-Wire Voice Grade Loop (SL 2) - Zone 3			JEP9D JEP9D	UECS2	21 63										
UNE P	Port Rate		9 1	25,30	UECS2	28 28										
	TATES	-+	-		+ -											

ARONDEF	D NETWORK ELENENTS - Tennessee				- <sub>1</sub>						In	10 5 :		ment 2		bit B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring		201150	00		Rates (\$)		
	ON A DAY OF THE PART OF THE PA			UEP9D	UEPYA	1 70	First 22 14	Add'l 15 25	First 8 45	Add'l 3 91	SOMEC	30 89	SOMAN 7 03	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Pot (Centrex ) Basic Local Area 2-Wire Voice Grade Pot (Centrex 800 termination)Basic Local			DEP9D	DEPTA	1 70	22 14	15 25	6 45	2 3 1		30 09	/ 03	<del> </del>	<del> </del>	
ł	Area			UEP9D	ŲEPYB	1 70	22 14	15 25	8 45	3 91		30 89	7 03	l		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1 70	22 14	15 25	8.45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
-	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		<u> </u>	OLF 3D	OCFTO			13.23	043	3 31		30.03	7 00			
	Area		1	UEP9D	UEPYE	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1 70	22 14	15 25	8 45	3 91	<u> </u>	30 89	7 03			ļ. <u></u> .
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1 70	22 14	15 25	8 45	3 91		30 89	7 03		ļ	
+	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OEF 3D	IDEF 10	170	22 17	13 23	040		1	00 00	1 , 00			
	Area			UEP9D	UEPYT	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local				1											
	Area			UEP9D	UEPYU	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYV	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			021 30	- 02117	170		10 20	0,10	001			7.00			1
	Area			UEP9D	UEPY3	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1 70	22 14	15 25	8 45	3 91	ļ	30 89	7 03			-
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1 70	22 14	15 25	8 45	3 91		30 89	7 03		}	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			GEI 3D	OLI IV	170	22.17	10 20	0.43			30.00	1			1
	Basic Local Area			UEP9D	UEPYJ	1 70	22 14	15 25	8 45	3 91	_	30 89	7 03			1
	2-Wire Voice Grade Pcrt (Centrex from diff Serving Wire Center)															
	2 Basic Local Area		-	UEP9D	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03	-		1
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area		1	UEP9D	UEPYO	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5009)2, 3				00.10				0.0							
	Basic Local Area			UEP9D	UEPYP	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-5209)2, 3											20.00	7.00		1	
	Basic Local Area	-		UEP9D	UEPYQ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5312)2, 3	ł		00.00	32. 7											
	Basic Local Area			UEP9D	UEPYS	1 70	22 14	15 25	8 45	3 91	_	30 89	7 03	l		
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5008)2, 3				LIEBUA	4.70	22 14	15 25	8 45	3 91		30 89	7 03	1		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		<del> </del>	UEP9D	UEPY4	1 70	22 14	15 25	8 45	391		30.08	/ 03	<del> </del>		+
	Basic Local Area			UEP9D	UEPY5	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Pcrt (Centrex/differ SWC /EBS-M5216)2, 3	1			1											
	Basic Local Area			UEP9D	UEPY6	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	i			UE 97/2	4.70	20.44	45.05	8 45	3 91		30 89	7 03			
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1 70	22 14	15 25	8 45	391		30 69	7 03	<del> </del>	<del> </del>	1
	Term		1	UEP9D	UEPYZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del> </del>	-													
	Basic Local Area			UEP9D	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03	ļ		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic						00.4	45.5-				20.00	7 03	1		
AL 10	Local Area Y, LA, MS, SC, & TN Orly	ļ		UEP9D	UEPY2	1 70	22 14	15 25	8 45	3 91	-	30 89	7 03	<del> </del>	-	-
AL, K	2-Wire Voice Grade Pirt (Centrex)		1	UEP9D	UEPQA	1 70	22 14	15 25	8 45	3 91	<del>                                     </del>	30 89	7 03		ļ	
	2-Wire Voice Grade Pirt (Centrex 800 termination)			UEP9D	UEPQB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Pirt (Centrex / EBS-PSET)3			UEP9D	UEPQC	1 70		15 25	8 45	3 91		30 89				
	2-Wire Voice Grade Pirt (Centrex / EBS-M5009)3	1	1	UEP9D	ÜEPQD	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			

Page 402 of 416

	NETWORK ELEMENTS - Tennessee													ment. 2		bit <sup>.</sup> B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Sunmitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge -	Incremer Charge
						Rec	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		Ь
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Fort (Centrex / EBS-M5112)3			UEP9D	ÜEPQF	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1 70	22 14	15 25	8 45	3 91		30 89	7 03	İ		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPOH	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	1	- 1.				ļ									
				UEP9D	UEPQW	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		I.	UEP9D	lueno											1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D UEP9D	UEPOM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
+ +	E TOTAL TOTAL CHIMENOTHER SWC (EBS-PSET)2, 3	<del></del>		OELAN_	UEPQO	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		l,	UEP9D	UEPQP	1 70	20.44	45.05							l i	l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQP	1 70	22 14 22 14	15 25 15 25	8 45 8 45	3 91 3 91		30 89	7 03			<b></b>
1			'	021 30	OLF GG	170	22 14	15 25	8 45	391		30 89	7 03			-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	i	l,	UEP9D	UEPOR	1 70	22 14	15 25	8 45	3 91		30 89	7 03			i .
					To and	.,,		10 20	0 43			20.09	7 03		——————————————————————————————————————	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		l.	JEP9D	UEPQS	1 70	22 14	15 25	8 45	3 91		30 89	7 03			ı
									- 0.0	- 001		30 03	, 03			
:	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		į.	JEP9D	UEPQ4	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
												- 00 05	7 00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		U	JEP9D	UEPQ5	1 70	22 14	15 25	8 45	3 91		30 89	7 03	ł		
			["		T.,											
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		U	JEP9D	UEPQ6	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
,	3 10(4-)(	!	- 1.					-						_		
+ ;	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		ļ.	JEP9D	UEPQ7	1 70	22 14	15 25	8 45	3 91		30 89	7 03		i	
[	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		l.													
+	Telli		- 1	JEP9D	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		- 1,	JEP9D	UEPQ9	4.70	20.44				į					
T	2-Wire Voice Grade Port Terminated on 800 Service Term			JEP9D	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	witching			DEPAD	UEPU2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	Centrex Intercom Funtionality, per port			JEP9D	URECS	0 6381										
	umber Portability	- 1		JE1 30	UNCOS	0 6361				_						
TI	ocal Number Portability (1 per port)		1	JEP9D	LNPCC	0 35										
Features						-0.00										
	All Standard Features Offered, per port		1	JEP9D	UEPVF	0.00		_	_			30 89	7 03			
/	All Select Features Offered, per port		L	JEP9D	UEPVS	0 00	433 78					30 89	7 03			
/	All Centrex Control Faatures Offered, per port			JEP9D	UEPVC	0 00	100 10					30 89	7 03			
NARS												30 05	7 03			
	Inbundled Network Access Register - Combination		L	JEP9D	UARCX	0.00	0 00	0 00				30 89	7 03			
	Unbundled Network Access Register - Inward		L	JEP9D	UAR1X	0 00	0 00	0 00		-	-	30 89	7 03			
	Jnbundled Network Access Register - Outdial		Ĺ	JEP9D	UAROX	0.00	0 00	0.00				30 89	7 03			
	neous Terminations								-			_ 50.00	7 55			-
	runk Side															
d Miro D	runk Side Terminations, each		L	JEP9D	CEND6	8 78	22 14	15 25	8 45	3 91		30 89	7 03			
4-VVIIIE D	rigital (1 544 Megabits)							-								
<del>                                     </del>	2S1 Circuit Terminations, each 2S0 Channels Activided per Channel			JEP9D	M1HD1	35 55	75 93	38 15				30 89	7 03			
Interoffic	ce Channel Mileage - 2-Wire			JEP9D	M1HDO	0 00	108 67					30 89	7 03			
	nteroffice Channel Facilities Termination			IÉ DOD	Luono											
	nteroffice Channel mleage, per mile or fraction of mile			JEP9D	MIGBC	18 58	22 14	15 25	8 45	3 91		30 89	7 03			
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service		_	JEP9D	MIGBM	0 0174										
D4 Chan	nel Bank Feature Activations		-+													
	eature Activation on D-4 Channel Bank Centrex Loop Slot			JÉP9D	100000	0.00										
Į 1F			ıψ	- 3D	1PQWS	0 66			i			Т				
1-1									<del></del>							

IBUNDLED N	ETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	bıt B
								-			Svc Order	Syr Order		Incremental	Incremental	Increme
					1											1
											Submitted			Charge -	Charge -	Charge
		Interi			}						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs	Order v
		m	ĺ								per Lon	per Lon				
			ì		1 1								Electronic-	Electronic-	Electronic-	Electron
			1	1									1st	Add'I	Disc 1st	Disc Ad
	W. T (1984)															-100714
						_	Nonrecurring	•	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
	******					Rec	Fırst	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
- ··   Eng	ature Activation on D-4 Channel Bank FX Trunk Side Loop			-					11131		COMILE	0.710.014	JOHAN	JOHAN	SUMAN	SOMM
		ļ		l	I I	1			1		1					
Slot		į l		UEP9D	1PQW7	0 66										
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot -													1		
	erent Wire Center			UEP9D	1PQWP	0 66								1		
			<del> </del>							-						ļ
}_				l	-											ļ
	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 66										Ī
Fea	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		i					•								
Slot	t		Ĺ	UEP9D	1PQWQ	0 66					1 1	i			1	
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66	-				1					
			<u> </u>	DEPSD	TPQWA	0 00					<u> </u>					
	ring Charges (NRC) Associated with UNE-P Centrex				<u> </u>						L					
	C Conversion Curiently Combined Switch-As-Is with allowed															
	inges, per port		l	UEP9D	JUSAC2		1 03	0 29		1		30 89	7 03		l	
	w Centrex Standard Common Block		<b>!</b>	UEP9D	M1ACS	0 00		0.29	-		<b> </b>					
							658 60		L		<b></b>	30 89	7 03		l	
	w Centrex Customzed Common Block			UEP9D	M1ACC	0 00	658 60		L			30 89	7 03			
	R Establishment Charge, Per Occasion			UEP9D	URECA		68 57				T	30 89	7 03			
	VTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)									-	1	50.00				
	Loop/2-Wire Voice Grade Port (Centrex) Combo		├				-				1					
	.oop Combination Rates (Non-Design)		-	ĺ		1					1					
2-W	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	n-Design		1	UEP9E		14 18	i									1
		-	'	OEFBE		14 10										
	/ire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo -						Ì									1
Non	n-Design		2	UEP9E	1	18 01										ĺ
2-W	vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									_						
	n-Design		3	UEP9E	1 1	23 02										
			3	05596		23 02										
	oop Combination Rates (Design)										1 1					
2-W	/re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Des	san	ĺ	1	UEP9E		18 26										
	/ire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI SE		10 20					ļ					
			_	_			1		1		1 1					
Des			2	UEP9E		23 33	•									
2-W	/ire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo -															_
Des	sion		3	UEP9E		29 98	ŀ									1
UNE Loop F			<u> </u>	OLI OL		25 50										
										_						İ
	/ire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	12 48										i
]2-W	/ire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16 31										
12-W	/ire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21 32					<b>+</b>					
2.10/	/ire Voice Grade Loop (SL 2) - Zone 1			UEP9E						<del>-</del>	<del>                                     </del>					ļ
12-44	tro Voice Grade Leep (CL 2) - 2018 1				UECS2	16 56										
2-W	/ire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	21 63					1					
	/ire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28 28	-									
UNE Port R	late										<del>                                     </del>	_	**			<b>-</b>
	, LA, MS, & TN only															
				LIEDOE	LIEDY:											
	/ire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1 70	22 14	15 25	8 45	3 91	l	30 89	7 03			
	/ire Voice Grade Port (Centrex 800 termination)Basic Local				1 1											
Area	a			UEP9E	UEPYB	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		
2-W	/ire Voice Grade Port (Centrex with Caller ID)1Basic Local		-		<del></del>			10 20		- 531	<del>                                     </del>	30 09	, 03			
Area		ļ		UEP9E	[UEDVII.	4 70	22.4.	15.0-					_			
				UEFSE	UEPYH	1 70	22 14	15 25	8 45	3 91	<u> </u>	30 89	7 03	L		
	fire Voice Grade Port (Centrex from diff Serving Wire	1														
	iter)2 Basic Local λrea	l		UEP9E	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
2-W	/ire Voice Grade Port, Diff Serving Wire Center - 800 Service										1	- 55 55	1 00			<b>-</b>
	m - Basic Local Area			LICORE	LIEDV7	4 70	20.44	45.00			1 1					
				UEP9E	UEPYZ	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03	L		
	ire Voice Grade Port terminated in on Megalink or equivalent					1					1					
	ssic Local Area	- 1		UEP9E	UEPY9	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	/ire Voice Grade Port Terminated on 800 Service Term -				1		LL 1-7	10 20	0.70	J 31		30 09	1 03			
	ic Local Area			LIEDOE	LUEDY CO							_ [				1
				UEP9E	UEPY2	1 70	22 14	15 25	8 45	3 91		30 89	7 03			1
	, MS, & TN Only															
2-Wi	/ire Voice Grade Port (Centrex.)			UEP9E	UEPQA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	re Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB						<del>  </del>					
						1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	ire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
2-Wi	ire Voice Grade Port (Centrex from diff Serving Wire										1					
	iter)2	1		UEP9E	UEPQM	1 70	22 14	15 25	8 45	3 91	1 1	30 89	7 03			1

Version 4Q02 12/18/02

UNDLED NETWORK ELEMENTS - Tennessee												Attachi	ment 2	Exhi	bıt B
GORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Su⊵mitted	Incremental		Incremental Charge -	Increme Charg Manual Order
		<u> </u>										1st	Add'I	Disc 1st	Electro Disc A
		ļ			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
2-Wire Voice Grade Fort, Diff Serving Wire Center - 8	OO Sepuce	1	<del></del>		<del>-</del>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
Term	Service	<u> </u>	UEP9E	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03			ŀ
2-Wire Voice Grade Fort terminated in on Megalink o	r equivalent:		UEP9E	UEPQ9	1 70	22 14	15 25	8 45	3 91		00.00				
2-Wire Voice Grade Fort Terminated on 800 Service		+	UEP9E	UEPQ2	1 70	22 14	15 25	8 45	3 91		30 89 30 89	7 03 7 03			
Local Switching		1	02.02	OLI GE	110	- 22 14	13 23	5 43	. 391	<del></del>	30 09	7 03			
Centrex Intercom Furtionality, per port		<u> </u>	UEP9E	URECS	0 6381	-									l
Local Number Portability														-	
Local Number Portability (1 per port)		1	UEP9E	LNPCC	0.35										
Features										<u> </u>				-	
All Standard Features Offered, per port		T	UEP9E	UEPVF	0 0G					· · · · · ·	30 89	7 03			-
All Select Features Offered, per port			UEP9E	UEPVS	0 00	433 78					30 89	7 03	-		
All Centrex Control Features Offered, per port			UEP9E	UEPVC	0 00						30 89	7 03			
NARS															1
Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0 00	0 00				30 89	7 03			
Unbundled Network Access Register - Indial			UEP9E	UAR1X	0 00	0 00	0.00				30 89	7 03			
Unbundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0 00				30 89	7 03			
Miscellaneous Terminations	ļ. <u></u>														
2-Wire Trunk Side															
Trunk Side Terminations, each		L	UEP9E	CEND6	8 78	22 14	15 25	8 45	3 91		30 89	7 03			
4-Wire Digital (1 544 Megabits)		ļ		<del></del>											
DS1 Circuit Terminations, each			UEP9E	M1HD1	35 55	75 93	38 15				30 89	7 03			
DS0 Channel Activated Per Channel			UEP9E	M1HDO	0 00	108 67					30 89	7 03			
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			LIEBAE												
Interoffice Channel mleage, per mile or fraction of mi			UEP9E	MIGBC	18 58	22 14	15 25	8 45	3 91		30 89	7 03			
Feature Activations (DS0) Centrex Loops on Channelized		-	UEP9E	MIGBM	0 0174						i				
D4 Channel Bank Feature Activations	DST Service	-	<u> </u>												
Feature Activation on D-4 Channel Bank Centrex Loo	n Slot	<del> </del>	UEP9E	1PQWS	0 66										
V SSS T GINGLET STE 4 GING INC. Bank Gentlex Edg	p oldi		DEFSE	IF GW3	0 00										
Feature Activation on D-4 Channel Bank FX line Side	Loop Slot		UEP9E	1PQW6	0 66	1	}								
Feature Activation on D-4 Channel Bank FX Trunk Si			OLI OL	II GWO	0 00										
Slot			UEP9E	1PQW7	0 66										
Feature Activation on D-4 Channel Bank Centrex Loo	p Slot -		52. 52	11. 41.11	- 00										
Different Wire Center			UEP9E	1PQWP	0 66						]			i	
									-	<del>  </del>					
Feature Activation on D-4 Channel Bank Private Line	Loop Slot		UEP9E	1PQWV	0 66										
Feature Activation on D-4 Channel Bank Tjie Line/Tru															
Stot			UEP9E	1PQWQ	0 66		,								
Feature Activation on D-4 Channel Bank WATS Loop			UEP9E	1PQWA	0 66	- +								-	-
Non-Recurring Charges (NRC) Associated with UNE-P Cer				-										-	-
NRC Conversion Currently Combined Switch-As-Is wi	th allowed				1										
changes, per port			UEP9E	USAC2		1 03	0 29				30 89	7 03			
New Centrex Standard Common Block			UEP9E	MIACS	0.00	658 60					30 89	7 03	-		
New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658 60					30 89	7 03			
NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68 57					30 89	7 03			
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)											_				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	)														
UNE Port/Loop Combination Rates (Non-Design)														~	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Po	ort Combo -	ΙĪ		1											
Non-Design		1	UEP93	1	14 18										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Po	rt Combo -	,		T T			-								
Non-Design		2	UEP93		18 01							j			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Po	rt Combo -	. 1			T										
Non-Design		3	UEP93		23 02										
UNE Port/Loop Combination Rates (Design)		<u>ل</u> ــــــــــــــــــــــــــــــــــــ													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Po	ort Combo -	I T												-	
Design	1	1 1	UEP93	1	18 26			- 1			ľ				

INRONDER	D NETWORK ELEVIENTS - Tennessee												Attachi	ment, 2	Exhi	bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted . Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring	A .1.19	Nonrecurring		601150	001111		Rates (\$)		
	2 Mirro VC Learn/2 Mirro Vesso Condo Dart (Control/Dart Comba		ì .				First	Add'I	First	Add'l	SOMEC	\$OMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		23 33										
	2-Wire VG Loop/2-Wile Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29 98										
UNE L	oop Rate		L.													
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93	UECS1	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21 32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16 56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2	21 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28 28										
	ort Rate						ļ									
AL, K	/, LA, MS, & TN only		L											l		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	l	<u> </u>	UEP93	UEPYA	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
ı	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local								1							
	Area			UEP93	UEPYB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	1 70	22 14	15 25	8 45	3 91		30 89	7 03	1		l
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								T							
	Center)2 Basic Local Area			UEP93	UEPYM	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service												-			
1	Term - Basic Local Area			UEP93	UEPYZ	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1 1										<b></b>	
	- Basic Locat Area			UEP93	UEPY9	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
ļ	Basic Local Area			UEP93	UEPY2	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	2-Wire Voice Grade Port (Centrex.)			UEP93	UEPQA	1 70	22 14	15 25	8 45	3 91	1	30 89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		t	UEP93	UEPQH	1 70	22 14	15 25	8 45	3 91		30 89	7 03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<u> </u>	<del> </del>	<u> </u>	- OLI GII		+	10 20	0 40	001	<del>                                     </del>	50 00	1 00		-	
1	Center)2			UEP93	UEPQM	1 70	22 14	15 25	8 45	3 91	]	30 89	7 03			
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OL: 35	JOET CINI	110	22 17	10 20	0 43	331		30 03	, 00			
	Term			UEP93	UEPQZ	1 70	22 14	15 25	8 45	3 91		30 89	7 03		i	
	Tem			OL1 33	DET GZ	170	22 17	10.20	0.43	391		30 03	7 00		•	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	[		UEP93	UEPQ9	1 70	22 14	15 25	8 45	3 91		30 89	7 03		ļ	
	2-Wire Voice Grade Port Terminated in 6th Megalink of equivalent			UEP93	UEPQ2	1 70	22 14	15 25	8 45	3 91	-	30 89	7 03		-	-
Local	Switching			OLI 33	OLF WZ	170	22 17	10 20	0 40	381		30 00	, 03		<del> </del>	<del> </del>
Local	Centrex Intercom Funtionality, per port	-	<del> </del>	UEP93	URECS	0 6381			·						<del> </del>	-
Local	Number Portability	-		OEF 93	UNECS	0 0301	-									
Local	Local Number Portability (1 per port)		-	UEP93	LNCCC	0 35	-		<del> </del>				···		<del> </del>	<del> </del>
Featur	Teorga Moniber Contability (1 per port)	1	-	ULF 93	LINCOL	0 33	<del>  -                                   </del>		<del>                                     </del>						1	1
realu	All Standard Features Offered, per port	1	├	UEP93	UEPVF	0 00			<del>                                     </del>					<del> </del>	<del> </del>	<del> </del>
															<del></del>	<del></del>
NARS	All Centrex Control Features Offered, per port	<b>-</b>	-	UEP93	UEPVC	0 00			<del>                                     </del>							
NARS	Hobundled National James Baseles Combined		ļ	UEP93	LIADOV	0.00	<b> </b>		1			00.00	7.00			
	Unbundled Network /ccess Register - Combination		-		UARCX	0 00	0 00	0 00			<b> </b>	30 89	7 03	<u> </u>	<b></b>	ļ
	Unbundled Network Access Register - Indial	<b>!</b>	<b>_</b>	UEP93	UAR1X	0 00	0 00	0 00	<b></b>			30 89	7 03	ļ	ļ	<b></b>
	Unbundled Network Access Register - Outdial	⊢—	-	UEP93	UAROX	0 00	0 00	0 00	ļ <u></u> .		ļ	30 89	7 03	L		<u> </u>
	laneous Terminations	<b></b>	<b>_</b>						ļ		<b> </b>			ļ	<u> </u>	ļ
2-Wire	Trunk Side		<b>—</b>												ļ	<u> </u>
	Trunk Side Terminations, each	<b>!</b>	<u> </u>	UEP93	CEND6	8 78	22 14	15 25	8 45	3 91		30 89	7 03			
4-Wire	Digital (1.544 Megabits)		ļ											<u> </u>		<u> </u>
	DS1 Circuit Terminations, each			UEP93	M1HD1	35 55	75 93	38 15				30 89	7 03			
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0 00	108 67					30 89	7 03			
Intero	ffice Channel Mileage - 2-Wire		L													<u></u>
	Interoffice Channel Facilities Termination			UEP93	MIGBC	18 58	22 14	15 25	8 45	3 91		30 89	7 03			
	Interoffice Channel mleage, per mile or fraction of mile	1		UEP93	MIGBM	0 0174								1		[ <u> </u>
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 66	· · · · · · · · · · · · · · · · · · ·		, ,					1		

Version 4Q02 12/18/02 Page 406 of 416

	D NETWORK ELEMENTS - Tennessee		_	,							12			ment 2	Exhib	
TEGORY	RATE ELEMENTS	Inten	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Incremer Charge Manual S
regori	RATE ELEMENTS	m	Zone	603	0300			NATEO (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs Electronic- Disc 1st	Order v Electron Disc Ad
							Nonrecurring		Nonrecurring	Disconnect	†		oss	Rates (\$)		
			<del> </del>			Rec	First	Add'l	First	Add'i	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
				· · · · · · · · · · · · · · · · · · ·												
	Feature Activation or D-4 Channel Bank FX Line Side Loop Slot	1		UEP93	1PQW6	0 66										
_	Feature Activation or D-4 Channel Bank FX Trunk Side Loop		<b></b>													
	Slot			UEP93	1PQW7	0 66	}			İ						ļ
	Feature Activation or D-4 Channel Bank Centrex Loop Slot -											_		<del></del> -		
	Different Wire Center		1	UEP93	1PQWP	0 66					,		1		İ	
								·								
	Feature Activation or D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0 66										
T	Feature Activation or D-4 Channel Bank Tie Line/Trunk Loop											_				
	Slot			UEP93	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	l		UEP93	1PQWA	0 66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex											_				
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		1 03	0 29				30 89	7 03			
	New Centrex Standa d Common Block			UEP93	M1ACS	0 00	658 60					30 89	7 03			
	New Centrex Customzed Common Block			UEP93	M1ACC	0 00	658 60					30 89	7 03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68 57				<u> </u>	30 89	7 03			
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment															
	CENTREX PORT/LOCP COMBINATIONS - MARKET RATES															
4 84	et Rates are applied where BellSouth is not required by FCC :	and/or S	State C	ommission rule to	p provide Unbur	dled Local Sw	itching or Swit	ch Ports								
2. Reci 3. End 4 The	irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu ilso and are categorized accordingly	atures : Usage r	are Inc ates ir	luded in the Mar the Port section	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu also and are categorized accordingly CENTREX - 1AESS- (Valid in AL,FL,GA,KY,LA,MS,&TN only	eatures Usage r urrently	are Inc ates ir	luded in the Mar the Port section	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Rect 3. End 4 The apply a UNE-P 2-Wire	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu ilso and are categorized accordingly CENTREX - 1AESS (Valid in AL.FL.GA.KY,LA.MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	eatures Usage r urrently	are Inc ates ir	luded in the Mar the Port section	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Rect 3. End 4 The apply a UNE-P 2-Wire	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional For nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	eatures Usage r urrently	are Inc ates ir	luded in the Mar the Port section	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Rect 3. End 4 The apply a UNE-P 2-Wire	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- pt/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	eatures Usage r urrently	are Inc	luded in the Mar the Port section ined Combos. F	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Rect 3. End 4 The apply a UNE-P 2-Wire	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu also and are categorized accordingly CENTREX - 1AESS- (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	eatures Usage r urrently	are Inc ates ir	luded in the Mar the Port section	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Rect 3. End 4 The apply a UNE-P 2-Wire	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu slso and are categorized accordingly CENTREX - 1AESS- (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design Non-Design	eatures Usage r urrently	are Inc	luded in the Mar the Port section ined Combos. F	ket Rate of this rate exhi	bit shall apply	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu lso and are categorized accordingly CENTREX - 1AESS- (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	eatures Usage r urrently	are Inc rates ir Comb	UEP91	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design	eatures Usage r urrently	are Inc rates ir Comb	Luded in the Mar n the Port section ined Combos. F	ket Rate of this rate exhi	bit shall apply nbined Combo	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL.GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1	eatures Usage r urrently	are Inc rates ir Comb	UEP91	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	eatures Usage r urrently	are Increase	Duded in the Mar n the Port section ined Combos. F	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31 35 32	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design	eatures Usage r urrently	are Inc rates ir Comb	UEP91	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu lso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL.GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 13-Yire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 14-Yire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 15-Yire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 15-Yire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 15-Yire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 15-Yire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	eatures Usage r urrently	Tates in Comb	uep91 UEP91 UEP91	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31 35 32 30 56	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	eatures Usage r urrently	are Increase	Duded in the Mar n the Port section ined Combos. F	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31 35 32	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo	eatures Usage r urrently	are Increases in Comb	UEP91 UEP91 UEP91 UEP91 UEP91	ket Rate of this rate exhi	26 48 30 31 35 32 30 56 35 63	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4. The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL.GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design  12-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)	eatures Usage r urrently	Tates in Comb	uep91 UEP91 UEP91	ket Rate of this rate exhi	bit shall apply nbined Combo 26 48 30 31 35 32 30 56	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design	eatures Usage r urrently	are Incretes in Comb  1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ket Rate of this rate exhi or Currently Con	26 48 30 31 35 32 30 56 35 63 42 28	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4. The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design	eatures Usage r urrently	cates in Comb	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ket Rate of this rate exhi or Currently Con	26 48 30 31 35 32 30 56 35 63 42 28	to all combinat	tions of loop/							Additional NR	Cs may
2. Reci 3. End 4. The apply: UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL., CA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire Voice Grade Loop (SL 1) - Zone 1 12-Wire Voice Grade Loop (SL 1) - Zone 2	eatures Usage r urrently	are Incartes ir Comb	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4. The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design -Des	eatures Usage r urrently	are Inc. rates ir Comb	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4. The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo	eatures Usage r urrently	1 2 3 1 1 2 3 1 1	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4. The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	eatures Usage r urrently	1 2 3 1 2 2 3 1 2 2	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4. The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL.GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Don-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	eatures Usage r urrently	1 2 3 1 1 2 3 1 1	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	eatures Usage r urrently	1 2 3 1 2 2 3 1 2 2	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 1	eatures Usage r urrently	1 2 3 1 1 2 2 3 1 2 2	UEP91  28 28	to all combinals, the nonrecu	tions of loop/	shall be those	identified in t		ring - Curre	ently Combine		Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL.GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3  7-Tile Voice Grade Loop (SL 2) - Zone 3	eatures Usage r urrently	1 2 3 1 1 2 2 3 1 2 2	UEP91	to all combinat	tions of loop/							Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts  es (Except North Calolina and Sout Carollina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	eatures Usage r urrently	1 2 3 1 1 2 2 3 1 2 2	UEP91	to all combinals, the nonrecur	tions of loop/ rring charges	shall be those	identified in t		30 89	7 03		Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 10-Pate 1-Pate Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 1-Pate Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) -	eatures Usage r urrently	1 2 3 1 1 2 2 3 1 2 2	UEP91  28 28	to all combinals, the nonrecu	tions of loop/	shall be those	identified in t		ring - Curre	ently Combine		Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS- (Valid in AL.FL.(SA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  10 - State	eatures Usage r urrently	1 2 3 1 1 2 2 3 1 2 2	UEP91	to all combinals, the nonrecur	tions of loop/ rring charges 45 00	20 00 20 00	10 00 10 00		30 89 30 89	7 03 7 03		Additional NR	Cs may		
2. Reci 3. End 4 The apply a UNE-P 2-Wire UNE P	Irring Charges for all Standard Centrex and Centrex Conrol Fe Office and Tandem Switching Usage and Common Transport first and additional Fort nonrecurring charges apply to Not Cu Iso and are categorized accordingly CENTREX - 1AESS-(Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo Design 10-Pate 1-Pate Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 1-Pate Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 2-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) - Zone 3 Design 3-Wire Voice Grade Loop (SL 3) -	eatures Usage r urrently	1 2 3 1 1 2 2 3 1 2 2	UEP91	to all combinals, the nonrecur	tions of loop/ rring charges	shall be those	identified in t		30 89	7 03		Additional NR	Cs may		

NEU MEL E	D NETWORK ELENENTS Topposses					-							Attachr			bit. B
NBUNDLE ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs
			<del> </del> -		<del> </del>		Nonrecurring	-	Nonrecurring	Disconnect				Rates (\$)		
			+		<del> </del>	Rec	First	Add'l	First	Add'l_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<del>                                     </del>		**	-						1				
				UEP91	UEPYZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent		1-	02:01												
	- Basic Local Area			UEP91	UEPY9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del></del>
	2-Wire Voice Grade Port Terminated on 800 Service Term -		<del> </del> -		1											
i				UEP91	UEPY2	14 00	90 00	45 00	20 00	10 00	<u> </u>	30 89	7 03			<del></del>
A	Basic Local Area Y, LA, MS, & TN Only		<b>†</b>		<del></del>	_					L	L				
AL, K	2-Wire Voice Grade Pcrt (Centrex.)			UEP91	UEPQA	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination)		+	UEP91	ÚEPQB	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex volo terminator)  2-Wire Voice Grade Port (Centrex with Caller ID)1		+	UEP91	UEPQH	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del></del>
	2-Wire Voice Grade Port (Centrex With Carlet ID))  2-Wire Voice Grade Port (Centrex from diff Serving Wire		+	04. 5.												
			1	UEP91	UEPQM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del></del>
	Center)2 2-Wire Voice Grade Pcrt, Diff Serving Wire Center - 800 Service				1500000								ļ		1	
	Term			UEP91	UEPQZ	14 00	90 00	45 00	20 00	10 00	i	30 89	7 03			
	Term	_	+	02.01			_									
	2-Wire Voice Grade Pcrt terminated in on Megalink or equivalent		1	UEP91	UEPQ9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<u> </u>
	2-Wire Voice Grade Port Terminated in on Wegarin or equivalent		┼	UEP91	UEPQ2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
<del></del>			_	02.0.	- I											
Local	Switching   Centrex Intercom Funtonality, per port		-	UEP91	URECS	0 6381		-								
<del></del>		_		02: 01						-						L
Local	Number Portability		+	UEP91	LNPCC	0.35										
	Local Number Portabilty (1 per port)		-	OLI 31	- 12141 00											
Featu		L	-	UEP91	UEPVF	0.00						30 89	7 03			
	All Standard Features Offered, per port		<del> </del>	UEP91	UEPVS	0.00	433 78					30 89	7 03			
	All Select Features Offered, per port  All Centrex Control Features Offered, per port			UEP91	UEPVC	0 00	- 100 10		-		-	30 89	7 03			
			+	OLI 31											T	
NARS	Unbundled Network Access Register - Combination		<del> </del>	UEP91	UARCX	0.00	0 00	0.00				30 89	7 03			
	Unbundled Network Access Register - Combination		-	UEP91	UAR1X	0 00	0 00	0.00				30 89	7 03			
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0 00	0 00	0.00		-		30 89	7 03			1
	lianeous Terminations		1	OL 31	GAROX	- 5 50	V 3 %								1	
	Trunk Side											_			T	
Z-VVIITE	Trunk Side Terminations, each		1	UEP91	CENA6	8 78	90 00	45 00	20 00	10 00		30 89	7 03			
Intern	ffice Channel Mileage - 2-Wire		+	02.01												
intero	Interoffice Channel Facilities Termination - Voice Grade		╁	UEP91	M1GBC	18 58	90 00	45 00	20 00	10 00		30 89	7 03			
-	Interoffice Channel mileage, per mile or fraction of mile		+	UEP91	M1GBM	0 0174										T
Eastu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		<del></del>	-	~											
	annel Bank Feature Adivations		<del></del>		-				*			l —				
D4 C11	Feature Activation on 0-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 66										
	T eature Activation on 5-4 Charmer Bank Centrex 2005 Clot		1-						1	•				1		
	Feature Activation on 0-4 Channel Bank FX line Side Loop Slot		1	UEP91	1PQW6	0 66							1			
<del></del>	Feature Activation on 0-4 Channel Bank FX Trunk Side Loop		1		1				1							
	Slot		1	UEP91	1PQW7	0 66							1			
	Feature Activation on 0-4 Channel Bank Centrex Loop Slot -		1		1											
	Different Wire Center	l	1	UEP91	1PQWP	0 66		i	l							1
-+	Different Wife Center		+	02.01	- 11 (271)							<del>                                     </del>	*	1		1
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 66	1		1			1				
	Feature Activation on 0-4 Channel Bank Tipe Line/Trunk Loop	<del>                                     </del>	1	J=1 J1		<u> </u>	<del>                                     </del>						i	T		
	Slot		1	UEP91	1PQWQ	0.66			ł							1
<del>-  </del>	Feature Activation on 0-4 Channel Bank WATS Loop Slot		+	UEP91	1PQWA	0 66	<del>                                     </del>				ļ —	T -	T -			
Non E	Recurring Charges (NRC) Associated with UNE-P Centrex		+								1	T				
- Indian	Conversion - Currently Combined Switch-As-Is with allowed		1		<del></del>								1		1	
	changes, per port	1		UEP91	USAC2		1 03	0 29				30 89	7 03	1		
-	New Centrex Standarc Common Block		1	UEP91	M1ACS	0.00						30 89	7 03			
	New Centrex Standard Common Block		+	UEP91	MIACC	0 00	658 60	-	-		<b>.</b>	30 89		T		
-	Secondary Block, per Block	<del> </del> -	+	UEP91	M2CC1	0.00	73 55				l	30 89				
_	NAR Establishment Charge, Per Occasion	<del>                                     </del>	+	UEP91	URECA	0.00	68 57		-		1	30 89				
1			+	02. 31	JINEO/		1 33.07				<b>†</b>	1	<b>†</b>			
TIME F																
	P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															

31100	NANTE	D NETWORK ELEMENTS - Tennessee		,											ment: 2		bit. B
ATEC	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Charge -	Charge
					<del> </del>			Nonrecurring		Nonrecurring	. Dia					Diac ist	Disc Add
	+					+	Rec	First	Add'l	First	Add'I	SOMEC	COMANI	SOMAN	Rates (\$)	SOMAN	COUL
	-	2-Wire VG Loop/2-V/ire Voice Grade Port (Centrex) Port Combo -		<u> </u>	<del> </del>			11130	Auu	FIISL	Addi	SOMEC	SOMAN	SUMAN	SUNIAN	SUMAN	SOMAN
		Non-Design		1	UEP95	1 1	26 48	Į		! !		(			Į.		1
		2-Wire VG Loop/2-V/re Voice Grade Port (Centrex)Port Combo -								-							<del></del>
		Non-Design		2	UEP95	1	30 31										1
		2-Wire VG Loop/2-Vire Voice Grade Port (Centrex)Port Combo -														-	1
	<u> </u>	Non-Design	<u> </u>	3	UEP95		35 32					L. i					
	UNE P	ort/Loop Combination Rates (Design)		_													
	1	2-Wire VG Loop/2-Vire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEDOE	i i		ì		) 1							
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		30 56				_ <del>_</del>						
	1	Design		2	UEP95		35 63			1							
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del> </del>	+ -	JCF 95	+	35 63			<del> </del>		-		<del></del>		<del>                                     </del>	<del></del>
		Design		3	UEP95		42 28	ļ									1
	UNE L	oop Rate		<del>-</del>		1-		-		<del>-</del> -		<del></del> -		-			
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12 48									<del> </del>	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16 31									-	
	-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21 32										
	<u> </u>	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16 56										
	<u> </u>	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21 63										
	LINED	2-Wire Voice Grade Loop (SL 2) - Zone 3		3_	UEP95	UECS2	28 28										
	All Sta					<del>-</del>											
	711 016	2-Wire Voice Grade Port (Centrex.) Basic Local Area		├	UEP95	UEPYA	14 00	90 00	45 00	20 00	10.00						<del></del>
	1	2-Wire Voice Grade Port (Centrex ) Basic Local Alea  2-Wire Voice Grade Port (Centrex 800 termination)		_	UEP95	UEPYB	14 00	90 00	45 00 45 00	20 00	10 00 10 00		30 89 30 89	7 03		ļ <u>.</u>	<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		-	OLI 30	102, 12	14 00	90 00	45 00	20 00	10 00		30 69	7 03			<del> </del>
		Area		l	UEP95	UEPYH	14 00	90 00	45 00	20 00	10 00	{ }	30 89	7 03		1	į.
	1	2-Wire Voice Grade 2 ort (Centrex from diff Serving Wire				<del> </del>		- 00 00	45 00	20 00	10 00	l .	30 03	_/ 03			·
		Center)2 Basic Loca Area			UEP95	UEPYM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			i .
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service										-					t
		Term - Basic Local Area			UEP95	UEPYZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			l .
		2-Wire Voice Grade Port terminated in on Megalink or equivalent						·- <u></u>						_			
		- Basic Local Area			UEP95	UEPY9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			1
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area															
	AL KY	, LA, MS, SC, & TN Only			UEP95	UEPY2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			L
	172, 131	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	14 00	90 00	45.00								<b></b>
	<b>!</b>	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14 00	90 00	45 00 45 00	20 00 20 00	10 00		30 89	7 03			·
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	14 00	90 00	45 00	20 00	10 00		30 89 30 89	7 03 7 03			<del></del>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			02.700	OLI GIT	1400	30 00	45 00	20 00	10 00		30 69	7 03			
		Center)2			UEP95	UEPQM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ı
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1							- 00 00	. 00			
		Term			UEP95	UEPQZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			í
	]	law w							-								1
	├	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			1
	E) 9 G	2-Wire Voice Grade Port Terminated on 800 Service Term 6A Only			UEP95	UEPQ2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
		Switching															
	LOCAL	Centrex Intercom Funtionality, per port			UEP95	URECS	0 6381										
	Local I	Number Portability			OLF30	UREUS	0 0381										
		Local Number Portability (1 per port)			UEP95	LNPCC	0 35										
	Featur	es					0 33						1				
		All Standard Features Offered, per port			UEP95	UEPVF	0 00						30 89	7 03			
		Alf Select Features Cffered, per port			UEP95	UEPVS	0 00	433 78					30 89	7 03			
	ļ	All Centrex Control Features Offered, per port			UEP95	UEPVC	0 00						30 89	7 03			<del></del>
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00				30 89	7 03			
	<del></del>	Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0 00	0 00				30 89	7 03			
	B4 . c **	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00				30 89	7 03	-		
	iwiscell	laneous Terminations				1											

DONDLED MET	WORK ELEMENTS - Tennessee			<u></u>										ment. 2		bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Suhmitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						D	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-Wire Trunk S	Side													•		
Trunk \$	Side Terminations, each			UEP95	CEND6	8 78	47 75	47 01	9 21	8 47		30 89	7 03			
	(1.544 Megabits)		<u> </u>													
	ircuit Terminations, each			UEP95	M1HD1	35 55	75 93	38 15				30 89	7 03			
DS0 CI	hannels Activated, each			UEP95	M1HDO	0 00	108 67					30 89	7 03			
	annel Mileage - 2-Wire														1	
Interoff	fice Channel Excitities Termination			UEP95	MIGBC	18 58	90 00	45 00	20 00	10 00		30 89	7 03			
Interoff	fice Channel mleage, per mile or fraction of mile			UEP95	MIGBM	0 0174										
Feature Activa	ations (DS0) Centrex Loops on Channelized DS1 Service	e														
	ank Feature Activations		į													
Feature	e Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 66										
	e Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66	<u> </u>		<u> </u>	<u></u>	<u></u>		L			ļ
Feature	e Activation on D-4 Channel Bank FX Trunk Side Loop															
Slot				UEP95	1PQW7	0 66										
	e Activation on D-4 Channel Bank Centrex Loop Slot -		İ				1		1							
Differer	nt Wire Center			UEP95	1PQWP	0 66										
	e Activation on D-4 Channel Bank Private Line Loop Slot		<u></u>	UEP95	1PQWV	0 66										
Feature	e Activation on D-4 Channel Bank Tjie Line/Trunk Loop		[													
Slot			ļ	UEP95	1PQWQ	0 66				1				1		
Feature	e Activation on 0-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66										
Non-Recurring	g Charges (NRC) Associated with UNE-P Centrex															
NRC C	Conversion Currently Combined Switch-As-Is with allowed		į	1												
change	es, per port		1	UEP95	USAC2		1 03	0 29	ļ		1	30 89	7 03			
New Co	entrex Standard Common Block			UEP95	M1ACS	0 00	658 60					30 89	7 03			
New Co	entrex Customized Common Block		i .	UEP95	M1ACC	0.00	658 60		1			30 89	7 03			
	stablishment Charge, Per Occasion			UEP95	URECA	0 00	68 57					30 89	7 03			
	REX - DMS100(Valid in All States)															
	pp/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>													
	p Combination Rates (Non-Design)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Non-De			1	UEP9D		26 48										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		[													
Non-De			2	UEP9D		30 31					L					
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		i													
Non-De			3	UEP9D		35 32					1					l
	p Combination Rates (Design)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			l i								İ			
Design			1	UEP9D		30 56										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		İ	1							1				1	
Design		ļ <u></u>	2	UEP9D		35 63					1					
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		l i								İ		!	
Design			3	UEP9D		42 28										
UNE Loop Rat																<u> </u>
	Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	12 48										l
	Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	16 31										<u> </u>
	Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	21 32										
2-Wire	Voice Grade Loop (SL 2) - Zone 1	ļ .		UEP9D	UECS2	16 56										
	Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	21 63									ļ	↓
	Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP9D	UECS2	28 28						ļ			ļ	ļ
UNE Port Rate	•															ļ
ALL STATES																
	Voice Grade Port (Centrex.) Basic Local Area	L		UEP9D	UEPYA	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Voice Grade Port (Centrex 800 termination)Basic Local															
Area			<u> </u>	UEP9D	UEPYB	14 00	90 00	45 00	20 00	10 00		30 89	7 03			1
2-Wire	Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
Area		1	1	UEP9D	UEPYC	14 00	90 00	45 00	20 00	10 00		30 89	7 03	I	1	

ONBONDER	ED NETWORK ELEMENTS - Tennessee												Attach	ment 2	Exhi	bit B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Suhmitted	Incremental	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremen Charge
						Rec	Nonrecurring			g Disconnect				Rates (\$)	\ <del></del> -	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
[	Area			UEP9D	UEPYD	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area															<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	_		UEP9D	UEPYE	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Area			UEP9D	UEPYF	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area															
-	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del></del>
	Area			UEP9D	UEPYU	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14 00	90 00	45 00	20 00	10 00		30.89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local									10 00		30.09	1 03			<del></del>
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Area			UEP9D	UEPYH	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ĺ
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14 00	90 00	45 00	20 00	10 00		30.00	7.00			i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3									10 00		30 89	7 03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2 Basic Local Area			UEP9D	UEPYM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14 00	90 00	45 00	20 00	40.00						i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area									10 00		30 89	7 03			i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Basic Local Area			UEP9D	UEPYQ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14 00	90 00	45 00	20 00	10 00		20.00	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3							40 00	20 00	10 00		30 89	7 03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Basic Local Area			UEP9D	UEPY4	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
ĺ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	44.00										
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OEPAD	UEPYS	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Basic Local Area			UEP9D	UEPY7	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			HEROD										*		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			_
	Basic Local Area			UEP9D	UEPY9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14 00	90 00	45 00	20 00	10 00		30 89	7.00			
AL, KY	, LA, MS, SC, & TN Only					14 00	- 50 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			JEP9D JEP9D	UEPQA	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)			JEP9D JEP9D	UEPQB UEPQC	14 00 14 00	90 00	45 00 45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			JEP9D	UEPQD	14 00 1	90 00	45 00	20 00	10 00		30 89 30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			JEP9D	UEPQE	14 00	90 00	45 00	20 00	10 00		30 89	7 03		-	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			JEP9D	UEPQF	14 00	90 00	45 00	20 00	10 00	-	30 89	7 03	-		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			JEP9D	UEPQG	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			JEP9D	UEPQT	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			JEP9D	UEPQU	14 00	90 00	45 00	20 00	10 00		30 89	7 03		!	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3		ا	JEP9D	UEPQV	14 00	90 00	45 00	20 00	10 00		30 89	7 03			

	D NETWORK ELEMENTS - Tennessee	r												ment 2		bit B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Su¹ mitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Increme Charge Manual Order v Electror Disc Ad
						Rec	Nonrecurring	•	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
_	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	14 00	90 00	45 00	20 00	10 00		30 89	7 03			i ——
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
- 1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			LIEBOB			[		i				_			i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPQW	14 00	90 00	45 00	20 00	10 00		30 89	7 03			l
	2-Wire Voice Grade Port (Centrex Msg Wig Lamp indication)3			DEP9D	UEPQJ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ļ
	2		lí	UEP9D	UEPQM	14 00	90 00	45 00	20 00	40.00	l i					ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14 00	90 00	45 00	20 00 1	10 00		30 89	7 03			
			$\vdash$	OL- SD	OLF GO	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14 00	90 00	45 00	20 00	10 00	1 /	30 89	7 03			i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	14 00	90 00	45 00	20 00	10 00		30 89	7 03	-		
"					102.00	17.00	30 00	45 00	20 00	10 00	<del></del>	30 69	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	14 00	90 00	45 00	20 00	10 00	]	30 89	7 03		' I	
								0 00	20 00	10 00		30.09	7 03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2. 3		l i	UEP9D	UEPQS	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	<u> </u>							_				00 00	- 1 00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14 00	90 00	45 00	20 00	10 00		30 89	7 03	i		
			_									- 55 55			-	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14 00	90 00	45 00	20 00	10 00	i i	30 89	7 03			
								-7.								
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	0.16.17.														-	-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14 00	90 00	45 00	20 00	10 00	,	30 89	7 03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		l í		1		1									
<del></del>	Tenn			UEP9D	UEPQZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03		· ·	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEDOD.												
+	2-Wire Voice Grade Port Terminated in 800 Service Term			UEP9D UEP9D	UEPQ9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Switching		-	UEP9D	UEPQ2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.0004					-144					
	lumber Portability		<del>- '</del>	DEPSD	URECS	0 6381										
	Local Number Portability (1 per port)		<del>-  </del>	UEP9D	LNPCC	0 35										
Feature	es .			DEI OB	LINFCC	0.33										
	All Standard Features Offered, per port			JEP9D	UEPVF	0 00										
	All Select Features Offered, per port			JEP9D	UEPVS	0.00	433 78					30 89	7 03			
	All Centrex Control Features Offered, per port			JEP9D	UEPVC	0 00	433 76					30 89	7 03			
NARS		_			1021 10	0.00	··-		-			30 89	7 03			
	Unbundled Network Access Register - Combination		- 1	JEP9D	UARCX	0 00	0.00	0 00				30 89	7 03			
	Unbundled Network Access Register - Inward			JEP9D	UAR1X	0 00	0.00	0.00				30 89	7 03			
-	Unbundled Network Access Register - Outdial		l	JEP9D	UAROX	0 00	0.00	0 00			-	30 89	7 03			
	aneous Terminations				··			- 0 00	70.1			30 09	7 03			
	Trunk Side											<del>-</del>				
4 14/2 1	Trunk Side Terminatons, each			JEP9D	CEND6	8 78	90 00	45 00	20 00	10 00	-	30 89	7 03			
	Digital (1 544 Megabits)											- 50 50				
	DS1 Circuit Terminaions, each			JEP9D	M1HD1	35 55	75 93	38 15			*****	30 89	7 03			
Intereffi	DS0 Channels Activated per Channel ice Channel Mileage - 2-Wire			JEP9D	M1HDO	0 00	108 67					30 89	7 03			
	Interoffice Channel Facilities Termination													-	-	
	Interoffice Channel nileage, per mile or fraction of mile			JEP9D	MIGBC	18 58	90 00	45 00	20 00	10 00		30 89	7 03	-		
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service			JEP9D	MIGBM	0 0174										
D4 Char	nnel Bank Feature Activations				<del></del>											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<del>-  </del> .	JEP9D	100000											
1-1	State of the state			DELAD	1PQWS	0 66										
	Feature Activation or D-4 Channel Bank FX line Side Loop Stot		I.	JEP9D	1 DOWN		1									
	Feature Activation or D-4 Channel Bank FX Trunk Side Loop			ILLAD	1PQW6	0 66							1			
	Slot			JEP9D	1DOWZ	0.00	İ			J						
	Feature Activation or D-4 Channel Bank Centrex Loop Slot -			ırı.a⊓	1PQW7	0 66										
					1					I						

-14DC	-11DFE	D NETWORK ELEMENTS - Tennessee										0u= 0=1	S C	Attachi			bit B
ATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		T ======
	-							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation or D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 66										
		Feature Activation or D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	450440	0.66										
	1	Slot     Feature Activation or D-4 Channel Bank WATS Loop Slot	<u> </u>	<b></b>	UEP9D	1PQWQ 1PQWA	0 66				<del></del>					ļ	<del> </del>
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF 9D	IFQWA	0 00		* *								<del>                                     </del>
		NRC Conversion Currently Combined Switch-As-Is with allowed		<del>                                     </del>					-								<u> </u>
		changes, per port			UEP9D	USAC2		1 03	0 29				30 89	7 03			1
	1	New Centrex Standard Common Block			UEP9D	MIACS	0 00	658 60	•				30 89	7 03			į –
	1	New Centrex Customized Common Block	I		UEP9D	M1ACC	0 00	658 60					30 89	7 03			
		NAR Establishment Charge, Per Occasion		L	UEP9D	URECA		68 57		· ·			30 89	7 03			
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	<b></b>	ļ													
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ													
	UNE P	ort/Loop Combination Rates (Non-Design)		-									-			<u> </u>	<u> </u>
	1	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP9E	[	26 48							1			
	+	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo -	<del> </del>	<del> '</del>	UEFBE		20 40				<u> </u>	<del></del>	<del></del>	<del> </del>			
	1	Non-Design		2	UEP9E	- }	30 31							1		}	
	+	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo -	<del> </del>		01, 01	<del></del>	30 31					<b>+</b>		<b>!</b>			<del>                                     </del>
		Non-Design		3	UEP9E	1 1	35 32					1		1			
	UNE P	ort/Loop Combination Rates (Design)				-											
	İ	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo -			·										·		
		Design		1	UEP9E		30 56						1				
		2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo -		1									1				
	1	Design		2	UEP9E		35 63						L				
		2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo -		Į				ļ				,	1				
	ļ <u>-</u> -	Design		3	UEP9E		42 28										
	UNE L	oop Rate		ļ _	urane.	UE004						ļ					
	+	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E UEP9E	UECS1	12 48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1 UECS1	16 31 21 32									-	
	<del> </del>	2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP9E	UECS2	16 56					1	<del>                                     </del>				
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2	<del> </del>	1	UEP9E	UECS2	21 63			1			<del>                                     </del>				
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	· ·		UEP9E	UECS2	28 28				· · · · · ·						
	UNE P	ort Rate				1											
		, KY, LA, MS, & TN only	i	1								1					
		2-Wire Voice Grade Port (Centrex ) Basic Local Area	1	T	UEP9E	UEPYA	14 00	90 00	45 00	20 00	10 00		30 89	7 03	· ·		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1								1					
		Area			UEP9E	UEPYB	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				· 1						1					
	ļ	Area			UEP9E	UEPYH	14 00	90 00	45 00	20 00	10 00		30 89	7 03		ļ	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					44.00		45.00					7.00		•	ĺ
		Center)2 Basic Local Area	<del> </del>		UEP9E	UEPYM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del> </del>
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	UEP9E	DEPTZ	14 00	90 00	45 00	20 00	10 00	-	30 69	7 03			
	1	- Basic Local Area			UEP9E	UEPY9	14 00	90 00	45 00	20 00	10 00		30 89	7 03	}		
		2-Wire Voice Grade Port Terminated on 800 Service Term -	<del> </del>	<del> </del>	OLI JL	1021 73	17 00			20 00	10 00		30 00	1 00			
		Basic Local Area			UEP9E	UEPY2	14 00	90 00	45 00	20 00	10 00		30 89	7 03	1		
	AL, KY	, LA, MS, & TN Only	1							-		·					
		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	14 00	90 00	45 00	20 00	10 00	_	30 89	7 03			
	1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14 00	90 00	45 00	20 00	10 00		30 89				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	1	Center)2	ļ		UEP9E	UEPQM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			<del></del>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l							1					1
	ļ	Term	ļ	ļ	UEP9E	UEPQZ	14 00	90 00	45 00	20 00	10 00	1	30 89	7 03		<del></del>	-
	1			1	UEP9E	UEPQ9	14 00	90 00	45 00	20 00	10 00		30 89	7 03	l		

Version 4Q02 12/18/02

NBUNDI I	D NETWORK ELEVENTS - Tennessee													nent 2		bit B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order v
$\neg$						n	Nonrecurring		Nonrecurrin	g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'I		SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Fort Terminated on 800 Service Term			UEP9E	UEPQ2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0 6381										↓
Loca	Number Portability	Ι΄				· <b>=-</b> ····									1	
	Local Number Portablity (1 per port)			UEP9E	LNPCC	0 35					ļ					
Featu			1									- 00.00	7.00			<del></del>
	All Standard Features Offered, per port			UEP9E	UEPVF	0 00						30 89	7 03			
	All Select Features Offered, per port			UEP9E	UEPVS	0 00	433 78					30 89	7 03 7 03			+
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0 00			ļ .	1	<del> </del>	30 89	7 03			+
NARS										-	-	30 89	7 03	-		<del> </del>
	Unbundled Network Access Register - Combination	ļ		UEP9E	UARCX	0 00	0 00	0 00	<b> </b>			30 89	7 03	<del> </del>	<del> </del>	+
	Unbundled Network Access Register - Indial	<u> </u>		UEP9E	UAR1X	0 00	0 00	0 00	-	-	<b> </b>	30 89	7 03		<del> </del>	+
	Unbundled Network Access Register - Outdial	ļ	1	UEP9E	UAROX	0 00	0 00	0 00		-	+	30.69	7 03	-	l —	+
	ellaneous Terminations	ļ	<u> </u>		1					-	<del> </del>	<del></del>		<del> </del>	1	+
2-Wit	e Trunk Side		1		OF UP 6	8 78	90.00	45 00	20 00	10.00	+	30 89	7 03		<del> </del>	+
	Trunk Side Terminations, each	ļ		UEP9E	CEND6	8 /8	90 00	45 00	20 00	10 00		30 69	7 03			+
4-Wii	e Digital (1.544 Megabits)	1					75.00	20.45	ļ	ļ		30 89	7 03			+
	DS1 Circuit Terminatons, each			UEP9E	M1HD1	35 55	75 93	38 15	<u> </u>	+		30 89	7 03			<del> </del>
	DS0 Channel Activated Per Channel		1	UEP9E	M1HDO	0 00	108 67		ļ			30 09	7 03		· -	+
Inter	office Channel Mileage - 2-Wire		↓			10.50	22.22	45.00	20.00	10 00		30 89	7 03			+
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18 58	90 00	45 00	20 00	10 00	'	30 69	7 03			+
	Interoffice Channel mileage, per mile or fraction of mile		ļ.,	UEP9E	MIGBM	0.0174					<del>                                     </del>	<u> </u>				+
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e							<del></del>	<del> </del>					<del>                                     </del>	+
D4 C	hannel Bank Feature Activations				15000	0.00			+	<del> </del>						+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	ļ	UEP9E	1PQWS	0 66			<del>-</del>	<del> </del>	+	<del> </del>		-		+
			1	UEDOE	1PQW6	0 66					1				l	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		₩	UEP9E	IPQW6	0.66						<del> </del>	-			1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		UEP9E	1PQW7	0 66			1							
	Slot	<del>}</del>	-	UEF9E	IF QVV	0 00				<del> </del>	+	-		_	+	+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQWP	0 66										
	Different Wire Center	-	-	UEPSE	IFQWF	0 00				<del> </del>						†
	Factors Activities and A Channel Book Browto Long Loop State		ļ	UEP9E	1PQWV	0 66					ĺ	1	}			
_	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		<del></del>	OLF 9L	11 0444	0 00				1	+	<del> </del>	1		<b>-</b>	
- 1	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del> </del>	+	UEP9E	1PQWA	0 66			+	-					<del></del>	1
	Feature Activation on D-4 Channel Bank WATS Coop Stot	-	<b>-</b>	OLF 9L	II QWA				+	ļ			1			
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	<del> </del>	<del> </del>	<del> </del>						<del></del>	<del>                                     </del>				<u> </u>	
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9E	USAC2		1 03	0 29			1	30 89	7 03			
_	changes, per port  New Centrex Standard Common Block	1		UEP9E	M1ACS	0 00	658 60		<del> </del> -	<del></del>		30 89			1	T -
-	New Centrex Standard Common Block  New Centrex Customized Common Block	+	+-	UEP9E	MIACC	0 00	658 60		<u> </u>	1	<del> </del>	30 89		1	1	$\top$
-	NAR Establishment Charge, Per Occasion	1	+	UEP9E	URECA	0.00	68 57		<del> </del>	1	+	30 89		T		T
LIME	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	ļ		OLF SL	ONCON	0.00	30 01				<del> </del>			·		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	+											i	*1	1
	Port/Loop Combination Rates (Non-Design)	_	<del> </del>	<del> </del>					·		+	<del>                                     </del>		· · · ·	1	1
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	1						_	<b>—</b>	1					
-	Non-Design		1	UEP93		26 48								l .		
_	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo -	1	+	1527.50					<del>                                     </del>			Ĭ				
i	Non-Design	!	2	UEP93		30 31							1		i	
	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex)Port Combo -		+	1					1	1						1
	Non-Design	1	3	UEP93		35 32			1				L		L	
UNE	Port/Loop Combination Rates (Design)			<del> </del>					1							
	2-Wire VG Loop/2-Wre Voice Grade Port (Centrex) Port Combo	-1	1						1							
	Design	1	1	UEP93		30 56									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1	+	1	1 -				T						1	
	Design	1	2	UEP93		35 63										1
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	1										1	1	
	Design	1	3	UEP93		42 28				I	L			1		
1111	Loop Rate	+	+	1			T				T		1	1 -	1	

NRONDLE	D NETWORK ELEMENTS - Tennessee						<u> </u>							ment 2		bit B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)					Submitted	Summitted Manually	Charge - Manual Svc	Order vs	Charge - Manual Svc Order vs	Charge -
						Rec	Nonrecurring		Nonrecurring		Ĺ			Rates (\$)		
			L				First	Add'l	Fırst	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12 48										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21 32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16 56										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		_2	UEP93	UECS2	21 63										L
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28 28										
	ort Rate															
AL, KY	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex.) Basic Local Area			UEP93	UEPYA	14 00	90 00	45 00	20 00	10 00	Ll	30 89	7 03			l
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller (D)1Basic Local															
	Area	1		UEP93	UEPYH	14 00	90 00	45 00	20 00	10 00	l i	30 89	7 03	1	1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1	-									1	
	Center)2 Basic Local Area			UEP93	UEPYM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		·			14 00								_		
<del></del>	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ		90 00	45 00	20 00	10 00		30 89	7 03			<del>                                     </del>
	- Basic Local Area			UEP93	UEPY9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term -				1								-			
	Basic Local Area		L_	UEP93	UEPY2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex.)			UEP93	UEPQA	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2		l	UEP93	UEPQM	14 00	90 00	45 00	20 00	10 00		30 89	7 03			1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPQZ	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
														-		<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14 00	90 00	45 00	20 00	10 00		30 89	7 03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	14 00	90 00	45 00	20 00	10 00		30 89	7 03			L
Local	Switching															ļ
	Centrex Intercom Funtionality, per port		_	UEP93	URECS	0 6381										l
Local	Number Portability													_		1
	Local Number Portability (1 per port)			UEP93	LNCCC	0 35										
Featur				LIEBOO	1,55,5											
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
NARS	All Centrex Control Features Offered, per port			UEP93	UEPVC	0 00										
NARS	Use and the state of Assess Baseline Control of the state														•	ļ—
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		<u> </u>	UEP93 UEP93	UARCX	0 00	0 00	0 00				30 89	7 03			<b></b>
			ļ		UAR1X	0 00	0 00	0 00				30 89	7 03			<b></b>
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0 00	0 00	0 00				30 89	7 03	_		<del></del>
	laneous Terminations															<del></del>
Z-Wire	Trunk Side				051100											<del> </del>
4 147	Trunk Side Terminaions, each			UEP93	CEND6	8 78	90 00	45 00	20 00	10 00		30 89	7 03			<b></b> _
4-44116	Digital (1.544 Megazits) DS1 Circuit Terminations, each			LIEBOO	140057	00.55	70.00								_	
	DS0 Channels Activated, Per Channel		<u> </u>	UEP93	M1HD1	35 55	75 93	38 15				30 89	7 03			<b> </b>
Interef			<u> </u>	UEP93	M1HDO	0 00	108 67				L	30 89	7 03			
interor	fice Channel Mileage - 2-Wire			LIEBOO	Lucro			72. 25						·		
-+	Interoffice Channel Facilities Termination			UEP93	MIGBC	18 58	90 00	45 00	20 00	10 00		30 89	7 03	<u> </u>	1	<del></del>
En-tre-	Interoffice Channel mileage, per mile or fraction of mile		ļ	UEP93	MIGBM	0 0174										<del></del>
	e Activations (DS0) Centrex Loops on Channelized DS1 Services annel Bank Feature Activations	e	<u> </u>												<u> </u>	
D4 Cha				LIEDOS	I DOUG										1	<del></del>
	Feature Activation of D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0 66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0 66						ĺ				ĺ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0 66										

UNBUNDLED NETWORK ELEMENTS - Tennessee								Attachi	ment 2	Exhibit B					
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				1 '	Sul-mitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs	Charge -	Charge - Manual Sve Order vs.	
	<del> </del>	$\vdash$				Nonrecurring		Nonrecurrin	g Disconnect	_	-	oss	Rates (\$)		L
	+	+		+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0 66										
Feature Activation on D-4 Channet Bank Private Line Loop Slot			UEP93	1PQWV	0 66										
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0 66										
Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0 66										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1 03	0 29				30 89	7 03			
New Centrex Standa d Common Block			UEP93	M1ACS	0 00						30 89	7 03			<del> </del>
New Centrex Customized Common Block			UEP93	M1ACC	0 00						30 89	7 03			
NAR Establishment Charge, Per Occasion			UEP93	URECA		68 57		ļ		<b>_</b>	30 89	7 03			<del> </del>
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSE	)					1				<u> </u>	<b></b>	ļ	ļ		<del> </del>
Note 2 - Requires Interoffice Channel Mileage											1			ļ	
Note 3 - Requires Specific Customer Premises Equipment		<u></u>			L				<u> </u>		<b>_</b>			1	+
Note Rates displaying an 'R" in Interim column are interim and su	bject to	rate tru	e-up as set forth i	in General Term	is and Conditi	ions.							J <u></u>	L	.1

# **Attachment 3**

**Network Interconnection** 

## TABLE OF CONTENTS

1.	GENERAL	
	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
3.	NETWORK INTERCONNECTION	4
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	ON13
6.	LOCAL DIALING PARITY	17
7.	INTERCONNECTION COMPENSATION	17
8.	FRAME RELAY SERVICE INTERCONNECTION	23
9.	ORDERING CHARGES	26
Rat	res	Exhibit A
Bas	sic Architecture	Exhibit B
	e Way Architecture	Exhibit C
Two	o Way Architecture	Exhibit D
Sup	pergroup Architecture	Exhibit E

## NETWORK INTERCONNECTION

1	GENERAL	
1.	ULULIAL	2

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. **DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)**
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Access Point.

Version 4Q02: 12/18/02

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Access Point
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Access Point's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Access Point's network.

## 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Access Point owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request ("BFR/NBR") process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will

Version 4Q02: 12/18/02

not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

## 3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Access Point elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Access Point and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Access Point's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Access Point Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Access Point, BellSouth shall allow Access Point access to the fusion splice point for the Fiber Meet point for maintenance purposes on Access Point's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Access Point shall be billed for a mixed use of the Local Channel using the actual traffic Access Point elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

### 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and Access Point shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 Access Point shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Access Point's

originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Access Point desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Access Point has established interconnection trunk groups, Access Point shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, Access Point shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Access Point has homed (i.e. assigned) its NPA/NXXs. Access Point shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Access Point shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Access Point's NXX access tandem homing arrangement as specified by Access Point in the LERG.
- Any Access Point interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Access Point from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Access Point to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Access Point are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Access Point shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Access Point is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).

Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center ("CISC") Project Management Group and Access Point's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

# 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Access Point shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

## 4.10.1 BellSouth Access Tandem Interconnection

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

#### 4.10.1.1 **Basic Architecture**

In the basic architecture, Access Point's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Access Point and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Access Point and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Point desires to exchange traffic. This trunk group also carries Access Point originated Transit Traffic transiting a single BellSouth access tandem

destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Access Point. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

## 4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Access Point-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Access Point end-users. A two-way trunk group provides Intratandem Access for Access Point's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Access Point and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Point desires to exchange traffic. This trunk group also carries Access Point originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Access Point. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

#### 4.10.1.3 Two-Way Trunk Group Architecture

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Access Point and BellSouth. In addition, a separate two-way transit trunk group must be established for Access Point's originating and terminating Transit Traffic This trunk group carries Transit Traffic between Access Point and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Point desires to exchange traffic. This trunk group also carries Access Point originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Access Point.

However, where Access Point is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

## 4.10.1.4 Supergroup Architecture

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Access Point's Transit Traffic are exchanged on a single two-way trunk group between Access Point and BellSouth to provide Intratandem Access to Access Point. This trunk group carries Transit Traffic between Access Point and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Point desires to exchange traffic. This trunk group also carries Access Point originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Access Point. However, where Access Point is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

## 4.10.1.5 Multiple Tandem Access Interconnection

4.10.1.5.1 Where Access Point does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Access Point may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Access Point must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Access Point's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Access Point must also establish an interconnection trunk group(s) at all BellSouth access tandems where Access Point NXXs are homed as described in Section 4.2.1 above. If Access Point does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Access Point can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Access Point's Local Traffic, ISP-

bound Traffic and IntraLATA Toll Traffic to end-users served through those BellSouth access tandems where Access Point does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 Access Point may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Access Point will be delivered to and from IXCs based on Access Point's NXX access tandem homing arrangement as specified by Access Point in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Access Point does not purchase MTA in a LATA served by multiple access tandems, Access Point must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Access Point routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Access Point shall pay BellSouth the associated MTA charges.

#### 4.10.2 Local Tandem Interconnection

- 4.10.2.1 Local Tandem Interconnection arrangement allows Access Point to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Access Point-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Access Point must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Access Point may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Access Point may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth local tandems in the same local calling area where Access Point does not choose to establish an interconnection trunk group(s). It is Access Point's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network

providers to determine appropriate traffic routing to Access Point's codes. Likewise, Access Point shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Access Point must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Access Point has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Access Point has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 Direct End Office-to-End Office Interconnection
- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Access Point and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Access Point's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

## 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Access Point to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

### 4.10.4.1 Toll Free Traffic

- 4.10.4.1.1 If Access Point chooses BellSouth to perform the Service Switching Point ("SSP")
  Function (i.e., handle Toll Free database queries) from BellSouth's switches, all
  Access Point originating Toll Free traffic will be routed over the Transit Traffic
  Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110"
  and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- Access Point may choose to perform its own Toll Free database queries from its 4.10.4.1.2 switch. In such cases, Access Point will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Access Point will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Access Point will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Access Point shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Access Point will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Access Point's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Access Point performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

#### 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

5.1 Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.

Version 4Q02: 12/18/02

- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Access Point chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the Access Point switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Access Point will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Access Point will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.
- 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Access Point shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Access Point's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Access Point-to-BellSouth one-way trunks ("Access Point Trunks"), BellSouth-to-Access Point one-way trunks ("Reciprocal Trunk Groups") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Access Point location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Access Point shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Access Point shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

## 5.8 Trunk Utilization

5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups ("Reciprocal Final Trunk Groups"), BellSouth and Access Point shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The

Version 4Q02: 12/18/02

Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Access Point shall refund to BellSouth the associated non-recurring and recurring trunk and facility charges paid by BellSouth, if any.

- 5.8.1.1 BellSouth's CISC will notify Access Point of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Access Point interface. Access Point will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Access Point expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Access Point to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Access Point. The due date of these orders will be four weeks after Access Point was first notified in writing of the underutilization of the trunk groups.
- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- For the two-way trunk groups, BellSouth and Access Point shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and Access Point shall refund to BellSouth the associated non-recurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.3.1 BellSouth's LISC will notify Access Point of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth

will provide supporting information either by email or facsimile to the designated Access Point interface. Access Point will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Access Point expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Access Point to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Access Point will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Access Point was first notified in writing of the underutilization of the trunk groups.

5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

#### 6. LOCAL DIALING PARITY

6.1 BellSouth and Access Point shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

#### 7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA ealls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service

tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Access Point agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Access Point that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Access Point further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Access Point that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If Access Point assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Access Point end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Access Point

customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Access Point agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Access Point at BellSouth's switched access tariff rates.

7.2 If Access Point does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Access Point NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Access Point can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

## 7.3 Jurisdictional Reporting

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Access Point. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after

the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.

- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Access Point shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

## 7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Access Point will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to Access Point requires interconnection from Access Point to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905.

Access Point shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Access Point desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

#### 7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth end user chooses Access Point as their presubscribed interexchange carrier, or if the BellSouth end user uses Access Point as an interexchange carrier on a 101XXXX basis, BellSouth will charge Access Point the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Access Point's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Access Point as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When Access Point's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth,

as the tandem company agrees to provide to Access Point, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.

- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Access Point agrees not to deliver switched access traffic to BellSouth for termination except over Access Point ordered switched access trunks and facilities.

#### 7.6 Transit Traffic

7.6.1 BellSouth shall provide tandem switching and transport services for Access Point's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Access Point and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Access Point and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party

CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Access Point is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Access Point. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Access Point shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Access Point's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Access Point is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Access Point and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Access Point have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.

- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Access Point may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Access Point that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Access Point will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Access Point will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Access Point's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Access Point will pay, the total non-recurring and recurring charges for the NNI port. Access Point will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Access Point's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).

- 8.8 For the PVC segment between the Access Point and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Access Point orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Access Point Frame Relay switch, BellSouth will invoice, and Access Point will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Access Point Frame Relay switches. If the VC is a Local VC, Access Point will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Access Point for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Access Point subscriber's PVC segment and a PVC segment from the Access Point Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Access Point will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Access Point Frame Relay switches. If the VC is a Local VC, Access Point will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Access Point for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Access Point requests a change, BellSouth will invoice and Access Point will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Access Point will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.


- 8.10 Access Point will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

# 9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.

# **Basic Architecture**


Exhibit B



# ATTACHMENT 3 PAGE 28


# **One-Way Architecture**

# Exhibit C



# **Two-Way Architecture**


Exhibit D



# ATTACHMENT 3 PAGE 30

# Supergroup Architecture

Exhibit E



LOCAL INTER	RCONNECTION - Alabama												Attach	ment 3	Exhi	bit A
a.TEOODY	DATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BC3	0300						per LSR	per LSR	Order vs Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
						Rec		curring	Nonrecurring					Rates(\$)		
	W		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CANADA CALL TRANSPORT AND TERMINATIONS		ļ													
	ONNECTION (CALL TRANSPORT AND TERMINATION)  ok" beside a rate indicates that the Parties have agreed to bi	ll and k	1	that element more	innt to the to	man and annihit	Addadb		L			-				
	SWITCHING	II and K	eep tor	that element pursi	Jant to the ter	ins and condition	ons in Attach	ment 3			<del> </del>					
	andem Switching Function Per MOU		-	OHD	-	0 000498bk					<del> </del>					
<u> </u>	Aultiple Tandem Switching, per MOU (applies to initial tandem		<del> </del>	O I I	+	0 00043008										
	only)			OHD	1	0 000498										
	andem Intermediary Charge, per MOU*		<u> </u>	OHD	-	0 0015					<del> </del>					
	rarge is applicable only to transit traffic and is applied in ad-	dition to	appli		d/or interconi			<del> </del>								
TRUNK C				<b>,</b>							<del></del>	-				
	nstallation Trunk Side Service - per DS0		<b></b>	OHD	TPP++	1	333 69	56 91								-
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00		T		-						
i i	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00		I								
C	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00		I								
	Dedicated Tandem Trunk Port Service-per DS1**	T		OH1 OH1MS	TDW1P	0 00		T								
	ate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MOU	l rate element	s								
	N TRANSPORT (Shared)					l										
	Common Transport - Per Mile, Per MOU		1	OHD		0 0000023bk										
	Common Transport - Facilities Termination Per MOU		1	OHD		0 0003224bk										
	ONNECTION (DEDICATED TRANSPORT)	1														
	FFICE CHANNEL - DEDICATED TRANSPORT															
P	nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 008838										
	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	21 13	40 54	27 41	16 74	6 90						_
	nteroffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 008838										_
İr	nteroffice Channel - Dedicated Transport - 56 kbps - Facility Fermination per month			OHL, OHM	1L5NK	15 12	40 54	27 41	16 74	6 90						
Ir	nteroffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK		40 34	2/41	10 74	. 0 90						
ir	nteroffice Channel - Dedicated Transport - 64 kbps - Facility					0 008838										
lr	Fermination per month nteroffice Channel - Dedicated Channel - DS1 - Per Mile per	<del> </del>		OHL, OHM	1L5NK	15 12	40 54	27 41	16 74	6 90	-	<del></del>				
	nonth nteroffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0 18					<del> </del>					
]т	Fermination per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		ļ	OH1, OH1MS	1L5NL	60 16	89 27	81 81	16 35	14 44	ļ					
m	nonth			OH3, OH3MS	1L5NM	4 09										
	nteroffice Channel - Dedicated Transport - DS3 - Facility  [ermination per month]	1		OH3, OH3MS	1L5NM	703 52	278 75	162 76	60 20	58 46						
	CHANNEL - DEDICATED TRANSPORT	1		OHS, OHSWS	ILBINIVI	703 52	218 /5	162 /6	60 20	58 46	1					-
	ocal Channel - Dedicated - 2-Wire Voice Grade per month	<del>   </del>	<del>                                     </del>	OHL, OHM	TEFV2	13 97	193 10	33 17	36 64	3 20	+			-		<u> </u>
	ocal Channel - Dedicated - 4-Wire Voice Grade per month	<del>                                     </del>	<del> </del>	OHL, OHM	TEFV4	14 93	193 53			3 67						1
	ocal Channel - Dedicated - DS1 per month	<del> </del>	<del> </del>	OH1	TEFHG	35 76	177 47			15 26						
	ocal Channel - Dedicated - DS3 Facility Termination per month	ļ		ОНЗ	TEFHJ	416 54	451 52	263 94	119 49	83 58						
	NTERCONNECTION MID-SPAN MEET	·	1	0.10	, L. ITO	410 04	40102	203 94	11949	63 38	-				<del> </del>	-
	Access service ride Mid-Span Meet, one-half the tariffed ser	vice I.o	cal Ch	annel rate is applic	able	<del> </del>		<del> </del>			<del> </del>				-	
	ocal Channel - Dedicated - DS1 per month		Jan 971	OH1MS	TEFHG	0.00	0.00	<del> </del>	<del> </del>					<del> </del>	<del>                                     </del>	
	ocal Channel - Dedicated - DS3 per month		<del>                                     </del>	OH3MS	TEFHJ	0 00	0.00		<del>                                     </del>		+	<u> </u>		<del>                                     </del>		1
MULTIPL	LEXERS	t	1				0.00							-		l
	Channelization - DS1 to DS0 Channel System		T	OH1, OH1MS	SATN1	101 06	91 04	62 57	10 54	9 79				İ	<u> </u>	<b> </b>
	DS3 to DS1 Channel System per month			онз, онзмѕ	SATNS	166 13	178 14	93 97	33 26	31 63						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12 70	6 58				1					
Notes: If	f no rate is identified in the contract, the rates, terms, and co	ondition	s for th	e specific service	or function w	ill be as set fort	h in applicab	le BellSouth ta	riff				•			

LOCA	L INTE	RCONNECTION - Florida													ment 3		ibit A
ATEG	SORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
	т							Nonrec	urring	Nonrecurring	Disconnect			ÖSS	Rates(\$)		
			<b>-</b>			<b> </b>	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1											I					
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to be	II and k	eep for	that element pursu	ant to the te	rms and conditi	ons in Attachr	nent 3.			1					
	TANDE	M SWITCHING									ļ	1		L			<b>↓</b>
		Tandem Switching Function Per MOU	<u> </u>		OHD		0 0006019bk							1			<b>_</b>
		Multiple Tandem Switching, per MOU (applies to intial tandem		İ	ĺ		1										
		only)			OHD	<b>_</b>	0 0006019										
		Tandem Intermediary Charge, per MOU		L .	OHD		0 0015					-			ļ		
		charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or interconi	nection charges	<u> </u>				ļ			1		
	TRUNK	CHARGE	-		O.U.D.	TDD		222.42	57.00					-			<del></del>
	<u> </u>	Installation Trunk Side Service - per DS0	-	<u> </u>	OHD	TPP++	1	336 43	57 38	-	ļ	+	-	<b></b>	<b> </b>	1	+
	<u> </u>	Dedicated End Office Trunk Port Service-per DS0**	—	<b>├</b>	OHD 0H1 OH1MS	TDE0P	0 00				<b> </b>	1	<del> </del>				+
	-	Dedicated End Office Trunk Port Service-per DS1**		<u> </u>	OHD	TDE1P TDW0P	0 00					<del> </del>	<del></del>	<del> </del>			+
	<del></del>	Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1**	-	<b>├</b>	OH1 OH1MS	TDW1P	0 00					1					+
	** **	rate element is recovered on a per MOU basis and is included	d in the	End O				I rate element				<del> </del> -				<del> </del>	+
		ON TRANSPORT (Shared)	I III GIE	T T	lince Switching and	Tandem Swi	Terming, per mod	Tate element.				<del>                                     </del>				<del> </del>	+
	COMM	Common Transport - Per Mile, Per MOU	┼	-	OHD	-	0 0000035bk					+			<del> </del>	<del>                                     </del>	
		Common Transport - Per Mile, Per MOU	1	<del> </del>	OHD		0 0004372bk				<del> </del>		<del> </del>			-	1
LOCAL	INTED	CONNECTION (DEDICATED TRANSPORT)	<del> </del>	1	0110		0 00043125K					1	<b>†</b>	l			1
LUCAL		OFFICE CHANNEL - DEDICATED TRANSPORT		1	<del></del>	+	1						<del>                                     </del>	1			<u> </u>
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1			<del>                                     </del>					_	<del></del>			<u> </u>	+
		Per Mile per month			OHL, OHM	1L5NF	0 0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	25 32	47 35	31 78	18 31	7 03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1													
	-	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-		OHL, OHM	1L5NK	0 0091			····-		<del> </del>					+
		Termination per month	<u> </u>		OHL, OHM	1L5NK	18 44	47 35	31 78	18 31	7 03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0091										
	-	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>	†													
	<del> </del>	Termination per month  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	<del> </del>	<b>├-</b>	OHL, OHM	1L5NK	18 44	47 35	31 78	18 31	7 03	-					+
		month			OH1, OH1MS	1L5NL	0 1856										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	88 44	105 54	98 47	21 47	19 05						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH3, OH3MS	1L5NM	3 87										
		month Interoffice Channel - Dedicated Transport - DS3 - Facility	<del>                                     </del>	<del></del>								<b>†</b>					+
		Termination per month			OH3, OH3MS	1L5NM	1,071 00	335 46	219 28	72 03	70 56			ļ			
	LOCAL	CHANNEL - DEDICATED TRANSPORT	<b>-</b>	<b>↓</b>								_	ļ			1	
		Local Channel - Dedicated - 2-Wire Voice Grade per month	1	<u> </u>	OHL, OHM	TEFV2	19 66	265 84	46 97	37 63	4 00		1			<del> </del>	
		Local Channel - Dedicated - 4-Wire Voice Grade per month		1	OHL, OHM	TEFV4	20 45	266 54	47 67	44 22	5 33						<del> </del>
		Local Channel - Dedicated - DS1 per month		1	OH1	TEFHG	36 49	216 65	183 54	24 30	16 95				<del> </del>		+
		Local Channel - Dedicated - DS3 Facility Termination per month	ļ	<u> </u>	ОНЗ	TEFHJ	531 91	556 37	343 01	139 13	96 84		ļ. —				-
		INTERCONNECTION MID-SPAN MEET If Access service ride Mid-Span Meet, one-half the tariffed se	1									<del></del>	-				
	MOTE	Local Channel - Dedicated - DS1 per month	NACE TO	Jean GF	OHIMS	TÉFHG	0.00	0 00	<b>_</b>		ļ		+		<b> </b>	+	+
	+	Local Channel - Dedicated - DS3 per month	<del> </del>	+	OH3MS	TEFHJ	0.00	0.00					+		· · · · · · · · · · · · · · · · · · ·		+
	BAL 11 T	PLEXERS	+	+	OFFICIAL	I EL DI	0.00	0.00	<del>                                     </del>		<del> </del>	<del> </del>	+	<del>                                     </del>	<del>                                     </del>	+	+
	MULI	Channelization - DS1 to DS0 Channel System	+	+	OH1, OH1MS	SATN1	146 77	101 42	71 62	11 09	10 49	1	+	+	1		+
<del> </del>	1 -	DS3 to DS1 Channel System per month	+	+	OH3, OH3MS	SATNS	211 19	199 28	118 64	40 34			<del> </del>	+	<b>.</b>	1	+
·		DS3 Interface Unit (DS1 COCI) per month	+	+	OH1, OH1MS	SATCO	13 76	10 07			1 33 01	+	+		<del>                                     </del>	1	1
	1	If no rate is identified in the contract, the rates, terms, and o										-		+	+	+	+

LOCAL INTE	RCONNECTION - Georgia												Attach	ment 3	Exhi	ibit A
LOCAL INTL	ACOMMECTION - Occigia		Т								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		İ				Į.						Submitted		Charge -	Charge -	Charge -
				1							Elec	Manually			Manual Svc	
	RATE ELEMENTS	Inter	Zone	BCS	usoc			RATES (\$)				per LSR	Order vs	Order vs.	Order vs.	Order vs.
CATEGORY	RATE ELEMENTS	m	Zone	603	0300			INAILO (V)			perLSR	perLak				
											1	ì	Electronic-	Electronic-	Electronic-	Electronic-
												ł	1st	Add'l	Disc 1st	Disc Add'l
			↓						Non-	g Disconnect			088	Rates(\$)		
			ļ		ļ	Rec		curring			001450	SOMAN		SOMAN	SOMAN	SOMAN
		ļ	<u> </u>				First	Add'I	First	Add'I	SOIVIEC	SINIAN	SUMAN	SUMAN	SOMAN	JONAN
		L	1		-								-			+
LOCAL INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)			L				L				-				
NOTE.	bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the te	rms and condit	ions in Attach	ment 3.			ļ					ļ
	W SWITCHING		<u> </u>						L		1				-	<del> </del>
	Tandem Switching Function Per MOU			OHD	<b>」</b>	0 0011009bk				4			<b></b>		ļ	
	Multiple Tandem Switching, per MOU (applies to initial tandem				1	Ì										
	only)			OHD		0 0011009									ļ	
	Tandem Intermediary Charge, per MOU*	T		OHD		0 0015									ļ	
* This c	harge is applicable only to transit traffic and is applied in ad	dition t	o appli	cable switching and	lor intercon	nection charge:	3.	i				ļ				
	CHARGE		T-*												1	
	Installation Trunk Side Service - per DS0	<u> </u>	1	OHD	TPP++		333 28	56 84					L			
	Dedicated End Office Trunk Port Service-per DS0**		1	OHO	TDEOP	0.00		T					İ	l		
	Dedicated End Office Trunk Port Service-per DS1**	<b>—</b>	+	0H1 QH1MS	TDE 1P	0.00							I			
	Dedicated Tandem Trunk Port Service-per DS0**	·		OHD	TDW0P	0.00				1						
	Dedicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS	TDW1P	0.00			1			1	1			1
ht Thur	rate element is recovered on a per MOU basis and is included	d in the	End O			tching, per MO	U rate element	s				T				T
- Inis	ON TRANSPORT (Shared)	1 III LIIE	I	The ownering and	1	T		ī	-							1
COMM	Common Transport - Per Mile, Per MOU	<del>                                     </del>	+	OHD	+	0 0000080bk						<b></b>				1
			+	OHD	_	0 0004152bk				+			-		† · · ·	+
	Common Transport - Facilities Termination Per MOU	<del> </del>	+	OND		0 00041320K		<del></del>	-	-		<del> </del>	<del> </del>			·
	CONNECTION (DEDICATED TRANSPORT)	<b>-</b>			<del> </del>	<del> </del>	1	<del> </del>		+		<u> </u>	+		<del> </del>	+
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT	ļ	1			ļ					-	<del> </del>				+
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	·			1											
	Per Mile per month			OHL, OHM	1L5NF	0 0222						<del></del>		-	<del>                                     </del>	<del></del>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -													1		
	Facility Termination per month			OHL, OHM	1L5NF	17 07	79 61	36 08								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile						1	1				1			1	
	per month	i .		OHL, OHM	1L5NK	0 0222						ļ				
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility					1		1			l l	i			1	1
1 1	Termination per month		1	OHL, OHM	1L5NK	16 45	79 61	36 08					i			1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1	1	· ·	1	1					i	Τ .	1			
1	per month			OHL, OHM	1L5NK	0 0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month	1		OHL, OHM	1L5NK	16 45	79 61	36 08						1		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	t —	1													
	month			OH1, OH1MS	1L5NL	0 4523		1		1		1				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	_	<del>                                     </del>	0.111		-	·		<u> </u>		i	1	+		1	1
	Termination per month			OH1, OH1MS	1L5NL	78 47	147 07	111 75			İ					
<del></del>	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	<del></del>	OTTI, OTTIMO	TEO.TE	+		1				-	1	1		-
	month			онз, онзмѕ	1L5NM	2 72								ì		
	Interoffice Channel - Dedicated Transport - DS3 - Facility	+		OTIO, OTIONIO	I ESIVIVI	212	<del> </del>	<del></del>	<del> </del>		+	+	<del>                                     </del>	<del> </del>		+
				онз, онзмѕ	1L5NM	788 00	511 10	330 77	•	i					1	
	Termination per month	-	-	Uns, Unsivis	ILDINIA	700 00	311 10	330 //	-		+	1	<del> </del>		+	+
	CHANNEL - DEDICATED TRANSPORT	+	-	OHL, OHM	TEFV2	42.04	382 95	62 40	-		+	1			<u> </u>	<del> </del>
	Local Channel - Dedicated - 2-Wire Voice Grade per month	-				13 91						+	1	+	-	<del> </del>
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<b>_</b>	_	OHL, OHM	TEFV4	14 99	368 44					-	ļ <del></del>	1	+	+
	Local Channel - Dedicated - DS1 per month	-	_	OH1	TEFHG	38 36	356 15	312 89	-	+	_	1		-	1	1
		1		L	L		205			1	1		1			1
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	515 91	639 50	426 31				-		·		
	INTERCONNECTION MID-SPAN MEET	1	.1	1	1				<u> </u>			1		1	1	+
NOTE.	If Access service ride Mid-Span Meet, one-half the tariffed se	rvice L	ocal Ch			ļ				1		<b>_</b>		4		
	Local Channel - Dedicated - DS1 per month	ļ		OH1MS	TEFHG	0 00	0.00					<del></del>	1			
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0 00	0.00					<u> </u>	<u> </u>		1	
MULTI	PLEXERS													L	1	
	Channetization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	126 22						<u> </u>		<del></del>		
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	182 04	280 66					<u> </u>				
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	11 02										
	If no rate is identified in the contract, the rates, terms, and c	1040.					-th ! !	In BallCauth to			1	1		1	1	1

LOCAL	INTE	RCONNECTION - Kentucky	***											Attach	ment 3	Exhi	ibit A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs.
	ĺ													1st	Add'I	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect	CONTO	COMAN		Rates(\$)	SOMAN	SOMAN
						<del></del>		First	Add'l	First	Add'l	SUMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
LOCAL	INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)				+	+							<del>-</del>			+
LOCAL	NOTE "	bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the te	rms and conditi	ons in Attachn	nent 3.								
		W SWITCHING															
		Tandem Switching Function Per MOU			OHD		0 0006772bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem		ļ										i	Į.		
		only)			OHO	1	0 0006772				ļ				<del>                                     </del>	<del> </del>	<del></del>
L		Tandem Intermediary Charge, per MOU* harge is applicable only to transit traffic and is applied in ad-	dit.on t			for intercon					<del>                                     </del>				<del> </del>	<del> </del>	+
		CHARGE	union a	appin	able switching and	Wor milercon	nection charges			<del> </del>	<del>                                     </del>		<u> </u>				
<del></del>		Installation Trunk Side Service - per DS0		$\vdash$	OHD	TPP++		334 09	57 12								
<del></del>		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0 00										
		Dedicated End Office Trunk Port Service-per DS1**	<u> </u>		0H1 OH1MS	TDE1P	0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00				ļ		<u> </u>		ļ		
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	itching, per MO	J rate elements	s								<del></del>
	COMM	ON TRANSPORT (Shared)				·	0.000000011							<del> </del>			
<u></u>		Common Transport - Per Mile, Per MÖU	<del>                                     </del>		OHD	<del> </del>	0 0000030bk 0 0007466bk			<del></del>			ļ			<del></del>	
10011	INTERC	Common Transport - Facilities Termination Per MOU CONNECTION (DEDICATED TRANSPORT)		-	OHD		U 00074000K						<del></del>		<del> </del>	<del>                                     </del>	+
		OFFICE CHANNEL - DEDICATED TRANSPORT	<del> </del>	<del> </del>		<del> </del>	<del> </del> -			-	<del> </del>	<del> </del>		<del></del>			
1		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	<del> </del>	<del> </del>		<del> </del>	<del> </del>								<del>                                     </del>	<del>                                     </del>	+
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	<u> </u>		ОНЬ, ОНМ	1L5NF	0 01					ļ				<u> </u>	
		Facility Termination per month	ļ	ļ	OHL, OHM	1L5NF	29 11	47 34	31 78	22 77	8 75	_				-	
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	<u> </u>	ļ	OHL, OHM	1L5NK	0 0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		L_	OHL, OHM_	1L5NK	20 97	47 35	31 78	22 77	8 75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		İ	OHL, OHM	1L5NK	20 97	47 35	31.78	22 77	8 75						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0 23										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	96 04	105 52	98 46	23 09	20 49						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	4 97										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3, OH3MS	1L5NM	1,175 15	335 40	219 24	89 57	87 75	<u> </u>				<u> </u>	
-		CHANNEL - DEDICATED TRANSPORT	-	<b>├</b> ~~	Oria, Orialia	TESINIVI	1,173 13	333,40	213 24	08 37	67 73		<del></del>		+	<del> </del>	+
-		Local Channel - Dedicated - 2-Wire Voice Grade per month		+	OHL, OHM	TEFV2	18 57	265 78	46 96	46 79	4 98	<del> </del>	<del> </del> -			<del>                                     </del>	+
		Local Channel - Dedicated - 4-Wire Voice Grade per month	·	+-	OHL, OHM	TEFV4	19 86	266 48	47 65	47 54			<del>                                     </del>	<u> </u>			+
		Local Channel - Dedicated - DS1 per month		-	OH1	TEFHG	40 46	209 60	176 51	30 21			<del> </del>				1
		Local Channel - Dedicated - DS3 Facility Termination per month		1	ОНЗ	TEFHJ	576 05	551 38	338 08	173 00	120 42						
L		INTERCONNECTION MID-SPAN MEET		1			1	1				1					
		If Access service ride Mid-Span Meet, one-half the tariffed se	rvice L	cal Ch													
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0 00	0 00									
L	MULTI	PLEXERS	<u> </u>			J			<del> </del>	10-10-	<b>1</b>	ļ					-
		Channelization - DS1 to DS0 Channel System	1		OH1, OH1MS	SATN1	113 33	101 40					<del> </del>		<del> </del>	_	+
	ļ	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month		+	OH3, OH3MS OH1, OH1MS	SATNS	158 20 11 80	199 23 10 07	118 62		48 59	<del> </del>	-	<del> </del>	ļ	<del> </del>	+
			1	L .	JUH LUHIMS	LSAILLU	1 11 80		1 / 108	1	t	1	1	1	1	1	1

OCAL IN	ITERCONNECTION - Louisiana												Attach	ment: 3	Exhi	bit A
			1		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Su⊵mitted	Charge -	Charge -	Charge -	Charge
		1									Elec	Manually		Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1		Order vs.	Order vs		
AILOOKI	TOTAL ELEMENTO	m	20110	500	0000						per LSR	per LSR			Order vs	Order vs
											1		Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
							· · ·	<del></del>								<u> </u>
		<u> </u>	1			Rec	Nonrec		Nonrecurring		1			Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1								į		l			1
OCAL INTE	ERCONNECTION (CALL TRANSPORT AND TERMINATION)						T.				1					-
NOT	TE "bk" beside a rate indicates that the Parties have agreed to b	ill and k	eep for	that element pursu	ant to the te	rms and conditi	ons in Attachm	ent 3								1
	NDEM SWITCHING	1	1								1-			†		<u> </u>
1.5	Tandem Switching Function Per MOU	<b>†</b>		OHD	1	0 0005507bk					1				-	<del> </del>
	Multiple Tandem Switching, per MOU (applies to intial tandem	+	1	CIB		0 000000758						<del></del>		<del> </del>		<del>                                     </del>
1		1		OHD		0.0005507							i			
	only)		-			0 0005507					1			ļ		L
	Tandem Intermediary Charge, per MOU*			OHD		0 0015										
	nis charge is applicable only to transit traffic and is applied in a	idition t	o appli	cable switching and	l/or intercon	nection charges	i.					L		<b></b>		
TRU	JNK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		334 94	56 98								
	Dedicated End Office Trunk Port Service-per DS0**	1	<del>                                     </del>	OHD	TDE0P	0 00					1					<del>                                     </del>
	Dedicated End Office Trunk Port Service-per DS1**	+	<del>                                     </del>	0H1 OH1MS	TDE1P	0 00	· · · · · · · · ·		<b></b>		t		l	<del> </del>		<del>                                     </del>
_	Dedicated End Office Harry Port Service-per DS1*	+	+	OHD	TDW0P	0 00								<del> </del>	l .	l -
		+	+	OHI OHIMS	TDW1P	0.00			-		+	<del></del>	-	-		<del></del>
	Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>									1					
	his rate element is recovered on a per MOU basis and is include	d in the	End Of	ffice Switching and	Tandem Swi	tching, per MOI	J rate elements									
COM	MMON TRANSPORT (Shared)	1					1					ļ				l
_	Common Transport - Per Mile, Per MOU			OHD	T	0 0000032bk					ĺ					
1	Common Transport - Facilities Termination Per MOU			OHD		0 0003748bk									f	· "
CAL INTE	ERCONNECTION (DEDICATED TRANSPORT)	1											· · · · · · · · ·	<del> </del>		<b>-</b>
	EROFFICE CHANNEL - DEDICATED TRANSPORT	1	+													1
11912	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	+	-								1					ļ
		-	ŀ	0111 01114	1L5NF	2012					1					
	Per Mile per month			OHL, OHM	1L5NF	0.013										ļ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	-	1			1							]			
	Facility Termination per month		i	OHL, OHM	1L5NF	22 60	39 36	26 62		l	1					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile										1			T		
	per month		1	OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		†								1	<del> </del>		<del>                                     </del>		
	Termination per month			OHL, OHM	1L5NK	15 61	39 37	26 62			1		l			
-+	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	+	1	OTIL, OTHE	ILONIX	1301	39 31	20 02					ļ	<b> </b>		
			ľ			1							i			
i_	per month	-		OHL, OHM	1L5NK	0.013					<u> </u>					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															l
	Termination per month			OHL, OHM	1L5NK	15 61	39 37	26 62			1		İ			
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			}	T									1		
ŀ	month			OH1, OH1MS	1L5NL	0 2652							į			1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	1 -		1	†					1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del> </del>
	Termination per month		1	OH1, OH1MS	1L5NL	70 47	86 69	79 44					ľ	1		1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	OTTI, OTTINIO	ILUIAL	1041	00.09	1344			<del> </del>	<del></del>		ł		
		1	1	OUD OURSE	41.545						1		i	1		
	month		1	онз, онзмѕ	1L5NM	6 04						l <u>.</u>		1		
1	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1								1					
	Termination per month		<u> </u>	OH3, OH3MS	1L5NM	850 45	270 69	158 05	<u></u>		1	L		1		
LOC	CAL CHANNEL - DEDICATED TRANSPORT													1		
	Local Channel - Dedicated - 2-Wire Voice Grade per month	T	F	OHL OHM	TEFV2	18 32	187 51	32 21			1		-	T		†
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<del></del>	1 -	OHL OHM	TEFV4	19 41	187 94	32 63			<del> </del>	1	1		<del> </del>	<del>                                     </del>
	Local Channel - Dedicated - DS1 per month	<del> </del>	1	OH1	TEFHG	39 18	172 34	149 27			<del> </del> -	<del> </del>	· -		<del> </del>	<del> </del>
	Total Colonial Bookston Box por month	+	<del> </del>		1.21110	33 10	112 34	143 21		ļ	+	-				<del> </del>
	Local Channel - Dedicated - DS3 Facility Termination per month	. [	1	онз	TEFHJ	469 44	420.40	056.00	ļ		1				[	1
	CAL INTERCONNECTION MID-SPAN MEET	4	+	Urio	IEFFIJ	469 44	438 46	256 30			ļ	<del> </del>			ļ	-
		<del></del>	ل	L	<u> </u>	<del> </del>	1		<u> </u>			1		<del> </del>	1	<u> </u>
NOT	TE If Access service ride Mid-Span Meet, one-half the tariffed s	rvice Lo	cal Ch			L	i		<u> </u>		1					
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0 00	0 00					L	L			
	Local Channel - Dedicated - DS3 per month		1	OH3MS	TEFHJ	0.00	0 00							1		
MUL	LTIPLEXERS			1	1	1			1		1		1			
	Channelization - DS1 to DS0 Channel System	1	<b>—</b>	OH1, OH1MS	SATN1	105 09	88 41	60 76			1			<del>                                     </del>	·	
-+	DS3 to DS1 Channel System per month	+	+	OH3, OH3MS	SATNS	201 48	172 99	91 25	<del></del>		+	<del>                                     </del>	-	+	<del> </del>	+
	DS3 Interface Unit (DS1 COCI) per month	+	+						<del>                                     </del>		<del> </del>	<b></b>				1
ł	les If no rate is identified in the contract, the rates, terms, and		1	OH1, OH1MS	SATCO	11 78	6 39	4 58			1			1	L	<b></b>

LUCAL IN	ERCONNECTION - Mississippi		1		1	1							Attach			bit A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Elec	Svc Order Submitted Minually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'I	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge -
							Nonre	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
														0		
	RCONNECTION (CALL TRANSPORT AND TERMINATION)	<u>.                                    </u>	ــــــــــــــــــــــــــــــــــــــ	L., _,	11.11.1	<u> </u>					ļ <u> </u>					
	"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the te	rms and conditi	ons in Attachi	nent 3.								
IAND	Tandem Switching Function Per MOU			OHD	<del> </del>	0 0005379bk										<del> </del>
	Multiple Tandem Switching, per MOU (applies to initial tandem	-		OHD.		0 00033790K										·
	only)			ОНД		0 0005379										ĺ
	Tandem Intermediary Charge, per MOU*	<del> </del>	-	OHD		0 0015										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli		lor intercon										·	
	IK CHARGE		T	J		7					1		1		1	
	Installation Trunk Side Service - per DS0	1		OHD	TPP++		334 11	56 98								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P_	0 00										
	Dedicated End Office Trunk Port Service-per DS1**		<u> </u>	0H1 OH1MS	TDE1P	0 00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>	L	OH1 OH1MS	TDW1P	0 00										
	s rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swi	tching, per MOI	J rate element	5			-					-
COM	MON TRANSPORT (Shared)	<u> </u>		O. I.D.		0.00000001					+					ļ
	Common Transport - Per Mile, Per MOU	ļ	<del> </del>	OHD OHD	-	0 0000026bk 0 0004541bk										<del> </del>
LOCAL INTE	Common Transport - Facilities Termination Per MOU RCONNECTION (DEDICATED TRANSPORT)		<b>!</b>	OHD	<b>.</b>	0 000454 IDK					<del> </del>				<del> </del>	<u> </u>
	ROFFICE CHANNEL - DEDICATED TRANSPORT	<del> </del>	<del></del>	· · · · · · · · · · · · · · · · · · ·	+	<del> </del>					<del> </del>				<del> </del>	<del>                                     </del>
- INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		+		1						+				1	<del>                                     </del>
	Per Mile per month			OHL, OHM	1L5NF	0 0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHE, OHM	1L5NF	22 52	40 77	27 57	17 26	7 11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile	T		OUR OUR	41 5502					-						
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OHL, OHM	1L5NK	0 0098					-					
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile	ļ		OHL, OHM	1L5NK	15 68	40 78	27 57	17 26	7 11						
	per month			OHL, OHM	1L5NK	0 0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month	Ì		OHL, OHM	1L5NK	15 68	40 78	27 57	17 26	7 11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0 201									l	
	Termination per month			OH1, OH1MS	1L5NL	57 33	89 79	82 28	16 86	14 90	)					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	4 76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility										1					<u> </u>
	Termination per month		L	OH3, OH3MS	1L5NM	641 90	280 37	163 70	62 08	60 29	)					
LOCA	AL CHANNEL - DEDICATED TRANSPORT														I	
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	14 91	194 22	33 36	37 79	3 30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month	-		OHL, OHM	TEFV4	15 99	194 66	33 80	38 27	3 78						1
	Local Channet - Dedicated - DS1 per month			OH1	TEFHG	36 83	178 50	154 61	22 89	15 74	·					<del> </del>
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	413 87	454 13	264 47	123 23	86 19						<u> </u>
	AL INTERCONNECTION MID-SPAN MEET  If Access service ride Mid-Span Meet, one-half the tariffed se			annal mata da assett						<del> </del>	+	<u> </u>	<del></del>	<b></b>	ļ	<b>↓</b>
NOTE	Local Channel - Dedicated - DS1 per month	rvice Lo	cai Ch	OH1MS	TEFHG	0 00	0.00			<b></b>	+		<del>  -</del>	1		+
	Local Channel - Dedicated - DS1 per month	-	-	OH3MS	TEFHU	0 00	0.00			-	+	-	+	<del>                                     </del>	<del> </del>	<del> </del>
MULT	TIPLEXERS	<del> </del>	+	CIVICEIO	TIEFRI.	0 00	0.00			1	+	-		<del>                                     </del>		+
	Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	102 85	91 57	62 94	10 87	10 10						1
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	170 63	179 17	94 52	34 30	32 82	2				L	
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12 96	6 62	4 74								
Mate	s. If no rate is identified in the contract, the rates, terms, and c	onditio	ns for t	he specific service	or function v	vill be as set for	th in annlicab	e BellSouth tar	iff						1	

LOCAL	INTE	RCONNECTION - North Carolina													ment 3		ibit, A
												1	l	Incremental			
	Į		i	ļ	l		Ì						Suhmitted		Charge -	Charge -	Charge -
	i		Inten	ŀ								Elec	M∍nually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs	Order vs.	Order vs.	Order vs.
			m			i							!	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										(1) e.				000	Rates(\$)		
			ļ <u> </u>				Rec	First	Add'I	First	g Disconnect Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
						<del> </del>		FIISL	Addi	riist	Audi	JOINEO	DOMAN	COMPAN	OOM,	- JOINAIT	00,117,114
1.0041.11	NTEDO	ONNECTION (CALL TRANSPORT AND TERMINATION)		-	-		-	<del></del>		-							
LUCAL II	NIEKU	bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursua	ant to the ter	ms and condition	ons in Attachr	nent 3.								
		W SWITCHING	I anan	Top 101		1	T 1										
		Tandem Switching Function Per MOU		<del> </del>	OHD		0 0012000bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem		-					·				-				
		only)		1	OHD		0 0012					1					
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										<u> </u>
	This c	harge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	or interconf	ection charges										
		CHARGE	1	Г												ļ	
		Installation Trunk Side Service - per DS0		L _	OHD	TPP++		333 54	56 88			1.				1	<del></del>
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0 00										1
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00	_									
		Dedicated Tandem Trunk Port Service-per DS0**	1		OHD	TDW0P	0 00				ļ						
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00					ļ <del></del>					
**	* This	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate element	s			<del></del>	1				
C	OMMO	ON TRANSPORT (Shared)												<u> </u>			
		Common Transport - Per Mile, Per MOU			OHD		0 0000100bk						ļ				
		Common Transport - Facilities Termination Per MOU			OHD		0 0003400bk				ļ		ļ				
		CONNECTION (DEDICATED TRANSPORT)		ļ								. <b></b>					ļ
11	NTERO	OFFICE CHANNEL - DEDICATED TRANSPORT														<del> </del>	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	·	ì								1		i			1
i l		Per Mile per month			OHL, OHM	1L5NF	0 0282						ļ			,	
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	-			1									1		
		Facility Termination per month			OHL, OHM	1L5NF	18 00	137 48	52 58					ļ <u>-</u>	<b> </b>	<del> </del>	
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile	1												1		
		per month	1		OHL, OHM	1L5NK	0 0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				1			1				Į.			1	
		Termination per month			OHL, OHM	1L5NK	17 40	137 48	52 58				<u> </u>				+
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	1	1							1			1	1
		per month		<b>_</b>	OHL, OHM	1L5NK	0 0282						ļ				<del>                                     </del>
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility							50.50			i		1			
L		Termination per month		<del>                                     </del>	OHL, OHM	1L5NK	17 40	137 48	52 58				ļ				+
1		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					0.5750										
$\perp$		month	ļ		OH1, OH1MS	1L5NL	0 5753				-					-	+
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTH OTHER	41.5811	74.00	047.47	100.75						1		
		Termination per month	1	1.	OH1, OH1MS	1L5NL	71 29	217 17	163 75		<u> </u>			-		+	+
		Interoffice Channet - Dedicated Transport - DS3 - Per Mile per		1	онз, онзмѕ	1L5NM	12 98			l		1				1	
		month 500 First	-	1	UH3, UH3IVIS	ILSWW	12 96					+	+			1	+
		Interoffice Channel - Dedicated Transport - DS3 - Facility		1	онз, онзмѕ	1L5NM	720 38	794 94	579 55			1		1			İ
<u> </u>		Termination per month CHANNEL - DEDICATED TRANSPORT		+	Una, Unaivia	ILDINIVI	120 36	194 94	379 33	<del></del>	+						+
┝	LUCAL	Local Channel - Dedicated - 2-Wire Voice Grade per month		+	OHL, OHM	TEFV2	11 24	553 80	89 69		· · · · · · · · · · · · · · · · · · ·		1	<del></del>			+
		Local Channel - Dedicated - 2-Wire Voice Grade per month	<del></del>	+	OHL, OHM	TEFV4	12 03	562 23	92 67		1	-		<del> </del>	1		+
			+	+	OH1	TEFHG	27 05	534 48					+	+			+
$\vdash$		Local Channel - Dedicated - DS1 per month	+-	+	0111	FEFFIG	27 03	334 40	402 08	!		<del></del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	+	+
		Local Channel - Dedicated - DS3 Facility Termination per month	. 1		ОНЗ	TEFHJ	298 92	438 46	256 30	İ		1		1			
<del>   </del>	I OCAI	INTERCONNECTION MID-SPAN MEET	+	+	0.13	1, 1, 1, 10	1-250 52	450 40	255 50	<del>                                     </del>		1	<del>                                     </del>	1		+	1
		IN ERCONNECTION MID-SPAN MEET  If Access service ride Mid-Span Meet, one-half the tariffed se	rvice I	ocal Ch	nannel rate is anolice	ahle	1		+			+-	<del> </del>	<del>                                     </del>	-	1	1
<del>                                      </del>	NO IE	Local Channel - Dedicated - DS1 per month	7100 E	1	IOH1MS	TEFHG	0 00	0 00	†		1		+	1	1	1	1
<del></del>	-	Local Channel - Dedicated - DS3 per month	+	+	OHIMS OH3MS	TEFHJ	0 00	0 00		1	+	+	<del>                                     </del>		1	1	1
I	MINT	PLEXERS	+	1	C. 101910	1.5.110	1	3 00	+	1			<del> </del>		1	*	1
		Channelization - DS1 to DS0 Channel System	1	+-	OH1, OH1MS	SATN1	146 69	197 78	140 06	1			1		1	1	T
<del>                                     </del>		DS3 to DS1 Channel System per month	1	+	OH3, OH3MS	SATNS	233 10	403 97		1	1	<u> </u>		<del> </del>	1	1	
$\vdash$		DS3 Interface Unit (DS1 COCI) per month	+	+	OH1, OH1MS	SATCO	16 07	13 09			1	1		1	<u>†                                      </u>	1	1
				1	the specific service										+	+	_

LOCAL INT	ERCONNECTION - South Carolina						_						Attach	ment 3	Exh	ıbit A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs.
									-				1st	Add'l	Disc 1st	Disc Add'
			-		1	Rec	Nonre First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
					<del> </del>					1,144	0020	0 /11/211	00	COMPA	JUMAN	JOMAN
LOCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)				1	,										
NOTE	"bk" beside a rate indicates that the Parties have agreed to bi	It and k	eep for	that element pursu	ant to the te	rms and condition	ons in Attach	ment 3.			<del>                                     </del>					
TAND	EM SWITCHING					4										
	Tandem Switching Function Per MOU			OHD		0 0007360bk					1					
	Multiple Tandem Switching, per MOU (applies to intial tandem										-					
	only)			OHD	i	0 000736										
	Tandem Intermediary Charge, per MOU*			OHD	T	0 0015										1
	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	able switching and	l/or intercon	nection charges.										
TRUN	K CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		335 14	57 16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE 1P	0 00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00					T	_				
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00						-				
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	itching, per MOU	l rate element	s								
COM	MON TRANSPORT (Shared)										1.					
	Common Transport - Per Mile, Per MOU			OHD		0 0000045bk										
	Common Transport - Facilities Termination Per MOU			OHD		0 0004095bk		l								
	RCONNECTION (DEDICATED TRANSPORT)	1														
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT												•			
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	24 30	40 63	27 47	16 77	6 91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0167	_								•	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	16 76	40 63	27 47	16 77	6 91						
-	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0167	40 03	2/4/	1077	091			<u>-</u>			
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<del></del>	OHL, OHM	ILDINK	0.0167									_	
	Termination per month			OHL, OHM	1L5NK	16 76	40 63	27 47	16 77	6 91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1											
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0 3415	·									
-	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	77 14	89 47	81 99	16 39	14 48						
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			OH3, OHSMS	1L5NM	8 02										
LOCA	Termination per month  L CHANNEL - DEDICATED TRANSPORT			онз, онзмѕ	1L5NM	880 65	279 37	163 12	60 33	58 59						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	15 33	193 53	33 24	36 72	3 21						
	Local Channel - Dedicated - 4-Wire Voice Grade per month		-	OHL, OHM	TEFV4	16 54	193 97		36 72							
<del></del> -	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	OHI, OHM	TEFHG	42 62	193 97		22 24	3 68 15 30				ļ		<del></del>
	Local Channel - Dedicated - DS3 Facility Termination per month			ОН3	TEFHJ						1					-
LOCA	L INTERCONNECTION MID-SPAN MEET			0113	TIETTU	446 00	452 52	264 53	119 75	83 77	1					
	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice I o	cal Ch	annel rate is applied	ablo	<del>                                     </del>		<del>                                     </del>			ļ				<del></del>	+
HOIL	Local Channel - Dedicated - DS1 per month	TICE LU	Car CII	OH1MS	TEFHG	0 00	0 00	<del>                                     </del>			-					<del></del>
	Local Channel - Dedicated - DS1 per month	<u> </u>	<del></del>	OH3MS	TEFHU	0 00	0 00		-		+				<del> </del>	<del></del>
MULT	IPLEXERS	<u> </u>	<del></del>	O: IOIVIO	I CLUA	0.00	0 00	<del> </del>	-		+			-		
,,,oei	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107 57	91 24	62 71	10 56	9 81	<del></del>			<del></del>	<del></del>	<del> </del>
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144 02	178 54		33 33	31 90	<del> </del>			<b></b>	-	+
<del>- + -</del>	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8 64	6 59		33 33	3190	<b> </b>				<del></del>	+
		L	L	ne specific service of						I			L	1	ł	1

LUCAL INTER	RCONNECTION - Tennessee												Attach	ment 3	Exhi	bit. 🗛
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring	g Disconnect			OSS	Rates(\$)	l	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DCAL INTERCO	ONNECTION (CALL TRANSPORT AND TERMINATION)	1	-			-										
	bk" beside a rate indicates that the Parties have agreed to bi	ill and k	een for	that element pursi	ant to the te	rms and condit	ions in Attach	ment 3		-	<del>-</del>				·	
	SWITCHING	1	Γ'	······································		1	T									<del></del>
T.	fandem Switching Function Per MOU		T .	OHD		0 0009778bk				-						<del></del>
	Multiple Tandem Switching, per MOU (applies to intial tandem		1													
	only)			OHD		0 0009778					J.,					
	Fandem Intermediary Charge, per MOU*	<u></u>	1	OHD		0 0015										
	parge is applicable only to transit traffic and is applied in ad	dition to	appli	able switching an	d/or intercon	nection charge:	S									
TRUNK C	CHARGE  nstallation Trunk Side Service - per DS0		-	OHD	TPP++	-	201 20	F73.								<b></b> _
	nstallation Trunk Side Service - per DS0 Dedicated End Office Trunk Port Service-per DS0**	-	-	OHD	TPP++	0 00	334 29	57 01			<del> </del>				ļ	<b></b>
	Dedicated End Office Trunk Port Service-per DS1**	1	-	OHD OH1 OH1MS	TDE1P	0 00	-	<del> </del>			<b> </b>					<del></del>
	Dedicated Tandem Trunk Port Service-per DS0**	-		OHD	TDW0P	0 00	-			-	-					-
	Dedicated Tandem Trunk Port Service-per DS1**	<del> </del>		OHI OHIMS	TDW1P	0 00	<del> </del>			<del></del>	-					<del></del>
	ate element is recovered on a per MOU basis and is included	in the					U rate element	s								
	N TRANSPORT (Shared)	1	Ī		1	[										
C	Common Transport - Per Mile, Per MOU			OHD		0 0000064bk										
	Common Transport - Facilities Termination Per MOU			OHD		0 0003871bk										
	ONNECTION (DEDICATED TRANSPORT)									ĺ						
	FFICE CHANNEL - DEDICATED TRANSPORT															
	nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 0174									_	
	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	18 58	55 39	17 37	27 96	3 51						
In	nteroffice Channel - Dedicated Transport - 56 kbps - per mile			OHL, OHM	1L5NK	0 0174		11.07	21 00					,		
ln	nteroffice Channel - Dedicated Transport - 56 kbps - Facility					<del>-</del>		-								
	Fermination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OHL, OHM	1L5NK	17 98	55 39	17 37	27 96	3 51						<b>-</b>
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	ļ		OHL, OHM	1L5NK	0 0174										<u> </u>
	ermination per month	ļ		OHL, OHM	1L5NK	17 98	55 39	17 37	27 96	3 51						
m	nteroffice Channel - Dedicated Channel - DS1 - Per Mile per nonth			OH1, OH1MS	1L5NL	0 3562										l
	nteroffice Channel - Dedicated Tranport - DS1 - Facility  ermination per month			OH1, OH1MS	1L5NL	77 86	112 40	76 27	19 55	14 99						
	nteroffice Channel - Dedicated Transport - DS3 - Per Mile per nonth			OH3, OH3MS	1L5NM	2 34										
In	nteroffice Channel - Dedicated Transport - DS3 - Facility	1														
	ermination per month			онз, онзмѕ	1L5NM	848 99	395 29	176 56	109 04	105 91				_		
	ocal Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	19 43	199 33	24 16	54 81	4 80						
	ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20 56	201 53	24 83	55 52	5 51						
	ocal Channel - Dedicated - DS1 per month			OH1	TEFHG	40 99	277 35	233 26	33 18	22 30						
				ОН3	1											
	ocal Channel - Dedicated - DS3 Facility Termination per month NTERCONNECTION MID-SPAN MEET	-		Uno	TEFHJ	611 30	595 37	304 50	215 82	151 15						t
	Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch	nnel rate is annlis	able	<del>                                     </del>										
	ocal Channel - Dedicated - DS1 per month	THE LU	cai cile	OH1MS	TEFHG	0 00	0 00									
	ocal Channel - Dedicated - DS3 per month		<u> </u>	OH3MS	TEFHJ	0 00	0.00									
MULTIPL	EXERS					1 000	0.00				<del> </del>					
	Channelization - DS1 to DS0 Channel System			OHt, OH1MS	SATN1	80 77	141 87	77 11	44 47	42 62						
	S3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222 98	308 03	108 47	6 34	4 23						
	S3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17 58	6 07	4 66								
Notes If	no rate is identified in the contract, the rates, terms, and co	andition	s for th	e specific service :	or function w	all be as set for	th in applicable	e BellSouth tar	iff							

# Attachment 4

**Physical Collocation** 

#### BELLSOUTH

#### PHYSICAL COLLOCATION

# 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Access Point is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to Access Point collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Access Point to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Access Point and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Access Point may contemplate a request for space sufficient to accommodate Access Point's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Access Point may contemplate a request for space sufficient to accommodate Access Point's growth within an eighteen (18) month period.
- 1.3 Space Allocation BellSouth shall attempt to accommodate Access Point's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Access Point's cost or materially delay Access Point's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Access Point wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e)

properly reserved for future use, either by BellSouth or by another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Premises. Access Point will be responsible for any justification of unutilized space within its space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Access Point shall use the Collocation Space for the purposes of installing, maintaining and operating Access Point's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Access Point agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

# 2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Access Point, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Access Point for a Space Availability Report must be written and must include the Premises street address, as identified in the Local Exchange Routing Guide ("LERG"), and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carrier Association ("NECA") Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Access Point and inform Access Point of the time frame under which it can respond.

# 3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow Access Point to collocate Access Point's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Access Point to have direct access to Access Point's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Access Point's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Access Point must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 <u>Caged</u>. At Access Point's expense, Access Point may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Access Point and Access Point's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Access Point's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Access Point and provide, at Access Point's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Access Point's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Access Point's BellSouth Certified Supplier shall bill Access Point directly for all work performed for Access Point pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Access Point's BellSouth Certified Supplier. Access Point must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Access Point's locked enclosure prior to notifying Access Point at least forty-eight (48) hours or two (2) business days. whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Access Point.

- 3.2.1 BellSouth may elect to review Access Point's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Access Point indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Access Point has indicated its desire to construct its own enclosure. If Access Point's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Access Point's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Access Point. BellSouth shall require Access Point to remove or correct within seven (7) calendar days at Access Point's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.3 Shared Caged Collocation. Access Point may allow other telecommunications carriers to share Access Point's caged collocation arrangement pursuant to terms and conditions agreed to by Access Point ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Access Point shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Access Point that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Access Point.
- 3.3.1 Access Point, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Access Point with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, Access Point shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or

- Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Access Point shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Access Point's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property when space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Access Point and in conformance with BellSouth's design and construction Specifications. Further, Access Point shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Access Point elect Adjacent Collocation, Access Point must arrange with a BellSouth Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Access Point and Access Point's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Access Point's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Access Point's BellSouth Certified Supplier shall bill Access Point directly for all work performed for Access Point pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Access Point's BellSouth Certified Supplier. Access Point must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth will not access Access Point's locked enclosure prior to notifying Access Point at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 Access Point must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Access Point's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications.

BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Access Point. BellSouth shall require Access Point to remove or correct within seven (7) calendar days at Access Point's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Access Point shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Access Point's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Access Point's BellSouth Certified Supplier shall be responsible, at Access Point's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Access Point to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Access Point's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Access Point use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Access Point must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Access Point. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Access Point's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Access Point will have the option of using Access Point's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Access Point shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Access Point shall not

- provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Access Point is responsible for ensuring the integrity of the signal.
- 3.5.2 Access Point shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier simultaneously with submitting the application. Access Point-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Access Point will have the option of using Access Point's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Access Point must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

# 4. Occupancy

4.1 Occupancy. BellSouth will notify Access Point in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Access Point will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Access Point that the Collocation Space is ready for occupancy. BellSouth will correct any deviations to Access Point's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Access Point has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Access Point's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Access Point fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Access Point on the Space Ready Date and billing will commence from that date. If Access Point decides to occupy the space prior to the Space Ready Date, the date Access Point occupies the space becomes the new Space Acceptance Date and billing begins from that date. Access Point must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Access Point's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.

- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, Access Point may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Access Point and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Access Point signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Access Point jointly conduct an inspection which confirms that Access Point has corrected the discrepancies. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Access Point's right to occupy the Collocation Space in the event Access Point fails to comply with any provision of this Agreement including the payment of applicable fees.
- 4.2.1 Upon termination of occupancy. Access Point at its expense shall remove its equipment and other property from the Collocation Space. Access Point shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Subsequent Application date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Access Point's Guest(s), unless Access Point's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Access Point shall continue payment of monthly fees to BellSouth until such date as Access Point, and if applicable Access Point's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Access Point or Access Point's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Access Point or Access Point's Guest(s), in any manner that BellSouth deems fit, at Access Point's expense and with no liability whatsoever for Access Point's property or Access Point's Guest(s)'s property. Upon termination of Access Point's right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and Access Point shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Access Point except for ordinary wear and tear, unless otherwise agreed to by the Parties. Access Point's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Access Point shall be responsible for the cost of removing any Access Point constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

## 5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
  Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
  Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1.
  Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Access Point's failure to comply with this Section.
- 5.1.3 Access Point shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Access Point submits an application for terminations that exceed the total capacity of the collocated equipment, Access Point will be informed of the discrepancy and will be required to submit a revision to the application.
- Access Point shall identify to BellSouth whenever Access Point submits a Method of Procedure ("MOP") adding equipment to Access Point's Collocation Space, all UCC-1 lien holders or other entities that have a financial interest, secured and otherwise, in the equipment in Access Point's Collocation Space. Access Point shall submit a copy

- of the list of any lien holders or other entities that have a financial interest to Access Point's ATCC Representative.
- Access Point shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Access Point shall place a plaque or other identification affixed to Access Point's equipment necessary to identify Access Point's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Access Point may elect to place Access Point-owned or Access 5.5 Point-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Access Point will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Access Point will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Access Point's equipment in the Collocation Space. In the event Access Point utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Access Point must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Access Point is responsible for maintenance of the entrance facilities. At Access Point's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.
- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Access Point with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Access Point's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.5.2 <u>Shared Use.</u> Access Point may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Access Point's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Access Point must arrange

with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Access Point provided riser cable to the spare capacity on the entrance facility. If Access Point desires to allow another telecommunications carrier to use its entrance facilities that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Access Point for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Access Point's entrance facility.

- Demarcation Point. BellSouth will designate the point(s) of demarcation between Access Point's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Access Point shall be responsible for providing, and Access Point's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Access Point or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Access Point's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Access Point-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Access Point shall be responsible for providing, and Access Point's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between Access Point's Collocation Space and the demarcation point. Access Point or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision crossconnects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Access Point desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 Access Point's Equipment and Facilities. Access Point, or if required by this Attachment, Access Point's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Access Point which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and

- point of termination connections. Access Point and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Access Point at least forty-eight (48) hours before access to the Collocation Space is required. Access Point may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Access Point will not bear any of the expense associated with this work.
- 5.9 Access. Pursuant to Section 12, Access Point shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Access Point agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of Access Point or Access Point's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Access Point and returned to BellSouth Access Management within fifteen (15) calendar days of Access Point's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Access Point agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Access Point's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Access Point or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Access Point's designated collocation arrangement location after receipt of the BFFO without charge to Access Point. Access Point must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date Access Point desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Access Point may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Access Point desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Access Point to access the Collocation Space accompanied by a security escort at Access Point's expense. Access Point must request escorted access at least three (3) business days prior to the date such access is desired.

- 5.10 <u>Lost or Stolen Access Keys</u>. Access Point shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Access Point shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Access Point shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Access Point violates the provisions of this paragraph, BellSouth shall give written notice to Access Point, which notice shall direct Access Point to cure the violation within forty-eight (48) hours of Access Point's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Access Point fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Access Point's equipment. BellSouth will endeavor, but is not required, to provide notice to Access Point prior to taking such action and shall have no liability to Access Point for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Access Point fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Access Point or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Access

Point shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.12 Personalty and its Removal. Facilities and equipment placed by Access Point in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Access Point at any time. Any damage caused to the Collocation Space by Access Point's employees, agents or representatives during the removal of such property shall be promptly repaired by Access Point at its expense.
- 5.12.1 If Access Point decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill Access Point an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Access Point or any person acting on behalf of Access Point make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Access Point. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee, which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 5.14 <u>Janitorial Service</u>. Access Point shall be responsible for the general upkeep of the Collocation Space. Access Point shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

## 6. Ordering and Preparation of Collocation Space

6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Access Point and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.

- 6.2 <u>Initial Application</u>. For Access Point or Access Point's Guest(s) initial equipment placement, Access Point shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Access Point or Access Point's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Access Point shall complete an application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Access Point in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Access Point for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth makes an Application Response.
- 6.4 Space Preferences. If Access Point has previously requested and received a Space Availability Report for the Premises, Access Point may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth cannot accommodate the Access Point's preference(s), Access Point may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.5 Space Availability Notification.
- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona

Fide. If the amount of space requested is not available, BellSouth will notify Access Point of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Access Point or differently configured no application fee shall apply. If Access Point decides to accept the available space, Access Point must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.

- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Access Point or differently configured, if Access Point decides to accept the available space, Access Point must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Access Point of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Access Point or differently configured no application fee shall apply. If Access Point decides to accept the available space, Access Point must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- 6.6 Denial of Application. If BellSouth notifies Access Point that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Access Point that BellSouth has no available space in the requested Premises, BellSouth will allow Access Point, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for

- which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Access Point to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Access Point must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Access Point has originally requested caged Collocation Space and cageless Collocation Space becomes available, Access Point may refuse such space and notify BellSouth in writing within that time that Access Point wants to maintain its place on the waiting list without accepting such space. Access Point may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Access Point does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Access Point from the waiting list. Upon request, BellSouth will advise Access Point as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Premises previously on the space exhaust list.

- 6.10 Application Response.
- 6.10.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Access Point to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Access Point submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.11 Application Modifications.
- 6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Access Point or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge Access Point an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Access Point to submit the application with an Initial Application Fee. This

nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

- 6.12 Bona Fide Firm Order.
- 6.12.1 Access Point shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Access Point's Bona Fide application or the application will expire.
- 6.12.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Access Point's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Access Point cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which

- equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.4 In South Carolina, BellSouth will complete construction for caged collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of the BFFO and within a maximum of ninety (90) calendar days from receipt of the BFFO under extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but not limited to, a major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Public Service Commission of South Carolina.
- 7.2 <u>Joint Planning</u>. Joint planning between BellSouth and Access Point will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to Access Point during joint planning.

- 7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Access Point will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Access Point that the Collocation Space is ready for occupancy. In the event that Access Point fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Access Point on the Space Ready Date. BellSouth will correct any deviations to Access Point's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Access Point prior to the applicable provisioning interval set forth herein ("Provisioning Interval") for those Premises in which Access Point has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Access Point prior to the Provisioning Interval for those Premises in which Access Point has a physical collocation arrangement with a POT bay provided by Access Point or a virtual collocation arrangement until Access Point provides BellSouth with the following information:
- 7.5.1 For Access Point-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For virtual a complete layout of Access Point's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Access Point's BellSouth Certified Supplier
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Access Point. If the EIU form is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Access Point a nonrecurring charge, as set forth in Exhibit B, each time Access Point requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Access Point shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Access Point and Access Point's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Access Point must select

separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Access Point with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Access Point's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Access Point upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Access Point directly for all work performed for Access Point pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Access Point or any supplier proposed by Access Point and will not unreasonably withhold certification. All work performed by or for Access Point shall conform to generally accepted industry standards.

- 7.7 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Access Point shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Access Point's Collocation Space. Upon request, BellSouth will provide Access Point with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Access Point. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, Access Point may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Access Point, such information will be provided to Access Point in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Access Point within one hundred eighty (180) calendar days of BellSouth's written denial of Access Point's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Access Point was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Access Point may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Access Point must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Access Point an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Access Point cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Access Point cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Access Point for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Access Point, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# 8. Rates and Charges

8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Access Point. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Access Point's BFFO.
- 8.3 Recurring Charges. If Access Point has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Access Point fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Access Point occupies the space prior to the Space Ready Date, the date Access Point occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Access Point shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Access Point opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Access Point as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Access Point shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Access Point shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x)maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Access Point's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Access Point shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current ("DC") power for Access Point's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Access Point's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Access Point's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Access Point certifying the completion of the power reduction, including the removal of the power cabling by Access Point's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Access Point's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Access Point's BellSouth Certified Supplier. Access Point is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Access Point's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Access Point must provide BellSouth with a copy of the engineering power specifications prior to the day on which Access Point's equipment becomes operational ("Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Access Point's arrangement area. Access Point shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Access Point's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Access Point shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.
- 8.6.2 If Access Point elects to install its own DC Power Plant, BellSouth shall provide Alternating Current ("AC") power to feed Access Point's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Access Point's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Access Point's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Access Point's option, Access Point may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Access Point's equipment or space enclosure. Access Point shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Access Point's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for 48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Access Point's arrangement area.
- 8.6.4 In Alabama and Louisiana, Access Point has the option to purchase power directly from an electric utility company. Under such an option, Access Point is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Access Point. Access Point's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Access Point previously had power supplied by BellSouth, Access Point may request to change its arrangement to obtain power from an electric utility company by submitting a subsequent application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Access Point in provisioning said power will be billed on an ICB basis.
- 8.6.5 In South Carolina, Access Point has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such an option, Access Point is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Access Point. Access Point's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Access Point must submit an application to BellSouth for the appropriate amount of collocation space that Access Point requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Access Point's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes.

BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Access Point shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Public Service Commission of South Carolina for the central office requested. Access Point would still have the option to order its power needs directly from BellSouth.

- 8.6.6 If Access Point requests a reduction in the amount of power that BellSouth is currently providing, Access Point must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if Access Point is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Access Point must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort</u>. A security escort will be required whenever Access Point or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Access Point shall pay for such half-hour charges in the event Access Point fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Access Point's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

# 9. Insurance

- 9.1 Access Point shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Access Point shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Access Point's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Access Point may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Access Point to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Access Point shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Access Point's property has been removed from BellSouth's Premises, whichever period is longer. If Access Point fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Access Point.
- 9.5 Access Point shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Access Point shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Access Point's insurance company. Access Point shall forward a

certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Access Point must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Access Point's net worth exceeds five hundred million dollars (\$500,000,000), Access Point may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Access Point shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Access Point in the event that self-insurance status is not granted to Access Point. If BellSouth approves Access Point for self-insurance, Access Point shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Access Point's corporate officers. The ability to self-insure shall continue so long as the Access Point meets all of the requirements of this Section. If Access Point subsequently no longer satisfies this Section, Access Point is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Access Point to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

## 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Access Point), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the

other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 11. Inspections

BellSouth may conduct an inspection of Access Point's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Access Point's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Access Point adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Access Point with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. <u>Security and Safety Requirements</u>

- Unless otherwise specified, Access Point will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Access Point employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Access Point employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Access Point shall not be required to perform this investigation if an affiliated company of Access Point has performed an investigation of the Access Point employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Access Point has performed a pre-employment statewide investigation of criminal history records of the Access Point employee for the states/counties where the Access Point employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Access Point will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Access Point shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Access Point's name. BellSouth reserves the right to remove from its Premises any employee of Access Point not possessing identification issued by Access Point or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Access Point shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Access Point shall be solely responsible for ensuring that any Guest(s) of Access Point is in compliance with all subsections of this Section.

- 12.4 Access Point shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Access Point shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Access Point personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Access Point chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Access Point may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Access Point shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Access Point shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Access Point employee or agent hired by Access Point within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, Access Point shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Access Point will disclose the nature of the convictions to BellSouth at that time. In the alternative, Access Point may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Access Point employees requiring access to a BellSouth Premises pursuant to this Attachment, Access Point shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Access Point shall promptly remove from BellSouth's Premises any employee of Access Point BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Access Point is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Security Violations. BellSouth reserves the right to interview Access Point's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Access Point's Security representative of such interview. Access Point and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Access Point's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Access Point for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Access Point's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Access Point for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Access Point's employees, agents, or suppliers and where Access Point agrees, in good faith, with the results of such investigation. Access Point shall notify BellSouth in writing immediately in the event that Access Point discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Access Point shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

#### 13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Access Point's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor

damage and shall not be rendered wholly unsuitable for Access Point's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Access Point, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Access Point may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Access Point's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Access Point. Where allowed and where practical, Access Point may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Access Point shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Access Point's permitted use, until such Collocation Space is fully repaired and restored and Access Point's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Access Point has placed an Adjacent Arrangement pursuant to Section 3.4, Access Point shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Access Point shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

#### 15. Nonexclusivity

15.1 Access Point understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

# 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Access Point agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and Access Point shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Access Point should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Access Point to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Access Point will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Access Point when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect the Access Point space with proper notification. BellSouth reserves the right to stop any Access Point work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Access Point are owned by Access Point. Access Point will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Access Point or different hazardous materials used by Access Point at BellSouth Premises. Access Point must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Access Point to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Access Point will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Access Point will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Access Point must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Access Point shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Access Point agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Access Point further agrees to cooperate with BellSouth to ensure that Access Point's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Access Point, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Access Point's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
(e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance	Std T&C 660-3  Approved Environmental Vendor List (Contact ATCC

	EVET approval of supplier	Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	Std T&C 450  Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)  Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000  Std T&C 660-3  Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations  Protection of BST employees and equipment	Std T&C 450  29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations  All Hazardous Material and Waste  Asbestos notification and protection of employees and	Procurement Manager (CRES Related Matters)-BST Supply Chain Services  Fact Sheet Series 17000  GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)

	equipment	
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

**BST** – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

# Attachment 4

**Remote Site Physical Collocation** 

#### **BELLSOUTH**

#### REMOTE SITE PHYSICAL COLLOCATION

### 1. Scope of Attachment

- 1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Access Point is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Access Point Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Access Point to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Access Point and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

# 1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Access Point may contemplate a request for space sufficient to accommodate Access Point's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Access Point may contemplate a request for space sufficient to accommodate Access Point's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Access Point that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Access Point's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Access Point. Access Point agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Access Point. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Access Point as above, Access Point shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Access Point in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Access Point will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Access Point shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Access Point's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Access Point agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Report

2.1 Space Availability Report. Upon request from Access Point, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at

the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Access Point for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Access Point is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Access Point may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Access Point should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Access Point should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Access Point and inform Access Point of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide Access Point with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Access Point request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Access Point, up to a maximum of thirty (30) wire centers per Access Point request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Access Point agrees to pay the costs incurred by BellSouth in providing the information.

# 3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow Access Point to collocate Access Point's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Access Point to have direct access to Access Point's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Access Point's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Access Point must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.
- 3.2 Caged. At Access Point's expense, Access Point may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Access Point's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Access Point and provide, at Access Point's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Access Point's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Access Point's BellSouth Certified Supplier shall bill Access Point directly for all work performed for Access Point pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Access Point's BellSouth Certified Supplier. Access Point must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Access Point's locked enclosure prior to notifying Access Point at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Access Point.
- 3.2.1 BellSouth may elect to review Access Point's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Access Point indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Access Point has indicated their desire to construct their own enclosure. If Access Point's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its

review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Access Point's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Access Point to remove or correct within seven (7) calendar days at Access Point's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- Shared Collocation. Access Point may allow other telecommunications carriers to share Access Point's Remote Collocation Space pursuant to terms and conditions agreed to by Access Point ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Access Point shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Access Point that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Access Point.
- 3.3.1 Access Point, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Access Point with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Access Point shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest

- pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Access Point shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Access Point's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Access Point and in conformance with BellSouth's design and construction Specifications. Further, Access Point shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Access Point elect Adjacent Collocation, Access Point must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Access Point and Access Point's BellSouth Certified Supplier must comply with local building code requirements. Access Point's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Access Point's BellSouth Certified Supplier shall bill Access Point directly for all work performed for Access Point pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Access Point's BellSouth Certified Supplier. Access Point must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Access Point's locked enclosure prior to notifying Access Point at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Access Point must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Access Point's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Access Point to remove or correct within seven (7) calendar days at Access Point's expense

- any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 Access Point shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Access Point's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Access Point's BellSouth Certified Supplier shall be responsible, at Access Point's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Access Point to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Access Point's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Access Point use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Access Point must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Access Point. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Access Point's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Access Point will have the option of using Access Point's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Access Point shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Access Point shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Access Point is responsible for ensuring the integrity of the signal.

- 3.5.2 Access Point shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Access Point-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Access Point will have the option of using Access Point's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Access Point must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

#### 4. Occupancy

- 4.1 Occupancy. BellSouth will notify Access Point in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Access Point will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Access Point that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Access Point's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Access Point has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Access Point's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Access Point fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Access Point on the Space Ready Date and billing will commence from that date. If Access Point decides to occupy the space prior to the Space Ready Date, the date Access Point occupies the space becomes the new Space Acceptance Date and billing begins from that date. Access Point must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Access Point's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Access Point may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's

acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date <customer short name> and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that <customer short name> signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and <customer short name> jointly conduct an inspection which confirms that <customer short name> has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Access Point's right to occupy the Remote Collocation Space in the event Access Point fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Access Point at its expense shall remove its equipment and other property from the Remote Collocation Space. Access Point shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Access Point's Guest(s), unless Access Point's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Access Point shall continue payment of monthly fees to BellSouth until such date as Access Point, and if applicable Access Point's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Access Point or Access Point's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Access Point or Access Point's Guest(s), in any manner that BellSouth deems fit, at Access Point's expense and with no liability whatsoever for Access Point's or Access Point's Guest(s)'s property. Upon termination of Access Point's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Access Point shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Access Point except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Access Point's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Access Point shall be responsible for the cost of removing any Access Point constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

# 5. Use of Remote Collocation Space

5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the

- term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
  Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
  Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1.
  Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Access Point's failure to comply with this Section.
- 5.1.2.1 All Access Point equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Access Point shall identify to BellSouth whenever Access Point submits a Method of Procedure ("MOP") adding equipment to Access Point's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Access Point's Remote Collocation Space. Access Point shall submit a copy of the list of any lien holders or other entities that have a financial interest to Access Point's ATCC Representative.
- 5.2 Access Point shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

- 5.3 Access Point shall place a plaque or other identification affixed to Access Point's equipment to identify Access Point's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Access Point may elect to place Access Point-owned or Access Point-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Access Point will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Access Point must contact BellSouth for instructions prior to placing the entrance facility cable. Access Point is responsible for maintenance of the entrance facilities.
- Shared Use. Access Point may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Access Point's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Access Point must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Access Point provided riser cable to the spare capacity on the entrance facility. If Access Point desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Access Point for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Access Point's entrance facility.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Access Point's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Access Point or its agent must perform all required maintenance to Access Point equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- Access Point's Equipment and Facilities. Access Point, or if required by this Attachment, Access Point's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Access Point which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Access Point and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.7 BellSouth's Access to Remote Collocation Space. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Access Point at least forty-eight (48) hours before access to the Remote Collocation Space is required. Access Point may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Access Point will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, Access Point shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Access Point agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Access Point or Access Point's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Kevs using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Access Point and returned to BellSouth Access Management within fifteen (15) calendar days of Access Point's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Access Point agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Access Point's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Access Point or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Access Point's designated collocation arrangement location after receipt of the BFFO without charge to Access Point. Access Point must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Access Point desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Access Point may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Access Point desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Access Point to access the Remote Collocation Space accompanied by a security escort at Access Point's expense. Access Point must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 Lost or Stolen Access Keys. Access Point shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost

Access Key(s) or for failure to return an Access Key(s), Access Point shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Access Point shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service, 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Access Point violates the provisions of this paragraph, BellSouth shall give written notice to Access Point, which notice shall direct Access Point to cure the violation within forty-eight (48) hours of Access Point's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Access Point fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Access Point's equipment. BellSouth will endeavor, but is not required, to provide notice to Access Point prior to taking such action and shall have no liability to Access Point for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Access Point fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Access Point or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Access Point shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services.

Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.11 Personalty and its Removal. Facilities and equipment placed by Access Point in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Access Point at any time. Any damage caused to the Remote Collocation Space by Access Point's employees, agents or representatives shall be promptly repaired by Access Point at its expense.
- 5.11.1 If Access Point decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Access Point an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Access Point or any person acting on behalf of Access Point make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Access Point. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Access Point shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Access Point shall be responsible for removing any Access Point debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

## 6. Ordering and Preparation of Remote Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Access Point and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 Remote Site Application. When Access Point or Access Point's Guest(s) desires to install a bay/rack in a Remote Site Location, Access Point shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required

fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.

- Availability of Space. Upon submission of an application, BellSouth will permit Access Point to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Access Point of the amount that is available.
- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Access Point of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Access Point or differently configured no application fee shall apply. If Access Point decides to accept the available space, Access Point must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Access Point or differently configured, if Access Point decides to accept the available space, Access Point must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.4.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for

eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Access Point of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Access Point or differently configured no application fee shall apply. If Access Point decides to accept the available space, Access Point must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.

- 6.5 <u>Denial of Application</u>. If BellSouth notifies Access Point that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Access Point that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Access Point, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Access Point to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the

telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

- 6.7.2 When space becomes available, Access Point must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Access Point has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Access Point may refuse such space and notify BellSouth in writing within that time that Access Point wants to maintain its place on the waiting list without accepting such space. Access Point may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Access Point does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Access Point from the waiting list. Upon request, BellSouth will advise Access Point as to its position on the list.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 <u>Application Response</u>.
- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Access Point to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Access Point submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration

- of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 <u>Application Modifications.</u>
- 6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Access Point or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Access Point a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 6.10.2 Bona Fide Firm Order.
- Access Point shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Access Point's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Access Point's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

## 7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45)

calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Access Point cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Access Point with the estimated completion date in its Response.
- Joint Planning. Joint planning between BellSouth and Access Point will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Access Point during joint planning.
- 7.4 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.

- 7.5 Acceptance Walkthrough. Access Point will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Access Point that the Remote Collocation Space is ready for occupancy. In the event that Access Point fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Access Point on the Space Ready Date. BellSouth will correct any deviations to Access Point's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. Access Point shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Access Point and Access Point's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Access Point must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Access Point with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Access Point's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Access Point upon successful completion of installation. The BellSouth Certified Supplier shall bill Access Point directly for all work performed for Access Point pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Access Point or any supplier proposed by Access Point and will not unreasonably withhold certification. All work performed by or for Access Point shall conform to generally accepted industry standards.
- 7.7 <u>Alarm and Monitoring</u>. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Access Point shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Access Point's Remote Collocation Space. Upon request, BellSouth will provide Access Point with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Access Point. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 <u>Virtual Remote Collocation Space Relocation</u>. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Access Point may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space

arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Access Point, such information will be provided to Access Point in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Access Point within one hundred eighty (180) calendar days of BellSouth's written denial of Access Point's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Access Point was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Access Point may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Access Point must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Access Point an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Access Point cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Access Point cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Access Point for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the

Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.

- 7.11 <u>Licenses</u>. Access Point, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 Recurring Charges. If Access Point has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Access Point fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Access Point occupies the space prior to the Space Ready Date, the date Access Point occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Access Point. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Access Point's equipment. Access Point shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Access Point's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Access Point's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Access Point's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual

case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Access Point's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Access Point certifying the completion of the power reduction, including the removal of the power cabling by Access Point's BellSouth Certified Supplier.

- 8.4.1 Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Access Point's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Access Point's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Access Point's option, Access Point may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 Security Escort. A security escort will be required whenever Access Point or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Access Point shall pay for such half-hour charges in the event Access Point fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

## 9. Insurance

- 9.1 Access Point shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Access Point shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Access Point's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Access Point may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Access Point to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Access Point shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Access Point's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Access Point fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Access Point.
- 9.5 Access Point shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Access Point shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Access Point's insurance company. Access Point shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Access Point must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Access Point's net worth exceeds five hundred million dollars (\$500,000,000), Access Point may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Access Point shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Access Point in the event that self-insurance status is not granted to Access Point. If BellSouth approves Access Point for self-insurance, Access Point shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Access Point's corporate officers. The ability to self-insure shall continue so long as Access Point meets all of the requirements of this Section. If Access Point subsequently no longer satisfies this Section, Access Point is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Access Point to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

## 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Access Point), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. Inspections

BellSouth may conduct an inspection of Access Point's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Access Point's equipment and equipment of BellSouth. BellSouth may conduct an inspection

if Access Point adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Access Point with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

## 12. Security and Safety Requirements

- Unless otherwise specified. Access Point will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Access Point employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Access Point employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Access Point shall not be required to perform this investigation if an affiliated company of Access Point has performed an investigation of the Access Point employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Access Point has performed a pre-employment statewide investigation of criminal history records of the Access Point employee for the states/counties where the Access Point employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Access Point will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Access Point shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Access Point's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Access Point not possessing identification issued by Access Point or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Access Point shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Access Point shall be solely responsible for ensuring that any Guest(s) of Access Point is in compliance with all subsections of this Section.
- 12.4 Access Point shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Access Point shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Access Point personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Access Point chooses

not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Access Point may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 Access Point shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Access Point shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Access Point employee or agent hired by Access Point within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Access Point shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Access Point will disclose the nature of the convictions to BellSouth at that time. In the alternative, Access Point may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Access Point employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Access Point shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Access Point shall promptly remove from BellSouth's Remote Site Location any employee of Access Point BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Access Point is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 <u>Security Violations</u>. BellSouth reserves the right to interview Access Point's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's

property or personnel, provided that BellSouth shall provide reasonable notice to Access Point's Security representative of such interview. Access Point and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Access Point's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Access Point for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Access Point's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Access Point for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Access Point's employees, agents, or suppliers and where Access Point agrees, in good faith, with the results of such investigation. Access Point shall notify BellSouth in writing immediately in the event that the Access Point discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Access Point shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

## 13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Access Point's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Access Point's permitted use,

or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Access Point, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Access Point may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Access Point's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Access Point. Where allowed and where practical, Access Point may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired. Access Point shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Access Point's permitted use, until such Remote Collocation Space is fully repaired and restored and Access Point's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Access Point has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Access Point shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

# 14. Eminent Domain

If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Access Point shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

## 15. Nonexclusivity

15.1 Access Point understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all

such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

## 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Access Point agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and Access Point shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Access Point should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Access Point to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Access Point will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Access Point when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Access Point space with proper notification. BellSouth reserves the right to stop any Access Point work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Access Point are owned by Access Point. Access Point will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Access Point or different hazardous materials used by Access Point at the BellSouth Remote Site Location. Access Point must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site

Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Access Point to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Access Point will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Access Point will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Access Point must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Access Point shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

## 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Access Point agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Access Point further agrees to cooperate with BellSouth to ensure that Access Point's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Access Point, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Access Point's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
tubes, solvents & cleaning materials)		• Std T&C 660-3

	Pollution liability insurance  EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Remote Site Location)</li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	<ul> <li>Std T&amp;C 450</li> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> <li>Std T&amp;C 660</li> </ul>
Transportation of hazardous material	Compliance with all applicable local, state. & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet Series 17000</li> <li>Std T&amp;C 660-3</li> <li>Approved Environmental Vendor List (Contact ATCC Representative)</li> </ul>
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations  Protection of BST employees and equipment	<ul> <li>Std T&amp;C 450</li> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations  All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	<ul> <li>-Procurement Manager (CRES Related Matters)-BST Supply Chain Services</li> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS</li> </ul>

		(Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR Issue A, August 1996</li> </ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3     For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center:     AL, MS, TN, KY & LA (local area code) 557-6194     FL, GA, NC & SC (local area code) 780-2740

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

ATCC – Account Team Collocation Coordinator

**BST** – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCATI	ON - Alabama		1		, ,									ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BC\$	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						Rec	Nonrec First		Nonrecurring		201150		oss	Rates (\$)		
		<u> </u>					FIRST	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION				-							-				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 03	12 30	11 80	6.03	5 44		15 66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 03	12 30	44.00	0.00							
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0 03	12 30	11 80 11 80	6 03 6 03	5 44 5 44		15 66 15 66				1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLF 3D	FEINZ	0 03	12 30	1160	6.03	544		10 00				
	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSX	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0 03	12 30	11 80	6 03	5 44		15 66				<u> </u>
	Wire ISDN DS1			UEPEX	PE1R4	0.05	12 39	11 87	6 39	5 73		15 66				İ
PHYSICAL COI						2 03	72.00	11.01	000	0.75		15 00				<del></del>
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,879 48	1,879 48								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,566 60	1,566 60								
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		1,205 26	1,205 26								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742 15									
	Physical Collocation - Space Preparation - Firm Order Processing			cro	PE1SJ		600 71	600 71								
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE†SK	1 96										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless			CLO	PE1SL	2 62										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	88 86										İ
	Physical Collocation - Cable Installation			CLO	PE1BD		859 71	859 71	22 49	22 49						
	Physical Collocation - Floor Space per Sq. Ft			CLO	PE1PJ	3 22									,	
	Physical Collocation - Cable Support Structure Per Entrance		-													
	Cable			CLO	PE1PM	17 11										<del> </del>
	Physical Collocation - Cageless - Cable Support Structure Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1CJ PE1PL	14 97 7 83										·
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PL PE1PR	7 83	399 51									<del> </del>
						-	355 51									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4 91						-				
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9 84						-				
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	14 74										-
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34 06										<del> </del>
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX UNLDX, UNCNX	PE1P2	0 03	12 30	11 80	6 03	5 44						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1,	PE1P4	0 05	12 39	11 87	6 39	5 73	:					
	Physical Collocation - DS1 Cross-Connects			USLEL, UNLD1, UDL	PE1P1	1 11	22 03	15 93	6 40	5 79						i

COLLOCAT	TION - Alabama												Attach	ment: 4	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		
		-				Rec	Nonrec First			g Disconnect				Rates (\$)		
				CLO, UE3 U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,			FIRST	Add'I	Fırst	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	14 16	20 89	15 20	7 38	5 92				<del></del>		
	Physical Collocation - 2-Fiber Cross-Connect			U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2 81	20 89	15 20	7 38	5 92						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - Cageless - 2 Fiber Cross Connect			UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,	PE1CK	2 84	20 89	15 20	7 38	5 92						
	Physical Collocation - 4-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF CLO, ULDO3,	PE1F4	4 99	25 55	19 86	9 71	8 25						
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			UDL12 UDF CLO	PE1CL PE1BW	5 69 156 33	25 55	19 86	9 71	8 25						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft Physical Collocation - Welded Wire Cage - Add't 50 Sq. Ft			CLO	PE1CW	15 33			ļ <del></del>	- <del></del>						<del></del>
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	45 70									<del> </del>	
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 05	27 79	27 79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	-		CLO	PE1AA		7 79	7 79								
	Stolen Card, per Card  Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		22 78 13 10	22 78 13 10								
	Physical Collocation - Security Access - Hittal Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or						13 10	15 10								
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises			CLO CLO	PE1AL PE1SR		13 10 1,075 17	13 10 1,075 17								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX,												
	per cross-connect			UNCNX UEANL,UEA,UDN,U	PE1PE	0.08										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0 17										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,	PE1PG	1 20										

COLLOCAT	ON - Alabama										,	,		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs Electronic- Add'l	Charge -	Increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		,
			L				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,												
	per cross-connect		1	UDLSX	PE1PH	10 67					1		1			
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12 U1T48, UDLO3, UDL12, UDF		36 40										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, ÜËA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49 09										
<del>                                     </del>	Physical Collocation - Request Resend of CFA Information, per	<del> </del>	<b>†</b>						1							1
1	CLLI	L		cro	PE1C9		77 56				1					
	Nonrecurring Colfocation Cable Records - per request			CLO	PE1CR		759 29	488 11	133 00	133 00	1		-			
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		326 92	326 92	189 12	189 12						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4 81	4 81	5 90	5 90						Į.
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2 25	2 25	2 76	2 76	L					
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7 88	7 88	9 66	9 66						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		84 49	84 49	77 13	77 13						
-	Physical Collocation - Security Escort - Basic, per Half Hour	<u> </u>		CLO,CLORS	PE1BT		16 93	10 73								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22 05	13 86								
														1		
	Physical Collocation - Security Escort - Premium, per Half Hour	-		CLO,CLORS	PE1PT PE1BO		27 17 33 00	16 98			<u> </u>	-		-		<del> </del>
<u></u>	V to P Conversion, Per Customer Request-DS0	-		CLO	PE1B1		52 00				<del> </del>					
<u> </u>	V to P Conversion, Per Customer Request-DS1  V to P Conversion, Per Customer request-DS3		<del> </del>	CLO	PE1B3		52 00							1		
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23 00				1					
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23 00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured		T	CLO	PE1BS		33 00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 0011										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0016										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO _	PE1DT		584 22									
ADJACENT C				T	Ī			I					J	<u> </u>	L	

COLLOCAT	ION Alabama												Attach	ment: 4	Exhi	bit: B
	ION - Alabama	Inten		ncc.	USOC			RATES (\$)			Submitted Elec	Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (3)			per LSR	per LSR	Order vs Electronic- 1st	Order vs Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Drsc Add
			-			Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 14							<u> </u>			
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 41										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 02	12 30	11 80	6 03	5 44						ļ
			1	UEA,UHL,UDL,UCL,	li			44.07				<u> </u>				
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 04	12 39	11 87 15 93	6 39	5 73 5 79		<del> </del>				<del> </del>
	Adjacent Collocation - DS1 Cross-Connects		<b>_</b>	USL,CLOAC	PE1P1	1 03	22 03 20 89	15 93	7 38	5 92		<del></del>				
	Adjacent Collocation - DS3 Cross-Connects		-	CLOAC	PE1P3	13 95	20.89	15 20	7 38	5 92	<del> </del>			····		
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 36 4 52	25 55	19 86	971	8 25	<del>                                     </del>		+			
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC CLOAC	PE1F4 PE1JB	4 32	1,576 69	19 00	3/1	0 23			<del> </del>			
<u> </u>	Adjacent Collocation - Application Fee	-	<del> </del>	ULUAU	LE 130		1,570 69			<del> </del>			<del> </del>			<u> </u>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	Į.		CLOAC	PE1FB	4 91			l	1		l .				
	per AC Breaker Amp	<del> </del>		CLUAC	PEIFB	4 51					<del> </del>		-			
	Adjacent Collocation - 240V Single Phase Standby Power Rate per AC Breaker Amp	_	ļ	CLOAC	PE1FD	9 84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp		<u> </u>	CLOAC	PE1FE	14 74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate				55.50	04.00										
	per AC Breaker Amp		₩	CLOAC	PE1FG	34 06				<del> </del>				-	<del> </del>	
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE	<u> </u>	-		D5.54		207.70	307 70	168 22	168 22					<del> </del>	<del> </del>
ļ	Physical Collocation in the Remote Site - Application Fee	<del>                                     </del>	<del> </del> -	CLORS	PE1RA	204 42	307 70	307 70	100 22	100 22		<del> </del>			<del> </del>	1
	Cabinet Space in the Remote Site per Bay/ Rack	-		CLORS	PE1RB	201 42					<del> </del>		-		1	<del> </del>
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 10	13 10								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		115 87	115_87								
	Physical Collocation in the Remote Site - Remote Site CLLI	ł						07.50		i						
1	Code Request, per CLLI Code Requested	<u> </u>	<u> </u>	CLORS	PE1RE		37 56	37 56		ļ <u>-</u>	ļ	<del> </del>				+
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		-	CLORS	PE1RR	1	233 38					-	ļ		1	<del> </del>
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT	ļ										-			+	1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	1		CLORS	PE1RS	6 27						ļ. <u>.</u> _	-			
											ļ					
	Remote Site-Adjacent Collocation - Real Estate per square foot		<del>                                     </del>	CLORS	PE1RT	0 134	755 62	755 62				-		1		<del> </del>
	Remote Site-Adjacent Collocation-Application Fee		1	CLORS	PE1RU	1				<del> </del>	<b></b>	<del></del>			+	-
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essary	tor rem	ote site collocation,	the Parties v	viii negotiate ap	propriate rate	:5	<del> </del>			<del> </del>			·	<del> </del>
VIRTUAL CO		1	┼	AMTFS	EAF		1,205 26	1,205 26	0.51	0.51	+	15 66	<del>                                     </del>	1		
<u> </u>	Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost, per cable	-		AMTES	ESPCX		859 71	859 71	22 49		<del>†</del>	15 66				·
F		+	-	AMTES	ESPVX	3 22	00071	00511	22 .0							
	Virtual Collocation - Floor Space, per sq. ft Virtual Collocation - Power, per fused amp		<del> </del>	AMTES	ESPAX	7 83						1-			+	
	Virtual Collocation - Power, per fused amp  Virtual Collocation - Cable Support Structure, per entrance			AWITIS	120170	, 00				<del> </del>	1	+		ł		1
	cable			AMTFS UEANL.UEA.UDN.U	ESPSX	14 97					ļ <u> </u>					
				DC UAL,UHL,UCL,U EQ, AMTFS, UDL UNCVX, UNCDX,												
$\vdash$	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 03	12 30	11 80	6 03	5 44	-	15 66	<b> </b>			<del> </del>
				UEA,UHL,UCL,UDL, AMTES, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)		1	UNCVX, UNCDX	UEAC4	0.05	12 39	11_87	6 39	5 73		15 66		ļ		
				AMTES, UDL12, UDLO3, U1T48,												
	Virtual Collocation - 2-Fiber Cross Connects			U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2 84	20 89	15 20	7 38	5 92		15 66				

COLLOCAT	ION - Alabama										-	-		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$)	COMAN	
				AMTFS,UDL12,			First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5 69	25 55	19 86	9 71	8 25		15 66				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1 11	22 03	15 93	6 40	5 79		15 66				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, U.C, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3 U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14 16	20 89	15 20	7 38	5 92		15 66				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTES	VE1CB	0 0026										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure per linear ft			AMTES	VE1CD	0 0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTES	VE1CC		535 37					15 66				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		535 37			4		5 66				<b></b>
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,518 57	1,518 57	265 99	265 99	1	15 66			1	
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record		<u>.</u>	AMTES	VE1BB		653 83	653 83	378 24	378 24		15 66				
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTES	VE1BC		9 62	9 62	11 79	11 79		15 66				
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		4 50	4 50	5 52	5 52		5 66				ļ
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15 75	15 75	19 32	19 32	ļ	15 66			-	
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			l			400.07	168 97	154 25	154 25		15 66				1
	records		-	AMTES AMTES	VE1BF SPTBX		168 97 16 93	108 97	154 25	154 25	-	15 66			<del> </del>	<del> </del>
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTOX		22 05	13 86				15 66			<del> </del>	
	Virtual collocation - Security Escort - Overtime, per half hour	<b></b>	-	AMTES	SPTPX		27 17	16 98				15 66		-		
	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		27 93	10 73				15 66				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		36 47	13 86				15 66				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45 02	16 98				15 66				
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 03	12 30	11 80	6 03	5 44		15 66				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 05	12 39	11 87	6 39	5 44		15 66			1	

COLLOGAI	ION - Florida												Attach	ment 4	Exh	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	всѕ	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge -	Increment Charge -
					<u> </u>	Rec	Nonre			g Disconnect	ļ	· · · · · · · · · · · · · · · · · · ·		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I LOCATION			_	-									<del> </del>		ļ
THIOTORE GO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				+				-		-				ļ	<del> </del>
	Wire Analog - Res		i I	UEP\$R	PE1R2	0 0276	8 22	7 22				11 90				1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			-									-		1	-
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0276	8 22	7 22				11 90			1	l
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		Ī								1					
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0276	8 22	7 22		l		11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-									-	1					
	Wire Analog - Bus		ļ	UEPSB	PE1R2	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN		L	UEPSX	PE1R2	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-												1			
	Wire ISDN		ļi	UEPTX	PE1R2	0 0276	8 22	7 22			ļ	11 90				
1	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0 0552	0.40	7.00				.4.00				
PHYSICAL CO				UEPEX	PE IN4	0 0552	8 42	7 36			<del> </del>	11 90		-	<del> </del>	
PHISICAL CO	Physical Collocation - Application Fee - Initial	<del> </del>		CLO	PE1BA		2,597 00								<del> </del>	
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236 00							1	<del> </del>	
	Physical Collocation Administrative Only - Application Fee	<u> </u>		CLO	PE1BL		742 00			<del> </del>	-					
	Physical Collocation - Space Preparation - Firm Order	<u> </u>		OLO	T E TOE				<del> </del>					<del>                                     </del>		
	Processing			cro	PE1SJ		288 93			ŀ						
	Physical Collocation - Space Preparation - C.O. Modification per			525	1 2 100		200 00									
	square ft			cro	PE1SK	2 38								l		
	Physical Collocation - Space Preparation - Common Systems				1											
	Modification per Cage			CLO	PE1SM	92 55								•		
	Physical Collocation - Cable Installation per Cable			CLO	PE1BD		1,750 00		45 16							
	Physical Collocation - Floor Space per Sq. Ft			CLO	PE1PJ	7 86										
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	18 96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7 80										
	Physical Collocation - Power Reduction, Application Fee	1		CLO	PE1PR		399 43				L					
		1				1							f			
	Physical Collocation - 120V, Single Phase Standby Power Rate	l		CLO	PE1FB	5 38										
			!						+						l	ŀ
	Physical Colfocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10 77					ļ					
	Rh and College to A201/ There Observe Constituting Device Bate		i I	CLO	PE1FE	16 15										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PEIFE	10 15		····	<del> </del>	-			-	<del> </del>		
	Physical Collocation - 277V, Three Phase Standby Power Rate			cro	PE1FG	37 30										
<del> </del>	Physical Collocation - 2777, Three Phase Standby Power Rate			CEO	FEIFG.	37 30								ļ		<del> </del>
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0276	8 22	7 22	5 74	4 58						·
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,		·										
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0 0552	8 42	7 36	5 90	4 66						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	1 32	27 77	15 52	5 93	4 77						l

COLLOCAT	ION - Florida	,	,								·			ment. 4		ıbıt: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
			ļ			Rec		curring		Disconnect	201150	201111		Rates (\$)		
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	16 81	First 25 48	<b>Add'l</b> 14 05	First 7 77	Add'l 5 01	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3 34	41 94	30 52	13 91	11 16						<u> </u>
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F4	5 92	51 30	39 87	18 29	15.54						
	Physical Collocation - 4-Fiber Cross-Connect		1	UDL12, UDF	PE 1BW	189 45	5130	39 67	18 29	15 54						+
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft			CLO	PE1CW	18 58						-		<b> </b>		
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			CLO	PE1AY	0 0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 0577	55 80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15 65									
i	Stolen Card, per Card	1		CLO	PE1AR	1 1	45 75									
	Physical Collocation - Security Access - Initial Key, per Key		T	Cro	PE1AK		26 30					-				
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			cro	PE1AL		26 30									
	Physical Collocation - Space Availability Report per premises				PE1SR		2,159 00				<b>.</b>					<u> </u>
	POT Bay Arrangements prior to 6/1/99 • 2-Wire Cross-Connect, per cross-connect	ı		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0 00										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	ı			PE1PF	0 00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	1		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0 00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect	_		UEANL.UEA,UDN,U DC.UAL.UHL.UCL.U EQ.CLO.UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	0.00										

COLLOGAI	ION - Florida	Γ			1	1					Sup Cod	B 0 : 1		ment 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sy Order vs Electronic Disc Add
			-			Rec	Nonrec		Nonrecurring					Rates (\$)	r	
			<del> </del>	UEANL,UEA UDN,U			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect	ı		DC.UAL,UHL,UCL,U EQ.CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0 00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect	ı		ÜËANL.UEA,UDN,U DC UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	0 00										
	Physical Collocation - Request Resend of CFA Information, per															·
	CTT1	1	1	CLO	PE1C9	<u> </u>	77 54					L				
	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	<u> </u>	<del> </del>	Cro	PE1CR		1,525 00	980 22	267 08		<del> </del>	ļ				
	cable record  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		656 50	656 50	379 78							
	each 100 pair			CLO	PE1CO	1	9 66	9 66	11 84	11 84						
	Nonrecurring Collocation Cable Records - DS1, per T1T!E				PE1C1		4 52	4 52		5 54						
	Nonrecurring Collocation Cable Records - DS3, per T3T/E			CLO	PE1C3		15 82	15 82		19 40						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169 67	169 67	154 89	154 89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			cro	PE1BQ		10 89									
	Physical Collocation - Security Escort - Overtime, Per Quarter Hour			CLO	PE10Q		13 64									
	Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PE1PQ	1 1	16 40									
<del> </del>	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33 99	21 54			·					
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44 27	27 82								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT	1	54 55	34 10	1							
	V to P Conversion, Per Customer Request-Voice Grade	<del></del>	+		PE1BV	<del>  </del>	33 00	34 10								
-	V to P Conversion, Per Customer Request-DS0	i i		CLO	PE1BO		33 00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52 00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	. !		CLO	PE1BR		23 00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured	J.		CLO	PE18P		23 00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	ı		CLO	PE1BS		33 00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	ı		CLO	PE1BE		37 00				ļ					
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof	. 1 _	ļ	CLO	PE1B7		592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin ft			CLO, UE3 USL	PE1DS	0 0014										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		584 11									
ADJACENT CO				020	1.2.01		007 11					<u> </u>				
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft				PE1JC	5 11						<u> </u>				
	Adjacent Collocation - 2-Wire Cross-Connects		l	CLOAC	PE1P2	0 0213	24 69	23 69	11 77	10 62		L	L			<u> </u>

OOLLOOA	ION - Florida		,							· ·				ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
			<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	l.,,			UEA,UHL,UDL,UCL.	l											
	Adjacent Collocation - 4-Wire Cross-Connects		-	CLOAC	PE1P4	0 0426	24 88	23 83	12 04	10 80						
	Adjacent Collocation - DS1 Cross-Connects	1		USL,CLOAC	PE1P1	1 22	44 24	31 98	12 07	10 91			_	<u></u>		
	Adjacent Collocation - OS3 Cross-Connects	1	1	CLOAC	PE1P3	16 56	41 94	30 52		11 15						
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	ļ	ļ	CLOAC	PE1F2 PE1F4	2 81	41 94	30 52	13 91	11 16						
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC CLOAC	PE1F4 PE1JB	5 36	51 30	39 87	18 29	15 54						
<del></del>		1		CLUAC	PETJB		2,785 00									
Į.	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	1		01.040	55455											
		!	-	CLOAC	PE1FB	5 38										
1	Adjacent Collocation - 240V, Single Phase Standby Power Rate	ļ	i	01.040	DE4ED	40.77										
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate	<del> </del>		CLOAC	PE1FD	10 77					<u> </u>					
ŀ	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp		1	CLOAC	ne4ee	16 15	I									1
			<u> </u>	CLOAC	PE1FE	16 15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		ł	CLOAC	leesee 1	27.00	!									
	per AC Breaker Amp			CLOAC	PE1FG	37 30									L	
	Adjacent Collocation - Cable Support Structure per Entrance	١.		01.040	DE4DM	40.00			l							
	Cable		ļ	CLOAC	PE1PM	18 96										<u> </u>
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			CLORS	PE1RA		617 91		328 81							
	Physical Collocation in the Remote Site - Application Fee					240.40	617.91		328 81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219 49										
1				01.000	PE1RD	1	00.00									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PETRD		26 30									
į.	Physical Collocation in the Remote Site - Space Availability		]	CLORS	PE1SR	i	232 69									!
_	Report per Premises Requested		ļ. —	CLORS	PEISK		232 69									
	Physical Collocation in the Remote Site - Remote Site CLLI			01.000	PE1RE	İ	~~									
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75 41									
DI WOLD II. O	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIRR		233 51									
PHYSICAL CO	DELOCATION IN THE REMOTE SITE - ADJACENT				1											
	B			CLORS	PE1RS	6 27										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		-	CLORS	PEIRS	621									·	
	B . 6. 41 . 6.0			01.000	DE4DT	0.404						1				
	Remote Site-Adjacent Collocation - Real Estate, per square foot		ļ	CLORS	PE1RT	0 134	755.00	755 62								
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755 62						··-			
	If Security Escort and/or Add'l Engineering Fees become nec	essary i	or rem	ote site collocation,	the Parties w	viii negotiate ap	opropriate rates	5								
VIRTUAL COL	Virtual Collocation - Application Fee/Planning Fee Initial	<del> </del>	-													
	Request	İ	1	AMTES	EAF		4,122 00					11 90				
	Virtual Collocation - Application Fee/Planning Fee Additional	-		MINITS	CAF		4,122 00					11 50				
	Entrance Cable Request			AMTES	FAF		1,249 00					11 90				
	Virtua! Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	12 45	965 00					11 90				
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft	-		AMTES	ESPVX	4 25	303.00					11 30				
				AMTES	ESPAX	6 95										
	Virtual Collocation - Power, per fused amp  Virtual Collocation - Cable Support Structure, per entrance			AWIIFS	ESPA	0 93										
	cable			AMTES	ESPSX	13 35										
	cable			UEANL,UEA,UDN,U	ESPSA	13 33										
				DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 0502	11 57	11 57				11 90				
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	urao:	0.0505		44 53				14.00				
	Virtual Collocation - 4-wire Cross Connects (loop)				UEAC4	0 0502	11 57	11 57				11 90				
				AMTFS, UDL12 UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	aues-		0.454.54					14.00				
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	6 71	2,431 00		L			11 90				

COLLOCA	ATION - Florida						-						Attach	ment 4	Exhi	bit. B
CATEGORY		Inten m	Zone	Zone BCS	USOC			RATES (\$)			Submitted Elec per LSR		Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs	Order vs.	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	0.0015	0.7		Aud I	rust	Adu I	SOMEC	11 90	SUMAIN	JUMAN	JUNIAN	SUMAN
	Virtual Collocation - 4-Fiber Cross Connects  Virtual collocation - Special Access & UNE, cross-connect per IDS1			ULD48, UDF USL, ULC, AMTFS ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC4F CNC1X	6 71 7 50	2 431 00	14 00				11 90				
	Virtual collocation - Special Access & UNE cross-connect per OS3			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56 25	151 90	11 83				11 90				
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per linear foot	1		AMTES,CLO	VE1CB	0 0028	i									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTES, CLO	VE1CD	0 0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				VE1CC		535 54				-	11 90				1
	Support Structure,per cable  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per cable			AMTES AMTES	VE1CE		535 54					11 90				
	Virtual Collocation Cable Records - per request			AMTFŠ	VE1BA		1,525 00	1,525 00	267 08	267 08						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB		656 50	656 50	379 78	379 78			_			
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTES_	VE1BC		9 66	9 66	11 84	11 84				ļ		
	Virtual Collocation Cable Records - DS1, per T1TIE	ļ. —	-	AMTES AMTES	VE1BD VE1BE	1	4 52 15 82	4 52 15 82	5 54 19 40	5 54 19 40	-	ļ	ļ			
	Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records	-		AMTES	VE1BE		169 67	169 67	154 89	154 89						
<del></del>	Virtual collocation - Security Escort - Basic, per quarter hour	·	<del>                                     </del>	AMTES	SPTBQ		10 89					11 90				
	Virtual collocation - Security Escort - Overtime, per quarter hour		_	AMTFS	SPTOQ		13 64					11 90	-			
]	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16 40					11 90		L .	L	
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts			AMTFS	VE1R2	0 05	11 57					1 90				ļ
	Virtual Collocation - 4-wire Cross Connects (loop), per ckts		ļ	AMTFS	VE1R4	0 05 8 09	11 57 69 64					11 90				-
	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS Virtual Collocation - DS-1 DSX Cross Connects, PER CKTS	<del> </del>	-	AMTFS AMTFS	VE11S VE11X	0 41	69 64					11 90				
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT	+		AMTFS	VE13S	59 67	528 00	-				11 90				
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT		-	AMTFS	VE13X	10 06	528 00					11 90				
$\vdash$	Virtual collocation - Maintenance in CO - Basic, per quarter hour Virtual collocation - Maintenance in CO - Overtime, per quarter	-		AMTES	SPTRE		10 89					11 90				
	Nour Virtual collocation - Maintenance in CO - Premium per quarter hour		-	AMTFS AMTFS	SPTOE		13 64 16 40					11 90				
VIRTUAL C	OLLOCATION Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	ļ	-	UEPSR	VE1R2	0 0502	11 57	11 57			-	11 90				1
-	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	-	-	UEPSP	VE1R2	0 0502	11 57	11 57 11 57				11 90	_			
	Voice Grade PBX Trunk - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Analog Bus		+	UEPSE	VE1R2	0 0502 0 0502	11 57	11 57			<u> </u>	11 90		1		

COLLOCATI	ON - Florida												Attach	ment. 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Charge - Manual Svc	Charge -	Charge - Manual Svc Order vs	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		L			Rates (\$)	·	L
						1100	Fırşt	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0502	11 57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 0502	11 57	11 57				11 90				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISON DS1			UEPEX	VE1R4	0 0502	11 57	11 57				11 90				
Note I	Rates displaying an "R" in Interim column are interim and sub	ect to	rate tru	e-up as set forth in	General Term	is and Conditio	ns									

COLLOCAT	ION - Georgia	г	1		,								ment 4		ıbit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Manually	Manual Svo	Charge - c Manual Svc Order vs.	Charge - Manual Svc Order vs	Charge - Manual Sy Order vs
						Rec	Nonrec First	urring Add'i	Nonrecurring Disconnec		SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
PHYSICAL CO	I LOCATION		1						ļ <u>.</u>						
FHI SICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		-												
	Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE1R2	0 30	12 60	12 60				18 94	8 42		
	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0 30	12 60	12 60				18 94	8 42		
	Wire Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	PE1R2	0 30	12 60	12 60				18 94	8 42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0 30	12 60	12 60				18 94	8 42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0 30	12 60	12 60				18 94	8 42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISON			UEPTX	PE1R2	0 30	12 60	12 60			-	18 94	8 42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0 50	12 60	12 60				18 94	8 42		
PHYSICAL CO							.2.50	.2 50			-	10.34	0.42		<del></del>
	Physical Collocation - Application Fee - Initial				PE1BA		3,850 00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130 00	3,130 00				·	-		
	Physical Collocation Administrative Only - Application Fee				PE1BL		740 83					-			<u> </u>
	Physical Collocation - Space Preparation Fee Per Square Ft			CLO	PE1SS		100 00	100 00							
	Physical Collocation - Space Preparation - Firm Order Processing	ı		CLO	PE1SJ		1,187 00								
	Physical Collocation - Space Preparation - C O Modification per square ft	1		CLO	PE1SK	2 02									
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	1		CLO	PE1SL	2 80	·								
	Physical Collocation - Space Preparation - Common Systems Modification per Cage				PE1SM	95 23									
	Physical Collocation - Cable Installation				PE1BD	50 20	2,750 00	2,750 00	<del>                                     </del>		<del> </del>				
	Physical Collocation - Floor Space per Sq. Ft				PE1PJ	7 50		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>			·			
	Physical Collocation - Floor Space - Zone B per Sq. Ft			CLO	PE1PK	6 75				1				-	
	Physical Collocation - Cable Support Structure, Per Enfrance Cable			CLO	PE1PM	13 35									
	Physical Collocation - Power -48V DC Power, per Fused Amp	- 1			PE1PL	8 06				1					· · · · · ·
	Physical Collocation - Power Reduction, Application Fee	Ť			PE1PR		398 80								
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5 52									<u> </u>
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11 05									
	Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	16 58									<u> </u>
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	38 27									
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 30	12 60	12 60							
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0 50	12 60	12 60							
	Physical Collocation - DS1 Cross-Connects			CLO, UEANL, UEQ, W DS1L, WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	8 00	155 00	27 00							

COLLOCAT	ION - Georgia								•••				Attach	ment: 4	Exhi	ıbıt: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'i		Disconnect	BOMES	2011411		Rates (\$)		1
<b></b>			<del> </del>	CLO, UE3,U1TD3.			FIRST	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	72 00	155 00	27 00								
	Physical Collocation - DS3 Cross-Connects	-	-	CLO, ULDO3,	PE IP3	72 00	155 00	27 00	1				·			-
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF CLO, ULDO3,	PE1F2	2 86	52 14	38 72								
	Physical Collocation - 4-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5 08	64 74	51 31								
I	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	161 27										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft		<u> </u>	CLO	PE1CW	15 82										ļ
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			cro	PE1AY	0 0172										
	Physical Collocation - Security Access System - New Access Card Activation, per Card Physical Collocation - Security Access System - New Access			CLO	PE1A1	0 0607	46 20	46 20								ļ. <u></u>
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			СГО	PE1A4		8 72	8 72						!		
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System-Replace Lost or			cro	PE1AA		15 40	15 40								
	Stolen Card, per Card	1		CLO	PE1AR		45 02	45 02	1							i
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26 16	26 16								
	Physical Collocation - Security Access - Key, Replace Lost or	T														
	Stolen Key per Key	<u> </u>		CLO	PE1AL		26 16	26 16								
	Physical Collocation - Space Availability Report per premises		1	CLO	PE1SR		2,148 00	2,148 00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL.UEA,UDN,U DC.UAL.UHL.UCL,U EQ.CLO,UDL, UNCVX UNCDX, UNCNX	PE1PE	0 40							:			
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect				PE1PF	1 20				,						
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect				PE 1PG	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8 00										

COLLOCAT	ION - Georgia									-			Attach	ment: 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Incremental Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
			1			1	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	38 79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52 31										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI			CLO	PE1C9		77 42								<u> </u>	
	Nonrecurring Collocation Cable Records - per request		_	CLO	PE1CR		1,706 00									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			cro	PE1CD		922 38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CO		40.00	40.00			l			1		
-	each 100 pair  Nonrecurring Collocation Cable Records - DS1, per T1TIE		-	CLO	PE1C0		18 00 8 43	18 00 8 43								
	Nonrecurring Collocation Cable Records - DS1, per 111E  Nonrecurring Collocation Cable Records - DS3, per 131E	_	-	CLO	PE1C1		29 49	29 49			<del> </del>					
$\vdash$	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	1 1 103		25.45	23 43		<del> </del>	<del> </del>				-	
}	fiber records			CLO	PE1CB		278 61	278 61			İ					
<u> </u>	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE18T		41 00	25 00			<del> </del>					<u> </u>
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO CLORS	PE1OT		48 00	30 00								
			1													
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55 00	35 00								
	V to P Conversion, Per Customer Request-Voice Grade		_	CLO	PE1BV	ļ	33 00				ļ					
	V to P Conversion, Per Customer Request-DS1	ļ		CLO	PE1B1	1	52 00								ļ	
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	ļ	52 00									-
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23 00				İ					
	V to P Conversion, Per Customer Request per DS0 Circuit		1	CLO	PEIBR		23 00		<del></del>							
	Reconfigured			CLO	PE1BP		23 00								ļ	
<del></del>	V to P Conversion, Per Customer Request per DS1 Circuit			0.0		<del>    -   -   -   -   -   -   -  </del>	20 00				<del></del>					
}	Reconfigured			CLO	PE1BS		33 00				ĺ					
	V to P Conversion, Per Customer Request per DS3 Circuit	i														
	Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700									1	İ				ļ	
	prs or fraction thereof			CLO	PE1B7		592 00		-		<del> </del>				-	-
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO.UDF	PE1ES	0 001				1					-	
ļ	Support Structure, per cable, per linear ft  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	FEIES	- 0001				<del>                                     </del>	<del> </del>		-		<del> </del>	
	Cable Support Structure, per cable, per lin_ft			CLO, UE3, USL	PE1DS	0 0015									<u></u>	
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		583 18			[						
ADJACENT C			<del>                                     </del>	CLO	I LIDI	<del> </del>	000 10			-						
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft		+ -	CLOAC	PE1JA	0 2542					1					
<b>—</b>	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 44										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 598	24 95	23 97	11 80	10 67						
				UEA,UHL,UDL,UCL,												
LI	Adjacent Collocation - 4-Wire Cross-Connects		<u> </u>	CLOAC	PE1P4	0 1196	25 14	24 11	12 15	10 93						<b>_</b>
	Adjacent Collocation - DS1 Cross-Connects				PE1P1	1 04	44 19	32 13	11 93	10 81						<u> </u>
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14 12	41 93	30 69	13 71	11 04					<del> </del>	<del></del>
L	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 39	41 93	30 69	13 71	11 05						
1 1	Adjacent Collocation - 4-Fiber Cross-Connect	L		CLOAC	PE1F4	4 57	51 14	39 90	17 96	15 29	<u> </u>			L		

COLLOCAT	ION - Georgia													ment. 4	<del></del>	bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	Zone BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs	Incremental Charge - C Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				01.01.0	554.15		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Application Fee		+	CLOAC	PE1JB	-	1,555 00		1				<del></del>	<del></del>	<del> </del>	-
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 39										1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		+	CLOAG	FLIID	3 35			<del> </del>			<del> </del>				
	per AC Breaker Amp		1	CLOAC	PE1FD	10 79							1			
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
l l	per AC Breaker Amp			CLOAC	PE1FE	16 18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38 27			ļ							
	Adjacent Collocation - 240V, Three Phase Standby Power Rate			01.040	PEIJD	37 37										
DUVEICAL CC	per AC Breaker Amp  DLLOCATION IN THE REMOTE SITE		+	CLOAC	PEIJD	3/ 3/							-			
PHYSICAL CO	Physical Collocation in the Remote Site - Application Fee		+	CLORS	PE1RA		608 18	608 17	323 63	323 63	<del></del>					
	Cabinet Space in the Remote Site per Bay/ Rack	<del></del>	+	CLORS	PE1RB	224 82	- 000 10	Ç00 17	020 00	020 00					l	
-+	Separation of the formation of the port of the formation	<u> </u>	+	+ <u>-</u>											1	†
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25 88	. 25 88	1							l
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		229 02	229 02								ļ
	Physical Collocation in the Remote Site - Remote Site CLLI		1						}							ļ.
	Code Request, per CLLI Code Requested		1	CLORS	PE1RE		74 22	74 22						ļ	ļ	<b></b>
	Remote Site DLEC Data (BRSDD) per Compact Disk, per CO			CLORS	PE1RR		232 88									
PHYSICAL CC	DLLOCATION IN THE REMOTE SITE - ADJACENT	<u> </u>	1								ļ			ļ	ļ	
		ŀ	ł		ł											ľ
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		-	CLORS	PE1RS	6 27										
				01.000	PE1RT	0 134	ļ		1							l l
	Remote Site-Adjacent Collocation - Real Estate, per square foot	-	+	CLORS	PE1RU	U 134	755 62	755 62	<del> </del>			<del> </del>	-			
WOTE	Remote Site-Adjacent Collocation-Application Fee  If Security Escort and/or Add'l Engineering Fees become nec	0000000	for ron			uilt negotiate ar						<del>                                     </del>	-			
VIRTUAL COL		essary	107 Tell	Tote site conocation,	the Faitles v	The Hegotiate ap	propriate rate	•			<del></del>					
TIKTUAL COL	Virtual Collocation - Application Fee		<del> </del>	AMTES	EAF		2,848 30	2,848 30				<u> </u>	19 99	19 99		l
	Virtual Collocation - Cable Installation Cost, per cable	t	-	AMTES	ESPCX	<u> </u>	2,750 00	2,750 00					19 99	19 99		
	Virtual Collocation - Floor Space, per sq. ft	<u> </u>		AMTES	ESPVX	3 20		-				-				
	Virtual Collocation - Power, per fused amp	i		AMTFS	ESPAX	3 48										
	Virtual Collocation - Cable Support Structure, per entrance	•														
	cable	1		AMTFS	ESPSX	13 35					1	i				
				UEANL, UEA, UDN, U							ł					
ĺ		1		DC.UAL,UHL,UCL,U								]	i			
İ				EQ. AMTFS, UDL,									j			
				UNCVX, UNCDX,									40.00	40.00	40.00	40.00
	Virtual Collocation - 2-wire Cross Connects (loop)		_	UNCNX	UEAC2	0 0283	24 56	23 56	9 20	8 30			19 99	19 99	19 99	19 99
ł				LIEALUN LICITION							ĺ					
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	ŀ											
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0566	24 75	23 70	9 03	8 10			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (100p)	<del> </del>	-	AMTFS.UDL12,	OLAC4	0 0300	2479	23 70	3 03	0.10			1.000	10.00	1000	10.00
		1		UDLO3, U1T48.	1				į						1	
		1			1	1										
						3 .										
			:	U1T12, U1T03,								1	1			
	Virtual Collocation - 2-Fiber Cross Connects				CNC2F	2 88	41 72	30 36	10 43	8 36			2 20	2 20		
	Virtual Collocation - 2-Fiber Cross Connects		-	U1T12, U1T03, ULDO3, ULD12,	CNC2F	2.88	41 72	30 36	10 43	8 36			2 20	2 20		
	Virtual Collocation - 2-Fiber Cross Connects			U1T12, U1T03, ULDO3, ULD12, ULD48, UDF AMTFS,UDL12, UDLO3, U1T48,	CNC2F	2 88	41 72	30 36	10 43	8 36			2 20	2 20		
	Virtual Collocation - 2-Fiber Cross Connects			U1T12, U1T03, ULDO3, ULD12, ULD48, UDF AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03,	CNC2F	2 88	41 72	30 36	10 43	8 36			2 20	2 20		
				U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS, UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12.				<u> </u>								
	Virtual Collocation - 2-Fiber Cross Connects  Virtual Collocation - 4-Fiber Cross Connects			U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS,UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CNC2F CNC4F	2 88 5 76	41 72 51 03	30 36 39 67	10 43	8 36 11 65			2 20			
				U1712, U1703, ULD03, ULD12, ULD48, UDF AMTFS, UDL12, UDL03, U1748, U1712, U1703, ULD03, ULD12, ULD48, UDF USL, ULC, AMTFS,				<u> </u>								
				U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS,UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF USL,ULC,AMTFS, ULR, UXTD1,				<u> </u>								
				U1712, U1703, ULD03, ULD12, ULD48, UDF AMTFS, UDL12, UDL03, U1748, U1712, U1703, ULD03, ULD12, ULD48, UDF USL, ULC, AMTFS,				<u> </u>								

DS3 Virtual Cc; Support S Virtual Cc Cable Su Virtual Cc Support S Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Virtual Cc Frecord Virtual Cc 100 par Virtual Cc		Interi	USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNCSX, ULCD3, U1TS1, ULDS1, UDLSX, UNLD3 AMTFS AMTFS AMTFS AMTFS	USOC  CND3X  VE1CB  VE1CD  VE1CC	Fec 56 25 0 0023 0 0034	Nonrec First 151 90	RATES (\$) urring Add'1  11 83	Nonrecurring Disco First Ad	Submitter Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
DS3 Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Support S Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Virtual Cc Virtual Cc 100 par Virtual Cc	Collocation - Co-Carrier Cross Connects - Fiber Cable Structure, per linear fool Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per linear ft Collocation - Co-Carner Cross Connects - Fiber Cable Structure, per cable Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each		E3, U1TD3, UXTS1, UXTD3, UNC3X, ULDD3, U1TS1, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3  AMTFS  AMTFS  AMTFS	VE1CB VE1CD	56 25 0 0023	First	Add'I			SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
DS3 Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Cable Su Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc	Collocation - Co-Carrier Cross Connects - Fiber Cable Structure, per linear fool Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per linear ft Collocation - Co-Carner Cross Connects - Fiber Cable Structure, per cable Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each		E3, U1TD3, UXTS1, UXTD3, UNC3X, ULDD3, U1TS1, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3  AMTFS  AMTFS  AMTFS	VE1CB VE1CD	56 25 0 0023			First A	d'I SOMEC	SOMAN			SOMAN	SOMAN
DS3 Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Support S Virtual Cc Support S Virtual Cc Cable Su Virtual Cc	Collocation - Co-Carrier Cross Connects - Fiber Cable Structure, per linear fool Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per linear ft Collocation - Co-Carner Cross Connects - Fiber Cable Structure, per cable Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each		E3, U1TD3, UXTS1, UXTD3, UNC3X, ULDD3, U1TS1, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3  AMTFS  AMTFS  AMTFS	VE1CB VE1CD	0 0023	151 90	11 83				19 99	19 99		
Virtual Co Support S Virtual Co Cable Su Virtual Co Support S Virtual Co Cable Su Virtual Co record Virtual Co 100 pair Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co	Structure, per linear fool Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per linear ft Collocation - Co-Carner Cross Connects - Fiber Cable Structure,per cable Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DSO Cable, per cable Collocation Cable Records - VG/DSO Cable, per cable Collocation Cable Records - VG/DSO Cable, per each		AMTES  AMTES  AMTES	VE1CB VE1CD	0 0023						27.77			
Virtual Cc Cable Su Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Virtual Cc Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc	collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per linear ft collocation - Co-Carner Cross Connects - Fiber Cable Structure, per cable collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable collocation Cable Records - per request collocation Cable Records - VG/DS0 Cable, per cable collocation Cable Records - VG/DS0 Cable, per each		AMTES AMTES	VÉ1CD						l .				
Cable Su Virtual Cc Support S Virtual Cc Cable Su Virtual Cc Virtual Cc record Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc	upport Structure, per linear ft Collocation - Co-Carner Cross Connects - Fiber Cable Structure, per cable Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each		AMTFS AMTFS		0 0034		ļ							
Virtual Co Support S Virtual Co Cable Su Virtual Co record Virtual Co 100 pair Virtual Co Virtual Co Virtual Co records Virtual Co records Virtual co Virtual co Virtual co Virtual co Virtual co Virtual co	collocation - Co-Carner Cross Connects - Fiber Cable Structure, per cable Structure, per cable Collocation - Co-Carner Cross Connects - Copper/Coax upport Structure, per cable collocation Cable Records - per request collocation Cable Records - VG/DS0 Cable, per cable collocation Cable Records - VG/DS0 Cable, per each		AMTFS AMTFS		0.0034		i	1						l
Support S Virtual Cc Cable Su Virtual Cc Virtual Cc record Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc	Structure.per cable Collocation - Co-Carrier Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each		 AMTFS	VE1CC						+	<del>                                     </del>			
Virtual Co Cable Su Virtual Co record Virtual Co 100 pair Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co Virtual Co	collocation - Co-Carrier Cross Connects - Copper/Coax upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each		 AMTFS			553 43					19 99			ļ
Cable Su Virtual Cc Virtual Cc record Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc Virtual Cc	upport Structure, per cable Collocation Cable Records - per request Collocation Cable Records - VG/DS0 Cable, per cable Collocation Cable Records - VG/DS0 Cable, per each									1				
Virtual Cc Virtual Cc record Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc records Virtual Cc Virtual Cc	collocation Cable Records - per request collocation Cable Records - VG/DS0 Cable, per cable collocation Cable Records - VG/DS0 Cable, per each			VE1CE		553 43					19 99			
Virtual Correcord Virtual Correcord Virtual Correcord Virtual Correcords Virtual Correcords Virtual correcords Virtual correcords Virtual correcords Virtual correcords	Collocation Cable Records - VG/DS0 Cable, per cable		 AMTFS	VE1BA		1,706 00	1,706 00			<del></del>				
record Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc records Virtual co Virtual co Virtual co Virtual co Virtual co Virtual co	Collocation Cable Records - VG/DS0 Cable, per each													
Virtual Cc 100 pair Virtual Cc Virtual Cc Virtual Cc records Virtual co Virtual co Virtual co	·	1	AMTES	VE1BB		922 38	922 38		ŀ					
100 pair Virtual Co Virtual Co Virtual Co records Virtual co Virtual co Virtual co Virtual co Virtual co	·		,				02.00			-				
Virtual Co Virtual Co Virtual Co records Virtual co Virtual co Virtual co			AMTES	VE1BC		18 00	18 00					ŀ		
Virtual Co Virtual Co records Virtual co Virtual co Virtual co	Collocation Cable Records - DS1, per T1TIE		AMTES	VE1BD		8 43	8 43							
Virtual Co records Virtual co Virtual co Virtual co	Collocation Cable Records - DS3, per T3TIE		AMTFS	VE1BE		29 49	29 49							
records Virtual co Virtual co Virtual co Virtual co	Collocation Cable Records - Fiber Cable, per 99 fiber		 , will O	100,00		10 40	25.0							
Virtual co Virtual co Virtual co			AMTES	VE1BF		278 61	278 61		ĺ					
Virtual co	ollocation - Security Escort - Basic, per half hour	+ +	AMTES	SPTBX		41 00	25 00				19 99	19 99		
Virtual co	collocation - Security Escort - Overtime, per half hour	1 1	AMTES	SPTOX		48 00	30 00	-			19 99	19 99		
	follocation - Security Escort - Premium, per half hour	1	AMTES	SPTPX		55 00	35 00				19 99	19 99		
Virtua: CO	collocation - Maintenance in CO - Basic, per half hour		AMTES	CTRLX		30 64	30 64				19 99	19 99		
	onocation - Maintenance in CO - Basic, per main 1007		Tune C	O I I I		000.				+		1		
Virtual co	ollocation - Maintenance in CO - Overtime, per half hour		AMTFS	SPTOM		35 77	35 77			ļ <u>.</u>	19 99	19 99		
Virtual co	collocation - Maintenance in CO - Premium per half hour		AMTES	SPTPM		40 90	40 90				19 99	19 99		
IRTUAL COLLOCATION	ON .													
Virtual Co	Collocation - 2-wire Cross Connect, Exchange Port 2-													
Wire Anal	alog - Res		UEPSR	VE1R2	0 30	12 60	12 60				18 94	8 42	L	
	Collocation 2-Wire Cross Connect, Exchange Port 2-			VIE 4 D.C	0.00	40.00	12 60				18 94	8 42		
	e Side PBX Trunk - Bus		 UEPSP	VE1R2	0 30	12 60	12 60			· · · · · · · · · · · · · · · · · · ·	10 94	6 42		<b></b>
	Collocation 2-Wire Cross Connect, Exchange Port 2-Wire rade PBX Trunk - Res		UEPSE	VE1R2	0 30	12 60	12 60				18 94	8 42		
	Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		LIEBOD	VE1R2	0.30	12 60	12 60				18 94	8 42		
Analog B	Bus Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	<del> </del>	UEPSB	VEIRZ	0.30	1∠ 60	12 00			+	10 94	0 42		
ISDN			UEPSX	VE1R2	0 30	12 60	12 60				18 94	8 42		
	Collocation 2-Wire Cross Connect, Exchange Port 2-Wire													i
ISDN			 UEPTX	VE1R2	0 30	12 60	12 <u>60</u>			+	18 94	8 42		-
Virtual Co	Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		UEPĘX	VE1R4	0 50	12 60	12 60			1	18 94	8 42		i

COLLOCATI	ON - Kentucky	_												ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'l
		1				Rec	Nonrec			Disconnect				Rates (\$)		
		ļ					First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COI	100471011	1														
PHYSICAL COI		ļ														
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res		1	UEPSR	BE 4 BO						ĺ					1
<del>-  </del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	UEPSK	PE1R2	0 0333	24 68	23 68	12 14	10 95	<del></del>	7 86				<u> </u>
ì	Wire Line Side PBX Trunk - Bus	-		UEPSP	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del></del> -	<del> </del>	OLF 3F	FLIRZ	0 0333	24 00	23 00	12 14	10 95		7 80				
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			00.02		- 0 0000	2+00	20 00	12.17	10.55		7 60				
	Wire Analog - Bus			UEPSB	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86		l		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			•					,_ ,,			, 55				-
	Wire ISDN	L		UEPSX	PE1R2	0 0333	24 68	23 68	12 14	10 95		7 86			1	I
	Physical Collocation 2-Wire Cross Connect Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0 0333	24 68	23 68	12 14	10 95	İ	7 86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	l														
	Wire ISDN DS1			UEPEX	PE1R4	1 48	44 23	31 98	12 81	11 57		7 86				
PHYSICAL CO			ļ													
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773 54	3,773 54								
	Physical Collocation - Application Fee - Subsequent		<u> </u>	CLO	PE1CA		3,145 35	3,145 35			ļ					
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742 12									ļ
	Physical Collocation - Space Preparation - Firm Order			0.0			4 000 07	4 000 07								1
	Processing		-	CLO	PE1SJ		1,206 07	1,206 07								<del></del>
	Physical Collocation - Space Preparation - C O Modification per	l	i	CLO	PE1SK	2 32										1
	square ft Physical Collocation - Space Preparation - Common Systems			CLO	FEION	2 32										<del></del>
	Modification per square ft - Cageless			CLO	PE1SL	3 26										1
	Physical Collocation - Space Preparation - Common Systems			OLO	1 1 101	320										<del> </del>
	Modification per Cage			CLO	PE1SM	110 57										ĺ
	Physical Collocation - Cable Installation	_		CLO	PÉ1BD	17007	1,729 11		45 16						-	
	Physical Collocation - Floor Space per Sq. Ft			CLO	PE1PJ	7 99	1,120									
	Physical Collocation - Cable Support Structure, Per Entrance		-													
į l	Cable			CLO	PE1PM	19 86										ł
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8 06										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399 50									
																1
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5 44										
			1 1													ł
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10 88										
		ļ				40.00				İ						1
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16 32										<del> </del>
1	D. C. H. C. H. C. C. C. C. C. C. C. C. C. C. C. C. C.		1 1	CLO	PE1FG	37 68	i	İ								1
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PETEG	3/ 00										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL UCL U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0333	24 68	23 68	12 14	10 95						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,						44						
	Physical Coflocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W D\$1L,WD\$1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,	PE1P4	0 0665	24 88	23 82	12 77	11 46						
	Physical Collocation - DS1 Cross-Connects				PE1P1	1 48	44 23	31 98	12 81	11 57	1	Ì				

COLLOCAT	ION - Kentucky												Attach	ment 4	Exhi	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Man⊪ally	Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Incrementa Charge -
				-	<del> </del>	Rec	Nonrec First	Add'l	Nonrecurring First		201150			Rates (\$)		
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXT\$1, UNC3X, UNC\$X ULDD3, U1T\$1,ULD\$1, UNLD3, UDL	PE1P3	18 89	41 93	30 51	14 75	Add'l	SOMEC	SOMAN	SOMÁN	SOMAN	SOMAN	SOMAN
				CLO, ULDO3, ULD12, ULD48, U1TO3 U1T12, U1T48, UDLO3,		10.09	4193	30 31	14 /5	11 83						
	Physical Collocation - 2-Fiber Cross-Connect	ļ		UDL12, UDF	PE1F2	3 75	41 93	30 51	14 76	11 84	1					1
	Physical Collocation - 4-Fiber Cross-Connect			CLO ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6 65	51 29	39 87	19 41	16 49						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft	<del> </del>	$\vdash$	CLO	PE1BW	184 97	31 28	39 67	19 41	16 49					<del>-</del>	<del></del>
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	<b></b>	1	CLO	PE1CW	18 14	-							<del></del>	<del></del>	t
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	76 10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 058	55 79	55 79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			cro	PE1AA		15 64	15 64						_		
(	Stolen Card, per Card			CLO	PETAR		45 74	45 74				1				í
	Physical Collocation - Security Access - Initial Key, per Key				PE1AK		26 29	26 29						-		
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26 29	26 29								
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL.UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0 113	2,158 67	2,158 67								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX UEANL, UEA, UDN, U	PE1PF	0 23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC.UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,	PE1PG	1 60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,	PE1PH	14 23										

COLLUCAT	ION - Kentucky										7			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge - Manual Svo Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		DOMEO	0011411	oss	Rates (\$)		
				UEANL,UEA,UDN,U			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect	1 .		DC UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48 57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	65 50										
	Physical Collocation - Request Resend of CFA Information, per										i.					
	CLLI	ļ		CLO	PE1C9		77 55									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,524 45	980 01	267 02							
	Nonrecurring Coflocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656 37	656 37	379 70							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CO		9 65	9 65	11 84	11 84				Ì		
	each 100 pair  Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C0		4 52	4 52	11 84 5 54	11 84 5 54						ļ
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15 81	15 81	19 39	19 39		-				
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			OLU	1 2 105		1001	10 01	10 00	10 00						+
	fiber records			CLO	PE1CB		169 63	169 63	154 85	154 85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33 98	21 53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO.CLORS_	PE1OT		44 26	27 81								
	S	l		CLO,CLORS	PE1PT	1	54 54	34 09	-							1
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade	-		CLO,CLORS	PE1BV		33 00	34 09								ļ
	V to P Conversion, Per Customer Request-Voice Grade	<u> </u>		CLO	PE1BO	1	33 00									-
	V to P Conversion, Per Customer Request-DS0	l	1	CLO	PE1B1		52 00									<del>                                     </del>
-	V to P Conversion Per Customer request-DS3			CLO	PE1B3		52 00									
	V to P Conversion, Per Customer Request per DS0 Circuit			020												
	Reconfigured			CLO	PE1BP		23 00									
	V to P Conversion, Per Customer Request per DS1 Circuit	Ì	1												i	
	Reconfigured		1 -	cro	PE1BS	-	33 00									
Ì	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1B7		592 00									
	prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear fl			CLO,UDF	PE1ES	0 0012	592 00									
	Support Structure, per cable, per linear in Physical Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0018										
<del></del>	Physical Collocation - Co-Carrier Cross Connects Only -	ļ · · · · ·	<b></b> -	525, 525, 66E	. 2.00	3 00 10	+							<b></b>		<del> </del>
	Application Fee, per application	1		CLO	PE1DT		584 20								<u> </u>	L
ADJACENT CO		· · · · ·														
	Adjacent Collocation - Spece Charge per Sq. Ft			CLOAC	PE1JA	0 0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 0258	24 68	23 68	12 14	10 95	ļ			L		1
				UEA,UHL,UDL,UCL,	DE454	0.05:-	0.4.65	00.50	40 ==	44.40				1		
<del>                                     </del>	Adjacent Collection - 4-Wire Cross-Connects		$\vdash$	CLOAC	PE1P4 PE1P1	0 0515	24 88	23 82	12 77	11 46 11 57					<del>                                     </del>	<del>                                     </del>
	Adjacent Collocation - DS1 Cross-Connects	<b>—</b>	$\vdash$	USL,CLOAC CLOAC	PE1P1 PE1P3	1 37 18 61	44 23 41 93	31 98 30 51	12 81 14 75	11 57 11 83	ļ <u></u>	<del></del>		<del> </del>	<b> </b>	<del> </del>
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	<b>—</b>		CLOAC	PE1F3 PE1F2	18 61 3 15	41 93	30 51	14 75	11 83				<del>                                     </del>	-	<del>                                     </del>
	Adjacent Collocation - 2-Fiber Cross-Connect  Adjacent Collocation - 4-Fiber Cross-Connect	-		CLOAC	PE1F2 PE1F4	6 02	51 29	39 87	19 41	16 49				-	<del> </del>	
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.02	3,165 50	33 01	10.41	10 40	<del> </del>					

Version 4Q02 12/18/02 Page 19 of 47

COLLOCAT	FION - Kentucky												Attach	ment <sup>.</sup> 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge -
					_	Rec	Nonrec		Nonrecurring					Rates (\$)		
						1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 44										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10 88										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16 32										_
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37 68									_	
HYSICAL CO	OLLOCATION IN THE REMOTE SITE			OCOAO	12110	37 00										
	Physical Collocation in the Remote Site - Application Fee		İ	CLORS	PE1RA		617 78		338 89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219 67										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 29									
	Physical Collocation in the Remote Site - Space Availability			01.000	DE 40D		000.04									
	Report per Premises Requested  Physical Collocation in the Remote Site - Remote Site CLL!			CLORS	PE1SR		232 64				<del> </del>					
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75 40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233 42									
PHYSICAL CO	OLLOCATION IN THE REMOTE SITE - ADJACENT		ļ													
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee	L		CLORS	PE1RU		755 62	755 62								
NOTE VIRTUAL COL	. If Security Escort and/or Add'l Engineering Fees become nec	essary	or rem	ote site collocation,	the Parties w	/III negotiate ap	propriate rate	5								
VIKTUAL COL	Virtual Collocation - Application Fee	-		AMTES	EAF		2,419 86	2,419 86	1 01	1 01		7 86				
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		1,729 11	1,729 11	45 16	45 16		7 86				
	Virtual Collocation - Floor Space, per sq. ft		İ	AMTES	ESPVX	7 99										•
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8 06										
	Virtual Collocation - Cable Support Structure, per entrance			AMTES	ESPSX	17 38										
	cable	- <u>-</u>		UEANL,UEA,UDN,U DC UAL,UHL,UCL,U EQ. AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 0309	24 68	23 68	12 14	10 95		7 86				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0 0619	24 88	23 82	12 77	11 46		7 86				
				AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNC2F	3 80	41 94	30 51	14 76	11 84		7 86				
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12.												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	7 59	51 29	39 87	19 41	16 49		7 86				
	Virtual collocation - Special Access & UNE, cross-connect per			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	DS1	ı	1	UNLD1	CNC1X	1 48	44 23	31 98	12 81	11 57	1			l .	I	I

JULLUCAT	ION - Kentucky													ment: 4		ıbıt <sup>.</sup> B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
T						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	-	
						T Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per IDS3			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18 89	41 93	30 51	14 75	11 83						
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0 003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax				i											1
i	Cable Support Structure, per linear ft	1		AMTES	VE1CD	0 0045										1
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable	-														
1	Support Structure, per cable			AMTES	VE1CC	1	535 55					l i				
_	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															1
	Cable Support Structure, per cable	l		AMTES	VE1CE	1	535 55				i	1				
	Virtual Collocation Cable Records - per request		<del> </del>	AMTES	VE1BA		1,524 45	980 01	267 02	267 02						<del></del>
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		<del></del>				.,									
	record			AMTFS	VE1BB	1	656 37	656 37	379 70	379 70		i l				i
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMIT O	*C100	<del> </del>	030 31	000 07	3,3,0		-			<del></del>	-	<del> </del> -
	100 pair		i	AMTFS	VE1BC		9 65	9 65	11 84	11 84						1
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTES	VE1BD	f	4 52	4 52	5 54	5 54	<del> </del>					+
	Virtual Collocation Cable Records - DS1, per 1111E		ļ. <del></del>	AMTES	VÉ1BE		15 81	15 81	19 39	19 39				<del> </del>	<del> </del>	+
				MINITO	VEIBE	<del> </del>	13.01	1301	19 39	19 39						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTES	VE1BF		169 63	169 63	154 85	154 85	ļ					
	records				SPTBX		33 98	21 53	154 55	134 83						
	Virtual collocation - Security Escort - Basic, per half hour													ļ		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		44 26	27 81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		54 54	34 09								<del></del>
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56 07	21 53								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTF\$	SPTOM		73 23	27 81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		90 39	34 09					· · · · · · · · · · · · · · · · · · ·			
IRTUAL COL																ļ
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				<u></u>
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 0309	24 68	23 68	12 14	10 95		7 86				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1 48	44 23	31 98	12 81	11 57		7 86				

Page 21 of 47

Version 4Q02 12/18/02

COLLOCAT	ION - Louisiana			1	,									ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted		Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION		1												<del> </del>	
THOUSE S	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0 0318	11 94	11 46				15 20			-	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus	1		UEPSP	PE1R2	0 0318	11 94	11 46				15 20				1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0318	11 94	11 46				5 20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0 0318	11 94	11 46				15 20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0 0318	11 94	11 46				15 20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0 0318	11 94	11 46				15 20				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0 0636	12 04	11 53				15 20				
PHYSICAL CO				0.0	DEADA		4 007 04									
	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent		<del> </del>	CLO	PE1BA PE1CA		1,837 24 1,533 41		-	-	-					-
	Physical Collocation - Application Fee - Subsequent  Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741 97									<del> </del>
	Physical Collocation - Space Preparation - Firm Order	<del> </del>		ICEO	F L IDL		741 51			+	<del> </del>					<del> </del>
	Processing			CLO	PE1SJ		583 33									
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 31										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless Physical Collocation - Space Preparation - Common Systems			CLO	PE1SL	2 70										
	Modification per Cage			CLO	PE1SM	91 60			1							
	Physical Collocation - Cable Installation		1	CLO	PE1BD		841 54	841 54								
	Physical Collocation - Floor Space per Sq. Ft		1	CLO	PE1PJ	5 30										
	Physical Collocation - Cable Support Structure, Per Entrance		T	CLO	PF1PM	18 31										
	Cable Physical Collocation - Power -48V DC Power, per Fused Amp		<del></del>	CLO	PE1PL	8 32				<del> </del>	<del> </del>					<del></del>
	Physical Collocation - Power Reduction, Application Fee	<del> </del>		Cro	PE1PR	0.32	398 88									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5 45										
	Physical Collocation - 240V, Single Phase Standby Power Rate			Cro	PE1FD_	10 92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16 37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37 80										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL.U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0318	11 94	11 46								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1,	PE1P4	0 0636	12 04	11 53								
	Physical Collocation - DS1 Cross-Connects			USLEL, UNLD1 UDL	PE1P1	1 04	21 39	15 47								<u></u>

COLLOCAT	ION - Louisiana											···		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs Electronic Disc Add
			1			Rec	Nonrec			g Disconnect				Rates (\$)	,	
		İ				1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	13 21	20 28	14 76								
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	L		UDL12, UDF	PE1F2	2 62	20 28	14 76		<u> </u>						ļ
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4 65	24 81	19 29								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft		+	CLO	PE1BW	184 50			<del></del>							
l — —	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. FI		<b>†</b>	CLO	PE1CW	18 10										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			CLO	PE1AY	0 0224										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 0579	27 50									ļ <u></u>
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7 74	7 74								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22 64	22 64								
	Physical Collocation - Security Access - Initial Key, per Key	<u> </u>	1	CLO	PE1AK	1	13 01	13 01		+		<del> </del>				<del></del>
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13 01	13 01 1,044 07								ļ
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect. per cross-connect			CLO UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX		0 079	1,044 07	1,044 07								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX	PE1PF	0 158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS 1L, W DS 1S, USL, U1TD 1, UXTD 1, UNC 1X, ULDD 1, USLEL UNLD 1		1 12										
	POT Bay Arrangements pnor to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	!PE1PH	9 95										

COLLOCAL	ION - Louisiana				,									тепт 4		bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Increment Charge
						Rec		curning		g Disconnect				Rates (\$)		
	<del></del>			ÜEANL.UEA.UDN.U			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE182	33 96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA UDN, U DC UAL, UHL, UCL, U EQ. CLO, ULDO3, ULD12, ULD48, U1TO3 U1T12, U1T48, UDLO3, UDL12, UDF		45 80 :										
	Physical Collocation - Request Resend of CFA Information, per															
_	CLLI			CLO	PE1C9		77 43							j		
	Recurring Collocation Cable Records - per request			CLO	PE1CU	10 97										
	Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CE	5 29										
	Recurring Collocation Cable Records - VG/DS0 Cable, per each			0.0								Į.			1	
	100 pair Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1CT	0 08					-					
	Recurring Collocation Cable Records - DS1, per TTTE  Recurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C2 PE1C4	0 04 1					<u> </u>			ļ <u> </u>		
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CG	1 37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT	1 3/	16 44	10 42		<del></del>			-			
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21 41	13 45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26 38	16 49							ļ	
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO CLO	PE1BV PE1BO		33 00									
	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1			CLO	PE1BO PE1B1		33 00									
	V to P Conversion, Per Customer Request-D\$3			CLO	PE1B1		52 00									
	V to P Conversion, Per Customer request per DS0 Circuit			CLO	PE IB3		52 00			-						
	Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP		23 00									l 
	Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS		33 00									
	Reconfigured  V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE		37 00									
	prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7		592 00									
	Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 001									!	
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0015										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		583 30									
ADJACENT CO				01.0.10	DEALA	0.0550						-				
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC CLOAC	PE1JA PE1JC	0 0552				ļ					<del></del>	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1JC PE1P2	5 61 0 0245	11 94	11 46								
				UEA,UHL,UDL,UCL,				_								
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4 PE1P1	0 0491	12 04	11 53 15 47								
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	0 9605 13 01	21 39 20 28	15 47							<del>  </del>	
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1P3 PE1F2	2 20	20 28	14 76				<del></del>				
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	4 21	20 28	19 29		1				:		
	Projectin Conocation - 4-Line Closs-Connect			CLOAC	PE1JB	721	1,543 20	10 20							L	

COLLUCA	TION - Louisiana				1						0	0		ment: 4		bit: B
		ŀ	1										Incremental		Incremental	Incrementa
		[	1 1									Submitted	Charge -	Charge -	Charge -	Charge -
		Inten	1 1								Elec	Maneally	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs.	Order vs
		, '''	1 1								,		Electronic-	Electronic-	Electronic-	Electronic-
		ì	1 1								ĺ		1st	Addi	Disc 1st	Disc Add'l
												l			Disc 1st	DISC Add I
	-		$\vdash$			Rec	Nonrec			g Disconnect	201150	001.41		Rates (\$)	T	
	Adjacent Collocation - 120V Single Phase Standby Power Rate		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per AC Breaker Amp		1 1	CLOAC	PE1FB	5 45								1		
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		1	00000	1 - 11 -	3 43	-									
	per AC Breaker Amp		1 1	CLOAC	PE1FD	10 92										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		<del>  `</del>	020/10	1	10 02										
	per AC Breaker Amp		1 6	CLOAC	PE1FE	16 37								1		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		<del> </del> - `	SECONO.	1	.00								-		
	per AC Breaker Amp			CLOAC	PE1FG	37 80										
PHYSICAL C	OLLOCATION IN THE REMOTE SITE					5. 00										<del></del>
1110.07.12.0	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298 80	298 80			1					
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225 39					1					i –
		<u> </u>	<del>   `</del>		1					i e						
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 01	13 01					1		1	
	Physical Collocation in the Remote Site - Space Availability	1	-+							1						
	Report per Premises Requested			CLORS	PE1\$R		112 52	112 52			]					
	Physical Collocation in the Remote Site - Remote Site CLLI				1						1					
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36 47	36 47			}				1 :	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233 21		1	1	i '	-				
PHYSICAL C	OLLOCATION IN THE REMOTE SITE - ADJACENT							-	•							-
										1						
ļ	Remote Site-Adjacent Collocation - AC Power, per breaker amp	ĺ		CLORS	PE1RS	6 27			1							
	· · · · · · · · · · · · · · · · · · ·	1														
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134			!	t						
-	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755 62	755 62								
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary i	for remo	te site collocation,	the Parties v	vill negotiate ap	propriate rate	5								
VIRTUAL CO	LLOCATION															
	Virtual Collocation - Application Fee			AMTFS	EAF		1,770 40					15 20				
	Virtual Collocation - Cable Installation Cost, per cable	L		AMTES	ESPCX		841 54					15 20				
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	3 20							· ·			
	Virtual Collocation - Power, per fused amp		I A	AMTES	ESPAX	8 32										
	Virtual Collocation - Cable Support Structure, per entrance		1 1			1					1	ļ.			1 :	
	cable			AMTES	ESPSX	16 02										
				JEANL UEA,UDN U		1									}	
				DC UAL,UHL,UCL,U					1						ŀ	
				EQ, AMTFS, UDL,		į.	1		1							
				JNCVX, UNCDX,		1	l		1	1						
	Virtual Collocation - 2-wire Cross Connects (loop)		L	JNCNX	UEAC2	0 0296	11 94	11 46				15 20				
			l I.		1 1	l h										
				JEA,UHL,UCL,UDL,			į		1	ļ						
				AMTES UAL, UDN,						1						
	Virtual Collocation - 4-wire Cross Connects (loop)			JNCVX, UNCDX	UEAC4	0 0591	12 04	11 53				15 20				
				AMTFS,UDL12,	!									i		
				JDLO3, U1T48,							ĺ					
				J1T12, U1T03,	1											
				JLDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			JLD48, UDF	CNC2F	2 65	20 29	14 76				15 20				
				AMTFS,UDL12,					1							
	1	1		JDLO3, U1T48, J1T12, U1T03,					I							
			1 1						1							
			1.					40.00			į.			1		
	Material College days A Fiber Core - Core - Core			JLDO3, ULD12,	CNC45	F 24	04.04									
	Virtual Collocation - 4-Fiber Cross Connects		l	JLD48, UDF	CNC4F	5 31	24 81	19 29			ļ	15.20				
	Virtual Collocation - 4-Fiber Cross Connects		ι	JLD48, UDF JSL,ULC,AMTFS,	CNC4F	5 31	24 81	19 29				15 20				
	Virtual Collocation - 4-Fiber Cross Connects		L	JLD48, UDF JSL.ULC,AMTFS, JLR, UXTD1,	CNC4F	5 31	24 81	19 29				15.20				
			L	JLD48, UDF JSL,ULC,AMTFS, JLR, UXTD1, JNC1X, ULDD1,	CNC4F	5 31	24 81	19 29				15.20				
	Virtual Collocation - 4-Fiber Cross Connects  Virtual collocation - Special Access & UNE cross-connect per DS1		L	JLD48, UDF JSL.ULC,AMTFS, JLR, UXTD1,	CNC4F	5 31	24 81	19 29				15 20				

Version 4Q02 12/18/02

OLLOCAT	ION - Louisiana						-						Attach	ment 4	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec			g Disconnect				Rates (\$)		
						7100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, ULC, AMTFS, U E3 U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX UNLD3	CND3X	13 21	20 28	14 76				15 20				
	Virtual Collocation - Co-Carner Cross Connects - Frber Cable Support Structure, per linear foot			AMTFS	VE1CB	0 0024			-				_			
1	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0 0036		j								
T	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable														-	
	Support Structure,per cable			AMTFS	VE1CC		534 79				1	15 20				ĺ
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		534 79				1	15 20				ĺ
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10 97										
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable					1										
	record			AMTFS	VE1BB	5 29					1		l		i	ĺ
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC	0.08		·								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD	0 04										
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	0 13	1									
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
l	records			AMTFS	VE1BF	1 37	1									ı
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16 44	10 42			Ī .	5 20				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTF\$	SPTOX		21 41	13 45				5 20				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		26 38	16 49			1	5 20				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27 12	10 42				15 20				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		35 42	13 45				15 20				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43 72	16 49				15 20				L
RTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0296	11 94	11 46	-			15 20		<u>.</u>		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 0296	11 94	11 46				15 20				
" ]	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 0591	12 04	11 53				15 20				

COLLOCAT	ION - Mıssissippi				<del></del>									ment: 4		bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
	_		ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION														ļ	
PHISICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		·													
1	Wire Analog - Res			UEPSR	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				22	3 3233				0 40						
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0288	12 37	11 87	6 04	5 45	1	15 75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1										<u> </u>	
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus		-	UEPSB	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		<del> </del>	DEFOX	I'E IRZ	0.0288	12.37	11.87	b U4	5 45		15 /5				ļ
	Wire ISDN	]		UEPTX	PE1R2	0 0288	12 37	11 87	6 04	5 45		15 75				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-					0 0200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,	3 0 4			1010				
1	Wire ISDN DS1	1	1	UEPEX	PE1R4	0 0576	12 47	11 94	6 59	5.91		15 75				
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial		<u> </u>	CLO	PE1BA		1,890 38									
	Physical Collocation - Application Fee - Subsequent		<b>—</b>	CLO	PE1CA		1,575 69							<u>-</u>		
	Physical Collocation Administrative Only - Application Fee		-	CLO	PE1BL		740 76							·		
	Physical Collocation - Space Preparation - Firm Order Processing	١.	ŀ	CLO	PE1SJ		604 19									
	Physical Collocation - Space Preparation - C O Modification per	-	<u> </u>		FEISS		- 004 19									
	square fi	l ,	ŀ	CLO	PE1SK	2 30										
	Physical Collocation - Space Preparation - Common Systems		<del></del>		1 - 1 - 1											
	Modification per square ft - Cageless	1		CLO	PE1SL	2 52										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage	. ! .		CLO	PE1SM	85 67										
	Physical Collocation - Cable Installation			CLO	PE1BD		926 27	926 27	22 62							
	Physical Collocation - Floor Space per Sq. Ft		<b>├</b> ──	CLO	PE1PJ	5 74										
l	Physical Collocation - Cable Support Structure, Per Entrance Cable			CLO	PE1PM	17 42										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7 33					-					<del></del>
	Physical Collocation - Power Reduction, Application Fee	<del>l i</del>		CLO	PE1PR	, 00	398 76									
			·								1					
	Physical Collocation - 120V, Single Phase Standby Power Rate	1	i	CLO	PE1FB	5 29										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10 58										
	Bi LOUIN A LANGE TO US Brown Bloom But a	١.		CLO	PE1FE	15 87	İ	İ	i							
	Physical Collocation - 120V, Three Phase Standby Power Rate	<u> </u>		CLO	PETE	15.67										<del> </del>
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	36 65										
	Physical Collocation - 271V, Three Phase Standby Power Nate	— <del>-</del> -		CLO	1 - 1 - 1	30 03					<del> </del>					<del> </del>
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0288	12 37	11 87	6 04	5 45						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0 0576	12 47	11 94	6 59	5 91						<b></b>
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,					_							
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1 14	22 16	16 02	6 60	5 97					l	L

COLLOCAT	ION - Mississippi												Attach	ment 4	Exhi	bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Incremental Charge -	Incrementa Charge -
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
			-	O HESTHERS			First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects		UX UN UL U1 UN CL	.O, UE3,U1TD3, KTD3, UXTS1, NC3X, UNCSX, .DD3, ITS1,ULDS1, NLD3, UDL .O, ULDO3, .D12, ULD48,	PE1P3	14 49	21 01	15 29	7 61	6 10						
Į.				TO3, U1T12,		1	ł								•	ĺ
	Di controllo de la controllo d			1T48, UDLO3,	DE 450			4								1
	Physical Collocation - 2-Fiber Cross-Connect			DL12, UDF .O, ULDO3,	PE1F2	2 87	21 01	15 29	7 61	6 10					-	<del></del>
	Physical Coltocation - 4-Fiber Cross-Connect		UL U1' U1'	D12, ULD48, ITO3, U1T12, IT48, UDLO3, DL12, UDF	PE1F4	5 10	25 70	19 97	10 01	8 50						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft		CL		PE1BW	183 20										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft		CL	.0	PE1CW	17 97				•						
	Physical Collocation - Security Access System - Security System per Central Office		CL	.0	PE1AX	75 23										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	_	CL	.0	PE1A1	0 0576	27 95	27 95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	1	CL	.0	PE1AA		7 84	7 84								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card		CL	.0	PE1AR		22 91	22 91								
	Physical Collocation - Security Access - Initial Key, per Key		CL		PE1AK		13 17	13 17								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key		CL		PE1AL		13 17	13 17								L
	Physical Collocation - Space Availability Report per premises	1.	CL	O ANL,UEA,UDN,U	PE1SR		1,081 40	1,081 40								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect		DC EQ UN UN	C,UAL,UHL,UCL,U D,CLO,UDL, NCVX, UNCDX,	PE1PE	0 0867										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect.		DC EQ UN	C,UAL,UHL,UCL,U D,CLO, USL, ICVX, UNCDX	PE1PF	0 1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect		DC EQ DS UX ULI UN	EANL, UEA, UDN, Û C, UAL, UHL, UCL, U S, CLO, WDS 1L, W S1S. USL, U1TD 1, KTD 1, UNC 1X, DD 1, USLEL, ULD 1 EANL, UEA, UDN, U		1 22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect		DC EQ U1' UX UN U1' UN	EANL, DEA, ODN, O C, UAL, UHL, UCL, U C, CLO, UE3, TD3, UXTD3, (TS1, UNC3X, UCSX, ULDD3, TS1, ULDS1, ULD3, UDL.	PE1PH	10 91									! ;	

COLLOCAT	FION - Mississippi													ment: 4		ibit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		T ====
	<u> </u>			UEANL,UEA,UDN,U	· · · · · · · · · · · · · · · · · · ·		First	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements pnor to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37 26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE184	50 24										
	Physical Collocation - Request Resend of CFA Information, per															1
	CLL			CLO	PE1C9		77 41									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		763 69	490 94	133 77							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		328 81		190 22							
i	Nonrecurning Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CO		4.04	4 84	5 93	5 93					1	
<b>———</b>	each 100 pair  Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4 84 2 27	2 27	2 78	2 78						<del> </del>
<del></del>	Nonrecurring Collocation Cable Records - DS1, per TTTE  Nonrecurring Collocation Cable Records - DS3, per T3TIE	<del>                                     </del>		CLO	PE1C3		7 92	7 92	972	9 72	-				1	1
<del></del>	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	FE103		1 32	7 32	312	512						
1 1	fiber records	İ		CLO	PE1CB	ı	84 98	84 98	77 58	77 58						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17 02	10 79			·					1
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT_		22 17	13 94								
																]
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27 32	17 08			ļ					
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33 00									<u> </u>
<b>i</b>	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33 00				ļ					
<u> </u>	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52 00									1
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52 00									ļ
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23 00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33 00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00			<del> </del>						
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft			CLO,UDF	PE1ES_	0 001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per in ft			CLO, UE3, USL	PE1DS	0 0015										
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		583 13									1
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	4 68										1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0 0223	12 37	11 87	6 04	5 45						
				UEA,UHL,UDL,UCL,	DE4D.		40.4-	44.00	0.50	5.64					1	1
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4 PE1P1	0 0446	12 47 22 16	11 94 16 02	6 59 6 60	5 91 5 97					-	
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	1 05 14 27	22 16	16 02		6 10						<del> </del>
	Adjacent Collocation - DS3 Cross-Connects  Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1P3	2 42	21 01	15 29	7 61	6 10					<del> </del>	l
	Indiacent Conduction - 2-Lines Closs-Connect	1													1-	<del> </del>
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC	PE1F4	4 62	25 70	19 97	10 01	8 50						1

COLLOCAL	ION - Mississippi													ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$)		
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 29	Filst	Addi	FIISt	Addi	SOMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAG	DEALED	40.50						"				
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD PE1FE	10 58 15 87								_		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	36 65										<u> </u>
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			CLOAC	PEIFG	36 65										
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309 48		168 63	-					<del></del>	-
	Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RB	210 05										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 17	13 17								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116 54	116 54								
	Physical Collocation in the Remote Site - Remote Site CLLI			CLODE	DEADE		07.77	22.32								
	Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RE PE1RR		37 77 233 14	37 77					-			
PHYSICAL CO	OLLOCATION IN THE REMOTE SITE - ADJACENT		1	GEGINO			200 14							_		
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RŜ	6 27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee		<u> </u>	CLORS	PE1RU		755 62	755 62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	iote site collocation,	the Parties w	vill negotiate ap	propriate rate	5						_		-
VIKTORE COL	Virtual Collocation - Application Fee			AMTES	EAF		1,212 25		0.51			15 75				
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		926 27		22 62			15 75				
	Virtual Collocation - Floor Space, per sq. ft			AMTFS	ESPVX	5 74										
	Virtual Collocation - Power, per fused amp		ſ	AMTFS	ESPAX	7 33										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTES	ESPSX	15 24										
				UEANL, UEA, UDN, U DC, UAL, UHL UCL, U EQ, AMTFS, UDL UNCVX, UNCDX.												
	Virtual Collocation - 2-wire Cross Connects (loop)		ļ	UNCNX	UEAC2	0 0268	12 37	11 87	6 04	5 45		15 75				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTES, UAL, UDN, UNCVX, UNCDX	UEAC4	0 0536	12 47	11 94	6 59	5 91		15 75				
				AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2 91	21 01	15 29	7 61	6 10		15 75				
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects		-	ULD48, UDF	CNC4F	5 82	25 70	19 97	10 01	8 50		15 75				
	Virtual Collocation - Special Access & UNE, cross-connect per			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
1	DS1		L	UNLD1	CNC1X	1 14	22 16	16 02	6 60	5 97		15 75				

						1									EXR	√bıt B Î
EGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)					Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add't	Charge - Manual Svc Order vs Electronic- Disc 1st	Order
_							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
					i	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	T SOMA
	Virtual collocation - Special Access & UNE, cross-connect per			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1.		17.70	21 01	15 29	7 61	6 10		15 76				
	Virtual Collocation - Co-Corner Gross Connects - Pider Cable															
	Support Structure, per linear foot			AMTES	VE1CB	0 0025										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax													1		
L	Cable Support Structure, per linear ft			AMTES	VE1CD	0 0037										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable		L	AMTFS	VE1CC		534 65					15 75				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			_									1			
	Cable Support Structure, per cable			AMTFS	VE1CE		534 65					15.75				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763 69	490 94	133 77	133 77						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		328 81	328 81	190 22	190 22						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4 84	4 84	5 93	5 93						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTF\$	VE180		2 27	2 27	2 78	2 78	_					L
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		7 92	7 92	9 72	9 72						-
1	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1				1	1				1			1		
	records			AMTES	VE1BF		<u>8</u> 4 98	84 98	77 58	77 58						<u> </u>
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX	Į. <u>I</u>	17 02	10 79				:5 75				<u> </u>
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX	l L	22 17	13 94				15.75				Į
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		27 32	17 08				15.75		l		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		28 09	10 79				15.75				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36 69	13 94				15 75				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45 28	17 08				15 75				
JAL COLI	OCATION					<u> </u>										L
	Virtual Collocation - 2-wire Cross Connect Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75				<u> </u>
<u> </u>	Virtual Colfocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75				
	Virtual Collocation 2-Wire Cross Connect Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISON			UEPTX	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12 47	11 94	6 59	5 91		15.75				

COLLOCATI	ION - North Carolina					_							Attach	ment 4	Exhi	bit· B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Efec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sy Order vs Electronic Disc Add
	72	_	-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l		SOMAN	OSS SOMAN	Rates (\$) SOMAN	COMAN	
			1	<del></del>	-		FIISI	Auu i	FITSI	Agg 1	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION		<b>†</b>						-	-	1			<del></del> -		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res		ļ	UEPSR	PE1R2	0 32	41 78	39.23			1.		26 94	12 76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 32	41 78	39 23					26 94	12 76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0 32	41 78	39 23					26 94	12 76		
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-									_						
	Wire Analog - Bus	_	1	UEPSB	PE1R2	0 32	41 78	39 23			ļ		26 94	12 76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	0 32	41 78	39 23					26 94	12 76		
	Physical Collocation 2-Wire Cross Connect Exchange Port 2- Wire ISDN			UEPTX	PE1R2											
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	_	+-		PE IK2	0 32	41 78	39 23			<del>  </del>		26 94	12 76		_
	Wire ISDN DS1		L	UEPEX	PE1R4	0 64	41 91	39 25					26 94	12 76		
PHYSICAL CO			ļ	01.0	55454			0.000.00								
	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent			CLO	PE1BA PE1CA		3,850 00 3,119 00	3,850 00 3,119 00			<del>                                     </del>	_				
	Physical Collocation Administrative Only - Application Fee		<del></del> -	CLO	PE1BL		741 44	3,119 00			<del>                                     </del>					
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	1 57	74144									
	Physical Collocation - Space Preparation - Common Systems	'_	1	CLO	PEISK	1 37					+					
	Modification per square ft - Cageless	1		CLO	PE1SL	3 26										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage	,		CLO	PE1SM	110 79									_	
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	Ť		CLO	PE1FH	5 76					+					-
	Physical Collocation - Cable Installation	1		CLO	PE1BD		2,305 00	2,305 00					-			
	Physical Collocation - Floor Space per Sq. Ft			CLO	PE1PJ	3 45										
	Physical Collocation - Cable Support Structure, Per Entrance		1		<b>\</b> \						1					
	Cable Physical Collocation - Power -48V DC Power, per Fused Amp		-	CLO	PE1PM PE1PL	21 33 8 50					+					
	Physical Collocation - Power Reduction, Application Fee	<del></del>	<del> </del> -	CLO	PE1PR	0.30	399 13				<del> </del>					
_	Thysical Conocation - Cower Reduction, Appricanon Co			020			555 15									
	Physical Collocation - 120V, Single Phase Standby Power Rate	!		CLO	PE1FB	5 50					1					
	Physical Collocation - 240V, Single Phase Standby Power Rate	1.		сьо	PE1FD	11 01										
	Physical Collocation - 120V, Three Phase Standby Power Rate	_ !		CLO	PE1FE	16 51					ļ					
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38 12										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 32	41 78	39 23								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects	1_	1	UCL	PE1P4	0 64	41 91	39 25			<u> </u>					
				CLO,UEANL,UEQ,W D\$1L,WD\$1\$, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	2 34	71 02	51 08			1					

COLLOCAT	ION - North Carolina			T	,									ment· 4	Exhi	ıbit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge
			ļ			Rec	Nonrec			g Disconnect				Rates (\$)		
	Physical Collocation - DS3 Cross-Connects	ı		CLO, UE3,U1TD3, UXTD3, UXTS1 UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	42 84	First 69 84	Add'I 49 43	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3												
	Physical Collocation - 2-Fiber Cross-Connect	-		UDL12, UDF	PE1F2	2 94	51 97	38 59		1.				!		
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
-	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft		<del>i -</del>	UDL12, UDF CLO	PE1F4 PE16W	5 62	64 53	51 15			+					
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1CW	102 76 10 44			<del>                                     </del>	ļ —	+					<del></del>
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	41 03										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	_!_		CLO	PE1A1	0 062	55 30	55 30								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	1		clo	PE1AA		15 51	15 51								
	Stolen Card, per Card			CLO	PE1AR		45 34	45 34			-					l .
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		26 18	26 18								
	Stolen Key, per Key			CLO	PE1AL	i	26 18	26 18								L
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect per cross-connect	!		CLO UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO UDL UNCVX, UNCDX, UNCNX	PE1SR	0 10	2,140 00	2,140 00								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect				PE1PF	0 19										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS 1L, W DS1S, USL U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3,	PE1PG	0 79										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	4 85										

COLLUCAT	ION - North Carolina		,		r						0 - 0 -			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svo Order vs Electronic- Add'l	Charge -	Increments Charge - Manual Sy Order vs Electronic Disc Add'
						<del>                                     </del>	Nonrec	urring	Nonrecurrin	g Disconnect	ļ	i	OSS	Rates (\$)	L	L
						Rec	First	Add'!	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U												-
				DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			U1T48, UDLO3. UDL12, UDF	PE1B2	45 30	į			1						
	POT Bay Arrangements pnor to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EO, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3 UDL12, UDF		61 09										
	Physical Collocation - Request Resend of CFA Information, per			001,12,001	1 - 10-1	0.03										
	CLLI			CLO	PE1C9		77 48									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR	-	1,707 00			-						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per		-	CLO	PE1CD		923 08				ļ					
	each 100 pair			CLO	PE1CO		18 02	18 02						i		
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8 43	8 43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PÉ1C3		29 51	29 51			L					
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99					†								1		
	fiber records  Physical Collocation - Security Escort - Basic, per Half Hour			CLO CLO,CLORS	PE1CB PE1BT		278 82 42 92	278 82 25 56		+						
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54 51	32 44								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PF1PT		66 10	39 32		, i						-
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33 00				†····	"				
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33 00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52 00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52 00			-						
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP		23 00									
	Reconfigured			CLO	PE1BS		33 00			<u> </u>	ļ					
1	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37 00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700								·							
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO.UDF	PE1B7 PE1ES	0 0018	592 00									
	Support Structure, per cable, per linear ft Physical Collocation - Co-Carrier Cross Connects - Copper/Coax										-			·		
	Cable Support Structure, per cable, per lin ft			CLO, UE3, USL	PE1DS	0 0027				ļ						
	Physical Collocation - Co-Carner Cross Connects Only - Application Fee, per application			CLO	PE1DT		583 66									
ADJACENT CO	OLLOCATION Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 179				<b></b>						
	Adjacent Collocation - Space Charge per Sq. Ft  Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 96			<b></b>	1						-
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE 1P2	0 32	41 78	39 23								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0 64	41 91	39 25								
	Adjacent Collocation - DS1 Cross-Connects				PE1P1	2 34	71 02	51 08								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	42 84	69 84	49 43		ļ						
-+	Adjacent Collocation - 2-Fiber Cross-Connect		$\vdash$	CLOAC CLOAC	PE1F2 PE1F4	2 94 5 62	51 97 64 53	38 59 51 15		-	<del> </del>					
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee				PE1F4 PE1JB	5 62	3,153 00	51 15		-			<del></del>	-		<del> </del>

COLLOGAI	TION - North Carolina													ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc		-	RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge -	
-						Rec		curring	Nonrecurring	g Disconnect			oss	Rates (\$)		l
			Ļ			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11 01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16 51					-					
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	•		CLOAC	PE1FG	38 12					-				-	
HYSICAL CO	DLLOCATION IN THE REMOTE SITE		1	OLONO	, [ 11 0	30 12										
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865 34	865 34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254 02										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 06	26 06								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI		ļ	CLORS	PE1SR		230 60	230 60								
1	Code Request, per CLLI Code Requested			CLORS	PE1RE		74 74	74 74		1						
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		-	CLORS	PE1RR		232 94	7,11						· · · · · · · · · · · · · · · · · · ·		
HYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		ļ	CLORS	PE1RS	6 27		_								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee	1		CLORS	PE1RU	1	755 62	755 62								
IRTUAL COL	: If Security Escort and/or Add'l Engineering Fees become nec	essary	or rem	ote site collocation,	the Parties w	ill negotiate ap	propriate rate	95			-					
INTOAL COL	Virtual Collocation - Application Fee			AMTES	EAF		2,848 30	2,848 30		-	+		26 94	12 76		
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		2,750 00	2,750 00		•			26 94	12 76		
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	3 20	_									
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	3 48										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	13 35										
				UEANÎ,UEA UDN,Û DC,UAL,UHL,UCL,Û EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (foop)			UNCNX	UEAC2	0 09	41 78	39 23	4 75	4 75			26 94	12 76		
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL UDL AMTFS, UAL, UDN UNCVX, UNCDX	UEAC4	0 18	41 91	39 25	4 73	4 73			26 94	12 76		
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS, UDL12, UDLO3 U1748, U1712, U1703, ULDO3, ULD12, ULD48, UDF	CNC2F	15 99	67 34	48 55					26 94	12 76		
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	28 74	82 35	63 56					26 94	12 76		
	VIII. GOIDUARIOI - 4-1 IDEL GIOSS COTTIECIS			USL,ULC,AMTFS. ULR, UXTD1,	5/404/	20 14	02 33	00.00	:				20 34	12 10		
	Virtual collocation - Special Access & UNE, cross-connect per			UNC1X, ULDD1, U1TD1, USLEL.							1	1				

OS3 Virtual Suppc Virtual Cable Virtual Suppc Virtual Suppc Virtual Cable Virtual Virtual Virtual Tecord Virtual 100 pa	al collocation - Special Access & UNE cross-connect per al Collocation - Co-Carrier Cross Connects - Fiber Cable conf Structure, per linear foot al Collocation - Co-Carrier Cross Connects - Copper/Coax e Support Structure, per linear fit al Collocation - Co-Carrier Cross Connects - Fiber Cable conf Structure, per cable conf Stru	Inten		JNC3X, JLDD3,	USOC	Rec	Nonrec First		Nonrecurring Disconn	Submitted Elec per LSR	Submitted Manually	Charge - Manuat Svc Order vs Electronic- 1st	Charge -	Charge -	Charge - Manual Sv Order vs Electronic
OS3 Virtual Suppc Virtual Cable Virtual Suppc Virtual Suppc Virtual Cable Virtual Virtual Virtual Tecord Virtual 100 pa	al Collocation - Co-Carrier Cross Connects - Fiber Cable nort Structure, per linear foot al Collocation - Co-Carrier Cross Connects - Copper/Coax e Support Structure, per linear ft al Collocation - Co-Carrier Cross Connects - Fiber Cable		E3, U1TD UXTD3, U UNCSX, U U1TS1, U	)3, UXTS1, JNC3X, JLDD3,		Rec				ect				, '	Disc Add
OS3 Virtual Suppc Virtual Cable Virtual Suppc Virtual Suppc Virtual Cable Virtual Virtual Virtual Tecord Virtual 100 pa	al Collocation - Co-Carrier Cross Connects - Fiber Cable nort Structure, per linear foot al Collocation - Co-Carrier Cross Connects - Copper/Coax e Support Structure, per linear ft al Collocation - Co-Carrier Cross Connects - Fiber Cable		E3, U1TD UXTD3, U UNCSX, U U1TS1, U	)3, UXTS1, JNC3X, JLDD3,			First					oss	Rates (\$)		
OS3 Virtual Suppc Virtual Cable Virtual Suppc Virtual Suppc Virtual Cable Virtual Virtual Virtual Tecord Virtual 100 pa	al Collocation - Co-Carrier Cross Connects - Fiber Cable nort Structure, per linear foot al Collocation - Co-Carrier Cross Connects - Copper/Coax e Support Structure, per linear ft al Collocation - Co-Carrier Cross Connects - Fiber Cable		E3, U1TD UXTD3, U UNCSX, U U1TS1, U	)3, UXTS1, JNC3X, JLDD3,		ļ		Add'l	First Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Suppo Virtual Cable Virtual Suppo Virtual Virtual record Virtual 100 Virtual	oort Structure, per inear foot al Collocation - Co-Carner Cross Connects - Copper/Coax e Support Structure, per Inear ft al Collocation - Co-Carner Cross Connects - Fiber Cable				CND3X	56 25	151 90 .	11 83	į			26 94	12 76		
Virtual Cable Virtual Suppc Virtual Cable Virtual Virtual Virtual record Virtual 100 pa Virtual	al Collocation - Co-Carner Cross Connects - Copper/Coax e Support Structure, per linear ft al Collocation - Co-Carner Cross Connects - Fiber Cable														
Cable Virtual Suppc Virtual Cable Virtual Virtual Virtual Virtual 100 pa	e Support Structure, per linear ft al Collocation - Co-Carner Cross Connects - Fiber Cable		AMTFS		VE1CB	0 0028							ļ		ĺ
Virtual Suppo Virtual Cable Virtual Virtual record Virtual 100 pa Virtual Virtual	al Collocation - Co-Carrier Cross Connects - Fiber Cable				l						Γ				
Suppo Virtual Cable Virtual Virtual record Virtual 100 pa Virtual			AMTES		VE1CD	0 0041									i
Virtual Cable Virtual Virtual record Virtual 100 pa		- 1				İ					1				
Cable Virtual Virtual record Virtual 100 pa Virtual	al Collocation - Co-Carrier Cross Connects - Copper/Coax		AMTES	-	VE1CC		532 72					26 94	12 76		1
Virtual Virtual record Virtual 100 pa	e Support Structure, per cable		AMTES		VE1CE						1				
Virtual record Virtual 100 pa Virtual	al Collocation Cable Records - per request		AMTES		VE1CE VE1BA		532 72				$\longrightarrow$	26 94	12 76		
record Virtual 100 pa Virtual	at Collocation Cable Records - VG/DS0 Cable, per cable		AIVITES		VEIBA		1,707 00				<u> </u>				
Virtual 100 pa Virtual			AMTES		VE1BB		923 08			İ	1 1				
100 pa Virtual	al Collocation Cable Records - VG/DS0 Cable, per each		AMITES		VEIBB		923 08								
Virtual			AMTES		VE1BC	1	18 02	18 02			i l			1	
	al Collocation Cable Records - DS1, per T1TIE	<del></del> -	AMTES		VE1BD		8 43	8 43							
	al Collocation Cable Records - DS3, per T3TIE		AMTES		VE1BE		29 51	29 51			<del></del>				
	al Collocation Cable Records - Fiber Cable, per 99 fiber		- Favili 3		VETBL		29 31	29 31			$\longrightarrow$			$\overline{}$	
record			AMTES		VE1BF	i	278 82	278 82			f I				
Virtual	af collocation - Security Escort - Basic, per half hour		AMTES		SPTBX	-	41 00	25 00	<del></del>		<del></del>	26 94	12 76		
	at collocation - Security Escort - Overtime, per half hour		AMTES		SPTOX		48 00	30 00			-	26 94	12 76		-
	al collocation - Security Escort - Premium, per half hour		AMTES		SPTPX		55 00	35 00			<del>                                     </del>	26 94	12 76		
	al collocation - Maintenance in CO - Basic, per half hour		AMTES		CTRLX		30 64	30 64			<del></del>	26 94	12 76		
					J		00 01	0001	<del></del>		<del></del>	20 54	1210		
Virtual	al collocation - Maintenance in CO - Overtime, per half hour		AMTES		SPTOM		35 77	35 77				26 94	12 76		
Virtual	al collocation - Maintenance in CO - Premium per half hour		AMTES		SPTPM	1	40 90	40 90			i l	26 94	12 76	1	
RTUAL COLLOCATI	TION								-	<b>-</b>					
Virtual	al Collocation - 2-wire Cross Connect, Exchange Port 2-													-	
Wire A	Analog - Res		UEPSR		VE1R2	0 09	41 78	39 23		i	1 1	26 94	12 76		
	al Collocation 2-Wire Cross Connect, Exchange Port 2- Line Side PBX Trunk - Bus		UEPSP		VE1R2	0 09	41 78	39 23			i	26 94	12 76		
	I Collocation 2-Wire Cross Connect, Exchange Port 2-Wire														
	Grade PBX Trunk - Res		UEPSE		VE1R2	0 09	41 78	39 23				26 94	12 76		
Analog		}	UEPSB		VE1R2	0 09	41 78	39 23				26 94	12 76		
	il Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire				T							1			
ISDN			UEPSX		VE1R2	0 09	41 78	39 23				26 94	12 76		
ISDN			UEPTX		VE1R2	0 09	41 78	39 23				26 94	12 76		
Virtual ISDN D	I Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		UEPEX		VE1R4	0 18	41 91				,				

COLLOCAT	ION - South Carolina											-		ment 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)	,			Submitted Manually	Manual Svc Order vs. Efectronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<u> </u>				Rec	Nonrec First	arring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
$\rightarrow$			<del>                                     </del>				FIISL	Add I	First	Addi	SUMEC	SOMAN	SOWAN	SOMAN	SOMAN	SUMAN
PHYSICAL CO	LLOCATION	<del>                                     </del>			-											
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	-							· · · · · ·							
	Wire Analog - Res			UEPSR	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus		-	UEPSP	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69	ļ. <u>.                                   </u>			<del></del>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0 0341	12 32	11 83	6 04	5 45	i	15 69				
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		-	UEFSE	PE INZ	0 0341	12 32	1103	0.04	5 45		13 08	-	-	<del></del>	<del> </del>
	Wire Analog - Bus		1	UEPSB	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69		l	i	
-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-														-	
	Wire ISDN			UEPSX	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				-											
	Wire ISDN			UEPTX	PE1R2	0 0341	12 32	11 83	6 04	5 45		15 69				<del></del>
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			LIEBEV	DE404		00.00	15 96	6 42	5 80		15 69				1
	Wire ISDN DS1	_		UEPEX	PE1R4	1 12	22 08	15 96	6 42	5 80		15 69				<del></del>
PHYSICAL CO	Physical Collocation - Application Fee - Initial		1	CLO	PE1BA		1,883 67	1.883 67							<b></b>	
	Physical Collocation - Application Fee - Initial  Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570 10	1,570 10								
	Physical Collocation Administrative Only - Application Fee		+	CLO	PE1BL		743 66	.,								
	Physical Collocation - Space Preparation - Firm Order	-														
	Processing			CLO	PE1SJ		602 05	602 05	L							
	Physical Collocation - Space Preparation - C O Modification per		T								1	1				1
	square ft	_		CLO	PE1SK	2 75										<del></del>
	Physical Colfocation - Space Preparation - Common Systems															
	Modification per square ft - Cageless			CLO	PE1SL	3 24					-					
ļ	Physical Collocation - Space Preparation - Common Systems	1		CLO	PE1SM	110 16										1
	Modification per Cage Physical Collocation - Cable Installation	_		CLO	PE1BD	110 10	794 22	794 22	22 54	22 54	-					
	Physical Collocation - Floor Space per Sq. Ft			CLO	PE1PJ	3 95										
	Physical Collocation - Cable Support Structure, Per Entrance		!													
	Cable			CLO	PE1PM	21 33										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9 19										⊢—
	Physical Collocation - Power Reduction, Application Fee	1		CLO	PE1PR		400 33								<u> </u>	
				CLO	DE4ED	5 67										1
	Physical Collocation - 120V, Single Phase Standby Power Rate		-	CLO	PE1FB	50/				_						
	Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11 36										
	Physical Concoditor - 2407, Single Phase Standby Power Nate	_	<del> </del>							<u></u>						
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17 03										
																1
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39 33										
	Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0341	12 32	11 83	6 04	5 45						
				CLO, UAL, UDL,												1
				UDN, UEA, UHL,			1									1
	Discount College to a A Wine Cook Connecto			UNCVX, UNCDX, UCL	PE 1P4	0 0682	12 42	11 90	6 40	5 74						1
	Physical Collocation - 4-Wire Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1,		0 0002	1242	1130	040	374.						
J	DI			USLEL, UNLD1,	PE1P1	1 43	22 08	15 96	6 42	5 80						1
i	Physical Collocation - DS1 Cross-Connects	L		UDL	PE1P1	1 12	22 08	15 96	6 42	5 80					1	<del></del>

COLLOCAT	ION - South Carolina													ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
	700.00	1				Rec	Nonred			Disconnect				Rates (\$)		
_		-		CLO, UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	14 21	20 94	15 23	7 39	5 93						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2 82	20 94	15 23	7 40	5 93						1
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3 ULD12, ULD48, U1TO3 U1T12, U1T48, UDLO3,	55.54											
_	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft	<del></del> -		UDL12, UDF CLO	PE1F4 PE1BW	5 01 219 19	25 61	19 90	9 73	8 26						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft			CLO	PE1CW	21 50										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	74 72										
	Physical Coflocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 0601	27 85	27 85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7 81	7 81								
	Stolen Card, per Card			cro	PÉ1AR		22 83	22 83								í
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13 13	13 13		·					-	
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	-	-	CLO	PE1AL PE1SR		13 13 1,077 57	13 13 1,077 57								l
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0 085	1,011.01	1,077 37								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect				PE1PF	0 1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect				PE1PG	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC., UAL, UHL UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10 71										

COLLOCAI	ION - South Carolina					<del></del>								ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
			1			Rec	Nonred First		Nonrecurring					Rates (\$)		
			1	UEANL,UEA UDN.Ü	-		FIRST	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36 55			S							
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE184	49 29										
	Physical Collocation - Request Resend of CFA Information, per								1					-		
	CLLI Nonrecurring Collocation Cable Records - per request			CLO	PE1C9 PE1CR		77 71	489 20	100.00							
	Nonrecurring Collocation Cable Records - per request		-	CLU	PEICK		760 98	489 20	133 29	133 29						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		327 65	327 65	189 54	189 54						
	each 100 pair			CLO	PE1CO	1	4 82	4 82	5 91	5 91						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1	-	2 26	2 26	277	2 77	1					_
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7 90	7 90	9 68	9 68	-					
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99						1.00	1 00	0.00	0.00						
	fiber records			CLO	PE1CB		84 68	84 68	77 30	77 30	i I					
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16 96	10 75								-
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22 10	13 89								
	Dr. and Callered at Co. of Co. of Co.			0.00.000							ł I	1				
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS	PE1PT		27 23	17 02								
	V to P Conversion, Per Customer Request-voice Grade  V to P Conversion, Per Customer Request-DS0			CLO CLO	PE1BV PE1BO		33 00				- 1					
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1			CLO	PE1BU		33 00 52 00				-					
-	V to P Conversion, Per Customer request-DS3				PE1B3		52 00									
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	FEIB3		52 00									
	Reconfigured			CLO	PE1BP		23 00				i	- 1				
1	V to P Conversion, Per Customer Request per DS1 Circuit					-					· ·					
1	Reconfigured			CLO	PE1BS		33 00		1		!					
	V to P Conversion Per Customer Request per DS3 Circuit															
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE		37 00									
	prs or fraction thereof			CLO	PE1B7		592 00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 001	332 30									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft			ČLO, UE3, USL	PE1DS	0 0015										
	Physical Collocation - Co-Carrier Cross Connects Only -															
	Application Fee, per application			CLO	PE1DT		584 42									
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC CLOAC	PE1JA	0 0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft Adjacent Collocation - 2-Wire Cross-Connects				PE1JC	6 40	42.20	44.02	6.04	F 45						
	Adjacent Conocation - 2-wife Cross-Connects			CLOAC UEA.UHL.UDL.UCL.	PE1P2	0 0264	12 32	11 83	6 04	5 45						
j	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 0527	12 42	11 90	6 40	5 74						
	Adjacent Collocation - 951 Cross-Connects				PE1P1	1 03	22 08	15 96	6 42	5 80						
	Adjacent Collocation - DS3 Cross-Connects				PE1P3	14 00	20 94	15 23	7 39	5 93		-				
	Adjacent Collocation - BSS Cross-Connect  Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2	2 37	20 94	15 23	7 40	5 93	<del>  </del>					
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1F4	4 53	25 61	19 90	9 73	8 26	· · · · · · · · · · · · · · · · · · ·				•	
	Adjacent Collocation - Application Fee				PE1JB	. 50	1,580 20		5.5	0.20						

COLLOCAT	ION - South Carolina												Attach	ment 4	Exh	bit B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge -		Increment Charge Manual S Order vs Electronic Disc Add
			1			Rec		curring		Disconnect				Rates (\$)		
	A						First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		-	CLOAC	FEIRB	3 07					<u> </u>				<del> </del>	
	per AC Breaker Amp			CLOAC	PE1FD	11 36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			-		-										
	per AC Breaker Amp			CLOAC	PE1FE	17 03										
i	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp	ļ	_	CLOAC	PE1FG	39 33										
HYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee		-	CLORS	PE1RA		308 38	308 38	168 60	168 60	-					
	Cabinet Space in the Remote Site per Bay/ Rack		<del></del>	CLORS	PE1RB	246 44					_					
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13 13	13 13							1	
	Physical Collocation in the Remote Site - Space Availability			OLONG	LIKU			13 13			<u> </u>				-	
	Report per Premises Requested			CLORS	PE1SR		116 13	116 13							1	
	Physical Collocation in the Remote Site - Remote Site CLLI							1.0 10								
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37 64	37 64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234 50									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
1			1		l 1											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		├—	CLORS	PE1RS	6 27										
	Books Sta Advanced College Books - Book Fotols			CLODO	DE4DT	0.404					1					
	Remote Site-Adjacent Collocation - Real Estate, per square foot		-	CLORS	PE1RT PE1RU	0 134	755 62	755 62			-					
NOTE	Remote Site-Adjacent Collocation-Application Fee  If Security Escort and/or Add'l Engineering Fees become nec	eccani (	for rem			ull pagatista an					-					
IRTUAL COL		casaly I	1	ote site conocation,	The Farties W	in negotiate ap	propriate rate									
THE COL	Virtual Collocation - Application Fee		_	AMTES	EAF		1,207 95	1,207 95	0.51	0.51		15 69				
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		794 22	794 22	22 54	22 54		15 69				
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	3 95										
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	9 19										
	Virtual Collocation - Cable Support Structure, per entrance		T		1											
	cable			AMTFS	ESPSX	18 66										
				UEANL,UEA,UDN,U DC,UAL UHL,UCL,U EQ, AMTFS, UDL UNCVX, UNCDX			40.00					15.00				
	Virtual Collocation - 2-wire Cross Connects (loop)		1	UNCNX	UEAC2	0 0317	12 32	11 83	6 04	5 45		15 <b>6</b> 9				
				UEA.UHL,UCL,UDL, AMTFS, UAL, UDN,	UEAC4	0 0634	40.40	11 90	6 40	5 74		15 69				
	Virtual Collocation - 4-wire Cross Connects (loop)		-	UNCVX, UNCDX AMTFS, UDL 12,	UEAC4	0 0634	12 42	1190	6 40	5 74		15 69				
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12 ULD48, UDF	CNG2F	2 86	20 94	15 23	7 40	5 93		15 69				
				AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNICAE	5.74	25.24	10.00	9 73	8 26		15 69				
	Virtual Collocation - 4-Fiber Cross Connects		_	ULD48, UDF	CNC4F	5 71	25 61	19 90	9 /3	8 26		15 69				
1				USL,ULC,AMTFS, ULR, UXTD1,												
	Virtual collocation - Special Access & UNE,cross-connect per			UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1 12	22 08	15 96	6 42	5 80		15 69				

D Vi S·	retual collocation - Special Access & UNE, cross-connect per S3 intual Collocation - Co-Carrier Cross Connects - Fiber Cable support Structure, per linear foot fintual Collocation - Co-Carrier Cross Connects - Copper/Coax able Support Structure, per linear ft	Inten m	Zone	USL,ULC,AMTFS U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, ULDD3,	USOC	Rec -	Nonrec First	RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increments Charge - Manual Sv Order vs Electronic Disc Add
V. D. V. S.	firtual collocation - Special Access & UNE, cross-connect per IS3 infual Collocation - Co-Carrier Cross Connects - Fiber Cable support Structure, per linear foot firtual Collocation - Co-Carrier Cross Connects - Copper/Coax		Zone	USL,ULC,AMTFS U E3, U1TD3, UXTS1, UXTD3, UNC3X,	usoc	Rec -					Elec	Man⊎ally	Manual Svc Order vs Electronic-	Manual Svc Order vs Electronic-	Manual Svc Order vs Electronic-	Manual Sy Order vs Electronic
D Vi S·	IS3  Infual Collocation - Co-Carrier Cross Connects - Fiber Cable support Structure, per linear foot Infual Collocation - Co-Carrier Cross Connects - Copper/Coax			E3, U1TD3, UXTS1, UXTD3, UNC3X,		Rec		urring								, 2,55 Add
D Vi S·	IS3  Infual Collocation - Co-Carrier Cross Connects - Fiber Cable support Structure, per linear foot Infual Collocation - Co-Carrier Cross Connects - Copper/Coax			E3, U1TD3, UXTS1, UXTD3, UNC3X,		Rec	Eurot		Nonrecurring	Disconnect			oss	Rates (\$)		
D Vi S·	IS3  Infual Collocation - Co-Carrier Cross Connects - Fiber Cable support Structure, per linear foot Infual Collocation - Co-Carrier Cross Connects - Copper/Coax			E3, U1TD3, UXTS1, UXTD3, UNC3X,			FIISL	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Vi S·	irtual Collocation - Co-Carrier Cross Connects - Fiber Cable support Structure, per linear foot irtual Collocation - Co-Carrier Cross Connects - Copper/Coax			U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14 21	20 94	15 23	7 39	5 93		15 69				
S Vi	Support Structure, per linear foot  Fritual Collocation - Co-Carrier Cross Connects - Copper/Coax		1	ODESA, GINEDS	CNDSA	14 21	20 94	10 23	7 39	5 9 3	ļ <u>.</u>	15 69				
			ļ	AMTFS_	VE1CB	0 0022										L
	able Support Structure, per linear It											]				l .
	total College to a Constant Constant Standard		ļ	AMTFS	VE1CD	0 0033										
	/irtual Collocation - Co-Carner Cross Connects - Fiber Cable			ALTEO	VE400		500 50					i				l .
	support Structure,per cable firtual Collocation - Co-Carner Cross Connects - Copper/Coax			AMTFS	VE1CC		536 56									<b></b>
	Cable Support Structure, per cable			AMTES	VE1CE	1	536 56									1
	Intual Collocation Cable Records - per request		-	AMTES	VE1BA	1	760 98	489 20	133 29	133 29						
	Intual Collocation Cable Records - VG/DS0 Cable, per cable			AWIT	VE IDA		700 90	403 20	133.25	133 28						t
	ecord			AMTES	VE1BB		327 65	327 65	189 54	189 54						i
	firtual Collocation Cable Records - VG/DS0 Cable, per each		-	Punit O	VEIDO	-	321 03	J27 00	103 54	103 34						<b></b>
	00 pair		1	AMTES	VE1BC	1 1	4 82	4 82	5 91	5 91						i
	Intual Collocation Cable Records - DS1, per T1TIE		1	AMTES	VE1BD		2 26	2 26	2 77	2 77						
	Intual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		7 90	7 90	9 68	9 68						i
	firtual Collocation Cable Records - Fiber Cable, per 99 fiber			_												i
re	ecords			AMTES	VE1BF		84 68	84 68	77 30	77 30						i
Vi	irtual collocation - Security Escort - Basic, per half hour		1	AMTES	SPTBX		16 96	10 75	***************************************			5 69				i
Vi	irtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX		22 10	13 89		-		5 69				i
Vı	irtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27 23	17 02				15 69				
Vi	irtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27 99	10 75				15 69				
Vı	irtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		36 56	13 89				15 69				
V.	irtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		45 12	17 02				15 69				
IRTUAL COLLO	CATION															
	irtual Collocation - 2-wire Cross Connect, Exchange Port 2- /ire Analog - Res			UEPSR	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
Vi	irtual Collocation 2-Wire Cross Connect, Exchange Port 2- /ire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
Vı	irtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire loice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
Vı	irtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire nalog Bus			UEPSB	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
Vı	irtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSX	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
Vi	irtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire SDN			UEPTX	VE1R2	0 0317	12 32	11 83	6 04	5 45		15 69				
Vi	irtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire SDN DS1			UEPEX	VE1R4	1 12	22 08	15 96	6 42	5 80		15 69				

OCECOAL	ION - Tennessee		1 7											ment: 4		bit. B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'l		Incrementa Charge -
-					<del> </del>	Rec	Nonrecurring First	Add'l	First	g Disconnect	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	001111
								- Add I	11131	Addi	SOWIEC	JOWAN	SUMAN	SOMAN	SUMAN	SOMAN
HYSIÇAL CO	DLLOCATION				T					<del></del>	-		-	· -		
i	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						"									
<del></del>	Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE†R2	0 30	19 20	19 20			1		20 35	10 54	13 32	1.40
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 40
-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	DE 4 DO									,		
- 1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	-	$\vdash$	UEPSE	PE1R2	0 30	19 20	19 20		-			20 35	10 54	13 32	1 4
	Wire Analog - Bus			UEPSB	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 4
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			HEREY	DE 4D2	0.00	40.00	40.00			1					
+	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	-	<del>  </del>	UEPSX	PE1R2	0 30	19 20	19 20		+	<del> </del>		20 35	10 54	13 32	1 40
	Wire ISDN  Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0 30	19 20	19 20					20 35	10 54	13 32	1 40
İ	Wire ISDN DS1			UĒPEX	PE1R4	0 50	19 20	19 20	1	-			90.05	40	40	
HYSICAL CO	ILLOCATION			OCT EX	FEIR4		19 20	19 20		<del>                                     </del>			20 35	10 54	13 32	1 40
T	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2.633 00	2,633 00		-	-					
	Physical Collocation Administrative Only - Application Fee	- 1		CLO	PE1BL		743 25	2,000.00		<del> </del>						
	Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	2 74										-
	Physical Collocation - Space Preparation - Common Systems		1	020	. <u>-</u>										- <del>-</del>	
	Modification per square ft - Cageless	1	i I	CLO	PE1SL	2 95						-				
	Physical Collocation - Space Preparation - Common Systems Modification per Cage	,		CLO	PE1SM	100 14										
·   ·	Physical Collocation - Floor Space per Sq. Ft	1		CLO	PE1PJ	5 94								_		-
	Physical Collocation - Cageless - Cable Support Structure			CLO	PE1CJ	17 87					1					
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable			CLO	PE1PM	19 80										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8 87										
<del></del>	Physical Collocation - Power Reduction, Application Fee		$\vdash$	CLO	PE1PR		400 10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5 60										
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11 22										
ı							1			1						
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16 82				<del>                                     </del>	<del> </del>					
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	38 84										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects	. 1			PE1P2	0 033	33 82	31 92			1					
	,			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
ŀ	Physical Collocation - 4-Wire Cross-Connects	1 3		UCL	PE1P4	0 066	33 94	31 95			1 1					
	- Hydrox Composition - 7 This Chass Conflictio	•		CLO.UEANL,UEQ,W DS1L,WDS1S USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1.		0 000	33 34	31 30								
3	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1 51	53 27	40 16		1	1		- 1			

COLLOCAT	ION - Tennessee												Attach	ment 4	Eub	bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)		(40)		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
<del></del>				OLO LIEGUIZZO			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
L	Physical Collocation - DS3 Cross-Connects				PE1P3	19 26	52 37	38 89								
	Physical Collocation - 2-Fiber Cross-Connect	ı		CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15 64	41 56	29 82	12 96	10 34			2 69	2 69	1 56	1 56
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,						1001			2.00	2 05	130	1 30
	Physical Collocation - Cageless - 2-Fiber Cross-Connect		<u> </u>	UDL12, UDF	PE1CK	3 03	41 56	29 82	12 96	10 34						
	Shared Callegare A Share Core Core		}	CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	05.51											
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF CLO, ULDO3,	PE1F4	28 11	50 53	38 78	16 97	14 35			2 69	2 69	1 56	1 56
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect				PE1CL	6 06	50 53	38 78	16 97	14 35						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft	1			PE1BW PE1CW	218 53 21 44										
	Physical Collocation - Security Access System - Security System per Central Office	ı			PE1AX	55 99	_									
	Physical Collocation - Security Access System - New Access Card Activation per Card	1		CLO	PE1A1	0 059	55 67	55 67								
	Physical Collocation - Space Availability Report per premises				PE1SR	0 000	2,027 00	2,154 00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	_		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX,	PE1PE	0 40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			UEANL,UEA UDN,U DC,UAL.UHL,UCL,U EQ,CLO, USL,												
	per cross-connect  POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	1		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U ÈQ, CLO, WDS 1L, W DS 1S, USL, U1TD1, UXTD1, UNC 1X, ULDD1, USLEL, UNLD1	PE1PF	1 20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect	I		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UNLD3, UDL,	PE1PH	8 00										

JULLUCAI	ION - Tennessee													ment. 4		bit. B
CATEGORY	RATE ELEMENTS	Inten m	Zone	всѕ	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs.
			ļ			Rec	Nonrecurring			g Disconnect				Rates (\$)		
				UEANL,UEA,UDN,U			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, Per Cross-Connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE182	38 79										
	POT Bay Arrangements pnor to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1703, U1712, U1748, UDL03, UDL12 UDF	PE184	52 31										
ļ	Physical Collocation - Request Resend of CFA Information, per															
_	CLLI Nonrecurring Collocation Cable Records - per request	<del></del> -	ļ	CLO	PE1C9 PE1CR		77 67									
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PETCR		1,711 00							ļ		<del></del>
	Cable record  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	ı	ļ <u>.</u>	CLO	PE1CD		925 06									
	each 100 pair	1		CLO	PE1CO		18 05	18 05							ĺ	1
	Nonrecurring Collocation Cable Records - DS1, per T1TIE	- 1			PE1C1		8 45	8 45						-		
	Nonrecurring Collocation Cable Records - DS3, per T3TIE	1		CLO	PE1C3		29 57	29 57			1					
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99				L :											
	fiber records	_ !	<u> </u>	CLO	PE1CB		279 42	279 42								
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0				PE1BV PE1BO		33 00 33 00									<del></del>
_	V to P Conversion, Per Customer Request-DS1	<del></del>			PE1BU		52 00							_		<del></del>
	V to P Conversion, Per Customer request-DS3	-i-			PE1B3		52 00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	ı		CLO	PE1BR		23 00								-	
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23 00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS		33 00									
	Reconfigured			CLO	PE1BE		37 00									1
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700				LIDE	-	37 00				-					
	prs or fraction thereof	ı		CLO	PE1B7		592 00									
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			cro	PE1AC	16 16	2,903 66	2,903 66								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4 32										i
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed				PE1SN		142 40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185 72									
1	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PE1SP		242 05									i
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.				PE1S1	110 97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. fl			CLO	PE1S5	55 49										
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft			CLO	PE1CP	0 0156					,		ļ		1	i
	Structure, Interduct per rt Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2 56	944 27						-			
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq ft				PE1FS	5 94										

	ION - Tennessee		1		Ţ~									ment: 4		bit: 🖪
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Charge -	Charge
			<del> </del>		ļ	Rec	Nonrecurring			Disconnect				Rates (\$)		
	Physical Caged Collocation-Cable Support Structure-Cable		+		<del> </del>	ļ	First	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Racking, per entrance cable			CLO	PE1CS	21 47					ļ			1	1	1
	Physical Caged Collocation-Power-Power Construction, per amp DC plant		-	CLO	PE1PN	3 55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2 03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt			CLO	PE12C	0 0475	7.00									
-   -	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckls, per ckt			Cro	PE14C	0 0475	7 68	<del></del>								
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt	_							-			-				
-	Physical Caged Collocation-DS1 Cross Connects-Connection to	-	<u> </u>	Cro	PE11S	7 68	41 65		ļ							
	DSX, per ckt			CLO	PE11X	0 38	41 65						_			i
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt			CLO	PE13S	53 96	298 03								<u> </u>	
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt			CLO	PE13X	9 32	298 03									
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76 10									<del></del> -
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft			CLO,UDF	PE1ES	0 0013		*****								
	Physical Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin ft			CLO	PE1DS	0 0019			<u> </u>							
	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		585 09						-			
DJACENT CO	DLLOCATION			OLO	1		303 03		<del></del>	<del></del>						
	Adjacent Collocation - Space Charge per Sq. Ft			CLOAC	PE1JA	0 0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLOAC	PE1JC	5 53						-				
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0 34	11 12	10 18	11 33	10 23			1 77	1.77	1 12	11
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0 33	11 30	10 31	11 62	10 44			1 77	1 77	1 12	1 1:
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 70	28 39	16 88	11 65	10 54			177	1 77	1 12	11
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19 03	26 23	15 51	13 40	10 77			1 77	1 77	1 12	1 12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3 49	26 23	15 51	13 41	10 78			1 77	1 77	1 12	1 13
	Adjacent Collocation - 4-Fiber Cross-Connect			CLÓAC	PE1F4	6 50	29 75	19 02	17 60	14 97			1 77	1 77	1 12	1 1:
	Adjacent Colfocation - Application Fee			CLOAC	PE1JB		2,973 00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5 81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11 64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17 45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	40 30										
YSICAL CO	LOCATION IN THE REMOTE SITE											1				
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580 20		312 76			1				
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220 41										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24 69									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		218 49						,			
	Physical Collocation in the Remote Site - Remote Site CLL! Code Request, per CLLI Code Requested			CLORS	PE1RE		70 81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234 15									
IYSICAL COI	LOCATION IN THE REMOTE SITE - ADJACENT		[													
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27										

JOLLOCAI	ION - Tennessee												Attach	ment 4	Exhi	bit; B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental		Incremental Charge -	Increment: Charge - Manual Sv Order vs Electronic Disc Add
				<del></del>	ļ	Rec	Nonrecurring First		Nonrecurring					Rates (\$)		
						<del>                                     </del>	FIRST	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site-Adjacent Collocation - Real Estate, per square foot		1	CLORS	PE1RT	0 134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755 62	755 62			·					
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	s			<del></del>		·	<del></del>	<del>-</del>	
IRTUAL COL																-
	Virtual Collocation - Application Fee Virtual Collocation - Cable Installation Cost, per cable			AMTES	EAF		2,633 00	2,633 00					2 07	2 81	0.67	1 4
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft			AMTES AMTES	ESPCX ESPVX		1,749 00	1,749 00					2 07	2 81	0 67	1.4
	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	3 91 6 79	-				<u> </u>					
~	Virtual Collocation - Cable Support Structure, per entrance	-		AWITO	ESFAN.	679										
	cable			AMTES	ESPSX	17 87					· I					
				UEANL, UEA UDN, U DC UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX,		17 07										
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.57	11 62	9 90	10 38	8 66	i .	- 1	0.07		:	
				UEA,UHL,UCL,UDL, AMTFS, UAL UDN,				9 30	10 38	0.00			2 07	_2 81	0 67	14
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0 57	11 81	10 04	10 44	8 67			2 07	2 81	0 67	1 4
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS, UDL 12, UDL 03, U1T48, U1T12, U1T03, ULD 03, ULD 12, ULD 48, UDF AMTFS, UDL 12, UDD 3, U1T48, UDD 3, U1T48,	CNC2F	3 03	41 56	29 82	12 96	10 34			2 69	2 69	1 56	1.5
	Virtual Collocation - 4-Fiber Cross Connects		1	U1T12 U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6 06	50 53	38 78	16 97	14 35		ĺ	2 69	2 69	1 56	<b>1</b> 5
	Virtual collocation - Special Access & UNE, cross-connect per DS1		   t   t	USL.ULC,AMTFS, ULR, UXTD1, UNC1X ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1 32	32 22	17 76	10 46	8 75			2 07	2 81	0 67	14
- 1	Virtual collocation - Special Acess & UNE, cross-connect per DS3		E   L   L	JSL,ULC,AMTFS,U E3, U1TD3, UXTS1, JXTD3, UNC3X, JNCSX, ULDD3, J1TS1, ULDS1, JDLSX, UNLD3	CND3X	12 32	29 97	16 30	12 03	8 99			2 07	2 81	0 67	14
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot		١.													
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax			AMTES	VE1CB	0 0031										
	Cable Support Structure, per linear ft		[ <sub>4</sub>	AMTFS	VE1CD	0 0045						1				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable				VE1CC	2 22 10	555 03						2 07	2 81	0 67	1.4
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	-	١.	AMTES	VE1CE						T	T				
	Virtual Collocation Cable Records - per request	+		AMTES	VE1CE		555 03					$\longrightarrow$	2 07	2 81	0 67	1 41
	Virtual Collocation Cable Records - VG/DS0 Cable per cable record			MTFS	VE1BA VE1BB		1,711 00 925 06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	T														
	100 pair			MTFS	VE1BC	1.	18 05	18 05								
	Virtual Collocation Cable Records - DS1, per T1TIE				VE1BD		8 45	8 45								
	Virtual Collocation Cable Records - DS3, per T3TIE			MTFS	VE1BE		29 57	29 57								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records  Virtual collocation - Security Escort - Basic, per half hour			MTFS	VE1BF SPTBX		279 42 33 15	279 42 20 44					2 07	2 81	0 67	1 41

OLLOCA	TION - Tennessee	,			·· <del>·</del>								ment: 4		ibit 🖪
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			ed Submitted Manually	Manual Svc	Charge - Manual Svc Order vs	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring Disco	nect		oss	Rates (\$)		
						Rec	First	Add')	First Ac	d'I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX		41 50	25 61				2 07	2 81	0 67	1.41
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		49 86	30 79				2 07	2 81	0 67	1 4
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		30 64	30 64				2 07	2 81	0 67	1.4
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35 77	35 77				2 07	2 81	0 67	14
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40 90	40 90				2 07	2 81	0 67	14
RTUAL CO	LLOCATION														1
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEP\$R	VE1R2	0 30	19 20	19 20				20 35	10 54	13 32	1 4
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 30	19 20	19 20				20 35	10 54	13 32	1 4
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 30	19 20	19 20				20 35	10 54	13 32	1 40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 30	19 20	19 20				20 35	10 54	13 32	1 40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 30	19 20	19 20				20 35	10 54	13 32	1 40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	]		UEPTX	VE1R2	0 30	19 20	19 20				20 35	10 54	13 32	1 40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19 20	19 20				20 35	10 54	13 32	1 40

## **Attachment 5**

Access to Numbers and Number Portability

Version 4Q02 12/18/02

### TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Access Point is utilizing its own switch, Access Point shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Access Point will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Access Point,
  BellSouth will provide Access Point with on-line access to intermediate telephone
  numbers as defined by applicable FCC rules and regulations on a first come first
  served basis. Access Point acknowledges that such access to numbers shall be in
  accordance with the appropriate FCC rules and regulations. Access Point
  acknowledges that there may be instances where there is a shortage of telephone
  numbers in a particular rate center; and in such instances, BellSouth may request
  that Access Point return unused intermediate numbers to BellSouth. Access Point
  shall return unused intermediate numbers to BellSouth upon BellSouth's request.
  BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Access Point to designate up to 100 intermediate telephone numbers per rate center for Access Point's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Access Point acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

# 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Access Point subscribes to BellSouth's local switching, BellSouth shall bill and Access Point shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1.

This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and Access Point will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Access Point.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- 2.5 A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Access Point will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

#### 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

## Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	. 3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	. 3
3.	MISCELLANEOUS	5

#### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

## 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to Access Point that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)

(Resale/UNE non-coordinated, coordinated orders and order coordinated-time specific)

Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)

(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent Access Point requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Access Point, BellSouth will not assess Access Point additional charges beyond the rates and charges specified in this Agreement.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Access Point access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole

Version 4002: 12/18/02

responsibility of Access Point to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Access Point's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Access Point shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. Access Point shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Access Point shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Access Point will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Access Point's access to customer record information. If a BellSouth audit of Access Point's access to customer record information reveals that Access Point is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Access Point may take corrective action, including but not limited to suspending or terminating Access Point's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Service Ordering. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Access Point may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

- 2.1.4 Maintenance and Repair. Access Point may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer Access Point non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide nondiscriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Access Point an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Access Point agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Access Point, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

#### 3. MISCELLANEOUS

- 3.1 Pending Orders. Orders placed in the hold or pending status by Access Point will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Access Point shall be required to submit a new service request. Incorrect or invalid requests returned to Access Point for correction or clarification will be held for thirty (30) days. If Access Point does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- Single Point of Contact. Access Point will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Access Point to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Access Point and BellSouth shall each execute a blanket

letter of authorization with respect to customer requests so that prior proof of enduser authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Access Point to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Access Point that such a request has been processed but will not be required to notify Access Point in advance of such processing.

- 3.2.1 Neither BellSouth nor Access Point shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 Access Point shall return a FOC to BellSouth within thirty-six (36) hours after Access Point's receipt from BellSouth of a valid LSR.
- 3.2.4 Access Point shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Access Point elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Access Point by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Access Point that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose

of obtaining end user billing account and other end user information required under subscription requirements.

- 3.6 Cancellation Charges. If Access Point cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Access Point places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where Access Point places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Access Point may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Access Point elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Access Point, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

## Attachment 7

**Billing** 

Version 4Q02: 12/18/02

#### TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	7
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	14
6.	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	16
Ra	tes	Exhibit A

#### **BILLING**

#### 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- Billing. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Access Point under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Access Point, Access Point shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month for lines on established bill days for each of Access Point's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill Access Point in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Access Point, and Access Point will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Access Point as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective

rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, Access Point will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization ("LOA"), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Access Point may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from Access Point.
- 1.2.1 OCN. If Access Point needs to change its OCN(s) under which it operates when Access Point has already been conducting business utilizing those OCN(s), Access Point shall bear all costs incurred by BellSouth to convert Access Point to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Access Point's end user customer records and will be handled by the BFR/NBR process.
- 1.2.2 Payment Responsibility. Payment of all charges will be the responsibility of Access Point. Access Point shall make payment to BellSouth for all services billed. Payments made by Access Point to BellSouth as payment on account will be credited to Access Point's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Access Point and Access Point's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Access Point will not include those taxes or fees from which Access Point is exempt. Access Point will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Access Point.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Access Point may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Access Point</u>. The procedures for discontinuing service to Access Point are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Access Point of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Access Point that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Access Point to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Access Point if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.

- 1.7.4 Upon discontinuance of service on Access Point's account, service to Access Point's end users will be denied. BellSouth will reestablish service for Access Point upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Access Point is solely responsible for notifying the end user of the proposed disconnection of the service. If within fifteen (15) days after Access Point has been denied and no arrangements to reestablish service have been made consistent with this subsection, Access Point's service will be discontinued.
- 1.8 Deposit Policy. Access Point shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Access Point from its obligation to make complete and timely payments of its bill. Access Point shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Access Point's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Access Point fails to remit to BellSouth any deposit requested pursuant to this Section, service to Access Point may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Access Point's account(s). In the event Access Point defaults on its account, service to Access Point will be terminated and any security deposits will be applied to Access Point's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Access Point, shall be forwarded to the individual and/or address provided by Access Point in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Access Point as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Access Point to BellSouth's billing organization, a final notice of disconnection of services purchased by Access Point under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Access Point shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other

services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

#### 3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Access Point by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Access Point shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Access Point on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 Access Point must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Access Point must request that BellSouth establish a unique hosted RAO code for Access Point. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- BellSouth will receive messages from Access Point that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Access Point shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Access Point.
- 3.7 All data received from Access Point that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Access Point that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Access Point and will forward them to Access Point on a daily basis for processing.

- 3.10 Transmission of message data between BellSouth and Access Point will be via CONNECT:Direct or CONNECT:Enterprise Client utilizing secure File Transfer Protocol (FTP).
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Access Point for the purpose of data transmission when utilizing CONNECT: Direct. Where a dedicated line is required. Access Point will be responsible for ordering the circuit and coordinating the installation with BellSouth. Access Point is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Point. Additionally, all message toll charges associated with the use of the dial circuit by Access Point will be the responsibility of Access Point. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Access Point end for the purpose of data transmission will be the responsibility of Access Point.
- 3.10.2 If Access Point utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Access Point.
- 3.11 All messages and related data exchanged between BellSouth and Access Point will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Access Point will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Access Point to send data to BellSouth more than sixty (60) days past the message date(s), Access Point will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Access Point, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid

by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Access Point, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Access Point of the error. Access Point will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Access Point will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- In association with message distribution service, BellSouth will provide Access Point with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Access Point as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Access Point and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Access Point and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Access Point, is covered by CATS. Also covered is traffic that either is originated by or billed by Access Point, involves a company other than Access Point, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once Access Point is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Access Point. BellSouth will distribute copies of these reports to Access Point on a monthly basis.

- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Access Point. BellSouth will distribute copies of these reports to Access Point on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Access Point from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Access Point. BellSouth will remit the revenue billed by Access Point to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Access Point. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Access Point via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by Access Point within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Access Point. BellSouth will remit the revenue billed by Access Point within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Access Point via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Access Point agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

#### 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Access Point, BellSouth will provide the Optional Daily Usage File (ODUF) service to Access Point pursuant to the terms and conditions set forth in this section.
- 4.2 Access Point shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Access Point customer.
- 4.4 Charges for the ODUF will appear on Access Points' monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment.

  Access Point will be billed at the ODUF rates that are in effect at the end of the previous month.

4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of Access Point will be the responsibility of Access Point. If, however, Access Point should encounter significant volumes of errored messages that prevent processing by Access Point within its systems, BellSouth will work with Access Point to determine the source of the errors and the appropriate resolution. The following specifications shall apply to the ODUF feed. 4.7 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Access Point: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll WATS and 800 Service 4.7.1.1.5 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 Operator Services Messages 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) Credit/Cancel Records 4.7.1.1.10 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Access Point.

- 4.7.1.4 In the event that Access Point detects a duplicate on ODUF they receive from BellSouth, Access Point will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to Access Point via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Access Point for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.2.3 If Access Point utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Access Point.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Point which BellSouth RAO that is sending the message. BellSouth and Access Point will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Point and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Access Point will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Access Point will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Access Point by BellSouth.
- 4.7.5 ODUF Control Data

4.7.5.1 Access Point will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Access Point's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Access Point for reasons stated in the above section.

#### 4.7.6 ODUF Testing

4.7.6.1 Upon request from Access Point, BellSouth shall send ODUF test files to Access Point. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Access Point set up a production (live) file. The live test may consist of Access Point's employees making test calls for the types of services Access Point requests on ODUF. These test calls are logged by Access Point, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

#### 5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Access Point, BellSouth will provide the Access Daily Usage File (ADUF) service to Access Point pursuant to the terms and conditions set forth in this section.
- 5.2 Access Point shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Access Point has purchased from BellSouth
- Charges for ADUF will appear on Access Point's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment.Access Point will be billed at the ADUF rates that are in effect at the end of the previous month.
- Messages that error in the billing system of Access Point will be the responsibility of Access Point. If, however, Access Point should encounter significant volumes of errored messages that prevent processing by Access Point within its systems, BellSouth will work with Access Point to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Access Point:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.

- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Access Point.
- 5.6.3 In the event that Access Point detects a duplicate on ADUF they receive from BellSouth, Access Point will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- 5.6.4.1 ADUF will be distributed to Access Point via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Access Point for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.4.3 If Access Point utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Access Point.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Point which BellSouth RAO is sending the message. BellSouth and Access Point will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Point and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Access Point will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard

ATIS EMI error codes will be used. Access Point will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Access Point by BellSouth.

#### 5.6.7 ADUF Control Data

- Access Point will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Access Point's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Access Point for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Access Point, BellSouth shall send a test file of generic data to Access Point via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

#### 6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

- 6.1 Upon written request from Access Point, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Access Point pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- Access Point shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 6.4 Charges for delivery of the Enhanced Optional Daily Usage File will appear on Access Point's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Access Point will be billed at the EODUF rates that are in effect at the end of the previous month.
- All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Access Point will be the responsibility of Access Point. If, however, Access Point should encounter significant volumes of errored messages that prevent processing by Access Point within its systems, BellSouth will work with Access Point to determine the source of the errors and the appropriate resolution.
- 6.7 The following specifications shall apply to the EODUF feed.

6.7.1 Usage To Be Transmitted 6.7.1.1 The following messages recorded by BellSouth will be transmitted to Access Point: 6.7.1.1.1 Customer usage data for flat rated local call originating from Access Point's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: 6.7.1.1.2 Date of Call 6.7.1.1.3 From Number 6.7.1.1.4 To Number Connect Time 6.7.1.1.5 Conversation Time 6.7.1.1.6 6.7.1.1.7 Method of Recording 6.7.1.1.8 From RAO 6.7.1.1.9 Rate Class 6.7.1.1.10 Message Type 6.7.1.1.11 **Billing Indicators** 6.7.1.1.12 Bill to Number 6.7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Access Point. 6.7.1.3 In the event that Access Point detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Access Point will drop the duplicate message (Access Point will not return the duplicate to BellSouth). 6.7.2 Physical File Characteristics The EODUF feed will be distributed to Access Point over their existing Optional 6.7.2.1 Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Access Point's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

- 6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Access Point for the purpose of data transmission. Where a dedicated line is required, Access Point will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Point will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dialup facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Point. Additionally, all message toll charges associated with the use of the dial circuit by Access Point will be the responsibility of Access Point. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Access Point's end for the purpose of data transmission will be the responsibility of Access Point.
- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Point which BellSouth RAO is sending the message. BellSouth and Access Point will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Point and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

JUUF/AUU	F/EODUF/CMDS - Alabama												Attach			ıbit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge Manual S Order vs
							Nonre	curring	Nonrecurrin	g Disconnect	_	L	088	Rates (\$)		
						Rec	First	Add't	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE/ADUE/O	DEDUF/CMDS				1			-								
	SS DAILY USAGE FILE (ADUF)						-		+						ļ	<del> </del>
	ADUF Message Processing, per message				N/A	0 007037									<u> </u>	<del> </del>
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 000113										
OPTIC	ONAL DAILY USAGE FILE (ODUF)			-												
	ODUF Recording, per message				N/A	0 000011										
	ODUF Message Processing, per message				N/A	0 004101									-	
_	ODUF Message Processing, per Magnetic Tape provisioned				N/A	42 67								_		
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 000094										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															<b>—</b>
	CMDS Message Processing, per message				N/A	0 004										
ENHA	CMDS Data Transmission (CONNECT DIRECT), per message NCED OPTIONAL DAILY USAGE FILE (EDDUF)			<del></del>	N/A	0 001		<u>-</u> .								
	EODUF Message Processing, per message				N/A	0 22			1	<del> </del>	<u> </u>				·	
Notes:	: If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as se			h tariff or as r	egotiated by	he Parties upoi	n request by e	ther Party					<del></del>

DDUF/ADUF	/EODUF/CMDS - Florida													ment: 7	Exhi	
CATEGORY	RATE ELEMENTS	Inter	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs	Charge -
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
		ļ				1.30	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O	EDIE/CMDS				-	-					-					
	SS DAILY USAGE FILE (ADUF)								-				<u> </u>			
	ADUF Message Processing, per message				N/A	0 001656			<del> </del>						-	-
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0001245										-
OPTIO	NAL DAILY USAGE FILE (ODUF)													1		
	ODUF Recording, per message		1		N/A	0 0000071		]								
	ODUF Message Processing, per message				N/A	0 002146						-			Ī	
	ODUF Message Processing, per Magnetic Tape provisioned				N/A	35 91										
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010375										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS Message Processing, per message	ļ		<del></del>	N/A	0 004				<del></del>	ļ			1		
	CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)										I	I				
	EODUF Message Processing, per message				N/A	0 080698										

ODUF/ADU	F/EODUF/CMDS - Georgia												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			1				Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/	DEDUF/CMDS		╁─┤						ļ					<u> </u>		
	SS DAILY USAGE FILE (ADUF)		1 1			<del></del>		<del> </del> -	-		<del>                                     </del>					<del></del>
	ADUF Message Processing, per message				N/A	0 0136327										
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0000434										
OPTIC	DNAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message	L			N/A	0 0001275										
	ODUF Message Processing, per message				N/A	0 0082548									-	
	ODUF Message Processing, per Magnetic Tape provisioned				N/A	28 85										
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0000434					1					İ
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)										!					
	CMDS Message Processing, per message				N/A	0 004										
ENHA	CMDS Data Transmission (CONNECT DIRECT), per message NCED OPTIONAL DAILY USAGE FILE (EQDUF)				N/A	0 001										
EMILA	EODUF Message Processing, per message		<del>                                     </del>		N/A	0 0034555			1							
Notes	: If no rate is identified in the contract, the rate for the specific	Service	or fund	tion will be as si			tariff or as i	agatisted by	the Partice upon	n request by a	ther Dorty					

Version 4Q02 12/18/02 Page 3 of 9

DUFIADUI	F/EODUF/CMDS - Kentucky			<u> </u>									Attach	ment: 7	Exhi	ibit A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs	Charge -	Charge Manual S Order vs
							Nonr	ecurring	Nonrecurrir	ng Disconnect	<del>                                     </del>	<u> </u>	088	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUF/ADUF/C	DEDUF/CMDS		+			-		-	-	ļ						<del> </del>
ACCE	SS DAILY USAGE FILE (ADUF)					-		+			<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·				<del> </del>
	ADUF Message Processing, per message				N/A	0 001857									-	
	ADUF Data Transmission (CONNECT DIRECT), per message	l			N/A	0 0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)											I				
	ODUF Recording, per message				N/A	0 0000136			_			T .				
	ODUF Message Processing, per message				N/A	0 002506										
_	ODUF Message Processing, per Magnetic Tape provisioned				N/A	35 90			_							
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010372					İ					
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS Message Processing, per message				N/A	0 004										
	CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
	NCED OPTIONAL DAILY USAGE FILE (EODUF)	l									<b></b>	L				
	EODUF Message Processing, per message				N/A	0 235889		1			i	1	l			1

טטנ	FIADUE	/EODUF/CMDS - Louisiana												Attach	ment: 7	Exhi	ibit. A
ATE	GORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs	Charge -	Charge Manual S Order vs
				1				Nonre	curring	Nonrecurrin	a Disconnect	<del> </del>		OSS	Rates (\$)		
				J			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODLIE	/ADUE/O	EDUF/CMDS		1		<del></del>	<del>   </del>					ļ					Γ
OÖO!		SS DAILY USAGE FILE (ADUF)	-	+ +		+	<del>                                     </del>		· <del> </del> · · · · · · · · · · · · · · · · · · ·			<del> </del>					
	AUGE	ADUF Message Processing, per message		1 1		N/A	0 007983			-		-					<del> </del>
		ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00012681								-	*4.	
	OPTIO	NAL DAILY USAGE FILE (ODUF)	L											_			<u> </u>
		ODUF Recording, per message				N/A	0 0000117										
		ODUF Message Processing, per message				N/A	0 004641										
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	48 45										<u> </u>
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010568										
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS Message Processing, per message				N/A	0 004										
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
		ICED OPTIONAL DAILY USAGE FILE (EODUF)	ļ	1		-	0.050045		ļ	ļ		<u> </u>					ļ
		EODUF Message Processing, per message  If no rate is identified in the contract, the rate for the specific		ــــــــــــــــــــــــــــــــــــــ		N/A	0 250015		1	. I.	1	L					<b></b>

Version 4Q02 12/18/02 Page 5 of 9

ODUF/ADU	F/EODUF/CMDS - Mississippi												Attach	ment 7	Exhi	ibit. A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Charge -	Charge -
							Nonre	curring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE:	SS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message	ļ			N/A	0 008087			ļ	<b>.</b>						ļ
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message				N/A	0 0000063						1				<del> </del>
	ODUF Message Processing, per message				N/A	0 004707			T							1
	ODUF Message Processing, per Magnetic Tape provisioned				N/A	49 04										
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010669										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)				1							1			-	
	CMDS Message Processing, per message				N/A	0 004				<b></b> .				L		
ENHAI	CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
	EODUF Message Processing, per message		1		N/A	0 250424		1	<del></del>					· · · · · · · · · · · · · · · · · · ·		···-

ODU	F/ADUF	F/EODUF/CMDS - North Carolina												Attach	ment <sup>,</sup> 7	Exhi	ıbıt: A
CATE	GORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Sy Order vs
	1		1					Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF	/ADUF/C	DEDUF/CMDS		+					<del> </del>	-		<u> </u>					
	ACCES	SS DAILY USAGE FILE (ADUF)		1													
		ADUF Message Processing, per message				N/A	0 01435										
		ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0001277										
	OPTIO	NAL DAILY USAGE FILE (ODUF)									1						<del> </del>
		OOUF Recording, per message				N/A	0 0003										1
		ODUF Message Processing, per message				N/A	0 0032									_	1
	1	ODUF Message Processing, per Magnetic Tape provisioned	ļ	1		N/A	54 61										
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00004										
	CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS Message Processing, per message		ļ		N/A	0 004										
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										<u>L</u>
		NCED OPTIONAL DAILY USAGE FILE (EODUF)			·												
		EODUF Message Processing, per message		I = T		N/A	0 2285406										

Version 4Q02 12/18/02

DUF/ADUF	F/EODUF/CMDS - South Carolina												Attach	ment: 7	Exhi	ibit <sup>.</sup> A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Charge -	Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
					1		Nonre	curring	Nonrecurrin	a Disconnect	<del> </del>		OSS	Rates (\$)	1	L
				•		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUF/ADUF/O	DEDUF/CMDS		++						+	-						
	SS DAILY USAGE FILE (ADUF)	<del>                                     </del>	+-+					†··-	+	<del> </del>	-					
	ADUF Message Processing, per message				N/A	0 008061										
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00013036										
	NAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message				N/A	0 0000216		T			1			Ī		· ·
	ODUF Message Processing, per message				N/A	0 004704					7					
	ODUF Message Processing, per Magnetic Tape provisioned	ļ			N/A	48 87										
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010863										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)	i i									1					
	CMDS Message Processing, per message				N/A	0 004										
	CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
ENHAN	NCED OPTIONAL DAILY USAGE FILE (EODUF)		1					1								
1	EODUF Message Processing, per message	ĺ.	1		N/A	0 258301		1	1	ı	1		l	1	I	1

Version 4Q02 12/18/02 Page 8 of 9

ODUF/ADI	UF/EODUF/CMDS - Tennessee												Attach	ment: 7	Exhi	ıbıt: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						_	Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF	F/OEDUF/CMDS								+					-	-	<del> </del>
ACC	ESS DAILY USAGE FILE (ADUF)									_						<del> </del>
	ADUF Message Processing, per message				N/A	0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
OPT	IONAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message				N/A	0 0000044										
	ODUF Message Processing, per message				N/A	0 0027366										
	ODUF Message Processing per Magnetic Tape provisioned				N/A	52 75		· · · · ·								
	ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0000339										
CEN	ITRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS Message Processing, per message				N/A	0 004										
	CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
ENH	IANCED OPTIONAL DAILY USAGE FILE (EODUF)										<u> </u>				L	
	EODUF Message Processing, per message				N/A	0 004						1		l		

## **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

## Attachment 9

**Performance Measurements** 

# PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

# BellSouth Service Quality Measurement Plan (SQM)

**Region Performance Metrics** 

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

## Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)<sup>1</sup> and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3<sup>rd</sup> Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <a href="https://pmap.bellsouth.com">https://pmap.bellsouth.com</a> in the Documentation Downloads folder.

# **Report Publication Dates**

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

Version 0.06 iv Issue Date: June 4, 2002

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

# **Report Delivery Methods**

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

# **Contents**

Section 1: Operations Support Systems (OSS)	1-1
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	
OSS-2: Interface Availability (Pre-Ordering/Ordering)	1-5
OSS-3: Interface Availability (Maintenance & Repair)	1-7
OSS-4: Response Interval (Maintenance & Repair)	1-9
PO-1: Loop Makeup - Response Time – Manual	1-11
PO-2: Loop Make Up - Response Time - Electronic	1-13
Section 2: Ordering	2-1
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	2-4
O-4: Percent Flow-Through Service Requests (Detail)	2-6
O-5: Flow-Through Error Analysis	2-9
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	2-19
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	2-22
O-11: Firm Order Confirmation and Reject Response Completeness	2-24
O-12: Speed of Answer in Ordering Center	2-26
O-13: LNP-Percent Rejected Service Requests	2-27
O-14: LNP-Reject Interval Distribution & Average Reject Interval	2-29
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confi	
Average Interval	2-32
Section 3: Provisioning	3-1
P-1: Mean Held Order Interval & Distribution Intervals	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	3-8
P-5: Average Completion Notice Interval	3-11
P-6: % Completions/Attempts without Notice or < 24 hours Notice	3-13
P-7: Coordinated Customer Conversions Interval	3-15
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Ave	erage
Interval	3-17
P-7B: Coordinated Customer Conversions – Average Recovery Time	
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a comple	
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	3-28
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	
P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Dist	

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments	
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	
M&R-7: Mean Time To Notify CLEC of Network Outages	4-12
Section 5: Billing	5-1
B-1: Invoice Accuracy	5-1
B2: Mean Time to Deliver Invoices	5-3
B3: Usage Data Delivery Accuracy	5-5
B4: Usage Data Delivery Completeness	5-6
B5: Usage Data Delivery Timeliness	5-7
B6: Mean Time to Deliver Usage	5-8
B7: Recurring Charge Completeness	5-9
B8: Non-Recurring Charge Completeness	5-10
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance	
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Director	ory Assistance
(DA)	6-4
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	
D-2: Percent Database Update Accuracy	
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	
Section 8: E911	
E-1: Timeliness	
E-2: Accuracy	
E-3: Mean Interval	
Section 9: Trunk Group Performance	
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	
C-1: Collocation Average Response Time	
C-2: Collocation Average Arrangement Time	10-2
C-3: Collocation Percent of Due Dates Missed	10-3
Section 11: Change Management	11-4
CM-1: Timeliness of Change Management Notices	
CM-2: Change Management Notice Average Delay Days	11-5

Region	Performance	Metrics
negion	renominance	MICHICS

# Introduction

CM-3: Timeliness of Documents Associated with Change	11-6
CM-4: Change Management Documentation Average Delay Days	
CM-5: Notification of CLEC Interface Outages	
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed	
(10/30/60) Business Days	12-2
Appendix A: Reporting Scope	
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	
Appendix B: Glossary of Acronyms and Terms	
Appenuix D. Glossary of Actonyms and Terms	
Appendix C: BellSouth Audit Policy	

# Section 1: Operations Support Systems (OSS)

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

## Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

#### **Exclusions**

None

#### **Business Rules**

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

#### Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

#### Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

## Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Legacy Contract (per reporting dimension)	<ul> <li>Legacy Contract (per reporting dimension)</li> </ul>
Response Interval	Response Interval
Regional Scope	Regional Scope

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- COFFI (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)

   Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	λ	х	X	Х	х
RSAG	RSAG-ADDR	Address	Х	х	х	х	х
ATLAS	ATLAS-TN	TN	х	х	х	х	х
DSAP	DSAP	Schedule	x	λ	λ	Х	х
CRIS	CRSACCTS	CSR	Х	х	х	х	х
OASIS	OASISCAR	Feature/Service	х	х	X	х	х
OASIS	OASISLPC	Feature/Service	х	X	X	х	х
OASIS	OASISMTN	Feature/Service	х	х	Х	х	х
OASIS	OASISBIG	Feature/Service	х	х	λ	х	х

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	х	х	Х	х
RSAG	RSAG-ADDR	Address	х	х	x	х	х
ATLAS	ATLAS-TN	TN	X	х	х	х	λ
DSAP	DSAP	Schedule	х	х	х	X	x
CRIS	CRSOCSR	CSR	Х	х	х	х	х
OASIS	OASISBIG	Feature/Service	Х	х	х	Х	х

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	х	x	x	х
RSAG	RSAG-ADDR	Address	х	Х	х	х	x
ATLAS	ATLAS-TN	TN	х	х	х	х	х
DSAP	DSAP	Schedule	x	х	х	х	X
HAL	HAL/CRIS	CSR	х	х	х	x	х
COFFI	COFFI/USOC	Feature/Service	х	х	х	х	X
P/SIMS	PSIMS/ORB	Feature/Service	х	х	х	x	λ

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	Х	λ	х	х	х
RSAG	RSAG-ADDR	Address	х	х	х	x	х
ATLAS	ATLAS-TN	TN	Х	х	х	х	х
ATLAS	ATLAS-MLH	TN	х	х	x	х	х
ATLAS	ATLAS-DID	TN	χ	х	х	х	х
DSAP	DSAP	Schedule	х	Х	х	х	х
CRIS	CRSECSRL	CSR	х	х	x	x	х
CRIS	CRSECSR	CSR	x	Х	х	х	х

#### **SEEM Measure**

SEEM Measure					
Yes	Tier I				
	Tier II	X			

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

## SEEM Disaggregation - Analog/Benchmark

## **SEEM Disaggregation** SEEM Analog/Benchmark RSAG - Address (Regional Street Address Guide- Percent Response Received within 6.3 seconds: > 95% Address) – stores street address information used to Parity + 2 seconds validate customer addresses. CLECs and BellSouth query this legacy system. RSAG – TN (Regional Street Address Guide-Telephone number) - contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. ATLAS (Application for Telephone Number Load) Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system • **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this legacy system.

# **SEEM OSS Legacy Systems**

System	BellSouth	CLEC
	Telephone Number/Add	ress
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
ATLAS	RNS,ROS	TAG. LENS
	Appointment Scheduli	ng
DSAP	RNS, ROS	TAG, LENS
	CSR Data	
CRSACCTS	RNS	
CRSOCSR	ROS	
HAL/CRIS		LENS
CRSECSRL		TAG
CRSECSR		TAG
	Service/Feature Availab	ility
OASISBIG	RNS, ROS	
PSIMS/ORB		LENS

# OSS-2: Interface Availability (Pre-Ordering/Ordering)

## Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss\_hour.html)

#### **Exclusions**

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc

#### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
  they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

#### Calculation

Interface Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

#### Report Structure

- Not CLEC Specific
- · Not Product/Service Specific
- Regional Level

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Legacy Contract Type (per reporting dimension)	<ul> <li>Legacy Contract Type (per reporting dimension)</li> </ul>
Regional Scope	Regional Scope
Hours of Downtime	Hours of Downtime

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability**

Application	Applicable to	% Availability
EDI	CLEC	x
TAG	CLEC	X
LENS	CLEC	x
LEO	CLEC	x
LESOG	CLEC	x
LNP Gateway	CLEC	x
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	x
SONGS	CLEC/BellSouth	x
ATLAS/COFFI	CLEC/BellSouth	x
BOCRIS	CLEC/BellSouth	x
DSAP	CLEC/BellSouth	x
RSAG	CLEC/BellSouth	x
SOCS	CLEC/BellSouth	x
CRIS	CLEC/BellSouth	x

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
Tier II X		

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

# **SEEM OSS Interface Availability**

Application	Applicable to	% Availability
EDI	CLEC	x
HAL	CLEC	X
LENS	CLEC	x
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	x
TAG	CLEC	X

# OSS-3: Interface Availability (Maintenance & Repair)

## Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss\_hour html)

#### Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

## **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
  they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems

#### Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

## Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

## Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Availability of CLEC TAFI	Availability of BellSouth TAFI
Availability of LMOS HOST, MARCH, SOCS, CRIS,	• Availability of LMOS HOST, MARCH, SOCS, CRIS,
PREDICTOR, LNP and OSPCM	PREDICTOR, LNP and OSPCM
• ECTA	

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

# OSS Interface Availability (M&R)

OSS Interface	% Availability
BST TAFI	x
CLEC TAFI	X
CLEC ECTA	x
BellSouth & CLEC	X
CRIS	х
LMOS HOST	х
LNP	х
MARCH	\
OSPCM	х
PREDICTOR	x
SOCS	x

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	 X

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

# OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	х
CLEC ECTA	X

# **OSS-4: Response Interval (Maintenance & Repair)**

#### **Definition**

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total

#### Calculation

**OSS** Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) =  $(c/d) \times 100$ 

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is <= 4, > 4 <= 10, <= 10, > 10, or > 30 seconds.

## Report Structure

- · Not CLEC Specific
- · Not product/service specific
- · Regional Level

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	Parity

# Legacy System Access Times for M&R

System	BellSouth & CLEC	Count				
<del>-</del>		<= 4	> 4 <= 10	<= 10	> 10	> 30
CRIS	Х	х	х	х	х	x
DLETH	Х	x	x	х	x	х
DLR	х	x	x	X	х	х
LMOS	Х	х	X	x	x	х
LMOSupd	Х	x	x	Х	x	x
I NP	У	y	У	\ \	У	X
MARCH	Х	х	X	Х	x	x
OSPCM	Х	х	х	Х	х	х
Predictor	X	х	x	х	х	х
SOCS	Х	x	X	Х	х	х
NIW	х	х	X	Х	х	х

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# PO-1: Loop Makeup - Response Time - Manual

#### Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

#### Exclusions

- · Inquiries, which are submitted electronically.
- Designated Holidays are evoluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries

#### **Business Rules**

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Lookup."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

**Note:** The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

## Calculation

## **Response Interval** = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

#### Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

## Percent within interval = $(e/f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

# **Report Structure**

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - State
  - Region
- Interval for manual LMUs:
  - $0 \le 1 \text{ day}$
- >1 <= 2 days
- -2 <= 3 days
- $0 \le 3 \text{ days}$
- >3 <= 6 days
- >6 <= 10 days
- > 10 days
- Average Interval in days

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Inquiries	
• SI Intervals	
State and Region	<u> </u>

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
F	• 95% <= 3 Business Days

## **SEEM Measure**

SEEM Measure		
 Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

# PO-2: Loop Make Up - Response Time - Electronic

#### Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

#### **Exclusions**

- · Manually submitted inquiries.
- · Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.
- · Scheduled OSS Maintenance.

#### **Business Rules**

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

#### Calculation

#### Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

#### Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

#### Percent within interval = $(e/f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

# Report Structure

- · CLEC Aggregate
- CLEC Specific
- · Geographic Scope
- State
- Region
- Interval for electronic LMUs:

 $0 - \le 1$  minute

>1 -<= 5 minutes

0 - <= 5 minutes

 $> 5 - \le 8$  minutes

> 8 - <= 15 minutes

> 15 minutes

· Average Interval in minutes

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

Legacy Contract
 Response Interval
 Regional Scope

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
•	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

## **SEEM Measure**

SEEM Measure			
Yes Tier I	X		
Tier II X			

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

# Section 2: Ordering

# O-1: Acknowledgement Message Timeliness

## Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system

#### **Exclusions**

· Scheduled OSS Maintenance

#### **Business Rules**

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented

#### Calculation

#### Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

# Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

## Reporting Structure

- CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
  - Region
- Electronically Submitted LSRs
- 0 -<= 10 minutes
- >10 <= 20 minutes
- >20 -<= 30 minutes
- 0 <= 30 minutes
- >30 -<= 45 minutes
- >45 -<= 60 minutes
- >60 <= 120 minutes
- >120 minutes
- · Average interval for electronically submitted messages/LSRs in minutes

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

# **SQM** Disaggregation - Analog/Benchmark

SQM Analog/Benchmark
• EDI
- 90% <= 30 minutes (05/01/01)
- 95% <= 30 minutes (08/01/01)
• TAG – 95% <= 30 minutes

# **SEEM Measure**

SEEM Measure			
Ē	Yes	Tier I	X
		Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

# O-2: Acknowledgement Message Completeness

#### Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

#### **Exclusions**

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

#### **Business Rules**

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

#### Calculation

Acknowledgement Completeness =  $(a / b) \times 100$ 

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

## Report Structure

- · CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
- Region

**Note:** The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

# SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI		Benchmark: 100%
• TAG		

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	Benchmark: 100%
• TAG	

Version 0.06 RGN-005-122101 2-3

# O-3: Percent Flow-Through Service Requests (Summary)

#### Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

#### **Exclusions**

- · Fatal Rejects
- Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE) The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout.

- 1. Complex\*
- 2 Special pricing plans
- 3 Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5 Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in CRIS
- Denials-restore and conversion, or disconnect and conversion orders
- 9 Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)
\*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services

\*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

**Total System Fallout:** Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

#### Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

#### Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

## **Report Structure**

- · CLEC Aggregate
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>2</sup>
Residence	• Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	
Tier II X		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark <sup>3</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

Benchmarks do not apply to the "Percent Achieved Flow Through."

# O-4: Percent Flow-Through Service Requests (Detail)

#### Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

#### **Exclusions**

- · Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- CLEC System Fallout
- · Scheduled OSS Maintenance

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex\*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4 New telephone number not yet posted to BOCRIS
- 5 Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in CRIS
- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

\*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

#### Calculation

Percent Flow Through =  $a / [b - (c + d + e + f)] \times 100$ 

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

#### Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

# **Report Structure**

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors by Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
Total Number of Errors by Type. by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Errors	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark⁴		
Residence	Benchmark: 95%		
Business	Benchmark: 90%		
• UNE	Benchmark: 85%		
• LNP	Benchmark: 85%		

Benchmarks do not apply to the "Percent Achieved Flow Through."

# **SEEM Measure**

	SEEM Me	easure			
Yes	Tier I		X	 -	
	Tier II		 	 	

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark <sup>5</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	• Benchmark, 85%
• LNP	Benchmark: 85%

<sup>&</sup>lt;sup>5</sup> Benchmarks do not apply to the "Percent Achieved Flow Through."

# O-5: Flow-Through Error Analysis

#### Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

#### **Exclusions**

Each Error Analysis is error code specific, therefore exclusions are not applicable.

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

#### Calculation

Total for each error type.

## Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- · Cumulative percent
- Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- · BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- · Percent of BellSouth by BellSouth caused count

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Number of LSRs Received	<ul> <li>Total Number of Errors by Type (by error code)</li> </ul>
• Total Number of Errors by Type (by error code)	- BellSouth System Error
- CLEC Caused Error	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# O-6: CLEC LSR Information

#### Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

#### **Exclusions**

- Fatal Rejects
- · LSRs submitted manually

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

#### Calculation

Not Applicable

## Report Structure

Provides a list with the flow through activity of LSRs by CC. PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- · Timestamp
- Type
- Err#
- Note or Error Description

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of LSRs Received by CC, PON and Ver	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	 SQM Analog/Benchmark
Not Applicable	 Not Applicable

#### **SEEM Measure**

	SEEM Measure				
No	Tier I				
	Tier II				

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **LSR Flow Through Matrix**

Product	Product Type	Reqtype	ACT Type	F/T <sup>3</sup>	Comple		Planned Fallout For		TAG	LEN S⁴
	J.,				Service					
2 wire analog DID trunk port	U,C	Α	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	Α	N,T	No	UNE	No	Yes	Υ	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital leop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N.C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	А	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	E	N.C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	E	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Ÿ	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	E	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	E	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	C	E	N, C, T, V, W, D, P,	No	Yes	Yes	N/A	N	N	N
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E.B.M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	С	Р	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	C	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	Ü	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Ÿ
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	Û	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	Ü	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	C	Р	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	Ü	C	C	No	UNE	Yes	Yes	Y	Y	N

Product	Product	Reqtype	ACT Type	F/T <sup>3</sup>	Comple	Com	Planned	EDI	TAG	LEN
	Type	1,7,	, ,,,,		x ·	plex	Fallout For		2	S <sup>4</sup>
					Service	Order	Manual Handling <sup>1</sup>			
LightGate	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	А	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	С	C.D.P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	Ū	C	D.P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	С	Ċ	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	DPVQ	Yes	UNE	No	No	Ÿ	Ÿ	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R.B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalınk	C	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA NA	N	Ň	N
Megalink-T1	C	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Ŷ	Y	Y
Multiserv	C	P	N,C,D,T,V,S,B,	No	Yes	Yes	NA NA	N	N	N
Transsi v		•	W,L,P,Q	110	103	103	1421	, ,	``	``
Native Mode LAN Interconnection (NMLI)	С	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area Plus	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Pathlink Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Pay Phone Provider	В	Е	C,D,T,N,V,W	No	No	No	NA	N	N	N
PBX Standalone Port	C	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N
PBX Trunks	R,B	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E.M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	Е	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	С	E	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	Ċ	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	Ň	N	N
Touchtone	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W. SL1, SL2	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
WATS	R,B	E	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C.U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA NA	N	N	N
Collect Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	$\frac{1}{Y}$
PIC/LPIC Change	R,B	E	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change PIC/LPIC Freeze	R.B	E	N,T,C,V	Yes	No	No	No	Y	Y	Y
r IC/LFIC FIEEZE	IV,D	ட	IN, 1, C, V	168	INU	INO	INO }	I	I	I

Note<sup>1</sup>. Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service

Note<sup>2</sup>: The TAG column includes those LSRs submitted via Robo TAG.

Note<sup>3</sup>: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling. Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note<sup>4</sup>: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note<sup>5</sup> EELs are manually ordered.

Note<sup>6</sup>. LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan

# **O-7: Percent Rejected Service Requests**

#### Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- · Service Requests canceled by the CLEC prior to being rejected clainfied
- · Scheduled OSS Maintenance

#### **Business Rules**

**Fully Mechanized:** An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category.

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

**Non-Mechanized:** LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs) ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

## Calculation

Percent Rejected Service Requests =  $(a / b) \times 100$ 

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

# Report Structure

- · Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · CLEC Specific
- · CLEC Aggregate
- · Geographic Scope
- State
- Region
- · Product Specific Percent Rejected
- · Total Percent Rejected

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	
• Resale - Business	
• Resale – Design (Special)	
• Resale PBX	
Resale Centrex	
Resale ISDN	
LNP (Standalone)	
• INP (Standalone)	
• 2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With INP Design	
2W Analog Loop With INP Non-Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	

# **SEEM Measure**

SEEM Measure					
No	Tier I				
	Tier II				

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-8: Reject Interval

### Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

### **Exclusions**

- Service Requests canceled by CLEC prior to being rejected/clarified
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1)

· Scheduled OSS Maintenance

### **Business Rules**

**Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

### Calculation

**Reject Interval** = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

### Report Structure

- CLEC Specific
- · CLEC Aggregate
- · Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · Geographic Scope

- State
- Region
- · Mechanized:
- 0 <= 4 minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 -<= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 hours
- · Partially Mechanized:
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- 0 <= 10 hours
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- >24 hours
- · Non-mechanized:
- 0 -<= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 -<= 20 hours
- >20 <= 24 hours 0 - <= 24 hours
- > 24 hours • Trunks:
- <= 4 days
- >4 <= 8 days
- >8 <= 12 days
- >12 <= 14 days
- >14 <= 20 days
- >20 days

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Resale - Residence	Mechanized:	
Resale - Business	- 97% <= 1 Hour	
Resale - Design (Special)	Partially Mechanized:	
Resale PBX	- 85% <= 24 hours	
Resale Centrex	$-85\% \le 18 \text{ Hours } (05/01/01)$	

Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	<ul> <li>Non-Mechanized: - 85% &lt;= 24 hours</li> </ul>
• INP (Standalone)	
2W Analog Loop Design	
<ul> <li>2W Analog Loop Non-Design</li> </ul>	
<ul> <li>2W Analog Loop With INP Design</li> </ul>	
<ul> <li>2W Analog Loop With INP Non-Design</li> </ul>	
• 2W Analog Loop With LNP Design	
<ul> <li>2W Analog Loop With LNP Non-Design</li> </ul>	
<ul> <li>UNE Loop + Port Combinations</li> </ul>	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
<ul> <li>UNE Other Non-Design</li> </ul>	
<ul> <li>Local Interoffice Transport</li> </ul>	
UNE Other Design	
Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

## **O-9: Firm Order Confirmation Timeliness**

#### Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

### **Exclusions**

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

### **Business Rules**

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI. LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and
  processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

### Calculation

### **Firm Order Confirmation Interval** = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

#### Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

### FOC Interval Distribution (for each interval) = $(e / f) \times 100$

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

# **Report Structure**

- · Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - State
  - Region
- · Fully Mechanized:
- $0 \leq 15$  minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$  hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- · Partially Mechanized:
  - $0 \le 4$  hours
  - >4 <= 8 hours
  - >8 <= 10 hours
  - $0 \le 10 \text{ hours}$
  - >10 <= 18 hours
  - 0 <= 18 hours
  - >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours
- >48 hours
- · Non-Mechanized:
- 0 <= 4 hours
- >4 <= 8 hours >8 - <= 12 hours
- >12 -<= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours
- · Trunks:
- $0 \le 5 \text{ days}$
- >5 <= 10 days
- $0 \le 10 \text{ days}$
- >10 <= 15 days
- >15 <= 20 days
- >20 days

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Not Applicable	
Interval for FOC		
Total Number of LSRs		
State and Region		
Total Number of ASRs (Trunks)		

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	<ul> <li>Mechanized: - 95% &lt;= 3 Hours</li> </ul>
Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
Resale ISDN	<ul> <li>Non-mechanized: - 85% &lt;= 36 Hours</li> </ul>
• LNP (Standalone)	
INP( Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With INP Design	
<ul> <li>2W Analog Loop With INP Non-Design</li> </ul>	
2W Analog Loop With LNP Design	
<ul> <li>2W Analog Loop With LNP Non-Design</li> </ul>	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours • 85% <= 18 Hours (05/01/01) • 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
IC Trunks	• 95% <= 10 Days

# O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual<sup>6</sup>

### Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

#### **Exclusions**

- Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- Electronically Submitted Requests
- · Scheduled OSS Maintenance

### **Business Rules**

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

### Calculation

### **FOC Timeliness Interval** = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

#### Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

### Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

## **Report Structure**

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
- State
- Region
- Intervals

 $0 - \le 3$  days

>3 - <= 5 days

 $0 - \le 5 \text{ days}$ 

 $>5- \le 7 \text{ days}$ 

>7 - <= 10 days

>10 -<= 15 days

>15 days

See O-9 for FOC Timeliness

• Average Interval measured in days

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disagg	egation	SQM Analog/Bench	mark
<ul> <li>xDSL (includes UNE unbundled A</li> </ul>	OSL, HDSL and UNE	• 95% Returned <= 5 Business days	
Unbundled Copper Loops)			
<ul> <li>Unbundled Interoffice Transport</li> </ul>			

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-11: Firm Order Confirmation and Reject Response Completeness

### Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

### **Exclusions**

- Service Requests canceled by the CLEC prior to FOC or Rejected Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

### **Business Rules**

**Mechanized** – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

**Note**: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

### For CLEC Results

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

### Calculation

#### Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness =  $(a / b) \times 100$ 

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

### Multiple or Differing FOC / Reject Responses Not Expected

**Response Completeness** =  $[(a + b) / c] \times 100$ 

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

### Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- CLEC Aggregate
- · BellSouth Specific

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non - Design	
2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non - Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non - Design	
UNE Loop and Port Combinations	
• Switch Ports	
• UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
• UNE ISDN Loops	
• UNE Other Design	
• UNE Other Non - Design	
Local Interoffice Transport	
Local Interconnection Trunks	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

# O-12: Speed of Answer in Ordering Center

#### Definition

Measures the average time a customer is in queue.

### **Exclusions**

None

### **Business Rules**

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

### Calculation

### Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

### Report Structure

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
  - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

### **Data Retained**

Relating to CLEC Experience		Relating to BellSouth Performance
<ul> <li>Mechan</li> </ul>	zed tracking through LCSC Automatic Call	Mechanized tracking through BellSouth Retail center
Distribu	tor	support system.

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail
CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

### **SEEM Measure**

SEEM Measure			
No	Тіет I		
	Tier II		

### SEEM Disaggregation - Analog/Benchmark

1	SEEM Disaggregation	SEEM Analog/Benchmark	
	Not Applicable	Not Applicable	

# O-13: LNP-Percent Rejected Service Requests

### Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

#### **Exclusions**

- · Service Requests canceled by the CLEC
- · Scheduled OSS Maintenance

#### **Business Rules**

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs

An Auto Clarification is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

### Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

### Report Structure

- · Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · CLEC Specific
- · CLEC Aggregate

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
UNE Loop With LNP	

### **SEEM Measure**

	SEEM Measure			
Г	No	Tier I		
		Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-14: LNP-Reject Interval Distribution & Average Reject Interval

### Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- Service Requests canceled by the CLEC
- · Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"
- · The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

### **Business Rules**

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

### Calculation

**Reject Interval** = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

### Reject Interval Distribution = $(e/f) \times 100$

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

### **Report Structure**

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized
  - $0 \le 4$  minutes
  - >4 <= 8 minutes
  - >8 <= 12 minutes
  - >12 <= 60 minutes
  - $0 \le 1 \text{ hour}$
  - >1 <= 4 hours
  - >4 <= 8 hours
  - >8 <= 12 hours
  - >12 -<= 16 hours
  - >16 <= 20 hours
  - >20 <= 24 hours
  - > 24 hours
- · Partially Mechanized:
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- 0 <= 10 hours
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- > 24 hours
- · Non-Mechanized:
  - $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours >12 - <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- 0 <= 24 hours
- >24 hours
- Average Interval in Days or Hours

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total number of Rejects	
State and Region	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
UNE Loop with LNP	<ul> <li>Partially Mechanized: 85% &lt;= 24 Hours</li> </ul>
•	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

## **SEEM Measure**

		SEEM Me	asure	 
No	Tier I			ļ
	Tier II			

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

### **Definition**

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

#### **Exclusions**

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects'
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7 00PM until 7:00AM

From 7 00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute

· Scheduled OSS Maintenance

### **Business Rules**

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

### Calculation

#### Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

### Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

### FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

# **Report Structure**

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · CLEC Specific
- · CLEC Aggregate
- · State and Region
- · Fully Mechanized:
- $0 \le 15$  minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$  hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- · Partially Mechanized:
- 0 <= 4 hours
- >4 <= 8 hours
- >8 <= 10 hours
- 0 <= 10 hours
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours > 48 hours
- · Non-Mechanized:
- 0 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours >20 - <= 24 hours
- >24 <= 36 hours
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of FOCs	
State and Region	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 95% <= 3 Hours
UNE Loop with LNP	<ul> <li>Partially Mechanized: 85% &lt;= 24 Hours</li> </ul>
1	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	<ul> <li>Partially Mechanized: 85% &lt;= 10 Hours (08/01/01)</li> </ul>
	• Non-Mechanized: 85% <= 36 hours

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# Section 3: Provisioning

### P-1: Mean Held Order Interval & Distribution Intervals

### **Definition**

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BeilSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting penod. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

#### **Exclusions**

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders

### **Business Rules**

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

**Held Order Distribution Interval:** This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days (Orders counted in >90 days are also included in > 15 days).

### Calculation

#### Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

### Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for  $\geq 15$  days or # of Orders Held for  $\geq 90$  days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON (PON)</li> <li>Order Submission Date (TICKET_ID)</li> <li>Committed Due Date (DD)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Hold Reason</li> <li>Total Line/circuit Count</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header for in the raw data file.</li> </ul>	Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line Greent Count Geographic Scope

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	<ul> <li>Retail Residence and Business - POTS Excluding Switch-</li> </ul>
	Based Orders
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	<ul> <li>Retail Residence and Business - POTS Excluding Switch-</li> </ul>
	Based Orders
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	<ul> <li>Retail Residence and Business - POTS Excluding Switch-</li> </ul>
	Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
<ul> <li>Local Transport (Unbundled Interoffice Transport)</li> </ul>	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

## **SEEM Measure**

	SEEM Measure		
No	Tier I		
	Tier II		

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

### Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

#### **Exclusions**

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

### **Business Rules**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion

### Calculation

### Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

#### Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

### Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

### Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Dispatch Orders
- · Mechanized Orders
- · Non-Mechanized Orders

### **Data Retained**

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
% Orders Given Jeopardy Notice	
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch- Based Orders)
•UNE Digital Loop < DS1	• Retail Digital Loop < DS1
•UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
•UNE Loop + Port Combinations	Retail Business and Residence
•UNE Switch Ports	Retail Residence and Business (POTS)
•UNE Combo Other	Retail Residence, Business and Design Dispatch
•UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•UNE ISDN	Retail ISDN BRI
•UNE Line Sharing	ADSL Provided to Retail
•UNE Other Design	Retail Design
•UNE Other Non -Design	Retail Residence and Business
•Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•Local Interconnection Trunks	Parity with Retail
Average Jeopardy Notice Interval	• 95% >= 48 Hours

## **SEEM Measure**

	SEEM Measure		
No	Tier I		
	Tier II		

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-3: Percent Missed Installation Appointments

### Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

### **Business Rules**

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

### Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

### Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/No Dispatch

**Report Explanation**: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON (PON)</li> <li>Committed Due Date (DD)</li> <li>Completion Date (CMPLTN DD)</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found</li> </ul>	Report Month BellSouth Order Number Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope
in the raw data file.	

# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	<ul> <li>Retail Residence and Business - (POTS Excluding</li> </ul>
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
6' 1	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
• UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch     (Includes Dispatch Out and Dispatch Inc.)
- Dispatch	(Including Dispatch Out and Dispatch In) - Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
• UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
- Local interconnection Trunks	- 1 amy with Retail

## **SEEM Measure**

SEEM Measure				
Yes	Tier I		X	
	Tier II		- X -	

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

### Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

#### **Business Rules**

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, 2 = 30 = 30 and greater.

#### Calculation

### Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

# Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

### Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

### Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30
- All Levels are reported <10 line/circuits, >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>CLEC Company Name</li><li>Order Number (PON)</li></ul>	Report Month     BellSouth Order Number

<ul> <li>Application Date &amp; Time (TICKET_ID)</li> </ul>	Application Date & Time
<ul> <li>Completion Date (CMPLTN_DT)</li> </ul>	Order Completion Date & Time
Service Type (CLASS_SVC_DESC)	Service Type
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	
• UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
UNE xDSL without conditioning	• 7 Days
UNE xDSL with conditioning	• 14 Days
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# P-5: Average Completion Notice Interval

### **Definitions**

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

#### Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D&F orders (Exception. "D" orders associated with LNP Standalone)

### **Business Rules**

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp, the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

### Calculation

### **Completion Notice Interval = (a - b)**

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

### Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

### Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals; 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number (so_nbr)</li> <li>Work Completion Date (cmpltn_dt)</li> <li>Work Completion Time</li> <li>Completion Notice Availability Date</li> <li>Completion Notice Availability Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number (so_nbr)</li> <li>Work Completion Date (cmpltn_dt)</li> <li>Work Completion Time</li> <li>Completion Notice Availability Date</li> <li>Completion Notice Availability Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header	found NOTE: Code in parentheses is the corresponding header

in the raw data file.	found in the raw data file

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
• •	Based Orders)
- Dispatch	- Dispatch
<ul> <li>Non-Dispatch (Dispatch In)</li> </ul>	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
<ul> <li>Non-Dispatch (Dispatch In)</li> </ul>	- Non-Dispatch (Dispatch In)
<ul> <li>UNE Digital Loop &lt; DS1</li> </ul>	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch (Including
	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-6: % Completions/Attempts without Notice or < 24 hours Notice

### Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if Bell South is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

### **Exclusions**

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

### **Business Rules**

### For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

#### For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

### Calculation

### Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

### Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
CLEC Order Number and PON	
Geographic Scope	
- State / Region	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
• Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With LNP-Design	
<ul> <li>2W Analog Loop With LNP Non-Design</li> </ul>	
• 2W Analog Loop With INP-Design	
<ul> <li>2W Analog Loop With INP Non-Design</li> </ul>	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
<ul> <li>UNE xDSL (HDSL, ADSL and UCL)</li> </ul>	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
• UNE Other Non -Design	
<ul> <li>Local Transport (Unbundled Interoffice Transport)</li> </ul>	
Local Interconnection Trunks	

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

### P-7: Coordinated Customer Conversions Interval

### Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

#### **Exclusions**

- · Any order canceled by the CLEC will be excluded from this measurement
- · Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

### **Business Rules**

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

### Calculation

### Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

### Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     CLEC Order Number     Committed Due Date (DD)     Service Type (CLASS_SVC_DESC)	No BellSouth Analog Exists
<ul> <li>Cut over Start Time</li> <li>Cut over Completion Time</li> <li>Portability Start and Completion Times (INP orders)</li> <li>Total Conversions (Items)</li> </ul>	
Note: Code in parentheses is the corresponding header found in the raw data file.	

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	• 95% <= 15 minutes
Unbundled Loops without INP/LNP	

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

Version 0.06 RGN-005-122101

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Unbundled Loops	• 95% <= 15 minutes

# P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

### Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement
- · Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- · All unbundled loops on multiple loop orders after the first loop

### **Business Rules**

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

### Calculation

### % within Interval = $(a/b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

### Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

#### Average Interval = (e / f)

- · Sum of all Intervals
- · Total Number of Coordinated Unbundled Loop Orders for the reporting period.

### Report Structure

- CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
• CLEC Order Number (so_nbr)	No Demoduli / Ilialog exists
Committed Due Date (DD)	
Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
Total Conversions Orders	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product Reporting Level	<ul> <li>95% Within + or − 15 minutes of Scheduled Start Time</li> </ul>
- SL1 Time Specific	
- SL1 Non-Time Specific .	
- SL2 Time Specific	
- SL2 Non-Time Specific	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• 95% Within + or – 15 minutes of Scheduled Start time

# P-7B: Coordinated Customer Conversions – Average Recovery Time

#### Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

#### **Exclusions**

- Cut overs where service outages are due to CLEC caused reasons
- · Cut overs where service outages are due to end-user caused reasons

#### **Business Rules**

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

#### Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

#### Report Structure

- · CLEC Specific
- · CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>CLEC Order Number (so_nbr)</li> <li>Committed Due Date (DD)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>CLEC Acceptance Conflict (CLEC_CONFLICT)</li> <li>CLEC Conflict Resolved (CLEC_RESOLVE)</li> <li>CLEC Conflict MFC (CLEC_CONFLICT_MFC)</li> <li>Total Conversion Orders</li> </ul>	• None
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>Unbundled Loops with INP/LNP</li> </ul>	Diagnostic
Unbundled Loops without INP/LNP	

## **SEEM Measure**

	SEEM Measure	
No	Tier I	
	Tier II	

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

#### Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

#### **Exclusions**

- · Any order canceled by the CLEC
- Troubles caused by Customer Provided Equipment

#### **Business Rules**

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

#### Calculation

% Provisioning Troubles within 7 days of service order completion =  $(a/b) \times 100$ 

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

## Report Structure

- CLEC Specific
- · CLEC Aggregate
- Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number (so_nbr)	No Bellsouth Allalog Exists
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Loop Design	• <= 5%
UNE Loop Non-Design	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
UNE Loops	• <= 5%

# P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

#### Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC

#### **Exclusions**

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing.

#### **Business Rules**

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

#### Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested =  $(a / b) \times 100$ 

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

#### Report Structure

- CLEC Specific
- · CLEC Aggregate
- Type of Loop tested

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Company Name (OCN)	10 Bellouth Adalog Laists
<ul> <li>CLEC Order Number (so_nbr) and PON (PON)</li> </ul>	
Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Acceptance Testing Completed (ACCEPT_TESTING)	
<ul> <li>Acceptance Testing Declined (ACCEPT_TESTING)</li> </ul>	
Total xDSL Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
• UNE xDSL	95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

#### **SEEM Measure**

SEEM Measure			
Yes Tier I X			
	Tier II	X	

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	• 95% of Lines Tested

# P-9: % Provisioning Troubles within 30 days of Service Order Completion

#### Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

#### **Business Rules**

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b)  $\times 100$ 

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

#### Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Reported in categories of <10 line/circuits, >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Order Submission Date (TICKET_ID)</li> <li>Order Submission Time (TICKET_ID)</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
, ,	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS - Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
• INP (Standalone)	Retail Residence and Business (POTS)
LNP (Standalone)	Retail Residence and Business (POTS)
UNE Loop + Port Combinations	<ul> <li>Retail Residence and Business</li> </ul>
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	<ul> <li>Retail Residence, Business and Design Dispatch</li> </ul>
n:	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
UNE Other Non-Design	Retail Residence and Business
• UNE Other Design	Retail Design
Local Interconnection Trunks	Parity with Retail

## **SEEM Measure**

SEEM Measure				
Yes	Yes Tier I X			
Tier II X		X		

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
<ul> <li>UNE Loop + Port Combinations</li> </ul>	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# P-10: Total Service Order Cycle Time (TSOCT)

#### Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

#### **Business Rules**

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

#### Calculation

#### Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

#### Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

#### Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Fully Mechanized; Partially Mechanized, Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is. 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, >= 30 = 30 and greater

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>Interval for FOC</li></ul>	<ul><li>Report Month</li><li>BellSouth Order Number</li></ul>

CLEC Company Name (OCN)
Order Number (PON)
Submission Date & Time (TICKET\_ID)
Completion Date (CMPLTN\_DT)
Completion Notice Date and Time
Service Type (CLASS\_SVC\_DESC)
Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

Order Submission Date & Time
Service Type
Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
• Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
UNE Switch Ports	
UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

## **SEEM Measure**

		SEEM Me	easure	
No	Tier I		_	
	Tier II			

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# P-11: Service Order Accuracy

#### Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

#### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders

#### **Business Rules**

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

## Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

## Report Structure

- CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- · Dispatch / No Dispatch

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exist
CLEC Order Number and PON	
Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Accurate
Resale Business	
Resale Design (Specials)	
UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

#### **SEEM Measure**

1	SEEM Measure		
	No	Tier I	
1		Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-12: LNP-Percent Missed Installation Appointments

#### Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

#### **Business Rules**

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

#### Calculation

#### LNP Percent Missed Installation Appointments = $(a / b) \times 100$

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

#### Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · Geographic Scope
  - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

**Report explanation:** Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• CLEC Order Number and PON (PON)	- Not Applicable
Committed Due Date (DD)	
Completion Date (CMPLTN DD)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	1

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Retail Residence and Business (POTS)

Version 0.06 RGN-005-122101

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	95% Due Dates Met <sup>a</sup>

<sup>&</sup>lt;sup>a</sup>Due to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

# P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

#### Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

#### **Business Rules**

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the clapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

#### Calculation

#### Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

#### Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

#### Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · Geographic Scope
  - State, Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

# P-14: LNP-Total Service Order Cycle Time (TSOCT)

#### Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

#### **Business Rules**

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a 33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

#### Calculation

#### Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

#### Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

#### Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

## Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9 99, 10-15 = 10-14 99, 15-20 = 15-19.99, 20-25 = 20-24 99, 25-30 = 25-29.99, >= 30 = 30 and greater

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Interval for FOC	1 Not Applicable
CLEC Company Name (OCN)	
Order Number (PON)	
Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

- Service Type (CLASS\_SVC\_DESC)Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# Section 4: Section 4: Maintenance & Repair

## M&R-1: Missed Repair Appointments

#### **Definition**

The percent of trouble reports not cleared by the committed date and time

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

**Note**. Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

#### Report Structure

- · Dispatch/Non-Dispatch
- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

## **Data Retained**

#### Relating to BellSouth Performance Relating to CLEC Experience · Report Month · Report Month · CLEC Company Name BellSouth Company Code • Submission Date & Time (TICKET\_ID) · Submission Date & Time Completion Date (CMPLTN DT) Completion Date Service Type (CLASS\_SVC\_DESC) Service Type • Disposition and Cause (CAUSE\_CD & CAUSE\_DESC) • Disposition and Cause (Non-Design /Non-Special Only) Geographic Scope • Trouble Code (Design and Trunking Services) **Note**: Code in parentheses is the corresponding header found • Geographic Scope in the raw data file.

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
• 2W Analog Loop Design	Retail Residence & Business Dispatch
• 2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-2: Customer Trouble Report Rate

#### Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- · Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

#### Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

## **Report Structure**

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date &amp; Time</li> <li>Ticket Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> </ul>

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
• 2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

## M&R-3: Maintenance Average Duration

#### Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

#### **Exclusions**

- · Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

#### Calculation

#### Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

#### Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

## Report Structure

- · Dispatch/Non-Dispatch
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Tickets (LINE_NBR)</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission Time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Total Duration Time</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

4-5

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Busmess
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
• 2W Analog Loop Design	Retail Residence & Business Dispatch
• 2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	<ul> <li>Retail Residence, Business and Design Dispatch</li> </ul>
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

## **SEEM Measure**

SEEM Measure			
Yes	Tier I	X	
Tier II X			

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-4: Percent Repeat Troubles within 30 Days

## Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

## **Business Rules**

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

#### Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

## **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Tickets (LINE_NBR)</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT)</li> <li>Service Type</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission Time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Total and Percent Repeat Trouble Reports within 30 Days</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
• 2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	<ul> <li>Retail Residence and Business (POTS)</li> </ul>
UNE Combo Other	<ul> <li>Retail Residence, Business &amp; Design Dispatch</li> </ul>
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-5: Out of Service (OOS) > 24 Hours

## **Definition**

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours (All design services are considered to be out of service).

#### **Exclusions**

- Trouble Reports canceled at the CLEC request
- · BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

#### **Business Rules**

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

#### Calculation

Out of Service (OOS)  $\geq$  24 hours =  $(a/b) \times 100$ 

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

## Report Structure

- · Dispatch/Non Dispatch
- CLEC Specific
- BellSouth Aggregate
- CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Tickets</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT</li> <li>Percentage of Customer Troubles out of</li> <li>Service &gt; 24 Hours (OOS&gt;24_FLAG)</li> <li>Service type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE-DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Percent of Customer Troubles out of Service &gt; 24 Hours</li> <li>Service type</li> <li>Disposition and Cause (Non-Design/Non-Special only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

## **SEEM Measure**

	SEEM Measure		
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# M&R-6: Average Answer Time – Repair Centers

## Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

#### **Exclusions**

None

## Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included)

Note The Total Column is a combined BellSouth Residence and Business number.

#### Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

#### Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

#### Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>Region. CLEC/BellSouth Service Centers and BellSouth</li> </ul>	For CLEC, Average Answer Times in UNE Center and
Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
•	the BellSouth Repair Centers.

#### **SEEM Measure**

SEEM Measure			
No	Tier I	_	
	Tier II		

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# M&R-7: Mean Time To Notify CLEC of Network Outages

#### Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

#### **Exclusions**

None

#### **Business Rules**

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: <a href="https://www.interconnection.bellsouth.com/guides/other\_guides/html/gopue/indexf.htm">www.interconnection.bellsouth.com/guides/other\_guides/html/gopue/indexf.htm</a>.

#### Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

#### Report Structure

- · BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	<ul> <li>Major Network Events</li> </ul>
Date/Time of Incident	Date/Time of Incident
Date/Time of Notification	Date/Time of Notification

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

## **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# Section 5: Billing

# **B-1: Invoice Accuracy**

#### Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

#### Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- · Test Accounts

#### **Business Rules**

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

#### Calculation

Invoice Accuracy =  $[(a - b)/a] \times 100$ 

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

## Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
- Region
- State

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
• Invoice Type	Retail Type	
- UNE	- CRIS	
- Resale	- CABS	
- Interconnection	Total Billed Revenue	
Total Billed Revenue	Billing Related Adjustments	
Billing Related Adjustments		

## **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	CLEC Invoice Accuracy is comparable to BellSouth
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

## **SEEM Measure**

SEEM Measure			
Yes	Tier I	X	
	Tier II	X	

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth State	

## **B2: Mean Time to Deliver Invoices**

## Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

#### **Exclusions**

Any invoices rejected due to formatting or content errors

## **Business Rules**

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

## Calculation

**Invoice Timeliness** = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

#### Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

## **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
  - Region
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Invoice Transmission Count
Invoice Transmission Count	<ul> <li>Date of Scheduled Bill Close</li> </ul>
Date of Scheduled Bill Close	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	<ul> <li>CRIS-based invoices will be released for delivery within</li> </ul>
• Resale	six (6) business days.
• UNE	CABS-based invoices will be released for delivery within
Interconnection	eight (8) calendar days.
	CLEC Average Delivery Intervals for both CRIS and
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

## **SEEM Measure**

	SEEM Measure		
Yes	Tier I	X	
	Tier II	X	

# SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

## **B3: Usage Data Delivery Accuracy**

#### Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

#### **Exclusions**

None

#### **Business Rules**

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

#### Calculation

Usage Data Delivery Accuracy = (a - b) / a X 100

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Geographic Scope
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	<ul> <li>CLEC Usage Data Delivery Accuracy is comparable to</li> </ul>
	BellSouth Usage Data Delivery Accuracy

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth Region	

## **B4: Usage Data Delivery Completeness**

#### Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Completeness =  $(a/b) \times 100$ 

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **B5: Usage Data Delivery Timeliness**

#### Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

### **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

## **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **B6: Mean Time to Deliver Usage**

#### Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

#### Calculation

#### Mean Time to Deliver Usage = $(a \times b) / c$

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31 5 days.

#### Report Structure

- CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

## **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	<ul> <li>Mean Time to Deliver Usage to CLEC is comparable to</li> </ul>
	Mean Time to Deliver Usage to BellSouth

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **B7: Recurring Charge Completeness**

#### Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

## Calculation

#### Recurring Charge Completeness = $(a/b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of fractional recurring charges that are on the correct bill

## **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
Total Billed on Time	Total Billed on Time

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

#### **SEEM Measure**

		SEEM M	easure	
No	Tier I			
	Tier II			

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Correct bill = next available bill

## **B8: Non-Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of non-recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

Non-Recurring Charge Completeness =  $(a / b) \times 100$ 

- a = Count of non-recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of non-recurring charges that are on the correct bill

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Non-recurring Charges Billed	<ul> <li>Total Non-recurring Charges Billed</li> </ul>
Total Billed on Time	Total Billed on Time

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark		
Product/Invoice Type			
• Resale	Parity		
• UNE	Benchmark 90%		
Interconnection	Benchmark 90%		

#### **SEEM Measure**

	SEEM Measure			
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill

## Section 6: Operator Services And Directory Assistance

## OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

#### Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = a / b

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

#### Report Structure

- · Reported for the aggregate of BellSouth and CLECs
  - State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
• None		Parity by Design

#### **SEEM Measure**

[			SEEM Me	easure	
Γ	No	Tier I			
		Tier II			

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

#### **Definition**

Measurement of the percent of toll calls that are answered in less than ten seconds.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

#### **Report Structure**

- · Reported for the aggregate of BellSouth and CLECs
  - State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

[	SQM Level of Disaggregation	SQM Analog/Benchmark
Ì	• None	Parity by Design

#### **SEEM Measure**

		SEEM Me	easure	
No	Tier I			
	Tier II			

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

#### Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers

#### Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment

### Report Structure

- · Reported for the aggregate of BellSouth and CLECs
- State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
None	Parity by Design

#### **SEEM Measure**

	SEEM Measure			
No	Tier I			
	Tier II			

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

#### Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

#### Report Structure

- Reported for the aggregate of BellSouth and CLECs
  - State

#### Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
None	Parity by Design

#### **SEEM Measure**

	SEEM Measure			
No	Tier I			
	Tier II			

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **Section 7: Database Update Information**

## D-1: Average Database Update Interval

#### Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB). Directory Assistance and Directory Listings. For E-911, see Section 8.

#### **Exclusions**

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services

#### **Business Rules**

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB) The end time stamp is the date and time of completion of updates to the system.

#### For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

#### Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

#### Calculation

#### **Update Interval** = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

#### Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

## **Report Structure**

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Database File Submission Time	Database File Submission Time
Database File Update Completion Time	Database File Update Completion Time
CLEC Number of Submissions	BellSouth Number of Submissions
Total Number of Updates	Total Number of Updates

## **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

## **SEEM Measure**

SEEM Measure				
No	Tier I			
	Tier II			

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **D-2: Percent Database Update Accuracy**

#### **Definition**

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB). Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

#### **Exclusions**

- Updates canceled by the CLEC
- · Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services

#### **Business Rules**

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

#### Calculation

Percent Update Accuracy =  $(a/b) \times 100$ 

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

#### Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- · BellSouth Aggregate (not available in this report)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>CLEC Order Number (so_nbr) and PON (PON)</li></ul>	Not Applicable
Local Service Request (LSR)	
Order Submission Date	
Number of Orders Reviewed	
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

#### **SEEM Measure**

	SEEM Measure				
No	Tier I				
	Tier II	·			

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

#### Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

#### **Exclusions**

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

#### **Business Rules**

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database

#### Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- BeilSouth (Not Applicable)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	• 100% by LERG Effective Date
- Region	

## **SEEM Measure**

	SEEM Measure		
No	Tier I		
	Tier II		

## **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## Section 8: E911

#### E-1: Timeliness

#### Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period

#### **Exclusions**

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

**E911 Timeliness** =  $(a / b) \times 100$ 

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

#### Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

#### **Data Retained**

- · Report month
- Aggregate data

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## E-2: Accuracy

#### **Definition**

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

#### **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

**E911 Accuracy** = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

#### **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

#### **Data Retained**

- · Report month
- · Aggregate data

## **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

	(	SEEM Me	asu	re		
No	Tier I					
	Tier II					

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

#### E-3: Mean Interval

#### **Definition**

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

#### **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

#### E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

#### E911 Mean Interval = (c/d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

#### Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

#### **Data Retained**

- · Report month
- · Aggregate data

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
• None	Parity by Design	

#### **SEEM Measure**

	SEEM Measure		
No	Tier I		
	Tier II		

## **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation		SEEM Analog/Benchmark	
	Not Applicable	Not Applicable	

## **Section 9: Trunk Group Performance**

## TGP-1: Trunk Group Performance-Aggregate

#### **Definition**

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

#### **Exclusions**

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- · Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering

#### Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting
  cycle.

#### Aggregate Monthly Blocking.

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

#### Trunk Categorization.

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle. 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

#### CLEC Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3.	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16.	BellSouth Tandem	BeilSouth Tandem
BellSouth Affectin	g Categories:	
	Point A	Point B
Category 9	BellSouth End Office	BellSouth End Office

#### Calculation

#### Monthly Average Blocking:

 For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

Version 0.06 RGN-005-122101 • The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

#### Aggregate Monthly Blocking

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

## **Report Structure**

- CLEC Aggregate
- · BellSouth Aggregate
- State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	•

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	Any 2 hour period in 24 hours where CLEC blockage
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	<ul> <li>Any 2 hour period in 24 hours where CLEC blockage</li> </ul>
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

## TGP-2: Trunk Group Performance-CLEC Specific

#### Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups

#### **Exclusions**

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category

#### Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows

Point B

#### **CLEC Affecting Categories:**

	Folit A	roint B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting	Categories:	
	Point A	Point B
Category 9.	BellSouth End Office	BellSouth End Office

Point A

#### Calculation

#### Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

#### Aggregate Monthly Blocking

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each
  assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

#### Report Structure

- · CLEC Specific
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	<ul> <li>Aggregate Hourly Blocking Per Trunk Group</li> </ul>
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	Any 2 hour period in 24 hours where CLEC blockage
	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

#### **SEEM Measure**

	SEEM Measure		
Yes	Tier I	X	
	Tier II		

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	<ul> <li>Any 2 hour period in 24 hours where CLEC blockage</li> </ul>
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
,	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

## **Section 10: Collocation**

## C-1: Collocation Average Response Time

#### Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation. BellSouth must respond as to whether space is available or not

#### **Exclusions**

Any application canceled by the CLEC.

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

#### Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

#### Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

#### **Report Structure**

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

#### **Data Retained**

- · Report Period
- · Aggregate Data

#### SQM Disaggregation - Analog/Benchmark

Level of Disaggregation	SQM Analog/Benchmark	
• State	Virtual - 20 Calendar Days	
Virtual-Initial	<ul> <li>Physical Caged - 30 Calendar Days</li> </ul>	
Virtual-Augment	<ul> <li>Physical Cageless - 30 Calendar Days</li> </ul>	
Physical Caged-Initial		
Physical Caged-Augment		
Physical-Cageless-Initial		
Physical Cageless-Augment		

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Version 0.06 RGN-005-122101

## C-2: Collocation Average Arrangement Time

#### Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

#### **Exclusions**

- · Any Bona Fide firm order canceled by the CLEC
- Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

#### Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

#### **Report Structure**

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

#### **Data Retained**

- · Report Period
- · Aggregate Data

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
• State	Virtual - 50 Calendar Days (Ordinary)	
Virtual-Initial	<ul> <li>Virtual - 75 Calendar Days (Extraordinary)</li> </ul>	
Virtual-Augment	Physical Caged - 90 Calendar Days	
Physical Caged-Initial	Physical Cageless - 60 Calendar Days (Ordinary)	
Physical Caged-Augment	Physical Cageless - 90 Calendar Days (Extraordinary)	
Physical Cageless-Initial		
Physical Cageless-Augment		

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## C-3: Collocation Percent of Due Dates Missed

#### Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

#### **Exclusions**

Any Bona Fide firm order canceled by the CLEC.

#### **Business Rules**

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

#### Calculation

% of Due Dates Missed =  $(a / b) \times 100$ 

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

#### Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

#### **Data Retained**

- · Report Period
- Aggregate Data

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

#### SEEM Measure

SEEM Measure			
Yes Tier I X			
Tier II X			

SEEM Disaggregation	SEEM Analog/Benchmark	
<ul> <li>All Collocation Arrangements</li> </ul>	• >= 95% on time	

## Section 11: Change Management

## **CM-1: Timeliness of Change Management Notices**

#### Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

#### Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

#### Report Structure

· BellSouth Aggregate

#### **Data Retained**

- · Report Period
- Notice Date
- · Release Date

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 95% >= 30 Days of Release

#### **SEEM Measure**

SEEM Measure			
Yes Tier I			
Tier II X			

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

## CM-2: Change Management Notice Average Delay Days

#### **Definition**

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

#### Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

#### Report Structure

· BellSouth Aggregate

#### **Data Retained**

- Report Period
- Notice Date
- · Release Date

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• <= 8 Days

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## CM-3: Timeliness of Documents Associated with Change

#### Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory
  mandate of CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

#### Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

#### Report Structure

· BellSouth Aggregate

### **Data Retained**

- · Report Period
- Notice Date
- · Release Date

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 days if new features coding is required
	• 95% >= 5 days for documentation defects, corrections or
	clarifications

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• 95% >= 30 days of the change

## CM-4: Change Management Documentation Average Delay Days

#### **Definition**

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

#### Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

#### Report Structure

· BellSouth Aggregate

#### **Data Retained**

- Report Period
- Notice Date
- Release Date

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• <= 8 Days

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **CM-5: Notification of CLEC Interface Outages**

#### **Definition**

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

#### Calculation

Notification of CLEC Interface Outages =  $(a/b) \times 100$ 

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

#### **Report Structure**

· CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Number of Interface Outages	Not Applicable
<ul> <li>Number of Notifications &lt;= 15 minutes</li> </ul>	

## **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## Section 12: Bona Fide / New Business Request Process

## BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

#### **Definition**

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network clements not currently offered.

#### **Exclusions**

• Any application cancelled by the CLEC

#### **Business Rules**

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

#### Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

## **Report Structure**

- · Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

#### **Data Retained**

- · Report Period
- Aggregate Data

## SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 30 business days

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

## SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

#### Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

#### **Exclusions**

· Requests that are subject to pending arbitration

#### **Business Rules**

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

#### Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

#### Report Structure

- · New Network Elements that are operational at the time of the request
- · New Network Elements that are ordered by the FCC
- · New Network Elements that are not operational at the time of the request

#### **Data Retained**

- · Report Period
- · Aggregate Data

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	<ul> <li>90% &lt;= 10/30/60 business days</li> <li>Network Elements that are operational at the time of the request - 10 days</li> <li>Network Elements that are Ordered by the FCC - 30 days</li> <li>New Network Elements - 90 days</li> </ul>

## **SEEM Measure**

SEEM Measure				
No	Tier I			
	Tier II			

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## Appendix A: Reporting Scope

## A-1: Standard Service Groupings

See individual reports in the body of the SQM.

## A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are meluded in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

## **Service Order Activity Types**

- · Service Migrations Without Changes
- · Service Migrations With Changes
- Move and Change Activities
- · Service Disconnects (Unless noted otherwise)
- · New Service Installations

#### **Pre-Ordering Query Types**

- Address
- Telephone Number
- · Appointment Scheduling
- · Customer Service Record
- Feature Availability
- Service Inquiry

#### Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
  - DLR
  - DLETH
- LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

## **Report Levels**

- · CLEC RESH
- CLEC State
- CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- · BellSouth State
- BellSouth Region

#### Glossary of Acronyms and Terms Appendix B:

## Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol

A mathematical operator representing subtraction.

A mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

 $\leq =$ 

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses

#### Α

#### ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

#### ALEC

Alternative Local Exchange Company = FL CLEC

#### ADSL

Asymmetrical Digital Subscriber Line

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

#### ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders

#### ATLASTN

ATLAS software contract for Telephone Number

#### Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

#### В

#### BFR:

Bona Fide Request

#### BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing

#### **BOCRIS**

Business Office Customer Record Information System (Front-end to the CRIS database)

#### BRI

Basic Rate ISDN

#### BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

#### BellSouth

BellSouth Telecommunications, Inc.

#### C

#### CABS

Carrier Access Billing System

#### CCC

Coordinated Customer Conversions

#### CCP

Change Control Process

#### Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO)

#### CKTIE

A unique identifier for elements combined in a service configuration

#### CLEC

Competitive Local Exchange Carrier

#### CLP

Competitive Local Provider = NC CLEC

#### CM

Change Management

#### **CMDS**

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

#### **COFFI**

Central Office Feature File Interface - Provides information about USOCs and class of service COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

#### COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

#### **CRIS**

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

#### CRSACCTS

CRIS software contract for CSR information

#### CRSG

Complex Resale Support Group

#### C-SOTS

CLEC Service Order Tracking System

#### **CSR**

Customer Service Record

#### CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

## **CWINS Center**

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center)

## D

## DA

Directory Assistance

#### Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

## **Disposition & Cause**

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

#### ы кти

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

#### DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

#### DS-0

The worldwide standard speed for one digital voice signal (64000 bps)

#### DS-1

24 DS-0s (1.544Mb/sec, i.e. carner systems)

## DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

## DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

#### DSAF

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

## DSAPDDI

DSAP software contract for schedule information.

#### DSL

Digital Subscriber Line

## DUI

Database Update Information

## Ε

## E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

#### EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

## **ESSX**

BellSouth Centrex Service

## F

## Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

## Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

## FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

## FX

Foreign Exchange

## GH

#### HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

## HALCRIS

HAL software contract for CSR information

## HDSL

High Density Subscriber Loop/Line

## IJK

## **ILEC**

Incumbent Local Exchange Company

## INP

Interim Number Portability

#### ISDN

Integrated Services Digital Network

#### IPC

Interconnection Purchasing Center

## L

#### LAN

Local Area Network

#### LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

#### LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

## **Legacy System**

Term used to refer to BellSouth Operations Support Systems (see OSS)

## **LENS**

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

#### LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

#### **LERG**

Local Exchange Routing Guide

#### **LESOG**

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

## **LFACS**

Loop Facilities Assessment and Control System

#### LIDB

Line Information Database

#### LISC

Local Interconnection Service Center - The center that issues trunk orders

#### LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

## **LMOS HOST**

LMOS host computer

## **LMOSupd**

LMOS updates

#### LMU

Loop Make-up

## LMUS

Loop Make-up Service Inquiry

#### LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

#### Loops

Transmission paths from the central office to the customer premises.

## LRN

Location Routing Number

#### LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC

## М

## Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

## MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

## N

#### **NBR**

New Business Request

#### NC

"No Circuits" - All circuits busy announcement.

## NIW

Network Information Warehouse

#### **NMLI**

Native Mode LAN Interconnection

## NPA

Numbering Plan Area

## NXX

The "exchange" portion of a telephone number.

## 0

#### OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

#### OASISBSN

OASIS software contract for feature/service

#### OASISCAR

OASIS software contract for feature/service

## OASISLPC

OASIS software contract for feature/service

Version 0.06 RGN-005-122101 B-6

Issue Date: June 4, 2002

#### **OASISMTN**

OASIS software contract for feature/service

#### OASISNET

OASIS software contract for feature/service

#### OASISOCP

OASIS software contract for feature/service

#### **ORDERING**

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

#### OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

#### OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

## **Out Of Service**

Customer has no dial tone and cannot call out.

## Ρ

## **PMAP**

Performance Measurement Analysis Platform

#### PMOAP

Performance Measurement Quality Assurance Plan

#### PON

Purchase Order Number

## POTS

Plain Old Telephone Service

## **PREDICTOR**

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

## Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

## PRI

Primary Rate ISDN

## Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

#### **PSIMS**

904 of 920

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

#### **PSIMSORB**

PSIMS software contract for feature/service.

## QR

#### RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

## ROS

Regional Ordering System

#### RRC

Residence Repair Center - The Bell South Consumer Services trouble receipt center which serves residential customers.

## **RSAG**

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

#### RSAGADDR

RSAG software contract for address search.

#### RSAGTN

RSAG software contract for telephone number search.

## S

## SAC

Service Advocacy Center

#### SEEM

Self Effectuating Enforcement Mechanism

## SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

## SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

#### SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

## SONGS

Service Order Negotiation and Generation System

905 of 920

## T

## **TAFI**

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

## **TAG**

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

## TN

Telephone Number

## Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

## UV

## UNE

Unbundled Network Element

## UCL

Unbundled Copper Link

#### USOC

Universal Service Order Code

## WXYZ

## WATS

Wide Area Telephone Service

## WFA

Work Force Administration

#### WMC

Work Management Center

## WTN

Working Telephone Number.

906 of 920

# Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications.

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

# Attachment 10

# **BellSouth Disaster Recovery Plan**

<u>TENTS</u>	<u>3</u>		<u>PAGE</u>
Purpo	se		2
Single Point of Contact			2
3.0 Identifying the Problem			2
3.1	Site Co	ontrol	3
3.2	Enviro	nmental Concerns	4
The Emergency Control Center (ECC)			4
- · · · · · · · · · · · · · · · · · · ·			5
	•		5
5.2	5.2 BellSouth Outage		5
	5.2.1	Loss of Central Office	6
	5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
			6
	5.2.4	Loss of a Facility Hub	6
5.3 Combined Outage (CLEC and BellSouth Equipment)		7	
<u> </u>			7
			8
	Purpo Single Identif 3.1 3.2 The E Recov 5.1 5.2	Identifying the 3.1 Site Co 3.2 Environ The Emergency Recovery Proce 5.1 CLEC O 5.2 BellSou 5.2.1 5.2.2 5.2.3 5.2.4 5.3 Combin	Purpose Single Point of Contact Identifying the Problem 3.1 Site Control 3.2 Environmental Concerns The Emergency Control Center (ECC) Recovery Procedures 5.1 CLEC Outage 5.2 BellSouth Outage 5.2.1 Loss of Central Office 5.2.2 Loss of a Central Office with Serving Wire Center Functions 5.2.3 Loss of a Central Office with Tandem Functions 5.2.4 Loss of a Facility Hub 5.3 Combined Outage (CLEC and BellSouth Equipment) T1 Identification Procedures

## 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

## 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

## 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

## 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

## 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

## 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

## 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

## **5.1 CLEC OUTAGE**

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

## **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

## 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

## 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

## 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

## 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

## 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

## 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

## 7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

## **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

## **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# Attachment 11

**Bona Fide Request and New Business Requests Process** 

## **BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS**

Version 4Q02: 12/18/02

- 1.0 The Parties agree that Access Point is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Access Point also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- Bona Fide Requests ("BFR") are to be used when Access Point makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Access Point makes a request of BellSouth to provide a new or custom capability or function to meet Access Point's business needs that was not previously included in the Agreement.
- 3.0 A BFR or a NBR shall be submitted in writing by Access Point and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Access Point's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Access Point's Local Contract Manager.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from Access Point, BellSouth shall respond to Access Point by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon Access Point and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.

- Access Point may cancel a BFR or NBR at any time. If Access Point cancels the request more than three (3) business days after submitting it, Access Point shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Access Point does not cancel a BFR or NBR, Access Point shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of Access Point's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of Access Point's acceptance of the preliminary analysis.
- 7.0 If Access Point accepts the preliminary analysis, BellSouth shall proceed with Access Point's BFR or NBR, and Access Point agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If Access Point cancels a BFR or NBR after BellSouth has received Access Point's acceptance of the preliminary analysis, Access Point agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with Access Point's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If Access Point believes that BellSouth's firm price quote is not consistent with the requirements of the Act, Access Point may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless Access Point agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.