ORIGINAL



BellSouth Telecommunications, Inc. Regulatory & External Affairs

150 South Monroe Street Suite 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

May 6, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 HAY -6 PM 4: 36

Re: Approval of Amendment to the Interconnection Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Alternative Phone, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection Agreement with Alternative Phone, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Marshall M. Orisey III
Regulatory Vice President (K#)

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER-DATE

05332 MAY-6 &

FPSC-COMMISSION CLERK

Amendment to the Agreement Between Alternative Phone, Inc. and BellSouth Telecommunications, Inc. Dated August 8, 2002

Pursuant to this Amendment, (the "Amendment"), Alternative Phone, Inc. (Alternative Phone), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 8, 2002("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Alternative Phone entered into the Agreement on August 8, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to add the state of Mississippi as agreed upon by the Parties, and;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. The Parties agree to add the state of Mississippi to the Agreement in the second Whereas clause of the General Terms and Conditions of the Interconnection Agreement by deleting the second Whereas clause in its entirety and replacing it with the following Whereas clause below.
 - WHEREAS, Alternative Phone is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Mississippi, North Carolina, and South Carolina, and,
- 4. The Parties agree to add Mississippi rates to Exhibit E of Attachment 1, Exhibit A to Attachment 3, Exhibit B to Attachment 4, and Exhibit A to Attachment 7 as set forth in

Exhibit 3 to this Amendment, attached hereto and by reference incorporated into this Amendment.

- 5. All of the other provisions of the Agreement, dated August 8, 2002, shall remain in full force and effect.
- 6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Name: Parmick / France

Title: HSSr Pirecroa

Date: 12/14/03

Alternative Phone, Inc

Name: CHARLES GE MENZES

Title: CEO/CFO

Date: /2-10-03

TRO BST Amendment Version 1

[CCCS Amendment 3 of 308]

AMENDMENT EXHIBIT 1
Attachment 2
Page 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

Rat	Exhibit.	A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	62
ADV	ANCED INTELLIGENT NETWORK (AIN) ACCESS	62
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)	
12	CALLING NAME (CNAM) DATABASE SERVICE	61
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	60
10	SIGNALING	54
9	LINE INFORMATION DATABASE (LIDB)	51
8 SER	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING VICE	
7	DATABASES	
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	46
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	42
4	LOCAL SWITCHING	34
3	LINE SHARING	27
2	UNBUNDLED LOOPS	. 5
1	INTRODUCTION	. 3

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Alternative Phone in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Alternative Phone (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Alternative Phone to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Alternative Phone used in the provision of a qualifying service, as defined by the FCC. Alternative Phone may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- BellSouth shall, upon request of Alternative Phone, and to the extent technically feasible, provide to Alternative Phone access to its Network Elements for the provision of Alternative Phone's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Alternative Phone may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Alternative Phone under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered

termination for purposes of any volume and/or term commitments and/or grandfathered status between Alternative Phone and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- Except to the extent expressly provided otherwise in this Attachment, for elements 1.8 or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Alternative Phone will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Alternative Phone will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Alternative Phone may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Alternative Phone may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Alternative Phone, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 <u>Commingling of Services</u>

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Alternative Phone has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Alternative Phone reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Alternative Phone for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 Rates
- 1.11.1 The prices that Alternative Phone shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Alternative Phone purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Alternative Phone modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Alternative Phone in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Alternative Phone shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Alternative Phone on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Alternative Phone. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Alternative Phone seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Alternative Phone with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 Alternative Phone may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Alternative Phone's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Alternative Phone in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Alternative Phone wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Alternative Phone may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Alternative Phone (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Alternative Phone for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 Loop Testing/Trouble Reporting

2.1.6.1 Alternative Phone will be responsible for testing and isolating troubles on the Loops. Alternative Phone must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Alternative Phone will be required to provide the results of the Alternative Phone test which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once Alternative Phone has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Alternative Phone reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Alternative Phone for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Alternative Phone (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Alternative Phone for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Alternative Phone to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Alternative Phone's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Alternative Phone to order a specific time for OC to take place. BellSouth will make every effort to accommodate Alternative Phone's specific conversion time request. However, BellSouth reserves the right to negotiate with Alternative Phone a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Alternative Phone may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Alternative Phone specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS

AMENDMENT EXHIBIT 1

Attachment 2

Page 9

charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Alternative Phone when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Alternative Phone's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Alternative Phone pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Alternative Phone must order and will be billed for both OC and OCTS if requesting OC-TS.

2.1.9 <u>Bulk Migration</u>

2.1.9.1 If Alternative Phone requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Alternative Phone must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

AMENDMENT EXHIBIT 1

Attachment 2

Page 11

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Alternative Phone should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Alternative Phone will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

AMENDMENT EXHIBIT 1

Attachment 2

Page 12

been requested by Alternative Phone. Alternative Phone may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Alternative Phone may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Alternative Phone. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Alternative Phone to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Alternative Phone will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Alternative Phone or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Alternative Phone may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Alternative Phone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Alternative Phone, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Alternative Phone may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 <u>Unbundled Copper Loops (UCL)</u>

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Alternative Phone.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Alternative Phone to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Alternative Phone or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Alternative Phone can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Alternative Phone may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Alternative Phone to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Alternative Phone may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Alternative Phone which has over 6,000 feet of combined bridged tap will be modified, upon request from Alternative Phone, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Alternative Phone. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap

between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Alternative Phone may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Alternative Phone requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Alternative Phone will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Alternative Phone shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Alternative Phone desires BellSouth to condition.
- When requesting ULM for a Loop that BellSouth has previously provisioned for Alternative Phone, Alternative Phone will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Alternative Phone is available at the location for which the ULM was requested, Alternative Phone will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Alternative Phone will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Alternative Phone has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Alternative Phone. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Alternative Phone (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.

- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Alternative Phone, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities.

 Alternative Phone will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Alternative Phone to connect Alternative Phone's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Alternative Phone may access the End User's customer premises wiring by any of the following means and Alternative Phone shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Alternative Phone to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Alternative Phone may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Alternative Phone's responsibility to ensure there is no safety hazard, and Alternative Phone will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Alternative Phone shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Alternative Phone shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Alternative Phone to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Alternative Phone's NID.

Page 20

2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Alternative Phone may request BellSouth to do additional work to the NID on a time and material basis. When Alternative Phone deploys its own local Loops in a multiple-line termination device, Alternative Phone shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Alternative Phone requests a UCSL and it is not available, Alternative Phone may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from Alternative Phone, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Alternative Phone's use on this cross-connect panel. Alternative Phone will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Alternative Phone shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Alternative Phone's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Alternative Phone is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Alternative Phone's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Alternative Phone can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Alternative Phone's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Alternative Phone will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Alternative Phone requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Alternative Phone for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Alternative Phone will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Alternative Phone for each pair activated commensurate to the price specified in Alternative Phone's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Alternative Phone will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Alternative Phone has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Alternative Phone any applicable disconnect charges.

2.8.5 Unbundled Loop Concentration

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Alternative Phone, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Alternative Phone to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Alternative Phone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Alternative Phone, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by

all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 Alternative Phone is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Alternative Phone information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Alternative Phone.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Alternative Phone within twenty (20) business days after Alternative Phone submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Alternative Phone to connect Alternative Phone provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 Loop Makeup

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Alternative Phone LMU information so that Alternative Phone can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Alternative Phone intends to install and the services Alternative Phone wishes to provide. This section addresses LMU as a preordering transaction, distinct from Alternative Phone ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Alternative Phone LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Alternative Phone as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Alternative Phone may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Alternative Phone and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Alternative Phone's ability to provide advanced data services over the ordered Loop type. Further, if Alternative Phone orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Alternative Phone is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Alternative Phone may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Alternative Phone needs further Loop information in order to determine Loop service capability, Alternative Phone may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Alternative Phone may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Alternative Phone may reserve up to three (3) Loop facilities.
- 2.9.3.2 Alternative Phone may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Alternative Phone. During and prior to Alternative Phone placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Alternative Phone does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Alternative Phone will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Alternative Phone does not reserve facilities upon an initial LMUSI, Alternative Phone's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Alternative Phone has reserved multiple Loop facilities on a single reservation, Alternative Phone may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Alternative Phone, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Alternative Phone.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Alternative Phone provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Alternative Phone using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Alternative Phone. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- For the period from October 2, 2003, through October 1, 2004, Alternative Phone may request new Line Sharing arrangements. For Line Sharing arrangements

AMENDMENT EXHIBIT 1

Attachment 2

Page 28

placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Alternative Phone may not request new Line Sharing arrangements under the terms of this Agreement.

- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Alternative Phone, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Alternative Phone the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Alternative Phone shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Alternative Phone on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Alternative Phone requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Alternative Phone shall pay for the Loop to be restored to its original state.
- Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Alternative Phone desires to continue providing xDSL service on such Loop, Alternative Phone shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable,

AMENDMENT EXHIBIT 1 Attachment 2

Page 29

BellSouth shall give Alternative Phone notice in a reasonable time prior to disconnect, which notice shall give Alternative Phone an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Alternative Phone purchases the full stand-alone Loop, Alternative Phone may elect the type of Loop it will purchase. Alternative Phone will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Alternative Phone purchases a voice grade Loop, Alternative Phone acknowledges that such Loop may not remain xDSL compatible.

- 3.1.10 If Alternative Phone reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Alternative Phone for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 Provisioning of Line Sharing and Splitter Space

- 3.2.1 BellSouth will provide Alternative Phone with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Alternative Phone must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Alternative Phone may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Alternative Phone's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Alternative Phone in a central office in which Alternative Phone is located, Alternative Phone shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Alternative Phone shall pay the electronic or manual ordering charges as applicable when Alternative Phone orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Alternative Phone's data.
- 3.3 BellSouth Provided Splitter Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Alternative Phone access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Alternative Phone's xDSL equipment in Alternative Phone's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Alternative Phone with a carrier notification letter, informing Alternative Phone of change. Alternative Phone shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Alternative Phone shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Alternative Phone's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Alternative Phone's DS0 termination point as possible. Alternative Phone shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Alternative Phone on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Alternative Phone DS0 at such time that a Alternative Phone End User's service is established.

3.4 CLEC Provided Splitter – Line Sharing

- 3.4.1 Alternative Phone may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Alternative Phone may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Alternative Phone in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards.

 Alternative Phone may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 Alternative Phone shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Alternative Phone the LSR format to be used when ordering the High Frequency Spectrum.

- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Alternative Phone access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Alternative Phone shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

- Alternative Phone shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Alternative Phone is using a BellSouth owned splitter, Alternative Phone may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Alternative Phone provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point.

 Alternative Phone will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Alternative Phone shall inform its End Users to direct data problems to Alternative Phone, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Alternative Phone, BellSouth will notify Alternative Phone. Alternative Phone will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Alternative Phone will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Alternative Phone's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over

the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

- 3.7.2 In the event Alternative Phone provides its own switching or obtains switching from a third party, Alternative Phone may engage in line splitting arrangements with another CLEC using a splitter, provided by Alternative Phone, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Alternative Phone is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Alternative Phone shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Alternative Phone will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Alternative Phone or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Alternative Phone for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Alternative Phone or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Alternative Phone or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Alternative Phone or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Alternative Phone or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non

designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 Alternative Phone shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Alternative Phone the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Alternative Phone access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Alternative Phone shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Alternative Phone on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 Maintenance – Line Splitting

3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point.

Alternative Phone will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.

- 3.10.2 Alternative Phone shall inform its End Users to direct all problems to Alternative Phone or its authorized agent.
- 3.10.3 If Alternative Phone is not the data provider, Alternative Phone shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Alternative Phone for the provision of a telecommunications service.

4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Alternative Phone when Alternative Phone: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Alternative Phone is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Alternative Phone or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the

Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.

- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Alternative Phone's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Alternative Phone purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Alternative Phone local End User, or originated by a BellSouth local End User and terminated to a Alternative Phone local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Alternative Phone the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Alternative Phone shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where Alternative Phone purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Alternative Phone End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Alternative Phone the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Alternative Phone shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Alternative Phone the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 Unbundled Port Features

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Alternative Phone selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Alternative Phone will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 Remote Call Forwarding

- As an option, BellSouth shall make available to Alternative Phone an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Alternative Phone will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Alternative Phone the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 Provision for Local Switching

Attachment 2

Page 37

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Alternative Phone all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Alternative Phone.

4.2.13 <u>Local Switching Interfaces.</u>

- 4.2.13.1 Alternative Phone shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

Attachment 2

Page 38

- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Alternative Phone who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Alternative Phone shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Alternative Phone shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Alternative Phone will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- Where Alternative Phone utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which

Attachment 2

Page 39

point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Alternative Phone and BellSouth:
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Alternative Phone.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Alternative Phone's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.

- 4.3.3 Upon Alternative Phone's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Alternative Phone's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Alternative Phone, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Alternative Phone. AIN SCR will provide Alternative Phone with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Alternative Phone shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Alternative Phone, the routing of Alternative Phone's End User calls shall be pursuant to information provided by Alternative Phone and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Alternative Phone shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Alternative Phone End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Alternative Phone shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Alternative Phone's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Alternative Phone, BellSouth considers that the delivery schedule of

Attachment 2

Page 41

this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Alternative Phone following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Alternative Phone following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Alternative Phone following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where Alternative Phone purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Alternative Phone's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Alternative Phone to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Alternative Phone specific and unique LCCs are programmed in each BellSouth end office switch where Alternative Phone intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Alternative Phone's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Alternative Phone intends to provide Alternative Phone -branded OCP/DA to its End Users in these multiple rate areas.

- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Alternative Phone to order dedicated trunking from each BellSouth end office identified by Alternative Phone, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Alternative Phone Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Alternative Phone to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Alternative Phone are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Alternative Phone are not already combined by BellSouth in the location requested by Alternative Phone but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Alternative Phone are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide

Attachment 2

Page 43

Alternative Phone with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Alternative Phone thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Alternative Phone's high-capacity EELs as specified below.
- If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Alternative Phone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Alternative Phone, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 Alternative Phone must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Alternative Phone has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);

- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Alternative Phone will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Alternative Phone will have at least one (1) active DS1 local service interconnection trunk over which Alternative Phone will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Alternative Phone's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Alternative Phone failed to comply with the service eligibility criteria, Alternative Phone must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, Alternative Phone did not comply in any material respect with the service eligibility criteria, Alternative Phone shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Alternative Phone did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Alternative Phone for its reasonable and demonstrable costs associated with the audit. Alternative Phone will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Alternative Phone converts special access services to UNEs, Alternative Phone shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and

Attachment 2

Page 45

Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.

- BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Alternative Phone if Alternative Phone's customer has four (4) or more DS0 equivalent lines.
- BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Alternative Phone is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Alternative Phone or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- BellSouth shall make 911 updates in the BellSouth 911 database for Alternative Phone's UNE port/Loop combinations. BellSouth will not bill Alternative Phone for 911 surcharges. Alternative Phone is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.

Attachment 2

Page 46

5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Alternative Phone in addition to those specifically referenced in this Section 5 above, where available. To the extent Alternative Phone requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 Transport

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Alternative Phone for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Alternative Phone uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Alternative Phone.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Alternative Phone exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;

Attachment 2

Page 47

- 6.1.2.3 Permit, to the extent technically feasible, Alternative Phone to connect such interoffice facilities to equipment designated by Alternative Phone, including but not limited to, Alternative Phone's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Alternative Phone to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Alternative Phone.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Alternative Phone may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in

Attachment 2

Page 48

Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Alternative Phone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Alternative Phone, BellSouth shall perform the routine network modifications.
- 6.2.6 Technical Requirements
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Alternative Phone designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Alternative Phone shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Alternative Phone may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 <u>Technical Requirements</u>

- In order to assure proper operation with BellSouth provided central office multiplexing functionality, Alternative Phone's channelization equipment must adhere strictly to form and protocol standards. Alternative Phone must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 Dark Fiber Transport

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Alternative Phone to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Alternative Phone may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Alternative Phone, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- Alternative Phone is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Alternative Phone information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Alternative Phone. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Alternative Phone within twenty (20) business days after Alternative Phone submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Alternative Phone to connect Alternative Phone provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the

transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Alternative Phone.

To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Alternative Phone's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Alternative Phone.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Alternative Phone must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone

Attachment 2

Page 52

Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 Technical Requirements

- 9.2.1 BellSouth will offer to Alternative Phone any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Alternative Phone's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Alternative Phone what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Alternative Phone, BellSouth shall provide Alternative Phone with a list of the customer data items, which Alternative Phone would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Alternative Phone data to the LIDB shall be solely at the direction of Alternative Phone. Such direction from Alternative Phone will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Alternative Phone data upon Alternative Phone's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Alternative Phone customer records will be missing from LIDB, as measured by Alternative Phone audits. BellSouth will audit Alternative Phone records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Alternative Phone contact person to resolve

AMENDMENT EXHIBIT 1 Attachment 2 Page 53

the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Alternative Phone within one (1) business day of audit. Once reconciled records are received back from Alternative Phone, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Alternative Phone to negotiate a time frame for the updates, not to exceed three business days.

- 9.2.10 BellSouth shall perform backup and recovery of all of Alternative Phone's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Alternative Phone with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Alternative Phone and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Alternative Phone data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Alternative Phone in writing.
- 9.2.13 BellSouth shall provide Alternative Phone performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Alternative Phone at least at parity with BellSouth Customer Data. BellSouth shall obtain from Alternative Phone the screening information associated with LIDB Data Screening of Alternative Phone data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Alternative Phone under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Alternative Phone customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements

- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Alternative Phone shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Alternative Phone shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Alternative Phone designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

Attachment 2

Page 55

- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 <u>Interface Requirements</u>
- There shall be a DS1 (1.544 Mbps) interface at Alternative Phone's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 **Signaling Transfer Points**
- A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 Technical Requirements
- STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit

AMENDMENT EXHIBIT 1
Attachment 2

Page 56

messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Alternative Phone local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Alternative Phone local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Alternative Phone or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Alternative Phone database, then Alternative Phone agrees to provide BellSouth with the Destination Point Code for Alternative Phone database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Alternative Phone or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 SS7

10.4.1 When technically feasible and upon request by Alternative Phone, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Alternative Phone's SS7 network to exchange TCAP queries and responses with a Alternative Phone SCP.

Attachment 2

Page 57

SS7 AIN Access shall provide Alternative Phone SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Alternative Phone SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Alternative Phone SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 Interface Requirements

- 10.4.3.1 BellSouth shall provide the following STP options to connect Alternative Phone or Alternative Phone-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Alternative Phone local switching systems; and,
- 10.4.3.1.2 A B-link interface from Alternative Phone local STPs.
- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4 <u>Message Screening</u>

- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Alternative Phone local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Alternative Phone switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Alternative Phone local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Alternative Phone switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Alternative Phone from any signaling point or

network interconnected through BellSouth's SS7 network where the Alternative Phone SCP has a valid signaling relationship.

10.5 <u>Service Control Points (SCP)/Databases</u>

- Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 Local Number Portability Database

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

SS7 Network Interconnection is the interconnection of Alternative Phone local signaling transfer point switches or Alternative Phone local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Alternative Phone local or tandem switching

systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Alternative Phone or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Alternative Phone local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Alternative Phone local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Alternative Phone local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Alternative Phone local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

10.7.9 <u>Interface Requirements</u>

- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Alternative Phone or Alternative Phone-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Alternative Phone local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Alternative Phone STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Alternative Phone local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Alternative Phone switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Alternative Phone will be required to provide BellSouth daily updates to E911 database. Alternative Phone shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 Technical Requirements

11.2.1 BellSouth shall provide Alternative Phone the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS

database to Alternative Phone after Alternative Phone provides End User information for input into the ALI/DMS database.

Alternative Phone shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 <u>Calling Name Database Service</u>

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Alternative Phone the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Alternative Phone shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Alternative Phone's access to BellSouth's CNAM Database Services and shall be addressed to Alternative Phone's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Alternative Phone requires interconnection from Alternative Phone to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Alternative Phone shall provide its own CNAM SSP. Alternative Phone's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Alternative Phone elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Alternative Phone desires to query.
- 12.6 If Alternative Phone queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be

Attachment 2

Page 62

amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- The mechanism to be used by Alternative Phone for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Alternative Phone in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Alternative Phone to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Alternative Phone CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> Advanced Intelligent Network Access

- BellSouth's SCE/SMS AIN Access shall provide Alternative Phone the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Alternative Phone. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Alternative Phone service logic and data from unauthorized access.
- When Alternative Phone selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Alternative Phone to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Alternative Phone access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Alternative Phone to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

Attachment 2

Page 63

- 14.1 BellSouth has developed and made available electronic interfaces by which Alternative Phone may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 <u>Denial/Restoral OSS Charge</u>
- In the event Alternative Phone provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Alternative Phone will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

NBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge - c Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonre First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as	nart of	a com	 hination refers to Ge	ooranhical	v Deaveraged U	NF Zones To	view Genoran	 hically Deaver	 aged UNF Zon	e Designatio	ns by Cent	ral Office, refu	r to internet	Nehsite:	
	www.interconnection.bellsouth.com/become_a_clec/html/inter				9,45,	, beare ages c		Tront Googlas		agea one con	o boong man	, , , , , , , , , , , , , , , , , , ,				
PERATIONAL	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"								1							
	(1) CLEC should contact its contract negotiator if it prefers the															
	ither the state specific Commission ordered rates for the servi	ce orde	ring cl	narges, or CLEC may	elect the re	egional service o	ordering charg	e, however, C	LEC can not of	otain a mixture	of the two	regardless r	t CLEC has a	interconnect	on contract e	stablishe
	f the 9 states. (2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate li	sted in this	category Pleas	e refer to Rell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronic	ally Forthos	e elemen
	innot be ordered electronically at present per the LOH, the list															
	N, will be applied to a CLECs bill when it submits an LSR to B			,		3				3 .						
	OSS - Electronic Service Order Charge. Per Local Service															
	Request (LSR) - UNE Only				SOMEC		3 50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
E SERVICE	DATE ADVANCEMENT CHARGE			n e	SOMAN		13.00	0.00	1.97	0.00						
	The Expedite charge will be maintained commensurate with	ı BellSou	th's F	CC No.1 Tariff, Section	n 5 as app	icable.			1000							i
		1								i						
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												l
				UDL, UENTW, UDN, UEA, UHL, ULC,												ľ
				USL. U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL, UC1EC, UC1EL.												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,											1	
				UDLO3. UDLSX.												
				UE3, ULD12,												
				ULD48, ULDD1, ULDD3, ULDDX.												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1.												
				UNLD3, UXTD1, UXTD3, UXTS1,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
	Day			U1TUB, U1TUA	SDASP		200.00			ĺ						
BUNDLED	EXCHANGE ACCESS LOOP		\vdash				200.00								-	l l
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12 58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL.	UEAL2	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	_	3	UEANL UEANL	UEAL2 UEASL	34.34 12.58	37.81 37.81	17.56 17.56	23.49	5.30 5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3	UEANL	UEASL	34.34	37.81	17.56	23 49	5.30		1				
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			1										
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1 URETA		34 16 19.85	34.16								
	Loop Testing - Basic Additional Half Hour			UEANL				19.85								

MRUNDLE	C NETWORK ELEMENTS - Alabama						<u></u>						Attachment: 2			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Svc Order Submitted Manually per LSR	Charge - Manual Svo Order vs. Electronic- 1st	Charge - vc Manual Svc Order vs. c- Electronic- Add'l	Charge - Manual Svc Order vs.	Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch		1	UEANL	UREWO	Ì	45.70		1		1					
	(UVL-SL1) Unbundled Voice Lcop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.78	8.94								-
	providing make-up (Engineering Information - E.I.)		ì	UEANL	UEANM		13.44							ļ	İ	
	Manual Order Coordination for UVL-SL1s (per loop)		+	UEANL	UEAMC		8,15	8,15								
	Order Coordination or Specified Conversion Time for UVL-SL1		†		1-2			0.10	l					ł		· · · · · ·
	(per LSR)	1	1	UEANL.	OCOSL	j	18.09				1					
2-WIRI	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ŀ	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	13.27	34 14	15.10	21.25	4 15						L
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-	3	UEQ	UEQ2X	15.07	34,14	15.10	21.25	4.15						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URFTI	İ	8.33	0.83					1		1	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		+	111-73	OREIL		8.33	0.83	 		-	 	 	 	-	+
	Non-Designed (per coop)			UEQ	USBMC	İ	8.15						1		I	1
	Unbundled CopperLoop, Non-Design Copper Loop, billing for		1	oe a	0000		0.10				i					t
I	BST providing make-up (Engineering Information - E.F)	l		UEQ	UEQMU	1	13.44		1 1				1			
	Loop Testing - Basic 1st Half Hour		 	UEQ	URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								1
	CLEC to CLEC Con/ersion Charge Without Outside Dispatch															
	(UCL-ND)		l	UEQ	UREWO		14.27	7.43				l		l		
	EXCHANGE ACCESS LOOP		1								<u> </u>					
2-WIR	E ANALOG VOICE GRADE LOOP		1								l					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voicε Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17 56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	34.34	37,81	17.56	23.49	5.30						
	EXCHANGE ACCESS LOOP										<u> </u>		<u> </u>			
2-WIR	E ANALOG VOICE GRADE LOOP										l					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaing - Zone 1		1	UEA	UEAL2	14.38	88.00	55 00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaing - Zone 2		2	UΕΛ	UEAL2	22.85	88.00	55.00	47.24	7.44						ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaing - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL		18.09				ļ		_			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1 1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7 44						
	Order Coordination for Specified Conversion Time (per LSR)	├	-	UEA	OCOSL	L	18.09	26.26	1		 	ļ	 	}	-	+
	CLEC to CLEC Conversion Charge without outside dispatch	-	+	UEA	UREWO		87.72	36.36	 		-	 	1	 		+
4 1800	Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE CRADE LOOP		+	UEA	URETL		11.21	1.10	+		 		1	1	 	+
4-WIR	4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	25.34	131.97	94,51	59.14	14 50	1		 	 	1-	
	4-Wire Analog Voice Grade Loop - Zone 1		2	UEA	UEAL4	38 58	131.97	94.51	59.14	14.50	 		1		—	+
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50			1	†	1	
_	Order Coordination for Specified Conversion Time (per LSR)		+ -	UEA	OCOSL	00.02	18.09	0 7.31	55.14			· · · · · · · · · · · · · · · · · · ·	1	<u> </u>	1	T
	CLEC to CLEC Corversion Charge without outside dispatch		+	UEA	UREWO		87.72	36.36	1	·		t	1		1	1

Page 2 of 227

UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	0.10055		-				1100	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP	<u> </u>		l. india.	1144 614	21.00										<u> </u>
	+	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1	UDN	U1L2X	21.88	117 24	79.77	52 88	10.54					ļ	
		2-Wire ISDN Digital Grade Loop - Zone 2	<u> </u>	2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54					1	
	-	2-Wire ISDN Digital Grade Loop - Zone 3	ļ	3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						↓
	1	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 	ļ	UDN UDN	OCOSL UREWO		18.09	44.40							ļ	
	2.18/105	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	1.000		UKEWO		91.63	44.16]					-		
	2-4411	2 Wire Unbundled ADSL Loop including manual service inquiry	I	I	1	-				 							
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7,44						
	+	2 Wire Unbundled ADSL Loop including manual service inquiry		!	UAL	UALZA	11.01	110.00	66.00	47.24	7,44	-					
		& facility reservation - Zone 2	1	2	UAL	UAL2X	12 73	110.00	68 00	47.24	7.44	1			ŀ		
	+-	2 Wire Unbundled ADSL Loop including manual service inquiry	t			UNLEA.	12 / 3	110.00	00 00	-,,,24	7,44	1					
	1	& facility reservation - Zone 3		3	UAL	UAL2X	14,30	110.00	68.00	47.24	7.44	} I				!	1
	+	Order Coordination for Specified Conversion Time (per LSR)	1	 	UAL	OCOSL	14,50	18.09	00.00	41.24	7.44				 	 	+
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1			3000		10.03		 		-			 	 	
	1	facility reservation - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	 	2 Wire Unbundled ADSL Loop without manual service inquiry &	 -				-									†	1
		facility reservation. Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7,44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1											-		†
	1	facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL.		18.09								1	†
		CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO		86.20	40.40								1
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						T							
		2 Wire Unbundled HDSL Loop including manual service inquiry		T													1
		& facility reservation - Zone 1	l	1	UHL	UHL2X	8.74	110 00	68.00	47.24	7.44						
	T	2 Wire Unbundled HDSL Loop including manual service inquiry							·								
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110 00	68 00	47.24	7 44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	11 44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		2 Wire Unbundled HDSL Loop without manual service inquiry					1			1							
		and facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	8.74	90 00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry											i				
	-	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						ļ
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W										ľ	
		Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL.	11.44	90.00 18.09	57.00	47.24	7.44						
	_	CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		86 14	40.40								
	4.MIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	LOOP	UNL	OKEWO		00 14	40.40								
	4-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	T	T			-										+
	1	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73				ļ		1
		4-Wire Unbundled HDSL Loop including manual service inquiry		† ·	J. 1.2	S. IL TA	10.95	140.00	00.00	31.70	5.75	1				 	
		and facility reservation - Zone 2	1	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	1	4-Wire Unbundled HDSL Loop including manual service inquiry				1-,1-7,1			55.00	1	5.70					† ····	1
	1	and facility reservation - Zone 3	1	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						1
	1	Order Coordination for Specified Conversion Time (per LSR)	†		UHL	OCOSL		18.09									
	T	4-Wire Unbundled HDSL Loop without manual service inquiry	T -									ļ			i		
		and facility reservation - Zone 1	1	1	UHL	UHL4W	13.95	94.00	57.00	51,70	9.73	; I			1		
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHŁ4W	15.56	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry	1														
		and facility reservation - Zone 3	1	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						1
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		18.09				ļ					1
	<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		86.14	40.40			ļ				1	_
	4-WIRE	DS1 DIGITAL LOOP	ļ	ļ	<u>.</u>	<u> </u>						ļ			L	1	_
	1	4-Wire DS1 Digital Loop - Zone 1	<u> </u>	1	USL	USLXX	82.55	252.47	157.54	44.70	11.71	ļ					
		4-Wire DS1 Digital Loop - Zone 2	<u> </u>	2	USL	USLXX	154.18	252.47	157.54	44.70	11.71				 		
	1	4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	USL	USLXX	314.52	252.47	157.54	44.70	11.71				ļ	ļ	_
		Order Coordination for Specified Conversion Time (per LSR)	1	1	lusl	OCOSL	I	18.09		1		1		l	ł	1	1

Page 3 of 227 [CCCS Amendment 69 of 308]

INROL	IDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonreci		Nonrecurring			·		Rates (\$)		
-+		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		First	PbbA	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101.09	43.05								
		4 Wire Unbundled Dgital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Dgital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50				-		
-		4 Wire Unbundled Dgital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Dgital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Dgital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50				İ		
		4 Wire Unbundled Dgital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		4 Wire Unbundled Dgital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14 50						
		4 Wire Unbundled Dgital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Dgital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50			ļ			
-+		Order Coordination br Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDL UDL	OCOSL UREWO		18.09 102.13	49.75	<u> </u>							
		Unbundled COPPER LOOP			UDL	UREWO		102.13	49.75								
	E-VVIIXE	2-Wire Unbundled Copper Loop-Designed including manual	-	├		+				l l							
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44				1		
		2-Wire Unbundled Copper Loop-Designed including manual		· ·	OOL .	JOCE B		112.40	05.50	47.24	7.49				 		
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual		-		1000.0	12.10	7.12.10		77.2-	7.55			 			
ŀ		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14,30	112.46	65.30	47.24	7 44						
		Order Coordination br Unbundled Copper Loops (per loop)			UCL.	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop-Designed without manual				1											
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44			ſ	1		
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
ŀ		2-Wire Unbundled Copper Loop-Designed without manual		1								, i					
		service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
_		Order Coordination or Unbundled Copper Loops (per loop)		Ĺ	UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch				1											
	4 MATERIE	(UCL-Des) COPPER LOOP		ļ	UCL	UREWO	-	97.23	42.48					ļ			
	1-AAIIKE	4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL.	UCL4S	17.36	135.21	88.05	51.70	9.73						
- 1		4-Wire Copper Loop-Designed including manual service inquiry		 	UCL	UCL43	17.50	133.21	00.03	31.70	5.13				ļ		
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73			ļ			
-		4-Wire Copper Loop-Designed including manual service inquiry				1002-10	20.70	100.21	05.03	- 570	5.73		<u> </u>				
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135,21	88.05	51.70	9.73			ŀ	1		
_		Order Coordination or Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8,15	8.15						<u> </u>		
		4-Wire Copper Loop-Designed without manual service inquiry				1			-	ļ — — <u>— </u>		_					
		and facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114,21	67.05	51.70	9.73						
\dashv		4-Wire Copper Loop-Designed without manual service inquiry															
[and facility reservation - Zone 2	_ 1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73			L			
		4-Wire Copper Loor-Designed without manual service inquiry															
		and facility reservation - Zone 3	1	3	ncr	UCL4W	28.21	114.21	67.05	51.70	9.73				L		
		Order Coordination or Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.15	8.15					ļ			
	ODUE	CLEC to CLEC conversion Charge without outside dispatch		<u> </u>	UCL	UREWO		97.23	42 48								
)P M	ODIFIC	ATION								<u> </u>				<u> </u>	 		ļ. ——
					UAL, UHL, UCL,		l	1									
- 1		Unbundled Loop Medification, Removal of Load Coils - 2 Wire	1		UEQ, ULS, UEA, UEANL, UEPSR,	į l								l]
- 1	ĺ	pair less than or equal to 18k ft, per Unbundled Loop		i	UEPSB	ULM2L	1	0.00	0.00					l	1	1	}
\dashv		Unbundled Loop Modification Removal of Load Coils - 4 Wire			00.00	JEIVIZE		0.00	0.00						 		
- [less than or equal to 18K ft, per Unbundled Loop	١,		UHL, UCL, UEA	ULM4L	ĺ	0.00	0.00					1	1		
-			,	-	UAL, UHL, UCL.	SEM4E	-	0.00	0.00						 		<u> </u>
					UEQ,ULS,UEA,		1										
- 1	- 1	Unbundled Loop Midification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,	1 1	J	ļ		j j]	J	J	1	
	l	per unbundled loop	1		UEPSB	ULMBT	ţ	32.41	32.41						1		
BJ O	OPS			Γ										I			

TIABONDE	D NETWORK ELEMENTS - Alabama				·····									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Svc Order Submitted Manually per LSR	Manual Svo	Charge - Manual Svo Order vs.	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.
													ıst	Addi	Disc 1st	DISC Add 1
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ			- Nec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution															
ļ	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								1							
	Up	ŀ		UEANL	USBSA		244 42									
ł	Color Des Corre Bas Lavelles Des 25 Del Des al Callin	1		115 4411	Liceon	i										
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Bulding Equipment Room - CLEC Feeder	- 1	.	UEANL	USBSB		22 64									
	Facility Set-Up	l 1	1	UEANL	USBSC		177.45						ļ			l
	Sub-Loop - Per Bulding Equipment Room - Per 25 Pair Panel	<u> </u>		OLANC	03030		177.45									
1	Sel-Up			UEANL	USBSD		55.15]					i
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				00000		00.10		-							
	Zone 1		1	UEANL	USBN2	11.21	65 80	30.96	45.25	6.70	•					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70				,	1	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70					i	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	115 654	USBN4	16.67	70.00	44.40	40.74	0.07			1			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	OSBN4	16.67	79 03	44.19	49.71	9.07	-					
	Zone 3		3	UEANL	USBN4	32.57	79 03	44,19	49.71	9.07						
	2010 0			OLANL	USBN4	32.31	7503	44,15	43.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	İ	8.15	8.15								1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 15	8.15								İ
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	T		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
										·						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		19.85	19.85				_				
	2 Wire Copper Unliundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6.22	65 80	30 96	45.25	6.70						
	2 Wire Copper Unfundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8 76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unlundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70	l					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		İ	UEF	USBMC		8 15	8 15			!			1		
	4 Wire Copper Unfundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79 03	44,19	49.71	9.07	-					
	4 Wire Copper Unlundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12 61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unfundled Sub-Loop Distribution - Zone 3				UCS4X	15.36	79.03	44.19	49.71	9.07				 	.	
			T		-				1					1	†	l
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	I	8.15	8.15						1	1	1
	Loop Testing - Basic 1st Half Hour				URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85					L			
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		ļ	UENTW	UENPP	0.40	30.01									
Netwo	rk Interface Device(NID)		L										l			
	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		43.23	28.38						ļ	1	
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	_	-		UND16		63.97	49.11	 				ļ		-	
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W		├	UENTW UENTW	UNDC2 UNDC4		5.87	5.87							 	
NE OTHER	PROVISIONING ONLY - NO RATE		 	DENTAA	UNDC4		5.87	5.87		_	-		l	 	 	
OTTILA,	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0.00	0.00		-				-		· · · · · · · · · · · · · · · · · · ·	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	\vdash	UENTW	UENCE	0.00	0.00						 		1	
	- Total is Essentially 1 Total and 1 Total			UEANL,UEF,UEQ,U	JEITOL	0.00	0.00		 			··· · · · · · · · · · · · · · · · · ·		 	1	
	Unbundled Contræt Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00							1		l
NE OTHER	PROVISIONING ONLY - NO RATE		1-	I		0.00					 			 	I	

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
			ļ			Rec	Nonred		Nonrecurring					Rates (\$)		
		-	 				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contad Name, Provisioning Only - no rate Unbundled Sub-Lcop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
_	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Lcop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								3.55	
	Unbundled DS1 Lcop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00							 		
	Unbundled DS1 Lcop - Expanded Superframe Format option -			1002	0000.	0.00	0.00							 		
	no rate			USL	CCOEF	0.00	0.00									
IIGH CAPACI	TY UNBUNDLED LOCAL LOOP		ļ											ļ — — — — — — — — — — — — — — — — — — —		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility		\vdash	UES	ILOND	6.36			-					·		
	Termination per month			UE3	UE3PX	308.98	451.52	263.94	119,49	83.58						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per													 		
	month		<u> </u>	UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	451.52	000.04					ŀ			
OOP MAKE-I			-	UDLSX	UDLST	319.83	451.52	263.94	119.49	83.58						
	Loop Makeup - Preordering Without Reservation, per working or		 					-					_	+		
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00			ļ					
	Loop Makeup - Preordering With Reservation, per spare facility															
	gueried (Manual).		<u> </u>	UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)	1		UMK	UMKMO		0.50	0.50			ļ		İ	1		
INF SHADING	G AND LINE SPLITTING			UMK	UMKMQ		0.59	0.59								
	1: The Line Sharing monthly recurring rates for all installation	os comi	eleted t	from October 02 200	3 through m	idnight Octobe	r 01 2004 shal	l he hilled as f	ollows:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co													<u> </u>		
	1: 10/02/2004 10/01/2005: 50% of the rate for UCLND		Ė		ľ											
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will applyto USOCS: ULSDT and ULSCT	<u> </u>	<u> </u>	<u></u>	L	L										
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	CC applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							
	TERS-CENTRAL OFFICE BASED															
0, 2,,	Line Sharing Splitter, per System 96 Line Capacity	~	 	ULS	ULSDA	155.97	188.79	0 00	177,98	0.00				 		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188 79	0 00	177.98	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0 00	355.96	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
- Lun I	deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
ENDU	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - perLine Activation (BST Owned splitter) -	-														
	OBSOLETE see **VOTE 2	ŀ		ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
	Line Share Service TRO per line activation, BST owned splitter -			OL3	GLGDC	0.01	10.51	10.00	10.01	4.32						
	Central Office Located (25% of UCLND) - please see NOTE 1			1	İ				f		l i			F		l
	(E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92	[
	Line Share Service TRO per line activation, BST owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1			l				:								
	(E:10/2/2004) Line Share Service TRO per line activation, BST owned splitter -		 	ULS	ULSDT	5.60	18.51	10.60	10.01	4.92				ļ		
	Central Office Located (75% of UCLND) - please see NOTE 1				1				į l		i			İ		1
	(E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
	Line Sharing - perSubsequent Activity per Line		1	010	OCOD!	0.40	10.31	10.00	10.01	4.92						
	Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8,19								
	Line Sharing - perSubsequent Activity per Line			1												T
	Rearrangement(DLEC Owned Splitter	I	1	ULS	ULSCS		16.39	8.19			1					1
				1												
	Line Sharing - perLine Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	47 44	19.31	20.02	9.83						

NNRO	NULE	D NETWORK ELEMENTS - Alabama										·			ment: 2		bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				-		1	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
		Line Share Service TRO per line activation, CLEC owned			 	+		FIISt	Audi	FIISt	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		splitter - Central Ofice Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)		i	ULS	ULSCT	2.80	47.44	19.31	20.02	9 83						
		Line Share Service TRO per line activation, CLEC owned		1													
		splitter - Central Ofice Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)		_	ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see			İ												
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47 44	19 31	20.02	9.83						
	LINE S	PLITTING	-		1000	102001	0.40	77 44	1331	20.02	5.03		-			-	
		SER ORDERING-CENTRAL OFFICE BASED		T													
		Line Splitting - perline activation DLEC owned splitter			UEPSR UEPSB	UREOS	0 61										
		Line Splitting - perline activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21 19	20.02	9.83						L
		Line Splitting - perline activation BST owned - virtual		1	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	MAINI	No Trouble Found - per 1/2 hour increments - Basic	-	-				80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		+		+		120.00	82.50	 							
		No Trouble Found - per 1/2 hour increments - Premium		 	 			160.00	110.00	 		-					-
UNBUŃ	DLED I	DEDICATED TRANSPORT		1					710.00						_		
		OFFICE CHANNEL - DEDICATED TRANSPORT		1													
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month		l	U1TVX	1L5XX	0.008838										
i		Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade -			l								İ				
	ļ	Facility Termination		1	U1TVX	U1TV2	21.13	40.54	27,41	16.74	6.90						-
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mileper month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat		1	OTTVA	TESAX	0.000000					-					
}		Facility Termination		1	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6 90					ľ	l
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade]	l								i				
		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
ŀ		per month			U1TDX	1L5XX	0.008838									İ	
-		Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-	1	UTIDA	ILUAA	0.000030										 -
- 1		Termination			U1TDX	U1TD5	15.12	40.54	27 41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1													
		per month			U1TDX	1L5XX	0.008838										
į		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination		ļ	U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
i		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		1	U1TD1	1L5XX	0.40								ĺ		
		Interoffice Channel - Dedicated Transport - DS1 - Facility		 	01101	ILSAA	0.18			-							
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44				1		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		†		1		00.2.		10,00							
		month	ļ		U1TD3	1L5XX	4.09			(
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		LIATOA	41.500											
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.09			ļ							
		Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
DARK F	IBER			 	5,1101	100	701.57	210.13	102.70	00.20	20.40				l		
		Dark Fiber, Four Fber Strands, Per Route Mile or Fraction	T	1												1	
		Thereof per month - Interoffice Channel		<u></u>	UDF, UDFCX	1L5DF	23.29			L							L
		NRC Dark Fiber - nteroffice Channel			UDF, UDFCX	UDF 14		639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fber Strands, Per Route Mile or Fraction	ŀ														
	·	Thereof per month - Local Loop	ļ	 	UDF, UDFCX	1L5DL	60.32	620.00	497.07	247.00	407.00	ļ				-	
	L	NRC Dark Fiber - Local Loop	l	L	UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66	<u> </u>	l	L	I	1	1

UNB	UNDLE	D NETWORK ELEMENTS - Alabama													ment; 2		bit: A
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	ACCESS	TEN DIGIT SCREENING															
		8XX Access Ten Dıçıt Screening, Per Call			OHD		0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX		i '													
		Number Reserved			OHD	N8R1X		2.58	0.44								
	1	8XX Access Ten Digit Screening, Per 8XX No. Established W/O				l l	1										
		POTS Translations		<u> </u>	OHD			5.94	0 81	4.57	0.54						
	1	8XX Access Ten Digit Screening, Per 8XX No. Established With		1		İ	1					1					_
		POTS Translations		ļ	OHD	N8FTX		5.94	0.81	4.57	0.54	1					
		8XX Access Ten Digit Screening, Customized Area of Service										i .					
		Per 8XX Number		L	OHD	N8FCX		2 58	1.29			ļ					
		8XX Access Ten Digit Screening, Multiple InterLATA CXR										1		1			į
		Routing Per CXR Requested Per 8XX No		<u> </u>	OHD	N8FMX		3.02	1.73								
		8XX Access Ten Digit Screening, Change Charge Per Request		├	OHD	N8FAX	 	3.02	0.44			ļ	ļ	1			ļ
		8XX Access Ten Digit Screening, Call Handling and Destination Features			OUD.	NOCDY	!	0.50									
	 	8XX Access Ten Digit Screening, w/ 8FL No. Delivery		├	OHD	N8FDX	0.000565	2.58									
		8XX Access Ten Digit Screening, w/ POTS No. Delivery		├──	OHD		0.000565						<u> </u>	ļ	ļ		
LINIC	INCORM	ATION DATA BASE ACCESS (LIDB)		├─-	OHD		0.00055					-					
LIIVL	nu Oni	LIDB Common Transport Per Query		\leftarrow	OQT		0.00002			-		1	<u> </u>	ļ	ł		
		LIDB Validation PerQuery		ļ	ogu		0.00002										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NR8PX	0.012002	34.32		42.08			-				
SIGN	IALING (CCS71		-	001,000	INFEPA		34.32		42.08							
SICIL	T DING	CCS7 Signaling Connection, Per 56Kbps Facility		ł			15.46	35.53	35.53	16.44	16.44	ł	-				
		CCS7 Signaling Termination, Per STP Port		\vdash	UDB	PT8SX	130.83	33.33	33.33	10.44	10.44			-			
		CCS7 Signaling Usage, Per Call Setup Message		 -	000	1 1007	0.0000142	_				·				-	
		CCS7 Signaling Usage, Per TCAP Message		\vdash	UDB		0.0000569										 -
	-	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	15.46	35.53	35.53	16.44	16 44	 					
		CCS7 Signaling Connection, Per link (B link) (also known as D		—	000		10.10	55.66	- 00.00	10.41	10 44	-					
		link)		ĺ	UDB	TPP++	15.46	35.53	35 53	16.44	16,44	ì	ľ	i	1	1	1
		CCS7 Signaling Usage, Per ISUP Message		_	UDB	1771	0.0000142	00.00	00 00	10,44	10,44	·		-			
		CCS7 Signaling Usage Surrogate, per link per LATA		-	UDB	STU56	650.33										
		CCS7 Signaling Pont Code, per Originating Point Code		 		1 400		_		_							
	1	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57			1			
E911	SERVIC			1			· ·					<u> </u>					
	- T	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3,20	 					
		Interoffice Transpoit - Dedicated - 2-wr Voice Grade Per Mile				<u> </u>	0.008838					1				1	
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1						1	1			1	
		Termination			J	J	21.13	40.54	27.41	16.74	6.90		1		I	1	
		Local Channel - Dedicated - DS1 - Zone 1					35 76	177.47	153.72	22.19	15.26	T					
		Local Channel - Dedicated - DS1 - Zone 2					49.98	177.47	153.72	22.19	15.26						
		Local Channel - Dedicated - DS1 - Zone 3					107.63	177.47	153.72	22.19	15.26						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.18										
													l				
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44	<u> </u>		L	L		
CALL	ING NAI	ME (CNAM) SERVICE												L			
		CNAM For DB Owners - Service Establishment			oqv			22 95		21.11							
		CNAM For Non DBOwners - Service Establishment		ļ	oqv			22.95		21.11							<u> </u>
	1	CNAM For DB Owners - Service Provisioning With Point Code		1		[1 1			l		1	ļ)	J	J	J
		Establishment		ļ	OQV		ļ	990.88	732.84	268.93	197.74				ļ		L
		CNAM For Non DBOwners - Service Provisioning With Point		1		ŀ	1								1	1	
		Code Establishmert		ļ	OQV			342.33	245.14	275.25	197.74	ļ	ļ		<u> </u>	 	
		CNAM for DB Owners, Per Query		₩-	oov		0.000902					ļ		L			
ce: -	CTP =	CNAM for Non DB Dwners, Per Query		├-	OQV	 	0.000902			ļ				ļ			
SELE	CHIVE F	OUTING		-			1			-		ļ			ļ		
		Selective Routing Fer Unique Line Class Code Per Request Per								l	l	1			i	1	
		Switch		-				84.70	84.70	14.11	14.11	+			ļ	ļ	
VIRT	UAL COL	LOCATION		ļ								ļ					ļ
	1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1		l	1				_	1	}	ļ)]	1
		Splitting		1	UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5,44	1				1	1

ONRONDLED	NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIÇAL COL					1											
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															Į.
	Splitting		<u> </u>	UEPSR UEPSB	PE1LS	0 03	12.30	11 80	6 03	5.44						<u> </u>
	CARRIER ROUTING		ļ													ļ
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							↓
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749										-
	TH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,		!		211105		00.44	20.44	40.00	40.00		i				
	Initial Setup		┞	A1N	CAMSE		39.44	39.44	40.69	40.69						
	AINI CMC Assess Conins Dest Connection Dial/Others Annual	l		A1N	CAMDP		7.00	7.00	9.09	9.09				I		
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		-	A1N A1N	CAMDP CAM1P		7.83 7.83	7.83 7.83	9.09	9.09				 		
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	 	 	A IIN	CAUVITE		1.83	7.83	9.09	9.09	-	ļ		 	 	+
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06	1					
	AIN SMS Access Service - Security Card, Per User ID Code,			7119	CAWAO		33.00	30.00	27,00	27.00						+
	Initial or Replacement			A1N	CAMRC		41 88	41.88	11,71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A113	Oravirto	0.002188	7100	41.00		11.71				 		
	AIN SMS Access Service - Session, Per Minute		-		+	0.59										
	AIN SMS Access Service - Company Performed Session, Per		 	l	 	0.00										
	Minute				1	0.73										
	TH AIN TOOLKIT SERVICE		i –		1				-					 		
	AIN Toolkit Service - Service Establishment Charge, Per State.				·											
	Initial Setup	ŀ		CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer		 		BAPVX		4,202.17	4,202.17	10.00	10100	 				1	1
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1	-	1574 47		1,202.11	,,202.11								+
	DN, Term Attempt				BAPTT		7.83	7 83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	<u> </u>				1130		0.00					 		
	DN, Off-Hook Delay	l			BAPTD		7.83	7.83	9.09	9.09	1	1				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1	
	DN, Off-Hook Immediate				ВАРТМ		7.83	7.83	9.09	9.09					1	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		t											1		
	DN, 10-Digit PODP		ł		BAPTO		34.47	34.47	14.36	14.36		ĺ			ì	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP		1		BAPTC		34.47	34.47	14,36	14.36				1		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1777-11111-1-0-1						1					
	DN, Feature Code				BAPTE		34 47	34 47	14.36	14.36						
	AlN Toolkit Service - Query Charge, Per Query					0.05	·								ļ	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit													ŀ	j	1
	Subscription, Per Node, Per Query					0.00582									ļ	_
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access								İ		Î	1	•			
	Account, Per 100 kilobytes					0.05						L			<u> </u>	<u> </u>
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		ì												i	
	Subscription	L		CAM	BAPMS	10.17	7.83	7 83	5 50	5.50						
	AlN Toolkit Servic∈ - Special Study - Per AlN Toolkit Service				ł					i				į		
	Subscription			CAM	BAPLS	2.87	8.66	8.66								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service					1										
	Subscription	ļ	ļ	CAM	BAPDS	7.39	7.83	7.83	5.50	5.50	ļ		ļ	ļ		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			l							i		1	1	1	
	Service Subscription		ļ	CAM	BAPES	0.10	8.66	8.66	ļ			ļ			+	
	TENDED LINK (EELs)	L		College A 1 Cl	1	h. 4 1227	- L : 41		Junior and Co.	Lincal Fish	L Class		1	 	 	+
	The monthly recurring and non-recurring charges below will												ļ	 	+	
	The monthly recurring and the Switch-As-Is Charge and not the					UNE combinati	ons provision	ed as ' Current	ny Combined' I	vetwork Eleme	ents.	 	ļ	 	1	+
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	ED DS					20.55							 	-	
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44			l	 	 	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44			ļ		+	+
	First 2-Wire VG Lcop (SL2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	ļ .	<u> </u>	 			+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1	1 .	1				1	1	1		1	1	1	
1 1 1	per month	1	1	UNC1X	1L5XX	0.18		1	1	1	1	1	1	1	1	1

Page 9 of 227

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attach			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transpor: - Dedicated - DS1 combination - Facility															l .
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ļ
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month		-	UNC1X UNCVX	MQ1 1D1VG	101.06 0.53	91 04 6.58	62 57 4.72	10.54	9.79						
_	voice Grade COCI- Per Month			UNCVA	IDIVG	0.53	6.58	4.72								-
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44				1		
	Lacti Additional 2-Vire VO Loop (SE 2) in Contamation - Zone 1		-	ONCVA	OLALZ	14.50	00.00	33.00	77.29	1,-1-1					1	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	ļ	ł		İ		
	Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 3		3	UNCVX	UEAL2	36,14	88.00	55 00	47.24	7,44	i			l	İ	
	Voice Grade COCI- Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.59	5 59	6.98	6,98						<u> </u>
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	INTE	ROFFICE TRANSPO	ORT											ļ
			Ι.			05.04	101.07			44.50	l					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	ļ					.
	Fort AW and Application of Combination 7-12		١ ,	LINGSON	115 41 4	20.50	131.97	94.51	59.14	14.50	i	l			ļ	Į.
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
ı	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94,51	59,14	14,50						
	Interoffice Transpor - Dedicated - DS1 combination - Per Mile			ONCVA	DEAL	00.02	131.37		33.14	14.50					ļ	
i	Per Month	!	1	UNC1X	1L5XX	0.18	1					1				
	Interoffice Transpor - Dedicated - DS1 - Facility Termination Per	-	_	ONOTA	T.LOWIN	- 0.10										
1	Month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		•		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		i				
	Voice Grade COCI n combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transpor Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		İ								l	1		i	1	
	Interoffice Transpor Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l I					44.50			!			İ
	Interoffice Transpor Combination - Zone 3		3	UNCVX	UEAL4 1D1VG	60.02 0.53	131.97 6.58	94.51 4.72	59.14	14.50					 	
	Additional Voice Grade COCI in combination - per month		 	UNCVX	TUTVG	0.53	86.0	4.72							 	
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge	i	ł	UNC1X	UNCCC		5.59	5.59	6.98	6.98			!			
CYTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				3.39	3.35	0,56	0.50						
EXIC	NDED 4-WIRE 36 KB-S EXTENDED DIGITAL LOOF WITH DEDI	LATED	Join	TEROFFICE TRAIN	ST OK1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88 80	59.14	14.50		1				1
	That Time datape Eighth State 200p in Communicity 2010 t			1								†				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
1	Per Month		l	UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - combination Facility		1						1							1
	Termination Per Month		ļ	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel Systen in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	ļ	ļ				
	OCU-DP COCI (data) per month (2.4-64kbs)	ļ	ļ	UNCDX	1D1DD	1.12	6.58	4.72				ļ		 		+
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	LINCOV	UDL56	26 09	126.27	88 80	59.14	14.50			I		1	
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 58Kbps Digital Grade Loop in same DS1	 	 	UNCDX	UULSO	26.09	120.27	00 80	38.14	14.50	 		 	 	1	t
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126 27	88 80	59.14	14 50			1		1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 		O.NODA	000.00	55.55	12027	00 00	55.14	17.50	 		1	T	1	
1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	1				1	
	Additional OCU-DP COCI (data) - in combination per month (2.4-		Ť	0.100/	00.00	050		55.50	1		t	1	ļ	l	1	T
	64kbs)			UNCDX	1D1DD	1,12	6.58	4.72			1		1		İ	
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1											
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98				l	1	
	NDED 4-WIRE 64 KEPS EXTENDED DIGITAL LOOP WITH DEDI		204 14	TEDOFFICE TOAK	CDODT							1	_	1	1	1

JNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2	ļ	bit: A
		I										Svc Order				Incrementa
		1	1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	ĺ								'	i .	Electronic-	Electronic-	Electronic-	Electronic-
			1		i i						1		1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>											J	l	l	L
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
		<u> </u>			ļ	1100	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1		ļ	1 .		1				50.1.		1			1		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL64	26.09	126.27	88 80	59.14	14.50						
	L				l.m. a.	05.05	400.07	00.00	50.44	44.50	1			i	1	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50					ļ	
1	5 - 1 A W - 0 4/4 - D - 1 - 1 O - 1 - 1 C b 1 7 2		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14,50						ļ
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	-	UNCDX	UDL04	37.00	120.27	- 00.00	33,14	14,50	 					
1	Per Month		1	UNC1X	1L5XX	0.18								1		
	Interoffice Transpor Dedicated - DS1 combination - Facility	ļ	+	ONCIA	ILSAA	0.10					1					
ļ.	Termination Per Month			UNC1X	U1TF1	60.16	89 27	81.81	16,35	14.44				Ì		1
-	1/0 Channel Systen in combination Per Month	<u> </u>	-	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79			1			
-	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	+	1	UNCDX	1D1DD	1.12	6.58	4.72	1	5.75	†				1	1
+	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		†	550/		2	5.00	2	1				†			
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	26 09	126.27	88 80	59.14	14 50		1		1	L	
	Additional 4-Wire 6lKbps Digital Grade Loop in same DS1	_	T :		1				1		1	T	1	i	1	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50			1			
	Additional 4-Wire 6lKbps Digital Grade Loop in same DS1	1	1													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		Ì				
	Additional OCU-DP COCI (data) - in combination - per month															
	(2 4-64kbs)	1		UNCDX	1D1DD	1.12	6 58	4.72	İ					1		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		_				L .
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS	INTER	OFFICE TRANSPOR	रो											
	4-Wire DS1 Digital _oop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54		11,71						<u> </u>
1	4-Wire DS1 Digital _oop in Combination - Zone 2		2	UNC1X	USLXX	154, 18	252.47	157.54		11.71						ļ
	4-Wire DS1 Digital _oop in Combination - Zone 3	I	3	UNC1X	USLXX	314.52	252 47	157 54	44.70	11 71	ļ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1													
	Per Month			UNC1X	1L5XX	0.18			ļ		ļ					
	Interoffice Transport - Dedicated - DS1 combination - Facility									l						!
	Termination Per Month	—	↓	UNC1X	U1TF1	60.16	89 27	81 81	16.35	14.44	ļ		ļ	 	ļ	+
	Nonrecurring Currently Combined Network Elements Switch -As-	1					F F0		6.98	6.98	ľ		1			ļ
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.96	6.90					 	
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS.		UNC1X	TUSLXX	82.55	252.47	157 54	44.70	11,71			 		+	<u> </u>
	First DS1Loop in Combination - Zone 1	 	2	UNC1X	USLXX	154.18	252.47	157.54		11.71		 			-	
ļ	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	-	3	UNC1X	USLXX	314.52	252 47	157.54		11.71						
	Interoffice Transpot - Dedicated - DS3 combination - Per Mile	+	13	DIVCTX	USLAA	314.32	232 47	137.04	1	- ''''	+			<u> </u>	-	1
	Per Month		1	UNC3X	1L5XX	4.09			1		[1			
	Interoffice Transpot - Dedicated - DS3 - Facility Termination per		+	DINGSA	TESAA	4.03						——				
1	month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46	.1					
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97		31.83						
	DS1 COCI in combination per month	 	+	UNC1X	UC1D1	12.70	6.58	4.72			1					
-	Additional DS1Loop in DS3 Interoffice Transport Combination -	+	1	J. C. C.	100.01				T			· · · · · · ·				1
1	Zone 1	i	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71			1			
 	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	+	ONOTA	002,01	02.00	202.					i	1			T
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		ľ				
h +	Additional DS1Loop in DS3 Interoffice Transport Combination -	+	1													[
	Zone 3	1	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	1		!			1
-	Additional DS1 CCCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72				I				
	Nonrecurring Currently Combined Network Elements Switch -As	}-	_									İ		Į		
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		L		<u> </u>		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	E GRAD	DE INTE							ļ		 			1	
	2-WireVG Loop in combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	14.38	88.00	55 00		7.44		<u> </u>	-			-
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55 00		7.44		1	1			
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				1	+	+
	Interoffice Transpot - 2-wire VG - Dedicated- Per Mile Per		1		1											
	Month	↓		UNCVX	1L5XX	0.008838		 	-	-	+			ļ	+	+
	Interoffice Transpot - 2-wire VG - Dedicated - Facility	1			I				46		.	1	1		1	
F 1	Termination per month	1	1	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6 90	' L	<u> </u>		L		

Page 11 of 227

NBUNDLI	ED NETWORK ELEMENTS - Alabama													ment: 2	Exhil	bit: A
												Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order v Electron Disc Ad
_						Rec	Nonrec	urring	Nanrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Addʻl	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP! 4 WIRE VOICE	GRAD										100				
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
1 -	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38 58	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60 02	131.97	94.51	59.14	14.50						
4	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
_	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-				I											ĺ
EV.TE	Is Charge			UNCVX	UNCCC		5.59	5. 5 9	6.98	6.98						
EXIE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		lu sus											
_	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	8.38										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	454.50	262.04	119.49	00.50						ĺ
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X			451.52	263.94	119.49	83.58	-					
_	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		-	UNC3X	1L5XX	4.09										
				UNC3X	U1TF3	703.52	278.75	162.76	60.00	50.40						ĺ
_	Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-		_	UNCSX	UTIF3	703.52	210.13	162.76	60.20	58.46						
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						ĺ
EVTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 1 INT	EBOEE		UNCCC		5.59	5.59	6.98	0.98						-
EXIE	STS-1 Local Lolp in combination - per mile per month	3-1 1141	EKOFF	UNCSX	1L5ND	8 38										
_	STS-1 Local Loop in combination - Facility Termination per		-	DIVOSA	ILSIND	0.30			-							-
	month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						ĺ
_	Interoffice Transport - Dedicated - STS-1 combination - per mile	-		UNCOA	IUULST	319.03	451.52	203.94	115.45	03.30						-
	per month			UNCSX	1L5XX	4.09										ĺ
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.10071	1.20.01	4.00							_			
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-											_				
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						İ
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	PORT		1											
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54				II		
	Interoffice Transport - Dedicated - DS1 combination - per mile															1
	per month			UNC1X	1L5XX	0,18										
	Interoffice Transport - Dedicated - DS1 combination - Facility													i inemate		
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			P		(1)	
	1/0 Channel System in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		i i				
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72			_					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		. [
_	Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						ļ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						447.04							9		
_	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	48.55	447.04	79.77		40.54						1
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination-per		3	UNCNA	UILZX	40.33	117.24	79.77	52.88	10.54						-
	month			UNCNX	UC1CA	2.41	6.58	4.72								l
_	Nonrecurring Currently Combined Network Elements Switch -As-			DINCINA	OCTOA	2.41	0.36	4.72								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						i
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS	-1 INTE				5.55	3.35	0.30	0.50				0	-	
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						_
_	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						-
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						—
_	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		ŕ		12227	3152				11.71						_
	Per Month			UNCSX	1L5XX	4.09										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility		-		1	50										
1	Termination per month	I .	1	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	I	1				1

TEGORY					1 1						Svc Order	Svc Order	Incremental	Incremental	Itecremental	
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72			-					
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport					244.52		.== = .								ĺ
	Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	DS1 COCI in combination per month	_	-	UNC1X	UC1D1	12.70	6.58	4.72							1	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT														
-	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			_			1
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	35.95	126.27	88 80	59.14	14.50		_				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126 27	88 80	59.14	14.50						L
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0 008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	BPS INT	EROFF													
	4-wire 64 kbps Looal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													_
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47,24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 3 First Interoffice Transport - Dedicated - DSt combination - Per		3	UNCVX	UEAL2	36.14	88 00	55.00	47.24	7.44						
	Mile			UNC1X	1L5XX	0.18			-						in Spall	
	First Interoffice Transport - Dedicated - DS1 combination -					44	00.5	20.00			7					
	Facility Termination per month		-	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI - Per Month per month		-	UNCVX	1D1VG MO3	0 53 166,13	6.58 178.14	93.97	33.26	04.55						
	3/1 Channel System in combination per month		-						33.26	31.83			1			
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55 00	47.24	7.44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Each Additional Voice Grade COC! - in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCVX	1D1VG	0.53	6.58	4.72								
	Channel System per month			UNC1X	1L5XX	0.18					_					
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

											l c c ·	C C	Imparation 1	la aver	Imamer: * *	Impac
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Increment Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		,
			L				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ	First 4-Wire Analog √oice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Joice Grade Local Loop in Combination -		+-	UNCVA	ULAL4	23.34	131.51	54.51	39.14	14.50						-
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		İ				İ
	First 4-Wire Analog √oice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18						1	ĺ]	
	First Interoffice Transport - Dedicated - DS1 - Facility		 	ONCIA	ILJAA	0.10										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91 04	62.57	10.54	9.79						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72	00.0-	215	ļ	ļ				
	3/1 Channel System in combination per month Per each DS1 COCIn combination per month		ļ	UNC3X UNC1X	MQ3 UC1D1	166.13 12.70	178.14 6.58	93 97 4.72	33.26	31.83			ļ			
-	Additional 4-Wire Aralog Voice Grade Loop in same DS1		 	DIVOIA	00101	12.70	0.58	4.12				 				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	i			1		1
	Additional 4-Wire Aralog Voice Grade Loop in same DS1			·							1					
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	ļ					
	Additional 4-Wire Aralog Voice Grade Loop in same DS1					60.02	404.07	0.1.54	50.44	14,50	1					1
	Interoffice Transport Combination - Zone 3 Each Additional DS Interoffice Channel per mile in same 3/1		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14,50			-			1
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS Interoffice Channel Facility Termination in			5.1.0.1.1	100701											
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		<u> </u>		<u> </u>		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
- 1	Nonrecurring Currently Combined Network Elements Switch -As-		1					5.50	0.00	0.00						
EVIE	Is Charge IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	EEICE	UNC1X	UNCCC		5 59	5 59	6.98	6.98						——
EXIEN	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	Trice	TRANSPORT W/ 3/1	I									 		
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			ŀ			
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						ļ
- 1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_	L BLODY		07.00	400.07	00.00	50.44	44.50					1	
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					 	
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	İ		UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - combination	<u> </u>		UNU IX	720701	U. 10			-							
	Facility Termination Per Month	l		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						l
	Per each 1/0 Chanrel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	3/1 Channel System in combination per month		ļ	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COC in combination per month			UNC1X	UC1D1	12.70	6.58	4.72				ļ			!	
	Additional 4-Wire 5fKbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
_	Interoffice Transpor Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		+	UNCDX	UULSB	26.09	120.27	00.00	39,14	14.50		 				
	Interoffice Transpor Combination - Zone 2		l 2	UNCDX	UDL56	35.95	126 27	88.80	59.14	14.50		Ì				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		 													
	Interoffice Transpor Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		ļ				
	OCU-DP COCI (data) COCI in combination per month (2.4-								1	İ				1	1	
	64kbs)	<u> </u>	1	UNCDX	1D1DD	1.12	6.58	4.72	ļ	 			 			+
	Each Additional DSI Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18			1							
_	Each Additional DSI Interoffice Channel Facility Termination in	l	1	O. PO IA	1.6000	0.10			†	1	†					1
	same 3/1 Channel System per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44				L		
	Each Additional DSI COCI in the same 3/1 channel system	†	1													
	combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72			ļ			ļ <u>.</u>	1	
1	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	L							1					
			1	UNC1X	LUNCCC	ı I	5.59	5.59	6.98	6.98	1	1	1	I	1	1

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'I	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88 80	59.14	14.50				1		1
<u> </u>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u>'</u> -	UNCDA	ODE04	20.05	120.21	00 00	33.14	14.30	1					
i l	Transport Combination - Zone 2	ŀ	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50			1			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice													 		
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
1	First Interoffice Transport - Dedicated - DS1 combination - Per		1		1				1		1			1		
	Mile Per Month First Interoffice Trailsport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.18			ļ							ļ
	First interoffice Transport - Dedicated - DST combination - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81 81	16.35	14,44					i	
	Per each Channel System 1/0 in combination Per Month		 	UNC1X	MQ1	101.06	91 04	62.57	10.54	9 79	+			 	 	+
 	Per each OCU-DP COCI (data) in combination - per month (2.4-			0.10.77		701.00	0.01	02.07	10.07	9.12				-		+
	64kbs)		Ì	UNCDX	1D1DD	1.12	6.58	4.72	ĺ		1					
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month		ļ	UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 61Kbps Digital Grade Loop in same DS1	!	١.	LINCOV.	LIDICA	20.00	400.07		50.44	44.50				j		
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	-			ļ		+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	00204	35.55	120.27	. 00.00	33.14	14.50	<u> </u>				 	
	Interoffice Transpot Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DF COCI (data) - DS1 to DS0 Channel System										1		1	1		
	combination - per nonth (2.4-64kbs)			UNCDX	1D1DD	1 12	6.58	4.72	ļ							
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1													1
-	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		├ ─	UNC1X	1L5XX	0.18					 					
1	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				ļ		İ
-	Each Additional D\$1 COCI in the same 3/1 channel system			DINCTA	- 101111	00.10	03.27	01.01	10.55	14.44		 				
	combination per menth	1		UNC1X	UC1D1	12 70	6.58	4.72			1					
1	Nonrecurring Currently Combined Network Elements Switch -As-							~								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6 98	1.					ļ
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX										ļ			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		١.	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54			1	1		
ļ -	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	1	UNCNX	UTLZX	21.88	117.24	79.77	52.88	10.54	 		-	 		+
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79 77	52.88	10.54						
	First 2-Wire ISDN toop in a DS1 Interoffice Combination	 	1	ONONA	- OILEX	02.00			02.00		· ·					
	Transport - Zone 3	l	3	UNCNX	U1L2X	48 55	117.24	79.77	52.88	10.54						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month			UNC1X	1L5XX	0.18								ļ		
	First Interoffice Transport - Dedicated - DS1 combination -					00.40	00.07	04.04	40.05			1		1	1	
\vdash	Facility Termination per month	 	-	UNC1X UNC1X	U1TF1 MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79		 	-	 	 	+
\vdash	Per each Channel System 1/0 in combination - per month	1		UNCIX	IMUT	101.06	91.04	02.37	10.54	5.15		 	 			+
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4 72				ł	-			
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178 14	93.97	33.26	31.83	1		1	1		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								T
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		T											1		
ļ	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	·	<u> </u>				+
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	1	1		1		1
 	Combination - Zons 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	+	+	UNCINA	UILZX	32.85	117.24	19.77	52.88	10.54	+	1	 	+	 	+
	Combination - Zon: 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	1	1		1		1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	t	ΤŤ						1 52.50	1	1	†				
	system combination- per month		L	UNCNX	UC1CA	2.41	6.58	4.72	1			<u> </u>			L	
	Each Additional D\$1 Interoffice Channel per mile in same 3/1		T						T							
	Channel System per month		1	UNC1X	1L5XX	0.18		L	ļ					1	_	
	Each Additional D\$1 Interoffice Channel Facility Termination in									l					1	
	same 3/1 Channel System per month	L	<u> </u>	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44		<u></u>	1		1	

Version 3Q03: 11/12/2003

Page 15 of 227

JNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
	1	Γ									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			1		ı		1 :	1
ATEGURY	RATE ELEMENTS	m	Zone	BCS	USUC			KAIES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1	1										Electronic-	Electronic-	Electronic-	Electronic-
			i										1st	Add'l	Disc 1st	Disc Add'l
			1									L				l
i			ļ		1 1	Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						, Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DSI COCI in the same 3/1 channel system	1														
	combination per month	1	1	UNC1X	UC1D1	12.70	6 58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	 	+		00101	12.10	0.50	7.72		-	<u> </u>			 		
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
					UNCCC		5.59	3.39	0.96	0.90						
EXII	ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IKAN				00.55	0.50 15									-
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71					ļ	
	First 4-wire DS1 Digital Ecoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44,70	11.71	<u> </u>					
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157 54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	ļ	1	UNC1X	1L5XX	0 18						ļ	Ì			ļ
	First Interoffice Transport - Dedicated - DS1 combination -		1									l				
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89 27	81 81	16.35	14,44	1					
	3/1 Channel System in combination per month	 	 	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	}			 	ļ	····
		1							33.20	31.03	}			l	ļ	
	Per each DS1 COC combination per month	_	-	UNC1X	UC1D1	12.70	6.58	4.72								
i i	Each Additional DSI Interoffice Channel per mile in same 3/1						[]			
	Channel System per month	L.		UNC1X	1L5XX	0.18										
	Each Additional DSI Interoffice Channel Facility Termination in												1			
i i	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system	1	1								l '					
1	combination per month		1	UNC1X	UC1D1	12,70	6.58	4 72	1							
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	-	00151	12,70	0.00									
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1 .	LINGAY	1101.77	90.55	050.47	457.54	44.70	11,71	ļ			ļ		
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71			ļ			
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone											1			1	
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone				i	ì								i	1	
l	3		3	UNC1X	USLXX	314 52	252.47	157.54	44.70	11.71	i i				1	1
	Nonrecurring Currently Combined Network Elements Switch -As	-	1						T							
i	Is Charge		1	UNC1X	UNCCC		5.59	5.59	6.98	6.98	1					
FVT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTERO	EFICE		011000		0.00	0.00	0.00	0.00	1				<u> </u>	
EXI		INTERO			UDLEC	26.09	126 27	88.80	59.14	14.50	 				 	
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56					14.50	ļ				 	
	First 4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14				ļ			
	First 4-wire 56 kbps Local Loop in combination - Zone 3	ļ .	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	ļ			ļ		
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			1						1	1		İ	1		ļ
	per month		1	UNCDX	1L5XX	0.008838				l		i				
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1													1	
	Termination per month			UNCDX	U1TD5	15.12	40 54	27,41	16.74	6.90	ł				1	
	Nonrecurring Currently Combined Network Elements Switch -As	_	+	OHODA.	0.1100							<u> </u>	1			
j	Is Charge	1		UNCDX	UNCCC	l i	5.59	5.59	6.98	6.98		ŀ	ł		İ	İ
		L	L		DIVOCO		5.55	3.03	0.50	0.55		f				
EXI	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTERU			1101.01	20.00	400.07	88.80	59.14	14.50		+				
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	26.09	126.27									
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1			<u> </u>		
	First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						ļ
		1	1													
	First 14-wire 65 kbp; Interoffice Transport - Dedicated - Per Mile			UNCDX	1L5XX	0.008838					1	ļ				
	First I4-wire 65 kbp; Interoffice Transport - Dedicated - Per Mile per month	1	1											1	1	1
	per month	ļ	-	ONODA								i	1			1
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				LITTE	15.12	40 54	27 41	16.74	l 6.90			1	l .		1
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As	-		UNCDX		15.12										
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge				U1TD6 UNCCC	15.12	40.54 5.59	27.41 5.59	6.98	6.98						
	per month First 4-wre 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS			UNCDX	UNCCC		5.59									
Whe	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur	rng cha		UNCDX UNCDX o not apply, but	UNCCC a Switch As Is c	harge does app	5.59 ly.									
Whe	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur en used as ordinarily combined network elements in All States,	rng cha	-recurr	UNCDX UNCDX o not apply, but	UNCCC a Switch As Is c y and the Switch	harge does app	5.59 ly.									
Whe	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur en used as ordinarily combined network elements in All States,	rng cha	-recurr	UNCDX UNCDX o not apply, but	UNCCC a Switch As Is c y and the Switch	harge does app	5.59 ly.									
Whe	per month First 4-wre 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur en used as ordinarily combined network elements in All States, recurring Currently Combined Network Elements "Switch As Is"	rng cha the non 'Charge	-recurr	UNCDX UNCDX o not apply, but	UNCCC a Switch As Is c y and the Switch	harge does app	5.59 ly.									
Whe	per month First 4-wre 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recure en used as ordinarily combined network elements in All States, irecurring Currently Combined Network Elements "Switch As Is' Nonrecurring Currently Combined Network Elements Switch As Is'	rng cha the non 'Charge	-recurr	UNCDX UNCDX o not apply, but ing charges apply applies to each c	UNCCC a Switch As Is c y and the Switch ombination)	harge does app	5.59 ly. loes not.	5.59								
Whe	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur used as ordinarily combined network elements in All States, recurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As Is Charge - 2 wire/-Wire VG	rng cha the non 'Charge	-recurr	UNCDX UNCDX o not apply, but	UNCCC a Switch As Is c y and the Switch	harge does app	5.59 ly.		6.98	6.98						
Whe	per month First 4-wre 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur unused as ordinarily combined network elements in All States, recurring Currently Combined Network Elements Switch -As is Nonrecurring Currently Combined Network Elements Switch -As Is Charge - 2 wirel/-Wire VG Nonrecurring Currently Combined Network Elements Switch -As	rng cha the non 'Charge	-recurr	UNCDX UNCDX o not apply, but ing charges apply applies to each country.	UNCCC a Switch As Is c y and the Switch ombination) UNCCC	harge does app	5.59 ly. loes not. 5.59	5.59	6.98	6.98						
Whe	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge L NETWORK ELEMENTS en used as a part of acurrently combined facility, the non-recur used as ordinarily combined network elements in All States, recurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As Is Charge - 2 wire/-Wire VG	rng cha the non ' Charge	-recurr	UNCDX UNCDX o not apply, but ing charges apply applies to each c	UNCCC a Switch As Is c y and the Switch ombination)	harge does app	5.59 ly. loes not.	5.59	6.98	6.98						

INRONDER	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec		curring		g Disconnect				Rates (\$)		
		11					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						-
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Option	al Features & Functions:		-	III TO												
	0. 0 0 0			U1TD1.	00055		01	0.1	0.	0.1				+		
	Clear Channel Capability Extended Frame Option - per DS1		-	ULDD1,UNC1X	CCOEF		01	01	01	01						
				U1TD1,			01									
	Clear Channel Capability Super FrameOption - per DS1			ULDD1.UNC1X	CCOSF		01	01	01	01						-
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1.												1
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0 7741S						-
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	-		UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S						
MULTI	PLEXERS															_
_	DS1 to DS0 Channel System per month		-	UNC1X	MO1	101.06	91.04	62.57	10 54	9.79						-
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				10100											
	month (2.4-64kbs) used for a Local Loop			UDŁ	1D1DD	1.12	6.58	4.72	0.00	0 00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															1
	Local Channel in the same SWC as collocation		-	U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						_
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															1
	in the same SWC as collocation	-		U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.53	6.58	4 72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the									1.						1
	same SWC as collocation			UITUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00					in a	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00				7		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per									1						
	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	OCAL EXCHANGE SWITCHING(PORTS)	,1							Land on L	<u> </u>						
	nge Ports	-										_		-		
NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usi	ng retail USOC	S								
2-WIRI	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port with Caller fD - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						1.
						-										
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						1
	Exchange Ports - 2-Wire VG unbundled AL extended local				i i											
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						1
	Exchange Ports - 2-Wire VG unbundled res, low usage line port								-							
	with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan				1					1						
	with out Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Calter tD	-				50	1	2.2.	1	1						
	Capability			UEPSR	UEPRT	1 38	2.38	2.27	1.42	1.33						
1	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		1	_					
FEATL		-				0.50	5.50	0.50								
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00						100		
- 1000	VOICE GRADE LINE PORT RATES (BUS)		-			1.30	0.50	0.00								-

NBUNDLE	D NETWORK ELEMENTS - Alabama					.						,		ment: 2	·	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			1			Rec	Nonred	urring	Nonrecurring	g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.38	2.38	2 27	1.42	1.33	1		l			ł
	Exchange Ports - 2-Wire VG unbundled Line Port with				1											
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
										ļ						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		ļ	UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33	<u> </u>					
	Exchange Ports - 2-Wire VG unbundled AL extended local					4.00								ļ	1	1
	dialing parity Port with Caller ID - Bus.		<u> </u>	UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33			.		ļ	ļ
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1	UEDOD	UEPB1	4.00	2.20	0.07	1	4.00			ļ		1	
	Caller ID - Bus Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan		ļ	UEPSB	UEPBI	1.38	2.38	2.27	1.42	1 33				,	ļ	
				UEPSB	UEPWB	4 20	2.20	2.27	1.42	1 22			}		1	
	without Caller ID 2-Wire voice unbuildled Incoming Only Port without Caller ID	<u> </u>	+	ULPOB	DEPWB	1.38	2.38	2.21	1.42	1.33	 			 	-	ļ
	Capability		1	UEPSB	UEPBE	1.38	2.38	2.27	1,42	1.33						
	Subsequent Activity		+	UEPSB	USASC	0.00	0.00	0.00	1,42	1.55			<u> </u>		•	
FEATU			 	OLF 3D	OSAGO	0.00	0.00	0.00	 							
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00	·		·		 		 	<u> </u>
	NGE PORT RATES (DID & PBX)		 	OCI OD	OCI VI	1.50	0.00	0.00							1	
	2-Wire VG Unbuncled 2-Way PBX Trunk - Res	-	1	UEPSE	UEPRD	1.38	31 27	14 85	13 94	0.90	1		† · · · · ·			
	2-Wire VG Line Sice Unbundled 2-Way PBX Trunk - Bus		 	UEPSP	UEPPC	1.38	31.27	14 85	13.94	0 90			ļ		†	†
	2-Wire VG Line Ske Unbundled Outward PBX Trunk - Bus	-		UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Sice Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90			†		1	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
- 1	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90	1		1			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14 85	13.94	0.90						1
	2-Wire Vice Unburdled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90					1	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90					1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	L	I	UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90					<u> </u>	l .
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Administrative Calling Port	l		UEPSP	UEPXL	1 38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		T			l										Ī
	Room Calling Port	L	<u> </u>	UEPSP	UEPXM	1 38	31 27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1									i				
	Discount Room Caling Port		<u> </u>	UEPSP	UEPXO	1.38	31 27	14.85	13.94	0.90			L		ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		_	UEPSP	UEPXS	1 38	31.27	14 85	13.94	0.90					ļ	ļ
	Subsequent Activity		1	UEPSP	USASC	0.00	0.00	0.00								ļ
FEATU			1						 				ļ		ļ	ļ
	All Available Vertical Features		ļ	UEPSP UEPSE	UEPVF	1.98	0.00	0.00				ļ	ļ		ļ	
	INGE PORT RATES (COIN)		ļ			1.38		2.27	4.40	4.00			ļ			
	Exchange Ports - Coin Port	l	<u>. </u>	L			2.38						1		<u> </u>	
	Transmission/usage charges associated with POTS circuit so Access to B Charnel or D Channel Packet capabilities will be													Demund Dr		
	OCAL EXCHANGE SWITCHING(PORTS)	avana	le oni	y through Brik/New i	Dusiness Ke	quest Process.	. Rates for the	раскет сараы	ilities will be d	etermineo via i	ne sona ric	e Requesi/	New busines	s Request Pi	Tess.	<u> </u>
	INGE PORT RATES		1						1		ļ		 	·		
	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	t in this	rato ovhihit apoly te	the embed	dad basa in als	100 20 of 10/2/5	2 until 4/1/04	After 4/1/04 th	oce rates shall	rovert to ta	riff rates or	a conarato ao	rooment	ļ	-
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											rates or	<i>осраные а</i> у	, sement.	1	
ricques	Exchange Ports - 2-Wire DID Port		1	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76			†	 		!
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		+	L/1	1-112	5.65	1,0.01	10.74	00.00	5.70	——				 	1
	capability (E:4/1/2(04)	l		UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46		1				1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		1	UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74	 -		· · · · · · · · · · · · · · · · · · ·	t- -	<u> </u>	t
	All Features Offered		1	UEPTX, UEPSX	UEPVF	1.98	0.00	0.00	77.79	10.74	—	 	†	 		
	Exchange Ports - 2-Wire ISDN Port — Channel Profiles	l	+	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	 				1		· ·	†
NOTE:	Transmission/usage charges associated with POTS circuit st	vitched	lusage						nission by B-C	hannels assoc	iated with 2-	wire ISDN	ports.	1	1	
	Access to B Channel or D Channel Packet capabilities will be													s Request Pr	ocess.	1
	NGE PORT RATES (continued)		5.11	,		7-00		F Jones Gupaoi	T	1				1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		

ONRON	IDLE	D NETWORK E_EMENTS - Alabama													ment: 2		bit: A
ATEGO	PRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
							Rec	First	Add¹l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Exchange Ports - I-Wire ISDN DS1 Port with Detailed E911				1	l										
		Locator Capability(E:4/1/2004)		1	UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
		Exchange Ports - I-Wire ISDN DS1 Port (E:4/1/2004)		1	UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
		Physical Collocation - DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
		Virtual collocation - Special Access & UNE, cross-connect per		i	LIEBEN LIEBBN												
	Nataila.	DS1		 	UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79	ļ					
L	etane	d E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			 	1											
		Locator Capability- Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,804 00		156.08							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		 		1				100.00							
		Locator Capability- Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175 14									
N	lew or	Additional PRI Telephone Numbers		I	1												
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in				1 1						1					
		E911 profile [Newor Additional]	ļ	ļ	UEPEX	UEP1C	0.0697	0.49			ļ						
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1			1 !									i		
		Locator Capability- Outdial Telephone Numbers, per number in				l									1		
		E911 profile [Newor Additional]	ļ	ļ	UEPEX	UEP1D	0 0697	11 51									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		1		1		i								l	
		Telephone Numbers - Inward Data Only Option [New or Additional]			IUEPDX	UEP1E	0.00	0.049					İ			ļ	
_		Exchange Ports - I-Wire ISDN DS1 Port - Subsequent [New]	-		UEPDX	DEPTE	0.00	0.049			-			· · · · · · · · · · · · · · · · · · ·			
		Inward Tel Numbers [Customer Testing Purposes]		1	UEPEX	PR7ZT	0.00	23.02			•					l	l
- 1	OCAL	NUMBER PORTABILITY		1 -	OLI LX	1102	0.00	23.02	 -	 		 					
		Local Number Porability (1 per port)		-	UEPEX UEPDX	LNPCN	1.75										
ji		ACE (Provsioning Only)									i						
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0 00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	lew or	Additional Chanrel		ļ		I											
		New or Additional - Voice/Data "B" Channel		1	UEPEX	PR7BV	0.00	14.53									
		New or Additional - Digital Data "B" Channel		1-	UEPEX	PR7BF	0.00	14.53									
		New or Additional nward Data "B" Channel		ļ	UEPDX	PR7BD	0.00	14 53									<u> </u>
		New or Additional Jseage Sensitive Voice Data "B" Channel New or Additional Jseage Sensitive Digital Data "B" Channel		├	UEPEX UEPEX	PR7BS PR7BU	0.00	14.53									
-		New or Additional PRI "D" Channel		-	UEPEX	PR7EX	0.00	14.53 14.53		 	ļ						
- 10	CALL	TYPES	 	 -	OLF CA	FRACA	0.00	14,55									ł-
- 1		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00			-		_			
		Oulward		† —	UEPEX	PR7CO	0.00	0.00	0.00		l ·						
		Two-way		 	UEPEX	PR7CC	0.00	0.00	0.00	-							
Ü	INBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	7							·							
_ L	JNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1								1					
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33						
						1											
		Unbundled Remote Call Forwarding Service, Local Calling - Res	ļ	-	UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33	ļ			ļ		
- +		Unbundled Remote Call Forwarding Service, InterLATA - Res	<u> </u>	ļ	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33				ļ		
		Unbundled Remote Call Forwarding Service, IntraLATA - Res	 	1	UEPVR	UERTR	1.38	2.38	2.27	1,42	1.33	-			<u> </u>	ļ	
	-511-K	Unbundled Remole Call Forwarding Service - Conversion - Switch-as-is		<u> </u>	UEPVR	USAC2		0.10	0.10								
-+		Unbundled Remole Call Forwarding Service - Conversion with	!	 	OLI VII	10000		0.10	0.10			<u> </u>	· · · · · · · · · · · · · · · · · · ·		 	 	1
		allowed change (FIC and LPIC)	1		UEPVR	USACC	ļ	0.10	0.10		1	İ			1	1	
t	JNBÚN	IDLED REMOTE CALL FORWARDING - Bus	1	t -	1	†=====		5	5, 10						l	1	
			1		T	1	-								·		T
		Unbundled Remole Call Forwarding Service, Area Calling - Bus		-	UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33	<u> </u>					
		Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33	1	I		I	I	1

	TWORK ELEMENTS - Alabama													ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			<u> </u>			Rec	Nonrec		Nonrecurring		ļ			Rates (\$)		
			<u> </u>		1		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Indled RemoteCall Forwarding Service, InterLATA - Bus		<u> </u>	UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33						
	undled RemoteCall Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33						
	Indled RemoteCall Forwarding Service Expanded and					1										
	ption Local Caling		L	UEPVB	UERVJ	1.38	2.38	2.27	1,42	1.33		Ĺ		<u> </u>		Ĺ
Non-Recurrin			<u> </u>													
	Indled RemoteCall Forwarding Service - Conversion -	i	l								1				1	
	ch-as-is		L	UEPVB	USAC2		0.10	0,10				1				
	Indled RemoteCall Forwarding Service - Conversion with		İ													
	red change (PIC and LPIC)		L	UEPVB	USACC		0.10	0.10			1					
	L SWITCHING PORT USAGE		L			1										
	witching (Port Usage)	L	<u> </u>													L
	Office Switching Function, Per MOU		<u> </u>	1		0.0007025										
	Office Trunk Port - Shared, Per MOU		L			0.0001638										
	tching (Port Lsage) (Local or Access Tandem)															
Tande	lem Switching Function Per MOU					0.000095										
Tande	lem Trunk Port- Shared, Per MOU					0.0002015										
Tande	em Switching Function Per MOU (Melded)		i			0.000040993						1			1	
Tande	lem Trunk Port- Shared, Per MOU (Melded)		1			0.000086947					· · · · ·					
	ed Factor: 4315% of the Tandem Rate			* * ***********************************												
Common Tra			t									*				
	mon Transport- Per Mile, Per MOU					0.0000023										
	mon Transport- Facilities Termination Per MOU	 	 			0.0003224										
	/LOOP COMBNATIONS - COST BASED RATES	 		·		U,UUULL (
Cost Based F	Rates are applied where BellSouth is required by FCC ar	adlor St	ate Co	mmission rule to n	rovide Unhur	idled Local Swi	tching or Swife	h Porte			1					
Features sha	all apply to the Unbundled Port/Loop Combination - Cos	t Baser	Rate	section in the same	manner as ti	nev are applied	to the Stand-A									
								ione Unbundi	ed Port section	of this Rate E	XDIDIT.	1	l			1
IERd Office ar	nd Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns.		
	nd Tandem Switching Usage and Common Transport Us	sage rat	es in t	he Port section of	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and	f additional Pert nonrecurring charges apply to Not Curr	sage rat	es in t	he Port section of	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC	d additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat	es in t	he Port section of	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Loc	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LCOP WITH 2-WIRE LINE PORT (RES) op Combination Rates	sage rat	es in t ombin	he Port section of	his rate exhib	oit shall apply to ined Combos t	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Loc 2-Wire	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates to VG Loop/Pot Combo - Zone 1	sage rat	es in tombin	he Port section of	his rate exhib	oit shall apply to sined Combos to 12.70	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Loc 2-Wire 2-Wire	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates to VG Loop/Pot Combo - Zone 1 to VG Loop/Pot Combo - Zone 2	sage rat	es in tombin	he Port section of	his rate exhib	pit shall apply to ined Combos to 12.70 21 19	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Loc 2-Wir 2-Wir 2-Wir 2-Wir	1 additional Part nonrecurring charges apply to Not Curr CE GRADE LCOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3	sage rat	es in tombin	he Port section of	his rate exhib	oit shall apply to sined Combos to 12.70	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Loo 2-Wir 2-Wir 2-Wir UNE Loop Ra	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LCOP WITH 2-WIRE LINE PORT (RES) top Combination Rates Te VG Loop/Pot Combo - Zone 1 Te VG Loop/Pot Combo - Zone 2 Te VG Loop/Pot Combo - Zone 3 Tates	sage rat	es in tombin	he Port section of t ed Combos. For Cu	his rate exhib irrently Comb	12.70 21 19 34.80	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wir 2-Wir 2-Wir UNE Loop Ra 2-Wir	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates to VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 to VG Loop/Pot Combo - Zone 3 lates to Voice GradeLoop (SL1) - Zone 1	sage rat	es in tombin	he Port section of the Combos. For Cu	this rate exhibitoring the combine of the combine o	12.70 21 19 34.80	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE POrt/Loc 2-Win 2-Win UNE Loop Ra 12-Win 2-Win 2-Win 2-Win 2-Win 2-Win 2-Win	1 additional Port nonrecurring charges apply to Not Curr CE GRADE LCOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 tates re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 2	sage rat	tes in to ombin	he Port section of the Combos. For Combos.	UEPLX UEPLX	12.70 21 19 34.80 11.55 20.04	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wir 2-Wir 2-Wir UNE Loop R: 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	d additional P-rt nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 lates re Voice GradeLoop (SL1) - Zone 1 re Voice GradeLoop (SL1) - Zone 2 re Voice GradeLoop (SL1) - Zone 3	sage rat	es in tombin	he Port section of the Combos. For Cu	this rate exhibitoring the combine of the combine o	12.70 21 19 34.80	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi					
The first and 2-WIRE VOICE UNE PONT/Loo 2-Wiri 2-Wiri UNE Loop R: 2-Wiri 2-Wiri 2-Wiri 2-Wiri 2-Wiri 2-Wiri 2-Wiri	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates te VG Loop/Pot Combo - Zone 1 te VG Loop/Pot Combo - Zone 2 te VG Loop/Pot Combo - Zone 3 tates te Voice GradeLoop (SL1) - Zone 1 te Voice GradeLoop (SL1) - Zone 2 te Voice GradeLoop (SL1) - Zone 3 carde Line Fort Rates (Res)	sage rat	tes in to ombin	DEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	12.70 21 19 34.80 11.55 20.04 33.65	all combinatione nonrecurrin	ons of loop/pc g charges sha	rt network elen	nents except tiffied in the N	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wire 2-Wire UNE Loop R 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	1 additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 tates re Voice GradeLoop (SL1) - Zone 1 re Voice GradeLoop (SL1) - Zone 2 re Voice GradeLoop (SL1) - Zone 3 e Grade Line Fort Rates (Res) re voice unburdled port - residence	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12.70 21 19 34.80 11.55 20.04 33.65	all combinations nonrecurring	ons of loop/pc g charges sha	rt network elen II be those ider	nents except tiffied in the N	for UNE Coi					
The first and 2-WIRE VOIC UNE POT/Lo 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	J additional P-rt nonrecurring charges apply to Not Currice GRABE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 3 re Grade Line Fort Rates (Res) re voice unburdled port - residence re voice unburdled port - residence	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12.70 12.71 21.19 34.80 11.55 20.04 33.65 1.15	all combinations on the combination of the combinat	nns of loop/pc g charges sha 19.83 19.83	rt network elen II be those ider	nents except tiffied in the N 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOICE UNE PONT/Lou 2-Wirn 2-Wirn UNE Loop R 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn 2-Wirn	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates Te VG Loop/Pot Combo - Zone 1 Te VG Loop/Pot Combo - Zone 2 Te VG Loop/Pot Combo - Zone 3 Tates Te Voice Grade Loop (SL1) - Zone 1 Te Voice Grade Loop (SL1) - Zone 2 Te Voice Grade Loop (SL1) - Zone 2 Te Voice Grade Loop (SL1) - Zone 3 Te Grade Line Fort Rates (Res) Te voice unburdled port - residence Te voice unburdled port with Caller ID - res Te voice unburdled port with Caller ID - res Te voice unburdled port outgoing only - res	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12.70 21 19 34.80 11.55 20.04 33.65	all combinations nonrecurring	ons of loop/pc g charges sha	rt network elen II be those ider	nents except tiffied in the N	for UNE Coi					
The first and 2-WiRE VOIC UNE Port/Lou 2-Wirn	a additional Port nonrecurring charges apply to Not Curr CRES (STABLE LOOP WITH 2-WIRE LINE PORT (RES) (STABLE LOOP WITH 2-WIRE LINE PORT (RES) (STABLE LOOP) (POT COMBO - ZONE 1 (STABLE LOOP) (POT COMBO - ZONE 2 (STABLE LOOP)	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19 40.19	nns of loop/pc g charges sha 19.83 19.83	24.91 24.91	nents except ntified in the N	for UNE Coi					
The first and 2-WiRE VOIC UNE Port/Lou 2-Wirn	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates Te VG Loop/Pot Combo - Zone 1 Te VG Loop/Pot Combo - Zone 2 Te VG Loop/Pot Combo - Zone 3 Tates Te Voice Grade Loop (SL1) - Zone 1 Te Voice Grade Loop (SL1) - Zone 2 Te Voice Grade Loop (SL1) - Zone 2 Te Voice Grade Loop (SL1) - Zone 3 Te Grade Line Fort Rates (Res) Te voice unburdled port - residence Te voice unburdled port with Caller ID - res Te voice unburdled port with Caller ID - res Te voice unburdled port outgoing only - res	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12.70 12.71 21.19 34.80 11.55 20.04 33.65 1.15	all combinations on the combination of the combinat	nns of loop/pc g charges sha 19.83 19.83	rt network elen II be those ider	nents except tiffied in the N 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOICE UNE POT/Lo 2-Wire 2-Wire UNE Loop Re 2-Wire 2	a additional Port nonrecurring charges apply to Not Curr CRES (STABLE LOOP WITH 2-WIRE LINE PORT (RES) (STABLE LOOP WITH 2-WIRE LINE PORT (RES) (STABLE LOOP) (POT COMBO - ZONE 1 (STABLE LOOP) (POT COMBO - ZONE 2 (STABLE LOOP)	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19 40.19	nns of loop/pc g charges sha 19.83 19.83	24.91 24.91	nents except ntified in the N	for UNE Coi					
The first and 2-WIRE VOICE UNE POT/Los 2-Wire 2-Wire UNE Loop Re 2-Wire	d additional Pert nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates Te VG Loop/Pot Combo - Zone 1 Te VG Loop/Pot Combo - Zone 2 Te VG Loop/Pot Combo - Zone 3 Tates Te Voice Grade Loop (SL1) - Zone 1 Te Voice Grade Loop (SL1) - Zone 2 Te Voice Grade Loop (SL1) - Zone 3 Te Tolice University of the Combo - Zone 3 Te Tolice University of the Combo - Zone 3 Te Voice Grade Loop (SL1) - Zone 3 Te Tolice University of Texas (Res) Te voice unburdled port with Caller ID - res Te voice unburdled port outgoing only - res Te voice Grade unbundled Alabama extended local dialing to port with Caller ID - res Te voice unburdled port outgoing only - res Te voice Unburdled port outgoing only - res Te voice Unburdled Port outgoing only - res Te voice unburdled port outgoing only - res Te voice unburdled port outgoing only - res Te voice unburdled port outgoing only - res Te voice unburdled port outgoing only - res Te voice unburdled port outgoing only - res Te voice Unburdled port outgoing only - res Te voice Unburdled port outgoing only - res Te voice Unburdled port outgoing only - res	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19 40.19	nns of loop/pc g charges sha 19.83 19.83	24.91 24.91	nents except ntified in the N	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wire	a additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 tates re Voice GradeLoop (SL1) - Zone 1 re Voice GradeLoop (SL1) - Zone 2 re Voice GradeLoop (SL1) - Zone 3 e Grade Line Fort Rates (Res) re voice unburdled port with Caller ID - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice Gradeunbundled Alabama extended local dialing y port with Caller ID - res re voice unburdled port outgoing only - round to the caller ID - res re voice unburdled port outgoing only - res re voice unburdled see, low usage line port with Caller ID	sage rat	tes in to ombin	LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO	12.70 21 19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	for UNE Coi					
The first and 2-WIRE VOICE UNE POT/Lo 2-Wire 2-Wire 12-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 12-Wi	d additional P-rt nonrecurring charges apply to Not Currice RADE LOOP WITH 2-WIRE LINE PORT (RES) to Combination Rates are VG Loop/Pot Combo - Zone 1 are VG Loop/Pot Combo - Zone 2 are VG Loop/Pot Combo - Zone 3 are VG Loop/Pot Combo - Zone 3 are VG Loop/Pot Combo - Zone 3 are VG Loop/Pot Combo - Zone 3 are VG Loop/Pot Combo - Zone 3 are VG Loop/Pot Combo - Zone 3 are VG LOOP COMBO (SL1) - ZONE 1 are VG LOOP COMBO (SL1) - ZONE 2 are VG LOOP COMBO (SL1) - ZONE 3 are VG LOOP COMBO (SL1) - ZON	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO	12.70 21 19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	for UNE Coi					
The first and 2-Wire Voic UNE Port/Lo UNE Port/Lo 2-Wire 4-Wire 4	a additional Part nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates tre VG Loop/Pot Combo - Zone 1 tre VG Loop/Pot Combo - Zone 2 tre VG Loop/Pot Combo - Zone 3 tates re Voice Grade Loop (SL1) - Zone 1 tre Voice Grade Loop (SL1) - Zone 2 tre Voice Grade Loop (SL1) - Zone 3 to Grade Line Fort Rates (Res) tre voice unburdled port or residence tre voice unburdled port with Caller ID - res tre voice Grade Loop (SL1) - Zone 3 tre voice unburdled port outgoing only - res tre voice unburdled port outgoing only - res tre voice Grade unburdled Alabama extended local dialing tre voice unburdles res, low usage line port with Caller ID f) tre Voice Unbundled Alabama Residence Dialing Plan but Caller ID	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO	12.70 21 19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wire	d additional Port nonrecurring charges apply to Not Curro CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 rates re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 3 re Core Grade Loop (SL1) - Zone 3 re Core Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice unburdled port with Caller ID - res re voice unburdled port with Caller ID - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled Alabama extended local dialing y port with Caller ID - res re voice Unbundled Alabama Residence Dialing Plan out Caller ID re voice Unbundled Alabama Residence Dialing Plan out Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOIC UNE POVIC.0 UNE POVIC.0 2-Wire	a additional Part nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates tre VG Loop/Pot Combo - Zone 1 tre VG Loop/Pot Combo - Zone 2 tre VG Loop/Pot Combo - Zone 3 tates re Voice Grade Loop (SL1) - Zone 1 tre Voice Grade Loop (SL1) - Zone 2 tre Voice Grade Loop (SL1) - Zone 3 to Grade Line Fort Rates (Res) tre voice unburdled port or residence tre voice unburdled port with Caller ID - res tre voice Grade Loop (SL1) - Zone 3 tre voice unburdled port outgoing only - res tre voice unburdled port outgoing only - res tre voice Grade unburdled Alabama extended local dialing tre voice unburdles res, low usage line port with Caller ID f) tre Voice Unbundled Alabama Residence Dialing Plan but Caller ID	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO	12.70 21 19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	for UNE Coi					
The first and 2-Wire Voic UNE Port/Lo UNE Port/Lo 2-Wire 2-Wire UNE Loop R 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 3-Wire 3-Wire 3-Wire 3-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 5-Wire 5-Wire 6-Wi	a additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates the VG Loop/Pot Combo - Zone 1 the VG Loop/Pot Combo - Zone 2 the VG Loop/Pot Combo - Zone 3 tates The Voice Grade Loop (SL1) - Zone 1 the Voice Grade Loop (SL1) - Zone 2 the Voice Grade Loop (SL1) - Zone 3 to Grade Line Port Rates (Res) the Voice Grade Loop (SL1) - Zone 3 to Grade Line Port Rates (Res) the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdled port of the Voice unburdles res, low usage line port with Caller ID to Voice Unbundled Alabama Residence Dialing Plan but Caller ID the Voice unburdled Low Usage Line Port without Caller ID to the Voice unburdled Low Usage Line Port without Caller ID to biblity	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wir 3-Wir 2-Wir 3-Wir 3-Wir 3-Wir 4-Wi	d additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 tates re Voice GradeLoop (SL1) - Zone 1 re Voice GradeLoop (SL1) - Zone 2 re Voice GradeLoop (SL1) - Zone 3 e Grade Line Port Rates (Res) re voice unburdled port with Caller ID - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled res, low usage line port with Caller ID f) re Voice Unbuidled Alabama Residence Dialing Plan out Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Cow Usage Line Port without Caller ID re voice unburdled Cow Usage Line Port without Caller ID re voice Unburdled Cow Usage Line Port without Caller ID re voice Unburdled Cow Usage Line Port without Caller ID re voice Unburdled Cow Usage Line Port without Caller ID re voice Unburdled Cow Usage Line Port without Caller ID re voice Unburdled Cow Usage Line Port without Caller ID re voice Unburdled Cow Usage Line Port without Caller ID	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOICE UNE POT/Lo 2-Wire 3-Wire 4-Wire	d additional P-rt nonrecurring charges apply to Not Curc GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 rates re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re voice Grade Loop (SL1) - Zone 3 re voice unburdled port - residence re voice unburdled port with Caller ID - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port with Caller ID - res re voice unburdled port with Caller ID res re voice unburdled port with Caller ID res re voice unburdled See so was good in the Caller ID res re voice Unburdled Alabama extended local dialing yport with Caller ID - res re voice unburdled Alabama Residence Dialing Plan put Caller ID res revoice Unburdled Alabama Residence Dialing Plan put Caller ID residere unburdled Low Usage Line Port without Caller ID sability	sage rat	tes in to ombin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP UEPWA UEPWA	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-Wire Voic UNE Port/Lo UNE Port/Lo 2-Wire 2-Wire UNE Loop R 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 3-Wire 2-Wire 4-Wire 2-Wire 4-Wi	additional Part nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates the VG Loop/Pot Combo - Zone 1 the VG Loop/Pot Combo - Zone 2 the VG Loop/Pot Combo - Zone 3 tates The Voice Grade Loop (SL1) - Zone 1 the Voice Grade Loop (SL1) - Zone 2 the Voice Grade Loop (SL1) - Zone 3 to Grade Line Port Rates (Res) the voice unburdled port or residence the voice unburdled port with Caller ID - res the voice unburdled port outgoing only - res the voice unburdled port outgoing only - res the voice unburdled port outgoing only - res the voice unburdled port outgoing only - res the voice unburdled prot with Caller ID - res the voice unburdles res, low usage line port with Caller ID the voice unburdled Alabama Residence Dialing Plan to Littler ID the voice unburdled Low Usage Line Port without Caller ID the voice unburdled Low Usage Line Port without Caller ID the voice unburdled Low Usage Line Port without Caller ID the Voice Unburdled Low Usage Line Port without Caller ID tability The Voice Unburdled Low Usage Line Port without Caller ID tability The Voice Unburdled Low Usage Line Port Without Caller ID The Voice Unburdled Low Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Unburdled Liby Usage Line Port Without Caller ID The Voice Usage Line Port Without Caller ID The Voice Usage Line Port Without Caller ID The Voice Usage Line Port Without Caller ID The Voice Usage Line Port Without Caller ID The Voice Usage Line Port Without Caller ID	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-Wire Voic UNE Port/Lo 2-Wire 2-Wire UNE Loop R 2-Wire 2-	d additional Port nonrecurring charges apply to Not Curro CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 rates re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Unburdled port with Caller ID - res re voice unburdled port with Caller ID - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled res, low usage line port with Caller ID 10) re voice Unbundled Alabama Residence Dialing Plan out Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID res re voice unburdled Low Usage Line Port without Caller ID res revoice unburdled Low Usage Line Port without Caller ID respectively and the result of the result Caller ID respectively and the result of the result Caller ID respectively and the result of the result Caller ID respectively and the result of the result caller ID respectively and the result of the result	sage rat	tes in to ombin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP UEPWA UEPWA	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOIC UNE POY/Lo 2-Wire	d additional P-rt nonrecurring charges apply to Not Curc GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 2 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop Loop Loop (SL1) - Zone 3 re VG Loop Loop Loop Loop Loop Loop Loop Loo	sage rat	tes in to ombin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPTI UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-Wire Voic UNE Port/Lo UNE Port/Lo UNE Port/Lo UNE Loop R 2-Wire UNE Loop R 2-Wire 2-Wire Voice 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-2-Wire 2-Wire 1-2-Wire	d additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 tates re VG Loop/Pot Combo - Zone 3 tates re VG Loop/Pot Combo - Zone 1 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re voice unburdled port with Caller ID - res re voice unburdled port utility of the res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port with Caller ID - res re voice unburdled Alabama extended local dialing y port with Caller ID - res re voice Unbundled Alabama Residence Dialing Plan tot Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice Unbundled Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Usage Line Port Combination - Conversion - Conversion - Conversion - Conversion - Conversion - Conversio	sage rat	tes in to ombin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAP UEPAP UEPAP UEPWA UEPWA	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-Wire Voic UNE Port/Lov 2-Wire UNE Loop R 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire 1-2-Wire 2-Wire 2-Wire 1-2-Wire 2-Wire 1-2	d additional P-rt nonrecurring charges apply to Not Curc GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 2 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop/Pot Loop (SL1) - Zone 3 re VG Loop Loop Loop (SL1) - Zone 3 re VG Loop Loop Loop Loop Loop Loop Loop Loo	sage rat	tes in to ombin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA UEPT UEPVF LNPCX USAC2	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 0.00	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
The first and 2-WIRE VOIC UNE Port/Lo 2-Wire 2-Wire 12-Wire 3-Wire 3-Wire 3-Wire 4-Wir	d additional Port nonrecurring charges apply to Not Curr CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) top Combination Rates re VG Loop/Pot Combo - Zone 1 re VG Loop/Pot Combo - Zone 2 re VG Loop/Pot Combo - Zone 3 tates re VG Loop/Pot Combo - Zone 3 tates re VG Loop/Pot Combo - Zone 1 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 2 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re voice unburdled port with Caller ID - res re voice unburdled port utility of the res re voice unburdled port outgoing only - res re voice unburdled port outgoing only - res re voice unburdled port with Caller ID - res re voice unburdled Alabama extended local dialing y port with Caller ID - res re voice Unbundled Alabama Residence Dialing Plan tot Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice unburdled Low Usage Line Port without Caller ID re voice Unbundled Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Unbundled Low Usage Line Port without Caller ID re voice Usage Line Port Combination - Conversion - Conversion - Conversion - Conversion - Conversion - Conversio	sage rat	tes in to ombin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPTI UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					

NUBUNDLED NE	TWORK ELEMENTS - Alabama									_				ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			!			Rec	Nonrec		Nonrecurring					Rates (\$)		
2 10/6	re Voice GradeLoop/Line Port Combination - Subsequent		1		-		First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Activi				UEPRX	USAS2	0.00	0.00	0.00						i	1	
	undled Miscellaneous Rate Element, Tag Loop at End User		-	UEPRA	USASZ	000	0.00	0.00								
Prem				UEPRX	URETL		0.00	0.00	i .		l '					
	EMISES EXTENSION CHANNELS		 	UEFKA	UKETL		8,33	0.83			<u> </u>					
	re Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23,49	5.00						
	re Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05				5.30			l			
	re Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN		37.81	17.56	23.49	5.30	ļ					
	re Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAED	34 34 14.38	37.81	17.56	23.49	5.30	ļ					└
			2		UEAED		88.00 88.00	55.00	47.24	7.44			ļ		ļ	-
	re Analog Voice Grade Extension Loop – Design re Analog Voice Grade Extension Loop – Design			UEPRX UEPRX	UEAED	22.85		55 00	47.24	7.44					-	
	CE TRANSPORT		3	UEPRA	UEAEU	36.14	88.00	55.00	47.24	7.44						
	office Transport - Dedicated - 2 Wire Voice Grade - Facility		 													
	onice Transport - Dedicated - 2 Wire Voice Grade - Facility Dination			LIEBOY			40.54									
	office Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	ļ	UEPRX	U1TV2	21,13	40.54	27.41	16.74	6.90	l					ļ
	onice Transpoil - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile	l		UEPRX	U1TVM	0.000000	0.00	0.00	1		!					1
	CE GRADE LCOP WITH 2-WIRE LINE PORT (BUS)	<u> </u>		UEPRA	UTIVM	0.008838	0,00	0.00				<u> </u>				
	pop Combinaton Rates	-			_			_								
		-	1			40.70										
	re VG Loop/Pat Combo - Zone 1		1 '			12.70										
	ire VG Loop/Port Combo - Zone 2		3	-		21.19										 -
	re VG Loop/Pat Combo - Zone 3		3			34.80										
UNE Loop R			-	LIEDDY	uició v											
	re Voice Gradε Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	re Voice Grad Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04		_								ļ
	re Voice Gradic Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 65										
	e Grade Line Port (Bus)		ļ	(ICOD)												
	re voice unburdled port without Caller ID - bus	L		UEPBX	UEPBL	1.15	40 19	19 83	24.91	6.63		<u> </u>				
	re voice unburdled port with Caller + E484 ID - bus	<u> </u>		UEPBX	UEPBC	1.15	40.19	19 83	24.91	6.63						
	ire voice unburdled port outgoing only - bus		 	UEPBX	UEPBO	1 15	40.19	19.83	24.91	6.63						
	re voice Grade unbundled Alabama extended local dialing	l		UEDDV			40.40	40.00								
	y port with Caler ID - bus	ļ	1	UEPBX	UEPAW UEPB1	1 15	40.19	19 83	24.91	6.63					 	ļ
	re voice unburdled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63		<u> </u>				
	ire Voice Unbuidled Alabama Business Dialing Plan without										j					
Calle			⊢	UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63	ļ			ļ	ļ	—
	re voice unburdled Incoming Only Port without Caller ID		l		1						1					
	ability		L	UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						ļ
	MBER PORTABILITY	ļ	ļ												1	
	l Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES			ļ									!				
	eatures Offered		<u> </u>	UEPBX	UEPVF	1.98	0.00	0.00								↓
	RING CHARGES (NRCs) - CURRENTLY COMBINED															
	ire Voice Grade Loop / Line Port Combination - Conversion -	ļ	1						Į.					l		
	ch-as-is			UEPBX	USAC2		0.10	0.10								<u> </u>
	ire Voice Grade Loop / Line Port Combination - Conversion -	!									Į.	1				
	ch with change			UEPBX	USACC		0.10	0.10								
ADDITIONAL			<u> </u>						<u> </u>							
	ire Voice Grade Loop/Line Port Combination - Subsequent	l				į										
Activ				UEPBX	USAS2		0.00	0.00								
	undled Miscellaneous Rate Element, Tag Loop at End User		1		1 '		'				1	ĺ		Ì		
Prem			L	UEPBX	URETL		8.33	0.83		ļ		L	ļ			1
	EMISES EXTENSION CHANNELS	<u> </u>	ļ										1			<u> </u>
	ire Analog Voice Grade Extension Loop - Non-Design		1_1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30			l			1
	re Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30	L					
	re Analog Voice Grade Extension Loop – Non-Design	L	3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30				l		
	ire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44	1					L
	ire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	ire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44	I	1			1	
	CE TRANSPORT		T	1												

Page 21 of 227

NRONDLED NETWO	ORK ELEMENTS - Alabama													ment: 2		ibit: A
											Svc Order Submitted Elec	1	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc	Increment Charge Manual S
TEGORY	RATE ELEMENTS	Interi m	one	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
	· · · · · · · · · · · · · · · · · · ·	-	1				Nonrec	urring	Nonrecurring	Disconnect	+	<u> </u>	OSS	Rates (\$)	t	
			1	1		Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice 3	Transpor - Dedicated - 2 Wire Voice Grade - Facility	-	1				THIS	Augi	THISC	Addi	JOINEG	- OOMPAIL	COMPAN	- COMPANY		00
Termination		ļ	1	UEPBX	U1TV2	21.13	40.54	27.41	16.74	690	1	ł		1	ļ	1
	Transpor - Dedicated - 2 Wire Voice Grade - Per Mile		1	TOLI DX	011172	21.10	10.01	27.47	70.14	0.50	 				1	
or Fraction		l	i	UEPBX	UTTVM	0.008838	0.00	0.00			1	į .	1		}	1
	RADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Co										İ						
	Loop/Pot Combo - Zone 1		1		1	12.70										
2-Wire VG	Loop/Pot Combo - Zone 2		2		1	21.19									l	
	Loop/Pot Combo - Zone 3		3			34.80										
UNE Loop Rates			T								1					
	ce GradeLoop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 55										
2-Wire Voice	ce GradeLoop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										_
	ce GradeLoop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65										-
	le Line Fort Rates (RES - PBX)															↓
	Unbundled Combination 2-Way PBX Trunk Port -		1										1		1	1
Res			<u> </u>	UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
LOCAL NUMBER		ļ														ļ
	ber Portability (1 per port)		ļ	UEPRG	LNPCP	3.15	0.00	0.00				ļ	1			-
FEATURES			_													-
All Feature			_	UEPRG	UEPVF	1,98	0 00	0 00								ļ
	CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													
	ce GradeLoop/ Line Port Combination (PBX) -	l	1	l		1										
	n - Switch-As-Is		ļ	UEPRG	USAC2		7.91	1.90				ļ				
	ce GradeLoop/ Line Port Combination (PBX) -	1														
	- Switch with Change		_	UEPRG	USACC		7.81	1.90					-			
ADDITIONAL NRC			-							ł	-					
	ce GradeLoop/ Line Port Combination (PBX) -			UEPRG	USAS2	0 00	0.00	0.00			1	1				
Subsequer	equent Activity - Change/Rearrange Multiline Hunt	-	-	UEPRG	USASZ	0.00	0.00	0.00	 		1	 				
Group	equent Activity - Change/Rearrange Multiline Hunt		1				7.32	7.32		1		1		i	l	
	d Miscellaneous Rate Element, Tag Loop at End User	ł —	-	· · · · · · · · · · · · · · · · · · ·			7.52	1.02			+	1		———		
Premise	I Miscellateous Nate Element, 1ag 200p at 210 Oser	ì	i	UEPRG	URETL	ì	8.33	0.83		1	1	1	1	ì	1	
	S EXTENSION CHANNELS	 	 	027110	10.12.12					1			 		!	
	nnel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44	f					
	nnel Voice grade, per termination		2	UEPRG	P2JHX	22 85	88.00	55.00	47.24	7.44						
	nnel Voice grade, per termination		3	UEPRG	P2JHX	36 14	88.00	55 00	47.24	7,44						1
Non-Wire F	Direct Seve Channel Voice Grade		1	UEPRG	SDD2X	22 41	131.60	61 92	90.50	13.40						
	Direct Seive Channel Voice Grade	1	2	UEPRG	SDD2X	23 88	131.60	61.92	90.50	13.40		j	1			
	Direct Seive Channel Voice Grade		3	UEPRG	SDD2X	33.72	131.60	61.92	90 50	13.40						1
INTEROFFICE TR	ANSPORT			1				-			1					1
	Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
Termination				UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90				ļ		ļ
Interoffice	Transport - Dedicated - 2 Wire Voice Grade - Per Mile									1	j	1	ļ	J		}
or Fraction			<u> </u>	UEPRG	U1TVM	0.008838	0.00	0 00								-
	RADE LCOP WITH 2-WIRE LINE PORT (BUS - PBX)								ļ			l			ļ	
UNE Port/Loop Co			$oldsymbol{ol}oldsymbol{ol}oldsymbol{ol}oldsymbol{ol}}}}}}}}}}}}}}}}}}$									ļ		ļ	ļ	₩
	Loop/Pot Combo - Zone 1		1			12.70			<u> </u>							-
	Loop/Pot Combo - Zone 2	Ļ	2	ļ		21.19				ļ		ļ	-	L	ļ	ļ
	Loop/Pot Combo - Zone 3		3	<u> </u>		34.80					ļ				!	ļ
UNE Loop Rates	Cd-1 (CL 4) 7 1	1	<u> </u>	LIE DOW	duers s						+	ļ	1	-	1	1
	ce Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	11.55			 		1	ļ	 	 	1	1
	ce Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	20.04					-	 		-	!	
	ce Grade Loop (SL 1) - Zone 3	 	. 3	UEPPX	UEPLX	33.65				ļ		 	1	 	ļ	1
Z-Wire Voice Grad	de Line Port Rates (BUS - PBX)	-	-	1	+ -							1	1	 	+	1
Line Catal	Inherential Combination 2 Way DRY Touch Dark Born	1	1	LIK DOW	UEPPC	1 4.5	60.00	32.41	37.43	6.20	.1		1			
	Unbundled Combination 2-Way PBX Trunk Port - Bus	_	₩	UEPPX		1.15 1.15	69.08	32.41	37.43					-	ł	1
	Unbundled Outward PBX Trunk Port - Bus	-	₩	UEPPX	UEPPO		69.08	32.41				+	1	+	ł	1
Line Side U	Unbundled Incoming PBX Trunk Port - Bus	\perp		UEPPX	UEPP1	1.15	80.08	32.41	37.43	0.20	'L	1	1	1	l .	1

Page 22 of 227

	NETWORK ELEMENTS - Alabama				<u></u>									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge Manual : Order v
			<u></u>										Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electror Disc Ad
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Wi- V-i- H-b - # 10 W O - b - r - PDVAL		<u> </u>				First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Wire Voice Unbundled 2-Way Combination PBX Alabama alling Port	·				[
	-Wire Voice Unbandled PBX LD Terminal Ports		<u> </u>	UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
					UEPLD	1.15	69.08	32.41	37.43	6.20						
2-	Wire Voice Unbiindled 2-Way Combination PBX Usage Port Wire Voice Unbiindled PBX Toll Terminal Hotel Ports			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20						
	Wire Voice Unbindled PBX LD DDD Terminals Port			UEPPX UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20						
2.	Wire Voice Unbindled PBX LD Terminal Switchboard Port			UEPPX		1.15	69.08	32.41	37.43	6.20						
	Wire Voice Unbindled PBX LD Terminal Switchboard IDD		+	UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20						
	apable Port	1		UEPPX	UEPXE	1,15					Ì					
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ł	UEPPA	UEPXE	1.15	69 08	32.41	37.43	6.20						
Ac	dministrative Caling Port			UEPPX	UEPXL	1.15	69 08	32 41	37.43	6.20						
	Wire Voice Unbindled 2-Way PBX Hotel/Hospital Economy oom Calling Por			UEPPX	UEPXM	1,15	69.08	32.41	37.43	6.20						
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1						540	20						
Dı	scount Room Calling Port	l	1	UEPPX	UEPXO	1.15	69.08	32 41	37.43	6.20						1
	Wire Voice Unbiindled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						t
	UMBER PORT/BILITY			-												
	ocal Number Potability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00				-				
FEATURE								771		****						
	I Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
	URRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Wire Voice Grace Loop/ Line Port Combination (PBX) -				i "						i'''					
	onversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								l
	Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	onversion - Switch with Change			UEPPX	USACC		7.91	1.90								1
ADDITION																
	Wire Voice Grade Loop/ Line Port Combination (PBX) - ubsequent Activiy			UEPPX	USAS2	0.00	0.00	0.00								
	BX Subsequent Activity - Change/Rearrange Multiline Hunt roup						7.32									
Ur	nbundled Miscelaneous Rate Element, Tag Loop at End User				-		1.32	7.32								-
	remise			UEPPX	URETL		8.33	0.83	1							ĺ
	PREMISES EXTENSION CHANNELS															l
	ocal Channel Voce grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						-
	ocal Channel Voce grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
	ocal Channel Voce grade, per termination		. 3	UEPPX	P2JHX	36,14	88 00	55.00	47.24	7 44						
	on-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22 41	131.60	61 92	90.50	13.40						
	on-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
	on-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40						Ī.,
	FICE TRANSPORT		<u> </u>													
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility ermination			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile Fraction Mile			UEPPX	U1TVM	0.008838	0.00	0.00								
	OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT.			O I I VIVI	0.000030	0.00	0.00								
	Loop Combination Rates	<u> </u>														
	Wire VG Corn Pert/Loop Combo – Zone 1		1			12.70										
	Wire VG Corn Port/Loop Combo – Zone 2		2			21.19										ł
2-1	Wire VG Coin Pert/Loop Combo – Zone 3		3			34.80		****								
UNE Loop																
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55								_		
	Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	20.04								-		$\overline{}$
2-\	Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65				-						
	ice Grade LinePorts (COIN)				1											·
	Wire Coin 2-Way without Operator Screening and without				T	i				h						
	ocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63						i
	Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63				_		
	Wire Coin 2-Way with Operator Screening and Blocking; 011,				1		120.10			0.00						
	00/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24,91	6.63						i

INBONDER	D NETWORK ELEMENTS - Alabama												Attach	ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge Manual Sounder vs Electronic
					1							ļ	1st	Addʻl	Disc 1st	Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin 2-Way with Operator Screening & Blocking:	1									1			_		
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		_	UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						L
	2-Wire Coin Outward with Operator Screening and 011 Blocking		1								1	!			ļ	
	(AL, FL)		₩	UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		ļ				
j	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)		1	LIEBOO	ucpeu	4.45	40.40	40.00	200		ļ		ı]	
	2-Wire Coin Outwart Operator Screening & Blocking: 900/976.	 	 	UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63	ļ		ļ		ļ	ļ
	1+DDD, 011+, and local (AL, KY, LA, MS)			UEPÇO	UEPCN	1.15	40.19	19.83	24.91	0.00						1
	2-Wire 2-Way Smartine with 900/976 (all states except LA)		+	UEPCO	UEPCK	1.15	40.19	19.83	24.91	6 63 6.63			-		<u> </u>	
	2-Wire Coin Outward Smartline with 900/976 (all states except		+-	OLI CO	JEF CK	1.10	40.19	19.03	24.91	0.63	-	-				-
	LA)	1		UEPCO	UEPCR	1,15	40.19	19.83	24.91	6.63				1		
ADDITI	ONAL UNE COIN PORT/LOOP (RC)	t	\vdash	52. 55	52, 51	1.10		15.05	24.51	0.03	-			 		1
	UNE Coin Port/Loor Combo Usage (Flat Rate)		\vdash	UEPCO	URECU	1.56	0.00	0.00	0.00	0.00	†	 	———			
LOCAL	NUMBER PORTABLITY		T		1		3.00	5.00	5.00	5.00	t					<u> </u>
	Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35				_						+
NONRE	CURRING CHARGES - CURRENTLY COMBINED		$\overline{}$		1							j	 			
	2-Wire Voice GradeLoop / Line Port Combination - Conversion -															1
	Switch-as-is		1	UEPCO	USAC2		0 10	0.10					l		l	
	2-Wire Voice GradeLoop / Line Port Combination - Conversion -										_					
	Switch with change	ŀ	1	UEPCO	USACC		0 10	0.10	-		1					1
ADDIT	ONAL NRCs							-								
	2-Wire Voice GradeLoop/Line Port Combination - Subsequent		I												1	
	Activity			UEPCO	USAS2		0.00	0.00							j	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u> </u>	UEPCO	URETL		8.33	0 83								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	ELINE	PORT (RES)								<u> </u>				ļ
UNE Po	ort/Loop Combination Rates		L													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23						ļ				├
LINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52						ļ				
ONE LO	2-Wire Voice GradeLoop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										-
	2-Wire Voice GradeLoop (SL2) - Zone 1		1 2	UEPFR	UECF2	22.85										
	2-Wire Voice GradeLoop (SL2) - Zone 2 2-Wire Voice GradeLoop (SL2) - Zone 3	 	3	UEPFR	UECF2	36.14						 				+
2-Wire	Voice Grade Line Fort Rates (Res)	-	+-3-	UEFFR	OLGFZ	30.14							-			
2-44116	2-Wire voice unbundled port - residence	+	\vdash	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller ID - res		 	UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77					 	··
	2-Wire voice unburified port with obiter to res		 	UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Gradeunbundled Alabama extended local dialing		 -	OLI TIK	JOE. NO		50.00	07.27	10.00	5.77	 	-				
	parity port with Caller ID - res		1	UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77					1	
-	2-Wire voice unbundles res, low usage line port with Caller ID		+	<u> </u>	102741	1.00	30.00	01.2.	10.00	0.,,,		 				
i	(LUM)		1	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77					l	
	2-Wire Voice Unburdled Alabama Residence Dialing Plan	i –	+	-												
	without Caller ID	1		UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77	l					
INTER	OFFICE TRANSPOFT										1					
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1	1]]	j]	1		
1	Termination	İ		UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90				l	L	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.008838	<u></u>				L			L		L
FEATU																ļ
	All Features Offereil			UEPFR	UEPVF	1.98	0.00	0.00								
LOCAL	NUMBER PORTABILITY		1								<u> </u>					-
	Local Number Portability (1 per port)		<u> </u>	UEPFR	LNPCX	0.35							<u> </u>			
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	L	<u> </u>			L			L			L				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		1									1	!	
1	Combination - Conversion - Switch-as-is	Į	1	UEPFR	USAC2	l	8.48	1.87	l	J	1	1]	L	L	

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	1		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs, Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ŀ	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			ł		}										
	Combination - Conversion - Switch-With-Change	ļ	ļ	UEPFR	USACC		8.48	1 87								
ł	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		ļ	l										<u> </u>		
	End User Premise	<u> </u>	l	UEPFR	URETN		11.21	1.10					-			ļ
	RE VOICE LOOP/ 2WRE VOICE GRADE TO TRANSPORT/ 2-WIRE	E LINE F	J I NO	1					ļ		ļ					
UNE	Port/Loop Combinaton Rates [2-Wire VG Loop/IOTranport/Port Combo - Zone 1	 	1			15.76										
	2-Wire VG Loop/IOTranport/Port Combo - Zone 2		2			24.23			1		-					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		-	37.52			 		 					
LINE	Loop Rates		-			07.02			<u> </u>		 					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14 38										
	2-Wire Voice Grade Loop (SL2) - Zone 2	†	2	UEPFB	UECF2	22.85							 	l		
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFB	UECF2	36.14					<u> </u>		1			1
2-Wir	e Voice Grade Line Port (Bus)		T											1		
	2-Wire voice unburdled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unburdled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90 38	57.27	48.66	8 77						
	2-Wire voice unburdled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing		•													
	parity port with Caler ID - bus			UEPFB	UEPAW	1.38	90.38	57 27	48.66	8 77	ļ					
	2-Wire voice unburdled incoming only port with Caller ID - Bus			UEPF8	UEPB1	1.38	90.38	57 27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		<u> </u>	UEPFB	LNPCX	0.35									ļ <u>.</u>	
INTE	ROFFICE TRANSPORT	ļ	<u> </u>													
	Interoffice Transpot - Dedicated - 2 Wire Voice Grade - Facility Termination	ļ		UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90	ļ					
	Interoffice Transpot - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.008838										
FEAT	URES								ļ		ļ			ļ		
	All Features Offered		<u> </u>	UEPFB	UEPVF	1.98	0.00	0.00						<u> </u>		ļ
NONI	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	ļ					,								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conzersion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at														1	
	End User Premise	İ		UEPFB	URETN		11,21	1.10								
	RE VOICE LOOP/ 2WRE VOICE GRADE IO TRANSPORT/ 2-WIRI	É LINE E	PORT (PBX)												
UNE	Port/Loop Combination Rates										ļ	ļ	ļ			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			15.76					ļ		 			-
	2-Wire VG Loop/IOTranport/Port Combo - Zone 2		2	ļ		24.23							<u> </u>	ļ		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3	.	_	37.52							ļ	1		
UNE	Loop Rates	1	1	UEDED	UECF2	14.38							 	-		
	2-Wire Voice Grade Loop (SL2) - Zone 1	 	2	UEPFP	UECF2	22.85	-		<u> </u>		1		<u> </u>	 		-
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFP	UECF2	36.14					1		· · · · · · · · · · · · · · · · · · ·	ļ	 	
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)		3	UCFFF	UECFZ	30.14							<u> </u>	 		†
	Total Grade Enter Grant	1	1								 	· · · · · · · · · · · · · · · · · · ·	1			
- 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		ŀ	1			
	Line Side Unbundled Outward PBX Trunk Port - Bus	İ	 	UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34	1		1			
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
1	Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34				l	ļ	1
	2-Wire Voice Unbuilded PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85		8.34						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		L	UEPFP	UEPXB	1.38	119.27	69.85		8.34	L			ļ	L	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		Ĺ	UEPFP	UEPXC	1.38	119.27	69.85		8 34				ļ		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34	1			1		L

Page 25 of 227

INBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Unbindled PBX LD Terminal Switchboard IDD		1				riist	Auu	11150	Addi	JOWIEC	JUMAN	SOMAN	JOHAN	JOWAN	JOHN
	Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbindled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-	UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						
	Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
1	2-Wire Voice Unbindled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34						
LOCA	AL NUMBER PORTABILITY															
	Local Number Porability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	21.13	40.54	27.41	16,74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP		0.008838	10107	2	10.17	0.00						
CEAT	or Fraction Mile			UEPFP	1L5XX	0.008838								ļ		-
FEAT	All Features Offered		-	UEPFP	UEPVF	1.98	0.00	0.00					-			
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 			OLI VI	1.30	0.00	0.00						· · · · · · · · · · · · · · · · · · ·		
NON	2-Wire Loop / Dedcated IO Transport / 2 Wire Line Port		<u> </u>													
[Combination - Corversion - Switch-as-is		ļ	UEPFP	USAC2		8.48	1.87								
	2-Wire Loop / Dedcated IO Transport / 2 Wire Line Port															
	Combination - Corversion - Switch with change			UEPFP	USACC		8.48	1.87								
-	Unbundled Miscelaneous Rate Element, Tag Designed Loop at		1								,					
	End User Premise	<u> </u>	L	UEPFP	URETN		11.21	1.10								
	PORT/LOOP COMBINATIONS - COST BASED RATES	l	ļ													
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	ļ													
UNE	Port/Loop Combination Rates		1			20.40										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	ļ	2			22.40 30.88									· · · · · · · · · · · · · · · · · · ·	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44.17										
LINE	Loop Rates	 	-			44.17								<u> </u>		<u> </u>
- 0142	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	 	2	UEPPX	UECD1	22.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 	3	UEPPX	UECD1	36.14										
UNE	Port Rate	1														
	Exchange Ports - 2-Wire DID Port		1	UEPPX	UEPD1	8.02	207 31	73 74	107.14	11 20						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is		L	UEPPX	USAC1		7.31	1.87			1					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1											i		
	with BellSouth Allowable Changes	-	<u> </u>	UEPPX	USA1C		7.31	1.87			ļ					
ADDI	TIONAL NRCs			LIEDDY			on 20	20.30			ļ					
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscelaneous Rate Element, Tag Designed Loop at		 	UEPPX	USAS1		26.78	26.78								
	End User Premise	l		UEPPX	URETN		11.21	1.10			1				ļ	
Teler	phone Number/Trunt Group Establisment Charges	<u> </u>	 	ULTTA	GILLIN		11.21	7.10			 					
1000	DID Trunk Termination (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00			-					
	Additional DID Numbers for each Group of 20 DID Numbers		t	UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number		†	UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers	1		UEPPX	ND6	0.00	0.00	0.00	T							
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			I					
LOCA	AL NUMBER PORTABILITY															
	Local Number Porability (1 per port)	L		UEPPX	LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	[L		
UNE	Port/Loop Combination Rates		ļ			1			1	ļ <u>.</u>			ļ			
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	l	1 .						1	l	1		Į.	l	1	
	UNE Zone 1	ı	1 1	UEPPB UEPPR	1	27.28			l .	1	l .	l	1	I	I	1

UNDLE	D NETWORK ELEMENTS - Alabama														ment: 2	Exhil	
GORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
—			-					Nonrec	urring	Nonrecurring	g Disconnect			<u>. </u>	Rates (\$)	Disc 1st	Oisc Add i
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	1	2	UEPPB	UEPPR		37.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	OLFFB	GEFFR		37.00										
	UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNE L	oop Rates																
ļ	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62									1	
	2-Wire ISDN Digital Stade Loop - UNE Zone 3	 	3	UEPPB	UEPPR		45.60				-	 			ł	-	
UNE P	ort Rate		-	I DELLE	OLITA	GGLZX	43.00					 					
1	Exchange Port - 2-Wire ISDN Line Side Port		\vdash	UEPPB	UEPPR	UEPPB	8 24	190 01	132.76	100.67	21 28	·		† · · · · · · · · · · · · · · · · · · ·			
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															T	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port]				1						
	Combination - Conversion		ļ	UEPPB	UEPPR	USACB	0.00	38.51	27.02								
ADDIT	IONAL NRCs		ļ														
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1		ULC DDD	LIEDDD	URETN	í (44.24	4.40		ľ	1	ľ			1	!
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User	ļ	-	UEPPB	UEPPR	UREIN	l	11.21	1.10		 	<u> </u>	i	1			
	Premise	1		UEPPB	UEPPR	URETL		8.33	0.83					1			
LOCAL	NUMBER PORTABLITY	 	_	CLITE	GEFFIN	O.K.C.T.E		0.00	0.00		 	 				t	
	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:					1						1		1			
	CVS/CSD (DMS/5ESS)		j	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
	CVS/CSD (DMS/5E§S)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00				ļ				
	CVS (EWSD)	↓	4	UEPPB	UEPPR	U1UCE	0.00	0 00	0.00		ļ		ļ				<u> </u>
HOED	CSD TERMINAL PROFILE	1	_	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00		ļ		 			_	
USER	User Terminal Profile (EWSD only)	-	 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		 		l			 	
VEDTI	CAL FEATURES		-	OCFFG	UEFFIX	OTOWA	0.00	0.00	0.00				[i -			l
VEKI	All Vertical Features - One per Channel B User Profile	\vdash	+	UEPPB	UEPPR	UEPVF	1,98	0.00	0.00					 	i		
INTER	OFFICE CHANNEL MILEAGE	 	 	100	92	OC. II	1.00	- 0.00	0.00			t —		 			
_	Interoffice Channel mleage each, including first mile and		†							<u>`</u>							
	facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27 41	16.74	6 90					l	
	Interoffice Channel mileage each, additional mile		T	UEPPB	UEPPR	M1GNM	0 008838	0.00	0.00					Ī			
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT														<u> </u>	
The U	NE-P DS1 combination rates below for 4-Wire DS1 Digital Loo	p with 4	-Wire I	SDN DS1	Digital Tru	nk Port in th	is rate exhibit a	pply to the em	bedded base	in place as of 1	10/2/03 until 4/	1/04. After 4	1/1/04 these	rates shall re	vert to tariff r	ates or a sepa	rate
agreer																	
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk P	ort afte	r the effec	tive date o	of this amend	lment shall be	provided pursu	iant to a sepai	ate agreement	or tariff at Bel	ISouth's di	scretion.	<u> </u>			
UNE P	ort/Loop Combination Rates	1	1-	1		 	ļ			ļ	 	ļ	 	_		 	
	4W DS1 Digital Loco/4W ISDN DS1 Digital Trunk Port - UNE	Ì	١.	LIEBBE		1	400.07			1		i	1	1	1		1
+	Zone 1 4W DS1 Digital Log/4W ISDN DS1 Digital Trunk Port - UNE	+	1	UEPPP			166.87			 	 	+	 	1	 	 	
1	Zone 2	Į .	2	UEPPP		ļ	238.50			J		J					
+	4W DS1 Digital Log/4W ISDN DS1 Digital Trunk Port - UNE	1	+	15		 	200.00					t	 	<u> </u>		···	1
-	Zone 3	1	3	UEPPP		1	398.85					i	-	1		l	
UNE L	oop Rates	1	1			1											
T	4-Wire DS1 Digital _oop - UNE Zone 1		1	UEPPP		USL4P	82.55										
	4-Wire DS1 Digital _oop - UNE Zone 2		2	UEPPP		USL4P	154.18				ļ	4	ļ			ļ	
	4-Wire DS1 Digital Loop - UNE Zone 3	\perp	3	UEPPP		USL4P	314.52				1		<u> </u>		ļ		
UNE P	ort Rate		ļ	1		<u></u>		L			<u> </u>	↓	ļ	<u> </u>	 	_	L
1	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	1	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77	<u> </u>	 		1	 	ļ
			1	i		1	1	i .	I	1	1	1	1	1	1	1	1
NONR	ECURRING CHARGES - CURRENTLY COMBINED	+	1			·									 		I .
NONR	4-Wire DS1 Digital _coop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)	<u> </u>		UEPPP		USACP	0.00	119.07	78.56								

Version 3Q03: 11/12/2003 Page 27 of 227

	IDLE	D NETWORK ELEMENTS - Alabama												Attachi		Exhit	
\TEG(RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
T		* ****		 			Bas	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1													
l		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49								i	
		4-Wire DS1 Loop / ←Wire ISDN DS1 Digital Trunk Port -															
- 1		Outward Tel Numbers (All States except NC)	ĺ	1	UEPPP	PR7TO		11.51					i	l .			
1		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
1		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTERI	ACE (Provsioning Only)															
		Voice/Data	<u>.</u>	<u> </u>	UEPPP	PR71V	0.00	0 00	0.00			I					
		Digital Data			UEPPP	PR71D	0.00	0.00	0 00					1			ļ
		Inward Data			UEPPP	PR71E	0.00	0.00	0 00					<u> </u>			<u> </u>
		Additional "B" Channel	ļ	1						ļ		ļ	 				ļ
		New or Additional -Voice/Data B Channel	ļ	ļ	UEPPP	PR7BV	0 00	14.53				-			ļ		
		New or Additional -Digital Data B Channel	ļ	-	UEPPP	PR7BF	0.00	14.53		ļ				ļ	ļ		
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53				ļ	ļ	 	ļ		
	CALL	TYPES		ļ	<u> </u>							ļ					
		Inward		1	UEPPP	PR7C1	0.00	0.00	0 00								
		Outward		ļ	UEPPP	PR7CO	0.00	0.00	0.00					ļ			
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								ļ
_	Interof	fice Channel Mileage			LIEBBB		00.04	00.07	04.04	40.05	44.44	ļ	ļ				
		Fixed Each Including First Mile		_	UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44	-					
1		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18			-							
	4-WIRE	DS1 DIGITAL LOCP WITH 4-WIRE DDITS TRUNK PORT	<u> </u>				l				4 414/04 - 451	414 (0.4.1)			<u> </u>	annote correct	l
	The UN	IE-P DS1 combinaton rates below for 4-Wire DS1 Digital Loop	o with 4	-Wire	DDITS Trunk Port	n this rate exhi	ibit apply to the	e embedaea ba	ise in place as	of 10/2/03 unti	1 4/1/04. Atter	4/ 1/04 tries	e rates snar	revent to tarn	i lates or a se	parate agreer	illeite.
		A A A A A A A A A A A A A A A A A A A															
	Reque	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective	date of	this amendment s	hall be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	discretion.	-					
	Reque	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates	ective	T		hall be provide		a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	ective	1	UEPDC	hall be provide	142.64	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque	sts for 4-Wire DS1 Bigital Loop with 4-Wire DDITS after the efforth-loop Combinaton Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ective (1 2	UEPDC UEPDC	hall be provide	142.64 214.26	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque: UNE P	sts for 4-Wire DS1 Bigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ective (1	UEPDC UEPDC	hall be provide	142.64	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque: UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Oop Rates	ective	1 2 3	UEPDC UEPDC UEPDC		142.64 214.26 374.61	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque: UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 [AW DS1 Digital Loop - UNE Zone 1	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC	USLDC	142.64 214.26 374.61 82.55	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque: UNE P	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the efforth-loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 toop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC	142.64 214.26 374.61 82.55 154.18	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	Reque UNE Po UNE Lo	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC	USLDC	142.64 214.26 374.61 82.55	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	UNE L	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates [4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 oor Rates	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52										
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 500 Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 500 Rates 4-Wire DS1 Digital Loop - UNE Zone 3 501 Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC	142.64 214.26 374.61 82.55 154.18	a separate agre	ement or tarif	f at BellSouth's	discretion.						
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates WW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 WW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 WW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Output	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52										
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates [4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate [4-Wire DDITS Digital Trunk Port (E:4/1/2004) 5-CURRING CHARGES - CURRENTLY COMBINED [4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ective	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDD1T	142.64 214.26 374.61 82.55 154.18 314.52	454 49	253 23								
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 aop Rates [4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 aop Trunk Port Combination CHARGES - CURRENTLY COMBINED [4-Wire DS1 Digital Loop / 4-Wire DS1 Trunk Port Combination - Switch-as-is (E-4/1/2004)	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52										
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 Ort Rate A-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USDC UDD1T	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49	253 23 67.02								
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates [4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 oort Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) 5-UNRING CHARGES - CURRENTLY COMBINED [4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004)	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDD1T	142.64 214.26 374.61 82.55 154.18 314.52	454 49	253 23								
	UNE P	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 [AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 [AW DS1 Digital Loop - UNE Zone 3 [A-Wire DS1 Digital Loop - UNE Zone 1 [A-Wire DS1 Digital Loop - UNE Zone 2 [A-Wire DS1 Digital Loop - UNE Zone 2 [A-Wire DS1 Digital Loop - UNE Zone 3 [A-Wire DS1 Digital Loop - UNE Zone 3 [A-Wire DS1 Digital Trunk Port (E-4/1/2004) [A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E-4/1/2004) [A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E-4/1/2004) [A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E-4/1/2004) [A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E-4/1/2004)	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDDIT USAC4 USAWA	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49 129.49	253 23 67.02								
	UNE L	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 3 oort Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USDC UDD1T	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49	253 23 67.02								
	UNE L	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Doop Rates	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDDIT USAC4 USAWA	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49 129.49	253 23 67.02								
	UNE L	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop DITS Trunk Port - UNE Zone 3 coop Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 cort Rate A-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) - Conversion with Change - Trunk (E:4/1/2004) IONAL NRCs	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC UDDIT USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49 129.49 129.49	253 23 67.02 67.02								
	UNE L	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 3 ort Rate A-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Conversion with Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004) 1-Conversion With Change - Trunk (E:4/1/2004)	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC UDDIT USAC4 USAWA	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49 129.49	253 23 67.02								
	UNE L	sts for 4-Wire DS1 Þigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 ort Rate A-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGSS - CURRENTLY COMBINED A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Conversion with Cange - Trunk (E:4/1/2004) IONAL NRCS A-Wire DS1 Loop / A-Wire DDITS Trunk Port - NRC - Subsequent Chanrel Activation/Chan - 2-Way Trunk A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsequent	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	253 23 67.02 67.02 67.02								
	UNE L	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 toop Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 to Rate A-Wire DS1 Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-asis (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with ES1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) IONAL NRCs A-Wire DS1 Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chanrel Activation/Chan - 2-Way Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk Channel Activation/Chan - 1-Way Outward Trunk	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC UDDIT USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454 49 129.49 129.49 129.49	253 23 67.02 67.02								
	UNE L	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates IWire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 3 ort Rate IWire DS1 Digital Loop - UNE Zone 3 Ort Rate IWire DS1 Digital Loop / INE Zone 3 Ort Rate IWire DS1 Digital Loop / INE Zone 3 Ort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE Zone Sort Rate IWire DS1 Digital Loop / INE DITS Trunk Port Combination INE LOOP INE DOITS Trunk Port - NRC - Subsequent Channel Activation/Chan - Z-Way Trunk IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan - IWay Outward Trunk IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan - IWay Outward Trunk IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Pott - Subsequent C	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	253 23 67.02 67.02 67.02								
	UNE L	sts for 4-Wire DS1 Þigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 AW DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 OR Rate A-Wire DS1 Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Conversion with ES1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Conversion with Cange - Trunk (E:4/1/2004) IONAL NRCS A-Wire DS1 Loop / A-Wire DDITS Trunk Port - NRC - Subsequent Chanrel Activation/Chan - 2-Way Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	253 23 67.02 67.02 67.02 14.48								
	UNE L	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 toop Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 to Rate A-Wire DS1 Digital Trunk Port (E-4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with ES1 Changes (E-4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with CS1 Changes (E-4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) INAL NRCS A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Quitward Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DDI A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DDI A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DDI A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DDI A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DDI A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk W/out DDI A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk W/out DID Trunk Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel Port - Subsquent Channel	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USAC4 USAWA USAWB UDTTA UDTTB	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48	253 23 67.02 67.02 67.02 14.48								
	UNE L	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates IWire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 3 ort Rate IWire DS1 Digital Trunk Port (E:4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) IWire DS1 Digital Loop / IWire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) IWire DS1 Digital Loop / IWire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) IWire DS1 Loop / IWire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1Way Outward Trunk IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk W/out DID AWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Channel Activation Per Chai - Inward Trunk with DID Activation Per Chai - Inward Trunk with DID	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48	253 23 67.02 67.02 67.02 14.48 14.48								
	UNE L	sts for 4-Wire DS1 Þigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 ORT Rate A-Wire DS1 Digital Loop - UNE Zone 3 ORT Rate A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Switch-as-is (E-4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / A-Wire DDITS Trunk Port Combination - Conversion with Cange - Trunk (E:4/1/2004) ONAL NRCS A-Wire DS1 Loop / A-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Invard Trunk Wout DID A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Invard Trunk Wout DID A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation Per Chai - Inward Trunk Wolt DID A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsqnt Chan	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTB UDTTC	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48	253 23 67.02 67.02 67.02 14.48 14.48								
	WINE L. UNE L. UNE P. NONRI	sts for 4-Wire DS1 bigital Loop with 4-Wire DDITS after the effort/Loop Combinaton Rates AW DS1 Digital Loqp/4W DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loqp/4W DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loqp/4W DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loqp/4W DDITS Trunk Port - UNE Zone 3 top Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 3 top Rate A-Wire DS1 Digital Loop - UNE Zone 3 top Rate A-Wire DS1 Digital Trunk Port (E:4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with ES1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) IONAL NRCs A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Quitward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USAC4 USAWA USAWB UDTTA UDTTB	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	253 23 67.02 67.02 14.48 14.48								
	WINE L. UNE L. UNE P. NONRI	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates IWire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate IWire DS1 Digital Trunk Port (E:4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E.4/1/2004) IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with ES1 Changes (E:4/1/2004) IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with CS1 Changes (E:4/1/2004) IWire DS1 Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk W/out DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Channel Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - IWay DID w User Trans IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - IWay DID w User Trans	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USDTT USAC4 USAWA USAWB UDTTA UDTTB UDTTC UDTTD	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	253 23 67.02 67.02 14.48 14.48 14.48								
	WINE L. UNE L. UNE P. NONRI	sts for 4-Wire DS1 Þigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates A-Wire DS1 Digital Loop - UNE Zone 1 A-Wire DS1 Digital Loop - UNE Zone 2 A-Wire DS1 Digital Loop - UNE Zone 3 ort Rate A-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGSS - CURRENTLY COMBINED A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with LS1 Changes (E:4/1/2004) A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) ONAL NRCS A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Chanrel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Invard Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan - 1-Way DITS Trunk Port - Subsqnt Channel Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chai - Inward Trunk with DID 4-Wire DS1	ective (1 2 3	UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTB UDTTC UDTTD UDTTE CCOSF	142.64 214.26 374.61 82.55 154.18 314.52	129,49 129,49 129,49 14,48 14,48 14,48 14,48	253 23 67.02 67.02 14.48 14.48 14.48 14.48 600.00s								
	UNE L. UNE P. UNE D. UNE D. ADDIT	sts for 4-Wire DS1 Pigital Loop with 4-Wire DDITS after the eff ort/Loop Combinaton Rates AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 1 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 2 AW DS1 Digital Loop/AW DDITS Trunk Port - UNE Zone 3 oop Rates IWire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate IWire DS1 Digital Trunk Port (E:4/1/2004) CURRING CHARG:S - CURRENTLY COMBINED IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E.4/1/2004) IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with ES1 Changes (E:4/1/2004) IWire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with CS1 Changes (E:4/1/2004) IWire DS1 Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk IWire DS1 Loop / IWire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk W/out DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Channel Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - IWay DID w User Trans IWire DS1 Loop / IWire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - IWay DID w User Trans	ective (1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USDTT USAC4 USAWA USAWB UDTTA UDTTB UDTTC UDTTD	142.64 214.26 374.61 82.55 154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	253 23 67.02 67.02 14.48 14.48 14.48								

JNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
			-			Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						, Kec	First	Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0 00								
Telepl	hone Number/Trunt Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		<u></u>	UEPDC	UDTGX	0 00						1				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					L					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00										<u> </u>
	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00	0.00	<u></u>				ļ				
	DID Numbers, Nor- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00					ļ					
	Reserve Non-Consecutive DID Nos.		<u> </u>	UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numters		J	UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffic: Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channe Mileage - Fixed rate 0-8 miles (Facilities	1						ĺ								ŀ
	Termination)	ļ	1	UEPDC	1LNO1	60.16	89.27	81 81	16.35	14.44	ļ			L		
		1	1	1	1				1		1	1			İ	
	Interoffice Channe Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00			<u> </u>					
	Interoffice Channe Mileage - Fixed rate 9-25 miles (Facilities	1		I	1							1	1	1	1	
	Termination)	<u> </u>	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channe Mileage - Additional rate per mile - 9-25		i													
	miles		1	UEPDC	1LNOB	0.18	0.00	0.00								
ł	Interoffice Channe Mileage - Fixed rate 25+ miles (Facilities		ł				ļ									
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							!
i												i				
	Interoffice Channe Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00		<u> </u>					
	Central Office Ternininating Point	<u> </u>	1	UEPDC	CTG	0.00										ļ
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 04 Channel Bank, and up to 24 Feature Act										<u> </u>					
Each	System can have up to 24 combinations of rates depending on	type a	nd nun	nber of ports used		1	<u> </u>	L			<u> </u>		l	L	L	
	INE-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1Loop with Channelization with Port after th	e effec	ive da	e of this amendmer	nt shall be pro	ovided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.	.				
UNE	DS1 Loop	 	₩.										<u> </u>			-
	4-Wire DS1 Loop -UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4-Wire DS1 Loop -UNE Zone 2	ļ	2	UEPMG	USLDC	154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	Ц	3	UEPMG	USLDC	314.52	0.00	0 00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	1			104.10										
	24 DSO Channel Capacity - 1 per DS1		 	UEPMG	VUM24	101.40	0.00	0.00				ļ				-
	48 DSO Channel Capacity - 1 per 2 DS1s		-	UEPMG	VUM48	202 80	0.00	0.00				 				
	96 DSO Channel Capacity -1per 4 DS1s	ļ	1	UEPMG	VUM96	405.60	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s	-	-	UEPMG	VUM14	608.40	0.00	0.00			ļ	ļ	ļ			
	192 DS0 Channel Capacity -1 per 8 DS1s	ļ	-	UEPMG	VUM19	811.20	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s	└		UEPMG	VUM2O	1,014.00	0.00	0.00					ļ			
	288 DS0 Channel Capacity - 1 per 12 DS1s	Ь—	_	UEPMG	VUM28	1,216.80	0.00	0.00			ļ					
	384 DS0 Channel Capacity - 1 per 16 DS1s	ļ	<u> </u>	UEPMG	VUM38	1,622.40	0.00	0.00								<u> </u>
	480 DS0 Channel Capacity - 1 per 20 DS1s	ļ	↓	UEPMG	VUM4O	2,028.00	0.00	0.00			L					
	576 DS0 Channel Capacity -1 per 24 DS1s		ļ	UEPMG	VUM57	2,433.60	0.00	0.00			1	ļ	ļ			ļ
	672 DS0 Channel Capacity - 1 per 28 DS1s	l	1	UEPMG	VUM67	2,839.20	0.00	0.00				ļ				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem				ļ	1			1	
	nimum System configuration is One (1) D\$1, One (1) D4 Channe									ļ			ļ		L	ļ
Multip	ples of this configuration functioning as one are considered A	dd'I afte	r the n	ninimum system cor	nfiguration is	counted.		ļ	ļ			1	l			<u> </u>
1	NRC - Conversion (Currently Combined) with or without	1	1			1	1				1			1		
1	BellSouth Allowed Changes	<u> </u>	1	UEPMG	USAC4	0.00	150.48	8.36	ļ		L					
	m Additions at EndUser Locations Where 4-Wire DS1 Loop wi				oination Curr	ently Exists and	d				ļ			<u> </u>	1	ļ
	Not Currently Combined) in all states, except in Density Zone	of Top	8 MS	A's		L					L			!		ļ
		1									1		1		1	1
	1 DS1/D4 Channe Bank - Additionally Add NRC for each Port	1		UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65	<u> </u>			l		L
New (and Assoc Fea Acivation (E:4/1/2004)			UEPMG	VOIVID											i
New (and Assoc Fea Acryation (E:4/1/2004) ar 8 Zero Substitution			UEPMG	VOIVID					L						
New (and Assoc Fea Acrivation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Cajability Format, superframe - Subsequent		-								1					
New (and Assoc Fea Acryation (E:4/1/2004) ar 8 Zero Substitution			UEPMG	CCOSF	0.00	0 00i	600.00s								
New (and Assoc Fea Acrivation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Cajability Format, superframe - Subsequent					0.00	0 00i	600.00s								

Version 3Q03. 11/12/2003 Page 29 of 227

UNBUNDLED NETWORK EL	EMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Addil	Disc 1st	Disc Add'
			1			D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Alternate Mark Inversion	AMI)													l "		F
Superframe Forma	, , , , , , , , , , , , , , , , , , , ,	1	T	UEPMG	MCOSF	0 00	0.00	0.00								
Extended Superfran	ne Format			UEPMG	MCOPO	0.00	0 00	0.00						i -		
Exchange Ports Associate	d with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exchange Ports	· · · · · · · · · · · · · · · · · · ·	Τ	1													
Line Side Combinat	on Channelized PBX Trunk Port - Business	1	T												i i	
(E.4/1/2004)		1	1	UEPPX	UEPCX	1,15	0.00	0.00	0.00	0.00						
Line Side Outward	Channelized PBX Trunk Port - Business	i –	-									i -				
(E:4/1/2004)		1	į.	UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00	İ					
	ly Channelized PBX Trunk Port without DID	1														
(E:4/1/2004)	.,		i	UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00				ŀ	1	1
	Inbundled Channelized DID Trunk Port	 	 								1					
(E.4/1/2004)	modifica official cases of of trainer of	1	ļ	UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00				i	1	1
	ge Ports, 2-Wire Channelized - Outdial -	 	+		02.0						1				<u> </u>	1
	TN)(Conversion from Network Access															İ
Service) (E:4/1/2004				UEPPX	UEPCY	1.15							1			
	ge Ports, 2-Wire Channelized – Combination	1	 	OLFFA .	OLF CT	1.13			-	-			-	 	-	
	TN) (Conversion from Network Access		1		l								1			1
		i		UEPPX	UEPCT	4.45			1							l
Service) (E.4/1/2004		-		DEPPX	UEPCI	1.15						-			-	
	PBX Area Calling Service Combination Port		1	LIEBBY	UED.		0.00	0.00								
(AL Only) (E.4/1/20		-	1	UEPPX	UEPA4	1.15	0.00	0.00	ļ							
	PBX Area Calling Service Outgoing Only		1	l					1		ł			1		
Port (AL Only) (E:4		1	1	UEPPX	UEPA3	1.15	0.00	0.00			ļ					
	Indled Loop Concentration	1	1						1		ļ					
	ctivation for each Line Port Terminated in D4								ļ		1			1		
Bank			ļ	UEPPX	1PQWM	0.56	54.55				ļ				-	
	ctivation for each Trunk Port Terminated in		i	i		1 1			1		1				i	
D4 Bank			ļ	UEPPX	1PQWU	0.56	77 03				<u> </u>				1	
	Establishment Charges for DID Service		1											ļ		
DID Trunk Terminat			<u>.</u>	UEPPX	NDT	0.00	0.00	0.00			<u> </u>		ļ		ļ	ļ
	ps of 20 - Valid all States	1	ļ	UEPPX	ND4	0.00	0.00	0.00			<u> </u>					
	D Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	ļ					<u> </u>	_	
Reserve Non-Conse	cutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	1							
Reserve DID Numb	ers		<u> </u>	UEPPX	NDV	0.00	0.00	0.00								
Local Number Portability																1
Local Number Port			İ	UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertical and	Optional	<u> </u>									<u> </u>	1			<u> </u>	
Local Switching Features	Offered with Line Side Ports Only	1	1										1			
All Features Availat				UEPPX	UEPVF	1.98	0.00	0.00			l			L	1	1
UNBUNDLED CENTREX PORT/LO	OP COMBINATIONS - COST BASED RATE	Ŝ	Ī													
1. Cost Based Rates are a	oplied where BellSouth is required by FC	C and/or	State	Commission rule	to provide Unb	undled Local S	witching or Sv	vitch Ports.								
2. Features shall apply to	the Unbundled Port/Loop Combination - (Cost Bas	sed Ra	te section in the s	ame manner as	they are applie	d to the Stand	-Alone Unbur	idled Port secti	ion of this Rat	e Exhibit.		1			
3. End Office and Tanden	Switching Usage and Common Transport	t Usage	rates i	the Port section	of this rate exh	ibit shall apply	to all combin	ations of loop	port network e	lements excep	t for UNE (Coin Port/Le	oop Combina	tions.		
4 The first and additional	Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. F	or Currently Co	mbined Combo	s, the nonrect	rring charges	s shall be those	identified in	he Nonrecu	rring - Curr	ently Combin	ed sections.	Additional N	RCs may
apply also and are catego					•		•	5 5				_	-			
	ndled Centrex Port/Loop Combination will	l he nea	otiator	on an Individual	Casa Basis un	til further notice					1	T	I		T	T
	S - (Valid in AL,FL,GA,KY,LA,MS,&TN only		T	T	Dusc Busis, un	1	··				· · · · · · · · · · · · · · · · · · ·		 		1	1
	ice Grade Port (Centrex) Combo	77	 			···					ļ		 	·		1
UNE Port/Loop Combinati		+	+	· · · ·		1	****			† · · · · · · · · · · · · · · · · · · ·	1	l	T		1	1
	Vire Voice Grade Port (Centrex) Port Combo	1	+	 		 				<u> </u>			1		†	1
Non-Design	ALC ACIDE GRADE LOS (Centrey) LOS COMPO		1	UEP91		12.70			1							
	Vire Voice Grade Port (Centrex)Port Combo	+	+-'-	OLFBI		12.70			+	 	 	 		 	1	
	vire voice Grade Port (Centrex)Port Combo-	-	2	UEP91	- 1	21.19							i	1	1	
Non-Design	Visa Vaina Conda Dad (Control Dad Cont	+	+	OCEAL		41.19			+	 	+	 	<u> </u>	+	1	†
	Vire Voice Grade Port (Centrex)Port Combo	-		LIEBOA	ı	24.00				1	1	1			1	
Non-Design	D-1 (Di)	+	3	UEP91		34.80					+	 	+	+	+	†
UNE Port/Loop Combina		-	-							1	 		+		+	+
	Vire Voice Grade Port (Centrex) Port Combo	1	1 .		1			Ì				I		1		
Design		1	1 1	UEP91		15 53		L	1	L	.L	ــــــــــــــــــــــــــــــــــــــ	1			

Version 3003: 11/12@003

UNBUNDL	ED NETWORK ELEMENTS - Alabama											r :	<u> </u>	ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						T	Nonrec	urrina	Nonrecurring	Disconnect				Rates (\$)	L	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Design		3	UEP91		37.29										
UNE	Loop Rate		1													
	2-Wire Voice GradeLoop (SL 1) - Zone 1		1	UEP91	UECS1	11.55								<u> </u>	ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65					!				ļ	
	2-Wire Voice GradeLoop (SL 2) - Zone 1	ļ	1	UEP91	UECS2	14 38										
	2-Wire Voice GradeLoop (St. 2) - Zone 2		2	UEP91	UECS2	22.85					ļ				ļ	
	2-Wire Voice GradeLoop (SL 2) - Zone 3		3	UEP91	UECS2	36.14			ļ		 		 		 	+
	Ports	L	-		-						ļ	ļ	1			
All S	tates (Except North Carolina and Sout Carolina)	ļ		LIE DOA	LIEBUS		40.40	10.00	0.00		 	ļ	-		-	
	2-Wire Voice GradePort (Centrex) Basic Local Area		-	UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63	 	ļ	 			
İ	2-Wire Voice GradePort (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice GradePort (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1,15	40.19	19 83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						90.38	57.27	48.66	8.77	<u> </u>					
	Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	UEP91	UEPYM	1 15						ļ				+
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77	-					-
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						+
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63				l		
AL, F	KY, LA, MS, & TN Only		<u> </u>											ļ		-
	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP91	UEPQA	1.15	40.19	19 83	24.91	6,63						ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40 19	19.83	24.91	6.63						ļ. —
	2-Wire Voice Grad∈ Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63				ļ <u> </u>		ļ
	2-Wire Voice Grad∈ Port (Centrex from diff Serving Wire Center)2,3		İ	UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grad∈Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.15	90.38	57 27	48,66	8.77						+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L	<u></u>	UEP91	UEPQ9	1.15	40.19	19 83	24.91	6.63	1			_	L	
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPQ2	1.15	40 19	19.83	24.91	6.63				I		
Loca	l Switching															
1	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Loca	Il Number Portability															1
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu			1	· · · · · · · · · · · · · · · · · · ·									I			
	All Standard Features Offered, per port			UEP91	UEPVF	1.98									ļ	
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52								L	
1	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98									L	<u> </u>
NAR																1
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					1	
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		L				1
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						<u> </u>
	ellaneous Terminaticns															1
2-Wi	re Trunk Side										1			L	1	
	Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76	1				1	
Inter	office Channel Mileage - 2-Wire	Γ	T													
	Interoffice Channel Facilities Termination - Voice Grade	Ι	T	UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90			1			
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838					1					
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e		<u> </u>					1		1		1			
	hannel Bank Feature Activations	1		1								1				
104 C																

UNRONDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2		ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					15						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
	TOTAL ECEMENTS	m									perLSK	per LSR				1
													Electronic-	Electronic-	Electronic-	Electronic
					01								1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	I'bbA	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56					_					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Siot -														İ	
	Different Wire Center			UEP91	1PQWP	0.56	- 1									
	Billion Time Santai			02.0.		0.00	_									
	Feature Activation on 0-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 56										
	Feature Activation on 0-4 Channel Bank Title Line/Trunk Loop			OLY 31	11 0000	0.30										
	Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot				1PQWQ	0.56								_		
N				UEP91	IPUVVA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex													_		
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP91	MIACS	0.00	667.21									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
Additio	onal Non-Recurring Charges (NRC)															
1 1 1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1				i					7		
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			1301												
	End Use Premise			UEP91	URETN		11.21	1,10								
IINF.P	CENTREX - SESS (Valid in All States)		- 3	02. 0.	0.12.11		11.27	1,10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_														-
			1	UEP95]	12.70					1					
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEP95		12.70										
			ا ا	LIEDOS		24.40										
	Non-Design		2	UEP95		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		34.80										
UNE P	ort/Loop Combination Rates (Design)						_									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								ĺ							
	Design		3	UEP95		37.29										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	20.04					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	33.65										
	2-Wire Voice Grade Loop (\$L 2) - Zone 1			UEP95	UEC\$2	14.38									-	+
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UEC\$2	22.85					1					<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	36.14										_
LINE D	ort Rate		3	021 00	10002	30.14										1
All Sta					+	+										
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	IUEPYA	1.15	40.19	19.83	24.91	6.63						-
				UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			DEP33	DEPTE	1.15	40.19	19.83	24.91	0.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				luces.		40.5									
	Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Drff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77						
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
1	- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24 91	6.63	1					1

JNBUNDLED N	ETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)	_			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
, resolvi	NATE LEEMENTO	m	Lone	500				KATES (0)			perLSK	perLSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		•
			l			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Vire Voice Grade Port Terminated on 800 Service Term -					·										
	sic Local Area			UEP95	UEPY2	1.15	40.19	19 83	24.91	6.63	ļ					
	, MS, SC, & TN Only															
2-W	Vire Voice Grade Port (Centrex.)			UEP95	UEPQA	1.15	40 19	19.83	24.91	6 63						
	Vire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63						
	Vire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						
Cer	Vire Voice Grade Port (Centrex from diff Serving Wire nter)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	Vire Voice Grade Port, Diff Serving Wire Center - 800 Service		1								T		I			
Ter	m 2,3		1	UEP95	UEPQZ	1.15	90.38	57 27	48.66	8.77			i			
			1											T		
	Vire Voice Grade Port terminated in on Megalink or equivalent	L		UEP95	UEPQ9	1.15	40 19	19 83	24.91	6.63				L		<u> </u>
	Vire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19 83	24.91	6.63						
Local Swite			<u> </u>													
Cer	ntrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
	ber Portability															
	cal Number Portability (1 per port)		ļ	UEP95	LNPCC	0.35						L				
Features														ļ		
	Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	1.98										
	Select Features Offered, per port	,		UEP95	UEPVS	0.00	405 52								ļ	
	Centrex Control Features Offered, per port		I	UEP95	UEPVC	1.98					<u> </u>					
NARS			L								ļ					
	bundled Network Access Register - Combination			UEP95	UARCX	0 00	0.00	0.00	0.00	0 00	ļ			ļ	ļ	
	bundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0,00	0.00	L			ļ		
	bundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						ļ
	ous Terminations		L												<u> </u>	
2-Wire Trui																
	ink Side Terminations, each		<u> </u>	UEP95	CEND6	8 05	119 31	18 74	59.90	3.76	<u> </u>		1	_		
	ital (1.544 Megabits)		ļ								1					ļ
	1 Circuit Terminations, each		ļ	UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46				ļ		ļ
	0 Channels Activated, each		-	UEP95	M1HDO	0.00	14.48		ļ				ļ			
	Channel Mileage - 2-Wire		<u> </u>	VED 05	1					0.00		ļ			ļ	
	eroffice Channel Facilities Termination		1	UEP95	M1GBC	21.13 0.008838	40.54	27.41	16.74	6.90		ļ			 	-
	eroffice Channel mileage, per mile or fraction of mile	L	ļ	UEP95	M1GBM	0.008838								_		
	tivations (DS0) Centrex Loops on Channelized DS1 Service	:e												<u> </u>	_	ł
	el Bank Feature Activations		 	UEP95	400000	0.56								 	 	ļ
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>	1	UEP95	1PQWS	0.56								 	 	
	ature Activation on D-4 Channel Bank FX line Side Loop Slot ature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.56										
Slo				UEP95	1PQW7	0.56										
Fea	rature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQWP	0.56										
	alure Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	ature Activation on D-4 Channel Bank Tije Line/Trunk Loop	 	 								<u> </u>					
Slo			1	UEP95	1PQWQ	0.56			1		1					
	ature Activation on D-4 Channel Bank WATS Loop Slot		†	UEP95	1PQWA	0.56							<u> </u>		1	
	ring Charges (NRC) Associated with UNE-P Centrex		1								1					
	C Conversion Currently Combined Switch-As-Is with allowed								1		1				1	
	anges, per port	İ	1	UEP95	USAC2		0.10	0.10		1						1
	nversion of Existing Centrex Common Block, each		1	UEP95	USACN		37.75	16.58					l		I	I
	w Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21				1					
	w Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21		T	I	T				I	
NA NA	R Establishment Charge, Per Occasion		I	UEP95	URECA	0.00	72.73									I
	Non-Recurring Charges (NRC)		Γ	· ·								I				L
Uni	bundled Miscellaneous Rate Element, Tag Loop at End Use	[T											1		
Pro	emise	l		UEP95	URETL		8.33	0.83					1	İ	1	I

ONBONDEED NE	ETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exh	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	In cremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
51-1-1						Rec	Nonred	curring	Nonrecurring	Disconnect			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbu	undled Miscellaneous Rate Element, Tag Design Loop at															
End	Use Premise			UEP95	URETN		11.21	1.10								
UNE-P CENT	TREX - DMS100 (Valid in All States)				-											
2-Wire VG L	oop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Lo	oop Combination Rates (Non-Design)			A					17							
2-Wit	re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Non-	Design		1	UEP9D		12.70										
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								-							
	Design		2	UEP9D		21.19										
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1										
	Design		3	UEP9D		34.80										1
	oop Combination Rates (Design)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Desid			1	UEP9D		15.53										1
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	021 30	_	10.00					-					-
Desig			2	UEP9D		24.00										
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 3D	_	24.00					-					
Desid			3	UEP9D		37.29										1
			3	UEFBU		31.25					-					
UNE Loop R			1	UEP9D	UECS1	11.55										
	re Voice Grade Loop (SL 1) - Zone 1															
	re Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	20.04										
	re Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	33.65										
	re Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	14.38										
	re Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	22.85					-				-	
	re Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
UNE Port Ra																
ALL STATES																
	re Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
2-Wii	re Voice Grade Port (Centrex 800 Iermination)Basic Local			UEP9D	UEPYB	1.15	40.19	19.63	24.91	6.63						
2-Wi	ire Voice Grade Port (Cenfrex / EBS-PSET)3Basic Local															
Area				UE P9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
2-Wi	ire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
Area	· · · · · · · · · · · · · · · · · · ·			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	re Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	-														
Area				UEP9D	UEPYE	1.15	40.19	19.83	24.91	6 63						1
	re Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	-		02.00	02.72		10.15			- 000						
Area				uEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63				9		1
	re Voice Grade Port (Centrex / EBS-M5312))3Basic Local		\vdash	02. 10	100		10.15			0.00						
Area				UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						1
	ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OEF 3D	021 70	1.10	-0.15	15.00	24.51	0.00						
Area				UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	re Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		_	OLFSD	UEFTT	1.13	40.13	15.03	24.51	0.03						
				UEP9D	UEPYU	1 16	40.19	19.83	24.91	6.63						
Area	re Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9U	UEPTU	1.15	40.19	19.03	24.91	0.03						-
				UEP9D	UEPYV	4.45	40.40	19.83	24.91							1
Area				UEP9D	UEPTV	1.15	40.19	19.83	24.91	6.63	-					
	re Voice Grade Port (Centrex / EBS-M5316))3 Basic Local						40.40	40.00	0.00		1					
Area				UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	re Voice Grade Port (Centrex with Caller ID) Basic Local				LIEDVII.		40.10	40.00	24.01							
Area			<u> </u>	UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	re Voice Grade Port (Centrex/Calter ID/Msg Wtg Lamp				LIEBIAN											
	cation))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6,63						
2-Wii	re Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	c Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63					_	
	re Voice Grade Port (Centrex from diff Serving Wire Center)															
	Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
2-Wii	re Voice Grade Port (Centrex/differ SWC /EBS-PSET)2.3.4															
Danie	c Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48 66	8.77						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	•		RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			L			Rec	Nonrec		Nonrecurring					Rates (\$)		
			1			NCC	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
I	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		ļ		I									1	1	
	Basic Local Area		ļ	UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77			_			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		İ	I I E COD	LIEDVO I			F7.07			Ì					
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77	ļ					
	Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		 	OCF 90	OLFIR	1.13	30.30	31.21	40.00		 					
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		\vdash	DET SE	02,10	1.10	30.30	31.21	40.00	0.77						
	Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	 	T		1				1		<u> </u>			 	1	1
	Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77					ŀ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		T											 		
	Basic Local Area			UEP9D	UEPY6	1 15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area		i	UEP9D	UEPY7	1,15	90.38	57.27	48.66	8.77		İ				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3		l	UEP9D	UEPYZ	1.15	90 38	57.27	48.66	8.77		i				
. 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1														
	Basic Local Area			UEP9D	UEPY9	1.15	40 19	19.83	24.91	6.63				_		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic										1					
	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, F	(Y, LA, MS, SC, & TN Only		<u> </u>													
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19 83	24.91	6.63	<u> </u>					1
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9D	UEPQB	1.15	40.19	19 83	24.91	6.63					-	ļ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	ļ	ļ	UEP9D	UEPOC	1,15	40.19	19.83	24.91	6.63	ļ				1	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	<u> </u>	-	UEP9D	UEPQD	1.15 1.15	40.19 40.19	19 83 19 83	24.91 24.91	6.63 6.63	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	 	 	UEP9D UEP9D	UEPQE UEPQF	1.15	40.19	19.83	24.91	6.63	ļ			-		ļ
-	2-Wire Voice Grade Port (Centrex / EBS-M3112)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		ļ	UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63	<u> </u>					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		1	UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63	+				<u> </u>	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	<u> </u>	1	UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		1	UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63	 	ĺ			İ	
	2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	1 15	40 19	19 83	24.91	6.63				l		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3	L	1	UEP9D	UEPQM	1.15	90.38	57.27	48 66	8.77	1			ļ		
														1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	<u> </u>	<u> </u>	UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
]													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1, 15	90.38	57.27	48.66	8.77		ļ			ļ	
		I		I							1	1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	ļ	ļ	UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77	1		ļ	ļ		-
l l	0.W	1		HEDOD	LUEBAS		20.22	£3.03	40.00		1	1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	-	+	UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77	 				 	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77	1					
	Z-VVNE VOICE STADE PORT (Centrewonier SVVC /CBS-IVISS1Z)Z,3,4	 	+	ULFBD	UEFQO	1.10	30.36	31.21	40.00	0.77	 			 	 	t
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77	1					
	12-VANG ADICE GLADE LOLL (Cellifex/fille) 244C (ED2-14/2000)2'9'4	-	+	OLF 90	OLF Q4	1.10	30.30	31.21	40.00	0.77	 				İ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	İ	1	UEP9D	UEPQ5	1,15	90.38	57.27	48.66	8.77						1
	2 THE TOICE STATE I OR (SERIENGINE) STO (LDS-140200)2,3,4	 	+	1027 00	02.00	1,10	55.50	01.27	1	9.77				1		†
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	1	1	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		1				1
			+	1	- C. C.	1.10	00.00		1		t	 		t	†	T
	1															

MOUNDLE	D NETWORK ELEMENTS - Alabama			I							T: -			ment; 2		bit; A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	245 4 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		ļ			Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	0.77						
-	2,3	 	+	OEF 9D	ULF GZ	1.10	90.36	31.21	40.00	8.77						
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	1	UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63	l		ŀ		l	ł
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						† · · · · ·
Local	Switching															
<u> </u>	Centrex Intercom Funtionality, per port	1	ļ	UEP9D	URECS	0.5488										
Local	Number Portability			UEP9D	LNPCC	0.25										
Feature	Local Number Portability (1 per port)	-	├	DEP9D	LNPCC	0.35					-					ļ
, cata	All Standard Features Offered, per port		+	UEP9D	UEPVF	1.98			-							
	All Select Features Offered, per port	-		UEP9D	UEPVS	0 00	405.52				†		 			t
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										t
NARS																
	Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0 00	0.00	0,00						ļ
_	Unbundled Network Access Register - Inward	ļ	↓ —–	UEP9D	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	ļ				ļ	ļ
Miscol	Unbundled Network Access Register - Outdial laneous Terminations	ļ	 	UEP9D	UARUX	0.00	0.00	0.00	0.00	0.00					<u> </u>	ļ
	Trunk Side		 													
2 ******	Trunk Side Terminations, each		+	UEP9D	CEND6	8.05	119,31	18,74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48									
Interof	fice Channel Mileage - 2-Wire	1	_													ļ
	Interoffice Channel Facilities Termination	ļ		UEP9D	M1GBC M1GBM	21.13 0.008838	40.54	27.41	16.74	6.90						ļ
Featur	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service		┼	UEP9D	INTOBIN	0.008838										
	annel Bank Feature Activations	Ï	 								 					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56								-		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UCF9D	11-(2/47)	0.30										
	Different Wire Center		-	UEP9D	1PQWP	0.56										-
j	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot	<u> </u>	.	UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		 	UEP9D	1PQWA	0.56					-					ļ
NON-RO	ecurring Charges (NRC) Associated with UNE-P Centrex INRC Conversion Currently Combined Switch-As-Is with allowed								+		-					
ĺ	changes, per port	ĺ	1	UEP9D	USAC2	' I	0.10	0.10	1		i		1		l	
	Conversion of existing Centrex Common Block, each		_	UEP9D	USACN		37.75	16.58								·
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21									
	New Centrex Customized Common Block	· · · · · ·		UEP9D	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									ļ
Additio	onal Non-Recurring Charges (NRC)		1													
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10						_		
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo								l							ļ
UNE P	ort/Loop Combination Rates (Non-Design)	-							 		ļ		ļ		ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9E		12.70										ļ
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	2	UEP9E		21.19			1		I	1	l		I	

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
			-			Rec	Nonrec		Nonrecurring		00000	001141		Rates (\$)		SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Non-Design		3	UEP9E		34 80										
	ort/Loop Combination Rates (Design)		 	02.02		0.00		· · · · · · · · ·	<u> </u>							1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1											•	1	
	Design		1	UEP9E		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										ŀ					1
	Design		3	UEP9E		37.29										
UNE Lo	pop Rate			LIEBOE	1/5004	44.55								_		
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	11.55										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1 UECS1	20.04 33.65			ļ		_					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS1	14.38			1		-			-	 	1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85			ļ							
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	36.14			<u> </u>							
	ort Rate		1													
	KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9E	UEPYA	1.15	40.19	19 83	24.91	6 63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area		l	UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local										i					
	Area		<u> </u>	UEP9E	UEPYH	1 15	40.19	19.83	24.91	6.63	<u> </u>					
]	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l							1					ł
	Center)2,3 Basic Local Area		-	UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77	ļ					<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	LIE DOE	LIEDVZ	1.15	00.00	57.27	40.00	8.77	1					1
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						-
	- Basic Local Area		1	UEP9E	UEPY9	1,15	40.19	19.83	24.91	6.63	1					1
	2-Wire Voice Grade Port Terminated on 800 Service Term -		 	OLI SE	OLI 13	1,13	40.13	15.05	24.51	0.03	 					
	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63	1					ŀ
	, LA, MS, & TN Only			02.02	102.12		10.10	10.00	2.101	0.00	 				t	
	2-Wire Voice Grade Port (Centrex)		$\overline{}$	UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63	<u> </u>					
i	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63	1					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63	1					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		I								1					
	Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77	L					
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										1					ŀ
	Service Term		1	UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77	ļ				.	
[]	2 Mirro Vision Condo Dad Investorio I del Condo			LIEDOE	urnee		40.40	*0.5-							1	
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent		₩	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63	-					
I ocal S	2-Wire Voice Grade Port Terminated on 800 Service Terminated On 800 Service Terminated On 800 Se		+	UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63	-				1	
	Centrex Intercom Funtionality, per port		+-	UEP9E	URECS	0.5488					1				1	
	lumber Portability		+	OLF BL	UNLUS	0.0466		 	l		 			 		1
	Local Number Portability (1 per port)		†	UEP9E	LNPCC	0.35					 			 	1	t
Feature	es		†	1	1-,	5.55					t					1
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98									1	1
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52				T					
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98										
NARS			<u> </u>	L								L				
ļ	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0 00	0.00	0.00	0.00	0.00				ļ		ļ
—	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00					1	
	Unbundled Network Access Register - Outdial		-	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	-				 	
	aneous Terminations		 	-					1			ļ			+	
	Trunk Side		-	LIEDOE	CENDS	9.05	440.04	40.74	E0.00	2 70	 			 		+
	Trunk Side Terminations, each Digital (1.544 Megabits)		-	UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76	-				-	+
	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	!	-		 		
	por orioni reminations, each			TOTE OF	[WOLD 1D-1	00.09	202.02	30.09	12.39	2.40	<u> </u>		1		l	

MEDINDL	.ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	_		RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
			L			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			L				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48									
Inter	office Channel Mileage - 2-Wire		<u> </u>													
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16 74	6.90						1
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e								·					I	
D4 C	hannel Bank Feature Activations											L				
į.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
- 1				i			1									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9E	1PQW6	0.56					İ	1				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										-					
	Slot			UEP9E	1PQW7	0.56									l	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
i	Different Wire Center			UEP9E	1PQWP	0.56			1						İ	
										l						
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56			[
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1													
	Slot		1	UEP9E	1PQWQ	0.56			j			1				
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9E	1PQWA	0.56										<u> </u>
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		1							l						†
	NRC Conversion Currently Combined Switch-As-Is with allowed		1						l	-						
	changes, per port		1	UEP9E	USAC2	ľ	0.10	0.10								i
-	Conversion of Existing Centrex Common Block, each		1	UEP9E	USACN	-	37.75	16.58								+
	New Centrex Standard Common Block			UEP9E	MIACS	0.00	667,21	10.50								+
_	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21					-				+
	NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0.00	72.73									
Addi	itional Non-Recurring Charges (NRC)		 -	UEFSE	UKECA	0.00	12.13									+
Audi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 													
	Premise		l	UEP9E	URETL	Į.	8.33	0.83								-
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEFSE	UKETE		0.33	0.03			ļ					+
	End Use Premise		l	UEP9E	URETN		11.21	1.10								ŀ
LIMIT	-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		<u> </u>	DEF9E	UKETN		11.21	1.10								
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-								-					+
LIME	Port/Loop Combination Rates (Non-Design)		-													-
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-						ļ	ļ		ļ				
	Non-Design	1	١.	UEP93		40.70	1				Į.	1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	UEP93		12.70										
	Non-Design		ا ر	LIEDOS		24.40	1									1
_			2	UEP93		21.19			-							ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOO			1									
	Non-Design		3	UEP93		34.80										1
UNE	Port/Loop Combination Rates (Design)															_
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	Ι.							Ī						!
	Design		1	UEP93		15.53										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													1
	Design		2	UEP93		24.00										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l				1			•		ŀ				
	Design		3	UEP93		37.29									L	
UNE	Loop Rate		L											-		L
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP93	UECS1	20.04						L				
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	14.38				I	l					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85			i -							
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	36.14				1		1				
UNE	Port Rate		1						1	İ						
	KY, LA, MS, & TN only	Ι	1	1					1	l					1	
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		1		~		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l	1	I				10.00	251	- U.SU		İ				1
1	Area	ı	1	UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	l	i			1	1

UNBUNDL	ED NETWORK ELEMENTS - Alabama										•			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	ł		LIEBOO.			40.40								1	ļ
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		ļ	UEP93	UEPYH	1.15	40 19	19.83	24.91	6.63	ļ	ļ				
	Center) 2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77				ľ	İ	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area		L	UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
į	2-Wire Voice Grade Port terminated in on Megalink or equivalent										1					
	- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						-
1	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		1	UEP93	UEPY2	1,15	40.19	19 83	24.91	6.63	1		İ			
	2-Wire Voice Grade Port (Centrex)		-	UEP93	UEPQA	1 15	40.19	19.83	24.91	6.63	 					
	2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP93	UEPQB	1 15	40.19	19.83	24.91	6.63	 	1			 	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	 	UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		-		· · · · · · · · · · · · · · · · · · ·	1	1
	2-Wire Voice Grade Port (Centrex with Galler 12)	t	t	1	J	1.10	10.75	15.55	2.1.51	5.55						
	Center)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8 77		1		Į.	L	L
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term		L	UEP93	UEPQZ	1.15	90 38	57.27	48.66	8.77	ļ				ļ	
				LIEBOO.	luspas		10.10	40.00		0.00					1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		ļ	UEP93 UEP93	UEPQ9 UEPQ2	1 15 1.15	40.19 40.19	19 83 19.83	24 91 24.91	6 63 6.63					 	ļ
Loc	2 Switching		-	DEF-93	UEPUZ	1,15	40.19	19.63	24.91	0.03	 			 	-	
LUCA	Centrex Intercom Funtionality, per port		-	UEP93	URECS	0.5488			-	-				_		ł
Loca	Number Portability		1	OLI 33	DIVEOD	0.5400					 			 -		
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feat	ures										· · · · ·					
	All Standard Features Offered, per port			UEP93	UEPVF	1.98								1		1
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98							i i			
NAR											I					
	Unbundled Network Access Register - Combination	l	L	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	L				<u> </u>	
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00			ļ			
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	cellaneous Terminations re Trunk Side		ļ						<u> </u>		 			 		
2-001	Trunk Side Terminations, each	-	1	UEP93	CEND6	8.05	119.31	18.74	59.90	3.76					<u> </u>	
4.Wi	re Digital (1.544 Megabits)	 	 	OLF 33	CENDO	0.03	113.31	10.74	39.50	3.70						
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, Per Channel	1		UEP93	M1HDQ	0 00	14,48	55.55	12.55	1	1	t				1
Inter	office Channel Mileage - 2-Wire										1					
	Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile		ļ	UEP93	M1GBM	0.008838										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP93	1PQWS	0.56					 			l	ļ	
-	Factor Activities on D. A. Channel Book EV Line Cide Land Clat			LIEDOS	4DOWG	0.50			ļ							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	UEP93	1PQW6	0.56		-		 	-	-	ļ	-	 	
	Slot	l		UEP93	1PQW7	0.56			ŀ]	1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			52.00	11 32117	0.50			1					 	1	
	Different Wire Center			UEP93	1PQWP	0.56			i							
									1							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop												1		1	
	Slot	ļ	ļ	UEP93	1PQWQ	0 56										
- L	Feature Activation on D-4 Channel Bank WATS Loop Slot	 		UEP93	1PQWA	0.56				l			ļ			
NON	-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	 	 	ļ					1		-			 	-	
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each		1	UEP93	USACN		37.75	16,58			†	 		 		

UNBL	NDLE	D NETWORK ELEMENTS - Alabama							0.00	······				Attach	ment: 2	Exhi	bit: A
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonreci	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
	Note 2	2 - Requres Interoffice Channel Mileage										1					
	Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port		1					-						
	Note 4	- Requires Specific Customer Premises Equipment			·	1	1			·							
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to i	rate tru	e-up as set forth in	General Tem	ns and Conditio	ns.									

Version 3Q03. 11/12/2003 [CCCS Amendment 106 of 308]

NBUNDLED	NETWORK ELEMENTS - Florida												Attach		Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order of Electron Disc Ac
						Rec		curring		Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ns by Centi	ral Office, refe	r to internet	Nebsite:	
http://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter															
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the		<u> </u>													l
elect eit each of NOTE: (that can	ther the state specific Commission ordered rates for the servi the 9 states. 2) Any element that can be ordered electronically will be bill not be ordered electronically at present per the LOH, the list	ce orde ed acco	ring ch ording t EC rate	o the SOMEC rate li	elect the res	gional service o	ordering charg	e, however, Cl South's Local	EC can not ob Ordering Hand	otain a mixture book (LOH) to	of the two	egardless i	Can be order	interconnecti ed electronica	on contract e	establish e eleme
	I, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	ellSout	h.	_			_									
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge. Per Local Service Request															
	(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
	DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	PallSau	th's EC	C No 1 Tariff Soction	n 5 ac annli	cable										
NOTE.	The Expedite charge will be maintained commensurate with	Den 30u	IIISTC	C NO.1 Tallii, Section	ili 2 a s appir	Cable.						l				
	UNE Expedite Charge per Circuit or Line Assignable USOC. per Day			UEA UHL, ULC, USL, U1T01, U1T01, U1T01, U1T03, U1T01, U1T03, U1T01, U1T0	SDASP		200.00									
	XCHANGE ACCESS LOOP													L		
	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL UEANL	UEAL2 UEAL2	10.69 15.20	49.57 49.57	22.83	25.62	6.57 6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	15.20 26.97	49.57	22.83	25.62 25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1			UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2			UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
				UEANL	URET1		48.65	48 65								
	Loop Testing - Basic 1st Half Hour				URETA		23.95									

OMBONDER	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
				1							Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					1							Submitted		Charge -	Charge -	Charge -
											1					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually			Manual Svc	
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
	1		1		1						ļ	1	1st	Add'l	Disc 1st	Disc Add'l
					1						L	L	L			
			L.			Rec	Nonrec		Nonrecurring	Disconnect	l			Rates (\$)		
				1	1 1	Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch]													
	(UVL-SL1)		1	UEANL	UREWO	i	15,78	8 94	Ì						l	1
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		T						†							
' 1	providing make-up (Engineering Information - E.I.)		i	UEANL	UEANM	ł	13.49		{	}	ł	ł	l	ł	ł	1
	Manual Order Coordination for UVL-SL1s (per loop)		 	UEANL	UEAMC		9.00	9.00	 							
	Order Coordination for Specified Conversion Time for UVL-SL1		_	OLI III	OL7 WING		5.00	3.00		<u> </u>	 					
	(per LSR)			UEANL	ocosL		23.02					1				
2 16/10	E Unbundled COPPER LOOP		-	UEANL	UCUSL		23.02		L		ļ					
2-7416			-		1											<u> </u>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı	1	UEQ	UEQ2X	7.69	44.98	20 90	24.88	6.45		L				<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	10.92	44.98	20.90	24 88	6.45	<u> </u>					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45					L	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	1													
	Premise	l	1	UEQ	URETL	ŀ	8.33	0.83		l		1	I		1	1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -				1							<u> </u>	1			
	Non-Designed (per loop)			UEQ	USBMC		9.00				i	1			ļ	
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for			T- 7	1-000						 	t	 		 	<u> </u>
	BST providing make-up (Engineering Information - E.I.)		ł	UEQ	UEQMU	ł	13.49		}		ł	l	l	ł	ļ	1
	Loop Testing - Basic 1st Half Hour		-	UEQ	URET1			40.05								
			-				48.65	48.65								
	Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		23.95	23.95	1							ļ
	CLEC to CLEC Conversion Charge Without Outside Dispatch			1	1		i					1			j	1
	(UCL-ND)		L	UEQ	UREWO		14.27	7.43	i			l		i		L
	EXCHANGE ACCESS LOOP										T					
2-WIR	E ANALOG VOICE GRADE LOOP						'				1					T
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	· · · · · ·												
	Zone 1	ŀ	1 1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57	1					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		 	DEF CIT DE CO	100000	10.00		22.00			 	 				
	Zone 1		1 1	UEPSR UEPSB	UEABS	10 69	49 57	22.83	25.62	6.57		1		1		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		 - '- -	UCFOR UCFOR	UEABS	10 09	49 37	22.63	23.62	0.57	 					
			_	LIEBOO LIEBOD	l I	45.00									ł	
	Zone 2		2	UEPSR UEPSB	UEALS	15.20	49 57	22.83	25.62	6.57	l			L		<u> </u>
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		١.								1					1
	Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57	İ					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	1		i										
	Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57			1			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57		l	1			1
UNBUNDLED	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP		t		+				1		 	 		····	·	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		—		+				†		 			-		t
	Ground Start Signaling - Zone 1	l	1	UEA	UEAL2	12 24	135.75	82.47	63.53	12.01	1	I		1	ŀ	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		+	ULA	JULALZ	12 24	133.73	62.47	63.33	12.01	1			ļ	ļ	
			2	LUE A	LIEALS I	47.40	105.75	00.75	20.50	40.00]	l	I	1	1	1
	Ground Start Signaling - Zone 2		 _ -	UEA	UEAL2	17.40	135 75	82.47	63.53	12.01	1	L		<u> </u>	l	ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	1	1 1	l l	Į.		1		ļ	!	ļ)	ļ	1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01	i	L				L
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									_						
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135 75	82.47	63.53	12.01		l				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											<u> </u>
1	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		1		1	i	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		 -	OLA.	OLFITZ	17.40	100.10	02.41	00.00	12.01	+			·		
. 1	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	1	l	i	1	l	
			 ' -		OCOSL	30.07	23.02	82.47	63.53	14.01	-	l		 	ļ	
—	Order Coordination for Specified Conversion Time (per LSR)		\vdash	UEA					_			—		ļ		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35						L		+
	Loop Tagging - Service Level 2 (SL2)		<u> </u>	UEA	URETL		11.21	1.10					ļ			
4-WIR	E ANALOG VOICE GRADE LOOP		_	L							L		L		L	1
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56]					
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56		T	1	· · · · ·		T
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		23.02	1.0.10	1 050			t		<u> </u>		T
	CLEC to CLEC Conversion Charge without outside dispatch		 	UEA	UREWO		87.71	36.35	 					 		
L	Tarra to octo conversion onerge without outside dispatch	L	_	IOLA	POLYTIAN		07.71				L	<u> </u>	L	<u> </u>		L

INBUNDLE	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19 28	147.69	94,41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27 40	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10,71						<u> </u>
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02							ļ.,		
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													1
1	2 Wire Unbundled ADSL Loop including manual service inquiry				1										1	
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63	ļ			<u> </u>		1
	2 Wire Unbundled ADSL Loop including manual service inquiry	ĺ							}				!			
	& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry			l										1		1
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149 53	103 85	75.05	15.63				ļ		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02					ļ				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		١.	UAL		0.20	404.00	74.40	60.64	9.12						
	facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		<u> </u>				
}	2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	2	UAL	1141 314/	11.90	124.02	71.12	60.64	9.12		i				
	facility reservation - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	1		UAL	UAL2W	11.80	124.83	71.12	60.64	9.12			-	 	ļ	+
			3	UAL	UAL2W	20 94	124.83	71 12	60.64	9.12						
	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UAL	OCOSL	_20 94	23.02	71 12	60.64	9.12			 	 		
_	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	-	UAL	UREWO		86.19	40.39			· · · · · · · · · · · · · · · · · · ·			 		
2 WIE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UAL	OKEWO		00.15	40.55						<u> </u>		
2-991	2 Wire Unbundled HDSL Loop including manual service inquiry	I	I											<u> </u>		1
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63					•	1
	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	O'IL	JONALE X	7.4.4	100.00		70.00	10.00						+
	& facility reservation - Zone 2	i	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15 63			ļ			
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	1	3	UHL	UHL2X	18.21	159 09	113.41	75.05	15.63		ĺ	ł			i
	Order Coordination for Specified Conversion Time (per LSR)	 	<u> </u>	UHL	OCOSL		23.02							<u> </u>		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	1												1	
	and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	l	2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	l	3	UHL	UHL2W	18.21	134.40	80 69	60.64	9.12						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								ļ	
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													ļ
1	4 Wire Unbundled HDSL Loop including manual service inquiry	ļ.			1											
	and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						-
ļ	4-Wire Unbundled HDSL Loop including manual service inquiry	1				ì					1					1
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193,31	138.98	77.15	12.61	ļ	ļ			ļ	ļ
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	١.							40.04	1				į .	
	and facility reservation - Zone 3	ļ	3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61	ļ					+
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		23.02		-			<u> </u>			 	+
	4-Wire Unbundled HDSL Loop without manual service inquiry		١.,	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22			l		ł	
	and facility reservation - Zone 1		1	UHL	UHL4VV	10.00	100.02	113.47	02.14	11.22	ļ		 			+
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11,22						
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	+	OI IL	OI IL-1VV	15,44	100.02	113.47	02.74	11,22	 		 	 	<u> </u>	
	and facility reservation - Zone 3	1	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22		l		1		
	Order Coordination for Specified Conversion Time (per LSR)	 	+	UHL	OCOSL	27.00	23.02	110.47	GE.14	,,,,22	†			1		1
	CLEC to CLEC Conversion Charge without outside dispatch	†	1	UHL	UREWO		86.12	40.39	1		İ		†	1		
4-WIF	RE DS1 DIGITAL LOOP		t	1=====	1			12.00	1			· · · · · · · · · · · · · · · · · · ·		1	1	
1	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	70.74	313.75	181.48	61.22	13.53				1	1	
	4-Wire DS1 Digital Loop - Zone 2	1	2	USL	USLXX	100.54	313.75	181.48	61.22	13.53	T -	l .		Γ΄	1	
1		4						181.48	61.22		1	t	 		 	1
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53	1	i		1	f	

Version 3Q03: 11/12/2003 Page 43 of 227 [CCCS Amendment 109 of 308]

INBUNDL	ED NETWORK ELEMENTS - Florida		_											ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	one	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni
	!												1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
ŀ	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04	rnac		JOWILL	JOHAN	SOMAN	JOWAN	JOWAN	JOMAN
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	l														1
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22 20	161.56	108.85	67.08	15.56	1					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56					†	
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67 08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56				 		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	55.99	161.56	108.85	67.08	15.56				T		
	Order Coordination for Specified Conversion Time (per LSR)		-	UDL	OCOSL.		23.02				1			 		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22 20	161.56	108.85	67.08	15 56	1			 		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31 56	161.56	108.85	67.08	15.56	1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55 99	161.56	108.85	67.08	15.56				†	1	1
	Order Coordination for Specified Conversion Time (per LSR)		<u>-</u> -	UDL	OCOSL	- 50 55	23.02	100.00	07.00	19.00	1					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102,11	49,74		-	+					
2-10/1	RE Unbundled COPPER LOOP	 			10.10		102.11	45.74			1			 		
	2-Wire Unbundled Copper Loop-Designed including manual			· · · · · · · · · · · · · · · · · · ·	 	-										1
1	service inquiry & facility reservation - Zone 1	1 1	1	UCL	UCLPB	8.30	148 50	102.82	75.05	15.63	1 .		}	1	}	l
	2-Wire Unbundled Copper Loop-Designed including manual		-	UUL	IOOLI D	0.50	140 00	102.02	75.05	15.05	1		-	 	 	}
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual			UOL	JOCEL D	71.00	140.50	102.02	75.05	13.03	 			 	ł	
1	service inquiry & facility reservation - Zone 3	1 1	3	luci	UCLPB	20.94	148.50	102.82	75.05	15.63) '	'		ì	ì	ì
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	20.94	9.00	9.00	/ 5.05	13.03				l ———		
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLIVIC		9.00	9.00								
i i		1	1	UCL	UCLPW	8.30	123.81	70.09	60,64	9.12	ł			i		
	service inquiry and facility reservation - Zone 1			UCL	OCLF W	0.30	123.01	70.03	00.04	3.12	-			 		
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11,80	400.04	70.09	00.04	0.40				1		1
	service inquiry and facility reservation - Zone 2			UCL	UCLPW	11.00	123.81	70.09	60.64	9.12				 	-	
	2-Wire Unbundled Copper Loop-Designed without manual	1		luct	UCLPW	20.04	402.04	70.00	00.04	0.40	1		1	{	ſ	{
	service inquiry and facility reservation - Zone 3		3			20.94	123.81	70.09	60.64	9.12					ļ	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00			ļ			ļ	ļ.	
- 1	CLEC to CLEC Conversion Charge without outside dispatch				Luneaus	1			1		1		}	}	}	ł
	(UCL -Des)			UCL	UREWO		97.21	42.47			ļ				ļ	,
4-101	RE COPPER LOOP				1				ļ	· —	<u> </u>			}	,	.
1	4-Wire Copper Loop-Designed including manual service inquiry				l [[i i		1 1		İ	1		
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73				J	<u> </u>	<u> </u>
1	4-Wire Copper Loop-Designed including manual service inquiry	1 1			1 1	1			1	Ï	í I			1		
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17 73				<u> </u>	L	!
1	4-Wire Copper Loop-Designed including manual service inquiry	ì l			1 1	1	ĺ		l í		1 1				1	
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						l
l	Order Coordination for Unbundled Copper Loops (per loop)			ÚCL	[UCLMC]		9.00	9.00							<u> </u>	
	4-Wire Copper Loop-Designed without manual service inquiry	1			1 1	ļ	ļ									
ļ	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22				l	1	}
i	4-Wire Copper Loop-Designed without manual service inquiry					ì			i		1			1	1	ľ
	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22				L	<u> </u>	L
	4-Wire Copper Loop-Designed without manual service inquiry													(1	{
	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11 22	1			Ĺ		
L_	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00						(<u></u>		(
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47	((
OOP MODII	FICATION				1											
			i	UAL, UHL, UCL,					1		1		1		1	
1				UEQ, ULS, UEA,	1	l			ļ i		1					
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	ĺ	ĺ	UEANL, UEPSR.	[l					1			1	1	l .
	pair less than or equal to 18k ft, per Unbundled Loop		L	UEPSB	ULM2L	ţ	0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				1						1					
	less than or equal to 18K ft, per Unbundled Loop	}	}	UHL, UCL, UEA	ULM4L	j	0.00	0 00	į į	l	į į		l	l	l	l
				UAL, UHL, UCL,	[· ·			[ĺ	<u> </u>
				UEQ, ULS, UEA,		ŀ	ļ							1		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,		ŀ	Ì									
	per unbundled loop	}	}	UEPSB	ULMBT	ł	10.52	10.52	Į l		[1	l	l
UB-LOOPS				· · · ·	1	-			i i		1		 	 	t	1

ONBONDE	ED NETWORK ELEMENTS - Florida		1								т			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		L				Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-	-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		ł						l .		l			;		
	Up			UEANL	USBSA		487.23									
		ļ										ŀ	ł			ŀ
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder										ļ					
	Facility Set-Up	1		UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	!														
	Set-Up			UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	İ				1			l			•				İ
	Zone 1	L	1	UEANL	USBN2	6.46	60 19	21 78	47.50	5.26						ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								l							
	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ļ							1							
	Zone 3		3	UEANL	USBN2	16.29	60,19	21.78	47.50	5.26						
		!														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL.	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	İ														
	Zone 2		2	UEANL	USBN4	10.47	68 83	30.42	49.71	6.60	I					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										Ī					1
	Zone 3		3	UEANL	USBN4	18.58	68 83	30 42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 96	51.84	13.44	47.50	5.26						L
			1									ŀ	ł			Į.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9 00	9 00				L				
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	9.37	55.91	17 51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9.00	9.00								<u> </u>
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		23.95	23.95	l							İ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	5 15	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	12.98	60 19	21.78	47.50	5.26						<u> </u>
1									i					1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						↓
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						L
		1	1						I		I	l	l			1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00			L	L	ļ	L		
	Loop Testing - Basic 1st Half Hour	L	 	UEF	URET1		48.65	48.65							l	ļ
	Loop Testing - Basic Additional Half Hour		ļ	UEF	URETA		23 95	23.95								ļ
Unbi	undled Network Terminating Wire (UNTW)								1							L
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02		ļ							
Netw	vork Interface Device (NID)	ļ														_
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87			<u> </u>					L
	Network Interface Device (NID) - 1-6 lines	L	<u> </u>	UENTW	UND16		113.89	89.07	L							
	Network Interface Device Cross Connect - 2 W	<u> </u>	_	UENTW	UNDC2		7.63	7.63			ļ	ļ		ļ		
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63			L					ļ
UNE OTHER	R, PROVISIONING ONLY - NO RATE	L	1-	l								<u> </u>	L	ļ		
	NID - Dispatch and Service Order for NID installation	L		UENTW	UNDBX	0.00	0.00		ļ			ļ		ļ		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		ļ	UENTW	UENCE	0.00	0.00		ļ							
		1	1	UEANL,UEF,UEQ,U												
L	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00					ļ			ļ	ļ
THE OTHER	R, PROVISIONING ONLY - NO RATE	ı	1							i	1	I	i	i	ļ	1

UNBUNDL	ED NETWORK ELEMENTS - Florida										,			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	T =====	T
			-				First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,			į									
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0 00	0.00		l i	_	L .			l		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				ļ					ļ
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA.USL.UCL.UDL	USBFR	0 00	0.00				İ			1		
	Unbundled DS1 Loop - Superframe Format Option - no rate	-	-	USL	CCOSE	0.00	0.00							 		
	Unbundled DS1 Loop - Expanded Superframe Format option -		1													
	no rate			USL	CCOEF	0 00	0 00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP	ļ			ļ <u></u>						1					ļ
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			UE3	1L5ND	10.92	[]							
	High Capacity Unbundled Local Loop - DS3 - Facility	<u> </u>	+-	ULU	ILJIND	10.92					<u> </u>					
	Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1		1											
	month		 	UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility			LIDLOV	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP MAKE	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139,13	96.84			-			
LOOF WAR	Loop Makeup - Preordering Without Reservation, per working or		1											!		
	spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility								,							
	queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop Makeup—With or Without Reservation, per working or spare facility queried (Mechanized)			lumk	UMKMO		0.6784	0.6784								
LINE SHARI	NG AND LINE SPLITTING		+	UIVIK	DIVINIQ	 	0.0764	0.0704								
	E 1: The Line Sharing monthly recurring rates for all installation	ns com	pleted	from October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:		1					
	E 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper k	op no	n-designed ("UCLND	")											
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		<u> </u>													
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND E 1: Above will apply to USOCS: ULSDT and ULSCT		-													
	TE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULS	CC applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03						 	1
	SHARING	Ī	I		Touris instant			.,,	Ī							
SPL	TTERS-CENTRAL OFFICE BASED	1														
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119,72	379.13	0.00	347.90	0.00				ļ		<u> </u>
	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB ULSD8	29.93 8.33	379,13 379,13	0.00	347.90 347.90	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-	ł	-	ULS	ULSD6	6.33	379.13	0.00	347.90	0.00				 		+
	deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						l .
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING	· · · · · · · ·														
	Line Sharing - per Line Activation (BST Owned splitter) -	Ī	ľ		1	1										
	OBSOLETE see **NOTE 2	ļ		ULS	ULSDC	0.61	29.68	21.28	19.57	9.61	-			 		
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	ł							!						ł	
	(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61	İ	,				
	Line Share Service, TRO per line activation, BST owned splitter -		1	1	1		20.00				1			T		
	Central Office Located (50% of UCLND) - please see NOTE 1		1	1							1	1		1		1
	(E:10/2/2004)		1	ULS	ULSDT	3.98	29.68	21 28	19.57	9.61	ļ	ļ		<u> </u>		
	Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1	1		1					1							
	(E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61					i	
-	Line Sharing - per Subsequent Activity per Line Rearrangement			020	1	† 5.5 7 †	20.00	220	.5.07	2.01						
	- (BST Owned Splitter)	L		ULS	ULSDS		21.68	16.44							ļ	
				1	1						1	l	1	1	i	1
	Line Sharing - per Subsequent Activity per Line Rearrangement								1						i	1
	Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCS		21.68	16.44								_

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
		Γ	Ι		1						Svc Order	Svc Order	Incremental		Incremental	
					1 1							Submitted		Charge -	Charge -	Charge -
				i							Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSR	perLSK	I		J.	
		i	ļ									İ	Electronic-	Electronic-	Electronic-	1
			1								l		1st	Addʻl	Disc 1st	Disc Add'i
						_	Nonrec	urring	Nonrecurring	Disconnect	· · · · · · · · · · · · · · · · · · ·	1	OSS	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see		i												}	
	NOTE 1 (E.10/2/2003)			ULS	ULSCT	1.99	47.44	19 31	20.67	12.74	1					1
	Line Share Service, TRO per line activation, CLEC owned						***						-			
	splitter - Central Office Located (50% of UCLND) - please see	l							1				1			1
	NOTE 1 (E.10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74			L	i	1	1
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (75% of UCLND) - please see										1					
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	SPLITTING		<u> </u>								.					1
END	USER ORDERING-CENTRAL OFFICE BASED	 	<u> </u>		1						ļ				ļ	1
<u> </u>	Line Splitting - per line activation DLEC owned splitter	l	<u> </u>	UEPSR UEPSB	UREOS	0.61			ļ		ļ		ļ	<u> </u>		
	Line Splitting - per line activation BST owned - physical	-		UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9,61				<u> </u>		1
90.000	Line Splitting - per line activation BST owned - virtual		ļ	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9,61				_	ļ	
WAIN	TENANCE	 	ļ. —				00.00									
—	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		-				80.00	55.00								├
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium		1				120.00 160.00	82.50 110.00			1					
LINDUMDI ED	DEDICATED TRANSPORT		<u> </u>				160 00	110.00							<u> </u>	
	ROFFICE CHANNEL - DEDICATED TRANSPORT		 													
11412	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1		 											
	Per Mile per month		Ì	U1TVX	1L5XX	0.0091					1		ļ	1		
—	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		 	GIIVA	TESAX	0.0031										
	Facility Termination	ĺ		U1TVX	U1TV2	25 32	47.35	31 78	18,31	7.03						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				-	2002		0.70	10.01	1,00					† ·	
	Rev Bat Per Mile per month		ł	U1TVX	1L5XX	0.0091					1			l		
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -		1		1						1				<u> </u>	†
	Facility Termination		1	U1TVX	U1TR2	25 32	47 35	31.78	18.31	7.03	l	l				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -										1			i -	1	1
	Per Mile per month			U1TVX	1L5XX	0.0091						1				1
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade														Ī	
	- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		1	1	l		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0091						<u> </u>		<u> </u>		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility						l									
	Termination		<u> </u>	U1TDX	U1TD5	18.44	47 35	31 78	18.31	7.03				<u> </u>		<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															İ
	per month		ļ	U1TDX	1L5XX	0.0091								 	ļ	↓
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility						47.05	04.70	40.04	7.00			ļ.			
	Termination			U1TDX	U1TD6	18.44	47.35	31,78	18.31	7.03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATOA	41.570	0.4050					1		1	1		
	month	ļ		U1TD1	1L5XX	0.1856			-		ļ		<u> </u>	 	ļ	+
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LISTOS		00.44	405.54	00.47	21,47	40.05	1		l	ļ		
\vdash	Termination			U1TD1	U1TF1	88.44	105 54	98 47	21.47	19.05	-	 			 	+
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87					1		1			
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILDAA	3.67			ļ					 	·	+
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56	1		I			
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 	\vdash	07100	101113	1,07 1.00	333.40	213.20	12.03	70.30	 			 	 	†
	month			U1TS1	1L5XX	3.87					1		I	1		1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	ļ	†		T	2.01					 				1	1
	Termination		1	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	l .			ĺ		1
DARK FIBER			t		1						i					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		İ		1						1					
	Thereof per month - Interoffice Channel		1	UDF, UDFCX	1L5DF	26.85		l	L 1			L.				
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55.04					L					
	NRC Dark Fiber - Local Loop	1	1	UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11	1	1	1	1	1	1

Version 3Q03. 11/12/2003 Page 47 of 227

ONRONDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
		 	-		-	Rec	Nonrec First	Add'l	Nonrecurring		SOMEÇ	SOMAN		Rates (\$)		T
RXX ACCESS	TEN DIGIT SCREENING		-	 		 	FIISt	Audi	First	Add'I	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	8XX Access Ten Digit Screening, Per Call	-	1	OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		 	OTIE	_	0.0000232			+		 				ļ <u></u>	
ĺ	Number Reserved			ОНД	N8R1X		4.15	0.70							l.	1
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	1	1	10112	HOICIX		4,10	0.70								
	POTS Translations	1		OHD			8.78	1.18	5.77	0.70			ŀ		i	İ
	8XX Access Ten Digit Screening, Per 8XX No. Established With						0,1.0			0.70		-				
	POTS Translations		1	OHD	N8FTX		8.78	1.18	5.77	0.70					ŀ	
	8XX Access Ten Digit Screening, Customized Area of Service									0.70						
1	Per 8XX Number			OHD	N8FCX		4.15	2.07					ļ.			
	8XX Access Ten Digit Screening, Multiple InterLATA CXR										·		-			
	Routing Per CXR Requested Per 8XX No.	1	l	OHD	N8FMX		4.85	2.78				i			ł	
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features	L		OHD	N8FDX		4.15	4.15			1				<u> </u>	ŀ
	8XX Access Ten Digit Screening, w/ 8FL No Delivery, per query			OHD		0.0006252					}					1
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		l		1	l										
	query			OHD		0.0006252					1					<u> </u>
LINE INFORM	ATION DATA BASE ACCESS (LIDB)	ļ														
	LIDB Common Transport Per Query			OQT		0.0000203										<u> </u>
	LIDB Validation Per Query		L	oqu	_	0.0136959			L							
CIONIN INC (LIDB Originating Point Code Establishment or Change		 	OQT, OQU	NRBPX		55 13	55.13	55.13	55.13						ļ
SIGNALING (C			1								ļ					ļ
	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	135.05				_	1					
	CCS7 Signaling Usage, Per TCAP Message		 	UDB	TDD	0.0000607	40.53	40.53	10.04	40.04	1					
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		-	UDB	TPP++	17.93	43.57	43.57	18.31	18.31						├
	link)			UDB	TPP++	17.93	43.57	43.57	10.21	10.21	1		l			
	CCS7 Signaling Usage, Per ISUP Message	-	 	UDB	IFFTT	0.0000152	43.37	43.37	18.31	18.31	ļ					
	CCS7 Signating Usage Surrogate, per link per LATA		 	UDB	STU56	694.32			-		 				ļ	
	CCS7 Signaling Point Code, per Originating Point Code		┼──	TODB -	01030	034.02					1			-		
	Establishment or Change, per STP affected		1	UDB	CCAPO	1	46.03	46.03	46.03	46.03	1					
E911 SERVICE			 		100/110	†	10.00	10.00	10.00	10.00	1					
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21 94	265.84	46.97	37.63	4.00	1				-	<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265 84	46,97	37.63	4.00				-		1
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				-	57.22	265,84	46 97	37.63	4.00	<u> </u>					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		†—-	1		0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			1												
	Termination	L	<u></u>	L		25.32	47.35	31.78	18.31	7.03			l_		L	
	Local Channel - Dedicated - DS1 - Zone 1			L		35.28	216.65	183.54	21.47	19.05		L				
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05						
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05						<u> </u>
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856						l. <u></u> -				
			1		1											
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	ļ	ļ			88.44	105.54	98.47	21.47	19.05	ļ		ļ			ļ
CALLING NAM	ME (CNAM) SERVICE		↓			ļi					İ					L
	CNAM For DB Owners - Service Establishment	<u> </u>	-	OQV		ļ	25.35	25.35	19.01	19.01	ļ					
	CNAM For Non DB Owners - Service Establishment		 	OQV	1	ļ	25.35	25.35	19.01	19.01	!		—			
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			ogv			1,592.00	4 477 00	250.00	259.09	1	1	I		I	1
	CNAM For Non DB Owners - Service Provisioning With Point		-	UQV		 	1,592.00	1,177.00	352.36	259.09	!		-			
	Code Establishment		1	ogv	1		546,51	393 82	358.06	259.09		1	I		I	
	CNAM for DB Owners, Per Query		 	logv	+	0.001024	240.51	393 82	358.06	259.09			ł			
	CNAM for Non DB Owners, Per Query CNAM for Non DB Owners, Per Query	 	ļ	ogv	-	0.001024			<u> </u>		<u> </u>		ļ			
SELECTIVE R	OITING	 	 	Jour	+	0.001024					 			l	-	
January III	Selective Routing Per Unique Line Class Code Per Request Per		1		 						1		-	-	ļ	
	Switch	1			1		93.55	93,55	12.71	12.71	1	1	I		I	1
VIRTUAL COL		-	+	t-	+	+	93.35	83.33	12./1	12.71	1	 	 	— —	-	+
THE POPE OF	LOCATION		I	1	I				1			J		i	1	

ONRONDE	ED NETWORK ELEMENTS - Florida				-						1 -			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vs
-						<u> </u>	Manro		No se so su suis e	D:			220	Dates (\$)		
-+-		1	-		_	Rec	Nonrec First	Add'i	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	l	-		+		11130	Audi	First	Audi	JOINEC	JUMAN	JUMAN	SOMAN	JOHIAN	JOMAN
	Splitting		Į.	UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0 00	0.00						
PHYSICAL CO	DLLOCATION	İ									i .					Ì
	Physical Collocation-2 Wire Cross Connects (Loop) for Line														İ	1
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58			(
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment		27/11/19	SRC	SRCEC	-	193,444.00		7,737.00							
	End Office Establishment	ļ		SRC	SRCEO		187.36	187.36	0 69	0.69						1
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSC	DUTH AIN SMS ACCESS SERVICE				_											1
	AIN SMS Access Service - Service Establishment, Per State,	1			CANACE		42.50	42.50	44.00	44.00						
	Initial Setup	1		A1N	CAMSE		43.56	43.56	44.93	44.93					-	+
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10 03	10.03						
	AIN SMS Access Service - Port Connection - Dialistrated Access AIN SMS Access Service - Port Connection - ISDN Access	1	1	A1N	CAM1P		8.64	8.64	10.03	10.03						\vdash
	AIN SMS Access Service - Port Conflection - ISBN Access	i -			07 337-11		0.04	0.04	10.03	10.03					—	†
	ID Code			A1N	CAMAU		38 66	38.66	29 88	29.88						
	AIN SMS Access Service - Security Card. Per User tD Code.	İ			1		55.50	55.56	23 30	25.50						
	Initial or Replacement			A1N	CAMRC		75.10	75, 10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	i				0.0028									·	†
	AIN SMS Access Service - Session, Per Minute	İ	i –			0.7809									İ	İ
	AIN SMS Access Service - Company Performed Session. Per	İ													İ	1
	Minute					0.4609										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup	L .		CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per					1										
	DN. Off-Hook Delay	1	_		BAPTD		8.64	8.64	10.03	10.03						-
	AIN Toolkit Service - Trigger Access Charge, Per Trigger. Per	Ì			ВАРТМ		0.04	0.04	40.00	40.00						
	DN, Off-Hook Immediate		-		BAPIM		8.64	8.64	10.03	10.03						1
	AIN Toolkil Service - Trigger Access Charge, Per Trigger. Per DN. 10-Digit PODP		l		BAPTO		38.06	38.06	15.86	15 86						
_	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per			_	DAFIO		36.00	30.00	13.00	13 60						
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		DA 10		55.55	30 00	13.00	15.00						1
	DN. Feature Code				BAPTE		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Query Charge, Per Query					0.0535927					-				0	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	İ							1						i	i e
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AlN Toolkit Service - Special Study - Per AlN Toolkit Service															
	Subscription	1		CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkil Service - Call Event Report - Per AIN Toolkit Service															
	Subscription	1		CAM	BAPDS	4.73	8.64	8.64	6.08	6 08						
	AIN Toolkil Service - Call Event Special Study - Per AIN Toolkit				0.4050	0.0										
	Service Subscription			CAM	BAPES	0.12	9.56	9.56								
	EXTENDED LINK (EELs)			Courted As to Ch	o will a state	du footter	hi-ati	datament + 6	redia o ello Caract	inod' Nature 4	Flomente					
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	INE COME COM	ibinations pro	visioned as 'C	roinarily Comb	omea Network	ciements.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ne non-	recurr	ING Charges below to	will apply for	UNE COMBINATION	ons provisione	as Current	ly Combined N	erwork Fleme	nts.					-
EXIE	First 2-Wire VG Loop (SL2) in Combination - Zone 1	12008		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		10				
_	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.01				-		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	30.87	121.33	00.34	42.79	2.81						

	ED NETWORK ELEMENTS - Florida		_		1						Sup 0-4	Sug O-J	-	ment: 2	Incremental	bit: A Increment
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
7						Rec	Nonreci		Nonrecurring					Rates (\$)		
_	(f. T						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONCIA	TESTON	0.7030										
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00					-	
_	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						-
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (St. 2) III Combination - Zone 2			UNCVX	UEALZ	17,40	127.59	60.54	42.79	2.01						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	1007	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8 98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSP	ORT											
			١.	UNCVX		40.00	107.50	60.54	42.79	2.81						
_	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	-	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81				-		-
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127.59	60.54	42.79	2.81						
	That 4 Wile Amanag Voice Grade Ecop in Combination 1 Edite 2		-	DINOVA	OLAC4	20.04	127.00	00.54	12.73	2.01						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile							-								
	Per Month		-	UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per													3		
	Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62		2.00						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
_	Additional 4-Wire Analog Voice Grade Loop in same DS1			DINCVA	OLAL4	10.09	127.39	00.54	42.75	2.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		17													
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTE	Is Charge NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	TATED	DC4 IN	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE	THE 4WIRE 30 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATEU	USTIN	TEROFFICE TRAF	ISPURI											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	The Company of the Co		Ė	CHODA	ODEGG	22.20	727.00	00.54	42.13	2.0.						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	43.01	17.53						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-								2.70			İ			
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	IMICOV	LIDI 50	55.05	107.50		40.70	2.01						
-	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2 81	-		-	-		-
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1	1			

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	<u>Exhi</u>	bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		٧	RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
		m									per con	percon	Electronic- 1st	Electronic-	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-	 				riist	Auu i	First	Add I	SOMEC	SUWAN	SUMAN	SUMAN	SUMAN	SUWAN
	ls Charge	<u> </u>	<u>L</u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRAI	NSPORT											ļ
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2 81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Fred A West California Destal Conda Langua Continue and Tana 2		١ ,	LINGDY	1101.64	FF 00	407.50	00.54	10.70	0.04						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Per Month		ļ	UNC1X	1L5XX	0.1856										
ļ	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	ì				1	
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	45.01	17.93	-					<u> </u>
-	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		i –	UNCDX	1D1DD	2 10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127.59	60 54	42,79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													-		
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	31,56	127.59	60 54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60 54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		8.98	8 98	8.98	8.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED DS1	INTER				0.50	0 50	0.90	0.30	-					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121 62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	ļ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856					į					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC	55.77	8.98	8.98	8.98	8.98						
EXTE	INDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	L ED DS3	INTER				0.90	0.90	0.98	6.96	!					
	First DS1Loop in Combination - Zone 1	<u> </u>	1	UNC1X	USLXX	70.74	217 75	121.62	51.44	14 45						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14 45						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87								l.		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				į											
ļ	month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23	ļ			ļ	}	
	3/1Channel System in combination per month DS1 COCI in combination per month	-		UNC3X UNC1X	MQ3 UC1D1	211.19 13.76	199.28 10.07	118.64 7.08	40.34 0.00	39.07 0.00						
 	Additional DS1Loop in DS3 Interoffice Transport Combination -			DINCIA	OCIDI	13.70	10.07	7.00	0.00	0.00			i		+	
	Zone 1		1_1_	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ					
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45				ļ		
	Additional DS1 COCI in combination per month		3	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				<u> </u>		
	Nonrecurring Currently Combined Network Elements Switch -As-		1	1	55.51	,,,,,	10.07	7.50	5.50	0.00					†	
	Is Charge		<u> </u>	UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE [2-WireVG Loop in combination - Zone 1]	GRAD	LINTE	UNCVX	PORT UEAL2	12.24	127.59	60.54	42.79	2.81	-		-			
 	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2	-	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	 				 	
	2-WireVG Loop in combination - Zone 3	<u> </u>		UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81				 	 	t

Page 51 of 227 [CCCS Amendment 117 of 308]

INBUNDLE	ED NETWORK ELEMENTS - Florida		,		γ						r=		Attach		Exhi	,
ATEGORY	RATE ELEMENTS	Interi m	Zопе	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			L.			Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interest Transport 2 view VC Deducted DoctMic Doc		ļ		-		First	Add'I	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		1	UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCVX	UNCCC		8.98	8.98	8.98	8.98	.					
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD		ROFFICE TRANSPO	DRT	10.00	407.50		40.70	0.04						
	4-WireVG Loop in combination - Zone 1	L	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81	ļ	-				
	4-WireVG Loop in combination - Zone 2	L	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81	ļ					
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47 62	127.59	60 54	42.79	2.81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091				_						
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
CVTC	Is Charge NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	J		UNCCC		0.90	0.90	0.90	0.30	 	-				-
EXIE		INTER	T	UNC3X	1L5ND	10.92						 				
	DS3 Local Loop in combination - per mile per month			UNCSX	ILSND	10.52						-				
	DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	386 88	249.97	162 05	67.10	26.82	l					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility		1													
	Termination per month	<u> </u>	ļ	UNC3X	U1TF3	1,071.00	314.45	130 88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	Ī		UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFI		1											
	STS-1 Local Lolp in combination - per mile per month	1		UNCSX	1L5ND	10.92										
	STS-1 Local Loop in combination - Facility Termination per															
<u> </u>	month Interoffice Transport - Dedicated - STS-1 combination - per mile	-		UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	per month			UNCSX	1L5XX	3.87										ļ
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-	-	1			·			2.00	0.00						
	Is Charge	.	<u> </u>	UNCSX	UNCCC		8.98	8.98	8.98	8 98		-				-
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN				- 40.00	407.50		42.79	2.81	 					
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60				+				-
	First 2-Wire ISDN Loop in Combination - Zone 2	 	2	UNCNX	U1L2X	27 40	127.59	60.60	42.79	2.81	-					
	First 2-Wire ISDN Loop in Combination - Zone 3	-	3	UNCNX	U1L2X	48.62	127 59	60.60	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.1856										ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility		1		1				1							
	Termination per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	+	 		ļ		+
	1/0 Channel System in combination - per month	ļ	\perp	UNC1X	MQ1	146 77	101 42	71.62			ļ	 -		<u> </u>	 	
	2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	3 66	10.07	7.08	0.00	0.00	 	 			<u> </u>	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINGNIV	LIAL OV	27.40	407.50	60.60	42.79	2.81					1	1
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.01	-					
	Combination - Zone 3	-	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					-	-
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						1
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge	- -		UNC1X	UNCCC		8.98	8.98	8.98	8,98		Ì				
EYTE	Is charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD ST	1 S-1 INT				5.50	3.50	3.50	t	<u> </u>		†			
EATE	First DS1 Loop Combination - Zone 1	T 51	1 1	TUNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		†		1		1
	First DS1 Loop Combination - Zone 1	1	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						1
				I OTTO IV					1			4			+	+

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
- I							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Ádd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1											1
1	Per Month			UNCSX	1L5XX	3.87]							
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1											
1	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23				İ		
	3/1 Channel System in combination per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10 07	7 08	0.00	0.00						
1	Additional DS1Loop in the same STS-1 Interoffice Transport					1.00							-			
Į.	Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport		1										-			
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217 75	121.62	51.44	14,45					1	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
i i	Combination - Zone 3		3	UNC1X	USLXX	178.39	217 75	121.62	51.44	14.45					1	
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10 07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		8.98	8 98	8.98	8.98					ł	
	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	EROFF		1										,	
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22 20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31 56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3	-		UNCDX	UDL56	55.99	127 59	60 54	42.79	2.81						1
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	10000	55.55	12. 00	00 01	12.10	2.01						<u> </u>
	Per Mile per month			UNCDX	1L5XX	0.0091								i		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		_	DITODA	TED/U	0.0001		· · · · · ·	-							
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	01103	10,44	34.70	32.33	30.43	21.00						
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						l
	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	DC INT	EBOEE		UNCCC		0.90	0.90	0.90	0.90						
	4-wire 64 kbps Looal Loop in Combination - Zone 1	FUNI		UNCDX	UDL64	22 20	127 59	60 54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127 59	60 54	42.79	2.81					<u> </u>	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	55 99	127.59	60.54	42.79	2.81				_		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UUL64	55 99	127.59	50.54	42.79	2.61						-
1	Per Mile per month			UNCDX	1L5XX	0.0091					!	ĺ		ļ		
			-	UNCDX	ILSAA	0.0091							-			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	U1TD6	10.44	04.70	50.50	50.40	24.52						1
	Facility Termination per month			UNCDX	01106	18 44	94.70	52.59	50.49	21.53						-
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINGGO		0.00	0.00	000	0.00						
	is Charge		<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98						<u> </u>
	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			t		407.50	00.51	40.70	6.04						
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127 59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	NCAX	UEAL2	30.87	127.59	60.54	42.79	2.81						ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per				I									ŀ		i
	Mile			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -					- 1										İ
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	101.42	71.62								<u> </u>
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.38	10.07	7 08	0.00	0.00						L
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				1											1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						L
	Each Additional 2-Wire VG Loop(SL2) in the same DS1				1											1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						L
1 1	Each Additional 2-Wire VG Loop(SL2) in the same DS1				1 7	1	T								I	
	Interoffice Transport Combination - Zone 3			UNCVX	UEAL2	30.87	127,59	60.54	42.79	2.81						1
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			-												
	Channel System per month	L	L.	UNC1X	1L5XX	0.1856									L	
	Each Additional DS1 Interoffice Channel Facility Termination in					İ								[
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					1	
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				T .		

UNBUN	NOLE	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
		Nonrecurring Currently Combined Network Elements Switch -As-		-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- [Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8 98	1			i		
	EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TE			**	0.30	0.50	0.50	. 6 50						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		1		T				t							i
		Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81				İ		
		First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 3 First Interoffice Transport - Dedicated - DS1_combination - Per		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81					<u> </u>	
		Mile Per Month			UNC1X	1L5XX	0.1856					ì					i
		First Interoffice Transport - Dedicated - DS1 - Facility		 	ONCIA	ILJAA	0.1030				-				<u> </u>		
		Termination Per Month		1	UNC1X	U1TF1	88.44	174 46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per Month		†	UNC1X	MQ1	146.77	101.42	71.62					İ			t
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7 08	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1														-	
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1										l		•	İ	İ	1
		Interoffice Transport Combination - Zone 3	-	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						-
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856	1					Ï				l .
		Each Additional DS1 Interoffice Channel Facility Termination in		+	DIVCIX	ILUAA	0.1030					 					
		same 3/1 Channel System per month	l	1	UNC1X	U1TF1	88.44	174 46	122 46	45.61	17.95				i		1
		Additional Voice Grade COCI - in combination - per month		†	UNCVX	1D1VG	1.38	10 07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-		1													
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
!	EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	DFFICE	TRANSPORT w/ 3	/1 MUX						Ĺ					
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1.											ļ		1
		Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81			ļ			↓
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	LINCOV	UDL56	24.50	407.50	60.54	40.70	2.04	i		Į	i		İ
		Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDESO	31.56	127.59	60.54	42.79	2.81						
		Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				ļ		1
		First Interoffice Transport - Dedicated - DS1 combination - Per		+ -	ONODA	OBESO	00.55	127.00	00.04	72.73	2.01						<u> </u>
		Mile Per Month		1	UNC1X	1L5XX	0.1856					1		ŀ	+		1
		First Interoffice Transport - Dedicated - DS1 - combination														I	
		Facility Termination Per Month	l	1.	UNC1X	U1TF1	88.44	174.46	122.46	45,61	17.95						1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	L		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
		3/1 Channel System in combination per month		1	UNC3X	MQ3	211.19	199 28	118 64	40.34	39.07						<u> </u>
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	-					ļ
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	Į	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				ĺ	!	
		Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	ļ	+'	UNCDX	UDLOB	22.20	127.59	60.54	42.79	2.01						
		Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	Į.					
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		+	ONOBA	OBLOG	01.00	121.00	00.07	12.75	2.01			-			
		Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81					1	
		OCU-DP COCI (data) COCI in combination per month (2.4-		1													
		64kbs)	L	\perp	UNCDX	1D1DD	2 10	10.07	7.08	0.00	0.00						<u> </u>
		Each Additional DS1 Interoffice Channel per mile in same 3/1			· ·												
		Channel System per month	ļ	↓	UNC1X	1L5XX	0.1856								ļ	ļ	
1		Each Additional DS1 Interoffice Channel Facility Termination in	1	1	l								1	l	1		1
		same 3/1 Channel System per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Additional DS1 COCI in the same 3/1 channel system															

Version 3Q03: 11/12/2003 Page 54 of 227

[CCCS Amendment 120 of 308]

UNBUN	IDLE	NETWORK ELEMENTS - Florida										·		Attach			bit: A
ATEGO	PRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Rec	Nonrec		Nonrecurring					Rates (\$)		
				-				First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	unicoc		0.00	0.00	0.00	0.00						
-	VTEN	Is Charge DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	SECICE	UNC1X	UNCCC		8 98	8 98	8.98	8 98						
-	. A I E IV	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	Trice	TRANSFORT W/ 3/1	T						-					
- 1		Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60 54	42 79	2.81		!				
-		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	l '-	ONODA	OBEO	22.20	121.00		42.75	2.01.		· · · · · · · ·				!
1		Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						ļ
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		T													
		Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		First Interoffice Transport - Dedicated - DS1 combination - Per														1	
		Mile Per Month	ļ	<u> </u>	UNC1X	1L5XX	0.1856										
- 1		First Interoffice Transport - Dedicated - DS1 combination -	1	1					100.40	45.04	47.05		Ì				
		Facility Termination Per Month	ļ		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-	-	1	UNC1X	MQ1	146.77	101.42	71.62			-					+
		64kbs)		1	UNCDX	1D1DD	2.10	10.07	7.08	0 00	0.00						1
		3/1 Channel System in combination per month		+-	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	 					
		Per each DS1 COCI in combination per month	 		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		1				
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														T	
- 1		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127.59	60.54	42.79	2.81				<u> </u>		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
1		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55,99	127.59	60.54	42.79	2.81						
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		1		ì											
		combination - per month (2.4-64kbs)	ļ	<u> </u>	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1		1	UNC1X	1L5XX	0.1856]						
		Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	ļ	 	UNGTA	ILSAA	0.1656	-			i	-					
		same 3/1 Channel System per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1					1
		Each Additional DS1 COCI in the same 3/1 channel system	 	†	5110111	10.77			122.10	10,01						1	
		combination per month	İ		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					Ī	
		Nonrecurring Currently Combined Network Elements Switch -As-	-	1		1											
1		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
	EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3.	/1 MUX												444.347931	
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination				!					ļ				İ		
		Transport - Zone 1	-	1	UNCNX	U1L2X	19.28	127 59	60.60	42.79	2.81	ļ				<u> </u>	
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINCALY	U1L2X	27.40	127.59	60.60	42.79	2.81						
		Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	2	UNCNX	UILZX	27.40	127.59	00.00	42.79	2.61	 			 	† ····	1
		Transport - Zone 3		3	UNCNX	U1L2X	48 62	127.59	60.60	42.79	2.81	1			1		
		First Interoffice Transport - Dedicated - DS1 combination - Per	 	-	DIVICIAN	I I I I		121.00	00.00	12.10	2.07	-					†
		Mile per month			UNC1X	1L5XX	0,1856				ļ	1				i	
		First Interoffice Transport - Dedicated - DS1 combination -														·	
		Facility Termination per month			UNC1X	U1TF1	88 44	174.46	122 46	45.61	17.95	1					
		Per each Channel System 1/0 in combination - per month	†		UNC1X	MQ1	146.77	101.42	71.62					_			
											1]				1
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		<u> </u>				<u> </u>
		3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI in combination per month	1	-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		 	 	<u> </u>	-	
İ		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1.	LINCHY	LIAL OV	19.28	127.59	60.60	42.79	2.81			l	1		
		Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	+ 1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81			-	 		+
l		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1			i	Į.	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	+	+-	0.1017	UTEZA	27.40	127.35	00.00	72.73	2.01	t	 			1	†
ļ		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	1		i	1		
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	1	1	1	1			1				1			
- 1		system combination- per month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00			1			

Version 3Q03: 11/12/2003 Page 55 of 227
[CCCS Amendment 121 of 308]

INBUN	DLED	NETWORK ELEMENTS - Florida										·····	r		ment: 2		bit; A
ATEGO	- V	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Sv
ATEGO	**	KAIE ELEMENIS	m	Zone	BUS	USOC			KATES (3)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
							Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1		-				First	Add'I	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.1856										ļ
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8 98					_	
E	XTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														1
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ					ļ
		First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	ļ		ļ	ļ	 	
		First 4-wire DS1 Digital Looal Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217.75	121.62	51.44	14.45	ļ			<u> </u>	L	
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
1		First Interoffice Transport - Dedicated - DS1 combination -					00.44	471.40	400.40	45.04	47.05	1			İ		
		Facility Termination Per Month		-	UNC1X UNC3X	U1TF1 MQ3	88.44 211.19	174.46 199.28	122.46 118.64	45.61 40.34	17.95 39.07		 	ļ			
-+		3/1 Channel System in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			-			+
		Per each DS1 COCI combination per month Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		ļ	UNC1X	1L5XX	0 1856	10.07	7.00	0.00	0.00						
		Each Additional DS1 Interoffice Channel Facility Termination in											1				
+		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1_	88.44	174.46	122.46	45.61	17.95			 			
-		combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	<u> </u>	ļ	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					-	
-		1 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ					<u></u>
		2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	ļ					
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	178 39	217.75	121.62	51.44	14.45						
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	YTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE		UNGOO		0.00	0.00	0.50			i		<u> </u>		1
- +		First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		.	1		1	
+		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	-				i	1
_		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		İ				
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			IMODY	U1TD5	18,44	94.70	52.59	50.49	21.53						
-		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDX		10,44						-			.	
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
E		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO										ļ			ļ	
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1 1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81					ļ	
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42,79	2.81		ļ			 	
\dashv		First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
\dashv		per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		\vdash	UNCDX	1L5XX	0.0091									 	†
-		Termination per month Nonrecuring Currently Combined Network Elements Switch -As-		\vdash	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53			-	-		-
OITIO	NAI N	Is Charge ETWORK ELEMENTS	-		UNCDX	UNCCC		8.98	8.98	8.98	8.98	-			-		
		ised as a part of a currently combined facility, the non-recurr	ng cha	raes d	o not apply, but a	Switch As Is of	harge does and	olv.		t		†	†	1		1	1
		ised as a part of a correctly combined facility, the hon-recurr									1	1		1	_	1	
		urring Currently Combined Network Elements "Switch As Is"					90					1		1		1	1
T,		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	[UNCVX	UNCCC		8.98	8,98	8.98	8.98						

Page 56 of 227

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
			ļ			Rec		curring	Nonrecurrin					Rates (\$)		1
	Nonrecurring Currently Combined Network Elements Switch -As-		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge - 56/64 kbps		1	UNCDX	UNCCC		8.98	8 98	8.98	8.98	ł					
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- ts Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-			l .	1		1				i					l
Ontion	Is Charge - STS1 al Features & Functions:			UNCSX	UNCCC		8.98	8.98	8.98	8 98						
Option	ai reatures & runctions.		-	U1TD1,	-	_		-	-							-
	Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X U1TD1,	CCOEF		OI	OI	01	01						
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	loi	01	oı	1	i	ļ			
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,		1						l			l	
	Activity - per DS1			UNC1X, USL	NRCCC		184.92S	23.828	2.078	0.8S						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09S	7.67S	0.773\$	08						
MULTI	PLEXERS		<u> </u>													
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UNC1X	MQ1	146.77	101.42	71.62		L						
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	ODL	10100	2.10	10.07	7.06	!							
	month (2.4-64kbs) used for connection to a channelized DS1		1		1	l										
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00				į		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per						1									
	month for a Local Loop		ļ	UDN .	UC1CA	3 66	10.07	7 08								<u> </u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation		ļ	U1TUB	UC1CA	3.66	10 07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			OLA	IDIVO	1.30	10.07	7.00								
	same SWC as collocation		1	U1TUC	1D1VG	1 38	10.07	7.08	0.00	0.00	Į.					
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39 07						
	STS-1 to DS1 Channel System per month		1	UNXCS	MQ3	211.19	199 28	118 64	40.34	39.07						
	DS1 COCI used with Loop per month		-	USL.	UC1D1	13 76	10.07	7.08		ļ						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00	1					
	DS1 COCI used with Interoffice Channel per month		 	U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00	 					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				T	15.70	1	1	3.30	<u>\$.50</u>			l			
	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00	L				L	<u></u>
	LOCAL EXCHANGE SWITCHING(PORTS)					L	1									
	nge Ports		<u> </u>			<u> </u>	L	l								
	Although the Port Rate includes all available features in GA, I	(Y, LA	& TN, t	he desired features	will need to I	be ordered usi	ng retail USOC	s	ļ		<u> </u>					
Z-WIRI	VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	1,40	3.74	3.63	1.88	1.80	ł		 	ļ		
	Exchange Forts - 2-Wife Allalog Line Fort- Res.		 	UEFSK	DEFRE	1,40	3.14	3.03	1.00	1.00			-			
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80	i		I	1	1	
	Exchange Ports - 2-Wire VG unbundled Flonda area calling with Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area		†			1	5.74	5.35	1	1.50	 	· · · · · · ·	1			<u> </u>
	Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		Ì	1	l _		
	Exchange Ports - 2-Wire VG unbundled Florida extended															
	dialing port for use with CREX7 and Caller ID		<u> </u>	UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80			L			
	Exchange Ports - 2-Wire VG unbundled Florida extended			l	L								1	1		
	dialing port for use with CREX7, without Caller ID capability		<u>l</u>	UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80	l			L	L	1

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
	5 de 200 de 200 de 10 de		1				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)	1	ŀ	UEPSR	UEPAP	1 40	3.74	3.63	1.88	4.00						
	2-Wire voice unbundled Low Usage Line Port without Caller ID		+	UEFOR	UEFAF	1 40	3.74	3.63	1.00	1.80						
	Capability		1	UEPSR	UEPRT	1.40	3 74	3.63	1 88	1.80	l					
	Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0 00								
FEAT	TURES												*		· ·	
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)	ļ				-			-							
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1 80						
	Exchange Ports - 2-Wire VG unbundled Line Port with		I		1											
	unbundled port with Caller+E484 ID - Bus.		ļ	UEPSB	UEPBC	1 40	3.74	3.63	1.88	1.80						
1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80				i		İ
 	Exhange Ports - 2-Wire VG unbundled incoming only port with		 	UEFOB	UEPBU	1.40	3.74	3.03	1.00	1.60						
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID				-			0.00	7.50	1100						
]	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80					1	ļ
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES		1													
Evo	All Available Vertical Features		1	UEPSB	UEPVF	2 26	0.00	0 00								ļ
EXCE	HANGE PORT RATES (DID & PBX)		-	HEDOE	UEPRD	4.40	39.06	40.40	40.05	0 7407						
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	 	-	UEPSE UEPSP	UEPRO	1.40	39.06	18.18 18.18	12.35 12.35	0.7187 0.7187	-					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		-	UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		+	UEPSP	UEPP1	1.40	39.06	18,18	12.35	0.7187		-			 	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	1.40	39 06	18 18	12.35	0.7187		·				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<u> </u>	UEPSP	UEPXU	1.40	39.06	18.18	12.35	0.7187	ļ			1		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port		ļ	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy									0.7107	1	İ				İ
	Room Calling Port	-		UEPSP	UEPXM	1,40	39.06	18.18	12.35	0.7187	<u> </u>				 	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187				1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		+	UEPSP	UEPXS	1,40	39.06	18 18	12.35	0.7187		 				
	Subsequent Activity		t	UEPSP	USASC	0.00	0.00	0.00	12.55	0.7 7.07		l			l	1
FEAT	TURES	·	1						· · · · · · ·							
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00								
EXC	HANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port	<u> </u>	Ь	l		1.40		3.63	1.88	1.80	l	1				
	: Transmission/usage charges associated with POTS circuit st													D		
	E: Access to B Channel or D Channel Packet capabilities will be D LOCAL EXCHANGE SWITCHING(PORTS)	e avarla	pie onl	y through BFR/New	Business Re	quest Process.	. Kates for the	packet capabi	lities will be de	etermined via (ne Bona Fio	ie Kequest/	New Busines:	s Request Pro	ocess.	
	ANGE PORT RATES		+		+					-						
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	t in this	rate exhibit annly	to the embed	ded base in pla	ice as of 10/2/0	3 until 4/1/04	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a separate ao	reement.	 	<u> </u>
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											T		T	I	
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	ļ														
	capability (E:4/1/2004)	<u> </u>		UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10	ļ			<u> </u>	 	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		-	UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93	ļ					
	All Features Offered	ļ	1	UEPTX, UEPSX	UEPVF	2.26	0.00	0.00		ļ		 _	<u> </u>		 -	
NCT.	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	L	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	i.	l sterminad : = 1	he Bens Sie	lo Poque =4'	l New Business	r Ponuest Pr	1	+
INUIE	E: Access to B Channel or D Channel Packet capabilities will be	avalla	nie onl	y urrough BFK/New	business Re	quest Process	. reates for the	раскет сарабі	nues will be de	eremmed via	ne bona Fit	ie nequest	www.pasmes	o nequest Pit		1

Page 58 of 227 [CCCS Amendment 124 of 308]

MRONDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
			1							-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge
			1	Į.												
TEO.000	DATE EL FACEUTO	Interi	١	BCS	usoc			DATEC (#)			Elec	Manually	Manual Svc	Manual Svc	1	Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1								i '	'	Electronic-	Electronic-	Electronic-	Electronic
			1									,				
			1										1st	Add'I	Disc 1st	Disc Add
T			+				Nonre		Nana	Di			000	D-4 (#)	l	1
			1			Rec			Nonrecurring					Rates (\$)	·	,
			<u> </u>	l	L	1	First	Add'I	First	Add'i		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ble ont	y through BFR/New	Business Re	quest Process	. Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/I	New Busines	s Request Pro	cess.	
EXCH/	ANGE PORT RATES (continued)	1	Τ	i -		ſ	I	i		***************************************	Γ''''	l " '		T	1	
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	<u> </u>	 	T	 	 		-								
1		l		lucacu	Lucacy										ŀ	
	Locator Capability (E:4/1/2004)		-	UEPEX	UEPEX	82.74	174 61	95.17	49.80	18.23				<u> </u>		L
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95 17	49.80	18.23		J			i e	1
1	Physical Collocation - DS1 Cross-Connects	1	1	UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5 93	4.77						
	Virtual collocation - Special Access & UNE, cross-connect per					1										
1	DS1	1		UEPEX UEPDX	CNC1X	7.50	155.00	14.00								l .
		-	ļ	DEPEX DEPDA	CNCIX	7.50	100.00	14.00			L	ļ		<u> </u>		<u> </u>
Detaile	d E911 with Locator Capability (required with UEPEX port)				<u></u>											<u> </u>
1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1														
	Locator Capability - Initial Profile Establishment per CLEC per	1	1		1	1	I	l	1		I	1		1	1	1
- 1	State	I	1	UEPEX	UEP1A	0.00	1,809.00	1	151.12		I			1		
			+	OLI LA	OLF IA	0.00	1,000.00		101.12					 		
- 1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1		1	1	I	l	[I	1		1	1]
1	Locator Capability - Subsequent Profile Changes, Additions,	1	1		1		I				I			1		1
1	Deletions	1		UEPEX	UEP1B	0.00	175.66	i								[
New o	Additional PRI Telephone Numbers		†		T	1										1
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	 	┼──		<u> </u>											
1								ĺ								l
	Locator Capability 2-way Telephone Numbers, per number in	l				1										l
	E911 profile [New or Additional]	l	l	UEPEX	UEP1C	0.0699	0.5412									Į.
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in				1											į.
			1	HEDEA	LUE DAD	0.0000	40.74	40.74				i			1	į.
	E911 profile [New or Additional]		<u> </u>	UEPEX	UEP1D	0.0699	12.71	12 71						J		<u> </u>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			ł.	1	İ	1				!			ļ		ľ
	Telephone Numbers - Inward Data Only Option [New or		Į	i												
	Additional		1	UEPDX	UEP1E	0.00	0.5412								ł	
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1	OLI DX	OLF 12	0.00	0.5112									
			i		1	l	1		1						i	
	Inward Tel Numbers [Customer Testing Purposes]		L	UEPEX	PR7ZT	0.00	25.42	25.42								
LOCAL	NUMBER PORTABILITY	l			ŀ									1		
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTER	FACE (Provsioning Only)		 					· · · · · ·						 		
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00						 		
		_	1											 		-
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New o	r Additional Channel											i				
	New or Additional - Voice/Data "B" Channel	1	1	UEPEX	PR7BV	0.00	15.48							T		
	New or Additional - Digital Data "B" Channel	 	1	UEPEX	PR7BF	0.00	15.48							 		
		\vdash	-								1				ļ	1
	New or Additional Inward Data "B" Channel		<u> </u>	UEPDX	PR7BD	0.00	15.48					L		L		L
	New or Additional Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BS	0.00	L				1	L		L	L	1
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00									I	
	New or Additional PRI "D" Channel	l .	1	UEPEX	PR7EX	0.00	15.48				t			1		Í
CALL	TYPES	 	1-	0L. LA	1	1 0.00	15,46	ļ			 	 		 		
CALL			1			L	.		-			ļ		 		
	Inward	L	L	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00						-	1	1
	Two-way		1	UEPEX	PR7CC	0.00	0.00	0.00								
LINET	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	+	··· -··	+	t	1	5.50			 	t		 	 	t
			1		I	-					⊢	ļ		 		├
UNBUI	NOLED REMOTE CALL FORWARDING SERVICE - RESIDENCE					ļ		L								
	Unbundled Remote Call Forwarding Service, Area Calling, Res	I	1	UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80	1			1	1	1
		T	1		1						•	I		1	I	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	l	1	UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80	l	!		1	1	1
	Unbundled Remote Call Forwarding Service, Local Calling - Res	-	+		UERTE	1.40	3.74	3.63	1.88	1.80	-	1		 	-	
		-	1	UEPVR											-	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		1	UEPVŘ	UERTR	1.40	3.74	3.63	1.88	1.80	 			ļ	 	-
Non-R	ecurring				I	I	l	L	I			1				L
	Unbundled Remote Call Forwarding Service - Conversion -	T			T		1	1								
	Switch-as-is	l	1	UEPVR	USAC2	1	0.102	0.102			I		Ì	1	I	1
			+	OCI VIX	JUNUZ	 	0.102	0.102	 			 	-		l	
	Unbundled Remote Call Forwarding Service - Conversion with	i	1	l	l	1		1						1		
	allowed change (PIC and LPIC)		1	UEPVR	USACC	1	0.102	0.102			L			L		
UNBUI	NDLED REMOTE CALL FORWARDING - Bus					1								1		
			1		T	†			†							1
			1	1		4		1								

INBUNDLED N	NETWORK ELEMENTS - Florida													ment: 2		bit: A
				i									Incremental	1	1	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		1-4	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		m						, ,			per con	per core	Electronic-	Electronic-	Electronic-	Electronic
1													1	1		
													1st	Add'I	Disc 1st	Disc Add'
			+			··· —	Nonrec	urring	Nonrecurring	Disconnect	 		220	Rates (\$)		·
		-	┼			Rec				Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ				First	Add'l	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUWAN
			ł												1	f
	nbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1 80						
Ur	nbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1 80					1	
Ur	nbundled Remote Call Forwarding Service, IntraLATA - Bus		T	UEPVB	UERTR	1,40	3.74	3.63	1.88	1.80						
Ur	nbundled Remote Call Forwarding Service Expanded and															
l l _{Ex}	xception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
Non-Recu			+								t					
	nbundled Remote Call Forwarding Service - Conversion -		 			 									 	
	witch-as-is		1	UEPVB	USAC2		0.102	0.102	l i		1					
			-	UCPVB	USACZ	ļI	0.102	0.102						_		
	nbundled Remote Call Forwarding Service - Conversion with	Ì	1	l	1	1			<u> </u>		1					
	lowed change (PIC and LPIC)		ļ	UEPVB	USACC		0 102	0.102							ļ	
	CAL SWITCHING, PORT USAGE	L	1		_											
	e Switching (Port Usage)		L -													
En	nd Office Switching Function, Per MOU			1		0.0007662	·									
	nd Office Trunk Port - Shared, Per MOU					0.000164					1					
	Switching (Port Usage) (Local or Access Tandem)							-			-					
	andem Switching Function Per MOU			 		0.0001319										<u> </u>
	andem Trunk Port - Shared, Per MOU		+			0.000235					-			_	-	
			1												ļ	
	andem Switching Function Per MOU (Melded)		1			0.000027185									ļ	
	andem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
	elded Factor: 20.61% of the Tandem Rate															
Common	Transport		İ	1			1								}	
Co	ommon Transport - Per Mile, Per MOU					0.0000035										
Co	ommon Transport - Facilities Termination Per MOU		1			0.0004372										
NBUNDLED POF	RT/LOOP COMBINATIONS - COST BASED RATES												-	· · · ·	1	
	ed Rates are applied where BellSouth is required by FCC an	d/or St	ate Co	mmission rule to	ozovide Habur	dled Local Swif	ching or Swite	h Ports								
	shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Data E	vhibit .				·	
	e and Tandem Switching Usage and Common Transport Us											. Dardill acor	Combination		 	
	and additional Port nonrecurring charges apply to Not Curr															
		entry C	T	ea Combos. For C	urrendy Comb	med Combos tr	e nonrecurnn	g charges sna	i be mose iden	itined in the N	onrecurring	- Currently	Combined St	ections.		
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>												ļ	
	/Loop Combination Rates															
	Wire VG Loop/Port Combo - Zone 1		1			10.94									i	l <u> </u>
2-1	Wire VG Loop/Port Combo - Zone 2		2			15.05										
2-1	Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE Loop	p Rates		1						-	**	1					
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 77										
	Wire Voice Grade Loop (SL1) - Zone 2	 		UEPRX	UEPLX	13.88										
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3	_		UEPRX	UEPLX	24.63					ļ				\vdash	
	pice Grade Line Port Rates (Res)		3	UEPKX	UEPLX	24.63										
				Į.											<u> </u>	
2-Wire Voi																
2-Wire Voi	Wire voice unbundled port - residence			UEPRX	UEPRL	1,17	53.31	26.46	27.50	8.37						
2-Wire Voi				UEPRX UEPRX	UEPRL UEPRC	1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-Wire Voi 2-\ 2-\	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
2-Wire Voi 2-\ 2-\	Wire voice unbundled port - residence															
2-Wire Voi 2-\ 2-\ 2-\	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRC UEPRO	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-Wire Voi 2-\ 2-\ 2-\ 2-\	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
2-Wire Voi 2-\ 2-\ 2-\ 2-\ 2-\	Wire voice unbundled port - residence Wire voice unbundled port with Calter ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Calter ID - res Wire voice unbundles res, low usage line port with Calter ID			UEPRX UEPRX UEPRX	UEPRO UEPAF	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2-Wire Voi 2-\ 2-\ 2-\ 2-\ 2-\ (LL	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundles res, low usage line port with Caller ID UM)			UEPRX UEPRX UEPRX UEPRX	UEPRO UEPAF UEPAP	1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (LI	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundles res, low usage line port with Caller ID - UM) Wire voice unbundled Florida extended dialing with Caller ID			UEPRX UEPRX UEPRX	UEPRO UEPAF	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (LU 2-V 2-V 2-V 2-V	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundles res, low usage line port with Caller ID Low Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (LU 2-V Ca	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida average line port with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability			UEPRX UEPRX UEPRX UEPRX	UEPRO UEPAF UEPAP	1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (LU 2-V Ca	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundles res, low usage line port with Caller ID Low Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida average line port with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (L1 2-V Ca 2-V ID	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundles res, low usage line port with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID UM Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller ID Capability Capability			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8	1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (LU 2-V 2-V 1D 1D 2-V 12-V 12-V 12-V 12-V 12-V 12-V 12-V	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida extended the port with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller IO Capability Wire voice unbundled Florida Area Calling Port without Caller ID Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA8	1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V (LU 2-V 2-V 1D 1D Ca	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundles res, low usage line port with Caller ID und Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller Capability Wire voice unbundled Florida Area Calling Port without Caller Capability Wire voice unbundled Florida Area Calling Port without Caller Capability			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8	1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V 2-V (LU 2-V 2-V 1-V 2-V 1-V 2-V 1-V 1-V 1-V 1-V 1-V 1-V 1-V 1-V 1-V 1	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled port outgoing only - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida extended with Caller ID - res Wire voice unbundled Florida extended dialing with Caller ID UM) Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller Capability Wire voice unbundled Low Usage Line Port without Caller ID apability See voice unbundled Low Usage Line Port without Caller ID apability			UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V 2-V (LI 2-V 2-V 2-V Ca 2-V ID Ca FEATURE	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida extended dialing with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller ID Capability Wire voice unbundled Low Usage Line Port without Caller ID apability Florida Area Calling Port without Caller ID apability Florida Florida Area Calling Port without Caller ID apability Florida F			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA8	1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-1 2-1 2-1 2-1 2-1 2-1 2-1 2-1 2-1 2-1	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida extended dialing with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller Capability Wire voice unbundled Low Usage Line Port without Caller ID apability S I Features Offered UMBER PORTABILITY			UEPRX	UEPRC UEPAF UEPAF UEPAI UEPA8 UEPA9 UEPA9 UEPT	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire Voi 2-V 2-V 2-V 2-V 2-V (LU 2-V Ca 2-V ID Ca FEATURE AII LOCAL NI [LOCAL NI [LOCAL NI [LOCAL]	Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida Area Calling with Caller ID - res Wire voice unbundled Florida extended dialing with Caller ID UM) Wire voice unbundled Florida extended dialing with Caller ID Wire voice unbundled Florida extended dialing port without aller ID capability Wire voice unbundled Florida Area Calling Port without Caller ID Capability Wire voice unbundled Low Usage Line Port without Caller ID apability Florida Area Calling Port without Caller ID apability Florida Florida Area Calling Port without Caller ID apability Florida F			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						

Version 3Q03: 11/12/2003 [CCCS Amendment 126 of 308]

UNBUNL	DLE	NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec			g Disconnect	1			Rates (\$)		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		z-wire voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.102	0.102	1		1					
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	UEPRA	USACZ		0.102	0.102						i		
		Switch with change		l	UEPRX	USACC		0.102	0.102			}	!		ł		1
A	DDITI	ONAL NRCs			OLI TOX	00,100		0.102	0.102		<u> </u>	+					
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		 									-				
1		Activity			UEPRX	USAS2	0.00	0.00	0.00	-		1					
		Unbundled Miscellaneous Rate Element, Tag Loop at End User								1		1		· · · · · · · · · · · · · · · · · ·			
		Premise			UEPRX	URETL	1	8.33	0.83		ľ	1					
OF	FF/OI	PREMISES EXTENSION CHANNELS									1						1
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22 83	25.62	6 57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	•	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22 83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82 47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01	1					
IN	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1					
		Termination		1	UEPRX	U1TV2	25.32	47.35	31.78		1			1	ŀ		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						-		· · · · · · · · · · · · · · · · · · ·	1						
i i		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00				l				l
2-1	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)									T	1			-		
U	NE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
Ut	NE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	•	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-1	-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53 31	26 46	27.50	8.37			1.			
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50							
		2-Wire voice unbundled port outgoing only - bus		l	UEPBX	UEPBO	1 17	53,31	26 46	27.50							
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEP81	1.17	53.31	26.46	27.50	8.37				L		1
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37					L .	
LC	OCAL	NUMBER PORTABILITY		L													
		Local Number Portability (1 per port)		L	UEPBX	LNPCX	0.35					_					
FE	EATU											1					ļ
		All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00					ļ			
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		L													
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1				l .	1	1	1	l	1	1		1
		Switch-as-is	L	ļ	UEPBX	USAC2		0.102	0.102	<u> </u>		1					↓
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1							1	I		I		1
		Switch with change	L	<u> </u>	UEPBX	USACC		0 102	0.102	1		_	L	L			
Al	DDIT	ONAL NRCs	ļ	ļ						1	1		ļ			ļ	
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			l				_	1	1	1					
		Activity		ļ	UEPBX	USAS2		0.00	0.00								ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End Uscr	l		l		ļ		l	1	1	1	1	1	1		1
<u> </u>		Premise		_	UEPBX	URETL		8.33	0.83		+	+	ļ <u>.</u>			-	
OI	FF/O	N PREMISES EXTENSION CHANNELS	ļ	L.	L. France	1				ļ	ļ	.		1			+
		2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	1	UEPBX	UEAEN	10.69	49.57	22.83		6.57			ļ		l	+
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15 20	49.57	22.83				-			ļ	+
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83							 	+
		2 Wire Analog Voice Grade Extension Loop – Design	ļ	1	UEPBX	UEAED	12.24	135.75	82.47				ļ	1		ļ	
 		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47		12.01			L		ļ	
oxdot		2 Wire Analog Voice Grade Extension Loop – Design	L	3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01	L	L.—	ļ			1
IN	NTER	OFFICE TRANSPORT								L	1		L		L	l	

Page 61 of 227 [CCCS Amendment 127 of 308]

JUBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		ļ	ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		├				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination		İ	UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
2 18/15	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-	UEPBX	U1TVM_	0.0091	0.00	0.00			ļ					I
	Port/Loop Combination Rates		 													
- 0.1.2	2-Wire VG Loop/Port Combo - Zone 1		1			10.94					.					
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05					-					
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80				_						
UNE	Loop Rates													,		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77						1				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
LOC/	AL NUMBER PORTABILITY				32	****		100100	70.00	12.110						
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			1					
FEAT	URES															
	All Features Offered		1	UEPRG	UEPVF	2.26	0 00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1								ĺ					
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	i			-					Į.			1		
	Conversion - Switch with Change		ļ	UEPRG	USACC		8.45	1.91								
ADDI	TIONAL NRCs		ļ								ļ					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.86	7.86								
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User		-				7.86	7.86								
	Premise		1	UEPRG	UREIL		8.33	0.83			ĺ]		i		l
OFF#	ON PREMISES EXTENSION CHANNELS		1													
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135 75	82 47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63 53	12.01	L					ļ
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						<u> </u>
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54	<u> </u>					
	Non-Wire Direct Serve Channel Voice Grade	1	3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54	ļ					
INTE	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 	ļ							 			<u> </u>		
	Termination			UEPRG	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile		ļ	UEPRG	U1TVM	0.0091	0.00	0.00						ļ		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ		-							 	<u> </u>	ļ			ļ <u>.</u>
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	-	1	 		10.94					-		ļ			
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2	 		15.05					 	··· ·	 	 		<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3	-	3	 		25.80					 	 		 		
UNE	Loop Rates		+			20.00					<u> </u>			1		
1=:1=	2-Wire Voice Grade Loop (St. 1) - Zone 1		1	UEPPX	UEPLX	9.77					 					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	t	2	UEPPX	ÜEPLX	13.88		-			<u> </u>			1		
	2-Wire Voice Grade Loop (SL 1) - Zone 3	!		UEPPX	UEPLX	24.63					1	1			İ	
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1,17	174,81	100.65	75.88	12.73						
1	Line Side Unbundled Combination 2-way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	 	1	UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73		1	 	—	 	
				IUCLIA	TOUR FO		174.01	เบบเบอ	10.00	12./3	t .	1			1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1,17	174.81	100.65	75.88	12.73					1	1

RATE ELEMENTS Interim Zone BCS USOC RATES (\$) Electronic-list Add't Disc	Exhibit: A	Exhi	ment: 2	Attach												JNDLED NETWORK ELEMENTS - Florida
SWAP VAND WINDOWS 7 TO COMPANY FOR COMPANY OF COMPANY	e - Charge - Svc Manual Sv vs. Order vs. nic- Electronic	Charge -	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Submitted Manually	Submitted Elec			RATES (\$)			usoc	BCS	Zone		GORY RATE ELEMENTS
Affire Visco Enteroided 2 May Contention PSV Disper Port 15PPX 1	<u> </u>										Rec					
2-Mar New Districted PRX 101 Farmers Aleke Print 1.04PX 1.	N SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC									<u> </u>	
2-Wire Vec Debunded PRLI DOUD Fermands Port UPPX UPPX UPPX																
2 Were Vace Unbanded PRU D Teamen Studenboard DC UEPPX UEPX 177 174.81 100.65 75.80 12.73			ļ												\vdash	
April Dept. Dept			ļ'											1 1	—-	
Capable Pot 2007 Work Distancial 2 May PBN Heinfragulat Economy UEPPK UEPPK 177 174.01 100.65 75.86 12.75		_	ļ				12.73	75.88	100.65	174.81	1 17	DEPAD	UEPPX			
2-We Visce Disconlined ZWing PRIX Need Respirate Economy New York Control of Control			'				10.72	75.00	100.65	174.81	1 17	HEDYE	HEPPY]]	i !	
Administrator Calling Net UEPPX UEPX		 					12.73	75.66	100.03	174.01	1.17	- OLF AL	OLFFX	1 1		
2-West Variant Unbandfield 2-Wey PREX Hospithosphale Concreey UEPPX UEPXA 1.17 77.48 100.65 75.88 12.75 12.7			'				12 73	75.88	100.65	174.81	1 17	LIEPXI	HEPPX		1 1	
Fitton Calling Post UEPPX			 				12.13	73.00	100.00	174.01		OLI AL		 	-	
Swee Vace Unbunded - Way Outgoing PRX Hoselshould ULPPX UEEX UEPX UEEX UEPX UEEX UEPX UEEX UEX UEEX X UEX UEX UEX UEX		1	1				12 73	75.88	100 65	174.81	1.17	UEPXM	UEPPX	i l	1 1	
Depty Dept	- 		 				12.70	70.00								
Depth Dept	1	1	1				12.73	75.88	100.65	174 81	1.17	UEPXO	UEPPX		1 1	
LOCAL NUMBER PORTABILITY UEPPX		l				·							UEPPX			
PETATURES																LOCAL NUMBER PORTABILITY
NONECRITICAL CARREST (NICS) - CURRENTLY COMBINED CAPITER COMBINED									0.00	0.00	3.15	LNPCP	UEPPX			
NONRECURRING CHARGES (NIKCs) - CURRENTLY COMBINED			7											L	'	
Avier Vace Grade Loop Line Port Combination (PBX) - UEPPX USAC2 8.45 1.01									0.00	0.00	2.26	UEPVF	UEPPX	<u>ا</u>		
Conversion - Switch-As-As			,											ļ ļ	ļ	
2-Wire Voso Grade Loop/ Line Port Combination (PBX) - UEPPX USACC 8.45 191			'									1			i '	
Conversion - Switch with Change UEPPX USACC 8.45 1.91			ļ!						1,91	8.45		USAC2	UEPPX		─ ─'	
ADDITIONAL NRCS	i		'										LICODIA		i '	
Subsequent Activity			ļ!						1.91	8.45		USACC	UEPPX		$\vdash \vdash \vdash$	
Subsequent Activity - Change/Rearrange Multiline Hunt FPX USAS2 0.00		ļ												-	\vdash	
PRX Subsequent Activity - Change/Rearrange Multiline Flunt			'						0.00	0.00	0.00	HEACO	LIEDDY		i '	
Group	-+	 	ļ						0.00	0.00	0.00	USASZ	UCFFX	-	$\vdash \vdash \vdash$	
Unbundled Miscollaneous Rate Element, Tag Loop at End User Premise			,						7.86	7.86					1 '	
Depart D		 	 						7 00	, , ,						
OFFON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPPX PZ.HK 12.24 135.75 82.47 63.53 12.01			'					l i	0.83	8.33		URETL	UEPPX	l i	i '	
Local Channel Voice grade, per termination 1 UEPPX P2JHK 12,24 135,75 82,47 63,53 12,01								l	0.00	0.00		0.12.72			ļ	
Local Channel Voice grade, per fermination 3 UEPPX P2JHK 30.87 135.75 82.47 63.53 12.01							12.01	63.53	82 47	135.75	12.24	P2JHX	UEPPX	1		Local Channel Voice grade, per termination
Non-Wire Direct Serve Channel Voice Grade 1 UEPPX SDDZX 12.92 120.38 43.56 95.00 10.54 Non-Wire Direct Serve Channel Voice Grade 2 UEPPX SDDZX 18.36 120.38 43.56 95.00 10.54 Non-Wire Direct Serve Channel Voice Grade 3 UEPPX SDDZX 32.58 120.38 43.56 95.00 10.54 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility 1 termination 1 termina							12.01	63.53	82.47	135.75	17.40	P2JHX	UEPPX	2		Local Channel Voice grade, per termination
Non-Wire Direct Serve Channel Voice Grade 2 UEPPX SDDZX 18.36 120.38 43.56 95.00 10.54					-		12.01	63.53	82.47	135.75	30.87	P2JHX	UEPPX	3		Local Channel Voice grade, per termination
Non-Wer Derect Serve Channel Vacce Grade 3 UEPPX SDD2X 32.58 120.38 43.56 95.00 10.54							10 54	95 00	43.56	120.38	12.92	SDD2X	UEPPX	1		Non-Wire Direct Serve Channel Voice Grade
INTEROFFICE TRANSPORT			1													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPPX UTIV2 25.32 47.35 31.78		I					10.54	95.00	43 56	120.38	32.58	SDD2X	UEPPX	3	—⁻	
Termination UEPPX U1TV2 25.32 47.35 31.78			<u> </u>									<u> </u>			└ ─'	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile of Fraction Mile UEPPX	1		1					[.=				1	1 '	
OF Fraction Mile	-								31.78	47.35	25.32	U1TV2	UEPPX	\vdash	⊢—'	
2-Wire Voice Grade Loop With 2-Wire Analog Line Coin PORT		1	1 '						0.00	0.00	0.0004	LIATIMA	HEDDY	i l	1 '	
UNE PortLoop Combination Rates		 	 '						0.00	0.00	0.0091	DIIVIN	UEPPA	ļ		
2-Wire VG Coin Port/Loop Combo - Zone 1	+		 												<u></u>	
2-Wire VG Coin Port/Loop Combo - Zone 2 2 15.05 2-Wire VG Coin Port/Loop Combo - Zone 3 3 25.80 3		 	 '					 			10.94			1		
2-Wire VG Coin Port/Loop Combo - Zone 3 3 25.80		 				-		l l				+				
UNE Loop Rates		 	 					 				 			\vdash	
2-Wire Voice Grade Loop (SL1) - Zone 1			t					 			20.00	 		-		
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPCO UEPLX 13.88			1					t			9.77	UEPLX	UEPCO	1	i	
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPCO UEPLX 24.63	\neg			******												2-Wire Voice Grade Loop (SL1) - Zone 2
2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)																2-Wire Voice Grade Loop (SL1) - Zone 3
900/976, 1+DDD (FL)																
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) UEPCO UEPFA 1.17 53.31 26.46 27.50 8.37 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL) UEPCO UEPCG 1.17 53.31 26.46 27.50 8.37												T			1	
(FL)							8.37	27.50	26.46	53.31	1.17	UEP2F	UEPCO		L'	
2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL) UEPCO UEPCG 1.17 53.31 26.46 27.50 8.37														7	i 7	
900/976, 1+DDD, 011+, and Local (FL) UEPCO UEPCG 1.17 53.31 26.46 27.50 8.37							8.37	27.50	26.46	53 31	1,17	UEPFA	UEPCO	\sqcup	⊢—'	
			1									1			('	
t 12-wire Coin Outward with Operator Screening and 011 Blocking		L					8.37	27.50	26.46	53.31	1.17	UEPCG	UEPCO	ļ	<u></u> -	
(AL, FL) UEPCO UEPRK 1.17 53.31 26.46 27.50 8.37			1									lue per	LIEBOO		i '	

INRONDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add'
			L			Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ		_‡		First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:				1									!	l	
	900/976, 1+DDD, 011+ (FL)		ļ	UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)		1	UEPCO	luenoo	1.17	F0.04	00.40								
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		 	UEPCO	UEPCQ UEPCK	1,17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
-	2-Wire Coin Outward Smartline with 900/976 (all states except		 	DEFCO	DEPCK	1,17	33.31	20.46	27.50	6.37				!		
	LA)		j	UEPCO	UEPCR	1,17	53.31	26.46	27.50	8.37						ł
ADDI	IONAL UNE COIN PORT/LOOP (RC)		1	021 00	Jour on 1		33.31	20.40	27.50					 		
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35								1		
NONE	ECURRING CHARGES - CURRENTLY COMBINED		T		1 1											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		ľ													
	Switch-as-is			UEPCO	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
.	Switch with change			UEPCO	USACC		0.102	0.102								
ADDI	IONAL NRCs		ļ													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		-		1											
	Activity		ļ	UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBOO												
2 16/10	Premise E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		ODT (UEPCO	URETL		8.33	0.83								
	e voice Loop/ zwike voice GRADE to TRANSPORT/ 2-Wike	LINE	JOKI (RES)	-	-										
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		 	18.80		-								
-	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32.27										
UNE L	oop Rates		<u> </u>			OL.LI										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24				*						
\neg	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87	-							<u> </u>		
2-Wire	Voice Grade Line Port Rates (Res)		†			İ										
	2-Wire voice unbundled port - residence		1	UEPFR	UËPRL .	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
			1													
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		L	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
1	2-Wire voice unbundles res, low usage line port with Caller ID			Lurace .		!								I		1
INITE	(LUM)		 	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
INTER	OFFICE TRANSPORT	· · · · · · · · · · · · · · · · · · ·	 		1											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			HEDER	Lung	25.22	47.00	24.70								
+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<u> </u>	 	UEPFR	U1TV2	25.32	47.35	31,78						 	ļ	ļ
Ì	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEAT			1	ULFFR	ILDAA	0.0091								ļ		
I CAI	All Features Offered		 	UEPFR	UEPVF	2.26	0 00	0 00						 	-	l
LOCA	L NUMBER PORTABILITY		 	<u> </u>	125. 41	2.20	0.00	0.00						 	 	
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35								 	 	
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		t —		1 5/1	0.00				·				l		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1		-							†		· ····
	Combination - Conversion - Switch-as-is			UEPFR	USAC2	İ	16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1									T		
	Combination - Conversion - Switch-With-Change	L		UEPFR	USACC		16.97	3.73						L	<u> </u>	<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		Ī											1		1
	End User Premise			UEPFR	URETN		11.21	1.10						L		
	E VOICE LOOP! 2WIRE VOICE GRADE 10 TRANSPORT! 2-WIRE	LINE F	PORT (BUS)												
UNE F	ort/Loop Combination Rates													L		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		\bot	18.80										ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27								L		L

NURANDLED NET	WORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Ra		ļ	ļ.,								ļ <u>.</u>					
	Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24					ļ			<u> </u>		
	Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40					1					
	Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
	Grade Line Port (Bus)		-													
	voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
	voice unbundled port with Caller + E484 ID - bus		ļ	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73						
	voice unbundled port outgoing only - bus		ــــــ	UEPFB	UEPBO	1.40	174 81	100.65	75.88	12.73	ļ					
	voice unbundled incoming only port with Caller ID - Bus		ļ	UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
	BER PORTABILITY		<u> </u>								ļ	Ĺ				1
	Number Portability (1 per port)	ļ	 	UEPFB	LNPCX	0.35			ļ		ļ			├ ──		ļ
INTEROFFICE		<u></u>	ļ						l							1
Termin				UEPF8	U1TV2	25.32	47.35	31.78								
	fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1										ł	
	ction Mile			UEPFB	1L5XX	0 0091			L							<u> </u>
FEATURES																
	atures Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NONRECURR	ING CHARGES (NRCs) - CURRENTLY COMBINED										L					
2-Wire	Loop / Dedicated IO Transport / 2 Wire Line Port				1											
Combi	nation - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
2-Wire	Loop / Dedicated IO Transport / 2 Wire Line Port		1													
Combi	nation - Conversion - Switch with change	ŀ	i	UEPFB	USACC		16.97	3.73	1 1							
Unbur	ndled Miscellaneous Rate Element, Tag Designed Loop at															
End U	ser Premise			UEPFB	URETN		11.21	1.10			1					
2-WIRE VOICE	LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
UNE Port/Loo	p Combination Rates		1								1					
2-Wire	VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64					_					1
	VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	VG Loop/IO Tranport/Port Combo - Zone 3	1	3			32 27										
UNE Loop Ra		"	1													
2-Wire	Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
2-Wire	Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17,40										
	Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
	Grade Line Port Rates (BUS - PBX)	· · · · · ·	1											<u> </u>		
		†	1													1
Line S	ide Unbundled Combination 2-Way PBX Trunk Port - Bus :	1	1	UEPFP	UEPPC	1.40	174.81	100 65	75.88	12.73						1
	ide Unbundled Outward PBX Trunk Port - Bus	 	 	UEPFP	UEPPO	1,40	174.81	100.65	75.88	12 73						1
	ide Unbundled Incoming PBX Trunk Port - Bus	 	†	UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73						1
	Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1,40	174.81	100.65	75.88	12.73				 		1
	Voice Unbundled 2-Way Combination PBX Usage Port	ł	 	UEPFP	UEPXA	1,40	174.81	100.65	75.88	12.73		i				
	Voice Unbundled PBX Toll Terminal Hotel Ports	1	+	UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	Voice Unbundled PBX LD DDD Terminals Port		┼	UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						1
	Voice Unbundled PBX LD Terminal Switchboard Port	-		UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73			1	 		1
	Voice Unbundled PBX LD Terminal Switchboard IDD		1	OLI II	OCT AD	1.40	174.01	100.00	70.00	12.10	+			 		
	ele Port	ļ	1	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73			1			1
	Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	ļ	OLFIF	OLFAL	1.40	174.01	100.03	73.00	12.73	 			 		
	istrative Calling Port	i		UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	Voice Unbundled 2-Way PBX Hotel/Hospital Economy		┼	GEFFF	OLFAL	1.40	174.01	100.03	73.00	12.13				 		+
	Calling Port	1	1	UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73	1	1	1		I	
	Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-	1	OCFFF	DEFAM	1.40	174.01	100.00	75.00	12.73	 		 		 	t
	int Room Calling Port			UEPFP	UEPXO	1.40	174,81	100.65	75.88	12.73	1	1	1	1	I	
		ļ				1.40	174.81	100.65	75.88	12.73					.	+
	Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	+-	UEPFP	UEPXS	1.40	1/4.81	100.00	13.00	12.73	-	-				+
	BER PORTABILITY	-	-	UCDED	LNDCD		0.00	0.00	1		+	-		 	 	+
	Number Portability (1 per port)	-	1	UEPFP	LNPCP	3.15	0.00	0.00	 		+	ļ			+	+
	TRANSPORT		 								+	-	ļ			+
	fice Transport - Dedicated - 2 Wire Voice Grade - Facility	I	1	l	l							i	1	1		
1 ITermin	nation	I	1	UEPFP	U1TV2	25.32	47.35	31.78			1	I	1	<u> </u>	I	L

Version 3Q03: 11/12/2003 Page 65 of 227

ONBOND	DLED NETWORK ELEMENTS - Florida														ment: 2		bit: A
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	во	:s	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			T				D	Nonrec	urring	Nonrecurrir	ng Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Pe	r Mile									i i						1
	or Fraction Mile			UEPFP		1L5XX	0.0091					,					1
FE/	EATURES			L													
	All Features Offered			UEPFP		UEPVF	2.26	0.00	0.00		1						
NO	ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED)															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP		USAC2		40.07	0.70								l
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		_	UEPFP		USACZ		16.97	3.73								
	Combination - Conversion - Switch with change			UEPFP		USACC		16.97	3.73	1			1				
	Unbundled Miscellaneous Rate Element, Tag Designed Lo	on at	+	OLFIF		USACC		16.97	3.73								
	End User Premise	op at		UEPFP		URETN		11.21	1.10						ŀ		
UNBUNDLI	LED PORT/LOOP COMBINATIONS - COST BASED RATES		+	0		ORLIN		11.21	1,10								
	WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID T	RUNK PORT	+								1	1					
	NE Port/Loop Combination Rates		1	1												<u> </u>	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone	e 1	1	İ			20.95										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone		2	1			26.11										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone	e 3	3				39.58						1				
UN	NE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12 24										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17.40				<u> </u>	ļ					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.87									<u> </u>	
UN	NE Port Rate			LIEBBY .				241.10				,					ļ
NO	Exchange Ports - 2-Wire DID Port ONRECURRING CHARGES - CURRENTLY COMBINED			UEPPX		UEPD1	8.71	214.16	98.29			ļ					
NU	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combina	ation	-				-			ļ							
	Switch-as-is	auon -		UEPPX		USAC1		7.85	1.87		1		ł				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Convers	ion	+	DLFFX		USACT		7.00	1.07		+	ł				-	
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								1
AD	DDITIONAL NRCs		+		-	-	 	7.00									
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		1	UEPPX		USAS1		32.26	32.26								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Designed Lo	oop at	1							_							
	End User Premise			UEPPX		URETN	Į.	11.21	1.10								
Tel	elephone Number/Trunk Group Establisment Charges								I								
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Gr	onb				i											
	of 20 DID Numbers			UEPPX		NDŻ	0.00	0 00	0.00								
	Additional DID Numbers for each Group of 20 DID Number			UEPPX		ND4	0.00	0.00	0 00								
	DID Numbers, Non- consecutive DID Numbers , Per Numb	er	-	UEPPX		ND5	0.00	0.00	0.00	1		ļ				ļ	
	Reserve Non-Consecutive DID numbers Reserve DID Numbers		1	UEPPX		ND6 NDV	0.00	0.00	0.00	 		ļ			-		
10	CAL NUMBER PORTABILITY		+	UEPPX		אטא	0.00	0.00	0.00		 	-	ļ		 		
100	Local Number Portability (1 per port)		+-	UEPPX		LNPCP	3,15	0.00	0.00	 	 	 			 	ļ	
2.14	WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGIT	TAL LINE SIE	E DOD			LINECE		0.00	0.00		-	 			-		
	NE Port/Loop Combination Rates	AL LINE OIL	T	<u>. </u>		 			-	-	 	 					
0.0	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Po	ort -	+	†			 			-	 						
	UNE Zone 1		1	UEPPB	UEPPR		22.63					i	1		i		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Po	ort -	1	95.70		†					-	-					†
	UNE Zone 2		2	UEPPB	UEPPR		29.05				i	1			l	1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Po	ort -															
	UNE Zone 3		3	UEPPB	UEPPR	L	45.84	<u> </u>		L		<u></u>					
UN	NE Loop Rates												L				
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25										
	L			I												i	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB		USL2X	21.67				1	1					1
,	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46				4	ļ	ļ			ļ	ļ
UN	NE Port Rate		1	Lucaina												-	ļ
i I	Exchange Port - 2-Wire ISDN Line Side Port ONRECURRING CHARGES - CURRENTLY COMBINED	ı	. I	UEPPB	UEPPR	UEPPB	7.38	194.52	145.09	<u> </u>		L	L		L		ļ

	D NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: A
												Submitted	Submitted		Charge -	Incremental Charge -	Charge
EGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Order vs. Electronic-	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Order v Electror Disc Ad
								Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	1	
			_				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion		1	UEPPB	UEPPR	USACB	0.00	25.22	17 00			1					
ADDIT	TONAL NRCs			100.00							i	İ		İ	i		
11.00	Unbundled Miscellaneous Rate Element, Tag Designed Loop at													1	1		
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						t										
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCA	L NUMBER PORTABILITY		_														
	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			 					
B-CH/	ANNEL USER PROFILE ACCESS:		_	02110	OEI I II	12111 071	0.00	0.00	0,00								1
- U G.I.I.	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								\vdash
+	CVS (EWSD)	_	_	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			-					
_	CSD		_	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL, KY, LA, MS SO	CMS 8	TN)	OC. I D	02.111	0.000	0.00	- 0.00	0.00		_						
	TERMINAL PROFILE	C,1413, 6	1111/	_		_								(_
USER	User Terminal Profile (EWSD only)	-	_	UEPPB	LIEPPR	U1UMA	0.00	0.00	0 00			_					
VEDT	ICAL FEATURES	+	-	OLI I D	OLITIK	0101091	0.00	0.00	0 00			 	-	<u> </u>			1
VERT	All Vertical Features - One per Channel B User Profile		_	UEPPB	UEPPR	LIEDVE	2.26	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE	-	-	OLITB	OLITIN	OLI VI	2.20	0.00	0.00								-
INTER	Interoffice Channel mileage each, including first mile and	-	-														
			1	LIEDDD	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	facilities termination	-	-		UEPPR		0.0091	0.00	0.00	10.31	7.03	_					-
4 1000	Interoffice Channel mileage each, additional mile	1.5055	-	UEPPB	UEPPK	MIGIAM	0.0091	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK NE-P DS1 combination rates below for in this rate exhibit apple			44-45		6 40(2/02	-4:1 4/4/04 05	4/4/D4 Ab				1	-1				
														nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk P	ort atte	the effer	ctive date	of this amend	ment shall be	rovided pursu	ant to a sepa	ate agreement	or tariff at Bei	South's di	scretion.				
UNE P	crt/Loop Combination Rates																
		1		1		-								1	_		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		Ι.				452.40							1			
	Zone 1		1	UEPPP			153.48										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		Ť														
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		1 2	UEPPP			153.48 183.28										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			183.28										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		2														
UNE L	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates		2	UEPPP			183.28 261.12										
UNE L	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP UEPPP		USL4P	183.28 261.12 70.74										
UNE L	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates		3	UEPPP UEPPP UEPPP		USL4P	183.28 261.12 70.74 100.54										
UNE L	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP UEPPP			183.28 261.12 70.74										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 coop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	70.74 100.54 178.38										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 coop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP UEPPP UEPPP		USL4P	183.28 261.12 70.74 100.54	488.36	276.65								
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 cop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	70.74 100.54 178.38	488.36	276.65								
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	70.74 100.54 178.38	488.36	276.65								
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	70.74 100.54 178.38	488.36	276.65								
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	183.28 261.12 70.74 100.54 178.38 82.74										
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)		3	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	183.28 261.12 70.74 100.54 178.38 82.74										
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port [E:4/1/2004) Exchange GHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) IGONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achty-		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183.28 261.12 70.74 100.54 178.38 82.74	84.17									
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 7-Ort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) ICONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achy-Inward/Iwo way Tel Nos. (except NC)		3	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	183.28 261.12 70.74 100.54 178.38 82.74										
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2OP Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) FIONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trunk Port - Subsqt Activy- Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183.28 261.12 70.74 100.54 178.38 82.74	84.17 0.5412	61.38								
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) IGNAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achty-Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183.28 261.12 70.74 100.54 178.38 82.74	84.17									
UNE P	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Loop Rates Exchange Ports - 4-Wire ISDN DS1 Port (E-4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E-4/1/2004) 10 Combination - Conversion - Switch-as-is (E-4/1/2004) 11 CONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achty-Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO	183.28 261.12 70.74 100.54 178.38 82.74	84.17 0.5412 12.71	61.38								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) ITONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Activy- Inward/Iww way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers Subsequent Inward Tel Numbers		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	183.28 261.12 70.74 100.54 178.38 82.74	84.17 0.5412	61.38								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) ICONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achty-Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT	183.28 261.12 70.74 100.54 178.38 82.74	84.17 0.5412 12.71	61.38								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 - Oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 - Oort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E-4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E-4/1/2004) TONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achty- Inward/Itwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY [Local Number PortAbility (1 per port)		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO	183.28 261.12 70.74 100.54 178.38 82.74	84.17 0.5412 12.71	61.38								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) FONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Activy- Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) FACE (Provsioning Only)		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN	183.28 261.12 70.74 100.54 178.38 82.74 0.00	84.17 0.5412 12.71 25.42	61.38 12.71 25.42								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) ICONAL NRCS 4-Wire DS1 Loop/4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) FACE (Provsioning Only)		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V	183.28 261.12 70.74 100.54 178.38 82.74 0.00	0.5412 12.71 25.42	61.38 12.71 25.42								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 - Oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 - Oort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E-4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E-4/1/2004) TIONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achty- Inward/Itwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) KFACE (Provsioning Only)		3	UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00	0.5412 12.71 25.42	61.38 12.71 25.42 0.00 0.00								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2Op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) FIONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Activy- Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) FACE (Provisioning Only) Voice/Data Digital Data Inward Data		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V	183.28 261.12 70.74 100.54 178.38 82.74 0.00	0.5412 12.71 25.42	61.38 12.71 25.42								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) ICONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data Inward Data		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00 0.00	0.5412 12.71 25.42 0.00 0.00 0.00	61.38 12.71 25.42 0.00 0.00								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) IONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Achyy-Inward/flwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) RFACE (Provsioning Only) Voice/Data Inward Data Inward Data Inward Data Inward Data New or Additional "B" Channel New or Additional "B" Channel		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71U PR71D PR71E PR7BV	183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00 0.00	0.5412 12.71 25.42 0.00 0.00 0.00	61.38 12.71 25.42 0.00 0.00								
UNE P NONR ADDIT	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2op Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) ICONAL NRCS 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/Iwo way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORT ABILITY Local Number Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data Inward Data		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USACP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00 0.00	0.5412 12.71 25.42 0.00 0.00 0.00	61.38 12.71 25.42 0.00 0.00								

Page 67 of 227

ABONDI	LEC	NETWORK ELEMENTS - Florida			,							·			ment: 2	Exhil	
	- 1											Svc Order	Svc Order	Incremental		Incremental	Incrementa
				1			1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				ł								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
TEGORY	, I	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1		m									percan	per Lak		Electronic-	Electronic-	Electronic-
	1												1	Electronic			
	1													1st	Add'l	Disc 1st	Disc Add'l
			-			+	1	Nonred	unina	Nonrecurring	Dicconnect		1	066	Rates (\$)	L	l
						1	Rec	First	Add'I	First	Add'i	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	\dashv	1		-	UEPPP	PR7C1	0.00	0.00	0.00	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		Inward															
		Outward		ļ	UEPPP	PR7CO	0 00	0 00	0 00			ļ					
		Two-way		L	UEPPP	PR7CC	0.00	0 00	0.00								
Inte		ice Channel Mileage		L		J											
		Fixed Each Including First Mile		1	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
- 1		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856			1		l		l			
4-W	/IRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The	· UNI	E-P DS1 combination rates below for in this rate exhibit apply	y to the	embed	ded base in place a	s of 10/2/03 i	until 4/1/04. Aft	er 4/1/04 these	rates shall rev	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
		ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										1	I Y		<u> </u>		
		ort/Loop Combination Rates		T		T					l						
5.11		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	+	125.69			<u> </u>	· · · · · · · · · · · · · · · · · · ·	†		 	 		l
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC	t	155,49			 	l	 	 	<u> </u>	 		l
			 		UEPDC	+	233.33				ļ	 	ł	 	 		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	DEPDU	ļ	233.33					 					ļ
UNE		op Rates		<u> </u>		1											
		4-Wire DS1 Digital Loop - UNE Zone 1	ļ		UEPDC	USLDC	70.74					ļ					ļ
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54			l	L	1	 			ļ	ļ
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38					1		<u> </u>			
UNE	E Po	ort Rate		Ι													
		4-Wire DDITS Digital Trunk Port (E.4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
NO	NRE	CURRING CHARGES - CURRENTLY COMBINED						·									1
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		t													
	ı	- Switch-as-is (E.4/1/2004)		l	UEPDC	USAC4		95.31	46.71								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEFUC	USAC4	-	55.51	40.71			 			-		
					LIEBBO	110004		05.24	40.74	i		1			l		
		- Conversion with DS1 Changes (E:4/1/2004)		1	UEPDC	USAWA		95.31	46.71			_					
	- 1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	1	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADI		ONAL NRCs		1								1					l
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1							I	1		l		1	ł
ı	- 1	Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		15 69	15.69				Į.	1			1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		<u> </u>		 	1										
		Channel Activation/Chan - 1-Way Outward Trunk	i		UEPDC	UDTTB	1 1	15.69	15.69	i			l				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	02.00	100110	t	70.00	10.00		1	 					
1		Activation/Chan Inward Trunk w/out DID	ŀ		UEPDC	UDTTC		15.69	15.69					ŀ			
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		 	OLFOC	100110		13.05	10.03	 	-	 		 			
					HEDDO	UDTTD		15.60	15.00	i							
_		Activation Per Chan - Inward Trunk with DID			UEPDC	סווסטן		15.69	15.69		ļ	ļ			-		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	į .	i			i i					1		į			
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIP	OLA	AR 8 ZERO SUBSTITUTION	L	L						1	ļ				L		
L_	i	B8ZS -Superframe Format			UEPDC	CCOSF		0.001	655.00s			<u> </u>	l				
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s	i			1				1
Alte	erna	te Mark Inversion	I										1	1			
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00		i						1
		AMI - Extended SuperFrame Format		1	UEPDC	мсоро		0.00	0.00	f		1					
Tale		one Number/Trunk Group Establisment Charges	-	1	+ · · · · · · · · · · · · · · · · · · ·	1	1 -	5.50	3.30	t	t	1	1	1			
1.64		Telephone Number for 2-Way Trunk Group		 	UEPDC	UDTGX	0.00				<u> </u>	<u> </u>	ł				
			-	1	UEPDC	UDTGY	0.00			 	<u> </u>	 	 	<u> </u>		 	
	_	Telephone Number for 1-Way Outward Trunk Group		 			0.00					 	 	1	 	 	
_		Telephone Number for 1-Way Inward Trunk Group Without DID	-	-	UEPDC	UDTGZ	0.00		ļ	-		{		-	 		
	1	DID Numbers, Establish Trunk Group and Provide First Group	1	1	1	1	_	_	l _	1	1	1	1	1			I
		of 20 DID Numbers	1	<u> </u>	UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		_	ļ				L
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00					1	ļ	I		ļ	
		DID Numbers, Non-consecutive DID Numbers, Per Number		L	UEPDC	ND5	0.00					1		L		1	
		Reserve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00		l	1					
		Reserve DID Numbers		1	UEPDC	NDV	0.00	0.00	0.00							1	
Ded		ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	Digita	Loon			1						T	1			
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities]	1	1	1	t			 	· ·	1				i -	
		Termination)	1	1	UEPDC	1LNO1	88.44	105.54	98.47	21,47	19.05				ì		
		TOTTIME BUOTI		+	02.00	TENO I	00.44	100.04	30.47	- 21,47	13.03	+		 	 		t

Version 3Q03: 11/12/2003 Page 68 of 227 [CCCS Amendment 134 of 308]

RATE ELEMENTS Interior m Zone BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USON BCS USOC RATES (\$) RATE SIGNATION BCS USO	BUNDLED NETWORK ELEMENTS - Florida		т											ment: 2		bit: A
Number Chamb	TEGORY RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vs Electroni Disc Add
Internation Channel Mistage - Freed and 9 - 25 miles Fourier 1,100 1,100 1,0			1			Rec										
International Control Minergis - Applicated falling per ring - 19-25 UEPOC	Intereffice Chancel Mileans - Freedom 0.25 miles (Familian						First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Incoming Channel Missage - Additional city or mile - 9-25 OEPDC 11/001 0.1900 0.00			1	LIEBBO	4. 1.00										1	
Interest Control Minesper Food and 25 mates authors Authors			-	UEPUC	ILNO2	0.00	0.00	0.00			ļ					
Nicerobic Charrent Miseage - And from 2 - Far mice Earthice USCPDC 18.002 0.00 0.		1	1	HEDDC	11 NOB	0.1956	0.00	0.00								
Exementation UEPOC ILDO3 0.00		1	 	OLI DO	ILNOB	0.1030	0.00	0.00								
Employ Channel Problems Employ Antifocut and per rate - 25 miles Employ		1	1	UEPDC	1LNO3	0.00	0.00	0.00	0.00							
Local Number Porticity, part Did Actuated UEPPC USPC OTO 0.00			1					1	0.00							
Contact Office Termonation Plant MUPPIC CIG 0.00		s		UEPDC	1LNOC	0.1856	0.00	0.00								
Asymptotic St. Loop MTH LANANELLEA (LOOP WITH LANANELLEA (LOOP WITH LANANELLEA (LOOP) Asymptotic state Loop Asym							0.00	0.00	0.00							-
System is 1051 Loop, 10f Channel Bank, and up to 24 Feature Activations Each System can have up to 24 General Endeavisor Face System Face System Face System Face System Face System Face System		1		UEPDC	CTG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used Into UNEP DS combination crafts below for Affire DS Loop with Channelization with Port in this rate whibit papy to the embedded base in place as of 10/03 until 4/104. After 4/104 these rates shall revert to tariff rate or a separate agreement. Necessity for Affire DS Loop with Channelization with Port in the rate whibit apply to the embedded base in place as of 10/03 until 4/104. After 4/104 these rates shall revert to tariff rates or a separate agreement. Necessity for Affire DS Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or furth at Bell/South's discretion. Affire DS Loop with Channel Capacity (New Zone)			ļ			L										
The UNE P DS1 combination rates below for 44/ms DS1 Loop with Channelization with Port in this rate exhibit apply to the combined base in places as of 102/05 until 41/04. After 41/00 these rates shall revert to teff rates or a separate agreement. The With DS1 Loop with Channelization with Port in this rate exhibit apply to the combined by the Port of				L			ļ									
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or traff at BellSouth & discretion.					L		<u> </u>		L]		l	L	l	<u> </u>		
URE DRI Logs	Personal for 4 Wire DS4 Loan with Channelinetian with Dad office	Channe	ization	with Port in this rat	e exhibit app	bly to the embe	edded base in j	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates :	shall revert	to tariff rates	or a separate	agreement.	
AWYRE DST Loop - UNR Zone 1	UNE DS1 Loop	ne eneci	T dat	e or this amendment	Snaii be pro	videa pursuai	it to a separate	agreement or	tann at BellSol	utn's discreti	on.					
4-Wee DS1 Loop - UNE Zone 3		+	1	LIEPMG	LISLIDG	70.74	0.00	0.00								
MWNE DSI Copp - UNREZ Came 3 UEPWG		+														
UPSIG Channel Capacities (D4 Channel Bank Configurations)		 														
48 USO Channel Capacity - 1 per 2 DS1s		ons)												_		
96 DSO Channel Capacity - Iper 4 DS15	24 DSO Channel Capacity - 1 per DS1	T		UEPMG	VUM24	118.06	0.00	0.00								
144 DS0 Channel Capacity - 1 per 6 DS1s			1	UEPMG	VUM48	236.12	0.00	0.00								
192 DSO Channel Capacty - 1 per 10 DS1s	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00						-		
240 DS0 Channel Capacity - 1 per 10 DS1s																
288 DSO Channel Capacity - 1 per 12 DS1s														ļ		
384 DSO Channet Capacity - 1 per 10 DS1s UEPMG VIJM38 1,888 9:86 0.00 0.00																ļ
480 DS0 Channel Capacity - 1 per 20 DS1s			1													ļ
S76 DS0 Channel Capacity - 1 per 24 DS1s		1	1-								 					-
672 DSO Channel Capacity - 1 per 28 DS1s		+	╂													
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System A Minimum System configuration is One of (1) DS1, One (1) DS1, One (1) DS1, One (1) DS1, One (1) DS1, One (1) DS1, One (1) DS1, One of (1) DS1, One (1) DS1, One of (1) DS1, One (1) DS1, One of (1) DS1, One			+							-			-			
A Minimum System configuration is One (1) DSI, One (1) DA		th Chan	neliztio					0.00			· ·			 		
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. NRC Conversion (Currently Combined) with or without BellSouth Allowed Changes System Additions at End User Locations Where 4-Wire DSI Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's 1 DS ITOP Channel Bank - Additionally Add NRC for each Port and Assoc Fea Additionally Add NRC for each Port and Assoc Fea Additionally Add NRC for each Port and Assoc Fea Additionally Add NRC for each Port Activity Only Bipolar 8 Zero Substitution Clear Channel Capability Format. Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only UEPMG CCOFF 0.00 0.00 655.00s Alternate Mark Inversion (AMI) Superframe Format Extended Superframe Format UEPMG MCOFF 0.00 0.00 0.00 0.00 Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Business (E-4/1/2004) Line Side Combination Channelized PBX Trunk Port - Business (E-4/1/2004) UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 0.00 0.00 UEPPX UEPPX UEPPX 1.40 0.00 0.00 0.00 0.00 0.00 0.00 0.00							T				†				-	
NRC - Conversion (Currently Combined) with or without BelSouth Allowed Changes UEPMG USACA 0.00 96.77 4.24							-			-						
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's		1	T	1	1	[
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's 10 St/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E-4/1/2004) UEPMG VUMD4 0.00 726.11 468.21 145.32 17.24	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96 77	4.24	l i		1					l
1 DS 1/D Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) UEPMG VUMD4 0.00 726.11 468.21 145.32 17.24					nation Curre	ently Exists an	d									
Bipolar 8 Zero Substitution UEPMG VUMD4 0.00 726.11 468.21 145.32 17.24		1 of Top	8 MS	\'s												
Bipolar 8 Zero Substitution			1									ļ				
Clear Channel Capability Format, superframe - Subsequent Activity Only UEPMG CCOSF 0.00 0.00i 655.00s Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only UEPMG CCOEF 0.00 0.00i 655.00s CCOEF 0.00 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 655.00s CCOEF 0.00i 0.00i 0.00i 0.00i CCOEF 0.00i 0.00i CCOEF 0.00i 0.00i CCOEF 0.00i CCO				UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24	ļ					ļ
Activity Only			-		<u> </u>		1				ļ					ļ
Clear Channel Capability Format - Extended Superframe - UEPMG CCOEF 0.00 0.00i 655.00s		ļ		urou o		0.00	0.00	055.00								ì
Subsequent Activity Only		+	1	UEPMG	CCOSF	0.00	0.001	655.00s	-		1		-		-	
Alternate Mark Inversion (AMI)			1	LIEDMC	CCOFF	0.00	0.00.	CEE OOo			1		1		ı	1
Superframe Format			1-	ULFWIG	CCCE	0.00	0.001	055.005			 			 		
Extended Superframe Format			+	LIEPMG	MCOSE	0.00	0.00	0.00	-		 					
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port			 								1					
Exchange Ports		tion with	Port									l	1			
Line Side Combination Channelized PBX Trunk Port - Business UEPPX		T	T		†		1									<u></u>
(E:4/1/2004)	(E.4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00						
(E:4/1/2004) UEPPX UEP1X 1.40 0.00 0.00 0.00 0.00 0.00 0.00 0.00	(E:4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00						ļ
Feature Activations - Unbundled Loop Concentration	(E:4/1/2004)		<u> </u>	UÉPPX	UEPDM	8.71	0.00	0.00	0.00	0.00						

													ment: 2		bit: A
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
				1	Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
					, Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature (Service) Activation for each Line Port Terminated in D4															
Bank	ļ		UEPPX	1PQWM	0 6402	25 40	13.41	3.96	3.93						
Feature (Service) Activation for each Trunk Port Terminated in															
D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95					_	
Telephone Number/ Group Establishment Charges for DID Service															
DID Trunk Termination (1 per Port)		<u> </u>	UEPPX	NDT	0.00	0.00	0.00								
Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
DID Numbers - groups of 20 - Valid all States		L	UEPPX	ND4	0.00	0.00	0.00								
Non-Consecutive DID Numbers - per number		L	UEPPX	ND5	0 00	0.00	0 00								
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0 00								
Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				i				
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertical and Optional															L
Local Switching Features Offered with Line Side Ports Only															
All Features Available			UEPPX	UEPVF	2.26	0.00	0.00		_						
UNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC															
Features shall apply to the Unbundled Port/Loop Combination - C Bend Office and Tandem Switching Usage and Common Transport	ost Base	ed Rat	e section in the sai	ne manner as	they are applie	d to the Stand	Alone Unbun	dled Port section	on of this Rate	Exhibit.					
5. Market Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual C	ase Basis, unt	il further notice	2.									
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	í														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	,				-										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)	,														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	,	1	HEP91		10.94										
Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	,	1	UEP91		10.94										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)	,														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Non-Design			UEP91 UEP91		10.94 15.05										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP91	44-1-1980-1-1	15.05										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 1		2													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design)		2	UEP91		15.05										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design		2	UEP91 UEP91		15.05 25.80										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		2	UEP91		15.05										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		3	UEP91 UEP91 UEP91		15.05 25.80 13.41										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		2	UEP91 UEP91		15.05 25.80										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		2 3 1 2	UEP91 UEP91 UEP91 UEP91		15.05 25.80 13.41 18.57										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		2 3 1 2	UEP91 UEP91 UEP91		15.05 25.80 13.41										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91	HECC1	15.05 25.80 13.41 18.57 32.04										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57 32.04										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (St. 1) - Zone 1 2-Wire Voice Grade Loop (St. 1) - Zone 2		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	15.05 25.80 13.41 18.57 32.04 9.77 13.88										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (St. 1) - Zone 1 2-Wire Voice Grade Loop (St. 1) - Zone 3 2-Wire Voice Grade Loop (St. 2) - Zone 1 2-Wire Voice Grade Loop (St. 2) - Zone 2 2-Wire Voice Grade Loop (St. 2) - Zone 2 2-Wire Voice Grade Loop (St. 2) - Zone 3 UNE Ports		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	5334	76.46	27.60	9.27						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 1-Wire Voice Grade Loop (SL 2) - Zone 3 1-Wire Voice Grade Loop (SL 2) - Zone 3 1-Wire Voice Grade Loop (SL 2) - Zone 3 1-Wire Voice Grade Loop (SL 2) - Zone 3 1-Wire Voice Grade Loop (SL 2) - Zone 3 1-Wire Voice Grade Loop (SL 3) - Zone 3 1-Wire Voice Grade Loop (SL 3) - Zone 3 1-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3 2-Wire Voice Grade Loop (SL 3) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	53.31	26.46	27.50	8.37						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3 3-Wire Voice Grade Loop (SL 3) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46 26.46	27.50	8.37 8.37						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (St. 1) - Zone 1 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 2) - Zone 3 2-Wire Voice Grade Loop (St. 2) - Zone 1 2-Wire Voice Grade Loop (St. 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECPYA	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (St. 1) - Zone 1 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 2) - Zone 3 2-Wire Voice Grade Loop (St. 2) - Zone 3 2-Wire Voice Grade Loop (St. 2) - Zone 3 2-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 4-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 4-Wire Voice Grade Loop (St. 2) - Zone 3 2-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Loop (St. 2) - Zone 3 3-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 3-Wire Voice Grade Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECPYA	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller (D)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller (D)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex form diff Serving Wire Center) 2-Wire Voice Grade Port (Centrex form diff Serving Wire Center)		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYB UEPYH	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31 139.49	26.46 26.46 86.10	27.50 27.50 65.41	8.37 8.37 13.81						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller (D)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller (D)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller (D)Note1 Service		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB	15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						

INBU	NULE	NETWORK ELEMENTS - Florida			r- · · · · · · · · · · · · · · · · · · ·										ment: 2		bit: A
TEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec First		Nonrecurring		SOMEC	SOMAN		Rates (\$)		
		2-Wire Voice Grade Port Terminated on 800 Service Term -				1 1		FIFSt	Add'I	First	Add'i	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		Basic Local Area			UEP91	UEPY2	1,17	53 31	26.46	27.50	8 37						
	Georgi	a and Florida Only		-		102		20 01	20.10	21,00		-					t
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26 46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
_		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26 46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term		<u> </u>	UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26 46	27.50	8.37	1			ļ		
-	 	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	 			 	1	1
	Local S	Switching		1	04.0.	02.112	.,,,,			27.00	0.07				 		
		Centrex Intercom Funtionality, per port		t	UEP91	URECS	0.7384								-		
	Local N	Number Portability												1			
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35								l		
	Feature																
		All Standard Features Offered, per port		1	UEP91	UEPVF	2.26										
_		All Select Features Offered, per port		1	UEP91	UEPVS	0.00	370.70									
- 1		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26								L		
	NARS																
_		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial		-	UEP91	UAR1X	0.00	0 00	0.00	0.00	0.00					-	
		Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations Trunk Side		-		-										 	· · · · · · · · · · · · · · · · · · ·
		Trunk Side Terminations, each		 	UEP91	CENA6	8.73					-			 	 	
-		fice Channel Mileage - 2-Wire		1	UCFSI	CENAO	6.73					_					
		Interoffice Channel Facilities Termination - Voice Grade		 	UEP91	M1GBC	25.32					1					ļ
		Interoffice Channel mileage, per mile or fraction of mile		 	UEP91	M1GBM	0.0091					_			<u> </u>		<u> </u>
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1	=====	1									1	,	
		nnel Bank Feature Activations				i i											
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
_	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	1					T				Ī			
		Stot		<u></u>	UEP91	1PQW7	0.66										ļ
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		T						1							
_		Different Wire Center		-	UEP91	1PQWP	0.66			-			1				ļ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66			ļ		ļ					ļ
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1	UEP91	1PQWQ	0.66			I		1					
_		Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	-	1	UEP91	1PQWQ	0.66			 		 			 		
-	Non P	ecurring Charges (NRC) Associated with UNE-P Centrex	1	+	OCF91	IFQVVA	0.00							 			
	14011-14	Conversion - Currently Combined Switch-As-Is with allowed Ichanges, per port		<u> </u>	UEP91	USAC2		21.50	8.42								
	-	Conversion of Existing Centrex Common Block	<u> </u>	+	UEP91	USACN		5.17	8.32	 		1		 	 	 	†
-		New Centrex Standard Common Block	· · ·	+	UEP91	MIACS	0.00	618.82	0.32	t							
	—	New Centrex Customized Common Block		1	UEP91	M1ACC	0.00	618.82		†							
-		Secondary Block, per Block	l	t	UEP91	M2CC1	0.00	71.31		<u> </u>			1			1	
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48				T					
	UNE-P	CENTREX - 5ESS (Valid in All States)				1						1					
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1										ļ	
	UNE P	ort/Loop Combination Rates (Non-Design)		L											ļ	ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	1		T									1		1
		Non-Design	1	1	UEP95	1 1	10.94			L	L	L		L	<u> </u>	<u> </u>	L

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
				ļ			, neo	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			L VE DOE		45.05					•					
•		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		15.05										
		Non-Design		3	UEP95	i	25.80										
	UNE P	ort/Loop Combination Rates (Design)		1	OLI 33		25.00			 							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	· · · · · · · · · · · · · · · · · · ·					1							
		Design	ŀ	1	UEP95		13.41					i			l		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1								1		-	-		
		Design		2	UEP95		18.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							-			† .					
		Design		3	UEP95		32.04									l	
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88										
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP95	UECS1	24.63			1							
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24					ļ			<u> </u>		
	 	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP95	UECS2	17.40								<u> </u>		
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87			ļ							
	All Sta	ort Rate		 											!		
	All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP95	UEPYA	1,17	53.31	20.40	27.50	0.07					-	
	├	2-Wire Voice Grade Port (Centrex) Basic Local Alea 2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP95	UEPYB	1.17	53.31	26.46 26.46	27.50 27.50	8.37 8.37	1		-			
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEFTB	1.17	55.51	26.46	27.50	0.37						
	l	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	ļ	2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	+	OLI 33	OLI III	1.17	. 33.31	20.40	27.50	0.37						
	ĺ	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	-		102.00	- OZ		100.10	30.70	00.11	10.01						
		Service Term - Basic Local Area		1	UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			 												
		- Basic Local Area	1	1	UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term -														T	
		Basic Local Area		1	UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
		, LA, MS, SC, & TN Only		L													
	FL & C	A Only	i	1													
		2-Wire Voice Grade Port (Centrex)		└	UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37					ļ	
		2-Wire Voice Grade Port (Centrex 800 termination)		ļ	UEP95	UEPHB	1,17	53.31	26.46	27.50	8.37	ļ				<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP95	UEPHH	1 17	53.31	26.46	27 50	8.37				ļ	-	ļ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	ļ	1	LIEDOE	LIEDUNA	4.47	420.40	00.40	65.44	40.04	ł					
		Center)2,3	-	1	UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81					-	-
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3		1	UEP95	UEPHZ	1 17	139.49	86.10	65.41	13.81						
		Term 2,3		+	OEF93	UEPRZ	. 117	139.49	60.10	05.41	13.01	 			1		
	i	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37		Ĭ				
		2-Wire Voice Grade Port Terminated in 800 Service Term		_	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37	-			 	 	
	Local	Switching		+	10L1 30	- JOE7 112		30.01	20.40	27.50	0.07	-	l				
		Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.7384			<u> </u>		 			 		
	Local	Number Portability		 	T	-10						<u> </u>					
		Local Number Portability (1 per port)	1		UEP95	LNPCC	0.35			1					†		
	Featur					1											
		All Standard Features Offered, per port		Ľ	UEP95	UEPVF	2.26					<u> </u>					
		All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70						L			
		All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
	NARS			1													
		Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	ļ				Ļ	ļ
		Unbundled Network Access Register - Indial		_	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ			L		ļ
		Unbundled Network Access Register - Outdial		 	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	ļ			ļ		
		laneous Terminations	—	-	<u> </u>					ļ	ļ	<u> </u>					
	· z-vvire	Trunk Side	ŀ	j.	UEP95	1	1			1	1	I	I	1	1	1	

Version 3Q03: 11/12/2003 Page 72 of 227

NABONDEE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)							71001		, , , ,	0020	COMAN	COMPAN	COMPAN	COMAN	COMPAN
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69							_		
Interni	fice Channel Mileage - 2-Wire			02.00		0.00	10.00				1			_		
IIICIOI	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32					1					
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations			_												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66					i i				1	
	Total of Indianal College Coll										_	_				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1. 2	0.00					1					
	Slot			UEP95	1PQW7	0.66										
_	Feature Activation on D-4 Channel Bank Centrex Loop Stot -	_		021 00		0.00	-									
	Different Wire Center			UEP95	1PQWP	0.66	- 1									1
	Since of this denter				11 9711	0.00			-							
	Feature Activation on D-4 Channel Bank Private Line Loop Stot			UEP95	1POWV	0.66										
	Feature Activation on D-4 Channel Bank Tijie Line/Trunk Loop			OL1 33	11 0000	0.00							_			
	Slot			UEP95	1PQWQ	0.66										
_	Feature Activation on D-4 Channel Bank WATS Loop Stot		-	UEP95	1PQWA	0.66										
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex	-		ULF 93	IFQWA	0.00							-	-		_
NON-K	NRC Conversion Currently Combined Switch-As-Is with allowed								_							
				UEP95	USAC2	0.00	24 50	0.40								
_	changes, per port Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	21.50 5.17	8.42 8.32								
_	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.32								
_	New Centrex Standard Common Block New Centrex Customized Common Block			UEP95	M1ACC	0.00										
_				UEP95	URECA	0.00	618.82				-					
4 4 4 4 4	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Additio	onal Non-Recurring Charges (NRC)				_											
	Unbundled Miscellaneous Rate Element. Tag Loop at End Use Premise			UE P 95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ.									8	e e			
UNE P	ort/Loop Combination Rates (Non-Design)														a	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
_	Non-Design		1	UEP9D		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														Y -	
	Non-Design		3	UEP9D		25.80										
UNE P	ort/Loop Combination Rates (Design)		-									3				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		13.41					i l					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		32.04										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	9.77			y							
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30 87										
UNE P	ort Rate				,											
ALL S																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1,17				STEEL STEEL						

UNDUNDEL	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			 			Rec	Nonre			Disconnect				Rates (\$)		T
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYB	1.17	53.31	26 46	27.50	8.37					1	İ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						ŀ
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local						9010	20.10	27.00	0.01						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	Area			UEP9D	UEPYF	1.17	53 31	26 46	27.50	8 37	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI SE	02, 11	1.17	3331	20 40	27.50	6.37						
	Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEBOD	UEDVCT											
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1 17	53.31	26.46	27.50	8.37						ļ
	Area			UEP9D	UEPYU	1, 17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	Area		i	UEP9D	UEPY3	1.17	53.31	26 46	27.50	8.37		i				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local						00.01	20 40	27.30	0.57						
	Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1,17	50.04	20.40	07.50	0.07						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4		-	OCFBD	DEPTW	1.17	53.31	26.46	27.50	8.37						
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	1.17	53.31	26 46	27.50	8.37						
	Basic Local Area			UEP9D	UEPYO	1,17	53.31	26.46	27.50	8.37		į				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4						00.01	20.10	27.00	0.07						
	Basic Local Area			UEP9D	UEPYP	1,17	53.31	26.46	27,50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1 17	139.49	86.10	65,41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLI SD	OLFIG		139.49	00.10	65,41	13.61						
	Basic Local Area			UEP9D	UEPYR	1,17	139 49	86.10	65.41	13.81						
•	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area															
_ _	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		-	UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	Basic Local Area			UEP9D	UEPY4	1, 17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		ļ	UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			52,700	102110	1.17	100.40	00.10	03.41	13.61						
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	4.47	400.40	20.40	05.44							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP9D	UEPTZ	1.17	139.49	86.10	65.41	13.81						-
	Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						l
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
FI & C	Local Area GA Only			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1,17	53.31	26.46	27.50	8.37					****	——
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53 31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37	-					
1	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1, 17	53.31	26.46	27.50	8.37		i	-			

IDUNDE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			L			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		<u> </u>	UEP9D	UEPHG	1.17	53 31	26 46	27.50	8.37						İ.,
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1,17	53.31	26.46	27.50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53 31	26 46	27.50	8.37		f				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1,17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37					_	
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1,17	53.31	26.46	27.50	8.37						-
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		 	0	02.711		- 00.01	20.40	27.50	0.37						
	Indication)4		1	UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						l
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	<u> </u>	+	UEP9D	UEPHJ	1.17	53.31	26.46								
	2-Wire Voice Grade Port (Centrex/ivsg Wtg Earnp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		├	DEF9D	UEPHJ	1.17	33.31	26.46	27.50	8.37						
	2.3			LIEDOD	LIEDINA		400.40	00.40	05.44	٠	i					
	[2,0]		<u> </u>	UEP9D	UEPHM	1.17	139.49	86 10	65.41	13.81						
	2 Wire Voice Crade Bed (Control 1995 - CNO 1500 BOSTICS)		ı	LIEDOD	LIEBUG.		,					1				l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	ļ	-	UEP9D	UEPHO	1.17	139,49	86.10	65.41	13 81						
			ŀ									ì				ŀ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		1	UEP9D	UEPHP	1,17	139.49	86.10	65.41	13.81						
			1		i											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
- 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1,17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1,17	139.49	86.10	65.41	13 81	i					
	(50,000,000,000,000,000,000,000,000,000,		 	OL, UD	- 0.01110	1.72	100.10	00.10	00.41	13 61						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1,17	139.49	00.40	05.44	42.04						
-	2-Wife Voice Grade Fort (Certifexioner SWC/EBS-MS006)2,3,4		-	OEF9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
1	2 Was New Conda Bart (Contact High CINC /EDG MESORIA A			LIEBOD	LIEBUE											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		-	UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
			1		i l						ļ					İ
<u> </u>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		L	UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81	1					
			l													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1,17	139.49	86.10	65.41	13.81	1					1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		Ī													
	Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
			†							10.01				-		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		l	UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
_	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP9D	UEPH2	1.17	53.31	26.46	27.50	8,37				_		-
Local	Switching	-		021 00	- OLI IIZ	1.11	33.31	20.40	27.50	0,37						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0,7384								<u> </u>		
Local	Number Portability		 	UEF9D	UKECS	0.7364										
Lucai			-	LIEDOD	Lungo	2.05										
	Local Number Portability (1 per port)		<u> </u>	UEP9D	LNPCC	0.35										
Featu			ļ													
	All Standard Features Offered, per port		ļ	UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					l i				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00				_		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Naneous Terminations		 	02.00	O' II TOX	0.00	0.00	0.00	0.00	0.00	<u> </u>					
	Trunk Side		 		_											
	Trunk Side Terminations, each		 	UEP9D	CEND6	8.73						<u> </u>				-
4.Wire	Digital (1.544 Megabits)		 	OCI 3D	- CENDO	0.73				<u> </u>	ļ				-	ļ
	DS1 Circuit Terminations, each		 	UEP9D	MALUDA	54.95								-		l
			-		M1HD1		15.00									
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0 00	15 69				ļ					ļ
Intero	ffice Channel Mileage - 2-Wire										l					
	Interoffice Channel Facilities Termination		L	UEP9D	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile		L	UEP9D	M1GBM	0,0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 Ch	annel Bank Feature Activations		T													l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 66	t				l					

NRUNDLE	D NETWORK ELEMENTS - Florida										_			ment: 2	Exhi	
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremen Charge
		l									Elec	Manually	Manual Svc			
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR					
	TOTAL ELEMENTS	m	20.10		""						per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
			_				Nonrec	urrina	Nonrecurring	Disconnect			088	Rates (\$)	J	
			_		_	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			_					71047	7 11 01	71001	0020	COMPAR	COMAN	COMAN	COMPAN	COMAIN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop											_				
	Slot			UEP9D	1PQW7	0.66										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.66										1
			1				/									
100	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										1
100	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop															
490	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-R	tecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
	New Centrex Customized Common Black			UEP9D	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83						_		
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.21	1.10				10				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	5														(
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					45.05										(
_	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP9E	_	15.05					-					
			١ ,	LIEDOE		25.00						l i				(
LINE D	Non-Design Port/Loop Combination Rates (Design)		3	UEP9E		25.80										
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	-		_											_
	Design	9	1	UEP9E		13.41										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEPSE		13.41					_					
			2	UEP 9E		18.57										
_	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF SE		10.57		_					_			
	Design		3	UEP9E		32.04					1					
LINE	oop Rate		1	OLF 3L		32.04					-					
ONL L	2-Wire Voice Grade Loop (SL 1) - Zone 1	_	1	UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	13.88					+					
_	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	24.63]										
_	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS2	12.24					1					
_	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	17.40							_	_		
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	30.87										
LINE P	ort Rate		<u> </u>	02.02	02002	00.01										
	, KY, LA, MS, & TN only															$\overline{}$
1.12(1.1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local							20.70	250	3.51			_			
	Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local								200	3.01						
	Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							20.70	250	5.51			_			
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81						/
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				1			22.10	-5	: 3101						
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
11	- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37						1

14BONDED	NETWORK ELEMENTS - Florida				 -						S O	San Oad		ment: 2		bit: A Incrementa
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
			ļ			Rec	Nonred First	urring Add'i	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -						rust	Addi	11131	Auui	JOHILL	JOHIAN	JOWAN	JOHIAN	JOINAN	JOMENI
	Basic Local Area			UEP9E	UEPY2	1,17	53.31	26.46	27.50	8.37						
Florida																
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		├	UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37					-	
	Center)2,3			UEP9E	UEPHM	1,17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				J	!	[1							
	Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81	-					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1,17	53 31	26.46	27.50	8 37						
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37	1					
	witching															
	Centrex Intercom Funtionality, per port	ļ	1	UEP9E	URECS	0.7384				ļ	-			 		
	umber Portability	L		HEDOE	LAUDCO					1	-	1			-	
	Local Number Portability (1 per port)		ļ	UEP9E	LNPCC	0.35				-		.	ļ		 	
Feature	All Standard Features Offered, per port		+	UEP9E	UEPVF	2.26						1	1		1	
	All Select Features Offered, per port	-	+	UEP9E	UEPVS	0.00	370.70				-	 			·	
	All Centrex Control Features Offered, per port		+	UEP9E	UEPVC	2.26	370.70				 	1				
NARS	All Certifex Control Features Cherea, per port		 	OLI SL	OLI VO	2.20			1		<u> </u>					
	Unbundled Network Access Register - Combination		t -	UÉP9E	UARCX	0.00	0.00	0.00	0.00	0.00		T				
	Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		1				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscella	aneous Terminations										1					
	Trunk Side													l		<u> </u>
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										
	Digital (1.544 Megabits)		<u> </u>								ļ				ļ	
	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	54.95				ļ	ļ				ļ	
	DS0 Channel Activated Per Channel		1	UEP9E	M1HDO	0.00	15.69			-		ļ			 	-
	ice Channel Mileage - 2-Wire	-		UEP9E	M1GBC	25.32					ł					
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile		┼	UEP9E	M1GBM	0.0091			 			 	 			
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	-	+-	OLI SL	IWIGOW	0.0051			1	-		 				
	nnel Bank Feature Activations	i	 	1	1					 		1				
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66					T					
	· · · · · · · · · · · · · · · · · · ·											İ				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9E	1PQW6	0.66					1					<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66									•	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		_									T				
-	Different Wire Center			UEP9E	1PQWP	0.66				-		 				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66								L		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop													1		
	Slot			UEP9E	1PQWQ	0.66							ļ			
	Feature Activation on D-4 Channel Bank WATS Loop Slot	i		UEP9E	1PQWA	0.66					1	-		ļ		
	curring Charges (NRC) Associated with UNE-P Centrex								<u> </u>				 	 	-	
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port	I	1	UEP9E	USAC2		21.50	8.42							l	
	Conversion of Existing Centrex Common Block, each	 	+	UEP9E	USACZ		5.17	8.32	l		 	 	1		t · · · · · · · · · · · · · · · · · · ·	
	New Centrex Standard Common Block	-	+	UEP9E	MIACS	0.00	618.82	0.02	†	† · · · · ·	····		 	1	†	
	New Centrex Customized Common Block	1	†	UEP9E	M1ACC	0.00	618.82		1	†	· · · · · · · · · · · · · · · · · · ·	†	1	1	†	l
	NAR Establishment Charge, Per Occasion	 	+	UEP9E	URECA	0 00	66.48			1	†	1			1	
Additio	nal Non-Recurring Charges (NRC)	t	—							1						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1						1		1	ı			1	1
	Premise			UEP9E	URETL		8.33	0.83	1			1	1	1		<u></u>

Page 77 of 227 [CCCS Amendment 143 of 308]

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ļ					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
l		Interi			İ						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		L
					1	, Ket	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.21	1.10					1			i
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															.
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port		1							-				
	- Requires Specific Customer Premises Equipment	Ĺ														
	Rates displaying an "R" in Interim column are interim and sub	iect to	rate fru	e-up as set forth in	General Ten	ns and Conditi	ione				 		<u> </u>			

HOOHDEL	D NETWORK ELEMENTS - Georgia		,	,		 							<u> </u>	ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
															DISC 1St	DISC Add
			ļ			Rec	Nonred			g Disconnect				Rates (\$)		
			ļ			1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		L.,	L	l,	l	<u> </u>		L	I		l	<u></u>				
	one" shown in the sections for stand-alone loops or loops as				ographically	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zoni	Designation	ons by Cent	tral Office, refe	er to internet '	Website:	
	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m		· · · · · · · · · · · · · · · · · · ·	r			· · · · · · · · · · · · · · · · · · ·			,		,	,
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		l	<u> </u>	L.,,	1			l		L	l				
NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	nc" USS charges as	ordered by t	the State Comm	issions. The	OSS charges c	urrently contain	ned in this rat	e exhibit are	the BellSo	outh "regional	" service orde	ring charges.	. CLEC m
elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	rarges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	LEC can not ol	otain a mixture	of the two	regardless i	if CLEC has a	interconnecti	on contract e	stablishe
	the 9 states.															
NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate li	sted in this	category. Pleas	se refer to Bell:	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	Illy. For those	e elemen
that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rat	e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual ordering	g charge,
SOMAI	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
	OSS - Electronic Service Order Charge, Per Local Service												Γ			
	Request (LSR) - UNE Only		i		SOMEC		3.50	0.00	3.50	0.00				ŀ		
	OSS - Manual Service Order Charge, Per Local Service Request										İ	1				
	(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00	1					
IE SERVICE	DATE ADVANCEMENT CHARGE															
NOTE:	The Expedite charge will be maintained commensurate with	BellŞou	th's FC	C No.1 Tariff, Section	n 5 as appli	icable.	*** *					1	†			
			T	· · · · · · · · · · · · · · · · · · ·									 	_		
			l	UAL, UEANL, UCL,							ļ			i		i
				UEF, UDC, UDF,							1		1	1		
				UEQ, UDL, UENTW,							1	!				
				UDN, UEA, UHL.		i i					1			1		1
		ĺ								i						i
				ULC, USL, U1T12,							i			1		
				U1T48, U1TD1,												
			!	U1TD3, U1TDX,		l i						l		i		l
				U1TO3, U1TS1,		ŀ							Ì			l
				U1TVX, UC1BC,								Į.				ŀ
			i	UC1BL, UC1CC,												1
				UC1CL, UC1DC,								i				
				UC1DL, UC1EC,									1			1
				UC1EL, UC1FC.									1			ļ
			i	UC1FL, UC1GC.								i				i
				UC1GL, UC1HC,		1							}			l
ł				UC1HL, UDL12,									1			
ı												Į.	1			
				UDL48, UDLO3,								ļ				ĺ
				UDLSX, UE3,								i				
1				ULD12, ULD48,									1			
1				ULDD1, ULDD3,									1			
l			-	ULDDX, ULDO3,]			ŀ
1			İ	ULD\$1, ULDVX,												ŀ
1			1	UNC1X, UNC3X,							Į.			ļ		
]	UNCDX, UNCNX,							1		i			
				UNCSX, UNCVX,		ì				1			1			
Į.			1	UNLD1, UNLD3,		1						1				
l l			1	UXTD1, UXTD3,		1				i			i			
ļ			1	UXTS1, U1TUC,						1	l		ļ			
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,			1			ŀ						l
1	Day			U1TUA	SDASP		200.00					ŀ	ļ			
BLINDI ED E	XCHANGE ACCESS LOOP		1	01100	JUNUF	1	200.00				-	ļ	1			-
	ANALOG VOICE GRADE LOOP		-	 		 					ļ		ļ			
Z-AAIKE			1	LIFANII	115 41 3	40	40.00	0.00		1	<u> </u>		<u> </u>			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9 99	5.61	1.72		ļ				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72	ļ		↓			-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72			ļ	L		<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72	L		L	1		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40 02	9.99	5.61	1 72						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		i													
	Premise		I	UEANL	URETL		8.33	0.83	I		l	i	1			l
	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1		25.12	25.12	l		t		1			· · · · · · · · · · · · · · · · · · ·
	Loop Testing - Basic Additional Half Hour		i –	UEANL	URETA		13.62	13.62			1	<u> </u>	1			

INDONDE	ED NETWORK ELEMENTS - Georgia				.,									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	·	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				1 ''1											00.117.117
	(UVL-SL1)			UEANL	UREWO		15.75	8.92			1					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		1											 		
	providing make-up (Engineering Information - E.I.)	1		UEANL	UEANM	i	7.30	7.30						l		
	Manual Order Coordiantion for UVL-SL1s (per loop)	†	1	UEANL	UEAMC		18.92	18.92								
	Order Coordination for Specified Conversion Time for UVL-SL1	-	 		-1025 4110	****	10.52	10.02,								-
ĺ	(per LSR)		l	UEANL	OCOSL		57.79							1		
2-10/1	IRE UNBUNDLED COPPER LOOP - NON-DESIGNED		-	DEAINE	OCOSE		37.79									ļ
2-111	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	LIEONY .		44.00									
		├ ──			UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44 69	22.40	0 00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3	 	3	UEQ	UEQ2X	20 22	44 69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			I .		I					I					
	Premise	L	ļ	UEQ	URETL		8 33	0.83						L	<u> </u>	L
	Manual Order Coordination 2 Wire Unbundled Copper Loop -				1	1		-		-	1					
	Non-Designed (per loop)			UEQ	USBMC		18.92	18.92			l	I			Ì	ľ
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	1												1 -		
1	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30							ļ	l
	Loop Testing - Basic 1st Half Hour		1	UEQ	ÜRET1		25.12	25.12								t :
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62			 					f
	CLEC to CLEC Conversion Charge Without Outside Dispatch	 			1		10.02	10.02					-			
	(UCL-ND)	1		UEQ	UREWO		14.25	7.42								
IBUNDI F	D EXCHANGE ACCESS LOOP	 -	 	OEG .	OI ILIVO		14.20	7.42								
	IRE ANALOG VOICE GRADE LOOP	-		 	1											ļ
		44'1-	1101	20												ļ
UNE	Loop Rates for Line Splitting (In Ga. PSC ordered the line spli												l			ļ
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1			UEPSR UEPSB	UEALS	9.56	10.05	7 36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	<u> </u>	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1 28	l		L			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEABS]	14.86	10.05	7 36	1.37	1.28			1			
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEALS	31.66	10 05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28				I		
BUNDLE	D EXCHANGE ACCESS LOOP		Ī													
2-WI	IRE ANALOG VOICE GRADE LOOP										T					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1 1											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87			}		l	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 	1												†-
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24 65	18.92	7.87			i	1	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-		10-211		10.33	10.03	24 00	10.32	1.07		 	 		 	
1			2	UEA	LIEN 2	22.00	70.05	24.05	40.00	7.07			i .			
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA	UEAL2 OCOSL	33.08	79 85 57.79	24,65	18.92	7.87		ļ	 		ļ	
		-		UEA	OCOSL	-	57.79									ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .		I I						i .	l			i	1
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					- 1								ļ	1	i
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse]				
- 1	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87	i			1		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.72	36.36								1
	Loop Tagging - Service Level 2 (SL2)		İ	UEA	URETL		11.19	1.10								
4-WI	IRE ANALOG VOICE GRADE LOOP			T										 		†
	4-Wire Analog Voice Grade Loop - Zone 1	<u> </u>	1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12	 		 			
-	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12	 		1	——	·	ļ
	4-Wire Analog Voice Grade Loop - Zone 3	-	3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12	 	 			-	
_	Order Coordination for Specified Conversion Time (per LSR)	-				30.23		20.17	19.52	6.12	ļ	-		+	-	
	CLEC to CLEC Conversion Charge without outside dispatch	-	 	UEA	OCOSL		57.79	00.00						 	l	
2 140				UEA	UREWO		87.72	36.36						L		
Z-WI	IRE ISDN DIGITAL GRADE LOOP		 		-1							ļ <u> </u>				
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						1
	2-Wire ISDN Digital Grade Loop - Zone 2	L	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				1		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
	Order Coordination For Specified Conversion Time (per LSR)		T	UDN	OCOSL.		57.79	-			1	1			1	

	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Incrementa Charge -
													1st	Add'l	Disc 1st	Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								1
2-W	WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM	PATIBLE	E LOOF)					1					i		1
	2 Wire Unbundled ADSL Loop including manual service inquiry		Τ									-				1
	& facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00		1				
	2 Wire Unbundled ADSL Loop including manual service inquiry		1													
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00				L	L	
	2 Wire Unbundled ADSL Loop including manual service inquiry	١		[1				l		i					
	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0 00					I	1.
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8	 	-	UAL	OCOSL		57.79									
	facility reservation - Zone 1	1 .	1	UAL	UAL2W	44.00	44.00		!					ì		
-+-	2 Wire Unbundled ADSL Loop without manual service inquiry 8	+-'-	 	UAL	UALZW	11.23	44.69	31.55	0.00	0.00						
- 1	facility reservator - Zone 2	1	2	UAL	UAL2W	12 97	44.69	31.55	0.00	0.00	i					
	2 Wire Unbundled ADSL Loop without manual service inquiry 8	+	-	UAL	UALZW	12.91	44.09	31.33	0.00	0.00				<u> </u>		
1	facility reservation - Zone 3	1	3	UAL	UAL2W	20 62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	-	<u> </u>	UAL	OCOSL	20 02	57.79	31.33	0.00	0.00				 		
	CLEC to CLEC Conversion Charge without outside dispatch		 	UAL	UREWO		44.69	29.29								+
2-W	WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE	LOOP	57 NZ	JUNEAU P			20.20				·		ļ ——··		+
	2 Wire Unbundled HDSL Loop including manual service inquiry		T .										-			+
	& facility reservation - Zone 1	1	1	UHL	UHL2X	7.88	44 69	31 55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry			-		1.00		0.00		0.00						+
1	& facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00		ļ				
	2 Wire Unbundled HDSL Loop including manual service inquiry								0.00							
	& facility reservation - Zone 3	1	3	luhl	UHL2X	14,48	44.69	31.55	0.00	0.00						+
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL		57.79	0.1.00				-		1		+
	2 Wire Unbundled HDSL Loop without manual service inquiry		1		1											1
	and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00	}					
	2 Wire Unbundled HDSL Loop without manual service inquiry		1											} '		†
	and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00		ŀ				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00	i	1				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									1
	CLEC to CLEC Conversion Charge without outside dispatch	1	<u> </u>	UHL	UREWO		44.69	31 55				I .				I
4-W	WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP		LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry	1		1												
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31 55	0.00	0.00						<u> </u>
	4-Wire Unbundled HDSL Loop including manual service inquiry	'														
	and facility reservation - Zone 2	+-	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry	١.		l												
	and facility reservation - Zone 3	+ '-	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00				ļ. ——		
-	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry	1	-	UHL	OCOSL		57.79					ļ				
	and facility reservation - Zone 1	1 .	1	UHL	UHL4W	40.00	44.00	24.55	0.00	0.00		l				
	4-Wire Unbundled HDSL Loop without manual service inquiry	+ '	+-	UHL	UHL4VV	10.39	44.69	31.55	0.00	0.00				ļ		
	and facility reservation - Zone 2	1 .	2	UHL	UHL4W	12 00	44.69	24.55	0.00	0.00	ļ	ł				
	4-Wire Unbundled HDSL Loop without manual service inquiry	+!		UHL	UHL4VV	12 00	44.69	31.55	0.00	0.00						4
	and facility reservation - Zone 3	1 .	3	UHL	UHL4W	10.07	44.00	24.55	0.00	0.00		1				1
	Order Coordination for Specified Conversion Time (per LSR)	+-'-	+ -	UHL	OCOSL OCOSL	19.07	44.69 57.79	31.55	0.00	0.00				<u> </u>		+
	CLEC to CLEC Conversion Charge without outside dispatch	+;	1	UHL	UREWO		44.69	31.55				 		 	 	+
4-W	WIRE DS1 DIGITAL LOOP	+ '-	1	UIL	UNLANO		44.09	31.33	 					_	 	+
	4-Wire DS1 Digital Loop - Zone 1	+	1	USL	USLXX	41 02	211 93	72.49	38.24	7.20		1			 	+
	4-Wire DS1 Digital Loop - Zone 2	1	2	USL	USLXX	46.41	211.93	72.49	38.24	7.20				 	 	+
	4-Wire DS1 Digital Loop - Zone 3	+	3	USL	USLXX	62.03	211.93	72.49	38.24	7.20				 	1	†
	Order Coordination for Specified Conversion Time (per LSR)	 	†- <u>-</u> -	USL	OCOSL.	02.03	57.79	12.45	30.24	1.20				 	 	+
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	USL	UREWO		100.91	42.97				 				+
4-W	WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	+	1	330	101,000		100.51	72.31						 	<u> </u>	
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						1
	4 Wire Unbundled Digital 19.2 Kbps	+-	2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20						1
	14 Write Oriburialed Digital 19.2 KDDS															

NBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	1nteri m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		curring	Nonrecurring					Rates (\$)		
		_					First	Add'l 37.00	First	Add'I		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-	2	UDL	UDL56 UDL56	21.86 28.36	196.66 196.66	37.00	18.82	7.20 7.20						_
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		3	UDL UDL	UDL56	38.22	196.66	37.00	18.82	7.20		1		1/		-
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		- 3	UDL	OCOSL	30.22	57.79	37.00	10.02	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	38.22	196.66	37.00	18.82	7.20				CI C		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	DCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0 00	0.00						
	2-Wire Unbundled Copper Loop-Designed including manual	Ι.				40.00										
_	service inquiry & facility reservation - Zone 2	 '	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00		1				
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	L	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00						
-1	2-Wire Unbundled Copper Loop-Designed without manual	_		002	OOLING		10.52	10.52				1				-
	service inquiry and facility reservation - Zone 1	Li	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00		}				
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual							+3								
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92				100	F4 11-10			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
4 141101	(UCL-Des)			UCL	UREWO		44.69	31.55								-
4-VVIRE	COPPER LOOP	-										1				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31 55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry		<u> </u>	UCL	OCL43	10.03	44.03	3133	0.00	0.00						
	and facility reservation - Zone 2	l i	2	UCI.	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry				1002.0	70.22			0.00	0.00						<u> </u>
	and facility reservation - Zone 3	1 1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	4-Wire Copper Loop-Designed without manual service inquiry												-			
	and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00	-	1				
	4-Wire Copper Loop-Designed without manual service inquiry	١	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
_	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4W UCLMC	30.55	18.92	18.92	0.00	0.00						
_	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55								-
OP MODIFI		<u> </u>		002	OKEWO		41.00	31.33								
1				UAL, UHL, UCL,												
				UEQ, ULS. UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL. UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA. UEANL, UEPSR.												1
	per Unbundled Loop Modification Removal of Bridged Tap Removal,			UEPSB	ULMBT		17.91									
B-LOOPS	per onsulated coop			OEF OD	OCIVID I		11.31									
	pop Distribution											1				—
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
1	Up			UEANL	USBSA		255.76									

NRONDER	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring			1 222		Rates (\$)		r
		ļ	 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB	l [7 29]					i	1	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			OLAIVE	OODOD		1 23				!					ļ
	Facility Set-Up		1	UEANL	USBSC		175 09				Į	·				ļ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	· · · · · · · · · · · · · · · · · · ·														
	Set-Up			UEANL	USBSD		51.61					1				
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRC	3 61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation				Lionon	7.03										
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ļ		UEANL	USBRD	7.67	31 07	4.79	2.27	0.01	ļ					
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01	1			1		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		├ ं	OLANE	OODIVZ	0.52	20.40	3.03	2.20	0.01	 					-
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01	i			i		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01	L					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		ĺ													
	Zone 1		1	UEANL	USBN4	5 93	31 07	4.79	2.27	0.01	<u> </u>					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2			UEANL	LICENIA	0.74	04.07	4.70	0.07							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0 01	ļ	ļ				
- 1	Zone 3		3	UEANL	USBN4	18 85	31.07	4.79	2 27	0.01		i				
	Zone o		-	OLANE	USBIN I	10 05	31,07	4.75	2.21	0.01						-
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	•	18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3 85	2.20	0.01	 			-		
											†					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		İ	UEANL	USBMC		18.92	18.92				l i			ł	
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
							1									1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		18.92	18.92			ļ					ļ
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	ļ	ļ	UEANL UEANL	URET1 URETA		25.12	25.12			ļ					-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.94	13.62 28.46	13.62 3.85	2.20	0.01	<u> </u>	·			-	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	li-		UEF	UCS2X	7.51	28.46	3.85	2.20	0.01		 				1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	9 22	28.46	3.85	2.20	0.01						
			†				20110	0.00	2.120	0.0.	1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18 92	18.92				·				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS4X	6 32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	١	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01	ļ					
1	Order Canada along for Habitan diad C. h. Lancon and h. L.	Ì	1	ucc			40.00	48.00				ŀ				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		-	UEF UEF	USBMC URET1		18.92	18.92								
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour		 	UEF	URETA		25.12 13.62	25.12 13.62			<u> </u>	ļ				
Unbu	ndled Network Terminating Wire (UNTW)	-	 	OLI	OKLIA		. 13.02	13.02			 					
1	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								1
Netwo	rk Interface Device (NID)							, LILO								
	Network Interface Device (NID) - 1-2 lines	_		UENTW	UND12		32.86	20.69			1			1		<u> </u>
	Network Interface Device (NID) - 1-6 lines	ı		UENTW	UND16		56.03	43.86								
	Network Interface Device Cross Connect - 2 W	- 1	<u> </u>	UENTW	UNDC2		2.45	2.45								
NE OTHER	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
NE OTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		-	UENTW	LINDOV	0.00	0.00						L			
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		 	UENTW	UNDBX UENCE	0.00	0.00				 	ļ				
	5 Sissacio Establishment, i rovisioning Only - No Rate		 	UEANL, UEF, UEQ, U	OLNCE	0.00	0.00			· · · ·	-	-			-	
1	Unbundled Contract Name, Provisioning Only - No Rate	l	1	ENTW	UNECN	0.00	0.00				1	1		1	1	
NE OTHER	PROVISIONING ONLY - NO RATE		1			5.50	0.00				 		-	ļ	 	

	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurrin g					Rates (\$)		
	1 12 2		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
un -	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC.UDL, UDN,UEA.UHL,ULC	LINIECNI	0.00	0.00									
_	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEAUAL,ULC	DIAECIA	0.00	0.00	_								
	rate			UEA.UDN.UCL.UDC	USBEO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1	00 100 1100 2100 20	OOD! Q	0.00	0.00									
	rate			UEA.USL,UCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate	-		USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rale			USL	CCOEF	0.00	0 00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					40.07										
	month	_		UE3	1L5ND	10.97									-	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			063	OLSI X	250.50	1,733.23	131.30	112.51	73.00	_					
	month			UDLSX	1L5ND	10.97										
	High Capacity Unbundled Local Loop - STS -1 - Facility															
	Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
DOP MAKE	-UP					-										
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	Loop Makeup - Preordering With Reservation, per spare facility				_											
	queried (Manual).		-	UMK	UMKLP		19.85	19.85								
	Loop Makeup With or Wilhout Reservation, per working or			UMK	UMKMO		0.82	0.82						į.		
INE CHADIN	spare facility quened (Mechanized)			UMK	UNIKINO		0.02	0.02							_	
	1: The Line Sharing monthly recurring rates for all installation	s com	oleted t	rom October 02, 200	3 through m	idnight October	01 2004 shall	he hilled as f	ollows.							
INOTE						dingin October	01, 2004 311411	be office as i	3110 W 3.							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	on go													
NOTE	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	- Louighou (COLIND	ľ											
NOTE NOTE		pper lo	op nor	accignos (coens												
NOTE NOTE NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT															
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT 1: Above will apply to USOCS: ULSDT and ULSCT 1: The Line Sharing monthly recurring rates with USOCS ULS					ed and inservice	on or before	October 1, 200)3							
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT E2: The Line Sharing monthly recurring rates with USOCs ULS SHARING					ed and inservice	on or before	October 1, 200	3							
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 55% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT IE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED			C applies only to ci	cuits install			-								
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			C applies only to cir	cuits installe	131.00	0.00	0.00	0.00	0.00						
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT 1E 2: The Line Sharing monthly recurring rates with USOCs ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			C applies only to cir ULS ULS	ULSDA ULSDB	131.00	0.00	0.00	0.00	0.00						
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT FE 2: The Line Sharing monthly recurring rates with USOCS ULSSHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity			C applies only to cir	cuits installe	131.00	0.00	0.00	0.00							
NOTE NOTE NOTE NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System. 8 Line Capacity Line Sharing-OLEC Owned Splitter in CO-CFA activaton-			C applies only to cir ULS ULS ULS	ULSDA ULSDB ULSDB	131.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00						
NOTE NOTE NOTE NOTE '-NOTE LINE SPLIT	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 2: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCs ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			C applies only to cir ULS ULS	ULSDA ULSDB	131.00	0.00	0.00	0.00	0.00						
NOTE NOTE NOTE NOTE Thore	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System. 8 Line Capacity Line Sharing-OLEC Owned Splitter in CO-CFA activaton-			C applies only to cir ULS ULS ULS	ULSDA ULSDB ULSDB	131.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00						
NOTE NOTE NOTE NOTE Thore	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT FE 2: The Line Sharing monthly recurring rates with USOCS ULSTHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING			C applies only to cir ULS ULS ULS	ULSDA ULSDB ULSDB	131.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00						
NOTE NOTE NOTE NOTE Thore	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT FE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing-DIEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB	131.00 32.00 11.00	0.00 0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00	0.00 0.00 0.00 51.20	0.00 0.00 0.00						
NOTE NOTE NOTE NOTE 'NOTE 'NOTE LINE SPLIT	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Der System 8 Line Capacity Line Sharing Splitter, Der System 8 Line Capacity Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	131.00 32.00 11.00	0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 51.20	0.00 0.00 0.00 4.20						
NOTE NOTE NOTE NOTE 'NOTE 'NOTE LINE SPLIT	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 8 Line Capacity Line Sharing-DIEC Owned Splitter no CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E: 10/2/2003)			ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB	131.00 32.00 11.00	0.00 0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00	0.00 0.00 0.00 51.20	0.00 0.00 0.00						
NOTE NOTE NOTE NOTE SOTE STATE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT FE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing-DIEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E: 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	131.00 32.00 11.00	0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 51.20	0.00 0.00 0.00 4.20						
NOTE NOTE NOTE NOTE SOTE STATE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Der System 8 Line Capacity Line Sharing - DEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB ULSDG	131.00 32.00 11.00 0.61	0.00 0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00 0.00 7.70	0.00 0.00 0.00 51.20 7.00	0.00 0.00 0.00 4.20						
NOTE NOTE NOTE NOTE Thore	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter - OBSOLETE see "NOTE 2 Line Sharing - Per Line Activation (BST Owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	131.00 32.00 11.00	0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 51.20	0.00 0.00 0.00 4.20						
NOTE NOTE NOTE NOTE 'NOTE 'NOTE LINE SPLIT	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSD1 and ULSCT IE 2: The Line Sharing monthly recurring rates with USOCS ULSTHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing - DeEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Sharie Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB ULSDG	131.00 32.00 11.00 0.61	0.00 0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00 0.00 7.70	0.00 0.00 0.00 51.20 7.00	0.00 0.00 0.00 4.20						
NOTE NOTE NOTE NOTE NOTE STORE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter - OBSOLETE see "NOTE 2 Line Sharing - Per Line Activation (BST Owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB ULSDG	131.00 32.00 11.00 0.61	0.00 0.00 0.00 0.00 66.34	0.00 0.00 0.00 0.00 0.00 7.70	0.00 0.00 0.00 51.20 7.00	0.00 0.00 0.00 4.20						
NOTE NOTE NOTE NOTE SOTE STATE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSD1 and ULSCT IE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDC ULSDC ULSDT	131.00 32.00 11.00 0.61 2.76	0.00 0.00 0.00 0.00 66.34 10.51 10.51	0.00 0.00 0.00 0.00 7.70 7.70	0.00 0.00 0.00 0.00 51.20 7.00 7.00	0.00 0.00 0.00 4.20 4.20 4.20						
NOTE NOTE NOTE NOTE NOTE STORE	E1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing - DEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB ULSDG	131.00 32.00 11.00 0.61 2.76	0.00 0.00 0.00 0.00 66.34 10.51	0.00 0.00 0.00 0.00 0.00 7.70	0.00 0.00 0.00 51.20 7.00 7.00	0.00 0.00 0.00 4.20 4.20						
NOTE NOTE NOTE NOTE NOTE STORE	1: 10/02/2004 – 10/01/2005: 55% of the rate for UCLND 1: 10/02/2005 – 10/01/2005: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT IE 2: The Line Sharing monthly recurring rates with USOCS ULSSHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing-DIEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETS see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E: 10/2/2003) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(IBST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDB ULSDB ULSDC ULSDC ULSDT ULSDT ULSDT	131.00 32.00 11.00 0.61 2.76	0.00 0.00 0.00 0.00 66.34 10.51 10.51 10.51	0.00 0.00 0.00 0.00 0.00 7.70 7.70 7.70	7.00 7.00 16.94	0.00 0.00 0.00 4.20 4.20 4.20 4.20						
NOTE NOTE NOTE NOTE 'NOTE 'NOTE LINE SPLIT	E1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT TE 2: The Line Sharing monthly recurring rates with USOCS ULS SHARING TTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing - DEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDC ULSDC ULSDT	131.00 32.00 11.00 0.61 2.76	0.00 0.00 0.00 0.00 66.34 10.51 10.51	0.00 0.00 0.00 0.00 7.70 7.70	0.00 0.00 0.00 0.00 51.20 7.00 7.00	0.00 0.00 0.00 4.20 4.20 4.20						

UNBU	NDLE	D NETWORK ELEMENTS - Georgia									_			Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	ļ .						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned		<u> </u>		1		THIST	Addi	71130	Addi	JOINEO	OOMAN	JOHAN	JOMAN	JOHAN	JOMAN
- 1	1	splitter - Central Office Located (25% of UCLND) - please see				1				1							İ
		NOTE 1 (E:10/2/2003)		ļ	ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see		1													
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned		<u> </u>	1020	- OLOGI	3.31	17.02	5.30	0.33	4.30					 	
1		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
		PLITTING															
	END US	SER ORDERING-CENTRAL OFFICE BASED		ļ													
		Line Splitting - per line activation DLEC owned splitter	ļ	ļ	UEPSR UEPSB	UREOS	0.61	22.40									
		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB UEPSR UEPSB	UREBV	0.6297 0.6288	20.10 20.10	12.40 12.40	7.68 7.68	4.30 4.30	1					ļ
	MAINT	ENANCE			OLF SK OLF 3B	OKEBY	0.0200	20.10	12.40	7.00	4,30					-	<u> </u>
		No Trouble Found - per 1/2 hour increments - Basic				1 1		80.00	55.00						-	ļ	
		No Trouble Found - per 1/2 hour increments - Overtime				1		120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110,00								
UNBUN		DEDICATED TRANSPORT															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT								L							
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	j		U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 		UIIVA	ILDAX	0.0057								ļ		
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		<u> </u>	0.1147		12.01	70.10	10.10	10.00	0.00						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.					"										
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1			l				!							
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0057										ļ
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile	 		01147	01114	10.70	40.40	15.40	10.30	5.00			-			
		per month	1		U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility									-				-		i
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile					ĺ										
		per month			U1TDX	1L5XX	0.0057			ļ. .							
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination]		U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	101100	7.03	46.40	19.40	10.36	5.00						
		month	1		U1TD1	1L5XX	0,1154										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		\vdash	1	1.20701	0,,,,,,			1							
		Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73				-		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															_
		month			U1TD3	1L5XX	2.53					_					
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO		240.00	000 47	00.00	00.77	50.04					Ì	İ
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	-	U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81	 		ļ	ļ	 	_
		month			U1TS1	1L5XX	2,53]		Į.	
	1	Interoffice Channel - Dedicated Transport - STS-1 - Facility		t-	201	1.20/01	2,00		-	1	•					<u> </u>	
		Termination	L.		U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81					1	1
DARK F	FIBER								·								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	i -	1													
		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	ļ	-	UDF, UDFCX	1L5DF	23.29	4 770 55		70.0	**			ļ			
		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		├	UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70					-	ļ
		Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	46.84	ĺ									
		NRC Dark Fiber - Local Loop		+	UDF, UDFCX	UDFL4	70.07	1,745.99	87.54	73.64	18.70	.l		ļ		L	

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		were and		1			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
8XX AC	CESS	TEN DIGIT SCREENING		+				11130	Augi	7 1131	Audi	JOHLO	JONAN	JOWAN	JOMAN	SOMAN	SOMAN
	T	8XX Access Ten Digit Screening, Per Call			ОНВ		0.0008543										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX					†										t · · · · · · -
		Number Reserved			OHD	N8R1X	İ	2.50	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O	1				1		Terminates and								
		POTS Translations		1	OHD			5.65	0.76	4.24	0.51					1	
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations	<u> </u>		OHD	N8FTX		5.65	0.76	4.24	0.51						ĺ
l		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.50	1.25								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR		1	i												
	1	Routing Per CXR Requested Per 8XX No.		1	OHD	N8FMX	1	2.93	1.68								L
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	1	2.93	0,43						ļ		
		8XX Access Ten Digit Screening, Call Handling and Destination				l	1 1										
	_	Features		-	OHD	N8FDX	0.0000540	2.50							L		
	ļ	8XX Access Ten Digit Screening, w/8Ft. No. Delivery 8XX Access Ten Digit Screening, w/POTS No. Delivery		+	OHD		0.0008543 0.0008543			ļ l			-				
I INE IN	IEODM:	ATION DATA BASE ACCESS (LIDB)		 	UND		0.0008543										
LIIVE IIV	II OKW	LIDB Common Transport Per Query	-	+	OQT		0.0000682										
	-	LIDB Validation Per Query		+	OQU		0.0266962								 		
		LIDB Originating Point Code Establishment or Change	-	+	OQT, OQU	NRBPX	0.0266962	33.24	33.24	39.35	39.35						
SIGNAL	ING /C		 	+-	001,000	MINDEX		33.24	33.24	39.33	39.33				<u> </u>		
0.0.0.	1110 (0	CCS7 Signaling Connection, Per 56Kbps Facility		+	UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Termination, Per STP Port		+	UDB	PT8SX	108.80	34.77	34.77	10.51	10.91	·					
		CCS7 Signaling Usage, Per Call Setup Message		1	UDB	1 100%	0.0000132						-				
		CCS7 Signaling Usage, Per TCAP Message		+	UDB		0.0000527								-		-
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)		1	UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D		+			0.70	34.77	54.77	10.51	. 10.31						
		link) (same as E.3.1)	ĺ		UDB	TPP++	8.73	34,77	34,77	16.91	16.91		1				
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB	111111111111111111111111111111111111111	0.0000132	34.77	54.77		10.31	1					
		CCS7 Signaling Usage Surrogate, per link		1	UDB	STU56	907.44								-		
		CCS7 Signaling Point Code, Establishment or Change, per STP															
		affected	1		UDB	CCAPO	i l	28.15	28.15	33.32	33.32					•	+
E911 SE	ERVICE			 			-			00.00	00.02						
		Local Channel - Dedicated - 2-wr Voice Grade		1			7.74	121.07	53.30	46.40	13.37						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				-	0.0057			1						İ	1
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility										1					
		Termination					12.87	48.46	19.48	16.58	5.00				l		
		Local Channel - Dedicated - DS1 - Zone 1	L				18.47	149.46	111.20	40.36	26.12				L		
	ļ	Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 3		<u> </u>			164.70	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile	ļ	1			0.1154			ļI							
		Inter-65 - Toward Duby L. 2010 - 5 W. T.	1	1		1	[1	
C41 1 ***	IC NAT	Interoffice Transport - Dedicated - DS1 Per Facility Termination	<u> </u>	 			34.19	111.03	80.28	31.36	21.73				ļ		
CALLIN	IG NAN	IE (CNAM) SERVICE	 	1	001												
		CNAM For DB Owners - Service Establishment		ļ	OQV			22.90		20.32					<u> </u>		
+	-	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	l	1	oav		 	22.90		20.32		ļ			ļ	ļ	ļ
		Establishment	l	1	ogv		} I	959.77	700.00	054.45	404.61				ł		
		CNAM For Non DB Owners - Service Provisioning With Point	 	+	OWV		 	959.77	709.83	251.47	184.91				ļ		
		Code Establishment		1	oov			331.89	237.45	257.65	184.91				1		l
-		CNAM for DB Owners, Per Query	 -	+	ogv		0.0009924	331.08	231.43	251.05	104.91				 		-
- 1		CNAM for Non DB Owners, Per Query		 	ogv		0.0009924								 		
		CNAM (Non-Databs Owner), NRC, applies when using the		+		-	0.0003324					 					ļ
		Character Based User Interface (CHUI)			oov	CDDCH		595.00	595.00			[i			ĺ		l
SELECT	TIVE R			_		525011	 	333.00	333.00	 		\vdash			l	l	
T		Selective Routing Per Unique Line Class Code Per Request Per		_			 					 			-	<u> </u>	ļ
		Switch	l			1]	102.19	61.15	12.68	6.34				I		l
		LOCATION		1				.02.13	01.13	1 16.00	0.04		1			ī	ı

UNBUNDLE	D NETWORK ELEMENTS - Georgia				_									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		,
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO							_							-		
l,	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	/E CARRIER ROUTING Regional Service Establishment		-	SRC	SRCEC		404 044 63	404 244 67	7 000 05	7,833.25	_					
	End Office Establishment		-	SRC	SRCEO		101,311.67 158.92	101,311.67 158.92	7,833.25 1.64	1,833.25						_
-	Line/Port NRC, per end user		-	SRC	SRCLP		2.06	2.06	1.04	1.64						
	Query NRC, per query	1	_	SRC	SKCLF	0.0020368	2.06	2.00					_			
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE			SKC	+	0.0020300			_							
J. DELEGO	AIN SMS Access Service - Service Establishment, Per State,	_	+		+		_									
	Initial Setup			A1N	CAMSE		41.41	41,41	41.63	41.63						
			1		1			,41	03	11.00			_			
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16					1	
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code,						-									
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038										
	AIN SMS Access Service - Session, Per Minute					1.81										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8323									_	
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AlN Toolkit Service - Service Establishment Charge, Per State,		1													
	Initial Selup		-	CAM	BAPSC		41.41	41.41	41.63	41.63						
	AN Toolkit Service - Training Session, Per Customer		-	_	BAPVX		4,236.62	4,236.62								
1	AIN Toolkit Service - Tngger Access Charge, Per Trigger, Per DN, Term, Attempt				BAPTT		8.15	8.15	9.16	9.16	1					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<u> </u>	+		BAPI		8.15	8.15	9.16	9.16						
	DN, Off-Hook Delay				BAPTD	1	8.15	8.15	9.16	9.16						
_	AIN Toolkit Service - Trigger Access Charge, Per Trigger. Per		_		BAFID		0.13	0.13	5.10	5.10						
	DN, Off-Hook Immediate				ВАРТМ		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+		D/11 1147		0.10	0.10	5.10	3.10						
	DN, 10-Digit PODP				ВАРТО		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Tingger Access Charge, Per Trigger, Per		1 -		10.0,0		00.00									
	DN. CDP			Į.	BAPTC		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09	1					
	AIN Toolkit Service - Query Charge, Per Query					0.0271438										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		1													
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes	1				0.04										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service						_									
	Subscription		-	CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAN4	BAPLS		0.00]	
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-	CAM	DAPLS	6.46	8.98	8.98								
	Subscription			CAM	BAPDS	8.54	0 45	0 45	574	5.71						
\vdash	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		-	CAVI	טארטס	8.54	8.15	8.15	5.71	5./1						
	Service Subscription		1	CAM	BAPES	0.22	8.98	8.98								
ENHANCED E	XTENDED LINK (EELs)	_	\vdash	U. WI	טאינט	0.22	0.98	0.96								
	The monthly recurring and non-recurring chages below will	anniv s	nd the	Switch-As-Is Charg	e will not an	oly for UNE com	nbinations pro	visioned as ' f	Ordinarily Comb	ined' Network	Elemente					
	The monthly recurring and the Switch-As-Is Charge and not t															
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	RT		р. 31131311	- LU Guirent	.,							
1	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
			2	UNCVX	UEAL2	16.95	195.94	36.38		6.86						

UNBU	NDLE	NETWORK ELEMENTS - Georgia										,			ment: 2		bit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		T
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	First 195,94	Add'I 36,38	First 18.42	Add'I 6.86	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	GIVOVA	ULALZ	33.00	19.3,94	30.30	10.42	0.00						
		per month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility				l											
		Termination per month 1/0 Channelization System in combination Per Month		1	UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97		-			-	
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					-	
			-	†						10.00							
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		11	UNCVX	UEAL2	11,57	195.94	36.38	18.42	6.86				L		
İ		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		•]		ľ
		Education and Everifie vol. Ecop (SC 2) in Combination - 20ne 2	 		DINOVA	ULALZ	10.95	193.94	30.38	10.42	0.00						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195 94	36.38	18.42	6.86						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
ļ.		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		1	UNC1X	UNCCC	1	5.70	<i>-</i> 70	0.04	2.04						
	FXTFN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE				5.70	5.70	6.61	6.61						
	LATEN	DED + WINCE VOICE GRADE EXTERIBED EGG! WITH DEDICAL	1	1 11112	TOTTICE TRANS	, okt											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
												-					
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86				ļ		
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36,38	18.42	6.86						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		+ -	ONOVA	OL/AL4	30.23	133.54	30,36	10.42	0.00						_
		Per Month	İ		UNC1X	1L5XX	0.1154								i		
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per									•						
		Month	ļ		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		
		1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month	-	-	UNC1X UNCVX	MQ1 1D1VG	69.75 0.4689	86.10 27.33	2.90	16.86	1.04	-			-		
		Additional 4-Wire Analog Voice Grade Loop in same DS1			· ·	10170	0.4003	27.00	2.50	10.00	1.04						
		Interoffice Transport Combination - Zone 1	-	11	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1														1	
		Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1	ļ	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86					1	}
		Additional Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.70	5.70	6.61	6.61						-
- 1	EXIEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	D\$1 IN	TEROFFICE TRA	NSPORT											
- 1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86]
		grad a doctory in		 													
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
				_													
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				ļ		
1		Per Month			UNC1X	1L5XX	0.1154								1		İ
- 1		Interoffice Transport - Dedicated - DS1 - combination Facility		†	1	1,20,00	3,1,37			1				 	<u> </u>		
		Termination Per Month	<u> </u>		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		
		1/0 Channel System in combination Per Month		1	UNC1X	MQ1	69.75	86.10	0.00	40.00	401	L				<u> </u>	
		OCU-DP COCI (data) per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	ļ	 	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	ļ <u> </u>			 	-	
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				I		1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	T -				,	55.50			l					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
Ţ		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			Lucopy	1151.50	20.00	405.01	00.00	40.40	0.00			1	1		
		Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
- 1		Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1	1	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04				1		

Page 88 of 227 Version 3Q03, 11/12/2003

INBUNDLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		- (Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
												Submitted		Charge -	Charge -	
																Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs
		m									Pa Lott	PELLOIN				1
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring				OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		İ							_						
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EVTEN		CATED	DC4 IN				3.70	3.70	0.01	0.01						
EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	ATEU	DSIIN	TERUFFICE TRANS	PURI											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		_												_		
- 1 - 1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
-	Thist 4-Time darkops bigital Grade Loop III Combination - Zone Z			UNCOX	ODL04	20.30	133.34	30.30	10.42	0.00						
	harter of the regarder of the property of the property of the control of the cont					(1										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										
	interoffice Transport - Dedicated - DS1 combination - Facility		i –			554										_
				LINGAY	LIATEA	24.45	07.70	45	40.55	27.0-						1
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					1	1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digitat Grade Loop in same DS1												İ			l
	Interoffice Transport Combination - Zone 1		. 1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
				UNCDA	UUL04	21.00	195.94	30.30	10.42	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination - per month		-	ONODA	ODE04	30.22	130.34	50.50	10.42	0.00						
						0.0000	07.00		40.00							
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04			_			
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
FXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS1	INTER	OFFICE TRANSPO	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	İUSLXX	41.02	209.45	70,44	37.91	6.86				_		-
														_		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6 86						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70 44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile													-		
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility			0.10171	1.20701	0.1101					-					
						24.40	07.70		40.00							
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER	OFFICE TRANSPO	RT									-		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
											-			-		1
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															T T
	Per Month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			5.100A	/LUMA	2.55										
						0:0:0										
	month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						<u> </u>
	3/1Channel System in combination per month			UNC3X	MQ3	121.90										
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1,04						
	Additional DS1Loop in DS3 Interoffice Transport Combination -							2.00								i e
			1	LINCAY	USLXX	41.02	200.45	70.44	27.04	6.86						
	Zone 1		-	UNC1X	USLAX	41.02	209.45	70.44	37.91	0.86						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	46,41	209.45	70.44	37.91	6.86				l		
	Additional DS1Loop in DS3 Interoffice Transport Combination -									_						İ
	Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				I		
				UNC1X	UC1D1						-					-
	Additoinal DS1 COCI in combination per month			UNCIA	UCTU1	7 35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61				I		
	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	EINTF	ROFFICE TRANSPO	ORT									i e		†
	2-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86				l		i
	2-WireVG Loop in combination - Zone 2				UEAL2	16.95	195.94	36.38	18.42	6.86						1
				UNCVX												1
	2-WireVG Loop in combination - Zone 3		1 3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						

MOUND	LED NETWORK ELEMENTS - Georgia										1		Attach			bit: A
ATEGORY	/ RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			-			1100	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0057								i		
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60		1				
	Nonrecurning Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXT	TENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	17.80	195.94	36.38		6.86						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195.94	36.38		6.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per										1					
	Month			UNCVX	1L5XX	0.0057					1					
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXT	TENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
3 27-	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97					I .					
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76			Į.			
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 combination - Facility											Ì				
	Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	Nonrecurring Currently Combined Network Elements Switch -As-										İ	İ				
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EX1	TENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month	1		UNCSX	1L5ND	10.97					İ	İ				
	STS-1 Local Loop in combination - Facility Termination per										İ	i i	-			
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - STS-1 combination - per mile			0.10071		555.12	1,200.11	020.01	11.00	20.70						1
	per month			UNCSX	1L5XX	2.53					1	1				
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.400%	1,00701	2.50										
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	Nonrecurring Currently Combined Network Elements Switch -As-			011007	51110	330.01	020.01	11.01	45.50	32.00	1					
	Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						1
EVI	TENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDANG	PORT	UNCSA	DINCCC		3.70	3.70	0.01	0.01						
EA.	First 2-Wire ISDN Loop in Combination - Zone 1	IKAN		UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86					_	1
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	26.26	195.94	36.38		6.86				_		1
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.17	195.94	36.38		6.86						
	Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCNX	UILZX	42.17	195.94	30.30	10.42	0.00						-
	per month			UNC1X	1L5XX	0.1154					1					
				UNCIX	ILSXX	0.1154								2 1 2 2 2 2 2		
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAN		24.40	07.70	45.70	42.00	27.07						
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
1	1/0 Channel System in combination - per month		_	UNC1X	MQ1	69.75	86.10	2.00	10.00							
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	_	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86					1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport								1,000						1	
	Combination - Zone 2	-	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LA CNY	lua e											
	Combination - Zone 3	-	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) - in combination-per															
	month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Nonrecumng Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6 6 1	6.61						
EX1	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
-77	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44		6.86						
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44		6.86						
	First DS 1 Loop Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86					1	

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
												Svc Order Submitted		Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
	ļ	, yyan,					Rec		curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile	i														
		Per Month			UNCSX	1L5XX	2.53										
	-	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	358.67	325.91									
		3/1 Channel System in combination per month	_	<u> </u>	UNCSX	MQ3	121.90	325.91	77.07	49.56	32.88	ļ					
	1	DS1 COCI in combination per month		-	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1,04						
		Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	1.33	27.33	2.90	16.66	1,04	 					
		Combination - Zone 1	1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	Į.					
		Additional DS1Loop in the same STS-1 Interoffice Transport			OI OIX	JUGEAN	41.02	203.43	70,44	37.91	0.80					 	
		Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86			i			Į.
		Additional DS1Loop in the same STS-1 Interoffice Transport			1	1		200.40	70.44	37.31	0.00	 		 		 	
		Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			ŀ			1
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90		1.04				Γ		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT									1				1	
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				ł .						1					
	-	Per Mile per month			UNCDX	1L5XX	0.0057										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			l	l l			İ			1					İ
		Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						ļ
		Nonrecurring Currently Combined Network Elements Switch -As-	1		anv	I				l							
ļ	EVTEN	Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	FRAFE	UNCDX	UNCCC		5.70	5.70	6.61	6.61					ļ	
<u> </u>	EXIEN	4-wire 64 kbps Looal Loop in Combination - Zone 1	PS INT		UNCDX	UDL64	21.86	195,94	36.38	10.42	6.86	ļ			<u> </u>		
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	28.36	195.94	36.38	18.42 18.42	6.86	 					
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						+
├		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		- 3	DINCOX	IODEO4	30.22	193.94	30.30	10.42	0.00						+
		Per Mile per month			UNCDX	1L5XX	0.0057										
· · · · · ·		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNIO D.X	1.20701	0.0007			· ·	· · · · · · · · · · · · · · · · · · ·	 				 	1
1		Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-				-										<u> </u>	†
		is Charge			UNCDX	UNCCC	1	5.70	5.70	6.61	6.61		i				
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	3/1 MUX				1			T					
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	1		1			
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per				1											
		Mile			UNC1X	1L5XX	0.1154			ļ		ļ					<u> </u>
1		First Interoffice Transport - Dedicated - DS1 combination -				1											
		Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97			<u> </u>			
	ļ	Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10								ļ	
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	ļ				ļ	
	 	3/1 Channel System in combination per month			UNC3X	MQ3	121.90	27.22		10.00	4.04	ļ.— —					<u> </u>
	-	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1,04	ļ	ļ				
	1	Interoffice Transport Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	ł					
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		'	UNCVA	UEALZ	11.57	193.94	30.30	10,42	0.00			i .		1	
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		1		1	1	
	┼	Each Additional 2-Wire VG Loop(SL2) in the same DS1			ONCON	OLAL2.	10.55	100.04	30.30	10.42	0.00	 	 	 		· · · · · · · · · · · · · · · · · · ·	+
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86				1		
	 	Each Additional Voice Grade COCI in combination - per month		-5-	UNCVX	1D1VG	0.4689	27.33	2.90		1,04	 	· · · · · · · · · · · · · · · · · · ·		 	 	1
		Each Additional DS1 Interoffice Channel per mile in same 3/1				1.2	5. 1005	27.00	2.50	10.00	1	T			l —	1	
	1	Channel System per month	1		UNC1X	1L5XX	0.1154		1		I	1	1	1	I	1	
		Each Additional DS1 Interoffice Channel Facility Termination in			2	1			<u> </u>	 	 				-		1
	1	same 3/1 Channel System per month	1		UNC1X	U1TF1	34,19	87.76	45.73	43.80	27.97	1	1	1	I		
	1	Each Additional DS1 COCI combination per month	—	·	UNC1X	UC1D1	7.35	27.33	2.90		1.04	t		 	t ———	1	1

Version 3Q03; 11/12/2003 Page 91 of 227 [CCCS Amendment 157 of 308]

MBUNDL	ED NETWORK ELEMENTS - Georgia		т								Cun Ord	Suc Ord	Attachi		Exhil Incremental	Increment
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
					+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		 		 		FIISL	Auu i	7 1131	Addi	JOINEO	JOHN	JOHIAN	COMPAN		COMPAN
1	Is Charge	1	1	UNC1X	UNCCC	l j	5.70	5.70	6.61	6.61						
EXTE	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 N	IUX											<u> </u>
	First 4-Wire Analog Voice Grade Local Loop in Combination -		١.			17.00	105.01	00.00		6.00						1
	Zone 1		1	UNCVX	UEAL4	17,80	195,94	36.38	18.42	6.86	 	 				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86		i				1
	First 4-Wire Analog Voice Grade Local Loop in Combination -	l -	1 -													
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per				1				j i					ł		1
	Mile Per Month	ļ		UNC1X	1L5XX	0.1154					ļ					ļ
İ	First Interoffice Transport - Dedicated - DS1 - Facility	i		UNC1X	U1TF1	34,19	87.76	45.73	43.80	27.97	1	İ				
	Termination Per Month Per each 1/0 Channel System in combination Per Month		1	UNC1X	MQ1	69.75	86.10	40.73	45.60	21.01	 			-		
	Per each Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0,4689	27.33	2.90	16.86	1.04	<u> </u>	 		**********		
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04		·				
	Additional 4-Wire Analog Voice Grade Loop in same DS1														ļ	ļ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					04.00	105.04	36.38	40.40	6.86]			İ	
	Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	ł	 '	DIACAX	OLAL4	50.25	133.34	30.30	10.42	0.00						
	Channel System per month		ĺ	UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in	 -	1								1					
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						<u> </u>
	Additional Voice Grade COCI - in combination - per month		ļ	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	_					
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAN	UNCCC	1	5.70	5.70	6.61	6.61						Ì
EVT	Is Charge ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	DDC INT	EDOE	UNC1X			5.70	5.70	0.01	0.01	-					
EAT	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		T	ICE TRANSPORT	W 3/ 1 111 0X						· -					
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86	İ					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86	<u> </u>	L		ļ		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -								40.40					Į.		
	Zone 3	ļ	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	-					-
-	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154			1		1			1	l	
	First Interoffice Transport - Dedicated - DS1 - combination	 	+-	UNU IX	ILJAA	0.1134				 		 				
1	Facility Termination Per Month		1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1	L		L		L
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		ļ		ļ		
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90						<u> </u>				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					 	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86			1			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	╁	 '- -	UNCDA	ODE36	21.00	193.94	30.30	10.42	0.00		·				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		į.				1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	†	T	1								T				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	OCU-DP COCI (data) COCI in combination per month (2.4-		1	l					40.00							
	64kbs)	1	ļ	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		_	 	_		+
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.1154					1					
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	+	+	DINCIA	I ILDAA	0.1154			<u> </u>					 	İ	
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1				<u> </u>
	Each Additional DS1 COCI in the same 3/1 channel system		†													
- 1	combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1	I	1	1	1	1

INDOINDL	ED NETWORK ELEMENTS - Georgia		1								0.1.			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						nee .	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
-	Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	DFFICE	TRANSPORT w/	3/1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1 4			-1.4	12221									1
	Transport Combination - Zone 1	-	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1				00.00	105.04	20.20	.0.40	0.00						1
_	Transport Combination - Zone 2	_	- 2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	LINCOV	UDL64	20.22	405.04	36.38	18.42	6.86						
-	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						_
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										1
	First Interoffice Transport - Dedicated - DS1 combination -		-	UNCIX	1L5XX	0.1154										-
				LINGAY	U1TF1	24.10	07.70	45.70	42.00	27.07						1
	Facility Termination Per Month		-	UNC1X	MQ1	34.19	87.76	45.73	43.80	27.97						-
_	Per each Channel System 1/0 in combination Per Month	-	+	UNC1X	MQ1	69.75	86.10	-								
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1		LINGDY	10100	0.0000	07.00	0.00	40.00							1
	64kbs)	-	_	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
_	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1				200		5-11-25	1000	0.39						
-	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															-
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCi (data) - DS1 to DS0 Channel System															
_1	combination - per month (2.4-64kbs)		-	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0 1154										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			j –												
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1I_2X	42.17	195.94	36.38	18.42	6.86						1
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month			UNC1X	1L5XX	0.1154							-			1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69 75	86.10									
						1										
1	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1													
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel						-									
	system combination - per month		1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04				3		1

IBUNDLE	D NETWORK ELEMENTS - Georgia	,												ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'i	Disc 1st	Disc Add'
						I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
1	Channel System per month		1	UNC1X	1L5XX	0.1154			1							į
	Each Additional DS1 Interoffice Channel Facility Termination in															
1	same 3/1 Channel System per month		1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						İ
	Each Additional DS1 COCI in the same 3/1 channel system		1													
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					1	Į.
	Nonrecurring Currently Combined Network Elements Switch -As-										<u> </u>					
	Is Charge			UNC1X	UNCCC	İ	5.70	5.70	6.61	6.61						ĺ
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1 1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37,91	6.86	 					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	 		F		1	· · · · · · · · · · · · · · · · · · ·
	First Interoffice Transport - Dedicated - DS1 combination - Per		†	1			2000		57.51	J	1		l			
	Mile Per Month	1		UNC1X	1L5XX	0.1154				I	1		j		I	1
	First Interoffice Transport - Dedicated - DS1 combination -		1	1	1										 	<u> </u>
	Facility Termination Per Month		1	UNC1X	U1TF1	34.19	87.76	45.73	43,80	27.97						1
	3/1 Channel System in combination per month		 	UNC3X	MQ3	121.90	01.70		45,00	27.07	i					
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1			_		
	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	ONOTA	100101	7.35	27.00	2.30	10.00	1.04	 				+	
	Channel System per month		1	UNC1X	1L5XX	0.1154				ł	1					1
	Each Additional DS1 Interoffice Channel Facility Termination in	-	1	ONCIA	ILJAA	0.1134					1			_	-	
l l	same 3/1 Channel System per month		ļ	UNC1X	U1TF1	34.19	87.76	45.70	43.80	07.07						1
	Each Additional DS1 COCI in the same 3/1 channel system		1	UNCIX	UTIFI	34.19	87.76	45.73	43.80	27.97						
1			1	LINGAY	LICADA	7.05	27.22	2.00	40.00							1
	combination per month		ļ	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
İ	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.		1											1
	1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	ļ					ļ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.		1						1					1
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone				1 1	i				l			1			1
	3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As-		1													1
	Is Charge		<u></u>	UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE										.			ļ
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ļ
	First 4-wire 56 kbps Local Loop in combination - Zone 3	İ	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	ļ.			-											Ì
	per month			UNCDX	1L5XX	0.0057				L						<u> </u>
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	ŀ			1 1											İ
	Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						l
	Nonrecurring Currently Combined Network Elements Switch -As-													-	1	
	Is Charge	ļ		UNCDX	UNCCC		5.70	5.70	6.61	6.61						1
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												1
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3	i	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86					T	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1			1				1		1		ľ			
	per month	ŀ		UNCDX	1L5XX	0.0057				1	i		l			
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1	<u> </u>	1				T				1			
	Termination per month	l		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	1					
	Nonrecurring Currently Combined Network Elements Switch -As-		\vdash		1				· · · · · ·		1		1			
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61	1		l			
DITIONAL	IETWORK ELEMENTS				13			2.10		3.01						
	used as a part of a currently combined facility, the non-recurr	na cha	raes de	not apply but a	Switch As Is of	narge does ann	ılv.				†		1			
	used as a part of a currently combined facility, the normecun used as ordinarily combined network elements in All States, t								· · · · · · · · · · · · · · · · · · ·				1		1	T
	curring Currently Combined Network Elements "Switch As Is"					is snarge t					!	_	 		1	
Home	Nonrecurring Currently Combined Network Elements Switch As-	Griange	Tone .	appires to each coi							 				 	
	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		5.70	5.70	6,61	6.61	1	ļ	1		1	1
	Ins Charge - 4 Williams VO	L	J	TOIACAV	TOINCOC		3.70	3.10	0.01	10.01	<u> </u>	L	L		-	

Page 94 of 227

MBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Lat.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			<u> </u>			Rec	Nonre			Disconnect				Rates (\$)	SOMAN	SOMA
	Nonrecurring Currently Combined Network Elements Switch -As-		-				First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMA
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						Ì
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		5.70	5 70	6.61	6.61						
Ontio	nal Features & Functions:		t	1	DNCCC		3.70	370	0.01	0.01						
Ориго	That I cardies a Faircustis.		i –	U1TD1,	1											<u> </u>
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X U1TD1,	CCOEF		01	01	01	01						
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1, UNC1X ULDD1, U1TD1.	CCOSF		0)	0110	01	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62S	23.78\$	2.03S	0.798						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74S	7.66\$	0.7591S	os						
MUL	TIPLEXERS			Lineary and the second										1		
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	69.75	86.10									
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
_	Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						1
	month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15 81	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90								İ		1
	STS-1 to DS1 Channel System per month		i	UNCSX	MQ3	121.90										
	DS1 COCI used with Loop per month			USL	UC1D1	7 35	15.81	11.39	6.61	6.61				į		ĺ.
	DS1 COCI (used for connection to a channelized DS1 Local					7.05	45.04	44.00	0.04	2.04						
-	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1 UC1D1	7.35 7.35	15.81 15.81	11.39 11.39	6.61	6.61 6.61				1	-	-
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	7.35										
DI INDI ED	LOCAL EXCHANGE SWITCHING(PORTS)			וטנטטז	UCIDI	7,35	15.81	11.39	6.61	6.61			-	-		+
	ange Ports		_									1		1		
	: Although the Port Rate includes all available features in GA, F	Y. LA	R TN. t	he desired features	will need to b	e ordered usir	g retail USOC							İ		†
	E VOICE GRADE LINE PORT RATES (RES)											İ		į		
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28						1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28						
1	2-Wire voice unbundled Georgia basic dialing port - outgoing													1	i i	

Version 3Q03: 11/12/2003 Page 95 of 227

CIABOIAD	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Increment Charge -
						Rec	Nonree First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID		†		1			Auu	11131	Audi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Capability	ł	1	UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28		ŀ				1
1	2-Wire Voice Grade Unbundled Port without Caller ID capability,	1						2.07	1.07	1.20	1					
	Georgia	i	1	UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28	Į.					ŀ
	2-Wire Voice Grade Unbundled Port with Caller ID capability,										İ			-	· 	
	Georgia		<u> </u>	UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28	ļ			i		
	Subsequent Activity		<u> </u>	UEPSR	USASC	0.00	0.00	0.00								
FEA	TURES														1	
	All Available Vertical Features		ļ	UEPSR	UEPVF	0.775	0.00	0.00								
Z- VV	IRE VOICE GRADE LINE PORT RATES (BUS)				<u> </u>											
i	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				ļ l											
	Exchange Ports - 2-Wire VG unbundled Line Port with	ļ		UEPSB	UEPBL.	1.09	2.42	2.31	1.37	1.28	<u></u>					
	unbundled port with Caller+E484 ID - Bus,		1	UEPSB	UEPBC	4.00	0.40							<u> </u>		
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28	_					
1	Port, with Caller ID capability		ŀ	UEPSB	UEPWP	1.09	2.42	0.04	4.07	1.00						
	1 Sti, Met School IS capability		-	ULF 3B	OEF WF	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1,37	1.28		İ		Ì		
	Exhange Ports - 2-Wire VG unbundled incoming only port with	 	 	OLI OD	OLI DO	1.03	2.42	2,31	1.31	1.20						
	Caller ID - Bus	•		UEPSB	UEPB1	1.09	2.42	2.31	1,37	1.28						ľ
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan			GET GE	100,01	1.03	2.72	2.01	1.37	1.20						-
1	without Caller ID			UEPSB	UEPWD	1 09	2.42	2.31	1.37	1.28						1
1	2-Wire voice unbundled Incoming Only Port without Caller ID		1				2	2.01	1.57	1.20	 					—
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28	1					1
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00							-	
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EXC	HANGE PORT RATES (DID & PBX)						_									
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83		-				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83				[
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1													
	Capable Port		ļ	UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83						L
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			urnon							1					ĺ
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ļ	UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83						
	Room Calling Port			UEDOD	LIEDVA	4.00										1
				UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83	L					1
J	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	l														1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83						
	Oudial Trunk			LIEDOD	HEDWO	4.00	20.00	40.00								1
	2-Wire voice unbundled Georgia basic dialing port - 2-Way			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83	l			L	v 7	
	Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						í
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX		H	OLI OI	OCEAAI	1.09	25.88	13.63	11.48	0.83	<u> </u>					
	Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						1
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	11.48	0.83						
FEA	TURES	<u> </u>		OLI OI	USASC	0.00	0.00	0.00								
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
EXC	HANGE PORT RATES (COIN)			OLF OF OCPOE	OEF VF	0.775	0.00	0.00								
	Exchange Ports - Coin Port		\vdash		1	1.09	2.42	2.31	1 27	4.00	 					
	E: Transmission/usage charges associated with POTS circuit so	witched		will also ===!::		1.09	2.42	2.51	1.37	1.28						

MOUNDED	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
	1		Τ		T						Svc Order	Svc Order		Incremental		
											1	Submitted	, ,	Charge -	Charge -	Charge -
4750000		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""			1								Electronic-	Electronic-	Electronic-	
			1										1st	Add'l	Disc 1st	Disc Add
1	· · · · · · · · · · · · · · · · · · ·		_		-	 	N			D: .		L	l	<u> </u>	L	. I
			-			Rec		curring	Nonrecurring					Rates (\$)		
					l	<u> </u>	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ble only	through BFR/New	Business Re	equest Process	 Rates for the 	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
INBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)								1	ſ	1	Γ	F	<u></u>	T	
EXCH	ANGE PORT RATES				·											
The D	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	N Port	in this	rate exhibit annly t	o the embed	dad base in pl	200 of 10/2/0	2 until 4/4/04	A 54 m = 4 (4 /0.4 Ab.			· · · · · · · · · · · · · · · · · · ·	L	l		
Poor	note for 4 Mine DDITC Touch Darks with 4 Mine ICDN DC4 Darks	44		Tate exhibit apply t	o trie embed	ueu base in pie	CE 45 01 10/2/0	3 unui 4/ 1/04.	Aiter 4/ 1/04 the	ese rates snan	revert to tal	in rates or	a separate ag	reement.		
reque	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	itter the	errect	ive date of this ame	ndment shall	be provided p	ursuant to a se	eparate agreem			iscretion.			l		
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45						1
1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															1
1	capability (E:4/1/2004)			UEPDD	UEPDD	41,20	200.96	93.00	65.81	2.33					1	!
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45,67	10.36	 					
	All Features Offered			UEPTX, UEPSX		0.775			45.67	10.36				-		1
					UEPVF		0.00	0.00						L		1
	Exchange Ports - 2-Wire ISDN Port Channel Profiles		L	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-Cl	annels associ	iated with 2-	wire fSDN r	orts.		1	1
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process	Rates for the	nacket canabi	lities will be de	termined via t	he Bona Fir	le Requesti	New Rusines	Request Dra	C088	1-
EXCH	ANGE PORT RATES (continued)		1		1	1	1	, some oupdon		via t			- Duames	T TOQUEST I'IL	I	+
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		+		 	ł								1		
			1				I				1			I	1	1
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69	L		L	I	I	1
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69	I	I	l . -	I .		
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726								 		
	Virtual collocation - Special Access & UNE, cross-connect per		_	3. I. OLI DA	 	0.07.20					-					
1	DS1		1	HEDEY HEDDY	CHCC	0.076	I	ļ.			1	1		I	1	1
			<u> </u>	UEPEX UEPDX	CNC1X	0.3726										
Detail	ed E911 with Locator Capability (required with UEPEX port)		1			1										
ŀ	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															1
	Locator Capability - Initial Profile Establishment per CLEC per					{	!		i .		i					1
1	State			UEPEX	UEP1A	0.00	4 040 00									i
			ļ	UEPEX	DEPTA	0.00	1,818.00						****	L		
- 1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911					ļ	1							i		1
	Locator Capability - Subsequent Profile Changes, Additions,		1				1							i		
1	Deletions			UEPEX	UEP1B	0.00	176.57		ŀ					İ	i	i
Now o	or Additional PRI Telephone Numbers			02, 27	OLI ID	0.00	170.07									ļ
INEW C														<u> </u>		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in				i		i									
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50							1		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911					†										†
	Locator Capability - Outdial Telephone Numbers, per number in				1				1			1				1
					İ											1
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
- 1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward					1										
	Telephone Numbers - Inward Data Only Option [New or													1		1
	Additional]			UEPDX	UEP1E	0.00	0.50									1
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			57	 ::=	0.00	0.00				1			···	<u> </u>	
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	24.42	04.40						l	ĺ	
			 	UEPEX	PK/ZI	0.00	21.43	21.43						l		
LOCA	L NUMBER PORTABILITY		L											I	L	
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00			·			-	l	
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			_	ļ		 	ļ	+
										-	ļ			1		1
- 1	Inward Data		_	UEPDX	PR71E	0.00	0.00	0.00						L		
New o	r Additional Channel		L													
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71				—			1		1
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	28.71			<u> </u>			ļ		l	
-+-			-				∠8./1				-			<u> </u>	ļ	ļ
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	ļ									
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	28.71									1
CALI	TYPES				T	1.00					<u> </u>			 		+
	Inward		1	HEDEN HEDEN	DD7C1	0.00	0.00	0.00				ļ		 		1
				UEPEX UEPDX	PR7C1	0.00	0.00	0.00						L		
	Outward		L	UEPEX	PR7CO	0.00	0.00	0.00	<u> </u>		<u> </u>				l	
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
LINBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY		1			1					1				l	-
											1					
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE								1]	1

UNBUNDLED N	IETWORK ELEMENTS - Georgia	,				_								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
					+	I	Nonred	urring	Nonrecurring	Disconnect			088	Rates (\$)	J	<u> </u>
	V Maria Maria Maria					Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						-	1 11 31	Auu	11131	Auu	JONIEC	JOHAN	JOHAN	Compil	COMAN	JOHAN
Un	bundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
	bundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28	<u> </u>					
	bundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28	1				1	
Non-Recui	rring															
	bundled Remote Call Forwarding Service - Conversion -															
	ritch-as-is			UEPVR	USAC2		2.01	0.31								
	bundled Remote Call Forwarding Service - Conversion with				i											
	owed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31		_					<u> </u>	
UNBUNDL	ED REMOTE CALL FORWARDING - Bus															
	to the second of	l		LIED/W	LIEBAG									Į.	Į.	
Un	bundled Remote Call Forwarding Service, Area Calling - Bus	 	-	UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28	ļ			 	 	1
	hundled Demote Cell Excussion Control 1 1 Collins	ľ		UEDVB	LIEBLO	100		2.24	4.07	1.00				1		
	bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus	-		UEPVB UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28 1.28		-		 	l	ļ
	bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus	ļ	-		UERTR	1.09	2.42	2.31	1.37	1.28	<u> </u>			ļ		_
	bundled Remote Call Forwarding Service, IntraLATA - Bus bundled Remote Call Forwarding Service Expanded and			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28	 					-
	ception Local Calling		l	UEPVB	UERVJ	1.09	2.42	2,31	1.37	1.28						
Non-Recur				UEPVB	UERVJ	1.09	2.42	2.31	1.31	1,20						
	bundled Remote Call Forwarding Service - Conversion -		-								1					
	ritch-as-is	l		UEPVB	USAC2		2.01	0.31	l .						ļ	
	bundled Remote Call Forwarding Service - Conversion with			OLI VD	UUAUZ		2.01	0.51								
	owed change (PIC and LPIC)	[l	UEPVB	USACC	l l	2.01	0.31			Į.			Į.	l .	l
	AL SWITCHING, PORT USAGE			OLI VID	00,100	l	2.01	0.01	 		· · · · · · · · · · · · · · · · · · ·				†	
	Switching (Port Usage)														†	
	d Office Switching Function, Per MOU					0.0006153										
En	d Office Trunk Port - Shared, Per MOU					0.0001226										
Tandem S	witching (Port Usage) (Local or Access Tandem)															
Tai	ndem Switching Function Per MOU		·			0.0000972										I
	ndem Trunk Port - Shared, Per MOU					0.0001557										
	ndem Switching Function Per MOU (Melded)					0.000017904										
	ndem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
	Ided Factor: 18.42% of the Tandem Rate										ļ					
Common									 		<u> </u>			<u> </u>	\	
	mmon Transport - Per Mile, Per MOU					0.0000027					ļ				ļ	
	mmon Transport - Facilities Termination Per MOU					0.0001914					ļ				ļ	
	T/LOOP COMBINATIONS - COST BASED RATES		Ļ <u>.</u>			<u> </u>		L D - 1			-	-		 		ļ
	d Rates are applied where BellSouth is required by FCC ar								10 1 1	-f44:- D-4- F					 	
	hall apply to the Unbundled Port/Loop Combination - Cos and Tandem Switching Usage and Common Transport Us											n Bort/Loor	Combinatio	l	ł	-
	nd additional Port nonrecurring charges apply to Not Curr														 	
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Entry Ci		d Combos. For Ci	Intentity Comb	Inea combos u	ne nomecumi	y charges sha	iii be tilose idei	Tanied in the N	I	i - Currently	Combined s	l .		
	Loop Combination Rates	 				 					·				 	
	Vire VG Loop/Port Combo - Zone 1		1		+	10.46									<u> </u>	
	Vire VG Loop/Port Combo - Zone 1	t	2		+	15.76			 	 	 		·	t	t .	
	Wire VG Loop/Port Combo - Zone 3	t	3		+	32.56		-	 		t	 		 	1	
UNE LOOP		İ				52.50			 		t	l		t	1	1
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56	i		 	†	t				1	1
	Vire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86				İ				1	1	
	Vire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	31.66				1"				T		
	ce Grade Line Port Rates (Res)	l	T					_			1					
2-V	Vire voice unbundled port - residence	L		UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28		<u> </u>	L			
	Vire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1,37	1.28						
	Vire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28					L	
	Vire voice unbundles res, low usage line port with Caller ID															1
	JM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28	<u> </u>			<u> </u>	<u> </u>	<u> </u>
	Vire voice unbundled Georgia basic dialing port without Caller															i
1 1	capability - res	1	1	UEPRX	UEPWC	0.9019	10.05	7,36	1.37	1.28	1	1	l	1	1	1

Version 3Q03: 11/12/2003

UNBU	IDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge -	Charge -
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l i		2-Wire voice unbundled Georgia basic dialing port for use with													1		
		Caller ID - res		1	UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28	1				į.	
		2-Wire voice unbundled Georgia basic dialing port - outgoing															
		only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28	1					
		2-Wire voice unbundled Low Usage Line Port without Caller ID		I				1									
		Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28]			
		2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28				1		1
		2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
	FEATU	JRES					- 1									† '''	
		All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)		I	UEPRX	LNPCX	0.35								1	1	
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		Ι							Ī						1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -													T		
		Switch-as-is			UEPRX	USAC2		0.10	0.10		i				1	l	1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		T											 		
1		Switch with change			UEPRX	USACC	1	0.10	0.10								
1	ADDIT	IONAL NRCs		 													———
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		†									-		 		1
		Activity			UEPRX	USAS2	0.00	0.00	0.00							1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	-												<u> </u>		
		Premise			UEPRX	URETL	1	8.33	0.83			i		i	1		1
	OFF/O	N PREMISES EXTENSION CHANNELS	i	†		1				†			-				
		2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1,72				 		+
		2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72				-		
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40,02	9,99	5.61	1.72	 				-	-
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87			<u>-</u>	+		
		2 Wire Analog Voice Grade Extension Loop – Design		1 2	UEPRX	UEAED	16,95	79.85	24.65	18.92	7.87		-				+
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87	-					
- h	NTER	OFFICE TRANSPORT		+	ULI IX	OLALD	33.00	79.00	24.03	10.92	7.07						+
- − +		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	 													+
		Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						1
 		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		├	ULFIX	01172	12.07	40.40	19.46	10.56	5.00				-		
		or Fraction Mile		1	UEPRX	U1TVM	0.0057	0.00	0.00		İ						
 	WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	-		UEFRA	_ UTIVM	0.0037	0.00	0.00					<u> </u>			+
		ort/Loop Combination Rates		 													+
	JINE T	2-Wire VG Loop/Port Combo - Zone 1		1	-		10.46			Ļ							
		2-Wire VG Loop/Port Combo - Zone 1		2						 							
 		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		 	15.76 32.56			 	ļ			 	ļ		
1 1	INE L	oop Rates	-	1 3			32.56			ļ	ļ				ļ		ļ
	DINE LO			-	HEDDA	- UEDLY	255									ļ	
		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	9.56				<u> </u>			ļ			
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86			ļ							
) 184:-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66			<u> </u>	ļ					ļ	
	z-vvire	Voice Grade Line Port (Bus)	L	<u> </u>		<u> </u>									ļ	L	
		2-Wire voice unbundled port without Caller ID - bus		ļ	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28	<u> </u>			<u> </u>		
		2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPBX	UEPBC	0.9019	10.05	7.36		1.28					ļ	<u> </u>
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28				L		↓
		2-Wire voice unbundled incoming only port with Caller ID - Bus		ļ	UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28		L	ļ	L		ļ
		2-Wire voice unbundled Georgia basic dialing port, without		1	Lucany	1	[_	1						1	1
		Caller ID capability - bus		1	UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port for use with	l		Lumpy		, l	l							I	l	
 		Caller ID - bus	ļ		UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28	ļ			L .	ļ	
		2-Wire voice unbundled Incoming Only Port without Caller ID	l		Lucasy			l			!				1	İ	1
	004:	Capability		<u> </u>	UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28				L		L
<u> </u>		NUMBER PORTABILITY		ļ	ļ										L	<u> </u>	1
<u> </u>		Local Number Portability (1 per port)	L	ļ	UEPBX	LNPCX	0.35			l							
⊢— '	EATU		Ļ			\perp											L
L		All Features Offered		L	UEPBX	UEPVF	0.775	0.00	0.00		L						
i 18	VONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED													I		1

NBUNDLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge -	Incremental Charge -	Incremen Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2	-Wire Voice Grade Loop / Line Port Combination - Conversion -															
s	Switch-as-is			UEPBX	USAC2		0.10	0.10			i					
2	-Wire Voice Grade Loop / Line Port Combination - Conversion -										 -			 		
	Switch with change		ļ	UEPBX	USACC		0.10	0.10]					
ADDITIO	NAL NRCs					~~~						<u> </u>				
	-Wire Voice Grade Loop/Line Port Combination - Subsequent				1							l				
	Activity			UEPBX	USAS2		0.00	0.00						i		1
	Inbundled Miscellaneous Rate Element, Tag Loop at End User			OLI DX	OGNOZ		0.00	0.00						 		
	Premise			UEPBX	URETL		8.33	0.83								1
	PREMISES EXTENSION CHANNELS			OLFBA	ONETE		0.33	0.63		_						!
	Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99		4.70				ļ		ļ
	Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	15.85			5.61	1.72			L	<u> </u>	 	I
	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX			40.02	9.99	5.61	1.72				_		
2	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Design				UEAEN	31.97	40.02	9.99	5.61	1.72					ļ <u></u>	
				UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						İ
	Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						L
	Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
	FICE TRANSPORT															1.
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	ermination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						1
lr lr	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0	r Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00			i					1
2-WIRE V	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)													ł		
	t/Loop Combination Rates													 		
	-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	-Wire VG Loop/Port Combo - Zone 2		2			15.76		·								
	-Wire VG Loop/Port Combo - Zone 3		3			32.56								-		
UNE Loo						32.30										
	-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	9.56					ļ					
					1									<u> </u>		
	-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										l
	-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66								L		l
	oice Grade Line Port Rates (RES - PBX)															
	-Wire VG Unbundled Combination 2-Way PBX Trunk Port -								1					1		1
	Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
	NUMBER PORTABILITY													1		
	ocal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATUR	ES					T										
A	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								
NONREC	URRING CHARGES (NRCs) - CURRENTLY COMBINED															
2	-Wire Voice Grade Loop/ Line Port Combination (PBX) -					·										
	Conversion - Switch-As-Is			UEPRG	USAC2		0.10	0.10								ĺ
	-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		0.10	0.10	ł							İ
	NAL NRCs			02,110	1007.00	-		0.10								
	-Wire Voice Grade Loop/ Line Port Combination (PBX) -													ł		
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				1				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI NO	USAGE	0.00	0.00	0.00						 		
	Group				1 1		6.70	6.70								ĺ
	Inbundled Miscellaneous Rate Element, Tag Loop at End User				+ +		6.70	6.70						 		-
				LIEDDO	Liberi		0.00	0.00								ĺ
	Premise PREMISES EXTENSION CHANNELS			UEPRG	URETL		8.33	0.83			ļ			-	ļ	
				LIEDDO	DO U.S.						ļ			<u> </u>		
	ocal Channel Voice grade, per termination			UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87						
	ocal Channel Voice grade, per termination			UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87	L					L
	ocal Channel Voice grade, per termination			UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87					l	L
	Ion-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						L
	Ion-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
	Ion-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	FICE TRANSPORT													1		
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility					•								———		
	ermination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00	I	l		l	1	1

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	l	or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		ļ													
	UNE P	ort/Loop Combination Rates			 												
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	1 2			10.46 15.76										↓
		2-Wire VG Loop/Port Combo - Zone 2	 	3			32.56										↓
	LINEL	pop Rates					32.36								L	-	
	ONL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86			1		 			ļ		+
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66							-		·	
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	!	Ť		J. L.	51.00					 			-	1	
				 	1	_	-					 	ļ			 	
	İ	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		ļ	UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28	ļ	j .		ł		
		Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28	1					
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28	}			1		
		2-Wire Voice Unbundled PBX LD Terminal Ports	i	1	UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28	ļ	ļ				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UÉPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28	1					1
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	L	l	UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.3/	1.28	((l	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1													
		Capable Port	l		UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ	i		1 1		1		1		1					
		Administrative Calling Port		L	UEPPX	UEPXL	0.9019	10.05	7.36	1,37	1.28	Į	Į				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port		ļ	UEPPX	UEPXM	0.9019	10.05	7,36	1.37	1.28	<u> </u>					
		2-Wire Voice Unburndled 1-Way Outgoing PBX Hotel/Hospital				1 1				l i		ĺ	İ		ĺ	Ĭ	
		Discount Room Calling Port		ļ	UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	L	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		ļ	UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - 1-Way	i			İ				[ĺ	ĺ		F	Ĭ	1
	-	Oudial Trunk		-	UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						ļ
	1	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk	l	Į	LIEDDY		0.0040	40.05	7.00		4.00				[
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	-	\leftarrow	UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28	}			-		ļ
		Trunk			UEPPX	UEPPQ	0,9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX LD			OLFFA	ULFFQ	0.9019	10.05	7.30	1.37	1.20	}	·			}	
	l	Terminal Ports	j	J	UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						ŀ
		2-Wire voice unbundled Georgia basic dialing port - PBX Toll			OLI I X	- OLITS	0.5013	10.05	7.30	1.57	1.20		-				
	İ	Terminal Ports		1	UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28	ĺ	ĺ		ĺ	Í	
		2-Wire voice unbundled Georgia basic dialing port PBX LD		 	OLITA		0.3013	10.05	7.50	1.57	1.20	-			 		
		DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX LD	·	f		1020	0.0010	10.00	7.00	1.07	7.20		l				
		Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28	J	j.			J	
	1	2-Wire voice unbundled Georgia basic dialing port - PBX LD			†- -	1	3.00.0		00			}			-	1	
	l	Terminal Switchboard DDD Capable Port	}	}	UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28	ļ			ļ	ļ	İ
	l	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way		T	1	1	3.00.0					 	<u> </u>]	1	
	1	Trunk	1		UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28	I	1			1	
	LOCAL	NUMBER PORTABILITY	İ	t		1							l		<u> </u>	1	T
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				I				
	FEATU															1	
		All Features Offered	I		UEPPX	UEPVF	0.775	0.00	0.00						L .	l	
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														L	ļ
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		_												l	
		Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10								<u> </u>
	l	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l		}		J					1			1	1	ŀ
	l	Conversion - Switch with Change	ļ	ļ	UEPPX	USACC		0.10	0.10				1	ļ		ļ	
	IADDITI	ONAL NRCs	L	<u> </u>	l							1	1	L	l		

Version 3Q03: 11/12/2003

DURONDEF	NETWORK ELEMENTS - Georgia			·							1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonre	curring		Disconnect				Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group			1			6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/O	PREMISES EXTENSION CHANNELS										0 1					
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7 87						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
_	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65		7.87						
-	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02	-					
-	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	19.76	56.92	7.70		0.02	 					
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	37.18	56.92	7.70		0.02						
INTER			3	DEFFA	SUUZA	37.18	30.92	7.70	4.40	0.02						-
INTER	OFFICE TRANSPORT		-													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDA	1117112	42.63	40.10	40.10	46.50							
	Termination		-	UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
= 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			10.46										
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			15.76										
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			32.56										
	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	31.66										
2-Wire	Voice Grade Line Ports (COIN)			OLI CO	OLI LX	01.00		_	_	_						
2-44116	2-Wire Coin 2-Way with Operator Screening (GA)		_	UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						_
_	2-Wire Coin 2-Way with Operator Screening (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011.		_	DEFCO	- DEFGC	0.5015	10.03	7.30	1.37	1.20						
	900/976, 1+DDD (GA)			UEPCO	UEP2G	0 9019	10.05	7.36	1 37	1.28						
		_		UEPCU	UEPZG	0 9019	10.05	7.30	137	1.20	-					_
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking						40.05									
	(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 900/976															
	Blocking (GA)	200		UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28			-			
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DOD. 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
1	(GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and Blocking.															-
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						-
_	2-Wire Coin Outward Smartline with 900/976 (all states except															
- 1	LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
ADDITI	ONAL UNE COIN PORT/LOOP (RC)			021 00	OCT OIL	0.5015	10.00	7.00	1.07	1.20						
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0 00	0.00						
	NUMBER PORTABILITY			DEFCO	OILECO	3.33	0.00	0.00	0 00	0.00						_
LUCAL			\vdash	UEPCO	LNPCX	0.35										
NONDE	Local Number Portability (1 per port)	_	-	DEPCO	LIVECA	0.55			_							
NUNKE	CURRING CHARGES - CURRENTLY COMBINED										-					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is		_	UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.10	0 10								
ADDIT	ONAL NRCs.		9		2 7 7 7							-				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPCO	URETL		8.33	0.83								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INIE S	OPT													

BUNDLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
EGORY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge
	m									perLSK	perLSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
	_				Rec	Nonrec		Nonrecurring					Rates (\$)		
INIC D. eff		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates		ļ.,												ļ	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53						ļ				
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2			30.92								<u></u>	L	<u> </u>
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 UNE Loop Rates		3			47.04										
2-Wire Voice Grade Loop (SL2) - Zone 1		-	UEPFR	UECF2	11,57					ļ					<u> </u>
2-Wire Voice Grade Loop (SL2) - Zone 2		1 2	UEPFR	UECF2	16.95					<u> </u>					ļ
2-Wire Voice Grade Loop (SL2) - Zone 3	+-	3	UEPFR	UECF2	33.08										
2-Wire Voice Grade Line Port Rates (Res)		۲	OLFTIN	ULC/ 2	33.00										
2-Wire voice unbundled port - residence	+	1	UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44	-					
2-Wire voice unburided port with Caller ID - res	+	+	UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44						1
2-Wire voice unbundled port outgoing only - res		+	UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44	i			ļ	-	
2-Wire voice unbundles res, low usage line port with Caller ID	+	<u> </u>	OLITIK	- CEI NO	1.00	100.00	45.00	41.03	13.44						
(LUM) 2-Wire voice unbundled Georgia basic dialing port, without	_		UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
Caller ID capability - res	4		UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	1,09	166.05	43.66	41.89	15.44						
2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTEROFFICE TRANSPORT	1	<u> </u>													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	9		UEPFR	1L5XX	0.0057	0.00	0.00								
FEATURES									-	-			1		
All Features Offered		i	UEPFR	UEPVF	0.775	0.00	0.00			-					
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LNPCX	0.35										
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86					-			
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change		1	UEPFR	USACC											
Unbundled Miscellaneous Rate Element, Tag Designed Loop a	t					7.85	1.86								
End User Premise 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIF	E LINE I	PORT (UEPFR BUS)	URETN		11.19	1.10								
UNE Port/Loop Combination Rates										1					1
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53									· · · · · · · · · · · · · · · · · · ·	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 1		1 1	UEPFB	UECF2	11.57										
2-Wire Voice Grade Loop (SL2) - Zone 2	+	2	UEPFB	UECF2	16.95										
2-Wire Voice Grade Loop (SL2) - Zone 3 2-Wire Voice Grade Line Port (Bus)		3	UEPFB	UECF2	33.08										
	-														
2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		_	UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44				ļ	ļ	ļ. <u> </u>
2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled port outgoing only - bus	+		UEPFB UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
2-Wire voice unburidled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	+	-	UEPFB	UEPBO UEPB1	1.09	166.05	43.66	41.89	15.44						ļ
2-Wire voice unbundled fleorigia basic dialing port, without Calter ID capability - bus						166.05	43.66	41.89	15.44		<u></u>				-
2-Wire voice unbundled Georgia basic dialing port for use with		-	UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
Caller ID - bus LOCAL NUMBER PORTABILITY			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44				<u> </u>		
Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00				L		

ONDE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		,
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		ļ				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	or Fraction Mile			UEPFB	41.577	0.0057	0.00	0.00						ł		
EEAT	URES		ļ	DEPFB	1L5XX	0.0057	0.00	0.00			Ļ					
I LAI	All Features Offered		 -	UEPF8	UEPVF	0.775	0.00	0.00			ļ					ļ
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI I B	OLF VI	0.773	0.00	0.00								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		† —	-							·	 				
-	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86	1							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change		<u> </u>	UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at								- I						1	
	End User Premise		<u>L</u>	UEPFB	URETN		11.19	1.10			i		_	1.	1	
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
UNE	Port/Loop Combination Rates	_	<u> </u>						ļ		L			l		
+-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1 1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		 	30.92 47.04			 		<u> </u>				L	-
LINE	Loop Rates		3			47.04										
DIVE	2-Wire Voice Grade Loop (SL2) - Zone 1		1 1	UEPFP	UECF2	11.57									<u> </u>	
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95			 		 					
 	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	33.08				_	·		,	-		-
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		 	OLITI	OLCI Z	33.00								ļ — — — — — — — — — — — — — — — — — — —		
	Total Grado Esta Fort Haday (DOD 1 DA)		 								 					
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44					1	
	Line Side Unbundled Outward PBX Trunk Port - Bus		t e	UEPFP	UEPPO	1.09	166.05	43.66	41.89	15,44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus	-	t	UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44		_				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44					-	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		T	UEPFP	UEPXA	1.09	166.05	43.66	41,89	15.44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1 1											
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44	L					
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l	1		1 1	1	ì		1		1				ì	ì
	Room Calling Port		-	UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44					ļ	
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	LIEDYO		100.00	10.00		45.00						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPFP	UEPXO	1.09	166.05	43.66 43.66	41.89	15.44		<u> </u>				_
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPFP	UEPAS	1.09	166.05	43.66	41.89	15.44						
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44					ì	i
+	2-Wire voice unbundled Georgia basic dialing port - 2-Way		 	<u> </u>	OL, WO	1.09	100.05	45.00	41.09	10.44		-		<u> </u>	 	
	Trunk		1	UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44	l	[Į	
LOCA	L NUMBER PORTABILITY		1	OL,	100,44	1.00	100.00	170.00	41.00		 -					
	Local Number Portability (1 per port)		 	UEPFP	LNPCP	3.15	0.00	0.00			 			-		_
INTER	ROFFICE TRANSPORT			<u>GLI</u>	L											_
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														l	
	Termination		ļ	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		i								İ					
	or Fraction Mile		ł	UEPFP	1L5XX	0.0057	0.00	0.00						i	ļ	ļ
FEAT																
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00							L	
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															L
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								1			i				1
	Combination - Conversion - Switch-as-is		ļ	UEPFP	USAC2_		7.85	1.86						ļ	ļ	<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					J					1				1	
1	Combination - Conversion - Switch with change		ļ	UEPFP	USACC		7.85	1.86				ļ				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at														i	

JNBUNDLI	ED NETWORK ELEMENTS - Georgia													Attach	ment: 2	Evh:	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	Е	ocs	USOC			RATES (\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge -	Increment Charge - Manual St Order vs
							Rec	Nonre	curring	Nonrecurring	Disconnect		L	oss	Rates (\$)	<u> </u>	L
							Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	PORT/LOOP COMBINATIONS - COST BASED RATES	l															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE	Port/Loop Combination Rates																T
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17.05										1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				22.44										1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38.56										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	L		UEPPX		UECD1	11.57										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	16.95										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08										
UNE	Port Rate						I 1										
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27				T		
NONE	RECURRING CHARGES - CURRENTLY COMBINED														l —		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		6.66	1.86								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C	1	6.66	1.86								1
ADDI	FIONAL NRCs					1			1.00								-
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise	.		UEPPX		URETN		11.19	1.10								l.
Telep	hone Number/Trunk Group Establisment Charges			OCITA		I DALL TI		11.19	7.10								
	DID Trunk Termination (One Per Port)		-	UEPPX		NDT	0.00	0,00	0.00								ļ
-	DID Numbers, Establish Trunk Group and Provide First Group			OLFFX		IND!	0.00	0.00	0.00								
	of 20 DID Numbers	1		UEPPX		NDZ	0.00	0.00	0.00								
_	Additional DID Numbers for each Group of 20 DID Numbers	- 1					0.00	0.00	0.00							_	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND4	0.00	0.00	0.00								
	Did Numbers, Non- consecutive DID numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								İ
	Reserve Non-Consecutive DID numbers	-		UEPPX		ND6	0.00	0.00	0.00								İ
1.004	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LUCA	L NUMBER PORTABILITY					ļ											f
0.1405	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00					-			ĺ
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE	Port/Loop Combination Rates					L								· ·			
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1											
	UNE Zone 1		1	UEPPB	UEPPR	L	19.44						1				1
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	Т															
	UNE Zone 2		2	UEPPB	UEPPR		24.45			ı							1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -											· · · · · · · · · · · · · · · · · · ·					-
	UNE Zone 3		3	UEPPB	UEPPR	1	38.09					[!	j			ł
UNE L	oop Rates					1											
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.25										
																	
1	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26						l				1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	32.90								-		
UNE F	Port Rate		- J	OCTID	JEFFIX	USLZA	32.90										
1-1	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	6.40	104.00	444.00								
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OEFFB	JEFFR	UCPPB	5.19	161,36	141.68	43.68	8.37						
1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					 											
	Combination - Conversion			HEDDD	HEDDO	LICACE	0.00					ŀ			 	l	1
ADDU	IONAL NRCs			UEPPB	UEPPK	USACB	0.00	42.52	26.99								
120011	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activi																
1	Non Feature/Add Trunk			LIEDDO	HERRA	LICACO						l		j		i	i
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPPB	UEPPR	USASB		0.00									-
	End User Premise			LIEDDO		l I				l		1					1
				UEPPB	UEPPR	URETN		11.19	1.10								L
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
1.00	Premise			UEPPB	UEPPR	URETL		8.33	0.83			1			 	l	l .
LUCA	L NUMBER PORTABILITY																1
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								(
B-CHA	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	LITTICA	0.00	0.00	0.00								

	ED NETWORK ELEMENTS - Georgia					.,									ment: 2		ibit: A
		1				Ì						1	Svc Order	Incremental		Incremental	1
		1				1	1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi				1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	l .	Zone	. 8	cs	USOC	ļ		RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m					1					per zon	po. com	Electronic-	Electronic-	Electronic-	Electronic-
							i						l	1st	Add'I	Disc 1st	Disc Add'I
				1								Ì		Ist	Addi	DISC 1St	DISC Add I
	1111 1111			 	-		T	Nonrec	urring	Nonrecurring	Disconnect	· ·		OSS	Rates (\$)	1	
			1				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	CVS (EWSD)	† · · · · ·	 	UEPPB	UEPPR	U1UCB	0.00	0,00	0.00	7 0.					1		
	CSD	+	 -			U1UCC	0.00	0.00	0.00					 			1
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CNC	TNO	UEPPB	UEPPR	01000	0.00	0.00	0.00			-					<u> </u>
		C,M5, 8	LIN)	-			ļ					ļ		ļ			
USER	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)	ļ	ļ	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00						<u> </u>		
VERT	TICAL FEATURES																
1	All Vertical Features - One per Channel B User Profile	1	1	UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE	1	1				i i	· · · · · · · · · · · · · · · · · · ·									
	Interoffice Channel mileage each, including first mile and		1														
	facilities termination	1		UEPPB	UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00		1		1		
	Interoffice Channel mileage each, additional mile		\vdash		UEPPR	M1GNM	0.0057	0.00	0.00			 			i —		
A_SA/IE	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	1	52.75	J		0.0007	0.00	0.00			 		 		 	+
	JNE-P DS1 combination rates below for in this rate exhibit app			ddod bess	in place :	of 10/2/02	Intil 4/1/04 Aff	or 4/1/04 these	rates shall see	ort to tariff	OF OF 2 COFFEE	to comme	ial agrees	i .	 		1
														nt.	 	1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	I runk Po	ort afte	er the effec	ctive date	of this amend	Iment shall be p	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.		ļ		ļ
UNE	Port/Loop Combination Rates	-		1								 			↓		ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1	1]	1				1	1				1
	Zone 1	1	1	UEPPP			106.15					L					ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			1											1		
	Zone 2		2	UEPPP			111.54	1									İ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1												1			1
	Zone 3		3	UEPPP			127.15	i					-		1		
LINE	Loop Rates	+	† <u>-</u> -	102		+	121110				· · · · · · ·	 			- -		
- 0.1.2	4-Wire DS1 Digital Loop - UNE Zone 1	+	1	UEPPP		USL4P	41.02				-						
			2	UEPPP		USL4P	46.41					-	 	 	 		
	4-Wire DS1 Digital Loop - UNE Zone 2	-													 		-
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	62.03								<u> </u>		
UNE	Port Rate														ļ		ļ
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80	L		<u></u>			
NONF	RECURRING CHARGES - CURRENTLY COMBINED							1							1		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1											
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97	i i							
ADDI	TIONAL NRCs	 	_									1					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	+	 			-	-					 					-
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50							1		
-+-	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	-	+	ULFFF		FIXITI		0.30						 		 	
			1	UEDDD.		DDZTO		10.72						1	l .		
	Outward Tel Numbers (All States except NC)	_	-	UEPPP		PR7TO		10.72				 	-			ļ	
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1														
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43				ļ			ļ	ļ	
LOC#	AL NUMBER PORTABILITY		1									<u> </u>					
	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75					L			<u> </u>		
INTE	RFACE (Provsioning Only)					.1					L	1			1		
	Voice/Data		1	UEPPP		PR71V	0.00	0.00	0.00			I			1		
	Digital Data	T	T	UEPPP		PR71D	0.00	0.00	0.00			T					
	Inward Data	1	†·	UEPPP		PR71E	0.00	0.00	0.00	-			1	1	T		T
Nov	or Additional "B" Channel	+	+	122		1				 			t	 	 		
- INGA C	New or Additional - Voice/Data B Channel	+	+	UEPPP		PR7BV	0.00	13.59				 	1	 	+	 	+
		+	+-	UEPPP		PR7BF	0.00	13.59				 	 		+	 	+
	New or Additional - Digital Data B Channel	+	+							l	ļ	_	 	 	 	 	1
	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	13.59				ļ	ļ	ļ		-	
CALL	- TYPES	ļ	<u> </u>	ļ		1	ļ					 		ļ		ļ	
	Inward	1	1	UEPPP		PR7C1	0.00	0.00	0.00		ļ	<u> </u>				ļ	1
	Outward		1	UEPPP		PR7CO	0.00	0.00	0.00						1		
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00						L		1
Interr	office Channel Mileage																
	Fixed Each Including First Mile	Τ	T	UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73						
	Each Airline-Fractional Additional Mile	1	1	UEPPP		1LN1B	0,1154				1	1			T		
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1	1		1	1							<u> </u>			
	JNE-P DS1 combination rates below for in this rate exhibit app	ly to the	ombo	ddad base	in place :	of 10/2/02	until 4/1/04 Aff	or AI1/04 these	rator chall to	ort to tariff rat	ac or a conses	te commerc	ial agreems	nt	 	†	
	orac - con combination rates below for in this rate exhibit app	y to the	embe	oueu pase	ani piace a	as UI 10/2/03		er 4/1/04 triese	races small rev	CA DAIGNALIA	es or a separa	T COMMENT	iai agreeme	· · · · · · · · · · · · · · · · · · ·	+		+
Inel	note for 4 Miles DC4 Digital Lagrance 4 MC DDITC 12 11																
Requ	tests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the el	fective o	date of	this amer	iament sn	all be provide	ed pursuant to a	separate agre	ement or tarin	rat Bellsouth s	s discretion.	ļ				ļ	1

Page 106 of 227 Version 3Q03: 11/12/2003

TOUNDLE	D NETWORK ELEMENTS - Georgia	1		1							Com Order	0 - 0 - 1		ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		87.61										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22		1								
UNE L	pop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLOC	46.41										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03										
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
NONRI	CURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination														1	
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		422.40	00.70								
-	- Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPUC	USAWA	//	132.19	66.79					1			-
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
ADDIT	ONAL NRCs			UEFDC	USAVVB		132.19	00.79					1		_	├──
ADDITI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				+								1			
	Service Activity Per Service Order			UEPDC	USAS4		0,00	0.00								
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			DEFDC	U3A34		0,00	0.00		-	-					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-	DET DO	ODITA		13.33	13.53								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95				1				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		_	OLI DO	- 00110		13.33	13.55								
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	1.0	13.95	13.95			1					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Chan						10.00	10,00								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD	1	13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan				1	1										
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE	1	13.95	13 95					ļ			
BIPOL	AR 8 ZERO SUBSTITUTION												_			
	BBZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF	į.	0.00i	392.25s								
Alterna	te Mark Inversion			4											ĺ	
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	мсоро		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges									_						
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						-				
	DID Numbers, Establish Trunk Group and Provide First Group			HEDDO	ND2	0.00		0.00								
_	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00			_					
	DID Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	ND4	0.00										
	DID Numbers, Non-consecutive DIO Numbers , Per Number Reserve Non-Consecutive DID Nos			UEPDC	ND5 ND6	0.00	0.00	0.00								-
_	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00							1	\vdash
Dodica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	1000			0.00	0.00	0.00								
Decica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	СООР	WILLI 4-WILE DOLLS	TIGHK FOR										1	
	Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73					1	ĺ
_	Terminology			02100	12.40	54.15	111.00	00.20	51.50	21.10						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1154	0.00	0.00								ĺ
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities				1 200			0.30								—
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25						2.00	2.00							İ	
	miles			UEPDC	1LNOB	0.1154	0.00	0.00								ĺ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities														i	
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										4.00
	Central Office Termininating Point			UEPDC	CTG	0.00						-5			To result	

INBLINDI ED NET	WORK ELEMENTS - Georgia												Attach	ment: 2	Ev.L.	bit: A
INDUNDEED NET	WORK ELEMENTS - Georgia				· · · · · · · · · · · · · · · · · · ·	T					,					
											Svc Order	Svc Order	Incremental	Incremental		Incremer
l l		l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
i		1	1								Elec					
TEOOBY	DATE EL CHENTO	Interi	-					DATES (6)					Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	l m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
1		""									l '		Electronic-	Electronic-	Electronic-	Electroni
1		l			1							i 1				1
1		1									1		1st	Addʻl	Disc 1st	Disc Add
		 	 		_	1			r							
		1	ļ			Rec		curring		g Disconnect	1			Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
4-WIRE DS1 LC	OOP WITH CHANNELIZATION WITH PORT				""				· - · · -							
	S1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivation				 										
				Ļ		-					ļ					<u> </u>
	an have up to 24 combinations of rates depending or				_			<u></u>								l
The UNE-P DS	1 combination rates below for 4-Wire DS1 Loop with 0	Channel	ization	with Port in this ra	ete exhibit app	oly to the embe	dded base in p	lace as of 10/2	1/03 until 4/1/04	1. After 4/1/04	these rates:	shall revert	to tariff rates	or a separate	agreement.	
Requests for 4	-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendme	nt shall be pro	ovided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.			· · ·		
UNE DS1 Loop	· · · · · · · · · · · · · · · · · · ·		Γ	7	1			1	I	1	T .			 		
				LIEDMO	LICLDO	44.00	0.00		ļ							
4-vvire	DS1 Loop - UNE Zone 1	1		UEPMG	USLDC	41.02	0.00	0.00								<u> </u>
4-Wire	DS1 Loop - UNE Zone 2	1	2	UEPMG	USLDC	46.41	0.00	0.00	1	1						
	DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	62.03	0.00	0.00			†					
	nnelization Capacities (D4 Channel Bank Configuratio		+	ou. mo	OGLEG	02.00	0.00	0.00		 				-		
		ns)	1			L		ļ	L		L		L	L		
	Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00	L	1				l		1.
48 DSC	Channel Capacity - 1 per 2 DS1s	I		UEPMG	VUM48	86.06	0.00	0.00	l —	1	1					1
	O Channel Capacity -1per 4 DS1s	t	 	UEPMG	VUM96	172.16	0.00	0.00		 	 -					
			 						ļ	 	_	ļ		<u> </u>		
	0 Channel Capacity - 1 per 6 DS1s	L	<u> </u>	UEPMG	VUM14	258.24	0.00	0.00			L					L
192 DS	0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	344.32	0.00	0.00								
240 DS	0 Channel Capacity - 1 per 10 DS1s	1	t	UEPMG	VUM2O	430.40	0.00	0.00	l	l	t			 		
		1	1						 	+						
	0 Channel Capacity - 1 per 12 DS1s	ļ	ļ	UEPMG	VUM28	516.48	0.00	0.00								
384 DS	0 Channel Capacity - 1 per 16 DS1s	1		UEPMG	VUM38	688.64	0.00	0.00								
480 DS	0 Channel Capacity - 1 per 20 DS1s	1		UEPMG	VUM4O	860.80	0.00	0.00								
		-	-	UEPMG			0.00				-					-
	0 Channel Capacity -1 per 24 DS1s		<u> </u>		VUM57	1,032.96		0.00			ļ					
672 DS	0 Channel Capacity - 1 per 28 DS1s	1		UEPMG	VUM67	1,205.12	0.00	0.00	į.			!		+		į.
Non-Recurring	Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chan	neliztio	n with Port - Conve	ersion Charge	Based on a Sy	stem									
							OTO.II.		-		ļ					
	rstem configuration is One (1) DS1, One (1) D4 Channe							I		ļ	L					
Multiples of th	is configuration functioning as one are considered A	dd I afte	r the m	iinimum system co	nfiguration is	counted.			ł					1		l .
NRC - (Conversion (Currently Combined) with or without								I				ľ			
	uth Allowed Changes	1	1	UEPMG	USAC4	0.00	153.24	8.37	1	I	1			1	!	1
		<u> </u>	L					0.37			-					
	ons at End User Locations Where 4-Wire DS1 Loop wi				bination Curre	ently Exists and										
New (Not Curr	ently Combined) in all states, except in Density Zone	1 of Top	8 MSA	\'s	l				ļ.							1
1 DS1/I	D4 Channel Bank - Additionally Add NRC for each Port	1														
	soc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35	1			ł		į.
				OLFING	VOIVIDA	0.00	373.04	233.31	05.43	0.55						
Bipotar 8 Zero		1							<u> </u>					L		<u> </u>
Clear C	Channel Capability Format, superframe - Subsequent										l .			1		ŀ
Activity	Only	1		UEPMG	CCOSF	0.00	n nni	392.25s	Į.							1
	Channel Capability Format - Extended Superframe -	+	_	OLI IIIO	00001	0.00	0.001	002.203								
		1		ļ	ŀ	· '		1	l .	1		i l		1		1
	quent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s	<u> </u>							
Alternate Mark	Inversion (AMI)															
	rame Format	t	†	UEPMG	MCOSF	0.00	0.00	0.00	1	1	1			1		1
		 	+						I	ļ						1
	ed Superframe Format	I	L	UEPMG	MCOPO	0.00	0.00	0.00	L	1	L	l	L	l		1
Exchange Port	ts Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	l	1	1		l	l		1			I		I
Exchange Port											I			I		I
	de Combination Channelized PBX Trunk Port - Business	+			+	 		l	-	 	 	l		t		
			1	l	1	1		l	I		1	l i		I		1
(E:4/1/2		<u></u>	<u></u>	UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00	1			L		
Line Si	de Outward Channelized PBX Trunk Port - Business															T .
(E:4/1/2		1	1	UEPPX	UEPOX	1.09	0.00	0,00	0.00	0.00	i		1	I	l	1
		1	1	ULFFA	UEPUX	1.09	0.00	0.00	0.00	0.00	-	ļ	ļ	l — —		+
	de Inward Only Channelized PBX Trunk Port without DID	1	1	1	1	i		l	1	1	1	1		l	l	i
(E:4/1/2	2004)	1	1	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00	1			1	l	
	Trunk Side Unbundled Channelized DID Trunk Port		1		1	1			1		1	1		1	· · · · · · · · · · · · · · · · · · ·	
(E:4/1/2		!	1	UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00	1			1	l	
		<u> </u>	1	UEPPX	DEPUM	5.50	0.00	0.00	0.00	0.00	 			L	ļ	ļ
	tions - Unbundled Loop Concentration	L	1			<u> </u>	<u></u>	L	<u> </u>	<u> </u>	L	L		L		
Feature	e (Service) Activation for each Line Port Terminated in D4	1				1		1		1	1				1	1
Bank			1	UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95	1	l i	1	I	I	
	(Carries) Astronties for each Total Dark Total	 	+	<u> </u>	TIL CEANIAL	0.7009	12.50	0.00	1.30	1.93					l	1
	e (Service) Activation for each Trunk Port Terminated in	1	1	1	1	1		1	I	1	1			I	l	1
D4 Ban	ık	1	1	UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34	1		1	I		
Telephone Nu	mber/ Group Establishment Charges for DID Service	1	†		1			1		1	1			T	1	
		 	+	LIEDDY	MOT	0.00	0.00	0.00			 					
	unk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			ļ					
Estab 7	Frk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	1	1	UEPPX	NDZ	0.00	0.00	0.00	I		1				L	
DID No	mbers - groups of 20 - Valid all States	1	T	UEPPX	ND4	0.00	0.00	0.00				T				
	onsecutive DID Numbers - per number	t	-	UEPPX	ND5	0.00	0.00	0.00	<u> </u>	 	t			+	l	t
																1
	e Non-Consecutive DID Numbers		-	UEPPX	ND6	0.00	0.00	0.00		+	 		<u></u>			+

Version 3Q03: 11/12/2003
Page 108 of 227

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
			I									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			١									Elec	Manualty	Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m			1						per Lok	per Lor	Electronic-	Electronic-	Electronic-	Electronic
			1									į					
			ŀ											1st	Add'I	Disc 1st	Disc Add'l
	T					1		Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
			 		†		Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve DID Numbers	 		UEPPX	NDV	0.00	0.00	0.00			1	1	-			
	Local I	lumber Portability	†														
		Local Number Portability - 1 per port	†		UEPPX	LNPCP	3.15	0.00	0.00			l					
	FEATU	RES - Vertical and Optional		1		1							1				
	Local S	Switching Features Offered with Line Side Ports Only	1			1	1								<u> </u>		
		All Features Available		1	UEPPX	UEPVF	0.775	0.00	0.00			i	1		T		
JNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S														
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State (Commission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.		·		1				
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the san	ne manner as	they are applie	d to the Stanc	l-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section of	this rate ext	nibit shall apply	to all combin	ations of loop/	port network e	lements excep	t for UNE	Coin Port/Lo	op Combina	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrec	urring charges	shall be those	identified in t	he Nonrecu	rring - Curr	ently Combin	ed sections.	Additional NF	tCs may
	apply a	Ilso and are categorized accordingly.															
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ase Basis, un	til further notic	e.					I				
	UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<i>(</i>)	l						i		T	1				
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		T			T					1					
	UNE P	ort/Loop Combination Rates (Non-Design)		1													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1										
		Non-Design		1	UEP91		10.46					1		1			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													1		
		Non-Design	İ	2	UEP91	ì	15 76						<u> </u>				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	1	Non-Design		3	UEP91	1	32.56		ł	!						I	
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1									1					
		Design		1	UEP91		12.47						<u> </u>				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i														
		Design		2	UEP91		17.85								L		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	I	I	Ī						i	j			İ		ŀ
		Design		3	UEP91		33.98								L		
	UNE L	pop Rate								<u> </u>	l				<u></u>		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56						<u> </u>		<u> </u>		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.86										<u> </u>
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.66						l				
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57				<u> </u>		1				
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16 95						l ,				<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08								<u> </u>		
	UNE P														L		ļ
	All Sta	tes (Except North Carolina and Sout Carolina)		L	<u> </u>									1			
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28				L		
	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		İ	1											
	1	Area	ļ	_	UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1		1								1		i		
	-	Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28	.			ļ		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1			1											
		Note 2, 3 Basic Local Area		<u> </u>	UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15	ļ					
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOA	luco: c						1					
	1	Term - Basic Local Area	 	-	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15	ļ	+	-	 	-	-
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LUEDO4	LIED.	0.0040	10.0-	7.00	1	4	1			1		
	+	- Basic Local Area	-	-	UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28	+	1		 		
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		LICTO	LIEDVO	0.0040	40.05	7.00	1 4 07	4.00		1			-	
	10000	Basic Local Area	1	-	UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28	+	1	1	 		
	Georgi	a and Florida Only			LIEDOA	LIEDILA	0.0040	10.00	7.00	1 27	1 20	 	ļ	1	 	-	+
	 	2-Wire Voice Grade Port (Centrex)	 		UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28	+	+		-	ļ	+
	+	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28			 		 	+
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1	 	ļ	UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28			ļ	ļ		-
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		Luspon		0.000	20.5-							1		1
-	1-	Center)2,3	1	-	UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15	_	<u> </u>	 	+	ļ	1
	1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800							l	1	l					1	
	1	Service Term	I	l	UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15	1	1	L	l		l

Version 3Q03; 11/12/2003

Page 109 of 227
[CCCS Amendment 175 of 308]

MPONDE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit; A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order v
													1st	Add'I	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					4	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10 05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						
Local	Switching															
	Centrex Intercom Funtionality, per port		_	UEP91	URECS	0 4237										
Local	Number Portability		_												1	
-	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
_	All Standard Features Offered, per port		_	UEP91	UEPVF	0.775										
	All Select Features Offered, per port		_	UEP91	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS		-		115001												-
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0 00	0.00	0.00					1	
	Unbundled Network Access Register - Outdial		_	UEP91	UAROX	0.00	0.00	0 00	0.00	0.00					ļ	
	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
Intero	ffice Channel Mileage - 2-Wire													In the second	- ~-	
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16,58	5.00						
17	Interoffice Channel mileage, per mile or fraction of mite			UEP91	M1GBM	0.0057										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689								-		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop														1	
	Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.4689										
														1		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		_	UEP91	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
1	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0 10	0.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5 92						
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92				1		
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									10-10
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00				-					
Addit	onal Non-Recurring Charges (NRC)														İ	
T	Unbundled Miscellaneous Rate Element. Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element. Tag Design Loop at															
	End Use Premise			UEP91	URETN		11 19	1.10								
UNE-F	CENTREX - 5ESS (Valid in All States)						Ī									
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								l i							
	Non-Design		1	UEP95		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		15.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		32.56										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design	l	1	UEP95		12.47										1

JNBU	INDLE	D NETWORK ELEMENTS - Georgia												<u> </u>	ment: 2		ibit: A
ATEG	SORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
	т			ļ			1	Nonrec	urring	Nonrecurring	Disconnect		İ		Rates (\$)	Disc 1st	District
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		17.85										ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			HEDOE		22.00										
		Design		3	UEP95		33.98							 	_		
	UNEL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56							+			-
		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP95	UECS1	14.86			· · · · · · · · · · · · · · · · · · ·				-		-	
-		2-Wire Voice Grade Loop (St. 1) - Zone 3		3	UEP95	UECS1	31.66										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57		-								
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										
	UNE P	ort Rate															
	All Sta	tes															1
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10 05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28			ļ		 	ļ
	-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			1	1							1	1			1
	<u> </u>	Area		1	UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28	ļ		ļ		ļ	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire				1											
	ļ	Center)2,3 Basic Local Area		-	UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area		<u> </u>	UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	ĺ	1]					
	ļ	- Basic Local Area		ļ	UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -										[İ	
	<u> </u>	Basic Local Area		↓	UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
	FL & G	A Only		1				10.05		1.07	4.00					-	
	ļ	2-Wire Voice Grade Port (Centrex)		-	UEP95	UEPHA UEPHB	0.9019 0.9019	10.05	7.36 7.36	1.37 1.37	1.28 1.28					ļ	
	ļ	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28	<u> </u>					
		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPHM	0.9019		26.96		9.15						
		Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		╂	UEP95	DEPHIN	0.9019	82.27	20.90	20.29	9.13						_
	ļ	Term 2,3	-	1	UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port Terminated in 6th Meganinik of Equivalent	-	 	UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local	Switching															1
		Centrex Intercom Funtionality, per port		†	UEP95	URECS	0.4237							1			
	Local	Number Portability		1						1							
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Featur																ļ
	<u> </u>	All Standard Features Offered, per port		ļ	UEP95	UEPVF	0.775										1
	ļ	All Select Features Offered, per port		ļ	UEP95	UEPVS	0.00	0.00									
	I	All Centrex Control Features Offered, per port		ļ	UEP95	UEPVC	0.00			 	 		ļ			-	
	NARS		<u> </u>	<u> </u>	LIEDOS	1,14500.7			0.5-	2.55	0.60	.		-	<u> </u>	 	+
	_	Unbundled Network Access Register - Combination		-	UEP95	UARCX	0.00	0,00	0.00	00.0	0.00			 			-
	 	Unbundled Network Access Register - Indial	-	+	UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>				-	+
	Minos	Unbundled Network Access Register - Outdial laneous Terminations	-	+	0009	UARUA	0.00	0.00	0.00	0.00	0.00					 	+
		Trunk Side	-	+		1 1		-		 		t			 		†
	2-1116	Trunk Side Terminations, each		+	UEP95	CEND6	5.50	122.26	18.65	54.82	3,45		1	1			
	4-Wire	Digital (1.544 Megabits)	 	 	1	100.00	0.00		.0.00		5.10			1			1
	1,	DS1 Circuit Terminations, each	 -		UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33		1	T			
	1	DS0 Channels Activated, each		t	UEP95	M1HDO	0.00	13.95		1							
	Interof	fice Channel Mileage - 2-Wire		t^{-}						1							
	1	Interoffice Channel Facilities Termination	l	t	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile	T	1	UEP95	M1GBM	0.0057										
	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e						·								L
		annel Bank Feature Activations											l .			l	

JNBUNDLEC	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	l	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
					ļ						ĺ					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689					ļ					
1 1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1		į						i	i		
	Slot			UEP95	1PQW7	0.4689									1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.4689					i					1
	Different Wife Certier			ULF 93	TF QVVF	0.4009							· · · · · · · · · · · · · · · · · · ·		1	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP95	1PQWV	0.4689								l		1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		 													
	Slot	l	l .	UEP95	1PQWQ	0.4689					L			L	L	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1POWA	0.4689										
	curring Charges (NRC) Associated with UNE-P Centrex													L	L	
	NRC Conversion Currently Combined Switch-As-Is with allowed	ł		ĺ	1									1		ļ
	changes, per port			UEP95	USAC2		0.10	0.10	10.00							
	New Centrex Standard Common Block			UEP95	M1ACS M1ACC	0.00	317.90 317.90	37.59 37.59	48.99 48.99	5.92 5.92					ļ	i
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion		1	UEP95 UEP95	URECA	0.00	0.00	37.59	48.99	5.92		ļ				
	nal Non-Recurring Charges (NRC)		 	UEF95	UKECA	0.00	0.00							<u> </u>	-	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use					<u> </u>										1
	Premise			UEP95	URETL		8.33	0.83					i			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.19	1.10			}				1	
UNE-P	CENTREX - DMS100 (Valid in All States)												I			
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo					•										
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł	l			l										
	Non-Design		1	UEP9D		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo			LIEDOD		45.70								1		
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		15.76					 		1	 		
	Non-Design		3	UEP9D		32.56										
	ort/Loop Combination Rates (Design)		-	GEF 9D		32.30										
JOINE 7	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-					*							1	
- 1 1	Design]	1	UEP9D		12.47					1		1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1 1	Design		2	UEP9D		17.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											1				
	Design		3	UEP9D		33.98							ļ	<u> </u>		ļ
UNE Lo	oop Rate		ļ											ļ		ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1 1	UEP9D	UECS1	9.56 14.86							 		1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3	UEP9D UEP9D	UECS1 UECS1	14.86 31.66					· · · · · · · · · · · · · · · · · · ·		 	 	+	
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9D	UECS2	11.57					 			 		
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP9D	UECS2	16.95			 				1	 	T	t
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.08					†				<u> </u>	1
UNE Po		!	Ť		1					1	1				L	<u> </u>
ALL ST																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28				L		ļ
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local													İ		
	Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28			ļ		1	4
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		LIEDOD				~					1			
	Area	ļ	ļ	UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28	 		-	<u> </u>	·	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		LIEBOD	HEBYD	0.0040	10.00	7.00	1.37	1.28		1	1	}		1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1	1	UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28	+	-	 	 	<u> </u>	
	Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	 	1	021 00	OCI-TE	3.3019	10.03	7.30	1.3/	1.20	 	t	†	 	1	1
1	Area	l	1	UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28	1	1	I	1	1	1

Version 3Q03; 11/12/2003

Page 112 of 227 [CCCS Amendment 178 of 308]

UNBUNDL	ED NETWORK ELEMENTS - Georgia												·	ment: 2	<u> </u>	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
									· · · · · · · · · · · · · · · · · · ·						Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)	T	T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OCEAN	UEFTG	0.9019	10.03	7.30	1.37	1.26						
	Area	j		UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28	1		Ì			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local											1				
	Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															ì
	Area			UEP9D	UEPYV	0.9019	10.05	7,36	1.37	1.28	ļ				ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	UEPY3	0.0010	10.05	7.00	1.37	1.28					1	
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEP13	0,9019	10.05	7.36	1.37	1.20						
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1,28						1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				1	5.55.5	.0.50		1	1	T -	 				
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28]			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	i				0.0040	00.07			0.45						
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15		.				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLF 3D	OLF TO	0.3013	DZ.Z1	20.30	20.23	5.10				····		
	Basic Local Area	1		UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15	ì					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
1	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15		ļ			ļ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			LIFERE	UEPYS	0.9019	82.27	26.96	20.29	9.15			1			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPYS	0.9019	82.21	20.90	20.29	9.15	-			 		
	Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15					ľ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1		02.00	JOEP 1.	0.0010	GE.E.	20.00	25.25		1					1
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4								Į.							
	Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15	ļ					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4					0.0010	00.07	00.00	00.00	0.45						
	Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15	ļ	<u> </u>				+
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15			1	Ì		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			001 00	OLI 12	0.00.0	OL.L.	20.00	LULES	0.10		<u> </u>	 			
	Basic Local Area	ŀ		UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28	1					
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic				1											
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						<u> </u>
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28					 	+
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHB UEPHC	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28			1	-	-	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28			1	 		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	\vdash		UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28			1	h		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28		l	1			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28		ļ			ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28		1		<u> </u>	 	1
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28			ļ		 	+
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		ļ	UEP9D	UEPH3	0.9019	10.05 10.05	7.36 7.36	1.37	1,28 1,28		 		 	1	+
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	 	-	UEP9D	UEPHH	0,9019	10.05	7.36	1.37	1.28	+		1	 	†	+
	Indication)4]		UFP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28					1	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		-	UEP9D	UEPHJ	0.9019	10.05	7.36		1.28				†··		

Version 3Q03: 11/12/2003 [CCCS Amendment 179 of 308]

NEUNDLE	D NETWORK ELEMENTS - Georgia	_	_											ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order v
						Rec	Nonre			Discon nect				Rates (\$)		
						1100	First	Ad d'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPHM	0.9019	82 27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2.3.4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						—
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15			1			
	Term 2,3		-	UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15	-					
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28						<u> </u>
Local	Switching			102.00	02,112	0.0010	10.00	1,00	1.07	1.20						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
Local	Number Portability					- 1										
	Local Number Portability (1 per port)			UEP90	LNPCC	0.35										
Featur			_	1												
	All Standard Features Offered, per port			UEP9D LUEP9D	UEPVF	0.775										
	All Select Features Offered, per port					0.00	0.00									1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS			_	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						₩
_	Unbundled Network Access Register - Combination		-	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00			- 4			-
	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Minnel	Ianeous Terminations		-	1	UARUA	0.00	0.00	0.00	0.00	0.00						+
	Trunk Side			1												
2-44116	Trunk Side Terminations, each		_	UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						-
4 Wire	Digital (1.544 Megabits)		_	OLI 3D	CENDO	3.30	122.20	10.03	34.02	3.43						+
4-44116	DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activiated per Channel		_	UEP9D	M1HDO	0.00	13.95	50.50	00.01	2.00						†
Intero	fice Channel Mileage - 2-Wire			1		0.00	10.00									-
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	12 87	48.46	19.48	16.58	5.00						i —
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															İ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.4689										<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop			UEP9D	1PQWV	0.4689										
	Slot			UEP9D	1PQWQ	0.4689										

Version 3003: 11/12/2003 Page 114 of 227

JNBUNDLI	ETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
							Nonrec	urring	Nonrecurring	Disconnect	· · · · · · · · · · · · · · · · · · ·	<u> </u>	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed										1					1
i	changes, per port			UEP9D	USAC2	i i	0.10	0.10			1					
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92		I				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00			· ·	1 " ' '					
Addit	tional Non-Recurring Charges (NRC)										1					T
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
Addit	tional Non-Recurring Charges (NRC)							•			† · · · · -		-			
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9É	URETN											
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD										1	1				
	2 - Requres Interoffice Channel Mileage				1				1							
Note	3 - Installation is combination of Installation charge for SL2 Lo	op and F	ort													
Note	4 - Requires Specific Customer Premises Equipment				1						i					
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth i	n General Terr	ns and Conditio	ns.				1				1	1

Version 3Q03: 11/12/2003

INBUNDL	LED NETWORK ELEMENTS - Mississippi												Attachr			bit: A
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual So Order vs
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring		001150			Rates (\$)		
_		1	-				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The '	"Zone" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	Designation	ns by Cent	ral Office, refe	r to internet	Nebsite:	
	p://www.interconnection.bellsouth.com/become_a_clec/html/inte															
PERATION	NAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"						,					}				
	TE: (1) CLEC should contact its contract negotiator if it prefers the															
	ct either the state specific Commission ordered rates for the serv	ice orde	ring ch	narges, or CLEC may	elect the re	gional service	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished
	h of the 9 states.															
	TE: (2) Any element that can be ordered electronically will be bit															
	t cannot be ordered electronically at present per the LOH, the lis			e in this category ref	lects the ch	arge that would	be billed to a	CLEC once ele	ectronic orderii	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	inual ordering	g charge,
SUM	MAN, will be applied to a CLECs bill when it submits an LSR to I OSS - Electronic Service Order Charge, Per Local Service	Bell Sout	n.													
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				3		5.50	2.00	5.50	2.00						
	(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
	ICE DATE ADVANCEMENT CHARGE															
NOT	TE: The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.					2 // //					
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UEF, UPF, UEO, UDI, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T03, U1T01, U1T03, U1T51, U1T03, U1T51, U1T04, UC1BC, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLD1, UXT03, UXTD1, UXT03, UXTD1, UXT03, UXTD1, UT1UC, UT1UD, UT1UC, UT1UD, UT1UC, UT1UD, UT1UC, UT1UD, UT1UC, UT1UD, UT1UC, UT1UD, UT1UC, UT1UD, UT1UC, UT1UD, U1T1UC, U1T1												
INDUINE S	Day Control of the Co		1	U1TUB, U1TUA	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP VIRE ANALOG VOICE GRADE LOOP	-	-													
12-441	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	25.68 43.85	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
	pondonaled Miscellaneous Rate Element, Tag Loop at End User	1	1		I	1	1			1						
	Premise			UEANL	URETL		8.33	0.83								

Version 3003. 11/12/2003

DINDUNDEL	D NETWORK ELEMENTS - Mississippi			y									Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		L
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97	_			-				
	CLEC to CLEC Conversion Charge Without Outside Dispatch	L		UEANL	UREWO		15.75	8.92								
1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				1 1		1									
	providing make-up (Engineering Information - E.f.)	1		UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)		ļ	UEANL	UEAMC		8.20	8.20								
!	Order Coordination for Specified Conversion Time for UVL-SL1					1										
2.W/ID	(per LSR) E Unbundled COPPER LOOP	ļ	+	UEANL	OCOSL		18.19	18.19						L	1	
2-9411	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	00.50	46.46	20.00					ļ		<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 	2	UEQ	UEQ2X	11.51	36.53 36.53	16.16 16.16	22.66 22.66	4.42				ļ		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	l i	3	UEQ	UEQ2X	11.51	36.53	16.16		4.42				<u> </u>	ļ	
-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	 		UEQ	UEQ2X	13.10	36.53	16.16	22.66 22.66					 	ļ	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	+-	JOE OF	OLGEN	13.10	30.33	10.16	22.00	4.42				 		
	Premise			UEQ	URETL	ł	8.33	0.83						1		1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	<u> </u>		1	1 1		<u> </u>	5.65			_			 		
	Non-Designed (per loop)			UEQ	USBMC		8.20	8.20			i					
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	l														<u> </u>
	BST providing make-up (Engineering Information - E.I.)	l	1	UEQ	UEQMU	l	13.51	13.51	}		1 .			j)	ļ
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA	-	19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP		↓										·			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		l .													
	Zone 1	1	1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						L
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.	UEBOB LIEBOB							į l					
	Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-	1_1_	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25				L		
	Zone 2	1	2	UEPSR UEPSB	LIEAL C	40.07	27.00	42.55	00.40		l 1			i	i	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 	-	UEPSK UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	Zone 2	1	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25					i	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		+	OCI SIN OCI GLI	OLABO	10.07	31.52	17.55	23.40	5.25				 		
1	Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	OLI GIT GET GE	102,420	20.00	07.52	11.00	20.40	5.25						
	Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25	1					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-								20.70	5.20						
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25	1					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1													
	Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						1
	EXCHANGE ACCESS LOOP		Ι													
2-WIR	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									-						
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						L
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1									1	ļ
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37				ļ.——.		ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	1	4	UEA	UEAL2	45.72	405.00	60.00	50.00	40.07						1
	Order Coordination for Specified Conversion Time (per LSR)		4	UEA	OCOSL	45.72	105.96 18.19	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	+	ULA	JOUSE		10.19		 		-			 		
	Battery Signaling - Zone 1	ĺ	1	UEA	UEAR2	13.89	105,96	68.28	52.82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	 ' -		35.00	10.00	100.00	00.20	32.02	10.37	 			 	 	
	Battery Signaling - Zone 2		2	UEA	UEAR2	18,75	105.96	68.28	52.82	10.37				1		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>		1	10.75	.00.00	00.20	52.02	10.57				t	<u> </u>	t
	Battery Signaling - Zone 3	l	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37				ļ	1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1									<u> </u>		T
	Battery Signaling - Zone 4	Ĺ	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37				1	ľ	1
	Order Coordination for Specified Conversion Time (per LSR)	l	1	UEA	OCOSL		18.19							1		

Version 3Q03: 11/12/2003

NBUNDLI	D NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremer
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIF	E ANALOG VOICE GRADE LOOP													i i		
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	27.47	132.27	94.59 94.59	60.68 60.68	14.64 14.64						-
-+-	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	38.26 50.03	132.27 132.27	94.59	60.68	14.64						-
_	4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						-
-	Order Coordination for Specified Conversion Time (per LSR)		1 4	UEA	OCOSL	30.03	18.19	94.35	00.00	14.04						
_	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36 29								
2.WIR	E ISDN DIGITAL GRADE LOOP		_	OLA	OKLIVO		07.50	30 23		_		-				
12.77	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch		İ	UDN	UREWO		91.46	44.07								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93				_		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1											1
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
\rightarrow	facility reservation - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						-
	2 Wire Unbundled ADSL Loop without manual service inquiry &						00.45	50.00								1
_	facility reservation - Zone 3		3	UAL	UAL2W	11 74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2W	42.60	96 15	58.03	50.38	7.93						1
-	facility reservaton - Zone 4		4	UAL	OCOSL	12.69	18.19	58.03	50.38	7.93						-
_	Order Coordination for Specified Conversion Time (per LSR)						86.04	40.22								-
0.1005	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE!	000	UAL	UREWO		86.04	40.33								\vdash
2-VVIH	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP		_						-					-
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79 52	50.38	7.93						1
-	2 Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHLZA	0.73	125.50	75 32	30.36	7.53						-
1	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
-	2 Wire Unbundled HDSL Loop including manual service inquiry		1 2	OTIL	OTILEX	3.22	123.30	75.52	30.30	7.33						
	& facility reservation - Zone 3		3	UHL	UHL2X	9,87	129.98	79.52	50.38	7.93						1
-	2 Wire Unbundled HDSL Loop including manual service inquiry		1	OTIL	OTILEX	3.07	123.50	75.02	50,50	7.50						_
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						1
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL	10.10	18.19	70.02	00/00	1.00						
_	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						1
	2 Wire Unbundled HOSt Loop without manual service inquiry		İ													
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66 74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
- 1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19				7					
OF LOSE	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry				(4)											
1	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						1

UNBUN	DLE	NETWORK ELEMENTS - Mississippi											i	Attach	ment: 2	Exhi	bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													,	1st	Add'I	Disc 1st	Disc Add'I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
							Rec	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop including manual service inquiry		1		1											
		and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry		Ι.		1									ĺ		
		and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68			*********			
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4	1	4	UHL	UHL4X	14.46	158,74	108.28	F0.70	40.00						1
		Order Coordination for Specified Conversion Time (per LSR)	-	4	UHL	OCOSL	14.46	18.19	108.28	56.72	10.68	ļ	·				
		4-Wire Unbundled HDSL Loop without manual service inquiry	-	-	Unic	OCUSE		18.19									
		and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68					1	ļ
		4-Wire Unbundled HDSL Loop without manual service inquiry		† ·	07.12	OILLIII	10.70	100.02	33.30	30.72	10.00					 	
		and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68				1		[
		4-Wire Unbundled HDSL Loop without manual service inquiry	1	† · · · ·	<u> </u>				22,00						l	l	
		and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						1
		4-Wire Unbundled HDSL Loop without manual service inquiry													T	1	
		and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch		ļ	UHL	UREWO		85.98	40.33								
4-	-WIKE	DS1 DIGITAL LOOP		.													
		4-Wire DS1 Digital Loop - Zone 1		1 2	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45	46.10	12.07	ļ - ···					
		4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	206.74 458.46	253.93 253.93	158.45	46.10	12.07				ļ	 	
		Order Coordination for Specified Conversion Time (per LSR)	ļ	4	USL	OCOSL	458.46	18.19	158.45	46.10	12.07						
		CLEC to CLEC Conversion Charge without outside dispatch	 	 	USL	UREWO		100.90	42.96						ļ		
4	-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USE	OKEWO		100.90	42.50								
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64				 		
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64				-		
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14,64						
		4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL.	UDL56	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<u> </u>	2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64	l					
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL.	UDL56	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64			,			
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19				ļ					
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ		UDL	UDL64	27.44	126.53	88.85	60.68	14.64	ļ					
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85	60.68	14.64	ļ					
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64	ļ					
+-		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		18.19 101,94	49.66			ļ					
	WIDE	Unbundled COPPER LOOP		1	ULA.	UREWU		101.94	49.00			-					-
- 12.	-vviive	2-Wire Unbundled Copper Loop-Designed including manual	ļ	 	 	-						 					
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11,11	120.34	69.87	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual	 	 	OCE	OOLI D	,,,,,	120.54	00.07	30.30	1,00	 			·		
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93	1				Į.	
		2 Wire Unbundled Copper Loop-Designed including manual		- <u>-</u>	1002	000, 0	,,,,,	120.04	00.07	50.50	7.50	1					
		service inquiry & facility reservation - Zone 3		3	lucı.	UCLPB	11.74	120.34	69.87	50.38	7.93	}					
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)		T	UCL	UCLMC		8.20	8.20								
		2-Wire Unbundled Copper Loop-Designed without manual													1		
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11,11	95.21	57.09	50.38	7.93					L	
		2-Wire Unbundled Copper Loop-Designed without manual			l	1									1	1	!
		service inquiry and facility reservation - Zone 2	L	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93				ļ	-	
		2-Wire Unbundled Copper Loop-Designed without manual		1	LICI	LICI PI	,, ,,								l	1	1
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93	 					
- 1		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93					l	
i		Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLPW	12.69	95.21 8.20	8.20	50.38	7.93	ļ	ļ	 	 	1	

UNDUNDL	ED NETWORK ELEMENTS - Mississippi	т												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		!	ļ			Rec	Nonrec		Nonrecurring		ļ			Rates (\$)		
	OFFICE OFFICE AND		1		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		1	UCL]	ļ
4.180	RE COPPER LOOP	 	1	UCL	UREWO		95.21	42.40								
4-111	4-Wire Copper Loop-Designed including manual service inquiry	 	-		+											
	and facility reservation - Zone 1		1	UCL	UCL4S	17,30	144.68	94.22	56.72	10.68	ļ					
 -	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>	TOCK.	UCL43	17.30	144,00	94.22	36.72	10.68	ļ				 	-
	and facility reservation - Zone 2	ſ	2	UCL	UCL4S	18 84	144.68	94.22	56.72	10,68	į.	i		1	i	1
	4-Wire Copper Loop-Designed including manual service inquiry	-	-	OCL	UCL43	10 04	144.00	94.22	30.72	10,08	-				<u> </u>	
ı	and facility reservation - Zone 3		3	UCL.	UCL4S	21.33	144.68	94.22	56.72	10.68	1					
1	4-Wire Copper Loop-Designed including manual service inquiry	†	+	002	1002.10	21.00	177.00	54.22	30.12	10.00						
1	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144,68	94.22	56.72	10.68	1					1
	Order Coordination for Unbundled Copper Loops (per loop)	t	<u> </u>	UCL	UCLMC	21.00	8.20	8.20	50.12	10.00				 		
	4-Wire Copper Loop-Designed without manual service inquiry		T		T	,	5.20	5.20	1)		 	 	
	and facility reservation - Zone 1	l	1	UCL	UCL4W	17.30	119,56	81.44	56.72	10.68	!					
	4-Wire Copper Loop-Designed without manual service inquiry				1										 	<u> </u>
	and facility reservation - Zone 2	L	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68	1					1
T	4-Wire Copper Loop-Designed without manual service inquiry	ļ —									-					
	and facility reservation - Zone 3	1	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68	ļ					
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 4	l	4_	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68	ł				Į.	
1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch	İ														
	(UCL-Des)			UCL	UREWO		95.21	42.40							1	
LOOP MODII	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire											-				
	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS															``	
Sub-	Loop Distribution	<u> </u>														
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.			l											1
	Up		<u> </u>	UEANL	USBSA		259.69		ļi							L
	Sub-Loop Por Cross Poy Leasting Pay 25 Dei D. 15:115	Ι.			LICEGE	j i	an		1							1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '-	-	UEANL	USBSB		22,77		ļ					L		
	Facility Set-Up	1		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	11	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2	L	2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						L

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
		T	[Τ					*		11-1-1	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
							!					Submitted			Charge -	Charge -	Charge -
					1		Ì					Elec	Manually			Manual Svc	
	CORV	RATE ELEMENTS	Interi	7000	BCS	usoc			RATES (\$)							1	I .
AIE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC	1		KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				i										Electronic-	Electronic-	Electronic-	Electronic-
				ļ										1st	Add'I	Disc 1st	Disc Add'l
				1										1 .	l	5.00 .00	-10071441
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			1				Rec	First	I'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop										1	1	i e	T T		1
		Zone 3		1 3	UEANL	USBN4	16.73	79.49	44.45	51,27	9.35	l .	1		1		
	+	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1-	OLD WILL	OOD.T.	10.70	70.10	711.10		0.00	 	 		 		
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		ŀ				Į.
		2010 4		+	OLANE	000111	10.75	75.45	44.45	31.27	5.50	.	 		 		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	1	8.20	8.20				ì				ì
			.	_			L			45.00	0.74		!		-		
	_	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL.	USBR2	2.29	53.32	18.28	45.36	6.71						ļ
													ŀ				1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	_ 1	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	l	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
												1					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	[8.20	8.20				Ì		1	I	1
		Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		34.36	34.36			1	1	Ť	T	1	1
		Loop Testing - Basic Additional Half Hour	·	t	UEANL	URETA		19.97	19,97			†	-	1	†		1
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71	 			+		
			H		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71				-		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2											1		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71	ļ		ļ		ļ	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71	1					
				i	1		1 1		İ			1		l			
	i	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ĺ	UEF	USBMC		8.20	8.20					1			l
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		1	1			
	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	-		UEF	UCS4X	14,00	79.49	44.45	51,27	9,35		1	1			
		1 Tric dopper districted dub 2009 Distribution 2010 1	-	+ -		000 171	11,00	70.10		V	0.00		1	 			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair]		UEF	USBMC		8.20	8.20			1	1	1	i		
ļ		Loop Testing - Basic 1st Half Hour	-	-	UEF	URET1		34.36	34.36			 	 	 			
	+				UEF	URETA		19.97	19.97			<u> </u>					
		Loop Testing - Basic Additional Half Hour			UEF	UKETA	ļ	19.97	19.97			1	ļ			_	
	Unbur	Idled Network Terminating Wire (UNTW)		ļ										ļ	ļ		
		Unbundled Network Terminating Wire (UNTW) per Pair		ļ	UENTW	UENPP	0.3366	30.55									
	Netwo	rk Interface Device (NID)											<u> </u>				<u> </u>
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12	1	43.84	28.90				<u> </u>			ļ	
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16	1 1	65.30	50.36			l	l				
		Network Interface Device Cross Connect - 2 W		T	UENTW	UNDC2		5.94	5.94								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94				1	1			
UNE (OTHER.	PROVISIONING ONLY - NO RATE		1									· · · ·				
	T	NID - Dispatch and Service Order for NID installation		†	UENTW	UNDBX	0.00	0.00					<u> </u>				
	-	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				†	i e	<u> </u>	-		
-	+ -	5 5.out to Establishment, I Tovisioning Only - 140 Itale	t	+	UEANL, UEF, UEQ, U	J	1 0.00	0.00		<u> </u>		 	1	1	+		1
		Unbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0.00	0.00				1	1			Ì	1
LIAIP A	OTUEE		 	 	EIN I VV	OMECIA	0.00	0.00				ļ	1	 	+	 	+
UNE (UIHER,	PROVISIONING ONLY - NO RATE	ļ	_	1	 	ļ					-	 	-	 		
			1	1	1	1						1	1		1		1
			1		UAL,UCL,UDC,UDL,							1	1		1		1
		Unbundled Contact Name, Provisioning Only - no rate	L	1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00			L		1	L			
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no											1				1
		rate	1		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				1	1	I			l
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		T	T								1				
		rate	l	1	UEA.USL,UCL,UDL	USBFR	0.00	0.00				1	1	1	1	1	1
	1	Unbundled DS1 Loop - Superframe Format Option - no rate	1	1	USL.	CCOSF	0.00	0.00				1	1	Ť.	1		1
	+	Unbundled DS1 Loop - Expanded Superframe Format option -		1			0.00	0.00		 		1	1	1	T		
		no rate	1	1	USL	CCOEF	0.00	0.00		1	1	1	1	1		1	
HIC!	CADAC	TY UNBUNDLED LOCAL LOOP	-	+	UGL	COUEF	0.00	0.00			 	1	+	1	+	 	+
пібН	CAPACI		ł	+	<u> </u>	 						1	_	+	 		+
	1	High Capacity Unbundled Local Loop - DS3 - Per Mile per				l., ., .,				1	1	1	1			1	
		month			UE3	1L5ND	11.20			ļ			1		 	 	
		High Capacity Unbundled Local Loop - DS3 - Facility	1	1		I					1	1	1	1	1		1
	_1	Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19	L		1	1	1	1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per												1		1	
	1	month		1	UDLSX	1L5ND	11.20			1	1	1	1	1		1	

Version 3Q03; 11/12/2003 Page 121 of 227

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			ŀ										Submitted		Charge -	Charge -	Charge -
			ļ.				1					1		1			
ATEC	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	ì		RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
AILC	GORT	NATE ELEMENTS	m	Zone	BUS	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l				1							Electronic-	Electronic-	Electronic-	Electronic-
			ľ									l		1st	Add'l	Disc 1st	Disc Add'l
	_			ļ								ļ		L	L		L
		***************************************		ļ			Rec		curring	Nonrecurring					Rates (\$)		
	 			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	High Capacity Unbundled Local Loop - STS-1 - Facility				i						1					
	1	Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19	i					
LOOP	MAKE-L																
		Loop Makeup - Preordering Without Reservation, per working or	I				T										
		spare facility queried (Manual).		1	UMK	UMKLW		24.12	24.12	1		İ	i				
		Loop Makeup - Preordering With Reservation, per spare facility										1					
		queried (Manual),		i	UMK	UMKLP		25.58	25.58	1		1				l	
	†	Loop MakeupWith or Without Reservation, per working or		_		1								 			
	į.	spare facility queried (Mechanized)		i	UMK	UMKMQ		0.6652	0.6652	1							
I INE S	SHARING	G AND LINE SPLITTING		1	014111	- Constitution		0,0002	0.0032			1			-		
		The Line Sharing monthly recurring rates for all installation	25.50	l	from Ostobor 02, 20	02 through m	ideiebt Ostaba	= 04 2004 ab-	N L + C:111 1	<u> </u>		1					
	NOTE	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	onnor la	preceu l	docioned (*110) N	ออ แก บน ฎก ก กๆ\	namyni Ociobe	1 01, 2004 SNa	i ve niited as i	ionows:	-			+	-	-	+
	NOTE	1: 10/02/2003 = 10/01/2004, 25% of the rate for an unburided co 1: 10/02/2004 = 10/01/2005: 50% of the rate for UCLND	hhei ic	Top nor	r-designed (OCLN	' /	 			 		 		ļ			
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND		-		+	ļ					-			-		
												ļ					
		1: Above will apply to USOCS: ULSDT and ULSCT	1	1								L			L		
	NOTE	2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to c	ircuits install	led and inservice	e on or before	October 1, 20	03							
		HARING		↓								<u> </u>					
	SPLIT	TERS-CENTRAL OFFICE BASED															
war as		Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	186.67	189.89	0,00	178.41	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00				T		
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00	1					<u> </u>
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-					1					 					
		deactivation (per LSOD)	1	1	ULS	ULSDG		86.98	0.00	49.96	0.00	1					
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		t		10000	<u> </u>		. 0.00	10.00	0.00	-		-	 		
		Line Sharing - per Line Activation (BST Owned splitter) -					1	w				 					
		OBSOLETE see **NOTE 2	1		ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
	-	Line Share Service, TRO per line activation, BST owned splitter -		 	UES	ULSUC	0.01	10.02	10.00	10.04	4.93				ļ. ———		
			1													l	
		Central Office Located (25% of UCLND) - please see NOTE 1				1				1							
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	1													l	
		Central Office Located (50% of UCLND) - please see NOTE 1]									i		į.			
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1		1						i		1					
		(E:10/2/2005)	1		ULS	ULSDT	8.26	18.62	10.66	10.04	4.93			ŀ			
		Line Sharing - per Subsequent Activity per Line		 		1	9,00	70.02			.,,,,,			 			
		Rearrangement(BST Owned Splitter)	1		ULS	ULSDS		16.48	8.24				i				
		Line Sharing - per Subsequent Activity per Line	 		OLO	OCODO	 	10.40	0.27						 		
	}	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.40	8.24	1					1		ì
	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	-	+	ULO .	ULSUS	 	16.48	6.24	1		 			 	ļ	
	1	OBSOLETE see **NOTE 2	1	1		Lucco		479.7.	10.01	00.63	40	1	Ì			I	1
	+		ļ	+	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	ļ	ļ		 	ļ	_
	1	Line Share Service, TRO per line activation, CLEC owned	-			1					1	1				l	1
	1	splitter - Central Office Located (25% of UCLND) - please see									ĺ	1	l			ì	1
	.	NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74			1	L	l	l
	1	Line Share Service, TRO per line activation, CLEC owned	!														
		splitter - Central Office Located (50% of UCLND) - please see	1							ĺ							ļ
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	47,44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned			T	1						1		1	1		
	1	splitter - Central Office Located (75% of UCLND) - please see	1	1		1				1	1	1	1			Į.	
	1	NOTE 1 (E:10/2/2005)	1	1	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74	1	l			I	1
	LINE S	PLITTING		1		1	5.20		13.51	1	12.74	1	1	1	 	<u> </u>	
		SER ORDERING-CENTRAL OFFICE BASED	t	1	<u> </u>	+				 	l	+		+	 	t	
	1	Line Splitting - per line activation DLEC owned splitter		+	UEPSR UEPSB	UREOS	0.61			1	ļ	1		 	+	 	+
		Line Splitting - per line activation BST owned - physical		 	UEPSR UEPSB	UREBP	0.61	18.62	40.00	40.04	4.93	+			ļ	-	
	+		 	-					10.66	10.04				ļ	ļ	ļ	+
	44 A I b 17	Line Splitting - per line activation BST owned - virtual		ļ	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93			1		ļ	
	MAINT	ENANCE		L						1		1		}			L
	-	No Trouble Found - per 1/2 hour increments - Basic		1				80.00	55.00					1	L		
		No Trouble Found - per 1/2 hour increments - Overtime		L				120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium		1				160.00	110.00			1			T		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	11 1/11					Rec	Nonrec		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
MAIDUNDI ED	DEDICATED TRANSPORT	-					First	Add'1	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
	OFFICE CHANNEL - DEDICATED TRANSPORT	-			+	 					·					l
III III	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										t					
	Per Mile per month	l	1	U1TVX	1L5XX	0.0098					l			i		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27,57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				1L5XX	0.0098										
	Rev Bat, - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	-	1	U1TVX	ILSXX	0.0036					ļ					
	Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17,26	7.11				ļ		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-														
	Per Mile per month	ļ	ļ	U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month	_	-	U1TDX	1L5XX	0.0098					ļ					
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7,11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1													
ļ ļ	Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - DS3 - Facility	ļ	ļ	U1TD3	1L5XX	4.76										
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	, · · ·		LIATOA	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FIBER	Termination	 		U1TS1	UIIFS	044.21	200.31	103.70	02.00	00.23					 	
PARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	t	1										1	†		
1 1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		T										ļ			
	Thereof per month - Local Loop	ļ	-	UDF, UDFCX	1L5DL	59.95	642.79	138.67	326.97	203.85	<u> </u>		!	 	ļ	+
BYY ACCESS	NRC Dark Fiber - Local Loop TEN DIGIT SCREENING			UDF, UDFCX	UDFL4		642.79	138.67	320.97	203.63	1					+
BXX ACCESS	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216					1			<u> </u>		
-	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	_	+	0110	†	0.00002.10						<u> </u>		T	1	
	Number Reserved			OHD	N8R1X		2.60	0.44					ļ			ļ
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD	1		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations	}		OHD	N8FTX		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		1	OHD	N8FCX		2.60	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	 	+						<u> </u>						1	
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX	<u></u>	3.04	1.74			ļ	ļ	1		ļ	
\vdash	8XX Access Ten Digit Screening, Change Charge Per Request	ļ		OHD	N8FAX		3.04	0.44	ļ		 			 	 	+
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.60								ļ	<u> </u>
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per guery			OHD		0.0006216										

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	Nonrec		Nonrecurring		201150			Rates (\$)	1 001111	0014411
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		 		ļ		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			-	OHD		0.0006216							ļ			
I INE INCODM	query ATION DATA BASE ACCESS (LIDB)		-	OnD	-	0.0000210						+				-
LINE IN ORWA	LIDB Common Transport Per Query	ļ	 	OQT	1	0.0000197					 				<u> </u>	
	LIDB Validation Per Query		1	ogu	+	0.0137053	-							-		1
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.01370.03	34.52	34.52	42.33	42.33	 		-			
SIGNALING (C				041,040	1		01.02	01.02	12.00	12.00		†		_		
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21									İ	
	CCS7 Signaling Usage, Per TCAP Message		1	UDB		0.0000597								-	1	
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per link (B link) (also known as D				1											1
	link)		<u></u>	UDB	TPP++	16.55	35.74	35.74	16.53	16.53					[
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149							i		1	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55			_							
	CCS7 Signaling Point Code, per Originating Point Code															1
	Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78					1	L
E911 SERVICE											l					
	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30					1	1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098					ļ	ļ			ļ	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			1							1					
	Termination		ļ	ļ		22.52	40.77	27.57	17.26	7.11						<u> </u>
	Local Channel - Dedicated - DS1 - Zone 1		ļ			36.83	178.50	154.61	22.89	15.74			ļ			ļ
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74	ļ		ļ			
	Local Channel - Dedicated - DS1 - Zone 4		-			221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile		-			0.2010										ļ
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			57.33	89.79	82.28	16.86	14.90						
CALLING NAM	ME (CNAM) SERVICE		 			37.33	69.79	02.20	10,00	14.90	 		1			
CALLING NAIV	CNAM For DB Owners - Service Establishment		1	oov			23.09	23.09	21.23	21.23			1		 	+
	CNAM For Non DB Owners - Service Establishment		-	logv	-		23.09	23.09	21.23	21.23			 		+	
	CNAM For DB Owners - Service Provisioning With Point Code			OQV	+		23.03	23.03	21.23	21.20			1			
	Establishment			oav			996.62	737.08	270.49	198.89	1				ł	
	CNAM For Non DB Owners - Service Provisioning With Point		 -	104.	+			701.00	270110				 			
	Code Establishment		ŀ	logv		1	344.32	246.56	276.85	198.89						1
	CNAM for DB Owners, Per Query		1	OQV		0.0010231							i -		†	1
	CNAM for Non DB Owners, Per Query		 	ogv	†····	0.0010231							1			
SELECTIVE R											1	1	1			
	Selective Routing Per Unique Line Class Code Per Request Per													1		
	Switch				1		85.19	85.19	14.19	14,19		1		L		l
VIRTUAL COL																
T	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1													
	Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		Ì				
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	ĺ	1													
	Splitting		<u> </u>	UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELECTIV	/E CARRIER ROUTING	1											ļ			1
	Regional Service Establishment	<u> </u>	1	SRC	SRCEC		101,685.12		8,640.51				1			
	End Office Establishment	1	ļ	SRC	SRCEO		167.49	167.49	1,71	1.71				<u> </u>		
	Query NRC, per query	L	-	SRC	1	0.0030502								 	+	-
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	-	-	1							<u> </u>	1	 	<u> </u>	 	
	AIN SMS Access Service - Service Establishment, Per State,				C4440=		22.5	22.5-	40.0-	***				1	1	
	Initial Setup	 	-	A1N	CAMSE		39.67	39.67	40.92	40.92	ļ	ļ <u></u>			+	
	AIN CARC Assess Control Dat Constant District				CAMPD		7.07	7.07							1	
	All SMS Access Service - Port Connection - Dial/Shared Access	1	+	A1N A1N	CAMDP CAM1P	ļ	7.87 7.87	7.87 7.87	9.14 9.14	9.14 9.14	ļ		 	 	 	+
								. / 8/		414	1					1
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	ļ	+	AIN	Committee		7.07	7.07	3.14	0.11				 	+	

Version 3Q03: 11/12/2003 Page 124 of 227 [CCCS Amendment 190 of 308]

UNBUNDL	D NETWORK ELEMENTS - Mississippi											·	Attach	ment: 2	Exhi	ibit: A
	The state of the s											Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring			1		Rates (\$)		000000
	AIN SMS Access Service - Security Card, Per User ID Code,						First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Initial or Replacement		1	A1N	CAMRC	1 1	42.13	42.13	11.78	11.78						ľ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0021	42.13	42.13	11.70	11.70						
- 1	AIN SMS Access Service - Session, Per Minute	-				0.5649							1			
	AIN SMS Access Service - Company Performed Session, Per								· ·							
	Minute					0.8393										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE										ļ		ļ			
i	AIN Toolkit Service - Service Establishment Charge, Per State,				24000		39.67	20.07	40.00	40.00			ŀ			
	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX	-	4,226.54	39.67 4,226.54	40.92	40.92						-
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAFVA		4,220.34	4,220.54				 	 	 		+
1	DN, Term. Attempt	1			BAPTT		7.87	7.87	9.14	9.14	i					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	ļ	1													
	DN, Off-Hook Delay				BAPTD		7.87	7.87	9,14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		į											i		
	DN, Off-Hook Immediate		 		BAPTM	-	7.87	7.87	9.14	9.14			ļ			ļ
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP	1			BAPTO		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	 		DAF 10	 	34.07	34.07	14.44	14.44		 		+		
j	DN, CDP				BAPTC		34.67	34.67	14.44	14,44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per													1		
	DN, Feature Code				BAPTE		34.67	34.67	14.44	14,44						<u> </u>
	AIN Toolkit Service - Query Charge, Per Query					0.0535577								ļ		
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1													İ	
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access	-	ļ			0.0063509							}	<u> </u>		+
	Account, Per 100 Kilobytes			i	!	0.06					ł					1
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	-				0.00					<u> </u>			<u> </u>	<u> </u>	1
	Subscription	ļ		CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription		ļ	CAM	BAPLS	2.71	8.71	8.71						ļ	ļ	
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	į		CAM	BAPDS	8.48	7.87	7.87	5.54	5.54	1					
	Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit	<u> </u>		CAM	BAPUS	8.48	7.87	7.87	5.34	3.34						+
	Service Subscription			CAM	BAPES	0.09	8.71	8.71	-			ŀ				
ENHANCED	EXTENDED LINK (EELs)	 	1	G/ U.I.		0.00								<u> </u>		
NOT	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Cha	rge will not ap	ply for UNE com	nbinations pro	visioned as ' C	Ordinarily Com	bined' Networ	Elements.					
NOTI	: The monthly recurring and the Switch-As-Is Charge and not t	the non	recurri	ing charges belov	v will apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' I	Network Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS									ļ	ļ	ļ	ļ	-	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	ļ		UNCVX	UEAL2	13.89 18.75	105.96 105.96	68.28 68.28	52.82 52.82	10.37		 	 	ļ	<u> </u>	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2 UEAL2	18.75 27.55	105.96	68.28	52.82	10.37	 	 	 	ļ	 	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 First 2-Wire VG Loop (SL2) in Combination - Zone 4	 		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	 	 	1	 	1	†
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	+ -	U.TUVA	OLALZ	75.72	100.00	00.20	02.02	10.57	_	†			1	T
1	per month	1	1	UNC1X	1L5XX	0.1813		l						1		
	Interoffice Transport - Dedicated - DS1 combination - Facility												1			
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	ļ	ļ		ļ		
	1/0 Channelization System in combination Per Month	<u> </u>	 	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	 	-	 			+
	Voice Grade COCI - Per Month	1	-	UNCVX	1D1VG	0.5737	6.62	4.74	 	†	-		<u> </u>	 	 	+
	Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37				1		
	The state of the s	t			100,22	15.00		55.20			<u> </u>			t	1	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		<u> </u>				
										1						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3_	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	ļ	1	1	ļ		+
-	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37				1		
	Voice Grade COCI - Per Month	+	4	UNCVX	1D1VG	0.5737	6.62	4,74	52.82	10.37	 	+	1	+	+	+
	I voice Grade GOOL- FEI MOINII		J	TOMONY	LIDIVG	1 0.5/5/	0.02	1 4.74	1	L	1	J				

Page 125 of 227 Version 3Q03: 11/12/2003

JNBUNDLI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Efectronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
			<u> </u>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	ł				ŀ										
	Is Charge	l	L	UNC1X	UNCCC		5.63	5.63	7.20	7.20				ļ		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	1 INTE	ROFFICE TRANSP	ORT											
	5		١.	UNCVX	UEAL4	27,47	132,27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	DNCVX	UEAL4	21.41	132.21	94.59	00.00	14.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				1		
	First 4-Ville Arialog Voice Grade Loop in Combination - Zone Z			ONCVA	ULAL4	30.20	132.27	34.03	00.00	17.07	-		-			
-	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	, and the second														i	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										I					1
	Per Month			UNC1X	1L5XX	0.1813					<u> </u>					
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			1							1					
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16,86	14.90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						_
	Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1 .	LINIONAY		27.47	422.27	04.50	60.68	14.64	l ']	
	Interoffice Transport Combination - Zone 1	 	1	UNCVX	UEAL4	27.47	132.27	94.59	60.08	14.64						-
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		 	UNCVA	UCAL4	30.20	132.21	54.55	00.00	14,04	ļ					·
	Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL4	50 03	132.27	94.59	60.68	14.64	ĺ					
	Additional 4-Wire Analog Voice Grade Loop in same DS1	 	-	ONOVA	OL/L4	50 03	102.27	54.55	00.00	71.01						
	Interoffice Transport Combination - Zone 4	ŀ	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month	····	 	UNCVX	1D1VG	0.5737	6.62	4.74	-							
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	l	1	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	ITEROFFICE TRAN	ISPORT											
		1	1		1										į.	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL56	27,44	126.53	88.85	60.68	14.64					ļ	
ŀ		1	_		1	0.4.55	400.50	00.05		44.04	1					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL56	34.55	126.53	88 85	60.68	14.64			-			
	F	1	1 .	UNIODY	UDL56	40.76	126.53	88.85	60,68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDLS6	40.76	120.53	66.65	00.00	14.04	-	ļ	+			ļ
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	l	4	UNCDX	UDL56	32.25	126.53	88.85	60,68	14.64	ł			!		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-4-	UNCDA	UDESO	32.23	120.33	00.03	00,00	14.04				-		
1	Per Month			UNC1X	1L5XX	0.1813										
_	Interoffice Transport - Dedicated - DS1 - combination Facility		 	0.101.1	1.20701						†					
1	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					1	1
	1/0 Channel System in combination Per Month	†		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)	†		UNCDX	1D1D0	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1														
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64				L		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1													1		
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						ļ <u></u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	-			<u>.</u> .										
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	 		ļ	ļ	ļ	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport Combination - Zone 4 Additional OCU-DP COCI (data) - in combination per month (2.4)	 	4	ONCDX	UDL56	32.25	120.53	88.85	80.00	14.64	-	 	 	+	 	
	64kbs)	1		UNCDX	1D1DD	1,22	6.62	4,74	0.00	0.00	1					1
	Nonrecurring Currently Combined Network Elements Switch -As-	 	+	UNUDA	טטוטו	1.22	0.02	4.74	0.00	0.00		 		 		t
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		l				
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.00	0.30	1	1.20		İ				
		T	T	1							†		1	T		1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1	1	1	1	1	1

NBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
		Interi						•				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc	Charge -
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															ļ	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
					1							İ		1		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	1					
											1	ł				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64	<u> </u>	i				ļ
İ	Interoffice Transport - Dedicated - DS1 combination - Per Mile										1	1		ļ		
	Per Month			UNC1X	1L5XX	0.1813										ļ
i	interoffice Transport - Dedicated - DS1 combination - Facility			LINGAN		54.70	90.70	00.00	40.00	44.00		l				
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	 	-			ļ	
	1/0 Channel System in combination Per Month OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10,87	10.10		<u> </u>			 	+
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	טטוטו	1.22	0.02	4.74	0.00	0.00	-				 	+
- 1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1	i				1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	\vdash		GINODA	JULU4	21.44	120.55	00.00	00.00	14.04	 		 	 	+	+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64			İ			i .
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			GNODA	IODEO4	54.55	120.00		00,00	17.07					 	
ł	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		i		i	1	
_	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			O'100X	10020		120.00		00.00	*****	 			 		
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64				İ		
	Additional OCU-DP COCI (data) - in combination - per month		<u> </u>	CHOOK	JOEG !	OE.EG	120.00	00.00	00.00	11.01	<u> </u>				*	†
	(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4,74	0.00	0.00	!					
	Nonrecurring Currently Combined Network Elements Switch -As-				1						1				1	
}	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER								1					
	4-Wire DS1 Digital Loop in Combination - Zone 1	[UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1					
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile								1							
	Per Month			UNC1X	1L5XX	0.1813								L		
	Interoffice Transport - Dedicated - DS1 combination - Facility														!	
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					ļ	
1	Nonrecurring Currently Combined Network Elements Switch -As-			ļ		1						İ		1		
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						<u> </u>
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3													ļ	
_	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					ļ	
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					ļ	+
_	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93 253.93	158.45	46.10 46.10	12.07 12.07				-	ļ	+
_	First DS1Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	<u> </u>	 			<u> </u>	+
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.29					1				i	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		-	UNC3X	ILSXX	4.29				·	-					+
	month		!	UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	1			l		
_	3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	+	1	-	 		+
	DS1 COCI in combination per month		-	UNC1X	UC1D1	2.62	6.62	4,74	0.00	0.00	ļ			 		+
	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	-	UNCIX	IOC ID I	2.02	0.02	4,74	0.00	0.00	i	ł	 		 	+
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	i			1		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		H	0.10.77	- IOOL/OI	70.00	200.00	100.10	10.70	12.01		· · · ·		1		1
ı	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1		I	1	1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -														1	
l	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1		1	i		
	Additional DS1Loop in DS3 Interoffice Transport Combination -					•										
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07			1	l		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	L					
	Nonrecurring Currently Combined Network Elements Switch -As-														1	
	ls Charge		<u> </u>	UNC3X	UNCCC		5.63	5.63	7.20	7.20	L					-
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	Τ			T		

Version 3Q03: 11/12/2003 Page 127 of 227

INBUNDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
· · · · · · · · · · · · · · · · · · ·	1		1		r						C O	C O				,
]											Incremental		
			1	1								Submitted	Charge -	Charge -	Charge -	Charge -
		Interi		1							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC	i		RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
											!		l		1	1
				i		1					Į.		1st	Add'l	Disc 1st	Disc Add'l
т				 			Nonrec		Nonrecurring	. Diagonas et		1	000	Rates (\$)	L	·
-						Rec									000000	
							First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37				l		
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37				1		
	2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per													1		
i	Month			UNCVX	1L5XX	0.00088					1	i			1	
	Interoffice Transport - 2-wire VG - Dedicated - Facility			0.1017	TCO/UT	0.00000								+		
			1	LINCVA	U1TV2	20.32	40,77	27.57	47.00	7.44		i				
	Termination per month			UNCVX	UTIVZ	20.32	40,77	21.51	17.26	7,11				<u> </u>		
	Nonrecurring Currently Combined Network Elements Switch -As-													1		
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20				l		1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE	ROFFICE TRANSPO	RT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64				1		
	4-WireVG Loop in combination - Zone 2	· · · · · · · · · · · · · · · · · · ·	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64	l			Γ		
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	l	t		 	-	
			4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		-		 		
	4-WireVG Loop in combination - Zone 4			IONCVA	UEAL4	30.03	132.21	94.09	00.00	14.04				ļ		ļ.
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		1													
	Month			UNCVX	1L5XX	0.00088							1			
l	Interoffice Transport - 4-wire VG - Dedicated - Facility		1	1	ļ											
	Termination per month		l	UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11			1			
	Nonrecurring Currently Combined Network Elements Switch -As-							-			·			†		1
	Is Charge		1	UNCVX	UNCCC		5.63	5.63	7.20	7.20			ł			
EVTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITEDO	FEICE		0.4000		5.05	3.03	7.20	7.20	 			 		
EATE		INICK	FFICE		41.5115	14.00										
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.20								ļ		1
			1		i	1					1		1			
	DS3 Local Loop in combination - Facility Termination per month		i	UNC3X	UE3PX	252.17	454.13	265,47	123.23	86.19						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29								T		
	Interoffice Transport - Dedicated - DS3 combination - Facility				1									†	İ	
	Termination per month			UNC3X	U1TF3	641,90	280.37	163.70	62.08	60.29	1			ł	ŀ	
	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	Ortosk	01113	041,30	200.01	103.70	02,00	00.23				+		
			1	LINGSY	LINIOGO	l	5.60	F C0	7.00	7.00	ŀ	1			l	
	Is Charge		<u> </u>	UNC3X	UNCCC		5.63	5.63	7.20	7.20					ļ	
EXIE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN1	EKOFI											L		
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20								<u>L</u>		
	STS-1 Local Loop in combination - Facility Termination per													1		
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19	1			1	1	
	Interoffice Transport - Dedicated - STS-1 combination - per mile		1	1	1	1										
	per month		1	UNCSX	1L5XX	4.29						1		ļ		
	Interoffice Transport - Dedicated - STS-1 combination - Facility			101400X	ILUXX	4.23						 		 		
			1	LIMOGY	LIATEO		000.07	400.70	00.00	00.00				i		Ī
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29				ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge		J	UNCSX	UNCCC	L	5.63	5.63	7.20	7.20				<u>L</u>		
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT	•		I I										Į.
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				T		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37				†		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37				 		
			_											-		
	First 2-Wire ISDN Loop in Combination - Zone 4	-	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37	<u> </u>			 	ļ ———	
	Interoffice Transport - Dedicated - DS1 combination - per mile			l	l								1		1	1
	per month	L	L	UNC1X	1L5XX	0.1813					L	l		1	L	
[Interoffice Transport - Dedicated - DS1 combination - Facility												1	1		1
1	Termination per month	l		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	I	1	I	1	I	1
	1/0 Channel System in combination - per month	l	1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		T	I	1		
	2-wire ISDN COCI (BRITE) - in combination - per month		t —	UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00				T	1	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	 	0.1011/	Join	2.02	0.02	7.14	0.00	0.00	 	 	 	+	 	t
		l	١.	LINONIV	LIAL OV		447.01	70.00	50.00	10.00	1	1	I	1	I	1
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	ļ	_		 		.
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l]		1							1		1		1
	Combination - Zone 2	l	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37	L			1	L	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	Γ	1		1	1							1		T	
										1			1		i	1
			3	UNCNX	U1L2X	37 34	117 61	79 92	52.82	10.37	!					1
	Combination - Zone 3 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	_					

Version 3Q03: 11/12/2003 Page 128 of 227 [CCCS Amendment 194 of 308]

PIADOMDE	ED NETWORK ELEMENTS - Mississippi	т	т											ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l	Additional 2-wire ISDN COCI (BRFTE) - in combination- per month		1	, manne												
	Nonrecurring Currently Combined Network Elements Switch -As-	 	l	UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00	<u> </u>					ļ
	Is Charge	1		UNC1X	UNCCC	i	5.63	5.63	7.20	7.00					1	
EYT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED etc	1 INT			-	5.63	5,03	7.20	7.20					ļ	
	First DS1 Loop Combination - Zone 1	I		UNC1X	TUSLXX	79.08	253.93	158.45	46,10	12.07			_			-
	First DS1 Loop Combination - Zone 2	—		UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	 				 	
	First DS1 Loop Combination - Zone 3	 		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	 					
	First DS1 Loop Combination - Zone 4			UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					-	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile							*								
	Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1														
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29			I		1	
	3/1 Channel System in combination per month		I	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						1
	DS1 COCI in combination per month	<u> </u>	1	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	l .													
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	1		1											
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
1	Additional DS1Loop in the same STS-1 Interoffice Transport	l	1 .		1		į				1				ļ	ļ
	Combination - Zone 3	-	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
1	Additional DS1Loop in the same STS-1 Interoffice Transport		١.	I BLOAN		150.40										ļ
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						<u> </u>
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-	 	l .	UNC1X	UC1D1	2.62	6.62	4,74	0.00	0.00					<u> </u>	ļ
j	Is Charge	1	}	UNCSX	UNCCC		5.63	5.00	7.00	7.00	1					
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	EDS INT	EDOE		DIVICE		5.83	5.63	7,20	7.20			_			ł
	4-wire 56 kbps Local Loop in combination - Zone 1	7 3 1141		UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2	· · · · · · · · · · · · · · · · · · ·		UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3	 		UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64					-	
	4-wire 56 kbps Local Loop in combination - Zone 4	 -		UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	t —	ļ	5.105/i	100200	- 02.20	120.00		00.00	14.04						
	Per Mile per month		İ	UNCDX	1L5XX	0.0098									1	ſ
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1											
	Facility Termination per month	ļ]	UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	is Charge	<u> </u>	1	UNCDX	UNCCC		5.63	5.63	7.20	7.20	_					
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT			1											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	L .		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	 		UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	<u> </u>		UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						ļ
ļ	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	J]		1,500										I	
$-\!+\!-$	Per Mile per month	-	-	UNCDX	1L5XX	0.0098									ļ	
İ	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		1	UNCOV	LIATE	20.52	40.70			.					Į.	
	Nonrecurring Currently Combined Network Elements Switch -As-	 		UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11	<u> </u>					
	Is Charge			UNCDX	UNCCC		E CO.	r.00	7.00	7.00					1	
EYT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANCO	ORT	13/1 MITY	UNCCC		5.63	5.63	7.20	7.20	ļ				_	
- -^''	First 2-wire VG Loop (SL2) in Combination - Zone 1	I		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 2	 		UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 3	 		UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	 			-	 	-
	First 2-wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	 				 	
	First Interoffice Transport - Dedicated - DS1 combination - Per	\vdash	<u> </u>			70.72	.00.50	. 00.20	JZ.UZ	10,57	 					
	Mile	1		UNC1X	1L5XX	0.1813									I	l
	First Interoffice Transport - Dedicated - DS1 combination -		1		1										1	1
1	Facility Termination per month	L.		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					1	1
	Donath DC1 Character Control Donath	T	Γ	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month			UNICVX	1D1VG	. ,02.00 [

NRANDI	LED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	r RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	·	
		ļ					First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month	1		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82					1	
\longrightarrow	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1										!					1
\longrightarrow	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	1					<u> </u>
1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	_													
\longrightarrow	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37				<u> </u>	ļ	ļ
1	Each Additional 2-Wire VG Loop(SL2) in the same DS1		١	LINGVA	UEAL2	27.56	405.00	CD 00	50.00	40.07						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		١.,	LINCLO	LIEALO	45.70	105.00	co 20	50.00	40.07						
	Interoffice Transport Combination - Zone 4	1	4	UNCVX	UEAL2 1D1VG	45.72 0.5737	105.96	68.28 4.74	52.82	10.37				-	ļ	
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1		+	UNCVX	10170	0.5737	6.62	4.74	-					+	ļ	+
1	Channel System per month	1	1	UNC1X	1L5XX	0.1813	l									
-+	Each Additional DS1 Interoffice Channel Facility Termination in	1	 	UNU IX	IESAA	0.1013			· · ·					1		1
	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1					1
	Each Additional DS1 COCI combination per month	+	1	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				 	<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As		 	ONO IX	- 100.01	2.02	0.02	7.7.1	0.00					 		
	Is Charge			UNC1X	UNCCC	İ	5.63	5.63	7.20	7.20						
EXT	TENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	TEROFF	ICE TR				0.00	0.00	.,					 		
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	T											***		
ŀ	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						1
- 1	First 4-Wire Analog Voice Grade Local Loop in Combination -													1		
ľ	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	1	-	1											
	Zone 3	1	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1				l	
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 4	.L	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				<u> </u>		
ľ	First Interoffice Transport - Dedicated - DS1 combination - Per	1			1 1						ļ					
	Mile Per Month	1		UNC1X	1L5XX	0.1813									ļ	
	First Interoffice Transport - Dedicated - DS1 - Facility	1			1										Ì	
	Termination Per Month	1		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				ļ		
	Per each 1/0 Channel System in combination Per Month	ļ	1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				ļ	1	-
	Per each Voice Grade COCI in combination - per month		4	UNCVX	1D1VG	0.5737	6.62	4.74	34.30	34.30				 	<u> </u>	
	3/1 Channel System in combination per month	1	-	UNC3X	MQ3	170.63	179.17	94.52		0.00				 		
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				 		
İ	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		ĺ				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	<u> </u>	- 	UNCVX	UEAL4	21,41	132.21	94.59	00.00	14.04				 	 	+
l	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		Ì				
	Additional 4-Wire Analog Voice Grade Loop in same DS1	+	-	DIVCVX	OL/L4	30.20	102.27	34.00		11.01				 		† · · · · ·
1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14,64			ļ			
	Additional 4-Wire Analog Voice Grade Loop in same DS1	+	+	10.10.11	100.01										***************************************	
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			1			
	Each Additional DS1 Interoffice Channel per mile in same 3/1	+		T								-		1 "		
	Channel System per month			UNC1X	1L5XX	0.1813						İ		1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	I.	1_	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			L	L	L	<u> </u>
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As	j-														
	Is Charge	.1	<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20		L	ļ	ļ		
EXT	TENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE	TRANSPORT w/	3/1 MUX				↓	ļ	ļ		ļ	_		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1.	LINODY			400 t-						l	1	İ	
-+	Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	 		ļ		 	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	i		LINGEN		24.55	400 ==	00.00	00.00	1			1	1	1	
$-\!$	Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	 		 	1	ļ	+
- 1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	_	INCOV	lupi co	40.70	100.50	00.05	60.00	14.64		İ		1	1	
	Zone 3	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14,64		<u> </u>	L	+		+
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	_	4													

Version 3Q03: 11/12/2003 Page 130 of 227

JNBUNDLI	ED NETWORK ELEMENTS - Mississippi													ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Efectronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'I
		-				Rec	Nonrec		Nonrecurring					Rates (\$)		
	First Interoffice Transport - Dedicated - DS1 combination - Per						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Mile Per Month	1		UNC1X	1L5XX	0.1813								1		ŀ
	First Interoffice Transport - Dedicated - DS1 - combination	-	_	UNCIX	ILSAA	0.1013										
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				}		
	Per each 1/0 Channel System in combination Per Month	-		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	 	-	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00				l		
	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82		-				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		-													
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	L	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								,							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60,68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															į
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64			*****			
	OCU-DP COCI (data) COCI in combination per month (2.4-				l !				1							ŀ
	64kbs)	ļ	L	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	ļ														
	Channel System per month	 		UNC1X	1L5XX	0.1813								ļ		
	Each Additional DS1 Interoffice Channel Facility Termination in			1,110414	U1TF1	51.72	00.70	00.00	40.00	44.00						l
	same 3/1 Channel System per month	-	<u> </u>	UNC1X	UTIFT	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UCIDI	2.02	0.02	4.74	0.00	0.00						
	Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EYTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	EFICE				5.03	3.03	7.20	1.20	-	-				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FICE	TRANSFORT W/ 3/1	MICA											
	Transport Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONOON	ODLOT	21.44	120.33	00.03	00.00	14.04						
	Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14,64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	-	0.1002		000	120.00	00.00	50.00	71,07						
	Transport Combination - Zone 3	1	3	UNCDX	UDL64	40,76	126.53	88.85	60.68	14.64	ŀ					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	1		UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -	1														
	Facility Termination Per Month	ļ		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination Per Month	<u> </u>		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
i	Per each OCU-DP COCI (data) in combination - per month (2.4-										1					F
	64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1 . '		l											
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	24.55	100 50	50.05	20.00	44.04				1	!	
		 		UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	1			1		l
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	3	CIACTV	UDLU4	40.76	120.53	00.05	80.08	14.04	 			-		
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64	1					1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	 	 - -	UNODA	JULU4	32.23	120,03	60.00	00.08	14,04	 				<u> </u>	
	combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		5.10DA	1.0100	1.22	0.02	7.14	0.00	0.00	<u> </u>			 		
	Channel System per month			UNC1X	1L5XX	0.1813								1		
	Each Additional DS1 Interoffice Channel Facility Termination in	 	<u> </u>			3.1013								<u> </u>		
i							í				1			1		1

Version 3Q03: 11/12/2003 Page 131 of 227 [CCCS Amendment 197 of 308]

UNBUNDLE	D NETWORK ELEMENTS - Mississippi										,	,		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Etectronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	L
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-		1						7.00	7.00				ł		
	Is Charge		1	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	KI W/ 3/	TMUX													
	Transport - Zone 1	i	1	UNCNX	U1L2X	21.01	117,61	79.92	52.82	10.37						
 	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	_	<u> </u>	DIVOIVA	O ILZX	21.01		70.02	02.02	70.07			-			
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		† -													
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	ļ					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														ļ	i
	Transport - Zone 4	ļ	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37				ļ		ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per				1 1			•								1
	Mile per month	ļ	ļ	UNC1X	1L5XX	0.1813					-					ļ
1	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	U1TF1	51,72	89.79	82.28	16.86	14.90		ļ				
\vdash	Facility Termination per month	 		UNC1X	MQ1	102.85	91.57	62.26	10.87	10.10						
	Per each Channel System 1/0 in combination - per month	-		DINCIX	IVIQ1	102.65	91.57	02.54	10.07	10.10	 					
1 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00	İ	i		1		
<u> </u>	3/1 Channel System in combination per month		+	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	 			1		
-	Per each DS1 COCI in combination per month	1	+	UNC1X	UC1D1	2.62	6.62	4.74	0,00	0.00	<u> </u>					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	5.46.1.1							† · · · · · ·					
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				ŀ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport										1					
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117,61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport								ĺ							
	Combination - Zone 3	1	3	UNCNX	U1L2X	37.34	117,61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1											
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117,61	79.92	52.82	10.37	ļ	-				
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		L. B. Carry		0.00	6.60	4.74	0.00	0.00						
	system combination- per month	ļ	-	UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00	-	-	-	 		
1 1	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0,1813								1		ŀ
 	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	·		DINCIA	TESAX.	0.1013			 	-						1
	same 3/1 Channel System per month	!		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	Each Additional DS1 COCI in the same 3/1 channel system	İ	 	U.I.O.I.A							1				_	
	combination per month			UNC1X	UC1D1	2.62	6.62	4,74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-							T							
	Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN									1					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<u> </u>	i		ļ		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	129.38	253.93	158.45	46.10					ļ		
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3	Ļ	3	UNC1X	USLXX	206.74	253.93	158.45	46.10		ļ				<u> </u>	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4	ļ	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	ļ			<u> </u>		-
1 1	First Interoffice Transport - Dedicated - DS1 combination - Per			LINGIY	1L5XX	0.1013					1		1			
\vdash	Mile Per Month	1	+	UNC1X	ILDAX	0.1813			1	 	 	 	 	 		1
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1	1		ļ		
	3/1 Channel System in combination per month	 	1	UNC3X	MQ3	170.63	179.17	94.52	34.30	<u> </u>				 		
	Per each DS1 COCI combination per month	1	 	UNC1X	UC1D1	2.62	6.62	4.74	0.00					1		1
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1						1	1			1			
!!!	Channel System per month	1	1	UNC1X	1L5XX	0.1813				ľ	Y	1			1	
	Each Additional DS1 Interoffice Channel Facility Termination in	1							1							
	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			L	<u> </u>		<u> </u>
	Each Additional DS1 COCI in the same 3/1 channel system	T														1
	combination per month	L		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					ļ	ļ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone								1	1			1		1	1
1	11	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07			1			L

NBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs.	Charge -
		m									per Lor	per zok	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic Disc Add
The state of the s						Rec	Nonre			g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2	-	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07				-		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	LINICAV	LICLYY	200 74	252.00	450.45	40.40	40.07			1			
_	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			-			
	Additional 4-Wife DST Digital Local Loop in Combination - Zone	ŀ	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Nonrecurring Currently Combined Network Elements Switch -As-		-	ONC IX	OSEAA	430.40	200.00	150.45	40.10	12.07		 		<u> </u>		
Ì	Is Charge	!		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT	-											
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	I	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l		l	l					1				1	[
	per month		ļ	UNCDX	1L5XX	0.0098				<u> </u>	1			ļ	 	ļ
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINGDY	LUTDE	22.50	40.70	07.53	47.00	7				1	1	1
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Is Charge	1		UNCDX	UNCCC		F 60	F CO	7.00	7.00			1			
EVTE	_is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE		UNCCC		5.63	5.63	7.20	7.20				-	-	
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIERU		TUNCDX	UDL64	27,44	126.53	88.85	60.68	14.64						-
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
_	First 4-wire 64 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	ļ		 			-
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64				 		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		 -	U. C. C. C. C. C. C. C. C. C. C. C. C. C.	TODES!	02.20	720.00	50.55	00,00	, ,,,,,,	1					
	per month		1	UNCDX	1L5XX	0.0098					1					
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		1	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11					l	
	Nonrecurring Currently Combined Network Elements Switch -As-									1						
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20	<u> </u>	<u> </u>				
	NETWORK ELEMENTS				<u> </u>	L					<u> </u>					
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges d	o not apply, but a S	witch As Is c	harge does ap	pły.				ļ <u>-</u>	ļ		ļ		
	used as ordinarily combined network elements in Alf States, t					As Is Charge	does not.									-
Nonre	curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-		(One	applies to each com	ibination)								-	ļ		
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20		1				
	Nonrecurring Currently Combined Network Elements Switch -As-	 -	 	GIVEVA	DINCOC		3.03	5.00	7.20	7.20		 		 	.	
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20					1	l
	Nonrecurring Currently Combined Network Elements Switch -As-		 	<u> </u>	1				1.20	1	<u> </u>	† · · · ·			1	
	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20			!			
	Nonrecurring Currently Combined Network Elements Switch -As-		T									1				
	Is Charge - DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20			1	l		
	Nonrecurring Currently Combined Network Elements Switch -As-		Ī													
	ls Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20		ļ		<u> </u>		
Option	nal Features & Functions:										ļ					ļ
				U1TD1,				İ			1					
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		01	01	01	01	1				<u> </u>	
	Star Star 10 + 17 0 F O F	Ι.		U1TD1,	00005		l.,	l.,			1				I	
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	- 1		ULDD1,UNC1X	CCOSF		01	01	01	01	-			 		
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S]			1	1
	Inclivity - per DOT	- '-	 	U1TD3, ULDD3,	INKCCC		104.03	23.703	1.303	0.783	-		 	-	1	-
	C-bit Parity Option - Subsequent Activity - per DS3	l i	[UE3, UNC3X	NRCC3	1	218.72S	7.66S	.7201S	08	1	1		1	1	1
MULT	IPLEXERS	ļ <u>'</u>	 	520, 51105A	1.11.000		~ 10.725				 	t	1		1	
	DS1 to DS0 Channel System per month		 	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10			1			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1		1	.02.30	1		1,	1	†	t		T		
	month (2.4-64kbs) used for a Local Loop	1	1	UDL	1D1DD	1,22	6.62	4.74	I	1	1	1	l .	1	1	1

Version 3Q03: 11/12/2003 Page 133 of 227 [CCCS Amendment 199 of 308]

JNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1	Rec	Nonrec		Nonrecurring		001450	001111		Rates (\$)	COMAN	SOMAN
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		i			-										1
-	month (2.4-64kbs) used for connection to a channelized DS1		i		40400	4.00										i
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1,22	6.62	4.74			_					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					0.00	0.00	4.74								
	month for a Local Loop		ļ	UDN	UC1CA	2.62	6.62	4.74								
ł	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		l l													
	month used for connection to a channelized DS1 Local Channel					0.00	0.00	4.74			ļ					
	in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
l	Voice Grade COCI - DS1 to DS0 Channel System - per month		1			B 5707					ŀ		İ			ļ
	used for a Local Loop		1	UEA	1D1VG	0.5737	6.62	4.74			ļ	ļ				ļ
1	Voice Grade COCI - DS1 to DS0 Channel System - per month	1										1	1			
	used for connection to a channelized DS1 Local Channel in the				10000		!							1	1	
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74						-	1	ļ
	DS3 to DS1 Channel System per month		<u> </u>	UNC3X	MQ3	170.63	179.17	94,52	34.30	32.82	1					ļ
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82					ł	
	DS1 COCI used with Loop per month		ļ	USL	UC1D1	12.96	6.62	4.74			ļ					
i	DS1 COCI (used for connection to a channelized DS1 Local										1			}		
	Channel in the same SWC as collocation) per month		ļ	U1TUA	UC1D1	12.96	6.62	4.74							<u> </u>	
	DS1 COCI used with Interoffice Channel per month	ļ	ļ	U1TD1	UC1D1	12.96	6.62	4.74	ļ		1					-
	DS3 Interface Unit (DS1 COCI) used with Local Channel per										1					
	month			ULDD1	UC1D1	12.96	6.62	4.74								ļ
	LOCAL EXCHANGE SWITCHING(PORTS)		ļ								ļ					
	nge Ports		<u> </u>								Ļ				-	
	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, 1	he desired features	will need to b	e ordered usin	g retail USOC	3						_	ļ	ļ
2-WIR	VOICE GRADE LINE PORT RATES (RES)									4.00						
	Exchange Ports - 2-Wire Analog Line Port- Res.		ļ	UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33	ļ					ļ
1	5 . 5 . 6			UEPSR	UEPRC	1,41	2.39	2.29	1.42	1,33				1	1	1
_	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1,41	2.39	2.29	1.42	1,33	 					
1	F . B . OW A B		1	LIEBOD	UEPRO	1.41	2.39	2.29	1,42	1.33				ļ		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		ļ	UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33	_				 	
	Exchange Ports - 2-Wire VG unbundled MS extended local		1	urnen	LIEBAT	1,41	0.00	2.20	1.42	1.33	1		1			
	dialing parity Port with Caller ID - Res.	-	ļ	UEPSR	UEPAT	1,41	2.39	2.29	1.42	1.33	 				_	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAP		2.39	2.29	1,42	1.33	1					
	with Caller ID (LUM)		₩	UEPSR	UEPAP	1.41	2.39	2.29	1,42	1.33	-			-		
	Exchange Ports - 2-Wire Voice Mississippi Residence Dialing	!		LIEDOD	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	Plan without Caller ID		1	UEPSR	DEPWJ	1.41	2.39	2.29	1.42	1.33	_					ł
1	2-Wire voice unbundled Low Usage Line Port without Caller ID		ļ	HEDOD	LIEDDI	1,41	2.39	2,29	1.42	4 22		1				1
	Capability		↓	UEPSR	UEPRT				1.42	1.33	 					<u> </u>
	Subsequent Activity		 	UEPSR	USASC	0.00	0.00	0.00							-	
FEAT			_	LIEDOD	11551/5	0.50	0.00	0.00	ļ					ļ	-	
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00	ļ					ļ	 	
2-WIR	VOICE GRADE LINE PORT RATES (BUS)		ļ	ļ								-			-	
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1					0.00	1	4.00					i	
	Bus		_	UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33				ļ.———	 	-
	Exchange Ports - 2-Wire VG unbundled Line Port with		1						1		i	!				t
	unbundled port with Caller+E484 ID - Bus.		ļ	UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33	-					
		1	1	LIEBOD	lusps a									i	1	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		!	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		-	-	-	1	+
	Exchange Ports - 2-Wire VG unbundled MS extended local	1		LIEDOD	luen						1		Į.		1	1
	dialing parity Port with Caller ID - Bus.		1	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33	 		-		+	
	Exhange Ports - 2-Wire VG unbundled incoming only port with			, ucoop	Lucopa	اا	2.22		1 440	1		1		1	1	1
	Caller ID - Bus		-	UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33	-	 	-	l	+	-
	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan			HEDOD	LUEDIA!!	ا ا	0.00		1	1		1		1	1	1
	without Caller ID		 	UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33		<u> </u>		<u> </u>	 	-
	2-Wire voice unbundled Incoming Only Port without Caller ID		1	Lucas	Lucase		~		1						1	
	Capability	ļ	 	UEPSB	UEPBE	1.41	2.39	2.29		1.33		ļ		ļ	1	1
	Subsequent Activity	<u> </u>	-	UEPSB	USASC	0.00	0.00	0.00		ļ	ļ	1	-	 	1	+
FEAT			<u> </u>	L	1				 			ļ		ļ	ļ. ———	+
1	All Available Vertical Features	1	1	UEPSB	UEPVF	2.56	0.00	0.00	1	1	1	1	1	1	1	

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
	· · · · · · · · · · · · · · · · · · ·										Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
													Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		1	1	į.	
ATEGORI	RATE ELEMENTS	m	Zone	BC3	0300	ł		KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Ì			1									1	Electronic-	Electronic-	Electronic-	Electronic
			1		i .							1	1st	Add'l	Disc 1st	Disc Add'
						ļ						L	<u> </u>	L	i	I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		1				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14,93	14.38	0.92						1
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 		UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92					-	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	-	UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92						
- - :	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULI OF	OEF AD	1.41	31.43	14.93	19.30	0.92	-		 		 	+
	2-wire voice undundled PBX LD Terminal Switchboard IDD Capable Port	1		UEPSP	UEPXE	1.41	24.45	14.93	14.38	0.92	I	l	1	1	l	
				UEPSP	UEPAL	1.41	31.45	14.93	14.38	0.92		ļ		-	-	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEBOD	LIEDY"	1!										
	Administrative Calling Port	ļ	ļ	UEPSP	UEPXL	1,41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy									_	I	1	1	1	1	Į.
	Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1											}
[]	Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92				i	i	
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	T	1		1	1										
	Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						1
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	 -			 								-			·
	Calling Port	ļ		UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92				1		1
	2-Wire Voice Unbundled PBX Port, Mississippi only	 		UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92				-		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	14.30	0.92					-	
FEATUR				ULFSF	USASC	0.00	0.00	0.00							-	
				HEDOD HEDOE	UEPVF	2.56	0.00	0.00	-							
	All Available Vertical Features		ļ	UEPSP UEPSE	UEPVE	2.56	0.00	0.00								
	NGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				<u> </u>	1.41	2.39	2.29	1.42	1.33	l					
	Transmission/usage charges associated with POTS circuit so															
	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities wilt be de	termined via t	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
	OCAL EXCHANGE SWITCHING(PORTS)												l			
EXCHA	NGE PORT RATES															
The DS1	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
Request	ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this ame	ndment shal	l be provided p	ursuant to a se	parate agreem	ent or tariff at	BellSouth's d	iscretion.					
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85		3.88	1		l			
1 1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	t	† ·		1	1			2.77	5,00				1		1
	capability (E:4/1/2004)	ļ	1	UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54	1	i	1		1	1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	t	+	UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76	<u> </u>	 		<u> </u>	-	
	All Features Offered	 	 	UEPTX, UEPSX	UEPVF	2.56	0.00	0.00	77.30	10.70	 	 				
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	-		UEPTX, UEPSX	U1UMA	0,00	0.00	0.00	ł		 	 	 	ł	1	
		I	ــــــــــــــــــــــــــــــــــــــ										L			
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transn	ussion by B-Cl	nannels assoc	ated with 2	-wire ISDN	oorts.	L	1	
	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fig	de Request/	New Busines	s Request Pro	cess.	ļ
	NGE PORT RATES (continued)	L								<u> </u>	ļ			L		
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	_													1	1
	Locator Capability (E:4/1/2004)	<u></u>	<u> </u>	UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69	L	I	L	L		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69	I					
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
	Virtual Collocation - Special Access & UNE, cross-connect per		1		1											
	DS1	ļ	1	UEPEX UEPDX	CNC1X	1,14	22.16	16.02	6.60	5.97		1			1	
Detailed	E911 with Locator Capability (required with UEPEX port)	——	 		1	1			1		1					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	t	 		t		-				† ····			1	1	t
	Locator Capability - Initial Profile Establishment per CLEC per	1	1		1	1			1		1	1	1	1	1	I
	State			LIEDEY	LIED4A	0.00	1 014 00		150 15					1	1	1
		 	-	UEPEX	UEP1A	0.00	1,814.00		156.15		 	-	I	 		ļ
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	l	1		1				1				I		1	1
	Locator Capability - Subsequent Profile Changes, Additions,	1	l	İ	1				1				I	i	1	
	Deletions			UEPEX	UEP1B	0.00	176.15				1	L	<u> </u>	L		<u> </u>
1	Additional PRI Telephone Numbers		,	1	1				,				1		I .	1

Version 3Q03: 11/12/2003 Page 135 of 227

INBUNDLI	ED NETWORK ELEMENTS - Mississippi										_		Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	1	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					·		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	·	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in			1												
	E911 profile [New or Additional]		j	UEPEX	UEP1C	0.0701	0.49				1					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										1					
	Locator Capability - Outdial Telephone Numbers, per number in				ŀ	i			i				İ			
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or			ĺ							1		1			
	Additional]			UEPDX	UEP1E	0.00	0.49									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]										ļ					
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.15	23.15								4
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		L	UEPEX UEPDX	LNPCN	1.75								ļ	<u></u>	
INTE	RFACE (Provsioning Only)	L												ļ	ļ .	
	Voice/Data		L	UEPEX	PR71V	0.00	0.00	0.00						<u> </u>		
	Digital Data		l	UEPEX	PR71D	0.00	0.00	0.00							-	
	Inward Data		<u></u>	UEPDX	PR71E	0.00	0.00	0.00			-					-
New	or Additional Channel														-	-
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61							ļ	ļ	
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61				_				ļ	
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61								l ——	
	New or Additional Useage Sensitive Voice Data "B" Channel		ļ	UEPEX	PR7BS	0.00	14.61				-					
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61				1		ļ			
	New or Additional PRI "D" Channel		<u> </u>	UEPEX	PR7EX	0.00	14.61							_		+
CALI	TYPES		ļ			0.00	0.00					ļ				+
	Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00				ļ			ļ <u></u>	
	Outward			UEPEX	PR7CO	0.00	0.00	0.00			ļ	ļ	ļ			ļ
	Two-way	<u> </u>	_	UEPEX	PR7CC	0.00	0.00	0 00			4					
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		ļ											 		
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			MED. (D	UERAC	1.41	2.39	2.29	1,42	1.33	 	 		 	-	-
	Unbundled Remote Call Forwarding Service, Area Calling, Res	ļ	-	UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33	 		l	+		+
	Live and the second sec		l .	UEPVR	UERLC	1,41	2.39	2,29	1.42	1.33				I		1
	Unbundled Remote Call Forwarding Service, Local Calling - Res		-	UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33				 -		
	Unbundled Remote Call Forwarding Service, InterLATA - Res		 		UERTR	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	-	ļ	UEPVR	UERTR	1.41	2.39	2.23	1.42	1.55				 		
Non-	Recurring Conversion	-	 		 				-			 	 	-		1
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.0988	0.0988	[İ		1		ĺ
	Unbundled Remote Call Forwarding Service - Conversion with	-	 	OLF VIX	USAGZ		0.0300	0.0300			· ·	l	 		1	1
l	allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988]						
TIME	UNDLED REMOTE CALL FORWARDING - Bus		 	OLI VIX	OUNCO		0.0000	0.0000			-		ţ			
UND	UNDLED REMOTE CALL FORWARDING - BUS		<u> </u>									1	†			
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		i	UEPVB	UERAC	1.41	2.39	2.29	1.42	1,33		1				1
	Orbanaleo Nemote can't orwarding Service, Area Caning - Bus	 	t	OEI VO	00.00		2.00					·			1	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.41	2.39	2.29	1,42	1.33	1	1				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33		1	T			
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	 		UEPVB	UERTR	1,41	2.39	2.29	1.42	1.33		T	1	1	T	
	Unbundled Remote Call Forwarding Service Expanded and		† ·						<u> </u>		T					
1	Exception Local Calling	1	1	UEPVB	UERVJ	1,41	2.39	2.29	1.42	1.33		1	I	1		
Non-	Recurring			· · · · · · · · · · · · · · · · · · ·	T						I					
	Unbundled Remote Call Forwarding Service - Conversion -	†	1													
	Switch-as-is	1		UEPVB	USAC2		0.0988	0.0988	i	L	<u> </u>			1		
	Unbundled Remote Call Forwarding Service - Conversion with	1				<u> </u>					1					
	allowed change (PIC and LPIC)	1		UEPVB	USACC		0.0988	0.0988		L	l		L		1	
INBUNDLE	LOCAL SWITCHING, PORT USAGE	1														
	Office Switching (Port Usage)	1		1		1										
	End Office Switching Function, Per MOU	1			1	0.0010269										
				+									1	1 -		
	End Office Trunk Port - Shared, Per MOU		1	1	1	0.000161										

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
			I			I	r					Svc Order	Svc Order		Incremental		
				1		ŀ							Submitted		Charge -	Charge -	Charge -
				1		Ī								Charge -			
			Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEG	ORY	RATE ELEMENTS	l .	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									1		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
			i	ļ.			i					•		151	Addi	DISC 1St	DISC AGG
								Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU	1	1		+	0.0001723					1	1				
		Tandem Trunk Port - Shared, Per MOU	· · · · ·	+			0.0001728				-						
		Tandem Switching Function Per MOU (Melded)		_			0.000063441										
							0.000067307				ļ	<u> </u>	 				
		Tandem Trunk Port - Shared, Per MOU (Melded)		1		-	0,000007307			-		-	 				
L 1	_	Melded Factor: 36.82% of the Tandem Rate		 		-	+					-	ļ		_		
\square	Commo	on Transport								1	ļ						
		Common Transport - Per Mile, Per MOU	<u> </u>	ļ		-	0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar															l
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rates	section in the same	manner as th	ney are applied t	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
	End Of	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in tl	ne Port section of th	nis rate exhib	it shall apply to	all combinati	ons of loop/po	ort network ele	ments except	for UNE Co	in Port/Loop	Combinatio	ns.		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	T , -	1		1	1					Ι	Τ	[Γ		
		ort/Loop Combination Rates				·		-		<u> </u>							
		2-Wire VG Loop/Port Combo - Zone 1	 	1		+	12.22					1					
	 	2-Wire VG Loop/Port Combo - Zone 2	+	2		+	17,13			 	 	 	 		 		
-			 	3			26.26			 		+	 				
L		2-Wire VG Loop/Port Combo - Zone 3	-												 		
ļ		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE L	pop Rates	ļ				4				ļ						
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98								ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91			l							
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68			1			I .				
	2-Wire	Voice Grade Line Port Rates (Res)		1													
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port with Caller ID - res	·		UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58	1		· · · · · ·			
		2-Wire voice unbundled port outgoing only - res		 	UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58				T		
		2-Wire voice Grade unbundled Mississippi extended local		 	DEI TAX	1021110	1.20	10.01	10.01	2.100		 					
			i		UEPRX	UEPAT	1.23	40,31	19.84	24.90	6.58						
-		dialing parity port with Caller ID - res	 	┼	UCPKA	UEPAI	1.23	40.31	15.04	24.50	0.30	-	1				
i l		2-Wire voice unbundles res, low usage line port with Caller ID	1		UEPRX	UEPAP	4.00	40,31	19.84	24.90	6.58						ļ
		(LUM)	-	-	UEPRX	UEPAP	1.23	40,31	19.84	24.90	0.30		<u> </u>		-		-
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan	1	1		l	1				0.50						
	L	without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58				ļ		
ł		2-Wire voice unbundled Low Usage Line Port without Caller ID	1									1		İ			
ļ		Capability	1	1	UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58		1		L		
	FEATU	IRES									T		1		Ι"	1	
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00				1				
	LOCAL	NUMBER PORTABILITY					 			1							
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					1					
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	†		1				<u> </u>			1				
-	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-		+	+			† · · · · · · · · · · · · · · · · · · ·		+	<u> </u>				
	1	Switch-as-is		1	UEPRX	USAC2		0.0988	0.0988		1	1	1	1			1
-	-		-		OLI'RA	USACZ	+	0.0300	0.0300	 	 	+	 	 	 		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEBOV		1	0.0000	0.0000	1	1	1	1		l		1
	<u> </u>	Switch with change			UEPRX	USACC		0.0988	0.0988	ļ			-		ļ.——		
[]	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	1	1	1		l .	1		1	1	1			
		Subsequent Database Update	L	1	L	1		0.00	0.00			1	L	L	ļ		-
	ADDIT	IONAL NRCs	L									1	↓	L	ļ		
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								1		1	1			Ì	
		Activity		1	UEPRX	USAS2	0.00	0.00	0.00	1	L	<u> </u>	1		L		L
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		T									1				
	1	Premise		1	UEPRX	URETL		8.33	0.83			1	1			1	
	OFF/O	N PREMISES EXTENSION CHANNELS	—	† · · · · ·	 	1				i		1			T		
\vdash	150	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25	<u> </u>	1		†		-
	 	2 Wire Analog Voice Grade Extension Loop - Non-Design	t	2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25		1	1	T	- "	
	 		1	3		UEAEN	25.68	37.92	17.55	23.48	5.25		 	t	+		
ļ	 	2 Wire Analog Voice Grade Extension Loop – Non-Design	1		UEPRX								+	1	+	 	
L	 	2 Wire Analog Voice Grade Extension Loop – Non-Design	Ļ	4	UEPRX	UEAEN	43.85	37.92	17.55				-		 		
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	13.89	105.96	68.28		10.37		1	ļ	1	ļ	_
		2 Wire Analog Voice Grade Extension Loop – Design	1	2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37	1	1	1	1	1	1

Page 137 of 227

MRONDF	ED NETWORK ELEMENTS - Mississippi	,											<u> </u>	ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Ado
			-				Nonrec	urring	Nonrecurrin	g Disconnect	····-		oss	Rates (\$)	<u> </u>	<u> </u>
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTE	ROFFICE TRANSPORT										1					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		l		l l				i		1	ļ				
	Termination	ļ	-	UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11	-					ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00			1					
2-14/1	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	 	 	UEPRA	OTIVM	0.0000	0.00	0.00	-		+			ļ	-	
	Port/Loop Combination Rates	<u> </u>	 								+			L		
- 0.1.	2-Wire VG Loop/Port Combo - Zone 1	 	1			12.22								-		
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13			-						 	
	2-Wire VG Loop/Port Combo - Zone 3	T	3			26.26			T	T	1	-				†
UNE	Loop Rates	L	L													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPŁX	10.98					I					
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPBX	UEPLX	15.91				<u> </u>						I
	2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPBX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68									ļ	-
2-Wi	re Voice Grade Line Port (Bus)	ļ		Liebby	- Lucasi				24.90	0.50					ļ	
_	2-Wire voice unbundled port without Caller ID - bus	ļ	 	UEPBX	UEPBL UEPBC	1.23	40.31	19.84		6.58			-			+
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	1	1	UEPBX	UEPBO	1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58					 	
	2-Wire voice Grade unbundled Mississippi extended local	<u> </u>	-	UEPBA	DEPBO	1.23	40.51	19.04	24.90	0.30	 	1				-
	dialing parity port with Caller ID - bus		1	UEPBX	UEPAY	1.23	40.31	19.84	24.90	6 58	Į.	1			İ	
_	2-Wire voice unbundled incoming only port with Caller ID - Bus	† ·	+	UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58					<u> </u>	
	2-Wire Voice Unbundled Mississippi Business Dialing Plan									1						
i	without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled Incoming Only Port without Caller ID					-				1					1	
	Capability	J	1	UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
LOC	AL NUMBER PORTABILITY		<u> </u>												ļ	ļ
	Local Number Portability (1 per port)	ļ	ļ	UEPBX	LNPCX	0.35									ļ	
FEA	TURES All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00			 			-		
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	+	UEPBX	UEPVF	2.56	0.00	0.00		ļ	 				 	
INCH	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	+		 											+
- 1	Switch-as-is			UEPBX	USAC2		0.0988	0.0988							İ	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	 					0,000	<u> </u>	·	<u> </u>	†				1
1	Switch with change	1		UEPBX	USACC		0.0988	0.0988				i				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-								i "						
i	Subsequent Database Update						0.00	0.00								
ADD	ITIONAL NRCs									1	ļ	ļ	L		ļ	ļ
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1							1			i			
_	Activity	<u> </u>	ļ	UEPBX	USAS2		0.00	0.00	_	1	ļ					┼
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		1	UEPBX	URETL		8.33	0.83			1					
OFF	/ON PREMISES EXTENSION CHANNELS		-	UEPBX	UREIL		0.33	0.83	-		+	<u> </u>				+
JOFF.	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25	 	 	-		-	\vdash
-	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	16.87	37.92	17.55		5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55		5.25		1				1
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25		i		<u> </u>		
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop - Design	1	2	UEPBX	UEAED	18.75	105.96	68.28	52.82				l		1	
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37				L		
	2 Wire Analog Voice Grade Extension Loop – Design	1	4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37			1		 	1
INTE	ROFFICE TRANSPORT	ļ	1						ļ	1				ļ		+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDDA	11472.00	20.00	40.7	07.53						1	1	1
_	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ļ		UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11	 	 			 	+
	or Fraction Mile	1		UEPBX	U1TVM	0.0088	0.00	0.00						1	1	
1	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1	1	JOEPBA	OTIVIVI	0.0000]	0.00	0.00	1	1	1	1	1	1	1	

Version 3Q03: 11/12/2003

MBUNDLI	ED NETWORK ELEMENTS - Mississippi										,			ment: 2		ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					i I						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l			1						Elec	Manually			Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								1
TI EGOIT!	NATE ELEMENTO	m	Zone	500	0000			104120 (0)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
			İ		1						1	İ	1st	Add'I	Disc 1st	Disc Add'
		1							,		L		<u> </u>			<u>i</u>
		İ				Rec	Nonrec	curring	Nonrecurring	Disconnect	I		oss	Rates (\$)		
			1		1	1,60	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates										l'					
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22							1			
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13					1		!	 	 	
	2-Wire VG Loop/Port Combo - Zone 3	 	3			26.26					 			 	 	
	2-Wire VG Loop/Port Combo - Zone 4	 	4		1 1	44.91								-	 	
		-	4			44.91										
UNE	Loop Rates	ļ	L.													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98								L		
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91]	T		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04						ľ				
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68								<u> </u>	i	
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		_								1		 	 	 	
1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	t	t -						 	-	1			+	<u> </u>	
	Res	1		UEPRG	UEPRD	1 22	60.27	22.40	27.00	C 47	1	l		1		
1.00		 	+	UCPRO	DEPKD	1.23	69.37	32.48	37.86	6.17	1	ļ	1	↓		
LUCA	L NUMBER PORTABILITY													L		
	Local Number Portability (1 per port)	ļ	ļ	UEPRG	LNPCP	3.15	0.00	0.00			1			l		
FEAT	URES			1								l	1	I		1.
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00						T	ì	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -									-				 	†	
	Conversion - Switch-As-Is		1	UEPRG	USAC2	ŀ	7.96	1.91			1					1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	-	OCI NO	OOACE		7.30	1.31					l	<u> </u>	<u> </u>	
ı			1							ļ	1					1
	Conversion - Switch with Change		ļ	UEPRG	USACC		7.96	1.91			ļ			<u> </u>	<u> </u>	
İ	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1	!							ì	1		ì
	Subsequent Database Update				1		0.00	0.00	· '	1				İ		1
ADDI	TIONAL NRCs													T		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													
- 1	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00		İ			1			
-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1			-144	0.00					-		 		
	Group	1	1				7.36	7.36								
		-	-				7.30	7.30	ļ					 	 	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1								l.				1	
	Premise	1	1	UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS													L	<u> </u>	
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37					ľ	
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination	 		UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37	1			-		
INITE	ROFFICE TRANSPORT	-	+ '-	OLI NO	1 2011/1	10.72	100.00	00.20	02.02	10.57	-			+	 	
									-		-		 	 		+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	Liebbo						l	1	ŀ			1	l
	Termination			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11	ļ	 	<u> </u>	↓	1	+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1			1	i		1	1	1	ŀ			1	1
	or Fraction Mile	1	L	UEPRG	U1TVM	0.0088	0.00	0.00	1	L	L	L	<u> </u>	1	L	<u> </u>
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												,		1	
UNE	Port/Loop Combination Rates			 											1	
	2-Wire VG Loop/Port Combo - Zone 1	 	1	<u> </u>		12.22			f		+		1	 	 	-
	2-Wire VG Loop/Port Combo - Zone 2		2	 		17.13			 		+	-		 	 	
-	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3			-					 		 	 		1	 	+
-			3			26.26			!	ļ	 	!	 	_	 	
	2-Wire VG Loop/Port Combo - Zone 4	-	4	 	l	44.91					ļ	ļ		ļ		
UNE	Loop Rates		L								ļ			L	ļ	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98					L				L	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	15.91										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68					1			Ť		†
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	1	<u> </u>		1	.0.00				1	t	 	<u> </u>	t	†	
		 	-	····	 				 	ļ	 	ļ ·	1	 		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	lucono	4.00	00.07	20.10	27.00		1	l		1		1
		 	1		UEPPC	1.23	69.37	32.48	37.86	6.17	 			_		
	Line Side Unbundled Outward PBX Trunk Port - Bus		\perp	UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		ļ. <u></u>	J	<u> </u>	L	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17						
1	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17	1	l		Τ	1	

BUNDLED NI	ETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		<u> </u>	ļ			Rec	Nonrec		Nonrecurring		001150	001411		Rates (\$)	00441	00144
	,		ļ	UEDDY	LIEDVO	4.00	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	fire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPPX UEPPX	UEPXB UEPXC	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17						
	/ire Voice Unbundled PBX LD DDD Terminals Port /ire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17	-					ļ
	/ire Voice Unbundled PBX LD Terminal Switchboard IDD		-	ULFFA	HOLF AD	1.23	09.37	32.40	37.00	0.17						
	pable Port		l	UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17	1					
	/ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	t	OLI I X	JOE! AL	1.20	00.07	02.10	07.00	0.17	1	· · · · · · · · · · · · · · · · · · ·				
	ninistrative Calling Port	ļ	1	UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17				İ		
	/ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
Roo	om Calling Port		1	UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	/ire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital										7					
	count Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17						
	/ire Voice Unbundled 2-Way PBX Mississippi Local Economy					7										
	ling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17						—
	/ire Voice Unbundled 2-Way PBX Mississippi Local Optional	l			luenum		00.07	20.40						ļ	i	i
	ling Port	-	-	UEPPX	UEPXR UEPXS	1.23	69.37 69.37	32.48	37.86 37.86	6.17 6.17	 			<u> </u>		ļ
	/ire Voice Unbundled 1-Way Outgoing PBX Measured Port		ļ	UEPPX	UEPA5	1.23	69.37	32.48 32.48	37.86	6.17				<u> </u>		1
	sissippi PBX 2-Way Combo Local Opt 2 Calling Port MBER PORTABILITY		 	UEPPX	UEPAS	1.23	69.37	32.48	37.86	6.17						1
	al Number Portability (1 per port)		┼	UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES		 	 	UCFFA	LINECE	3.13	0.00	0.00		-	ì					1
	Features Offered		 	UEPPX	ÜËPVF	2.56	0.00	0.00			 				†	_
	RRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI I A	JOET VI	2.50	0.00	0.00			l					
	/ire Voice Grade Loop/ Line Port Combination (PBX) -		 									1				-
	nversion - Switch-As-Is	i		UEPPX	USAC2		7.96	1.91								
	/ire Voice Grade Loop/ Line Port Combination (PBX) -		1								1			-		1
	oversion - Switch with Change			UEPPX	USACC		7.96	1.91								
	/ire Voice Grade Loop / Line Port Combination - Conversion -		 													
Sub	osequent Database Update				Į l		0.00	0.00	l						L	
ADDITIONA																
	/ire Voice Grade Loop/ Line Port Combination (PBX) -													1		
	sequent Activity			UEPPX	USAS2	0 00	0.00	0.00								
	X Subsequent Activity - Change/Rearrange Multiline Hunt				1 1											
Gro			_				7.36	7.36			ļ					ļ
	oundled Miscellaneous Rate Element, Tag Loop at End User	1		LIEBEN		- 1		0.00				ŀ			i	
	mise REMISES EXTENSION CHANNELS		-	UEPPX	URETL		8.33	0.83			ļ					
	ral Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37	 				 	
	al Channel Voice grade, per termination			UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37					 	
	al Channel Voice grade, per termination			UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37	 					
	al Channel Voice grade, per termination			UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37	1					
	ICE TRANSPORT	1	Ť		. 20.1/1	10.72	100.00	00.20	<u>52.52</u> .	10.07		·		1		†·
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 								1					1
	mination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						1
Inte	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	Fraction Mile			UEPPX	U1TVM	0.0088	0.00	0.00								
	ICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POF	रें									1					ļ
	oop Combination Rates		l								L					
	/ire VG Coin Port/Loop Combo – Zone 1		1			12.22						ļ		ļ	1	-
	/ire VG Coin Port/Loop Combo – Zone 2		2			17.13			ļ		<u> </u>			 	-	1
	/ire VG Coin Port/Loop Combo – Zone 3		3			26.26						ļ			-	
	Vire VG Coin Port/Loop Combo – Zone 4		4			44.91			ļ		ļ			ļ	 	-
UNE Loop			<u> </u>	115000	1	10.55						ļ	 	 		
	Vire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10.98							 	 		
	Vire Voice Grade Loop (SL1) - Zone 2	1		UEPCO	UEPLX	15.91			ļ		-			 		+
	Vire Voice Grade Loop (SL1) - Zone 3	-		UEPCO	UEPLX	25.04 43.68						-		 	ļ	
	Vire Voice Grade Loop (SL1) - Zone 4 ce Grade Line Ports (COIN)	-	- 4	UEPCO	UEPLX	43.68			 		 	-		-	+	+
	Vire Coin 2-Way without Operator Screening and without	 	+						 		 			 		+
	cking (AL, KY, LA, MS)	I	1	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58	1	ĺ	1	1	I	1

Page 140 of 227 Version 3Q03: 11/12/2003

MOUNDLE	D NETWORK ELEMENTS - Mississippi			_										ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
	7-7-1-4					Rec	Nonred			g Disconnect				Rates (\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking, with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				I						ł			l		
	900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-W with Operator Screening and Blocking: 011,		 -	UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58	L					
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40,31	19.84	24,90	0.50						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPIVIA	1.23	40.31	19.84	24,90	6.58	_					ļ
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58					1	
	2-Wire Com 2-Way with Operator Screening and 011 Blocking;			<u> </u>	OLI NO	1.23	40.51	13.04	24.50	0.50	-			-		
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58	ļ					
	2-Wire Coin 2-Way with Operator Screening & Blocking:			00.00	- 02.1.1.0	1.20	40.31	13.04	24.30	0.50						ļ
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
	1+DDD, 011+, Local; with Dialing Parity (MS)		1	UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58	Ì				i	
	2-Wire Coin Outward without Blocking and without Operator															-
	Screening (KY, LA, MS)		L	UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58				l	Į	
1	2-Wire Coin Outward without Blocking and without Operator															
	Screening, With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58				<u> </u>		
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(GA, KY, MS)		ļ	UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011										,					
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and Blocking:		ĺ	urnee	lucani.									}		
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		1	UEPCO	UEPCN	1.23	40.04	40.04		0.50						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			UEPCU	UEPCN	1.23	40.31	19.84	24,90	6.58						
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1 23	40.31	19.84	24.90	6.58	į l					
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except	-	1	02.00	102.00		70.01	10.01	24.50	0.00		-				
ļ	LA)		1	UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
_	Switch-as-is			UEPCO	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIFEGG		l										
ADDIT	Switch with change			UEPCO	USACC		0.0988	0.0988								
AUUII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											
1	Activity)	UEDCO	1,10,400		0.00	0.00]							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USAS2		0.00	0.00						ļ		
	Premise			UEPCO	URETL		8.33	0.83								
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (UKETE		6.33	0.83								
	ort/Loop Combination Rates	CINC I	UK! ((LO)							-					
- CALL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		 	20.02									-	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	28.82					-					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	27.55										
2 1817	2-Wire Voice Grade Loop (St.2) - Zone 4		4	UEPFR	UECF2	45.72										
2-Wire	Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence			UEPFR	UEPRI	1.27	108.35	70,57	54.24	11.70						
			ı	ロカードトド												

UNBUNDLED N	IETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
NBONDEEDIN	ETWORK ELEMENTS * MISSISSIPPI									-	Submitted	Submitted	Incremental Charge -	Incremental Charge -		Increment Charge
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Vire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11,70						
	Vire voice Grade unbundled Mississippi extended local				i										!	
	ling parity port with Caller ID - res		ļ	UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
	Vire voice unbundles res, low usage line port with Caller ID		1	UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
	JM) Vire Voice Unbundled Mississippi Residence Dialing Plan	-	1	UEPFR	UEPAP	1.21	100.33	70.57	34.24	11.70						
	hout Caller ID		1	UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						
	ICE TRANSPORT			OC: TK	OLI 113	1.2.7	100.00	10.07	04.24	11.70						
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 													
	rmination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11					1	
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	Fraction Mile		ŀ	UEPFR	1L5XX	0.0088									1	
FEATURE	S															
	Features Offered		ļ	UEPFR	UEPVF	2.56	0.00	0.00			L					
	JMBER PORTABILITY		<u> </u>						L							
	cal Number Portability (1 per port)		ļ	UEPFR	LNPCX	0.35					ļ					
	RRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	-													
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USAC2		16.94	3.72					İ]		
	mbination - Conversion - Switch-as-is Nire Loop / Dedicated tO Transport / 2 Wire Line Port		+	UEPFR	USACZ		10.94	3.12				 				
	ombination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72							1	
	bundled Miscellaneous Rate Element, Tag Designed Loop at	·	+	GETTIC	100/100		10.54				 -				<u> </u>	
	d User Premise			UEPER	URETN	į	11.19	1 10			1		1		1	
	DICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELINE	PORT (10.1						1					
	Loop Combination Rates	Ϊ	Τ,	1							1					
	Nire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
2-1	Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
2-1	Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
2-1	Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99			1					L		
UNE Loop																ļ
	Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFB	UECF2	13.89									ļ	
	Vire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFB	UECF2	18.75					-					
	Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFB	UECF2	27.55 45.72										
	Nire Voice Grade Loop (SL2) - Zone 4	├	4	UEPFB	UECFZ	45.72					ļ				 	
	ice Grade Line Port (Bus) Wire voice unbundled port without Caller ID - bus		+	UEPFB	UEPBL	1.27	108,35	70.57	54.24	11.70	-				<u> </u>	
	Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70			-		 	1
	Wire voice unbundled port with Galler 1 2404 15 - 503			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
	Wire voice Grade unbundled Mississippi extended local	t	t	1-2	1		.00.00	, 5.57			†	·				
	aling parity port with Caller ID - bus		l	UEPFB	UEPAY	1.27	108.35	70.57	54.24	11,70	I			L	L	
	Wire voice unbundled incoming only port with Caller ID - Bus		T	UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						
2-1	Wire Voice Unbundled Mississippi Business Dialing Plan	T											I			
	thout Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70	<u> </u>				ļ	
	JMBER PORTABILITY													L	ļ	<u> </u>
	cal Number Portability (1 per port)			UEPFB	LNPCX	0.35			ļ		ļ			L		
	FICE TRANSPORT	ļ	4								ļ		-	-	-	1
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDED	11477.10	20.0-		07.5-	1		1	1	1			1
	emination	 	+	UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11	 	ļ	 	 	 	+
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile Fraction Mile			UEPFB	1L5XX	0.0088]		1	!	1			
FEATURE		 	+	ULPFB	11.000	0.0066			-		+		 	 	 	
	Features Offered	!	+	UEPFB	UEPVF	2.56	0.00	0.00	1			<u> </u>	 		t .	
	JRRING CHARGES (NRCs) - CURRENTLY COMBINED	 	+	OLI I D	OL, VI	2.50	0.00	0.00	 		 					
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port	t	1								 				 	1
	ombination - Conversion - Switch-as-is		1	UEPFB	USAC2		16.94	3.72]			1			1	
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	<u> </u>											1	T
	ombination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				i	İ			
	bundled Miscellaneous Rate Element, Tag Designed Loop at															T
	nd User Premise	1	1	UEPFB	URETN		11.19	1.10	1		i	1	1		1	1

UND	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs. Electronic
				<u> </u>										1st	Add'I	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	2 MAIDE	 VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		DODT (DDV			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ort/Loop Combination Rates	LINE	PURI	PBX)												
	UNE P			.													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										1
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55									_	
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l	1	UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29	1				I	
Ξ		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137,41	80.14	67.20	11.29				†	İ	†
		Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPFP	UEPP1	1.27	137,41	80.14	67.20	11.29				t- ·		
		2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	1.27	137.41	80,14	67.20	11.29	-		• • • • • • • • • • • • • • • • • • • •	+		-
	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29						-
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	1	UEPFP	UEPXC	1.27	137,41	80.14	67.20	11.29	-			ļ		
-	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-	 	UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29				ļ	-	-
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		 	OLI II	OLI AD	1.27	137.41	00.14	07.20	11.23				ļ.———		
		Capable Port		1	UEPFP	UEPXE	1.27	127.41	00.14	67.20	44.00						•
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 -	UCFFF	UEFAE	1.27	137.41	80.14	67.20	11.29						
		Administrative Calling Port		i	UEPFP	UEPXL	4.07	407.44	00.44	07.00	44.00	i				l	
			ļ	├	UEPFP	DEPAL	1.27	137.41	80.14	67.20	11.29				<u> </u>		ļ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			1												i
		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29				L		ļ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	ĺ	1								l					
		Discount Room Calling Port		1	UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
	1	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy				1				ì							
	<u> </u>	Calling Port		1	UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional					i										
		Calling Port		1	UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29				ļ		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1,27	137.41	80.14	67.20	11.29						T
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
	LOCAL	. NUMBER PORTABILITY															T
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			· · · · · · · · · · · · · · · · · · ·			1		
	INTER	OFFICE TRANSPORT													T		-
_		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	·	1													
		Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11				į.		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	1	or Fraction Mile			UEPFP	1L5XX	0.0088										
	FEATL			 	1	120701	0.0000										<u> </u>
	1	All Features Offered		1	UEPFP	UEPVF	2.56	0.00	0.00						 	 	-
_	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		+	OLI III	OLI VI	2.00	0.00	0.00								
	1101111	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 											-		
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72						į		
_		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITI	03/02		10.54	3.12								
		Combination - Conversion - Switch with change		1	UEPFP	USACC		16.94	3.72								
	+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		 	OLFFF	USACC		10.94	3.12						 		-
		End User Premise		1	UEPFP	URETN		11.19	1.10							1	1
RI	INDLED I	PORT/LOOP COMBINATIONS - COST BASED RATES	 	+	OLF I F	UNLIN		11.19	1.10						 	1	
٠.		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODE	+	ļ										 		-
			PURI	+						l		1	 		+		-
-	UNE P	ort/Loop Combination Rates	<u> </u>	+			0.00								 	1	
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	ļ	1	-		21.32								ļ		ļ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16						l		4		
_		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98					L			L		_
_		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4	<u> </u>		53.15										↓
	THINE I	pop Rates		1	1	1	1			1 7			I	1		1	1

Version 3Q03: 11/12/2003 Page 143 of 227

NBUNDLED NETWORK ELEMENTS	- wississippi	_			T						т			ment: 2		ibit: A
TEGORY RATE E	LEMENTS Inter	Zone	e E	scs	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
2-Wire Analog Voice Grade Loc	- (CL2) LIME Zeno 1	1	UEPPX		UECD1	13.89	First	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
2-Wire Analog Voice Grade Loc		2	UEPPX		UECD1	18.75										
2-Wire Analog Voice Grade Loc		3	UEPPX		UECD1	27.55										<u> </u>
2-Wire Analog Voice Grade Loc		4	UEPPX		UECD1	45.72										·
UNE Port Rate	p - (3c2) - SNC 2016 4		105		OCOD1	40.12										1
Exchange Ports - 2-Wire DID P	ort		UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25					ļ	†
NONRECURRING CHARGES - CURRE			+													
	ire DID Trunk Port Combination -		 													
Switch-as-is			UEPPX		USAC1		7.35	1.88							ļ	
2-Wire Voice Grade Loop / 2-W	ire DID Trunk Port Conversion				1											
with BellSouth Allowable Chang			UEPPX		USA1C		7.35	1.88								
ADDITIONAL NRCs			1		· ·	**										
2-Wire DID Subsequent Activity	- Add Trunks, Per Trunk		UEPPX		USAS1		26.94	26.94						1		
	Element, Tag Designed Loop at															
End User Premise			UEPPX		URETN		11.19	1.10			i i					
Telephone Number/Trunk Group Esta	ablisment Charges		1		1		_	•								
DID Trunk Termination (One Pe	er Port)		UEPPX		NDT	0.00	0.00	0.00								
Additional DtD Numbers for each			UEPPX		ND4	0.00	0.00	0.00								
DID Numbers, Non- consecutive	e DID Numbers , Per Number		UEPPX		ND5	0.00	0.00	0.00								
Reserve Non-Consecutive DID	numbers		UEPPX		ND6	0.00	0.00	0.00				·				
Reserve DID Numbers		1	UEPPX		NDV	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per	port)		UEPPX		LNPCP	3 15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP	WITH 2-WIRE ISDN DIGITAL LINE SID	DE POR	T													
UNE Port/Loop Combination Rates																
2W ISDN Digital Grade Loop/2\	W ISDN Digital Line Side Port -	1			1											
UNE Zone 1	· i	1	UEPPB	UEPPR		28.59					l i					
2W ISDN Digital Grade Loop/2\	W ISDN Digital Line Side Port -	1														
UNE Zone 2		2	UEPPB	UEPPR		35.00										
2W ISDN Digital Grade Loop/2\	W ISDN Digital Line Side Port -															
UNE Zone 3		3	UEPPB	UEPPR		45.18	1									
	W ISDN Digital Line Side Port -															
UNE Zone 4		4				67.61										
UNE Loop Rates																
2-Wire ISDN Digital Grade Loop	- UNE Zone 1	1 1	UEPPB	UEPPR	USL2X	18.26										
		1														
2-Wire ISDN Digital Grade Loop		2	UEPPB	UEPPR	USL2X	24.67						į				
2-Wire ISDN Digital Grade Loop		3	UEPPB	UEPPR	USL2X	34.85						1				
2-Wire ISDN Digital Grade Loop	- UNE Zone 4	4	UEPPB	UEPPR	USL2X	57.28										
UNE Port Rate																
Exchange Port - 2-Wire ISDN L			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
NONRECURRING CHARGES - CURRE					ļ											
2-Wire ISDN Digital Grade Loop	7 2-Wire ISDN Line Side Port				i l											
Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDITIONAL NRCs																
	Element, Tag Designed Loop at				i I											
End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								
	Element, Tag Loop at End User											1				
Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL NUMBER PORTABILITY	0				<u> </u>											
Local Number Portability (1 per			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						<u> </u>		ļ
B-CHANNEL USER PROFILE ACCESS	S:			· · · · · · · · · · · · · · · · · · ·												
CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								ļ
CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								<u> </u>
CSD	THE ADDED AND 1001 A AND 1001		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROI	ILE ACCESS: (AL,KY,LA,MS SC,MS,	& TN)	I		ļi				<u></u>							ļ
CVS/CSD (DMS/5ESS)		+	UEPPB	UEPPR	U1UCD	0.00	0.00	0,00								ļ
CVS (EWSD)			UEPPB		U1UCE	0.00	0.00	0.00								L
CSD		1	UEPPB	UEPPR	JU1UCF	0.00	0.00	0.00			ı T		_		I	I

NBUNDLED NETWORK ELEMENT:	S - Mississippi										,			ment: 2		bit: A
ATEGORY RATE	ELEMENTS Inter m	i Zone	F	BCS	usoc		7-20	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)	0011411	DOM: AN
USER TERMINAL PROFILE			_				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
User Terminal Profile (EWSD	only)		UEPPB	UEPPR	U1UMA	0,00	0.00	0.00							ł	
VERTICAL FEATURES	only)		UEPPB	UEPPK	UTUNA	0.00	0.00	0.00								
All Vertical Features - One pe	r Channel B User Profile		UEPPB	UEPPR	UEPVF	2.56	0.00	0.00			<u> </u>	 				
INTEROFFICE CHANNEL MILEAGE		- 	OLITE	OLITIN	OCT VI	2.00	0.00	0.00			 			-		
Interoffice Channel mileage e		+	+								†	1		-		1
facilities termination	,	ł	UEPP8	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		1		ĺ		
Interoffice Channel mileage e	ach, additional mile	—			M1GNM	0.0098	0.00	0.00								
	-WIRE ISDN DS1 DIGITAL TRUNK POR	Т			1								l			
The UNE-P DS1 combination rates	below for in this rate exhibit apply to th	e embe	dded bas	e in place a	is of 10/2/03 u	intil 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
Requests for 4-Wire DS1 Digital Lo	op with 4-Wire ISDN DS1 Digital Trunk I	Port aft	er the effe	ctive date o	of this amend	ment shall be p	rovided pursu	iant to a separ	ate agreement	or tariff at Bel	South's di	scretion.	l			
UNE Port/Loop Combination Rates																<u> </u>
	N DS1 Digital Trunk Port - UNE														1	
Zone 1		1	UEPPP			155.43									i	
4W DS1 Digital Loop/4W ISD Zone 2	N DS1 Digital Trunk Port - UNE	2	UEPPP			205,74										
4W DS1 Digital Loop/4W ISD	N DS1 Digital Trunk Port - UNE	T													Ì	
Zone 3		3	UEPPP		i	283.10										
	N DS1 Digital Trunk Port - UNE					1										Ì
Zone 4		4	UEPPP			534.81										
UNE Loop Rates					<u> </u>						ļ					1
4-Wire DS1 Digital Loop - UN		1 1			USL4P	79.08										
4-Wire DS1 Digital Loop - UN		2			USL4P	129.38					ļ					ļ
4-Wire DS1 Digital Loop - UN			UEPPP		USL4P USL4P	206.74 458.46										
4-Wire DS1 Digital Loop - UN UNE Port Rate	E Zone 4	4	UEPPP		USL4P	458.46			<u> </u>						ļ	
Exchange Ports - 4-Wire ISDI	N DC1 Bort /E:4/1/2004)	-	UEPPP		UEPPP	76,35	458.93	260.59	127.75	32.76				-		
NONRECURRING CHARGES - CURI			OLIT	-	OETT	70,33	430.33	200.55	127.73	32.10	· · · · · · ·			 		
	Vire ISDN DS1 Digital Trunk Port	+			1					-						
Combination - Conversion -Sv			UEPPP		USACP	0.00	119,76	79.01			1					
ADDITIONAL NRCs					1	l										
4-Wire DS1 Loop/4-W ISDN [Digtl Trk Port - Subsqt Actvy-				1							1				
Inward/two way Tel Nos. (exc	cept NC)		UEPPP		PR7TF		0.49							1		
4-Wire DS1 Loop / 4-Wire ISE	ON DS1 Digital Trunk Port -			·												
Outward Tel Numbers (All Sta			UEPPP		PR7TO		11.58	11.58						İ		
4-Wire DS1 Loop / 4-Wire ISE										}						l
Subsequent Inward Tel Numl	bers		UEPPP		PR7ZT		23.15	23.15								
LOCAL NUMBER PORTABILITY														<u> </u>	ļ	
Local Number Portability (1 p	er port)	_	UEPPP		LNPCN	1.75									ļ	
INTERFACE (Provisioning Only)			1		_					ļ	ļ	ļ	 		 	ļ
Voice/Data		_	UEPPP		PR71V PR71D	0.00	0.00	0.00			_					ļ
Digital Data			UEPPP		PR71E	0.00	0.00	0.00							 	
Inward Data New or Additional "B" Channel		-	UCPPP		FRIE	0.00	0.00	0.00	1		+	 		 	 	
New or Additional - Voice/Dat	a B Channel	+-	UEPPP		PR7BV	0.00	14.61		 		+	1		+	 	+
New or Additional - Voice/Dat New or Additional - Digital Da			UEPPP		PR7BF	0.00	14.61		1			 	i	 	 	t
New or Additional Inward Dat			UEPPP		PR7BD	0.00	14,61				 	 		<u> </u>		
CALL TYPES		-	1		1	5.50	,,			· · · · · · · · · · · · · · · · · · ·	 		l		1	
Inward		1	UEPPP		PR7C1	0.00	0.00	0.00							T	1
Outward			UEPPP		PR7CO	0.00	0.00	0.00				l				
Two-way			UEPPP		PR7CC	0.00	0.00	0.00			L					
Interoffice Channel Mileage														L		
Fixed Each Including First Mi			UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90				ļ		
Each Airline-Fractional Addition			UEPPP		1LN1B	0.20								<u> </u>		
4-WIRE DS1 DIGITAL LOOP WITH 4			1								l			<u> </u>	1	1
	below for in this rate exhibit apply to th										te commerc	ial agreeme	nt.	<u> </u>	.	
	op with 4-Wire DDITS after the effective	date o	this ame	ndment sha	all be provide	d pursuant to a	separate agre	eement or tarif	f at BellSouth's	s discretion.		ļ			ļ	
UNE Port/Loop Combination Rates		\bot	1			ļ						1	ļ	Ļ	 	1
4W DS1 Digital Loop/4W DDI	IS Trunk Port - UNE Zone 1	1 1	UEPDC			131.78		L. <u></u>			J	1	1	<u> </u>	1	1

Page 145 of 227 Version 3Q03: 11/12/2003

BUNDLED NETWO	ORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	-		Svc Order Submitted Elec per LSR	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremen Charge
						_	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		1
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
4W DS1 D	Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	182.07					- 0020	- COMMITTEE	COMPAN	001117414	COMPAN	COMIA
4W DS1 E	Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		259.44										
4W DS1 E	Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511,15			-							
UNE Loop Rates																
	1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										
	11 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										
	1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										
4-Wire DS	1 Digital Loop - UNE Zone 4			UEPDC	USLDC	458.46					l					
UNE Port Rate	1 Digital Loop ONE Zone 4		-	OLFDC	USLDC	430.40										
	NTS Digital Trunk Port (E:4/1/2004)	-		UEPDC	UDD1T	50.70	457.40	05470	400.00							
	CHARGES - CURRENTLY COMBINED		 	UEPUC	וועטט	52.70	457.12	254.70	120.96	14.61						-
				ļ												
	1 Digital Loop / 4-Wire DDITS Trunk Port Combination		!	HEDDO	lugae:						1					
	s-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41						L		
	1 Digital Loop / 4-Wire DDITS Trunk Port Combination		Ì													
	on with DS1 Changes (E:4/1/2004)		L	UEPDC	USAWA		130,24	67.41			ļ					
	1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1													
	on with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41				İ				
ADDITIONAL NR													·	-	-	
	1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	ent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56			i			ł		ļ
4-Wire DS	1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
Channel A	Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56			ļ			1		
	1 Loop / 4-Wire DDITS Trunk Port - Subsont Channel		t —											-		
	Chan Inward Trunk w/out DID	Į.		UEPDC	UDTTC		14.56	14.56	1			l :		i		
	1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		_	021 00	100110		14.50	14.50								
	Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD		14.56	14.56						ŀ		
		 	-	DEPUC	טווטט		14.56	14.56						ļ		
	1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	/ Chan - 2-Way DID w User Trans	L	ļ	UEPDC	UDTTE		14.56	14.56						L		
BIPOLAR 8 ZERO																
	perframe Format			UEPDC	CCOSF		0.00i	600.00s			l					
	dended Superframe Format	į		UEPDC	CCOEF		0.00i	600.00s								
Alternate Mark In			i													
	erframe Format			UEPDC	MCOSF		0.00	0.00								
AMI - Exte	nded SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Numb	er/Trunk Group Establisment Charges										1	1		T		
	Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00				-						
	Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						·		·		
	Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00					†·					
	pers for each Group of 20 DID Numbers		 	UEPDC	ND4	0.00	-				-					
	pers, Non- consecutive DID Numbers , Per Number	 	-	UEPDC	ND5	0.00					-	<u> </u>		l		
	Ion-Consecutive DID Nos.	 -	+	UEPDC	ND6	0.00	0.00	0.00								
	MD Numbers	 	 	UEPDC	NDV	0.00	0.00	0.00				 				
	nteroffice Channel Mileage) - FX/FCO for 4-Wire DS	1 D: -:4-	1			0.00	0.00	0.00								-
		Digita	Loop	With 4-Wire DUITS	runk Port											
Terminatio	Channel Mileage - Fixed rate 0-8 miles (Facilities on)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90						<u> </u>
	Channel Mileage - Additional rate per mile - 0-8 miles Channel Mileage - Fixed rate 9-25 miles (Facilities		<u> </u>	UEPDC	1LNOA	0.20	0.00	0.00								
Termination		1	1	UEPDC	1LNO2	0.00	0.00	0.00				l		1		
	Channel Mileage - Additional rate per mile - 9-25	 	-	UEPUC	ILNO2	0.00	0.00	0.00			1	i		<u> </u>	ļ	
	Channel Mileage - Additional rate per mile - 9-25	1	1	LIEDDO	Luvon									i		!
miles	OL LAND	 	ļ	UEPDC	1LNOB	0.20	0.00	0.00								ļ
Interoffice Termination	Channel Mileage - Fixed rate 25+ miles (Facilities on)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Τ			1			1								1
Interoffice	Channel Mileage - Additional rate per mile - 25+ miles	1	1	UEPDC	1LNOC	0.20	0.00	0.00				I		I		1
	nber Portability, per DS0 Activated	t —	1	UEPDC	LNPCP	3.15	0.00	0.00	0.00		t	· · · · · · · · · · · · · · · · · · ·		 	1	
	ffice Termininating Point	-	 	UEPDC	CTG	0.00	0.00	0.00	0.00		1			 	 	\vdash
	P WITH CHANNELIZATION WITH PORT	 	 	52,00	1510	0.00					-			-		-
	Loop, 1 D4 Channel Bank, and up to 24 Feature Act	L								l	ļ					

NBUNDL	ED NETWORK ELEMENTS - Mississippi										_			ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-	-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
Each	h System can have up to 24 combinations of rates depending o	n type a	nd num	ber of ports used	1											
The	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with	Channel	ization	with Port in this ra	te exhibit app	ply to the embe	dded base in p	lace as of 10/2	/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
Requ	uests for 4-Wire DS1 Loop with Channelization with Port after t	he effect	ive dat	e of this amendmen	t shall be pro	ovided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.		I			
UNE	DS1 Loop	T														
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00			L	<u> </u>			<u> </u>	
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00				<u> </u>				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00					<u> </u>			
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00						ļ — — —		
UNE	DSO Channelization Capacities (D4 Channel Bank Configurati	ons)								-	<u> </u>		ļ	 		
	24 DSO Channel Capacity - 1 per DS1		ļ	UEPMG	VUM24	95.06	0.00	0.00				 	<u> </u>	-		
	48 DSO Channel Capacity - 1 per 2 DS1s		_	UEPMG	VUM48	190.12	0.00	0.00	-	 	 	 	-	ļ		
\perp	96 DSO Channel Capacity -1per 4 DS1s		ļ	UEPMG	VUM96	380.24	0.00	0.00		 	ļ	 	ļ	-	+	
	144 DS0 Channel Capacity - 1 per 6 DS1s		ļ	UEPMG	VUM14	570.36	0.00			 	 	-	 	-		+
	192 DS0 Channel Capacity -1 per 8 DS1s	—	-	UEPMG	VUM19	760.48	0.00	0.00	1	 	 	1	1	-		+
	240 DS0 Channel Capacity - 1 per 10 DS1s	+	1	UEPMG	VUM2O	950.60	0.00	0.00	ļ		 	 	 			+
	288 DS0 Channel Capacity - 1 per 12 DS1s		1-	UEPMG	VUM28	1,140.72	0.00	0.00	 		-	 				+
	384 DS0 Channel Capacity - 1 per 16 DS1s		ļ	UEPMG	VUM38	1,520.96	0.00	0.00						<u> </u>	 	+
	480 DS0 Channel Capacity - 1 per 20 DS1s		_	UEPMG	VUM4O	1,901.20	0.00	0.00			ļ	ļ	ļ		 	+
	576 DS0 Channel Capacity -1 per 24 DS1s		<u> </u>	UEPMG	VUM57	2,281.44	0.00	0.00			↓	-	 			
	672 DS0 Channel Capacity - 1 per 28 DS1s		1	UEPMG	VUM67	2,661.68	0.00	0.00				-				+
Non	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop w	ith Chan	neliztio	n with Port - Conve	ersion Charge	Based on a Sy	stem				<u> </u>			ļ		
A M	inimum System configuration is One (1) DS1, One (1) D4 Chanr	el Bank,	and U	p To 24 DSO Ports v	with Feature	Activations.					_		<u> </u>	ļ	ļ	
Mult	tiples of this configuration functioning as one are considered	Add'l afte	r the n	ninimum system co	nfiguration is	counted.					ļ	1	1	}	 	
	NRC - Conversion (Currently Combined) with or without				i						i	1		i		1
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41		<u></u>			ļ	ļ		
Syst	tem Additions at End User Locations Where 4-Wire DS1 Loop v	vith Cha	nneliza	tion with Port Comb	bination Curr	ently Exists and					L	 	↓	ļ	+	+
New	(Not Currently Combined) in all states, except in Density Zone	1 of Top	8 MS/	A's							-	-	├ ──			+
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port				İ				i			1				1
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		-	 	ļ		+
Bipo	olar 8 Zero Substitution										-	 		l		
	Clear Channel Capability Format, superframe - Subsequent			+							1	1		l		
	Activity Only		1	UEPMG	CCOSF	0.00	0.00i	600.00s		1		1	 	-		+
	Clear Channel Capability Format - Extended Superframe -					1		l			1			1		
	Subsequent Activity Only		<u> </u>	UEPMG	CCOEF	0.00	0.00i	600.00s			↓ ——	ļ	ļ	 		+
Alte	ernate Mark Inversion (AMI)								ļ		_	-	-	ļ ———		+
	Superframe Format		ļ	UEPMG	MCOSF	0.00	0.00	0.00		ļ			_		 	+
	Extended Superframe Format		Ц	UEPMG	МСОРО	0.00	0.00	0.00		1		1		<u> </u>		+
	hange Ports Associated with 4-Wire DS1 Loop with Channeliza	tion with	Port			<u> </u>	ļ <u> </u>		ļ		ļ	+	 	+		+
Excl	hange Ports					_							_	 		+
	Line Side Combination Channelized PBX Trunk Port - Business	3									1	l	l	l		
1	(E:4/1/2004)		1	UEPPX	UEPCX	1.23	0.00	0 00	0.00	0.00		ļ		 		
	Line Side Outward Channelized PBX Trunk Port - Business	ŀ											i			
1	(E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00				ļ		
	Line Side Inward Only Channelized PBX Trunk Port without DI	D					ľ			İ	i	1				
- 1	(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	ļ. — —			_		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port							•		•						
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00	L		-	<u> </u>		_
	Unbundled Exchange Ports, 2-Wire Channelized - Outdial -							1	1]				ŀ	
	(AL, KY, LA, MS, & TN)(Conversion from Network Access	1	l		l	l	į.	Į	l	1	1	1	Į.	Į.	1	1
ì	Service) (E:4/1/2004)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00	4	1	_	 	+	
	Unbundled Exchange Ports, 2-Wire Channelized – Combination	n			1 -			I			1	1	i			1
	(AL, KY, LA, MS, & TN) (Conversion from Network Access			1		1		I					1			
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00	·	-	 			+
	Unbundled Exchange Ports, 2-Wire Channelized - Outdial-				1	1					1		1		1	
1	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0,00	0.00	4		<u> </u>	1	+	
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -					I								1	1	
- 1	Mississippi Only - Calling Plan (E:4/1/2004)	1		UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00	1		1	<u> </u>	 	
J																

Page 147 of 227 [CCCS Amendment 213 of 308]

	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	
					_	<u> </u>	Nonre	urring	Nonrecurring	Disconnect				Rates (\$)	Disc 1st	DISC Add I
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26				l		l
	Feature (Service) Activation for each Trunk Port Terminated in	1														
	D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85				1		
Telepi	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			L					
	DID Numbers - groups of 20 - Valid all States	I I		UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers		-	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
	Reserve DID Numbers		<u> </u>	UEPPX	NDV	0.00	0.00	0.00						-		
Longi	Number Portability			UEPPX	NOV	0.00	0.00	0.00								
Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			ļ					
EEATI	URES - Vertical and Optional		<u> </u>	UEPPA	LINPUP	3.15	0.00	0.00								
	Switching Features Offered with Line Side Ports Only	 	ļ											-		<u> </u>
Local	All Features Available	 		UEPPX	UEPVF	2.56	0.00	0.00								-
INBUNDI ED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE			ULFFA	OEF VI	2.30	0.00	0.00								
	st Based Rates are applied where BellSouth is required by FCC	_	State (Commission rule to	provide Unb	undled Local Sy	witching or Su	ritch Ports						-	-	
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Pate	Evhibit			-		
	Office and Tandem Switching Usage and Common Transport											oin Bort/I o	on Combinat	ione		
apply	first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.							urring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NR	Cs may
5. Ma	rket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		tiated	on an Individual C	ase Basis, un	til further notice	P								ļ	
UNIT	'UENIKEX - TAESS - (Valid in AL.FL.GA.KY.LA.MS.&IN ONV	")				1 1		ř		l						
		í						-	1							
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	LIED01		12.22										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP91		12.22										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design			UEP91 UEP91		12.22										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP91		17.13										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2													
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3	UEP91 UEP91		17.13 26.26										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		3	UEP91		17.13										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		3	UEP91 UEP91		17.13 26.26										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		3 4	UEP91 UEP91 UEP91		17.13 26.26 44.91										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		3 4	UEP91 UEP91		17.13 26.26										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		3 4	UEP91 UEP91 UEP91		17.13 26.26 44.91										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		3 4	UEP91 UEP91 UEP91 UEP91		17.13 26.26 44.91										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Don-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		2 3 4 1	UEP91 UEP91 UEP91 UEP91		17.13 26.26 44.91										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3 4 1	UEP91 UEP91 UEP91 UEP91		17.13 26.26 44.91 15.12 19.98										
2-Wire UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3 4 1 2	UEP91 UEP91 UEP91 UEP91		17.13 26.26 44.91 15.12 19.98										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Don/Don-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		2 3 4 1 2	UEP91 UEP91 UEP91 UEP91 UEP91		17.13 26.26 44.91 15.12 19.98 28.78										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Don/Don-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		2 3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	17.13 26.26 44.91 15.12 19.98 28.78 46.95										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3 4 1 2 3 4	UEP91	UECS1	17.13 26.26 44.91 15.12 19.98 28.78 46.95										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		3 4 1 2 3 4 1 2 3	UEP91		17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Dosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3		3 4 1 2 3 4	UEP91	UECS1 UECS1 UECS1	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3 4 1 2 3 4 1 2 3 4	UEP91	UECS1 UECS1 UECS1 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop/SL 2) - Zone 1 2-Wire VG Loop/2-Wire VG Loop/SL 2) - Zone 2		2 3 4 1 2 3 4 1 2 3 4 1 2	UEP91	UECS1 UECS1 UECS1 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75										
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		3 4 1 2 3 4 1 1 2 3 4 4 1 2 3 3	UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55										
UNE F	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 2 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3		3 4 1 2 3 4 1 1 2 3 4 4 1 2 3 3	UEP91	UECS1 UECS1 UECS1 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75										
UNE P	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4		3 4 1 2 3 4 1 1 2 3 4 4 1 2 3 3	UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55										
UNE P	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4		2 3 4 1 2 3 4 1 1 2 3 4 1 2 3 4	UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72										
UNE P	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop (SL 2) - Zone 2 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop		2 3 4 1 2 3 4 1 1 2 3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55	40.31	19.84	24.90	6.58						
UNE P	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 Ports ates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		2 3 4 1 2 3 4 1 1 2 3 4 1 2 3 4	UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72										
UNE P	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop (SL 2) - Zone 2 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 3 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop Grade Loop (SL 2) - Zone 4 2-Wire VG Loop		2 3 4 1 2 3 4 1 1 2 3 4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72	40,31	19.84	24.90	6,58						

MRONDE	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-+-	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						ĺ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL.	KY, LA, MS, & TN Only		<u> </u>	02.0.	102, 12	1.20	10.07	. 10.01	24.50	0.50						i —
1,-,	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58				_		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24,90	6 58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58	.					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI SI	102, 3	1.20		15.04	24.30	0.50						—
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
-	Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
- 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1,23	40.31	19.84	24.90	6.58						1
	2-Wire Voice Grade Port Terminated in on Wegalink of equivalent			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Loc	al Switching		 -	UEF91	UEFUZ	1.23	40.31	19.04	24.90	0.36						
LOC	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
	I Number Portability		-	UEP91	UREUS	0.7947										
Loca	Local Number Portability (1 per port)		-	UEP91	LNPCC	0.35										
1	rures		ļ	UEP91	LINPUL	0.35										
Feat				UEP91	UEPVF	2.56										-
	All Standard Features Offered, per port		—				404.00									
	All Select Features Offered, per port	ļ	-	UEP91	UEPVS	0.00	404.98									
NAR	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56								_		
- 1101	Unbundled Network Access Register - Combination		 	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1					
_	Unbundled Network Access Register - Indial		 	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	ļ	-	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	r			_		
Mice	cellaneous Terminations		1	UEP91	UARUA	0.00	0.00	0.00	0.00	0.00					ļ	
	ire Trunk Side		ļ		1											
2-44	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						ł
Into	roffice Channel Mileage - 2-Wire		-	UEF91	CENAO	0.23	120.00	10.00	01.77	3.00				_		
line	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.52	40,77	27.57	17.26	7,11				_		
+-	Interoffice Channel mileage, per mile or fraction of mile		-	UEP91	M1GBC	0.0098	40.77	21.31	17.20	/.!!	-			~-		
Foat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	1	-	UEF31	MIGDIN	0.0096										
	Channel Bank Feature Activations	<u> </u>														· · · · · · · · · · · · · · · · · · ·
1040	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP91	1PQWS	0.57										
	realiste / Citation on 5-4 Charmer Bank Centrex Loop Glot	 	 	OLI 31	II GW3	0.37								-		— —
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot]	UEP91	1PQW6	0,57										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57										
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		i	OLI 31	11 (544)	0.37										
	Different Wire Center			UEP91	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0.57	l									ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 0.	1. 2	0.07										
	Slot		ì	UEP91	1PQWQ	0.57				ĺ	l i					l
[Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
Non	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port	L		UEP91	USAC2		0.10	0.10								<u> </u>
	Conversion of Existing Centrex Common Block	L		UEP91	USACN		37.97	16.68								
	New Centrex Standard Common Block		L	UEP91	M1ACS	0.00	666.32									L
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32									
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91									
1	NAR Establishment Charge, Per Occasion	Ι		UEP91	URECA	0.00	72.63				T					

	D NETWORK ELEMENTS - Mississippi									_			Attach	ment: 2	Exhi	bit: A
				1							Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				1	1 1						1				Manual Svc	
		Interi	۱_	1	1						Elec	Manually	Manual Svc	Manual Svc		
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		1111	1								Ι'	l *	Electronic-	Electronic-	Electronic-	Electronic-
	j		1		1								1	l.		1
													1st	Add'I	Disc 1st	Disc Add't
						т т						l	1			J
						Rec	Nonred		Nonrecurring			• ·· • · · · · · ·		Rates (\$)	,	
			ĺ	I		IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additio	onal Non-Recurring Charges (NRC)												1		1	1
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+						1					
											ļ		1	Ì		1
	Premise	Ĺ		UEP91	URETL		8.33	0.83								
1	Unbundled Miscellaneous Rate Element, Tag Design Loop at				l i					l			1			-
1	End Use Premise			UEP91	URETN		11.19	1.10		1			i			1
IINF-D	CENTREX - 5ESS (Valid in All States)		-			•				· · · · · · · · · · · · · · · · · · ·						
										ļ						-
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo									İ				_		
UNE P	ort/Loop Combination Rates (Non-Design)				1							1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
1	Non-Design		1	UEP95		12.22									!	1
			- '-	OLF 30		14.44									 	-
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	1						l	l .	ł	I		I	t
L	Non-Design		2	UEP95		17.13				L			L		L	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									l			1		I	
i	Non-Design		3	UEP95		26.26				l	I	1	I		I	1
			J	OC1.30		20.20					 		_			-
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	1						l	1	1	I		I	
1	Non-Design		4	UEP95		44.91				l	1		l		I	
LINE P	ort/Loop Combination Rates (Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-									i					
ì																
	Design		1	UEP95		15.12										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					l l										
1	Design		2	UEP95	1	19.98										
-+				OE1 30		10.00					 					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l .	i l											
]	Design		3	UEP95		28.78					l				l	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
1	Design		4	UEP95	1 1	46.95					ĺ					
11000			-	OLI 33		40.33										
UNEL	oop Rate															
	2-Wire Voice Grade Loop (St. 1) - Zone 1	L	1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91					1					T
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68									-	i
-+-														L		
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
- 1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (St. 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4			UEP95	UECS2	45.72					-	-				
				ULF 93	ULUGZ	43.72										
	ort Rate															
All Sta		L	<u> </u>			·		l	L l	L	L		L	L	<u> </u>	L
	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58	l i		I		1	1
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPYB	1,23	40.31	19.84	24.90	6.58	T		t		t	
	2-Wire Voice Grade Port (Centrex odo terrimitation) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		-	1	100.75	1,23	70.31	13.04	27.50		 			·	 	l
			1	l	[ıl				l .	1	1	I		I	1
	Area		<u> </u>	UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire														l	
- 1	Center)2,3 Basic Local Area		1	UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70	I	!	I		I	1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		l —	155,50	OC. 11V1	1.23	100.00	10.31	54.24	11.70	 	-				
- 1				l	1	i . I				l	1		l		I	
-	Service Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70			L			L
	2-Wire Voice Grade Port terminated in on Megalink or equivalent														l	
1	- Basic Local Area		1	UEP95	UEPY9	1.23	40.31	19,84	24.90	6.58	I	ı	I		I	1
	2-Wire Voice Grade Port Terminated on 800 Service Term -			102.00	JOE 10	1.23	70.31	10.04	2-7.50	0.50	-					·
1			1		1						I	l	l		I	1
	Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58			L	L		
AL, KY	, LA, MS, SC, & TN Only											1				1
	2-Wire Voice Grade Port (Centrex)		T -	UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58			t		1	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95							 	 	 		l	1
		<u> </u>			UEPQB	1.23	40.31	19.84	24.90	6.58	ļ					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	_	l			T					1	l		l		
- 1	Center)2,3		1	UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		l	I	1	I	1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			1 00	GET GENT		100.00	10.01	37.24	1	 		 	 		
		1	l	1	1	l l				I	1	ł	I	1	Į.	1
1									E4 24	11.70						
	Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		i				1
	Term 2,3			UEP95	UEPQZ	1.23	108,35	70.57	54,24	11.70						
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95 UEP95	UEPQZ UEPQ9	1.23	108,35	70.57	24.90	6.58						<u> </u>

NRONDI	LED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
		1			T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
		1			i I						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		1-4	1	1							Elec		Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
	THAT E ELEMENTO	m			0000						perLSK	per LSR		Order vs.	Order vs.	Order vs
			1									1	Electronic-	Electronic-	Electronic-	Electronic
			1		1 1						i	ì	1st	Add'l	Disc 1st	Disc Add
		ļ	┼									L	l	L		1
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ.,	L				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& GA Only	l							i		1	1			_	
Loca	cal Switching	Ì	1													
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										-
Loca	al Number Portability	1														t
	Local Number Portability (1 per port)		+	UEP95	LNPCC	0.35					f	1	_	 	_	
Feat	tures			102.00							 					
7,00	All Standard Features Offered, per port	 	+	UEP95	UEPVF	2.56					ļ		 			
-+							404.00				ļ				ļ	
	All Select Features Offered, per port	ļ	╀	UEP95	UEPVS	0.00	404.98									ļ
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56						<u></u>				1
NAR		ļ														
	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		I				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	1			Γ		
	Unbundled Network Access Register - Outdial	l	-	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	1	 	t	t		†
Miss	scellaneous Terminations	t	t	1-2	- 0	0.00	0.00	0.00	0.00	0.00	 	 	 		 	+
	/ire Trunk Side	 	+	+							+		 	 	 	+
2-901				HEDOL	- CENTOC	0.05	400.00	40.00			 				-	
	Trunk Side Terminations, each	ļ	↓	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88	1				<u> </u>	
4-W1	/ire Digital (1.544 Megabits)		↓								l		l	L	l	
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54	1			1		
	DS0 Channels Activated, each	1		UEP95	M1HDO	0.00	14.56		,							
Inter	eroffice Channel Mileage - 2-Wire													 		
	Interoffice Channel Facilities Termination		_	UEP95	M1GBC	22.52	40,77	27.57	17.26	7.11	—		 			+
	Interoffice Channel mileage, per mile or fraction of mile	t .	_	UEP95	MIGBM	0.0098	40,77	27.07	17.20		 		 			
F4		L	-	DEP95	MHGBM	0.0098					ļ	<u> </u>				
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	Channel Bank Feature Activations										L					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57								i		1
			T	1	I										T	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP95	1PQW6	0.57					1	1	1	i	1	1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		1	UEP95	1PQW7	0.57					1	!				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 		UEF 95	IF COVV	0.31					-		 	ļ	_	
ļ			1	LIEBOE	4000410	0.57			1		1	1				
	Different Wire Center	1	ļ	UEP95	1PQWP	0.57					ļ		ļ <u> </u>			ļ
					1 1	1	i					i		1		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		Ι.	UEP95	1PQWV	0.57						1			1	1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			1												1
	Slot	i		UEP95	1PQWQ	0.57						1	1		1	1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	t	1	UEP95	1PQWA	0.57					1		1			
Non	n-Recurring Charges (NRC) Associated with UNE-P Centrex	 	-	100	1	0.01	-		ļ		 	 	 	 	· · · · · · · · · · · · · · · · · · ·	
NOIL		 	+	 								<u> </u>	 	 		+
1	NRC Conversion Currently Combined Switch-As-Is with allowed	1				l			1	l	1	I		I	I	
	changes, per port			UEP95	USAC2		0.10	0.10					<u> </u>	L	L	
	Conversion of Existing Centrex Common Block, each		L	UEP95	USACN		37.97	16.68						L	L	
	New Centrex Standard Common Block	1		UEP95	M1ACS	0.00	666.32						1	1		L
	New Centrex Customized Common Block	T	1	UEP95	M1ACC	0.00	666.32							I		
	NAR Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	72.63				T	1		f -	f	f
Add	ditional Non-Recurring Charges (NRC)	 	+-	027 00		5.50	72.00				 	 		 	 	+
		 	+		+					ļ	+ -	 	 	 	 	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-		LIEBOE	Luner	- 1					1	l		1	1	1
	Premise	ļ	1	UEP95	URETL		8.33	0.83				ļ	 _ _ _	<u> </u>		
i	Unbundled Miscellaneous Rate Element, Tag Design Loop at					1	ļ				1	I	1			
	End Use Premise	L		UEP95	URETN		11.19	1.10						L		
UNE	E-P CENTREX - DMS100 (Valid in All States)															
	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	T	1	T '							I					
	E Port/Loop Combination Rates (Non-Design)	T	1	1	1						1	1	1		T	1
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	†	-	1				 		 	t		 		
	Non-Design	1	1	UEP9D	1	12.22			1		1					1
		↓	+ 1	OFLAD		12.22			ļ		ļ		 			+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	1		1					1	1	1	1	1	1
	Non-Design		2	UEP9D		17.13				<u></u>	L		1	l		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1					
1	Non-Design		3	UEP9D	, I	26.26						I		I	I	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		<u> </u>	027 00	+ +						+	ł	 	 	 	+
	Non-Design	1	4	UEP9D	1 1	44.91			I	l	1	1	i	1	1	1

Version 3Q03: 11/12/2003 Page 151 of 227

JNBUND	LED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						7,00	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNI	E Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1												1	
	Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-			1 1											
	Design		2	UEP9D	i	19.98										ľ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-		T .												
	Design		3	UEP9D		28.78								i	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design	1	4	UEP9D		46.95					1					
UNI	E Loop Rate		1	1											1	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13 89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4	1	4	UEP9D	UECS2	45.72										
UNI	E Port Rate		1		1											·
	L STATES	1														
	2-Wire Voice Grade Port (Centrex) Basic Local Area	_	+	UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58	-					t-
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	+	-	02.00			10.01		21.00	0.00			· · · · · · · · · · · · · · · · · · ·	l	-	
- 1	Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						i
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	+	+	OCI 3B	102111	1.25	40.51	15.04	24.50	0.50			-			
	Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	+		UEF9D	UEF TC	1.23	40.31	19.04	24.90	0.30						
	Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58				1		
_	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	+	-	OLFSD	UEFID	1.23	40.31	19.04	24.90	0.30				ļ	.	
	Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
_	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	+		DEFAD	UEFTE	1.23	40.31	19.64	24.90	0.36						
	Area			UEP9D	UEPYF	4 22	40.31	19.84	24.00	c 50						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		 	I DEP9D	UEPTF	1.23	40.31	19.84	24.90	6.58						
				LIEDOD	LIEDVO	4.00	40.04	40.04	04.00	6.50	1					
	Area		-	UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LATER OF	LIEDVA			10.01		0.50						
	Area	1		UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local				l						1 1					
	Area	-	₩	UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58					ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			l	1										İ	
	Area	 		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58	ļ					
i	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local								!							
	Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					1	1									
	Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1					1									
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	-										1				
	Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				i l	Į.						į				
	2,3-Basic Local Area		L	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70					L	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1							1							
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1														
	Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70				1	<u> </u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area	I		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70						L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		T		"											1
- 1	Basic Local Area	1	1	UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70	1			ì	1	1

ONRONDE	ED NETWORK ELEMENTS - Mississippi		,	,										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec			Disconnect	000400			Rates (\$)		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		 				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11,70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4													· · · · · · · · · · · · · · · · · · ·		
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, K	Y, LA, MS, SC, & TN Only		ļ	Literatur												
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.23	40.31	19 84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQB	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58			ļ		ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		-	UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58				 	!	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		 	UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						+
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		-	UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						+
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		-	UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58				ł		+
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		-	UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58	 					+
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58	 					+
—	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						+
-	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp												*			
	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D UEP9D	UEPQW UEPQJ	1.23	40.31	19.84	24.90 24.90	6.58						-
	2-Wire Voice Grade Port (Centrexinisg Wity Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	DEPUS	1.23	40.31	19.84	24.90	6.58				<u> </u>		-
	2,3			UEP9D	UEPQM	1.23	108,35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54,24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
					1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11,70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						
	Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ		UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58	ļ					
Loca	Switching		ļ	LIEBOR							<u></u>			ļ		4
	Centrex Intercom Funtionality, per port	ļ	ļ	UEP9D	URECS	0.7947					ļ		ļ			
Loca	Number Portability	<u> </u>	ļ		1					l					1	
	Local Number Portability (1 per port)	L		UEP9D	LNPCC	0.35			L	L	l	L	L	L	L	L

UNBU	ADLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Rec	Nonrec		Nonrecurring	Disconnect		-		Rates (\$)		
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l l	Feature	s		1													
		All Standard Features Offered, per port			UEP9D	UEPVF	2.56								1		·
		All Select Features Offered, per port	i	1	UEP9D	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56										———
	NARS			!		1 1											
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00				-		
		Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		-				
		aneous Terminations		 	OLI SD	DAROX	0.00		0.00	0.00	0.00					-	
		Trunk Side		 		1 1									_		
		Trunk Side Terminations, each	 		UEP9D	CEND6	8.25	400.00		04.77							
				<u> </u>	UEP9D	CENDO	8.25	120.00	18.85	61.77	3.88						
		Digital (1.544 Megabits)	ļ	1	LIEBOD	1,4415				=					L		
		DS1 Circuit Terminations, each	L	<u> </u>	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54				L		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
!		ice Channel Mileage - 2-Wire	L	L												L	
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile	i		UEP9D	M1GBM	0.0098										
I	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e										-				
T i	D4 Cha	nnel Bank Feature Activations	i	1		1											
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
		- Salar Control of the Control of th	-	† · · ·	02. 00	1											
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			LIEBOD	1PQW7	0.57										
_					UEP9D	IPQW/	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.57										
				-	02.00		0.01										
- 1		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQWV	0.57							i			
\rightarrow		Feature Activation on D-4 Channel Bank Title Line/Trunk Loop	_	+	OLI 30	111 (2777)	0.07										-
- 1		Slot			UEP9D	1PQWQ	0.57										
_		Feature Activation on D-4 Channel Bank WATS Loop Slot	-	1		1PQWQ	0.57										
─				_	UEP9D	TPQWA	0.57										
!	Non-Ke	curring Charges (NRC) Associated with UNE-P Centrex	-														
- 1		NRC Conversion Currently Combined Switch-As-Is with allowed					i										
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each		1	UEP9D	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32									l
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63						"		·	
7	Additio	nal Non-Recurring Charges (NRC)				1											
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use								i					1	T	
- 1		Premise	l		UEP9D	URETL	I	8.33	0.83						1		l
		Unbundled Miscellaneous Rate Element, Tag Design Loop at		1		+			2.00					· · · · · · · · · · · · · · · · · · ·			İ
- 1		End Use Premise	l	i	UEP9D	URETN	I	11.19	1.10						1	I	ŀ
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	<u> </u>	 	00.00	JONE III		11.19	1.10	 						 	
			-			+										-	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-											 	 	ļ
	DINE PO	ort/Loop Combination Rates (Non-Design)		 		\perp									1		
ı		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1							ļ l					1	1	
	-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	1	UEP9E		12.22									-	-
		Non-Design		2	UEP9E		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		,	UEP9E		26.00										1
\dashv		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9E		26.26								-		
		Non-Design		4	UEP9É		44.91										
[UNE Po	ort/Loop Combination Rates (Design)	1														
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
-		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		15.12									-	
		Design	1	2	UEP9E		19.98	j								1	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	COMAL
	2 WE - VC 1 12 WE - Vei - Ct- Dt (Ct)Dt Ct-				<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	3	UEP9E	1 1	28.78	ľ					1	i	ļ		
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEF9E	+ +	20.76									 	
ł	Design	1	4	UEP9E	1 1	46.95					ľ	!				
UNFL	pop Rate		- -	OLI OL	+	10.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	15,91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	L	2	UEP9E	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72										<u> </u>
	ort Rate											1				
AL, FL	, KY, LA, MS, & TN only	<u> </u>										<u> </u>		L		
	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58	 -		ļ	 	ļ	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOE	LUEDY CO			40.0:		0.50		1		1	1	
	Area	ļ	ļ	UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58			ļ	<u> </u>		+
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				LIEDAL.	4.00	40.04	40.04	24.00	0.50			1			
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58				<u> </u>		
Ì	2-Wire Voice Grade Port (Centrex from diff Serving Wire		Ì	LIEDOE	LIEDVA	4 22	100 25	70.57	[[4.24]	11.70				I	1	
	Center)2,3 Basic Local Area		ļ	UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70	 	ļ		ļ	-	
ŀ	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70	1				[
	Service Term - Basic Local Area		-	UEPSE	UEPTZ	1,23	106.35	10.57	34.24	11.70		-		+	 	
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58	1			I	I	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	ļ ·		OFLAC	UCF19	1.23	40.31	15.04	24.90	0.36			<u> </u>	 		
1	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58				1		
AL KY	, LA, MS, & TN Only	 		OLI JL	1021 12		.0.01	10.01	200	0.00				 		1
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40,31	19,84	24.90	6.58				T		1
	2-Wire Voice Grade Port (Centrex 800 termination)	· · · · · ·		UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1		 	UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		\vdash												1	
	Center)2,3	l		UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		i	1			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term	1		UEP9E	UEPQZ	1.23	108,35	70.57	54.24	11.70	l					
					1										1	
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						L
	2-Wire Voice Grade Port Terminated on 800 Service Term	l		UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58			1			1
Local	Switching												ļ	<u> </u>		
	Centrex Intercom Funtionality, per port	<u> </u>		UEP9E	URECS	0,7947					ļ		ļ		ļ	
Local	Number Portability										<u> </u>	 		 		
	Local Number Portability (1 per port)	 	ļ	UEP9E	LNPCC	0.35					<u> </u>	ļ	-	ļ	ļ	+
Featur		_	-	LIEBOE	115575	2.5					-		-	 		+
	All Standard Features Offered, per port	ļ	_	UEP9E	UEPVF	2.56	404.00				ļ	— —		 	 	ļ
	All Select Features Offered, per port	_	-	UEP9É	UEPVS	0.00	404.98		ļ		-	 	-	 	 	
	All Centrex Control Features Offered, per port	 	-	UEP9E	UEPVC	2.56						 	 	+	 	+
NARS	Unbundled Network Assess Register Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	 	 	1	 	 	+
	Unbundled Network Access Register - Combination	1	 	UEP9E	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00		 		+	†	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	\vdash		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>	—		1	1	+
Miscal	Ilaneous Terminations	·	 	021 02	- ONINOA	0.00	0.00	0.00	0.00	0.00	· · · · · ·	1	 	l	T	†
	Trunk Side	 						-					1		†	
2	Trunk Side Terminations, each	 	†	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1		_	1		
4-Wire	Digital (1.544 Megabits)	1		1							1					
	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channel Activated Per Channel	1	1	UEP9E	M1HDO	0.00	14.56									
Interof	ffice Channel Mileage - 2-Wire								1							
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7,11		1	T		1	

UNBUNDI	LED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP9E	M1GBM	0.0098										ļ
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	e	ļ													
D4 (Channel Bank Feature Activations		ļ							ļ	<u> </u>					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57				<u> </u>						ļ
						1									i	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	l I										ļ	
	Slot		ļ	UEP9E	1PQW7	0.57					ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1 1								ļ			
	Different Wire Center		ļ	UEP9E	1PQWP	0.57										
		1														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57									L	L
1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					- 1	l		l		1				!	1
	Stot			UEP9E	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP9E	1PQWA	0,57			ļ	L	L		L		1	
Non	n-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				1 1											1
	changes, per port			UEP9E	USAC2		0.10	0.10							1	
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68		I	l					
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block		I	UEP9E	M1ACC	0.00	666.32				1					
	NAR Establishment Charge, Per Occasion		T	UEP9E	URECA	0.00	72.63								I	
Add	litional Non-Recurring Charges (NRC)															
ĺ	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise		i	UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise		1	UEP9E	URETN		11,19	1.10		i	1					l .
UNI	E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-W	fire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	E Port/Loop Combination Rates (Non-Design)		1								1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					i									1	
- 1	Non-Design	ł	1	UEP93		12.22					1					1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 													
ł	Non-Design		2	UEP93		17.13							ļ	1	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		†							1						
1	Non-Design		3	UEP93		26.26										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -											-				
	Non-Design		4	UEP93		44.91				1					ŀ	
UNI	E Port/Loop Combination Rates (Design)	 	<u> </u>	02.00						1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 				 				 						
	Design		1	UEP93		15.12										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	 -	OLI DO		10.12										
ļ	Design		2	UEP93		19.98				1			}			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	-	00.00	+ +	13.50				 	 		-	l		
	Design	ĺ	3	UEP93		28.78					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	+ -	00.1 30		20.70				 	+		<u> </u>	 		
	Design	l	4	UEP93		46.95				1	1		I	1	1	
I IAIR	E Loop Rate	 	+-4	ULF 33		40.93			ļ	+	1		 	 		
- ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP93	UECS1	10.98				1	· · · · · · · · · · · · · · · · · · ·			 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	<u></u>	UEP93	UECS1	15.91			·	 	+			 		
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP93	UECS1	25.04			 	 	+			 		t
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP93	UECS1	43.68			 	<u> </u>	1			+	 	
	2-Wire Voice Grade Loop (SL 2) - Zone 1	—	1	UEP93	UECS2	13.89	*		1	 	 			 		
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	1 2	UEP93	UECS2	18.75				 				 	t	
		 				27.55			+	 	+		 	ļ	 	+
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP93	UECS2				-	+	+		ļ		+	
	2-Wire Voice Grade Loop (SL 2) - Zone 4	ļ	44	UEP93	UECS2	45.72			ļ	1	+	ļ	.	L	 	
	E Port Rate		-						ļ		1		-	1		+
IAL.	KY, LA, MS, & TN only	1	1	1		i i			1	1	1	1	I	i	L	1

Version 3Q03: 11/12/2003 Page 156 of 227

UNBUI	NDLE	D NETWORK ELEMENTS - Mississippi										· · · ·			ment: 2		bit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		 				FIFSU	Add I	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
		Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						ļ
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ	1,23	108.35	70.57	54.24	11.70						
		- Basic Local Area	ļ	<u> </u>	UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1,23	40.31	19.84	24.90	6.58					1	
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19,84	24,90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
l					Lienas	luenoo	4.00	40.04	40.04	24.90	6.60					•	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP93 UEP93	UEPQ9 UEPQ2	1.23	40.31 40.31	19.84 19.84	24.90	6.58 6.58			ļ			
	Local S	Switching		 	OEI 33	OLI GE	1.25	40.51	13.04	24.50	0.00						
		Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.7947										
	Local I	Number Portability															
	Feature	Local Number Portability (1 per port)		-	UEP93	LNPCC	0.35								 	-	
	reature	All Standard Features Offered, per port			UEP93	UEPVF	2.56					-					
		All Centrex Control Features Offered, per port		†	UEP93	UEPVC	2.56										
	NARS			<u> </u>													
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						ļ
		Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	-	UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscal	laneous Terminations			UEF 93	UAROX	0,00	0.00	0.00	0.00	0.00			 	<u> </u>		
		Trunk Side		-													
		Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						ļ
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
	interor	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	ļ	 	UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11	-			 		
		Interoffice Channel mileage, per mile or fraction of mile		1	UEP93	M1GBC	0,0098	40.77	21.51	17.20	/.!!				 		
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	:e	 	OLI 00	III ODIII	0.0000										
		nnel Bank Feature Activations	Ī	1													
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57								<u> </u>		
		Feature Activation on D-4 Channel Bank Trivate Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	_	+	OEF93	IEGAAA A	U 5/		-	 		 		-			†
		Slot			UEP93	1PQWQ	0.57			1	1			I			
		Feature Activation on D-4 Channel Bank WATS Loop Slot		T	UEP93	1PQWA	0.57										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex													ļ		1
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10								

NBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurring	Disconnect	<u> </u>	d	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63				1					
Additio	onal Non-Recurring Charges (NRC)									-	1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise		1	UEP93	URETL		8.33	0.83				1				1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at										1					
	End Use Premise			UEP93	URETN		11.19	1.10			1			1		
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD										1					
Note 2	- Requres Interoffice Channel Mileage										T					
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port											<u> </u>		
Note 4	- Requires Specific Customer Premises Equipment		1						_		T					1
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to i	rate tru	e-up as set forth ir	n General Tern	s and Condition	ns.									1

http://www.inte OPERATIONAL SUPPC NOTE: (1) CLE elect either the each of the 9 si NOTE: (2) Any that cannot be SOMAN, will bi NOTE: (3) OSS Reques UNE SERVICE DATE A	RATE ELEMENTS Thown in the sections for stand-alone loops or loops as terconnection, belisouth, com/become, a_clec/html/interORT SYSTEMS (OSS) - "REGIONAL RATES" EC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the servistates. y element that can be ordered electronically will be bill to ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to ES - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge, Per Local Service Ist (LSR) - UNE Only ADVANCEMENT CHARGE xpedite charge will be maintained commensurate with	rconnect ne "state ice order led acco led SOM BellSouth nly "Ple	specificing characteristics of the control of the c	Im I I I I I I I I I I I I I I I I I I	ordered by the elect the rested in this elects the characters for SC	he State Committee gional service category. Pleasarge that would	lissions. The (ordering charg	Add'I view Geograph DSS charges cue, however, CL South's Local (urrently contain EC can not ob Ordering Handl	ged UNE Zono med in this rational a mixture	Submitted Elec per L SR SOMEC Designatio	Submitted Manually per LSR SOMAN ns by Cente the BellSo egardless it	Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN ral Office, refe	" service orde interconnecti ed electronica	ering charges. on contract e	stablished i
NOTE: (3) OPS. NOTE: (1) CLE elect either the each of the 9 si NOTE: (2) Any that cannot be SOMAN, will bi NOTE: (3) OSS. Reques UNE SERVICE DATE A	terconnection bellsouth.com/become a_clec/html/inter 'ORT SYSTEMS (OSS) - "REGIONAL RATES" 'EC should contact its contract negotiator if it prefers the e state specific Commission ordered rates for the servi- states. y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge. Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	rconnect ne "state ice order led acco led SOM BellSouth nly "Ple	specificing characteristics of the control of the c	im	ordered by the elect the rested in this elects the characters for SC	y Deaveraged U he State Comm gional service category. Plea arge that would	First NE Zones. To nissions. The (ordering charg se refer to Bell! d be billed to a	Add'I view Geograph DSS charges ci e, however, CL South's Local (CLEC once ele	First ically Deavera urrently contain EC can not ob Ordering Handl ctronic orderin	Add'I ged UNE Zone ned in this ratitain a mixture book (LOH) to ng capabilities	e Designation e exhibit are of the two redetermine if	ns by Centi the BellSo egardless if	SOMAN ral Office, refe uth "regional f CLEC has a can be ordere	SOMAN er to internet "service orde interconnecti ed electronica	Website: ering charges, on contract e	CLEC may stablished i
NOTE: (3) OPS NOTE: (1) CLE elect either the each of the 9 si NOTE: (2) Any that cannot be SOMAN, will bi NOTE: (3) OSS Reques UNE SERVICE DATE A	terconnection bellsouth.com/become a_clec/html/inter 'ORT SYSTEMS (OSS) - "REGIONAL RATES" 'EC should contact its contract negotiator if it prefers the e state specific Commission ordered rates for the servi- states. y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge. Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	rconnect ne "state ice order led acco led SOM BellSouth nly "Ple	specificing characteristics of the control of the c	im	ordered by the elect the rested in this elects the characters for SC	y Deaveraged U he State Comm gional service category. Plea arge that would	NE Zones. To sissions. The (ordering charg se refer to Bell! d be billed to a	OSS charges co e, however, CL South's Local (CLEC once ele	urrently contain EC can not ob Ordering Handl cctronic orderin	ged UNE Zono med in this rati tain a mixture book (LOH) to ng capabilities	e Designation e exhibit are of the two redetermine if	ns by Centi the BellSo egardless if	ral Office, refe	er to internet	Website: ering charges, on contract e	CLEC may stablished i
http://www.inte OPERATIONAL SUPPC NOTE: (1) CLE elect either the each of the 9 si NOTE: (2) Any that cannot be SOMAN, will bi NOTE: (3) OSS Reques UNE SERVICE DATE A	terconnection bellsouth.com/become a_clec/html/inter 'ORT SYSTEMS (OSS) - "REGIONAL RATES" 'EC should contact its contract negotiator if it prefers the e state specific Commission ordered rates for the servi- states. y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge. Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	rconnect ne "state ice order led acco led SOM BellSouth nly "Ple	specificing characteristics of the control of the c	im	ordered by the elect the rested in this elects the characters for SC	he State Committee gional service category. Pleasarge that would	nissions. The (ordering charg se refer to Bell! I be billed to a	OSS charges co e, however, CL South's Local (CLEC once ele	urrently contain EC can not ob Ordering Handle ectronic orderin	ned in this ratitation a mixture	e exhibit are of the two r	the BellSo egardless it	uth "regional f CLEC has a can be ordere	" service orde interconnecti ed electronica	ering charges. on contract e	stablished i
http://www.inte OPERATIONAL SUPPC NOTE: (1) CLE elect either the each of the 9 si NOTE: (2) Any that cannot be SOMAN, will bi NOTE: (3) OSS Reques UNE SERVICE DATE A	terconnection bellsouth.com/become a_clec/html/inter 'ORT SYSTEMS (OSS) - "REGIONAL RATES" 'EC should contact its contract negotiator if it prefers the e state specific Commission ordered rates for the servi- states. y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge. Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	rconnect ne "state ice order led acco led SOM BellSouth nly "Ple	specificing characteristics of the control of the c	im	ordered by the elect the rested in this elects the characters for SC	he State Committee gional service category. Pleasarge that would	nissions. The (ordering charg se refer to Bell! I be billed to a	OSS charges co e, however, CL South's Local (CLEC once ele	urrently contain EC can not ob Ordering Handle ectronic orderin	ned in this ratitation a mixture	e exhibit are of the two r	the BellSo egardless it	uth "regional f CLEC has a can be ordere	" service orde interconnecti ed electronica	ering charges. on contract e	stablished i
NOTE: (1) CLE elect either the each of the 9 s NOTE: (2) Any that cannot be SOMAN, will be NOTE: (3) OSS Reques UNE SERVICE DATE A	EC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the servistates. y element that can be ordered electronically will be bill be ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to ES. Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge, Per Local Service isst (LSR) - UNE Only ADVANCEMENT CHARGE	led acco led SOM BellSouth	ording the EC rate.	to the SOMEC rate lise in this category refee applicable rate ele CC No.1 Tariff, Sectio UAL, UEANL, UCL, UEF, UDF, UEC, UDL, UENTW, UDN, UEA, UHL, ULC, UEA, UHL, ULC,	sted in this of lects the characters for SO	gional service category. Pleas arge that would DMAN charge**	ordering charg se refer to Bell! I be billed to a	e, however, CL South's Local (CLEC orice ele	EC can not ob Ordering Handb ectronic orderin	tain a mixture book (LOH) to ng capabilities	of the two r	egardless if	can be order	interconnecti	on contract e	stablished i
elect either the each of the 9 si NOTE: (2) Any that cannot be SOMAN, will bi NOTE: (3) OSS OSS - E Reques UNE SERVICE DATE A	e state specific Commission ordered rates for the servi states. y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge. Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	led acco led SOM BellSouth	ording the EC rate.	to the SOMEC rate lise in this category refee applicable rate ele CC No.1 Tariff, Sectio UAL, UEANL, UCL, UEF, UDF, UEC, UDL, UENTW, UDN, UEA, UHL, ULC, UEA, UHL, ULC,	sted in this of lects the characters for SO	gional service category. Pleas arge that would DMAN charge**	ordering charg se refer to Bell! I be billed to a	e, however, CL South's Local (CLEC orice ele	EC can not ob Ordering Handb ectronic orderin	tain a mixture book (LOH) to ng capabilities	of the two r	egardless if	can be order	interconnecti	on contract e	stablished i
each of the 9 st NOTE: (2) Any that cannot be SOMAN, will be NOTE: (3) OSS - E Reques UNE SERVICE DATE A	states. y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge, Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	led acco ed SOM BellSouth nly "Ple	erding to EC rate	to the SOMEC rate lise in this category refee applicable rate ele CC No.1 Tariff, Sectio UAL, UEANL, UCL, UEF, UBC, UDL, UENTW, UDN, UEA, UHL, ULC, UEA, UHL, ULC,	sted in this of lects the characteristic state of some sta	category. Pleas arge that would DMAN charge**	se refer to Bell! 1 be billed to a	South's Local (CLEC orice ele	Ordering Handlectronic ordering	book (LOH) to	determine if	f a product	can be order	ed electronica	ally. For those	e elements
NOTE: (2) Any that canriot be SOMAN, will be NOTE: (3) OSS - Reques	y element that can be ordered electronically will be bill e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E 5 - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge. Per Local Service isst (LSR) - UNE Only ADVANCEMENT CHARGE	ed SOM BellSouth	EC rate	e in this category refee applicable rate ele CC No.1 Tariff, Sectio UAL, UEANL, UCL, UEF, UDF, UEC, UDL, UENTW, UDN, UEA, UHL, ULC,	ment for SO SOMEC	MAN charge™	be billed to a	CLEC orice ele	ectronic orderin	ng capabilities						
that cannot be SOMAN, will be NOTE: (3) OSS OSS - E Reques UNE SERVICE DATE A	e ordered electronically at present per the LOH, the list be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge: Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	ed SOM BellSouth	EC rate	e in this category refee applicable rate ele CC No.1 Tariff, Sectio UAL, UEANL, UCL, UEF, UDF, UEC, UDL, UENTW, UDN, UEA, UHL, ULC,	ment for SO SOMEC	MAN charge™	be billed to a	CLEC orice ele	ectronic orderin	ng capabilities						
SOMAN, will be NOTE: (3) OSS - E Reques UNE SERVICE DATE A	be applied to a CLECs bill when it submits an LSR to E S - Manual Service Order Charge, Per Element - UNE Or Electronic Service Order Charge: Per Local Service ist (LSR) - UNE Only ADVANCEMENT CHARGE	BellSouth	h. ease se	UAL, UEANL, UCL, UEF, UDF, UEO, UENTW, UDN, UEA, UHL, ULC,	SOMEC	DMAN charge™										
OSS - E Reques UNE SERVICE DATE A	Electronic Service Order Charge. Per Local Service est (LSR) - UNE Only ADVANCEMENT CHARGE			CC No.1 Tariff, Section UAL, UEANL, UCL, UEF, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC,	SOMEC		3.50	0.00	3.50	0.00						
Reques UNE SERVICE DATE A	est (LSR) - UNE Only ADVANCEMENT CHARGE	BellSout	th's FC	UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC,		cable.	3.50	0.00	3.50	0.00	1					
UNE SERVICE DATE A	ADVANCEMENT CHARGE	BellSout	th's FC	UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC,		cable.	3.50	0.00	3.50	0.00						
		BellSout	th's FO	UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC,	n 5 as appli	cable.										
NOTE: THEEX	xpedite charge will be maintained commensurate with	Bensou		UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC,	n s as appr	Cable.				_						
UNFF	xpedile Charge per Circuit or Line Assignable USQC, per			UTTD1, UTTD3, UTTDX, UTTD3, UTTDX, UTTD3, UTTS1, UTTVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UDL48, UDL03, UDL9X, UE3, ULD12, ULD48, ULDD1, ULD03, ULDD1, ULD03, ULDDX, ULD03, ULDD1, ULDVX, UNC1X, UNC3X, UNCDX, UNCX, UNCDX, UNCYX, UNCD3, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD3, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD3, UNCYX, UNCD3, UNCYX, UNCD1, UNCYX, UNCD3, UNCYX, UNCD1, UNCYX, UNCD1, UNCYX, UNCD3, UNCYX, UNCD1, UNCYX, UNCD3, UNCYX, UNCD1, UNCYX, UNCD3, UNCYX												
UNBUNDLED EXCHAN	NGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP	-	200 00						·			
	OG VOICE GRADE LOOP								1120							1
	Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.0
2-Wire	Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.24	57.99	42.37	V			E 15. M	26.94	12.76	0.00	0.0
	Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	33.65	57.99	42.37			7.4	-	26.94	12.76	0.00	0.0
	Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL UEANL	UEASL UEASL	12.11	57.99 57.99	42.37					26.94 26.94	12.76 12.76	0.00	0.0
	Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEASL	33.65	57.99 57.99	42.37					26.94	12.76	0.00	0.0
	Analog Voice Grade Loop - Service Level 1- Zone 3 Idled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	33.65	57.99	42.37	-				20.94	12.76	0.00	0.0
Premise				UEANL	URETL		8.33	0.83					26.94	12.76	0.00	0.0
	Festing - Basic 1st Half Hour			UEANL	URET1		76.24	76 24					26.94	12.76	0.00	0.0
	Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51					26.94	12.76	0.00	0.0
CLEC to														12.76	0.00	

INBUNDLE	D NETWORK ELEMENTS - North Carolina			····										ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	, -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
	· · · · · · · · · · · · · · · · · · ·	1	+		+ +	· I	Nonrec	urring	Nonrecurring	Disconnect	 	1	088	Rates (\$)		
						Rec					COMEC	COMMAN			COMAN	SOMA
	1	<u> </u>	ļ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	ĺ			1	i			l j							ŀ
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74					<u> </u>			ļ
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38	I							
	Order Coordination for Specified Conversion Time for UVL-SL1			1	1				1							
	(per LSR)			UEANL	OCOSL		45.34	45.34			ļ	i				
2-WIRI	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76	0.00	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60			1		26.94	12.76	0.00	<u> </u>
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>													<u> </u>
	Premise			UEQ	URETL	1	8.33	0.83					26.94	12.76	0.00	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		-	OLG	OILLIE	+	0.00	0.00			+		20.34	12.70	0.00	
		1		UEO	USBMC		61.00	64.30			1	l	1	1		
	Non-Designed (per loop)		₩	UEQ	OSBINC		61.38	61.38			 	 		ļ	ļ	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for				1	ì					1					
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	ļ
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24			1		26.94	12.76	0.00	
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51	1]		26.94	12.76	0.00	
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.26	7.42	!		1		26.94	12.76	0.00	
BUNDLED	EXCHANGE ACCESS LOOP		†		<u> </u>						1					<u> </u>
	E ANALOG VOICE GRADE LOOP		1								+					
2-7711	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-								-				-	
1			١.,	LIEDOD LIEDOD	115410	40.44	57.00	40.07		0.00			00.04	40.70	İ	
	Zone 1	ļ	<u> </u>	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00		ļ	26.94	12.76		_
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1				!		1					
	Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		<u> </u>
i	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00		i	26.94	12.76		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															l
	Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76	l	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										1					
	Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00	I	1	26.94	12.76		İ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		۲Ť	OLI OIT OLI OD	OL/ LO	00.00	07.55	12.07	0.00	0.00	· · · · · · · · · · · · · · · · · · ·	i	20.51			
	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57 99	42.37	0.00	0.00		İ	26.94	12.76	ì	
LINDLED	EXCHANGE ACCESS LOOP			OLF SIX OLF SO	ULABS	33.03	31 99	42.37	0.00	0.00	 	.	20.34	12.70		
			 		+						 			<u> </u>		
Z-WIRI	E ANALOG VOICE GRADE LOOP		<u> </u>								ļ					ļ
- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56			<u> </u>	ļ	26.94	12.76	0.00	_
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		I	1		Ī					I]	1	1	I	l
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56	1 1		L		26.94	12.76	0.00	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or											1				
Į	Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56			i	ł	26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		t		00002		10.0				 	 				
1	Battery Signaling - Zone 1		- 1	UEA	UEAR2	14.97	142.97	106.56	i I		ł	1	26.94	12.76	0.00	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		- '-	OLA	OLAIVE	14.37	142.31	100.50			+	 	20.54	12.70	0.00	
ı			١ ,		LIEADO	25.02	440.07	400.50	1			1	20.04	12.76	0.00	
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .		1				1			l				
	Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56				ļ	26.94	12.76	0.00	↓
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34		<u> </u>		1	L		ļ	1	
	CLEC to CLEC Conversion Charge without outside dispatch	L	L	UEA	UREWO		87.64	36.33			I		26.94	12.76	0.00	1
	Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.20	1.10					26.94	12.76	0.00	
4-WIRI	E ANALOG VOICE GRADE LOOP										I					
	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	21.32	288,47	237.45	1		1	1	26.94	12.76	0.00	T
	4-Wire Analog Voice Grade Loop - Zone 2	t		UEA	UEAL4	36.27	288.47	237.45		······	·		26.94	12.76	0.00	<u> </u>
_	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	56.57	288.47	237.45	 		+	 	26.94	12.76	0.00	†
-	Order Coordination for Specified Conversion Time (per LSR)	1	+ -	UEA	OCOSL OCOSL	30.37	45.34	231,43	l		+	1	20.34	12.76	0.00	+
-		1						20.00	 		+	1	00.01	40.70	0.00	+
	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UEA	UREWO		87.64	36.33	ļ		 		26.94	12.76	0.00	
	E ISDN DIGITAL GRADE LOOP	1	1	1	1 1		i				l .	1	I	1	1	i
2-WIRI	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1	UDN	U1L2X	19.42	325.91	251.31				 	26.94	12.76	0.00	1

ONRONDER	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					-	Т	M		. N						Disc 1st	DISC AUC
			-		+	Rec	Nonrec First	Add'l	Nonrecurring D First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	1 00000
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91		First	Addi	SOMEC	SOMAN		SOMAN		SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	51.14	325.91	251.31 251.31				<u> </u>	26.94	12.76	0.00	0.0
	Order Coordination For Specified Conversion Time (per LSR)	-	-	UDN	OCOSL	31.14	45,34						26.94	12.76	0.00	U.
}	CLEC to CLEC Conversion Charge without outside dispatch	 		UDN	UREWO		91.55	44.12					20.04	12.76	0.00	1
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRE	1 000		OKEWO .		\$1.55	44.12	-				26.94	12.70	0.00	0
	2 Wire Unbundled ADSL Loop including manual service inquiry	I	1		+				<u> </u>						 	
	& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	07 4	- OALZA	71.00	204.71	143.00				-	20.94	12.70	0.00	<u> </u>
	& facility reservation - Zone 2	ĺ	2	UAL	UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	
	2 Wire Unbundled ADSL Loop including manual service inquiry			Or V.	- I			143.00					20.94	12.70	0.00	
-	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60					26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	20.72	45.34	173.00			-		20.94	12.70	0.00	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_		10000		70.04								 	+
	facility reservator - Zone 1		1	UAL	UAL2W	11.00	190,25	114.82					26.94	12.76	0.00	Ι,
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 		-	10,121	11,00	.00.20	114.02					20.54	12.70	0.00	
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76	0.00	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	·			TOTAL T			114.02					2.0.54	12.70	0.00	
	facility reservation - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)	 		UAL	OCOSL	20112	45.34	171.02					20.54	12.70	0.00	+
	CLEC to CLEC Conversion Charge without outside dispatch	-	_	UAL	UREWO		86.12	40.36					26.94	12.76	0.00	
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	5. L	- I		00.12	40.50					20.54	12.70	0.00	
	2 Wire Unbundled HDSL Loop including manual service inquiry	1			++											
	& facility reservation - Zone 1		1	UHL	UHL2X	9,01	284.74	163.54					26.94	12.76	0.00	
	2 Wire Unbundled HDSL Loop including manual service inquiry			O 7 %	- HOLLERY	0.07	204.74	100,04					20.34	12.70	0.00	
1	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	- JOHEZA	14.01	204.14	100.04					20.94	12.70	0.00	
1	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34	100.04					20.54	120	0.00	
	2 Wire Unbundled HDSL Loop without manual service inquiry	İ			+										 	_
ĺ	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.01	207.48	132.05	1		' I		26.94	12.76	0.00	
	2 Wire Unbundled HDSL Loop without manual service inquiry							102.00						12.70	5.00	
	and facility reservation - Zone 2	ŀ	2	UHL	UHL2W	14.87	207.48	132.05					26,94	12.76	0.00	1
	2 Wire Unbundled HDSL Loop without manual service inquiry												20.54	12.75	- 9.90	
	and facility reservation - Zone 3	l	3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		45.34						20.07		0.00	
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40,36	-				26.94	12.76	0.00	
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	5112	TOTAL TOTAL		00,00						20.54	12.70	0.00	
	4 Wire Unbundled HDSL Loop including manual service inquiry				1											
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45					26,94	12.76	0.00	
	4-Wire Unbundled HDSL Loop including manual service inquiry				10.10.71								20.54	72.10	5.50	
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					26.94	12.76	0.00	
	4-Wire Unbundled HDSL Loop including manual service inquiry	-	 -	0112	JOHE IN		- 011.00	220.43					20.34	12.70	0.00	
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45					26,94	12.76	0.00	ſ
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL	2.12	45.34	220.40					20.54		0.00	
	4-Wire Unbundled HDSL Loop without manual service inquiry			U. I.	100000											
1	and facility reservation - Zone 1	l	1	UHL	UHL4W	10.62	264.39	188.96	ì				26.94	12.76	0.00	1
	4-Wire Unbundled HDSL Loop without manual service inquiry				10772	70.02	201100						20.54		V.50	
ł	and facility reservation - Zone 2		2	UHL	UHL4W	17,67	264.39	188,96					26.94	12.76	0.00	1
	4-Wire Unbundled HDSL Loop without manual service inquiry			0.12	10112111				- +-				20.54	12.70	0.00	
	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34						25.57		1	1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	
4-WIR	E DS1 DIGITAL LOOP	t	T		1								20.04	120	5.50	
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47.60	714.84	421.47				-	42.19	12.76	0.00	t
	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	84.36	714,84	421.47					42.19	12.76	0.00	
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	134.29	714.84	421.47					42.19	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)	-	١Ť	USL	OCOSL		48.31	721,47					42.13	12.70	0.00	
	CLEC to CLEC Conversion Charge without outside dispatch	l		USL	UREWO		100.99	43.00					26.94	12.76	0.00	
	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 		JUL	SINLAND		100.55	43.00					20.94	12.70	0.00	-

JNBU	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
				Т								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	i			1									Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. co.	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
	i		ļ											1st	Add'I	Disc 1st	Disc Add'l
				1												D130 131	Disc rida i
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51			l		26.94	12.76		0.00
		4 Wire Unbundled Digital 19.2 Kbps			UDŁ	UDL19	67.26	489.04	337.51					26.94	12.76		0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51					26.94	12.76	0 00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)	ļ	ļ	UDL	OCOSL		45.34	40.70			ļ		20.04	10.70	0.00	0.00
	0.1405	CLEC to CLEC Conversion Charge without outside dispatch	ļ	ļ	UDL	UREWO		102.03	49.70					26.94	12.76	0.00	1
	z-WIRE	Unbundled COPPER LOOP		ļ							1					+	
		2-Wire Unbundled Copper Loop-Designed including manual		1	UCL	UCLPB	13.26	262.86	143.75		1			26.94	12.76	0.00	0.00
		service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual	-	<u> </u>	UCL	UCLPB	13.26	202.86	143.75	l	-			20.94	12.76	0.00	0.00
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop-Designed including manual		-	UCL	UCLFB	22.33	202.00	143.73		-	-		20.54	12.70	0.00	0,00
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75			1		26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	34.00	61.38	61.38			1		20.54	12.70	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>		UCL	OCEIVIC		01.30	01.50		 	 					
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual		<u> </u>	OOL	1002. 11	10.20	100.00	172.00	-	 	· ·		20.01	12.70		
i		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26,94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual		t —	-												
i		service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	34.80	188,39	112.96				ŀ	26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		61.38	61.38						1		
		CLEC to CLEC Conversion Charge without outside dispatch		1													
		(UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76	0.00	0.00
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop including manual service inquiry and facility											1				1
		reservation - Zone 1		.1	UCL	UCL4S	17.36	311.03	191.93					26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility					ľ				j						
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93					26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility										1					
		reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		61.38	61.38					ļ	ļ		
		4-Wire Copper Loop without manual service inquiry and facility		١.			47.00								40.70	0.00	0.00
		reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161,14			ļ		26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility		2	UCL		20.64	220 57	404.44					26.94	12.76	0.00	0.00
		reservation - Zone 2		1 -	UCL	UCL4W	29.61	236.57	161.14			 		26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3	ļ	3	UCL	UCL4W	46.26	236.57	161.14					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)	 	1-3	UCL	UCL4W UCLMC	40.∠6	61.38	61.38			 	<u> </u>	20.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge without outside dispatch		+	UUL	OCEIVIC		01.30	01.30		 	 			 	 	
		(UCL-Des)			UCL	UREWO		97.14	42.44	1				l	1		
OOP	/ODIFIC		 		DOL.	GILLATO		57.14	44.11		····				 		
	02111		 	 	UAL, UHL, UCL,	1	-				1	 	t	<u> </u>	†	1	
			1		UEQ, ULS, UEA,					1]	1	1	-	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,								İ	l			1
		pair less than or equal to 18k ft, per Unbundled Loop	1	1	UEPSB	ULM2L		21.24	21.24		{		1	26.94	12.76	0.00	0.00
		Unbundled Loop Modification Removal of Load Coils - 4 Wire				1								1	T	ì	
		less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		21.24	21.24]	26.94	12.76	0.00	0.00
					UAL, UHL, UCL,							1	T	1	T		
					UEQ, ULS, UEA,							1	1	I			
		Unbundled Loop Modification Removal of Bridged Tap Removal,	Į.		UEANL, UEPSR,		İ			1			1		1	1	
		per unbundled loop			UEPSB	ULMBT		24.84	24.84					26.94	12.76	0.00	0.00
SUB-LO												<u> </u>					1
	Sub-La	op Distribution	1													1	1

Version 3Q03: 11/12/2003 Page 162 of 227 [CCCS Amendment 228 of 308]

INRONDER	D NETWORK ELEMENTS - North Carolina													nent: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USDC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charg
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electro Disc A
						Rec	Nonrec			g Disconnect				Rates (\$)		
-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	Up	1		UEANL	USBSA		373.57						26.94	12.76	0.00	
-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	1		UEANL	USBSB		33.78						26.94	12.76	0.00	_
	Facility Set-Up	_1		UEANL	USBSC		234.76						26.94	12.76	0.00	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		81.05						26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			DEANE	OSBIVE	7.51	120.00	J-4, J-4			+		20.34	12.70	0.00	_
	Zone 2	1	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					10.55	400.00						00.0	40.77	0.55	
-	Zone 3	1	3	UEANL	USBN2	18.20	126.03	54.54			-		26.94	12 76	0.00	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12 76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02.4.2	000	10.01	100.02	70.00					2014	12.70	0.00	_
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
-	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	+
																$\overline{}$
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38		-						₩
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82			_		26.94	12.76	0.00	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	6.10	137.10	60.24					26.94	12.76	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9.70	137.10	60.24					26.94	12.76	0.00	
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	14.59	137.10	60.24		-	-		26.94	12.76	0.00	-
	Order Coordination for Unbundled Sub-Loops, per sub-toop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1_	3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76	0.00	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
+	Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	76.24								+-
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51								
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	
Netwo	rk Interface Device (NID)	-		UENTW	UND12		86.37	56.69					20.04	12.76	0.00	\vdash
-	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	-		UENTW	UND12		127.93	98.21					26.94 26.94	12.76	0.00	
	Network Interface Device Cross Connect - 2 W	i		UENTW	UNDC2		11.68	11.68					26.94	12.76	0.00	
	Network Interface Device Cross Connect - 4W	i	_	UENTW	UNDC4		11.68	11.68					26.94	12.76	0.00	
OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NiD installation			UENTW	UNDBX	0.00	0.00			I.						
	UNTW Circuil Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL, UEF, UEQ, U ENTW	UNECN	0.00	0.00									
OTHER	PROVISIONING ONLY - NO RATE															

Version 3Q03: 11/12/2003 Page 163 of 227 [CCCS Amendment 229 of 308]

	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec			g Disconnect				Rates (\$)		
<u> </u>						1.00	First	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL.UCL.UDC.UDL.			- 1							[
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL.ULC	LINECN	0.00	0.00							[
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIT, OF A OTIL. OLC	DIVECT	0.00	0.00			-						
	rate			UEA,UDN.UCL.UDC	USBFQ	0.00	0.00									F
	Unbundted Sub-Loop Feeder-4 Wire Cross Box Jumper - no	i		02.100002.000			-									
	rale			UEA,USL,UCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate	1		USL	CCOSF	0.00	0.00	_								
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
IGH CAPACIT	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			, IC 2	1L5ND	13.33								1		
	month		-	UE3	1L5ND	13.33				-						
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	450.69	1.071.00	646,12					53.48	53.48		
_	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		_	UES	OCSEA	450.09	1.07 1.00	040,12					JJ.46	33.40		
	month			UDLSX	1L5ND	13.33								(
	High Capacity Unbundled Local Loop - STS-1 - Facility	<u> </u>		OBEOX	120.12	10.55										
	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646, 12					53.48	53.48		
OP MAKE-U		i														
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.9
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19 99	19.9
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized) G AND LINE SPLITTING	1		UMK	UMKMQ		0.6960821	0.6960821								
	The Line Sharing monthly recurring rates for all installation	16.600	ploted	rom Octobor 02, 200	2 through m	idnight October	01 2004 chall	he hilled as f	ollows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lunight October	01, 2004 Silali	De Unieu as i	oliows.							
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		1	l designed (dezire	ľ		i									
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND	1	Í				i									
	1; Above will apply to USOCS: ULSDT and ULSCT	İ	i i													
NOTE 1					24 7 4 11			October 1 20	3							
NOTE 1	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC an	d ULSO	C applies only to ci	rcuits installi	ed and inservice	on or before	October 1, 10								
NOTE 1	2: The Line Sharing monthly recurring rates with USOCs ULS HARING	SDC an	d ULSO	C applies only to ci	rcuits install	ed and inservice	on or before	0010001 1, 20								
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FERS-CENTRAL OFFICE BASED	SDC an	d ULSC													
NOTE 1 "NOTE LINE SI SPLITT	Pre Line Sharing monthly recurring rates with USOCs ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Spillter, per System 96 Line Capacity	SDC an	d ULSO	ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
NOTE 1 "NOTE LINE SI SPLITT	E 2: The Line Sharing monthly recurring rates with USOCs ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	SDC an	d ULSO	ULS ULS	ULSDA ULSDB	181.18 38.99	631.54 631.54	0.00					26.94	12.76		
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Spillter, per System 96 Line Capacity Line Sharing Spillter, per System 24 Line Capacity Line Sharing Spillter, Per System, 8 Line Capacity	SDC an	d ULSO	ULS	ULSDA	181.18	631.54	0.00								
NOTE 1 "NOTE LINE SI SPLITT	The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-	SDC an	d ULSO	ULS ULS ULS	ULSDA ULSDB ULSD8	181.18 38.99	631.54 631.54 424.61	0.00 0.00 0.00					26.94 26.94	12.76 12.76		
NOTE 1 "NOTE LINE SI SPLITT	The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOC)	SDC an	d ULSO	ULS ULS	ULSDA ULSDB	181.18 38.99	631.54 631.54	0.00					26.94	12.76		
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCS ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	SDC an	d ULSO	ULS ULS ULS	ULSDA ULSDB ULSD8	181.18 38.99	631.54 631.54 424.61	0.00 0.00 0.00					26.94 26.94	12.76 12.76		
NOTE 1 "NOTE SI LINE SI SPLITT	The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned Splitter) -	SDC an	d ULSO	ULS ULS ULS	ULSDA ULSDB ULSD8	181.18 38.99	631.54 631.54 424.61 146.32	0.00 0.00 0.00					26.94 26.94	12.76 12.76		
NOTE 1 "NOTE SI LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCS ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	SDC an	d ULSO	ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61	0.00 0.00 0.00 0.00					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE 1 INE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCS ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2	SDC an	d ULSO	ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 0.00 0.00					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOO) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)	SDC an	d ULSO	ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 0.00 0.00					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCS ULS HARING FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service. TRO per line activation, BST owned splitter-	SDC an	d ULSO	ULS ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 0.00 31.27					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCS ULS HARING FRS-CENTRAL OFFICE BASED Line Sharing Spittler, per System 96 Line Capacity Line Sharing Spittler, per System 12 Line Capacity Line Sharing Spittler, per System, 8 Line Capacity Line Sharing Spittler, per System, 8 Line Capacity Line Sharing Spittler, per System, 8 Line Capacity Line Sharing-DLEC Owned Spittler in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 Line Share Service. TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1	SDC an	d ULSO	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDG	181.18 38.99 12.73 0.61	631.54 631.54 424.61 146.32 54.71	0.00 0.00 0.00 31.27 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOO) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service. TRO per line acti ation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)	SDC an	d ULSO	ULS ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 0.00 31.27					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FRS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing - DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service. TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-	SDC an	d ULSO	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDG	181.18 38.99 12.73 0.61	631.54 631.54 424.61 146.32 54.71	0.00 0.00 0.00 31.27 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI LINE SI SPLITT	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FRS-CENTRAL OFFICE BASED Line Sharing Spittler, per System 96 Line Capacity Line Sharing Spittler, per System 96 Line Capacity Line Sharing Spittler, per System, 81 Line Capacity Line Sharing Spittler, per System, 81 Line Capacity Line Sharing Spittler, per System, 81 Line Capacity Line Sharing Spittler, per System, 81 Line Capacity Line Sharing - DLEC Owned Spittler in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service. TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1	SDC an	d ULSO	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71	0.00 0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE 1	2: The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System 81 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing - DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOO) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)	SDC an	d ULSO	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDG	181.18 38.99 12.73 0.61	631.54 631.54 424.61 146.32 54.71	0.00 0.00 0.00 31.27 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI LINE SI SPLITT END US	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FRS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 36 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service. TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line	SDC an	d ULSO	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71 54.71	0.00 0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI LINE SI SPLITT END US	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FRS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing Splitter, Per System, 81 Line Capacity Line Sharing - DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E:102/2003) Line Share Service. TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:102/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E:102/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Ow ed Splitter)	SOC an	d ULSO	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71	0.00 0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI LINE SI SPLITT END US	2: The Line Sharing monthly recurring rates with USOCs ULS HARING FRS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 36 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service. TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line	SOC an	d d ULSC	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71 54.71	0.00 0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
NOTE 1 "NOTE LINE SI LINE SI SPLITT END US	2: The Line Sharing monthly recurring rates with USOCs ULS HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOC) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Ser ice. TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line Line Sharing - per Subsequent Activity per Line Line Sharing - per Subsequent Activity per Line	SDC an	d d ULSC	ULS ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT ULSDT ULSDT ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71 54.71 35.42	0.00 0.00 0.00 31.27 28.77 28.77 28.77					26.94 26.94 26.94 26.94	12.76 12.76 12.76 12.76		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
	T T	Γ									Svc Order	Svc Order		Incremental		
			1									Submitted	Charge -	Charge -	Charge -	Charge -
			-								Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
UAILOOMI	NATE ELEMENTS	m	Lone	503	0300			KAILO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		ł			1								Electronic-	Electronic-	Electronic-	Electronic-
		i			1 1								1st	Add'!	Disc 1st	Disc Add'l
-т													<u> </u>	<u> </u>	L	
			-			Rec	Nonrec			g Disconnect				Rates (\$)		
			<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned				1 1							t				
	splitter - Central Office Located (25% of UCLND) - please see	1													i	
	NOTE 1 (E:10/2/2003)	1		ULS	ULSCT	3.49	47.44	19.31		ì						1
	Line Share Service, TRO per line activation, CLEC owned									"						
	splitter - Central Office Located (50% of UCLND) - please see	ł	1									ł			!	
ļ	NOTE 1 (E:10/2/2004)	1	1	ULS	ULSCT	6.99	47.44	19.31							1	
	Line Share Service, TRO per line activation, CLEC owned	_								+				+		
	splitter - Central Office Located (75% of UCLND) - please see											1		1		
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31						1	ł	
LIME	SPLITTING		-	ULS	DESCI	10.48	47.44	19.31								
			<u> </u>							ļ						
END	SER ORDERING-CENTRAL OFFICE BASED		ļ		1					1				ļ		
	Line Splitting - per line activation DLEC owned splitter	ļ	ļ	UEPSR UEPSB	UREOS	0.61				1				L		
	Line Splitting - per line activation BST owned - physical	L	1	UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
MAIN'	renance															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00						† · · · · · · · ·		
	No Trouble Found - per 1/2 hour increments - Overtime				1		120.00	82.50		<u> </u>	1					
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00						 		
UNBLINDI ED	DEDICATED TRANSPORT	 	†	· · · · · · · · · · · · · · · · · · ·	+		100.00							+	l	
	OFFICE CHANNEL - DEDICATED TRANSPORT	 												ļ		!
134161	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 							1	-			ļ		
				14470.00	41.5707	0.0405				1				İ		1
	Per Mile per month	-	ļ	U1TVX	1L5XX	0.0125								ļ	ļ	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		İ		1 1	į.					1					
	Facility Termination		ļ	U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	l	ŀ		1											
	Rev Bat Per Mile per month		l l	U1TVX	1L5XX	0.0125	ŀ									1
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															1
	Facility Termination	i		U1TVX	U1TR2	18.00	137.48	52.58		1			38.07	38.07		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade		—		10			02.00		†			00.01	- 00.01		
	Per Mile per month			U1TVX	1L5XX	0.0125				1				l		
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSXX	0.0123				1				 		
	- Facility Termination	i .		U1TVX	U1TV4	22.46	400.44	CC OF		j				00.00		
			ļ	UTIVX	U11V4	22.16	106,11	65.95					22.32	22.32		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile]
	per month			U1TDX	1L5XX	0.0282				1						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination	ľ		U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile								***************************************							
	per month	1		U1TDX	1L5XX	0.0282					1				1	1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	· · · · ·	†	<u> </u>	1	3.02.02				†				 		
	Termination	l	1	U1TDX	U1TD6	17.40	137.48	52.58			1		38.07	38.07	l	1
+	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	5bx	151,00	17.40	157.40	32.30		1	+		30.07	30.07	-	-
	month	l	1	U1TD1	1L5XX	0.5753				1	1					1
 				וטווטו	TIF3VV	0.5753					+			-		-
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	l	ì	LIATO4	l	-, l					1				1	1
-	Termination	<u> </u>		U1TD1	U1TF1	71.29	217.17	163.75		1			38.07	38.07		L
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	i	1		1						1					I
	month		<u> </u>	U1TD3	1L5XX	12.98					_L			I	<u> </u>	L
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1											T	I	
	Termination per month	i		U1TD3	U1TF3	720.38	794.94	579.55			1		91.26	91.26		1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	I								1	1			1		1
	month	l	1	U1TS1	1L5XX	6.14				1	1					1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1 1					†				 	t	
	Termination	1		U1TS1	U1TFS	790.37	642.23	408.89			4		53.48	53.48	1	1
DARK FIBER	1.00.00	 	-	01101	Journa	130.31	042.23	400.89		 	+		55.48	33.48	 	<u> </u>
- I I I I I	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	+		+					+	+			 	l	
			1	LIDE LIBEOU	1										I	I
	Thereof per month - Interoffice Channel	<u> </u>	ļ	UDF, UDFCX	1L5DF	27.71				1				L		1
	NRC Dark Fiber - Interoffice Channel	l	L	UDF, UDFCX	UDF14		1,807.00	562.96		1						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		I					1						
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	64.04	1								i	1
	NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		1,347.00	279.87		1	1		T	1	l	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
		Interi						_			Svc Order Submitted Elec		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
1			ļ			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING								<u> </u>					1		
	8XX Access Ten Digit Screening, Per Call		ļ	OHD		0.0005										<u> </u>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		7.05		l i							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	N8R1X		7.05	0.96					26.94	-		
1	POTS Translations			оно			23.82	2.73	1				41.35			
	8XX Access Ten Digit Screening, Per 8XX No. Established With		<u> </u>	OTIO	+		23.02	2.13	i				41.33			ļ
	POTS Translations	İ		OHD	N8FTX		23.82	2.73	1			l	41.35			l
	8XX Access Ten Digit Screening, Customized Area of Service			0110	110111		20.02	2.73					41.55			
	Per 8XX Number			ОНО	N8FCX		5.63	2.82								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.	1		OHD	N8FMX		6.59	3.77	1					1		
	8XX Access Ten Digit Screening, Change Charge Per Request	İ	İ	OHD	N8FAX		8.01	0.96					26.94			
i	8XX Access Ten Digit Screening, Call Handling and Destination							***					-	Γ	1	
	Features			OHD	N8FDX		5.63									
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT	_1	0.00003										
	LIDB Validation Per Query			OQU		0.0134										<u></u>
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26						26.94	26.94		
SIGNALING (C			ļ													
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	40.00	270 00	070.00]				44.05	44.05		
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	18 22 132.83	278.02	278.02					41.35	41.35	ļ	
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message		-	UDB	PIBSA	0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB	+ +	0.00004			 							
	CCS7 Signaling Usage Surrogate, per link per LATA	-		UDB	STU56	338.98			 			-				
	CCS7 Signaling Point Code, per Originating Point Code			000	31030	_330.90								 	-	
	Establishment or Change, per STP affected		1	UDB	CCAPO		40.00	40.00					19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code			000	1000		10.00	10.00					10.00	15.50		
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00	1				19.99	19.99		
E911 SERVICE									†							
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11 24	553.80	89.69					42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69					42.17	12.76		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		i													
	Termination		ļ		_	18.00	137.48	52.58					38.07	38.07		
	Local Channel - Dedicated - DS1 - Zone 1		1			27.05	534.48	462.69					86.15	1.77	ļ	
	Local Channel - Dedicated - DS1 - Zone 2		2			47.94	534.48	462.69					86.15	1.77		
	Local Channel - Dedicated - DS1 - Zone 3	 -	3		1 1	76.32	534.48	462.69	1				86.15	1.77	ļ	ļ
	Interoffice Transport - Dedicated - DS1 Per Mile		-		 	0.5753			ļ.							-
1	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75					38.07	38.07		
CALLING NAM	ME (CNAM) SERVICE		 			71.29	217.17	163.75					38.07	38.07		
CALLING NAI	CNAM For DB Owners - Service Establishment			oov			75.62									
	CNAM For Non DB Owners - Service Establishment		 	ogv	+ +		75.62							 		
	CNAM For DB Owners - Service Provisioning With Point Code		 		1		13.02		 					 		
1	Establishment (Initial)			oqv			2,354.00	2,354.00								
	CNAM For DB Owners - Service Provisioning With Point Code		<u> </u>				2,00 7.00	2,001.00								<u> </u>
1	Establishment (Subsequent)	1		oov	1 1		1,739.00	1,739.00						I		
	CNAM For Non DB Owners - Service Provisioning With Point		Ť –		1 1		.,	.,						t -		
	Code Establishment (Initial)			oqv			1,072.00	1,072.00						1	!	
	CNAM For Non DB Owners - Service Provisioning With Point		T	l	1			,	1					1		1
1	Code Establishment (Subsequent)			oov	1		768.44	768.44						1	1	
	CNAM for DB & Non DB Owners, Per Query		1	OQV	1 1	0.0009592			1					—		
SELECTIVE R	OUTING		T		1				1						1	
	Selective Routing Per Unique Line Class Code Per Request Per				1				1							1
1	Switch	I	1	I	1 1		188.59				I		26.94	12.76	I	1

CIADOIADEE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1	-			Rec	Nonred First	urring Add'l		Disconnect	COMEC	SOMAN	OSS SOMAN	Rates (\$)	COMMAN	001441
VIRTUAL COL	LOCATION		 		-		FIFSt	. A001	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SOMAN	SOMAN
I OOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		-		 				-		1	-				———
İ	Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00		1	19.99	19.99		
PHYSICAL CO		-	—	00.00.00	72.20	U.O.C.	- 00.00	OL.00	0.00	0.00			10.00	15.55		
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1			1										i	1
	Spfitting		1	UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		Į.
AIN SELECTIV	/E CARRIER ROUTING		1													
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query		1	SRC		0.0053758										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															L
	AIN SMS Access Service - Service Establishment, Per State,	1		l	1									_		
	Initial Setup	ļ		A1N	CAMSE		294.77							L		ļ
	AINI SMS Assess Service Deat Commention District			1	CAMPB		00.5.				1	1		1		
	AIN SMS Access Service - Port Connection - Dial/Shared Access	 		A1N	CAMDP		86.94		-		1			_	ļ	
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	<u> </u>	+	A1N	CAM1P		86.94				-			ļ	ļ	1
	ID Code			A1N	CAMAU	1	200.83				l					i
	AIN SMS Access Service - Security Card, Per User ID Code,		-	AIN	CAINAU		200.63									
	Initial or Replacement			A1N	CAMRC		172.05								ŀ	1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	Ally	CAWING	0.0023	172.03				 					ł
· · · · · · · · · · · · · · · · · · ·	AIN SMS Access Service - Session, Per Minute		 			0.0791										
	AIN SMS Access Service - Company Performed Session, Per		_		1	0.0131										
i	Minute					2.08								ł		1
AIN - BELLSO	UTH AIN TOOLKIT SERVICE	1							-					_		
	AIN Toolkit Service - Service Establishment Charge, Per State,	Ť-									<u> </u>					t
	Initial Setup	į.		САМ	BAPSC		290.05		1			ŀ			i	1
	AIN Toolkit Service - Training Session, Per Customer	1			BAPVX		8,363.00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		72.76								l	İ
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per									}						
	DN, Off-Hook Immediate	L	↓		BAPTM		72.76									ļ
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	į													1	ļ
	DN, 10-Digit PODP				BAPTO		149.95				ļ					
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149.95							ì		
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	-		BAPIC		149.95									1
 	DN, Feature Code				BAPTF	1	149.95				1				1	1
	AlN Toolkit Service - Query Charge, Per Query		+		DAFIF	0.02	149.93				 					+
	AfN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit		+			0.02				-	 					
	Subscription, Per Node, Per Query					0.005				-	1					
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		-		†	0.003			-		<u> </u>					
	Account, Per 100 Kilobytes					1.45					1					1
	AlN Toolkit Service - Monthly report - Per AlN Toolkit Service	†			 	1.10										
	Subscription	l		CAM	BAPMS	15.98	71.80				1					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service													-		
1	Subscription	į		САМ	BAPLS	0.08	47.20				1					
	AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service				1											T
	Subscription	L	L	CAM	BAPDS	15.90	71.80		I		1	1		l		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription	<u>L</u>		CAM	BAPES	0.003	47.20		L	L	L		L			
	XTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provision	ed as ' Current	ly Combined' I	Network Eleme	nts.					
EXTEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	TED DS								ļ	ļ			ļ		1
			1 1	UNCVX	UEAL2	14.97	142.97	106.56		t	1		38.07	38.07	1	1

RANDLE	D NETWORK ELEMENTS - North Carolina										,			ment: 2		bit: A
														Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			ļ.	1							Elec	Manually	Manual Svc		Manual Svc	Manual Sy
EGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m			1 1			• • •			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
					l l								1st	Add'I	Disc 1st	Disc Add
											1		1St	Addi	DISC 1St	DISC Add
T							Nonrec	urring	Nonrecurring	Disconnect	T		oss	Rates (\$)		
			†		-	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		 	GHOVA	00,42	70.01	112.07	100.00				_		- 00.01		
	per month	l		UNC1X	1L5XX	0.5753							İ			
	Interoffice Transport - Dedicated - DS1 combination - Facility		 	ONCIA	TLS/CA	0.5755								ļ.———		
	Termination per month	l		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channelization System in combination Per Month	-	1	UNC1X	MQ1	146,69	197.78	140.06			1		36.07	36,07		
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	1.27	13.09	9.38			 			-		
	Voice Grade COCF - Per Month		_	UNCVA	IDIVG	1.27	13.09	9.38			 					
			Ι.		I											
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		11	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		ŀ			1						1			I		1
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
														1		
\perp	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56			L		38.07	38.07	<u> </u>	<u> </u>
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38			T					
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	ĺ		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	ļ	ĺ
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTE	ROFFICE TRANS	PORT											
		T	T											 		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1	UNCVX	UEAL4	21.32	288.47	237,45					38.07	38.07		
_	That 4 Wile / Vicing Voice Grade 200p in Combination 2016		L .	ONOTA	02,421	£1.0£	200.41	207.40			<u> </u>		00.07			
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45			1	1	38.07	38.07		
	First 4-vite Atlandy voice Grade Loop in Combination - Zone 2	 	 _	UNCVA	UCAL4	30.27	200.47	237.43			-		30.07	30.07		
	F: 1115 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				UEAL4	50.57	000 47	207.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	36.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1		1						1					
	Per Month		<u> </u>	UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	i													
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	146.69	197.78	140.06								
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	Τ													
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	21.32	288.47	237.45	i			1	38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	36.27	288.47	237.45			ı		38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1								1					
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL4	56.57	288.47	237.45	1			1	38.07	38.07		
	Additional Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	1.27	13.09	9.38			<u> </u>					
	Nonrecurring Currently Combined Network Elements Switch -As-		 											 		
İ	Is Charge	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96	ŀ		38,07	38.07		
EYTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				21.75	21.75	32.20	10.30	<u> </u>		30.07	30.07		
LAIE	TOTAL TANKE SO KEES EXTENDED DIGITAL LOOP WITH DEDIC	-A.ED	JOIN	LICKOFFICE IRA	- OKI				 		 		 	 	 	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	l	1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		•
	First 4-vvire bokops Digital Grade Loop in Combination - Zone 1		ļ'	UNCDX	UDLSO	25.32	409.04	337.51					36.07	30.07		
Į.			١													Į.
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
		1							ł I			ĺ		1		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	L	3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
i	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1						1					1		
	Per Month		1	UNC1X	1L5XX	0.5753			il						l	
	Interoffice Transport - Dedicated - DS1 - combination Facility	1														
	Termination Per Month	1		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	!	
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					ļ			
	OCU-DP COCI (data) per month (2.4-64kbs)		T	UNCDX	1D1DD	2.00	15.76	11.28					I	1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1										1		1		T	
	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	25.32	489.04	337.51			1		38.07	38.07	1	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	+	CQD/	100230	20.02	400.04	007.01			†		55.01	1-00.07	 	
ı	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			1		38.07	38.07	I	l .
-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	 '	UNCDA	UDLS	43,11	469.04	337.51			ļ		36.07	36.07		
				LINGEN		07.65	100.5	007.			ŀ	i	00.07	20.07	I	1
	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	67.26	489.04	337.51			!		38.07	38.07	-	
	Additional OCU-DP COCI (data) - in combination per month (2.4-	1	1		1 1	i			1		1		I		1	1
	64kbs)	l .	1	UNCDX	1D1DD	2.00	15.76	11.28	1 1		1	ı	I	1	1	i

Version 3Q03: 11/12/2003 [CCCS Amendment 234 of 308]

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			-			Rec	Nonrec First		Nonrecurring First	Disconnect	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-						FIFST	Add'I	FIFSt	Add'l	SUMEC	SUMAN	SUMAN	SOWAN	SOWIAN	SUMAN
	Is Charge	ł		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51				1	38.07	38.07		
	51		_		UD. CA	40.44	400.04	007.54				-		20.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		⊢ -	ONODA	ODEO!	07.20	100.01	007.01						- 00.01		
	Per Month			UNC1X	1L5XX	0.5753						1		İ		
	interoffice Transport - Dedicated - DS1 combination - Facility													Ī		
	Termination Per Month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75			ļ	1	38.07	38.07		ļ
	1/0 Channel System in combination Per Month	L		UNC1X	MQ1	146.69	197.78	140.06			1					
	OCU-DP COCt (data) - in combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDX	1D1DD	2.00	15,76	11.28				-				
1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	<u> </u>	UNCDA	ODEO4	25.52	403.04	337.31					30.07	- 30.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									*						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28			ļ					
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				21.73	21.73	32.20	10.90	-	-	30.07	36.07		
EXIL	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	47,60	714.84	421,47					38.07	38.07		
1	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47	- i				38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															ļ
	Per Month			UNC1X	1L5XX	0.5753								<u> </u>		
1	Interoffice Transport - Dedicated - DS1 combination - Facility			LIBIOAN		74.00	247.47	400.75					38.07	38.07		
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	71.29	217.17	163.75					38.07	36.07		+
İ	Is Charge			UNC1X	UNCCC	İ	21.75	21.75	32.28	10.96			38.07	38.07		
EXTÉ	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				21.70	21.70	32.20	10.50			00.07	00.0		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 2	l	2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	ļ	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGSV	11.500	40.00						İ	1	1		
	Per Month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720.38	794.94	579.55			1		38.07	38.07		
	3/1Channel System in combination per month		 	UNC3X	MQ3	233.10	403.97	234.40			 	 	30.07	30.07	l .	
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38			t			t	l'	
	Additional DS1Loop in DS3 Interoffice Transport Combination -									<u> </u>			1			
	Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -						l				1					
	Zone 2	ļ	2	UNC1X	USLXX	84.36	714.84	421.47			<u> </u>		38.07	38.07		ļ. —
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	1	
	Additoinal DS1 COCI in combination per month		3	UNC1X	UG1D1	16.07	13.09	9.38			 	 	36.07	36.07	 	
	Nonrecurring Currently Combined Network Elements Switch -As-			51.51X	100101	10.07	13.03	3.30			 	 			1	
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE	ROFFICE TRANS	PORT											
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56			ļ	ļ				<u> </u>
l l	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56	L	L	l	l		<u>L</u>		

NBO	NULE	D NETWORK ELEMENTS - North Carolina		,								·		1	ment: 2		ibit: A
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR			Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
T				-				Nonre	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)	l	L
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	18 00	137.48	52.58		TO ANDREAD IN THE REAL PROPERTY.			38.07	38 07		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	E INTE				21.73	21.73	32.20	10.30			36.07	30.07		
		4-WireVG Loop in combination - Zone 1	l		UNCVX	UEAL4	21.32	288.47	237,45			 		-			1
		4-WireVG Loop in combination - Zone 2	İ	2	UNCVX	UEAL4	36.27	288.47	237.45			1					
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45	1							
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	l .									1					
		Month			UNCVX	1L5XX	0.0282										
		Interoffice Transport - 4-wire VG - Dedicated - Facility													•		!
		Termination per month			UNCVX	U1TV4	22.16	106.11	65.95			ļ		38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1			l i					i				İ		1
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96	ļ		38.07	38.07		
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		L						ļ					ļ
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										
- 1						l											
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month	ļ		UNC3X	1L5XX	12.98										
į		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1			ļ I	i										
		Is Charge		<u></u>	UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFI								_					
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33										
- 1		STS-1 Local Loop in combination - Facility Termination per				1 . 1											İ
		month			UNCSX	UDLS1	464.26	1,071.00	646.12								
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility				i I				1					ĺ		
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
		Is Charge		ł	UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS			<u> </u>											
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		!
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		<u> </u>
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31			ļ		38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - per mile				l									}		
		per month			UNC1X	1L5XX	0.5753					ļ			ļ		ļ
- 1		Interoffice Transport - Dedicated - DS1 combination - Facility				l !						1			1		
		Termination per month			UNC1X	U1TF1	71.29	217.17	163.75			<u> </u>		38.07	38.07		
		1/0 Channel System in combination - per month			UNC1X	MQ1	146.69	197.78	140.06								ļ
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28								
- 1		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.		1 1					İ						1
		Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31			ļ		38.07	38.07		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2			LINGAN		20.00	205.04									
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	32.88	325.91	251.31		-			38.07	38.07		
				١.,	LINCALV	luar av	54.44	205.04	054.04					20.07	20.07		
		Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	51.14	325.91	251.31	1	-	<u> </u>		38.07	38.07		+
		Imonth		Ì	LINGALY		0.50	45.70	44.00								
			<u> </u>	-	UNCNX	UC1CA	3.59	15.76	11.28	-	-	<u> </u>	L	H	l		
i		Nonrecurring Currently Combined Network Elements Switch -As-															1
	CVTC	Is Charge	L	4 111=	UNC1X	UNCCC		21.75	21.75	32.28	10.96	1		38.07	38.07	-	+
	EXIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS								ļ	ļ			l		
		First DS1 Loop Combination - Zone 1	ļ	1	UNC1X	USLXX	47.60	714.84	421.47			ļ <u>.</u>		38.07	38.07		
		First DS1 Loop Combination - Zone 2	ļ		UNC1X	USLXX	84.36	714.84	421.47	ļ		ļ		38.07	38.07		ļ
		First DS1 Loop Combination - Zone 3	I	3	UNC1X	USLXX	134.29	714.84	421,47			1	l	38.07	38.07	l	1

JNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
				i							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
MILGORI	KATE CEEMENTS	m	Lone	500	0000			(+,			per Lak	per Lor		Electronic-		Electronic
			1		1								Electronic-	P.	Electronic-	1
			ļ		1								1st	Add'l	Disc 1st	Disc Add'
			-				Nonrec	rin.a	Nonrecurring	Disconnect			000	Rates (\$)		1
			-			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	-		1		FIFST	Addi	FIFSt	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	l	ļ.]				l	
	Per Month	<u> </u>		UNCSX	1L5XX	6.14										,
	Interoffice Transport - Dedicated - STS-1 combination - Facility		!		1											
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month	I	T	UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in the same STS-1 Interoffice Transport						•	-								
	Combination - Zone 1		1 1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport	 			100						 					
	Combination - Zone 2	i	2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		+	+-	OI4G IA	JOLAA	04.30	7 14.04	421.47			 		30.07	30.07	+	
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	_	LINICAY	Luci VV	404.00	74401	404 47					20.07	38.07	l	1
	Combination - Zone 3	-	3	UNC1X	USLXX	134.29	714.84	421.47			<u> </u>		38.07	38.07	-	
	DS1 COCI in combination per month	L	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38						l		ļ
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ŀ
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1	T	1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2	T	2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3	t		UNCDX	UDL56	67.26	489.04	337.51							·	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	 	 -	ONODA	ODESO	01.20	400.04	007.01			 			-		t
	Per Mile per month	l		UNCDX	1L5XX	0.0282								ļ		
		1		UNCDX	ILSAA	0.0202										
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	-			i											
	Facility Termination per month	<u> </u>		UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1											!		
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	3PS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I	1	UNCDX	UDL64	25.32	489.04	337,51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51	,							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1						***					-
	Per Mile per month			UNCDX	1L5XX	0.0282	1									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	+		UNODA	TICOAK	0.0202					-				 	1
		ĺ		UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07	į	
	Facility Termination per month			UNCDA	UTIDO	17.40	137.46	32.30					36.07	36.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1											i
	ls Charge	<u> </u>		UNCDX	UNCCC		21.75	21.75	32.28	10.96	ļ		38.07	38.07	ļ	
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP										=.				
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14,97	142.97	106.56					38.07	38.07		L
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106 56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	T	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	i i	i										1	1		1
	Mile	1	1	UNC1X	1L5XX	0.5753	l				1		I	1	1	1
 	First Interoffice Transport - Dedicated - DS1 combination -	\vdash	1	5.107/	1.50.00	3.5755					t			t -	 	t
		1	1	LINCAV	U1TF1	71.00	217.17	163,75			1	1	38.07	38.07		1
 	Facility Termination per month	 	1	UNC1X		71.29					ļ		30.07	36.07		+
	Per each DS1 Channelization System Per Month	!	1	UNC1X	MQ1	146.69	197.78	140.06			_			ļ	ļ	
	Per each Voice Grade COCI - Per Month per month	1	_	UNCVX	1D1VG	1.27	13.09	9.38		L						ļ
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40						L		ļ
	Per each DS1 COCt in combination per month	1	1.	UNC1X	UC1D1	16.07	13.09	9.38							L	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	ĺ									I				
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.97	142.97	106.56				1	38.07	38.07		1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1			1						1					
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	25.93	142.97	106.56			1	l	38.07	38.07		1
+	Each Additional 2-Wire VG Loop(SL2) in the same DS1	 	+	5.101//	ULITE	20.00	192.31	100.00			1		30.07	+ 30.07		+
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56			1	1	38.07	38.07		
		1	3							ļ	 		38.07	38.07		
	Each Additional Voice Grade COCI in combination - per month	-		UNCVX	1D1VG	1.27	13.09	9.38			 		-	.	-	
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			1				l i			l			1	
	Channel System per month	L	<u> </u>	UNC1X	1L5XX	0.5753					L			L		1
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1								1					
LI	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	71.29	217.17	163.75			1	1	38.07	38.07		
	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	16.07	13.09	9.38			†			T	1	T .

[CCCS Amendment 237 of 308]

TOORDEE	D NETWORK ELEMENTS - North Carolina		_		1 1	_		_			Sup O-4	C O-4-		ment: 2	Incremental	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zorre	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -	Charge
													1st	Add'I	Disc 1st	Disc Ad
						Rec	Nonrec		Nonrecurring					Rates (\$)		SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	1		38 07	38.07		
EXTEN	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				21.70	21.70	02.20	10.50			50 01	00.01		
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1						7							
	Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45			1		38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					36.07	30.07		
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38	1							1
i i	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234 40	i i							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13 09	9.38								6
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1_	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															17
1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in				==.								00.07	00.07		
4	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		-
1	Additional Voice Grade COCI - in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	1D1VG	1.27	13.09	9.38						_		+
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				21.70	21.70	02.20	10.00				00.0.		_
EXTEN	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	IIII EILC	11102	TRAITO ONT W/ S	7.1						1					1
	Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	33751					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					130010	115							Useco		
	Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		1
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			LINCAY	U1TF1	71.29	217.17	163.75					38.07	38.07		
-	Per each 1/0 Channel System in combination Per Month			UNC1X UNC1X	MQ1	71.29 146.69	197.78	163.75	 				30.07	30.07		+
+	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	I1D1DD I	2.00	15.76	11.28								+
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								1
+	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38						i		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								İ
	Cannot System per month			UNC1X	1L5XX	0.5753	13.70	11.20								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	16.07	13.09	9.38					22.51			

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			<u> </u>				Nonrec	urring	Monrocurrin	Disconnect		L	066	Rates (\$)	l	
	1					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-						17701	,,,,,,		7.44						
ļ	Is Charge			UNC1X	UNCCC	1	21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	NTERO	FFICE	TRANSPORT w/ 3/	1 MUX											
i	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				UDI CA	40.44	400.04	227.54					20.07	20.07		
	Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			ļ		38.07	38.07	-	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337,51					38.07	38.07	ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNCDA	ODE04	07.20	409,04	337.31			 	 	30.07	30.07	· · · · · ·	
	Mile Per Month			UNC1X	1L5XX	0.5753	į				i			1	!	l
	First Interoffice Transport - Dedicated - DS1 combination -		 											l		
	Facility Termination Per Month		l	UNC1X	U1TF1	71.29	217.17	163.75	l				38.07	38.07		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146,69	197.78	140.06								
	Per each OCU-DP COCI (data) in combination - per month (2.4-			I	1						1					
ļ	64kbs)		ļ	UNCDX	1D1DD	2.00	15.76	11.28			-			<u> </u>		
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10 16.07	403.97	234.40 9.38				-		<u> </u>		
 	Per each DS1 COCI in combination per month Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		├	UNC1X	UC1D1	16.07	13.09	9.38				ļ		l	 	
ľ	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51		1			38.07	38.07		
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	OHCDX	CDLO	20.02	405.04	337.31					00.07	007		
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07	Ĭ	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1										1	1				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	2.00	15.76	11.28						<u> </u>		
	Each Additional DS1 Interoffice Channel per mile in same 3/1									1				-	1	
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.5753						<u> </u>		ļ		
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	1	
\vdash	Each Additional DS1 COCI in the same 3/1 channel system		1	UNCIA	UTIL	71.23	217.17	100.75					30.07	50.07		
	combination per month		ĺ	UNC1X	UC1D1	16.07	13.09	9.38				ł				
	Nonrecurring Currently Combined Network Elements Switch -As-			7						-						
!!!	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	l		38.07	38.07		<u> </u>
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								l	İ			l	00.07		
	Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	l	2	UNCNX	U1L2X	32.88	325.91	251.31			1	1	38.07	38.07		
\vdash	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	+-	OINCINA	UTEZA	32.68	323.91	231.31	 		+	 	30.07	30.07		
	Transport - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31	1			1	38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	G/VG/V/	UNLER	0,,,,	OLOIO!	201101				 		-		
	Mile per month			UNC1X	1L5XX	0.5753			ļ					l		
	First Interoffice Transport - Dedicated - DS1 combination -		1										Ī			Ī
	Facility Termination per month		l	UNC1X	U1TF1	71.29	217.17	163.75				I	38.07	38.07		ļ
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.69	197.78	140.06								
_							45			1		1	1	1		1
\vdash	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.59	15.76 403.97	11.28 234.40		-	-	 		 		ļ
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	233.10 16.07	13.09	9.38			<u> </u>	ļ		-	 	
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	UNCIA	TOC ID I	16.07	13.09	9.38	 		+	 		 		
1 1	Combination - Zone 1	l	1	UNCNX	U1L2X	19.42	325.91	251.31]		1	1	38.07	38.07		
l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	<u> </u>	5.10/1/	- CILLA	15.42	020.01	201.01		<u> </u>	1		00.57	1		
	Combination - Zone 2	l	2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07	l	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l	T								1					
LL.	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	51.14	325.91	251.31	<u> </u>	ļ			38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel												1	1		1
1 1	system combination- per month		I	UNCNX	UC1CA	3.59	15.76	11.28	L	1	l		l		L	

RONDLE	D NETWORK ELEMENTS - North Carolina	,	·	.,							,		·	ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			 -			I	Nonrec	urrina	Nonrecurring	Disconnect	 		OSS	Rates (\$)	L	L
			1 -			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															İ
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	Į.	
	Each Additional DS1 COCI in the same 3/1 channel system											1				
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38						l		
	Nonrecurring Currently Combined Network Elements Switch -As-		ŀ		1 1											
	Is Charge	l	<u></u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u>L</u>
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1			UNC1X	USLXX	47 60	714.84	421.47					38.07	38.07		
-+-	First 4-wire DS1 Digital Local Loop in Combination - Zone 2 First 4-wire DS1 Digital Local Loop in Combination - Zone 3			UNC1X	USLXX	84.36	714.84	421.47		*****	├ ——∫		38.07	38.07	ļ	
	First 14-wire DS1 Digital Looal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		1 3	UNC1X	USLXX	134.29	714.84	421,47					38.07	38.07	_	
	Mile Per Month			UNC1X	1L5XX	0.5753										1
	First Interoffice Transport - Dedicated - DS1 combination -			0.4017	ILUAA	0.5755					├			 	 	-
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	l	
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234,40					30.07	30.07		-
	Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38		~			<u> </u>		f	<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
İ	Channel System per month		1	UNC1X	1L5XX	0.5753									:	
	Each Additional DS1 Interoffice Channel Facility Termination in						-				1					
_ i	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system		1		1								00.01		·	
	combination per month			UNC1X	UC1D1	16 07	13.09	9.38	[[[ĺ	1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	47.60	714.84	421.47			lI		38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone					Į					I					
	2		2_	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone				1						! i					
	Nonreas and Comments Comments of the All All All All All All All All All Al		3	UNC1X	USLXX	134.29	714.84	421.47			11		38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			l moss							1		_			
EYTE	NOED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DSO IN	UTERO	FEICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIERO		UNCDX	UDL56	25.32	489.04	337.51			l					ļ
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			l					
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		<u> </u>	DI T ODX	ODE30	07.20	403.04	337.31			f · · · · · · · · · · · · · · · · · · ·					
	per month			UNCDX	1L5XX	0.0282					l ,					
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		-		120701	0.0202										
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-		1											55.51		
_	Is Charge		l	UNCDX	UNCCC	J	21.75	21.75	32.28	10.96			38.07	38.07		
EXTER	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 IN	NTERO	FFICE	TRANSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	43.11	489,04	337.51			+					
	First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	67.26	489.04	337.51								
1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month		ļ	UNCDX	1L5XX	0.0282					L					
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				1	T					-7					
	Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		l	LINGDY	LINGS											
DITIONAL	IS Charge NETWORK ELEMENTS		<u> </u>	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
		na che-	acc	not apply but -	Switch A-1-		h									
When	used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, th	ng cnar	yes ac	no charges ac-	owitch As is ch	arge does app	iy.									
Manag	curring Currently Combined Network Elements in All States, the	Charge	(One a	ng unarges apply	mbination)	As is Unarge d	oes not.		———— -							
	Carriery Combined Network Lientents SWICH AS IS	unarye	/One a	hbues to eacu co	inumation)											
Nonre	Nonrecurring Currently Combined Network Elements Switch -As-			1	1 1	1										

NBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	•			Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96		i	26.94	12.76		i
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Option	nal Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		oı	01	oı	01						
	Clear Channel Capability Super FrameOption - per DS1	ı		U1TD1, ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		or	01	оі	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.76S	23.8\$	1.99S	0.78S			26.94	12.76		
	C-bit Parity Option - Subsequent Activity - per DS3	i	ļ	UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
MULT	IPLEXERS DS1 to DS0 Channel System per month			UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per												20.94	12.76		
	month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UDL	1D1DD	2.00	13.09	9.38								
	month (2.4-64kbs) used for connection to a channelized DS1			บารบอ	4D4DD	2.00	13.09	9.38								
_	Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		<u> </u>	01100	1D1DD	2.00	13.09	9.38								
	month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
i i	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38		·						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38	-							
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38						10.70		
	DS3 to DS1 Channel System per month		-	UNC3X	MQ3	233.10	403.97	234.40					26.94	12.76 12.76		
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX	MQ3 UC1D1	233.10 16.07	403.97 13.09	234.40 9.38	· · · · · · · · · · · · · · · · · · ·				26.94	12.76		
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		+	USL	OCIDI	10.07	13.09	9.36			 					
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	16.07	13.09	9,38		<u> </u>		<u></u>	<u></u>			
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	16.07	13.09	9.38								
													26.94 26.94	12.76 12.76		
	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports						ļ									
	: Although the Port Rate includes all available features in GA, I	(Y, LA	& TN, (he desired features	will need to b	oe ordered usi	ng retail USOC	s	ļ			ļ		ļ		
2-WIR	E VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2,19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
	2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60								

Version 3Q03: 11/12/2003 Page 175 of 227

INBUNDL	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Disc Add
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
Į.	North Carolina	1	1	UEPSR	UEPRY	2,19	21.60	21.60		1		l .				
	Subsequent Activity	1		UEPSR	USASC	0.00	0.00	0.00		 			26.94	12.76		
EEA	ATURES	+		OLI OIL	00/100	0.00	0.00	0.00		-			20.01		1	
	All Available Vertical Features	 		UEPSR	UEPVF	3.40	0.00	0.00		+	 		26.94	12.76		
2 180	WIRE VOICE GRADE LINE PORT RATES (BUS)	+	 	OLI OIL	OCI VI	3.40	0.00	0.00		+			20.54	12.70		
2-44	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		ļ								 	<u> </u>		 		+
	Bus	ļ		UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with		1										00.04	40.70		1
	unbundled port with Caller+E484 ID - Bus.	+	ļ	UEPSB	UEPBC	2.19	21.60	21.60		1		<u> </u>	26.94	12.76	ļ	1
				LIEBOR						1				10		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	ļ	UEPSB	UEPBO	2.19	21.60	21.60		4			26.94	12 76	ļ	
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID	+	-	OLI OD	02.01	2.70	21.00	27.00		 			20.01	12		
	Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		1
		<u> </u>		UEPSB	USASC	0 00	0.00	0.00		+	 	ļ	20.54	12.70		
	Subsequent Activity			UEPSB	USASC	0 00	0.00	0.00		·				 		
FEA	ATURES		-	HEDOD	LIE EN E	0.40	0.00	0.00		 			26.94	12.76		
	All Available Vertical Features	ļ		UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXC	(CHANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPPC	2,18	21.60	21.60		ļ			26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	T		UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76	1	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		00.00	102.7 7 12		2.700				·					
	Administrative Calling Port	i		UEPSP	UEPXL	2.18	21.60	21.60			1		26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	<u> </u>	02. 0.	DEI 74	20	27.00	21.00		-				1		
	Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		 	OLI GI	JOCT AND	2.10	21.00	21.00			-		20.01	1	1	1
	Discount Room Calling Port		1	UEPSP	UEPXO	2.18	21.60	21.60	1		ł		26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	+		UEPSP	UEPXS	2.18	21.60	21.60		 	·		26.94	12.76	 	1
	Subsequent Activity	1	1	UEPSP	USASC	0.00	0.00	0.00	-	1	 		26.94	12.76	†	+
EFA	ATURES	+	 	OLF OF	JUNGO	0.00	0.00	0.00	 -		 	<u> </u>	20.34	12.70		
FEA		+		UEPSP UEPSE	UEPVF	3.40	0.00	0.00	<u> </u>		 		26.94	12.76	 	
Eve	All Available Vertical Features	+	ł	UEPOP UEPSE	JOEP VF	3.40	0.00	0.00	 		1		20.94	12.76	+	+
- EXC	(CHANGE PORT RATES (COIN)	 	₩		 	0.50	04.00	04.00	l		 			12.76	1	+
	Exchange Ports - Coin Port	1	<u> </u>	L <u></u>	<u> L</u>	2.59	21.60	21.60	<u></u>	<u>. </u>		. ,	26.94	12.76	 	
	OTE: Transmission/usage charges associated with POTS circuit													1	<u> </u>	1
INOT	OTE: Access to B Channel or D Channel Packet capabilities will be	e availal	pie only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	letermined via	ne Bona Fie	e Request/	New Busines	s Request Pro	ocess.	+
	ED LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>		ļ					-	 			<u> </u>	-	+
	(CHANGE PORT RATES	1	1	L	L	<u> </u>			L	I	L	L	L	L	ļ	+
	e DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire I											riff rates or	a separate ag	reement.	 	+
Req	equests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect						ent or tariff at	t BellSouth's d	iscretion.				 	
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	81.84	81.84	ļ		<u> </u>	L	26.94	12.76	L	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					1				1	1	1	1	1		i
	capability (E:4/1/2004)	1	1	UEPDD	UEPDD	123.65	116.59	69.92		1	<u> </u>	L	26.94	12.76		
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	İ		UEPTX, UEPSX	U1PMA	24.50	62.29	62.29		T		1	55.30	55.30		
	All Features Offered	1		UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	†	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		1	1			1		
NOT	OTE: Transmission/usage charges associated with POTS circuit	witched	usage				circuit switch	ed data transn	ission by B-C	hannels assoc	iated with 2	wire ISDN :	ports.	1		
				2.22 222.7 10 0											•	1
NOT	OTE: Access to B Channel or D Channel Packet capabilities will b	e availal	hle onb	v through RFR/New	Business Re	equest Process	Rates for the	nacket canabi	lities will be d	letermined via t	the Bona Fi	de Reauest/	New Busines	s Request Pro	ocess.	

Page 176 of 227

					-									ment: 2	EXIII	bit: A
ΓEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC	ō		RATES (\$)				Svc Order Submitted Manually perLSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Ordervs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1,00	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			LIEBEN	LEDEN	470.75	044.60	044.60					52.00			
_	Locator Capability (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-	_	UEPEX UEPDX	UEPEX	179.75 179.75	241.63 241.63	241.63 241.63			-		53.89	53.89		
_											_		53.89	53.89		1
	Physical Collocation - DS1 Cross-Connects	1		UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					20.04	10.70		
Detail	ed E911 with Locator Capability (required with UEPEX port)	-		DEPEX DEPUX	CINCIA	0.97	71.02	31.06					26.94	12.76		
Detaile	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-														-
	Locator Capability - Initial Profile Establishment per CLEC per State			U Ē PEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports. 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12 76		
New c	r Additional PRI Telephone Numbers					0.00							20.54			
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in															
+	E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
_	Locator Capability - Ouldial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]		_	UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		ļ
LOCA	L NUMBER PORTABILITY			HEDEK HEDDY		4.76										
INITEE	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					1					
INTER	Voice/Data		_	UEPEX	PR71V	0.00	0.00	0.00			_		26.94	12.76		
	Digital Dala			UEPEX	PR71D	0.00 [0.00	0.00					26.94	12.76		
_	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
New c	r Additional Channel			OLI DX	I K/IL	0.00	0.00	0.00					20.54	12.70		
III O	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
_	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		<u> </u>
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Useage Sensitive Voice Data 'B" Channel			UEPEX	PR7BS	0.00	00.02						26.94	12.76		
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00							26.94	12.76		
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	36.92					k 1	26.94	12.76		
CALL	TYPES															i —
	Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00					26.94	12.76		
	Outward			UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00			-		26.94	12.76		
UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	'														
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
-	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InIraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-R	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40					20.54			
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Charles of Harris Carry Granding Co. Heart was Carring Edu															

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge -	Incremental Charge -		
	 					Nonro	curring	Monroquerin	ng Disconnect	ļ	Ĺ	066	Rates (\$)		l
	 	+	 		Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Remote Call Forwarding Service, InterLATA - Bus	1	-	UEPVB	UERTE	2.19	21.60	21.60	FIFSI	Addi	SUMEC	SUMAN	26.94	12.76	SUMAN	SUMAN
Unbundled Remote Call Forwarding Service, IntraLATA - Bus	·		UEPVB	UERTR	2.19	21.60	21.60		 			26.94	12.76		
Unbundled Remote Call Forwarding Service, infracArA - Bus			OLF VB	ULKIK	2.13	21.00	21.00		+	 		20.94	12.70		
Exception Local Calling	I		UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76]
Non-Recurring	1	-	OLF VB	DEKVS	2.19	21.00	21.00		-	1		20.94	12.70		
Unbundled Remote Call Forwarding Service - Conversion -	1	+		+-	-				+				 		
Switch-as-is			UEPVB	USAC2	į	2.77	0.40					26.94	12.76		
Unbundled Remote Call Forwarding Service - Conversion with	1	_	OLI VO	00.102		2.17	0.70			 		20.01	12.70		
allowed change (PIC and LPIC)	İ		UEPVB	USACC		2.77	0.40								l
INBUNDLED LOCAL SWITCHING, PORT USAGE		-	02. 10	10000	1	2.7,				· · · · · · · · · · · · · · · · · · ·					_
End Office Switching (Port Usage)	1	 	1	1				-	1				<u> </u>		
End Office Switching Function, Per MOU	1	+		<u> </u>	0.0015				1	†			<u> </u>		
End Office Trunk Port - Shared, Per MOU	†	†			0.00023		·	_	1						<u> </u>
Tandem Switching (Port Usage) (Local or Access Tandem)	1	1	1	1					1	<u> </u>		-	r -		l
Tandem Switching Function Per MOU	1		l .	1	0.0006				T				Ι		
Tandem Trunk Port - Shared, Per MOU	T	1		1	0.0003				1	1					
Tandem Switching Function Per MOU (Melded)		1		Ť	0.00024618				1						l
Tandem Trunk Port - Shared, Per MOU (Melded)	1				0.00012309										
Melded Factor: 41.03% of the Tandem Rate															
Common Transport															
Common Transport - Per Mile, Per MOU	1				0.00001										
Common Transport - Facilities Termination Per MOU					0.00034			_		1					· · ·
NBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC a	nd/or St	tate Co	mmission rule to pr	ovide Unbur	dled Local Swi	tching or Swit	ch Ports.								
															
Features shall apply to the Unbundled Port/Loop Combination - Co	st Basec	d Rate :					lone Unbundl								
End Office and Tandem Switching Usage and Common Transport U	st Based sage rat	d Rate : tes in ti	he Port section of th	nis rate exhib	it shall apply to	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur	st Based sage rat	d Rate : tes in ti	he Port section of th	nis rate exhib	it shall apply to	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage rat	d Rate : tes in tl	he Port section of th	nis rate exhib	it shall apply to	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates	st Based sage rat	d Rate : tes in ti combine	he Port section of th	nis rate exhib	it shall apply to ined Combos ti	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	d Rate : tes in ti combine	he Port section of th	nis rate exhib	it shall apply to ined Combos to 13.03	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat	d Rate : tes in the combine 1	he Port section of th	nis rate exhib	it shall apply to ined Combos to 13.03 21.33	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	st Based sage rat	d Rate : tes in ti combine	he Port section of th	nis rate exhib	it shall apply to ined Combos to 13.03	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates	st Based sage rat	d Rate : tes in the combine 1 2 3	he Port section of the Combos. For Cu	nis rate exhib rrently Comb	13.03 21.33 32.61	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage rat	d Rate stes in the combine of the co	he Port section of the Combos. For Cu	nis rate exhib rrently Comb	13.03 21.33 32.61	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage rat	d Rate stes in the combined of	ne Port section of the Combos. For Cur	UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage rat	d Rate stes in the combined of	he Port section of the Combos. For Cu	nis rate exhib rrently Comb	13.03 21.33 32.61	all combinati	lone Unbundlons of loop/po	rt network ele	ements except	for UNE Coi					
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3	st Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	o all combinati	Jone Unbundl ons of Joop/pc g charges sha	rt network ele	ements except	for UNE Coi		Combined se	ections.		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	d Rate stes in the combined of	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	p all combinations nonrecurring property of the property of th	lone Unbundi ons of loop/pc g charges sha	rt network ele	ements except	for UNE Coi		Combined se	ections.		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - zone 3 2-Wire Voice Grade Loop (SL1) - zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	st Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	it shall apply to ined Combos th 13.03 21.33 32.61 10.75 19.05 30.33	p all combination nonrecurring 79.59	lone Unbundle ons of loop/pc g charges sha	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	st Based sage rat	d Rate stes in the combined of	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	p all combinations nonrecurring property of the property of th	lone Unbundi ons of loop/pc g charges sha	rt network ele	ements except	for UNE Coi		Combined se	ections.		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence [2-Wire voice unbundled port untip Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundles res, low usage line port with Caller ID	st Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	13.03 21.33 32.61 10.75 19.06 30.33 2.28 2.28 2.28	79.59 79.59	lone Unbundlens of loop/pc g charges sha 63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbunded port residence [2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res [LUM]	st Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	it shall apply to ined Combos th 13.03 21.33 32.61 10.75 19.05 30.33	p all combination nonrecurring 79.59	lone Unbundle ons of loop/pc g charges sha	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port States (Res) [2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID	st Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRC UEPRO	t shall apply to the Combos to	79.59 79.59	63.97	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) [2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	13.03 21.33 32.61 10.75 19.06 30.33 2.28 2.28 2.28	79.59 79.59	lone Unbundlens of loop/pc g charges sha 63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59 79.59	63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port States (Res) [2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID Capability, North Carolina	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRC UEPRO	t shall apply to the Combos to	79.59 79.59	63.97	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled End to Sund Sund Sund Sund Sund Sund Sund Sund	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT	it shall apply to ined Combos to 13.03 21.33 32.61 10.75 19.06 30.33 2.28 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller in port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59 79.59	63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port (Res) [2-Wire voice unbundled port ersidence 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPRT UEPRZ UEPRZ UEPRY	it shall apply to ined Combos II 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port utgoing only - res 2-Wire voice unbundled port utgoing only - res 2-Wire voice unbundled Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 3-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT	it shall apply to ined Combos to 13.03 21.33 32.61 10.75 19.06 30.33 2.28 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18	9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina [2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina [3-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina [4-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina [5-EATURES] [5-WIRE Voice Grade Unbundled Port without Caller ID capability, North Carolina	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPRO UEPRT UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port (Res) [2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 1	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPRT UEPRZ UEPRZ UEPRY	it shall apply to ined Combos II 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port ungoing only - res 2-Wire voice unbundled port usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 1	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPRO UEPRT UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 5-EATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Basec	d Rate stes in the combined of	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port (Res) [2-Wire voice unbundled port ersidence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 5-EATURES All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPRO UEPRT UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina FEATURES All Features Offered LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port)] NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPRZ UEPRY UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina [2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina FEATURES [All Features Offered] LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port)] NORRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change	st Basec	d Rate stes in the combined of	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina FEATURES All Features Offered LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port)] NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion	st Basec	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPRZ UEPRY UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97	rt network ele	ements except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		

וטאט	LEC	NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	bit: A
GORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
								N		I N	- D'					DISC 1St	Disc Auc
+	\dashv						Rec	Nonrec First	uming Add'i	First	g Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
ADI	DITIC	ONAL NRCs															
1		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
1		Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User										1			40.70	0.00	0.
-		Premise PREMISES EXTENSION CHANNELS		ļ	UEPRX	URETL		8.33	0.83		ļ			26.94	12.76	0.00	0.
UFF		2 Wire Analog Voice Grade Extension Loop Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37		 			26.94	12,76	0.00	0.
+		2 Wire Analog Voice Grade Extension Loop – Non-Design		<u> </u>	UEPRX	UEAEN	21.24	57.99	42.37			 		26.94	12.76	0.00	0.
+		2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37		 	1		26.94	12.76	0.00	0
+		2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.97	142.97	106.56		 	 		26.94	12.76	0.00	1 0
+		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56	-		 		26.94	12.76	0.00	1 0
+		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106,56			 		26.94	12.76	0.00	1 0
INT		FFICE TRANSPORT	\vdash	+	GENA	GENED	40,01	192,37	100.30		 	ļ		20.54	12.70	0.00	<u> </u>
11911		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	\vdash		1					<u> </u>	 		 			
1		Termination	l		UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07		1
+		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<u> </u>	ļ	OLI IX	OTIVE	10.00	137.40	52.50		1	 		00.07	00.07		
		or Fraction Mile		1	UEPRX	U1TVM	0.0125	0.00	0.00			1					
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	-		OLI TOX	10111111	0.0120		0.00			 					<u> </u>
		rt/Loop Combination Rates	<u> </u>	 							·						
ONE		2-Wire VG Loop/Port Combo - Zone 1		1			13.03				<u> </u>				-		
+-	-	2-Wire VG Loop/Port Combo - Zone 2		2			21.33		·	-		 					· · · · · ·
+	-1	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
LIME		op Rates		-			32.01										1
OINE		2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPBX	UEPLX	10.75			-							
		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	19.05					1			-		
1		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33			-	<u> </u>				-	-	· · · · · · · · · · · · · · · · · · ·
2 184		Voice Grade Line Port (Bus)		-	OEFBX	- OLF LA	30.33				 	-					t
2-44		2-Wire voice unbundled port without Caller ID - bus	-	 	UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
1		2-Wire voice unbundled port with Caller + E484 ID - bus	-	_	UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
+		2-Wire voice unbundled port with Caller - E464 ib - bus			UEPBX	UEPBO	2.28	79.59	63.97	***				40.18	9.45		<u> </u>
-	\rightarrow	2-Wire voice unbundled incoming only port with Caller ID - Bus		 	UEPBX	UEPB1	2.28	79.59	63.97		 	1		40.18	9.45		
-	-i	2-Wire voice unbundled Incoming Only Port with Caller ID		-	OLI DA	- OLI BI	2.20	10.00	05.57	····				10.10	O		
1		Capability	ĺ	1	UEPBX	UEPBE	2.28	79.59	63.97	ļ				40.18	9.45		
100		NUMBER PORTABILITY		 	OLI DX	OCI BE	2.20	70.00	00.07		 			1			†
150		Local Number Portability (1 per port)		<u> </u>	UEPBX	LNPCX	0.35					†					
FE A	ATU			 	IOLI DX	LIVIOA	0.55				 	1		 			i
1 5.7		All Features Offered		 	UEPBX	UEPVF	3.40	0.00	0.00			 		40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLI BX	- OLI VI	0.40	0.00	0.00	-				70110			
+		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		+		 				l	—	 	l -	1		-	!
1		Switch-as-is	1	1	UEPBX	USAC2		2.77	0.40	I	1	1	1	40.18	9.45	1	1
+		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	†	102. OA	00,102	-		3,40			1		1			
1		Switch with change	1		UEPBX	USACC		2.77	0.40	i	1	1		40.18	9.45		1
+		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLY BX	03/100		2.77	0.40		 	1		10.70	0.10		t
		Subsequent Database Update		}		1		1.42						10.27			
ADI		ONAL NRCs		+	 			7.42		-	†	1		10.27			
170		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1								_		 			t
		Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
+		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	02. DA	00,102		0.00	0.00		 			1	t		1
		Premise	ļ	1	UEPBX	URETL		8.33	0.83		1	1	1	26.94	12.76	0.00	1
OF		PREMISES EXTENSION CHANNELS	1	1		1		2.00			1	1			t		
15.	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPBX	UEAEN	12.11	57.99	42.37			1	———	26.94	12.76	0.00	<u> </u>
+	\dashv	2 Wire Analog Voice Grade Extension Loop – Non-Design	t	2	UEPBX	UEAEN	21.24	57.99	42.37			1		26.94	12.76	0.00	
+	-	2 Wire Analog Voice Grade Extension Loop – Non-Design	t		UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	
1		2 Wire Analog Voice Grade Extension Loop – Non-besign	1		UEPBX	UEAED	14.97	142.97	106.56	1				26.94	12.76	0.00	1
+		2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	25.93	142.97	106.56	l		T		26.94	12.76	0.00	
+	-	2 Wire Analog Voice Grade Extension Loop - Design	 		UEPBX	UEAED	40.81	142.97	106.56	-		<u> </u>		26.94	12.76	0.00	
INT	FPC	PFFICE TRANSPORT	-	+-	OL. DX	- OCALO		172.51	100.00	—	+	 	 	2.0.04	1	1.00	
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	+	1					 		1		1	†		
1		Termination	1	F	UEPBX	U1TV2	18.00	137.48	52.58	1	1		1	38.07	38.07	1	1

Page 179 of 227 Version 3Q03: 11/12/2003

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
			T		T							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
				1	İ	1 1						Submitted			Charge -	Charge -	Charge -
				1								Elec	Manually		Manual Svc	, -	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1				1	Order vs.
CATE	GUKI	RATE ELEMENTS	m	Lone	1 500	0300			104120 (0)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
			1											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
	1		<u> </u>		 			Nonrec		Manroourrin	g Disconnect	+	L	066	Rates (\$)	1	L
	+		<u> </u>				Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			-	-				riist	Add I	FIISL	Add I	SOMEC	SUMAN	SUVIAN	JUMAN	JUNIAN	JOWAN
i	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	l					i	1			1			
		or Fraction Mile		ļ	UEPBX	U1TVM	0.0125	0.00	0.00						Ļ		
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1	1													
	UNE P	ort/Loop Combination Rates	1									1					
		2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1			13.03								ļ		
L		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										1
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
	UNE L	oop Rates	I												T	İ	
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75						I				
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05			1				1	T		
		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	30.33							1	ľ		T
	2-Wire	Voice Grade Line Port Rates (RES - PBX)	1										 	1	<u> </u>		
	1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	-	1	1	-	1						l		T		
		Res		1	UEPRG	UEPRD	2.28	164.57	128.16	1		1	l	40.18	9.45		1
<u> </u>	LOCAL	L NUMBER PORTABILITY	t	 	52.70	52,110	2.20	104.51	120.10		<u> </u>	1		10.10	1-		1
	LOCAL	Local Number Portability (1 per port)	-	+	UEPRG	LNPCP	3.15	0.00	0.00	 		1		 	 	 	
	FEAT		-	-	OCFING	LIAL CL.	3, 13	0.00	0.00	 	 		-	1		 	
	FEAT		 	<u> </u>	UEDDC	LIEDVE	3.40	0.00	0.00			+		40.18	9.45		
		All Features Offered		-	UEPRG	UEPVF	3.40	0.00	0.00			-		40.18	9.45		+
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		i													
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		ĺ		1							1				
		Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
l	ļ	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	1	1							1				
L		Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40,18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-									ŀ	1		1		
l		Subsequent Database Update		1	1	1		1,42						10.27			
	ADDIT	TONAL NRCs		1											Γ		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1				•	•		1					1	
		Subsequent Activity	1		UEPRG	USAS2	0,00	0.00	0.00					40.18	9.45		
<u> </u>		Unbundled Miscellaneous Rate Element, Tag Loop at End User												1			T
	İ	Premise	Į.		UEPRG	URETL		8.33	0.83			1		26.94	12.76	0.00	0.00
	OFF/O	ON PREMISES EXTENSION CHANNELS				1						· ·		1	T		1
	101110	Local Channel Voice grade, per termination	 	1	UEPRG	P2JHX	14.97	142.97	106.56		1			26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination	 	2	UEPRG	P2JHX	25.93	142.97	106.56		†··	+		26.94	12.76	0.00	
\vdash		Local Channel Voice grade, per termination	+	3	UEPRG	P2JHX	40.81	142.97	106.56		 	+		26.94	12.76	0.00	
-	+	Non-Wire Direct Serve Channel Voice Grade	 	1	UEPRG	SDD2X	14.62	252.06	109.08		<u> </u>	—		26.94	12.76		
-			-	+ :						-		<u> </u>	 	26.94	12.76	0.00	
	+	Non-Wire Direct Serve Channel Voice Grade	 	2	UEPRG	SDD2X	23.86	126.03	54.54 54.54		 			26.94	12.76	0.00	
<u> </u>	100	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	36,40	126.03	54.54					26.94	12.76	0.00	0.00
L	INTER	ROFFICE TRANSPORT								<u> </u>				+	1	 	
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	1	1				1	1	1	1		00.00	1	1
L		Termination	 	-	UEPRG	U1TV2	18.00	137.48	52.58	L	!			38.07	38.07	ļ	+
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	1						1	1		1	1		
	1	or Fraction Mile	_	1	UEPRG	U1TVM	0.0125	0.00	0.00			1	L	ļ	<u> </u>	ļ	
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														ļ	
	UNE P	Port/Loop Combination Rates	L	L											L		
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										L
	T	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3	T	3			32.61					1				-	
	UNE L	oop Rates			1					1				T	T .		
	T	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	10.75			T	İ	1		1	Ť .	T	T
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	19.05				1	1		1	T		†****
		2-Wire Voice Grade Loop (SL 1) - Zone 3	†	3	UEPPX	UEPLX	30.33				1	1 -	 	 	 	1	1
<u> </u>	2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	\vdash	Ť	Jan 1 A	OLI DI	00.00				1			1		1	1
	1	7 7 100 0100 Cine i Oit Nates (DOO - I DA)	 	+	+						1	 		+	1	1	1
1	1	Line Side Unbundled Combination 2 Way BBV Tarrels Bart Burn	1	1	UEPPX	UEPPC	2.28	164.57	128.16		1	1		40.18	9.45		
<u> </u>		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	-		UEPPO						+		40.18	9.45		+
⊢—		Line Side Unbundled Outward PBX Trunk Port - Bus	ļ	+	UEPPX		2.28	164.57	128.16	ļ	ļ						
L	_	Line Side Unbundled Incoming PBX Trunk Port - Bus	-	1	UEPPX	UEPP1	2.28	164.57	128.16	ļ	_	· 		40.18	9.45		
ļ		2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPPX	UEPLD	2.28	164.57	128.16		ļ		1	40.18	9.45		ļ
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16	L	1			40.18	9.45	<u> </u>	1
1		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	L	1.	UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45	1	<u> </u>

<u>INBU</u> NDLI	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
T					+ +		Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											·				
	Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	Ì													ł	
	Discount Room Calling Port			UEPPX	UEPXO	2.28	164,57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ	ļ	UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ		l							ļ					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1		i									}	
	Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
İ	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1												
	Conversion - Switch with Change	ļ		UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		!	1	l										
	Subsequent Database Update						1.42						10.27			
ADDI	TIONAL NRCs										İ					
- 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	į									l					
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00			ļ		40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	ŀ			1	1					1	1				l
OFF.	Premise	ļ		UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.0
UFF/C	ON PREMISES EXTENSION CHANNELS	ļ		Lieber .		- 1107	110.07	100 =0		<u> </u>					0.00	
_	Local Channel Voice grade, per termination			UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.0
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	25.93	142.97	106.56		ļ			26.94	12.76	0.00	0.0
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade			UEPPX	P2JHX SDD2X	40.81 14.62	142.97 252.06	106.56 109.08		ļ			26.94 26.94	12.76 12.76	0.00	0.0
		-		UEPPX	SDD2X SDD2X	23.86									0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	ļ		UEPPX	SDD2X	36.40	126.03 126.03	54.54 54.54		 	ļ		26.94 26.94	12.76	0.00	0.0
INTER	ROFFICE TRANSPORT		3	UEPPX	SDUZX	36.40	126.03	54.54					26.94	12.76	0.00	0.0
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	-							<u> </u>	-					
1	Termination			UEPPX	U1TV2	18.00	137.48	52.58			1		38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLFFX	UTIVZ	10.00	137.40	32.30			 		36.07	36.07		
	or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00			1				Į.	
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT		OLI I A	01111111	0.012.0	0.00	0.00			-					
	Port/Loop Combination Rates	Ť				+				 	 					
	2-Wire VG Coin Port/Loop Combo – Zone 1		1	· · · · · · · · · · · · · · · · · · ·		13.03				<u> </u>	· · · · · · ·					
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	21.33				 	 					
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.61				 	-					
UNE	Loop Rates					02.01					†					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75				1						
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.05				1				t	1	
	2-Wire Voice Grade Loop (SL1) - Zone 3	1		UEPCO	UEPLX	30.33	1			1	1			T	1	l
2-Wir	e Voice Grade Line Ports (COIN)										t			1		
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45	1	
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45	1	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking									1				Γ		
	(NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45	[
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
ı	900/976, 1+DDD, 011+, and Local (NC, TN)	1		UEPCO	UEPCA	2.28	79.59	63.97		1	l		40.18	9.45	1	l

NRONDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	r
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ		_	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking						1				1					
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97			ļ		40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPCL	2.28	79.59	63.97			İ			0.45		
_	900/976, 1+DDD, 011+, and Local (NC) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97	-		 		40.18	9.45 9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except			OLI GO	JOET GIV	2.20	75.55	03.57					40.10	9.40		
	LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		i	UEPCO	URECU	3.70	0.00	0.00	0.00	0.00	ļ		40.18	9.45		
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)		 	UEPCO	LNPCX	0.35					-			L		
NONE	RECURRING CHARGES - CURRENTLY COMBINED			DEPCO	LIVECX	0.33										-
- INOINI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1		-+											
	Switch-as-is	i	1	UEPCO	USAC2		2.77	0.40					40,18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change		<u> </u>	UEPCO	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1								į.					
	Subsequent Database Update	ļ	<u> </u>				1.42				ļ					
AUUI	FIONAL NRCs	ļ	 											-		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		1	UEPCO	USAS2		0.00	0.00			Ì		40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLF CO	03/32		0.00	0.00			<u> </u>		40.10	5.43		
İ	Premise	İ		UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.0
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (
	Port/Loop Combination Rates		Ι ,	,												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	oop Rates		1	UEPFR	UECF2	14.97					1					<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93					 					
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	40.81					-					
2-Wire	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		1
INTER	ROFFICE TRANSPORT		-	DEPTR	UEPAP	2,19	225.00	225.00			-		40.10	9.43		
111121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		+													-
	Termination			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								-							
	or Fraction Mile			UEPFR	1L5XX	0.0125										
FEAT	URES		1													
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00			ļ		40.18	9.45		
LUCA	L NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPFR	LNPCX	0.35						 				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	UEPPK	LINPUX	0.35				 	 		l	 		
- III	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		t					· · · · · · · · · · · · · · · · · · ·		l · · · · ·	†	 	 	t		
	Combination - Conversion - Switch-as-is		1	UEPFR	USAC2		9.03	1.87	İ		1		40.18	9.45		1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					İ					1					
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87		L			40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															_
	End User Premise	1		UEPFR	URETN		11.20	1.10			ļ		26.94	12.76	0.00	0.0
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	PORT (ROS)						ļ	 		ļ	-		<u> </u>
UNE I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16				-		ļ				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2	 	+	28.12		-				 	 	 		
	12 The TO Ecopito Hanpoint on Combo Zone Z	1	3	1		20.12			1	I				I		

NBUNDL	ED NETWORK ELEMENTS - North Carolina											,		ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						т	Nonrec	urring	Nonrecurring	g Disconnect	 		OSS	Rates (\$)	L	
		-				Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LIME	Loop Rates	-	-		<u> </u>		1,1150		11101	1	+					
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97				 	+					
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFB	UECF2	25.93								t	 	
	2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFB	UECF2	40.81				· · · · · · · · · · · · · · · · · · ·						
2 18/6	re Voice Grade Line Port (Bus)		- ۲	02110	OLOI Z	40.01							 			†
2-9911	2-Wire voice unbundled port without Caller ID - bus			UEPEB	UÉPBL	2.19	225.00	225.00			 		40.18	9.45		
-	2-Wire voice unbundled port with Caller + E484 ID - bus		 	UEPFB	UEPBC	2.19	225.00	225.00			1		40.18	9.45		1
_	2-Wire voice unbundled port with Callet + E404 10 - bus 2-Wire voice unbundled port outgoing only - bus		1	UEPFB	UEPBO	2.19	225.00	225.00		·	+		40.18	9.45		t
	2-Wire voice unbundled incoming only port with Caller ID - Bus	-		UEPFB	UEPB1	2.19	225.00	225.00	-	 			40.18	9.45		
1.00	AL NUMBER PORTABILITY		 -	OLI I D	OLI BI	2.13	220.00	220.00		 	-		10.10			1
LOCA				UEPFB	LNPCX	0.35					+			 		t
75.17	Local Number Portability (1 per port)	 	+	JOEFF D	LIWEUA	0.55	-			 	+			 		†
INIE	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		+	l						 	1		 	 	 	+
	Termination			UEPFB	U1TV2	18.00	140.00	71.00			1					
			-	UEPFB	UTIVZ	18.00	140.00	71.00					-			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	LIEDER	41.500/	0.0405										
	or Fraction Mile			UEPFB	1L5XX	0.0125						 		-		+
FEA	TURES			ļ							ļ		10.10	0.45		
	All Features Offered	ļ		UEPFB	UEPVF	3.40	0.00	0.00		ļ		1	40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>									4				ļ	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					i										1
1	Combination - Conversion - Switch-as-is			UEPFB	USAC2	1	9.03	1.87					40.18	9.45		ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										1				1	
	Combination - Conversion - Switch with change	1		UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	Ī									1					
	End User Premise			UEPFB	URETN		11.20	1.10			1		26.94	12.76	0.00	
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT ((PBX)]
	Port/Loop Combination Rates	Γ΄ ΄	i .	1												T
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u>† </u>	2			28.12					1				1	T
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00				1						
UNE	Loop Rates	l	Ť							· · · · · ·	1					
	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFP	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93					†···					
-	2-Wire Voice Grade Loop (SL2) - Zone 3	t	3	UEPFP	UECF2	40.81				1		<u> </u>	† · · · · · · · · · · · · · · · · · · ·		<u> </u>	
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)	— —	<u> </u>	OC. T.	020.2	10.01					 		· · · · · · · · · · · · · · · · · · ·	 	'	
2-441	re voice Grade Line Fort Kates (BO3 - FBX)		1			-				-	<u> </u>			 	<u> </u>	+
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00	i				40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus		 —−	UEPEP	UEPPO	2.18	225.00	225.00					40.18	9.45	<u> </u>	
				UEPFP	UEPP1	2.18	225.00	225.00		+	-	 	40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ	1	UEPFP	UEPLD	2.18	225.00	225.00			-		40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports	├		UEPFP	UEPXA	2.18	225.00	225.00			 	 	40.18	9.45		+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ļ	1						 			ļ	40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPFP	UEPXB	2.18	225.00	225.00				<u> </u>	40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00		1				9.45		+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPFP	UEPXD	2.18	225.00	225.00		ļ			40.18	9,45		+
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1			i !					1	i	l			1	
	Capable Port		_	UEPFP	UEPXE	2.18	225.00	225.00		.			40.18	9.45		+
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			i	i i									1		
	Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1									1	1	1	1	1
	Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00				ļ	40.18	9.45	↓	+
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1							1	1	1	1	1		1
	Discount Room Calling Port	1		UEPFP	UEPXO	2,18	225.00	225.00					40.18	9.45		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225,00					40.18	9.45		
LOC	AL NUMBER PORTABILITY	1	†	1							T					
	Local Number Portability (1 per port)	1	1	UEPFP	LNPCP	3.15	0.00	0.00		1		T	40.18	9.45		
INTE	ROFFICE TRANSPORT	†	 	1			2,700				1	1	1			
- 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1									†	†	1		1
1	Termination	1	1	UEPFP	U1TV2	18.00	140.00	71.00	1	1	1	1	1	1	1	1

Version 3Q03: 11/12/2003 Page 183 of 227

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		-	RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
											·		Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec			g Disconnect	00450	000000		Rates (\$)	004441	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					· i	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	or Fraction Mile		'	UEPFP	1L5XX	0.0125										
FEAT			 										T			
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED									I .			I			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port]						
	Combination - Conversion - Switch-as-is	ļ		UEPFP	USAC2		9.03	1,87		<u> </u>	1		40.18	9.45		
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEBER			0.00	4.07					40.40	0.45		
	Combination - Conversion - Switch with change	-	_	UEPFP	USACC		9.03	1,87		1	-		40.18	9.45		1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.20	1.10					26.94	12.76	0.00	0.0
INBUNDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES	 	 	Wal	OKLIN	 	11.20	1.10		 	+		20.34	12.70	0.00	0.0
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20.97				L						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	Ī	2			27.80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	<u> </u>	3			37.08										
UNE L	oop Rates		_							_						
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85					ļ					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX UEPPX	UECD1 UECD1	15.68 24.96				ļ		ļ	ļ			-
IINE C	Port Rate	 	1 3	UEPPA	DECDI	24.90				 	 	 	 			
UNL P	Exchange Ports - 2-Wire DID Port	 	1	UEPPX	UEPD1	12 12	224.81	188.40		 		 	40.18	9.45		
NONR	ECURRING CHARGES - CURRENTLY COMBINED		1	OLI I X	102,0,	1.2.12	221.01	100.10					10,10			
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	†													
1	Switch-as-is	ļ		UEPPX	USAC1		13.26	8.39		1			53.89	11.34		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1													
	with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
ADDIT	FIONAL NRCs	ļ	-			1	50.10				-	ļ	10.40	0.45		
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ	ļ	UEPPX	USAS1		53.49			-		-	40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	İ		UEPPX	URETN		11.20	1.10				1	26.94	12.76	0.00	0.00
Tolon	hone Number/Trunk Group Establisment Charges	 	-	UCFFX	UKETIN	+	11.20	1.10		+	+		20.34	12.70	0.00	0.00
Тетер	DID Trunk Termination (One Per Port)	<u> </u>	 	UEPPX	NOT	0.00	0.00	0.00			+	 				
	DID Numbers, Establish Trunk Group and Provide First Group			02.17	11.5			0.00					<u> </u>	T		
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								ł
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPPX	ND5	0.00	0.00	0.00								<u> </u>
	Reserve Non-Consecutive DID numbers		<u> </u>	UEPPX	ND6	0.00	0.00	0.00						<u> </u>		ļ
	Reserve DID Numbers	ļ	ļ	UEPPX	NDV	0.00	0.00	0.00	 	↓	ļ	ļ <u> </u>				
LOCA	L NUMBER PORTABILITY	<u> </u>	-	HEDDY	LUBOR			0.00		1				_		
2 1880	Local Number Portability (1 per port) IE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDI	E DOD'	UEPPX	LNPCP	3.15	0.00	0.00		+	 			-		
	Port/Loop Combination Rates	INE SIDI	PURI	1		+			-	+	-	 	 	 		
UNLT	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPF	R	38.84				-						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	†	1		1				1	1		1	†	1	
1	UNE Zone 2		2	UEPPB UEPP	₹	50.01					1					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1													
	UNE Zone 3	ļ	3	UEPPB UEPP	₹	65.18					1	ļ		L		ļ
UNE L	oop Rates				1						ļ		ļ	 		ļ
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB UEPPF	USL2X	14.47				1		 	-	 		
- 1	2 Wins (CDN) District Conda Land HNE 7 2		2	LIEDDB LIEDS	LICLAY	25.04							1		Ī	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB UEPPF		25.64 40.81			 	1	+	+	+	 		
UNE	Port Rate	+	+3	UEPPB UEPPI	USLZA	40.81			 	1	 	 	 	 		
ONE P	Exchange Port - 2-Wire ISDN Line Side Port	1	1	UEPPB UEPPR	UÉPPB	24.37	388.20	302.77		+	 	 	19,99	19.99	·	<u> </u>
	RECURRING CHARGES - CURRENTLY COMBINED	+	1	DELLE OFFE	OLAFB.	24.31	300.20	302.77	<u> </u>	+	1	 	15.55	15.55	+	+

Page 184 of 227 [CCCS Amendment 250 of 308]

JNBUNDLED NE	TWORK ELEMENTS - North Carolina													Attach			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	ıcs	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			Ţ				Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	COMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
2 10/6	ire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-				1	FIFSU	Addi	FIISt	Add I	SOMEC	SUMAN	JOWAN	SOWIAN	JONAN	SOMAN
	ibination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADDITIONAL			1	OL. TO	02	100,											
	undled Miscellaneous Rate Element, Tag Designed Loop at																
	User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
Unbu	undled Miscellaneous Rate Element, Tag Loop at End User																
Prem			ļ	UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.
	MBER PORTABILITY	<u> </u>	ļ				0.05										
	al Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	USER PROFILE ACCESS:	ļ.—	-	UEDDD	LIEDDD	HILLON	0.00	0.00	0.00			 					
	/CSD (DMS/5ESS)	-	 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00					-	 		
CVS	(EWSD)	 	<u> </u>	UEPPB UEPPB	UEPPR	U1UCB U1UCC	0.00	0.00	0.00			+		 	 		
	L AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS	L TAIL	UEFFB	JEFFR	101000	0,00	0.00	0.00								l
	MINAL PROFILE	1	T,	 		 	t					1		t			
	r Terminal Profile (EWSD only)	1	†	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1			†	1			
VERTICAL F			· · · · ·			1						T					
	/ertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
	CE CHANNEL MILEAGE		1	1													
Inter	roffice Channel mileage each, including first mile and		1														
facili	ities termination			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58			l		19.99	19.99		
	roffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
	DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			<u> </u>						L	l	I	<u> </u>	L			
	DS1 combination rates below for in this rate exhibit appl													nt.			
	or 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk P	ort afte	r the effe	ctive date of	of this amen	dment shall be	provided pursu	iant to a sepai	rate agreement	or tariff at Be	ISouth's di	scretion.				
	oop Combination Rates		ļ									ļ					
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		١.	UEPPP			226.55										
Zone	e 1 DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			226.55					1	 				
Zone		1	2	UEPPP			263.28			1		İ	1				İ
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	۲.	UEFFF			203.20			 		-	· · · · · · · · · · · · · · · · · · ·				
Zone			3	UEPPP		ļ	313.15					1			1	1	
UNE Loop R		 	 -	OLITI		 	510.10			1		1			-		
	ire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	47,54					 					
	ire DS1 Digital Loop - UNE Zone 2	\vdash	2	UEPPP		USL4P	84.27					1	T				
	ire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	134.14					1					
UNE Port Ra				1			1										
Exch	hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	179.01	956.47	663.10					19.99	19.99		
	RRING CHARGES - CURRENTLY COMBINED		L												L		ļ <u></u>
	ire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port									1					1		
	nbination - Conversion -Switch-as-is (E:4/1/2004)	L		UEPPP		USACP	0.00	481.51	481.51			ļ				ļ	<u> </u>
ADDITIONAL			1												ļ		ļ
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			l		l											
	sequent Inward/2-Way Tel Nos - (NC Only)	ļ	↓	UEPPP		PR7TG		1.17	1,17			ļ					
	ire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent					L.		00.47	00.47								
	vity Outward tel nos. (NC only)	ļ		UEPPP		PR7TP		28.17	28.17			-	ļ				
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	i		UEPPP		PR7ZT		56.33	56.33				ļ				
	sequent Inward Tel Numbers MBER PORTABILITY	 	+	OCPPP		PRIZI		56.33	30.33	-	 	+	 	 	 	 	· · · · · · · · · · · · · · · · · · ·
	al Number Portability (1 per port)	 	+	UEPPP		LNPCN	1.75			 	 	1	 	 	t	t e	
	E (Provsioning Only)	1	1	155.11		1	10			 	t	 	—	1			T
	e/Data	1	1-	UEPPP		PR71V	0.00	0.00	0.00			 	t				1
	tal Data	t -	t	UEPPP		PR71D	0.00	0.00	0.00	1		1	T		T		
	ard Data	1	1	UEPPP		PR71E	0.00	0.00	0.00	Í		1			1 "		
	litional "B" Channel		1				1				1	1	Τ				
	v or Additional - Voice/Data B Channel	T	1	UEPPP		PR7BV	0.00	36.92		T				19.99	19.99		
	v or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	36.92						19.99	19.99		
	v or Additional Inward Data B Channel		1	UEPPP		PR7BD	0.00	36.92						19.99	19.99		1
CALL TYPE		1	1				1			1				1	1	1	1

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
				r –		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
						ļ							Submitted	Charge -	Charge -	Charge -	Charge -
		l i		1		i						Elec	Manually	Manual Svc			
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
	• • • • • • • • • • • • • • • • • • • •	····	m									hei Lok	percan	Order vs.		i .	
						i								Electronic-	Electronic-	Electronic-	Electronic-
					ł								ļ	1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	n Disconnect			OSS	Rates (\$)		
							Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00	11134	Aug I	COMEG	JONAN	JOHAN	John	JOHAN	COMPAN
	<u> </u>	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	<u> </u>	Two-way			UEPPP	PR7CC	0.00	0.00	0.00						+		
	Interoff	fice Channel Mileage		1		7.100	0.00	0.00	0.00						 		
		Fixed Each Including First Mile		 	UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753	2.17.17	100.70	0.00				10.00	10.00		
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1	0.0.00										
		IE-P DS1 combination rates below for in this rate exhibit apply	to the	ember	Ided base in place :	as of 10/2/03 i	intil 4/1/04 Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a senara	e commerci	ial anreeme	nt	1		
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										Commerci	di agreenie	1	-		
		ort/Loop Combination Rates		· · ·	1	7.5					T		-		-		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	171.06				· · · · · · · · · · · · · · · · · · ·				†		
	1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	207.79								 		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	+	257.66					l	l			 	
		pop Rates		<u> </u>	1-2-22		207.00								<u> </u>	 	—
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54								 		+
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27							—	1		<u> </u>
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	134,14								-		-
		ort Rate			02.00	100200	10,				-			ł	 		
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831,43	491.39					19.99	19.99		
		CURRING CHARGES - CURRENTLY COMBINED			021 00		125.52	031.43	431.33				-	15.55	15.55	-	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	ĺ	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38				•				1
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI BO	TOURO4		430.30	430.30							· · · · · · · · · · · · · · · · · · ·	
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38				!			1	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			021 00	ОСЛИТА		430.30	430.30								
	l :	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								İ
	ADDITI	ONAL NRCs			OLI DO	USAVID		430.30	430.30			— —					
	ADD.	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-			+											
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								1
	<u> </u>	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	USAST		121.03	127.00						_		1
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81							İ	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OCI DO	ODITA		20.01	20.01			-					
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81				ŀ				1
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	-		GET BO	00176		20.01	20.61						l		
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19,99	19.99		
	·	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan		 	02.00	100110		20.01	20.01					13.99	13.55	-	
	1	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81			1	1	19.99	19.99	1	1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan				55115		20.01	20.01					13.33	15.55	 	
	1	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81			1	1	1			
	BIPOL/	AR 8 ZERO SUBSTITUTION	-			155		20.01	20.01					 	+	t	
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	615.00s				<u> </u>		 	t	t
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s					 	<u> </u>		
		te Mark Inversion				1-002			5.000					l	 	-	
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00						 	 	1
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00					t	 	-	—
	Teleph	one Number/Trunk Group Establisment Charges			1	1		2.50	0.00	-					†	1	
		Telephone Number for 2-Way Trunk Group	-		UEPDC	UDTGX	0.00					 	—	19.99	19.99	 	
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99	 	
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00				_			19.99	19.99		——
		DID Numbers, Establish Trunk Group and Provide First Group				1	3,30						· · · · · · · · · · · · · · · · · · ·	15.55	1.5.55	1	<u> </u>
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00					i			
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	50	2.50		_	-	l		† · · · · · · ·	t	
		DID Numbers, Non- consecutive DID Numbers, Per Number		†	UEPDC	ND5	0.00							t	 		T
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				 	t	†		
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00			-		t	 		†
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00					 	†		
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	ga.	_556		I III						 		<u> </u>	 	+	
		Termination)		1	UEPDC	1LNO1	71,29	217.17	163,75	0.00	0.00	l	l	19.99	19,99	I	1

DIMDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
BUNDELL	HETWORK ELLINERTS - HORLIT Carolina				T						Eur Order	Suo Ordor	Incremental			
			1		}	}										
- 1						l					Submitted	Submitted		Charge -	Charge -	Charge -
- 1		1-4				l					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
EGORY		Interi	Zone	BCS	USOC	1					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
LOOK!		m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
ĺ		ì	1 1		ſ	1					i			1		
ł		}			1	ł					}		1st	Add'I	Disc 1st	Disc Add
		_			+		Mana	curring	Nonrecurring	Discounant			000	Rates (\$)	L	1
			L			Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\rightarrow							First	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		ļ			1						1	l			i	1
- (Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities								1		ł			i		
-	Termination)		1 1	UEPDC	1LNO2	0.00	0.00	0.00	1			1		1		
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.5753	0.00	0.00				1			ļ	ì
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		-	02.700	TENOD	0.0100	0.00	0.00				-				-
			1	LIEDDC	1LNO3	0.00	0.00	0.00	0.00			!				i
	Termination)			UEPDC	ILNU3	0.00	0.00	0.00	0.00							+
		1						i							1	i
1 1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.5753	0.00	0.00						L		
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					L	L	
	Central Office Termininating Point	1		UEPDC	CTG	0.00								l		
	DS1 LOOP WITH CHANNELIZATION WITH PORT		t											1		
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations									 					-
					1		ł		-		+	-		-		+
Each Sy	stem can have up to 24 combinations of rates depending on	type ar	na num	iber of ports used	<u> </u>			·	1		ļ <u>.</u>	<u> </u>				-
	E-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
	ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	nt shall be pro	ovided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discreti	on.					
UNE DS	1 Loop															
1.	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	-	2	UEPMG	USLDC	84.27	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	134.14	0,00	0.00						 		
		1		UEPING	USLDC	134.14	0.00	0.00	 					 		
	O Channelization Capacities (D4 Channel Bank Configuratio	ns)											19.99	19.99		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s		 	ÜEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
			_	UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99	<u> </u>	
	240 DS0 Channel Capacity - 1 per 10 DS1s						0.00	0.00					19.99	19.99	 	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72					1	-		19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99			
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19,99	19.99		
	curring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chan	actiztio			Based on a Sy	stem									
	num System configuration is One (1) DS1, One (1) D4 Channe						T	 								
	es of this configuration functioning as one are considered A	ane roc	r the m	Rnimum system cor	ntiguration is	counted.										+
	NRC - Conversion (Currently Combined) with or without	ļ	}]	J	ļ			})]	J				
	BellSouth Allowed Changes		1	UEPMG	USAC4	0.00	330.61	16.64			1		19.99	19.99		
System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat	ion with Port Comb	oination Curre	ently Exists and	d		i			l				
New (No	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s	1		T.								i	
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	T			-						"			T		
- -	and Assoc Fea Activation (E:4/1/2004)		1	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68		i	19.99	19.99		
				OLF WIG	VOIVID-4	0.00	770.77	520.22	143.02	17.00	 		70.00	10.00		
	8 Zero Substitution	-				ļ							· · · ·	+		+
	Clear Channel Capability Format, superframe - Subsequent							1			1			1		
	Activity Only	l		UEPMG	CCOSF	0.00	0.00i	615.00s			ļ					
	Clear Channel Capability Format - Extended Superframe -				1	1	i						1	1		
-	Subsequent Activity Only	l		UEPMG	CCOEF	0.00	0.00i	615.00s	1		1					I
Alternat	te Mark Inversion (AMI)										1					
	Superframe Format	—	t	UEPMG	MCOSF	0.00	0.00	0.00	1	—	1	1		T		T
	Extended Superframe Format	_		UEPMG	MCOPO	0.00	0.00	0.00	 			1		1		
		1	<u> </u>	OEPING	WCOPO .	0.00	0.00	0.00			+	+		 		1
	ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port					-	-							
Exchan	ge Ports	<u></u>	1	1		1	1		1		1	<u> </u>		<u> </u>	ļ	_
	Line Side Combination Channelized PBX Trunk Port - Business								I	I	1				l	
	(E:4/1/2004)	1		UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00	1	1	40.18	9.45	l	
\rightarrow	Line Side Outward Channelized PBX Trunk Port - Business	t	1			2.20	0.00	1	1 2.50	1	1	1	1	1		
				HEDDY	LIEDOY	0.00	0.00	0.00	0.00	0.00	1	1	40.18	9.45	1	1
1 1	(E:4/1/2004)		1	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port without DID	1	1	I.	1	1	I	1	1	I		1	1	1	1	1
	Line side niward Only Charineitzed PBX Trunk Port without Did			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		

Page 187 of 227

T			Т							Sun Carlo	Sun Carda	Attachr			ibit: A Incremen
CATEGORY RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)		ļ		Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		+		-		Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)	i	L
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Trunk Side Unbundled Channelized DID Trunk F	Port						1				١ ,		0.45	1	
(E:4/1/2004) Feature Activations - Unbundled Loop Concentration		+	UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Feature Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminate	tod in Di	+		-					<u> </u>	├	 		Ļ		
Bank	led in D4		UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12	{	۱ ,	40.18	9.45		
Feature (Service) Activation for each Trunk Port Termina	ated in			11 211111	0.00	20.27	10.01	1.19		•					
D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48	, i	! i	40.18	9.45		
Telephone Number/ Group Establishment Charges for DID S	Service	1													
DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC	C,& SC)		UEPPX	NDZ	0.00	0.00	0.00			L	· · · · · · · · · · · · · · · · · · ·				
DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00			L		<u> </u>	<u> </u>	ļ	ļ
Non-Consecutive DID Numbers - per number		4	UEPPX	ND5	0.00	0.00	0.00	ļ		<u> </u>	L	-	L	<u> </u>	├
Reserve Non-Consecutive DID Numbers		+	UEPPX	ND6 NDV	0.00	0.00	0.00	 		——		1	Ļ	-	
Reserve DID Numbers		+	UEPPX	- NDA	0.00	0.00	0.00	 		 	 	 	ļ	 	+
Local Number Portability Local Number Portability - 1 per port		+	UEPPX	LNPCP	3.15	0.00	0.00	t	<u> </u>		 ;	 		 	+-
FEATURES - Vertical and Optional		+	ULFFA	LINE OF	3.13	0.00	0.00	 		 	$\vdash \vdash \vdash$	t	L	 	
Local Switching Features Offered with Line Side Ports Only	,	+-			L		·	 		-		<u> </u>	!		
All Features Available	'	+	UEPPX	UEPVF	3,40	0.00	0.00	 			l	40.18	9.45	 	†
NBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASE	ED RATES	+-	100					 			ļ	<u> </u>	-		
1. Cost Based Rates are applied where BellSouth is required		State (Commission rule t	o provide Unbu	ndled Local Sv	vitching or Sw	ritch Ports.			t	·				
2. Features shall apply to the Unbundled Port/Loop Combin	nation - Cost Ba	sed Rat	e section in the sa	ame manner as	they are applie	d to the Stand-	-Alone Unbun-	dled Port section	on of this Rate	Exhibit.			1		
apply also and are categorized accordingly.											$\overline{}$			T	т
5. Market Rates for Unbundled Centrex Port/Loop Combina	ation will be neg	otiated	on an Individual (Case Basis, unt	il further notice	Э.									F
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States)	ation will be neg	otiated	on an Individual (Case Basis, unt	il further notice	P									
5. Market Rates for Unbundled Centrex Port/Loop Combina	ation will be neg	otiated	on an Individual (Case Basis, unt	il further notice	P									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		otiated		Case Basis, unt		e.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design	t Combo -	jotiated	UEP95	Case Basis, unt	il further notice	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port (Centrex) Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG Loop/2-Wire Voice Grade Port VG	t Combo -	1	UEP95	Case Basis, unt	13.03	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design	t Combo -	1		Case Basis, unt		9.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design	t Combo -	1 2	UEP95 UEP95	Case Basis, unt	13.03	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design	t Combo -	1	UEP95	Case Basis, unt	13.03	9.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design)	t Combo -	1 2	UEP95 UEP95	Case Basis, unt	13.03	9.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design	t Combo -	1 2	UEP95 UEP95	Case Basis, unt	13.03	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design)	t Combo - Combo - Combo -	1 2 3	UEP95 UEP95 UEP95	Case Basis, unt	13.03 21.33 32.61	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) Z-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) Z-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design Z-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design Z-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) Z-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design	t Combo - Combo - Combo -	1 2 3	UEP95 UEP95 UEP95	Case Basis, unt	13.03 21.33 32.61	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port	t Combo - Combo - t Combo - Combo -	1 2 3	UEP95 UEP95 UEP95 UEP95	Case Basis, unt	13.03 21.33 32.61 17.25 28.21	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)	t Combo - Combo - t Combo - Combo -	1 2 3	UEP95 UEP95 UEP95	Case Basis, unt	13.03 21.33 32.61 17.25	3.									
Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate UNE Loop Rate	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95		13.03 21.33 32.61 17.25 28.21 43.09	3.									
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	13.03 21.33 32.61 17.25 28.21 43.09	3.									
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/3-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 2 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	13.03 21.33 32.61 17.25 28.21 43.09	3.									
5. Market Rates for Unbundled Centrex Port/Loop Combinal UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 1 2 3 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP96 UEP96 UEP96 UEP96	UECS1 UECS1 UECS1 UECS1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33	3.									
5. Market Rates for Unbundled Centrex Port/Loop Combinal UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	t Combo - Combo - t Combo - Combo -	1 2 3 1 1 2 3 3 1 1	UEP95	3.											
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	3.									
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	t Combo - Combo - t Combo - Combo -	1 2 3 1 1 2 3 3 1 1	UEP95	3.											
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	3.									
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Port Rate	t Combo - Combo - t Combo - Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	79.59	63.97					40.18	9,45		
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Port Rate All States 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	t Combo - Combo - t Combo - t Combo - t Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP96 UEP96 UEP96 UEP96 UEP96 UEP96	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81		63.97 63.97					40.18	9.45		
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Port Rate All States 2-Wire Voice Grade Port (Centrex) Basic Local Area	t Combo - Combo - t Combo - t Combo - t Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 >40.81	79.59	63.97					40.18	9.45				
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Port Rate All States 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Incomplex Area	t Combo - 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95 >40.81	79.59												
5. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 1-Z-Wire Voice Grade Loop (SL 2) - Zone 3 1-Z-Wire Voice Grade Loop (SL 2) - Zone 3 1-Z-Wire Voice Grade Loop (SL 2) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Loop (SL 3) - Zone 3 1-Z-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Coving Wire Voice Grade Port (Centrex) Basic Local Grade Port (Centrex) Basic Local Grade Port (Centrex) Basic L	t Combo - Combo - Combo - Combo - Combo - Combo - Combo - Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 >40.81	79.59 79.59	63.97 63.97					40.18	9.45 9.45				
S. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate [2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Port Rate All States [2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Area 2-Wire Voice Grade Port (Centrex Korn diff Serving Wire Center)2-3 Basic Local Area	t Combo - 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95 >40.81	79.59 79.59	63.97					40.18	9.45					
S. Market Rates for Unbundled Centrex Port/Loop Combina UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Non-Design UNE Port/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Design UNE Loop Rate [2-Wire Voice Grade Loop (SL 1) - Zone 1 [2-Wire Voice Grade Loop (SL 1) - Zone 3 [2-Wire Voice Grade Loop (SL 2) - Zone 3 [2-Wire Voice Grade Loop (SL 2) - Zone 3 [2-Wire Voice Grade Loop (SL 2) - Zone 3 [2-Wire Voice Grade Loop (SL 2) - Zone 3 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centrex) Basic Local Area 2 [2-Wire Voice Grade Port (Centr	t Combo - Combo - Combo - Combo - Combo - Combo - Combo - Combo - Combo - Combo -	1 2 3 1 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 3 1 1 1 1	UEP95 UEP95 >40.81	79.59 79.59	63.97 63.97					40.18	9.45 9.45				

Version 3Q03: 11/12/2003 Page 188 of 227

INRONDFED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
			1			Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1		i	!										
	- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97			i I	l .	40.18	9.45		
2	2-Wire Voice Grade Port Terminated on 800 Service Term -		1													
	Basic Local Area		ł	UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45	i	l
NC Only			1			Ĭ										
2	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
2	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45	· · · · · · · · · · · · · · · · · · ·	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1										. 10.10	0.10		
	Center)2,3		l	UEP95	UEPUM	2.28	164.57	128.16			1		40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.00	- Joer Own	2.20	104.37	120.10			 		40.10	9.43		
	Term 2,3	1		UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45	1	
- - 	TOTAL E.O.		1	OLI 33	JULI UZ	2.20	104.57	120.10	 -		ļ		40.18	9.45	ļ	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPU9	2.28	79.59	62.07	1		1		40.40	۱ ۵۰۰		1
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term					2.28		63.97			1		40.18	9.45	ļ.———	ļ
			-	UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		ļ
Local Sv			ļ													
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903								<u></u>		
	umber Portability															l
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features		L											,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
4	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
7	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS																
l lu	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Indial		-	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial		 	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	neous Terminations		-	OLI 33	UNION	0.00	0.00	0.00	0.00	0.00		0.00	40.16	9.43		
	runk Side							·								
	Trunk Side Terminations, each			LICTOR	OF UPO	40.00			-							
	Digital (1.544 Megabits)			UEP95	CEND6	12.36										
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each		<u> </u>	UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interoffic	ce Channel Mileage - 2-Wire															
	nteroffice Channel Facilities Termination			UEP95	M1GBC	18.00										
	nteroffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										
	Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
	nel Bank Feature Activations													I		
] F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65			i "					l		
																1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65								1		1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				<u> </u>									†		
	Slot		1	UEP95	1PQW7	0.65										i
F	eature Activation on D-4 Channel Bank Centrex Loop Slot -				11. 411.	- 0.00					-					
	Different Wire Center		1	UEP95	1PQWP	0.65										i
			-	OLI 30	11 (2111	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		l	UEP95	1PQWV	0.65										!
	Feature Activation on D-4 Channel Bank Tivale Line/Trunk Loop		<u> </u>	UEF93	IPQVV	0.00										
	Slot			UEP95	4001410	0.05					1			i		ł
	eature Activation on D-4 Channel Bank WATS Loop Slot		-		1PQWQ	0.65										
Non Pas	curring Charges (NRC) Associated with UNE-P Centrex			UEP95	1PQWA	0.65										
			ļ													
	NRC Conversion Currently Combined Switch-As-Is with allowed				1											I -
	changes, per port			UEP95	USAC2		2.77	0.40			l		40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11		""				40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		1
	nal Non-Recurring Charges (NRC)												.0.10	0.40		
	Inbundled Miscellaneous Rate Element, Tag Loop at End Use				1 1			*						-		
			1						, I		. 1			1	1	1

INBUNDLEC	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
[Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
	End Use Premise			UEP95	URETN		11.20	1.10							i	1
UNE-P	CENTREX - DMS100 (Valid in All States)															
2-Wire \	/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Non-Design		1	UEP9D		13.03					1				İ	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
i i	Non-Design		2	UEP9D		21.33										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ī													
	Non-Design	l	3	UEP9D		32.61										1
UNE Po	rt/Loop Combination Rates (Design)										1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -							•		1						
	Design	ĺ	1	UEP9D		17.25					1		ļ			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													7		(
	Design	i	2	UEP9D		28.21				1						1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	1	3	UEP9D		43.09										1
	op Rate				1 " '		****		-							
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75		-		<u> </u>					1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05				1						
	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	l	1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	· · · · · ·	2	UEP9D	UECS2	25.93			· · · · · · · · · · · · · · · · · · ·							
	2-Wire Voice Grade Loop (St. 2) - Zone 3		3	UEP9D	UECS2	40.81				-	1				-	
UNE Po		 	-	00,00	- DEGGE	-10.01					1			L		
ALL ST										-						
722 07	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP9D	UÉPYA	2.28	79.59	63.97		·	 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02.700	JET 171		10.00	00.01	-		 		10,10			
	Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	-	1	OLI SD	OC. 1D		73.00	00.57	·	<u> </u>	 			- U. 10.		
	Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	 	 -	00.00	100,10	LiLo	10.00		 		 		10.10			
	Area		-	UEP9D	UEPYD	2.28	79.59	63.97	1		İ		40.18	9.45		t
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		 	OLI SD	OLI 10	2.20	75.55	00.01			+		- 40.10	3.10	-	
	Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		1
— 	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI 90	OLI IL	2.20	73.33	03.51	-			-	40.10	3.43		
	Area	1		UEP9D	UEPYF	2.28	79.59	63.97	1	I		1	40.18	9.45	I	1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		-	02, 00	100111	2.20	70.05	00.91		+	1		70,10	0.43	 	
	Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		 	OLI SO	OLI TO	2.20	73.55	00.57	 		+		40.10	5.10		
	Area	1		UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45	l	1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLF 90	OLFII	2.20	19.39	03.91		+	1	 	40.10	3.43		
	Area			UEP9D	UEPYU	2.28	79.59	63.97		1			40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEF9D	UEPTU	2.20	79.39	03.97		1	 	 	40.16	5.43	 	
	Area			UEP9D	UEPYV	2.28	79.59	63.97		1	1		40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	<u> </u>		OCL AD	OCETY	2.28	19.59	69.97	 	 	+		40.18	9.43	+	
	2-wire voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97		i			40.18	9.45		1
			-	DEPSD	UEPTS	2.20	79.09	63.97			 	 	40.10	9.43		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area	İ	ł	UEP9D	UEPYH	2.28	79.59	63.97				I	40.18	9,45		1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	-	-	DELAD	UEPTH	2.28	79.59	03.97	 	 	1	-	40.18	9.45	-	
		l		HEDOD	HEDVAN	3.30	70.50	C2 C7		1		1	40.18	9.45	I	1
	Indication))4 Basic Local Area 2 Wire Velce Crade Port (ContraviMed With Lamp Indication))4	1		UEP9D	UEPYW	2.28	79.59	63.97	 	 		1	40.18	9.45	 	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	İ		LIEDOD	luens.	0.00	70.50				1		40.10			
	Basic Local Area	ļ	ļ	UEP9D	UEPYJ	2.28	79.59	63.97	 	+	1		40.18	9.45		-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	İ	1								1					1
	2,3-Basic Local Area	L	ļ	UEP9D	UEPYM	2.28	164.57	128.16		ļ.,	-		40.18	9.45		ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		1							1	1		1			1
	Basic Local Area	l	1	UEP9D	UEPYO	2.28	164.57	128.16	l				40.18	9.45	1	1

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manuał Svo Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect		T-22222		Rates (\$)		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		_		 		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	420.40				į.	40.40	0.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9U	UEPTP	2.25	104.57	128.16			-		40.18	9.45		ļ <u> </u>
- 1	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16	i		1		40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLI SD	- OEI IG	2.20	104.57	120.10		 	1		40.16	9.40		1
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16	ĺ				40.18	9.45	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4									1	1			0,10		
	Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16			1		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4											1				1
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45	İ.,	i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3													I		
	Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16			1		40.18	9.45	L	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	1		LIEBOR			,					I				
	Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16		-			40.18	9.45	 	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		LIEDOD	LIEDYZ	2 20	101 53	400.40								
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	2.28	164.57	128.16		 		ļ	40.18	9.45		ļ
İ	Term 2.3			UEP9D	UEPYZ	2.28	164.57	128.16			1		40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OEF 3D	UCF 12	2.20	104.37	120.10		+	+ -		40.18	9.45		
	Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
-	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI SD	- 021 15	2.20	15.55	00.57			·		40.10	3.43		<u> </u>
	Local Area		l	UEP9D	UEPY2	2.28	79.59	63.97				i	40.18	9.45	İ	
NC Or			t							1			10110			
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63,97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		ļ	UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97		ļ			40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	ļ	ļ	UEP9D	UEPUV	2.28	79.59	63.97		1		ļ	40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		-	UEP9D UEP9D	UEPU3	2.28	79.59	63.97			-		40.18 40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	ļ		UEPSD	UEPUH	2.28	79.59	63.97		-		 	40.16	9.43		
	Indication)4	l		UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
-+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		 	UEP9D	UEPUJ	2.28	79.59	63.97		-			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		 	OLI 3D	- 001 03	2.20	75.55	03.31		 			40.10	3.40		· · · · ·
	2,3			UEP9D	UEPUM	2.28	164.57	128.16	!		1		40.18	9.45	i	
			<u> </u>	1						T	+					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16			1	1	40.18	9.45		
	\											1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		1	UEP9D	UEPUP	2.28	164.57	128.16			1		40.18	9.45		1
							-									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
ĺ		1	1													1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	<u> </u>		UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
	2 W . V . C . L B . V . V . V . ONO /FFE	l		LUEDAD	1				1					1	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPUS	2.28	164.57	128.16		-	_	ļ	40.18	9.45		1
	2 Wire Voice Grade Bort (Contravidities CMC /EBC MEDONO 3.4		l	UEP9D	LIEDUA	2.00	404 57	100.10					40.40	0.45	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	ļ	├	DEP9D	UEPU4	2.28	164.57	128.16		ļ	-		40.18	9.45	!	-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	l		UEP9D	UEPU5	2.28	164.57	128.16		1	1		40.18	9.45	1	
	2 7.110 7.5000 Grade For [Contrewallier GWO /EBS-W3208]2,3,4	 		001 30	- JOET 05	2.20	104.07	120.10		1	+	 	40.10	9.43	1	\vdash
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPU6	2.28	164.57	128.16	1	i			40.18	9.45	1	
	(l-		1	7	20	.007	120.10	İ	 			.0.10	1	<u> </u>	ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	I		UEP9D	UEPU7	2.28	164.57	128.16	1	1	1	1	40.18	9.45		1

IBUNDLED N	IETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	ibit: A
T										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
i			i							Submitted		Charge -	Charge -	Charge -	Charge -
										1					
		Interi _		l i			5 4 T 5 0 (6)			Elec			Manual Svc		1
TEGORY	RATE ELEMENTS	m Zc	me BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
- 1		""		1						1		Electronic-	Electronic-	Electronic-	Electronic
												1st	Add'l	Disc 1st	Disc Add'l
1			1								ĺ	151	Addi	DISC 1St	Disc Add i
			-			Nonred	urrina	Nonrecurring	Disconnect			220	Rates (\$)		
					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-				FIISL	Add I	riisi	Adui	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1 1			1						l	1	1		į .
Ter	rm 2,3		UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
1 1												i			
2-V	Vire Voice Grade Port terminated in on Megalink or equivalent		UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	Wire Voice Grade Port Terminated on 800 Service Term		UEP9D	UEPU2	2.28	79.59	63.97					40.18	9,45		
Local Swit		 	OLI 3D	OCT OZ	2.20	7 3.03	00.57			 		40.10	5.70		·
			HEDOO.	1155.00	- 0 000										
	ntrex Intercom Funtionality, per port		UEP9D	URECS	0.903										
	nber Portability	l													<u> </u>
Loc	cal Number Portability (1 per port)		UEP9D	LNPCC	0.35										
Features				i											
	Standard Features Offered, per port		UEP9D	UEPVF	3.40								t	1	1
			UEP9D	UEPVS	0.00	457.83					—	40.18	9.45	<u> </u>	
	Select Features Offered, per port	\vdash				457.83						40.18	9.45		
	Centrex Control Features Offered, per port	oxdot	UEP9D	UEPVC	3.40					L			L		
NARS										l					
Uni	bundled Network Access Register - Combination		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	bundled Network Access Register - Inward	I I	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	bundled Network Access Register - Outdial		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45	†	-
			OLFBD	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.10	3,43	-	
	eous Terminations												l		1
2-Wire Tru															
Tru	unk Side Terminations, each		UEP9D	CEND6	12.36					1					
4-Wire Dia	ital (1.544 Megabits)	i i											T		
	1 Circuit Terminations, each		UEP9D	M1HD1	123.65					1		40.18	9.45		
	60 Channels Activiated per Channel		UEP9D	M1HDO	0.00	28.81						40.18	9.45	 	
			DEPSD	MINDO	0.00	20.01					ļ	40.16	9.43		
	Channel Mileage - 2-Wire														
inte	eroffice Channel Facilities Termination		UEP9D	M1GBC	18.00						ĺ				
Inte	eroffice Channel mileage, per mile or fraction of mile		UEP9D	MIGBM	0.0282										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	e											1		
	el Bank Feature Activations											l	l ——	 	
			UEP9D	1PQWS	0.65							ļ	 		
rea	ature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9D	IPQW5	0.00										
													1		
Fea	ature Activation on D-4 Channel Bank FX line Side Loop Slot	1 1	UEP9D	1PQW6	0.65								i	L	
Fea	ature Activation on D-4 Channel Bank FX Trunk Side Loop														
Slo	nt .	i I	UEP9D	1PQW7	0.65			i			ì			i	
	ature Activation on D-4 Channel Bank Centrex Loop Slot -	 	OLI OD	111 54117	0.00					 			 		
			LIEBOS	100140	1 000						l	l		1	1
Diff	ferent Wire Center	ļ	UEP9D	1PQWP	0.65						ļ		 		
			1							1	l	1	1		1
Fea	ature Activation on D-4 Channel Bank Private Line Loop Slot	į	UEP9D	1PQWV	0.65							1	l	L	I
Fea	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop														
Slo			UEP9D	1PQWQ	0.65					1	!	1	1	1	1
	ature Activation on D-4 Channel Bank WATS Loop Slot		UEP9D	1PQWA	0.65					1	1	ļ	† · · · · · · · · · · · · · · · · · · ·		
	rring Charges (NRC) Associated with UNE-P Centrex	\vdash	OCI 3D	II WWA	0.03		ļ			 	1	1	+	—	+
					ļI					 	ļ		ļ	 	ļ
	RC Conversion Currently Combined Switch-As-Is with allowed		1	1						1	1	I	1	1	1
	anges, per port		UEP9D	USAC2	<u> </u>	2.77	0.40				1	40.18	9.45	L	L
Ne	w Centrex Standard Common Block	I T	UEP9D	M1ACS	0.00	695.11						40.18	9.45	1	1
	w Centrex Customized Common Block		UEP9D	M1ACC	0.00	695.11				1	1	40.18	9.45		
	AR Establishment Charge, Per Occasion		UEP9D	URECA	0.00	72.73						40.18	9,45	†	
	Non-Recurring Charges (NRC)	 	32.00	JOI LEON	3.00	, 2.10				 	t	1	1 3.43	 	
		 			 						 	I	 	 	ļ
	bundled Miscellaneous Rate Element, Tag Loop at End Use			1		_	_			1	İ	I	1	1	Į.
	emise	↓	UEP9D	URETL	I I	8.33	0.83			L	L	l	L		
	bundled Miscellaneous Rate Element, Tag Design Loop at										i		1	1	
	d Use Premise		UEP9D	URETN		11.20	1.10			1	I	I	ŀ	1	1
	equired Port for Centrex Control in 1AESS, 5ESS & EWSD		· 1							1	t	†	† — —		1
	legures Interoffice Channel Mileage	+-+			 					 	 		 	 	+
		I	.		—						—		+	 	
	stallation is combination of Installation charge for SL2 Lo	op and Po	п							ļ		L			
	equires Specific Customer Premises Equipment	L 1								L			L		
	es displaying an "R" in Interim column are interim and sut														

Version 3Q03: 11/12/2003 [CCCS Amendment 258 of 308]

OMBOMPLE	D NETWORK ELEMENTS - South Carolina		_								10 0	10.0:		ment: 2		bit: A
		Interi										Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svo	Charge -	Charge Manual S
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (S)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic-	Order vs. Electronic-	Order vs Electroni
														Add'l	Disc 1st	Disc Add
						Rec		curring		Disconnect	201150			Rates (\$)		
23-2			1				First	Add'i	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	pination refers to Ge	ographicall	v Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
	www.interconnection.bellsouth.com/become_a_clec/html/inter				- 5· -p ···· -	,						,				
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				[]											<u> </u>
	(1) CLEC should contact its contract negotiator if it prefers the															
	ither the state specific Commission ordered rates for the servi	iceorde	ring ch	arges, or CLEC may	elect the re	egional service	ordering charg	e, however, Cl	LEC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished
	f the 9 states. (2) Any element that can be ordered electronically will be bill			a the COMEC sets to	stand in this	antana Dian	an refer to Dall	Cauth's Lassi	Orderine Head	haak (I OH) te	determine	: 6 a a a a a a a a a a a a a a			alle: Farthan	
	innot be ordered electronically at present per the LOH, the list															
	N, will be applied to a CLECs bill when it submits an LSR to B			e iii tiiis category rei	iecis ille cil	arge that would	d be billed to a	CLEC Office et	ectionic orden	ng capabilitie	s come on-r	ille for that	eternent. Gtil	erwise, tile ili	anuai orueimi	y charge,
3014121	OSS - Electronic Service Order Charge, Per Local Service	l	<u> </u>			1								1		
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
	DATE ADVANCEMENT CHARGE															
NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	CC No.1 Tariff, Section	n 5 as appl	icable.										
				UAL. UEANL, UCL, UEF. UDF. UEQ.												
				UDL. UENTW. UDN.									Į.			
		l)		UEA, UHL, ULC,												
				USL, U1T12, U1T48.											Į.	
		1		U1TD1, U1TD3,										į.		
		D .		U1TDX, U1TO3,												
				U1TS1, U1TVX,				1			1					
				UC1BC, UC1BL,												
		b		UC1CC, UC1CL,												
		b		UC1DC, UC1DL,												
				UC1EC. UC1EL, UC1FC. UC1FL,												
				UC1GC, UC1GL,											1	
		H		UC1HC, UC1HL,												
				UDL12, UDL48,												
		1		UDLO3, UDLSX,												
				UE3, ULD12,												
		1		ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1,							1				1	
				ULDVX, UNC1X, UNC3X, UNCDX,												
				UNCNX, UNCSX,							1					
				UNCVX, UNLD1.												
				UNLD3, UXTD1,												
				UXTD3, UXTS1,							1					
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,							1					l
	Day			U1TUB, U1TUA	SDASP		200.00									
	EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP	-	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32				1		<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1		1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32				İ	i	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								

Version 3Q03: 11/12/2003 Page 193 of 227

MOUNDL	ED NETWORK ELEMENTS - South Carolina		_											ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						D 1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		L
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				i	Ī										<u> </u>
-	(UVL-SL1)			UEANL	UREWO		15.81	8.96								
1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)	İ				i										
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL UEANL	UEANM		13.47	13.47								
	Order Coordination for Specified Conversion Time for UVL-SL1		 	IUEANL.	DEANC		8.17	8.17			-					
-	(per LSR)	İ		UEANL	OCOSL	l	18.13	18.13								
2-WII	RE Unbundled COPPER LOOP		 	OL7 UIL	- COOCE		10.13	10.13								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42	 	*******		-	-	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	Ī	3	UEQ	UEQ2X	15.02	36,40	16.10	22.66	4.42	1				_	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				T											
\rightarrow	Premise	ļ	<u> </u>	UEQ	URETL		8.33	0.83							L	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	l	-	1		Т										I
	Non-Designed (per loop)			UEQ	USBMC		8.17	8.17							L	<u> </u>
1	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.f.)]]	1,150	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ŀ										
	Loop Testing - Basic 1st Half Hour	-	├	UEQ UEQ	UEQMU URET1		13.47	13.47	ļ					_		
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		34.23 19.90	34.23								
	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	DEG	UKETA		19.90	19.90			ļ				ļ	
	(UCL-ND)	l		UEQ	UREWO	ŀ	14.30	7.45			1					
BUNDLED	EXCHANGE ACCESS LOOP			-	JONE WO		14.50	7.43								
2-WII	RE ANALOG VOICE GRADE LOOP		_													-
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+			_			 					
	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32					Ì	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		_2_	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		_		UE 4 D G		07.00						-			1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
-	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	C 22					ļ	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SD	ULALS	20.72	31.52	17.62	23.30	5.32	l				 	
	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32					ì	
BUNDLEC	EXCHANGE ACCESS LOOP		-	OEF GREET OF	02,00	20.72	07.52	17.02	25,50	3.32						
2-WII	RE ANALOG VOICE GRADE LOOP		-		1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1										_	
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61					1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
\rightarrow	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	ł	_		\perp	1										
	Ground Start Signaling - Zone 3	L	3_	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1			40.00	405.00									1
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	CO 42	53.05	40.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	23, 13	103.96	68.43	53.05	10.61						
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61					ŀ	
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		18.13	00.43	33.03	10.01	 					-
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44			1					
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
4-WIF	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		•••				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61					I	Ι"
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
l l	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.90	36.44							I	

UNB	JNDLE	D NETWORK ELEMENTS - South Carolina										T= =:			ment: 2		ibit: A
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring					Rates (\$)	I	
				 				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP			UDAL	LIAI OV	05.04	117.58	80.03	53.05	10.61					 	
	ļ	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1 1	UDN	U1L2X U1L2X	25.21 32.76	117.58	80.03	53.05	10.61					 	
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		 				+
		2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>	3_			37.70	18.13	80.03	53.05	10.01	<u> </u>				1	+
		Order Coordination For Specified Conversion Time (per LSR)	-	-	UDN	OCOSL UREWO		91.82	44.25	-		<u> </u>			-	1	
	2 14000	CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1 000		UKEWO		31.02	44.23						-		
	Z-WIRE	2 Wire Unbundled ADSI, Loop including manual service inquiry	A HBL	LOUI	1					 		+			 	 	
	1	& facility reservation - Zone 1		1 .	UAL	UAL2X	12,19	120.84	70.56	50.37	7.93	l			l	1	
	1	2 Wire Unbundled ADSL Loop including manual service inquiry	-	 '-		Dr.LEA	12.13	120.01	70.00	00.01	7.00						
	1	& facility reservation - Zone 2	l	2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93	1					
		2 Wire Unbundled ADSL Loop including manual service inquiry	 	 -	1	10,											
		& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120,84	70.56	50.37	7.93						
	+	Order Coordination for Specified Conversion Time (per LSR)		—	UAL	OCOSL		18.13									
		2 Wire Unbundled ADSL Loop without manual service inquiry &				1											
		facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93	1		l			
	_	2 Wire Unbundled ADSL Loop without manual service inquiry &	T														
	1	facility reservaton - Zone 2	Į.	2	UAL	UAL2W	13,71	95.81	57.82	50.37	7.93	ì	ì	1	`	1	1
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	T													
	1	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		l			<u> </u>	
	1	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	1	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48							ļ	
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry	[1													
		& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93	L					ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry		1		1 1				1		1					
		& facility reservation - Zone 2		2_	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93	.l					
	i	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1	1	1 1						1		1	İ		1
		& facility reservation - Zone 3		3_	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93				l		
		Order Coordination for Specified Conversion Time (per LSR)		 	UHL	OCOSL		18.13						!	ļ		
		2 Wire Unbundled HDSL Loop without manual service inquiry	l											1	i		
		and facility reservation - Zone 1		1_	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93	1				<u> </u>	
		2 Wire Unbundled HDSL Loop without manual service inquiry	ļ								7.00	i					
	ļ	and facility reservation - Zone 2		2_	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93	ļ				+	
	1	2 Wire Unbundled HDSL Loop without manual service inquiry			l		44.40	404.40	00.50	50.07	7.00		ĺ			1	1
		and facility reservation - Zone 3	ļ	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93	1			-	-	
	-	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL UREWO		18.13	40.48								
	4 180701	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	1 000	UHL	UREWO		86.32	40.46						 	+	
	4-90114		TIBLE	LOOP				_				 				1	+
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38					1	1
		4-Wire Unbundled HDSL Loop including manual service inquiry	_	+	UFIL	UIIL4X	10.02	130.16	107.09	33.12	10.30				<u> </u>	1	+
		and facility reservation - Zone 2	ļ	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38					1	
	+	4-Wire Unbundled HDSL Loop including manual service inquiry	-	 - -	OI IL	UTILAX	14.33	130.10	107.03	33.12	10.30	+				+	
		and facility reservation - Zone 3	1	3	UHL.	UHL4X	16.84	158.18	107.89	55.12	10.38					1	
	+	Order Coordination for Specified Conversion Time (per LSR)		+	UHL	OCOSL.	10.04	18.13	107.03	00.12	10.50			 	 	1	
	+	4-Wire Unbundled HDSL Loop without manual service inquiry	 	 		100000									†		1
	1	and facility reservation - Zone 1	ì	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38	1	1]			1
	1	4-Wire Unbundled HDSL Loop without manual service inquiry		†								†			1		
	1	and facility reservation - Zone 2	1	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38			L			
	T	4-Wire Unbundled HDSL Loop without manual service inquiry		T												1	
		and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38			L	L	1	L
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13]					
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
	4-WIRE	DS1 DIGITAL LOOP	L												L		
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.51	253.03	157.89	44.80	11,73						L
	1	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157,89	44.80	11.73			L	<u></u>	1	
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73		L				
l	1	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13				1	1				L

CLEC to CLEC Conversion Ch. 4-WIRE 19.2, 56 OR 64 KBPS DIGITAI 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 6 Unbundled Digital Loop 7 Unbundled Digital Loop 9 Unbundled Digital Loop 10 Unbundled Digital Loop 11 Unbundled Digital Loop 12 Wire Unbundled Digital Loop 12 Wire Unbundled Digital Loop 13 Unbundled Digital Loop 14 Wire Unbundled Digital Loop 15 Unbundled Copper Loop 16 Unbundled Copper Loop 17 Unbundled Copper Loop 18 Unbundled Copper Loop 19 Unbundled Copper Loop 19 Unbundled Copper Loop 10 Unbundled Copper Loop 10 Service inquiry & facility reserve 10 Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Under Coordination for Unbund 10 Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Unbundled Copper Loop 10 Service inquiry and facility reserve 11 Unbundled Copper Loop 12 Unbundled Copper Loop 13 Unbundled Copper Loop 14 Unbundled Copper Loop 15 Unbundled Copper Loop 16 UCL-Des) 17 Unbundled Copper Loop 18 Unbundled Copper Loop 18 Unbundled Copper Loop 19 Unbundled Copper Loop 19 Unbundled Copper Loop-Designed 19 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 19 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed 10 Unbundled Copper Loop-Designed	Charge without outside dispatch TAL GRADE LOOP 1.2 Kbps 2.2 Kbps 3.2 Kbps 3.2 Kbps 56 Kbps - Zone 1 50p 56 Kbps - Zone 2 50p 56 Kbps - Zone 3	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec	Submitted	Charge -	Incremental Charge -	Charge -	Incrementa Charge -
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Digital Loop 6 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Copital Loop 1 Wire Unbundled Copper Loop 1 Service inquiry & facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry & facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry & facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry and facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry and facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry and facility reserve 2 Wire Unbundled Copper Loop 2 Service inquiry and facility reserve 3 Wire Unbundled Copper Loop 2 Service inquiry and facility reserve 3 Wire Unbundled Copper Loop 3 Service inquiry and facility reserve 4 Wire Copper Loop-Designed and facility reservation - Zone 1 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2	TAL GRADE LOOP 1.2 Kbps 2.2 Kbps 2.2 Kbps 2.2 Kbps 2.5 Kbps - Zone 1 2.5 Zone 2 2.5 Zone 2 2.5 Zone 3							(4)			per LSR	per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svo Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specific 4 Wire Unbundled Digital Loop Order Coordination for Specific Unbundled Digital Loop 4 Wire Unbundled Digital Loop 6 Wire Unbundled Digital Loop Order Coordination for Specific CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion Che CLEC to CLEC Conversion for Unbund CLEC to CLEC Conversion for Unbund CLEC to CLEC Conversion Che (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed	TAL GRADE LOOP 1.2 Kbps 2.2 Kbps 2.2 Kbps 2.2 Kbps 2.5 Kbps - Zone 1 2.5 Zone 2 2.5 Zone 2 2.5 Zone 3					Rec	Nonrec		Nonrecurring					Rates (\$)		
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Digital Loop 6 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Digital Loop 1 Wire Unbundled Copital Loop 1 Wire Unbundled Copper Loop 1 Service inquiry & facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry & facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry & facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry and facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry and facility reserve 2 Wire Unbundled Copper Loop 1 Service inquiry and facility reserve 2 Wire Unbundled Copper Loop 2 Service inquiry and facility reserve 3 Wire Unbundled Copper Loop 2 Service inquiry and facility reserve 3 Wire Unbundled Copper Loop 3 Service inquiry and facility reserve 4 Wire Copper Loop-Designed and facility reservation - Zone 1 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2 4 Wire Copper Loop-Designed and facility reservation - Zone 2	TAL GRADE LOOP 1.2 Kbps 2.2 Kbps 2.2 Kbps 2.2 Kbps 2.5 Kbps - Zone 1 2.5 Zone 2 2.5 Zone 2 2.5 Zone 3			USL	UREWO	1100	First	Add'I 43,13	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 7 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 14 Wire Unbundled Digital Loop 15 Wire Unbundled Digital Loop 16 Wire Unbundled Digital Loop 17 Wire Unbundled Digital Loop 18 Wire Unbundled Digital Loop 19 Wire Unbundled Digital Loop 19 Wire Unbundled Digital Loop 10 CLEC to CLEC Conversion Che 10 Wire Unbundled Copper Loop 10 Service inquiry & facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry & facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry & facility reserve 10 Order Coordination for Unbund 10 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 10 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Loop-Designed and facility reservation - Zone 20 Service Copper Lo	9.2 Kbps 9.2 Kbps 9.2 Kbps 9.0p 56 Kbps - Zone 1 9.0p 56 Kbps - Zone 2 9.0p 56 Kbps - Zone 3			USL	UREWO		101.30	43.13				,			·	+
4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital 19.0 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 6 Wire Unbundled Digital Loop 7 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 9 Wire Unbundled Digital Loop 9 Wire Unbundled Copper Loop 9 Wire Unbundled Copper Loop 10 Wire Unbundled Copper Loop 11 Wire Unbundled Copper Loop 12 Wire Unbundled Copper Loop 12 Wire Unbundled Copper Loop 13 Wire Unbundled Copper Loop 14 Wire Unbundled Copper Loop 15 Service inquiry & facility reserve 16 Wire Unbundled Copper Loop 17 Service inquiry & facility reserve 18 Wire Unbundled Copper Loop 18 Service inquiry and facility reserve 19 Wire Unbundled Copper Loop 19 Service inquiry and facility reserve 19 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Unbundled Copper Loop 10 Service inquiry and facility reserve 10 Wire Copper Loop-Designed 10 Admit Copper Loop-Designed 11 Service Virial	9.2 Kbps 9.2 Kbps pop 56 Kbps - Zone 1 pop 56 Kbps - Zone 2 pop 56 Kbps - Zone 3	1	1	UDL	UDL19	29 93	126.66	89.12	59.35	14.61						-
4 Wire Unbundled Digital 19.2 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specifie 4 Wire Unbundled Digital Loop Order Coordination for Specifie 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Che 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 2-Wire Unbundled Copper Loo service inquiry & facility reserve 2-Wire Unbundled Copper Loo service inquiry & facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserve 1-Wire Unbundled Copper Loo service inquiry and facility reserve 0-Wire Unbundled Copper Loo service inquiry and facility reserve 1-Wire Unbundled Copper Loo service inquiry and facility reserve 1-Wire Copper Loop-Designed and facility reservation - Zone 1- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed and facility reservation - Zone 2- 4-Wire Copper Loop-Designed	0.2 Kbps oop 56 Kbps - Zone 1 oop 56 Kbps - Zone 2 oop 56 Kbps - Zone 3		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61		,			· · · · · · · · · · · · · · · · · · ·	
4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specific 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Dorder Coordination for Specific CLEC to CLEC Conversion Che 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 3-Wire Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 4-Wire Unbundled COPPER LOOP 5-Wire Unbundled COPPER LOOP 5-Wire Unbundled COPPER LOOP 5-Wire Unbundled COPPER LOOP 4-Wire Unbundled COPPER LOOP 5-Wire Unbundled COPPER LOOP 5-Wire Unbundled COPPER LOOP 5-Wire Unbundled COPPER LOOP 6-Wire Unbundled COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP 6-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reservation - Zone 2-Wire COPPER LOOP-Designed and facility reserv	oop 56 Kbps - Zone 2 oop 56 Kbps - Zone 3		3	UDL	UDL19	34 74	126.66	89.12	59.35	14.61						
4 Wire Unbundled Digital Loop Order Coordination for Specifie 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Che 2-WIRE Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Che 2-Wire Unbundled COpper Loo Service inquiry & facility reserve 2-Wire Unbundled Copper Loo Service inquiry & facility reserve 2 Wire Unbundled Copper Loo Service inquiry & facility reserve 0 Order Coordination for Unbund 2-Wire Unbundled Copper Loo Service inquiry and facility reserve - Order Coordination for Unbund 2-Wire Unbundled Copper Loo Service inquiry and facility reserve - Order Coordination for Unbund - Order Coordination for Unbund - CLEC to CLEC Conversion Che - (UCL-Des) 4-Wire Copper Loop-Designed - Aufracility reservation - Zone 1 - Wire Copper Loop-Designed - Aufracility reservation - Zone 1 - Order Coordination for Unbund - Order Coordination for Unbund - Order Coordination for Unbund - Order Coordination - Zone 1 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Order Coordination for Unbund - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed - Aufracility reservation - Zone 2 - Wire Copper Loop-Designed	oop 56 Kbps - Zone 3			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
Order Coordination for Specifie 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Che 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled COPPER LOOP 2-Wire Unbundled Copper Loo service inquiry & facility reserve 2 Wire Unbundled Copper Loo service inquiry & facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserve 2 -Wire Unbundled Copper Loo service inquiry and facility reserve 2 -Wire Unbundled Copper Loo service inquiry and facility reservation of Unbund CLEC to CLEC Conversion Che (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation or Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed				UDL	UDL56	33.99	126.66	89.12	59.35	14.61	L	ıl	<u> </u>	ļ	<u> </u>	
4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Che 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loo service inquiry & facility reserve 2-Wire Unbundled Copper Loo service inquiry & facility reserve 2 Wire Unbundled Copper Loo service inquiry & facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese 0-Wire Unbundled Copper Loo service inquiry and facility rese 0-Wire Unbundled Copper Loo service inquiry and facility rese 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4 -Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed			3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61	i		 '		 	-
4 Wire Unbundled Digital Loop 4 Wire Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Che 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loo service inquiry & facility reserva 2-Wire Unbundled Copper Loo service inquiry & facility reserva 2 Wire Unbundled Copper Loo service inquiry & facility reserva Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserva inquiry and facility reserva 2-Wire Unbundled Copper Loo service inquiry and facility reserva 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese Order Coordination for Unbund CLEC to CLEC Conversion Che (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation or Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed			1	UDL	OCOSL UDL64	29.93	18.13 126.66	89.12	59.35	14.61					 	
4 Wire Unbundled Digital Loop Order Coordination for Specifie CLEC to CLEC Conversion Cha 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loo service inquiry & facility reserva 2-Wire Unbundled Copper Loo service inquiry & facility reserva 2 Wire Unbundled Copper Loo service inquiry & facility reserva Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserva inquiry and facility reserva 2-Wire Unbundled Copper Loo service inquiry and facility reserva 2-Wire Unbundled Copper Loo service inquiry and facility reserva 0-Wire Unbundled Copper Loo service inquiry and facility reserva 0-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone :		-		UDL	UDL64	33.99	126.66	89.12	59.35	14.61					 	
Order Coordination for Specific CLEC to CLEC Conversion CLEC to CLEC Conversion CLEC to CLEC Conversion CLEC to CLEC Conversion CLEC to CLEC Conversion CLEC to CLEC Conversion CLEC to CLEC CLEC To CLEC CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC TO CLEC CONVERSION CLECK TO CLEC TO CLEC CONVERSION CLECK TO				UDL	UDL64	34.74	126.66	89.12	59.35	14.61	, 			t		
CLEC to CLEC Conversion Che 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loo service inquiry & facility reserve 2-Wire Unbundled Copper Loo service inquiry & facility reserve 2-Wire Unbundled Copper Loo service inquiry & facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserve 2-Wire Unbundled Copper Loo service inquiry and facility reserve 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese 0-Wire Unbundled Copper Loo service inquiry and facility rese (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 0-Wire Copper Loop-Designed and facility reservation - Zone 3 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed and facility reservation - Zone 6 4-Wire Copper Loop-Designed		1 -	1	UDL	OCOSL		18.13				,					
2-Wire Unbundled Copper Loo service inquiry & facility reserve 2: Wire Unbundled Copper Loo service inquiry & facility reserve 2: Wire Unbundled Copper Loo service inquiry & facility reserve 1: Wire Unbundled Copper Loo service inquiry & facility reserve 1: Wire Unbundled Copper Loo service inquiry and facility reserve 1: Wire Unbundled Copper Loo service inquiry and facility reserve 1: Wire Unbundled Copper Loo service inquiry and facility reserve 1: Wire Unbundled Copper Loo service inquiry and facility reservation of Unbundled Copper Loop-Berrico Chefull (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone 1: 4-Wire Copper Loop-Designed and facility reservation - Zone 1: Order Coordination for Unbundled Copper Loop-Designed and facility reservation - Zone 2: Order Coordination for Unbundled Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed and facility reservation - Zone 2: 4-Wire Copper Loop-Designed	Charge without outside dispatch			UDL	UREWO		102.34	49.85								
service inquiry & facility reserva 2-Wire Unbundled Copper Loo service inquiry & facility reserva 2 Wire Unbundled Copper Loo service inquiry & facility reserva Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserva 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese Order Coordination for Unbund CLEC to CLEC Conversion Cha (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 4-Wire Copper Loop-Designed and facility reservation - Zone 3 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4																
2-Wire Unbundled Copper Loo service inquiry & facility reserved order to the service inquiry & facility reserved order Coordination for Unbundled Copper Loo service inquiry & facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved inquiry and facility reserved in and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone individual i		-									, 1	, ,	i '	ĺ	1 '	
service inquiry & facility reserve 2 Wire Unbundled Copper Loo service inquiry & facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reser 2-Wire Unbundled Copper Loo service inquiry and facility reser 2-Wire Unbundled Copper Loo service inquiry and facility reser 2-Wire Unbundled Copper Loo service inquiry and facility reser Order Coordination for Unbund CLEC to CLEC Conversion Chr. (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed			1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	·		 '		 	
2 Wire Unbundled Copper Loo service inquiry & facility reservation. Order Coordination for Unbundled. 2-Wire Unbundled Copper Loo service inquiry and facility reservation. 2-Wire Unbundled Copper Loo service inquiry and facility reservation. 2-Wire Unbundled Copper Loo service inquiry and facility reservation. CIEC to CLEC conversion Chr. (UCL-Des) 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed			2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93	ı .	ı 1	i '	ĺ	('	
service inquiry & facility reserve Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility reserve 2-Wire Unbundled Copper Loo service inquiry and facility reserve 2-Wire Unbundled Copper Loo service inquiry and facility reserve Order Coordination for Unbund CLEC to CLEC Conversion Cha (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone and facilit			-	UCL .	UCLFB	13.71	119.91	09.02	30.37	7,93						
Order Coordination for Unbund 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese 2-Wire Unbundled Copper Loo service inquiry and facility rese Order Coordination for Unbund CLEC to CLEC Conversion Chr. (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone of the Compension of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed and facility reservation - Zone of the Copper Loop-Designed			3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93	i 1	, 1	i '	ĺ	i '	
2-Wire Unbundled Copper Loo service inquiry and facility reservation. 2-Wire Unbundled Copper Loo service inquiry and facility reservation. 2-Wire Unbundled Copper Loo service inquiry and facility reservation. 2-Wire Unbundled Copper Looservation. 2-Wire Copper Loop-Designed and facility reservation. 2-Zone. 4-Wire Copper Loop-Designed and facility reservation. 2-Zone. 2-Wire Copper Loop-Designed and facility reservation. 2-Zone. 2-Wire Copper Loop-Designed and facility reservation. 2-Zone. 3-Wire Copper Loop-Designed and facility reservation. 2-Zone. 3-Wire Copper Loop-Designed and facility reservation. 2-Zone. 4-Wire Copper Loop-Designed and facility reservation. 2-Zone. 4-Wire Copper Loop-Designed and facility reservation. 2-Zone. 4-Wire Copper Loop-Designed and facility reservation. 2-Zone. 4-Wire Copper Loop-Designed.		-	Ť	UCL	UCLMC		8.17	8.17	00.01	.,,,,			[
2-Wire Unbundled Copper Loo servace inquiry and facility rese 2-Wire Unbundled Copper Loo servace inquiry and facility rese Order Coordination for Unbund CLEC to CLEC Conversion Cha (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 5-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed 2-Wire Copper Loop-Designed			1													
senuce inquiry and facility reservation 2-Wire Unbundled Copper Loos servce inquiry and facility reservation of CLEC to CLEC Conversion Chig(UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation in Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed	eservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		ı	Ĺ		L'	
2-Wire Unbundled Copper Loo service inquiry and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed and facility reservation - Zone 6-Wire Copper Loop-Designed 6-Wire Copper Loop-Designe		ł			1						. 1	, 1	ĺ	İ	1 '	
service inquiry and facility rese Order Coordination for Unbund CLEC to CLEC Conversion Cha (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed		-	2	UCL	UCLPW	13.71	94,87	56.89	50.37	7.93		t	ļ'			-
Order Coordination for Unbund CLEC to CLEC Conversion Chi (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone and facil			3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93	()	i 1	l '	1	· '	
CLEC to CLEC Conversion Cha (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone: 4-Wire Copper Loop-Designed and facility reservation - Zone: 4-Wire Copper Loop-Designed and facility reservation - Zone: Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone: 4-Wire Copper Loop-Designed and facility reservation - Zone: 4-Wire Copper Loop-Designed		+	3	UCL	UCLMC	14,14	8.17	8.17	30.37	7.93			 	 	 	
(UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : Order Coordination for Unbund - Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed and facility reservation - Zone : 4-Wire Copper Loop-Designed		+	1	OOL	OCLIVIC		0.17	0.17					i	<u> </u>	l	
4-Wire Copper Loop-Designed and facility reservation - Zone a 4-Wire Copper Loop-Designed and facility reservation - Zone a 4-Wire Copper Loop-Designed and facility reservation - Zone of Corder Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone a 4-Wire Copper Loop-Designed and facility reservation - Zone a 4-Wire Copper Loop-Designed and facility reservation - Zone a 4-Wire Copper Loop-Designed	g			UCL	UREWO	ł	94.87	42.57	i i		. !	, 1	1 '	İ	1	
and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 1 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 2																
4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed	ed including manual service inquiry	/	T									, ,	l '		· '	
and facility reservation - Zone 2 4-Wire Copper Loop-Designed and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4 -Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed			1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38	└			ļ		
4-Wire Copper Loop-Designed and facility reservation - Zone 2 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed 4-Wire Copper Loop-Designed		<i>'</i>	2	UCL	UCL4S	20.90	144,17	93.88	55.12	10.38	. !		i '		1	
and facility reservation - Zone 3 Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed		,	2	OCL	UCL4S	20.90	144.17	93.88	33.12	10.36	l		<u> </u>	 		
Order Coordination for Unbund 4-Wire Copper Loop-Designed and facility reservation - Zone 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed		'	3	UCL	UCL4S	19.34	144,17	93.88	55.12	10.38	()	()	i '		1	
4-Wire Copper Loop-Designed and facility reservation - Zone 4 4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed		+	 	UCL	UCLMC		8.17	8.17	00.72	10.00						
4-Wire Copper Loop-Designed and facility reservation - Zone 2 4-Wire Copper Loop-Designed	ed without manual service inquiry															
and facility reservation - Zone 2 4-Wire Copper Loop-Designed			1	UCL	UCL4W	19.64	119.13	81.15	55,12	10.38				L		
4-Wire Copper Loop-Designed	ed without manual service inquiry										, !	(1		1	
			2	UCL	UCL4W	20.90	119.13	81,15	55.12	10.38		└─ ─		<u> </u>		
failu iacinty reservation - Zone s			3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38	1	(1	1	1	
Order Coordination for Unbund	undled Copper Loops (per loop)		1 3	UCL	UCLMC	19.34	8.17	8.17	33.1∠	10.38	\vdash	\vdash		 		
	Charge without outside dispatch		 		- JOCEWIC			0.17				 	 	 		
(UCL-Des)	onargo minour outside dispersion			UCL	UREWO		94.87	42.57			1	1 1	1		(
OOP MODIFICATION			1										1			
pair less than or equal to 18k f				UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
Unbundled Loop Modification F less than or equal to 18K ft, pe	on Removal of Load Coils - 4 Wire			UHL, UCL, UEA	ULM4L		32.46	32.46			1	7				
Unbundled Loop Modification F	her ounguings rooh	1,		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	OLIVIAL.		32.48	32.48								

Version 3Q03: 11/12/2003 Page 196 of 227

NRONDE	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	.	
<u> </u>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UB-LOOPS	<u> </u>		l								l					
Sub-l	oop Distribution											L				
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		i .		i						ľ	ļ	Ĭ			
	Up			UEANL	USBSA		241.42	241.42								
İ						i										1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	ļ	UEANL	USBSB		22.69	22.69								
1	Sub-Loop - Per Building Equipment Room - CLEC Feeder	l									l		i			
	Facility Set-Up	1		UEANL	USBSC	l	177.84	177.84			İ					
l	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	. 1 .		UEANL	USBSD		55,58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1													
	Zone 1		1	UEANL.	USBN2	8.87	65.94	31.03	45.35	6.71	J	1	ļ]	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3	1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71	ŀ	i				
i	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	· I	8.17	8.17			l					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop															
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		†									1			1	1
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09			ļ	i		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1-	02/114					10.02	0.00	—					
i	Zone 3	[3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09	ĺ	ĺ	1	ľ		1
	ZOTO U		t –	OC/ II VC	000				10.02	0.00	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17		i	i			ŀ	i	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR2	2,41	53.13	18.21	45.35	6.71						
	Sub Edop 2 17th o maddending Methoric Cable (1110)	<u> </u>		OL7 WL	JOETTE	2	- 55.10	10.4.1	10.00		 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17				i			1	
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	T	+	UEANL	USBR4	5.36	59.38	24.47	49.82	9.09	l					
	Gob-Loop 4-44th C Intrabaliding Network Cable (INC)	- '-	 	GEANC	OODITT	3.30	33.30	24,41	43.0Z	5.05	+			 	 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		8,17	8.17		•			[
	Loop Testing - Basic 1st Half Hour	+		UEANL	URET1		34.23	34.23			-	 		 		
	Loop Testing - Basic Additional Half Hour	-	ł		URETA		19.90	19.90			 	t		ļ		+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1		UCS2X	7.11	65.94	31.03	45,35	6.71	1	ł		 	 	
	2 Wire Copper Unburidled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71	-			 		
		'	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71	ļ	 				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UÇSZA	10.46	65.94	31.03	43.33	0.71	 			 		
	Onder Consideration for Unboundled Code Long Constitution 1		1	UEF	USBMC		8,17	8.17			1	1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1			7.05	79.21	44.29	49.82	9.09		 		 		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1		UCS4X	7.85				9.09		-		 		+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	14.17	79.21	44.29	49.82					 	ļ	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09			-	ļ.——	-	ļ
l		1		l		[[1			1		1		1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ــــــ	-	UEF	USBMC		8.17	8.17				 	ļ	↓		
	Loop Testing - Basic 1st Half Hour	ļ	<u> </u>	UEF	URET1		34.23	34.23			1	<u> </u>		ļ	ļ	
	Loop Testing - Basic Additional Half Hour	1	_	UEF	URETA		19.90	19.90						L	<u> </u>	
Unbu	ndled Network Terminating Wire (UNTW)										 					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20				ļ	L	_	<u> </u>	
Netw	ork Interface Device (NID)	L									ļ			ļ		
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79				1	L	_		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53				ļ		<u> </u>	ļ	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92		L		ļ <u> </u>		L	ļ	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92						L	ļ	<u> </u>
JNE OTHER,	PROVISIONING ONLY - NO RATE	L									1			1		
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00					1				
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	T	1	UENTW	UENCE	0.00	0.00									
		1	i i	UEANL, UEF, UEQ, U												1
	Unbundled Contract Name, Provisioning Only - No Rate	I	1	ENTW	UNECN	0.00	0.00		i	1				1		
	PROVISIONING ONLY - NO RATE		+						t			1	t		T	

Version 3Q03: 11/12/2003

Page 197 of 227

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<u> </u>				Rec	Nonrec First		Nonrecurring		00450	0014411		Rates (\$)	004444	000000
		-	1				First	Add'f	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1	UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00		ł							1
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no														******	1
	rate		<u> </u>	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		į													
	rate Unbundled DS1 Loop - Superframe Format Option - no rate		-	UEA,USL,UCL,UDL USL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -	 	<u> </u>	USL	CCUSF	0.00	0.00									ļ
	no rate	ŀ		USL	CCOEF	0.00	0.00				1					
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP		<u> </u>	UGE	OOOLI	0.00	0.00				 					-
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1													
	month	ļ		UE3	1L5ND	12.26										ļ
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1													
	month High Capacity Unbundled Local Loop - STS-1 - Facility		-	UDLSX	1L5ND	12.26										ļ
	Termination per month		1	UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP MAKE-L			 -	ODEGA	OULUT	313.43	432.32	204.33	119.73	65.77						
	Loop Makeup - Preordering Without Reservation, per working or		1								-					
	spare facility queried (Manual).		l	UMK	UMKLW		24.04	24.04			ļ					
	Loop Makeup - Preordering With Reservation, per spare facility										1					
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or															l
LINE SHADING	spare facility queried (Mechanized) G AND LINE SPLITTING			UMK	UMKMQ		0.34	0.34								
	The Line Sharing monthly recurring rates for all installation	l com	aleted f	rom October 02, 200	3 through m	idnight Octobe	r 01 2004 chal	be billed as f	ollows:						-	
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lariigiit Octobe	1 01, 2004 Sijai	De Dilled as I	ollows.						-	
NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	1		addignou (Count	'											h
NOTE	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservice	e on or before	October 1, 200	03							
	SHARING															<u> </u>
SPLIII	TERS-CENTRAL OFFICE BASED		-	ULS		046.00		0.00	170.00							
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDA ULSDB	216.22 54.05	189.21 189.21	0.00	178.38 178.38	0.00						<u> </u>
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			0.0	CLODO	70.02	100.21	0.00	170.30	0.00						
	deactivation (per LSOD)	ļ		ULS	ULSDG		86.67	0.00	49.95	0.00					1	l
END Ü	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		1.			i										
	Line Sharing - per Line Activation (BST Owned splitter) -			,									-			
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -															l
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		1 :				40.55									į.
	Line Share Service, TRO per line activation, BST owned splitter -		-	ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						ļ
	Central Office Located (50% of UCLND) - please see NOTE 1		1 .													l
t	(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						l
	Line Share Service, TRO per line activation, BST owned splitter -						32.00									
	Central Office Located (75% of UCLND) - please see NOTE 1		1.													l
	(E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						ļ
ĺ	Line Sharing - per Subsequent Activity per Line	l														
	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line	ļ		ULS	ULSDS		16.42	8.21	ļ							ļ
1	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21								
	Line Sharing - per Line Activation (DLEC owned Splitter) -	ł		0.0	SLOW		10.42	0.21	 	·····				-		

ONBONDER	D NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Line Share Service, TRO per line activation, CLEC owned					1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47,44	19.31	20.67	12.74						1
	Line Share Service. TRO per line activation, CLEC owned			000	- OCSC1	3.24	47,44	15.51	20.01	12.74			_			
	splitter - Central Office Located (50% of UCLND) - please see				1 1							1				
APRIL DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE	NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned															Ť T
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	2067	12.74						
	SPLITTING															
END L	ISER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										ļ
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21 24	20.07	9.85						1
04 A 1017	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37 09	21.24	20.07	9.85	<u> </u>					
MAIN	No Trouble Found - per 1/2 hour increments - Basic		-		+		80.00	55.00							-	1
	No Trouble Found - per 1/2 hour increments - Overtime	<u> </u>					120.00	82.50			l	1				+
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			-					
UNBUNDLED	DEDICATED TRANSPORT						100.00	110.00				E				
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								i i		1					
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	İ				- 1	-		İ			=				
	Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16 77	6.91						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U11 V X	1L5XX	0.0167					l					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.										1					
	Facility Termination	-	_	U1TVX	U1TR2	24.30	40 63	27.47	1677	6.91						<u> </u>
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			LIATIO	ALCYY	0.0467										
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0167										+
	- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
_	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	21.25	40.03	21.41	10.77	0.91					_	
	per month			U1TDX	1L5XX	0.0167									l	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-		011011	120701	0.0101					1					
	Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
į.	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1						İ					†
	per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															1
	month			U1TD1	1L5XX	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14,48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Page 5 33			U1TD3	1L5XX	8.02									<u> </u>	1
	Interoffice Channel - Dedicated Transport - DS3 - Facility				U1TF3	880.65	279.37	163.12	60.33	50.50						1
-	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	UTIF3	880.05	2/9.3/	163.12	60.33	58.59						-
	month			U1TS1	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01131	1.2000	0.02										
	Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
DARK FIBER						1	2.0.0.	.55.12	00.33	55.55						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF. UDFCX	1L5DF	36.41										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF 14		640.51	138.17	317.76	198.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction											- 9				
l	Thereof per month - Local Loop			UDF. UDFCX	1L5DL	97.65										
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	31776	198.11						

Version 3Q03: 11/12/2003 Page 199 of 227

ONRONDER	D NETWORK ELEMENTS - South Carolina					·								ment: 2		bit: A
						1							Incremental		1	1
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	1		i i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per zert	pe. no	Electronic-	Electronic-	Electronic-	Electronic-
		l											1st	Add'l	Disc 1st	Disc Add'l
		i			1								ist	Addi	DISC ISC	DISC Add I
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
			1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call		1	OHD		0.0006673										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX					1									1	1
j	Number Reserved		1	OHD	N8R1X		2.59	0.44						ĺ		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.95	0.81	4.58	0.54				İ		i
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
ļ.	POTS Translations			OHD	N8FTX	1	5.95	0.81	4.58	0.54				İ		į
	8XX Access Ten Digit Screening, Customized Area of Service		1		-			0.0.		0.01					 	<u> </u>
	Per 8XX Number		1	OHD	N8FCX		2.59	1.30			1		Į.	1		1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		 	OND	1407 07	- +	2.55	1.50							1	
į.	Routing Per CXR Requested Per 8XX No.	l	1	OHD	N8FMX		3.03	1.74			1			i		
	8XX Access Ten Digit Screening, Change Charge Per Request	l	 	OHD	N8FAX	1	3.03	0.44						 	 	
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	 		OLID	NOFAX	 	3.03	0.44					 	 	 	
		l	1	OHD	N8FDX		2.52	0.50			Į į		l		1	
	Features		ļ		N8FUX		2.59	2.59			ļ					
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000246										
	LtDB Validation Per Query		<u> </u>	oqu		0.0138158										L
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	1	34.40		42.18		l				j	
SIGNALING (C						1								ľ		
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49									1	ļ
	CCS7 Signaling Usage, Per TCAP Message		1	UDB		0.0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	1			i		
	CCS7 Signaling Usage, Per ISUP Message		1	UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37		•							1	
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected	l	1	UDB	CCAPO		29.08	29.08	35.65	35.65				l		
	CCS7 Signaling Point Code, per Destination Point Code		†													
	Establishment or Change, Per Stp Affected		1	UDB	CCAPD		29.08	29.08	35.65	35.65				1	ļ	
E911 SERVICE	31, 0000			000	- 100.02	1	20.00	20.00	00.00	00.00					 	
	Local Channel - Dedicated - 2-wr Voice Grade		 			15.33	193,53	33.24	36.72	3.21	-					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		-			0.0167	133.33	33.24	30.72	5.21					 	
- +	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		 	-	 	0.0107		-					l		1	
	Termination	1	İ		1	24.30	40.63	27.47	16.77	6.91					Ì	
	Local Channel - Dedicated - DS1 - Zone 1		 			42.62	177.87	154.06	22.24	15.30	 			ļ	 	
	Local Channel - Dedicated - DS1 - Zone 2		-			70.32	177.87	154.06	22.24	15.30				ļ		
	Local Channel - Dedicated - DS1 - Zone 3		 			190.68							L		1	
	Interoffice Transport - Dedicated - DS1 - Zone S						177.87	154.06	22.24	15.30				ļ		
	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>			0.3415										
	L. 65 T		1		1								1	l		
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			77.14	89.47	81.99	16.39	14.48				L	<u> </u>	
CALLING NAM	IE (CNAM) SERVICE		ļ													
	CNAM For DB Owners - Service Establishment		1	OQV	i		23.00	23.00	21.15	21.15					<u> </u>	1
	CNAM For Non DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15				L		L
	CNAM For DB Owners - Service Provisioning With Point Code		1		1											1
	Establishment			OQV			993.09	734.47	269.53	198.18				L	L	1
l	CNAM For Non DB Owners - Service Provisioning With Point															1
	Code Establishment		L_	OQV		[343.09	245.69	275.87	198.18			1	l	<u></u>	L
	CNAM for DB Owners, Per Query			OQV		0.0010433										
	CNAM for Non DB Owners, Per Query		1	OQV		0.0010433								1		
SELECTIVE R					1								Ī	ľ	1	
	Selective Routing Per Unique Line Class Code Per Request Per								i i				1	<u> </u>	1	
	Switch		l		1	1	84.89	84.89	14.14	14.14			1			
MOTUAL COL	LOCATION		!		+	 	01.00	04.03	13.14	17.17	···			t	1	

	,						,	,								
					<u> </u>	19.01	30.68	£4.89	86.201	28.46	NEAL2	NACVX			First 2-Wire VG Loop (SL2) in Combination - Zone 3	
						19.01	20.62	£4.89	86.301	23.13	SJABU	NUCAX			First 2-Wire VG Loop (SL2) in Combination - Zone 2	
	1				ļ	19.01	60.68	£4.89	86.801	89.91	STABU	NACVX			First 2-Wire VG Loop (SL2) in Combination - Zone 1	
								<u> </u>	l	<u> </u>	15	OFFICE TRANSPOR	яэтиі	rsa az	TADICE VOICE GRADE EXTENDED LOOP WITH DEDICAT	этхэ
					Sir	etwork Elemen	v Combined' N	d as ' Currentl	enoisivota eno	JME combination	J not vlade lli	ng charges below w	innuae.	i-uou əi	E: The monthly recurring and the Switch-As-la Charge and not the	TON
					2tromo!3	Machaeld 'begin	المام (روسام	O' ze benoizh	loan anoitenid	mos alvitot vi	age for Iliw e	Switch-As-Is Charne	adt br	e vlaa	E: The monthly recurring and non-recurring charges below will a	
								89.8	89.8	51.0	67 Na	MB (O	<u> </u>		EXTENDED LINK (EELS)	ENHANCED
								05 6	03 0	1 61 0	BAPES	CAM	l		AM Toolkit Service - Call Event Special Study - Per MM Toolkit Service Subscription	
ļ	İ					5.52	Z9'9	28.7	28.7	84.8	SO4V8	CAM	ļ		Subscription Suprice Cell Event Special Study. Bot Attl Teelini	_
								1	302	" "	000.0		i		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	
								89.8	89.8	13.6	SJ9A8	CAM			Subscription	
							<u> </u>				l l				AIN Toolkit Service - Special Study - Per AIN Toolkit Service	
	1			!		5.52	Z5.2	28.7	28.T	78.11	SM9A8	CAM			Subscription	
															AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	
	1				1	ĺ	1			20.0	l į		İ		Account, Per 100 Kilobytes	
				ļ						+1.30000.0	 				AIN Toolkit Service - SCP Storage Charge, Per SMS Access	
								į		41S6900.0	i				AlM Toolkif Service - Type 1 Node Charge, Per AlM Toolkif Subscription, Per Node, Per Query	i
	+	_						-		8628230.0	·				AIN Toolkit Service - Query Charge, Per Query	
-						9E.41	6E.41	42.45	₽8.₽£	00003300	∃T9A8		-		DN, Feature Code	
1						l	1		1						AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	
						14.39	6E.41	14.45	₽2.₽£	1	BAPTC				DN' CDb	
										1	<u> </u>		L		AIM Toolkit Service - Trigger Access Charge, Per Trigger, Per	
						9E.41	9E.41	34.54	42.4£		OT9A8				DN, 10-Digit PODP	
					<u> </u>										AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<u> </u>
				}		11.6	11.6	₹8.7	28. ₹		MT9A8		ł		DN, Off-Hook Immediate	
					 	11.6	11.6	28.T	60:4		01.00		 		AIM Toolkit Service - Trigger Access Charge, Per Trigger, Per	
						110	110	98 7	28.T		QT9A8				AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay	
						11.6	11.6	28. ₹	28.T	1	TT9A8				DN, Term, Attempt All Lookiti Sopies Triages Assess Charge Ber Triages Ber	
					İ						1 22313				AIM Toolkit Service - Trigger Access Charge, Per Trigger, Per	
					1	00.0	00.0	4,211.54	4211.54		XV9A8				AIM Toolkit Service - Training Session, Per Customer	
						87.04	87.04	58.95	£8.6£		BAPSC	CAM			Initial Setup	
		_													AIM Toolkit Service - Service Establishment Charge, Per State,	
															OUTH AIN TOOLKIT SERVICE	AIN - BELLS
				1	-					\$ 88.0	1				Minute	
<u> </u>							ļ	ļ	-	1217.0					AIN SMS Access Service - Company Performed Session, Per	
					<u> </u>					7200.0			<u> </u>		All SMS Access Service - Storage, Per Unit (100 Kilobytes) All SMS Access Service - Session, Per Minute	
				<u> </u>		47.11	47.11	86.14	86.14	2000 0	CAMRC	NIA			Initial or Replacement	
															AIN SMS Access Service - Security Card, Per User ID Code,	
						SL.TS	21.72	80.25	80.2£		CAMAU	NIA			ID Code	
							ļ	ļ	<u> </u>						AIN SMS Access Service - User Identification Codes - Per User	
<u> </u>						11.6	11.6	28.7	₹8.7		CAM1P	NIA			AIN SMS Access Service - Port Connection - ISDN Access	
1						11.6	11.6	28. Υ	₹8.7		CAMDP	NIA			AIN SMS Access Service - Port Connection - Dial/Shared Access]]
-	 			 	 	87.014	87.04	39.53	£8.6£		30MV	K * * * *			dour	
1						02.00	02.07	30.5	20 62		CAMSE	NIA			AIN SMS Access Service - Service Establishment, Per State, Initial Setup	
								T		t			-		OUTH AIN SMS ACCESS SERVICE	STIES - NIW
										9603600.0	ļI	2КС			Query NRC, per query	3 130 NIV
						07.1	0۲.۲	99'971	175.66	1	SECEO	2ВС			End Office Establishment	
						28.609,8	28.609,8	101,324.34	101,324.34		SECEC	ЗВС			Regional Service Establishment	
					ļ										IVE CARRIER ROUTING	AIN SELECT
]			i		S4.2	40.9	£8.11	12.32	1460.0	PE1LS	BS93U A293U			gnittilq2	
	 							 		-					Physical Collocation-2 Wire Cross Connects (Loop) for Line	
	 					S#'S	Þ0.8	11.83	20:21	1150.6	63,3.	GO 130 VIO 130			OLLOCATION	PHYSICAL C
						""	103	""	12.32	7150.0	VETLS	asaau asaau			Splitting	
NAMOS	NAMOS	NAMOS	NAMOS	NAMOS	SOMEC	I'bbA	łeni4	I.pp∀	First	 	 		 		Virtual Collocation-2 Wire Cross Connects (Loop) for Line	
		Rates (\$)					Nonrecurring		Nonrec	Rec						
l'bbA ɔeiŒ	tet beid	I.pp∀	ist							•						· · · · · · · · · · · · · · · · · · ·
Electronic-	-sinonic- tet asiG	-Sinortosia L'bbA	-sinoticel 1et	1	1						j i				1	
Order vs.	Order vs.	Order vs.	Order vs.	ber LSK	Der LSR			(4)						ա		
Manual Svc		Manual Svc	Manual Svc	VileuneM				(\$) S∃TAЯ			naoc	BCS	əuoz	inetal	STHE ELEMENTS	YAODETAD
Charge -	Charge -	Charge -	Срагде -		bettimdu2											
		Incremental									1					
	Exhib	nent: 2		†	·						·				ED NETWORK ELEMENTS - South Carolina	ONBONDE
															- TINE O IN CONTINUE IN VIOLANTAIN CO	

ONDEL	NETWORK ELEMENTS - South Carolina			r										ment: 2		bit: A
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Efectroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month		ł	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility		i –	0.10.11	120701	0.27									<u> </u>	
	Termination per month		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Voice Grade COCI - Per Month		ļ	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Foods Additional 2 Miles VC Lane (CL 2) in Constitution 7 and 4			111010	luca.	40.00	405.00									
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	-	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Eddit / (Editional 2-Ville VO Edop (OE 2) II / Combination - Zone 2		<u></u> -	UNCVA	OLAL2	23.13	105.90	00.43	55.05	10.01						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	-					-
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		L	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSP	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32 59	132.38	94.83	59.35	14.61						
	1 131 4-Ville Alfalog Voice Grade Edop III Combination - Zone 1			UNCVA	UEAL4	32 39	132.30	94.83	59.35	[4.6]				-		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59,35	14,61						
1	2000 E000 E000 E000 E000 E000 E000 E000			O.TOTA		40.03	132,30		33.33	14.01						
1. 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					1										
	Per Month		L	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1	•												
_	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
+	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	DIVOVA	ULAL4	32,35	132.30	94.03	39.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1											1				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-				- I i											
	Is Charge DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	004 151	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
LAILIN	DED 4-WIRE 30 RBF3 EXTENDED DIGITAL LOOP WITH DEDIC	AIED	DSTIN	TEROFFICE TRAN	SPURI											
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Take 1 Will a description brighter order Edge 11 Combination 2 Conc. 1		<u> </u>	JOI TO BY	UDE30	29.93	120.00	09.12	39.33	14.01						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
						T I										
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1											
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		i i	UNC1X	U1TF1	61.71	89.47	04.00	40.00			ł				
	1/0 Channel System in combination Per Month		_	UNC1X	MQ1	107.57	91.24	81.99 62.71	16.39 10.56	14.48 9.81						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4,73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1.5.55	1.13	0.03	7.13	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination per month (2.4-															

NOUNDE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
			1								l				Disc 1st	Disc Add
						Rec		urring	Nonrecurring	Disconnect				Rates (\$)		
						ivec .	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
			_													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	E		1 _													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34,74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1													•
			 	UNC1X	1L5XX	0.27										
	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1	LINGAN												
_	1/0 Channel System in combination Per Month		 	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	OCU-DP COC! (data) - in combination - per month (2.4-64kbs)		1	UNC1X UNCDX	MQ1	107.57	91.24	62.71	10.56	9.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		ļ	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		<u> </u>				
i i	Interoffice Transport Combination - Zone 1			LINODY	LIDICA	00.00	400.00									
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		 '	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
				LINODY							1					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١.,	LINGEN	ا بمردد	0.74	400.00									
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month				l											
_	(2.4-64kbs)			UNCDX	1D1DD	1,19	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			L IN ICAN		1										
EVTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC4	INITE	UNC1X	UNCCC		5.61	5,61	7.00	7.00						
LAIL	4-Wire DS1 Digital Loop in Combination - Zone 1	ו פט עב				00.07	052.02	457.00	11.00	44.70						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X UNC1X	USLXX	90.87 155.43	253.03 253.03	157.89 157.89	44.80 44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	UNCIX	USLAA	201.09	253.03	157.89	44.80	11.73						
	Per Month		ł	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility		-	ONOTA	iLOAA.	0.27										
	Termination Per Month			UNC1X	U1TF1	61,71	89.47	81.99	16.39	14.48	!					
	Nonrecurring Currently Combined Network Elements Switch -As-		 	OI OI N	0,11,1	01,71	05.47	01.55	10.55	14.40	-			-		
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				5.01	3,01	7.00	7.00						
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157,89	44.80	11.73						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	-						707.00	11.00							-
	Per Month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per										-			-		
	month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	3/1Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI in combination per month		 	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -				100.07	5.57	5.00	4.70	0.00	0.00						
	Zone 1		1	UNC1X	USLXX	90,87	253.03	157.89	44.80	11.73						
	Additional DS1Loop in DS3 Interoffice Transport Combination -					32.3.	200.00	1000	, , , , , ,					L		
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		T-						150							
+			3	UNC1X	USLXX	261.89	253.03	157.89	44,80	11.73						
	Zone 3		-		UC1D1	8.64	6.59	4.73	0.00	0.00						
	Zone 3 Additoinal DS1 COCI in combination per month		ļ	UNC1X			0.00		1.00	0.00						
			-	UNC1X	00101		1									
	Additoinal DS1 COCI in combination per month			UNC3X	UNCCC		5,61	5.61	7.00	7.00						
EXTE	Additoinal DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	GRAD	E INTE	UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	Additional DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-	GRAD		UNC3X	UNCCC									-		
EXTE	Additoinal DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	1	UNC3X ROFFICE TRANSPO	UNCCC	16.68 23.13	5.61 105.98 105.98	5.61 68.43 68.43	7.00 53.05 53.05	7.00 10.61 10.61						

JUBUNUL	ED NETWORK ELEMENTS - South Carolina	т			···									ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring		COMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	CONTANT
-	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				 		FIRST	Add I	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge		L	UNCVX	UNCCC		5.61	5.61	7.00	7.00					L	
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month				1.50											
	Interoffice Transport - 4-wire VG - Dedicated - Facility		-	UNCVX	1L5XX	0.0134										
	Termination per month	1		UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			DINCVA	01174	17.03	40.63	21.41	16.77	6.91				ļ	-	
	Is Charge		1	UNCVX	UNCCC		5.61	5.61	7.00	7.00	i					İ
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		011000		3.01	3.01	7.00	7.00						
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26					-				 	
			1		1											<u> </u>
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119,75	83,77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As-		1		1											
EVE	Is Charge		<u> </u>	UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EATE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		 											
	STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per		-	UNCSX	1L5ND	12.26										
1	month			UNCSX	UDLS1	313 49	452.52	264.53	119.75	83.77		į				
	Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCOX	UDL31	31349	432.32	204.33	119.75	83.77						1
ı	per month			UNCSX	1L5XX	6.42										i
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1											
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge		1	UNCSX	UNCCC		5.61	5.61	7.00	7.00	1					1
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS														
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 3		3_	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX											
	Interoffice Transport - Dedicated - DS1 combination - Facility		 	UNCIX	1L5XX	0.27										
1	Termination per month			UNC1X	U1TF1	61.71	89.47	81,99	40.00	44.40					ļ	
	1/0 Channel System in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	16.39 10.56	14.48 9.81						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0110717	10010/1	2.50	0.55	4.73	0.00	0.00						
I	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			***	1											
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						i
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1											
-+-	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
1	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			LATONIV	lucio:		T									
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
- 1	Is Charge			UNC1X	LINCCO	1										
EXTF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	EN STO	.1 INTE	BOEFICE TRANSPO	UNCCC		5.61	5.61	7.00	7.00				L		
—+ <u>-::-</u>	First DS1 Loop Combination - Zone 1	313		UNC1X	USLXX	90.87	253.03	157.89	44.80	11,73						
				UIVU IA	103LAA	90.07	∠53.03	157.89	44.80	71./3					1	1
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						

INBLINDI F	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Submitted		Charge -	Incremental Charge - Manual Svc Order vs.	Charge -
		m										•	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
			-			Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
				-		Ket	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility										T					
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59	ļ					ļ
	3/1 Channel System in combination per month		ļ .	UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90 0.00						
	DS1 COCI in combination per month		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	ļ					
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						ļ
	Additional DS1Loop in the same STS-1 Interoffice Transport					455.40	252.00	457.00	44.00	44.70						1
	Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
1	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3	ļ	3	UNC1X	USLXX	261,89	253.03	157.89	44.80	11.73	1					
	DS1 COCI in combination per month		- 3	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	 					
	Nonrecurring Currently Combined Network Elements Switch -As-		 	DITOTA	00101	0.01	0.00	1.10	0.00	0.00	· · · · · · · · · · · · · · · · · · ·			·	1	1
- 1	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	<u> </u>			<u> </u>		L
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	ļ					_
ŀ	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EYTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	RPS INT	FROFE		ONCCC		5.01	3.01	7.00	7.00	<u> </u>			 	 	1
EXIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61				<u> </u>	1	
- 1	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61				T		
- -	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	1					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	T													1
	Per Mile per month	L		UNCDX	1L5XX	0.0134										
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -										ļ		1			
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91	ļ				<u> </u>	
Ì	Nonrecurring Currently Combined Network Elements Switch -As-	1		, nuony			F 04	5.64	7.00	7.00	l		l			
EVTE	Is Charge NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	OPT	UNCDX	UNCCC		5.61	5.61	7.00	7.00				 	 	-
EXIE	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10,61				 		+
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	1		<u> </u>	+	1	†
	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	<u> </u>			 	1	
	First Interoffice Transport - Dedicated - DS1 combination - Per		<u> </u>								ļ <u> </u>					
	Mile	_	_	UNC1X	1L5XX	0.27								<u> </u>	 	
	First Interoffice Transport - Dedicated - DS1 combination -	1	1	LINGAN	LIATE 4	64.74	00.47	04.00	16.39	14.48		1			l	1
	Facility Termination per month Per each DS1 Channelization System Per Month	 	-	UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	10.56	9.81	-		ļ			+
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	 			+		+
	3/1 Channel System in combination per month		+	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90			 		1	
	Per each DS1 COCI in combination per month	i		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1												"			
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	ļ			ļ		
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61				_		ļ
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		1 ,	LINGVA	UEAL2	28.46	105.98	68.43	53.05	10.61	1			I	İ	
	Interoffice Transport Combination - Zone 3 Each Additional Voice Grade COCI in combination - per month	-	3	UNCVX	1D1VG	28.46 0.56	105.98 6.59	4.73	0.00	10.61	-		 	 	+	
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	DINCVA	IDIVG	0.56	6.59	4.73	0.00	0.00	+	 		+	 	+
	Channel System per month	<u> </u>	ļ	UNC1X	1L5XX	0.27						ļ		ļ		ļ
	Each Additional DS1 Interoffice Channel Facility Termination in	1										1		Į.	1	
	same 3/1 Channel System per month	├		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	ļ	ļ	 	+	+
- 1	Each Additional DS1 COCI combination per month	L	L	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	J	l	1		1	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	10112	m						` '			per Loix	per LSIX	Electronic-	Electronic-	Electronic-	Electronic-
			1		1									Add'l	l .	
		1			i .							ļ	1st	Addi	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	1		220	Rates (\$)	<u> </u>	
					1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		 		1		11130	Addi	Tirat	Addi	JOINEG	JOHAN	JOHAN	JOHIAN	OUMAN	COMAN
		1		LINICAY	LINICOC		5.04	F.C4	7.00	7.00				İ	Ì	
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00	-					
EXI	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERU)FFICE	TRANSPORT W/ 3/1	MUX				ļ							
	First 4-Wire Analog Voice Grade Local Loop in Combination													l		1
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61				L	<u> </u>	ļ
	First 4-Wire Analog Voice Grade Local Loop in Combination -						1									
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -	l	1			i						l i				
i	Zone 3	1	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month	ł		UNC1X	1L5XX	0.27								į.		
	First Interoffice Transport - Dedicated - DS1 - Facility		1		1	- 1			1					l	1	1
1	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48				I		
	Per each 1/0 Channel System in combination Per Month	<u> </u>	t -	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		l		1	 	
	Per each Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00					 	
	3/1 Channel System in combination per month	 	+	UNC3X	MQ3	144.02	178.54	94.18	33,33	31.90				 	1	
		-			UC1D1	8.64	6.59		0.00	0.00						
	Per each DS1 COCI in combination per month	-	1	UNC1X	OCIDI	6.04	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1.											ļ	i	
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1				1					!				
	Interoffice Transport Combination - Zone 2	İ	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						i
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	1	1	UNC1X	1L5XX	0.27					1			ļ		
	Each Additional DS1 Interoffice Channel Facility Termination in		1								1					
	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		i l			1	
	Additional Voice Grade COCI - in combination - per month		1	UNCVX	1D1VG	0.56	6.59	4,73	0.00	0.00	 					
	Nonrecurring Currently Combined Network Elements Switch -As-			DIACAX	IDIVO	0,50	0.00	4,73	0.00	0.00				 	· · · · · · · · · · · · · · · · · · ·	
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		l :				
EVT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER) NEETGE				3.01	3.01	7.00	7.00	ļ					
EXI		INIER	JEFICE	TRANSPURT W/ 3/1	IMUX						ļ			-	 	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		١.				400.00	00.40	50.05						ľ	
	Zone 1	ļ	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -											ļ				
	Zone 2	L	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	ļ			l	<u> </u>	ļ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1		1]		1		
	Zone 3		3	UNCDX	UDL56	34,74	126.66	89.12	59.35	14.61		L		L	ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per		1		1				1			1		1]	
I .	Mile Per Month			UNC1X	1L5XX	0.27				L				L		<u> </u>
	First Interoffice Transport - Dedicated - DS1 - combination		1											-	1	
	Facility Termination Per Month]	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	i		1	Į	L
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81					T	1
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1,19	6.59	4.73	0.00	0.00	İ			T		1
	3/1 Channel System in combination per month	1		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				1-	1	T
 	Per each DS1 COCI in combination per month	t	+	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				 	†	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	+	UITO IX	100101	0.04	0.05	7.13	0.00	0.00	 			 	 	1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	Ì	I	}	1	1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	+ '-	DIACON	JULIO	29.93	120.00	09.12	39.33	14.01	 			 	 	
		ŀ	1 2	LINICDY	LUDIEC	ا مممد	400.00	00.40	E0.05	14.04	į	1	l		1	
<u>_</u>	Interoffice Transport Combination - Zone 2	-	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	 			 	 	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	_	LINGOV	Lucy co		400.0-	20.7-	50.5-		1	1		1	1	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1	ļ	<u> </u>		
1	OCU-DP COCI (data) COCI in combination per month (2.4-			l	1						1	I		ļ	1	1
	64kbs)		L	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	<u> </u>	L				ļ
	Each Additional DS1 Interoffice Channel per mile in same 3/1	l												1	1	1
	Channel System per month	L	L	UNC1X	1L5XX	0.27				L	L			L		
	Each Additional DS1 Interoffice Channel Facility Termination in	T								1						
	same 3/1 Channel System per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1		1			
1	Each Additional DS1 COCI in the same 3/1 channel system		1						1	1	†		1	t	1	1
	combination per month	1	1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1			1	1	1

Version 3Q03: 11/12/2003 Page 206 of 227 [CCCS Amendment 272 of 308]

INRONDLE	D NETWORK ELEMENTS - South Carolina		,											ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect		In.	oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						i
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	١.								İ					
	Transport Combination - Zone 1		11_	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						ļ
- 1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			. n.onv	LIDI O.	20.00	400.00	00.40	50.05		i					
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		ļ				
ŀ	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	UDL64	34,74	126.66	89.12	59.35	14.61				i		
-	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	34.74	120.00	89.12	59.35	14.61	-					-
	Mile Per Month			UNC1X	1L5XX	0 27						ł				
	First Interoffice Transport - Dedicated - DS1 combination -		-	UNCIA	ILJAA	0.27						-		 		
	Facility Termination Per Month		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	 	 				
	Per each OCU-DP COCI (data) in combination - per month (2.4-		 	ONCIA	NIG.	107.57	31.27	02.71	10.50	3.01	1		-		 -	
1	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	ļ		1			1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	·	-				
	Per each DS1 COCI in combination per month		t	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	!			 		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	SAC IX			- 0.00									
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	1	!				
_	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0110011	1									<u> </u>		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		!			Ì	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1										1					
	Interoffice Transport Combination - Zone 3	İ	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		1				
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1									1					
ľ	combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00					I	
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27					1					1
	Each Additional DS1 Interoffice Channel Facility Termination in											i				
	same 3/1 Channel System per month		L	UNC1X	U1TF1	61.71	89,47	81.99	16.39	14.48				L	ļ	
	Each Additional DS1 COCI in the same 3/1 channel system				i									İ		
	combination per month	<u> </u>		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1			ļ	ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-	1											1			
	Is Charge	<u> </u>	L	UNC1X	UNCCC		5.61	5.61	7.00	7.00	-	ļ	 	-		
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT W/3/	1 MUX											<u> </u>		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Transport - Zone 1		1	UNCNX	UTLZX	25.21	117.58	80.03	53.05	10.61	1			+	-	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61				ļ		1
	Transport - Zone 2		2	UNCNX	UTLZX	32.76	117.38	80.03	55.05	10.61	+	-				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	i			1	!	
_	First Interoffice Transport - Dedicated - DS1 combination - Per	1	3	UNCINA	UILZA	37.70	117.36	60.03	55.05	10.01				 	1	+
	Mile per month	1	1	UNC1X	1L5XX	0.27									1	1
	First Interoffice Transport - Dedicated - DS1 combination -	 	1	UNCIA	TLOAA	0.21					 				-	+
	Facility Termination per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination - per month	 	 	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81					-	1
	t di dadit di di di di di di di di di di di di di	 		OHO IX	- IVIG	107.07		02.71	10.00			1		-		1
- 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
-	3/1 Channel System in combination per month	 	†	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1		1			
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00		1	1	1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	T											1	1		
	Combination - Zone 1	1	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	1			l		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61				1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1-									1		
	Combination - Zone 3	L	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61				<u> </u>		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel]														
- 1	system combination- per month	1		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	1		1	1	1	

Version 3Q03: 11/12/2003 [CCCS Amendment 273 of 308]

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment; 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1		-				FIISI	Auu i	FIISL	Addi	SOMEC	JOWAN	SOWAN	JOHIAN	JOHAN	JOHAN
j	Channel System per month	i	1	UNC1X	1L5XX	0.27							1		i	
	Each Additional DS1 Interoffice Channel Facility Termination in			GIIQIN	1,20,01						 					· · · · · · · · · · · · · · · · · · ·
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
ŀ	Nonrecurring Currently Combined Network Elements Switch -As-	1							7.00	7.00			i			1
EVE	Is Charge	TDANK	PODT	UNC1X	UNCCC		5.61	5.61	7.00	7.00	-		!			
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	: IKANS		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	 			-		ł
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1 First 4-wire DS1 Digital Looal Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11,73	 				-	
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3			UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	 				<u> </u>	
	First Interoffice Transport - Dedicated - DS1 combination - Per	-	۲	UNCIA	BOEAK	201.05	200.00	107.00	44.00	11,13						<u> </u>
	Mile Per Month			UNC1X	1L5XX	0.27			ŀ			Į			1	
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	L					
	Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1,500											
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	-	-	UNC1X	1L5XX	0.27										
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system			ONCIX	101111	01.71	03.47	01.55	10.55	14.40						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00		ì				ļ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															T
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	l					
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
	2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						-
İ	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone												}		1	1
	3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	ļ				-	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.61	5.61	7.00	7.00			İ			1
EVTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE		UNCCC		5.61	3.61	7.00	7.00			 			+
	First 4-wire 56 kbps Local Loop in combination - Zone 1	I	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14,61	<u> </u>					
-	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14,61	1					t
	First 4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	 		†			-
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		 								1					
	per month			UNCDX	1L5XX	0.0134							l			
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1												[
	Termination per month		ļ	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91	ļ					
	Nonrecurring Currently Combined Network Elements Switch -As-	1				1	5.04	5.04	7.00	7.00			i			
EVTE	Is Charge	NITERO	FFICE	UNCDX	UNCCC		5.61	5.61	7.00	7.00	-		1		ļ	+
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I First 4-wire 64 kbps Local Loop in combination - Zone 1	NIERO	1	UNCDX	UDL64	29.93	126.66	89,12	59.35	14.61	} -		}	ļ.———	 	+
1	First 4-wire 64 kbps Local Loop in combination - Zone 1	-	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61					 	+
	First 4-wire 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	34.74	126.66	89.12		14.61	 				t	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		 _			0.,	120.00	301.12			<u> </u>					1
	per month			UNCDX	1L5XX	0.0134								l	I	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility													T		
ļ	Termination per month		<u> </u>	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91				<u> </u>	ļ	4
	Nonrecurring Currently Combined Network Elements Switch -As-	1		Luioni											1	
ADDITIONAL	Is Charge	<u> </u>	<u> </u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00		ļ		ļ	ļ	+
	NETWORK ELEMENTS	ma eks		not apply but a	Suiteb Ac I	argo door	lu.		-	ļ	 	1	1	 	1	+
	used as a part of a currently combined facility, the non-recunused as ordinarily combined network elements in All States, t							 	-	 	<u> </u>	1	}		1	+
	curring Currently Combined Network Elements in All States, t					na ia Gliarge 0	ives nul.		1	 	 	 	 		 	_
1.3	Nonrecurring Currently Combined Network Elements Switch -As-		, 55	T	1								<u> </u>			†
. 1	Is Charge - 2 wire/4-Wire VG	i		UNCVX	UNCCC		5.61	5.61	7,00	7.00	1	1	l	I		1

Version 3Q03: 11/12/2003

INBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		-			ļ	Rec	Nonre First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMA
	Nonrecurring Currently Combined Network Elements Switch -As-				+		First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOMA
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00					E	
	Nonrecurring Currently Combined Network Elements Switch -As-									7.00						†
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00			L	l	İ.,	
	Nonrecurring Currently Combined Network Elements Switch -As-					1			l		1					
	Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-	ļ		UNC3X	UNCCC		5.61	5.61	7.00	7.00					ļ	
	Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Option	al Features & Functions:			DIVOOX	DIVECE		3.01	3.01	7.00	7.00	-					+
			 	U1TD1,									-			
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		oı 💮	Of .	01	01			ł			
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		01	01	01	01						ļ
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	١.	1	ULDD1, U1TD1, UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						
	Activity - per D31	- '		U1TD3, ULDD3,	INRCCC		103.203	23.003	1.995	0.765						+
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58\$	7.698	.7370S	os						
MULTI	PLEXERS		1													
	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				-		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDŁ	1D1DD	1.19	6.59	4.73								
ł	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1													
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	ļ		U1TUD	1D1DD	4.40	0.50	4.70					ļ			
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		 	UTTOD	טטוטו	1.19	6,59	4.73					 			-
	month for a Local Loop			UDN	UC1CA	2.56	6.59	4,73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		 -	ODI V	001071	2.50	0.00	4.75								
	month used for connection to a channelized DS1 Local Channel	ļ							1							
	in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop		<u> </u>	UEA	1D1VG	0.56	6.59	4.73								ــــــ
ļ	Voice Grade COCI - DS1 to DS0 Channel System - per month		1		ļ				ļ							
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i	1	U1TUC	1D1VG	0.56	6.59	4.73							ĺ	
	DS3 to DS1 Channel System per month	-	 	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						+
<u> </u>	STS-1 to DS1 Channel System per month		†	UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90				-		
	DS1 COCI used with Loop per month		1	USL	UC1D1	8.64	6.59	4.73						-		1
	DS1 COCI (used for connection to a channelized DS1 Local									<u> </u>						
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4,73						L		1
	DS1 COCI used with Interoffice Channel per month		<u> </u>	U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month	İ		ULDD1	UC1D1	8.64	6.59	4,73								
BUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)		 	ULDDT	OCIDI	0.04	0.39	4.73						-		+
	nge Ports				-											· ·
NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	oe ordered usi	ng retail USOC	s								
2-WIRI	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
	Furthern Park 200 A - Latin Park 200 Park			HEDOD	LIEBBO		0.00	0.00		4.00						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		 	UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33	 					1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33				1		
	Exchange Ports - 2-Wire VG unbundled SC extended local	t	t	ou on	TOCI NO	7.05	2.30	2.20	1.42	1.33	 			 		
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		}				
	Exchange Ports - 2-Wire VG unbundled South Carolina Area				1	1.00	1	1	†							
	Calling port with Caller ID - Res (LW8)	<u> </u>	L	UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33	ļ		1	L		
	Exchange Ports - 2-Wire VG South Carolina Residence Dialing		1	1	ı	I	1	1	1	I	1	1	i .	I	I	1

NRONDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	·		RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge Manual S Order vs
													Electronic- 1st	Efectronic- Add'l	Electronic- Disc 1st	Disc Ade
			1			Dan .	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Exchange Ports - 2-Wire VG South Carolina Residence Area										T					
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33	!	1		1 .	1	Į.
	2-Wire voice unbundled Low Usage Line Port without Caller ID		ļ		1											
	Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33	l .					1
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00			l					<u> </u>
FEAT		ļ														<u> </u>
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00					<u></u>			
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
- 1	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1	1									i				1
	Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						1
	Exchange Ports - 2-Wire VG unbundled Line Port with						1									
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33						
	L	1					ļ					l	1	1		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	<u> </u>	ļ	UEPSB	UEPBO	1.65	2.38	2.28	1,42	1.33				-		
	Exchange Ports - 2-Wire VG unbundled SC extended local				l		1		1					1		1
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with											ļ				İ
	Caller ID - Bus		ļ	UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
1	Exchange Ports - 2-Wire VG unbundled South Carolina Bus	ļ				ì					1	1			i	
	Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						ļ
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing	İ	1										1	ĺ		İ
_	Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						<u> </u>
-	Exchange Ports - 2-Wire Voice South Carolina Business Area	l			ļ.	1					1	l	ŀ	ł	ł	
4	Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						<u> </u>
i	2-Wire voice unbundled Incoming Only Port without Caller ID		1									1				}
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33	ļ					
	Subsequent Activity		1	UEPSB	USASC	0.00	0.00	0.00			ļ		_	L		↓
FEAT											ļ					ļ
_	All Available Vertical Features		↓	UEPSB	UEPVF	3.04	0.00	0.00			ļ <u> </u>			_		
	All Available Vertical Features				UEPVF	3.04	0.00	0.00						ļ		
EXCH.	ANGE PORT RATES (DID & PBX)		ļ								ļ					
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						↓
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14 88	13.97	0.90	ļ					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90	ļ					
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90				ļ		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90	_			L		—
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90	ļ					
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90				<u> </u>		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		_	UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90	ļ			-		+
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90	ļ					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	LIEDOD	LIEBVE	4.05	04.04	44.00	40.07	0.00	1					1
	Capable Port		_	UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90	 			ļ		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1								Ĭ			l .		
_	Administrative Calling Port		1	UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		<u> </u>				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l		l	I									!		
_	Room Calling Port		-	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		ļ				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1	l	1				.							1
	Discount Room Calling Port		-	UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90						ļ
_	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90	↓		-		!	+
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			UEDOD	lucova		24.21							1	1	1
<u> </u>	Calling Port	ļ	 	UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90	<u> </u>		-			
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	ļ		<u> </u>		 	ļ		+
FEAT				UEDOD LISTOR	1,50						ļ		!		-	
FVA	All Available Vertical Features		1	UEPSP UEPSE	UEPVF	3.04	0.00	0.00						ļ.——	_	+
EXCH	ANGE PORT RATES (COIN)				_						ļ				ļ	
	Exchange Ports - Coin Port				_	1.65	2.38	2.28	1.42	1.33	<u> </u>	L	 	ļ.———		
ILocal	Switching Features offered with Port	1	1	will also apply to d								I		L	ļ	

Version 3Q03: 11/12/2003

UNBUND) I F	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge -
														1st	Add'I	Disc 1st	Disc Add'
							Rec		curring		g Disconnect				Rates (\$)		1
		4			- 41	<u> </u>	L	First	Add'I	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)	avanat	ole oni	y through BFR/New	Business Ke	equest Process.	Rates for the	раскет сараві	inies will be a	etermineo via t	ne Bona Fi	e Request	New Business	Request Pro	cess.	
		NGE PORT RATES									 	 				-	
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	DN Port	in this	rate exhibit annly t	n the embed	ded base in nta	re as of 10/2/6	 3 until 4/1/04	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a senarate an	reement		
		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											1	oopac ag			
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78								ĺ
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E;4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)		-	UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		ł				
-+		All Features Offered		-	UEPTX, UEPSX	UEPVF	3.04	0.00	0.00	47.50	10.70						
·		Exchange Ports - 2-Wire ISDN Port Channel Profiles		1	UEPTX, UEPSX	U1UMA	0,00	0.00	0.00			-					· · · · · · · · · · · · · · · · · · ·
NC	DTE:	Transmission/usage charges associated with POTS circuit sv	vitched							ission by B-C	hannels assoc	iated with 2	wire ISDN r	orts.		-	
		Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
EX	(CHA	NGE PORT RATES (continued)		I													
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		ļ	UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15,96	6.42	5.80	ļ					ļ
		Virtual collocation - Special Access & UNE, cross-connect per DS1		ŀ	HEDEN HEDDY	CNC1X	1.10	22.08	45.00		5.80	1					
D-		d E911 with Locator Capability (required with UEPEX port)			UEPEX UEPDX	CNCIX	1.12	22.08	15.96	6.42	5.60	 	-				
- 06	tane	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		<u> </u>		<u> </u>						1					
		Locator Capability - Initial Profile Establishment per CLEC per		l		1	1										
		State		ļ	UEPEX	UEP1A	0.00	1,808.00		156.43			1				
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		i –		1					l				-		
		Locator Capability - Subsequent Profile Changes, Additions,		1									1			1	1
		Deletions			UEPEX	UEP1B	0.00	175.53			ļ						L
Ne	ew or	Additional PRI Telephone Numbers		ļ		L					ļ						
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		ŀ							l				i
		Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49			ł	l				
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		-	UEPEX	DEPTO	0.0698	0.49	0.49		-						
		Locator Capability - Outdial Telephone Numbers, per number in								<u> </u>						1	
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward										†					
		Telephone Numbers - Inward Data Only Option [New or							1								
		Additional]			UEPDX	UEP1E	0.00	0.49	0.49								1
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]]		
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07								
LC		NUMBER PORTABILITY		ļ		<u> </u>					<u> </u>	ļ <u>.</u>					
		Local Number Portability (1 per port)	ļ	ļ	UEPEX UEPDX	LNPCN	1.75					1				ļ	
IN	IER	FACE (Provisioning Only)	 	 	UEPEX	PR71V	0.00	0.00	0.00		<u> </u>	-					
		Voice/Data Digital Data			UEPEX	PR71D	0.00	0.00	0.00			1	ļ			·	
· · · · · ·		Inward Data		 	UEPDX	PR71E	0.00	0.00	0.00				 			-	
Ne	10 W	Additional Channel	-		02.00	1	0.00	0.00	0.00			 				<u> </u>	
		New or Additional - Voice/Data "B" Channel		1	UEPEX	PR7BV	0.00	14.56			· · · · · · · · · · · · · · · · · · ·					1	
		New or Additional - Digital Data "B" Channel	**		UEPEX	PR7BF	0.00	14.56									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.56									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00				1	ļ					ļ
		New or Additional Useage Sensitive Digital Data "B" Channel	ļ	ļ	UEPEX	PR7BU	0.00		ļ	L	ļ	ļ				 	ļ
		New or Additional PRI "D" Channel	ļ		UEPEX	PR7EX	0.00	14.56	ļ	ļ	-	-	1	.	ļ ———		+
CA	ALL 1	TYPES	ļ	ļ	HEDEY HEDEY	00704	1	0.00	1				<u> </u>	ļ	 	 	-
		Inward Outward			UEPEX UEPDX UEPEX	PR7C1 PR7CO	0.00	0.00	0.00	ļ	 	1	 		ļ — —		
		Two-way	-		UEPEX	PR7CC	0.00	0.00	0.00	1	 	 	 				
in	VBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		JEI EX	1.100	0.00	0.00	0.00	t	1	t	 		 	 	
		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	[1		 	····	 	1	 	· · · · · · ·	l	t		
		Unbundled Remote Call Forwarding Service, Area Calling, Res		 	UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33	 	1	<u> </u>		1	

Version 3Q03: 11/12/2003 Page 211 of 227

UNBL	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Submitted	Svc Order Submitted	Charge -	Charge -	Charge -	Charge -
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring	g Disconnect				Rates (\$)		
	ļ						, rec	First	Add'I	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1,65	2.38	2.28	1.42	1.33						
	 	Unbundled Remote Call Forwarding Service, Local Calling * Res	 		UFPVR	UERTE	1.65	2.38	2.28	1.42	1.33			 	-		
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1,33			 		 	
	Non-Re	ecurring				1	1										
		Unbundled Remote Call Forwarding Service - Conversion -															
	ļ	Switch-as-is	<u> </u>		UEPVR	USAC2		0,10	0.10					ļ			
		Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	1		UEPVR	USACC]	0.10	0.10								
	UNBU	NDLED REMOTE CALL FORWARDING - Bus	 		UEFVK	USACC		0.10	0.10				-				
	5		t				 		-		 		l	 	ļ	<u> </u>	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus	-		UEPVB	UERAC	1.65	2.38	2.28	1,42	1.33						
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33	1	i	1			
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and			UED/D	LIEDVA	1		0.00					i			
	Non-Re	Exception Local Calling ecurring	 		UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33			ļ			
	NOII-K	Unbundled Remote Call Forwarding Service - Conversion -				-	 				-						ļ
		Switch-as-is	l		UEPVB	USAC2		0.10	0.10		i						
		Unbundled Remote Call Forwarding Service - Conversion with		-											i		
		allowed change (PIC and LPIC)	<u> </u>	<u> </u>	UEPVB	USACC		0.10	0.10						i		
INBU		LOCAL SWITCHING, PORT USAGE															
	End Of	ffice Switching (Port Usage) End Office Switching Function, Per MOU	ļ			-	0.0040540								ļ		
		End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU		<u> </u>			0.0010519 0.0002136					-		-	ļ		
	Tander	m Switching (Port Usage) (Local or Access Tandem)					0.0002130				-				-		
		Tandem Switching Function Per MOU				1	0.0001634							-			
		Tandem Trunk Port - Shared, Per MOU					0.0002863										
		Tandem Switching Function Per MOU (Melded)					0.00004951										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749				L			1			
	C	Melded Factor: 30.30% of the Tandem Rate on Transport		-		_									ļ		
	Comm	Common Transport - Per Mile, Per MOU	 			_	0.0000045								<u> </u>	 	
		Common Transport - Facilities Termination Per MOU	 			-	0.0004095					 		 			
NBUN	DLED F	PORT/LOOP COMBINATIONS - COST BASED RATES				1	0.000.000										
		ased Rates are applied where BellSouth is required by FCC ar															
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same	manner as th	ey are applied t	to the Stand-A	one Unbundle	d Port section	of this Rate E	xhibit.					
	End Of	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of t	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network ele	ments except	for UNE Coi	n Port/Loop	Combinatio	ns.		
	The fire	st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ently C	ombine	ed Combos. For Cu	rrently Comb	ined Combos th	ne nonrecurring	g charges shal	l be those ide	ntified in the N	onrecurring	ı - Currently	Combined s	ections.		
		ort/Loop Combination Rates		_									-		ļ	ļ	
		2-Wire VG Loop/Port Combo - Zone 1	!	1		+	14.89				 	<u></u>	 		 	1	
		2-Wire VG Loop/Port Combo - Zone 2	1	2		—	21.52				t	t			l	1	
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRX UEPRX	UEPLX	20.38 26.04		-		 				ļ	-	
	2-Wire	Voice Grade Line Port Rates (Res)			OLF RA	JEPLA	20.04				<u> </u>	 			-	1	
		2-Wire voice unbundled port - residence	t		UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65				 		
		2-Wire voice unbundled port with Caller ID - res	-		UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65				l		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65	L			İ		
		2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled South Carolina Area Calling port with			,								İ	1	T		
		Caller ID - res (LW8)	1	1	UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65	i	1	1	1	1	Ī

MRONDEED MEI	WORK ELEMENTS - South Carolina			·										ment: 2	Exhi	
					1 7								Incremental		1	ı
i			!		1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			1		1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
RIEGORT	KATE ELEMENTS	m	Zone	BC3	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			1		i 1						1		Electronic-	Electronic-	Electronic-	Electroni
	:				1 !						l	ļ	1st	Add'l	Disc 1st	Disc Add
									.		ļ	L				l
			1			Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	voice unbundles res, low usage line port with Caller ID		 								 					
(LUM)				UEPRX	UEPAP	1.13	37.93	16.72				1	j	İ	1	
	Voice Unbundled South Carolina Residence Dialing Plan		-	OLITA	- CLI 74		57.55	10.72					-			
		ĺ		LIEBBY .	1		10.00	40.00		0.05		i				
	t Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65	ļ					
	voice unbundled South Carolina Area Calling Port		ŀ									1	i	!		
	t Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
2-Wire	voice unbundled Low Usage Line Port without Caller ID															
Capab	ulity			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65	1		į			
FEATURES			†													
	atures Offered		t	UEPRX	UEPVF	3.04	0.00	0.00			1	l .	1	l	t	
	BER PORTABILITY		 	OLI-NA	OLF VI	3.04	0.00	0.00	 		 		 		<u> </u>	
		ļ	 	LIEDDY	LMDGY	2.05			ļI		 		l		 	
	Number Portability (1 per port)		<u> </u>	UEPRX	LNPCX	0.35					ļ		<u> </u>	ļ	ļ	
	ING CHARGES (NRCs) - CURRENTLY COMBINED		L						L		L		ļ			
2-Wire	Voice Grade Loop / Line Port Combination - Conversion -				1 7						1	l		1		
Switch	ı-as-is	l	l	UEPRX	USAC2	i	0.10	0.10]		1	l	Į.	1		1
	Voice Grade Loop / Line Port Combination - Conversion -		1	1							1		1	T	1	
	with change			UEPRX	USACC	I	0.10	0.10				l	1	l		
ADDITIONAL			 	OCITIX	OSAGO ,			0.10			1					
																
	Voice Grade Loop/Line Port Combination - Subsequent				1				1		1					
Activity				UEPRX	USAS2	0.00	0,00	0.00								
Unbun	ndled Miscellaneous Rate Element, Tag Loop at End User		ŀ													
Premis	se			UEPRX	URETL	į	8.33	0.83	1		1					
	MISES EXTENSION CHANNELS															
	Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
				UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32	 		ļ	-		
	Analog Voice Grade Extension Loop – Non-Design										1					
	Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32	<u> </u>					
	Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61	1					
2 Wire	Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
	Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTEROFFICE			 								·			-		
	fice Transport - Dedicated - 2 Wire Voice Grade - Facility		 	 							1					
Termin			ŀ	UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
				UEPRA	U11V2	24.30	40.63	21.41	10.77	0.91						
	fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		Ì	i												
	ction Mile			UEPRX	U1TVM	0.0167	0.00	0.00	l		1					
	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loo	p Combination Rates		T													
2-Wire	VG Loop/Port Combo - Zone 1		1			14.89										
	VG Loop/Port Combo - Zone 2		2			21.52			1		†					
	VG Loop/Port Combo - Zone 3		3	<u> </u>		27.17					 			 	 	l
UNE Loop Rat			ļ	1	+	21.11			-		 	 	 	l ———	 	
		<u> </u>		UEDDY	LIEBLY	40.70							 			-
	Voice Grade Loop (SL1) - Zone 1	L	1	UEPBX	UEPLX	13.76			L		1	L	ļ		ļ	
	Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38							<u> </u>	L	l	
2-Wire	Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26,04										
2-Wire Voice (Grade Line Port (Bus)		T	1							1			i		
	voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	1,13	40.30	19.90	24.98	6.65				<u> </u>		· · · · · · · · · · · · · · · · · · ·
	voice unburidied port with Caller + E484 ID - bus		 	UEPBX	UEPBC	1,13	40.30	19.90	24.98	6.65	1		I	 		
												-	 	ļ		!
	voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65	ļ	ļ	ļ	_	ļ	<u> </u>
	voice Grade unbundled South Carolina extended local	l	1		- -						1	l	I	1	1	l
	parity port with Caller ID - bus		l	UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65	l				L	L
	voice unbundled incoming only port with Caller ID - Bus	L		UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65				l		
	voice unbundled South Carolina Bus Area Calling Port			i		1					1			1		
	aller ID (LMB)		I	UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65	1	l	1	l	1	
	Voice Unbundled South Carolina Business Dialing Plan	—	 	+==	102,70	1.13	70.00	13.30	24.30	0.03	 	 	 	 	<u> </u>	
	t Caller ID	1	1	UEDBY	LIEDWAN	1.40	40.00	40.00	1 24.00	0.05	1	l		I	i	1
			1	UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65				Ļ		<u> </u>
	voice unbundled South Carolina Business Area Calling		1			!					1	1	1	ĺ	I	1
	ithout Caller ID Capability	L	L	UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65	1.	L	L	!	L	
2-Wire	voice unbundled Incoming Only Port without Caller ID		T								1					
Capab			1	UEPBX	UEPBE	1,13	40.30	19.90	24.98	6.65	1	ł		1	1	1
	BER PORTABILITY	-	 	100.00	1351 05	1,13	70.30	13.30	24.50	0.00	-		ļ	+		

NBUNDLED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					Rec	Nonrec		Nonrecurring					Rates (\$)		
						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES		1													ļ
All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED										1					
2-Wire Voice Grade Loop / Line Port Combination - Conversion	-										1		1		
Switch-as-is			UEPBX	USAC2		0.10	0.10								
2-Wire Voice Grade Loop / Line Port Combination - Conversion	-				i					ļ	i				
Switch with change			UEPBX	USACC		0.10	0.10								
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent										i			1		i
Activity			UEPBX	USAS2		0.00	0.00							İ	
Unbundled Miscellaneous Rate Element, Tag Loop at End User	-														
Premise		1	UEPBX	URETL		8.33	0.83			ł					
OFF/ON PREMISES EXTENSION CHANNELS															
2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32						
2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTEROFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1									"					
Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						1
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-														
or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								1
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX	·														
UNE Port/Loop Combination Rates				****											
2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
2-Wire VG Loop/Port Combo - Zone 2	1	2			21.52					1					
2-Wire VG Loop/Port Combo - Zone 3		3			27.17	·				1					
UNE Loop Rates															
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76					i					Ī
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	26.04					† ··· · · · ·					
2-Wire Voice Grade Line Port Rates (RES - PBX)								1	•						
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1								1					
Res		1	UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22				1		1
LOCAL NUMBER PORTABILITY		1	OE! THO							· · · · · · · · · · · · · · · · · · ·			1		1
Local Number Portability (1 per port)		+	UEPRG	LNPCP	3.15	0.00	0.00			1					
FEATURES	+ -	1	OL/ NO	12.1.0						<u> </u>					1
All Features Offered	+	 	UEPRG	UEPVF	3.04	0.00	0.00			†·					
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	-	OEI NO	OL: VI	5.04	0.00	0.00			t				1	
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	+													1
Conversion - Switch-As-Is	1		UEPRG	USAC2		7.93	1.91	ļ	ļ.	ì]		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	 	CLINO	OUNUE		1.00	1.01	 		-			 		
Conversion - Switch with Change			UEPRG	USACC		7.93	1.91						l		
ADDITIONAL NRCs	_	+	ULFRG	USACC		1.55	1.51	1		+			<u> </u>		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	+		_				 		 			 		1
Subsequent Activity		1	UEPRG	USAS2	0.00	0.00	0.00							1	1
PBX Subsequent Activity - Change/Rearrange Multiline Hunt	+	+	OLI NO	00/102	0.00	0.00	0.00	 	 			 	 	1	†
Group		1				7.34	7.34		!			•			1
Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-1	+	 	-+		1.54	7,34	 	 	<u> </u>	· · · · · · · · · · · · · · · · · · ·	 	 	†	+
Premise Premise	'	1	UEPRG	URETL		8.33	0.83			1				1	1
OFF/ON PREMISES EXTENSION CHANNELS	+	+	OLFRO	UNEIL		0.33	0.03			 				 	+
	+	1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	+		1	 		†
Local Channel Voice grade, per termination	+	2	UEPRG	P2JHX P2JHX	23.13	105.98	68.43	53.05	10.61		 	 	 	 	+
Local Channel Voice grade, per termination	+		UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61			-	+ · · · - · · · · · · · · · · · · · · ·	 	+
Local Channel Voice grade, per termination	+	3	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42		1	-	 	 -	+
Non-Wire Direct Serve Channel Voice Grade	+	1								1	 		 	 	+
Non-Wire Direct Serve Channel Voice Grade	.l	2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71	J	L	L	L	1	

BUNDLE	D NETWORK ELEMENTS - South Carolina			·									Attach	ment: 2	Exhil	hit: A
	The state of the s		T	Т							16	Ġ O		~		
				ļ										Incremental		1
		l			1							Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									per Lak	per Lak				
													Electronic-	Electronic-	Electronic-	Electroni
					1								1st	Add'1	Disc 1st	Disc Add
1						_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
				1		Rec	First	Add'I	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	N Mi Di Ch IV-i C		_	LIEBBO	- papay	20.50					SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
-1	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71				l		
INTER	OFFICE TRANSPORT		l													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													t		
- 1	Termination		1	UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91				1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		 	OLITIO	OTTVZ	24.50	40.03		10.77	0.91						
											ļ					
	or Fraction Mile	l	l	UEPRG	U1TVM	0.0167	0.00	0.00			İ					
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			1												
UNE P	ort/Loop Combination Rates		—	†							 					
10,112,	2-Wire VG Loop/Port Combo - Zone 1		1	 		44.00										
				<u> </u>		14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52	1				1					
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17				!	I					
UNE	oop Rates	· · · · · · · · · · · · · · · · · · ·	1	T	1									<u> </u>		
+	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.70					<u> </u>					
		 				13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	l	2	UEPPX	UEPLX	20.38					L					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04							-			
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		T								1					
	T		 													
1	Line City Hater the LOCAL STREET, DOWN TO A TO A TO		1								ŀ					
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1 13	69.26	32.50	37.53	6.22	i .					
	Line Side Unbundled Outward PBX Trunk Port - Bus		i	UEPPX	UEPPO	1.13	69.26	32,50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports	_		UEPPX	UEPLD	1.13	69.26	32.50	37.53		-					
										6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
_	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPPX	UEPXD	1.13	69.26	32.50	37.53		 			~		
				ULFFA	ULFAD	1.13	09.20	32.30	37.33	6.22						
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	İ												,		
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				""											
1	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI I X	-1001 /10	1.13	03.20	32.30	31.33	0.22						
1					I											
	Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22					ì	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS											
			1	UEPPX	DEPAS	1.13	69.26	32.50	37.53	6.22						
i i	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port		1	UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOCA	NUMBER PORTABILITY		T													
	Local Number Portability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00		-	l	-				
FEAT			-	OCI I A	LIVEOF	3.13	0.00	0.00						L		
FEAT			<u> </u>		1											
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00]					
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		I													
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				 						 					
	Conversion - Switch-As-Is	1	1	UEPPX	USAC2	1	7.00	4.04			1					
+		<u> </u>		OCFFA	USACZ		7.93	1.91								
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	Ī	I		l					[]					
	Conversion - Switch with Change			UEPPX	USACC	1	7.93	1.91			1					
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1	 									 		
1	Subsequent Activity	!	l	UEPPX	USAS2	0.00	0.00	0.00			1					
+				ULFFA	USASZ	0.00	0.00	0.00						L		
1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		l		1	1										
	Group						7.34	7.34								
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
1	Premise		l	UEPPX	URETL	[8.33	0.83			1					
OFF/O	N PREMISES EXTENSION CHANNELS		_	<u> </u>	SINCIE		0.33	0.63			1					
1011/0																
_	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61					-	
T	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.46	105,98	68.43	53.05	10.61	-					
	Non-Wire Direct Serve Channel Voice Grade															
			1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42				L		
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71	i					
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						

NDOND		NETWORK ELEMENTS - South Carolina			т										ment: 2	Exhi	,
ATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
	-			<u> </u>			Rec	Nonred			Disconnect				Rates (\$)		
INT	EDC	OFFICE TRANSPORT		-				First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1141	LKC	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 								-					
	ı	Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91	ì					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI I A	011172	24.50	40.03	21.41	10.77	0.91						
		or Fraction Mile			UEPPX	U1TVM	0.0167	0.00	0.00			1					
2-W	VIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	रा	T													
UNI	E Po	rt/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14 89										
	_	2-Wire VG Coin Port/Loop Combo – Zone 2		2		.	21.52										
	1	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27,17										
UNI	E Lo	op Rates			LIEBOO	-											ļ <u></u>
+		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 		UEPCO UEPCO	UEPLX	13.76 20.38										
	\dashv	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPCO	UEPLX	26.04										
2-W	Vire \	Voice Grade Line Ports (COIN)		۲	02,00	- OLI LA	20.04										 -
		2-Wire Coin 2-Way without Operator Screening and without		-													
	- [Blocking (SC)			UEPCO	UEPSD	1,13	40.30	19.90	24.98	6.65	•					
	T	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,						10.00		21.00	0.00						
1		900/976, 1+DDD (SC)	ľ		UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking								21100	0.00						
		(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
		with Dialing Parity (SC)			UEPCO	UEPSC	1 13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:		1		1											
_		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,	ŀ		l			1				i I					
		011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1,13	40.30	19.90	24.98	6.65						
i		2-Wire Coin 2-W Operator Screen; 900 Block; 900/976, 1+DDD. 011+, Local; Enhanced Call OPT AP7 (SC)	1		UEPCO	UEPCF	4.40	40.00	40.00	04.00							
		2-Wire Coin Outward without Blocking and without Operator		-	DEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
		Screening (SC)		i	UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65					į	
		2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI OO	1021 00	1.13	40.50	19.30		0.03						
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
1		2-Wire Coin Outward with Operator Screening and Blocking:	-							27.00	0.00						
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,		1													
		011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
		2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.13	40,30	19.90	24.98	6.65	ļ					
		2-wire Com Outward Smartline with 900/976 (all states except			HEDGO	UEDOD	440	40.00	40.00	04.00		1 1					
ADI		DNAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1,13	40.30	19.90	24.98	6.65						
120	1	UNE Coin Port/Loop Combo Usage (Flat Rate)		<u> </u>	UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
LOC		NUMBER PORTABILITY			DEF CO	TONE CO	4.03	0.00	0.00	0.00	0.00						
	Т	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35								-		
NO	NRE	CURRING CHARGES - CURRENTLY COMBINED					- 5.50					t					
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -										[]					
		Switch with change			UEPCO	USACC		0.10	0.10								
ADI		DNAL NRCs				\bot											
ı		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-					7									
		Activity	ļ		UEPCO	USAS2		0.00	0.00			ļ					
1		Unbundled Miscellaneous Rate Etement, Tag Loop at End User Premise	l i	İ	LIEDCO	luner.	į										
2-1/1		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINET	PORT /	UEPCO	URETL		8.33	0.83			ļ					
		rt/Loop Combination Rates	LINE P	OKI (neoj	- I									-		
- 10,41		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00					1					

NDUNDE	D NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										L
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE L	oop Rates										1					
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.46										<u> </u>
2-Wire	Voice Grade Line Port Rates (Res)															<u> </u>
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						L
	2-Wire voice unbundled port with Caller tD - res			UEPFR	UEPRC	1.32	108.36	70.71	1,42	1.33						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1,32	108.36	70.71	1.42	1.33						İ
	2-Wire voice Grade unbundled South Carolina extended local			l							1					
	dialing parity port with Caller ID - res			UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33						L
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33			_			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan						,									
	without Caller ID			UEPFR	UEPWL	1.32	108.36	70,71	1.42	1.33						İ
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		İ	UEPFR	1L5XX	0.0134										
FEAT	URES															
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								·
LOCA	L NUMBER PORTABILITY													-		·
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										·
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port							· ·								
l	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port												****			
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87			ì					İ
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.24	1,10								1
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE P	ORT (BUS)												
UNE P	ort/Loop Combination Rates		,	,												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										
····	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16 68										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.46										
2-Wire	Voice Grade Line Port (Bus)				1			•		**						
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.32	108.36	70.71	1,42	1.33						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - bus		_	UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33				_		
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33	i					ĺ
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled South Carolina Bus Area Calling Port															
	with Caller ID (LMB) 2-Wire Voice Unbundled South Carolina Business Dialing Plan			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33						
LOCAL	without Caller ID L NUMBER PORTABILITY			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						
-	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT		-	OLFFD	CNPCA	0.35								ļ. 		-
MILK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)		·
							Kec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile]						-								
	: = :	or Fraction Mile	<u> </u>		UEPFB	1L5XX	0.0134					<u></u>			ļ]	1
	FEATU			ļ													
		All Features Offered		<u> </u>	UEPFB	UEPVF	3.04	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 12-Wire Loop / Dedicated to Transport / 2 Wire Line Port		-													
- 1		Combination - Conversion - Switch-as-is	ì	i .	UEPFB	USAC2		0.50			1	1 1	1		ì	Ì	Ì
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		+-	UEPFB	USACZ		8.50	1.87								4
1		Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87]						1	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	CELLB	USACC		0.30	1.07								
		End User Premise	l	1	UEPFB	URETN		11.24	1.10	1	1					i	
12	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)	- OKETH		11.27	1.10			 					
	UNE P	ort/Loop Combination Rates		1							<u> </u>						
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00								-	·	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45				1	 					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
1	UNE F	oop Rates	_	T													
		2-Wire Voice Grade Loop (SL2) - Zone 1	L	1	UEPFP	UECF2	16.68										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	23.13										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)											_				
		the district in the state of the state of	1	1		l I											
-+		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		-	UEPFP	UEPPC	1.32	137.32	83.31	67.02	11 51						
		Line Side Unbundled Incoming PBX Trunk Port - Bus		ļ	UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPFP UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	┼	UEPFP	UEPLD UEPXA	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		 	UEPFP	UEPXA	1.32 1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		 	UEPFP	UEPXC	1.32	137.32	83.31 83.31	67.02 67.02	11.51						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		 	OLI III	OLF AD	1.32	137.32	63.31	67.02	11.51						
- 1		Capable Port		į.	UEPFP	UÉPXE	1.32	137.32	83.31	67.02	11.51	(1	ĺ				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				- GET AL	1.02	107.02	00.01	07.02	11.51	1	-				
		Administrative Calling Port		}	UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51		- 1				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								07.02	11.61						
		Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51	į l	Į				1
7		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						-		J. ISE							
		Discount Room Calling Port		L	UEPFP	UEPXO	1.32	137.32	83.31	67,02	11.51		J			j	J
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51						
{		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
 .	004	Calling Port NUMBER PORTABILITY		-	JËPFP	UEPXT	1.32	137.32	83.31	67.02	11.51						l
				—							2700						
	NTED	Local Number Portability (1 per port) DEFICE TRANSPORT		-	UEPFP	LNPCP	3.15	0.00	0.00								
	MIER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		—													
		Termination		1 '	HEDED		40.44					1 1	I				1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		_	UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
		or Fraction Mile			UEPFP	1L5XX	0.0134	ŀ					ŀ				
	EATU			_	OLTT	ILOXX	0.0134				-	} }					
f		All Features Offered		 	UEPFP	UEPVF	3.04	0.00	0.00			1					
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				55. 11	3.04	0,00	0.00								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1					-						——
		Combination - Conversion - Switch-as-is			UEPFP	USAC2	j	8.50	1.87			1	1				1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				T											1
		Combination - Conversion - Switch with change			UEPFP	USACC	İ	8.50	1.87			ı l					1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															$\overline{}$
INIBO		End User Premise			UEPFP	URETN	}	11.24	1.10		L	, ,	}				į '
		ORT/LOOP COMBINATIONS - COST BASED RATES										[
2	:-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														

IBUNDLED NETWOR	K ELEMENTS - South Carolina														ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec			Disconnect				Rates (\$)		,
							Nec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Com																	
	op/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
	op/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
	op/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52					ļ. <u></u>					
UNE Loop Rates																	
	Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68				ļ						
	Voice Grade Loop - (SL2) - UNE Zone 2	L	2	UEPPX		UECD1	23.13										
	Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
UNE Port Rate																	
Exchange Por	ts - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
	ARGES - CURRENTLY COMBINED																
	Grade Loop / 2-Wire DID Trunk Port Combination -	1	1			1 1				1							l
Switch-as-is				UEPPX		USAC1		7.32	1.87								
	Grade Loop / 2-Wire DID Trunk Port Conversion		1			1 1					l						1
	Allowable Changes			UEPPX		USA1C		7.32	1.87								
ADDITIONAL NRCs						L											L
	ibsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84				i					L
Unbundled Mi	iscellaneous Rate Element, Tag Designed Loop at					1						i					1
End User Prei				UEPPX		URETN		11.24	1.10								
Telephone Number/T	runk Group Establisment Charges																
DID Trunk Ter	mination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
DID Numbers,	Establish Trunk Group and Provide First Group																
of 20 DID Nun	nbers	i	1	UEPPX		NDZ	0.00	0.00	0.00					i			1
Additional DID	Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
DID Numbers,	Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00		·						
Reserve DID N		i		UEPPX		NDV	0.00	0.00	0.00								
LOCAL NUMBER PO						1											
	Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	L GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT				0.10	0.00	0.00						-		
UNE Port/Loop Comb			1							-						-	
	tal Grade Loop/2W ISDN Digital Line Side Port -		-			1			***************************************								l
UNE Zone 1	ar Grade Edop/Ett lebit bighar Ente Gloci of		1	UEPPB	UEPPR		30.86										1
	al Grade Loop/2W ISDN Digital Line Side Port -		· •	OLI I D	OCHT		30.00										
UNE Zone 2	ar order Esopretr robit bighter Enter order of		2	UEPPB	UEPPR	1	38.60	1									ĺ
	al Grade Loop/2W ISDN Digital Line Side Port -		-	OCI I D	OLITIK		30.00								-		
UNE Zone 3	ar Grade Edop/E17 Iobit Digital Eine Grae Fort		3	UEPPB	UEPPR		44,23	į									l
UNE Loop Rates			J	OLITE	OLITIK		44.20										
	Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LISI 2Y	21.90										
Z WIIC IODIVE	nghai Grade Edop - GINE Zone 1			OLFFB	OLFFIX	USLZĄ	21.90										
2-Wire ISDN C	Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64					! !					i
	igital Grade Loop - UNE Zone 3			UEPPB		USL2X	35.27										
UNE Port Rate	ngital Grade Edop - GIVE Zone 3		3_	OLFFB	ULFFR	USLZA	33.21										
	t - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	04.07						
	ARGES - CURRENTLY COMBINED			UEPPB	DEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
	Digital Grade Loop / 2-Wire ISDN Line Side Port		_														· · · · · · · · · · · · · · · · · · ·
Combination -				LIEDDD	HEDDD			20.50									I
ADDITIONAL NRCs	Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08						_		
	andlenesus Deta Elt T Dtt					ļ											
End User Prer	scellaneous Rate Element, Tag Designed Loop at	1 1		HEDDO	HEDDO	Luncari I											ı
		ļ		UEPPB	UEPPR	URETN		11.24	1.10								
Premise	scellaneous Rate Element, Tag Loop at End User			HEDES	HECCO	luner	- 1	!									i
	OT FOR ITY			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL NUMBER POI						ļ											
	Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								ļ
B-CHANNEL USER P						ļ											<u> </u>
CVS/CSD (DM	15/5E55)		<u>ш</u> .	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
CVS (EWSD)				UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
CSD		L		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			L T					
BUCHANNEL AREA D	LUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)			I T											i

ARONDLED NE	TWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: A
												Submitted	Submitted	-	Charge -	Charge -	Charge
TEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual : Order v Electron Disc Ad
							_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	/CSD (DMS/5ESS)			UEPPB		U1UCD	0.00	0.00	0.00								
CVS	(EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
CSD			100	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00						Secretary and		
	MINAL PROFILE																
	Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL F																	
	ertical Features - One per Channel B User Profite			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								120
	CE CHANNEL MILEAGE																
	office Channel mileage each, including first mile and																
	ties termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
	office Channel mileage each, additional mile			UEPPB	UEPPR	MIGNM	0.0167	0.00	0 00								
	DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN																
	DS1 combination rates below for in this rate exhibit app													nt.			
	r 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk P	ort afte	r the effec	ctive date o	f this amend	ment shall be p	rovided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.				
	pop Combination Rates														_		
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						470.00										
Zone		-	1	UEPPP			176.82					-					
	DS1 Digital Loop/4W ISDN DS1 D:gital Trunk Port - UNE		١.	l													
Zone			2	UEPPP			241.38										
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone			3	UEPPP			347.84										
UNE Loop R			_														
	re DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	90.87										
	re DS1 Digital Loop - UNE Zone 2	-		UEPPP		USL4P	155.43										
	ire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89										
UNE Port Ra		_															
	nange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-	_	UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
	RING CHARGES - CURRENTLY COMBINED	-	1														
	ire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			UEPPP		USACP	0.00	440.04	78.73								
ADDITIONAL	bination - Conversion -Switch-as-is (E:4/1/2004)	+	_	UEPPP		USACP	0.00	119.34	18.13								
		+	-														
	re DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-			UEPPP		PR7TF		0.49	0.49								
	ard/two way Tel Nos. (except NC)	+		UEPPP		PR/IF		0.49	0.49								
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - ward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	+	-	UEFFF		FK/10		11.54	11,34			-	_				-
	sequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07								
	MBER PORTABILITY	+	_	OLITI		FRIZI		23.01	23.07		_						_
	Number Portability (1 per port)	3"		UEPPP		LNPCN	1.75						-				_
	e/Data	-		UEPPP		PR71V	0.00	0.00	0.00								-
	al Data	-	-	UEPPP		PR71D	0.00	0.00	0.00								_
	ard Data	+	_	UEPPP		PR71E	0.00	0.00	0.00								
	itional "B" Channel	_	1	OLITI		FRITE	0.00	0.00	0.00								_
	or Additional - Voice/Data B Channel	+-	-	UEPPP		PR7BV	0.00	14.56									-
	or Additional - Digital Data B Channel	1		UEPPP		PR7BF	0.00	14.56							 		\vdash
	or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	14.56						-	1		
CALL TYPES		1		JEITT			0.00	14.50							-		—
Inwa		_	1	UFPPP		PR7C1	0.00	0.00	0.00						1		
Outv		1		UEPPP		PR7CO	0.00	0.00	0.00						1		
Two-		1		UEPPP		PR7CC	0.00	0.00	0.00						Í		
	Channel Mileage	1					5.55	5.55	5.50								
	d Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48				1		
	n Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415	50	37.00	10.00	14.40						
	DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1					3.5415		-						i =		
	DS1 combination rates below for in this rate exhibit app	ly to the	ember	ded base	in nlace a	s of 10/2/03	ntil 4/1/04. Afti	er 4/1/04 these	rates shall rev	ert to tariff rat	es or a senara	te commerc	al anreeme	nt	i -	-	<u> </u>
	r 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef											7	agreeme				
	pop Combination Rates														Ī		
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1 1	IUEPDC			149.77					1	<u> </u>		-		—
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	+		UEPDC		-	214.33					-					

	NETWORK ELEMENTS - South Carolina												Attach			ibit: A
regory	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			 		-		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	l	
		-				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
	op Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPDC	USLDC	261.89										
UNE Po	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20	i					
NONRE	CURRING CHARGES - CURRENTLY COMBINED	T	1													
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination													ľ		T
1 1	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1								ĺ					1
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		129.78	67.17								1
	ONAL NRCs	L	1													_
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -											ļ		İ	1	1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	ŀ			i I						1					1
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51			ļ					
	4-Wire DS1 Loop / 4-Wire DDfTS Trunk Port - Subsqnt Channel	ŀ					-			1			1			
	Activation/Chan Inward Trunk w/out DID	L		UEPDC	UDTTC		14.51	14.51								ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	ì								l	1					
	Activation Per Chan - Inward Trunk with DID	.	ļ	UEPDC	UDTTD		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans	ļ	ļ	UEPDC	UDTTE		14.51	14.51			ļ <u> </u>			ļ		
	AR 8 ZERO SUBSTITUTION	<u> </u>	ļ											 		
	B8ZS -Superframe Format	<u> </u>	ļ	UEPDC	CCOSF		0.00i	605.00s								
	B8ZS - Extended Superframe Format	<u> </u>	<u> </u>	UEPDC	CCOEF		0.00i	605.00s						<u> </u>		+
	te Mark Inversion	1	1	UEPDC	MCOSF		0.00	0.00			-			-	ł	1
	AMI -Superframe Format	<u> </u>	ļ				0.00	0.00						 		+
	AMI - Extended SuperFrame Format	-		UEPDC	МСОРО		0.00	0.00						 		+
	one Number/Trunk Group Establisment Charges	-		UEPDC	UDTGX	0.00							-		1	+
-	Telephone Number for 2-Way Trunk Group	-	-	UEPDC	UDTGY	0.00										+
	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGZ	0.00					-			 	 	+
	Telephone Number for 1-Way Inward Trunk Group Without DID	 	_	UEPDC	UDIGZ.	0.00							1			+
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00			!					
	DID Numbers DID Numbers for each Group of 20 DID Numbers	1	 	UEPDC	ND4	0.00	0.00	0.00		-						+
	DID Numbers for each Group of 20 DID Numbers , Per Number	 		UEPDC	ND5	0.00	0.00	0.00		-				ļ		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			1		 	 		+
	Reserve Non-Consecutive DID Nos.	 -	+	UEPDC	NDV	0.00	0.00	0.00	-		 		-	ļ — — —	 	+
	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	 1 Di-ia-	11			0.00	0.00	0.00			 					+
Dedical	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l Digita	Loop	WILL 4-WHE DUTT	5 ITUIK FOR								-	 -	 	+-
		l		UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		l		•	i	
	Termination)	-	1	UEFUC	ILIVOI	77.14	09.47	01.55	10.55	14.40				 		+
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.3415	0.00	0.00		i						
	Interoffice Channel Mileage - Additional rate per fille - 0-6 filles	1	ļ	UEPDC	ILINOA	0.3413	0.00	0.00					1			+
!	Termination)			UEPDC	1LNO2	0.00	0.00	0.00			1		1		i	
	Interoffice Channel Mileage - Additional rate per mile - 9-25	 	+	OLF DO	ILINO2	0.00	0.00	0.00			 			 		+
	mites	1		UEPDC	1LNOB	0.3415	0.00	0.00	1		!	1		1		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	 	+	 	10100	0.0410	0.00	0.00		<u> </u>	 			 		+
1 '	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	1						1	
_	remination)	1	1	02.00	10,000	0.00	0.00	0.00	<u> </u>	 	 			 		+
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.3415	0.00	0.00		1			1	1		
	Local Number Portability, per DS0 Activated	<u> </u>	 	UEPDC	LNPCP	3.15	0.00	0.00	 	1	+		· ·	 	 	+
	Central Office Termininating Point	 	+	UEPDC	CTG	0.00	0,00	0.00	 	-			 	†	t	
	EDS1 LOOP WITH CHANNELIZATION WITH PORT	1	+	OLI DO	0,0	0.00		ļ	 		+			+	 	1
	DOLLOOF WITH CHANNELIZATION WITH FUR!	1	<u> </u>	 			-	-	 	-	+	 	 	 	 	+
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivation		I .												

Page 221 of 227 Version 3Q03; 11/12/2003

IBUNDLE	D NETWORK ELEMENTS - South Carolina										_		Attach	ment: 2	Exhi	ibit: A
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manuał Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge
													1st	Add'l	Disc 1st	Disc Ad
		-			ļ	-	Nonre	uring	Nonrocurring	Disconnect	-		088	Rates (\$)		
_			ļ		+	Rec	First	Add'l	First	Add't	SOMEC	SOMAN		SOMAN	SOMAN	SOMAI
The III	I NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	l	ination	with Dort in this est	to evhible and	luta tha amba										JOHA
Domin	ests for 4-Wire DS1 Loop with Channelization with Port after the	o offect	ive det	of this smandmen	t oball be pre	ny to the enibe	edded base in p	nace as or 10/2	toriff at PallCa	uth's discreti	inese rates	siiaii reveit	To tariii rates	T a separate	agreement.	
	St Loop	e eneci	ive dat	e or uns amenumen	i snan be pro	vided pursuan	it to a separate	agreement or	tailli at belloo	I S DISCIELL	лі. Т			-		
ONED	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00						 		
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								-
LINE D	SO Channelization Capacities (D4 Channel Bank Configuration	l		OEF WIG	USLUC	201,09	0.00	0.00								
ONED	24 DSO Channel Capacity - 1 per DS1	115)	├	UEPMG	VUM24	82,78	0.00	0.00			+					
	48 DSO Channel Capacity - 1 per DS1		· · · · · · ·	UEPMG	VUM48	165.56	0.00	0.00								
-	96 DSO Channel Capacity - 1 per 2 DS1s	-		UEPMG	VUM96	331.12	0.00	0.00								+
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00		ļ	 			<u> </u>		
+	192 DS0 Channel Capacity - 1 per 8 DS1s		 	UEPMG	VUM19	662.24	0.00	0.00		 	 		 	+	 	+
	240 DS0 Channel Capacity - 1 per 10 DS1s	 	 	UEPMG	VUM2O	827.80	0.00	0.00					 			+
+	288 DS0 Channel Capacity - 1 per 12 DS1s		 	UEPMG	VUM28	993.36	0.00	0.00		 	 	-	t	+		
+	384 DS0 Channel Capacity - 1 per 16 DS1s		 	UEPMG	VUM38	1,324.48	0.00	0.00	l	1	 		 		 	
	480 DS0 Channel Capacity - 1 per 10 DS1s	 	 	UEPMG	VUM4O	1,655.60	0.00	0.00	 	 	 		1	 	 	+
+	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00			1					+
+	672 DS0 Channel Capacity - 1 per 28 DS1s		 	UEPMG	VUM67	2,317,84	0.00	0.00	-					+		+
Non-P	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	aliztio					0.00								
	imum System configuration is One (1) DS1, One (1) D4 Channe						y stem									
	les of this configuration functioning as one are considered Ac						 				 				1	+
munup	NRC - Conversion (Currently Combined) with or without	lante	Tuen	minimum system con	T	Counteu.										
	BellSouth Allowed Changes		l	UEPMG	USAC4	0.00	150.81	8.38							İ	
Cueter	m Additions at End User Locations Where 4-Wire DS1 Loop with	h Ch	1					0.30						·		
	Not Currently Combined) in all states, except in Density Zone 1				ination Curre	nuy Exists and	u T							-		
IAGM (I	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	гог гор !	OWISA	S	1		 									
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717,71	425.81	149.08	17.69	1					
Rinola	ar 8 Zero Substitution			UEPNIG	VUIVID4	0.00	717.71	425.81	149.08	17.09						
Dipola	Clear Channel Capability Format, superframe - Subsequent				 									l		
1	Activity Only			UEPMG	CCOSF		0.00:	cor oo							[
+	Clear Channel Capability Format - Extended Superframe -			UEPMG	CCUSF	0.00	0.001	605.00s							L	ļ
		ļ		HEDNAG			0.00:	005.00		6					İ	
A 54	Subsequent Activity Only		ļ	UEPMG	CCOEF	0.00	0.00	605.00s					ļ		ļ. <u> </u>	
Aitern	ate Mark Inversion (AMI)			UEDIAO		0.00										-
 	Superframe Format	<u> </u>	ļ	UEPMG	MCOSF	0.00	0.00	0.00								
Fuch	Extended Superframe Format	L	<u> </u>	UEPMG	мсоро	0.00	0.00	0.00							ļ	ļ
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		_		ļ								ļ	
Excha	nge Ports		-		ļ		1									↓
1	Line Side Combination Channelized PBX Trunk Port - Business	i		HEDDY			1				1		ļ	I		1
-	(E:4/1/2004)			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	-					
	Line Side Outward Channelized PBX Trunk Port - Business			UEDDY	l		1									
	(E:4/1/2004)			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00						<u> </u>
	Line Side Inward Only Channelized PBX Trunk Port without DID						1						1			
	(E:4/1/2004)		ļ	UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port				ł		1									
	(E:4/1/2004)		ļ <u>.</u>	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00						
Featur	e Activations - Unbundled Loop Concentration	<u> </u>	L			L										
	Feature (Service) Activation for each Line Port Terminated in D4				1								ĺ			1
-	Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17						ļ
	Feature (Service) Activation for each Trunk Port Terminated in	İ											1			
T-1	D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			ļ			ļ
relepr	none Number/ Group Establishment Charges for DID Service				l									L	ļ	<u> </u>
	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00			ļ			ļ		<u> </u>
4	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<u> </u>	ļ	UEPPX	NDZ	0.00	0.00	0.00	l							L
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00					L			L
-	Non-Consecutive DID Numbers - per number	ļ		UEPPX	ND5	0.00	0.00	0.00			L			1		
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00					l			
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability				1									-		
	Local Number Portability - 1 per port		1	UEPPX	LNPCP	3.15	0.00	0.00	I		1			T		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
		Γ	Т		I	1				· · · · · · · · · · · · · · · · · · ·	Sua Ordan	Sun Order	Incremental			
		i		1										1	E .	1
					į						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1-4	1	1	i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)							i	I
	TOTAL ELEMENTO	m	20	500	0000			111120 (0)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		Î		1									Electronic-	Electronic-	Electronic-	Electronic-
				i									1st	Add'I	Disc 1st	Disc Add'!
	}		ŀ]	1	i								/ ""	D.30 /31	Disc Add I
		1					Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)	1	1
		-	1	+	1	Rec					001150	001441			001111	0041411
		<u> </u>	-	.			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TURES - Vertical and Optional													i		i .
Loca	I Switching Features Offered with Line Side Ports Only		i	1												
	All Features Available		1	UEPPX	UEPVE	3.04	0.00	0.00						†		
INDIANDIE	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	<u>-</u>			- CLI 11		0.00	0.00		·				 		
			<u> </u>	L		1								ļ	<u> </u>	!
	ost Based Rates are applied where BellSouth is required by FCC										L					
2. Fe	atures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	sed Rat	e section in the sam	e manner as	they are applie	d to the Stanc	-Alone Unbun	dled Port secti	ion of this Rate	Exhibit.				1	
3 Fn	nd Office and Tandem Switching Usage and Common Transport	lisage	rates i	the Port section of	this rate ext	ihit shall annly	to all combin	ations of loon!	nort network e	lomente evcen	for LINE C	oin Port/Lo	on Combinat	tions		
4 Th	e first and additional Port nonrecurring charges apply to Not C	urronth	Comb	ined Combos For	Currently Co	mhined Combo	to an combin	cona charace	chall be these	identified in the	an Manager	dir r oraco	op combina	-d	A July and No	C
		unenny	COMIL	med Combos. For	Currently Co	mbried Combo	s, me nomec	ming charges	Silali de triose	raenunea m u	ie Nonrecui	ning - Curre	muy Combin	eu sections.	Additional NR	ccs may
	y also and are categorized accordingly.															
5. M	arket Rates for Unbundled Centrex Port/Loop Combination will	be nea	otiated	on an Individual Ca	se Basis, un	til further notice	P.							T		
	P CENTREX - 5ESS (Valid in All States)	T 2	T			1				t				 	 	
		-	1		ļ				ļ		ļ I			 		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1						L					L	L	
UNE	Port/Loop Combination Rates (Non-Design)	1	1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1		1					—				t	†	
	Non-Design	l	1	UEP95	1	14.89			1	1					1 1	I
		ļ		UCF90	L .	14.89										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	1	1	1	! I			1		1				1	I
i	Non-Design		2	UEP95	1	21.52										Į.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+	102.00	 											
1		1												1		
	Non-Design		3	UEP95		27.17								1		
UNE	Port/Loop Combination Rates (Design)		T													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		+			†								 		
		1	١.	Ī		1			ļ					1		
	Design		1	UEP95		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95	i	24.26										
			-	OLF 93	-	24.20										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Design		3	UEP95	İ	29.59				1						
UNE	Loop Rate					1										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 1	UEP95	UECS1	13.76								 		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	L	2	UEP95	UECS1	20.38					į				1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68								 		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		<u> </u>											Ļ		
			2	UEP95	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	ŀ	3	UEP95	UECS2	28.46				1						
UNE	Port Rate													 		
All S	tatoe								··-							
711 31			-													
	2-Wire Voice Grade Port (Centrex) Basic Local Area		L	UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65		1		i		ŀ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	T	1		<u> </u>					5.50				 	<u> </u>	
l	Area	1	1	UEP95	LIEDZ!!		40.00		']!				I		
		ļ	-	UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65				L		L
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	ì	1		1	1										
1	Center)2,3 Basic Local Area	l	l	UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800				1		100.00	70.71	54.47	11.34				<u> </u>		
- 1		l	l		1											
	Service Term - Basic Local Area		<u> </u>	UEP95	UEPYZ	1.13	108.36	70.71	54,47	11.94		1				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1					I				r	· · · · · · · · · · · · · · · · · · ·	
1	- Basic Local Area	l		UEP95	UEPY9	1,13	40.30	19.90	24.98	6.65		I		l		!
+	2-Wire Voice Grade Port Terminated on 800 Service Term		 	351 33	OLF 13	1,13	40.30	19.90	24.98	0.05				_		
1		l	1	1	1							1		i		
	Basic Local Area	l .	l .	UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		1		1		
AL. K	(Y, LA, MS, SC, & TN Only		T .								- 1			t		t
	2-Wire Voice Grade Port (Centrex)		 	UEP95	UEPQA	1.13	40.00	10.00	04.00					 		
							40.30	19.90	24.98	6.65				I		
	2-Wire Voice Grade Port (Centrex 800 termination)	L	1	UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65				I		
				LIEDOE	UEPQH	1.13	40.30	19.90	24.98	6.65				I		
	2-Wire Voice Grade Port (Centrex with Caller ID)1		ŀ	UEP95												
				UEP95		1								1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						400				l	1				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	1,13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					1,13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM											
	Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Price Voice Grade Port, Diff Serving Wire Center - 800 Service					1,13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94						
	Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95 UEP95	UEPQM UEPQZ	1.13	108.36	70.71	54.47	11.94						
	Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQM											
	Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95 UEP95	UEPQM UEPQZ	1.13	108.36	70.71	54.47	11.94						

NBUNDLED N	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			 		1	Pos	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	entrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
	nber Portability															
	cal Number Portability (1 per port)		ļ	UEP95	LNPCC	0.35										ļ
Features	00		-	ur nor	LIED E	2.04								ļ. —	ļ	-
	Standard Features Offered, per port Select Features Offered, per port	-	-	UEP95 UEP95	UEPVF	3.04 0.00	406,42				-			ļ		
	Centrex Control Features Offered, per port		-	UEP95	UEPVS	3.04	400,42				ļ					
NARS	Centrex Control realures Offered, per port			OLF 93	OLF VC	3.04								-		1
	nbundled Network Access Register - Combination		 	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				 	 	
	nbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				1	l	
	bundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	eous Terminations				1				1					1		
2-Wire Tru	ınk Side															
	unk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77						
	gital (1.544 Megabits)															
	S1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47					<u> </u>	
	60 Channels Activated, each			UEP95	M1HDO	0.00	14,51									
	Channel Mileage - 2-Wire													<u> </u>		
	eroffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91	ļ			↓		
	teroffice Channel mileage, per mile or fraction of mile	<u> </u>	ļ	UEP95	M1GBM	0.0167										ļ
	ctivations (DS0) Centrex Loops on Channelized DS1 Service el Bank Feature Activations	e			+			· · · · · · · · · · · · · · · · · · ·								
	eature Activation on D-4 Channel Bank Centrex Loop Slot		 	UEP95	1PQWS	0.56										
1 1	addie Activation on 5-4 Chariner Bank Gentrex Loop Glot	·		OLI 33	111 0000	0.50					-					
Fe	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	eature Activation on D-4 Channel Bank FX Trunk Side Loop			02.00	1	0.00										
Sid				UEP95	1PQW7	0.56										İ
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot -					. 1										
Dif	fferent Wire Center			UEP95	1PQWP	0.56										
											i					
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					1			i			-				
Sto				UEP95	1PQWQ	0.56										ļ
	eature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP95	1PQWA	0.56										
	rring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed				1 1									<u> </u>		
	anges, per port			UEP95	USAC2		37.93	16.72								
	ew Centrex Standard Common Block		1	UEP95	M1ACS	0.00	668.70	10.72						-		-
	ew Centrex Standard Common Block		 	UEP95	MIACC	0.00	668.70									
	AR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89									
	I Non-Recurring Charges (NRC)				U. LEGIT	3,00	12.00									
	nbundled Miscellaneous Rate Element, Tag Loop at End Use				 											
	emise		1	UEP95	URETL	1	8.33	0.83								
Un	bundled Miscellaneous Rate Element, Tag Design Loop at															
En	nd Use Premise			UEP95	URETN		11.24	1.10	i I							
	NTREX - DMS100 (Valid in All States)															
2-Wire VG	Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Loop Combination Rates (Non-Design)		ļ		1									1		
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEBOD	1	44.55										1
	on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP9D	 	14.89					-					
	vvire v.G. Loop/2-vvire voice Grade Port (Centrex)Port Combo - on-Design		2	UEP9D]	21.52]						1	1
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>		OLF SD	+ +	21.32			 					 		
	on-Design	ľ	3	UEP9D		27.17										
	Loop Combination Rates (Design)		_ <u></u>	32. 35		21.11			-		 			 	1	1
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1		1									†		
	esign	1	1	UEP9D		17.81]							
2-1	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		1 1						 					1
	esign	1	2	UEP9D	1	24.26										

JNBUNDLED N	IETWORK ELEMENTS - South Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			 				Nonrec	unina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		†													
	sign		3	UEP9D		29.59										
UNE Loop			ļ											ļ		
2-V	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76									ļ	
	Vire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEP9D	UECS1	20.38									ļ	
	Nire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04									ļ	
	Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
2-V	Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	23.13								ļ ———		ļ
	Vire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46									-	
UNE Port F			-													
ALL STATI	Vire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1,13	40.30	19.90	24.98	6.65				 		
	Wire Voice Grade Port (Centrex) Basic Local Area Wire Voice Grade Port (Centrex 800 termination)Basic Local	-	1	OEFSD	UEFTA	1.13	40.30	19.90	24.98	0.05	 			-	 	<u> </u>
Arc	· · · · · · · · · · · · · · · · · · ·	!		UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65	1]		l	1	1
	vire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1	+	OLF 3D	OCI IB	1.13	40.30	19.90	24.80	0.05				 -		
Are				UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65					ł	
	Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		1	10-10	1.10	40.00	13.30	27.50		 			 		
Are		1		UEP9D	UEPYD	1,13	40.30	19.90	24.98	6.65						
	Vire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		+	02.00	32, 10		.0.50		250	0.00				1		
Are		1		UEP9D	UEPYE	1.13	40.30	19.90	24,98	6.65						
	Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1		100											
Are	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
	Vire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		 	OLI 3B	- IOLI II	1.10	40.50	13.30	24.50	0.00						
Are				UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65	1					
	Vire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			00.00	102.10			10100		0.00						
Are				UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
2-V	Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		 			.,	,	10.00	2.10.0							
Are				UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
	Nire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		 		102.10											
Are]		UEP9D	UEPYV	1,13	40.30	19.90	24.98	6.65						
2-V	Nire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local														1	
Are				UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
	Vire Voice Grade Port (Centrex with Caller ID) Basic Local														İ	
Are		1		UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
2-V	Nire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1													ľ
	dication))4 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24,98	6.65				l		
	Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1		1							l			T	1	
	sic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65				Ì	1	
2-V	Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
2,3	3-Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94	Į.					
2-V	Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4										1					
Bas	sic Local Area		1	UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94				ļ	ł	i
2-V	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	sic Local Area		ì	UEP9D	UEPYP	1,13	108.36	70.71	54.47	11.94	l				1	
	Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	sic Local Area		<u> 1</u>	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94	L	l				L
	Vire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1													
	sic Local Area		1	UEP9D	UEPYR	1,13	108.36	70.71	54.47	11.94					ļ	
	Nire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1				1					1					ŀ
	sic Local Area		1	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		 		_	ļ	<u> </u>
	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1				, !			l		1			I		
	sic Local Area	ļ	<u> </u>	UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		ļ		 	ļ	
	Nire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	ł		LIEBOD.	luen						1	l	1	1	l	1
	sic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94				ļ	1	
	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	1		HEDOD	LIED.		400.0-		l		1	1	1	1		
	sic Local Area	<u> </u>	<u> </u>	UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94				L	ļ	
	Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		l	1]		I	1	ļ		1	
I IRa	sic Local Area	1	1	UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94	1	l	1	l	F	1

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina			j										ment: 2	<u> </u>	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
						1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1		1	1	I	1
JA 1 E C	,,,,,	MATE ECCINERTO	m		550	5555			101723 (0)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			ŀ											Electronic-	Electronic-	Electronic-	Electronic-
			į			1						İ	1	1st	Add'I	Disc 1st	Disc Add'l
	· ·			 				Nones	curring	N	Disconnect	ł-	<u> </u>		D=4== (C)		1
	1			├ ──	 		Rec					00450			Rates (\$)		000000
	-	0.145		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service										i				1	
	L	Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent										ł			1	1	i
		Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6,65					1	
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic											ļ				
		Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65	1					
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
_		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
-		2-Wire Voice Grade Port (Centrex / EBS-M5009)4	T	1	UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		1	UEP9D	UEPQE	1.13	40.30	19,90	24.98	6.65			1	t		· · · · ·
	t	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		t	UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65	1			t	 	
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4		† ··-	UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65	 			 	 	
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4		+	UEP9D	UEPQT	1.13	40.30	19.90	24.98	6,65						
	 	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		+	UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65	-			-	-	-
	 	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		 	UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65	.			-	-	
	<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D		1.13							!			
	-			1		UEPQ3		40.30	19.90	24.98	6.65						
	ļ	2-Wire Voice Grade Port (Centrex with Caller ID)		-	UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				i]
	1	Indication)4		!	UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
	İ	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	1												
		2,3		i	UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						i
	ł	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1,13	108.36	70.71	54.47	11.94					i	
	i	, , , , , , , , , , , , , , , , , , , ,				1											
	i	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		i	UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94	i			1		ļ.
	t	7-,-,-		t		1			10111		1110	 					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	i		UEP9D	UEPQQ	1.13	108,36	70.71	54.47	11.94						
		E 1770 1500 5100 1 Of Control of			01.00	OLI GG	1.10	100,00	70.71	34.41	11.54	-			 		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94	į					ŀ
	 	2 Wile Voice Grade For Centrexialiter SWC /EBG-WST12/2,5,4		 	OLF 3D	OLF GIV	1.13	100.30	70.71	34.47	11.94	ł					
	l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		UCDOD.	lucnos		100.20	70.74	54.47	44.04						
	 	2-Ville Voice Grade Port (Certifexfollier SWC /EBS-MS512)2,5,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
		2 W5 11-1 C1- D-1/O1/1/K 0)W0 /FD0 MF0000 2 4			LIE DOD	lueno.									1		ŀ
	 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	ļ	1	UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94	ļ	•••		ļ		ļ
	1	0.110			LIEBOR	1						1			1		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1,13	108.36	70.71	54.47	11.94						
	1									ĺ]			1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		L	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94	l		L	L	L	
				1									-				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		L	UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94				l		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1										· ·			
	1	Term 2,3	l	1	UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94				1	I	1
														,		<u> </u>	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65	1			I	I	l
		2-Wire Voice Grade Port Terminated on 800 Service Term		†	UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65	 		ł	 	t	<u> </u>
	Local S	witching		$^{+-}$	<u> </u>		1.10	.0.00	10.00	24.50	0.00	1		 	1		
	1	Centrex Intercom Funtionality, per port		 	UEP9D	URECS	0.7996			 		 		 	1		
	Local N	lumber Portability	 	 	321 30	O'NEOO	0.1990			-		1		 	1	 	-
		Local Number Portability (1 per port)	-	+	UEP9D	LNPCC	0.35			ł				 	 	-	
	Feature		ļ	 	OLF 3D	FIALOG	U.35			-				_	ļ — —		
	reature				LIEDOD	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				-					ļ	-	ļ
	├	All Standard Features Offered, per port	ļ		UEP9D	UEPVF	3.04									.	
	-	All Select Features Offered, per port	ļ	—	UEP9D	UEPVS	0.00	406.42							L		
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04										
	NARS		L	1										l	L		
	L	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			L			
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	1	Unbundled Network Access Register - Outdial	T		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	T		ľ			

NBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2	Exhi	,
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		L
		1				Rec	First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscell	aneous Terminations	1														
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167								Γ		
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce								·	1					
	nnel Bank Feature Activations												-			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					1		-								
İ	Slot			UEP9D	1PQW7	0.56	i					}		i		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	-		UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
i	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		i							1					l
	Slot	1		UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	MIACS	0.00	668.70									
	New Centrex Customized Common Block	ll		UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.24	1.10			,					
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage	1														
	- Installation is combination of Installation charge for SL2 Lo	op and F	ort										1			
	- Requires Specific Customer Premises Equipment	T		 								1	1			
	Rates displaying an "R" in Interim column are interim and sul	biect to r	ate tru	ie-up as set forth	in General Terr	ns and Conditio	ne					t e				

Version 3Q03: 11/12/2003 [CCCS Amendment 293 of 308]

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Alternative Phone nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Alternative Phone can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide Alternative Phone with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Alternative Phone and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Alternative Phone requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Alternative Phone, BellSouth will not assess Alternative Phone additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- BellSouth shall provide Alternative Phone nondiscriminatory access to its OSS and the necessary information contained therein in order that Alternative Phone can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Alternative Phone to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Alternative Phone's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Alternative Phone can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record

information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Alternative Phone will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Alternative Phone shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Alternative Phone shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Alternative Phone shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission.

 Alternative Phone will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Alternative Phone's access to customer record information. If a BellSouth audit of Alternative Phone's access to customer record information reveals that Alternative Phone is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Alternative Phone may take corrective action, including but not limited to suspending or terminating Alternative Phone's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Alternative Phone electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Alternative Phone will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Alternative Phone electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Alternative Phone will

manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Alternative Phone agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Alternative Phone nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- Change Management. BellSouth and Alternative Phone agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Alternative Phone agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Alternative Phone at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Alternative Phone will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Alternative Phone shall be required to submit a new service request. Incorrect or invalid requests returned to Alternative Phone for correction or clarification will be held for thirty (30) calendar days. If Alternative Phone does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- Single Point of Contact. Alternative Phone will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Alternative Phone to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Alternative Phone and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from

another carrier, BellSouth may disconnect any network element being used by Alternative Phone to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Alternative Phone that such a request has been processed but will not be required to notify Alternative Phone in advance of such processing.

- 3.2.1 Neither BellSouth nor Alternative Phone shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Alternative Phone shall return a FOC to BellSouth within thirty-six (36) hours after Alternative Phone's receipt from BellSouth of a valid LSR.
- 3.2.4 Alternative Phone shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Alternative Phone elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Alternative Phone by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Alternative Phone that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Alternative Phone's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change to Alternative Phone,

which has the billing relationship with that End User, and Alternative Phone may pass such charge to the End User.

- Cancellation Charges. If Alternative Phone cancels a request for network elements 3.6 or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Alternative Phone places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Alternative Phone places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Alternative Phone may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Alternative Phone elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Alternative Phone, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

RES	ALE DI	SCOUNTS AND RATES - Mississippi												Attach	ment: 1	Exhi	ibit: E
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			""	1										Electronic-	Electronic-	Electronic-	
ĺ				1 1								ì		1st	Add'I	Disc 1st	Disc Add'l
				-				Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	000	Rates (\$)	l	
	_		-	1		+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-				1		+		riist	Auu i	riist	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
APPL	ICABLE	DISCOUNTS		\vdash			 			1		-	 	 	<u></u>		
		Residence %		1 1		+	15.75					1					
	1	Business %		1 1		1	15.75			 		 	-			 	
		CSAs %		1		+	15.75			· · · · · · · · · · · · · · · · · · ·		 	 		 	 	+
OPER	ATIONA	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				 	1					 				1	
	NOTE	(1) CLEC should contact its contract negotiator if it prefers the	e "state	specifi	c" OSS charges a	s ordered by t	he State Comm	issions. The C	OSS charges of	urrently contain	ned in this rat	e exhibit ar	e the BellSo	uth "regional	" service orde	ering charges	CLEC may
1	efect e	ither the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC ma	v elect the re	gional service o	rdering charg	e. however. C	LEC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	established in
		OSS - Electronic Service Order Charge, Per Local Service		T	<u> </u>	<u> </u>	Ĭ		,	T T		T	T	1	Г		Total Marie and
1		Request (LSR) - Resale Only				SOMEC	1	3.50	0.00	3.50	0.00						!
		OSS - Manual Service Order Charge, Per Local Service Request				-						 	 		-		
1	1	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00	i			i	1	1 '
SELE	CTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)					†·			10.00		· · · · · · · · · · · · · · · · · · ·	†		-		
	1	Sclective Routing Per Unique Line Class Code Per Request Per				1							1				† *
1		Switch		1 1				85.19	85.19	14.19	14.19					Ī	1 '
ODU	/EODUF	SERVICES										1	1		t		
	OPTIC	NAL DAILY USAGE FILE (ODUF)			**							T	<u> </u>				
		ODUF: Recording, per message					0.0000063			1						†	
		ODUF: Message Processing, per message		T 1			0.004707			1					T		1
		ODUF: Message Processing, per Magnetic Tape provisioned					49.04			1				<u> </u>	T	1	1
		ODUF: Data Transmission (CONNECT:DIRECT), per message		l i			0.00010669					1	†				1
	ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)										1	1			1	1
1		EODUF: Message Processing, per message					0.250424					 	T			f	1

UCA	LINIE	RCONNECTION - Mississippi		_		_									ment: 3		ibit: A
CATEG	SORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1																
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION)	1				l i										
		"bk" beside a rate indicates that the Parties have agreed to b	ill and k	eep for	that element purs	uant to the te	rms and conditi	ons in Attachn	nent 3.								
-		M SWITCHING															
		Tandem Switching Function Per MOU			OHD		0.0005379bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem			1000												
		only)			OHD		0.0005379										}
		Tandem Intermediary Charge, per MOU*			OHD		0.0025										1
-		harge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching an	d/or intercon	nection charges										
		CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13								
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
		Dedicated End Office Trunk Port Service per DS1**			OH1 OH1MS	TDE 1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	I.	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00		J								
	** This	rate element is recovered on a per MOU basis and is include	d in the	End Of	fice Switching and	Tandem Swi	tching, per MOL	J rate elements	5								i –
	COMM	ON TRANSPORT (Shared)															1
		Common Transport - Per Mile, Per MOU		i	OHD		0.0000026bk										
		Common Transport - Facilities Termination Per MOU		i –	OHD		0.0004541bk										
LOCAL		CONNECTION (DEDICATED TRANSPORT)		1					_								
		OFFICE CHANNEL - DEDICATED TRANSPORT		1													
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		i –			-										
		Per Mile per month			ОНМ	1L5NF	0.0098							-			
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1	i i	723141	0.0030										
		Facility Termination per month			ОНМ	1L5NF	22.52	40.77	27.57	17.26	7.11						
_		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OT 1141	125141	22.52	40.77	21.51	17.20	7.77			-			
11		per month			ОНМ	1L5NK	0.0098								1		
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		1	OTTIVI	ILSIAK	0.0050										-
		Termination per month		ł	ОНМ	1L5NK	15.68	40.78	27.57	17.26	7,11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	OTTIM	ILSIAN	13.00	40.70	21.31	17.20	7,11						
		per month			ОНМ	1L5NK	0.0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility		-	Onivi	ILDINK	0.0096								-		
		Termination per month	0		ОНМ	1L5NK	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-	I I	ILSINK	15.00	40.76	21.51	17.20	7.11	-					1
					OH1, OH1MS	41.5511	0.004										-
		month	-	1	UHI, UHIMS	1L5NL	0.201										-
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				41.500	57.00	00.70	00.00	16.86	14.90						
		Termination per month	-	-	OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						ļ
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0113 0113146	41 CNA4	. 70										
		month		ļ	онз, онзмѕ	1L5NM	4.76										ļ
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month		-	OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month		ļ	ОНМ	TEFV2	14.91	194.22	33.36	37.79	3.30						
		Local Channel - Dedicated - 4-Wire Voice Grade per month		ļ	ОНМ	TEFV4	15.99	194.66	33.80	38,27	3.78						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
		Local Channel - Dedicated - DS3 Facility Termination per month		<u> </u>	OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19						
		INTERCONNECTION MID-SPAN MEET										5					
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch													
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
		PLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82						
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74								
		If no rate is Identified in the contract, the rates, terms, and c	ondition	s for t	he specific service	or function w	vill he as set for	h in applicable	e BellSouth tar	iff	1	_					1

COLLOCAT	ON - Mississippi				1							-		ment: 4		lbit: B
CATEGORY	RATE ELEMENTS	Interí m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect. Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-								-							
	Wire Analog - Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-												-			
	Wire ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation 4-Wire Cross Connect. Exchange Port 4-															
	Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91						
PHYSICAL CO	LLOCATION															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,575.69	_								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Space Preparation - Firm Order													_		
	Processing	1		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation, Common Systems			020	72.01	2.00										
	Modifications-Cageless, per square foot	1		CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems			020	1 2102	2.02										
	Modifications-Caged, per cage	1		CLO	PE1SM	85.67										
	Physical Collocation - Cable Installation, Pricing, non-recurring			020	FEISM	00.07										
	charge, per Entrance Cable			CLO	PE1BD		926.27		22.62							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.74	320.21		22.02							-
	Physical Collocation - Cable Support Structure, per Entrance			020	12110	5.14										
	Cable			CLO	PE1PM	17.42										
	Cable			CLO	FEIFWI	17.42										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	1		CLO	PE1PL	7.33			I							
	Physical Collocation - Power Reconfiguration Only, Application		-	CLO	FEIFE	7.33					_					
	Fee			CLO	PE IPR		398.76									
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	FEIFR		330.70		-							_
	per Breaker Amp	,		CLO	PE1FB	5.29										
	Physical Collocation - Power, 240V AC Power, Single Phase,	,		CLO	PEIFB	3.29										+
	per Breaker Amp	1		CLO	PE1FD	10.58										
_	Physical Collocation - Power, 120V AC Power, Three Phase, per		-	CLO	PEIFU	10.56										
		1		CLO	PE1FE	15 87										
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per	- '	-	CLO	PEIFE	15.87									-	
				CLO	PE1FG	36.65										
	Breaker Amp		_	UEANL.UEQ,	PEIFG	36.65										
				UNLOX, UNCNX.												
				UEA. UCL, UAL, UHL, UDC, UDN,												
	Division Collegation 3 wire gross separat loop			UNCVX	DE 100	0.0300	12.37	11.07		E 45						
	Physical Collocation - 2-wire cross-connect, loop, provisioning		_		PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Discourt College A Section 1			UEA. UHL, UNCVX,	PE1P4	0.0576								1		
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.05/6	12.47	11,94	6.59	5.91	100					
				WDS1L.WDS1S.												
				UXTD1, ULDD1,												
				USLEL, UNLD1.												
				UEPEX, UEPDX,												
	Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,												
1	Collocation, provisioning			UNC1X	PE1P1	1.14	22.16	16.02	6.60	5.97						

JULLOCAT	ON - Mississippi													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (5)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
_						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	1 00:44
				LIEG LIATES			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE1P3	14.49	21.01	15.29	7.61	6.10						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	05454	5.10	25.70	40.07		0.50						
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						-
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	183.20										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLŌ	PE1CW	17.97										
	Physical Collocation - Security Access System, Security System,				55444	== 00										
	per Central Office			CLO	PE1AX	75.23	_									-
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	1		CLO	PE1A1	0.0576	27.95									
	Physical Collocation-Secunty Access System-Administrative Change. existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	ı		CLO	PE1AA		7.84									
	Stoten Card, per Card			CLO	PE1AR		22.91									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13,17								u=	
	Physical Collocation - Space Availability Report, per Central Office Requested	1		CLO	PE1SR		1.081.40									
	Physical Collocation - CFA Information Resend Request, per			CLO	PE1C9		77.41									
	premises, per request Physical Collocation - Cable Records, per request			CLO	PE1C9		763.69	490.94	133.77	,						
	Physical Collocation. Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		328.81	430.54	190.22							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
	100 pair			CLO	PE1CO		4.84		5.93							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.27		2.78 9.72							
-	Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable			CLO	PE1C3		7.92									
-	record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally			CLO	PE1CB		84.98		77,58							1
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		17.02	10.79								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.32	17.08								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation. per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	ION - Mississippi				,					×				ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Addʻl	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect		·		Rates (\$)		
						Nec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,				E		20.5									
_	per DS3 Circuit		-	CLO	PE1B3		52.00				-					
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00						1		1	
	Physical Collocation Virtual to Physical Collocation In-Place, Per			020	1 2 1011		20.00									
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,						27.00									
	per DS3 Circuit	_	_	CLO	PE1BE	-	37.00				-					
(l	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7	C ¹	592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct			-	1		202.50	TA.	1	1	1					
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -										I					
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015			1							
	Physical Collocation - Co-Carrier Cross Connects/Direct											7				
	Connect, Application Fee, per application			CLO	PE1DT		583.13									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,265.629	42.641								
	Physical Collocation - Copper Entrance Cable Installation, per	-		CLO	FEICA		1,203.029	42.041			+		-			-
	100 Pairs		İ	CLO	PE1EB		18.069									
	Physical Collocation - Fiber Entrance Cable per Cable (CO					-										
	manhole to vault splice)			CLO	PE1EC		1,070.484	42.641								,
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber	-		CLO	PE1ED		7.228		1.00		-					ļ
	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment			CLO	PE1KS PE1KM		597.34 837.57	-	1.22							-
<u> </u>	Physical Collocation - Application Cost, Millor Augment Physical Collocation - Application Cost, Intermediate Augment	1		CLO	PE1K1		1,063.00		1.22		+					
-	Physical Collocation - Co-Carrier Cross Connect/Direct Connect		To a	CLO	12.11(1		1,000.00		1.22	-	1					1
	Fiber Cable Support Structure, per cable	_1		CLO	PE1DU		534.65						7		15	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect															
1	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		534.65									
AOJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678				ļ						
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			UEA,UHL,UDL,UCL	PE1JC	4.68 0.0223	12.37	11.87	6.04	5.45						-
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0223	12.37	11.87								-
\vdash	Adjacent Collocation - DS1 Cross-Connects	-		UEA,UHL.UDL,UCL		1.05	22.16	16.02						-		-
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	14.27	21.01	15.29								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21,01	15.29	7.61	6.10						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			01.010	DE455											
-	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate	-	-	CLOAC	PE1FB	5.29			-		-					
	per AC Breaker Amp			CLOAC	PE1FD	10.58										
 	Adjacent Collocation - 120V. Three Phase Standby Power Rate			OLUNO .		10.00			1	†						
	per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate												2 2			
	per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05			4			-	1			
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17		1							
-	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability		_	OLONG	EIND		13.17				-		-	-		
	Report per Premises Requested	ì		CLORS	PE1SR		116.54			1				1	1	

COLLOCA	TION - Mississippi			-							_	Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Add'l Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
					Rec	Nonrecurring			Disconnect				Rates (\$)		
				-	I I I	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI		1.000												
_	Code Request, per CLLI Code Requested	-	CLORS	PE1RE PE1RR		37.77 233.14									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	_	CLORS	PEIRR		233.14									
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour		CLORS	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort for Overtime - outside of	-	CLORS	FE ID:		17.02	10.79								
	normally scheduled working hours on a scheduled work day, per half hour		CLORS	PE 1OT		22.47	13.94								
	Physical Collocation - Security Escort for Premium Time -	-	CLURS	PETOT	-	22,17	13.94								
	outside of scheduled work day, per half hour		CLORS	PE1PT		27.32	17.08								
DHASIC VI C	OLLOCATION IN THE REMOTE SITE - ADJACENT		CEORS	FEIFI		21.32	17.08								
,, S.QAL C	SEEST, CONTROL THE REMOTE SITE ADDAGENT				1			1							
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot		CLORS	PE 1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee		CLORS	PE1RU	0.134	755.62	755.62	-							
NOTI	E: If Security Escort and/or Add'l Engineering Fees become nec	essary 1			will negotiate a										
	LLOCATION														
	Virtual Collocation - Application Fee		AMTFS	EAF		1,212.25		0.51							
	Virtual Collocation Administrative Only - Application Fee		AMTFS	VE1AF		740.76									
	Virtual Collocation - Cable Installation Cost, per cable		AMTFS	ESPCX		926.27		22.62							
	Virtual Collocation - Floor Space, per sq. ft.		AMTFS	ESPVX	5.74										
	Virtual Collocation - Power, per fused amp		AMTFS	ESPAX	7.33										
	Virtual Collocation - Cable Support Structure, per entrance														
	cable		AMTFS	ESPSX	15.24										
	Virtual Collocation - 2-wire Cross Connects (loop)		UEANL, UEA, UDN. I DC, UAL, UHL, UCL, I EQ. UNCVX, UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation - 4-wire Cross Connects (100p)		UEA,UHL,UCL.UDI UAL, UDN, UNCVX UNCDX		0.0536	12.47	11.94	6.59	5.91						
	Virtual Collocation - 2-Fiber Cross Connects		UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UD	F CNC2F	2.91	21.01	15.29	7.61	6.10						
	Virtual Collocation - 4-Fiber Cross Connects		UDL12, UDLO3, U1T48. U1T12, U1T03, ULDO3, ULD12. ULD48, UD	F CNC4F	5.82	25.70	19.97	10.01	8.50						
	Virtual Collocation - Special Access & UNE, cross-connect per DS1		USL.ULC. ULR. UXTD1, UNC1X, ULDD1, U1TD1, USLEL. UNLD1, UEPEX, UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
	Virtual collocation - Special Access & UNE, cross-connect per DS3		USL, UE3, U1TD3. UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10						
	Virtual Collocation • Co-Carrier Cross Connects - Fiber Cable		ANTTEC	VE 4.00	0.0005										
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		AMTES	VE1CB	0.0025										
	Cable Support Structure, per linear ft	-	AMTFS	VE1CD	0.0037						-			-	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure.per cable		AMTFS	VE1CC		534.65									

COLLOCATION - Mississippi													Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)					Submitted Elec		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring Disconnect				OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.65						1 5			
	Virtual Collocation Cable Records - per request			AMTFS	VE 1BA		763.69	490.94	133.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE 1BB		328.81		190.22							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.84		5.93							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78							İ
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							T
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98		77.58							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79			J. J.					,
	Virtual collocation - Maintenance in CO - Overtime, per half hour.			AMTFS	SPTOM		36.69	13.94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.41									
VIRTUAL COI											1					
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE 1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect. Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0,0536	12.47	11.94	6.59	5.91						

DUF/ADUF	/CMDS - Mississippi												Attach	ment: 7	Exhi	bit: A
:ATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs.
			 			Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)			
							First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIJE/ABUE/A																
DUF/ADUF/C																
ACCES	S DAILY USAGE FILE (ADUF) ADUF: Message Processing, per message	- 3 - 3				0.008087										
	ADOF. Message Processing, per message				- 3	0.000007						-				
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012803										
	NAL DAILY USAGE FILE (ODUF)								7							
	ODUF: Recording, per message					0.0000063						İ				
	ODUF: Message Processing, per message					0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)								*							
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										