

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street

400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

September 10, 2004

Mrs. Blanca S. Bayo Director, Division of The Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

041064-TP

Re: Notice of the Adoption of Interconnection, unbundling, resale and collocation agreement with modifications between BellSouth Telecommunications, Inc. ("BellSouth") and Bullseye Telecom, Inc. by InterGlobe Communications, Inc.

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by InterGlobe Communications, Inc. of the Interconnection, Unbundling, Resale, and Collocation Agreement with modifications for the State of Florida entered into between BellSouth Telecommunications Inc. and Bullseye Telecom, Inc., which was filed with this Commission on 6/30/04 in Docket No. 040673-TP

InterGlobe Communications, Inc. is adopting the agreement and all amendments (if applicable), with modifications as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed are the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and InterGlobe Communications, Inc., for your records.

If you have any questions please do not hesitate to contact Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President

DOCUMENT NUMBER-DATE

09916 SEP 10 3

FPSC-COMMISSION CLERK

# BELLSOUTH® / CLEC Agreement

## Customer Name: InterGlobe Communications, Inc.

InterGlobe Adoption 2004	2
Adoption Papers	3
Signature Page	5
Att2	6
Att2 Rates	40

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

## By and Between

BellSouth Telecommunications, Inc.

## And

InterGlobe Communications, Inc.

#### **AGREEMENT**

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between InterGlobe Communications, Inc. ("InterGlobe") on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, 47 USC § 252 (i) and 47 C.F.R § 51.809 requires BellSouth to make available any other interconnection agreement filed and approved pursuant to 47 USC § 252; and

WHEREAS, InterGlobe has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and Bullseye Telecom, Inc. ("Bullseye") dated March 26, 2004.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, InterGlobe and BellSouth hereby agree as follows:

1. InterGlobe and BellSouth shall adopt in its entirety, except for those items identified in Paragraph 2 following, the Bullseye Interconnection Agreement dated March 26, 2004 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The Bullseye Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO. PAGES
Adoption Papers	5
Bullseye Agreement	906
TOTAL	911

- 2. The terms and rates for Network Elements and Other Services are deleted in their entirety and replaced with terms and rates in Exhibit 2.
- 3. In the event that InterGlobe consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of InterGlobe under this Agreement.
- 4. The term of this Agreement shall be from the effective date as set forth above and shall expire as set forth in Section 2 of the Bullseye Interconnection Agreement. For the purposes of determining the expiration date of

January 2003

- this Agreement pursuant Section 2 of the General Terms and Conditions, the effective date shall be March 26, 2004.
- 5. InterGlobe shall accept and incorporate any amendments to the Bullseye Interconnection Agreement executed as a result of any effective judicial, regulatory, or legislative action in accordance with Section 14 of the General Terms and Conditions of the Bullseye Interconnection Agreement.
- 6. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person, e-mail, if the e-mail address is listed or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc. BellSouth Local Contract Manager 8th Floor 600 North 19th Street Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

InterGlobe Communications, Inc. Alfred Mayerhoff, President 101 Tyrellan Ave. Staten Island, NY 10309 718-967-7280 x4410 (v) 718-967-7282 (f) Al\_Mayerhoff@nyigc.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

# **IN WITNESS WHEREOF**, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.	InterGlobe Communications, Inc.
By: Knt The	By: De May May
Name: Kristen E. Rowe	Name: Alfred G., MAYERHOFF
Title: Director	Title: ProsidenT
Date: 8/24/04	Date: 8/99/04

## Attachment 2

**Network Elements and Other Services** 

## TABLE OF CONTENTS

1	INTRODUCTION
	<del></del>
2	UNBUNDLED LOOPS5
3	LINE SHARING 23
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS
5.	TRANSPORT
6.	SS7 NETWORK INTERCONNECTION
7.	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 33
8.	OPERATIONAL SUPPORT SYSTEMS
Ra	Exhibit A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements that BellSouth agrees to offer to InterGlobe in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to InterGlobe (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require InterGlobe to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 InterGlobe may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- BellSouth shall, upon request of InterGlobe, and to the extent technically feasible, provide to InterGlobe access to its Network Elements for the provision of InterGlobe's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 InterGlobe may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to InterGlobe under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between InterGlobe and BellSouth.
- 1.6.1 Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.7 InterGlobe may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(8) and (e)(5). If BellSouth has anticipated such RNMs and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A of this Attachment, then BellSouth shall perform such RNMs at no additional charge. RNMs shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A of this Attachment, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from InterGlobe, BellSouth shall perform the RNM.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

#### 1.10 <u>Commingling of Services</u>

- 1.10.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that InterGlobe has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.10.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.10.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.10.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher bandwidth circuit and the Central Office Channel Interfaces

(COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the lower bandwidth circuit.

- 1.11 If InterGlobe reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge InterGlobe for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.12 Rates
- 1.12.1 The prices that InterGlobe shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If InterGlobe purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.12.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.12.3 If InterGlobe modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by InterGlobe in accordance with FCC No. 1 Tariff, Section 5.
- 1.12.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

#### 2 Unbundled Loops

#### 2.1 General

The local loop Network Element (Loop) is defined as a narrowband transmission 2.1.1 facility (i.e., below the DS1 level) between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. InterGlobe shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to InterGlobe on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by InterGlobe. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 A hybrid loop is a local Loop, below the DS1 level, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide InterGlobe with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 InterGlobe may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to InterGlobe's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.4 The Loop shall be provided to InterGlobe in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If InterGlobe wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), InterGlobe may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by InterGlobe (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill InterGlobe for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

#### 2.1.6 **Loop Testing/Trouble Reporting**

- 2.1.6.1 InterGlobe will be responsible for testing and isolating troubles on the Loops. InterGlobe must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, InterGlobe will be required to provide the results of the InterGlobe test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once InterGlobe has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If InterGlobe reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge InterGlobe for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by InterGlobe (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill InterGlobe for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

#### 2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and InterGlobe to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to InterGlobe's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination - Time Specific" (OC-TS) allows InterGlobe to order a specific time for OC to take place. BellSouth will make every effort to accommodate InterGlobe's specific conversion time request. However, BellSouth reserves the right to negotiate with InterGlobe a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. InterGlobe may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If InterGlobe specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as	Charged for Dispatch inside and outside

Designed)				Engineering Information Document	Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

#### 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by InterGlobe when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in InterGlobe's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to InterGlobe pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

#### 2.1.9 **Bulk Migration**

2.1.9.1 If InterGlobe requests to migrate twenty-five (25) or more port/loop combination customers to Loops (UNE-L) in the same Central Office on the same due date, InterGlobe must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package. This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at <a href="https://www.interconnection.bellsouth.com/guides/html/unes.html">www.interconnection.bellsouth.com/guides/html/unes.html</a>. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per

customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

#### 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, InterGlobe should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that InterGlobe will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by InterGlobe. InterGlobe may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same

manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that InterGlobe may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to InterGlobe. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow InterGlobe to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

#### 2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. InterGlobe will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties'

interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by InterGlobe or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. InterGlobe may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

#### 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

#### 2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by InterGlobe.

- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by InterGlobe to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by InterGlobe or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

#### 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, InterGlobe can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that InterGlobe may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by InterGlobe to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 InterGlobe may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

### 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by InterGlobe which has over 6,000 feet of combined bridged tap will be modified, upon request from InterGlobe, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to InterGlobe. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 InterGlobe may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If InterGlobe requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed

specifications of the requested loop facility as modified. InterGlobe will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.

- 2.5.8 InterGlobe shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that InterGlobe desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for InterGlobe, InterGlobe will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by InterGlobe is available at the location for which the ULM was requested, InterGlobe will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, InterGlobe will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where InterGlobe has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to InterGlobe. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for InterGlobe (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from InterGlobe, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. InterGlobe will then have the option of paying the one-time SC rates to place the Loop.

#### 2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's premises wiring to BellSouth's distribution plant, such as a cross connect device used for

that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit InterGlobe to connect InterGlobe's Loop facilities to the End User's premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 InterGlobe may access the End User's premises wiring by any of the following means and InterGlobe shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow InterGlobe to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 InterGlobe may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be InterGlobe's responsibility to ensure there is no safety hazard, and InterGlobe will hold BellSouth harmless for any liability associated with the removal of the

BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 InterGlobe shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 InterGlobe shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
  BellSouth will work with InterGlobe to develop specific procedures to establish
  the most effective means of implementing this section if the procedures set forth
  herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to InterGlobe's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. InterGlobe may request BellSouth to do additional work to the NID on a time and material basis. When InterGlobe deploys its own local Loops in a multiple-line termination device, InterGlobe shall specify the quantity of NID connections that it requires within such device.

#### 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted

pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If InterGlobe requests a UCSL and it is not available, InterGlobe may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from InterGlobe, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for InterGlobe's use on this cross-connect panel. InterGlobe will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, InterGlobe shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. InterGlobe's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by InterGlobe is technically feasible and

whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet InterGlobe's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.

- 2.8.2.7 The site set-up must be completed before InterGlobe can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice InterGlobe's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, InterGlobe will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when InterGlobe requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by InterGlobe for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

#### 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, InterGlobe will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate InterGlobe for each pair activated commensurate to the price specified in InterGlobe's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 2.8.3.3.5 UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 2.8.4 Unbundled Loop Concentration

2.8.4.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by InterGlobe, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

#### 2.9 Loop Makeup

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to InterGlobe LMU information so that InterGlobe can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment InterGlobe intends to install and the services InterGlobe wishes to provide. This section addresses LMU as a preordering transaction, distinct from InterGlobe ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for

preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide InterGlobe LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to InterGlobe as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 InterGlobe may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by InterGlobe and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee InterGlobe's ability to provide advanced data services over the ordered Loop type. Further, if InterGlobe orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. InterGlobe is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

#### 2.9.2 Submitting Loop Makeup Service Inquiries

2.9.2.1 InterGlobe may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if InterGlobe needs further Loop information in order to determine Loop

service capability, InterGlobe may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

<a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

#### 2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, InterGlobe may reserve up to ten (10) Loop facilities. For a Manual LMUSI, InterGlobe may reserve up to three (3) Loop facilities.
- 2.9.3.2 InterGlobe may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to InterGlobe. During and prior to InterGlobe placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If InterGlobe does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. InterGlobe will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, InterGlobe does not reserve facilities upon an initial LMUSI, InterGlobe's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where InterGlobe has reserved multiple Loop facilities on a single reservation, InterGlobe may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to InterGlobe, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by InterGlobe.

#### 3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which InterGlobe provides digital subscriber line service over the same copper loop that BellSouth uses to provide

voice service, with BellSouth using the low frequency portion of the loop and InterGlobe using the high frequency spectrum (as defined below) of the loop.

- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with InterGlobe. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, InterGlobe may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003 and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, InterGlobe may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with InterGlobe, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow InterGlobe the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. InterGlobe shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to InterGlobe on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment.

  BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If InterGlobe requests that BellSouth modify a Loop and such

modification significantly degrades the voice services on the Loop, InterGlobe shall pay for the Loop to be restored to its original state.

- Line Sharing shall only be available on Loops on which BellSouth is also 3.1.9 providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and InterGlobe desires to continue providing xDSL service on such Loop, InterGlobe shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give InterGlobe notice in a reasonable time prior to disconnect, which notice shall give InterGlobe an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and InterGlobe purchases the full stand-alone Loop, InterGlobe may elect the type of Loop it will purchase. InterGlobe will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event InterGlobe purchases a voice grade Loop, InterGlobe acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If InterGlobe reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge InterGlobe for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

#### 3.2 Provisioning of Line Sharing and Splitter Space

- 3.2.1 BellSouth will provide InterGlobe with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, InterGlobe must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 InterGlobe may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of InterGlobe's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of InterGlobe in a central office in which InterGlobe is located, InterGlobe shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and

InterGlobe shall pay the electronic or manual ordering charges as applicable when InterGlobe orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for InterGlobe's data.

#### 3.3 <u>BellSouth Provided Splitter – Line Sharing</u>

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide InterGlobe access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to InterGlobe's xDSL equipment in InterGlobe's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide InterGlobe with a carrier notification letter, informing InterGlobe of change. InterGlobe shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. InterGlobe shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to InterGlobe's collocation area, if possible; or (ii) in a BellSouth relay rack as close to InterGlobe's DS0 termination point as possible. InterGlobe shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for InterGlobe on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified InterGlobe DS0 at such time that a InterGlobe End User's service is established.

#### 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 InterGlobe may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. InterGlobe may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by InterGlobe in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. InterGlobe may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.5 **Ordering – Line Sharing**

- 3.5.1 InterGlobe shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide InterGlobe the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide InterGlobe access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and InterGlobe shall pay the rates for such services, as described in Exhibit A.

#### 3.6 Maintenance and Repair – Line Sharing

- 3.6.1 InterGlobe shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If InterGlobe is using a BellSouth owned splitter, InterGlobe may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If InterGlobe provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point.

  InterGlobe will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 InterGlobe shall inform its End Users to direct data problems to InterGlobe, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to InterGlobe, BellSouth will notify InterGlobe. InterGlobe will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, InterGlobe will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue InterGlobe's access

to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

#### 3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and the Data LEC may be the same or different carriers.
- 3.7.2 In the event InterGlobe provides its own switching or obtains switching from a third party, InterGlobe may engage in line splitting arrangements with another CLEC using a splitter, provided by InterGlobe, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 InterGlobe shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if InterGlobe will not provide voice and data services.
- 3.7.4 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing InterGlobe for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of InterGlobe or its authorized agent to determine if the Loop is compatible for Line Splitting Service. InterGlobe or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and InterGlobe or its authorized agent submits an LSR to BellSouth to change the Loop.

#### 3.8 Provisioning Line Splitting and Splitter Space

3.8.1 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

#### 3.9 <u>Maintenance – Line Splitting</u>

- 3.9.1 InterGlobe shall inform its End Users to direct all problems to InterGlobe or its authorized agent.
- 3.9.2 If InterGlobe is not the data provider, InterGlobe shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### 4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by InterGlobe are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by InterGlobe are not already combined by BellSouth in the location requested by InterGlobe but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by InterGlobe are not elements that BellSouth combines for its use in its network.
- 4.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

#### 4.2 Enhanced Extended Links (EELs)

- 4.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide InterGlobe with EELs where the underlying UNEs are available.
- 4.2.2 In the event InterGlobe converts special access services to UNEs, InterGlobe shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

#### 4.3 Rates

- 4.3.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.3.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the nonrecurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.3.3 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to InterGlobe in addition to those

specifically referenced in this Section 4above, where available. To the extent InterGlobe requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

#### 5. Transport

- BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to DS0 and voice grade interoffice transmission facilities described in this Section 5 on an unbundled basis to InterGlobe for the provision of a qualifying service, as set forth herein.
- 5.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that InterGlobe uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 5.2 BellSouth shall:
- 5.2.1 Provide InterGlobe exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 5.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 5.2.3 Permit, to the extent technically feasible, InterGlobe to connect such interoffice facilities to equipment designated by InterGlobe, including but not limited to, InterGlobe's collocated facilities; and
- Permit, to the extent technically feasible, InterGlobe to obtain the functionality provided by BellSouth's digital cross-connect systems.

#### 5.3 **Dedicated Transport**

- 5.3.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 5.3.1.1 As capacity on a shared UNE facility.
- 5.3.1.2 As a circuit (e.g., DS0 and voice grade) dedicated to InterGlobe.
- 5.3.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 5.3.3 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in

Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

- 5.3.4 Technical Requirements
- 5.3.4.1 The entire designated transmission service (e.g., DS0 or voice grade) shall be dedicated to InterGlobe designated traffic.
- 5.3.4.2 BellSouth shall offer the following interface transmission rates for DS0 or voice grade Dedicated Transport: DS0 Equivalent
- 5.3.4.3 BellSouth shall design Dedicated Transport according to its network infrastructure. InterGlobe shall specify the termination points for Dedicated Transport.
- 5.3.4.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 5.3.4.5 <u>BellSouth Technical Reference</u>: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

#### 6. SS7 Network Interconnection

- SS7 Network Interconnection is the interconnection of InterGlobe local signaling transfer point switches or InterGlobe local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, InterGlobe local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and InterGlobe or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 6.3 If traffic is routed based on dialed or translated digits between a InterGlobe local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the InterGlobe local signaling transfer point switches and BellSouth or other third-party local switch.
- 6.4 SS7 Network Interconnection shall provide:
- 6.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 6.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and

- 6.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 6.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a InterGlobe local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of InterGlobe local STPs and shall not include SCCP Subsystem Management of the destination.
- 6.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 6.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 6.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 6.9 Interface Requirements
- 6.9.1 The following SS7 Network Interconnection interface options are available to connect InterGlobe or InterGlobe-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 6.9.1.1 A-link interface from InterGlobe local or tandem switching systems; and
- 6.9.1.2 B-link interface from InterGlobe STPs.
- 6.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 6.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 6.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

BellSouth shall set message screening parameters to accept messages from InterGlobe local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the InterGlobe switching system has a valid signaling relationship.

# 7. Automatic Location Identification/Data Management System (ALI/DMS)

7.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. InterGlobe will be required to provide BellSouth daily updates to E911 database. InterGlobe shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

## 7.2 <u>Technical Requirements</u>

- 7.2.1 BellSouth shall provide InterGlobe the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to InterGlobe after InterGlobe provides End User information for input into the ALI/DMS database.
- 7.2.2 InterGlobe shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

# 8. Operational Support Systems

- 8.1 BellSouth has developed and made available electronic interfaces by which InterGlobe may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

## 8.3 Denial/Restoral OSS Charge

8.3.1 In the event InterGlobe provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

# 8.4 Cancellation OSS Charge

8.4.1 InterGlobe will incur an OSS charge for an accepted LSR that is later cancelled.

Exhibit 2
Attachment 2
Page 34
incur another Of

- 8.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 8.6 Network Elements and Other Services Manual Additive
- 8.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

Post Vacatur Version: 06/30/2004

ADDIADLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
regory	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charg Manual Order Electro
									11				1st	Addi	Disc 1st	Disc A
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN		Rates(\$)	SOMAN	SOM
The "Z	one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	averaged UNE										3ON
	www.interconnection.bellsouth.com/become_a_clec/html/interco								,		,,					
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers the															
either	the state specific Commission ordered rates for the service orde	ring ch	arges,	or CLEC may elect the	regional se	rvice ordering	harge, howeve	r, CLEC can no	t obtain a mixtu	re of the two r	egardless if	CLEC has a	interconnect	ion contract e	stablished in	each of
	(2) Any element that can be ordered electronically will be billed ered electronically at present per the LOH, the listed SOMEC rate															
De oru	OSS - Electronic Service Order Charge, Per Local Service Request	in this	catego	ry reflects the chargi	that would	De billed to a C	LEC once elect	ronic ordering	capabinties co	ne on-line for t	nat element	. Otherwise	, the manual (	Traering char	Je, SUMAN, W	lii be api
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	DSS - Manual Service Order Charge, Per Local Service Request						2333			2,331				_		
	(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
	DATE ADVANCEMENT CHARGE											F				
NOTE:	The Expedite charge will be maintained commensurate with Be	IISouth	's FCC	No.1 Tariff, Section 5	as applicab	e.										
DER MODIF	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day ICATION CHARGE			UEA, UHL, ULC, USL, U1T48, U1T01, U1T03, U1T03, U1T01, U1T03, U1T01, U1T	SDASP		200.00	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)		-			-	150.00	0.00	0.00	0.00			-			
BUNDLED F	EXCHANGE ACCESS LOOP		1				130.00	0.00	0.00	5.00						
	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.58	37.81	17.56	23,49	5.30	L					- F
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2				UEAL2	21.05	37.81	17.56	23,49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
_	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1			UEANL	UEASL	12.58	37.81	17.56	23.49	5 30	_			1		
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.05	37.81	17.56	23.49	5.30 5.30						-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						-
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL.	URETL		8.33	0 83								
-	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00	-				-			
7	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19 85	19.85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-					3										
-	SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.78	8.94								-
	LUDDURGER VOICE LOOK NOT-Design Voice Look billing for RST		1													1

DUROUDLED	NETWORK ELEMENTS - Alabama													ment: 2	(100 to 100 to 1	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Children alternation of the	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonrecu		Nonrecurring D					Rates(\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per .SR)			UEANL	ocosi		18.09									
	INBUNDLED COPPER LOOP - NON-DESIGNED		+	UEANL	UCUSL		18.09		-							
	-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15	_					
	Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	15.07	34.14	15.10		4,15						
T tu	Inbundled Miscellaneous Rate Element, Tag Loop at End User							74.10								
P	remise			UEQ	URETL		8.33	0.83								
	fanual Order Coordination 2 Wire Unbundled Copper Loop - Non-		1													
D	Designed (per loop)			UEQ	USBMC		8.15									
	Inburidled Copper Loop, Non-Design Copper Loop, billing for BST												- 1			
	roviding make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
	oop Testing - Basic 1st Half Hour			UEQ	URET1		34 16	0.00								
	cop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19 85								
	LEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
	ID)		-	UEQ	UREWO		14.27	7.43								
	CHANGE ACCESS LOOP		-													
	NALOG VOICE GRADE LOOP	-	-		-											
	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	LIENIO	14,38	00.00	55.00	47.04	7.14						
	Ground Start Signaling - Zone 1 -Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_	-	UEA	UEAL2	14.38	88,00	55.00	47.24	7,44						
	Fround Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55 00	47.24	7.44						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1 2	UEA	DEALZ	22.03	80.00	33 00	47.24	7,44						-
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36 14	88.00	55.00	47.24	7.44						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	000	ULALZ	30.14	00.00	55.00	47.24	1.44						
	lattery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55 00	47.24	7.44						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	_	<u> </u>		92.442	14.00	00:00	00.00	71.4	,,,,,						
	lattery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				January 1											
В	attery Signaling - Zone 3		3	UEA	UEAR2	36.14	88 00	55 00	47.24	7.44						
C	LEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
L	oop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	NALOG VOICE GRADE LOOP															
	-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	25 34	131.97	94.51	59.14	14.50				_		
	-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						-
	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.72	36.36								
	-Wire ISDN Digital Grade Loop - Zone 1	-	1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54	-			-		-
	-Wire ISDN Digital Grade Loop - Zone 1	_		UDN	U1L2X	32.85	117.24	79.77	52.88	10.54	-			-		-
	-Wire ISDN Digital Grade Loop - Zone 2 -Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
	ELEC to CLEC Conversion Charge without outside dispatch		3	UDN	UREWO	40.00	91.63	44.16		10.34					-	$\overline{}$
2-WIRF A	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLEIO	OP	00.4	ONLINO		31.03	44.10								
	Wire Unbundled ADSL Loop including manual service inquiry &	T	T													
	acility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68 00	47.24	7.44						
	Wire Unbundled ADSL Loop including manual service inquiry &			COOK	The state of the s	1,124			1	1.05.75					1	
	acility reservation - Zone 2	h	2	UAL	UAL2X	12.73	110.00	68.00	47 24	7.44						
2	Wire Unbundled ADSL Loop including manual service inquiry &															
ta	acility reservation - Zone 3	2	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44			1			
	Wire Unbundled ADSL Loop without manual service inquiry &	1		5.44	Managerit.	1,000		I. Day								
	acility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	Wire Unbundled ADSL Loop without manual service inquiry &									200	- (					
	acility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57 00	47.24	7.44						-
	Wire Unbundled ADSL Loop without manual service inquiry &				LIA COL					20.0						
	acility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7 44				-		-
2 W/DE U	LEC to CLEC Conversion Charge without outside dispatch IGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	IFICO	D	UAL	UREWO		86 20	40.40	-						-	-
	Wire Unbundled HOSL Loop including manual service inquiry &	LE LOU	-													
	wire undurated host coop including manual service inquiry & actity reservation - Zone 1		1	ÜHL	UHL2X	8.74	110.00	68 00	47 24	7.44	1				1	
	Wire Unbundled HDSL Loop including manual service inquiry &	-	+	C112	UTILEX	0.74	1.10.00	00,00	-1 24	1.44						
	acility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44				1	1	

TOUNDE	ED NETWORK ELEMENTS - Alabama	_	_				_							ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
		-	-			Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)		
-	2 Wire Unbundled HDSL Loop including manual service inquiry &	-					First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	facility reservation - Zone 3		3	UHL	UHL2X	11,44	110.00	68.00	47.24	7.44						
_	2 Wire Unbundled HDSL Loop without manual service inquiry and	-	3	UNL	UNLZA	11,44	110320	-00.00	47.24	7.44						
	facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47 24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOC	P			1000										
	4 Wire Unbundled HDSL Loop including manual service inquiry and						200.000			74.44						
	facility reservation - Zone 1	-	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73					-	-
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15 50	140 25	60.00	54.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	_	- 2	UNL	UHL4X	15 56	148.36	68.00	51.70	9.73	8 -					_
	facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51 70	9.73						
-	4-Wire Unbundled HDSL Loop without manual service inquiry and		-	OTTE	OTICAX	15.25	140.50	00.00	31.70	5.13						
	facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73					i	
	4-Wire Unbundled HDSL Loop without manual service inquiry and					-					1					
	facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
_	facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
-	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	26 09	126.27	88.80	59.14	14.50						
+	4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
-	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56 UDL56	26.09 35.95	126.27	88.80	59.14	14 50						_
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		2	UDL	UDL56	37.88	126.27 126.27	88.80 88.80	59 14 59.14	14.50 14.50			_			-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-		UDL	UDL64	35.95	126.27	88.80	59 14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59 14	14.50						1000
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO	-	102,13	49.75		11.00						<u> </u>
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47 24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual service		100													
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual service						0.0274	22720		12						
-	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
_	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		8.15	8.15					_			
	Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service	+	1	UCL	OCLEW	11.01	91,46	54.30	41.24	7,44		-				
1	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47 24	7.44						
1	2-Wire Unbundled Copper Loop-Designed without manual service	1	-	OGE	002111	12.13	21.40	24.00	71.27	7.44						
	inquiry and facility reservation - Zone 3	T -	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15					T			
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				1 1 12 10											
	Des)			UCL	UREWO		97.23	42 48								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and														1	
_	facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and		_	1101	1101.10	00.75		20.00								
-	facility reservation - Zone 2  4-Wire Copper Loop-Designed including manual service inquiry and	-	2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73	-		-		-	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135,21	88.05	51.70	9.73						
-	4-Wire Copper Loop-Designed without manual service inquiry and		3	1001	UCL43	20.21	135.21	00.05	31,70	9.73					-	
	facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51 70	9.73	1					
	4-Wire Copper Loop-Designed without manual service inquiry and				200			200	00	0.10						<b>†</b>
-1	facility reservation - Zone 2	1 1	2	UCL	UCL4W	20 76	114 21	67 05	51 70	9 73						

	NETWORK ELEMENTS - Alabama		,		-							0 - 0 -		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)	001111	
	4-Wire Copper Loop-Designed without manual service inquiry and			-			First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
1	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC	20.21	8.15	8.15		****					0.1	
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	Annual International Control of the			UEA, UDN, UAL,												
OD HODIEIO	Order Coordination for Specified Conversion Time (per LSR)		_	UHL, UDL	OCOSL	- 1	18.09									_
OP MODIFIC	ATKN		-	UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop	1		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00			_					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less							0.00								
-	than or equal to 18K ft, per Unhundled Loop	_1_	+	UHL, UCL, UEA UAL, UHL, UCL.	ULM4L		0.00	0.00	-	_					-	_
B-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UEQ,ULS,UEA, UEANL, UEPSR, UEPSB	ULMBT		32 41	32.41								
	op Distribution		<del>                                     </del>		+											
300-20	op distribution				1							-				
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		244,42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22 64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		177.45									
		114		e imperior												
-	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	- 1	-	UEANL	USBSD		55.15									
	1 Sub-Loop Distribution Fer 2-write Analog Voice Grade Loop - Zone		1	UEANL	USBN2	11.21	65 80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		<u> </u>	OCANC	030112	71.21	05.00	36.30	45.20	0.10				-		
	2		2	UEANL	USBN2	11.94	65.80	30 96	45 25	6 70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone				Common				5000							
	3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Codes Consideration for Habitanilla Cub Lance and sub lance and			UEANL	USBMC	1	8.15	8.15								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBMC		0.15	0.15					100			
	1		1	UEANL	USBN4	8 4 6	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		<u> </u>		12.00											
	2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			******				22.00	70.01							
_	3	_	3	UEANL	USBN4	32 57	79.03	44.19	49.71	9 07		_				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70				_		
	3						100									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	, J		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
	Order Constitution for Habrarian Sub-Lane, was a filter and			UEANL	USBMC	11	8,15	8.15								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL	USBMC URET1		34,16	0.00					-			
	Loop Testing - Basic 1st Half Hour			UEANL	URETA		19 85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UCS2X	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70			-		1.	- 772
	ery contract of Nation Spins				the desired		10.5	.1 63								
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEF	USBMC	2.77	8.15	8.15		0.07	_				-	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UCS4X UCS4X	6.11 12.61	79.03 79.03	44.19 44.19	49.71	9.07					-	-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF												
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44 19	49.71	9.07						1

NBUNDLE	D NETWORK ELEMENTS - Alabama	VI	7.										Attach	ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order of Electron Disc Ac
						Rec	Nonrec	urring	Nonrecurring Dis	sconnect				Rates(\$)		
						NEC	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		1	7122 VIII CON				2799								
_	Designed and Distribution Subloops		-	UEF, UEANL	URETL		8.94	0.88				_				
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		-	UEF	URET1 URETA		34 16 19.85	0.00 19.85							_	
Habun	Idled Sub-Loop Modification	_	-	UEP	URETA		19.00	19.65								
Unbun	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	-														
	Coil/Equip Removal per 2-W PR		15	UEF	ULM2X		175.78	5.10								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coll Equip															
	Removal per 4-W PR			UEF	ULM4X		175.78	5.10								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled												1			
	юор			UEF	ULMBT		278.20	6.11								
Unbun	dled Network Terminating Wire (UNTW)												1			
- 1	Unbundled Network Terminating Wire (UNTW) per Pair	-	-	UENTW	UENPP	0.40	30.01						_			-
Netwo	rk Interface Device (NID)	-		LIENTEN	LINDAS		40.00	20.00								-
-	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		-	UENTW	UND12 UND16		43.23 63.97	28.38 49.11								
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W		+	UENTW	UND16		5.87	5.87							-	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4	-	5.87	5.87			_	-				-
E OTHER P	PROVISIONING ONLY - NO RATE		+	OLIVIV	014004		3.07	5.01								
1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-		UENTW	UENCE	0.00	0.00									
			7	UEANL, UEF, UEQ, UE												
-	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL, UCL, UDC,	UNECN	0.00	0,00									
P MAKE-U	Unbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA. UHL,	UNECN	0.00	0.00									
I WAKE-U	Loop Makeup - Preordering Without Reservation, per working or	-									-			-		-
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility						20100									
	queried (Manual)	1		UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or spare	1,000														
	facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
ESHARING																
	1: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	s:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per loop	non-d	esigned ("UCLND")					-							
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND	_													-	
	1: Above will apply to USOCS: ULSDT and ULSCT													_		
**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD	C and	II SCC	applies only to circu	its installed a	nd inservice or	or before Octo	her 1 2003								
LINES	HARING	- und	1	l compared control	la motanea d	T T	or actore con	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	ERS-CENTRAL OFFICE BASED					= "										
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0,00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	1273	377 58	0.00	355.96	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			บเร	ULSDG		86.47	0.00	49 84	0 00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	U		- 7 - 7 - 7												
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4 92						
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1 (E-10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
	(E-10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4 92						
	Line Share Service, TRO per line activation, BST owned splitter -															
1	Central Office Located (75% of UCLND) - please see NOTE 1			200 141	DAMP TO SERVICE	200 000	224.4046.24							1		1
				ULS	ULSDT	8.40	18.51	10.60	10.01	4.92	1			1		1
	(E.10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST		-	ULS	ULSUT	6.40	16.51	10.00	10.01	4.52					_	

PHOONUL	ED NETWORK ELEMENTS - Alabama	_												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
		-	-			Rec	Nonrec		Nonrecurring			200000		Rates(\$)	-	
_	1 - 2	1	-			2000	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter						40.00									
_	Line Sharing - per Line Activation (DLEC owned Splitter) -		-	ULS	ULSCS		16 39	8.19	-							
	OBSOLETE see "NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31	20 02	9 83						
	Line Share Service, TRO per line activation, CLEC owned splitter -		+	OLO	01.000	0.01	47.00	13.31	20.02	3.03						
1	Central Office Located (25% of UCLND) - please see NOTE 1		1													
	(E.10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1	1			la series de la constante de l						1			ĺ		
	(E:10/2/2004)			ULS	ULSCT	5 60	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)				LUCOT	0.40	42.44	40.24	20.00	0.00						
MAIN	ITENANCE	_	-	ULS	ULSCT	8 40	47.44	19.31	20 02	9.83					-	
Ton-Air	No Trouble Found - per 1/2 hour increments - Basic	1	-				80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT	T														
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT													y .		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				CON 100 VIV.											
	Per Mile per month	-		U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -					24.42	10.51	27.44	4074	0.00						
	Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-		U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		_			1	
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		+	OTTVA	ILUAN	0.000030	-					-			-	
	Facility Termination			UITVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -					-								T		
	Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -								1000							
	Facility Termination			U1TVX	U1TV4	18.73	40.54	27 41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			CVCGCCC	57-107											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	UITDX	1L5XX	0.008838							_			
	Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	-		OTTEX	01103	13.12	40,34	27.41	10.74	0.90						
	month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			D. I. GA	120777	0.000000			-		- 0					
	Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90					1	
SIGNALING (																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83	-									
_	CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB	TPP6A	15 46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS3 level link (A link)	-	-	UDB	TPP9A	15.46	35.53	35.53	16 44	16.44						
	CCS7 Signaling Connection, Per DS1 level link (8 link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
-	CCS7 Signaling Connection, Per DS3 level link (B link) (also known	-	-	008	IPPOB	15.46	35.53	30.03	10.44	10.44						
	as D link)			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Point Code, per Originating Point Code	1		1	11.130	12.40	00.00	20.55	10.44	10,44						
	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
911 SERVIC	E															
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33 17	36.64	3.20						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	-				0.008838										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					24.62	40.51	07	10.71	0.00				14		
	Local Channel - Dedicated - DS1 - Zone 1				-	21.13	40.54 177.47	27 41 153 72	16.74	6.90 15.26				-		
	Local Channel - Dedicated - DS1 - Zone 1  Local Channel - Dedicated - DS1 - Zone 2	_	+			35.76 49.98	177.47	153.72	22.19	15.26						
	Local Channel - Dedicated - DS1 - Zone 2			1,000		107.63	177.47	153.72	22.19	15.26	-					
	Interoffice Transport - Dedicated - DS1 Per Mile					0.18	17.6.47	100.72	22.13	15.20						
l l		1	1	I		40.70	200				1	1		I	1	I
	Interoffice Transport - Dedicated - DS1 Per Facility Termination  EXTENDED LINK (EELs)					60.16	89.27	81.81	16.35	14.44						

DUITOLLED	NETWORK ELEMENTS - Alabama			1							10	0.0		ment: 2		bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs.	Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-						200	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ie monthly recurring and the Switch-As-Is Charge and not the				apply for UNE	combinations	provisioned as	' Currently Co	mbined Networ	k Elements.						
	D 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	ADE IN														
	-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55 00	47.24	7.44						
	-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
2.	-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
1 1	to Mar Tarana Calla VC But and But					0.008838										
	teroffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		-	UNCVX	1L5XX	0.008838										-
	steroffice Transport - 2-wire VG - Dedicated - Facility Termination			LINGUA	1147710	24.42		07.44	1071							
	er month		-	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	onrecurring Currently Combined Network Elements Switch -As-Is														1	
	harge	15500	FFRO	UNCVX	UNCCC		5.59	5.59	6.98	6.98						_
	D 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	ADEIN	EROF		11511	25.04	404.07	0166	70.44	11.50						_
	WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94 51	59.14	14.50				_		
	WireVG Loop in combination - Zone 2 WireVG Loop in combination - Zone 3	_	2	UNCVX	UEAL4 UEAL4	38.58 60.02	131 97	94.51 94.51	59.14 59.14	14 50 14 50					-	
14-	WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
1	Joseffice Transport Auto VC Dedicated Design Design			LINGVA	1L5XX	0.000000										
	teroffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	ILSXX	0.008838					-					-
	teroffice Transport - 4-wire VG - Dedicated - Facility Termination			LINIOUS		10.70	10.51	07.44	.074	0.00						
	er month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	onrecurring Currently Combined Network Elements Switch -As-Is						F 50	5.50	0.00	0.00						
	harge		-	UNCVX	UNCCC		5.59	5.59	6 98	6.98					_	
	D 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC							-		-					_
	wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26 09	126.27	88.80	59.14	14.50					_	
	wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	-				_	
4-	wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88 80	59.14	14.50						
	teroffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	lle per month			UNCDX	1L5XX	0.008838			0	-						
	teroffice Transport - Dedicated - 4-wire 56 kbps combination -			10.201	1											
	acility Termination per month	_		UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	onrecurring Currently Combined Network Elements Switch -As-Is															
	harge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	-					
	D 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC			(im) as											
	wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	26 09	126.27	88.80	59.14	14.50						
	wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	wire 64 kbps Lcoal Lcop in Combination - Zone 3	_	3	UNCDX	UDL64	37.88	126.27	88.80	59 14	14.50						
	teroffice Transport - Dedicated - 4-wire 64 kbps combination - Per				41 5104										1	
	lle per month	_	-	UNCDX	1L5XX	0.008838									-	
	teroffice Transport - Dedicated - 4-wire 64 kbps combination -					72.12										
	acility Termination per month	_		UNCDX	U1TD6	15.12	40.54	27.41	16 74	6.90	-			_		-
	onrecurring Currently Combined Network Elements Switch -As-Is			LINODY				5.50		6.98						
	harge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	-					-
	D 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC			LIDI CO	20.00	100.07	20.00	50.44	1150						-
	rst 4-wire 56 kbps Local Loop in combination - Zone 1	_		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50 14.50						_
	rst 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	35 95	126.27	88.80	59.14	14.50						
	rst 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	rst 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per onth			LINCOV	41.595	0.00000										
	onth rst 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.008838										-
				LINCOX	U1TD5	45.40	10.61	07.44	40.74	6.00						
	ermination per month	_	_	UNCDX	101105	15.12	40.54	27 41	16.74	6 90						
	onrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1					
	harge D 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	DOEEN	ETDA		DIVOCO		5.59	5,09	6.98	6.98			-			<del>  -</del>
	rst 4-wire 64 kbps Local Loop in combination - Zone 1	NOTER	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		-				-
	rst 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		-				_
	rst 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						_
	rst I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	_	3	UNCUA	UDL04	37.88	120.27	00.80	59.14	14.50					-	
	onth			UNCDX	1L5XX	0.008838										
	rst 4-ware 64 kbps interoffice Transport - Dedicated - Facility	_	_	UNCDA	ILOAA	0.000638			1		-				-	_
	ermination per month			UNCDX	U1TD6	15 12	40.54	27.41	16.74	6.90						
	onrecurring Currently Combined Network Elements Switch -As-Is			514001	01100	13 12	40.54	21.41	10.74	6.90					_	
															1	1

INBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ìbit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		_					Nonreci	urring	Nonrecurring I	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
DDITIONAL	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurring	charge	s do no	t apply, but a Sw	itch As Is charge	does apply.										
When	used as ordinarily combined network elements in All States, the	non-red	curring	charges apply an	d the Switch As	s Charge does r	iot.							1		
Nonr	ecurring Currently Combined Network Elements "Switch As Is" C	harge (C	ne app	lies to each comb	ination)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5 59	5 59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
Misce	ellaneous						1.00				-					
	NRC - Order Coordination Specific Time - Dedicated Transport	1		UNC1X	OCOSR		18.93	18.93								
NP Query Se	ervice		1													
	LNP Charge Per query					0.000757		- 1								
	LNP Service Establishment Manual						12.52		11.51							
	LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74						

MBUNDLI	ED NETWORK ELEMENTS - Florida										C C - 1	C 01		ment: 2		bit: A Incremen
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vi
													1st	Add'I	Disc 1st	Disc A
						Rec	Nonrec		Nonrecurring First	Disconnect Add'l	COMPO	SOMAN		Rates(\$) SOMAN	SOMAN	SOMA
The "	"Zone" shown in the sections for stand-alone loops or loops as p.	art of a	combin	ation refers to Geogr	aphically De	averaged LINE 2		Add'l Geographicall								SOMA
	//www.interconnection.bellsouth.com/become_a_clec/html/interco				apincany De	averaged ONL 2	ones. To view	Geographican	y Deaverageu C	THE LONG Design	giration's by	Contrar On	ce, refer to int	ernet treasite		
	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	-														
NOTE	E: (1) CLEC should contact its contract negotiator if it prefers the															
eithe	r the state specific Commission ordered rates for the service orde	ring ch	arges,	or CLEC may elect the	regional se	rvice ordering c	harge, howeve	r, CLEC can no	t obtain a mixti	re of the two	regardless if	CLEC has	interconnect	ion contract (	stablished in	each of the
NOTE	E: (2) Any element that can be ordered electronically will be billed	accord	ing to	the SOMEC rate listed	in this cate	gory. Please ref	er to BellSouth	's Local Orderi	ng Handbook (	LOH) to detern	nine if a prod	duct can be	ordered electr	onically. For	those element	ts that car
be or	dered electronically at present per the LOH, the listed SOMEC rate	in this	catego	ory reflects the charge	that would	be billed to a Cl	EC once electr	ronic ordering	capabilities co	me on-line for	that element	. Otherwise	the manual o	ordering char	e, SOMAN, w	ill be appl
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
_	OSS - Manual Service Order Charge, Per Local Service Request	-			SUMEC		3.50	0.00	3.50	0.00						
	(LSR) - UNE Only			6	SOMAN	1	11.90	0.00	1.83	0.00						
VE SERVICE	E DATE ADVANCEMENT CHARGE				SOMAN		11.30	0.00	1.03	0.00						
	E: The Expedite charge will be maintained commensurate with Be	USouth	s FCC	No 1 Tariff Section 5	as applicab	le l										
			1													
RDER MODI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TD3, U1TDX, U1TD3, U1TDX, UC1BL, UC1BC, UC1BL, UC1CC, UC1BC, ULD2, ULD3, ULD03, ULDDX, ULDO3, ULDDX, UNCOX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCY, UNLD1, UNLD3, UXTD1, UXTD3, UXTD3, UXTD3, UTDB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TDVA, U1TUB, U1TUB, U1TUC,	SDASP		200.00									
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
DUNE	Order Modification Additional Dispatch Charge (OMCAD)		-				150 00	0.00	0.00	0.00					_	
	EXCHANGE ACCESS LOOP		_													
2-WIR	E ANALOG VOICE GRADE LOOP	. 07	-	LIE STO	LIE AL C	10.00		20.5	2000				_	_		-
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57			-			-
_	2-Wire Analog Voice Grade Loop - Service Leval 1- Zone 2		3	UEANL	UEAL2 UEAL2	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57		-				
-	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2 UEASL	10.69	49.57	22.83	25.62	6.57						1
$\rightarrow$	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	-	2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						_
_	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEANL	UEASL	20.97	49.57	22.83	23.02	0.57						1
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1		48 65	0.83								
-	Loop Testing - Basic 1st Half Hour		-	UEANL	URETA		23 95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-														7	
	SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		_			+		100000			1					

MOUNTE	D NETWORK ELEMENTS - Florida	_									In	I		ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Ada
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
		-			UEAMC		First	Add'I 9.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+	Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1 (per		+	UEANL	UEAMC		9.00	9.00			_					
	LSR)			UEANL	ocost		23.02								,	
2 14/10	E UNBUNDLED COPPER LOOP - NON-DESIGNED		-	UCANL	OCOSL		23.02		1			-				
2-04/10	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45		-				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	10.92	44 98	20.90	24.88	6.45						
V 10	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEO	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEO	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		9.00				1					
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL- ND)	0		UEQ	UREWO		14.27	7.43								
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 wfLoop or Ground Start Signaling - Zone 1	L_	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63 53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 wfLoop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	Wire Analog Voice Grade Loop - Service Level 2 wReverse     Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	CLEC to CLEC Conversion Charge without outside dispatch	554		UEA	UREWO		87.71	36 35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10						-		-
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15		15.56						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115 15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56				<u></u>		
	CLEC to CLEC Conversion Charge without outside dispatch	-	-	UEA	UREWO		87.71	36 35								_
2-WIR	EISDN DIGITAL GRADE LOOP						447.00		20.00		-					
	2-Wire ISDN Digital Grade Loop - Zone 1	-		UDN	U1L2X U1L2X	19.28 27.40	147.69 147.69	94.41	62.23 62.23	10.71		-			-	
-	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	CLEC to CLEC Conversion Charge without outside dispatch	1	3	UDN	UREWO	40.02	91.61	44.15	02.23	19.61						
2-WID	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BIFIC	OP	ODIN	UNEWO		31.01	44,13								
2-11/1	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1			UAL	UAL2X	8.30	149 53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop including manual service Inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3			UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60 64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2		2	UAL	UAL2W	11.80	124 83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3		3	UAL	UAL2W	20 94	124.83	71.12	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39			T					
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOC	P													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						

BUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	Exhi	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)	v		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 3		3	UHL	UHL2X	18.21	159 09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9 12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60 64	9 12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL2W	18.21	134 40	80.69	60.64	9.12				and the second		
	CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO		86.12	40.39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOO	P	eri.												
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
1	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	- 1														
	facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4W	10 86	168.62	115 47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
1	facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22				1		
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						45078									
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85	67.08	15.56			-			
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55 99	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		1 2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56			7979			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO		102.11	49.74								
2-WIR	E Unbundled COPPER LOOP						3.02.1.1.1									_
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual service		1	002	1000	0.00	1.0.00	.02.02	70.00	10.00						
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual service		-	10.00	1000.0	11.50	175.00	3 13 44 - 13 44	10.00	70.00				_		_
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102 82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed without manual service		-	-				132.40								1
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual service					4.04			1							
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11,80	123.81	70.09	60.64	9 12						
	2-Wire Unbundled Copper Loop-Designed without manual service		-	002	- DOLL II	11.00	120.01	10.00	00.01	0						_
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						1
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -		_													
	Des)			UCL	UREWO		97.21	42.47								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and					1				_						
	facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry and							36,7113								
	facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17,73						
	4-Wire Copper Loop-Designed including manual service inquiry and			-												
	facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed without manual service inquiry and		1		100000		14.5	,,,,,			1					
	facility reservation - Zone 1		1	UÇL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and	-						-							-	10
	facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and															
E	facility reservation - Zone 3	1	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						

THOUNDLE	D NETWORK ELEMENTS - Florida	_										0 - 0 -		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	CLEC to CLEC Conversion Charge without outside dispatch	-		UCL.	UREWO		97.21	42.47	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
_	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00		C					120	
				UEA, UDN, UAL,	0020		0.00									
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.02									
OP MODIFE	CATION															ė.
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop		_	UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled toop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10 52	10.52								
B-LOOPS	oop Distribution	-			_										_	
Sub-L	oop Distribution	-												_		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	i		UEANL	USBSB		6.25									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		169.25									
				(Jeroki)	LIGHAN		22.05									
_	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1		UEANL	USBSD		38.65									_
	1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	3	-	3			16.29			47.50	5.20						
J.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	7.37	68.83	30 42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
_	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	3		-3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	L. C. L. S. L.															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (iNC)	1	-	UEANL	USBMC USBR2	3.96	9:00 51:84	9.00	47.50	5.26						
_	Sub-Loop 2-wire intraounding Network Cadle (INC)	1	-	UEANL	USBR2	3.90	31.04	13,44	47.30	5.20						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9 00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-1		UEANL	USBR4	9.37	55.91	17.51	49.71	6 60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
_	Loop Testing - Basic 1st Half Hour		-	UEANL	URET1 URETA		48.65	0.00 23.95								
+	Loop Testing - Basic Additional Half Hour  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5,15	23.95 60 19	23.95		5.26						
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	7.31	60.19	21.78		5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS2X	12.98	60.19	21.78		5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			Tariff Saldyani	SALAHS.											
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00			i					

INBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect				Rates(\$)		
						7100	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
United	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbu	Unbundled Sub-Loop Modification - 2-W Copper Dist Load									+	_					
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coll/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		15.58	15.58								
Unbu	indled Network Terminating Wire (UNTW)		-			0.1550	10.00									1
Materia	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		_	UENTW	UENPP	0.4572	18.02			-						-
Netwo	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48 87			_	-				
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines			UENTW	UND12		113.89	89.07			-					
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63		-						
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		7.63	7.63								
NE OTHER.	PROVISIONING ONLY - NO RATE			02.11.11	0.100		7.00	7,50								
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL, UEF, UEO. UE												
-	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL,	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA,UHL	UNECN	0.00	0.00									
OP MAKE-				The same of the same of			7/3									
	Loop Makeup - Preordering Without Reservation, per working or			L. Lanco	Lucione and the second	1	100000000	LOS TIME								~
	spare facility queried (Manual).			UMK	UMKLW	_	52.17	52 17		1	-					
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or spare															
NE SHARIN	facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784		_	_					
	The Line Sharing monthly recurring rates for all installations	complet	ad fra	m Ostabas 02 2002 ti	variab midai	aht Ostabar 01	2004 oball bak	illed as fallow								
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				Tough midin	giit October 01,	2004 Shall be L	ined as follow	5.							
NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	per roop	IIOII-G	lesigned ( OCCIVD )				-								
NOTE	E 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND						_			_						
	1: Above will apply to USOCS: ULSDT and ULSCT										1					V
"NOT	TE 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and U	LSCC	applies only to circu	its installed	and inservice or	or before Octo	ber 1, 2003								
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90							
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90							
_	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379 13	0.00	347.90	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activator-deactivation (per LSOD)			411.0	111 000		170.00	0.00	97.42	0.00		1				
ENDI	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING		-	ULS	ULSDG		173.66	0.00	97.42	0.00						
LIND	Line Sharing - per Line Activation (BST Owned splitter) -												į.			
	OBSOLETE see "NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter -			020	OLODO	0.01	25.00	2120	10.01	0.03						
	Central Office Located (25% of UCLND) - please see NOTE 1						. 1									
	(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21 28	19.57	9 61						
	Line Share Service, TRO per line activation, BST owned splitter -	- 1														
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter -															
-	Central Office Located (75% of UCLND) - please see NOTE 1													1		
				ULS	ULSDT	5.97	29.68	21.28	19.57	9.61		-				-
	(E:10/2/2005)								1	1	1	1		1	1	1
	Line Sharing - per Subsequent Activity per Line Rearrangement -			111.6	HISDS		21 60	10 14						1		
	Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)  Line Sharing - per Subsequent Activity per Line Rearrangement -			ULS	ULSDS		21 68	16.44								
	Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)			ULS	ULSDS		21 68 21.68	16.44 16.44								

DIADONOLEI	NETWORK ELEMENTS - Florida	, .	-											ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	,		RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		-				Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	1					riist	Addi	First	Addi	SOMEC	SOMAN	JOMAN	SOMAN	SOMAN	SOMAN
	(E.10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter -		-	ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						-
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E.10/2/2005)		3	ULS	ULSCT	5.97	47 44	19.31	20.67	12.74						
MAINTE	ENANCE															
	No Trouble Found - per 1/2 hour increments - Basic	1					80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00						-		
	DEDICATED TRANSPORT														-	_
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT		-		-									-	- 2	+
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0091		105								
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	U1TD5	18 44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		1				
IGNALING (CO																1
	CCS7 Signafing Termination, Per STP Port	_		UDB	PT8SX	135.05			1001	1001	-		-			+
	CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link)	1	-	UDB	TPP6A TPP9A	17.93 17.93	43.57 43.57	43.57 43.57	18.31	18.31 18.31						
	CCS7 Signaling Connection. Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP98	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	17,44	46 03	46.03	46.03	46.03						
911 SERVICE	Learners of Orlange, per STF attended		1	000	DOALO		40.03	40.03	40.03	40.03						
I	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		- 50			29.62	265.84	46.97		4 00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1				0.0091		V. 54		2000						
_	Termination	-	-			25.32	47.35	31.78 183.54	18 31 21.47	7.03					-	-
-	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	+	-			35 28 47 63	216.65 216.65	183.54	21.47	19.05		_				
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05			-			_
+	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856	210.00	100.54	41.01	. 0.00						
NHANCEDEY	Interoffice Transport - Dedicated - DS1 Per Facility Termination TENDED LINK (EELs)					88.44	105.54	98 47	21.47	19.05						+
	The monthly recurring and non-recurring charges below will a	pply and	the Su	vitch-As-ls Charge	will not apply fo	r UNE combina	tions provision	red as ' Ordin	rily Combined'	Network Fleme	ents.	0				_
			UT	ro is onal ye	appry	. Jie Joningilla	profibloi	Ordin	J Combined I							+

MOUNDLE	D NETWORK ELEMENTS - Florida		_								1-			ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrecu	rring Add'l	Nonrecurring D	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	SOMEC	JOINAN	JOHAN	JOHIAIT	SOMAIY	JOHAN
_	2-WireVG Loop in combination - Zone 2	_	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Interoflice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination								335.34							
	per month_			UNCVX	U1TV2	25.32	94 70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1		The same of the sa											
	Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADEIN														
	4-WireVG Loop in combination - Zone 1	-		UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
-	4-WireVG Loop in combination - Zone 2	-		UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81	-			-		<del></del>
-	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81			_		-	_
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 4-wire VG - Dedicated - Fer Mile Per Month			DIVOVA	ILSAA	0.0031		-							-	
	per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-is				-	Sedicario S	97.7.9	02.00	2017.5	2.00						
	Charge			UNCVX	UNCCC		8.98	8.98	8 98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60 54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zorie 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				Parket 1				77.77							
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
-	Charge	A Vender or		UNCDX	UNCCC		8.98	8.98	8.98	8.98						-
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	DFFICE 1		UDL64	22.20	127.59	60.54	42.79	2.81					-	_
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	-		UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						_
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per		3	DINCEA	QDE04	33.33	127.00	00:54	42.73	2.01						
	Mile per month			UNCDX	1L5XX	0.0091										
-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-		0110271	TEOMIX	0.0001										
	Facility Termination per month		J	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		8.98	8.98	8 98	8.98						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	EROFFIC	ETRA	NSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55 99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		1	CONTROL OF THE CONTRO	and the second second	and the second second										
	menth	-	-	UNCDX	1L5XX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			Laurente.		34	2.2	12020	190,75							
	Termination per month		-	UNCDX	U1TD5	18 44	94.70	52.59	50.49	21.53	_					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EVTER	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	FOCES	ETDA		UNCCC		8.98	8.98	8.98	8.98	-		_	_		+
EXIEN	First 4-wire 64 kbps Local Loop in combination - Zone 1	LAUFFIL	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						+
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31 56	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		Ť			33.33		00.04		2.31						
	month			UNCDX	1L5XX	0.0091										1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	18 44	94.70	52,59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		8 98	8.98	8.98	8.98			II.			
			1								1	1				
	IETWORK ELEMENTS used as a part of a currently combined facility, the non-recurring															

UNBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Manual Svc	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
							Nonrecu	rring	Nonrecurring I	Disconnect			OSS	Rates(\$)		
					11	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne appli	ies to each combi	nation)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG		ı	JNCVX	UNCCC		8.98	8 98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge - 56/64 kbps		ı	JNCDX	UNCCC		8.98	8.98	8.98	8.98						
Miscell	aneous															
	NRC - Order Coordination Specific Time - Dedicated Transport		L.	JNC1X	OCOSR	1	18.90	18.90								
LNP Query Ser	vice															

NOUNDLED NE	TWORK ELEMENTS - Georgia			<u> </u>	т —	Т					Sun Order	Sun Ord		ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v Electron Disc Ad
_							Maria		I Non-series	D'					0.50 .50	Digo Hac
		_	-			Rec	First	curring Add'I	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
The "Zone" s	shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	eaveraged UNE										Company
	terconnection.bellsouth.com/become_a_clec/html/interco	onnectio	n.htm													
	ORT SYSTEMS (OSS) - "REGIONAL RATES"															
	EC should contact its contract negotiator if it prefers the															
either the sta	te specific Commission ordered rates for the service orde	ring cha	erges, c	or CLEC may elect the	e regional se	ervice ordering	charge, howeve	er, CLEC can no	ot obtain a mixt	ure of the two	regardless if	CLEC has a	interconnect	tion contract e	stablished in	each of t
ho ordered al	ny element that can be ordered electronically will be billed ectronically at present per the LOH, the listed SOMEC rate	accord	ng to t	ne SOMEC rate listed	in this cate	gory. Please re	ter to Bell South	ronia ordorina	and Handbook	(LOH) to deter	nine it a prod	Othornio	the means	onically. For	nose element	s that ca
	- Electronic Service Order Charge, Per Local Service Request	in this	catego	Tyrenects the charge	T Woold	T of onled to a C	LEC brice elect	ronic ordening	Capabilities co	me on-line for	inat elemeni	. Otherwise	, the manual t	ordering char	Je, SOMAN, W	iii oe app
	- UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	- Manual Service Order Charge, Per Local Service Request				Julie		5.00	4.00	5.00	0.00						
	- UNE Only		- 0		SOMAN		1173	0 00	6.13	0.00						
	ADVANCEMENT CHARGE															
NOTE: The E	xpedite charge will be maintained commensurate with Be	IISouth'	sFCC	No.1 Tariff, Section 5	as applicab	ole.						1				
UNE I	Expedite Charge per Circuit or Line Assignable USOC. per Day			UEF, UDC, UDF, UENTW, UDN, UEA, UHL, ULC, USL, UHT12, UHT08, UHTDX, UHT08, UHT0	SDASP		200.00									
	Modification Charge (OMC)						26.21	0.00	0.00	0.00						
Order	Modification Additional Dispatch Charge (OMCAD)						150.00	0.00		0.00					- 1	
BUNDLED EXCHA	NGE ACCESS LOOP														- 10	
	OG VOICE GRADE LOOP															
	e Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40 02	9.99								
	e Analog Voice Grade Loop - Service Level 1 - Zone 2			UEANL	UEAL2	15.85		9.99		1.72						
	e Analog Voice Grade Loop - Service Level 1 - Zone 3			UEANL	UEAL2	31.97	40.02	9.99		1.72						
	e Analog Voice Grade Loop - Service Level 1 - Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61					-		
	e Analog Voice Grade Loop - Service Level 1- Zone 2	_		UEANL	UEASL	15.85 31.97	40.02	9.99	5.61 5.61	1.72		-		1		
	e Analog Voice Grade Loop - Service Level 1- Zone 3 Indled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72				-	-	_
Premi			- 0	UEANL	URETL		8.33	0.83								1
	se Testing - Basic 1st Half Hour		_	UEANL	URET1		25.12	0.83								
Loop	Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	to CLEC Conversion Charge Without Outside Dispatch (UVL-			OLAN.	OKEIA		13.02	13,02			_					
SL1)	3			UEANL	UREWO		15.75	8.92								

ARONDLE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vi Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			100			100									
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7 30								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		57.79									
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1			UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X	12.72	44 69	22 40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						(									
	Premise			UEQ	URETL		8 33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)		1	UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															1
	providing make-up (Engineering Information - E.I.)			UEQ	UEOMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	0.00				-				
	Loop Testing - Basic Additional Half Hour			UEO	URETA		13.62	13.62								_
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-		_	020	J. C.		10.02	10.02	+ +							_
	ND)			UEQ	UREWO		14.25	7.42							1	
HINDI ED S	EXCHANGE ACCESS LOOP		1	OLG	UNLIVO		14.20	1.42				_	7			+
	ANALOG VOICE GRADE LOOP		-									_				+
2-9VIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-		_							-				+
			1	UEA	UEAL2	44.57	79 85	24 65	18.92	7.87						
+	Ground Start Signaling - Zone 1	_	1	UEA	UEAL2	11.57	79 85	24 65	18.92	7.87			-			_
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					40.05	70.05	0.05								
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA		20.00	70.05	04.05	1000	7.07		G.		1		
_	Ground Start Signaling - Zone 3	-	3	UEA	UEAL2	33 08	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1												1		
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1				79.54	120/62			0.00		7		1		
	Battery Signaling - Zone 2		2	UEA	UEAR2	16 95	79.85	24.65	18.92	7.87		100				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			and the second	and the	5 THE P. LEWIS CO., LANSING, MICH.	55 N. H.		94.0							
III h	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1,10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
50 F.	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				6		1 7		
2-WIRE	ISDN DIGITAL GRADE LOOP	i i														
	2-Wire ISDN Digital Grade Loop - Zone 1		. 1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
7	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97		1				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04				1				
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLELO	OP	0011	Turnizari G		123.00	00.0								
2.44.04.0	2 Wire Unbundled ADSL Loop including manual service inquiry &															
1	facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
1	2 Wire Unbundled ADSL Loop including manual service inquiry &	<u> </u>	<u> </u>	0,12	JALLA	, 1,20	44.03	01,00	0.00	0.00				1		
1	facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00	1	in the				1
-	2 Wire Unbundled ADSL Loop including manual service inquiry &	-	-	UNL	UMLEA	12.37	44.09	51,55	0.00	0.00						+
	facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
-	2 Wire Unbundled ADSL Loop without manual service inquiry 8	1	3	UAL	UMLZA	20.02	44.09	31.33	0.00	0.00				-	-	_
		1	1	LIAI	1101 2007	44.00	44.69	24.55	0.00	0.00						
_	facility reservator - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						+
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_			****		21.55	0.00	***						
-	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00				-		-
	2 Wire Unbundled ADSL Loop without manual service inquiry &			1.11		44		_0.0								
	facility reservation - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						-
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		44.69	29.29								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB  2 Wire Unbundled HDSL Loop including manual service inquiry &	LE LOC	P													1
-											1			1	L.	1

BUNDLED	NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
EGORY	RATE ELEMENTS	laterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonreci		Nonrecurring					Rates(\$)		
						Rec	First	Addʻl	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	acility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	9.09	44.69	31 55	0.00	0.00						
	acility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	Wire Unbundled HDSL Loop without manual service inquiry and	ī			100000	7.00		24.55								
	acility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00			-			+
	acility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and	<u>'</u>	- 4	One	GFILZYY	3.09	44.03	31.33	9.00	0.00						+
	acility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		44 69	31.55						1		
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB		P													
4	Wire Unbundled HDSL Loop including manual service inquiry and															
	acility reservation - Zone 1	1-	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	I-Wire Unbundled HDSL Loop including manual service inquiry and															
ı	acility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44,69	31.55	0.00	0.00						
-	I-Wire Unbundled HDSL Loop including manual service inquiry and															
	acility reservation - Zone 3	_1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	I-Wire Unburdled HDSL Loop without manual service inquiry and acility reservation - Zone 1	ï	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	I-Wire Unbundled HDSL Loop without manual service inquiry and	<u> </u>		OF IL	OHEAN	10.55	44.03	31.33	0,00	0.00						
f	acility reservation - Zone 2  I-Wire Unbundled HDSL Loop without manual service inquiry and	.1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	acility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00					İ	
	CLEC to CLEC Conversion Charge without outside dispatch	i	- 2	UHL	UREWO	120.01	44.69	31.55	0.00	0.00	-					
	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	-	Cric	GIVLYVG		44.03	31.33	1							
	Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	21.86	196,66	37.00	18.82	7.20						_
	Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00	18.82	7.20						
	Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.22	196.66	37.00	18.82	7.20						
	Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	Wire Unbundled Digital Loop 56 Kbps - Zone 2	-	2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20	1-1-1			á .		
	Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.22	196.66	37.00	18.82	7 20					Programme and the second	
4	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
	Inbundled COPPER LOOP															
	P-Wire Unbundled Copper Loop-Designed including manual service										1					
	nquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	P-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	Wire Unbundled Copper Loop-Designed including manual service															
	nquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service	29				100.00		277.66	14.00							
	nquiry and facility reservation - Zone 1	1	_1_	UCL	UCLPW	12 02	44.69	31.55	0.00	0.00						-
	-Wire Unbundled Copper Loop-Designed without manual service							04.55								
	nquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						—
	P-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44 69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)	1	_	UCL	UREWO		44.69	31 55								_
	OPPER LOOP		_											V 1 1 1 1 1 1 1		
	l-Wire Copper Loop-Designed including manual service inquiry and acility reservation - Zone 1	1	1	UCL	UCL4S	16.65	44.69	31.55	0 00	0.00						
	-Wire Copper Loop-Designed including manual service inquiry and	-	-		302-3	10.00	44.05	01.00	0.00	0.00	1		_			<b>†</b>
	acility reservation - Zone 2	1	2	UCL	UCL4S	19 22	44.69	31.55	0.00	0.00						1
	I-Wire Copper Loop-Designed including manual service inquiry and				17.75				-	72.5%						
	acility reservation - Zone 3	1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
4	-Wire Copper Loop-Designed without manual service inquiry and acility reservation - Zone 1	,	1.	UCL	UCL4W	16.65	44 69	31.55	0.00	0.00						
	acting reservation - Zone 1 -Wire Copper Loop-Designed without manual service inquiry and	1	1.	UOL	UCL4VV	16.65	44.09	31.55	0.00	0.00					_	_
1,																

MOUNDLE	D NETWORK ELEMENTS - Georgia							Marie Con			r			ment: 2	20000000	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		201122			Rates(\$)		1
_	4-Wire Copper Loop-Designed without manual service inquiry and		-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3	1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispetch	1	1	UCL	UREWO		44.69	31.55								
310.	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								100
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL, UDL	OCOSL		57.79									
OP MODIFI	CATION		-	UAL, UHL, UCL,	+											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	10		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	IULM2L		0.00	0.00								
_	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UEF3B	ULWIZE		0.00	0.00				9				
	Ihan or equal to 18K ft. per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17 91									
B-LOOPS	Unbundled Loop			UEPSB	OLMET		17.91									-
	oop Distribution		_													
			1													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76					-				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7 29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175 09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.61									
	Unburdled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2 20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	10.18	28 46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		10	UEANL	USBN2	19.51	28 46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone				1200		201.0	0.00	2.20	3.01						<b>†</b>
	1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		12				2556	. 70	0.00							
_	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	-	2	UEANL	USBN4	9,71	31 07	4.79	2.27	0.01					-	-
	3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18 92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28 46	3.85	2.20	0.01						
				C 400			1000000									
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		18 92	18.92								
_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR4	7.67	31.07	4.79	2.27	0.01					4	_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92	1							
	Loop Testing - Basic 1st Half Hour			UEANL	URETI		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62				and the second				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	. 1		UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	9.22	28 46	3.85	2.20	0.01						-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18 92	18.92					ľ			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						

INBUNDLED NE	TWORK ELEMENTS - Georgia										·		Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
														7		
	r Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92				The second secon				
	tagging Service Level 1, Unbundled Copper Loop, Non-				3560											
	gned and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00			-					
	Testing - Basic Additional Half Hour		_	UEF	URETA		13.62	13,62								-
	Sub-Loop Modification		-								+	-		-		
	indled Sub-Loop Modification - 2-W Copper Dist Load Equip Removal per 2-W PR	1		UEF	ULM2X		0.00	0.00								
	indled Sub-loop Modification - 4-W Copper Dist Load Col/Equip		-	UEF	DLM2X		0.00	0.00		-	-		_			-
	oval per 4-W PR			UEF	ULM4X		0.00	0.00								
	indled Loop Modification, Removal of bridge Tap, per unbundled		-	UEF	ULIVI4X		0.00	0.00		_						
loop	indied Edop Modification, Removar or dridge Tap, per dribunded			UEF	ULMBT		17.91	17.91	1							
	Network Terminating Wire (UNTW)			UEF	ULMBI		17.91	17.91								
	andled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								_
	rface Device (NID)		_	OCIVIV	CLIVE	0.555	23.12	12.20		-						
	ork Interface Device (NID) - 1-2 lines	1		UENTW	UND12		32.86	20.69						_		
	ork Interface Device (NID) - 1-6 lines	1		UENTW	UND16		56.03	43.86							-	
	ork Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		2.45	2.45								
	ork Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45						-		
OTHER PROVIS	SIONING ONLY - NO RATE			oc	0.12.0		20	2.10								
	Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	W Circuit Id Establishment, Previsioning Only - No Rate			UENTW	UENCE	0.00	0.00				1				_	
				UEANL, UEF, UEQ, UE												
Unbu	ridled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00								1	
			-	UAL,UCL,UDC,UDL,												
Unbu	ndled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00								1	
P MAKE-UP			- I													
Loop	Makeup - Preordering Without Reservation, per working or															
spare	e facility queried (Manual).			UMK	UMKLW		15.19	15.19								
Loop	Makeup - Preordering With Reservation, per spare facility															
querie	ed (Manual).			UMK	UMKLP		19.85	19.85				i				
	MakeupWith or Without Reservation, per working or spare			in the			72.0									
	y queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
SHARING															2	
	Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	s:			6			1	
	2/2003 - 10/01/2004; 25% of the rate for an unbundled cop	perloop	non-d	esigned ("UCLND")												
	2/2004 - 10/01/2005: 50% of the rate for UCLND															
	2/2005 - 10/01/2006: 75% of the rate for UCLND										1			-		
NOTE 1: Abo	ve will apply to USOCS: ULSDT and ULSCT			L												
	e Line Sharing monthly recurring rates with USOCs ULSD	C and U	LSCC	applies only to circui	its installed	and inservice or	or before Octo	ber 1, 2003			-			-		
LINE SHARIN																
	CENTRAL OFFICE BASED				111.004	131.00	0.00	0.00	0.00	0 00				-		_
	Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA				0.00							_
	Sharing Splitter, per System 24 Line Capacity			ULS	ULSD8	32.00 11.00	0.00	0.00	0.00	0.00						
	Sharing Splitter, Per System, 8 Line Capacity	-	-	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00	-	-			-	
	Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
	RDERING-CENTRAL OFFICE BASED LINE SHARING		-	ULS	ULSDG		00.34	0.00	31,20	0.00						
	Sharing - per Line Activation (BST Owned splitter) -	_			-					+	<u> </u>	_				
	OLETE see "NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20				C.		
	Share Service, TRO per line activation, BST owned splitter -			023	DESDE	0.01	10.51	7.70	1.00	4.20						-
	al Office Located (25% of UCLND) - please see NOTE 1															1
	1/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20				1		
	Share Service, TRO per line activation, BST owned splitter -					2.10	10.01	1.70	1.50	7.20		_				
	ral Office Located (50% of UCLND) - please see NOTE 1													1		
	1/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20				1		
	Share Service, TRO per line activation, BST owned splitter -	-			-	3.51		.,,,,		1	-		7			
	al Office Located (75% of UCLND) - please see NOTE 1															
	(2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
	Sharing - per Subsequent Activity per Line Rearrangement(BST							-								
	ed Splitter	1	1	ULS	ULSDS		36.23	13.23	16.94	1.69	1			1	1	I

PONDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line				ULSCS		36.23	13.23	16 94	1.69						
	Rearrangement(DLEC Owned Splitter  Line Sharing - per Line Activation (DLEC owned Splitter) -		-	ULS	ULSCS		36.23	13.23	16.94	1.69						_
	OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4 30						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)		L .	ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter -						10									
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
MAINT	ENANCE		1													-
	No Trouble Found - per 1/2 hour increments - Basic	-	1				80.00	55.00						/		_
_	No Trouble Found - per 1/2 hour increments - Overtime	-	-		-		120.00 160.00	82.50 110.00		_					-	_
DINDIED.	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT		-				160,00	110.00	-	-						-
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						1.
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination  Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
-	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			U1TVX	1L5XX	0.0057									-	-
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	-	-	U1TVX	U1TV4	10.78	48.46	19 48	16.58	5.00						
	month			UITDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
NALING (C				OTTOX.	GIIDS	, 63	40.40	19.48	10.36	3.00		-			+	
171211010	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	+	1	UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3		1	UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						1000
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	8.73	34.77	34.77		16.91						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
-	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	108.80										-
4 05 0 100	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28 15	28.15	33.32	33.32						
1 SERVICE	Local Channel - Dedicated - 2-vr Voice Grade	-	-			7.74	121.07	53.30	46.40	13.37						$\vdash$
-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	-				0.0057	121.07	55.50	40.40	13.37		-				_
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					12.87	48.46	19 48	16.58	5.00						
	Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20		26.12						
	Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20		26.12						
	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile					164.70 0.1154	149.46	111.20	40.36	26.12						
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73						
	XTENDED LINK (EELs)								L			7				
	The monthly recurring and non-recurring charges below will a	pply and	the Sy	vitch-As-Is Charge	will not apply fo	r UNE combina	tions provision	ned as 'Ordina	arily Combined'	Network Eleme	ents.					

2-Wirri 2-Wirr 2-Wirr 2-Wirri Interof Interof Per me Nome EXTENDED 4.4 4-Wirr 4-Wirri Interof Interof Per me Nome Charg EXTENDED 4.4 4-wire 4-wire 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 2-wire VG - Dedicated - Per Mille Per Month office Transport - 2-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch - As-Is ge 4-WiRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination north recurring Currently Combined Network Elements Switch - As-Is ge 4-WiRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	Interim	1 2 3 3 TEROF 1 2	UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UITV2 UNCCC	Rec 11.57 16.95 33.08 0.0057 12.87	Nonrec First 195.94 195.94 195.94 66.53	RATES(\$)  arring Add'l 36.38 36.38 36.38	Nonrecurring First 18.42 18.42 18.42	Disconnect Add'1 6.86 6.86 6.86	Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN	Increment Charge Manual S Order vs Electroni Disc Add
2-Wirri 2-Wirr 2-Wirr 2-Wirri Interof Interof Per me Nome EXTENDED 4.4 4-Wirr 4-Wirri Interof Interof Per me Nome Charg EXTENDED 4.4 4-wire 4-wire 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 2-wire VG - Dedicated- Per Mile Per Month office Transport - 2-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination north recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX	UEAL2 UEAL2 1L5XX U1TV2 UNCCC	11.57 16.95 33.08 0.0057 12.87	First 195.94 195.94 195.94	36 38 36.38 36.38 36 38	First 18.42 18.42	Add'I 6.86 6.86	SOMEC	SOMAN			SOMAN	SOMA
2-Wirri 2-Wirr 2-Wirr 2-Wirri Interof Interof Per me Nome EXTENDED 4.4 4-Wirr 4-Wirri Interof Interof Per me Nome Charg EXTENDED 4.4 4-wire 4-wire 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 2-wire VG - Dedicated- Per Mile Per Month office Transport - 2-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination north recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX	UEAL2 UEAL2 1L5XX U1TV2 UNCCC	16.95 33.08 0.0057 12.87	195.94 195.94 195.94	36.38 36.38 36.38	18.42 18.42	6.86 6.86	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
2-Wirri 2-Wirr 2-Wirr 2-Wirri Interof Interof Per me Nome EXTENDED 4.4 4-Wirr 4-Wirri Interof Interof Per me Nome Charg EXTENDED 4.4 4-wire 4-wire 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 2-wire VG - Dedicated- Per Mile Per Month office Transport - 2-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination north recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX	UEAL2 UEAL2 1L5XX U1TV2 UNCCC	16.95 33.08 0.0057 12.87	195.94 195.94 66.53	36.38 36.38	18.42	6.86		. ==				
2-Wire Interof Interof Interof Per m Norre Charg EXTENDED 4- 4-Wire 4-Wire Interof Interof Interof Per m Nonre EXTENDED 4- 4-wire 4-wire 4-wire 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 3  office Transport - 2-wire VG - Dedicated- Per Mille Per Month office Transport - 2-wire VG - Dedicated - Per Mille Per Month office Transport - 2-wire VG - Dedicated - Facility Termination nonth ecurring Currently Combined Network Elements Switch - As-Is ge 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR. reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mille Per Month office Transport - 4-wire VG - Dedicated - Facility Termination nonth recurring Currently Combined Network Elements Switch - As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	3 TEROF 1 2	UNCVX UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX	UEAL2 1L5XX U1TV2 UNCCC	33 08 0.0057 12.87	195 94 66 53	36.38				3-1				
Interof Interof per mm Nonre Charg EXTENDED 4. 4-Wird 4-Wird Interof Interof per mm Nonre Charg EXTENDED 4. 4-wire	office Transport - 2-wire VG - Dedicated - Per Mile Per Month office Transport - 2-wire VG - Dedicated - Facility Termination month ecurring Currently Combined Network Elements Switch - As-Is ge 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination month ecurring Currently Combined Network Elements Switch - As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS te 56 kbps Local Loop in combination - Zone 1	ADE IN	TEROF	UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX	U1TV2 UNCCC	0.0057	66.53							V)		
Interot per mm Norree Charge EXTENDED 4-4-Wire Interot Interot Per mm Norree Charge EXTENDED 4-4-Wire 4-wire 4-wir	office Transport - 2-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch -As-Is ge  4-WiRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Facility Termination north ecurring Currently Combined Network Elements Switch -As-Is ge  4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	1 2	UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX	U1TV2 UNCCC UEAL4	12.87		22.61								
per me Norne Charg EXTENDED 4.4 4.4Wire 4.4Wire Interol Interol Interol Per me Nonre Charg EXTENDED 4.4-wire 4wire 4wire	month  ecurring Currently Combined Network Elements Switch -As-Is ge  4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacifity Termination nonth ecurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	1 2	UNCVX FICE TRANSPORT UNCVX UNCVX	UNCCC UEAL4			22.64								
Nonre Charge EXTENDED 4- 4-Wire 4-Wire Interol Interol Per me Nonre EXTENDED 4- 4-wire 4-wire 4-wire 4-wire	recurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Facility Termination houth ecurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	1 2	UNCVX FICE TRANSPORT UNCVX UNCVX	UNCCC UEAL4											
EXTENDED 4- 4-Wire 4-Wire 4-Wire Interol Interol Per me Nonre EXTENDED 4- 4-wire 4-wire 4-wire 4-wire	ge 4-WiRE VOICE GRADE EXTENDED LOOP 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Per Mile Per month office Transport - 4-wire VG - Dedicated - Facility Termination nonth ecurring Currently Combined Network Elements Switch -As-is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	ADE IN	1 2	FICE TRANSPORT UNCVX UNCVX	UEAL4	17.00	5.70	33.01	43 42	27.60						
EXTENDED 4 4-Wire 4-Wire Interol Interol Per m Nonre Charg EXTENDED 4 4-wire 4-wire 4-wire	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination nonth ecurring Currently Combined Network Elements Switch - As-its ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS to 56 kbps Local Loop in combination - Zone 1	ADE IN	1 2	FICE TRANSPORT UNCVX UNCVX	UEAL4	17.00	5.70		2	0.00				1		
4-Wird 4-Wird Interol Interol Interol EXTENDED 4- 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 1 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Facility Termination nonth routh recurring Currently Combined Network Elements Switch - As-is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1	AUE IN	1 2	UNCVX	UEAL4	17.00		5.70	6.61	6.61						
4-Wire Interol Interol Per m Nonre Charg EXTENDED 4 4-wire 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 2 reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Per Mile Per Month onth ecurring Currently Combined Network Elements Switch -As-is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1			UNCVX			.05.01							- 1		
4-Wire Interol Interol per m Nonre Charg EXTENDED 4- 4-wire 4-wire 4-wire	reVG Loop in combination - Zone 3  office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Pacility Termination north ecurring Currently Combined Network Elements Switch - As-is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1					21.68	195 94 195 94	36 38 36.38	18 42	6.86						
Interol Interol per me Nonre Charg EXTENDED 4.4 4-wire 4-wire 4-wire	office Transport - 4-wire VG - Dedicated - Per Mile Per Month office Transport - 4-wire VG - Dedicated - Facility Termination nonth recurring Currently Combined Network Elements Switch -As-is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1			OHOVA	UEAL4	30.25	195.94	36.38	18.42	6.86				-		_
Interol per mo Nonre Charg EXTENDED 4- 4-wire 4-wire 4-wire 4-wire	office Transport - 4-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch -As-ils ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1				JEAL4	30.25	193.34	30.38	10,42	0.00						
Interol per mo Nonre Charg EXTENDED 4- 4-wire 4-wire 4-wire 4-wire	office Transport - 4-wire VG - Dedicated - Facility Termination north recurring Currently Combined Network Elements Switch -As-ils ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1			UNCVX	1L5XX	0 0057										
Per monore Nonre Charg EXTENDED 4- 4-wire 4-wire 4-wire	month ecurring Currently Combined Network Elements Switch -As-lis gge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS to 56 kbps Local Loop in combination - Zone 1				. 20,01	3 000.								7		
Nonre Charg EXTENDED 4- 4-wire 4-wire	ecurring Currently Combined Network Elements Switch -As-Is ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS e 56 kbps Local Loop in combination - Zone 1			UNCVX	U1TV4	10.78	66.53	33 61	43.42	27.60						
EXTENDED 4- 4-wire 4-wire 4-wire	ge 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS te 56 kbps Local Loop in combination - Zone 1		_			1,71.78.4										
4-wire 4-wire 4-wire	e 56 kbps Local Loop in combination - Zone 1			UNCVX	UNCCC		5.70	5.70	6.61	6.61						i
4-wire		INTERO	FFICE	TRANSPORT												
4-wire			1	UNCDX	UDL56	21 86	195 94	36 38	18.42	6.86						
	e 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6 86						
	e 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	office Transport - Dedicated - 4-wire 56 kbps combination - Per															
	per month			UNCDX	1L5XX	0.0057										
	office Transport - Dedicated - 4-wire 56 kbps combination -				100-20		20.00	22.20	12.12							
	ity Termination per month		-	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
Nonre	ecurring Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		5.70	5.70	6.61	6.61				10		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	EEICE		DIVICCE		5.70	5.70	0.01	0.01						
	e 64 kbps Lcoal Loop in Combination - Zone 1	INTERO	1	UNCDX	UDL64	21.86	195 94	36.38	18 42	6.86						
	e 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	e 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	office Transport - Dedicated - 4-wire 64 kbps combination - Per															
	per month			UNCDX	1L5XX	0.0057										
Intero	office Transport - Dedicated - 4-wire 64 kbps combination -															
Facilit	lity Termination per month		5.5	UNCDX	U1TD6	7 83	66 53	33.61	43.42	27.60						l.
	recurring Currently Combined Network Elements Switch -As-Is			ad the desired over	200001 A 2004 20 A 10 A		907									
Charg				UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC					120.20									
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94 195.94	36.38 36.38	18.42	6.86						_
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86			_			
month	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0057								l li		
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility		_	ONCOA .	ILSAA.	0.0037			-	_				-		
	nination per month		ļ.	UNCDX	U1TD5	7.83	66.53	33.61	43 42	27.60						L
	recurring Currently Combined Network Elements Switch -As-Is				1	23500	30.03	00.01		E. 7.50			_			
Charg				UNCDX	UNCCC		5 70	5.70	6.61	6.61						1
EXTENDED 4	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA	NSPORT												
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6 86					_	
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	28 36	195 94	36.38	18.42	6.86						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per				ar mark											1
month				UNCDX	1L5XX	0.0057										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LILIODY.	TDG	7.55	00.55									į.
	nination per month		_	UNCDX	U1TD6	7 83	66.53	33 61	43 42	27.60						
	recurring Currently Combined Network Elements Switch -As-Is			HNCDY	UNCCC		5.70	E 70	6.61	6.61						į.
TIONAL NETWO				UNCDX	UNCCC		5.70	5.70	10.0	0.61						
	as a part of a currently combined facility, the non-recurring	cherr	e de -	ot apply but a feet	toh Ac Is shares	dose apply										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
		1				Rec	Nonrecu	irring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne app	lies to each comb	ination)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
Miscell	aneous	T														
	NRC - Order Coordination Specific Time - Dedicated Transport	1		UNC1X	OCOSR		18 89	18 89								
NP Query Sen	vice		100													

Page 24 of 71

HOUNDLE	ED NETWORK ELEMENTS - Kentucky	_	_			1	_				0 . 0 .		7,75,75,75	ment: 2	57,500,00	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						1	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	aphically De	eaveraged UNE Z	ones. To view	Geographicall	y Deaveraged L	INE Zone Desig	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm			1								_		
	: (1) CLEC should contact its contract negotiator if it prefers the	"etato e	pacific	"OSS charges as ord	ared by the	State Commission	ns The OSS c	harane curren	ly contained in	this rate exhil	ait are the R	allSouth "re	gional" seguir	o ordering of	arges CLEC	mayoloot
	the state specific Commission ordered rates for the service orde															
NOTE	(2) Any element that can be ordered electronically will be billed	accordi	ing to t	he SOMEC rate listed	in this cate	gory. Please refe	er to BellSouth	's Local Orderi	ng Handbook (	LOH) to determ	ine if a prod	luct can be	ordered electr	onically. For	those element	ts that cann
be ord	dered electronically at present per the LOH, the listed SOMEC rate	in this	catego	ry reflects the charge	that would	be billed to a CL	EC once electr	onic ordering	capabilities co	me on-line for t	hat element	. Otherwise	, the manual	ordering char	ge, SOMAN, w	ill be applie
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
NE SERVICE	DATE ADVANCEMENT CHARGE				SUMMY.		1.00	0.00.	0,33	0.00						
	: The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No.1 Tariff, Section 5	as applicab	ole.										
RDER MODI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UEF, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC. USL. UTT12, UTT48, UTTD1, UTT03, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UC1BC,	SDASP		200.00									
_	Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)						33.37	0.00	0.00	0.00			-	-		
NBUNDIED	Order Modification Additional Dispatch Charge (OMCAD)     EXCHANGE ACCESS LOOP						150 00	0.00	0.00	0.00		-				
	E ANALOG VOICE GRADE LOOP										-			-	-	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	-					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22 57	26 65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46 66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1 2	UEANL	UEASL	10.56 15.34	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65						
(F)	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	31.11	46.66	22.57	26.65	7.65						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					-			21.00			-				
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-	5 5	- 3	UEANL	URETA		24.16	24.16	- Y				-		-	
	SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.78	8.94								
	puriodificied voice Loop, Non-Design voice Loop, ching for BS1			I		1					1			I	1	

SUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
		-	_			Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								1
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		23.01	23.01								
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6 65						
_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEO	UEQ2X	13.19	44.97	20.89	25.64	6.65						
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		_	UEQ	URETL		8.33	0.83								1
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			V-1-12												
	Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST													1		
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49							44.	
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour			UEO	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
	ND)			UEQ	UREWO		14.27	7.43								Lance Control
UNDLED	EXCHANGE ACCESS LOOP															-
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81 87	73.65	14 88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					-			1.533.5						1	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88	1				1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	12 67	134 89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	OD.	OD III	12.01	104 03	01.07	13,03	14.00	1					
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	-	Ohars.	OLMIZ	11.70	107.00	01,01	75.00	14.00					-	_
- 1	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88	1 1					
	CLEC to CLEC Conversion Charge without outside dispatch		1 3	UEA	UREWO	33.22	87.72	36.36	75.05	14.00						+
	Loop Tagging - Service Level 2 (SL2)	-	_	UEA	URETL		11,21	1.10		_				_		
4-WIRE	E ANALOG VOICE GRADE LOOP	-	_	UEA	OKEIL		11.21	1,10								
4.44075	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66	-				+	
_	4-Wire Analog Voice Grade Loop - Zone 2	-	2	UEA	UEAL4	34.25	164.11	112.36		18.66						_
+-	4-Wire Analog Voice Grade Loop - Zone 3	_	3	UEA	UEAL4	85.06	164.11	112.36		18.66						-
	CLEC to CLEC Conversion Charge without cutside dispatch	_	1 3	UEA	UREWO	83.00	87.72	36.36	70.91	10.00						-
2 MIDE	EISDN DIGITAL GRADE LOOP	-	-	UEA	UKEWO		07.72	36.36	-						-	_
S-AAIL E		-	1	LIDNI	LIII DV	10.44	146.77	05.00	74.20	42.02						-
_	2-Wire ISDN Digital Grade Loop - Zone 1	+		UDN	U1L2X	18.44	146.77	95.02	71.38	13.83				1		-
-	2-Wire ISDN Digital Grade Loop - Zone 2	-	2	UDN	U1L2X	25.08	146.77	95 02	71.38	13.83	-				+	
-	2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X	42.87	146.77	95.02	71,38	13.83		_				
2 1400	CLEC to CLEC Conversion Charge without outside dispatch	IDI F : -	00	UDN	UREWO		91.63	44.16				-				-
Z-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	UP		-				-					-		-
	2 Wire Unbundled ADSL Loop including manual service inquiry &				LULY AV	10.5-		70	00.00							
	facility reservation - Zone 1	+	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47					-	-
	2 Wire Unbundled ADSL Loop including manual service inquiry &							52.55	7	11.52						
_	facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11,47						
	2 Wire Unbundled ADSL Loop including manual service inquiry &				and the second second		4 100 100 100		20.00000	848 1203						
	facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						-
	2 Wire Unbundled ADSL Loop without manual service inquiry &		103		1777	1000	V-same	122		200						
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54					1	
	2 Wire Unbundled ADSL Loop without manual service inquiry &									- 0						
-	facility reservator - Zone 2		2	UAL	UAL2W	11,79	121.18	69.00	69 09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOC	P													
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1		1												
	2 Wire Unbundled HDSL Loop including manual service inquiry 8		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						

	D NETWORK ELEMENTS - Kentucky	T			T T						Suc Order	Suc Order	Incremental	ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	всѕ	USOC			RATES(\$)					Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)	,	
		_				,,,,,,	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &									100120						
	facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69 09	11.54			-			
	2 Wire Unbundled HDSL Loop without manual service inquiry and										i					
-	facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		_			9.56	400.74	70.50	00.00	11.54						
	facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54	_				-	-
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3		UHL2W	10.61	130.74	70.50	00.00	11 54						1
_	facility reservation - Zone 3	-	3	UHL	UREWO	10.61	86.14	78.56 40.40	69.09	11.54						-
4 WID	CLEC to CLEC Conversion Charge without outside dispatch  E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	15100	2	UHL	UREWU		86.14	40.40								-
4-WIR		SLE LUC	Р													_
1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	111111111	13.95	185.75	122.50	74.95	14 69						
+	4-Wire Unbundled HDSL Loop including manual service inquiry and		1	UNL	UHL4X	13.95	163.75	123.50	74.95	14.69	+				_	-
	facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69					1	
+	4-Wire Unbundled HDSL Loop including manual service inquiry and	-	2	UITL	UNL4X	12.06	165.75	123.50	74.95	14.09						-
	facility reservation - Zone 3		3	UHL	UHL4X	16,98	105.75	123.50	74.95	14 69						
+	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14 69						
	facility reservation - Zone 1		1	UHL	UHL4W	13.95	164,95	114.04	77.32	15.80	1					
+-	4-Wire Unbundled HDSL Loop without manual service inquiry and	_	1	UNL	OHL4VV	13.93	164,95	1 1-44, L144	11.32	13.00						_
	facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
-	4-Wire Unbundled HDSL Loop without manual service inquiry and		- 2	UNL	UNLAW	13.00	104.93	114,04	11.32	15.00						
	facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						ĺ
+	CLEC to CLEC Conversion Charge without outside dispatch	-	3.	UHL	UREWO	10.50	86.14	40.40	11.32	15,00			_			
1-WID	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	_		One	OKEWO		50.14	40.40			-		1			
4-110	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
-	4 Wire Unbundled Digital 19.2 Kbps	<del>                                     </del>		UDL	UDL19	32 48	157.81	106.06	78.91	18.66	17					
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	36.37	157.81	106.06	78.91	18 66			-			
1	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
1	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18,66						-
	4 Wire Unbundled Digital Loop 56 Khps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78 91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.59	157.81	106.06	78.91	18.66					-	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	36 37	157.81	106.06	78.91	18.66						
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO		102.13	49.75		7/0-						
2-WIR	E Unbundled COPPER LOOP										U 3					
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54	1					
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
1	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54	1					
	2-Wire Unbundled Copper Loop-Designed without manual service.															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12 87	120.15	67.97	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
_	Des)			UCL	UREWO		97.23	42.48								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and			The second secon												
	facility reservation - Zone 1	-	1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zona 2		2	UCL	UCL4S	17.36	170.31	108 06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and					1.400			1 1 1 1 1 1							
	facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14,69						
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 3	1	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						1

TOUNDLE	D NETWORK ELEMENTS - Kentucky			г	,						0.0:	10.00	Attach			bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		201150	COMAN		Rates(\$)	COMAN	SOMAN
_	CLEC to CLEC Conversion Charge without outside dispatch (UCL-					-	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Des)			UCL	UREWO		97.23	42.48								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
				UEA, UDN, UAL,												
OOP MODIFIC	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL	-	23.01				-					
OP MODIFIC	ATION	-	-	UAL, UHL. UCL,	+											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEQ, ULS, UEA, UEANL, UEPSR,	1			50.								
	less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less		-	UEPSB	ULM2L		9.24	9.24								-
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9 24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEQ. ULS, UEA, UEANL, UEPSR,												
0.10000	unbundled loop			UEPSB	ULMBT		10.47	10.47		- Indiana						
B-LOOPS	pop Distribution															
300-20	Distribution				1											
-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	- Î		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	. 1		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			Transition .												
	Set-Up	-		UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			UEANL	USBSD		45.04	45.04								-
_	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	_	1	UEANL	USBN2	6.34	85 03	39.05	59.81	7.90						-
	2	1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
11	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMG		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			UEAINL	USBING		9.00	9.00	-							
	1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	-	UEANL	USBR2	2.57	68.35	22.36	59.81	7.90					_	
	and the same that the same tha					2.01	VVUS	22.30	55.51							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4 98	76 49	30.51	65.24	10.88						1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBMC URET1		9.00 46.88	9.00								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-	-	UEANL	URETA		24 16	24.16								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90		-				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	7.06	85.03	39.05	59 81	7.90		V			7	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59 81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-		UEF	USBMC	7.00	9.00	9 00	25.0	10.5-						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-		UEF	UCS4X UCS4X	7.09 8.66	102.31 102.31	56.32 56.32	65.24 65.24	10.88	-	-				
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF	UCS4X UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		9	UEF	USBMC	15,40	9 00	9.00	00.24	10.00						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8 94	0.88								

MRONDLE	NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring			1		Rates(\$)		
	Loop Testing - Basic 1st Half Hour		_	UEF	URET1		First 46.88	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Hell Hour	-		UEF	URETA		24.16	24.16	<del>                                     </del>							
Unbun	dled Sub-Loop Modification	-	-	OL!	SKETA		24.10	24.10	1		1					
0.100	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		-													
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23							_	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
	юор			UEF	ULMBT		7.97	7.97		Υ						
Unbun	dled Network Terminating Wire (UNTW)															
Net	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								11-
Netwo	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines		_	UENTW	UND12		73.53	49.47		-		-		-		
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-8 lines				UND12 UND16		115.96	91.91				-				
	Network Interface Device (IND) - 1-6 lines  Network Interface Device Cross Connect - 2 W	-		UENTW	UNDC2		8 56	8.56								-
	Network Interface Device Cross Connect - 2 W		_	UENTW	UNDC4		8.56	8.56								
NE OTHER. P	ROVISIONING ONLY - NO RATE						0.50	0.50		-						
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
The second	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEO,UE NTW	UNECN	0 00	0,00									
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL	UNECN	0.00	0.00									
OP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	имкма		0.67	0.67								
NE SHARING	: The Line Sharing monthly recurring rates for all installations	complete	od fran	n Ostobor 02, 2002 th	rough midal	aht Oatabar 01	2004 shall be b	illad as fallow			1					
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				rough midni	gnt October 01, 2	ZUO4 SITAN DE D	med as follow	73.							
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	Jer 100p I	1011-01	esigned Court /												
NOTE	i: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND I: Above will apply to USOCS: ULSDT and ULSCT															
"NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD HARING	C and Ul	scc	applies only to circui	ts installed a	nd inservice on	or before Octo	ber 1, 2003								
	ERS-CENTRAL OFFICE BASED			i ele												1
	Line Sharing Splitter, per System 96 Line Capacity				ULSDA	198 83	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, per System 24 Line Capacity				ULSDB	49.71	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16 94	377.71	0.00	357.29	0.00						
	Line Shanng-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100 40	0.00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING														/ = = = = = = = = = = = = = = = = = = =	
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2			ULS	ULSDC	0 61	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1															
-	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST	-		ULS	ULSDT	7.94	37.16	21.28	20.17	9.90	-					
	Owned Spitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		32 90	16.43			-		_			l.
_	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -	-	-	ULS	ULSCS		32.90	16.43								
	OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	47.44	19 31	20 67	12 74						

NRONDLI	ED NETWORK ELEMENTS - Kentucky	,	,	,	4									ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
		-	-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1					1	1									
1	(E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter -			023	02001	2.00	47.44	15.51	20.01	12.19		-				
	Central Office Located (50% of UCLND) - please see NOTE 1					İ									1	
	(E:10/2/2004)		1	ULS	ULSCT	5.29	47.44	19.31	20.67	12 74						
	Line Share Service, TRO per line activation, CLEC owned splitter -														1-	
	Central Office Located (75% of UCLND) - please see NOTE 1						1200		20.00	79.20						
****	(E:10/2/2005)	-	-	ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
MAIN	No Trouble Found - per 1/2 hour increments - Basic	1	-				80.00	55.00							1	_
	No Trouble Found - per 1/2 hour increments - Overtime	+	-		+ +		120.00	82.50		-						-
	No Trouble Found - per 1/2 hour increments - Premium				1 1		160.00	110.00							1	
NBUNDLED	D DEDICATED TRANSPORT							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			Laboration of												
	Per Mile per month		-	U1TVX	1L5XX	0.01									-	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LIATION	U1TV2	20.44	47.24	24.70	22.77	0.75						
	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		+	U1TVX	01172	29.11	47.34	31.78	22.77	8.75	-			-		
	Rev Bat, - Per Mile per month			U1TVX	1L5XX	0.01					1					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1		OTTVA	IESAA	0.01			-							
	Facility Termination			U1TVX	U1TR2	29.11	47 34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1	1								-					
	Per Mile per month	1		U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
	Facility Termination			UITVX	U1TV4	25.86	47.34	31.78	22.77	8.75						-
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0115	1									
_	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	+		UTIUX	ILSXX	0.0115					-				-	
	Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per				0,1.00	20.01		01110		00						
	month			U1TDX	1L5XX	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	UITD6	20 97	47.35	31.78	22.77	8.75						
IGNALING (		-	-	1100	TPP6A	00.74	10.50	10.50	22.45	20.45					1	
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	+	-	UDB	TPP9A	20.71	43.56	43.56 43.56	22.45	22.45 22.45						-
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	+	-	UDB	TPP6B	20.71	43.56	43.56	22.45	22.45				_		
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46 02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code						- Justine									
044 05501//0	Establishment or Change, Per Stp Affected	-	-	UDB	CCAPD		46.02	46.02	56.43	56.43						
911 SERVIC	Local Channel - Dedicated - 2-wr Voice Grade		-		+ +	18.57	265.78	46.96	46.79	4.98						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1		-		0.0115	203.70	49.50	40.73	4.50					+	-
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	0.0113										
	Termination					29.11	47.34	31.78	22.77	8.75						
	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07		7				
	Local Channel - Dedicated - DS1 - Zone 2	-				43.39	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated - DS1 - Zone 3	-	-		+ +	164.50	209.60	176.51	30.21	21.07						-
	Interoffice Transport - Dedicated - DS1 Per Mile		-			0.23					-				-	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20 49						
NHANCED	EXTENDED LINK (EELs)		+		-	30.04	100.32	30.40	23.09	20.49						
	E: The monthly recurring and non-recurring charges below will a	pply and	the Sv	vitch-As-Is Charge	will not apply to	r UNE combina	tions provision	ed as " Ordina	rily Combined'	Network Eleme	ents.				T -	
NOT	E: The monthly recurring and the Switch-As-Is Charge and not th	е поп-ге	curring	charges below wi	II apply for UNE											
EXTE	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	RADEIN														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12:67	125.22	60.48	59.69	7.84						
	2-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL2	17.45	125.22	60.48	59 69	7.84						

	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual : Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)	1 2211111	1 2200
-						- 1	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23 95	98.89	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			5				0.00	1.5							
FYTE	Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						-
EXIEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	CAUE IN			UE O. A	00.00	105.00	02.10	59.69	701						-
_	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	29 26	125.22	60 48		7.84						
-	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					-	-
	4-WireVG Loop in combination - Zone 3	- 112	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						_
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination				DOCUMENTS.	100 100 100	46.45		2007.000							
+	per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42				12.11		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11_17	11.17						
EXTER	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FEICE		514000		0.90	0.30	71-17	11:17						<del></del>
- L.	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	27 59	125.22	60.48	59 69	7 84						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32 48	125.22	60.48	59.69	7.84						
-	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		_	UNCDX	1L5XX	0.01	1000	001.10	00.00							
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONCOX	ILDAX	0.01										
	Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is		-	UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11,17						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	FFICE													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27,59	125 22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
1	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125 22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is		-	ONCDA	01100	11.23	30.03	33.07	30.31	22.42						
	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTER	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	POFFIC	FTDA		ONCCC		0.50	0.30	Date	11.17						_
LATE	First 4-wire 56 kbps Local Loop in combination - Zone 1	10.71		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 2	_		UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per				-											
	month			UNCDX	1L5XX	0.01										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				LUSSELL.			.252								
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42					-	
1	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11_17						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC					0.5									
- 2	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCOX	UDL64	32 48	125.22	60.48	59.69	7.84						
-	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNÇDX	U1TD6	17 25	98 09	53.67	56.31	22 42		3			1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	11 23	8.98	8.98	11.17	11.17						
IONAL P	ICHarge IETWORK ELEMENTS			UNCDX	UNCCC		8.98	8.98	11.17	11.17					-	
	used as a part of a currently combined facility, the non-recurring	charge	s do no	ot apply, but a Swite	ch As Is charge	does apply.										
	used as ordinarily combined network elements in All States, the						not.									
1111611																
	curring Currently Combined Network Elements "Switch As Is" Cl Nonrecurring Currently Combined Network Elements Switch -As-Is	narge (O	ne app	lies to each combin	nation)											-

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrect	ırring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
Misce	llaneous									14-						
	NRC - Order Coordination Specific Time - Dedicated Transport	1	1000	UNC1X	OCOSR		18.87	18.87								
LNP Query Se	rvice															

ADOIADE	D NETWORK ELEMENTS - Louisiana					1			1.84		Sun Orde -	Sun Orde	Incremental	ment: 2 Incremental	Incremental	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR		Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron Disc Ado
						Rec		curring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'I	First	Add'l			SOMAN		SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	aphically De	averaged UNE	Zones. To view	Geographical	ly Deaveraged I	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm													
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	7-1-1-		1000-1		State Camaria	71. 000		11	41-1	Litera di a B	-110 - 11-11-1			0/ 50	
	<ul> <li>(1) CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the service orde</li> </ul>															
	the state specific Commission ordered rates for the service ordered (2). Any element that can be ordered electronically will be billed															
	lered electronically at present per the LOH, the listed SOMEC rate															
De Oit	OSS - Electronic Service Order Charge, Per Local Service Request	111111111111111111111111111111111111111	Latego	I reflects the charge	that would	The billed to a C	I Once elect	I	Lapaumites Co	the ott-time to:	Tat element	. Otherwise	, the manual t	l dernig char	e, SOMAN, W	in be app
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
-+-	OSS - Manual Service Order Charge, Per Local Service Request		-		SUMEC	-	3.50	0.00	3.50	0.00	-				-	-
	(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00				, and the second		
E SEDVICE	DATE ADVANCEMENT CHARGE		-		SOWAN		13.20	0.00	13.20	0.00						
	: The Expedite charge will be maintained commensurate with Be	110	- 500	No 4 Tariff Castian E	lib	i.			-							
NOTE	I ne Expedite charge will be maintained commensurate with Be	IISouth	SFCC	No.1 Taritt, Section 5	as applicab	ie.		_								
DER MODI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UDL, UENTW, UDN, UEA, UHL, ULC, USL, UHT12, UHT48, UHTD1, UHT03, UHTD1, UHT03, UHTD1, UHT03, UHTD1, UHT04, UCHC, UNLD3, ULD03, ULD03, ULD03, ULD04, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCXX, UNCDX, UNCXX, UXXX,  SDASP		200.00										
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP	5 5														
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12 90	36 54	16.87				N				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23 33	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48 43	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36 54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1			UEASL	48.43	36.54	16.87								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			1												
	Premise	in .		UEANL	URETL		8.33	0.83		l						
_	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00						-		
_	Loop Testing - Basic Additional Half Hour	7		UEANL	URETA		19.28	19.28							-	<del>                                     </del>
-	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.75	8.93								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		-	UCANL	UKEWO	-	15.75	0.93			-					-

PIABOMOL	ED NETWORK ELEMENTS - Louisiana		_	T							1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Manual Son Order vs Electroni Disc Add
_		-	-			Rec	First	urring Add'l	Nonrecurring D First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		7.92	7.92		Addi	SOMEC	JOMAN	JONIAN	SOMALI	JOHIAIT	JOHIAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per	-		OLUME	- JOD WILL		1.02									
	LSR)			UEANL	ocosL		17.56	17.56								
2-WII	RE UNBUNDLED COPPER LOOP - NON-DESIGNED				00000											
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1 1	1	UEQ	UEQ2X	12.40	35.27	15.60								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	14.32	35.27	15 60						·		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	16.87	35.27	15.60					-			1257
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				100000			***************************************								
	Premise		1	UEQ	URETL		8.33	0.83								
2-10-2	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
	providing make-up (Engineering Information - E I.)			UEQ	UEQMU		13.04	13.04								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19 28	19.28								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	-														
	ND)			UEQ	UREWO		14.25	7.42								
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-Wif	RE ANALOG VOICE GRADE LOOP															
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65 72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1000	-													
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65 72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1													
	Battery Signaling - Zone 1		1	UEA	UEAR2	14,93	102.10	65.72							1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-		100			002								
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	-	02.	J. T.	20.00		-								
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72				-				
	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO	501.15	87.59	36.30								
	Loop Tagging - Service Level 2 (SL2)		-	UEA	URETL		11.20	1.10								
4-WI	RE ANALOG VOICE GRADE LOOP			041	O.I.E.		11.60									
7.11	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	30.81	127,40	91.02							-	
-	4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.32	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	60.39	127.40	91.02								
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO	00.00	87.59	36.30				-				
2-WIF	RE ISDN DIGITAL GRADE LOOP	+		OLA	ONLINO		67 100	30.30								
2-440	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	22.09	113.34	76.96					-	-	-	
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 3	1		UDN	U1L2X	65.18	113.34	76.96			-					
	CLEC to CLEC Conversion Charge without outside dispatch		3	NDN	UREWO	05,10	91.49	44.09								
2-W/I	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLETO	OP	0014	OILLIVO		31.45	44.03								
7-441	2 Wire Unbundled ADSL Loop including manual service inquiry &		7.									0.75				
	facility reservation - Zone 1		-1	UAL	UAL2X	12.29	117.08	68.36					1			
	2 Wire Unbundled ADSL Loop including manual service inquiry &	+	10	- AL	UNLEA.	12.23	.17.00	00.30	<del>                                     </del>						+	
	facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-		Unicari	17,05	117.00	00.00								
	facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36								
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	1-1-	V/ WE/1	19/13	. 17.353	00,00						1		
	facility reservaton - Zone 1		1	UAL	UAL2W	12 29	92 83	56.02								
_	2 Wire Unbundled ADSL Loop without manual service inquiry &				V											
	facility reservation - Zone 2		2	UAL	UAL2W	14 09	92.83	56.02							1	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-		O'LLETT.	- 00	02.50	00.02								
	facility reservation - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
	CLEC to CLEC Conversion Charge without outside dispatch		-	UAL	UREWO		86.07	40.34			1					
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLELOC	P	-/ 14	51,2110		00,07	40.54								
2-5411	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	1													
1	facility reservation - Zone 1		1	UHL	UHL2X	9.79	125 50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry &				J.IJEA	9.13	.25.50	10.77								
	facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77	1					1		

HOUNDLE	D NETWORK ELEMENTS - Louisiana				-						[ S	S C		ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
_					-	Rec	Nonrec		Nonrecurring D		COMEC	COMAN		Rates(\$)	COMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &	-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	facility reservation - Zone 3		3	UHL	UHL2X	12.74	125 50	76.77								
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	OFIC	OTILEA	12.14	123 30	10,77			-					
	facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64 43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and			100		1000										
_	facility reservation - Zone 3		3	UHL	UHL2W	12.74	101 24	64.43								
4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	15100	<u></u>	UHL	UREWO		86.00	40.34	-							
4-AAIL/C	4 Wire Unbundled HDSL Loop including manual service inquiry and	T	1													
	facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and		-	0.12		7,0.0	100.00	10.101								
	facility reservation - Zone 2		2	UHL	UHL4X	16.65	153 26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and							0.00000								
_	facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92 20								
_	4-Wire Unbundled HDSL Loop without manual service inquiry and		1 -2	UNL	IUHL4VV	10.03	129.00	92 20	1							
	facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								1
	CLEC to CLEC Conversion Charge without outside dispatch		-	UHL	UREWO		86.00	40.34								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	30.99	121 86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-	1	UDL	UDL56	30.99	121.86	85.48			-		_			_
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		2	UDL	UDL56 UDL56	36.78 38.92	121.86 121.86	85.48 85.48							_	
+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	_		UDL	UDL64	30.99	121.86	85.48								-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48								
ole la	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service		3.0	Sign.			1102.1101	100000								
-	inquiry & facility reservation - Zone 1  2-Wire Unbundled Copper Loop-Designed including manual service	_	1	UCL	UCLPB	12.29	116.18	67.46								
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	14.09	116.18	67.46						1		
	2 Wire Unbundled Copper Loop-Designed including manual service		- 2	OCL	OCLFB	14,09	110.10	07.40							_	
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67 46								
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 2	-	2	UCL	UCLPW	14.09	91.92	55.12			-					
	2-Wire Unbundled Copper Loop-Designed without manual service		3	UCL	UCLPW	16.75	04.00	FE 10								
-	inquiry and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch (UCL-		3	UCL	UCLPW	15.75	91.92	55.12								
	Des)			UCL	UREWO		91.92	42.47	1 1							
4-WIRE	COPPER LOOP	120		000	0.12.10	8	002			-	7					
	4-Wire Copper Loop-Designed including manual service inquiry and										1 1 1					
	facility reservation - Zone 1		1	UCL	UCL4S	22.27	139 69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry and					Maria de la companio	SAUDENCE A	100000								
-	facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								-
	4-Wire Copper Loop-Designed including manual service inquiry and		,	UCL	1101.45	10.99	139.69	90.96								1
	facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and		3	UCL	UCL4S	10.99	139,69	90.96						-	-	-
	facility reservation - Zone 1		1	UCL	UCL4W	22 27	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry and		_		332711		0									
1	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78 63								
	4-Wire Copper Loop-Designed without manual service inquiry and												1			
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								

	D NETWORK ELEMENTS - Louisiana				1					Suc Order	Suc Order	Incremental	ment: 2	Incremental	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrect		Nonrecurring Disconnec				Rates(\$)		
		-	-			Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-			Francis .	- SA										
	Des)		-	UCL	UREWO		91.92	42.47							
_	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC		7.92	7.92							
	0.4.0			UEA, UDN, UAL,	2000		47.50								
OP MODIFIC	Order Coordination for Specified Conversion Time (per LSR)		-	UHL, UDL	OCOSL		17.56								+
JF MODIFIC	CATON	-	-	UAL, UHL, UCL,	-										_
				UEQ, ULS, UEA,											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,											
	less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00		M.C.					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less									N. Committee					-
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00							
				UAL, UHL, UCL,											
	100 MO. 1000 MA 10			UEO, ULS, UEA,											
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,			2.00								1
	unbundled loop		_	UEPSB	ULMBT		12.15	12.15							
B-LOOPS	B' - C' -				-					_					-
Sub-Li	oop Distribution		-					_							_
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		144.09	144.09							
	300-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Op	-	_	UEAINL	USBSA		144.09	144.09							-
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1 1		UEANL	USBSB		10.99	10.99							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			CEPTITE	-		10.00	10.00							
	Set-Uo	1		UEANL	USBSC		86.16	86.16							
					TOTAL STATE OF THE										
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		27.13	27.13							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone														
	1	1	1	UEANL	USBN2	7.57	63.89	30.06							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone														
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	12.75	63.89	30 06						_	+
	2 2- Ville Analog Voice Grade Loop - Zone		3	UEANL	USBN2	21.45	63.89	30.06							
		-	3	UCAINL	OSBINZ	21.43	03.03	30.00		+					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone				000000										
5	1		1	UEANL	USBN4	11.76	76.75	42.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			/						14		i			
	2		2	UEANL	USBN4	16.84	76.75	42.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone				5 do 2	in the	0.00								
	3		-3	UEANL	USBN4	19.27	76.75	42 92							
				UEANL	USBMC		7.00	7.00							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.91	7.92 51.48	7.92 17.65							
	Sub-Loop 2-vviile intraodicing Network Cacle (INC)		-	UEAINL	USBRZ	2.91	31.40	17.05							+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	,		UEANL	USBMC		7 92	7.92							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71							
1/1															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00							
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28							
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	6.26	63.89	30.06							-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	10.07	63.89	30 06				-			
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12.70	63.89	30.06		-	-	-			-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	8.03	76.75	42.92		_					+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	10.71	76.75	42.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.08	76.75	42 92							
				2000		70000									
	Parameter of the state of the s	I		UEF	US8MC		7.92	7.92			1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			00.	COUNT		1.52	7.104							

UNBUNI	JLED	NETWORK ELEMENTS - Louisiana					,					,			ment: 2		bit: A
CATEGOR	₹Y	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
				-			Rec	Nonrec First		Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour		-	UEF	URET1		33,17	Add'I 0.00	First	Addi	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
-		Loop Testing - Basic Additional Half Hour		-		URETA		19 28	19 28	1							
111		fled Sub-Loop Modification	_	-	UEF	OKEIA		13.20	15 20	-		1			-		
- 01	T T	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	_	_							-	1					
		Coll/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip				S-2-136-7		4.00	10.00								V.
		Removal per 4-W PR			UEF	ULM4X		0.00	0.00						1		
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
		loop			UEF	ULMBT		224.55	4.29								
U		fled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72		a Tanahaman and						
Ne		k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43								
-		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5 73	5.73								Y
UNIT OTHE		Network Interface Device Cross Connect - 4W		- 9	UENTW	UNDC4		5.73	5.73					_			
UNEOTH		ROVISIONING ONLY - NO RATE		- 0	LIEUTEN A	I IA IBBY	0.00	0.00									
_		NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UNDBX	0.00	0.00									
_	-	UNITY CIrcuit id Establishment, Provisioning Uniy - No Rate	_	-	UEANL,UEF,UEQ.UE	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
	-	Onlock Contract (Varie, Provisioning Only - No Kate		-	UAL,UCL.UDC,UDL	ONECIA	0.00	0.00				_		_			
	- 1	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA,UHL	UNECN	0.00	0.00									
LOOP MAI	KF-UE	onsurate Contact Name, Provisioning Only - no rate			ODIN, OLA, OFFIC	DIVECTA	0.00	0.00		-		-				-	
1		Loop Makeup - Preordering Without Reservation, per working or														-	
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual)			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or spare			The same of the sa												
		facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE SHAI																	
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	rs:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copp	er loop	non-d	esigned ("UCLND")												
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND										-					
		: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULSD	C 1	11 500		to installed a	ad lassacias as	b-( O-t-	h 1 2002	-		-					-
		ARING	C and L	LSCC	applies only to circui	ts installed a	ind inservice on	or before Octo	ber 1, 2003			-					
		ERS-CENTRAL OFFICE BASED	_	-													
- 10,		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00	+		-					
		Line Sharing Splitter, per System 24 Line Capacity				ULSDB	46.79	183.33	0.00								
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.59	183.33	0.00								
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation						20.30	2.00								
		(per LSOD)			ULS	ULSDG		83 98	0.00								
EN	ND US	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see "NOTE 2			ULS	ULSDC	0 61	17 97	10 29							1 4	
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25 % of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	3.10	17 97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.20	17.97	10 29								
_		Line Share Service, TRO per line activation, BST owned splitter -		-	ULS	ULSUI	8.20	17.97	10 29	<del>                                     </del>		_					
		Central Office Located (75% of UCLND) - please see NOTE 1						- 1									
		(E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29								
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST			0.00	OCOD!	2.00	1.00	1 10 14 17								
		Owned Splitter)			ULS	ULSDS		15.91	7.95								
		Line Sharing - per Subsequent Activity per Line				2000			. 50								
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95								
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
		OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	47.44	19.31								

NRONDLE	NETWORK ELEMENTS - Louisiana	,												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual Si Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring		I			Rates(\$)	1	
	Line Share Service, TRO per line activation, CLEC owned splitter -						First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3 10	47,44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47 44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47 44	19 31								
MAINT	ENANCE	-	1	003	OESCI	3.30	47.44	19.31		-					-	
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00		-11						7
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110 00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT								100000							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination  Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			U1TVX	U1TV2	22.60	39.36	26.62				6				
	Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade  Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.013										
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	22.60	39.36	26.62					-			
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			U1TVX	1L5XX	0.013					<u> </u>					
	Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62	1							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UtTDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								
SNALING (CO	CS7)		İ													
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Connection, Per DS1 level link (A link)		2	UDB	TPP6A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known			UDB	TPP9A	15.77	34.50	34.50								
	as D link) CCS7 Signaling Connection, Per DS3 level link (B link) (also known			UDB	TPP6B	15.77	34.50	34.50	-							
-	as D link) CCS7 Signaling Point Code, per Originating Point Code			UDB	TPP9B	15.77	34.50	34.50								
	Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code	-	-	UDB	CCAPO		28.17	28.17	-							
11 SERVICE	Establishment or Change, Per Stp Affected		-	UDB	CCAPD		28.17	28.17								
I	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187,51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.013	00.55	00.00								
-	Termination  Local Channel - Dedicated - DS1 - Zone 1	+	-			22.60 39.18	39.36 172.34	26 62 149 27		-	-					_
	Local Channel - Dedicated - DS1 - Zone 1		-			121.58	172.34	149.27			-					
	Local Channel - Dedicated - DS1 - Zone 3	-				70 02	172.34	149.27								
	Interoffice Transport - Dedicated - DS1 Per Mile	-				0.2652	.,,,,,,,	1-0.21								
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44								
DIANCEDEN	TENDED LINK (EELs)		1							1						

TOUTDLED	NETWORK ELEMENTS - Louisiana	-	_					_			I		ment: 2		bit: A
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge
					1	Rec	Nonrec		Nonrecurring Disconne		1 0011111		Rates(\$)		
NOTE: T	he monthly recurring and the Switch-As-Is Charge and not the	DO0-100	uerine	charges below will	apply for UNE	combinations	First provisioned as	Add'i	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR				apply for the	Combinations	provisioned as	Currently Co	TIDITED NEWOLK Element	3.		-			
	2-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL2	14.93	94.21	45.09							
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09		5					
	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	50.46	94.21	45.09							
1	2 TYTE YO LOOP BY COMMISSION - ZOINS 3		-	OHOYA	ODICE	50.40	2021	45,05	t		1				
1 1	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.013						0			-
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			014077	TESTA	0.010		_			1				
	per month			UNCVX	U1TV2	22 60	72.60	41.75							
	Nonrecurring Currently Combined Network Elements Switch -As-Is			5.101%	0.1.72	22.00	72.00	341.70							
	Charge			UNCVX	UNCCC		5.43	5.43							
	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	ADE IN	FROE		0.1000		2.70	5.40			+	-			
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	30.81	94,21	45.09			†	_			
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38.32	94.21	45 09				-			
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	60.39	94.21	45.09							
			J		100,004	00.00	24.21	40.03							
	Interoffice Transport - 4-wre VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.013									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			V1107A	1-5/0	0.013	the second								-
	per month			UNCVX	U1TV4	19.81	72.60	41.75							
	Nonrecurring Currently Combined Network Elements Switch -As-Is			GINCVX	01104	13.01	72.00	41.75	1		-				
	Charge			UNCVX	UNCCC		5 43	5.43							
	Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FFICE		UNCCC		5 43	5,43		-					-
		INTERU			LIDI SO	20.00	94.21	45.00		_	+		-		+
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09			-			-	-
	4-wire 56 kbps Local Loop in combination - Zone 2			LINCDX	UDL56	36.78		70,00			-				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09	1		-			-	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per			· many	.1.5101	0.010					1				
	Mile per month	-		UNCDX	1L5XX	0.013									_
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -										1				
	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41 75						-	
	Nonrecurring Currently Combined Network Elements Switch -As-Is				Citiza Made		7.00								
	Charge			UNCDX	UNCCC		5.43	5.43				-			
	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO								_	-				-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09			1				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09		_	-				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			0.0000	No.	5.00					1				
	Mile per month			UNCDX	1L5XX	0.013									1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						-								
	Facility Termination per month	-		UNCDX	U1TD6	15.61	72.60	41.75						-	
	Nonrecurring Currently Combined Network Elements Switch -As-Is				CHARGE 1		- 451	.011.7							
	Charge			UNCDX	UNCCC		5.43	5.43			-				
	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC				-						1			
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09			-				
	First 4-wire 56 kbps Local Loop in combination - Zone 2	- 3		UNCDX	UDL56	36.78	94.21	45.09			1				
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			1				
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			Consulation .		U									
	month			UNCDX	1L5XX	0.013				1	-				
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility														
	Termination per month			UNCDX	U1TD5	15.61	72.60	41.75			-	1			
	Nonrecurring Currently Combined Network Elements Switch -As-Is			11/1/22	A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A		-72-								
	Charge			UNCDX	UNCCC		5.43	5.43							
	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC													
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09							
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36 78	94.21	45.09							
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			A 2000 SERVICE	CONTRACTOR OF THE PARTY OF THE										
	month			UNCDX	1L5XX	0.013									
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility										1				
	Termination per month			UNCDX	U1TD6	15.61	72 60	41.75							
	Nonrecurring Currently Combined Network Elements Switch -As-Is				1										
	Charge			UNCDX	UNCCC		5.43	5 43			1				
OFFICIAL NE	TWORK ELEMENTS														

INBUN	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
							Kec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
V	Vhen u	sed as a part of a currently combined facility, the non-recurring	charge	s do no	t apply, but a Sw	itch As Is charge	does apply.										
٧	Vhen u	sed as ordinarily combined network elements in All States, the	non-red	urring	charges apply an	d the Switch As	ls Charge does	not.									
N	lonrec	urring Currently Combined Network Elements "Switch As Is" C	harge (C	ne appl	lies to each comb	ination)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
N.	fiscell	aneous						7									
	1000	NRC - Order Coordination Specific Time - Dedicated Transport	-		UNC1X	OCOSR		18.85	18.85								
NP Que	ry Sen	rice															_

	D NETWORK ELEMENTS - Mississippi					Ī					Svc Order	Syc Order	Incremental	ment: 2	Incremental	bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR	Charge -	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vi Electron Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as p www.interconnection.bellsouth.com/become_a_clec/html/interco			iation refers to Geogr	aphically De	eaveraged UNE Z	ones. To view	Geographicall	y Deaveraged (	INE Zone Desig	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	mectic	a.aun													
	: (1) CLEC should contact its contract negotiator if it prefers the	"state s	ecific	" OSS charges as ord	ered by the	State Commissio	ns. The OSS c	harges curren	tly contained in	this rate exhil	bit are the B	ellSouth "re	gional" servi	e ordering ch	arges. CLEC	may elect
	the state specific Commission ordered rates for the service orde															
	: (2) Any element that can be ordered electronically will be billed															
be ord	dered electronically at present per the LOH, the listed SOMEC rate	in this	catego	ry reflects the charge	that would	be billed to a CL	EC once electr	onic ordering	capabilities co	ne on-line for t	that element	. Otherwise	the manual	ordering char	ge, SOMAN, wi	ill be appl
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
_	OSS - Manual Service Order Charge, Per Local Service Request				SUMEC	-	3.30	0.00	3.30	0.00						
	(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
	DATE ADVANCEMENT CHARGE		Lelle													
NOTE	: The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										
RDER MODIL	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UDL, UENTW, UDN, UEA, UHIL, ULC, USL, UHIT12, UHT48, UHTD1, UHTD3, UHTD3, UHTD1, UHTD3, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHTD1, UHD1, UHD1, UHD1, UHD1, UHD1, UHD1, UHD03, UHD1, UHD03	SDASP		260 00									
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
DUNDIES	Order Modification Additional Dispatch Charge (OMCAD)  EXCHANGE ACCESS LOOP		_				150.00	0.00	0.00	0.00					10000	
2-WID	E ANALOG VOICE GRADE LOOP		-								<del></del>					
2-11/1	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
***************************************	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5 25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	25.68	37.92	17.55	23 48	5.25						E I Common of the Common of th
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	_		UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						
_	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	_	1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEASL UEASL	16.87 25.68	37.92 37.92	17.55 17.55	23.48 23.48	5 25 5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User		4	ULAITE .	ULHUL	43.05	31.92	17.35	23 46	3.25						
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch				UREWO		15.75	8.92								

NBUNDL	ED NETWORK ELEMENTS - Mississippi	,												ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			a seeman and		1.	1.00									
	providing make-up (Engineering Information - E.I.)		-	UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)	_	-	UEANL	UEAMU		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		1 1	UEANL	ocost		18.19	18.19								
2.WI	RE UNBUNDLED COPPER LOOP - NON-DESIGNED	+	-	QEAINE	UGUGE		10,19	10,13.								
2.71	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1 7	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1 1		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4 42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	11,57	36.53	16.16	22.66	4 42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	T	4	UEQ	UEQ2X	13.10	36 53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEO	URETL		8.33	0.83								1
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			1.00												
	Designed (per loop)		_	UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST	1														
_	providing make-up (Engineering Information - E.I.)		-	UEQ	UEQMU URET1		13.51	13.51								
-	Loop Testing - Basic 1st Half Hour	-		UEQ			34 36	0.00 19.97								
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch	-	-	UEQ	URETA		19.97	7,42								
DUNDI C	D EXCHANGE ACCESS LOOP	-	1	UEU	OKEWO		14.24	1.42	1		-					
	RE ANALOG VOICE GRADE LOOP	1	+			-										
2.00	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1			_	_									
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37					1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						-									
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105 96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 4	_	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			0.27		95.35		4.000	256.5							
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10,37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						ĺ
_	Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	10.73	105.96	00.20	52.62	10.37						
	Battery Signafing - Zone 3	1	3	UEA	UEAR2	27.55	105 96	68.28	52 82	10.37						
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	-	OLA	OLARZ	21.55	105.50	00.20	32.02	10.37						
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						ĺ
	CLEC to CLEC Conversion Charge without outside dispatch	-	1	UEA	UREWO		87.56	36.29	02.02							
	Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.19	1.10								
4-WI	RE ANALOG VOICE GRADE LOOP			Trout Inc.												
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26	132.27	94.59	60 68	14.64						-55-
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WI	RE ISDN DIGITAL GRADE LOOP	-		· · m· · ·	(111 <del> </del>					10.00						
_	2-Wire ISDN Digital Grade Loop - Zone 1	<del>-</del>		UDN	U1L2X U1L2X	21.01 27.59	117.61	79.92 79.92	52.82	10.37		_				
_	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	1		UDN	U1L2X	37.34	117.61	79.92	52.82 52.82	10.37						-
_	2-Wire ISDN Digital Grade Loop - Zone 4	+	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37	-					
_	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UDN	UREWO	33.10	91.46	44.07	52.02	10.57				-		
2-W1	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	ÓР				5.,,,0									
	2 Wire Unbundled ADSL Loop including manual service inquiry &	T														
	facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &				1				100							
	facility reservation - Zone 2	-	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			0.75.	120 - 14	7.42	50000	10.11	0,5 5-1							
	facility reservation - Zone 3		3	UAL:	UAL2X	11 74	121 27	70.81	50.38	7.93						-
	2 Wire Unbundled ADSL Loop including manual service inquiry &			(18)	LIALOV	40.00	404.0-	70.0	50.05	7.55						
	facility reservation - Zone 4	-	4	UAL	UAL2X	12 69	121.27	70.81	50.38	7.93						-
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1									1	1				1

OUNDEEL	NETWORK ELEMENTS - Mississippi	1			7						B . C .	C - C /	Attach			bit: A Incremen
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual Order v Electron Disc Ac
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-	2 Wire Unbundled ADSL Loop without manual service inquiry &				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	facility reservation - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		- 6	UNL	OALZW	11.46	30.13	30.03	50.50	1,50						
	facility reservator - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			12.5												
_	facility reservation - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
2 14/105	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	15100	_	UAL	UREWO		86.04	40.33								-
Z-VVIRE	2 Wire Unbundled HDSL Loop including manual service inquiry &	SLE LOO	1		+											
	facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &			-		9,10			-							
	facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &				E11 11 2 2 2											
-	facility reservation - Zone 3  2 Wire Unbundled HDSL Loop including manual service inquiry &	-	3	UHL	UHL2X	9.87	129 98	79 52	50.38	7.93						
	facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		4	Unic	UTILZA	10.40	125.50	13.32	30.30	7.55						
	facility reservation - Zone 1		1	UHL	UHL2W	8.75	104 86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
-	facility reservation - Zone 2		2	UHL	UHL2W	9 22	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and									7.00						
-	facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL2W	9.87	104.86	66.74	50 38	7.93						
	facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	10.40	85.98	40.33	65.05	1,00						
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOO	Р													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
-	facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10 68						
	Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158 74	108 28	56.72	10.68						
_	4-Wire Unbundled HDSL Loop including manual service inquiry and	-		Unc	UFIL4X	13.43	130 74	196.26	36.72	10.00		-				1
	facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and						1									
	facility reservation - Zone 4		.4	UHL	UHL4X	14.46	158.74	108 28	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and								50.70	10.68						
	facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		_				
	facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		-		21.211	10.10	100.02	00,00				100				1
	facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and			and the second	and the second second	Const	6000000000		200.000							
	facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
1-WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	-	UHL	UREWO		85.98	40.33					-			
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14 64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.55	126.53	88 85		14.64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85		14.64						
-	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85		14.64						
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	27.44 34.55	126.53 126.53	88.85 88.85		14.64 14.64						_
	4 Wire Unburdled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85		14.64	-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			UDL	UDL56	32.25	126.53	88.85		14.64				_		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126 53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85		14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85		14.64						-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 CLEC to CLEC Conversion Charge without outside dispatch	-	4	UDL	UDL64 UREWO	32 25	126.53 101.94	88.85 49.66		14.64	-				-	1
2-WIRF	Unbundled COPPER LOOP			000	DKEWO		101.94	43.00								
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2			UCL	UCLPB	11.47	120.34	69.87	50 38	7 93					1	

RATE ELEMENTS Interim Zone BCS USOC RATES(\$)  Submitted Elec Manual Svc Order vs. Electronic-1st Oisc 1st Disc	PONDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit; A
Nime Information Comparing Comparing Investigation for general source   1	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Syc Order vs. Electronic-	Charge - Manual Syc Order vs. Electronic-	Incremen Charge Manual S Order vs Electroni Disc Add
WWW Unknowned Cooper Loop Designed motivity in memulatorics   1							Pac										
Section   Proceedings   Process							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
With Unburshed Copper Loop Designed Institution ground services					(van		***		00.07	50.00	7.00						
March & Spicity reservation: Copies (Copies Copies) and other informal service   1 UCL   UCLPW   11.11   19.21   19.20   19.			-	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7,93						-
Section   Sect		inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50 38	7.93						
2. When thinkinding Copper Loops Designed without manual service in comparison of the comparison of th	1				1101	LICL DW	44.44	06.21	67.00	50.20	7.02		1				
Display and facility representant _ Zeno 2			_		UCL	UCLFVV	13,11	93.21	57,09	30.36	7.33						
Description   Description				2	LICI	UCLEW	11 47	95.21	57.09	50.38	7 93						
Symbol special facility reservation - Zero 3   3   UCL   UCLEW   11.74   59.21   57.00   50.38   7.95			1	-	1000	- C- C- C- C- C- C- C- C- C- C- C- C- C-		50.21	01.00	00.00	1-22						
Integrity and facility reservation. Zero 4   UCL   UCLPW   12:89   99.21   57:98   93.38   7:83				3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
CLEC or LEC Commons Charge without classed depatch (UCL-		2-Wire Unbundled Copper Loop-Designed without manual service															
Dest   Lawre Corper Loop Designed including manual service inequity and   1 UCL   UCL4S   17.30   144.66   94.22   59.72   10.66	_			4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
Market Corper Loop Designed vickuling namual service inquiry and locally researcation. 2016   1 U.C. U.C.4.5   17:30   144.66   94.22   56.72   10.68																	
4-Wire Copper Loop Designed including manual service inquiry and learning reservation. 2	4 1100		-	-	UCL	UREWO		95 21	42.40	-							
fiscilly reservation - Zero 1	4-VIR		-	+		+				-							
4-Wire Cooper Loop-Designed including manual service impairy and facility reservation. Zone   1				1	uci	LICIAS	17.70	144.68	94.22	56.72	10.68						
Exciling reservation - Zone   2   UCL				-	DCL .	UCL43	17,50	144.00	34.22	30.72	10.00						
4-Wire Cooper Loop-Designed multiple granula service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed multiple granula service inquiry and service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed multiple granula service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and facility reservation. Zone 3  4-Wire Cooper Loop-Designed without manual service inquiry and faci				2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
4Wire Copper Loop-Designed including manual service inquiry and facility reservation. Zone 4   UCL UCL4W   17.30   119.56   81.44   56.72   10.68						1											
fiscility reservation - Zone 4				3	UCL	UCL4S	21.33	144.68	94.22	56 72	10.68		-				
4-Wire Copper Loop Designed without manual service injury and facility reservation Zone 1   U.C.L.   U.C.L																	
facility reservation - Zone 1   1   UCL   UCL4W   17.30   119.56   81.44   56.72   10.68				4	UCL	UCL4S	21.33	144 68	94.22	56.72	10.68						
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2   2   UCL					10.00	CONTRACT OF THE PARTY OF THE PA		1.152.02			1.72-2.2						
facility reservation - Zone 2			-	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
A-Wire Cooper Loop-Designed without manual service inquiry and facility reservation - 2 core 3   3 UCL   UCL4W   21 33   119 56   81 44   56.72   10.68				2	uci	LICL 4VA	10.04	110 56	91 44	66.72	10.60						
facilty reservation - Zone 3	_		-	-	UCL	OCL4VV	10.04	119.50	01.44	30.72	10.00						
4-Wire Copper Loop-Designed without mensual service impairy and facility reservation. Zone 4   4   UCL   UCLAW   21:33   119:56   81:44   56:72   10:68				3	uci	UCL4W	21.33	119.56	81 44	56.72	10.68						
facility reservation - Zone 4   UCL				-	002	1000111	27.00	11000		551.6	10.00						
Design				4	UCL	UCL4W	21.33	119.56	81 44	56.72	10.68						1
Order Coordination for Unbundled Copper Loops (per loop)		CLEC to CLEC Conversion Charge without outside dispatch (UCL-	Ī	1								65-1-15					
DEA, UDN, UAL, UDL, UDL, UDL, UDL, UDL, UDL, UDL, UD	_																
Order Coordination for Specified Conversion Time (per LSR)		Order Coordination for Unbundled Copper Loops (per loop)	-			UCLMC		8 20_	8.20								
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Uses Uses Uses Uses Uses Uses Uses Uses	i	0.1.0.1.0.1.0.1.0.1.1.7.1.1.0.0.1.7.1.1.0.0.1.1.7.1.1.1.1				00001		10.10									
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal of Bridged T	OR MODIEW		-	-	UHL, UDL	OCOSL		18.19				-					
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop   Modification Removal of Load Coils - 4 Wire less   ULM2L   32.57   32.57	OF WOOIFI	T			HAL TIME FICE	-				1							
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop   UEPSR								10									
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop   UHL, UCL, UEA ULM4L   32.57   32.57		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair															
than or equal to 18K ft, per Unbundled Loop   UHL, UCL, UEA   ULM4L   32.57   32.57		less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.57	32.57								
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop  UB-LOOPS  UB-LOOPS  UB-Loop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up  UEANL  USBSC  1 UEANL  USBSC  178.47  UEANL  USBSC  1 UEANL  USBSC  178.47  UEANL  USBSC  1 UEANL					2222												_
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop   UEQ, ULS, UEA, UEANL, UEPSR, UEPSB   ULMBT   32.59		than or equal to 18K ft, per Unbundled Loop				ULM4L		32.57	32.57								
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop   UEANL UEPSR   ULMBT   32.59   32.59     MBT   32.59   32.59   ULMBT   32.59   32.59   ULMBT   32.59   ULMBT   32.59   32.59   ULMBT   32.59   ULMBT   32.59   ULMBT   ULMBT   32.59   ULMBT   32.59   ULMBT   32.59   ULMBT   32.59   ULMBT   32.59   ULMBT   32.59   ULMBT   U																	
UB-LOOPS		I I I I I I I I I I I I I I I I I I I	1				- 1										
UB-LOOPS   Sub-Loop Distribution   Sub-Loop Distribution   Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up   UEANL	14.					LUMBT		22.50	22.50	1							
Sub-Loop Distribution   Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up   1	B-I OOPS	ENDUNCIED BOD			UEFSB	OLIVID4	_	32.39	32 39	1							-
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up   1		pop Distribution	<b>—</b>														
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up   UEANL USBSB   22,77   Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility   UEANL USBSC   178,47   Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up   UEANL USBSC   178,47   Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone   UEANL USBSD   56,39   Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone   UEANL USBSD   1 UEANL USBSD																	
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility   UEANL		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		259.69									
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility   UEANL																	
Set-Up			L		UEANL	USBSB		22.77									
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up   1   UEANL   USBSD   56.39     Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone   1   1   UEANL   USBN2   7.15   66.18   31.14   45.36   6.71					ore in the	unna		.70 :-									
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 7.15 66.18 31.14 45.36 6.71	_	Set-Up	- 1-		UEANL	USBSC		178.47		-							
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 7.15 66.18 31.14 45.36 6.71		Sub-Loop - Per Building Equipment Boom - Per 25 Pair Pagel Set Lie			LIEANI	LISBSD		56.30									
1 I UEANL USBN2 7.15 66.18 31.14 45.36 6.71			<u> </u>	-	CENTE	00000		50.59				-					
		1	1	1	UEANL	USBN2	7.15	66.18	31.14	45 36	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone					7.574				William Co.						

DUITDEL	D NETWORK ELEMENTS - Mississippi										S O-4	Sus Oud-		ment: 2		bit; A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring D		201150	001111		Rates(\$)	001111	SOMAN
_	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	3		3	UEANL	USBN2	12.45	66 18	31 14	45 36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		-	00000	OGENE					•,						
	4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8 20								_
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	LIEANI	LICDNIA	7.20	70.40	11.15	51 27	0.25	1					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	_	-	UEANL	USBN4	7.30	79.49	44 45	3127	9.35						
	2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone									0.00						
	3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			- 11	Survey State State	- KNG										
_	4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35	1					
1	Code Condition to the order to the			LIEANI	LICONIC		0.20	8 20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	-	UEANL UEANL	USBMC USBR2	2.29	8.20 53.32	18.28	45.36	6.71	_					
	Gob-Loop 2-virie mitaboliding iverwork Cade (INC)	-	_	CEMINE	O3BR2	2.23	33.32	10.20	43.30	0.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4 40	59.60	24.55	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				USBMC		8.20	8.20								
_	Loop Testing - Basic 1st Half Hour				URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour		-		URETA	2.00	19.97	19.97	15.05	6.71						
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2		UCS2X UCS2X	6.06 7.09	66.18 66.18	31.14 31.14	45.36 45.36	6.71						-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1			UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4		UCS2X	9.90	66.18	31,14	45.36	6.71						
			-													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1		UCS4X	5.10	79.49	44.45	51.27	9.35						
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1			UCS4X	9.11	79.49	44.45	51.27	9.35						
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3  4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	- 1			UCS4X UCS4X	14.00	79.49 79.49	44.45	51.27 51.27	9.35 9.35	_			_		-
	4 Wife Copper Oribanded Sub-Loop Distribution - Zone 4		4	OEF	UC34A	14.00	79.49	44.45	31.27	9.33	1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
	Designed and Distribution Subloops				URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour				URET1		34.36	0.00								
11. 1	Loop Testing - Basic Additional Half Hour		-	UEF	URETA		19.97	19.97								
Unbu	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coll/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Col/Equip		-	02.	CEMEX		170.00	0.70								
	Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
- 1	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled		1													
	юор			UEF	ULMBT		279.81	6.15								<u> </u>
Unbu	ndled Network Terminating Wire (UNTW)			I Ima Ima I	LIENDO	0.0000	00.55									-
Nature	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)	-		UENTW	UENPP	0.3366	30 55		-	_						-
Metwo	Network Interface Device (NID) - 1-2 lines	_		UENTW	UND12		43.84	28.90				-				_
	Network Interface Device (NID) - 1-6 lines				UND16		65 30	50.36								
	Network Interface Device Cross Connect - 2 W				UNDC2		5 94	5.94				7				
	Network Interface Device Cross Connect - 4W				UNDC4		5.94	5.94								
OTHER,	PROVISIONING ONLY - NO RATE															
-	NID - Dispatch and Service Order for NID installation				UNDBX	0.00	0.00									
-	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL, UEF, UEQ, UE	UENCE	0 00	0 00				-					-
	Unbundled Contract Name, Provisioning Only - No Rate				UNECN	0 00	0.00									
	Grade Contract Harrie, From Storag Living - No INdia			UAL, UCL, UDC.	SIVEON	000	0.00		T							
				UDL, UDN, UEA,												1
1	Unbundled Contact Name, Provisioning Only - no rate				UNECN	0.00	0.00									1

JINDONE	DLED NETWORK ELEMENTS - Mississippi		,				<del></del>							ment: 2		bit: A
CATEGOR	RY RATE ELEMENTS	Interin	nl Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			-			7,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP MAI			-				- 4				-					
	Loop Makeup - Preordering Without Reservation, per working spare facility queried (Manual).	ng or		UMK	UMKLW		24.12	24.12								
_	Loop Makeup - Preordering With Reservation, per spare far	The s		UIWK	OMKLYV		24.12	24 12								
	queried (Manual).	anty		UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or Without Reservation, per working or	snare		Divino.	Olenter		20.00	2000								
	facility gueried (Mechanized)	Spand	_	UMK	UMKMQ		0.6652	0.6652								
LINE SHAI																
NO	OTE 1: The Line Sharing monthly recurring rates for all inst	allations compl	eted fro	m October 02, 2003	through midnig	ght October 01.	2004 shall be b	illed as follow	s:							
	OTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbun	dled copper loo	р поп-с	esigned ("UCLND	"}											
	OTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND											8 =				
	OTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND		-													
	OTE 1: Above will apply to USOCS: ULSDT and ULSCT										-					
	NOTE 2: The Line Sharing monthly recurring rates with USO NE SHARING	Cs ULSDC and	ULSCC	applies only to cir	cuits installed a	na inservice on	or before Octo	oper 1, 2003	-							
	NE SHAKING PLITTERS-CENTRAL OFFICE BASED		+		_											
Sr.	Line Sharing Splitter, per System 96 Line Capacity		1==	ULS	ULSDA	186.67	189.89	0.00	178 41	0.00	<b>—</b>					
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46,67	189.89	0.00	178 41	0.00						
-	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-de	activation									-					
6.	(per LSOD)	0.000		ULS	ULSDG		86.98	0.00	49.96	0.00						
EN	ND USER ORDERING-CENTRAL OFFICE BASED LINE SHARI	NG														
	Line Sharing - per Line Activation (BST Owned splitter) -			c Dilece	Salarana.		The State of the S		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
	OBSOLETE see "NOTE 2		1	ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned spl								1							
	Central Office Located (25% of UCLND) - please see NOT	Eil			LUCOT	2.75	40.00	40.00	10.04	4.00						1
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned spl		+	ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						-
	Central Office Located (50% of UCLND) - please see NOT								1							1
	(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10 04	4.93						1
	Line Share Service, TRO per line activation, BST owned spi	itter -		1020	0200	001	.0.02	70.00	10.01	1.00						
	Central Office Located (75% of UCLND) - please see NOT	E1														1
	(E:10/2/2005)			ULS	ULSDT	8 26	18.62	10.66	10.04	4.93						
	Line Sharing - per Subsequent Activity per Line Rearranger	nent(BST														
	Owned Splitter)			ULS	ULSDS		16.48	8.24								
	Line Sharing - per Subsequent Activity per Line						14.74									1
	Rearrangement(DLEC Owned Splitter)  Line Sharing - per Line Activation (DLEC owned Splitter) -		-	ULS	ULSCS		16.48	8.24				_				
	OBSOLETE see "NOTE 2			ULS	JULSCC	0.61	47.44	19:31	20.67	12.74						
_	Line Share Service, TRO per line activation, CLEC owned s	plitter -	_	ULO	TOESCG	0.01	47,44	15.51	20.02	12.14						
	Central Office Located (25% of UCLND) - please see NOT															1
	(E.10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned s				7.000	-755005		- III.C.SOFII								-
Ü	Central Office Located (50% of UCLND) - please see NOT	E1			None and the last											(A)
	(E:10/2/2004)		-	ULS	ULSCT	5.51	47,44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned s															1
	Central Office Located (75% of UCLND) - please see NOT (E:10/2/2005)	- 1		ULS	ULSCT	8 26	47,44	19.31	20 67	12.74						
M	AINTENANCE		-	1010	01001	0.20	47.44	19.31	2007	12.74						
	No Trouble Found - per 1/2 hour increments - Basic		_				80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								V
	LED DEDICATED TRANSPORT															
IN	TEROFFICE CHANNEL - DEDICATED TRANSPORT		-												_	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice G	rade -		UITVX	11.579	0.0000										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice G	rada	+-	UTIVX	1L5XX	0.0098				-	-					
	Facility Termination	aud -		U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport- 2-Wire Voice C	Frade		1811111	671.74	20.22	92.7.1	-21.31	11.20							
	Rev Bat Per Mile per month	100		U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev	Bat -														
	Facility Termination			UITVX	U1TR2	22 52	40.77	27.57	17.26	7.11					_	

JNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		2				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	Ú1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			414			40.78	21.31	17.28	7,11						
	month		-	U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
IGNALING (C						1111										
	CCS7 Signafing Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB	TPP6A	16.55	35 74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (8 link) (also known			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	as D link)  CCS7 Signaling Connection, Per DS3 level link (B link) (also known			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	as D link) CCS7 Signaling Point Code, per Originating Point Code			UDB	TPP9B	16.55	35 74	35.74	16.53	16.53						
	Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
911 SERVICE											-					
	Local Channel - Dedicated - 2-wr Voice Grade	-				0.0098	194.22	33.36	37.79	3.30		_				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	+	-			0.0098		-			-					
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178,50	154.61	22.89	15.74						7-
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74	Ť					
- 1	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22 89	1574						7
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010									-,	
						8, 44	11.5									
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
	XTENDED LINK (EELs)															
NOTE	The monthly recurring and non-recurring charges below will a	oply and	the Sw	ritch-As-Is Charge	will not apply to	r UNE combinat	ions provision	ed as 'Ordina	rily Combined'	Network Eleme	ents.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	non-re	curring	charges below w	apply for UNE	combinations p	rovisioned as	Currently Co	mbined Network	k Elements.						1
EXIE	2-WireVG Loop in combination - Zone 1	TAUE IN		UNCVX	UEAL2	13 89	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 2	_	2	UNCVX	UEAL2	18.75	105.96	68.28	52 82	10.37						1
-	2-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37				-		
					1L5XX					12.01						
	Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			UNCVX		0.00088										
	per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
EVEE	Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI	DADE (N	TEROF	UNCVX	UNCCC		5.63	5.63	7.20	7 20						
EXIE	4-WireVG Loop in combination - Zone 1	TADE IN		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64	-	Q5.5				1
_	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64					100	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.00088	1.100	200	55.00	, , , , , , ,				-		
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17,86	40.77	27.57	17.26	7,11				4		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.63	5 63	7.20					ir		
EYTC	Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	FERE		UNCCC		5.03	5 63	7.20	7.20		-				+
EVIE	4-wire 56 kbps Local Loop in combination - Zone 1	I LAC		UNCDX	UDL56	27 44	126.53	88 85	60.68	14.64						$\vdash$
	17 mile se mape could coop in combination - Zone 1	1									-					-
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	1					

NBUNDLE	D NETWORK ELEMENTS - Mississippi				2								Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrect	irring	Nonrecurring	Disconnect			oss	Rates(\$)		
			- 17			Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0098										L
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is				1.477454		1-0.1			115.00						
	Charge			UNCDX	UNCCC		5.63	5.63	7 20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTER														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60 68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	40.76	126.53	88 85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27 57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EVE		DOFFIC	TD.		DIACCC		5.03	3.03	1.20	1.20	-				-	+
EXIE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	RUFFR			1101.50	07.11	100.50	20.05	00.00	44.04	-					
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	89.09	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	34.55	126.53	88.85	83.03	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		7 1				
	First 4-wire 56 kbps Local Loop in combination - Zone 4 First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14,64					-	
	menth		-	UNCDX	1L5XX	0.0098										+
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7,11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5 63	5.63	7.20	7.20						
EYTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	DOEER	FTPA		0.000		- 000	0.00						A 200		
LAIL	First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	<del>                                     </del>	-			-	_
_				UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2							14.64	1					_
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68							-
	First 4-wire 64 kbps Local Loop in combination - Zone 4 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		4	UNCDX	UDL64	0.0098	126.53	88.85	60 68	14 64						
				UNCDX	ILDAX	0.0096										-
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ILANOITIC	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurring	charge	s do no	at apply, but a Sw	itch As is charge	does apply										
	used as ordinarily combined network elements in All States, the						not									
	courring Currently Combined Network Elements "Switch As Is" CI															
- Income	Nonrecurring Currently Combined Network Elements Switch -As-Is	2.9-10	, c app					-								
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7 20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Misce	NRC - Order Coordination Specific Time - Dedicated Transport	-1		UNC1X	OCOSR		18.87	18.87								
Query Se																
1.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LNP Charge Per query					0.0008477	1				1					
	LNP Service Establishment Manual					200000000000000000000000000000000000000	12.59	12.59	11.58	11.58						
_	LNP Service Provisioning with Point Code Establishment						596 94	304 96	270.49	198 89						
	LINE OF MER ELOVISIONING WITH FORK CODE ESTROYED WITH	1	1	l Je-up as set forth	1		J50 J4	204 90	210.49	130 03		1			T.	4

ADDINULE	D NETWORK ELEMENTS - North Carolina			Γ	T	T			(04)		Sur Out	Svc Order	Incremental	ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	100000000000000000000000000000000000000	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -	Charge Manual S Order v Electron
													1st	Add'I	Disc 1st	Disc At
						Rec		curring	Nonrecurring			SOMAN		Rates(\$)		I
The "Z	one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	anhically De	averaged LINE	First Zones To view	Add'l Geographicali	First v Deaveraged I	Add'I INF Zone Desi				_SOMAN	SOMAN	SOMA
	www.interconnection.bellsouth.com/become_a_clec/html/interco			ration refers to deogr	apinicany or	averaged ONE	cones. 10 view	Geograpinean	y Deaverageu (	THE ZONE DESI	girations by	Central Onli	ce, refer to mit	ernet website		
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"			1												
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the															
either	the state specific Commission ordered rates for the service orde	ring ch	arges, o	or CLEC may elect the	regional se	rvice ordering	charge, howeve	er, CLEC can no	t obtain a mixti	are of the two	regardless if	CLEC has a	interconnect	ion contract o	stablished in	each of
	(2) Any element that can be ordered electronically will be billed															
be ord	ered electronically at present per the LOH, the listed SOMEC rate	in this	catego	ory reflects the charge	that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	. Otherwise	, the manual o	ordering char	e, SOMAN, w	ill be app
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
_	OSS - Manual Service Order Charge, Per Local Service Request		-		SUMEC		3.30	0.00	3.50	0.00						-
	(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
SERVICE	DATE ADVANCEMENT CHARGE				200000				7.5.50		1					
	The Expedite charge will be maintained commensurate with Be	IISouth	s FCC	No.1 Tariff, Section 5	as applicab	le.										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			UEF, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1T03, U1TS1, U1TVX UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1FC,	SDASP		200.00									
DER MODIF	ICATION CHARGE															
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)		-				26.21 0.00	0.00	0.00	0.00						-
DI INDI ED	Order Modification Additional Dispatch Charge (OMCAD)  EXCHANGE ACCESS LOOP						0.00	0.00	0.00	0.00						
	E ANALOG VOICE GRADE LOOP															
2-4411	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37								1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.24	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37				50V	_			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21 24	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	33.65	57.99	42.37								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User							D. 3000								
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			internal in		1										
	SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.76	8.93								

NBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charg
				1			Nonrec	urring	Nonrecurring Di	isconnect			oss	Rates(\$)		
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
- 1	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per						17.7									
1	LSR)		-	UEANL	OCOSL		45 34	45.34								
2-WIR	E UNBUNDLED COPPER LOOP - NON-DESIGNED		-												1	
-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		- 1	UEQ	UEQ2X	10.16	35.27	15.60								
_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ	UEQ2X	17.55	35.27	15.60								-
_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEQ	UEQ2X	27.58	35.27	15.60								-
	Premise			UEQ	URETL		8.33	0.83								
_	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		+	UEU	UKETL	_	0.33	0.63							-	_
	Designed (per loop)			UEQ	USBMC		61.38	61 38								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		_	DEG	OSDIVIC		03.00	01.30			-					_
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU	Ĭ	28.74	28.74								
-	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	0.00				3				t
_	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			1							-					
	ND)			UEQ	UREWO		14.25	7.42								
BUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP														1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56								
- 15	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														100	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56				7				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
- 1	Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											1				
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56								
	2-Wire Analog Voice Grade Loop - Service Level 2 wReverse			ALCON .												
	Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142 97	106 56								
_	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.64	36.33						2		
4 14/15	Loop Tagging - Service Level 2 (SL2)		-	UEA	URETL		11 20	1,10								
4-WIK	E ANALOG VOICE GRADE LOOP  4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	21.32	288 47	237.45								-
_	4-Wire Analog Voice Grade Loop - Zone 1  4-Wire Analog Voice Grade Loop - Zone 2	-	2	UEA	UEAL4	36.27	288.47	237.45				-				-
-	4-Wire Analog Voice Grade Loop - Zone 3	_	3	UEA	UEAL4	56.57	288.47	237.45							-	-
_	CLEC to CLEC Conversion Charge without outside dispatch	-	3	UEA	UREWO	30.31	87.64	36.33		_						-
2-WIR	E ISDN DIGITAL GRADE LOOP		_	OEA	UKENO		07.04	30.33								_
2.444	2-Wire ISDN Digital Grade Loop - Zone 1	_	1	UDN	U1L2X	19.42	325.91	251.31		_		_				
+	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31			-					_
-	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325 91	251.31								
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UDN	UREWO	5712.74	91.55	44.12								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLELO	OP				4.00									
	2 Wire Unbundled ADSL Loop including manual service inquiry &		1							-				75		
	facility reservation - Zone 1		1	UAL	UAL2X	11.00	264 71	145 60								İ
_	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 2	100	2	UAL	UAL2X	18.39	264.71	145.60							-	
	2 Wire Unbundled ADSL Loop including manual service inquiry &														1 1	
	facility reservation - Zone 3		3	UAL	UAL2X	28.42	264 71	145.60								
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11,00	190.25	114.82								
	2 Wire Unbundled ADSL Loop without manual service inquiry &			as Full	and the second	Vacante	500.000	Pa								
	facility reservation - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82								
	2 Wire Unbundled ADSL Loop without manual service inquiry &			200.00		10.067	1	900000								
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82								-
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	- 41 11 11 11	86 12	40.36								-
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOC	)P													
1	2 Wire Unbundled HDSL Loop including manual service inquiry &			lean.	100 00			100 51								
_	facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54								-
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54								

NADOUNT	ED NETWORK ELEMENTS - North Carolina	_	_								r .		Attach			bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring D			= = = = = = = = = = = = = = = = = = = =		Rates(\$)		
						1,00	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
_	facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry and	-	3	UHL	UHL2X	22.82	284.74	163.54								
	facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05								
	2 Wire Unbundled HDSL Loop without manual service inquiry and				0.000 2000	57.5	6.21.7	100.00								
	facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05	1							
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
_	facility reservation - Zone 3		3	UHL	UHL2W	22 82	207.48	132.05	-					_		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				NI				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	Р		- 4											
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45								
_	4-Wire Unbundled HDSL Loop including manual service inquiry and	-	-	UNL	UNL4X	10.02	341.60	220,45								
	facility reservation - Zone 2		2	UHL	UHL4X	17.67	341 65	220.45								
_	4-Wire Unbundled HDSL Loop including manual service inquiry and	-	-	OFIL	Oncax	12.07	341.03	220.43	1							
- 1	facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
_	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	OHL	OHL4X	21.24	341.63	220.43								
1	facility reservation - Zone 1		1	UHL	UHL4W	10.62	264 39	188.96			1					
_	4-Wire Unbundled HDSL Loop without manual service inquiry and		-	OTIL	OFFICA	10.02	204.55	100.50	-							
	facility reservation - Zone 2		2	UHL	UHL4W	17.67	264 39	188.96								
	4-Wire Unbundled HDSL Loop without manual service inquiry and	$\vdash$	-	J. I.	OHE431	13.07	204.00	100.50								
	facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51								
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	67.26	489.04	337 51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25 32	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489.04	337.51				CH	Lee East			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-		UDL	UDL64	43.11	489.04	337.51								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70								
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service.				LIGI DD	40.00	200.00	440.75								
_	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual service	-	1	UCL	UCLPB	13.26	262.86	143.75								
	inquiry & facility reservation - Zone 2	1 1	2	UCL	UCLPB	22.39	262.86	143.75					Į.			
-	2 Wire Unbundled Copper Loop-Designed including manual service	1	2	UCL	UCLPB	22.39	262.86	143.75								
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75					h			
	2-Wire Unbundled Copper Loop-Designed without manual service		- 0	I DOLL	UCLFB	34.60	202.00	143.15								
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96			1				Ų.	
	2-Wire Unbundled Copper Loop-Designed without manual service		-	000	JOCE II	10.20	100.00	112.50							-	
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22 39	188.39	112.96								
	2-Wire Unbundled Copper Loop-Designed without manual service				1000		11 11 11	115,50								
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188 39	112.96								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)			UCL	UREWO		97.14	42 44				1				
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop including manual service inquiry and facility													- 3		
	reservation - Zone 1		1	UÇL	UCL4S	17.36	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility			a habi	Carrery rose	51555500	2000 12 1000	50-00.000 Carran								
	reservation - Zone 2	_	2	UCL	UCL4S	29 61	311 03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility			Carlo	2000											
	reservation - Zone 3		3	UCL	UCL4S	46 26	311.03	191.93								
	4-Wire Copper Loop without manual service inquiry and facility		1	l	Charles and			244.7								
	reservation - Zone 1		1	UCL	UCL4W	17.36	236 57	161 14								
	4-Wire Copper Loop without manual service inquiry and facility		^	uci	LICI (III	20.04	222.67									
	reservation - Zone 2		2	UCL	UCL4W	29 61	236.57	161 14	-							
4	4-Wire Copper Loop without manual service inquiry and facility		3	UCL	UCL4W	46.26										I

OMBONULE	D NETWORK ELEMENTS - North Carolina		,		-				_					ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	) Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring (					Rates(\$)		
	CLEC to CLEC Commission Charge without a trivial dispetch (UCL	_	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		97.14	42.44								
	Order Coordination for Unbundled Copper Loops (per loop)		+-	UCL	UCLMC		61.38	61.38	1		0 7				_	
	order odordination of crissing-od odper coops (per cop)			UEA, UDN, UAL,	0020		01.50	01.50							_	
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		45.34									
OOP MODIFIC	ATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	2005		2.72.7								1 AAA	
	less than or equal to 18k ft, per Unbundled Loop	-	-	UEPSB	ULM2L		21.24	21 24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		-	UHL, UCL, UEA	ULM4L		21.24	21.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEQ. ULS, UEA, UEANL, UEPSR,			- 10									
SUB-LOOPS	unbundled loop		+	UEPSB	ULMBT		24.84	24.84	-							
	pop Distribution															
300-20	No positivation															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	-	UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility						234.76									
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSC		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	-	1	OCANE	03030		01.03						-		-	
	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	7 31	126 03	54.54								
	2	1	2	UEANL	USBN2	11.93	126.03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	E	3	UEANL	USBN2	18.20	126.03	54.54								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	OBANE	OSBINO		01.00	01.00								
	1		1	UEANL	USBN4	8.44	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone						Front 6024									
	2		2	UEANL	USBN4	13.81	156.52	79.66	-							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10	156.52	79.66								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61 38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.79	114.05	37.20	1							
												_				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	3.74	127 67	-50.82								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL UEANL	USBMC URET1		61.38 76.24	61.38								
-+	Loop Testing - Basic 1st Half Flour  Loop Testing - Basic Additional Half Flour		-	UEANL	URETA		39.51	39.51	<del>     </del>							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	6.10	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	9 70	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS2X	14.59	137_10	60.24								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61 38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.58	162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+	2	UEF	UCS4X UCS4X	19.51 15.84	162.24 162.24	85.38 85.38								
	4 Wire Copper Unburidled Sub-Loop Distribution - Zone 3  Order Coordination for Unburidled Sub-Loops, per sub-loop pair		3	UEF	UCS4X USBMC	15.84	61.38	61.38								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	01.36								

JNBUNDLED NET	WORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim Zo	one BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
			-	_	18	Nonrec	urcina	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
					Rec	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loop T	esting - Basic 1st Half Hour		UEF	URET1		76 24	0.00								-
Loop T	esting - Basic Additional Hall Hour		UEF	URETA		39.51	39.51								
Unbundled St	b-Loop Modification														
	dled Sub-Loop Modification - 2-W Copper Dist Load														
	puip Removal per 2-W PR		UEF	ULM2X		124.51	1.82						I		
	dled Sub-loop Modification - 4-W Copper Dist Load Col/Equip val per 4-W PR		UEF	ULM4X		124 51	1.82								
	dled Loop Modification, Removal of Bridge Tap, per unbundled		100	GLINAN		124.51	102				-				
loop	and Ecop Modification, Memorator Disago Ting, pur animand		UEF	ULMBT		249.25	47.30								
Unbundled Ne	etwork Terminating Wire (UNTW)										7-04				
	dled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 4351	64.98									
	ace Device (NID)														
	rk Interface Device (NID) - 1-2 lines	1	UENTW	UND12		86 37	56.69								
	rk Interface Device (NID) - 1-6 lines	1_	UENTW	UND16		127.93	98.21								
	rk Interface Device Cross Connect - 2 W	T.	UENTW	UNDC2		11.68	11.68								
	rk Interface Device Cross Connect - 4W	1.	UENTW	UNDC4		11.68	11.68			į.					
	ONING ONLY - NO RATE														
	Dispatch and Service Order for NID installation		UENTW	UNDBX	0.00	0 00						7			
UNTW	Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE	0.00	0.00									
Uribun	dled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ,	UNECN	0.00	0.00									
			UAL, UCL, UDC, UDL, UDN, UEA,												
	dled Contact Name, Provisioning Only - no rate		UHL	UNECN	0.00	0.00									
OP MAKE-UP		-													
	Makeup - Preordering Without Reservation, per working or		LAUCHC -	557.5517		4200	-25.00								
	facility queried (Manual).		UMK	UMKLW		55,44	55.44		1	1					4
	Makeup - Preordering With Reservation, per spare facility														
	d (Manual).	-	UMK	UMKLP		55.73	55.73	-		-	-				
	Makeup-With or Without Reservation, per working or spare		UMK	UMKMO		0.6960821	0.6960821								
E SHARING	queried (Mechanized)		UIVIK	UMAMO		0.0900021	0.0900021		-	-					
	Line Sharing monthly recurring rates for all installations	completed	from October 02, 200	through midai	aht October 01	2004 chall bo b	illed as follow		1	_	_				_
	/2003 – 10/01/2004: 25% of the rate for an unbundled cop				I Colober or,	2004 Shall be c	ined as follow	T T							
	/2004 – 10/01/2005; 50% of the rate for UCLND	Jer (OOP 110	in-designed ( OCCIVD	-							-				
	/2005 - 10/01/2006: 75% of the rate for UCLND									_				_	-
	e will apply to USOCS: ULSDT and ULSCT					-									
	Line Sharing monthly recurring rates with USOCs ULSD	CandULS	CC applies only to cir	cuite inetalled a	nd inservice or	or before Octo	her 1 2003	-							
LINE SHARING		O UNO OLO	oo uppiles omy to en	caits instance t	I III	or octore oct	Der 1, 2005								
	ENTRAL OFFICE BASED							<b>†</b>		_					
	haring Splitter, per System 96 Line Capacity		ULS	ULSDA	181.18	631.54	0.00								
Line S	haring Splitter, per System 24 Line Capacity		ULS	ULSDB	38 99	631 54	0.00								
Line S	haring Splitter, Per System, 8 Line Capacity		ULS	ULSD8	12.73	424.61	0.00								
	haring-DLEC Owned Splitter in CO-CFA activaton-deactivation													-	-
(per LS			ULS	ULSDG		146.32	31.27								
END USER OF	DERING-CENTRAL OFFICE BASED LINE SHARING														
Line S	haring - per Line Activation (BST Owned splitter) -														
	LETE see "NOTE 2		ULS	ULSDC	0.61	54.71	28.77								
	hare Service, TRO per line activation, BST owned splitter -														
	I Office Located (25% of UCLND) - please see NOTE 1														
	2/2003)		ULS	ULSDT	3 49	54.71	28 77		-						
	hare Service, TRO per line activation, BST owned splitter -		4												
	Office Located (50% of UCLND) - please see NOTE 1		1	1022	1,63	1000000				1					
	2/2004)		ULS	ULSDT	6.99	54.71	28.77								
Line S	hare Service, TRO per line activation, BST owned splitter -														
	I Office Located (75% of UCLND) - please see NOTE 1		1000				22 500								i .
(E:10/2	2/2005)		ULS	ULSDT	10.48	54.71	28.77			-					
	haring - per Subsequent Activity per Line Rearrangement(BST I Splitter		ULS	ULSDS		35 42	16 57								
Line S	haring - per Subsequent Activity per Line					22.42	.5.01								
										1					

	The state of the s															C.
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring Dis	Add'l	SOMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
	Line Sharing - per Line Activation (DLEC owned Splitter) -		_				First	Addi	First	Adol	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	OBSOLETE see "NOTE 2			ULS	JULSCC	0.61	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter -		_	ULS	ULSCT	3.49	47.44	19,31								
	Central Office Located (50% of UCLND) - please see NOTE 1															ı
	(E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter -							77-75-75-75-75-75-75-75-75-75-75-75-75-7								
	Central Office Located (75% of UCLND) - please see NOTE 1			and the												
14 4 19 12	(E:10/2/2005) ENANCE			ULS	ULSCT	10.48	47.44	19.31								
MAINI	No Trouble Found - per 1/2 hour increments - Basic	-	-		_		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				41.5104	0.0405										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0125										
	Facility Termination			U1TVX	U1TV2	18 00	137 48	52.58								1
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			01124	0	10.00	101.40	02.00								
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat						100000									
	Facility Termination		-	U1TVX	U1TR2	18.00	137 48	52 58								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125			1							ı
5	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			01144	ILJAA	0.0123						-				
	Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per				The second secon	7,40,41		7 3.00								
	month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	-		UTIDA	UTIDS	17.40	137.48	52.58								
	month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					1	1.00									
	Termination			U1TDX	U1TD6	17.40	137.48	52.58								
GNALING (C						10.00						19 -				
<del></del>	CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link)	-	-	UDB	TPP6A TPP9A	18.22 18.22	278.02 278.02	278.02 278.02								
_	CCS7 Signaling Connection, Per DS3 lever link (A link)  CCS7 Signaling Connection, Per DS1 level link (B link) (also known		_	UUB	IFF9A	16.22	270.02	218.02								
	as D link)			UDB	TPP68	18.22	278.02	278.02								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known				The same											1
	as D link)			UDB	TPP9B	18.22	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	132.83										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	1	40.00	40.00								
	CCS7 Signafing Point Code, per Destination Point Code		_	000	COALO		40.00	40,00								
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								
11 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					11.24	553.80	89.69								
-	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	-	-			19.91 31.70	553.80	89.69 89.69								
-+-	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				+	0.0282	553.80	09.69						-		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					11.0202										
	Termination					18,00	137.48	52.58								
	Local Channel - Dedicated - DS1 - Zone 1					27.05	534.48	462.69								
	Local Channel - Dedicated - DS1 - Zone 2					47.94	534.48	462.69								
	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	-	_		1	76.32 0 5753	534 48	462.69								

ABOUDLED ME	TWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual Order Electron Disc Ac
						Rec	Nonrec		Nonrecurring					Rates(\$)		
444050 54554	TO CHUICE MINI				1		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	DED LINK (EELs)							1 10 11							-	
NOTE: The n	nonthly recurring and non-recurring charges below will ap	plyand	the Sv	vitch-As-Is Charge v	all not apply to	r UNE combina	itions provision	ned as "Ordina	irily Combined' N	Network Eleme	ents.					_
	nonthly recurring and the Switch-As-Is Charge and not the				apply for UNE	combinations	provisioned as	Currently Co	mbined' Network	k Elements.						
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADEIN				1										
2-Wi	reVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
2-W	ireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
2-Wii	reVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
Interc	office Transport - 2-wire VG - Dedicated- Per Mile Per Month		l	UNCVX	1L5XX	0.0282										1
	ecurring Currently Combined Network Elements Switch -As-Is															
Char				UNCVX	UNCCC		21.75	21.75	32.28	10.96	1					
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	ADE IN	TERM		1011000	_	21.13	21.13	32.20	10.00						
		ADE IN	1		LIENIA	21.32	288.47	237 45								-
	reVG Loop in combination - Zone 1		1	UNCVX	UEAL4				<b>-</b>				_			_
	reVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
4-Win	reVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
1.				A CONTRACTOR OF THE PARTY OF TH	14	***************************************									1	
	office Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0282										
Nonre	ecurring Currently Combined Network Elements Switch -As-is															
Chan	ge			UNCVX	UNCCC		21.75	21.75	32 28	10.96						
EXTENDED 4	1-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE	TRANSPORT												
	e 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51							1	
	e 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	e 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489 04	337.51					-			
		_	3	UNCDX	ODES6	07.20	409.04	337.31				-				_
	office Transport - Dedicated - 4-wire 56 kbps combination - Per			100.220												
	per month			UNCDX	1L5XX	0.0282						inne -				
Nonn	ecurring Currently Combined Network Elements Switch -As-is			THE REST												
Char				UNCDX	UNCCC		21.75	21.75	32.28	10.96						
EXTENDED 4	1-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE	TRANSPORT												
4-were	e 64 kbps Local Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
4-wire	e 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	e 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	office Transport - Dedicated - 4-wire 64 kbps combination - Per		-	UNODA	00004	01.20	400.04	331.31						-		-
				UNCDX	1L5XX	0.0282									1	
	per month	-	_	UNCUX	1L5XX	0.0282										-
	ecurring Currently Combined Network Elements Switch -As-Is			e disease	and the last											
Char			_	UNCDX	UNCCC		21.75	21.75	32.28	10.96						
	-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA													
First	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
First	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		-		-	7										
month				UNCDX	1L5XX	0.0282	1								1	
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			DITODA	IIII	0.0202									+	-
				LINCDY	LISTOS	17.10	127 10	ED 50								
	ination per month	-		UNCDX	U1TD5	17.40	137.48	52.58			-			_	-	-
	ecurring Currently Combined Network Elements Switch -As-Is			LILLORNI	unios -			- 1	1222.01	9.2.4						
Char	ge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
	L-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC										1				
First	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
First	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51				1				
	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	67.26	489.04	337.51		79-77-11						
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per				1		17.7.7.7.									
month				UNCDX	1L5XX	0.0282									1	
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility					0.0202									1	
	ination per month			UNCDX	U1TD6	17.40	137,48	52.58							1	
			1	DIACRY	CITO	17,40	131,48	32.38						-		+
	ecurring Currently Combined Network Elements Switch -As-Is			Unit Labor				4		6.2					1	1
Char				UNCDX	UNCCC		21.75	21.75	32.28	10 96					-	-
	ORK ELEMENTS									100						
	s a part of a currently combined facility, the non-recurring															
	as ordinarily combined network elements in All States, the						not.									
	g Currently Combined Network Elements "Switch As Is" Cl															
		3010												1		
None	ecurring Currently Combined Network Elements Switch -As-Is															

UNBUNDL	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Addil	Disc 1st	Disc Add'l
						P	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
Mis	cellaneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	1-		UNC1X	OCOSR		18.89	18.89								
LNP Query	Service															

.1001	·	NETWORK ELEMENTS - South Carolina										Suc Orde-	Suc Order	Incremental	ment: 2	Exhil Incremental	
TEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			The second second second	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							177	First	Add'I	First	Add'l		SOMAN			SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as pa				aphically De	averaged UNE	Zones. To view	Geographicall	ly Deaveraged (	NE Zone Desi	gnations by	Central Office	ce, refer to Int	ernet Website	:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm						ı							
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"  [1] CLEC should contact its contract negotiator if it prefers the "	'ctato c	no oi fic'	" OSS charges as ord	arad by the	State Commissi	one The OSS	harger curren	thy contained in	this rate ovhi	hit are the B	allSouth "ro	gional" convic	o ordering ob	arges CLEC	may clast
		he state specific Commission ordered rates for the service order															
		(2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request					1										
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with Be	South	s FCC	No.1 Tariff, Section 5	as applicab	le.										
RDER	MODIFI	UNE Expedité Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE Order Modification Charge (OMC)			UDL, UENTW, UDN, UEA, UHL, ULC. USL, U1T12, U1T48, U1TD1, U1T03, U1TS1, U1TVX, UC1BC, UC1CL, UC1DC, UC1DL, UC1DC, UC1BL, UC1GC, UC1BL, UC1GC, UC1BL, UC1GC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BC, UC1BL, UC1BC, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, UNCDX, UNCN	SDASP		200.00	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
BUN	DLED F	XCHANGE ACCESS LOOP							5.50	0.50	5.50						
		ANALOG VOICE GRADE LOOP		70			1										
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1			UEANL	UEAL2	14.94	37.92	17.62	23 56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	14 94	37 92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1/									1				
		Premise			UEANL	URETL		8.33	0.83				-				
		Loop Testing - Basic 1st Half Hour				URET1		34.23	0.00								
_		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.81	8.96								
- 1		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								

ARONDEE	D NETWORK ELEMENTS - South Carolina													ment: 2	-	bit: A
FEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1,00	First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
_	Manual Order Coordination for UVL-SL1s (per toop)		-	UEANL	UEAMC		8 17	8.17								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			. IF AND	0000		40.40	40.40								
0.1100	LSR) E UNBUNDLED COPPER LOOP - NON-DESIGNED	_	-	UEANL	OCOSL		18 13	18.13	-							-
Z-YVIK	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42	_					-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	_	UEQ	UEQ2X	14 51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	T.		UEQ	UEO2X	15.02	36.40	16.10	22.66	4,42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	024		10.02			22.00							
_	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-									-		7				
	Designed (per loop)			UEQ	USBMC		8.17	8.17								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
_	providing make-up (Engineering Information - E I.)		_	UEQ	UEQMU		13 47	13.47								
	Loop Testing - Basic 1st Half Hour		-	UEQ	URET1		34.23	0.00								
_	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-		-	UEQ	URETA		19.90	19.90								
ľ	ND)			UEO	UREWO		14,30	7.45								
UNDLED	EXCHANGE ACCESS LOOP			000	diciro		14.50	7.45	1		-					
	E ANALOG VOICE GRADE LOOP												75			- 1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									9						
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or											- Y				
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23 13	105 98	68 43	53 05	10 61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	16 68	105.98	68.43	53.05	10.61						1
_	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		- 53	UEA	UEARZ	10 00	105.96	00.43	55.05	10.61					_	-
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105 98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			122	10,750.00		1.5.0.0.5	-747				-				
	Battery Signaling - Zone 3		3	UEA	UEAR2	28 46	105.98	68.43	53.05	10.61						1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP							400								
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43 89	132 38	94.83	59.35	14.61						1
-	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
0.1400	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.90	36.44						-		_
Z-VVIR	E ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						-
_	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						-
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						+
	CLEC to CLEC Conversion Charge without outside dispatch		1	UDN	UREWO	51.50	91.82	44.25	0.00	10.01						
2-WIR	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	OP.		9/10/110		0.100									
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			100	4 757 15		539 63		Contract Contract							
	facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
-	facility reservation - Zone 3	-	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	12 19	95.81	57.82	50 37	7.93						
	tacility reservation - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry 8		-	UAL	UMLZVV	12.19	10.08	57.82	50.37	7.93			_	-		
	facility reservation - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	1	J. 12,511	1601	33.01	51.02	50.07	1.33					-	
	facility reservator - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48	***************************************							
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOC	P													
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
_	facility reservation - Zone 1		1	UHL	UHL2X	9.58	129 52	79.24	50.37	7.93						-
	2 Wire Unbundled HDSL Loop including manual service inquiry &		2	1.0-0	UHL2X	10.92	129.52	79.24	50.37	7.93						1

ADOIADE	ED NETWORK ELEMENTS - South Carolina		-											ment: 2		bit: A
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
_	AND THE RESIDENCE						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.40	129 52	79 24	50.37	7.93	1					
_	2 Wire Unbundled HDSL Loop without manual service inquiry and		-3	OFIC	UTILEA	11.40	123.02	1324	30.37	7.93						
	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and			100.00			1403.14	00.00								
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7 93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and				- 1 La - 3											
	facility reservation - Zone 3		3	UHL	UHL2W	11 40	104 49	66 50	50.37	7.93						
4 1500	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55 12	10.38						
_	4-Wire Unbundled HDSL Loop including manual service inquiry and	-	-	5/1%	UIIL4A	10.02	130.10	107.89	33.12	10.38				-		
	facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and		-													-
	facility reservation - Zone 3		.3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
7	4-Wire Unbundled HDSL Loop without manual service inquiry and		-													
_	facility reservation - Zone 1		1	UHL	UHL4W	16.02	133 14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
-	facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38	_					
	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
_	facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch	-	- 5	UHL	lurewo	16.84	86.32	40.48	55.12	10.38	-					_
4.WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<del>                                     </del>	OFIC	IOREVVO		00.32	40,40	-							-
- 111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14 61						
1	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12		14.61						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29 93	126.66	89 12		14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34 74 29.93	126.66	89 12		14.61						
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64 UDL64	33.99	126 66 126 66	89.12 89.12	59.35 59.35	14.61 14.61	-					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	_		UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
+	CLEC to CLEC Conversion Charge without outside dispatch		- 3	UDL	UREWO	34,74	102 34	49.85	35.33	14.01						
2-WIF	RE Unbundled COPPER LOOP														-	
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		- 1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual service			Lane I	A STATE OF	DENOM										
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service		,	1101	1101.00		440.04	20.00	50.07	7.00						
-	inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						_
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50 37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service		-	002	OCEI W	12.13	34.07	30.03	30.31	1.93						
1.0	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94 87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service											1				
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW:	14.14	94.87	56.89	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				1											
-	Des)			UCL	UREWO		94 87	42.57								-
4-W(F	RE COPPER LOOP		-													-
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	1964	144.17	93.88	55.10	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and			UUL	UCL45	19 04	144.17	93.68	55.12	10.38					1	<u> </u>
	facility reservation - Zone 2		2	UCL	UCL4S	20.90	144,17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and					20.00		55.50								
	facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and			1												
	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and															
-	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						<u> </u>
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119,13	81.15	55.12	10.38						

	NETWORK ELEMENTS - South Carolina	r —									C C	Cur Ord		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				1000 mg									1		
	Des)			UCL	UREWO		94.87	42 57								
	Order Coordination for Unbundled Copper Loops (per loop)	-	1	UCL	UCLMC		8 17	8.17		-						
	0.4-0.4-0.4-0.4-0.4-0.4-0.4-0.4-0.4-0.4-	İ	1	UEA, UDN, UAL.	2000	. 1	40.40									
OP MODIFIC	Order Coordination for Specified Conversion Time (per LSR)	-	-	UHL, UDL	OCOSL		18.13				-	_				-
OF MODIFIC	ATON			UAL, UHL, UCL,	-							-				_
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEQ, ULS, UEA, UEANL, UEPSR,												
	less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32 46								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32 46	32.46								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UAL, UHL, UCL, UEO, ULS, UEA, UEANL, UEPSR,												
	unbundled loop			UEPSB	ULMBT	1	32.48	32.48						4		
B-LOOPS																
Sub-Lo	op Distribution															
		-														
-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	_1_		UEANL	USBSA		241.42	241.42								-
-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-1		UEANL	USBSB		22.69	22.69			-			-		-
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility				uonee		477.04	177.01				1				
	Set-Up	1	-	UEANL	USBSC		177.84	177.84	-		-					-
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 7		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		-	GENNE	03030		33.30	93,30	-						1	_
	1	1	1	UEANL	USBN2	8.87	65 94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		-		13.32											
	2	- 1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	_1_	3	UEANL	USBN2	14 79	65 94	31.03	45.35	6.71						
	Onder Consideration for the bonder of the constant of the cons			UEANL	USBMC		8.17	0.47								
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-	UEANL	USBMC	-	8.17	8.17			+				-	
	1 Sub-Loop Distribution Fer 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-	DEAINL	U3BIV4	14,11	75.21	44.25	45.02	3.03						+
0.00	2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	a recommendation of the Co.															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	-	UEANL	USBMC		8.17	8.17			-				_	-
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	-	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		_		_		-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	-	UEANL	USBR4	5.36	59 38	24.47	49 82	9.09	+					
	Solvedop 4-11/16 Initiability (100001 Cable (1110)	-		ODNINE	USBICE	5.50	35 30	24.41	45.02	5.05						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00								
	Luop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								-
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	7,11	65 94	31.03	45.35	6.71						+
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9.83	65.94	31.03 31.03	45.35 45.35	6.71				-		+
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	10.48	65.94	31 03	45.35	6.71			-			+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8,17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UC\$4X	7.85	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	T		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	T		UEF	UCS4X	12.64	79.21	44.29		9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															

SHADOMOLED METAN	ORK ELEMENTS - South Carolina	-								_	00	0.0		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring I		CONTR	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
Loop Tes	sting - Basic 1st Half Hour			UEF	URET1		First 34.23	Add'I 0 00	First	Add'l	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMIAN
	sting - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
	-Loop Modification					1 2										
	ed Sub-Loop Modification - 2-W Copper Dist Load	9														
	p Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	ed Sub-loop Modification - 4-W Copper Dist Load Col/Equip							75.00								
	per 4-W PR		_	UEF	ULM4X		176.17	5.11			-					
loop	nd Loop Modification, Removal of Bridge Tap, per unbundled			UEF	ULMBT		278.82	6.13			1					
10 to pt	vork Terminating Wire (UNTW)			UEF	OLMBI		210.02	0.13			-					
	d Network Terminating Wire (UNTW) per Pair		_	UENTW	UENPP	0.3303	30.20	30.20								
Network Interfac						0.0003	55.25	50.20								
	Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
Network	Interface Device (NID) - 1-6 lines			UENTW	UND16	4	64.42	49.53								
	Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92			1					
	Interface Device Cross Connect - 4W			UENTW	UNDC4		5 92	5.92								
	NING ONLY - NO RATE															
	patch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
UNIWC	ircuit Id Establishment, Provisioning Only - No Rate	-		UENTW	UENCE	0.00	0.00		-							
Linhundle	od Contract Name Provincence Och. No Rate			UEANL, UEF, UEQ, UE NTW	UNECN	0.00	0.00									
Oniduridie	d Contract Name Provisioning Only - No Rate	-	_	UAL,UCL,UDC,UDL.	DIVECTA	0.00	0.00									
Unbundle	nd Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0 00									
OP MAKE-UP	o o stage from e, i for soming only the rate			OD/1,OC/10/10	0.1.20.1	0.00	0.00				-					
	keup - Preordering Without Reservation, per working or															
	cility queried (Manual)			UMK	UMKLW		24.04	24.04			1					
Loop Mal	keup - Preordering With Reservation, per spare facility															
queried (				UMK	UMKLP		25.49	25.49								
	keupWith or Without Reservation, per working or spare							00.000								
	eried (Mechanized)	-		UMK	UMKMQ		0 34	0 34								
	ne Sharing monthly recurring rates for all installations	complete	d Iro	m Ostobor 02 2002 th	rough midn	ight October 01	2004 chall bo b	illed as fallou							_	-
	003 – 10/01/2004: 25% of the rate for an unbundled cop				Tough much	Igint October or,	2004 Shan be b	med as follow	75.							
	004 - 10/01/2005: 50% of the rate for UCLND	Jer 100p	1011-0	esigned ( OCLIND )												
	005 - 10/01/2006: 75% of the rate for UCLND															1
	will apply to USOCS: ULSDT and ULSCT															
	ine Sharing monthly recurring rates with USOCs ULSD	C and UL	SCC	applies only to circu	its installed	and inservice of	n or before Octo	ber 1, 2003								
LINE SHARING						14										
	TRAL OFFICE BASED															
Line Shar	ring Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189 21	0.00	178.38	0.00						
Line Shar	ring Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
	ring Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00	-					
(per LSO	ring-DLEC Owned Splitter in CO-CFA activation-deactivation			ULS	ULSDG	1.	86.67	0.00	49.95	0.00						
	ERING-CENTRAL OFFICE BASED LINE SHARING			WEG	JESUG	1	80.07	0.00	49.93	0.00						
	ring - per Line Activation (BST Owned splitter) -	1		_		1										
	TE see "NOTE 2			ULS	ULSDC	0.61	18.55	10 62	10.04	4.93						
	re Service, TRO per line activation, BST owned splitter -															
	Office Located (25% of UCLND) - please see NOTE 1															
(E:10/2/2				ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	re Service, TRO per line activation, BST owned splitter -					1										
	Office Located (50% of UCLND) - please see NOTE 1					12.74				11204						
(E:10/2/2				ULS	ULSDT	6.47	18.55	10.62	10.04	4.93				-	-	
	re Service, TRO per line activation, BST owned splitter -	1														
(E 10/2/2	Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93				1		
	ring - per Subsequent Activity per Line Rearrangement(BST			00	DESD1	9.73	10,00	10.02	10.04	4.83	1					t -
Owned S				ULS	ULSDS		16.42	8.21								
	ring - per Subsequent Activity per Line				The state of the s		10.56									
	gement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8 21								
Line Shar	ring - per Line Activation (DLEC owned Splitter) -				T											
IORSOLE	TE see "NOTE 2			ULS	ULSCC	0.61	47 44	19.31	20.67	12.74						

ONDONDE	ED NETWORK ELEMENTS - South Carolina	1									1			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		1
_	Line Share Service, TRO per line activation, CLEC owned splitter -	-	-			1133	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	324	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E.10/2/2004)			ULS	ULSCT	647	47,44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19,31	20.67	12 74						
MAIN	TENANCE		1 1 - 3	020	02001	2.7.1		13.51	20.01	12.74						
	No Trouble Found - per 1/2 hour increments - Basic					-	80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT											110				
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT	-														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade -			UITVX	1L5XX	0.0167										
	Facility Termination			U1TVX	U1TV2	24.30	40 63	27 47	16.77	6.91						
	Interoffice Channel - Dedicated Transpor I- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167	40 00	27.41	10.77	0.51						
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -				N.J.				53.00							
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27 47	16 77	6,91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month						40.63	21.41	10,7,7	6.91	-					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		-	UITDX	U1TD6	0.0167	40.00	07.47	46.77	0.04						
IGNALING (C		-		UTIDX	01106	16.76	40.63	27.47	16.77	6.91					_	
1	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UD8	TPP9A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UD8	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP98	16.93	35.61	35.61	16.48	16.48						
_	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		29.08	29.08	35.65	35.65						
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
911 SERVICE	and the state of t			-	2000		23.00	25.08	33.03	33.03						
	Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					24.30	40.63	27.47	16.77	6.91						
	Local Channel - Dedicated - DS1 - Zone 1					42.62	177.87	154.06	22.24	15.30						
_	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06		15.30						
-	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	-		-	-	190.68 0.3415	177.87	154.06	22.24	15.30	-	-				_
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					77.14	89.47	81.99	16.39	14.48						
	XTENDED LINK (EELs)															
NOTE:	The monthly recurring and non-recurring charges below will a	pply and	the Sw	vitch-As-Is Charge	will not apply fo	r UNE combina	tions provision	ed as 'Ordina	rily Combined' I	Network Eleme	ents.					
FYTEN	The monthly recurring and the Switch-As-Is Charge and not the NDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE G	E non-re	TEROP	charges below w	apply for UNE	combinations	provisioned as	Currently Co	moined Networ	k Elements.		-				
LATER	2-WireVG Loop in combination - Zone 1	TAUE IN		UNCVX	UEAL2	16 68	105.98	68.43	53.05	10,61						
	2-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL2	23.13	105.98	68.43		10.61		_				

JUILL	ED NETWORK ELEMENTS - South Carolina										Sun Ander	Sun Orde -	Incremental	ment: 2	Incremental	hit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron Disc Ad
						Rec	Nonrecu	rring Add'l	Nonrecurring D	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28 46	105.98	68 43	53.05	10.61	SOINEC	SOMAN	JOMAN	SOMAN	SOMAN	JOHNA
	a the same of the			0.1011	J D L N L L	2000	100.00								N. Control	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			AND VALUE OF BUILDING		97.000.00		1000000		141411						
	per month	-		UNCVX	U1TV2	19 44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00					1	
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	EROF			-	3.5 *	3.01	7.00	7.00						
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43 89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14 61						
	Interesting Transport Autro VC Dedicated Des VIII- De VIII-			LINCUA	11.500	0.0124										
-	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0 0134								-		_
	per month			UNCVX	U1TV4	17.03	40.63	27 47	16 77	6.91				3		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FFICE			7										
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						_
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
- 1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDX	1123//	0.0134										
	Facility Termination per month	-		UNCDX	U1TD5	13.41	40.63	27,47	16.77	6.91						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	FFICE													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126 66	89.12	59.35	14.61						
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA		01100	15.41	40.00	27.47	10.71							
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34 74	126 66	89 12	59.35	14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1	Distance of the Control of the Contr			10.5							
	Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	691		-			-	-
	Nonrecurring Currently Combined Network Elements Switch -As-is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXTER	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA		311000		9.01	2.01	7,30	7,00			7.7-			
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29 93	126.66	89.12	59.35	14 61						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33 99	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14 61						1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINCDY	U1TD6	13.41	40.63	27,47	16.77	6.91						
	Termination per month Nonceurring Currently Combined Network Elements Switch -As-Is			UNCDX		13,41	5.61	5.61	7.00	7.00						
DITIONAL P	Charge NETWORK ELEMENTS			UNCDA	UNCCC		5.61	3.51	7,00	7,00		+				+
	used as a part of a currently combined facility, the non-recurring	charge	s do n	ot apply, but a Swii	tch As Is charge	does apply.										
	used as ordinarily combined network elements in All States, the						not.									
	curring Currently Combined Network Elements "Switch As Is" C										1 5 5 5					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 56/64 kbps	-		UNCDX	UNCCC		5 61	5.61	7.00	7.00						-
Misce	Illaneous  NRC - Order Coordination Specific Time - Dedicated Transport	-		UNC1X	OCOSR		18.90	18.90								-
- 1	All Available Vertical Features	,		UNUIA	JOUGH	3.04	0.00	0.00			1				_	_

JNBUNDLED NETWO	ORK ELEMENTS - South Carolina												Attach	ment: 2	Exh	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Newson Additional	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						D	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Query Service									1							

PONDLE	D NETWORK ELEMENTS - Tennessee	1		1								1		ment: 2		bit: A
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-	Charge Manual : Order v
													1st	Addil	Disc 1st	Disc A
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
The 97	long shows in the continue for the distance of the second stands of the				- Line II De	73.78	First	Add'I	First	Add'l		SOMAN		SOMAN	SOMAN	SOMA
	one" shown in the sections for stand-alone loops or loops as p www.interconnection.bellsouth.com/become_a_clec/html/interco			lation refers to Geogr	aphically De	averaged UNE	Zones. To view	Geographical	y Deaveraged	JNE Zone Desi	gnations by	Central Offi	ce, refer to int	ernet Website	:	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	I	1				1		1					1		
	(1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	ered by the	State Commissi	ons. The OSS	charges curren	tly contained in	n this rate exhi	bit are the B	ellSouth "re	gional" servi	ce ordering ch	arges. CLEC	may elec
either	the state specific Commission ordered rates for the service orde	ring ch	arges,	or CLEC may elect the	regional se	rvice ordering	harge, howeve	r, CLEC can no	t obtain a mixt	ure of the two	regardless if	CLEC has a	interconnec	tion contract	established in	each of
	(2) Any element that can be ordered electronically will be billed															
	ered electronically at present per the LOH, the listed SOMEC rate						LEC once elect	ronic ordering	capabilitles co	me on-line for	that element	. Otherwise	, the manual	ordering char	ge, SOMAN, wi	ill be app
NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Only	"Pleas	se see a	applicable rate elemen	nt for SOMA	N charge**										
1	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				201150		2.52		0.50						1 7	
SEDVICE	DATE ADVANCEMENT CHARGE		-		SOMEC		3.50	0.00	3.50	0.00						_
	The Expedite charge will be maintained commensurate with Be	USouth	'e ECC	No 1 Tariff Section 5	as applicab	lo .								-		
110.12.	The Expedite Charge will be maintained Confinensulate with pe	Journ	STCC	lio.i Laini, Section 3	as applicad	le.			****						-	-
ER MODIF	UNE Expedite Charge per Circuit of Line Assignable USOC, per Day ICATION CHARGE			UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1T03, U1TD5, U1TVX, UC1BC, UC1EL, UC1CC, UC1CL, UC1DC, UC1CL, UC1CC, UC1EL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UDL03, UDL03, ULDD3, ULD03, ULDD1, ULD03, ULDD1, ULD03, ULDD1, ULD03, UNCDX, UNCNX, UNCDX, UNCNX, UNCDX, UNCNX, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UTUA,	SDASP		200.00									
-	Order Modification Charge (OMC)		-			-	26.21	0.00	0.00	0.00	-					
LINDI ED S	Order Modification Additional Dispatch Charge (OMCAD)  EXCHANGE ACCESS LOOP						150.00	0.00	0.00	0.00	-					
	ANALOG VOICE GRADE LOOP		_									-				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1,41			20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEAL2	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEASL	17.59	31 99	20.02	10.65	1.41	- 14		20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zorie 3		3	UEANL	UEASL	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User							aprejok.					620-	-	100.00	
	Premise			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	- 1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00					20.35	10.54	13.32	
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44					20.35	10.54	13.32	- 6
	CLECK-CLEC Comments Character Charac											1				1
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL.	UREWO.		15.80	8.95					20 35	10.54	13.32	
				UEANL.	UREWO.		15.80 25.33	8.95 25.33					20 35	10.54	13.32	

BONDLED	NETWORK ELEMENTS - Tennessee										_		Attach	ment: 2	Exhi	ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Char Manua Order Electro Disc
						Rec	Nonrecurring	-	Nonrecurring I					Rates(\$)		
						0.000	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	rder Coordination for Specified Conversion Time for UVL-SL1 (per			( om 4 a st	2000						i I					
	SR) NBUNDLED COPPER LOOP - NON-DESIGNED			UEANL	OCOSL		34.29				_		0.00	0.00	0.00	
	Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31,99	20.02	10.65	1.41			20.35	10.54	13.32	-
		-				17.59	31.99		10.65	1.41						
	Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1		UEQ	UEQ2X			20.02			_		20.35	10.54	13.32	
	Wire Unbundied Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	-
	nbundled Miscellaneous Rate Element, Tag Loop at End User			uro	UDET		2.00	0.00								
	remise		-	UEQ	URETL		8.33	0.83					20.35	10.54	13.32	-
	anual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1		71252 )			14 - 42									
	esigned (per loop)			UEQ	USBMC		36.52	36.52					0.00	0.00	0.00	
	nbundled Copper Loop, Non-Design Copper Loop, billing for BST						1									
	oviding make-up (Engineering Information - E.I.)			UEQ	UEQMU		25.33	25.33					20.35	10 54	13 32	
	pop Testing - Basic 1st Half Hour			UEQ	URET1		57.67	0.00					20.35	10.54	13.32	
	pop Testing - Basic Additional Half Hour			UEQ	URETA		37.44	37.44					20.35	10.54	13.32	
	LEC to CLEC Conversion Charge Without Outside Dispatch (UCL-				The state of the s		1000									
	0)			UEQ	UREWO		14.29	7 44					20.35	10.54	13.32	
	CHANGE ACCESS LOOP															
2-WIRE A	NALOG VOICE GRADE LOOP															
2-	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				11									and a start in		
G	round Start Signaling - Zone 1		1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
2-	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
G	round Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17 64			20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Service Level 2 wLoop or							1777	100000000000000000000000000000000000000				3,074	A TREATMENT	-	
	round Start Signaling - Zone 3	1	3	UEA	UEAL2	36.87	75.06	48 20	28.70	17.64			20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	001		50.01	7,0.00	-020	20.75	13.04			20.00	10.04	10.02	1
	attery Signaling - Zone 1		1	UEA	UEAR2	14 74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Service Level 2 wReverse		-	000	OLANZ	19.19	75.00	40.20	20.10	17.04			20.55	10.34	13.32	_
	attery Signaling - Zone 2		2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	22.00	75.00	46.20	20.70	17.04			20.33	10.54	13.32	1
	attery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	
	LEC to CLEC Conversion Charge without outside dispatch		3	UEA	UREWO	30.07	75.06	36.41	20.70	17.04		-	20.35	10.54		-
	pop Tagging - Service Level 2 (SL2)			UEA	URETL			1.10							13.32	-
	NALOG VOICE GRADE LOOP			OLA	UKEIL		11.23	1.10	-			_	20.35	10.54	13.32	-
		-		LIF'A	UEAL4	21.98	122.76	85.57	76.35	39.16			20.25	1051	10.00	-
	Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4								20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Zone 2	-	2	UEA		32 93	122.76	85 57	76.35	39.16			20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13 32	
	LEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		75.06	36.41					20.35	10.54	13.32	-
	DN DIGITAL GRADE LOOP			· · · · · · · · · · · · · · · · · · ·	un e											
	Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16			20 35	10.54	13.32	
	Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142,76	88.88	76.35	39.16			20.35	10.54	13.32	
	Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
	LEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44 22					20.35	10.54	13.32	
	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLE LO	OP													
	Wire Unbundled ADSL Loop including manual service inquiry &															
	cility reservation - Zone 1		1	UAL	UAL2X	12 30	156.95	64.54	89.64	16.93			20.35	10 54	13.32	
	Wire Unbundled ADSL Loop including manual service inquiry &				911.1.731			1.00								
	cility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	Ĺ
2	Wire Unbundled ADSL Loop including manual service inquiry &												-			
fa	cility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	
2	Wire Unbundled ADSL Loop without manual service inquiry &															
fa	cility reservaton - Zone 1	- 1	1	UAL	UAL2W	12 30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	}
21	Wire Unbundled ADSL Loop without manual service inquiry &															
fa	cility reservaton - Zone 2	1	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	
2	Wire Unbundled ADSL Loop without manual service inquiry &	1														
fa	cility reservaton - Zone 3	1	3	UAL	UAL2W	30.77	89.40	35.91	72 02	11.48			20.35	10.54	13.32	
	LEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO	2000	31.99	20.02					20.35	10.54	13.32	
2-WIRE H	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P				1							12.07	-	
	Wire Unbundled HDSL Loop including manual service inquiry &															
	cility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	
	Wire Unbundled HDSL Loop including manual service inquiry &		-		-	0.04	.00.54	00.20	05.54	.0.00			20.00	.0.54	.0.02	
	cilly reservation - Zone 2	I	2	UHL	UHL2X	14.44	158 94	65.20	89.64	16.93			20.35	10.54	13.32	1

JUILE	NETWORK ELEMENTS - Tennessee	-			T 1						Tem Ord	S O.		ment: 2		bit: A
EGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Char Manua Orde Electr Disc
-						Rec	Nonrecurring		Nonrecurring					Rates(\$)	1 2227.11	
	0.00 11.1 0.1100.1	-	-				First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_		11111 21	24.42	450.04	05.00	20.04	46.00			00.05	10.51	40.00	
_	facility reservation - Zone 3		3	UHL	UHL2X	24.12	158 94	65.20	89.64	16.93			20.35	10.54	13.32	_
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.64	89.40	25.04	72.02	11,48			20.35	10.54	42.22	
+	2 Wire Unbundled HDSL Loop without manual service inquiry and		1	UNL	UHLZW	9.04	89.40	35.91	72.02	11.48		-	20.35	10.54	13.32	
	facility reservation - Zone 2	1 1	2	UHL	UHL2W	14.44	89 40	35.91	72.02	11.48			20.35	10.54	13.32	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	<u> </u>	-	OTIL	Oneza	13.35	05.40	33.31	12.02	11,40			20.55	10.54	15.52	
i	facility reservation - Zone 3	1.1	3	UHL	UHL2W	24.12	89,40	35.91	72.02	11.48			20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO	22	31.99	20.02	12.02	11,40			20.35	10.54	13.32	
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P		1		- 01.00						20.00	70.04	10.02	-
	4 Wire Unbundled HDSL Loop including manual service inquiry and		Ì						1							<b>—</b>
	facility reservation - Zone 1		1	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	
	4-Wire Unbundled HDSL Loop including manual service inquiry and															T
	facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	
	4-Wire Unbundled HDSL Loop including manual service inquiry and			-	A A											
	facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	
	4-Wire Unbundled HDSL Loop without manual service inquiry and							7								
	facility reservation - Zone 1	1	1	UHL	UHL4W	12.40	100.09	46.60	75 75	13.97			20.35	10.54	13.32	17
	4-Wire Unbundled HDSL Loop without manual service inquiry and								Destroyer.							
	facility reservation - Zone 2	1	2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3	l l	3	UHL	UHL4W	31.03	100.09	46.60	75,75	13.97			20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	41.47	207.01	141.38	90.70	44.18			20.35	10 54	13.32	
-	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	_		UDL	UDL56	27 68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-		UDL	UDL56 UDL64	69.24 27.68	207.01	141.38 141.38	90.70 90.70	44.18			20.35	10.54	13.32	
		-		UDL	UDL64	41,47	207.01	141.38	90.70	44.18			20.35	10.54 10.54	13.32 13.32	-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-		UDL	UDL64	69.24	207.01	141.38	90.70	44.18			20.35	10.54		-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	09.24	102.28	49.82	90.70	44.10			20.35	10.54	13.32 13.32	-
2 1A/IDE	Unbundled COPPER LOOP	-	-	ODL	IOREVIO		102.20	49.02			-	-	20.33	10.54	13.32	-
Z-VVIINE	2-Wire Unbundled Copper Loop-Designed including manual service	-	-		_											-
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31 99	20.02	10.65	1.41			20.35	10.54	13.32	
	2-Wire Unbundled Copper Loop-Designed including manual service	<u> </u>	-	002	GOLFO	11.74	51.55	20.02	10.03	1.41			20.55	10.54	13.32	
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1 41			20.35	10.54	13.32	
	2 Wire Unbundled Copper Loop-Designed including manual service				1000	77,02			10.00				20.00	10.04	10.02	-
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2-Wire Unbundled Copper Loop-Designed without manual service											-				
	inquiry and facility reservation - Zone 1	1	-1	UCL	UCLPW	1174	31.99	20.02	10.65	1,41			20.35	10.54	13.32	
	2-Wire Unbundled Copper Loop-Designed without manual service									)						
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	10
	2-Wire Unburidled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)	1		UCL	UREWO		31 99	20.02					20 35	10.54	13.32	
4-WIRE	COPPER LOOP							_								
	4-Wire Copper Loop-Designed including manual service inquiry and			J. 100		4000		10000	235-341	- 200					994	
	facility reservation - Zone 1	1	1	UCL	UCL4S	21 98	122.76	85.57	76.35	39 16			20.35	10.54	13.32	
	4-Wire Copper Loop-Designed including manual service inquiry and	14				22.00	100 70	05.57	70.05						40.00	
	facility reservation - Zone 2	1	2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20 35	10.54	13.32	-
	4-Wire Copper Loop-Designed including manual service inquiry and		-	UCL	1101.40	F. CC	100.70	00.00	70.05	20.40			200.05	1051	1000	
	facility reservation - Zone 3	1	3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	-
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16		0	20.35	10.54	13.32	
	4-Wire Copper Loop-Designed without manual service inquiry and		-	UUL	UGLAW	21.98	122.76	00.07	/0.35	39.16		-	20.35	10.54	13.32	
	facility reservation - Zone 2	1	2	UCL	UCL4W	32.93	122.76	85.57	76 35	39.16			20.35	10.54	13.32	
+	4-Wire Copper Loop-Designed without manual service inquiry and	-	-	000	OCL4VV	32.93	122.70	00.37	10 35	39.16			20.35	10.34	13.32	
1	facility reservation - Zone 3		3	UCL	UCL4W	54 99	122.76	85.57	76 35	39 16	1		20 35	10.54	13.32	1

CHULL	NETWORK ELEMENTS - Tennessee										D O	C O1		ment: 2		ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electron Disc An
						Rec	Nonrecurring First	Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(S)	SOMAN	SOMA
_	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	_					First	Addi	First	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMA
	Des)	T		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52					0.00	0.00	0.00	
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		34.29						0.00	0.00	0.00	
P MODIFIC	ATION						-									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
_	than or equal to 18K ft, per Unbundled Loop		-	UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	-
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	i.		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	
LOOPS			_													-
Sub-Lo	pp Distribution	<u> </u>	-		+		+				-					-
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	_ [_		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	_
-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	0		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	-
-	Set-Up	-1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	-
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		108.06	108.06					20.35	10.54	13 32	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13 32	
					USBMC		21.00	24.00					0.00	0.00	0.00	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL UEANL	USBN4	6.54	34.29 106.85	34.29 51.20	74.08	11.55			20.35	10.54	0.00	
-	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	_	-	UEANL	USBIN4	6.54	100.65	51.20	74.08	11.55		-	20.35	10.54	13.32	-
	2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.36		51.20	74.08	11.55			20.35	10.54	13.32	
					-											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	1.35	94 56	29.35					20.35	10.54	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34,29					0.00	0.00	0.00	1
	Sub-Loop 4-Wire Intrabuilting Network Cable (INC)	1		UEANL	USBR4	2 26		37.10					20.35	10.54	13.32	
	and the state of t			7.7.7.19	12000			20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34.29					0.00	0.00	0.08	
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00					0.00	0.00	0.00	
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37 44		7.00			0.00	0.00	0.00	
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	4.67 6.99		25.75	70.82	9.55 9.55			20.35	10.54 10.54	13 32	
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+	2	UEF	UCS2X UCS2X	11.67		25.75 25.75	70.82 70.82	9.55			20.35	10.54	13.32 13.32	
+ +	z mire copper officialed 300-coop Distribution - Zone 3		3	ULI	00321	11.07	81 40	23.73	10.02	9.55			20.33	10,34	15 32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	
2	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1		UEF	UCS4X	5.85	81.74	26 08	74 08	11.55			20,35	10.54	13 32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X	8.76		26.08	74.08	11.55			20.35	10.54	13.32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	14.63	81.74	26.08	74 08	11,55			20.35	10.54	13.32	
	Order Coordination (or Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	_	34.29	34.29					0.00	0.00	0.00	
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF, UEANL	URETL		8 95	0.88			1					
+	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour			UEF, UEANL	URETT		57 67	0.00					0.00	000	0.00	-
			-	UEF	URETA		37.44	37.44			-	_	0.00	0.00	0.00	
	Loop Testing - Basic Additional Half Hour			UEF	URETA		37.44	37,44					0.00	0.00	0	.00

PINDUNULE	D NETWORK ELEMENTS - Tennessee	_									C C .	C 0 - 1:		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interin	m Zone	e 8CS	USOC	RATES(\$)						Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring Disconnect					Rates(\$)		
_	Unbundled Sub-Loop Modification - 2-W Copper Dist Load						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7 82					20.35	10.54	13 32	13
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coll/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	1;
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		528,48	9.74					20.35	10.54	13.32	13
Unbu	ndled Network Terminating Wire (UNTW)	_	-	UEF	OLMBI		320,40	9.74					20.55	10.54	13.32	- 1
Onbu	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0 4555	2.48	2.48	0.5814	0.5814			20.35	10 54	13.32	1
Netwo	ork Interface Device (NID)	, ·	_	OCIVITY.	OLIII .	0.1000	2.40	2.40	0.0014	0.0014			24.00		70.02	
	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54	13.32	1
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63 46	31.06	0.6522	0.6522			20.35	10.54	13.32	1
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.75	8.75					20.35	10.54	13.32	1
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.75	8 75					20.35	10.54	13.32	1
E OTHER.	PROVISIONING ONLY - NO RATE										1					
	NID - Dispatch and Service Order for NID installation		-		UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	<del>                                     </del>	UEANL, UEF, UEQ, UE	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL,	UNECN	0.00	0.00									
_	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00			Land of						
Note (	1): Rates provided in TN for both electronic and manual Loop M	akeup a	re inte	rim and subject to retr	o-active true	-up adjustmen	its pending a per	manent rate r	uling on these ra	ate elements	rom the Ten	nessee Reg	ulatory Autho	rity.		
OP MAKE-		-	-													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					0.00	0.00	0.00	
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0 76	0.76					0.00	0.00	0.00	
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76					0.00	0,00	0.00	
E SHARING																
	1: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01	, 2004 shall be b	illed as follow	S:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per loop	non-c	designed ("UCLND")												
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	_	-				_									
	1: Above will apply to USOCS: ULSDT and ULSCT		-									_				
	E 2: The Line Sharing monthly recurring rates with USOCs ULSE	C and l	II SCC	annlies only to circui	te installed a	nd inservice o	n or before Octo	her 1 2003								
	SHARING	1	I	l l	To motorio a			20, 20.0								
SPLIT	TERS-CENTRAL OFFICE BASED															
1747	Line Sharing Splitter, per System 96 Line Capacity				ULSDA	100.00	150.00	0.00	0.00	0.00		1	20.35	10.54	13.32	1
	Line Sharing Splitter, per System 24 Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation				ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	
	(per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	1
END U	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00			20 35	10.54	13.32	
1	Line Share Service, TRO per line activation, BST owned solitter -					l .				0.00			20.35	10 54	13.32	1
+	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (F-10/2004)			IIIS	LILSDT	5.97	40.00	31 30	0.00							-
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			20.33	10.54	10.02	
	Central Office Located (50% of UCLND) - please see NOTE 1 (E-10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E-10/2/2005)			ULS	ULSDT	5.87 8.81	40.00	31.39	0.00	0.00			20.35	10.54	13.32	1
	Central Office Located (50% of UCLND) - please see NOTE 1 (E-10/2/2004). Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E-10/2/2005). Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter).									10.00						
	Central Office Located (50% of UCLND) - please see NOTE 1 (E-10/2/2004). Line Share Service, TRÖ per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005). Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter). Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter).			ULS	ULSDT		40.00	31,39		10.00			20.35	10.54	13.32	1 1
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRÖ per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Central Office Located (25% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSDT ULSDS ULSCS	8.81	40.00 30.00 30.00	31.39 15.00	0.00	0.00			20.35 20.35 20.35	10.54 10.54 10.54	13.32 13.32	1
	Central Office Located (50% of UCLND) - please see NOTE 1 (E-10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E-10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter -			ULS	ULSDT		40.00 30.00	31.39 15.00		10.00			20.35	10.54 10.54	13.32 13.32	1

EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT					Attachment: 2		Ext	ibit: A
Lies Shard Service, TRO part line activation, CLEC owned splitter   Lies Shard Service, TRO part line activation, CLEC owned splitter   Lies Shard Service, TRO part line activation, CLEC owned splitter   Lies Shard Service, Lies Shard Service, Lies Shard S	Submitte Elec		Submitted	d Submitted Manually	Incremental Charge -	Order vs.	Charge - c Manual Svo Order vs.	Charge - Manual Sy Order vs
Line Dahne Species, TRO just five adulation, CLEC, counted spillary   Certain Office, Located (75% of UCLND) - pienes sen NOTE 1   U.S.   U.S.CT   8.81   47.44   1931   0.00   0.00	t	ísconnect	de et est		OS	SS Rates(\$)	-	
Central Office Located (75% of UCLND) - phases see NOTE 1   U.S. U.S.CT 8.81 47.44 19.31 0.00 0.00	SOMEC	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1							
MANTENANCE	0.5	2000		4 4				
No Tracible Found per 1/2 Pour Increments - Basci   88.00   55.00	.00	0.00		-	20.35	5 10.54	4 13.32	13
No Trouble Found - per 1/2 hour increments - Demonson   120,00   82.50					0.00	0 0.00	0.00	0
No Trouble Found - per 12 hour increments - Premium   160.00   110.00	_		-	+				
### NTEROFFICE CHANNEL DEDICATED TRANSPORT   MITEROFFICE CHANNEL DEDICATED TRANSPORT					0.00			
Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade -   U1TVX			-	+	0.00	0.00	0.00	-
Interoffice Charnel - Dedicated Transport - 2-Wive Voice Grade - Per Mise per month   Interoffice Charnel - Dedicated Transport - 2-Wive Voice Grade - Facility Termination   U1TVX   U1TV2   18.55   55.39   17.37   27.96   3.51	-		-	_	_		_	-
Pet Nils per month			-	+ - 1	-		_	
Inferroffice Channel - Decicated Transport - 2-Wire Voice Grade   U1TUX   U1TUZ   18.59   55.99   17.37   27.96   3.51								
Facility Termination   U1TDX   U1TVX   U15VX   0.0174					-			+
Interoffice Charmel - Dedicated Transport - 2-Wire Vote Grade   U1TVX	51	3.51	1		20.35	5 21.09	9 9 9 80	10
Rev Bat - Per Mile per month   UITDX   1LSXX   0.0174	.01	5.51		_	20.50	2110.	300	10
Interoffice Channel - Dedicated Transport - 2-Wire Viol Rev Bal.   U1TVX   U1TR2   18.59   55.39   17.37   27.96   3.51								
Facility Termination   U1TTX   U1TR2   18.59   55.39   17.37   27.96   3.51     Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -   U1TVX   U								
Interoffice Clannel - Dedicated Transport - 4-Wire Voice Grade -   U1TVX   1L5XX   0.0174	51	3.51			20.35	5 21.09	9.80	10
Per Mile par morth						-		1
Facility Termination				1			1	
Facility Termination								
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per north   U1TDX	.07	13.07			15 08	8 15.08	8 9.80	10
InterOffice Channel - Desticated Transport - 56 kbps - Facility   U1TDX   U1TDX   U1TDS   17.98   55.39   17.37   27.96   3.51								
Termination								
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month								
month   Interoffice Channel - Dedicated Transport - 64 kbps - Facility   Interoffice Channel - Dedicated Transport - 64 kbps - Facility   Interoffice Channel - Dedicated Transport - 64 kbps - Facility   Interoffice Channel - Dedicated Transport - 64 kbps - Facility   Interoffice Transport - 2-wire VG - Dedicated - Facility Termination   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 2-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - Par Mile Per Month   Interoffice Transport - 4-wire VG - Dedicated - P	.51	3.51			20.35	5 21.09	9 9.80	10
Interoffice Channel - Dedicated Transport - 64 kbps - Facility   U1TDX								
NALING (CCS7)								
CCS7 Signaling Termination, Per STP Port								
CCS7 Signaling Termination Per STP Port	.51	3.51			20.35	5 21.09	9 9 80	10
CCS7 Signaling Connection, Per DS1 level link (A link)								
CCST Signaling Connection, Per DS1 level link (A link)								
CCST Signaling Connection, Per DS1 level link (B link) (also known as D link)   UDB					20.35			
BS D link    UDB   TPP6B   17.84   130.84   13					20.35	5 0.00	0.00	
AS D link    Signaling Point Code, per Originating Point Code Establishment or Change, per STP					20.35	5 0.00	0.00	
Signaling Point Code, per Originating Point Code Establishment or Change, per STP								
Change, per STP  ANOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  EXTENDED 2-Wire VG Loop in combination - Zone 1  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 3  3-WireVG Loop in combination - Zone 4  4-WireVG Loop in combination - Zone 4  4-WireVG Loop in combination - Zone 1  4-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 3  3-WireVG Loop in combination - Zone 3  4-WireVG Loop in combination - Zo					20.35	5 0.00	0.00	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.						NAME OF TAXABLE PARTY.		
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as * Ordinarily Combined* Network Elements.    NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as * Currently Combined* Network Elements.					20.35	5 0.00	0.00	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.    EXENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT								-
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT  2-WireVG Loop in combination - Zone 1 1 UNCVX UEAL2 14,74 108.76 35.47 72.94 10.86  2-WireVG Loop in combination - Zone 2 2 UNCVX UEAL2 22.08 108.76 35.47 72.94 10.86  2-WireVG Loop in combination - Zone 3 3 UNCVX UEAL2 36.87 108.76 35.47 72.94 10.86  Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Month UNCVX 1L5XX 0.0174  Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month UNCVX U1TV2 18.58 79.83 44.08 69.32 31.00  Nonrecurring Currently Combined Network Elements Switch -As-Is UNCVX UNCCC 52.73 24.62 9.12 9.12  EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT 4-WireVG Loop in combination - Zone 1 1 UNCVX UEAL4 21.98 108.76 35.47 72.94 10.86  4-WireVG Loop in combination - Zone 2 2 UNCVX UEAL4 54.99 108.76 35.47 72.94 10.86  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month UNCVX UEAL4 54.99 108.76 35.47 72.94 10.86	ements.	Eleme	ents.			+	+	1
2-WireVG Loop in combination - Zone 1   1 UNCVX UEAL2   14.74   108.76   35.47   72.94   10.86		Elements.		1	-	_		1-
2-WireVG Loop in combination - Zone 2   2 UNCVX   UEAL2   22.08   108.76   35.47   72.94   10.86	06	10.06	-	_	31.26	6 10.42	2 0.00	-
2-WireVG Loop in combination - Zone 3 3 UNCVX UEAL2 36.87 108.76 35.47 72.94 10.86 Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Month UNCVX 1L5XX 0.0174 UNCVX 1L5XX 0.0174 UNCVX 1L5XX 0.0174 UNCVX U1TV2 18.58 79.83 44.08 69.32 31.00 Nonrecurring Currently Combined Network Elements Switch - As-Is Charge UNCVX UNCCC 52.73 24.62 9.12 9.12 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GRADE INTEROFFICE TRANSPORT 4-WireVG Loop in combination - Zone 1 1 UNCVX UEAL4 21.98 108.76 35.47 72.94 10.86 4-WireVG Loop in combination - Zone 2 2 UNCVX UEAL4 54.99 108.76 35.47 72.94 10.86 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month UNCVX 1L5XX 0.0174				_	31.26			
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month   UNCVX   1L5XX   0.0174				-	31.26			
Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month	00	10.00	-	+ -	31.20	10.42	2 0.00	1
Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month								
Def month				1	-			
Nonrecurring Currently Combined Network Elements Switch -As-Is   UNCVX   UNCCC   52.73   24.62   9.12   9.12	.00	31.00			20.35	5 21.09	9 980	10
UNCCC   52.73   24.62   9.12   9.12	.00	31.00	1		20.50	21.00	3.00	1
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GRADE INTEROFFICE TRANSPORT	12	9.12			31.26	6 10.42	2 0.00	
4-WireVG Loop in combination - Zone 1     1     UNCVX     UEAL4     21.98     108.76     35.47     72.94     10.86       4-WireVG Loop in combination - Zone 2     2     UNCVX     UEAL4     32.93     108.76     35.47     72.94     10.86       4-WireVG Loop in combination - Zone 3     3     UNCVX     UEAL4     54.99     108.76     35.47     72.94     10.86       Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month     UNCVX     1L5XX     0.0174     0.0174		-					-	
4-WireVG Loop in combination - Zone 2 2 UNCVX UEAL4 32.93 108.76 35.47 72.94 10.86 4-WireVG Loop in combination - Zone 3 3 UNCVX UEAL4 54.99 108.76 35.47 72.94 10.86 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month UNCVX 1L5XX 0.0174	86	10.86			31.26	6 10.42	2 0.00	
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month UNCVX 1L5XX 0.0174	86	10 86			3126			
	86	10.86			31.26	6 10.42	2 0.00	
								1
Interoffice Transport - 4-wire VG - Dedicated - Facility Termination								
	00	31.00			15.08	8 15 08	8 8.66	1
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCVX UNCCC 52.73 24.62 9.12 9.12		9 12			31.26	6 10 42	2 0.00	

BUNDLE	D NETWORK ELEMENTS - Tennessee											V	Attachment: 2			Exhibit: A	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)						Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electron Disc Ad	
						Rec	Nonrecurring		Nonrecurring D					Rates(\$)			
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA	
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC															
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32		
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32		
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -																
	Facility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	980	1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24 62	9.12	9.12			31.26	10.42	0.00		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE		0.1000		-		-								
1	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.66	108.76	35 47	72.94	10.86			20 35	10.54	13.32		
_	4-wire 64 kbps Local Loop in Combination - Zone 2			UNCDX	UDL64	41.47	108 76	35.47	72 94	10.86			20.35	10.54	13 32		
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	_		UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per	-	-	0.100%	00001		100.10	00.11	12.5	10.00			- 20.00	10.01	10.02		
-	Mile per month			UNCDX	1L5XX	0.0174											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20 35	21 09	9.80	_	
	Nonrecurring Currently Combined Network Elements Switch -As-Is															1	
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	-	
EXIE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ERUFFIC			1001.50	31.10	108.76	35.47	72 94	10.86			20.05	10.51	10.00		
-	First 4-wire 56 kbps Local Loop in combination - Zone 1	-	1	UNCDX	UDL56					- Company of the last			20.35	10.54	13.32		
-	First 4-wire 56 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL56	40.61 53.11	108.76 108.76	35.47 35.47	72.94 72.94	10.86	-		20.35	10.54	13.32 13.32		
	First 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	53.11	108.76	35.47	12.94	10.86	-		20.35	10.54	13.32	-	
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										_	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility							55942	10/20	47.44				1000	2.1		
	Termination per month	-		UNCDX	U1TD5	17.98	79 83	44.08	69.32	31.00			20.35	21.09	9.80	-	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52 73	24.62	9 12	9.12			31.26	10.42	0 00		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	EROFFIC	ETRA	NSPORT			· ·										
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32		
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20 35	10.54	13.32		
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	10.54	13.32		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174											
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20 35	21.09	9.80		
	Nonrecurring Currently Combined Network Elements Switch -As-Is										_=						
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31 26	10.42	0.00		
IONAL	NETWORK ELEMENTS																
	used as a part of a currently combined facility, the non-recurring	charge	s do n	ot apply, but a Sw	itch As Is charge	does apply.											
	used as ordinarily combined network elements in All States, the						not.	_									
	curring Currently Combined Network Elements "Switch As Is" C																
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52 73	24 62	9.12	9 12			53.73	24 62	0.00		
1	Nonrecurring Currently Combined Network Elements Switch -As-Is			1	500								35.02				
	Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9 12			20.35	10.54	0.00		
Misce	llaneous		1														
	NRC - Order Coordination Specific Time - Dedicated Transport	1	1	UNC1X	OCOSR		18.93	18.93					0.00	0.00	0.00	1	