

ORIGINAL

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III
Vice President

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

September 23, 2004

041138-TP

Mrs. Blanca S. Bayo
Director, Division of Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Azul Tel, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, unbundling, resale and collocation Agreement with Azul Tel, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

PSC-BUREAU OF RECORDS

DOCUMENT NUMBER-DATE

10343 SEP 23 \$

FPSC-COMMISSION CLERK

Amendment to the Interconnection Agreement Between BellSouth Telecommunications, Inc. and Azul Tel, Inc.

This agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, and Azul Tel, Inc. ("Azul"), a Florida corporation and may refer to either BellSouth or Azul Tel or both as a "Party" or "Parties". This Amendment will be effective thirty (30) days from the date of last signature executing the Amendment.

WHEREAS, BellSouth and Azul Tel entered into the Agreement on 6/10/2004, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the United States Court of Appeals for the District of Columbia Circuit's mandate, effective June 16, 2004, in the appeal of the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) that was effective on October 2, 2003;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- Delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. All of the other provisions of the Agreement, dated 06/10/2004, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Azul Tel, Inc.

By: Knt I

Name: KRISTEN E, ROWE

Title: PILECTON

Date: 9/8/04

Name: CASTON SASTA

Title: PRESIDENT.

Date: 7 20 54

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
	UNBUNDLED LOOPS	
	LINE SHARING	
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	28
5.	TRANSPORT	30
6.	SS7 NETWORK INTERCONNECTION	31
7.	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	33
8.	OPERATIONAL SUPPORT SYSTEMS	33
Rat	tes Exhib	it A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements that BellSouth agrees to offer to Azul Tel in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Azul Tel (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Azul Tel to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 Azul Tel may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- BellSouth shall, upon request of Azul Tel, and to the extent technically feasible, provide to Azul Tel access to its Network Elements for the provision of Azul Tel's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Azul Tel may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Azul Tel under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Azul Tel and BellSouth.
- 1.6.1 Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.7 Azul Tel may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(8) and (e)(5). If BellSouth has anticipated such RNMs and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A of this Attachment, then BellSouth shall perform such RNMs at no additional charge. RNMs shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A of this Attachment, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Azul Tel, BellSouth shall perform the RNM.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.10 Commingling of Services

- 1.10.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Azul Tel has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.10.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.10.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.10.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher bandwidth circuit and the Central Office Channel Interfaces

(COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the lower bandwidth circuit.

- 1.11 If Azul Tel reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Azul Tel for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.12 Rates
- 1.12.1 The prices that Azul Tel shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Azul Tel purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.12.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.12.3 If Azul Tel modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Azul Tel in accordance with FCC No. 1 Tariff, Section 5.
- 1.12.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

- 2.1 General
- The local loop Network Element (Loop) is defined as a narrowband transmission 2.1.1 facility (i.e., below the DS1 level) between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Azul Tel shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Azul Tel on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Azul Tel. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- A hybrid loop is a local Loop, below the DS1 level, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Azul Tel with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 Azul Tel may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Azul Tel's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.beilsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.4 The Loop shall be provided to Azul Tel in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Azul Tel wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Azul Tel may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Azul Tel (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Azul Tel for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 <u>Loop Testing/Trouble Reporting</u>

- 2.1.6.1 Azul Tel will be responsible for testing and isolating troubles on the Loops. Azul Tel must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Azul Tel will be required to provide the results of the Azul Tel test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once Azul Tel has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Azul Tel reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Azul Tel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Azul Tel (e.g., incomplete

address, incorrect contact name/number, etc.), BellSouth will bill Azul Tel for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Azul Tel to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Azul Tel's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows Azul Tel to order a specific time for OC to take place. BellSouth will make every effort to accommodate Azul Tel's specific conversion time request. However, BellSouth reserves the right to negotiate with Azul Tel a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Azul Tel may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Azul Tel specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information	Charged for Dispatch inside and outside Central Office

Post Vacatur Version: 06/30/2004

				Document	
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Azul Tel when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Azul Tel's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Azul Tel pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.9 Bulk Migration

2.1.9.1 If Azul Tel requests to migrate twenty-five (25) or more port/loop combination customers to Loops (UNE-L) in the same Central Office on the same due date, Azul Tel must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package. This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration

of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Azul Tel should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Azul Tel will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Azul Tel. Azul Tel may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Azul Tel may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Azul Tel. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Azul Tel to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Azul Tel will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired

according to BellSouth's TR73600 until such time as they are disconnected by Azul Tel or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Azul Tel may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Azul Tel.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Azul Tel to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility

will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Azul Tel or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Azul Tel can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Azul Tel may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Azul Tel to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Azul Tel may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Azul Tel which has over 6,000 feet of combined bridged tap will be modified, upon request from Azul Tel, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Azul Tel. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 Azul Tel may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Azul Tel requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed

specifications of the requested loop facility as modified. Azul Tel will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.

- 2.5.8 Azul Tel shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Azul Tel desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Azul Tel, Azul Tel will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Azul Tel is available at the location for which the ULM was requested, Azul Tel will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Azul Tel will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Azul Tel has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Azul Tel. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Azul Tel (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Azul Tel, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Azul Tel will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

2.7.1 The NID is defined as any means of interconnection of the End User's premises wiring to BellSouth's distribution plant, such as a cross connect device used for

that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.7.2 BellSouth shall permit Azul Tel to connect Azul Tel's Loop facilities to the End User's premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 Azul Tel may access the End User's premises wiring by any of the following means and Azul Tel shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Azul Tel to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Azul Tel may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis,
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Azul Tel's responsibility to ensure there is no safety hazard, and Azul Tel will hold BellSouth harmless for any liability associated with the removal of the BellSouth

Post Vacatur Version: 06/30/2004

Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 Azul Tel shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Azul Tel shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
 BellSouth will work with Azul Tel to develop specific procedures to establish the
 most effective means of implementing this section if the procedures set forth herein
 do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Azul Tel's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Azul Tel may request BellSouth to do additional work to the NID on a time and material basis. When Azul Tel deploys its own local Loops in a multiple-line termination device, Azul Tel shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Sub-loop Elements</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>
- 2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Azul Tel requests a UCSL and it is not available, Azul Tel may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Azul Tel, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Azul Tel's use on this cross-connect panel. Azul Tel will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Azul Tel shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Azul Tel's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Azul Tel is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Azul Tel's request, then BellSouth will perform the site set-up as

described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.

- 2.8.2.7 The site set-up must be completed before Azul Tel can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Azul Tel's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Azul Tel will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Azul Tel requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Azul Tel for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Azul Tel will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Azul Tel for each pair activated commensurate to the price specified in Azul Tel's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Loop Concentration

Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Azul Tel, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.9 Loop Makeup

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Azul Tel LMU information so that Azul Tel can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Azul Tel intends to install and the services Azul Tel wishes to provide. This section addresses LMU as a preordering transaction, distinct from Azul Tel ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are

likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide Azul Tel LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Azul Tel as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Azul Tel may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Azul Tel and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Azul Tel's ability to provide advanced data services over the ordered Loop type. Further, if Azul Tel orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Azul Tel is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 Submitting Loop Makeup Service Inquiries

2.9.2.1 Azul Tel may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Azul Tel needs further Loop information in order to determine Loop

service capability, Azul Tel may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 <u>Loop Reservations</u>

- 2.9.3.1 For a Mechanized LMUSI, Azul Tel may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Azul Tel may reserve up to three (3) Loop facilities.
- 2.9.3.2 Azul Tel may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Azul Tel. During and prior to Azul Tel placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Azul Tel does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Azul Tel will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Azul Tel does not reserve facilities upon an initial LMUSI, Azul Tel's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Azul Tel has reserved multiple Loop facilities on a single reservation, Azul Tel may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Azul Tel, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Azul Tel.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Azul Tel provides digital subscriber line service over the same copper loop that BellSouth uses to provide

voice service, with BellSouth using the low frequency portion of the loop and Azul Tel using the high frequency spectrum (as defined below) of the loop.

- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Azul Tel. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- For the period from October 2, 2003, through October 1, 2004, Azul Tel may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003 and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Azul Tel may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Azul Tel, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Azul Tel the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Azul Tel shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Azul Tel on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment.

 BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Azul Tel requests that BellSouth modify a Loop and such modification

significantly degrades the voice services on the Loop, Azul Tel shall pay for the Loop to be restored to its original state.

- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Azul Tel desires to continue providing xDSL service on such Loop, Azul Tel shall be required to purchase a full standalone Loop UNE. To the extent commercially practicable, BellSouth shall give Azul Tel notice in a reasonable time prior to disconnect, which notice shall give Azul Tel an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Azul Tel purchases the full stand-alone Loop. Azul Tel may elect the type of Loop it will purchase. Azul Tel will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Azul Tel purchases a voice grade Loop, Azul Tel acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Azul Tel reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Azul Tel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Azul Tel with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Azul Tel must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Azul Tel may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Azul Tel's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Azul Tel in a central office in which Azul Tel is located, Azul Tel shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Azul Tel shall pay the

electronic or manual ordering charges as applicable when Azul Tel orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Azul Tel's data.

3.3 BellSouth Provided Splitter – Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Azul Tel access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Azul Tel's xDSL equipment in Azul Tel's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Azul Tel with a carrier notification letter, informing Azul Tel of change. Azul Tel shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Azul Tel shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Azul Tel's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Azul Tel's DS0 termination point as possible. Azul Tel shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Azul Tel on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Azul Tel DS0 at such time that a Azul Tel End User's service is established.

3.4 CLEC Provided Splitter – Line Sharing

- 3.4.1 Azul Tel may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Azul Tel may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by Azul Tel in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Azul Tel may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 Azul Tel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Azul Tel the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Azul Tel access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Azul Tel shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Azul Tel shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Azul Tel is using a BellSouth owned splitter, Azul Tel may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Azul Tel provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Azul Tel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Azul Tel shall inform its End Users to direct data problems to Azul Tel, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Azul Tel, BellSouth will notify Azul Tel. Azul Tel will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Azul Tel will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Azul Tel's access to the High

Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and the Data LEC may be the same or different carriers.
- 3.7.2 In the event Azul Tel provides its own switching or obtains switching from a third party, Azul Tel may engage in line splitting arrangements with another CLEC using a splitter, provided by Azul Tel, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Azul Tel shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Azul Tel will not provide voice and data services.
- 3.7.4 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Azul Tel for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Azul Tel or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Azul Tel or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Azul Tel or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

3.8.1 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.9 Maintenance – Line Splitting

- 3.9.1 Azul Tel shall inform its End Users to direct all problems to Azul Tel or its authorized agent.
- 3.9.2 If Azul Tel is not the data provider, Azul Tel shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Azul Tel are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Azul Tel are not already combined by BellSouth in the location requested by Azul Tel but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Azul Tel are not elements that BellSouth combines for its use in its network.
- 4.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

4.2 Enhanced Extended Links (EELs)

- 4.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Azul Tel with EELs where the underlying UNEs are available.
- 4.2.2 In the event Azul Tel converts special access services to UNEs, Azul Tel shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

4.3 Rates

- 4.3.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.3.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the nonrecurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.3.3 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Azul Tel in addition to those

specifically referenced in this Section 4above, where available. To the extent Azul Tel requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5. Transport

- 5.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to DS0 and voice grade interoffice transmission facilities described in this Section 5 on an unbundled basis to Azul Tel for the provision of a qualifying service, as set forth herein.
- 5.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Azul Tel uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 5.2 BellSouth shall:
- 5.2.1 Provide Azul Tel exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 5.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 5.2.3 Permit, to the extent technically feasible, Azul Tel to connect such interoffice facilities to equipment designated by Azul Tel, including but not limited to, Azul Tel's collocated facilities; and
- 5.2.4 Permit, to the extent technically feasible, Azul Tel to obtain the functionality provided by BellSouth's digital cross-connect systems.

5.3 **Dedicated Transport**

- 5.3.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 5.3.1.1 As capacity on a shared UNE facility.
- 5.3.1.2 As a circuit (e.g., DS0 and voice grade) dedicated to Azul Tel.
- 5.3.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 5.3.3 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in

Post Vacatur Version: 06/30/2004

Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

- 5.3.4 Technical Requirements
- 5.3.4.1 The entire designated transmission service (e.g., DS0 or voice grade) shall be dedicated to Azul Tel designated traffic.
- 5.3.4.2 BellSouth shall offer the following interface transmission rates for DS0 or voice grade Dedicated Transport: DS0 Equivalent
- 5.3.4.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Azul Tel shall specify the termination points for Dedicated Transport.
- 5.3.4.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 5.3.4.5 <u>BellSouth Technical Reference</u>: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6. <u>SS7 Network Interconnection</u>

- 6.1 SS7 Network Interconnection is the interconnection of Azul Tel local signaling transfer point switches or Azul Tel local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Azul Tel local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 6.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Azul Tel or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 6.3 If traffic is routed based on dialed or translated digits between a Azul Tel local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Azul Tel local signaling transfer point switches and BellSouth or other third-party local switch.
- 6.4 SS7 Network Interconnection shall provide:
- 6.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2:
- 6.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and

- 6.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 6.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Azul Tel local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Azul Tel local STPs and shall not include SCCP Subsystem Management of the destination.
- 6.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 6.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 6.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 6.9 <u>Interface Requirements</u>
- 6.9.1 The following SS7 Network Interconnection interface options are available to connect Azul Tel or Azul Tel-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 6.9.1.1 A-link interface from Azul Tel local or tandem switching systems; and
- 6.9.1.2 B-link interface from Azul Tel STPs.
- 6.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 6.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 6.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

6.9.5 BellSouth shall set message screening parameters to accept messages from Azul Tel local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Azul Tel switching system has a valid signaling relationship.

7. Automatic Location Identification/Data Management System (ALI/DMS)

7.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Azul Tel will be required to provide BellSouth daily updates to E911 database. Azul Tel shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

7.2 <u>Technical Requirements</u>

- 7.2.1 BellSouth shall provide Azul Tel the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Azul Tel after Azul Tel provides End User information for input into the ALI/DMS database.
- 7.2.2 Azul Tel shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

8. Operational Support Systems

- 8.1 BellSouth has developed and made available electronic interfaces by which Azul Tel may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

8.3 <u>Denial/Restoral OSS Charge</u>

8.3.1 In the event Azul Tel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

8.4 <u>Cancellation OSS Charge</u>

8.4.1 Azul Tel will incur an OSS charge for an accepted LSR that is later cancelled.

- 8.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 8.6 Network Elements and Other Services Manual Additive
- 8.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

NRONDLED	NETWORK ELEMENTS - Alabama			7							C C .	0	1000000	ment: 2		bit: A
												Svc Order	Incremental			Incremen
											Submitted		Charge -	Charge -	Charge -	Charge
		200		12720							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'I	Disc 1st	Disc Add
-																
_						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	ne" shown in the sections for stand-alone loops or loops as p			ation refers to Geogra	aphically De	averaged UNE	cones. To view	Geographicall	y Deaveraged	JNE Zone Desi	gnations by	Central Offi	ce, refer to int	ernet Website	:	
	ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnectic	n.ntm		_							-				
	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"		L				71 000			L			L			
	1) CLEC should contact its contract negotiator if it prefers the															
either th	ne state specific Commission ordered rates for the service orde	ring cha	irges, c	r CLEC may elect the	regional se	rvice ordering o	narge, noweve	r, CLEC can no	t obtain a mixt	ure of the two	egardless if	CLEC has a	interconnect	ion contract e	stablished in	each of th
NOTE: (Any element that can be ordered electronically will be billed	accord	ng to t	e SOMEC rate listed	in this cate	gory. Please ret	er to BellSouth	's Local Order	ng Handbook	LOH) to detern	nne if a proc	fuct can be	ordered electr	onically. For	hose element	s that can
	red electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	Otherwise	the manual o	ordering charg	e, SOMAN, wi	ill be appli
	QSS - Electronic Service Order Charge, Per Local Service Request						9.25									
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request												2000	-		
	(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
E SERVICE D	ATE ADVANCEMENT CHARGE															
NOTE:	The Expedite charge will be maintained commensurate with Be	IlSouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										_
1																
1 1		1		UAL, UEANL, UCL,												Į.
1 1			1 1	UEF, UDF, UEQ.		İ										
				UDL, UENTW, UDN,						1		1				
1 1																ł
				UEA, UHL, ULC,									,			
				USL, U1T12, U1T48.												
1 1				U1TD1, U1TD3.								ľ		ĺ		ſ
1 1				U1TDX, U1TO3,												
1 1				U1TS1, U1TVX,]			
1 1			ł l	UC1BC, UC1BL.							10					
1 1																
				UC1CC, UC1CL,												
				UC1DC, UC1DL.												
				UC1EC, UC1EL,						1			[
				UC1FC, UC1FL,												
				UC1GC, UC1GL.												k)
				UC1HC, UC1HL.							life .		i i			
				UDL12, UDL48,											1	
				UDLO3, UDLSX,												
				UE3, ULD12, ULD48.												
				ULDD1, ULDD3,											ſ	
				ULDDX, ULDQ3,												
				ULDS1, ULDVX,											J	
										1						
				UNC1X, UNC3X,												
				UNCDX, UNCNX,											1	
				UNCSX, UNCVX,											J	
		1		UNLD1, UNLD3,									[1	
		1		UXTD1, UXTD3,										ľ	1	
				UXTS1, U1TUC,						1					1	
				U1TUD, U1TUB											l l	
1 1	LINE Empedite Charge per Circuit es Lice Assignable USOC and Dec	1			SDASP		200.00								1	
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	-	_	UTTUA	SUASP	-	200.00									
	CATION CHARGE	-					25.10	0.00	0.00	0.55	-					
	Order Modification Charge (OMC)	-					35.13	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)	1				-	150 00	0 00	0.00	0.00						
	XCHANGE ACCESS LOOP	-	200													
	ANALOG VOICE GRADE LOOP					-										
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	_			UEAL2	12.58	37 81	17 56	23 49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEAL2	21.05	37 81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2	34.34	37.81	17.56	23.49	5.30		0.00				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5 30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEASL	21.05	37.81	17.56	23.49	5 30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
		_	-			34,34	37.01	17.30	20.43	3.30	\vdash					_
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		LIEANI	URETL		0.00	0.00						1		
	Premise	_		UEANL			8 33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-															
	SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															

NRONDLED N	ETWORK ELEMENTS - Alabama				-						-			ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	-		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	anual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8 15	8.15								
	der Coordination for Specified Conversion Time for UVL-SL1 (per				00001		40.00							in.		1
LSI	IBUNDLED COPPER LOOP - NON-DESIGNED		-	UEANL	OCOSL	-	18.09									
	Wire Unbundled Copper Loop - Non-Designed Zone 1	,	1	UEQ	UEQ2X	11.20	34.14	15.10	21 25	4.15						_
	Wire Unbundled Copper Loop - Non-Designed 2 one 2	1		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4 15	_			_		-
2 4	Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	15.07	34.14	15.10	21 25	4.15						
	abundled Miscellaneous Rate Element, Tag Loop at End User	_	_										_			
	emise	ł		UEQ	URETL		8.33	0.83								
	anual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
De	esigned (per loop)			UEQ	USBMC		8.15									1
Unl	bundled Copper Loop, Non-Design Copper Loop, billing for BST				PS		5.72.11									
pro	oviding make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
Loc	op Testing - Basic 1st Half Hour			UEQ	URETT		34.16	0.00								
	op Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
	EC to CLEC Conversion Charge Without Qutside Dispatch (UCL-				UDEINO			7.43								
ND		_	-	UEQ	UREWO		14.27	7.43								
	HANGE ACCESS LOOP	-	-			_										
	ALOG VOICE GRADE LOOP		+		_									-		_
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	ound Start Signaling - Zone 1 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_	'	IUEA	(UEAL2	14.30	80.00	33.00	47.24	7,44					-	
	ound Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55 00	47.24	7.44					ĺ	
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_	-	OLA	OCALZ	22.03	30.00	33 00	47.24	7,44	-					
	ound Start Signaling - Zone 3		3	UEA	UÉAL2	36.14	88.00	55.00	47.24	7.44						1
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA.	ODALE	30.14	00.00	55.55	47.24	7.44						
	ittery Signafing - Zone 1		1	UEA	UEAR2	14.38	88.00	55 00	47.24	7.44						
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	ittery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7 44						
2-V	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
Bat	ittery Signaling - Zone 3		3	UÉA	UEAR2	36 14	88.00	55.00	47.24	7.44						
	EC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36		_						
Loc	op Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	IALOG VOICE GRADE LOOP															
	Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	EC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.72	36.36								
	ON DIGITAL GRADE LOOP	-	1	UDN	U1L2X	21 88	117.24	79.77	52.88	10.54	-		_			
	Wire ISDN Digital Grade Loop - Zone 1 Wire ISDN Digital Grade Loop - Zone 2	-		UDN	U1L2X	32.85	117.24	79.77	52.88	10.54			_			
	Wire ISDN Digital Grade Loop - Zone 2 Wire ISDN Digital Grade Loop - Zone 3	_		UDN	U1L2X	48.55	117.24	79.77	52.88	10.54					_	
	LEC to CLEC Conversion Charge without outside dispatch	-	1 3	UDN	UREWO	40.00	91 63	44.16	32.00	10.54			-			
2-WIRE AS	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BIFLO	OP	ODIN	OKETTO		3100	44.10								
	Wire Unbundled ADSL Loop including manual service inquiry &	DELE	Ĭ													_
	cility reservation - Zone 1		1	UAL	UAL2X	11.01	110 00	68.00	47.24	7 44						
	Wire Unbundled ADSL Loop including manual service inquiry &			1												
	cility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	Wire Unbundled ADSL Loop including manual service inquiry &															
	cility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
2 V	Wire Unbundled ADSL Loop without manual service inquiry &															
	cility reservatori - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		1				
	Wire Unbundled ADSL Loop without manual service inquiry &			1.1.	1000				12.11	_						
	cility reservator - Zone 2	-	2	UAL	UAL2W	12.73	90.00	57.00	47 24	7.44						
	Wire Unbundled ADSL Loop without manual service inquiry &								17.0							
	clity reservator - Zone 3	_	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	EC to CLEC Conversion Charge without outside dispatch	1 5 1 6 6	L	UAL	UREWO		86.20	40.40							100	
	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOO	1											-		_
	Wire Unbundled HDSL Loop including manual service inquiry & cility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68 00	47 24	7.44					1	
	Wire Unbundled HDSL Loop including manual service inquiry &	+	+ -	OTIL	UFILZA	0.74	110.00	05 00	47 24	7.44	1					
	cility reservation - Zorie 2		2	UHL	UHL2X	10.17	110 00	68.00	47.24	7,44						

NRONDL	ED NETWORK ELEMENTS - Alabama		_											ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
and the			-			Rec	Nonrec		Nonrecurring					Rates(5)		
		-			_	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 3	-	3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		١,	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		-	UnL	UHLZVV	0.74	90.00	37.00	47.24	7.44						
- 1	facility reservation - Zone 2		2	UHL	UHL2W	10,17	90.00	57.00	47 24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		-	0.12	Oneen		00.00	07.00	47.24	7.44						
	facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P						2							
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4X	13 95	148.36	68.00	51 70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL4X	15 56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															J
	facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68 00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	13 95	94.00	57 00	51.70	9.73						1
+	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		- 1	UNL	UHL4VV	13 93	94.00	37 00	51.70	9.73						
	facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
_	4-Wire Unbundled HDSL Loop without manual service inquiry and	_	-	OTIL	OFFERE	15.50	34.00	37.00	31.70	9.13						
	facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						ĺ
	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UHL	UREWO		86.14	40.40		0.1.0						
4-W1	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP												_			
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	26.09	126.27	88.80	59 14	14.50			- V			
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35 95	126.27	88.80	59.14	14 50						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	37 88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26 09	126.27	88 80	59 14	14.50						
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59 14	14.50			_			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	+		UDL	UDL56 UDL64	37.88 26.09	126.27 126.27	88.80 88.80	59 14 59 14	14.50 14.50						
_	4 Wire Unburdled Digital Loop 64 Kbps - Zone 1 4 Wire Unburdled Digital Loop 64 Kbps - Zone 2	-		UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		UDL	UDL64	37.88	126.27	88 80	59.14	14.50	-					
_	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO	07.00	102.13	49 75	33.14	14.50				_		
2-W1	RE Unbundled COPPER LOOP				0.12.70											
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual service											_				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual service						710.10		1							i
	inquiry & facility reservation - Zone 3	-	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
_	Order Coordination for Unbundled Copper Loops (per loop)	+	-	UCL	UCLMC		8.15	8.15	-							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44	1 7					
_	2-Wire Unbundled Copper Loop-Designed without manual service	· ·		000	002.11	71.01	31.40	04.00	41.24	7.33						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7 44						i
	2-Wire Unbundled Copper Loop-Designed without manual service		-												-	
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	47 24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	1		1124												
	(Des)	-		UCL	UREWO		97.23	42.48								
4-W	RE COPPER LOOP	-		-	-	_										
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88 05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and			5.50	00240	17.55	100,21	00 05	31.70	3.13	-			-		
	facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73					1	
	4-Wire Copper Loop-Designed including manual service inquiry and		_	7.50												
	facility reservation - Zone 3	N.	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and		-													
- 1	facility reservation - Zone 1	- 1	1	UCL	UCL4W	17.36	114 21	67.05	51.70	9 73						
	4-Wire Copper Loop-Designed without manual service inquiry and															

NOUNDEE	D NETWORK ELEMENTS - Alabama										0	0.01		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4-Wire Copper Loop-Designed without manual service inquiry and				_		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73				1		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch	-		UCL	UREWO		97.23	42.48								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
				UEA, UDN, UAL,	Second 1		16.22									
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.09									
OOP MODIFIC	SATION	-	_	UAL, UHL, UCL,	+ +	-						_				
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,												
1	less than or equal to 18k ft per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0 00								
				UAL, UHL, UCL,							11					
	A STATE OF THE STA			UEQ,ULS,UEA,	1						0					
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,		1			İ							
	unbundled loop	- 1	_	UEPSB	ULMBT		32.41	32.41			-					
UB-LOOPS	oop Distribution				+			_						_		
Sub-Li	bop distribution		-		+											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1 1		UEANL	USBSA		244.42									
	Date Edge 1 to close dox Edge of Code 1 tomicy det op			00 1112	TO OBOTT		2									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility										1.0					
	Set-Up	- 1		UEANL	USBSC		177.45									
	I THE TAX OF THE PARTY OF THE P			Superior No.			6.505									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 1		UEANL.	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	LIEANU	LICONIO	11.21	CE 00	30.96	45.25	C 70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		-1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						_
	2 Sub-Loop Distribution Per 2-Wire Ariang Voice Grade Loop - Zone		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		-	ODATE	OSBINZ	11.54	03.00	30.30	45.20	0.70						
	3		3	UÉANL	USBN2	16 86	65 80	30.96	45.25	6 70						
							****		1200							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	1		1	UEANL	USBN4	8.46	79.03	44 19	49.71	9 07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	2		2	UEANL	USBN4	16.67	79 03	44.19	49 71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	3		3	UEANL	U3BN4	32.31	19.03	44.19	49.71	3.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
				2012			2.02									
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	_	UEANL UEANL	USBMC URET1		8.15 34.16	8.15 0.00						-		
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85		_						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45 25	6.70						
	2 Wire Copper Unbunded Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76	65.80	30.96	45 25	6.70					-	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	11 27	65.80	30.96	45.25	6.70						
										1		52 J			-	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44 19	49 71	9.07			1			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9 07						
				UEF	USBMC		8.15	8 15								

NAPOL	IDLE	NETWORK ELEMENTS - Alabama													ment: 2		bit: A
ATEG	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec			g Disconnect		2222.00		Rates(\$)		
-		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		-				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Designed and Distribution Subloops	1		UEF, UEANL	URETL		8.94	0.88								ĺ.
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	0.00	_		1					
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85								
	Jnbun	fled Sub-Loop Modification					1										
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
1		Coil/Equip Removal per 2-W PR			UÉF	ULM2X	100	175.78	5.10			1					l .
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR			UEF	ULM4X		175.78	5.10			U					ſ
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
		юор			UEF	ULMBT		278.20	6.11								1
	Jnbun	ded Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01	0								
	Vetwor	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38						_		
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	i	5.87	5.87								
		Network Interface Device Cross Connect - 4W	_	_	UENTW	UNDC4		5 87	5 87			_					
UNEOI	HER, P	ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00	_								
-		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		-				_			
		ON TWY Circuit to Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ.UE	UENCE	0.00	0.00		-			_			_	
		Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL, UCL, UDC,	UNECN	0 00	0.00									
OOP M	AVE II	Unbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA, UHL,	UNECN	0.00	0.00									
_00P M	ANE-U	Loop Makeup - Preordering Without Reservation, per working or			_							-					
		spare facility queried (Manual).			имк	UMKLW		20.00	20 00					_			
i		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			имк	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or spare					- 1		V								i
INE SH		facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
		: The Line Sharing monthly recurring rates for all installations		ad fra	m Ootobor 02, 2002 th	rough midal	-ht Ostobor 01	2004 shall bo b	illed on falle.								
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				rough mann	int October 01,	2004 Shall be b	illed as rollow	75.				_			
		: 10/02/2003 - 10/01/2004: 25 % of the rate for UCLND	per roop	non-u	esigned (OCLND)						_						
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND		_							_						
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULSE	C and L	LSCC	applies only to circui	s installed a	nd inservice on	or before Octo	ber 1, 2003							-	
\neg		ARING			.,												
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177 98	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38 99	188.79	0.00	177 98	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0 00	355.96	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49 84	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING											200 - E				
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0 61	18.51	10 60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.80	18.51	10.60	1001	4.92			_			
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1								200							
_		(E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST				111 555		72.27	256							1	
		Owned Splitter			ULS	ULSDS		16.39	8.19		1					j	

NBUNDLE	D NETWORK ELEMENTS - Alabama		_								1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Manual Svo Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
12						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Lie Chaire as Subsected Astronomics	-	_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19								1
	Line Sharing - per Line Activation (DLEC owned Splitter) -				-			-								
	OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per I'ne activation, CLEC owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1			ULS	ULSCT	2.80	47.44	19 31	20.02	9.83						
	(E 10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter -			023	0.501	2.00	47,44	19 31	20.02	5.03						
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter -		i													
	Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
MAINT	(E-10/2/2005) ENANCE			ULS	ULSCI	0.40	47,44	19.51	20.02	9.03	-					
MAIN	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime			E. C. Land			120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium				=		160.00	110.00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT								_							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVA	TESAX	0.000035					-					
	Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	1			_											
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
_	Facility Termination	-	-	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90	_				_	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.008838	1									
_	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			UTIVA	ICJAA	0.000030					_				_	-
	Facility Termination			U1TVX	U1TV4	18.73	40 54	27.41	16.74	6 90						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			NO. 007-1-7777		000000000000000000000000000000000000000										
	month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIATOV	LUTOS	45 43	40.54	27.44	46.74	0.00						
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	_	-	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90			_			-
	month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			011011	1,20.01	0.000000										
	Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
SNALING (C	CS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB	TPP6A TPP9A	15.46 15.46	35.53 35.53	35.53 35.53	16.44 16.44	16.44 16.44						
_	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known	-		ODB	ТРРУА	15.46	35.53	35.53	10.44	10,44	_					
	as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection. Per DS3 level link (8 link) (also known			-				-		1410						
	as D link)			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Point Code, per Originating Point Code															
11.050,000	Establishment or Change, per STP affected	-	-	UDB	CCAPO		29.01	29.01	35.57	35.57						
11 SERVICE	Local Channel - Dedicated - 2-wr Voice Grade	-	_		_	13.97	193.10	33.17	36.64	3.20						
_	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 008838	100.10	00	00.01	0.00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility						I Mac Car II									- 5
	Termination					21 13	40.54	27.41	16.74	6.90						
	Local Channel - Dedicated - DS1 - Zone 1		-			35.76	177.47	153 72	22 19	15.26						
_	Local Channel - Dedicated - DS1 - Zone 2		-			49.98 107.63	177.47 177.47	153.72 153.72	22.19 22.19	15.26 15.26						
-	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile					0.18	1/1.4/	153.72	22.19	15.26			_			
	Interonice Harisport - Dedicated - DOT Fell Mile		1			0.10										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44						
HIAMOED F	XTENDED LINK (EELs)							-								

IBUNDLED NE	TWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	-	Incremental Charge -	Incremen Charge Manual S Order v Electron Disc Ad
							Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	monthly recurring and the Switch-As-Is Charge and not the				apply for UNE	combinations	provisioned as	'Currently Co	mbined' Netwo	ork Elements.						
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADE IN														
	ireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55 00	47.24		i					
	ireVG Loop in combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24							
2-Wı	reVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		1				
	office Transport - 2-wre VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.008838										
Interd	office Transport - 2-wire VG - Dedicated - Facility Termination															1
per m	month			UNCVX	U1TV2	21.13	40.54	27 41	16.74	6 90						
Nonr	recurring Currently Combined Network Elements Switch -As-Is															
Char	rge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF	FICE TRANSPORT												
	ireVG Loop in combination - Zone 1			UNCVX	UEAL4	25 34	131.97	94.51	59.14	14 50						
	ireVG Loop in combination - Zone 2	-		UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		_ N_ E		in and		
	ireVG Loop in combination - Zone 3			UNCVX	UEAL4	60.02	131.97	94.51	59.14					1		
	· Address Andrews										1					
Interd	office Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838				1						ì
	office Transport - 4-wire VG - Dedicated - Facility Termination				100											1
	month			UNCVX	U1TV4	18 73	40 54	27.41	16.74	6.90						
	recurring Currently Combined Network Elements Swtch -As-Is			0110111	1	10.0		27,777	70.11	0.00						1
Char				UNCVX	UNCCC		5.59	5.59	6.98	6.98			1			1
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE		011000		0.00	5.00	0.50	0.50						1
	re 56 kbps Local Loop in combination - Zone 1	IIII LIKE	1	UNCDX	UDL56	26 09	126.27	88.80	59.14	14.50						
	re 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14							
	re 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	37.88	126.27	88.80	59.14				1			-
	office Transport - Dedicated - 4-wire 56 kbps combination - Per		3	ONCDX	ODESO	37.00	120.21	00.00	39.14	14.50			_			-
	per month			UNCDX	1L5XX	0.008838			1		1					
	office Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDX	ILSAA	0.000030										-
	lity Termination per month			UNCDX	U1TD5	15.12	40 54	27 41	16.74	6.90						
	recurring Currently Combined Network Elements Switch -As-Is	_		UNCDX	01103	13.12	40 54	2/41	10.74	6.90	-					-
				UNCDX	UNCCC		5.50	5.50	6.00							
Char	ge 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	BITEDO	FFICE		UNCCC		5.59	5.59	6.98	6 98						
		INTERU			LIDIO	20.00	400.07	20.00	50.11	11.50			-			
	e 64 kbps Lcoal Loop in Combination - Zone 1	-	1	UNCDX	UDL64	26.09	126 27	88 80	59.14							
	re 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	35.95 37.88	126.27	88.80 88.80	59 14 59,14							
	re 64 kbps Lcoal Loop in Combination - Zone 3	-	3	UNCDX	UDL64	37.88	126,27	88.80	59.14	14.50				1		
	office Transport - Dedicated - 4-wire 64 kbps combination - Per	1			41 53.01		i									
	per month		-	UNCDX	1L5XX	0.008838				-				-		-
	office Transport - Dedicated - 4-wire 64 kbps combination -			LINGSY	LUTDS				1920	12000						
	ity Termination per month			UNCDX	U1TD6	15 12	40.54	27.41	16.74	6.90						
	recurring Currently Combined Network Elements Switch -As-Is															
Char		1		UNCDX	UNCCC		5 59	5 59	6.98	6.98			1			
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC			-								-			
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26 09	126.27	88.80	59 14				1			
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	35.95	126 27	88 80	59 14							
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per									1						
mont				UNCDX	1L5XX	0.008838										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			Taroxinar account	NAME AND ADDRESS OF THE PARTY O	12.07			10311							
	nination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
Nonr	recurring Currently Combined Network Elements Switch -As-Is								70.4			1	_			
Char				UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	EROFFIC								1	-/= = 1		E			
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	26 09	126.27	88.80	59.14							
	4-wire 64 kbps Local Loop in combination - Zone 2	170		UNCDX	UDL64	35.95	126.27	88.80	59.14							
	4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	37.88	126 27	88 80	59.14	14.50						
First	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per									1						
mont	th			UNCDX	1L5XX	0 008838	Į.									
First	4-wire 64 kbps Interoffice Transport - Dedicated - Facility													1		
	nination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90			1			
	recurring Currently Combined Network Elements Switch -As-Is	13				7.574.02			0.210.7	1						
	rge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98				1	i	1

UNBUNDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Increment Charge - Manual So Order vs Electronic Disc Add
		1				Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch As Is															
	Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	ETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurre															
	used as ordinarily combined network elements in All States, the					Is Charge does	not.									
Nonrec	surring Currently Combined Network Elements "Switch As Is" C	harge (O	ne app	lies to each comb	ination)								İ			
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98		U				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98		li i				
Miscell	aneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	E E		UN1CX	OCOSR		18.93	18.93								
Note: F	ates displaying an "R" in the interim column are interim and su	bject to	rate tru	e-up as set forth	in General Term	s and Condition	S.									

INBUNDLE	D NETWORK ELEMENTS - Florida					07								ment: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electroi Disc Ac
-			-				Nonrec	urring	Nonrecurring	Disconnect	-		088	Rates(\$)		
			-			Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The "Z	one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	averaged UNE										
	www.interconnection.bellsouth.com/become_a_clec/html/interco				, ,				,		,				72	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				2						1					
	(1) CLEC should contact its contract negotiator if it prefers the															
	the state specific Commission ordered rates for the service order (2) Any element that can be ordered electronically will be billed															
	(2) Any element that can be ordered electronically will be blied ered electronically at present per the LOH, the listed SOMEC rate															
De ord	OSS - Electronic Service Order Charge, Per Local Service Request	e in this	Catego	Tyrenects the charge	Tilat woold	be offied to a C	LEC Office electi	ome ordering	Capabilities Co	ne on-line for	triat elettieni	. Otherwise	the manuar	Tracering char	ge, SUMAR, W	li be app
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						ĺ
	OSS - Manual Service Order Charge, Per Local Service Request															
- 1	(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
	DATE ADVANCEMENT CHARGE						- 50 T									
NOTE:	The Expedite charge will be maintained commensurate with Be	llSouth	's FCC	No.1 Tariff, Section 5	as applicab	le.										
				UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TS1, U1TVX, UC1BC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1FC, ULD48, ULD51, ULD51, ULD53, ULD51, ULD53, ULD51, ULD51, UNC5X, UNCSX, UNCSX, UNCSX, UNCSX, UNCXX, UNCSX, UNCSX, UNCSX, UNCTS, UTTUC, U1TUD, UTTUB,												
RDER MODIF	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)	-					150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP			LIEANII	LIE AL C		10.5-	20.55	07.77	0.55	_				_	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57 6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL UEANL	UEAL2 UEAL2	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57	-		-			_
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	_	3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	OD VIC	J LAGE	20.51	45.51	22.03	20.02	0.57					-	
	Premise			UEANL	URETL		8.33	0.83					İ			
-	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		48.65	0.00								
-	Loop Testing - Basic 1st Hall Hour			UEANL	URETA		23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15 78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49					1			1	

DIAPONDEED WELV	VORK ELEMENTS - Florida	_	_											ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
			i			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9 00								
	coordination for Specified Conversion Time for UVL-SL1 (per						40.75									
LSR)	TO CONTROL OF MAN PERIODS		-	UEANL	OCOSL		23.02									
	IDLED COPPER LOOP - NON-DESIGNED Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7 69	44.98	20.90	24.88	6.45						
	Unbundled Copper Loop - Non-Designed - Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	Unbundled Copper Loop - Non-Designed - Zone 3	i i	3	UEQ	UEQ2X	19 38	44.98	20.90	24.88	6.45			-			
	led Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	-	024	O L G L G	10 00	44.00	2000	24.00	0.40						
Premise				UEQ	URETL		8.33	0.83								
Manual	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	ed (per loop)			UEQ	USBMC		9 0 0									
	led Copper Loop, Non-Design Cooper Loop, billing for BST			AND THE PROPERTY OF THE PROPER	NAMES AND ADDRESS OF											
providin	g make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49							1		
Loop Te	esting - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								
	esting - Basic Additional Half Hour			UEQ	URETA		23.95	23.95	1							
ND)	CLEC Conversion Charge Without Outside Dispatch (UCL-	1		UEQ	UREWO		14 27	7.43	1							
BUNDLED EXCHAN	GE ACCESS LOOP	_		UEQ	UREVVO		14 21	7.43					-			
	G VOICE GRADE LOOP									-					_	
	Analog Voice Grade Loop - Service Level 2 w/Loop or										$\overline{}$					
	Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01	1					
	Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Start Signaling - Zone 2	1	2	UEA	UEAL2	17 40	135.75	82 47	63.53	12 01						
	Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Start Signaling - Zone 3		3	UEA	UEAL2	30 87	135.75	82.47	63.53	12.01						
	Analog Voice Grade Loop - Service Level 2 w/Reverse	-														
	Signaling - Zone 1	ļ	1	UEA	UEAR2	12 24	135.75	82.47	63.53	12.01						
	Analog Voice Grade Loop - Service Level 2 w/Reverse	İ	2	UEA	UEAR2	17.40	405.75	82.47	00.50	40.04						
	Signaling - Zone 2 Analog Voice Grade Loop - Service Level 2 w/Reverse		- 2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12 01						
	o CLEC Conversion Charge without outside dispatch	-	- 3	UEA	UREWO	30.07	87,71	36.35	03.55	12 01						
	agging - Service Level 2 (SL2)			UEA	URETL		11,21	1 10								
	G VOICE GRADE LOOP												-			
	Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
4-Wire	Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
	CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
	GITAL GRADE LOOP					1										
	ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.28	147 69	94.41	62.23	10.71						
	ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71	-					
	ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	CLEC Conversion Charge without outside dispatch IETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATE	DIEIO	OB	UDN	UREWO		91.61	44.15								
	Unbundled ADSL Loop including manual service inquiry &	T	T							_						
	eservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	Unbundled ADSL Loop including manual service inquiry &			0,2	O'ILL	0.00	745.50	100.05	15.55	10.00						
	eservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103 85	75.05	15 63						
2 Wire	Unbundled ADSL Loop including manual service inquiry &															
	eservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103 85	75.05	15 63						
	Unbundled ADSL Loop without manual service inquiry &				100 mm 100 mm 100 mm											
	eservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		-				
	Unbundled ADSL Loop without manual service inquiry &					44.00	404.00	94.0	20.51	0 :-						
	eservaton - Zone 2	-	2	UAL	UAL2W	11,80	124.83	71.12	60.64	9.12						
	Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	20.04	104.00	74.40	60.64	0.10						
	eservaton - Zone 3 o CLEC Conversion Charge without outside dispatch	-	3	UAL	UREWO	20.94	124 83 86.19	71.12 40.39	60.64	9.12			-			
	TRATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LELOO	P	IOAL	UKLYYU		00.19	40.39								
	Unbundled HDSL Loop including manual service inquiry &	1							1							
	eservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	Unbundled HDSL Loop including manual service inquiry &									.0.30						
	eservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						

MBUNDLEL	NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &					198500	10.75%									
	facility reservation - Zone 3	1	3	UHL	UHL2X	18.21	159.09	113.41	75 05	15.63						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9 12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		5770	**********												
	facility reservation - Zone 2		2	UHL	UHL2W	10.26	134 40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and						3239		*********							
_	facility reservation - Zone 3	_	3	UHL	UHL2W	18.21	134.40	80.69	60 64	9.12				_		
	CLEC to CLEC Conversion Charge without outside dispatch	15100		UHL	UREWO		86.12	40.39								
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	-		_											
	Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
1	facility reservation - Zone 2		2	UHL	UHL4X	15 44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	-											-			
	facility reservation - Zone 3		3	UHL	UHL4X	27.39	193,31	138 98	77 15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															7
	facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															-
	facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	22.20	161.56	108 85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85		15.56						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85		15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108 85		15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108 85		15.56				12.00		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	-		UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	22.20	161.56	108 85	67 08	15.56						
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64 UDL64	31.56 55.99	161.56	108 85	67.08	15.56	-					
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	55 99	161.56 102.11	108.85 49.74	67.08	15.56						
2 14000	Unbundled COPPER LOOP	1		UDL	UREWU	———— 	102.11	49 / 4								
Z-VVIRE	2-Wire Unbundled Copper Loop-Designed including manual service	-	-													
	inquiry & facility reservation - Zone 1			UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
-	2-Wire Unbundled Copper Loop-Designed including manual service			OCL	OCLIFB	0.50	140.50	102.02	75.05	13.03						
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual service		-	002	OOL! B	11.00	140.50	102.02	75.03	15.05						
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						1
	2-Wire Unbundled Copper Loop-Designed without manual service								70.00	10.00						
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						1
	2-Wire Unbundled Copper Loop-Designed without manual service				Unit did to											
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						1
	2-Wire Unbundled Copper Loop-Designed without manual service		11													
	inquiry and facility reservation - Zone 3		- 3	UCL	UCLPW	20.94	123.81	70 09	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -															
	Des)			UCL	UREWO		97.21	42.47			Ĺ					1
4-WRE	COPPER LOOP															F
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry and			lia!	1.41.44	15.24		2000								
1	facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17,73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177 87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed without manual service inquiry and	1														
	facility reservation - Zone 1		- 1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62 74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and	100	-		552,111	10.01	,55.10	,00.03	02.14	11.44						
	facility reservation - Zone 3		3	UCL	UCL4W	29.82	153 18	100.03	62.74	11.22						1

	D NETWORK ELEMENTS - Florida	1			_						Sua Coda	Suc Cada		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Discourse	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47	FIISI	Addi	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9 00			_					
	Order Coordination for Oribundes Copper Coops (per 300)			UEA, UDN, UAL.	OCLIVIC	-	9.00	900		_						
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.02				1				1	
OOP MODIFIC										_						
				UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10 52	10 52								
UB-LOOPS												,				
Sub-Lo	pop Distribution			· ·												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	i		UEANL	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6.25				l.					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			OLME	00000		0.23				-			-		
-	Set-Up	1		UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	T		UEANL	USBSD		38 65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	6.46	60.19	21 78	47.50	5.26						_
	2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN2	16.29	60 19	21.78	47.50	5 26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	1		1	UEANL	USBN4	7.37	68.83	30.42	49 71	6.60			_			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10 47	68.83	30 42	49 71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone												-			
	3		3	UEANL	USBN4	18.58	68 83	30.42	49.71	6.60						
				4 100 27 40			150 2000									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9 00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I.		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1 1		UEANL	USBR4	9.37	55.91	17.51	49,71	6.60		-	-			
_	Sub-Loop 4-44ile illuaddishing Network Cable (INC)			DEANL	U35K4	9.31	33.91	17.51	49,71	0.60		75.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	0.00		-						
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23 95								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1		UCS2X	5 15	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	L	3	UEF	UCS2X	12 98	60.19	21.78	47.50	5.26	V		-			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		9.00	9.00							-	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	F	3		UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop. Non-						2,00	5.00								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00			-			_		

MB	UNDLEL	NETWORK ELEMENTS - Florida										C O	0 - 0 -		ment; 2	222222	bit: A
ATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual So Order vs Electronic Disc Add
							Rec	Nonrec		Nonrecurring					Rates(\$)		
						l	(1357)	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	11.	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95		_						
	Unbuni	dled Sub-Loop Modification	_														
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10 11	10.11								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		15.58	15.58								
	Unbun	dled Network Terminating Wire (UNTW)			02.	O E III E			10.00								
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02				1		7 - 7 -			
	Networ	k Interface Device (NID)															-
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07							7	
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63		10						
UNE	THER, P	ROVISIONING ONLY - NO RATE	7. 19	_													
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL, UEF, UEQ, UE												
	_	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL	UNECN	0.00	0.00	_								
		Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL	UNECN	0.00	0.00						3			
LOOP	MAKE-U													- 5			
	1	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		52.17	52,17								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or spare			UMK	UMKMQ		0.6784	0.6784								
	SHARING	facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784			_					
CIIVE .		1: The Line Sharing monthly recurring rates for all installations	comolos	ad from	n Octobor 02, 2003 th	rough midais	ht October 01	2004 chall bo b	illad as fallow								
		1: 10/02/2003 – 10/01/2004; 25% of the rate for an unbundled cop				l ough midnig	nt October 01,	2004 Shall be b	illed as follow	S		-					
_		1: 10/02/2003 – 10/01/2004; 25% of the rate for an unbunbled cop 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per loop	non-b	esigned (OCLND)												
		1: 10/02/2004 - 10/01/2005: 35 % of the rate for UCLND	-	_													
_		1: Above will apply to USOCS: ULSDT and ULSCT											_				-
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and I	I SCC	applies only to circui	te installed a	nd inconsice on	or before Octo	bor 1 2003								
_		HARING	C and C	LJCC	applies only to circui	to instance a	id iliservice of	or before octo	Del 1, 2003				_				
		ERS-CENTRAL OFFICE BASED	-	-													-
	3F LITT	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119,72	379,13	0.00	347.90	0.00	1					
	1	Line Sharing Splitter, per System 24 Line Capacity	_		ULS	ULSDB	29 93	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8 33	379.13	0.00	347.90	0.00						
	-	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation			OLG	OLGOO	0.55	3/3.13	0 00	347.30	0.00						_
		(per LSOD)			ULS	ULSDG		173.66	0.00	97 42	0.00				1		
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			000	02000		170.00	0.00	07.42	0.00						
_	LIVE OF	Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see "NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per fine activation, BST owned splitter -			020	02000		20.00		10.0	0.01						
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1														
		(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						1
		Line Share Service, TRO per line activation, BST owned splitter -												-			
		Central Office Located (50% of UCLND) - please see NOTE 1				1											1
		(E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61					1	1
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)	11: 1		ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
		Line Sharing - per Subsequent Activity per Line Rearrangement -															
	1 1	(BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
								-								17	
		Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Soliter)			ULS	ULSCS		21.68	16 44								
		Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCS		21.68	16.44								

ATTOOM PATE ELMENTS Note in Jave Bos USO Page 18 1000 Page 18 2000 Pag	IBUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
No. First Add First Add State	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -	Increment Charge Manual S Order v Electron Disc Ad
Limit State Searce, TRD or Version services, CELECT Search State Coverant Development of Coverant Development Of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development Of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development Of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development Of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development Of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant Development of Coverant De							Per										
Central Diffee Located (25% of ULLND) - please see NOTE ULLS ULSCT 199 47.44 19.31 20.67 12.74							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Use Shares Skince, TND gar the activation, CLEC covers spiller (cented Children Counted Children Counted Children Childr		Central Office Located (25% of UCLND) - please see NOTE 1			ULS	ULSCT	1.99	47 44	19 31	20.67	12 74						
Lives States Service, TRI Oper the so-evation CLEC Gover diptition - Covers 10 Month Excitate (179 Aut.) Depth and service and 15 and 1		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
Engogogo U.S.CT 5.97 47.44 19.31 26.67 12.74		Line Share Service, TRO per line activation, CLEC owned splitter -			ULS	ULSCT	3 98	47 44	19.31	20 67	12 74						
MANTEURANCE					ULS	ULSCT	5 97	47 44	19 31	20 67	12.74						
No Troube Found-up 172 four increments - Overhelm 120 0										-		_					
No Trocke Found - Delicated Transport - Street (February 1997) 10,000																	
NEWDOLED DEDICATED TRANSPORT																	
WITESPERCE CHANNEL - DECIDIO TO TRANSPORT			-					160.00	110.00								
Interceditic Channel - Description Channel - Descr			-														
Per Mile per month	INTERC		+									_				-	
Facility Termission U1TVX U1TV2 25.32 47.35 31.78 18.31 7.03		Per Mile per month			U1TVX	1L5XX	0.0091				ii.						
Roy Ba Pet Mis per morth UTTX LEXX 0.0091		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
Facility Termination		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
Per Mile per morth		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7 03						
Facility Termination U1TDX		Per Mile per month			U1TVX	1L5XX	0.0091			1							
Interoffice Channel - Dedicated Transport - 56 kbps - Facility U1TDX 1L5XX 0.0091					UITVX	111TV4	22 58	47.35	31.78	1831	7.03						
Interoffice Channel - Dedicated Transport - 56 kbps - Facility U1TDX		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per							3.1.9		1,00						
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		Interoffice Channel - Dedicated Transport - 56 kbps - Facility						47.35	31.78	18.31	7.03						
Natural (CCS7) Natural (CCS7) Natural (CCS7) Natural (CCS7) Natural (CCS7) Natural (CCS7) Natural (CCS7) Natural (Natural (Natural Natural (Natural Natural Natural (Natural Natural Natural Natural Natural Natural (Natural Natural					U1TDX	1L5XX	0.0091				-						
SNALING (CCS7) Signaling Termination, Per STP Port					LITOX	111706	18.44	47.35	31 78	18 31	7.03						
CCST Signaling Termination, Per DSI level link (A Ink)			_		OTIDA	01100	10.44	47.55	31.76	10.51	7.03						-
CCS7 Signating Connection, Per DS1 level link (A link)	1				UDB	PT8SX	135.05										
CCS7 Signating Connection. Per DS1 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, Per DS3 level fink (B fink) (also known as D fink) CCS7 Signating Connection, as D fink (B fink) (also known as D fink) CCSP Signating Connection, as D fink (B fink) (also known as D fink) CCSP Signating Connection, as D fink (B fink) (also known as D fink) CCSP Signating Conn		CCS7 Signaling Connection, Per DS1 level link (A link)			UDB		17.93	43.57	43.57	18.31	18.31						
S.D. Enk UDB TPP6B 17.93 43.57 43.57 18.31 18.31 18.31					UDB	TPP9A	17.93	43.57	43 57	18.31	18.31						
as D link) CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCAPO 46.03 46.00		as D link)			UDB	TPP6B	17.93	43 57	43 57	1831	18.31						
Establishment or Change, per STP affected		as D link)			UDB	TPP9B	17.93	43.57	43 57	18.31	18.31						
Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 21.94 265.84 46.97 37.63 4.00					UDB	CCAPO		46.03	46.03	46.03	46 03						
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 29.62 265.84 46.97 37.63 4.00	11 SERVICE	Land Channel Deducated 2 and Value Conda 7a 4	1	_			21.04	265.04	46.03	27.00	4.00						
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 57.22 265.84 46.97 37.63 4.00 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.0091																	
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.0091																	
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination 25 32								200.04		000	00						
Local Channel - Dedicated - DS1 - Zone 1 35.28 216.65 183.54 21.47 19.05		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility						47.25	24.70	1021	7.00						
Local Channel - Dedicated - DS1 - Zone 2		Torrimotion	1														
Local Channel - Dedicated - DS1 - Zone 3 Dedicated - DS1 - Zone 3 92.01 216.65 183.54 21.47 19.05	-			1									-				-
Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination Interoffice Transport - Dedicated - DS1 Per Facility Termination 88.44 105.54 98.47 21.47 19.05 HANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																	
HANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.				- 1													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.	HANCED EV						88.44	105.54	98.47	21,47	19 05						
The state of the s			poly and	the Su	itch-As-Is Charge wi	Il not apply fo	or UNE combine	tions provisio	ned as 'Ordina	rily Combined	Network Flame	nts					
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.	NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	e non-re-	curring	charges below will a	apply for LINE	combinations	provisioned as	'Currently Co	mbined' Netwo	k Flements						

ONDELL	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	hcremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charg
						Rec	Nonreci First	urring Add'l	Nonrecurring		SOMEC	SOMAN		Rates(\$)		
_	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	First 42.79	Add'I 2.81	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
_	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	_		_			
+	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	_					_
	2-14 lie v o coop in comonation - Zone 3		3	DIVCVA	UEALE	30.07	127.35	00.54	42.15	201				-	-	_
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination		_	0110171	1120701	0.0007										-
	per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53					1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is			5,101,1	02	20.02		02.00		21.00						
	Charge			UNCVX	UNCCC		8.98	8.98	8 98	8.98	1					
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI	RADEIN	EROF	FICE TRANSPORT												-
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	4279	2.81		_				
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81					-	
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						$\overline{}$
														1		1
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091									1	
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV4	22 58	94.70	52 59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is													İ		1
	Charge			UNCVX	UNCCC	h .	8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FFICE		1											
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55 99	127.59	60.54	42 79	2.81		_				_
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per														_	_
	Mile per month			UNCDX	1L5XX	0.0091										
_	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	-	_		1.20.01											-
	Facility Termination per month	1 1		UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						1
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		8.98	8.98	8.98	8 98					1	
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	FFICE	TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127 59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127 59	60.54	42.79	2.81						
	4-wire 64 kbps Looal Loop in Combination - Zone 3			UNCDX	UDL64	55.99	127 59	60 54	42.79	2.81					- N	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0091									Ì	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53				1		
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	ROFFIC	ETRA	NSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	9					
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						100
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						-
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0091						-				
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility													1		
	Termination per month			UNCDX	U1TD5	18 44	94 70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-Is												12			
	Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC														
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	31 56	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81			1	1		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				100	100										
	Termination per month			UNCDX	U1TD6	18.44	94 70	52.59	50 49	21 53		1			<u> </u>	Í
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge	1 1		UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	ETWORK ELEMENTS used as a part of a currently combined facility, the non-recurring															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrecu	urring	Nonrecurring (Disconnect			oss	Rates(\$)		-
						Rec	First	Add'I	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonre	curring Currently Combined Network Elements "Switch As Is" C	harge (O	ne appl	ies to each combi	nation)											
	Nonrecurring Currently Combined Network Elements Swtch -As-Is Charge - 2 wire/4-Wire VG		l	JNCVX	UNCCC		8.98	8.98	8.98	8 98						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps		ı	JNCDX	UNCCC		8.98	8.98	8.98	8 98						
Miscel	laneous							The second								
	NRC - Order Coordination Specific Time - Dedicated Transport	- 1	U	JN1CX	OCOSR		18.90	18.90								

INBUNDLED I	NETWORK ELEMENTS - Georgia													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'I	First	Add'I		SOMAN		SOMAN	SOMAN	SOMA
	e" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	raphically De	averaged UNE	Zones. To view	Geographical	y Deaveraged I	JNE Zone Desi	gnations by	Central Offic	ce, refer to Inte	ernet Website	:	
	w.interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.	onnectio	n.htm		_			_		-						
	PPORT SYSTEMS (OSS) - "REGIONAL RATES" CLEC should contact its contract negotiator if it prefers the	"ctate c	pacific'	OSS charges as ore	lered by the	State Commissi	one The OSS o	harges curren	tly contained is	this rate exhi	hit are the B	ellSouth "re	gional" servic	o ordering ch	arone CLEC	may alact
either the	e state specific Commission ordered rates for the service order	ring cha	arnes o	r CI FC may elect the	e regional se	rvice ordering	charge, however	r. CLEC can no	t obtain a mixt	ure of the two	regardless if	CLEC has a	interconnect	ion contract e	stablished in	each of t
NOTE: (2)	Any element that can be ordered electronically will be billed	accord	ing to t	ne SOMEC rate listed	in this cate	gory. Please re	fer to BellSouth	's Local Order	ing Handbook	LOH) to deterr	nine if a prod	luct can be o	ordered electr	onically. For	those element	s that car
be ordere	ed electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	e that would	be billed to a C	LEC once electr	onic ordering	capabilities co	me on-line for	that element	. Otherwise	, the manual o	ordering charg	je, SOMAN, wi	II be appl
	SS - Electronic Service Order Charge, Per Local Service Request													,		
(L	LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request								Userana							
	LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
	ATE ADVANCEMENT CHARGE											11.7				
NOTE: T	he Expedite charge will be maintained commensurate with Be	ISouth'	s FCC	No.1 Tariff, Section 5	as applicab	e.										
	JNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD1, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD2, UC1CL, UC1DC, UC1DL, UC1DC, UC1DL, UC1DC, UC1DL, UC1DC, UC1DL, UC1DC, UC1DL, UC1DC, UC1DL, UC1DL, UC1DL, UC1DL, UC1DL, UC1DL, UC1DL, UC1DL, UDLA8, UDL03, ULD1, ULD01, ULD03, ULDD1, ULD03, ULDD1, ULD03, ULDD1, UDC1X, UNC3, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC1X, UNC3, UNC1X, UNC3X, UNC1X, U	SDASP		200 00									
	ATION CHARGE Order Modification Charge (OMC)						26.21	0.00	0.00	0.00	100			7		
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	CHANGE ACCESS LOOP															
	NALOG VOICE GRADE LOOP					27										
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9.99	5.61	1 72						
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51 15.85	40.02 40.02	9.99	5.61 5.61	1.72 1.72						
	-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2			UEANL UEANL	UEASL	15.85 31.97	40.02	9.99	5.61	1.72						
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Inbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	31.97	40.02	9.99	3.61	1.72						
	Premise			UEANL	URETL		8.33	0.83								
	cop Testing - Basic 1st Half Hour	1		UEANL	URET1		25 12	0.00						_		
	oop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-													7		
	SL1)	1	1	UEANL	UREWO		15.75	8.92		I				1	1	

HOUNDLE	NETWORK ELEMENTS - Georgia				19 1						C - C -	C C .		ment: 2		bit: A
												Svc Order	Incremental			
											Submitted		Charge -	Charge -	Charge -	Charg
											Elec	Manually	Manual Svc	Manual Svc		Manual
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
												350	Electronic-	Electronic-	Electronic-	Electro
											1		1st	Add'I	Disc 1st	Disc Ad
													151	744	B130 131	Biodric
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						17,55	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				LIEANNA	1	7.00	7.00	0						ļ	1
	providing make-up (Engineering Information - E.I.)		_	UEANL	UEANM		7.30 18.92	7.30 18.92			-					
_	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		10.92	18.92	_					-		
	Order Coordination for Specified Conversion Time for UVL-SL1 (per	1			00001		57.79									
	LSR)	-		UEANL	OCOSL		57.79				-					-
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED	-							2.22	0.00						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0 00	0.00					_	
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	_	2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00	_					
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22 40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		i		a language											
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST	-												V.		
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
	ND)	1		UEQ	UREWO		14.25	7.42								
BUNDI ED E	XCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP															_
Z-VVIIXE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_													
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87				1		
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_	,	UEA	UEALZ	11.57	19.00	24.03	10.52	7.07						
		1	2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
_	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+		UEA	UEALZ	16.95	79.00	24.63	10.92	1.01						
			-		lucas a	22.00	70.05	24.65	40.00	7.07					1	i
	Ground Start Signaling - Zone 3	_	3	UEA	UEAL2	33 08	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
	Battery Signaling - Zone 1	_	1	UEA	UEAR2	11 57	79.85	24.65	18.92	7.87						
ì	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									- 01		1				
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				420 12 2	2-0 10	5000 000	2000 1200	19 20							
	Battery Signaling - Zone 3		3	UEA	UEAR2	33 08	79.85	24.65	18.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 19	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19 52	8.12						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-WIPF	ISDN DIGITAL GRADE LOOP								- C							
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97			1			
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
_	2-Wire ISDN Digital Grade Loop - Zone 3	1	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						-
	CLEC to CLEC Conversion Charge without outside dispatch	+	-	UDN	UREWO	40.17	120.98	33.04	10.25	0.57						
2 14000	A COMMETTER CALL DIGITAL CURSOR MILIOUT DISSIDE DISPARCIT	IDIELO	0.0	ODIN	OKEVVO		120.56	33.04								
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	UP		_				_		-					_
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1 .	1	UAL	UAL2X	11.23	44 69	31.55	0 00	0.00						
_	facility reservation - Zone 1	-	1	UAL	UALZX	11.23	44 69	31.55	0.00	0.00						
1	2 Wire Unbundled ADSL Loop including manual service inquiry &	l .		l				24.55	0.00	0.00	1					
	facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31 55	0.00	0.00						_
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-	****		(September 1	5 5 297	20 20								
	facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31 55	0.00	0.00	1					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	200		No. or and a second	a secondary a		e5. 2019/2007	200400 04200	37507355	Topics.						
	facility reservaton - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31 55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		44.69	29.29								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
	2 Wire Unbundled HDSL Loop including manual service inquiry &	T														
1	facility reservation - Zone 1	1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00					I	

NEGNE	ED NETWORK ELEMENTS - Georgia	_												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge • Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_			0.00		24.55		0.00						
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &	-	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0 00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and	-	Ť	0.16	J. I.E.	13.40		01.00	1 000	0.00	3					_
- 1	facility reservation - Zone 1	1 .	1	UHL	UHL2W	7.88	44 69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and					101.75	5.00	- 61 21								
	facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00				(
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1 .	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
_	CLEC to CLEC Conversion Charge without outside dispatch	+ +	3	UHL	UREWO	14,40	44.69	31.55	0.00	0.00	_					
4-W	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLELOO	P	OTTE	OKEWO		44.03	01.00								
1.11	4 Wire Unbundled HDSL Loop including manual service inquiry and	7	Ï													
	facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0 00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL4X	12.00	44 69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	Ι.	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	+ '-	3	UHL	UHL4X	19.07	44.09	31.55	0.00	0.00		_				
	facility reservation - Zone 1	1 .	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2	Ĩ	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00	_					
	4-Wire Unbundled HDSL Loop without manual service inquiry and	4.0		P0P-00030					57902750	1.01 (0.000)						
	facility reservation - Zone 3	++	3	UHL	UHL4W	19.07	44.69	31.55	0 00	0.00						
4 107	CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	+		UHL	UREWO		44.69	31.55			-					
4-11	4 Wire Unbundled Digital 19.2 Kbps	_	1	UDL	UDL19	21.86	196.66	37 00	18 82	7.20				-		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28 36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.22	196.66	37.00		7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	21.86	196.66	37.00	18 82	7.20	1					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00		7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL56 UDL64	38.22 21.86	196.66 196.66	37 00 37.00		7.20 7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	_		UDL	UDL64	28.36	196.66	37.00		7.20						_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	38.22	196.66	37.00	18.82	7 20						
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101 95	49.66								
2-W	RE Unbundled COPPER LOOP							-								
	2-Wire Unbundled Copper Loop-Designed including manual service	1						2.122								1
_	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual service	+-	1	UCL	UCLPB	12.02	44 69	31.55	0.00	0.00						
	inquiry & facility reservation - Zone 2	Li	2	UCL	UCLPB	13.88	44 69	31.55	0.00	0.00						1
	2 Wire Unbundled Copper Loop-Designed including manual service	<u> </u>	-	002	JOCI D	10.00	44 05	01.00	0,00	0.00	1-					
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31 55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service														_	
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31 55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service	10.7	2	UCL	LICI DIV	12.00	44 69	24.55	0.00	0.00						
-	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service	1	2	UCL	UCLPW	13.88	44 59	31.55	0.00	0.00						
a 1	inquiry and facility reservation - Zone 3	1 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL							0.,00	5.50	V.1.0						
	Des)	1		UCL	UREWO		44.69	31.55								
4-W	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4S	16.65	44 69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and		~	1101		20.55		0.55	0.00	2.55						
_	facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	+-	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						<u> </u>
	facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1 ,	2	UCL	UCL4W	19 22	44.69	31 55	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Georgia											2000	Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	incrementa Charge -
			3			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	4-Wire Copper Loop-Designed without manual service inquiry and						11151	Auu	First	Addi	SOMEC	SOMAN	SOMAN	JONIAN	SOMAN	SOWAN
	facility reservation - Zone 3	1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
-+-	CLEC to CLEC conversion Charge without outside dispatch	1	_	UCL	UREWO		44.69 18.92	31.55								
-	Order Coordination for Unbundled Copper Loops (per loop)	_	_	UEA, UDN, UAL,	UCLMC		18 92	18.92					-			
İ	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		57 79									
LOOP MODIFIE																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	Ī		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	1	8		ULM4L			0.00								
	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91	0.00								
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1 8	UEANL	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		1	UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and			UEANL	USBSD		51.61									
	Spare Loop Activation			UEANL	USBRC	3.61	28.46	3 85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0 01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	6.52	28 46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01			100			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		,	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-									-				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						-
	3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92			i					
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		18.92	18.92	[1
3.4	Sub-Loop 4-Wire Intrabuiking Network Cable (INC)	- 1:		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour	10.3	1	UEANL	URETA UC\$2X	5.94	13.62	13.62	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7,51	28.46 28.46	3.85	2.20	0.01						
-0.10	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	İ		UEF	UCS2X	9.22	28.46	3.85	2.20	0.01					7.	
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1.	1	UEF	USBMC UCS4X	6.37	18.92 31.07	18.92 4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	2		UCS4X	6.32	31.07	4.79	2.27	0.01			,			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3		UCS4X	9.10	31.07	4.79	2.27	0.01						

RATE ELEMENTS Islamin Zone BCS USOC RATE(\$) Submitted Charges Charge	RUNDLE	NETWORK ELEMENTS - Georgia													ment: 2		bit: A
Order Coordination for Unbanded Sile-Loops, per sub-loop part	EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electros Disc As
Other Coordination for Unbunded Sub-Loops, per sub-loop per OEF USBMC 18.52	_								-					// 50			
Online Coordination for Unternoted Sub-Loops, par sub-loop par			-	<u> </u>			Rec	Nonrec						OSS			
Loop loging/ Sentor Level 1, Unburded Copper Loop, Nob-	-							First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Loop loging/ Sentor Level 1, Unburded Copper Loop, Nob-		Out Constitution (callet and Callet			uce	HODIAG	- 1	40.00	10.00			ł					1
Designed and DataPolium Statistics Section Line Testing Sease Action Line Testing Sease Action Line Testing Sease Action Line Testing Sease Action Line					UEF	USBMC		18.92	18.92								
Loop Testing-Basis at Shafel Hoor UEF URET1					LICE LICANII	LIDET		0.00	0.00		-				1		1
Loop Testing- Basic Additional Half Hour	_											+		-			-
Unbunded Sub-Loop Modification Unbunded Sub-Loop Modification 2-W Copper Dist Load UEF ULM2X 0.00 0.00 0.00												1					
Unbundled Sub-took McCreaten - 2-W Copper Dist Load Collèguip Unbundled Sub-took McCreaten - 2-W Copper Dist Load Collèguip Unbundled Sub-took McCreaten - 2-W Copper Dist Load Collèguip Unbundled Sub-took McCreaten - 2-W Copper Dist Load Collèguip Unbundled Sub-took McCreaten - 2-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Unbundled McMort - 1-W Copper Dist Load Collèguip Network Interface Device (MD) Network Interface Device (MD) Network Interface Device (MD) Network Interface Device Cross Copper 2-W I I UNENTW UNDC2 2 2-45 2-65 Network Interface Device Cross Copper 2-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 2-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 2-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 2-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 2-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UNENTW Copper Device Cross Copper 3-W I I UNENTW UNDC2 2 2-45 2-45 UND UND UND UND UND UND UND UND UND UND	Unbur				OLI	OKEIA		1502	15.02			-					
ColtEquip Removal per 2-W PR Ulbridge Sub-loop Modification - 4-W Copper Dist Load CollEgup UEF ULMX	Onbui								_	-		_					
Unbursided Sub-boy Modification - 4-W Copper Dat Load Colficiague Removal per 4-W PR Unbursided Loop Modification Project Tap, per unbursided Unbursided Loop Modification Removal of bridge Tap, per unbursided Unbursided Loop Modification Removal of bridge Tap, per unbursided Unbursided Loop Modification Removal of bridge Tap, per unbursided Unbursided Loop Modification Removal of bridge Tap, per unbursided Unbursided Removal Removal Project Termanismy Wire (UNTW) Unbursided Removal					LIEE	LII M2Y		0.00	0.00								1
Remoral park AMP PR					021	OLIVIEX		0.00	0.00			-					
Urbounded Loop Maditication, Removal of bridge Tap, per unbundled UEF					UEF	III MAX		0.00	0.00							1	1
Links Link				\vdash				0.00	0.00			_					
Unbundled Network Terminating Wire (UNTW) ENTW UENTW UENTW UENTW UENTW UENTW UENTW UENTW UND12 32.86 20.69					UEF	ULMBT		17.91	17.91				1				1
Unburded Network Terminating Wire (UNTW) por Pair UENTW UENTW UENTW UND12 32.86 20.59	Unbun							11.51	11.51								-
Network Interface Device (NID) - 1-2 lines UENTW UND12 32.86 20.69			\vdash		UENTW	UENPP	0.533	25 12	12.28								
Network Interface Device (NID) -1-2 lines	Netwo																
Network Indirace Device (1MD) - 1-6 lines	1				UENTW	UND12		32.86	20.69								
Network Interface Device Cross Connect. 4W			Î														
SOTHER, PROVISIONING ONLY - NO RATE		Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		2.45	2.45								
CITHER, PROVISIONING ONLY - NO RATE			-										-				
UNTW Circuit of Establishment, Provisioning Only - No Rate	OTHER, F	ROVISIONING ONLY - NO RATE										1					
Unbundled Contract Name, Provisioning Only - No Rate	T	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0 00									
Unburdied Contact Name, Provisioning Only - No Rate		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
Unbundled Contact Name, Provisioning Only - No Rate		· · · · · · · · · · · · · · · · · · ·			UEANL, UEF, UEQ, UE												
Unbundled Contact Name, Provisioning Only - no rate UDN_UEA,UPL Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). UMK UMKLW 15.19 Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). UMK UMKLP 19.85 19.85 UMK UMKLP 19.85 19.85 UMK UMKMO 0.82 0.82 SHARING NOTE 1: 1002/2003 - 100/12/004: 25% of the rate for CUDN NOTE 1: 1002/2003 - 100/12/005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 100/12/005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 2: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 3: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 3: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 4: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 5: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 5: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 6: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 6: 1002/2005 - 10/01/2005: 55% of the rate for UCLND NOTE 1: 1002/2005 - 10/01/2005: 55% of the rate for UCL		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
Unburdied Contact Name, Provisioning Only - no rate					UAL,UCL,UDC,UDL,												
Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). UMK		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00				1					1
Spare facility queried (Manual)	P MAKE-U																
Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). UMK		Loop Makeup - Preordering Without Reservation, per working or															
Queried (Manual). UMK		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
Loop Makeup—With or Without Reservation, per working or spare facility queried (Mechanized) SethARING NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows: NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for UCLND NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND NOTE 1: Note will apply to USOCS: ULSDT and ULSCT "NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 Line Sharing Spitter, per system 96 Line Capacity ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 Line Sharing Spitter, per System 24 Line Capacity ULS ULSDB 32.00 0.00 0.00 0.00 0.00 0.00 Line Sharing-DLEC Owned Spitter, per System, 8 Line Capacity ULS ULSDB 32.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		Loop Makeup - Preordering With Reservation, per spare facility															
SHARING		queried (Manual).			UMK	UMKLP		19.85	19.85								
SHARING NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows: NOTE 1: 10/02/2003 - 10/01/2005: 25% of the rate for uCLND NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND NOTE 1: 10/02/2005 - 10/01/2005: 50% of the rate for UCLND NOTE 1: Above will apply to USOCS: ULSDT and ULSCT NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 ULS SHARING SPLITTERS-CENTRAL OFFICE BASED ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 0.00 ULs Sharing Splitter, per System 24 Line Capacity ULS ULSDB 32.00 0.00 0.00 0.00 0.00 0.00 ULs Sharing Splitter, per System, 8 Line Capacity ULS ULSDB 32.00 0.00 0.00 0.00 0.00 0.00 ULs Sharing Splitter, Per System, 8 Line Capacity ULS ULSDB 31.00 0.00 0.00 0.00 0.00 0.00 ULs Sharing Splitter, Per System, 8 Line Capacity ULS ULSDB 11.00 0.00 0.00 0.00 0.00 0.00 ULS ULSDB ULSDB																	
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:					UMK	UMKMQ		0.82	0.82								
NOTE 1: 10/02/2003 - 10/01/2006: 25% of the rate for an unbundled copper loop non-designed ("UCLND") NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND																	
NOTE 1: 10/02/2005 - 10/01/2005: 59% of the rate for UCLND NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND NOTE 1: Above will apply to USOCS: ULSDT and ULSCT UNSTEED ULSDE and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 ULS SHARING ULS SHARING ULSDE A						rough midnig	ht October 01,	2004 shall be b	illed as follow	s:							
NOTE 1: 10/02/2005 - 10/01/2008: 75% of the rate for UCLND NOTE 1: Above will apply to USCCS: ULSDT and ULSCT NOTE 1: Above will apply to USCCS: ULSDT and ULSCT NOTE 2: The Line Sharing monthly recurring rates with USCCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 ULSE SHARING ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 0.00 ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 0.00 ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 0.00 ULS ULSDA 131.00 0.00 0.00 0.00 0.00 0.00 ULSDA			per loop	non-de	esigned ("UCLND")												
NOTE 1: Above will apply to USOCS: ULSDT and ULSCT																	
WNOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 ULBS HARING ULS ULSDA 131.00 0.											_						
LINE SHARING SPILITERS-CENTRAL OFFICE BASED ULS ULSDA 131.00 0																	
SPLITTERS-CENTRAL OFFICE BASED			C and U	LSCC a	applies only to circui	ts installed ar	nd inservice on	or before Octo	ber 1, 2003		75						
Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 131.00 0																	
Line Sharing Splitter, Per System 24 Line Capacity	SPLITT																
Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSD8 11,00 0.00 0.00 0.00 0.00 0.00																	
Line Sharing-DLEC Owned Spitter in CO-CFA activation-deactivation (per LSOD)																	
(per LSOD)					ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 ULS ULSDC 0.61 10.51 7.70 7.00 4.20 Line Share Service, TRO per line activation, BST owned splitter -				1					Action								1
Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 ULS ULSDC 0,61 10.51 7,70 7.00 4.20 Line Share Service, TRO per line activation, BST owned splitter -					ULS	ULSDG		66.34	0.00	51.20	0.00						
OBSOLETE see "NOTE 2 ULS ULSDC 0,61 10.51 7,70 7,00 4,20 Line Share Service, TRO per line activation, BST owned splitter - <td>END U</td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	END U		-														
Line Share Service, TRO per line activation, BST owned splitter -								40.54	7.70		122						i .
	4				ULS	ULSDC	0.61	10.51	7.70	7.00	4.20	-					
(E 10/2/2003) ULSOT 2.76 10.51 7.70 7.00 4.20		Central Office Located (25% of UCLND) - please see NOTE 1			III S	TOS III	2.70	10.51	7.70	7.00	4.00						
	-				ULO	ULSUI	2.76	10.51	1,70	7.00	4,20			-	-		
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) ULS ULS ULSDT 5.51 10.51 7.70 4.20		Central Office Located (50% of UCLND) - please see NOTE 1			ULS	ULSDT	5.51	10.51	7 70	7.00	4.20						
Line Share Service, TRO per fine activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1		Line Share Service, TRO per fine activation, BST owned splitter -							1.70	7,00	4.20						
(E:10/2/2005)	-	(E:10/2/2005)					8.27		7.70	7.00	4.20						

Line Shanng - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) ULS UL Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/22003) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (55% of UCLND) - please see NOTE 1 (E:10/22004) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/22004) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (55% of UCLND) - please see NOTE 1 (E:10/22004) ULS ULS ULS ULS ULS ULS ULS ULS ULS ULS ULS											ibit: A
Rearrangement(DLEC Owned Spitter) Line Sharing - per Line Activation (DLEC owned Spitter) - OBSOLETE see "NOTE 2" Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E10/2/2003) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E10/2/2003) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (55% of UCLND) - please see NOTE 1 (E10/2/2005) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E10/2/2005) MANTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Sease No Trouble Found - per 1/2 hour increments - Premium BUNDLED DEID COLOTATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Pacifity Termination Interoffice Channel - Dedicated Transport - 56 kbps - Pacifity Termination Interoffice Channel - Dedicated Transport - 56 kbps - Pacifity Termination Interoffice Ch	usoc		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
Rearrangement(DLEC Owned Spitter) Line Sharing > per Line Activation (DLEC owned Spitter) - OBSOLETE see "NOTE 2 ULS UL Line Share Service, TRO per fine activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (III owned to the control of the control of the Control of t	Rec	No	recurring		ing Disconnect				Rates(\$)	-	
Rearrangement(DLEC Owned Spitter) Line Sharing - per Line Activation (DLEC owned Spitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per fine activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) MAINTENANCE No Trouble Found - per 1/2 hour increments - Sease No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium IBIUNDLED DEIDIOATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility - Link DS1 UDB TP CCS7 Signaling Connection, Per 56 kbps Facility A-Link DS1 UDB T	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Line Sharing - per Line Activation (DLEC owned Spitter) - OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E: 10/2/2004) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (55% of UCLND) - please see NOTE 1 (E: 10/2/2005) Line Share Service, TRO per line activation, CLEC owned spitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E: 10/2/2005) MANTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Sestic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium IBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Annel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Line of Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transpor		20									
DISSOLETE see "NOTE 2 ULS	LSCS	36.	23 13.2	3 16.5	1.69				-		
Line Share Service, TRO per fine activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) MARTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - Dedicated Transport - 2-Wire Voice Grade - Per Mile per morth Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facilty Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination UITDX UITDX UITDX UITDX UIT	LSCC	17,	82 9.3	6 8.	53 4.30						
(E:10/2/2003) ULS UL											
Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (15% of UCLND) - please see NOTE 1 (E 10/2/2005) MARTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Perenium No Trouble Found - per 1/2 hour increments - Premium No Trouble Found - per 1/2 hour increments - Premium No Trouble Found - per 1/2 hour increments - Premium BUNDLED DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month edicated Transport - 2-Wire Voice Grade - Per Mile per month edicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month edicated Transport - 2-Wire Voice Grade - Per Mile per month edicated Transport - 4-Wire Voice Grade - Per Mile per month edicated Transport - 4-Wire Voice Grade - Per Mile per month edicated Transport - 1-Per Mile per Mile per month edicated Transport - 1-Per Mile per Mile per Mile per Mile per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile						1					
Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004) Lina Share Service, TRO per line activation, CLEC owned spiriter-Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005) MAINTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium No Trouble Found - per 1/2 hour increments - Premium BUNDLED DEDICATED TRANSPORT InterOffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month InterOffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination U1TVX U1 InterOffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month InterOffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month InterOffice Channel - Dedicated Transport - Wire Voice Grade - Per Mile per month InterOffice Channel - Dedicated Transport - Wire Voice Grade - Per Mile per month InterOffice Channel - Dedicated Transport - Wire Voice Grade - Per Mile per month InterOffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month InterOffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month InterOffice Channel - Dedicated Transport - 56 kbps - per mile per month InterOffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1 InterOffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1 InterOffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1DB TP CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connectio	LSCT	17.	82 93	6 8.	53 4.30						-
Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 1072205) ULS ULS ULS ULS ULS ULS UNS								,			
Lina Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 [(E 10722005)] MANTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium BUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Unitry U	LSCT	17	9.3	6 8	53 4.30			1	1		
MAINTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium Provided Found - Pro											
MAINTENANCE No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium BINDLED DEDICATED TRANSPORT Interoffice ChanNeL - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 54 kbps - per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Termination Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Termination Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Interoffice Channel - Dedicated Transport - 54 kbps - Pacility Interoffice Channel - Dedicated Transport - 55 kbps - Pacility Interoffice Channel - Dedicated Transport - 56 kbps - Pacility Interoffice Channel - Dedicated Transport - 56 kbps - Pacility Interoffice Transport - Dedicated - Dedicat		-									
No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium BUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 55 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated - Dedicated - Ded	LSCT	17	82 9.3	6 8.	53 4.30	-					
No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium BUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Fac		80.	00 55.0	0	+						
No Trouble Found - per 1/2 hour increments - Premium		120.			_					-	-
INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Par Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Par Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 54 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility Interoffice Channel - Dedicated Transport - 54 kbps - Facility B-Link DS1 Interoffice Channel - Dedicated Transport - 54 kbps - Facility B-Link DS3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated -		160.									
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per morth Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Pacifity Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Pacifity Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 INALING (CCS7) CCS7 Signaling Connection, Per 56kbps Facility A-Link DS1 UDB TP CCS7 Signaling Connection, Per 56kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connect											
Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination U1TVX U1 Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 INTEROFFICE U1TDX U1 INTERO	_		_		_						-
Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month U1TVX 1L. Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Pacifity Termination U1TDX 1L. Interoffice Channel - Dedicated Transport - 56 kbps - Facifity Termination U1TDX 1L. Interoffice Channel - Dedicated Transport - 64 kbps - Facifity Termination U1TDX 1L. Interoffice Channel - Dedicated Transport - 64 kbps - Facifity Termination U1TDX 1L. Interoffice Channel - Dedicated Transport - 64 kbps - Facifity Termination U1TDX 1L. Interoffice Channel - Dedicated Transport - 64 kbps - Facifity Termination U1TDX 1L. Interoffice Channel - Dedicated Transport - 64 kbps - Facifity B-Link DS1 U1TDX 1L. Interoffice Transport - Dedicated Transport - 64 kbps - Facifity B-Link DS1 U1TDX 1L. Interoffice Channel - Dedicated - Per 56kbps Facifity B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56kbps Facifity B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facifity B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facifity B-Link DS3 UDB TP CCS7 Signaling Termination, Per SFP Port UDB PT CCS7 Signaling Termination, Per SFP Port UDB PT CCS7 Signaling Termination, Per SFP Port UDB PT CCS7 Signaling Termination, Per SFP Port UDB PT CCS7 Signaling Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice T	_5XX 0.0										
Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Par Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 54 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination INALING (CCS7) CCS7 Signaling Connection, Per 56kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination DDB TP CCS7 Signaling Termination DDB TP CCS7 Signaling Termination, Per STP Dort CCS7 Signaling Termination Local Channel - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	-520										
Rev Bat Per Mille per month Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX	1TV2 1	48.	46 19.4	8 16.5	5.00						
Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 INTDX U1 I											
Facility Termination	_5XX 0.1		_								
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4 Wire Voice Grade - Facility Termination: U1TVX U1 Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination: U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Pacility Termination: U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination: U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination: U1TDX U1 INALING (CCS7) CCS7 Signaling Connection, Per 56kbps Facility A-Link DS1 UDB TP CCS7 Signaling Connection, Per 56kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per 58TP Port UDB PT CCS7 Signaling Termination, Per 58TP Port UDB PT CCS7 Signaling Point Code, Establishment or Change, per STP affected UDB CC Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	1TR2 1	48.	46 19.4	8 16.	58 5.00			1			
Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination U1TVX U1 Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 64 kbps - Facility Termination U1TDX U1 INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 64 kbps - Facility Termination U1TDX U1 INTEROFFICE COST Signaling Connection, Per 56kbps Facility A-Link DS1 UDB TP CCST Signaling Connection, Per 56kbps Facility B-Link DS1 UDB TP CCST Signaling Connection, Per 56kbps Facility B-Link DS1 UDB TP CCST Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCST Signaling Termination, Per STP Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	TINZ	40.	15.4	0 10	3.00						_
Facility Termination	_5XX 0.0										
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX		-			200						
month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1 Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1 INALING (CST) U1TDX U1 INALING (CST) ICCS7 Signaling Connection, Per 56kbps Facility A-Link DS1 UDB TP CCS7 Signaling Connection, Per 56kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per STP Port UDB PT CCS7 Signaling Termination, Per STP Port UDB PT CCS7 Signaling Point Code, Establishment or Change, per STP affected Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 2	1TV4 1	48.	46 19.4	8 16	58 5.00	6					
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1T	_5XX 0.0										
Termination Interoflice Channel - Dedicated Transport - 64 kbps - per mile per month Interoflice Channel - Dedicated Transport - 64 kbps - per mile per month Interoflice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX	0.0				7	-					
Month	1TD5	48.	46 19.4	8 16.	5.00						
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination INALING (CCST) CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per SFD Dedicated Selection Selecti											
Termination	_5XX 0.6		_			_					
INALING (CCS7) CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per STP Port UDB PT CCS7 Signaling Point Code, Establishment or Change, per STP affected UDB CCS7 Interest Code Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	1TD6	48.	46 19.4	8 16.5	5.00			1			
CCS7 Signaling Connection, Per 56ktbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56ktbps Facility A-Link DS3 UDB TP CCS7 Signaling Connection, Per 56ktbps Facility A-Link DS1 UDB TP CCS7 Signaling Connection, Per 56ktbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per 56ktbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per STP Port CCS7 Signaling Point Code, Establishment or Change, per STP affected UDB CC 11 SERVICE Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - PER Mile	1100	40.	13.4	10	3.00						
CCS7 Signaling Connection, Per 56Ktps Facility B-Link DS1 UDB TP CCS7 Signaling Connection, Per 56Ktps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per STP Port UDB PT CCS7 Signaling Point Code, Establishment or Change, per STP affected UDB CC 11 SERVICE Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	PP6A	34.			16.91						
CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 UDB TP CCS7 Signaling Termination, Per STP Port UDB PT CCS7 Signaling Point Code, Establishment or Change, per STP affected UDB CC ISERVICE Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	PP9A	34.									
CCS7 Signaling Termination, Per STP Port CCS7 Signaling Point Code, Establishment or Change, per STP affected UDB CCG InterOffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	PP6B	34.									
CCS7 Signaling Point Code, Establishment or Change, per STP affected I1 SERVICE Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	PP9B T8SX 10	34.	77 34.7	7 16.9	91 16.91						
Interoffice Transport - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	100%		-	Tipe -	4						
Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	CAPO	28.	15 28.1	5 33:	33.32						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile		-									
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile		121.	07 53.3	0 46.4	10 13.37						
Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	0.0	_	-	-	+	+		\vdash			_
Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	1	48	46 19.4	8 16.5	5.00			1 '			
Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	1	149	46 111.2	0 40.3	36 26.12						
Interoffice Transport - Dedicated - DS1 Per Mile	5	149									
	16	149.	46 111.2	0 40.3	36 26.12	1					
Interesting Tanganad Dedicated DS1 Day Equilibria	0.1					_					
Interoffice transport - Dedicated - DST Per Pacifix Termination	3	111.	03 80.2	8 31.3	36 21.73			1			
HANCED EXTENDED LINK (EELs)											
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will n NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply	ot apply for UNE co	s provi	sioned as 'Ordin	narily Combine	ed' Network Elem	ents.					

BONDLE	D NETWORK ELEMENTS - Georgia													ment: 2	Exhi	ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Charge -	Charge
						Rec	Nonreci		Nonrecurring		201150			Rates(\$)		
-	210%-1/21		-	LINCIA	UEALO	11.57	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2 UEAL2	16.95	195.94	36.38 36.38	18.42 18.42	6.86		_			_	
-	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86			_			+
	2-Wile VO Loop III containation - Zone o		-	ONOVA	OBALL	00.00	155.54	50.00	10.42	0.00						_
	Interoffice Transport - 2-wre VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0057			T I							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV2	12 87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.70	5.70	6 6 1	6.61						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADEIN														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	17.80	195 94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195 94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195 94	36.38	18.42	6.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	_	_	UNCVX	1L5XX	0.0057										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNICVO	111D/4	10.70	66.52	22.64	42.40	27.50					t i	
_	per month	-		UNCVX	U1TV4	10.78	66 53	33.61	43.42	27.60			_			-
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	UNCCC		5.70	5 70	6.61	6 6 1	i i					
CYTE	Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	EEICE		UNCCC		5.70	570	1 0.0	001						
EXIE	4-wire 56 kbps Local Loop in combination - Zone 1	INTERC		UNCDX	UDL56	21.86	195.94	36.38	18.42	6 86						
+-	4-wire 56 kbps Local Loop in combination - Zone 1	-		UNCDX	UDL56	28 36	195.94	36.38	18 42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38 22	195.94	36.38	18.42	6.86						
_	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		-	OHODA	OBLOG	00 22	100.01	00.00	10.72	0.00				_		
	Mile per month		İ	UNCDX	1L5XX	0.0057						_				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33 61	43.42	27 60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is										1					
	Charge			UNCDX	UNCCC		5.70	5 70	6 6 1	6 6 1		1				
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86			_			
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	_	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	1	_				1000
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			UNCDX	1L5XX	0.0057										1
	Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-	_	UNCDX	ILSAA	0.0057		_	_	_						
	Facility Termination per month	1		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60			1			
+	Nonrecurring Currently Combined Network Elements Switch -As-Is			OHODA	01100	1.00	00.00	00.01		21.00						
	Charge			UNCDX	UNCCC		5.70	5 70	6.61	6 6 1						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	ETRA	NSPORT								_				
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18 42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wre 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wree 56 kbps Interoffice Transport - Dedicated - Per Mile per														-	1000
	month			UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				A CHARLES	5				100000000000000000000000000000000000000						
	Termination per month	-	_	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60				<u> </u>		
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1.		LINIODY			5.70	5.70	0.04							
EVE	Charge	POFFIC	FTDA	UNCDX	UNCCC		5./0	5.70	6.61	6.61						
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	I	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
_	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
-	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
-	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		-		1	00.22		55.50		0.00	-					
	month			UNCDX	1L5XX	0.0057										i
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1			-	3.0007										
	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is	-														
	Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
_	NETWORK ELEMENTS				District Control								-			
	used as a part of a currently combined facility, the non-recurring															

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonrecu	urring	Nonrecurring (Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonre	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne applie	es to each comb	ination)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG		U	NCVX	UNCCC		5.70	5.70	6,61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps		Ū	NCDX	UNCCC		5.70	5.70	6.61	6.61						
Miscel	laneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	1	U	N1CX	OCOSR		18.89	18.89								

INRONDE	ED NETWORK ELEMENTS - Kentucky										10 .	0.6.	Attach			bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-							First	Add'I	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	"Zone" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	aphically De	averaged UNE	Zones. To view	Geographicall	y Deaveraged l	JNE Zone Desi	gnations by	Central Offi	ce, refer to Inte	ernet Website	:	
	//www.interconnection.bellsouth.com/become_a_clec/html/interco	Innection	on.ntm													
PERATION	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the	"ctate c	ponifie'	" OSS obsesses as and	arad by tha	State Commissi	one The OSS	haraas surran	the contained in	thic rate ovhi	hit are the P	allCouth "so	oional" consis	o ordorina oh	areas CLEC	mayalaat
	er the state specific Commission ordered rates for the service orde															
	E: (2) Any element that can be ordered electronically will be billed															
	rdered electronically at present per the LOH, the listed SOMEC rate															
1000	OSS - Electronic Service Order Charge, Per Local Service Request	1	Juliago	, romodio and onday										, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,	п ис сррп
	(LSR) - UNE Only				SOMEC	·	3.50	0.00	3.50	0.00	1					
	OSS - Manual Service Order Charge, Per Local Service Request															_
	(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0 00						
JNE SERVIC	E DATE ADVANCEMENT CHARGE										_					
NOT	E: The Expedite charge will be maintained commensurate with Be	ISouth	's FCC	No.1 Tariff, Section 5	as applicab	le.					_			, , ,		
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT12, UTT48, UTTD3, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UTTDX, UCTBC, UTTBC,	SDASP		200.00									
ORDER MOI	DIFICATION CHARGE		_	OTTOA	ODAOI		200.00					-				
	Order Modification Charge (OMC)						33.37	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	D EXCHANGE ACCESS LOOP															
2-W	RE ANALOG VOICE GRADE LOOP							A	TO ELECT							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46 66	22.57	26.65	7.65		_				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1													
	Premise			UEANL	URETL	-	8 33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	-	46.88	0.00	_							
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			UEANL	URETA	-	24.16	24.16								
	SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Lcop, Non-Design Voice Lcop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								

ONBONDE	D NETWORK ELEMENTS - Kentucky			1										ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual S Order vs Electroni Disc Add
						Rec	First	ırring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00	First	Addi	SOMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		23.01	23.01								
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	_ 1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbunded Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		İ					14/14								1
	providing make-up (Engineering Information - E.f.)		_	UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1 URETA		46.88 24.16	0.00 24.16								1
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-		_	UEQ	UKETA		24.16	24.16	-							-
	ND)			UEQ	UREWO		14.27	7.43			i					
JNBUNDLED	EXCHANGE ACCESS LOOP			OLQ.	OKENO		14.27	7.45						_		
	ANALOG VOICE GRADE LOOP											-				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					5965.70	CHI. HC	15, 250	25.00							
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	33 22	134 89	81.87	73.65	14 88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														-	
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81 87	73.65	14.88						No.
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17,45	134 89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OLARE	17,43	134 03	61.07	73.03	14.00		_			-	
	Battery Signaling - Zone 3		3	UEA	UEAR2	33 22	134 89	81.87	73 65	14.88					1	0
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1,10								
4-WIRE	ANALOG VOICE GRADE LOOP									T-						
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29 26	164.11	112.36	78 91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164 11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164 11	112.36	78.91	_18.66					_	
2 MADE	CLEC to CLEC Conversion Charge without outside dispatch EISDN DIGITAL GRADE LOOP		-	UEA	UREWO		87.72	36.36								-
Z-441KE	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95 02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16		27.54						
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLE LO	OP									19.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10 82	141.98	79.73	69 02	11 47						
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-	UAL	UALZA	10.02	141.98	19.73	09.02	11 47				_		
	facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47	D.					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11 47						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3												-	
	facility reservation - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	10.82	121.18	69.00	69 09	11.54	<u> </u>					
	facility reservator - Zone 2		2	UAL	UAL2W	11.79	121.18	69 00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3		3	UAL	UAL2W	12.87	121 18	69.00	60.00	11.54						
_	CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UREWO	12.07	86.20	40.40	69.09	11 54					-	
2-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LELOO	P	UNL	UNEWO		00.20	40.40								
2-111/5	2 Wire Unbundled HDSL Loop including manual service inquiry &		İ													
	facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89 29	69.09	11 54						

MBUNDLED ME	TWORK ELEMENTS - Kentucky	_	-											ment; 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
2 10/	ire Unbundled HDSL Loop including manual service inquiry &		-				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ity reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	ire Unbundled HDSL Loop without manual service inquiry and			OTIL	UHLZA	10.01	151.54	09.29	09.09	11.54						
	ity reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						İ
2 Wi	ire Unbundled HDSL Loop without manual service inquiry and															
	ty reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69 09	11.54						
	ire Unbundled HDSL Loop without manual service inquiry and			and an												
	ty reservation - Zone 3	-	3	UHL	UHL2W	10.61	130 74	78.56	69.09	11.54						
4 MARDE WICH	C to CLEC Conversion Charge without outside dispatch H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LELOO	D D	UHL	UREWO		86.14	40.40			-					
	ire Unbundled HDSL Loop including manual service inquiry and	T	T													
facilit	ty reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69			1			
	ire Unbundled HDSL Loop including manual service inquiry and		<u> </u>	0112	OTIE-4X	10.55	100.70	120.00	14.55	14.03						
	ty reservation - Zone 2	1	2	UHL	UHL4X	15.68	185.75	123 50	74.95	14.69						
4-Wi	ire Unbundled HDSL Loop including manual service inquiry and							1								
	ty reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123 50	74 95	14.69						
	ire Unbundled HDSL Loop without manual service inquiry and					1000										
	ty reservation - Zone 1	1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						-
	ire Unbundled HDSL Loop without manual service inquiry and ty reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	45.00						
	ire Unbundled HDSL Loop without manual service inquiry and	-	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						-
	ty reservation - Zone 3		3	UHL	UHL4W	16 98	164.95	114.04	77.32	15.80						
	C to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO	10 30	86 14	40.40		13.00						
	, 56 OR 64 KBPS DIGITAL GRADE LOOP			0.1.2	- 0/12/10		00 11									
4 Wi	ire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.59	157 81	106.06	78.91	18.66						
	ire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106.06	78 91	18.66						
	ire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.37	157.81	106.06		18.66						
	re Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106 06		18 66						
	ire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56 UDL56	32.48 36.37	157.81 157.81	106.06 106.06		18.66 18.66						_
	ire Unbundled Digital Loop 56 Kbps - Zone 3 ire Unbundled Digital Loop 64 Kbps - Zone 1			VDL	UDL64	27 59	157.81	106.06		18.66		_				-
	ire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32 48	157.81	106 06		18.66	100	7				-
	ire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	36.37	157.81	106.06	78.91	18.66						_
	C to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 13	49.75								
	undled COPPER LOOP															
	ire Unbundled Copper Loop-Designed including manual service				Total III							*				
	ry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	ire Unbundled Copper Loop-Designed including manual service		_	UCL	UCLPB	11.79	440.05	20.70	20.00							1
	ry & facility reservation - Zone 2 re Unbundled Copper Loop-Designed including manual service	-	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						-
	ry & facility reservation - Zone 3		3	UCL	UCLPB	12 87	140.95	78.70	69.09	11.54	1					1
	ire Unbundled Copper Loop-Designed without manual service	-	Ť	002	1000.0	1201	140.55	10.10	00.00	11.54	7.					
	ry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120 15	67.97	69.09	11.54					1	1
	ire Unbundled Copper Loop-Designed without manual service															\Box
	ry and facility reservation - Zone 2		2	UCL	UCLPW	11 79	120.15	67.97	69.09	11.54						
	ire Unbundled Copper Loop-Designed without manual service		-													
	ry and facility reservation - Zone 3	-	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54	_					
Des)	C to CLEC Conversion Charge without outside dispatch (UCL-			UCL	UREWO		97.23	42.48								1
4-WIRE COP		+		UCL	UKEWO	-	91.23	42,40								
	ire Copper Loop-Designed including manual service inquiry and					-			1							
	ty reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						1
	ire Copper Loop-Designed including manual service inquiry and		1		(- 5											
	ty reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						_
	re Copper Loop-Designed including manual service inquiry and						10000	20000		-						
	ty reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						-
	ire Copper Loop-Designed without manual service inquiry and ty reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14 69			1			1
	ty reservation - Zone 1 ire Copper Loop-Designed without manual service inquiry and		-3:	UUL	OCLAVV	10.92	149.52	97.33	74.95	14.69						
	ty reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						l
	ire Copper Loop-Designed without manual service inquiry and					,		550								
	ty reservation - Zone 3		3	UCL	UCL4W	28 10	149.52	97.33	74.95	14.69	1					1

MOUNDLE	D NETWORK ELEMENTS - Kentucky	1			1						12			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		No	RATES(\$)	I No.		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order ve Electrone Disc Add
					_	Rec	Nonrec First	urring Add'l	Nonrecurring First		SOMEC	SOMAN		Rates(\$)	SOMAN	001111
_	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	_				_	FIISL	Addi	FIRSt	Add'l	SUMEC	SUMAN	SOMAN	SOMAN	SUMAN	SOMAN
ļ	Des)	1	1	UCL	UREWO		97.23	42.48								
_	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00					_			
	Cross coordination for Chountains copper coops (per 1909)			UEA, UDN, UAL.	OCEMIC		3.00	3.00								
1	Order Coordination for Specified Conversion Time (per LSR)		1 8	UHL, UDL	OCOSL		23.01								1	
OOP MODIFIC					1											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
_	less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		9 24	9.24			-					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ULM4L		9 24	9.24								
B-LOOPS	unbundled loop	-	_	UEPSB	ULMBT		10.47	10 47								
	pop Distribution		_		_											
SUD-L	DOD DISTRIBUTION			_												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l î		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility							, = 100								-
	Set-Up	ī	1	UEANL	USBSC		80.87	80 87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone										T.					
	1	1	1	UEANL	USBN2	6.34	85 03	39 05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
_	2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	_1_	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	9.00	9.00								
-	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			ODANE	OODING		9.00	5.00								
	1		1	UEANL	USBN4	8 14	102 31	56.32	65 24	10.88			ļ			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		<u> </u>	00.012	GOD	0.1.1	10201	00.02	0024	10.50					_	
	2		2	UEANL	USBN4	8 63	102.31	56.32	65.24	10 88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	A CONTRACTOR OF THE PARTY OF TH		1		early Car											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9 00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1	_	UEANL	USBR2	2 57	68.35	22.36	59.81	7.90						
				UEANL	USBMC			0.00	i							
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	9 00 76.49	9 00	65.24	10 88						
_	Sub-Loop 4-vvire ilitrabuliong Network Cable (INC)	-	_	UEANL	USBR4	4.90	76.49	30.51	65.24	10 88			- +	_		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC	1	9.00	9.00								
	Loop Testing - Basic 1st Half Hour		_	UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24 16	24.16								-
3 1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.45	85 03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	7.06	85.03	39 05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ī		UEF	UCS2X	9 67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	7.09	102 31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X	8 66	102.31	56.32	65.24	10.88					-	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	F	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-										1					
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.94	0.88							- 1	

OUROND LED NE	TWORK ELEMENTS - Kentucky										1			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual So Order vs Electronic Disc Add
						Rec	Nonrec			g Disconnect	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
100	p Testing - Basic 1st Half Hour	-		UEF	URET1		First 46.88	Add'l 0.00	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
	p Testing - Basic Ist Hall Hour		-	UEF	URETA		24.16	24.16		1	-					
	Sub-Loop Modification			ULI	UNEIA		24.10	24.10	-	1	1					
	oundled Sub-Loop Medification - 2-W Copper Dist Load															
	VEquip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
	oundled Sub-loop Modification - 4-W Copper Dist Load Col/Equip							7.55								
	noval per 4-W PR			UEF	ULM4X		5.23	5 23								
Unbi	rundled Loop Modification, Removal of Bridge Tap, per unbundled															
юор				UEF	ULMBT		7.97	7.97				1				
Unbundled	Network Terminating Wire (UNTW)															
	oundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								
	erface Device (NID)															
	work Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47			1					
	work Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91								
	work Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56			-					
	work Interface Device Cross Connect - 4W	-		UENTW	UNDC4		8.56	8.56		_	_					
	ISIONING ONLY - NO RATE				UNDBX	0.00	0.00									
	- Dispatch and Service Order for NID installation		-	UENTW		0.00					-	 				-
UNI	TW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW UEANL,UEF,UEQ,UE	UENCE	0.00	0.00		-		-					
1136	and and Control Name - Description of the No Bota			NTW	UNECN	0.00	0.00					i			Į.	
Unbi	oundled Contract Name, Provisioning Only - No Rate		-	UAL,UCL,UDC.UDL,	UNECN	0.00	0.00			-					-	
Hoh	oundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL	UNECN	0.00	0.00			1						
LOOP MAKE-UP	bundled Contact Name, Provisioning Only - no rate	_	_	ODIN,OEA,OFIL	DINECIN	0.00	0.00			_						
	p Makeup - Preordering Without Reservation, per working or		-								 					
	re facility queried (Manual).			UMK	UMKLW		23.40	23.40								i
	p Makeup - Preordering With Reservation, per spare facility		_	Olvir	OWINE		25.40	23.40			_			_		
	ried (Manual).			UMK	UMKLP		24.85	24.85			1				1	
	p MakeupWith or Without Reservation, per working or spare			O.I.I.	O		2	2.100			+					
	fity queried (Mechanized)			UMK	UMKMQ		0.67	0.67		1				1		
LINE SHARING										01-1						
	e Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	ight October 01,	2004 shall be b	oilled as follow	s:							
NOTE 1: 10/	/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")											,	
NOTE 1: 10/	/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	/02/2005 - 10/01/2006: 75% of the rate for UCLND															
NOTE 1: Ab	ove will apply to USOCS: ULSDT and ULSCT															
	he Line Sharing monthly recurring rates with USOCs ULSD	C and l	LSCC	applies only to circui	ts installed	and inservice or	or before Oct	ober 1, 2003							Υ.,	
LINE SHARI																
	-CENTRAL OFFICE BASED										-					
	Sharing Splitter, per System 96 Line Capacity		1-	ULS	ULSDA	198 83	379.05	0.00								
	Sharing Splitter, per System 24 Line Capacity		-	ULS	ULSD8	49.71	379.05	0.00	358.55							
	Sharing Splitter, Per System, 8 Line Capacity	-	-	ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		-				
	Sharing-DLEC Owned Splitter in CO-CFA activator-deactivation	1		ULS	LUCDO		173.62	0.00	100.40	0.00						
	CSOD) ORDERING-CENTRAL OFFICE BASED LINE SHARING	-		ULS	ULSDG		1/3.02	0.00	100.40	0.00						
		-	-													
Line	SOLETE see "NOTE 2			ULS	ULSDC	0.61	37.16	21 28	20.17	9.90						
1::::	SOLETE see "NOTE 2 Share Service, TRO per line activation, BST owned splitter -			020	SLODE	0.01	37.10	21.20	20.17	9.90	-					
	e Share Service, FRO per line activation, BST owned splitter - htral Office Located (25% of UCLND) - please see NOTE 1														I	
	0/2/2003)	1		ULS	ULSDT	2.65	37 16	21.28	20.17	9.90						1
	e Share Service, TRO per line activation, BST owned splitter -					2.00	J. 10	2.1.20	20.11	0.00						
	ntral Office Located (50% of UCLND) - please see NOTE 1									1						1
	0/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20 17	9.90					1	
	Share Service, TRO per fine activation, BST owned splitter -															
	ntral Office Located (75% of UCLND) - please see NOTE 1															1
	0/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
	Sharing - per Subsequent Activity per Line Rearrangement(BST															
	ned Splitter)			ULS	ULSDS		32.90	16.43								
	Sharing - per Subsequent Activity per Line															
	arrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16 43			1					
	Sharing - per Line Activation (DLEC owned Splitter) -				120200	21'0-			24-22-	1000						1
I IORS	SOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						1

	ED NETWORK ELEMENTS - Kentucky	1 1								Suc Orde	Sun O-d		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	usoc			RATES(\$)	L			Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronic Disc Add
			-		Rec	First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
_	Line Share Service, TRO per line activation, CLEC owned splitter -					FIRST	Addi	FIFSt	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		ULS	ULSCT	2.65	47 44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)		ULS	ULSCT	5.29	47,44	19.31	20 67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)		ULS	ULSCT	7 94	47.44	19,31	20.67	12.74						
MAIN	TENANCE		020	02001			10.01	20.07	12.1.4						
	No Trouble Found - per 1/2 hour increments - Basic					80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime					120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium					160.00	110.00								
	DEDICATED TRANSPORT										74				
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination		U1TVX	U1TV2	29,11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month		U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination		U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.01		5								
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination		U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0.0115	47.34	31.76	22.11	6.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination		U1TDX	U1TD5	20 97	47.35	31 78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0.0115	47.00	0110		0.10						
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		U1TDX	U1TD6	20 97	47.35	31.78	22.77	8.75						
SIGNALING (CCS7)														
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1		UDB	TPP6A	20.71	43 56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3		UDB	TPP9A	20.71	43.56	43 56		22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1		UDB	TPP6B	20 71	43.56	43.56		22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 CCS7 Signaling Point Code, per Originating Point Code		UDB	TPP9B	20.71	43.56	43.56		22.45						
	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code		UDB	CCAPO		46.02	46.02	56.43	56.43						
E911 SERVIC	Establishment or Change, Per Stp Affected		UDB	CCAPD		46.02	46.02	56.43	56.43						
ESTI SERVICI	Local Channel - Dedicated - 2-wr Voice Grade				18.57	265 78	46 96	46.79	4.98						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				0.0115	20070	.0.00	-5.15	4.50						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination				29.11	47.34	31.78	22.77	8.75						
	Local Channel - Dedicated - DS1 - Zone 1				40.46	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated - DS1 - Zone 2				43.39	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated - DS1 - Zone 3				164.50	209.60	176.51	30.21	21.07						
	Interoffice Transport - Dedicated - DS1 Per Mile				0.23					-					
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				96.04	105.52	98.46	23 09	20.49						
	EXTENDED LINK (EELs)	1	24-6 A- 1- Ch	10101	- UNIC	1 x x x x x x x x x x x x x x x x x x x		di Cambia III				-			
NOTE	The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the	ppry and the S	o charges below	Will not apply to	combination	rovisionad	Curre-thing	mbigged Notes	Vetwork Eleme	nts.				_	-
	:: The monthly recurring and the Switch-As-Is Charge and not the NDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE G				combinations p	iovisioned as	Currently Co	INDITIED NETWOR	k Elements.						
EXIE	2-WireVG Loop in combination - Zone 1		UNCVX	UEAL2	12 67	125.22	60 48	59.69	7.84	-					
	2-WireVG Loop in combination - Zone 2		UNCVX	UEAL2	17.45	125.22	60.48		7.84						
	2-WireVG Loop in combination - Zone 3		UNCVX	UEAL2	33.22	125.22	60.48		7.84						

IBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
						Rec	Nonrec		Nonrecurring		1			Rates(\$)		
	× ×					1100	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
							1								l	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										1
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV2	23 95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADEIN			1											
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	29.26	125.22	60 48	59.69	7.84						
_	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						+
				UNCVX	1L5XX	0.01	0									
_	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01						-				+
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	21 28	98.09	53.67	56.31	22.42	1			1		
-	Nonrecurring Currently Combined Network Elements Switch -As-Is	-		UNCVX	U11V4	21 28	98.09	53.67	56.31	22.42						+
	Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
CVTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INITED	EEICE		DINCCC		0.90	0.90	41.16	11.17						+
EXIE	4-wre 56 kbps Local Loop in combination - Zone 1	HALEKC		UNCDX	UDL56	27.59	125,22	60.48	59.69	7,84						+
_	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	32.48	125.22	60 48	59.69	7.84						+
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36 37	125.22	60.48	59.69	7 84						+
+	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		-	UIVCDX	ODESO	30 37	123.22	00.40	33.03	7 04	-					+
	Mile per month			UNCDX	1L5XX	0.01	1									
+	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNODA	125701	0.07										
	Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
_	Nonrecurring Currently Combined Network Elements Switch -As-Is			ONOBA	1011100	- 17.20	50.05	30.07	50.51	22.72						
	Charge			UNCDX	UNCCC		8.98	8.98	11 17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE		5.1000		0.50	0.50								1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		, and the second		-		
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32 48	125.22	60 48	59 69	7.84						1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															1
	Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	17 25	98.09	53 67	56 31	22 42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is				1		1									
	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC									0					
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 2	11, 5/-1		UNCDX	UDL56	32 48	125.22	60.48	59 69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59 69	7.84						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per													1		
	month			UNCDX	1L5XX	0.01										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			5000												
	Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			MARANA, 13 (01100)			0.00000								1	
	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC														1
-	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
+	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84 7.84						
-	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125 22	60.48	59.69	7.84						-
1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.04										
+	month			OINCDX	ILDXX	0.01										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TD6	17.25	98 09	53.67	56.31	22.42						
-	Termination per month			UNCDX	UTIDO	17.25	98.09	53.67	55.31	22.42	-			_		+
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		8 98	8 98	11.17	11.17						
TIONAL	Charge NETWORK ELEMENTS			DIACOV	DIACCC		0 98	0.30	11)-16	11-17						
	used as a part of a currently combined facility, the non-recurring	charge	s do or	at apply but a Switz	h As Is charge	does apply										+
	used as a part of a currently combined facility, the non-recurring used as ordinarily combined network elements in All States, the						not									
	curring Currently Combined Network Elements "Switch As Is" Cl					onalge does	1104									+
Nonine	Nonrecurring Currently Combined Network Elements Switch As Is Nonrecurring Currently Combined Network Elements Switch -As-Is	inarge (C	e app	ALCO TO EBOT COMONI	0.0011	-		-								+
- 1	Charge - 2 wire/4-Wire VG	1	I	UNCVX	UNCCC		8 98	8.98	11.17	11,17						1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)				Submitted	Manual Svc Order vs.	Charge -	Charge - Manual Svc Order vs.	Charge -
						D	Nonreci	urring	Nonrecurring I	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17				100		
Miscel	llaneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	T		UN1CX	OCOSR		18.87	18.87								

NBUNDL	ED NETWORK ELEMENTS - Louisiana				-						1	I = -		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order v Electron
													1st	Add'l	Disc 1st	Disc A
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		1					First	Add'I	First	Add'I		SOMAN		SOMAN	SOMAN	SOMA
	"Zone" shown in the sections for stand-alone loops or loops as p			ation refers to Geogra	aphically De	eaveraged UNE	Zones. To view	Geographicall	y Deaveraged I	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	//www.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	on.htm								_	r				
PERATION	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"			1000 1	11 4	2: 1 2 : 1	TI 000							L.,.,		
	E: (1) CLEC should contact its contract negotiator if it prefers the															
eithe	er the state specific Commission ordered rates for the service order	ering ch	arges, c	or CLEC may elect the	regional se	rvice ordering	narge, noweve	r, CLEC can no	t obtain a mixt	ure of the two	regardless if	CLEC has a	interconnect	ion contract e	stablished in	each of
	E: (2) Any element that can be ordered electronically will be billed															
be o	rdered electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	Otherwise	, the manual o	ordering charg	e, SOMAN, w	ill be app
	OSS - Electronic Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	2.50	0.00						
	(LSR) - UNE Only	_			SOMEC	-	3.50	0.00	3 50	0 00						
	OSS - Manual Service Order Charge, Per Local Service Request				201111		45.00	2.00	45.00							
5.05D\#0	(LSR) - UNE Only				SOMAN		15.20	0 00	15 20	0 00						_
	E DATE ADVANCEMENT CHARGE	110 11	- 500	No 4 To 200 Constitute F	an analtzak	1.										
NOT	E: The Expedite charge will be maintained commensurate with Be	South	s FCC	No.1 Tantt, Section 5	as applicab	ile.									2.5	_
	UNE Expedite Charge per Circux or Line Assignable USOC, per Day			JUEF, UDF, UEO, UDL, UENTW, UDN. UEA, UHL, ULC, USL, UTT12, UTT48, UTTD3, UTTD3, UTTD3, UTTDX, UTTD3, UTTDX, UTTD3, UTTDX, UTTD3, UTTDX, UTTD4, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L	SDASP		200.00									
DER MOD	DIFICATION CHARGE															
	Order Modification Charge (OMC)		1				26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	D EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-		UEANL	UEASL	12.90	36.54	16.87								1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	23.33	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	48.43	36.54	16.87							12 1 0	
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7									
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL.	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28	-							
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.75	8.93								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	_	_				10.10	5.50								

NBUNDLED NETWORK ELEMENTS - Louisiana			,											ment: 2	Exhi	ibit: A
TEGORY RATE ELEMENTS		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
						Rec	Nonreci			Disconnect	-			Rates(\$)		
Manual Order Coordination for UVL-SL1s (per loc)			UEANL	UEAMC		First 7.92	Add'l 7.92	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Order Coordination for Specified Conversion Time				UEAINL	CEAIVIC		1.92	1.92								
(LSR)	e lot ove-set (per			UEANL	ocosL		17.56	17.56								
2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNE	n -	_		DEANC	OCOSE		17.50	17.50								
2-Wire Unbundled Copper Loop - Non-Designed 2		1	1	UEQ	UEQ2X	12.40	35.27	15 60								+
2 Wire Unbundled Copper Lapp - Non-Designed -		Ť		UEQ	UEQ2X	14.32	35.27	15 60							_	
2 Wire Unbundled Copper Loop - Non-Designed -		T.		UEQ	UEQ2X	16.87	35.27	15.60								+
Unbundled Miscellaneous Rate Element, Tag Loop																†
Premise				UEQ	URETL		8.33	0.83								
Manual Order Coordination 2 Wire Unbundled Co.	oper Loop - Non-		-													
Designed (per loop)				UEQ	USBMC		7.92	7 92								
Unbundled Copper Loop, Non-Design Copper Loo	p, billing for BST															
providing make-up (Engineering Information - E.I.)				UEQ	UEQMU		13.04	13.04				1				
Loop Testing - Basic 1st Hall Hour				UEQ	URET1		33.17	0.00								
Loop Testing - Basic Additional Half Hour				UEQ	URETA		19.28	19.28		3					-	
CLEC to CLEC Conversion Charge Wilhout Outsi	de Dispatch (UCL-				25770 12										-	
ND)				UEQ	UREWO		14.25	7.42								
BUNDLED EXCHANGE ACCESS LOOP			-													
2-WIRE ANALOG VOICE GRADE LOOP																
2-Wire Analog Voice Grade Loop - Service Level	2 w/Loop or															
Ground Start Signaling - Zone 1	97		1	UEA	UEAL2	14 93	102.10	65.72								
2-Wire Analog Voice Grade Loop - Service Level	2 w/Loop or			The second		2010/05										
Ground Start Signaling - Zone 2			2	UEA	UEAL2	25.35	102.10	65.72				Line .				1
2-Wire Analog Voice Grade Loop - Service Level	2 w/Loop or															
Ground Start Signaling - Zone 3			3	UEA	UEAL2	50.46	102.10	65.72								
2-Wire Analog Voice Grade Loop - Service Level	2 w/Reverse															
Battery Signafing - Zone 1			1	UEA	UEAR2	14.93	102.10	65.72								
2-Wire Analog Voice Grade Loop - Service Level	2 w Reverse				100000000000000000000000000000000000000	2000										
Battery Signaling - Zone 2			2	UEA	UEAR2	25.35	102 10	65.72								
2-Wire Analog Voice Grade Loop - Service Level	2 w/Reverse															
Battery Signaling - Zone 3			3	UEA	UEAR2	50.46	102 10	65.72								
CLEC to CLEC Conversion Charge without outsid	e dispatch			UEA	UREWO		87.59	36.30								-
Loop Tagging - Service Level 2 (SL2)				UEA	URETL		11.20	1,10			-					
4-WIRE ANALOG VOICE GRADE LOOP							107.10	0.00								
4-Wire Analog Voice Grade Loop - Zone 1				UEA	UEAL4	30.81	127 40	91.02			_					├ ──
4-Wire Analog Voice Grade Loop - Zone 2				UEA	UEAL4	38 32 60.39	127.40 127.40	91.02 91.02			1			_		-
4-Wire Analog Voice Grade Loop - Zone 3	- diameter		3		UREWO	60.39										-
CLEC to CLEC Conversion Charge without outsid 2-WIRE ISDN DIGITAL GRADE LOOP	e dispatch			UEA	UKEVVO		87.59	36.30			-		-		-	_
2-Wire ISDN Digital Grade Loop - Zone 1			1	LION	1111.29	22.09	113.34	76.96						-		_
2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2				UDN	U1L2X U1L2X	35 28	113.34	76.96			1					+
2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3				UDN	U1L2X	65.18	113.34	76.96			+					-
CLEC to CLEC Conversion Charge without outsid	e dispatch		3	UDN	UREWO	65.16	91.49	44.09			+					+-
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE	(ADSI) COMPATIR	RELO)P	ODIN	OKEVIO		31.49	44.09	-							-
2 Wire Unbundled ADSL Loop including manual se		, L L L U	J.		-	-					+					
facility reservation - Zone 1	ivice inquity &		1	UAL	UAL2X	12.29	117.08	68.36								1
2 Wire Unbundled ADSL Loop including manual se	nice inquiry &			JOAL .	UNLEA	12.25	117.00	05.30		-						
facility reservation - Zone 2	i vice riquity a		2	UAL	UAL2X	14 09	117.08	68.36								
2 Wire Unbundled ADSL Loop including manual se	price inquiry &		- 2	OAL	UALZA	14 03	117.00	00.50								
facility reservation - Zone 3	n nec inquiry a		3	UAL	UAL2X	15 75	117.08	68.36						ĺ		
2 Wire Unbundled ADSL Loop without manual sen	rice inquiry &		-	O'AL	O/ILEX	13.3	111.00	00.50			1					
facility reservation - Zone 1	,		1	UAL	UAL2W	12.29	92.83	56.02			1					1
2 Wire Unbundled ADSL Loop without manual sen	rice inquiry &			1	5,	12.25	02.00	55.52					1			
facility reservator - Zone 2			2	UAL	UAL2W	14.09	92.83	56.02								
2 Wire Unbundled ADSL Loop without manual sen	rice inquiry &		_		1	155	32.00	55.52								
facility reservation - Zone 3	and and a		3	UAL	UAL2W	15.75	92.83	56 02								
CLEC to CLEC Conversion Charge without outsid	e dispatch			ÜAL	UREWO		86 07	40.34								
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (E LOO	P													
2 Wire Unbundled HDSL Loop including manual se																
facility reservation - Zone 1	AND ASSESSMENT OF THE PARTY OF		1	UHL	UHL2X	9.79	125 50	76.77								
2 Wire Unbundled HDSL Loop including manual se	ervice inquiry &					-										
facility reservation - Zone 2			2	UHL	UHL2X	11.52	125.50	76.77								1

NEUNDLI	ED NETWORK ELEMENTS - Louisiana	_										-	10.000.000.000	ment: 2	13-0040375	bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		1				Rec	Nonrec			g Disconnect				Rates(\$)		
_							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &				I											
_	facility reservation - Zone 3	-	3	UHL	UHL2X	12.74	125 50	76 77			_					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43			1 1					
	2 Wire Unbundled HDSL Loop without manual service inquiry and	1		UNL	UHLZVV	9.79	101.24	04,43					- 1			
	facility reservation - Zone 2		2	DBL	UHL2W	11.52	101 24	64 43								
_	2 Wire Unbundled HDSL Loop without manual service inquiry and	1 3	-	01.12	UNIZZII	11.02	10124	0.1.40								
	facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34					- 2			
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOO	Р													
	4 Wire Unbundled HDSL Loop including manual service inquiry and			Jan 1980			İ									
	facility reservation - Zone 1		1	UHL	UHL4X	16 24	153 26	104 54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and												l "			
	facility reservation - Zone 2	1-	2	UHL	UHL4X	16.65	153.26	104.54		-						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	17,34	153.26	104.54			1 1		1			
_	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	17.34	153.26	104.54		+						
	facility reservation - Zone 1		-1	UHL	UHL4W	16.24	129.00	92.20		1			,			
	4-Wire Unbundled HDSL Loop without manual service inquiry and			OHL	OTILATO	10.24	125.00	32.20		_						
	facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and		_									3				
	facility reservation - Zone 3			UHL	UHL4W	17.34	129.00	92.20		1						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP											100				
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	36 78	121 86	85.48		1						
_	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48			-					
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-	1 2		UDL56 UDL56	30.99 36.78	121.86 121.86	85.48 85.48		+	_					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	_		UDL UDL	UDL56	38.92	121.86	85 48		-						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1		UDL64	30.99	121.86	85.48	-	+						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	36.78	121.86	85.48		-		2				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121 86	85.48								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67								
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service										1					
	Inquiry & facility reservation - Zone 1		-1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual service				e. ne											
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46				1				
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.75	116.18	67.46								
_	2-Wire Unbundled Copper Loop-Designed without manual service	1	3	OCL	OCL B	13.73	110.16	07.40		1						
	inquiry and facility reservation - Zone 1		11	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service				1000	12.23	01.02			1						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15 75	91 92	55.12								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				11.00.000.0		F-000-0-0-0									
	Des)			UCL	UREWO		91.92	42.47		_						
4-W1F	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139 69	90 96								
	4-Wire Copper Loop-Designed including manual service inquiry and	 	-1	OOL	00143	22.21	139.09	90.96		0	-					_
13	facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4S	10 99	139 69	90 96								
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1		1 :	UCL	UCL4W	22.27	115.43	78 63								
	4-Wire Copper Loop-Designed without manual service inquiry and		_													
-	facility reservation - Zone 2	-	2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								

OMBOMDLE	D NETWORK ELEMENTS - Louisiana	_	_	1							1	-		ment: 2	10000000	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-												``			
	Des)			UCL	UREWO		91.92	42.47								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			-					
		ł		UEA, UDN, UAL,	OCOSL		17.56									İ
LOOP MODIFI	Order Coordination for Specified Conversion Time (per LSR)		-	UHL, UDL	OCOSL		17.50				+					
LOOP MODIFI	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,									_			
	less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0 00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled toop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L ULMBT		0.00	0.00								
SUB-LOOPS	5-83810100 1005															
	oop Distribution										-					
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		144.09	144.09			-					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
	Set-Up	1		UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	1	1	1	UEANL	USBN2	7.57	63.89	30 06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	i	100			W 750 PAGE	10.58810071									
	2	L	2	UEANL	USBN2	12.75	63.89	30.06								ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone					22.50									1	
	3		3	UEANL	USBN2	21.45	63.89	30.06			-					
							7.00	= 00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	-	UEANL	USBMC		7.92	7.92			-					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	11 76	76 75	42.92				1 3				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	-	1	UEANL	USBN4	11 /6	1615	42.92			-					
	2005-Loop distribution Fet 4-Wife Ariaby Voice Grade Loop - Zone		2	UEANL	USBN4	16.84	76 75	42.92	1						1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	-		CEANL	U3BN4	10.04	7075	42.32								
	3		3	UEANL	USBN4	19.27	76 75	42.92	8		1					
	<u> </u>		-	OBARE	DOD!!	13.21	1015	42.52								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.91	51 48	17.65			-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1.		UEANL	USBR4	6.58	57.54	23.71								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	6.26	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	f		UEF	UCS2X	10.07	63.89	30.06			1	_			_	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12.70	63.89	30.06		_						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7 92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	8.03	76.75	42 92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	10.71	76 75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	6.08	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		0.89	0.88								

	PLED	NETWORK ELEMENTS - Louisiana										1			ment: 2		bit: A
TEGOR	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
_	-				_		Rec	Nonrect First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour	-		UEF	URET1		33.17	0.00	FIISI	Addi	SOMEC	SOMAN	SOMAN	SUMAIN	SOMAN	SOMAN
-		Loop Testing - Basic Additional Haff Hour			UEF	URETA		19.28	19.28								
Ur		dled Sub-Loop Modification			021	OKETA		13.20	10.20	_							_
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load						-									
		CoiVEquip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled					1										
		юор			UEF	ULMBT		224.55	4.29								
Ur		dled Network Terminating Wire (UNTW)								_							
- 1		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
IN€		k Interface Device (NID)	-		UENTW	UND12		40.00	27.83				_				
+		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW	UND12		42.26 62.86	48.43								
_		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73								
_		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73							1	
FOTHE		ROVISIONING ONLY - NO RATE		-	OL. () ()	011004		0.70	0.70								
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								-	-
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0 0 0				-		-			
					UEANL, UEF, UEQ, UE												
1		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
					UAL,UCL,UDC,UDL.												_
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA.UHL	UNECN	0.00	0.00									
OP MAI																	
		Loop Makeup - Preordering Without Reservation, per working or	8					#E55445500	800 900						1		
_		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility						04.70	24.70							1	
_		queried (Manual). Loop MakeupWith or Without Reservation, per working or spare			UMK	UMKLP	-	24.70	24.70			-			 '		
		facility queried (Mechanized)			UMK	UMKMQ		0 19	0.19			1					
E SHAF		racinty queried (Mechanized)			OWIN	DIVIRIVIQ		013	0.15								
		: The Line Sharing monthly recurring rates for all installations	complet	ed from	n October 02, 2003 th	rough midni	oht October 01.	2004 shall be bi	iled as follow	s:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop															
NO	OTE 1:	: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
	NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD															
			C and U	LSCC	applies only to circui	ts installed a	nd inservice on	or before Octo	ber 1, 2003								
	NE SH	IARING	oc and t	LSCC	applies only to circui	ts installed a	nd inservice on	or before Octo	ber 1, 2003								
	NE SH PLITTE	IARING ERS-CENTRAL OFFICE BASED	oc and U														
	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity	C and U		ULS	ULSDA	187.17	183.33	0.00								
	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	oc and t		ULS ULS	ULSDA ULSDB	187.17 46.79	183.33 183.33	0.00								
	NE SH PLITTE	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSDA	187.17	183.33	0.00								
	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing DiLEC Owned Splitter in CO-CFA activation-deactivation			ULS ULS ULS	ULSDA ULSDB ULSD8	187.17 46.79	183.33 183.33 183.33	0.00 0.00 0.00								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activatori-deactivation (per LSOD)			ULS ULS	ULSDA ULSDB	187.17 46.79	183.33 183.33	0.00								
SF	NE SH PLITTE	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activatori-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS ULS ULS	ULSDA ULSDB ULSD8	187.17 46.79	183.33 183.33 183.33	0.00 0.00 0.00								
SF	NE SH PLITTE	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ERS ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter)			ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	187.17 46.79 15.59	183.33 183.33 183.33 83.98	0.00 0.00 0.00 0.00								
SF	NE SH PLITTE ND US	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 2 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2			ULS ULS ULS	ULSDA ULSDB ULSD8	187.17 46.79	183.33 183.33 183.33	0.00 0.00 0.00								
SF	NE SH PLITTE ND US	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 92 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activatori-deactivation (per LSOD) ERS ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	187.17 46.79 15.59	183.33 183.33 183.33 83.98	0.00 0.00 0.00 0.00								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activatori-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of LICLND) - please see NOTE 1 (E:1072/2003)			ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	187.17 46.79 15.59	183.33 183.33 183.33 83.98	0.00 0.00 0.00 0.00								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 94 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ERG RORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2003)			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	187.17 46.79 15.59	183.33 183.33 183.33 83.98	0.00 0.00 0.00 0.00								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/27/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (55% of LICLND) - please see NOTE 1			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDG	187.17 46.79 15.59 0.61	183.33 183.33 183.33 183.33 83.98 17.97	0.00 0.00 0.00 0.00 10.29								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System 3 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activatori-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned Splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of LICLND) - please see NOTE 1 (E:10/2/2004)			ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	187.17 46.79 15.59	183.33 183.33 183.33 83.98	0.00 0.00 0.00 0.00								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 94 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDG	187.17 46.79 15.59 0.61	183.33 183.33 183.33 183.33 83.98 17.97	0.00 0.00 0.00 0.00 10.29								
SF	NE SH PLITTE	IARING ERR-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2Z003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of LICLND) - please see NOTE 1 (E:10/2Z004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of LICLND) - please see NOTE 1			ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT	187.17 46.79 15.59 0.61 3.10	183.33 183.33 183.33 183.33 83.98 17.97	0.00 0.00 0.00 0.00 10.29								
SF	NE SH PLITTE	IARNIG ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing - Die Cowned Splitter in CO-CFA activatori-deactivation (per LSOD) ERRORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDG	187.17 46.79 15.59 0.61	183.33 183.33 183.33 183.33 83.98 17.97	0.00 0.00 0.00 0.00 10.29								
SF	NE SH PLITTE	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 94 Line Capacity Line Sharing Splitter, per System 84 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(BST			ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT ULSDT	187.17 46.79 15.59 0.61 3.10	183.33 183.33 183.33 183.33 83.98 17.97 17.97	0.00 0.00 0.00 0.00 10.29 10.29								
SF	NE SH	IARING ERR-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of LICLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of LICLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement (BST Owned Splitter)			ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT	187.17 46.79 15.59 0.61 3.10	183.33 183.33 183.33 183.33 83.98 17.97	0.00 0.00 0.00 0.00 10.29								
SF	NE SH	IARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 94 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activatori-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Sharis Service, TRO per line activation, BST owned splitter Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2003) Line Sharing - System Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT ULSDT ULSDT ULSDT	187.17 46.79 15.59 0.61 3.10	183.33 183.33 183.33 83.98 17.97 17.97 17.97	0.00 0.00 0.00 0.00 10.29 10.29 10.29								
SF	NE SH	IARING ERR-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 8 Line Capacity Line Sharing DiLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) ER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of LICLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of LICLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of LICLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement (BST Owned Splitter)			ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDT ULSDT	187.17 46.79 15.59 0.61 3.10	183.33 183.33 183.33 183.33 83.98 17.97 17.97	0.00 0.00 0.00 0.00 10.29 10.29								

	ED NETWORK ELEMENTS - Louisiana		-		, ,						,			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	First			g Disconnect	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
_	Line Share Service, TRO per line activation, CLEC owned splitter -	-	-		_		FIRST	Add'I	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SOMAN
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47,44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter -			020	00001	0.10	37.77	15.01		-	1					
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9 30	47.44	19.31								
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic			1177			80.00	55.00	-							
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
NBUNDLEC	DEDICATED TRANSPORT									T						
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT							P.50				- 3				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			Ú1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								
GNALING (
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147 60										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15 77	34.50	34 50								
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known			UDB	TPP9A	15.77	34.50	34.50		_		_				
	as D link) CCS7 Signaling Connection, Per DS3 level link (B link) (also known		-	UDB	TPP6B	15.77	34.50	34.50								
	as D link)			UDB	TPP98	15.77	34.50	34.50								
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17			-	1				
911 SERVIC		-	-			40.00	187.51	32 21		-	_					
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		-			18.32 18.32	187.51	32.21		-	_					
_	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				-	18.32	187.51	32 21			1 1					
-	Interoffice Transport - Dedicated - 2-wr Voice Grade - 2016 S	_	-	11		0.013	107 31	32 21			_					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Termination					22.60	39.36	26 62								
	Local Channel - Dedicated - DS1 - Zone 1				1	39.18	172 34	149.27								
	Local Channel - Dedicated - DS1 - Zone 2					121.58	172 34	149.27					_			
	Local Channel - Dedicated - DS1 - Zone 3					70.02	172 34	149.27								
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2652							-	-		
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44								
WILLIAM DED	EXTENDED LINK (EELs)			1												

JONELLE	NETWORK ELEMENTS - Louisiana		_		,	-					_		Attach			ibit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Syc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring					Rates(\$)		
HOTE	 The monthly recurring and the Switch-As-Is Charge and not the			b b - ()))			First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	The monthly recurring and the Switch-As-is Charge and not the DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR				apply for UNE	combinations	provisioned as	Currently Col	noined Networ	K Elements.						-
EXTEN	2-WireVG Loop in combination - Zone 1	I ADL III		UNCVX	UEAL2	14.93	94.21	45.09	_		_					-
_	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09						-	-	+
_	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	50.46	94 21	45.09								
_	2-VIIIEVG COOP III COMBINATION - ZONE 3		- 3	UNCVA	UEALZ	30.46	94 21 1	43.09								
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.013	1]		
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination		_	ONCVA	ILJAA	0.013				_	-					
	per month			UNCVX	U1TV2	22.60	72.60	41.75								
_	Nonrecurring Currently Combined Network Elements Switch -As-Is		-	UNCVA	UTIVZ	22.00	72.00	41.73			1					+
	Charge			UNCVX	UNCCC		5.43	5.43			1	Į.		i		
EVTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	ADE IN	TEDOI		UNCCC		5.43	5.43								
EXIEN		AUE IN		UNCVX	UEAL4	30.81	94.21	45.09								+
-	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	38.32	94.21	45.09			-				-	+
	4-WireVG Loop in combination - Zone 2	-				60.39	94.21	45.09			I					+
4	4-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL4	60.39	94.21	45 09			-				-	-
	Interesting Transport Aurise VC Deducted Destill Controlle			UNCVX	1L5XX	0.013					1					
-	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		-	OINCAY	ILDAX	0.013					+					-
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination		1	UNCVX	U1TV4	19.81	72.60	41.75							1	
	per month		 	UNCVX	U11V4	19.81	72.60	41.75			1					
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.43	5 43								
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	DEFICE		1101.50		0.0.	- 45.00			_					-
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								1
-	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45 09								
	4-wre 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		1		Vicinian .											
	Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
_	Facility Termination per month		-	UNCDX	U1TD5	15.61	72.60	41.75								_
	Nonrecurring Currently Combined Network Elements Switch -As-Is					i										
	Charge			UNCDX	UNCCC		5.43	5 43								
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30 99	94.21	45.09								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36 78	94.21	45 09								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38 92	94.21	45.09								
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			ATTECH MANAGEMENT CONTE												
	Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						100,000	4.00								
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is				12.00											
1	Charge			UNCDX	UNCCC		5.43	5.43							1	
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
3	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			Production and the second	1											
	month			UNCDX	1L5XX	0.013										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			A 10 - 21 - 22 - 22 - 22 - 22 - 22 - 22 -												
-	Termination per month	-	_	UNCDX	U1TD5	15.61	72.60	41.75							-	
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
1	Charge			UNCDX	UNCCC		5.43	5.43								
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC							_							
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month		_	UNCDX	1L5XX	0.013										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			Consumbation 1	Co. Lesson											
	Termination per month	- 7	-	UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is												1			
	rediffecting Currently Combined Network Elements Switch -AS-15			UNCDX	UNCCC		5.43	5.43								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
		-					Nonrec	urring	Nonrecurring	o Disconnect			oss	Rates(\$)		1
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
When	used as a part of a currently combined facility, the non-recurrn	g charge	s do not	apply, but a Sw	itch As Is charg	e does apply.										i
When	used as ordinarily combined network elements in All States, the	non-rec	urring c	harges apply an	d the Switch As	Is Charge does	not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne appl	ies to each com	bination)							_				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			JNCVX	UNCCC		5.43	5.43	6.						-	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			JNCDX	UNGCC		5.43	5.43								
Miscell	aneous													1		
	NRC - Order Coordination Specific Time - Dedicated Transport	1	U	JN1CX	OCOSR		18.85	18.85								

ATECONY BATELEMENTS Water 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination rivers to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination riversed to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination riversed to Gingspacked () harversed 10Hz Cores. The 2 one in the sections for stand-door loops as part of a combination riversed to Gingspacked () harversed 10Hz Cores. The 3 one in the section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops are section for stand-door loops ar	NBUNDLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
Mode	ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
The "Taxia" shows in the sociations for functional content on Cooperatively December 2004. Except Towns Cooperatively December 2004. The Cooperative Content Cooperative Content Cooperative Content Cooperative C							Rec					COMEC	COMM				SOMAN
PRIST TONS SUPPORT SYSTEMS (SS). PRIST SYSTEMS	The "Zor	ne" shown in the sections for stand-alone loops or loops as n	art of a	combin	ation refers to Geogr	ranhically De	averaged LINE										SOMAN
PREASONS SUPPORT SYSTEMS (DSS)—TRECONNEL RELET 1 Control of the Control of Systems (DSS)—TRECONNEL SUPPORT SYSTEMS (DSS)—TRECONNEL registers of paths to the state specific OSS charges as ordered by the State Commission. The DSS charges currently controlled in the delibourh registers are with developing thereps. CLEC in NOTE 1, 1 Any seement that can be ordered discriminally with a billies according to the SOMEC Total Sixted in this category. Please are for the Billiouth's Local Origining Management of the Clear that Commission is a control of the SOMEC Total Sixted in this category. Please are for the Billiouth's Local Origining Management in the category yielded the relevancy process of the SOMEC Total Sixted in this category. Please are for the Billiouth's Local Origining Management in the Local Benefit and the Commission of the SOMEC Total Sixted In this category. Please are for the Billiouth's Local Origining Management in the Local Benefit and the Control of the SOMEC Total Sixted In the Control of Some Some Some Some Some Some Some Some					ation releas to ocogi	apinican's De	saveraged one	LONGS. TO VIEW	Geograpinear	ly Deaverageu	ONE ZONE Desi	gnations by	Central Om	ice, refer to an	emet Website		
NOTE: (1) ELEs should control ris gostmard registrate if prients the "size specific" OSS charges as ordered by the State Commission. The DSS charges currently control							T										-
NOTE: The Expedite Charge will be maintained commensurate with Berlison by Expedite Charge per Consoling Charge SOME	NOTE: (1	1) CLEC should contact its contract negotiator if it prefers the															
De control effectivorically a present per the LOFF, the filtied DOMEC rate in filties capegory reflects the charge that work by all field to a CLEC cone electronic ordering perbullius come culture for that element. Otherwise, the manual ordering charge, SDMAN, will DOS. Harmas Service Order Charge, Per Local Service Request	either th	ne state specific Commission ordered rates for the service ordered	ring ch	arges, o	r CLEC may elect the	e regional se	rvice ordering of	charge, howeve	r, CLEC can no	ot obtain a mixt	ure of the two	regardless it	CLEC has a	a interconnec	tion contract	established in	each of the
0.55 - Bestiment Service Order Charge, Per Local Service Request SOMEC 3.50 0.00 0.	NOTE: (2	Any element that can be ordered electronically will be billed	accord	ing to th	ne SOMEC rate listed	in this cate	gory. Please re	fer to BellSouth	's Local Order	ing Handbook	(LOH) to deterr	nine if a pro	duct can be	ordered electi	ronically. For	those element	ts that cann
(1,587) - UNE CON_ SOMEC 3.50 0.00 3.50 0.00			in this	catego	ry reflects the charge	e that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	. Otherwise	e, the manual	ordering char	ge, SOMAN, w	ill be applie
OSS Amail Service Charge for Load Service Request SOMM 15.75 0.00 197 0.00				i I		201150		2.50		0.50	0.00						
U.S.P. UNC DO 1.07 0.00				-		SOMEC		3.50	0.00	3.50	0.00						
WAS SERVICE DATE ADVANCE WHIT CHARGE South's FCC No.1 Tariff, Section is a spillcable.						COMANI		15.75	0.00	1.07	0.00		ļ				
NOTE: The Expedite charge will be maintained commensurate with Belifisouth's ECO And Tariff, Section 2 as applicable.			_			SUMAN		15.75	0.00	1.97	0.00				-		-
W.	NOTE: 1	The Expedite charge will be maintained commensurate with Re	USouth	's FCC	No 1 Tariff Section 5	as annlicah	le le			-							
ORDER MODIFICATION CHARGE		UNF Expedite Charge per Circuit or Line Assignable USCC, per Dav			UEF, UDF, UEO, UDL. UENTW, UDN, UENTW, UDN, UENTW, UDN, USA, UHT12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD2, U1TD2, U1TD2, U1TD2, U1TD2, U1TD2, U1TD2, U1TD2, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD8, U1T			200.00									
Order Modification Additional Dispatch Charge (OMCAD) 150.00 0.00																	
UNBUNDLED EXCHANGE ACCESS LOOP		Order Modification Charge (OMC)															1
2-WIRE ANALOG VOXE GRADE LOOP								150.00	0.00	0.00	0.00						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25							-								-		_
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 16.87 37.92 17.55 23.48 5.25				1	LIFANI	HEAL?	12.02	37.02	17 55	23.40	5.26	-			-	 	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25 24. Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 24. UEANL UEASL 12.03 37.92 17.55 23.48 5.25 25. UEANL UEASL 12.03 37.92 17.55 23.48 5.25 25. UEANL UEASL 12.03 37.92 17.55 23.48 5.25 25. UEANL UEASL 12.03 37.92 17.55 23.48 5.25 25. UEANL UEASL 16.87 37.92 17.55 23.48 5.25 25. UEANL UEASL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 5.25 25. UEANL 25.68 37.92 17.55 23.48 25.25 25. UEANL 25.68 37.92 17.55 23.48 25.															 		<u> </u>
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEAL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 1 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 3 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL 43.85 37.92 17.55 23.48 5.25 2Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 U																	
2-Wire Anabog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12 03 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2. Wire Anabog Voice Grade																	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL UEASL 25.68 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEASL				1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25					e L	
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 Urbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 URETL URETL 0.00 URE			1	2	UEANL	UEASL	16.87	37.92		23.48	5.25						
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3															
Premise UEANL URETL 8.33 0.83 Loop Testing - Basic 1st Half Hour UEANL URET1 34.36 0.00 Loop Testing - Basic Additional Half Hour UEANL URETA 19.97 19.97				4	UEANL	UEASL	43.85	37.92	17.55	23 48	5 25						
Loop Testing - Basic 1st Half Hour UEANL URET1 34.36 0.00 Loop Testing - Basic Additional Half Hour UEANL URETA 19.97 19.97									la a ma								
Loop Testing - Basic Additional Half Hour UEANL URETA 19.97 19.97																	
		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch		-	UEANL	URETA		19.97	19.97 8.92								

INRUNDLE	NETWORK ELEMENTS - Mississippi	_									1-	-		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
				13 5		Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Kec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, biffing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		18 19	18.19								
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1		UEQ	UEQ2X	11 01	36 53	16 16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	11.51	36.53	16,16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42			1	100		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	- 1	4	UEQ	UEQ2X	13 10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-				And Supplement Terrors											
	Designed (per loop)			UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
	providing make-up (Engineering Information - E I.)			UEQ	UEQMU		13.51	13.51							i	
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
BUNDLED E	EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105 96	68.28	52.82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1					
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						(
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52 82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
İ	Battery Signafing - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						(
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
i	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						(
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29						-		
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2		2		UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132 27	94.59	60.68	14 64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.01	117.61	79.92	52 82	10 37						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		/		1	The second of the second	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	OP		_											
	2 Wire Unbundled ADSL Loop including manual service inquiry &							-44								
	facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50 38	7 93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-	1110	17.00		2000			12/12/10		1				
	facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70 81	50 38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &				1											
	facility reservation - Zone 3	-	3	UAL	UAL2X	11.74	121 27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &						101.55	70.5								
	facility reservation - Zone 4	-	4	UAL	UAL2X	12 69	121 27	70 81	50 38	7.93						
1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1							1							

NOUNDLE	D NETWORK ELEMENTS - Mississippi	_	,		T						_		200000000000000000000000000000000000000	ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	June 1995					Kec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2 Wire Unbundled ADSL Loop without manual service inquiry &			1127		42.15										
	facility reservation - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	-	2	UAL	UAL2W	11.47	96 15	58.03	50.38	7.93						_
	facility reservation - Zone 3		3	UAL	UAL2W	11 74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	ONE	- OALL	13.14	30.13	30.03	30.30	7.55						
	facility reservation - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P													
	2 Wire Unbundled HDSL Loop including manual service inquiry &		1	OHL	UHL2X	8 75	129.98	70.50	50.00	7.00						
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry 8	-	-	UHL	UHLZX	8 / 5	129.98	79.52	50.38	7.93					_	-
	facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_				,20,00		00.00							
	facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &					20000-1000		707 100 100 100 100 100 100 100 100 100								
	facility reservation - Zone 4		4	UHŁ	UHL2X	10 46	129.98	79.52	50 38	7.93						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		١,	UHL	UHL2W	8.75	104.86	66 74	50.38	7.93						İ
	2 Wire Unbundled HDSL Loop without manual service inquiry and		<u> </u>	OTAL	OTILZVV	0.75	104.00	00 74	30.36	7.55						
	facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
1	2 Wire Unbundled HDSL Loop without manual service inquiry and			20000				20.07		72						
_	facility reservation - Zone 4 CLEC to CLEC Conversion Charge without outside dispatch	-	4	UHL	UHL2W UREWO	10.46	104.86 85.98	66.74 40.33		7.93				-		
4 WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	RIFIOO	D	UHL	UREWO		85.98	40.33								
4-44115	4 Wire Unbundled HDSL Loop including manual service inquiry and	1	i –	_	1											
	facility reservation - Zone 1		1	UHŁ	UHL4X	13 78	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and			1000		400.40	(4.00 4.1	252.0								
_	facility reservation - Zone 2	-	2	UHL	UHL4X	13.43	158 74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
-	4-Wire Unbundled HDSL Loop including manual service inquiry and	+	3	UNL	OFILAX	15.55	130.14	100.20	36.72	10.00						
	facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108 28	56.72	10.68						ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4W	13.78	133 62	95.50	56.72	10 68					2	
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and	-	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68	/				-	-
	facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95 50	56.72	10.68					1	l .
	4-Wire Unbundled HDSL Loop without manual service inquiry and		<u> </u>	OTIL	OTILATE	10.00	155.62	33 30	30.72	10.00			_			
	facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						į.
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40 33								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
_	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.44	126.53	88.85	60.68	14.64				-		
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19 UDL19	34.55 40.76	126.53 126.53	88.85 88.85		14.64						
	4 Wire Unbundled Digital 19.2 Kbps	+		UDL	UDL19	32.25	126.53	88.85		14.64		-	-	-		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64						2
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88 85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	-		UDL	UDL56	32.25	126.53	88 85	60.68	14.64						
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64 UDL64	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						—
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64	-					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			UDL	UDL64	32 25	126.53	88.85	60.68	14,64		-				
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-WIR	E Unbundled COPPER LOOP								1							
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual service	-	1	UCL	UCLPB	11.11	120 34	69.87	50.38	7 93						
1	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93				_ [

INBUNDLE	D NETWORK ELEMENTS - Mississippi	т —									0.6			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual So Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled Copper Loop-Designed including manual service			UCL	1101.00		400.04	00.07	50.00	7.00						
	inquiry & facility reservation - Zone 3 2 Wire Unbundled Copper Loop-Designed including manual service	-	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						-
	inquiry & facility reservation - Zone 4 2-Wire Unbundled Copper Loop-Designed without manual service		4	UCL	UCLPB	12 69	120.34	69.87	50.38	7.93						_
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed without manual service		-	002	OOL! II	11.11	33.21	31.03	30.00	1.55						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed without manual service									-						
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93	9					ĺ
1	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12 69	95 21	57.09	50 38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				UREWO		95 21	42.40				1				(
4 3450	Des) E COPPER LOOP	-	-	UCL	UREWO		95 21	42.40								
4-99161	4-Wire Copper Loop-Designed including manual service inquiry and								-		-					
	facility reservation - Zone 1		1	UCL	UCL4S	17 30	144.68	94.22	56.72	10.68						(
	4-Wire Copper Laop-Designed including manual service inquiry and			002	002:0	1, 00	144.00	01.22	00.12	10.00						
	facility reservation - Zone 2		2	UCL	UCL4S	18 84	144.68	94.22	56.72	10.68						1
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68			_			
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 4		4	UCL	UCL4S	21.33	144 68	94.22	56.72	10.68						1
	4-Wire Copper Loop-Designed without manual service inquiry and								Allen mad							
	facility reservation - Zone 1	-	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68	- 4					
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10 68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81 44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119 56	81.44	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-														7	
	Des)			UCL	UREWO		95.21	42 40								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
				UEA, UDN, UAL,												
OOP MODIFIC	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.19									
OOP MODIFIE	Unbundled Loop Modification, Removal of Load Colls - 2 Wire pair			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	less than or equal to 18k ft, per Unbundled Loop	_		UEPSB	ULM2L		32 57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less							22.22								
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA,	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		32.59	32 59								
UB-LOOPS				-												
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.77								-	
1	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47			-						
		1														
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		56.39			<u></u>						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1	1	UEANL	USBN2	7.15	66.18	31,14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	9.51	66.18	31 14	45.36	6.71						

ATECOPY RATE (JEMINTS Interior Zine RCS USOC RATE(S) Shartest Sh		NETWORK ELEMENTS - Mississippi	1	1			1					Sun Oud	Sun Out		ment: 2		bit: A
Sub-Loop DelTuckion For 2-Wise Assigs Votes Grade Loop. Zone 3	ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual S Order vi Electroni Disc Add
Sich Logo Darkhadon Per 2-Wire Anabeg Vices Grade Logo - Zone 1 3 UEANL USBN2 12.55 65.16 31.14 45.36 67.1							Rec										
3 USBN2 12.55 66.16 31.14 45.06 671				-			U. W. S.	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 USANIL USBN2 15.26 56.11 31.14 45.36 6.71		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6 71						
Sol-Loop Destruction Per 4-Wire Avate y Order Grade Loop - Zone 1 UEANL USBN4 7.30 79.40 44.45 51.27 9.35		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
Sol-Loop Distribution Per 4-Wire Analogy Voice Grade Loop - Zone 1 UEANL USBN4 7.50 79.49 44.45 51.27 9.35		Order Coordination for Hobuseded Sub-Loope, per sub-loop pair			LIEANI	LISBMC		8 20	8 20								
1 USANL					ODATE	COBING		0.20	0.20							-	
Sub-Loop Distribution Per - Avrier Analog Voice Grade Loop - Zone 2		1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
So-Loop Distriction Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 1673 79.49 44.45 51.27 9.35		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		,			100000	7.00									
Solid Logo Patricketion Per 4 Wire Analog Voice Grade Loop - Zone 4 UEANL USBMC 16.73		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-	ODATE	000114	13.32	75.45	44.45	37.27	5.55						
4 UEANL USBNA 16.73 79.49 44.45 51.27 9.35		3		3	UEANL	USBN4	16 73	79.49	44.45	51.27	9.35						
Sub-Loop 2-Wine Intrachiering Network Cales (NC)		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79 49	44.45	51.27	9 35						
Sub-Loop 2-Wire Instructing Network Cales (NC)																	
Order Coordination for Unbundled Sub-Loop, per sub-loop pair UEANL USBNC 8.20				-													
Sub-Loop - All Presentation for Unbundled Sub-Loop pair UEANL USBMC 8.20 8.2		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1	-	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
Sub-Loop - All Presentation for Unbundled Sub-Loop pair UEANL USBMC 8.20 8.2		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			HEANI	LISEMO		8 20	8.20								
Loop Testing - Basic Address Basic Test Half Hour UEANL URET 34.36 0.00			1				4.40			51.27	9.35						
Loop Testing - Basic fall-flat Hour																	
Loop Testing - Basic Additional Hard Hour UEANL URETA 19.97 19				_							_						
2 Wire Copper Unburded Stub-Loop Distribution - Zone 1							_						_				
2 WWC Copper Unburided Sub-Loop Distribution - Zone 2			1	1			6.06			45.26	6.71						
2 Wer Copper Unhandled Sub-Loop Distribution - Zone 3			1														
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			\vdash											_		_	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1				4	UEF	UCS2X	9 90	66.18	31,14	45.36	6.71						
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 1 2 UEF UCSAX 5.10 79.49 44.45 51.27 9.35		Order Coordination for Habundled Sub Lagons, per sub-lagon pair			1155	LISPMC		9.20	9.20								
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			-	1			5.10			51 27	9.35						
A Wire Copper Unbunded Sub-Loop Distribution - Zone 3			l i												_		
A Wire Copper Unbundled Sub-Loop, Sper sub-loop pair UEF USBMC 8.20 8.20			1														
Loop Taggling Service Level 1, Unburndled Copper Loop, Non-Designed and Distribution Subloops UEF, UEANL URETL 8 92 0.88							14.00	79.49	44 45								
Designed and Distribution Subloops					UEF	USBMC		8.20	8.20								
Loop Testing - Basic 15t Helf Hour UEF URET1 34.36 0.00					UEE DEANI	HOETI		0.00	0.00								
Loop Testing - Basic Additional Half Hour UEF URETA 19.97 19				-								_					
Unbundled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Col/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Col/Equip Removal per 4-W PR Unbundled Sub-loop Modification Removal of Bridge Tap, per unbundled loop UEF ULM4X 176.80 5.13 Unbundled Loop Modification Removal of Bridge Tap, per unbundled loop UEF ULMBT 279.81 6.15 Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENTP 0.3366 Network Interface Device (NID) Network Interface Device (NID) - 1-2 lines UENTW UND12 43.84 28.90 Network Interface Device (NID) - 1-6 lines UENTW UND12 43.84 28.90 Network Interface Device (NID) - 1-6 lines UENTW UND16 65.30 50.36 Network Interface Device (Toss Connect - 2 W UENTW UND16 Network Interface Device Cross Connect - 4 W UENTW UND02 5.94 5.94 Network Interface Device Cross Connect - 4 W UENTW UND04 5.94 5.94 NEOTHER, PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID Installation UENTW UND8X 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENTW UENTW UENTW UENTW UENTW UENTW UENTW UND8X 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UEN			-														
Coi/Equip Removal per 2-W PR	Unbun				4					-					_		
Unbundled Sub-loop Modification - 4-W Copper Dist Load CoffEquip Removal per 4-W PR					NEE	III MOV		176.90	£ 12								
Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop UEF ULMBT 279.81 6.15	_	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
Up Up Up Up Up Up Up Up					UEF	ULM4X		176.80	5.13								
Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENPP 0.3366 30.55		юор			UEF	ULMBT		279.81	6.15								
Network Interface Device (NID) - 1-2 lines	Unbun				UEVEN .		1 2 2 2 2										
Network Interface Device (NID) - 1-2 lines			-	-	UENTW	UENPP	0.3366	30.55									
Network Interface Device (NID) - 1-6 lines	Networ				LIENTW	LIND12		13.84	28.00							-	
Network Interface Device Cross Connect - 2 W	_						2			-							
Network Interface Device Cross Connect - 4W															\rightarrow		
UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 0.00 UEANL, UEF, UEO, UE																	
UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 0.00 UEANL, UEF, UEO, UE	INE OTHER, P	ROVISIONING ONLY - NO RATE					E = T										
UEANL,UEF,UEQ,UE		NID - Dispatch and Service Order for NID installation															
		UNTW Circuit Id Establishment, Provisioning Only - No Rate				UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00							7		
Unbundled Contact Name, Provisioning Only - no rate Unbundled Contact Name, Provisioning Only - no rate UNECN 0.00 0.00					UDL, UDN, UEA,				V								

JNBUNDLE	D NETWORK ELEMENTS - Mississippi				-								Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OOP MAKE-			1		-						_					
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24 12								
1	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		1	UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or Without Reservation, per working or spare		+	OWIN	OWINE		23.30	23.00			_				_	-
	facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
NE SHARING																
	1: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 t	hrough midni	ght October 01,	2004 shall be b	illed as follow	s:							
NOTE	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")	T											
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															$\overline{}$
NOTE	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
NOTE	1: Above will apply to USOCS: ULSDT and ULSCT															
**NOT	E 2: The Line Sharing monthly recurring rates with USOCs ULSE	C and	ULSCC	applies only to circu	its installed a	nd inservice or	or before Octo	ber 1, 2003		1						
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186 67	189 89	0 00	178 41	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178 41	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
END	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) -															
	OBSOLETE see "NOTE 2			ULS	ULSDC	0.61	18.62	10 66	10 04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003) Line Share Service, TRO per fine activation, BST owned splitter -			ULS	ULSDT	2 75	18 62	10.66	10.04	4 93	-					
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E.10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -	-		ULS	ULSDT	5.51	18.62	10.66	10.04	4.93	-					
	Central Office Located (75% of UCLND) - please see NOTE 1				ACMA MARKETONI				1	10 0000						1
	(E·10/2/2005)	1		ULS	ULSDT	8.26	18.62	10 66	10.04	4 93						
37	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16 48	8.24								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24								
	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						1
	Line Share Service, TRO per line activation, CLEC owned splitter -										1					
	Central Office Located (25% of UCLND) - please see NOTE 1		1													
	(E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74		- Contractor				
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1	1														
	(E:10/2/2004)	-	+	ULS	ULSCT	5 51	47 44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1						WAST 440	Processor .	545,623,54	12.4500040						
	(E:10/2/2005)	-	-	ULS	ULSCT	8.26	47.44	19.31	20.67	12 74						
MAIN	TENANCE		-													
	No Trouble Found - per 1/2 hour increments - Basic	-	+-		_		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime	-					120.00	82 50	_							
IDIINDI ED	No Trouble Found - per 1/2 hour increments - Premium	-					160.00	110.00					_			
	DEDICATED TRANSPORT ROFFICE CHANNEL - DEDICATED TRANSPORT		_		1	-										
INTER		-	+			-										
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade									3.43					-	
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	_		U1TVX	1L5XX	0 0098										
1	Facility Termination	1	1	U1TVX	U1TR2	22.52	40.77	27 57	17 26	7.11						

JNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						200	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	515111]
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -									02.00.00						
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						-
	month		-	U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7,11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098								1		
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
SIGNALING				OTIDA	01100	15.00	40.76	27.57	17-20	7.11						
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	трр9В	16.55	35.74	35.74	16.53	16.53					-	
	CCS7 Signaling Point Code, per Originating Point Code					10.55										
E911 SERVK	Establishment or Change, per STP affected	-	-	UDB	CCAPO		29.18	29.18	35.78	35.78						
E911 SERVE	Local Channel - Dedicated - 2-wr Voice Grade	-	-			14.91	194.22	33.36	37.79	3.30	_		_			
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098	134.22	33.30	31.13	3.30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22 52	40.77	27.57	17.26	7,11						
	Local Channel - Dedicated - DS1 - Zone 1	-				36.83	178.50	154.61	22 89	15.74						
	Local Channel - Dedicated - DS1 - Zone 2	_				35.99	178.50	154 61	22 89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4		-			221.63	178,50	154.61	22.89	15.74						_
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
	EXTENDED LINK (EELs)															
NOT	E: The monthly recurring and non-recurring charges below will a	pply and	the Sv	vitch-As-Is Charge w	ill not apply f	or UNE combina	tions provision	ed as 'Ordina	rily Combined' N	etwork Eleme	nts.					
	E: The monthly recurring and the Switch-As-Is Charge and not the ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G				apply for UNE	combinations	provisioned as	Currently Co	mbined' Network	Elements.						
EAT	2-WireVG Loop in combination - Zone 1	TADE IN		UNCVX	UEAL2	13.89	105 96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	27.55	105 96	68.28	52.82	10.37						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination						40.77	07.57	/700							
	per month Nonrecurring Currently Combined Network Elements Switch -As-Is	 		UNCVX	U1TV2	20.32	40.77	27.57	17.26	7 11						
-	Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1	RAUE IN		UNCVX	UEAL4	27 47	132.27	94 59	60.68	14 64						
	4-WireVG Loop in combination - Zone 2	-			UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	U1TV4	17.86	40,77	27.57	17.26	7						
_	per month Nonrecurring Currently Combined Network Elements Switch -As-Is					17.86				7.11		-				_
	Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20	-					
FYT	ENDED 4-WIRE 56 KRPS DIGITAL EXTENDED LOOP WITH 56 KRPS	INTER)FFICE													
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1	INTER			UDL56	27 44	126.53	88.85	60.68	14.64					-	
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2	INTER	1	UNCDX	UDL56 UDL56	27 44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						

														ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Increment Charge Manual S Order v
	, , , , , , , , , , , , , , , , , , ,										percon	per Lak	Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electroni Disc Add
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	22.52	40 78	27.57	17.26	7 11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE	TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14 64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40 76	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	ROFFIC														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14 64	12					_
_	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60 68	14.64	0					
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0098										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7,11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	ROFFIC														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 4 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		4	UNCDX	UDL64	32.25 0.0098	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	22.52	40 78	27.57	17.26	7,11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7 20	7.20						
TIONAL P	ETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurring															
When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply an	d the Switch As I		n ot .									
Nonre	curring Currently Combined Network Elements "Switch As Is" C	harge (C	пе арр	lies to each comb	oination)						— Yi					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5 63	7.20	7 20						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
100	aneous		_				18.87									
Misce	NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR			18.87								

,,,DO,,DEED	NETWORK ELEMENTS - North Carolina					-					Suc Order	Suc Order		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Day.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
The "Zor	ne" shown in the sections for stand-alone loops or loops as p	art of a	ombin	ation refers to Geogra	aphically De	averaged UNE	ones. To view	Geographicall	y Deaveraged	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website		
http://wv	w.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	n.htm					740 57	0.00							
	JPPORT SYSTEMS (OSS) - "REGIONAL RATES"								15-6-							
NOTE: (1) CLEC should contact its contract negotiator if it prefers the	"state s	oecific'	OSS charges as ord	ered by the	State Commissi	ons. The OSS	charges curren	tly contained i	n this rate exhi	bit are the B	ellSouth "re	gional" servic	e ordering ch	arges. CLEC	may elect
either th	e state specific Commission ordered rates for the service orde	ring cha	irges, c	or CLEC may elect the	regional se	rvice ordering	harge, howeve	r, CLEC can no	t obtain a mixt	ure of the two	regardless if	CLEC has a	interconnect	ion contract e	stablished in	each of th
NOTE: (2	2) Any element that can be ordered electronically will be billed	accordi	ng to t	he SOMEC rate listed	in this cate	gory. Please ref	er to BellSouth	's Local Orderi	ng Handbook	LOH) to detern	nine if a prod	luct can be	ordered electr	onically. For t	those element	s that can
be order	ed electronically at present per the LOH, the listed SOMEC rate	e In this	catego	ry reflects the charge	that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	. Otherwise	the manual o	ordering charg	e, SOMAN, wi	ill be appli
	OSS - Electronic Service Order Charge, Per Local Service Request				001150		2.50	0.00	2.50							
	LSR) - UNE Only		_		SOMEC		3.50	0.00	3.50	0.00	-					
	OSS - Manual Service Order Charge, Per Local Service Request				SOMAN		45.00	0.00	45.00							
	LSR) - UNE Only ATE ADVANCEMENT CHARGE				SOMAIN		15.20	0.00	15 20	0.00			_			
		IICath	o ECC	No 1 Tariff Continu 6	ar applicab	10										
NOTE: 1	he Expedite charge will be maintained commensurate with Be	inaouth'	эгсс	to.1 raini, Section 5	as applicat	ie.					_					_
	JNE Expedile Charge per Circuit or Line Assignable USOC, per Day			UEA, UHL, ULC, USL, UHT2, UHT3, UHT01, UHT03, UHT01, UHT03, UHT01, UHT03, UHT01	SDASP		200.00									
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00				3 11		
	Order Modification Additional Dispatch Charge (OMCAD)						0.00	0.00	0.00	0.00						-
	CHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP			and the second												
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	33 65	57,99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.11	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.24	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	33.65	57.99	42.37								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User									19-1-1					-	-
	Premise			UEANL	URETL		8.33	0.83					1			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	0.00	-				-			
	_oop Testing - Basic 1st Half Hour			UEANL	URETA		39.51	39.51					-		-	_
	LOOP Testing - Basic Additional Hall Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.76	8.93				The state of the s				
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								

URONDLED VELMO	RK ELEMENTS - North Carolina													ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	In cremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonreci			g Disconnect				Rates(\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	er Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	dination for Specified Conversion Time for UVL-SL1 (per							.0.00								
LSR)				UEANL	OCOSL		45.34	45.34								
	ED COPPER LOOP - NON-DESIGNED	_				70.10					1					
	undled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35 27	15,60		ļ						
	undled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.55	35.27	15.60								
	undled Copper Loop - Non-Designed - Zone 3		_ 3	UEQ	UEQ2X	27.58	35 27	15 60								
	Miscellaneous Rate Element, Tag Loop at End User	1					19 100	0.000								
Premise	19000			UEQ	URETL		8.33	0 83					_			
	er Coordination 2 Wire Unbundled Copper Loop - Non-															
Designed (UEQ	USBMC		61.38	61.38								
	Copper Loop, Non-Design Copper Loop, biling for BST															
	eke-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74								
	g - Basic 1st Half Hour			UEQ	URET1		76.24	0.00								
	g - Basic Additional Half Hour			UEQ	URETA		39.51	39.51								
	EC Conversion Charge Without Outside Dispatch (UCL-						2550	*********								
(ND)				UEQ	UREWO		14.26	7.42								
BUNDLED EXCHANGE																
	OICE GRADE LOOP															
	og Vorce Grade Loop - Service Level 2 w/Loop or							100								
	t Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106 56								
	og Voice Grade Loop - Service Level 2 wLoop or				1							Í				
Ground Sta	t Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56								
2-Wire Ana	og Voice Grade Loop - Service Level 2 w/Loop or															
Ground Sta	t Signaling - Zone 3		3	UEA	UEAL2	40 81	142.97	106.56								
	og Voice Grade Loop - Service Level 2 wReverse				L SECTION		1945									
	aling - Zone 1	-	1	UEA	UEAR2	14.97	142.97	106.56			1					
2-Wire Ana	og Voice Grade Loop - Service Level 2 w/Reverse			7		9.										
Battery Sign	aling - Zone 2		2	UEA	UEAR2	25.93	142 97	106.56								
2-Wire Ana	og Voice Grade Loop - Service Level 2 w/Reverse															
Battery Sign	aling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					1			
CLEC to CI	EC Conversion Charge without outside dispatch			UEA	UREWO		87 64	36.33				6				
Loop Taggi	ng - Service Level 2 (SL2)			UEA	URETL		11.20	1 10								
4-WIRE ANALOG	OICE GRADE LOOP												_			
4-Wire Ana	og Voice Grade Loop - Zone 1		. 1	UEA	UEAL4	21.32	288.47	237.45								
4-Wire Ana	og Voice Grade Loop - Zone 2		2	UEA	UEAL4	36.27	288.47	237 45								
4-Wire Ana	og Voice Grade Loop - Zone 3		3	UEA	UEAL4	56.57	288.47	237 45								
	EC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33								
2-WIRE ISDN DIGIT	AL GRADE LOOP															
2-Wire ISD	N Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251 31								
2-Wire ISD	N Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31	_							
2-Wire ISD	N Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325 91	251.31								
CLEC to CI	EC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44 12							E - 17"- T	
2-WIRE ASYMMET	RICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLE LO	OP													
	undled ADSL Loop including manual service inquiry &															
facility rese	vation - Zone 1	l i	1	UAL	UAL2X	11.00	264 71	145.60								
2 Wire Unb	undled ADSL Loop including manual service inquiry &															
facility rese	vation - Zone 2		2	UAL	UAL2X	18.39	264 71	145.60							i	
2 Wire Unb	undled ADSL Loop including manual service inquiry &															
facility rese	vation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								
2 Wire Unb	undled ADSL Loop without manual service inquiry &															
facility rese	vaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82								
2 Wire Unb	undled ADSL Loop without manual service inquiry &															
facility rese	vaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82				1				
	undled ADSL Loop without manual service inquiry &															
	vaton - Zone 3		3	UAL	UAL2W	28 42	190.25	114.82								
	EC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36								
	ATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LELOO	P													
	andled HDSL Loop including manual service inquiry &															
	vation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54								
	undled HDSL Loop including manual service inquiry &															
	vation - Zone 2	l i	2	UHL	UHL2X	14.87	284.74	163 54		1						

MOUNDL	ED NETWORK ELEMENTS - North Carolina	-												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					-7 -0	Rec	Nonrec			g Disconnect				Rates(\$)		
_	0.000					1000	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	22.82	284 74	163.54							İ	į .
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	OnL	UHLZA	22.02	204 / 4	103.54	-						_	_
	facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05								í
	2 Wire Unbundled HDSL Loop without manual service inquiry and					***		102100							-	
	facility reservation - Zone 2		2	UHL	UHL2W	14.87	207 48	132.05								
	2 Wire Unbundled HDSL Loop without manual service inquiry and				.22 0 00222	Section Section	970907990000									
	facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132 05								
4 140	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	1 51 00	1	UHL	UREWO		86.06	40.36								
4-991	4 Wire Unbundled HDSL Loop including manual service inquiry and	SLE LOO	P								_					
i	facility reservation - Zone 1		1	UHL	UHL4X	10.62	34165	220.45				i				
	4-Wire Unbundled HDSL Loop including manual service inquiry and		†	J. 1L	J	10,02	34103	220.43			1					
	facility reservation - Zone 2		2	UHL	UHL4X	17.67	341 65	220.45								i
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220 45								
	4-Wire Unbundled HDSL Loop without manual service inquiry and			01030	CONTRACTOR AND AND AND AND AND AND AND AND AND AND		and and									
	facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96			-					
	4-Wire Unbundled HDSL Loop without manual service inquiry and		_			47.07	221.22	100.00								
	facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96	-							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96								
_	CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	21.24	86.06	40 36	-	-	 					
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			0112	UNZITO	_	00.00	40.00			-					
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51								
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51								
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67 26	489.04	337 51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43 11	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-		UDL	UDL56 UDL64	67.26 25.32	489.04 489.04	337.51 337.51			-					
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	43.11	489.04	337.51								
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	67.26	489.04	337.51							-	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO	020	102.03	49.70	-							
2-W	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service							90000								
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
	2-Wire Unbundled Copper Loop-Designed including manual service												i			
	inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service		2	UCL	UCLPB	22.39	262.86	143.75		-						
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75	1							
	2-Wire Unbundled Copper Loop-Designed without manual service		3	1002	- OCEI B	54.50	202.00	143.73		_						
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96							ļ	
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96								
	2-Wire Unbundled Copper Loop-Designed without manual service					Amush	*3.94s(1.5)	- N								
	inquiry and facility reservation - Zone 3	-	3	UCL	UCLPW	34.80	188 39	112.96		_						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-			UCL	UDEWO		07.14	40.44								
4.100	Des) RE COPPER LOOP	+		UCL	UREWO		97.14	42 44		+	-					
4-441	4-Wire Copper Loop including manual service inquiry and facility				_						1			_		
	reservation - Zone 1	1	1	UCL	UCL4S	17.36	311.03	191 93								
	4-Wire Copper Loop including manual service inquiry and facility						72,000									
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93		-						
	4-Wire Copper Loop without manual service inquiry and facility				1,101,414	47.00	222 57	404								
	reservation - Zone 1 4-Wire Copper Loop without manual service inquiry and facility	-	1	UCL	UCL4W	17.36	236,57	161.14		-						
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14		1	1					
	4-Wire Copper Loop without manual service inquiry and facility	1	-	332	000411	23.01	230.57	101.14			1					
1	reservation - Zone 3	1	3	UCL	UCL4W	46.26	236.57	161,14				f	1			

MADONDEF	D NETWORK ELEMENTS - North Carolina	т —			T -									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		N	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			-		-	Rec	Nonrec First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN		Rates(\$)		
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		-		+ +		FIISt	Addi	FIRST	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Des)			UCL	UREWO		97.14	42.44			1				ŀ	ľ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38			1					
				UEA, UDN, UAL,	1											
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		45.34				1					
OP MODIFI	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21,24								
_				UEPSB	ULMZL		21.24	21.24			-					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
JB-LOOPS	unbundled loop		_	UEPSB	ULMBT		24.84	24.84								
	oop Distribution		_		+ + +	+										
300-L	oop Distribution						-	-		-	_					
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	i i	i	UEANL	USBSB		33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
	Set-Up	1		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		81 05								•	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone						-									
	1	1	1	UEANL	USBN2	7 31	126.03	54.54							ĺ	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	2		2	UEANL	USBN2	11.93	126 03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	- 1	3	UEANL	USBN2	18.20	126.03	54.54								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61 38								
_	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		_	UEAIVL	USBNIC		01.30	0130			-					
	1		1	UEANL	USBN4	8.44	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		<u> </u>	DENTE	030144	0.44	130.32	13.00		-				_		
	2		2	UEANL	USBN4	13.81	156 52	79.66			1 .		1			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	21 10	156 52	79.66								
			ĺ											7		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61_38			-				33	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1	-	UEANL	USBR2	2.79	114 05	37.20			_					
	Code Consideration (collect and of Cobilector and of Cobilector)			UEANL	USBMC		61.38	61.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	3.74	127,67	50.82		-	-					
_	Sub-Loop 4-Wire Intradulising Network Cable (INC)		_	UEAINL	USBR4	3.14	127.07	50.82								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61 38			1 1	- 1	1			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
ā	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	6 10	137.10	60 24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9.70	137 10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	14 59	137.10	60 24								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61 38	61.38				1				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	T		UEF	UCS4X	6.58	162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS4X	10.51	162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	15.84	162.24	85.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61 38	61 38								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88	-							

NEUNDLE	D NETWORK ELEMENTS - North Carolina										- ·			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	0 00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51	-							
Unbu	Indied Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load		_							-	-				-	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		1 24.51	1.82						_		
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled						040.05	47.00								
	loop			UEF	ULMBT		249 25	47.30								
Unbu	ndled Network Terminating Wire (UNTW)			UENTW	UENPP	0.4351	64.98		-		-					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	54.98				1			_		
Netwo	ork Interface Device (NID)	1		UENTW	UND12		86 37	56 69								_
_	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	-			UND16		127.93	98.21								
		1		UENTW	UNDC2		11 68	11 68							-	_
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC2		11.68	11.68								
UE OTUED	PROVISIONING ONLY - NO RATE	,		DEIVIV	014004		11.08	11.08	_							
NE UTHER,	NID - Dispatch and Service Order for NID installation		_	UENTW	UNDBX	0.00	0.00							_		
-	UNTW Circuit (d Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00			 	+					
				UEANL,UEF,UEQ.UE		0.00	0.00								_	-
	Unbundled Contract Name, Provisioning Only - No Rate			UAL, UCL, UDC, UDL, UDN, UEA,	UNECN	0.00	0.00									
OP MAKE-	Unbundled Contact Name, Provisioning Only - no rate			UHL UHL	UNECN	0.00	0.00				-					
JOF MAKE!	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55 44	55.44		7						
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55 73	55.73								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
NE SHARIN				1							-					
NOTE	1: The Line Sharing monthly recurring rates for all installations 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				rough midni	ght October 01,	2004 shall be b	illed as follow	s:							
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
NOTE	1: Above will apply to USOCS: ULSDT and ULSCT											7				
	E 2: The Line Sharing monthly recurring rates with USOCs ULSC	C and U	LSCC	applies only to circui	its installed a	nd inservice or	or before Octo	ber 1, 2003								
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181,18	631.54	0.00			-					
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00								
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	424.61	0.00			1					
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation															
	(per LSOD)			ULS	ULSDG		146.32	31.27								
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING		_		_					_	_			_	_	
	Line Sharing - per Line Activation (BST Owned splitter) -							00.77								
	OBSOLETE see "NOTE 2		_	ULS	ULSDC	0.61	54.71	28 77			-					
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1				LU CDT	2.40	54.74	20.77								
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	3.49	54.71	28.77		†						
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77								
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	10.48	54.71	28.77								
_0.0	Line Sharing - per Subsequent Activity per Line Rearrangement(BST			1						1	î					
	Owned Splitter Line Sharing - per Subsequent Activity per Line Realitaingement(65)			ULS	ULSDS		35.42	16.57								

NRONDLE	D NETWORK ELEMENTS - North Carolina	-	_		_						-			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter -	+	-	ULS	ULSCC	0.61	47.44	19.31			-					
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								1
	Line Share Service, TRO per line activation, CLEC owned splitter -										1					
	Central Office Located (50% of UCLND) - please see NOTE 1			Mana Colon											İ	
	(E:10/2/2004)	_		ULS	ULSCT	6.99	47,44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter -															
1	Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSCT	10.48	47.44	19.31								
MA INT	(E:10/2/2005) FENANCE	-		ULS	ULSCI	10.46	47.44	19.31		1	1	_		-		
MAIN	No Trouble Found - per 1/2 hour increments - Basic						80.00	55 00							-	
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82 50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT											1				
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1														
	Per Mile per month	_	_	U1TVX	1L5XX	0.0125				-						
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58							!	
_	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	_		UIIVA	01172	10.00	137.40	32.36								_
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125					1					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat				7.007.01											
	Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58								The second second
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1	6 -													
	Per Mile per month			U1TVX	1L5XX	0.0125										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -							05.05		1						
	Facility Termination	+	_	U1TVX	U1TV4	22 16	106.11	65 95		_	-					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	1		U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	<u> </u>		UTIDA	ILJAA	0.0202			i						-	
1	Termination	1		U1TDX	U1TD5	17 40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
	month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			par omissions	and the same of th	14.20	1000	No.0 Marks								
	Termination	-	_	U1TDX	U1TD6	17.40	137 48	52.58								
SIGNALING (C		-		UDB	TPP6A	18.22	278.02	278.02		-						
	CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link)	-		UDB	TPP9A	18.22	278.02	278.02				-				
_	CCS7 Signaling Connection, Per US3 level Mik (A link) CCS7 Signaling Connection, Per DS1 level Mk (B link) (also known	_		003	IFF3A	10.22	210.02	210.02				-			-	
	as D link)			UDB	ТРР6В	18.22	278.02	278.02								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known															
	as D link)			UDB	TPP9B	18.22	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Point Code, per Originating Point Code							78/99/								
	Establishment or Change, per STP affected	1	-	UDB	CCAPO		40.00	40.00		-						
1	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected	1		UDB	CCAPD		8.00	8.00								
911 SERVICE		+		ODB	CCAFD		0.00	8.00		= =				-		
- I	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1		1	11.24	553.80	89.69								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89 69								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282				-				V		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility						409.45						10			
_	Termination	-	1		1	18.00 27.05	137.48 534.48	52.58 462.69								_
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	+	2		-	47.94	534.48	462.69								
	Local Channel - Dedicated - DS1 - Zone 2		3			76.32	534.48	462.69								
	Interoffice Transport - Dedicated - DS1 Per Mile		-			0.5753										
		_														

NARONDE	ED NETWORK ELEMENTS - North Carolina	_												ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring			1		Rates(\$)		
	EXTENDED LAW (SEL .)	-	_		_		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will a		the C	itale As Is Character	:!! -=4 -==!::4:		*:		-11 - 6 1	No. of Fig.						─
	E: The monthly recurring and non-recurring charges below will at E: The monthly recurring and the Switch-As-Is Charge and not the										nts.	-		_		
	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GR				apply for ONE	Combinations	provisioned as	Currently Co	mbmed Netwo	ik Elements.						-
LAIL	2-WireVG Loop in combination - Zone 1	TADE III		UNCVX	UEAL2	14.97	142.97	106.56						-	-23	
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56			_			_		
\neg	2-WireVG Loop in combination - Zone 3	_	3	UNCVX	UEAL2	40.81	142.97	106.56								
			_												-	
	Interoffice Transport - 2-wre VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC	i	21.75	21.75	32 28	10.96		l			ľ	
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF	FICE TRANSPORT											_	
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	21.32	288.47	237.45							-	
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45						I		
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
									7							
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96						
EXTE	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE				- A									
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25 32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per										(1				
	Mile per month			UNCDX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is											1				
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						1
EXTE	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43,11	489.04	337 51	-			_				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489 04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															1
	Mile per month		-	UNCDX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is															l .
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10 96						
EXTE	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	EROFFIC			11151.50	05.00	100.04	227.54								
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1 2	UNCDX	UDL56 UDL56	25.32 43.11	489.04 489.04	337.51 337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2		_	UNCDX	UDL56	67.26	489 04	337.51				-				-
_	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489 04	337.51				_				
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										í.
_	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	-		UNCUX	ILSAA	0.0282				_						
	Termination per month			UNCDX	U1TD5	17,40	137.48	52.58							i	ĺ
_	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	01103	17.40	137.46	32.36			-					
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10 96		i				i
EYTE	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EBUEEK	FTDA		DIVCCC		21.75	21.73	32.20	10 96	-					
EXIL	First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	25.32	489.04	337.51								
\rightarrow	First 4-wire 64 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		Ť	0110211	-	07.20		001.01							-	
	month			UNCDX	1L5XX	0.0282					l i	1				
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility					J. 174 176								-		
	Termination per month	1		UNCDX	U1TD6	17.40	137.48	52.58								
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96				1		į.
DITIONAL	NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recurring	charge	s do n	ot apply, but a Switch	h As is charge	does apply.				ly relative						_
	n used as ordinarily combined network elements in All States, the						not.				-					
	recurring Currently Combined Network Elements "Switch As Is" C															
	Nonrecurring Currently Combined Network Elements Switch -As-is															10
1					UNCCC		21.75									

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge -
							Nonrec	urring	Nonrecurring I	Disconnect		1	oss	Rates(\$)	-	1
						Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		21 75	21.75	32.28	10.96						
Miscel	laneous															
	NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR		18.89	18.89			1					

INBU	NDLED	NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
				1									Svc Order	Incremental	Control of the Control of Control of the Control of	100 (3.1 - 1750 (3-04 (0.175 (
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge
				_								Elec	Manually	Manual Svc	Manual Svc		
TEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			1											Electronic-	Electronic-	Electronic-	Electroni
														1st	Add'l	Disc 1st	Disc Add
							Rec	Nonrec		Nonrecurring					Rates(\$)		_
								First	Add'l	First	Add'I		SOMAN			SOMAN	SOMAN
	The "Zo	ne" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	eaveraged UNE	Zones. To view	Geographicall	y Deaveraged U	NE Zone Desig	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	on.htm													
ERA		UPPORT SYSTEMS (OSS) - "REGIONAL RATES"											Г				
		1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	lered by the	State Commission	ons. The OSS o	harges curren	tly contained in	this rate exhi	bit are the B	ellSouth "re	gional" service	ce ordering ch	arges. CLEC	mayelect
		ne state specific Commission ordered rates for the service orde															
		2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
_	DE OTGE	OSS - Electronic Service Order Charge, Per Local Service Request	T	Lucy	Ty remedia the analys	Tinde would	J. Sincato a G	1	Sine or dorning	oopusoo oo.	ne on mie tor	The city of the city	T Cancillation	, the mander of	l char	Je, John Alt, W	Toe appir
		(LSR) - UNE Only			1	SOMEC		3.50	0.00	3.50	0.00						
_						SOMEC	_	3.30	0.00	3.30	0.00	_					-
		OSS - Manual Service Order Charge, Per Local Service Request					1	45.00			2.00						
		(LSR) - UNE Only		-		SOMAN	1	15.69	0.00	1.97	0.00						
E SE		ATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with Be	II South	's FCC	No.1 Tariff, Section 5	as applicab	le.									_	
	-																
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ.												
					UDL, UENTW. UDN.					1							
					UEA, UHL, ULC.												
																	i
					USL, U1T12, U1T48,									Į.			
					U1TD1, U1TD3,												
			į.		U1TDX, U1TO3,									1	[[
					U1TS1, U1TVX,												1
					UC1BC, UC1BL,												l
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												1
					UC1EC, UC1EL,											1	
								i l						ļ	1		
					UC1FC, UC1FL,												
					UC1GC, UC1GL,	i		l i		1		1					
					UC1HC, UC1HL,							i				1	ł
				1	UDL12, UDL48,							1					
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48.											[
					ULDD1, ULDD3,										1		
					ULDDX, ULDO3,											l i	ĺ
					ULDS1, ULDVX,												
			1		UNC1X, UNC3X,					1		1				1	
					UNCDX, UNCNX,												
					UNCSX, UNCVX,											l J	J
					UNLD1, UNLD3,			1									
					UXTD1, UXTD3.	1	1								1		
						1											
					UXT\$1, U1TUC,		1										
		THE E			U1TUD, U1TUB,	SDASP		200 00									
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		1	U1TUA	SDASP		200 00				_					
DEF		CATION CHARGE															
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)		10	0			150.00	0.00	0.00	0.00						
BUN	DLEDE	XCHANGE ACCESS LOOP	1					1						HETTERS.			
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		Y				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		- 3				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
_	-				UEANL	UEASL	14.94	37.92	17.62	23.56	5.32					-	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1												-			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		P III											
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34 23	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
_		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			J = 316			.5.50	15.50				-	-		-	
	-																
					LIEANI	LIPEWO		15.01	8 00								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO	-	15.81	8.96								

INBUNDLED	NETWORK ELEMENTS - South Carolina										1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		201150			Rates(\$)	COMAN	COMAN
	Annual Order Consideration for LD/L CL to (not loop)			UEANL	UEAMC		First 8.17	Add'I 8.17	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per		-	DEAINL	UEAMC		0.17	0.17					_		-	
	.SR)			UEANL	OCOSL		18.13	18 13								1
	INBUNDLED COPPER LOOP - NON-DESIGNED				00002		10.70	,,,,,								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	12 94	36.40	16.10	22 66	4.42						
	Wire Unbundled Copper Loop - Non-Designed - Zone 2	. E	2	UEQ	UEQ2X	14.51	36.40	16.10	22 66	4.42						
2	Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	15.02	36.40	16.10	22 66	4.42						
	Inbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83					12			
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		8.17	8.17							-	-
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			UEQ	UEQMU		13.47	13.47								
	roviding make-up (Engineering Information - E.I.) .oop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	0.00								
	.cop Testing - Basic 1st Half Hour			UEQ	URETA		19.90	19,90				7.				
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	_		020	OILLIA		15.50	19.90			1					
	VD)			UEQ	UREWO	T	14.30	7.45								
	CHANGE ACCESS LOOP				0.1.2.1.0											
2-WIRE A	NALOG VOICE GRADE LOOP						-									
	P-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68 43	53.05	10.61						
2	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28 46	105.98	68.43	53.05	10.61						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									0.191						
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							5.5		990000					1	
	Sattery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61	-					
	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	LIE A DO	20.40	105.98	60.40	53.05	10.61						
	Sattery Signaling - Zone 3		3	UEA	UEAR2 UREWO	28.46	105.98 87.90	68.43 36.44	53.05	10.61						_
	CLEC to CLEC Conversion Charge without outside dispatch .oop Tagging - Service Level 2 (SL2)		_	UEA	URETL		11.24	1.10			-					
	NALOG VOICE GRADE LOOP	_		UEA	UNLIL		11.24	1.10					_		-	
	-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61					1	
	-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43 89	132.38	94.83	59.35	14.61						-
	-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
	SDN DIGITAL GRADE LOOP															
2	-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32 76	117.58	80.03	53.05	10.61				1		
	-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61					1	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 82	44.25								-
	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	OP													+
	Wire Unbundled ADSL Loop including manual service inquiry &			l			100 6	70.55		7.00						1
	acility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						-
	Wire Unbundled ADSL Loop including manual service inquiry &		2		LIALOV	13.71	400.84	70.56	50.37	7.93	ļ		1			
	acility reservation - Zone 2			UAL	UAL2X	13./1	120.84	/0.56	50.37	7.93						-
	Wire Unbundled ADSL Loop including manual service inquiry & actility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70 56	50.37	7.93	ľ	1				
	Wire Unbundled ADSL Loop without manual service inquiry &			I I	OALEA	17.17	120.04	10 30	30.51	7.55						
	acility reservation - Zone 1		1	UAL	UAL2W	12 19	95 81	57.82	50.37	7.93						
	Wire Unbundled ADSL Loop without manual service inquiry &								22.01							
	acility reservation - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	Wire Unbundled ADSL Loop without manual service inquiry &															
fa	acility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50,37	7.93						
C	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40 48								
2-WIRE H	IGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOO	Р													
	Wire Unbundled HDSL Loop including manual service inquiry &			Medicator	V00 0000000000000000000000000000000000				* 3*3743*******							
	acility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79 24	50.37	7 93						-
	Wire Unbundled HDSL Loop including manual service inquiry &															
1 6	acility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						

	ED NETWORK ELEMENTS - South Carolina										Sun Out	Sun Cade	-	ment: 2		ln cremen
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual : Order v Electron Disc Ad
_						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2 Miss Habitadiad HDCL) and including energy land in the including	-					First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMA
	2 Wire Unbundled HDSL Loop including manual service inquiry &		١.				100.50	70.04	50.37	200						
	facility reservation - Zone 3	_	3	UHL	UHL2X	11 40	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
_	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7 93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
_	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104 49	66.50	50.37	7.93		_				
	2 Wire Unbundled HDSL Loop without manual service inquiry and		_			Giral.	772.72		2002	74000						
	facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 32	40.48								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and		27	20002000	energy State	200000000	Access to the second		Witness Co.							
	facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 3		3	UHŁ	UHL4X	16 84	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1														
	facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10 38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
1	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3	1	3	UHL	UHL4W	16.84	133 14	95.16	55.12	10.38	1			ļ		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48							1	
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
4.44	4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	29.93	126.66	89 12	59 35	14.61						
	4 Wire Unbundled Digital 19 2 Kbps	1		UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
1	4 Wire Unbundled Digital 19.2 Kbps	+		UDL	UDL19	34.74	126.66	89 12	59.35	14.61						_
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						\vdash
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+-		UDL	UDL56	33 99	126.66	89.12	59.35	14.61						
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	+		UDL	UDL56	34.74	126.66	89.12	59.35	14.61						_
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+		UDL	UDL64	29.93	126.66	89.12	59 35	14.61	-				-	
+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	+		UDL	UDL64	33.99	126.66	89.12	59.35	14.61						_
-		+		UDL	UDL64	34,74	126.66	89.12	59 35	14.61						_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	UREWO	34.74	102.34	49.85	39 33	14 01						-
0.1485	CLEC to CLEC Conversion Charge without outside dispatch	+		UDL	UREVVO		102.34	49.85			-					_
2-VVII	RE Unbundled COPPER LOOP	-														
	2-Wire Unbundled Copper Loop-Designed including manual service		1	UCL	UCLPB	12.10	110.01	60.60	50.37	7.02						
-	inquiry & facility reservation - Zone 1		-	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	_					
	2-Wire Unbundled Copper Loop-Designed including manual service			UCL		146 -31	440.04	00.00	60.07	7.00	1					
_	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50 37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service	1	_	i i a		44.44										
-	inquiry & facility reservation - Zone 3	1	3	UCŁ	UCLPB	14.14	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service															
_	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94 87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50 37	7.93						
1	2-Wire Unbundled Copper Loop-Designed without manual service	1														
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56 89	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)	-		UCL	UREWO		94.87	42.57								
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and						12(m) my									
	facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38			11			
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	19 64	119 13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and			1												
	facility reservation - Zone 2	1	2	UCL	UCL4W	20 90	119.13	81.15	55 12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and	1							-							
	facility reservation - Zone 3	1	3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38					1	1

CHECINDL	ED NETWORK ELEMENTS - South Carolina				1							0 0 :		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interin	Zone	BCS	USOC			RATES(\$)	1			Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	Nonrec		Nonrecurring					Rates(\$)		
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Des)		1	UCL	UREWO	1	94.87	42.57								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8 17			-					
	Service Control of th			UEA, UDN, UAL,	100000			0.21								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.13				1					
LOOP MODE	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
_	Unbundled Loop Modification Removal of Load Coils - 4 Wire less		-	UEFSB	OLMZL		32.40	32.40	1		1	-				_
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								
	Unbundled Loop Modification Removal of Bndged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM8T		32.48	32.48								
SUB-LOOPS			1													
Sub	-Loop Distribution	-	1													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		241.42	241 42								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	Ĭ		UEANL	USBSB		22.69	22.69							ļ	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			0.0	1		22.00	22.00								
	Set-Up	1		UEANL	USBSC		177.84	177.84								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		55 58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	_1_	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	2	4	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	Ī	3	UEANL	USBN2	14.79	65.94	31 03	45.35	6.71						
1	Code Condition for the miled Code Lorent and black and			LIEANII	LICENSE		0.47	0.47								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-	UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	14,11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19 40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9 09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.41	53 13	18.21	45.35	6.71						
				LIEANU	USBMC		8.17	0.47								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		├	UEANL UEANL	USBR4	5.36	59 38	8.17 24.47	49.82	9 09					_	
-	Sub-Loop 4-Wire invadulaling Network Cable (INC)			UEANL	USBR4	5.36	59.36	24.47	49.82	9 0 9						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 17	8 17								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	7,11	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X	10.48	65.94	31.03	45 35	671						
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-		UEF	USBMC	7.05	8.17	8 17								
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	7.85	79 21	44.29	49.82	9.09						
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS4X UCS4X	14.17	79.21 79.21	44 29 44.29	49.82 49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	3	UÉF	USBMC	12,04	8.17	8.17	49.62	9.09						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			J.	COOLING		0.17	0.17		-						
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								

HOOHDELL	NETWORK ELEMENTS - South Carolina			1	ī						Cua O-J	Eve A-4	200000000000000000000000000000000000000	ment: 2		ibit: A Incremen
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
_	Land Tarker David Lattick House			urr	URET1		First	0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEF	URETA		34.23 19.90	19 90								
Linbun	dled Sub-Loop Modification	_		UEF	OREIA	-	19.90	19 90			_					
0	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coll/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	Unbundled Sub-foop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5 11								
Habus	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop dled Network Terminating Wire (UNTW)			UEF	ULMBT		278.82	6.13								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 3303	30.20	30.20								-
	k Interface Device (NID)			55,1111	SCHIF	0 3303	30.20	30.20								
- Intervol	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53							-	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5 92	5.92								
IE OTHER, P	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0 00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL	UNECN	0 00	0.00									
OP MAKE-U											-					-
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			имк	UMKLW		24.04	24.04								-
	queried (Manual). Loop MakeupWith or Without Reservation, per working or spare			UMK	UMKLP		25.49	25 49								
NE SHARING	facility queried (Mechanized)	- 4		UMK	UMKMQ		0.34	0.34								
	t: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	s:							-
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copy	er loop	non-d	esigned ("UCLND")				_			_					
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND		-										_			-
	1: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULSD	Candi	11 800	andian anti-to singui	to installed a	and innomine a	as bafasa Oata	ha- 1 2002								+
	E 2: The Line Sharing monthly recurring rates with USOCS ULSD	o and t	1200	applies only to circui	ra maraned s	III III SELVICE DI	, or belore octo	Del 1, 2003			_					-
	ERS-CENTRAL OFFICE BASED															_
Of LIT	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178 38	0 00					10-1-15	
	Line Sharing Splitter, per System 36 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178 38	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	6.47	18.55	10 62	10.04	4 93						
	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST			ULS	ULSDT	9.71	18.55	10.62	1-0.04	4 93						
	Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSDS		16.42	8.21								
				ULS	ULSCS		16.42	8.21	I	I	1	1	I	I	I	1

JUDONDE	ED NETWORK ELEMENTS - South Carolina	_				i-								ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interlm	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	tncremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Line Chara Constant TDO and for antication CLEC and a firm	1			_	1350	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3 24	47,44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter -			020	02001	2.24	47,44	19,51	20,01	12.74						
	Central Office Located (50% of UCLND) - please see NOTE 1 (E.10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
MAIN	ITENANCE	_		OLS	OLSC1	9.71	47.44	19.31	20.07	12,74	1					
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00				_				_
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination		9	U1TVX	U1TV2	24.30	40.63	27,47	16 77	6.91						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	21 29	40 63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27.47	16 77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
SIGNALING (Terminatron			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
SIGNALING (CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	_	_	UDB	TPP6A	16.93	35.61	35.61	16.48	16 48			-	-		
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	_		UDB	TPP9A	16 93	35.61	35.61	16.48	16 48	-				_	
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	16 93	35.61	35.61	16.48	16 48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Point Code, per Originating Point Code	-		UD8	PT8SX	163 49				9						
	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		29.08	29.08	35.65	35.65						
E911 SERVIC	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
	Local Channel - Dedicated - 2-wr Voice Grade	1				15.33	193.53	33.24	36.72	3.21						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					24 30	40.63	27.47	16.77	6.91						
733	Local Channel - Dedicated - DS1 - Zone 1	_				42.62	177.87	154.06	22 24	15.30						
	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30						
_	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	_	- 5			190.68 0.3415	177.87	154.06	22 24	15.30		_				1
	Interoffice Transport - Dedicated - DS1 Per Mile					77.14	89.47	81.99	16.39	14.48						
	EXTENDED LINK (EELs)		45.0	itah An In Cha	will and one to for											
NOTE	E: The monthly recurring and non-recurring charges below will a	pply and	tne Sw	charge balance	will not apply fo	COMPLETE	tions provision	ed as Ordina	rily Combined' I	vetwork Eleme	nts.					
	E: The monthly recurring and the Switch-As-Is Charge and not the NDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE G					combinations	provisioned as	Corrently Co.	moined Networ	k Elements.						
EATE	2-WireVG Loop in combination - Zone 1	NADE IN		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	-		-			
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						_

NBUNDLE	D NETWORK ELEMENTS - South Carolina				40								Attach	ment: 2	Exhi	ibit: A
		Ĭ									Svc Order			Incremental	Incremental	
					1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electron
													1st	Pppy	Disc 1st	Disc Add
				 			Nonred	urrino	Nonrecurring	Disconnect			nss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68 43		10.61						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination	1	10				100 00	1900100	172.722							
	per month		-	UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINIONOV	LINICCO		5.54	5.04	7.00	7.00						
CYTE	_Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	DADEIM	TERM	UNCVX	UNCCC		5 6 1	5.61	7.00	7 00	-					-
EXIC	4-WireVG Loop in combination - Zone 1	ADE IN		UNCVX	UEAL4	32,59	132 38	94.83	59.35	14 61						
_	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61	+					
	4-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
								250	55.50					_		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			estimateur en					35.26	60.20						
	per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER				11										
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12		14.61						
_	4-wire 56 kbps Local Loop in combination - Zone 2	_		UNCDX	UDL56 UDL56	33.99 34.74	126 66	89.12		14.61						
_	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per	_	3	UNCUX	UDE56	34.74	126.66	89.12	59.35	14.61	-					
	Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	_	_	ONCEX	TESAX	0.0134										_
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE	TRANSPORT												
	4-wre 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29 93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126 66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126 66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			10002-216												
	Mile per month		1	UNCDX	1L5XX	0.0134							1			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91	1					
EYTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EBUEEK	FTRA		01100	13.41	40.00	21.41	10.77	0.91		1	_			1
LATE	First 4-wre 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	29.93	126.66	89.12	59.35	14,61	-					
	First 4-wire 56 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	34.74	126.66	89 12		14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			140000	102 100000000		VX 200		7.00	676.0						
	Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1				9.67									
EVTE	Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	LDOFFIC	I TDA	UNCDX	UNCCC		5.61	5.61	7.00	7.00	-					
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	ERUFFIC		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
_	First 4-wire 64 kbps Local Loop in combination - Zone 2	-		UNCDX	UDL64	33.99	126.66	89 12	59 35	14.61	_					-
	First 4-wire 64 kbps Local Loop in combination - Zone 3	_		UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
_	First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		Ť	ONODA	00204	54.74	120.00	04,12	33.33	14.01						1
	month			UNCDX	1L5XX	0.0134										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility									007						
	Termination per month		_	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			provide a			(2.5)			2000						
	Charge			UNCDX	UNCCC		5 6 1	5.61	7.00	7.00	ļ					-
	NETWORK ELEMENTS			at apply but a Co. to	h Ao h-h	dana av d					1					
	used as a part of a currently combined facility, the non-recurring used as ordinarily combined network elements in All States, the						not								-	
AAueu	used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is" C					charge does	IIOL.		-							+
	Nonrecurring Currently Combined Network Elements Switch As is C	large (C	nie abi	pine a to each combin	ation)	-										+
		1	1				5.61	5.61	7 00	7.00						
				IUNCVX	IUNCCC											
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	301	1.00							
				UNCDX	UNCCC		5.61	5.61	7.00	7.00						
Nonre	Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is															

	D NETWORK ELEMENTS - Tennessee	_											Attach			bit: A
												Svc Order	Incremental	Incremental Charge -	Incremental	Incremen
											Submitted		Charge -		Charge -	Charge
		2 5 6	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
													Electronic-	Electronic-	Electronic-	Electro
													1st	Add'l	Disc 1st	Disc A
							16.							5 . (6)		
_						Rec	Nonrecurring First	Add'i	Nonrecurring First		201450	SOMAN		Rates(\$) SOMAN	SOMAN	SOMA
Tho "	Zone" shown in the sections for stand-alone loops or loops as p	2012	combin	ation refers to George	aphically De	averaged LINE				Add'l						30MF
	www.interconnection.bellsouth.com/become_a_clec/html/Interc			ation refers to deog	aprilically De	averaged ONE	Zones. To view	Geographican	y Deaverageo (NE Zone Desi	gnations by	Central Om	ce, refer to into	ernet website		
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	T	11.11(11)													
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the	"state s	necific'	"OSS charges as ord	ered by the	State Commissi	ons The OSS	harnes curren	fly contained in	this rate exhi	hit are the B	ellSouth "re	nional" servic	e ordering ch	arnes CLEC	may elec
	the state specific Commission ordered rates for the service order															
NOTE	: (2) Any element that can be ordered electronically will be billed	accord	na to t	he SOMEC rate listed	in this cate	gory. Please re	fer to BellSouth	's Local Order	ng Handbook (LOH) to detern	nine if a proc	luct can be	ordered electr	onically. For	those element	s that ca
	dered electronically at present per the LOH, the listed SOMEC rat															
	: (3) OSS - Manual Service Order Charge, Per Element - UNE Only							onie or dennig	oupsometes co		The cicinette	- Gineranse	The mande	l committee	,	l so opp
7.10.12	OSS - Electronic Service Order Charge, Per Local Service Request	1				T Silange										
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
E SERVICE	DATE ADVANCEMENT CHARGE						0.00	0.00	0.00	0.00						
	: The Expedite charge will be maintained commensurate with Be	IlSouth'	s FCC	No.1 Tariff Section 5	as applicab	le.										
11012	. The Expedite only of the maintained dominens did to the Expedite on the Expedite of the Expe	1	3.00	ito.i raini, occinon s	из прриово	-		_								
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ.												
				UDL, UENTW, UDN,												l
				UEA, UHL, ULC,												
				USL. U1T12. U1T48.												
				U1TD1, U1TD3,												
				U1TDX, U1TO3.												
				U1TS1, U1TVX,									9			
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
		1		UC1DC, UC1DL,									1			
		1		UC1EC, UC1EL,												1
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,								ř.				
				UDL12, UDL48,												
- 1				UDLQ3, UDLSX,												
				UE3, ULD12, ULD48,												
				ULDD1, ULDD3,							10					
				ULDDX, ULDO3,	r .								1			1
				ULDS1, ULDVX,												
1				UNC1X, UNC3X,												
					1											
- 1				UNCDX, UNCNX,												
1				UNCSX, UNCVX,												
1				UNLD1, UNLD3,												
				UXTD1, UXTD3,							l.				1	
				UXTS1, U1TUC,							lii .		1			i
				U1TUD, U1TUB,									1	1		1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	1		U1TUA	SDASP		200.00									
ER MODI	FICATION CHARGE															
	Order Modification Charge (OMC)						26.21	0.00	0 00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNDLED	EXCHANGE ACCESS LOOP															
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP									3.45						
			1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL UEANL	UEAL2 UEAL2	11.74 17.59	31.99 31.99	20.02	10.65 10.65	1.41			20.35	10.54	13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2			17.59									13.32	
	E ANALOG VOICE GRADE LOOP [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2 UEAL2		31.99 31.99	20.02	10.65 10.65	1.41			20.35 20.35	10 54	13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		3	UEANL UEANL UEANL	UEAL2 UEAL2 UEASL	17.59 29.37 11.74	31.99 31.99 31.99	20.02 20.02 20.02	10.65 10.65 10.65	1.41 1.41 1.41			20.35 20.35 20.35	10 54 10.54 10.54	13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 [2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3 1 2	UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEASL UEASL	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99	20.02 20.02 20.02 20.02	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3 1 2	UEANL UEANL UEANL	UEAL2 UEAL2 UEASL	17.59 29.37 11.74	31.99 31.99 31.99	20.02 20.02 20.02	10.65 10.65 10.65	1.41 1.41 1.41			20.35 20.35 20.35	10 54 10.54 10.54	13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3 1 2	UEANL UEANL UEANL UEANL UEANL	UEAL2 UEASL UEASL UEASL UEASL	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99	20.02 20.02 20.02 20.02 20.02	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unburded Miscellaneous Rate Element, Tag Loop at End User Premise		3 1 2	UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEASL UEASL UEASL UEASL URETL	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99	20.02 20.02 20.02 20.02 20.02 20.02	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 2 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 3 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 4 - Zone 2 [2-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 2 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 2 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Service Level 4 - Zone 3 [3-Wire Analog Voice Grade Loop - Servi		3 1 2	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEASL UEASL UEASL UEASL UEASL URETL URETL	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99 8.33 57.67	20.02 20.02 20.02 20.02 20.02 20.02 0.83 0.00	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 1-Zowire Analog Voice Grade Loop - Service Level 1 - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		3 1 2	UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEASL UEASL UEASL UEASL URETL	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99	20.02 20.02 20.02 20.02 20.02 20.02	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-		3 1 2	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEASL UEASL UEASL UEASL UEASL UEASL URETL URETL URET1 URETA	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99 31.99 8.33 57.67 37.44	20.02 20.02 20.02 20.02 20.02 20.02 0.83 0.00 37.44	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35 20.35 20.35	10 54 10.54 10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Urburded Miscellaneous Rate Element, Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)		3 1 2	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEAL2 UEASL UEASL UEASL UEASL UEASL URETL URETL	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99 8.33 57.67	20.02 20.02 20.02 20.02 20.02 20.02 0.83 0.00	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32	
	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-		3 1 2	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	UEAL2 UEASL UEASL UEASL UEASL UEASL UEASL URETL URETL URET1 URETA	17.59 29.37 11.74 17.59	31.99 31.99 31.99 31.99 31.99 31.99 8.33 57.67 37.44	20.02 20.02 20.02 20.02 20.02 20.02 0.83 0.00 37.44	10.65 10.65 10.65 10.65	1.41 1.41 1.41 1.41			20.35 20.35 20.35 20.35 20.35 20.35 20.35	10 54 10.54 10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32	

	ED NETWORK ELEMENTS - Tennessee				1 1						Svc Order	Svc Order		ment: 2	Incremental	bit: A Incremen
			1										Charge -	Charge -	Charge -	Charge
											Submitted	Submitted				
	DATE SUSMENTS							DATEO(6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Add
		-	-				Managariadas		Managara	Dianagen			000	Rates(\$)	l	
					_	Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			1			11131	Addi	riist	Auu	SOMEC	SOMAN	JOINAIT	JOINAIN	COMPAR	
	LSR)		1	UEANL	OCOSL		34.29						0.00	0.00	0.00	0.
2-WIF	RE UNBUNDLED COPPER LOOP - NON-DESIGNED	-		0.00	100002		01.20									
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	T	1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10 54	13.32	13
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	17 59	31.99	20.02	10.65	1.41			20 35	10.54	13.32	13
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1		UEQ	UEQ2X	29.37	31 99	20.02	10.65	1,41			20.35	10.54	13.32	13.
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83			Í		20.35	10.54	13.32	13.
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)		1	UEQ	USBMC		36.52	36.52			1		0.00	0.00	0.00	0.
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		_													
	providing make-up (Engineering Information - E.I.)		1	UEQ	UEQMU		25 33	25.33					20 35	10.54	13.32	13.
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		57.67	0.00					20.35	10.54	13.32	13
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		37.44	37.44					20.35	10.54	13.32	13.
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
	ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13
JNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIF	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Lcop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														7	
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Lcop or								1							
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36 87	75.06	48.20	28.70	17.64			20 35	10.54	13 32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48 20	28.70	17.64			20.35	10 54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	22 08	75 06	48.20	28.70	17.64			20.35	10.54	13.32	13.
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1														
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28 70	17.64			20.35	10.54	13.32	13
	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 23	1.10					20.35	10.54	13.32	13
4-WIF	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.93	122.76	85.57	76.35	39.16			20.35	10 54	13.32	13
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122 76	85.57	76.35	39 16			20.35	10.54	13.32	13
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	7.0	75.06	36.41					20.35	10.54	13.32	13
2-WIF	RE ISDN DIGITAL GRADE LOOP					_										
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76 35	39.16			20.35	10.54	13.32	13
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142.76	88 88	76.35	39.16			20.35	10.54	13.32	13
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39 16			20.35	10.54	13 32	13
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13 32	13
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	OP													
- 1	2 Wire Unbundled ADSL Loop including manual service inquiry &						1									
	facility reservation - Zone 1		1	UAL	UAL2X	12.30	156 95	64.54	89.64	16.93			20.35	10 54	13.32	13
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop without manual service inquiry &													-		
	facility reservation - Zone 1	1	1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10 54	13 32	13
100	2 Wire Unbundled ADSL Loop without manual service inquiry &	100														
	facility reservaton - Zone 2	1	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10 54	13.32	13
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservator - Zone 3	1	3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20 35	10 54	13 32	13
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		31.99	20.02					20.35	10.54	13 32	13
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LELOO	P									-				
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2	1	2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93		1	20.35	10.54	13.32	13

MOUNDLED HETV	WORK ELEMENTS - Tennessee	1	1		-				_		0 - 0 -			ment: 2		bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increm Char Manua Order Electro Disc
						Rec	Nonrecurring		Nonrecurring		201150	COMAN		Rates(\$)	5014411	COM
2 Wise	Unbundled HDSL Loop including manual service inquiry &	-	-		_		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	reservation - Zone 3		3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	
	Unbundled HDSL Loop without manual service inquiry and															1
facility r	reservation - Zone 1	- 1	1	UHL	UHL2W	9.64	89 40	35.91	72.02	11.48			20.35	10.54	13.32	
	Unbundled HDSL Loop without manual service inquiry and			150305000	25 23 25 Toolin 127 I		201-00 COSTS	Helice Corp.	SWEET VERSO	E 20 200				502 1050	3.000	
	reservation - Zone 2	1	2	UHL	UHL2W	14 44	89 40	35.91	72.02	11.48			20.35	10.54	13.32	-
	Unbundled HDSL Loop without manual service inquiry and reservation - Zone 3	1	3	UHL	UHL2W	24 12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	
	o CLEC Conversion Charge without outside dispatch	1 +	3	UHL	UREWO	24.12	31.99	20.02	12.02	11.40			20.35	10.54	13.32	1
	IT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOC)P	OTTE	- OILLIO		31.55	20.02					20.00	10.54	10.02	
	Unbundled HDSL Loop including manual service inquiry and															
	reservation - Zone 1		1	UHL	UHL4X	12.40	169.62	75.89	39 73	19 53			20.35	10.54	13 32	
	Unbundled HDSL Loop including manual service inquiry and		1	Long.	7 1 1 1 1 1											
	eservation - Zone 2	_	2	UHL	UHL4X	18.58	169.62	75 89	39.73	19.53		-	20.35	10.54	13 32	-
	Unbundled HDSL Loop including manual service inquiry and		3			24.55	10000	75.89	20.70	10.50			20 35	10.54	42.00	
	reservation - Zone 3 Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20 35	10.54	13.32	-
	reservation - Zone 1	1 1	1	UHL	UHL4W	12.40	100 09	46 60	75.75	13.97			20.35	10.54	13.32	
	Unbundled HDSL Loop without manual service inquiry and	<u> </u>	-	OTTE	O.I.E.T.	12.40	100 00		100	10.01			20.00	10.07	10.02	
	eservation - Zone 2	1	2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	
4-Wire	Unbundled HDSL Loop without manual service inquiry and															
	reservation - Zone 3	I	3	UHL	UHL4W	31.03	100.09	46 60	75 75	13.97			20.35	10.54	13.32	
	o CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20 02					20.35	10.54	13.32	
	OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI	UD£19	27.68	207 01	141.38	90.70	44 18			20.35	10.54	13.32	-
	Unbundled Digital 19 2 Kbps Unbundled Digital 19,2 Kbps			UDL	UDL19	41,47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	-
	Unbundled Digital 19.2 Kbps			UDL	UDL19	69.24		141 38	90.70	44.18			20.35	10.54	13.32	
	Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.68	207.01	141 38	90.70	44.18			20 35	10.54	13.32	
	Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	41.47	207 01	141.38	90 70	44.18			20.35	10.54	13.32	
	Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	Unbundled Digital Loop 64 Kbps - Zone 2 Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64 UDL64	41.47 69.24	207.01	141.38 141.38	90.70	44.18 44.18			20.35	10.54 10.54	13.32 13.32	
	o CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	09.24	102 28	49 82	90,70	44.18			20.35	10.54	13.32	
	died COPPER LOOP		<u> </u>	ODL	OKETTO		102 20	43 02			_		20.33	10.54	13.32	
	Unbundled Copper Loop-Designed including manual service															
inquiry 8	& facility reservation - Zone 1	î .	1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20,35	10.54	13.32	
	Unbundled Copper Loop-Designed including manual service								~~~~							
	ß facility reservation - Zone 2	1	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20 35	10.54	13.32	_
	Unbundled Copper Loop-Designed including manual service	11.	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	facility reservation - Zone 3 Unbundled Copper Loop-Designed without manual service	+ -	1 3	UCL	UCLFB	29.31	31.99	20.02	10.65	1.41			20.33	10.54	13.32	
	and facility reservation - Zone 1	1	1	UCL	UCLPW	11.74	31.99	20.02	10.65	1 41			20.35	10.54	13 32	
	Unbundled Copper Loop-Designed without manual service															
	and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.59	31.99	20 02	10.65	1 41			20.35	10.54	13.32	
	Unbundled Copper Loop-Designed without manual service	1 :														
	and facility reservation - Zone 3	-	3	UCL	UCLPW	29.37	31.99	20.02	10.65	1 41		-	20.35	10.54	13.32	
Des)	o CLEC Conversion Charge without outside dispatch (UCL-	1 4		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	
4-WIRE COPPE	RLOOP	1		001	OKENO		31,33	20.02					20.00	10.54	13.32	1
	Copper Loop-Designed including manual service inquiry and															
facility r	reservation - Zone 1	- 1	1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
facility r	Copper Loop-Designed including manual service inquiry and eservation - Zone 2	1	2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10 54	13.32	
	Copper Loop-Designed including manual service inquiry and reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13 32	
	Copper Loop-Designed without manual service inquiry and	<u> </u>	Ť		100210	200			7 2.00				22.00			1
	eservation - Zone 1	1	1	UCL	UCL4W	21 98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
4-Wire	Copper Loop-Designed without manual service inquiry and eservation - Zone 2	1	2	UCL	UCL4W	32.93	122 76	85 57	76 35	39.16			20.35	10.54	13.32	
4-Wire	Copper Loop-Designed without manual service inquiry and															
facility n	eservation - Zone 3	1	3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	

MBUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order of Electron Disc Ac
					-	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMA
	CLEC to CLEC Conversion Charge without outside dispetch (UCL-							Addi	11130	Addi	JOINEG	JOHIAN	DOMAIT	COMAN	JOHAN	301112
	Des)	1		UCL	UREWO		31.99	20.02					20 35	10.54	13.32	1
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL UEA, UDN, UAL,	UCLMC		36.52	36.52					0.00	0.00	0.00	
	Order Coordination for Specified Conversion Time (per LSR)		i	UHL, UDL	ocosL		34.29						0.00	0.00	0.00	
OP MODIFIC	CATION															
	Unbundled Loop Modification, Removal of Load Colls - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10 54	13.32	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.25	10.54	13.32	10
	than or equal to Tok it, per Oribunded Loop			UAL, UHL, UCL,	OLM4L		65.40	65.40					20 35	10.54	13.32	
3-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65 44	65.44					20 35	10.54	13.32	
	pop Distribution				-								_			_
0002	Sop Brachon			-												
+	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA	-	517.25	517.25					20.35	10.54	13.32	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20 35	10.54	13.32	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		313.01	313.01		1			20.35	10.54	13.32	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10 54	13.32	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				270.00			0.3					-			
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone				10000			0.40					0.00	0.00	0.00	
	1		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	9.80	106.85	51 20	74.08	11.55			20.35	10.54	13.32	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	U3BN4	9.60	100.05	3120	74.06	11.55			20.35	10.54	13,32	
	3		3	UEANL	USBN4	16.36	106 85	51.20	74.08	11.55			20 35	10.54	13.32	
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	_	UEANL UEANL	USBMC USBR2	1.35	34.29 94.56	34.29 29.35			-		0.00 20.35	0.00 10.54	13.32	_
-	Sub-Loop 2-vviile intrabuliding Network Cable (INC)	- 1		UEAINL	USBRZ	1,35	94.56	29.35			-		20.35	10.54	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2.26	116.14	37.10					20 35	10.54	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00					0.00	0.00	0.00	
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44					0.00	0 00	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	6.99	81 40	25 75	70.82	9.55			20.35	10.54	13.32	-
+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	<u> </u>
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I I		UEF	UCS4X UCS4X	5.85 8.76	81.74 81.74	26.08 26.08	74.08 74.08	11.55 11.55			20.35	10.54	13.32	-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF	UCS4X	14.63	81.74 B1.74	26.08	74.08	11.55			20.35 20.35	10.54 10.54	13.32 13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEF	USBMC	1.1.40	34.29	34.29					0.00	0.00	0.00	
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-				1		55	020					0.00	5.50	0.00	
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		57.67	0.00					0.00	0.00	0.00	
	Loop Testing - Basic Additional Half Hour dled Sub-Loop Modification			UEF	URETA		37.44	37,44					0.00	0.00	0.00	-

	D NETWORK ELEMENTS - Tennessee		T -										Attach		- D 1000	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual ! Order v Electron Disc Ad
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
_	Unbundled Sub-Loop Modification - 2-W Copper Dist Load						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.35	10.54	13.32	13
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip												VA. 000			
	Removal per 4-W PR		_	UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	1
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		1	UEF	ULMBT		528.48	9 74					20 35	10.54	13.32	1
Unbur	ndled Network Terminating Wire (UNTW)			V2.	OCINIO!		520.40	3,74					20 00	10.04	10.02	
	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	1
Netwo	ork Interface Device (NID)			LICHTH			20.10		2.000							
-	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines				UND12 UND16		63.46 63.46	31.06 31.06	0.6391 0.6522	0.6391			20.35	10.54 10.54	13.32 13.32	
_	Network Interface Device Cross Connect - 2 W				UNDC2		8.75	8.75	0.0322	0.0322			20.35	10.54	13.32	
	Network Interface Device Cross Connect - 4W				UNDC4		8.75	8.75					20 35	10.54	13.32	
NE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation				UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL, UEF, UEO, UE	UENCE	0.00	0.00									
1	Unbundled Contract Name, Provisioning Only - No Rate				UNECN	0 00	0.00									
	and the second active me, it is visioning only - the feat			UAL,UCL,UDC,UDL,	UNLON	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00				11					
	1): Rates provided in TN for both electronic and manual Loop Ma	akeupa	re inter	im and subject to rete	o-active true	e-up adjustmen	ts pending a pe	rmanent rate r	uling on these	rate elements	rom the Ten	nessee Reg	ulatory Autho	rity.		
OP MAKE-L		_	-													
-	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW	i	0.76	0.76					0 00	0.00	0.00	
	Loop Makeup - Preordering With Reservation, per spare facility	- 10		OWIK	OWNER		0.70	0.70					0 00	0.00	0.00	
	queried (Manual).	R		UMK	UMKLP		0 76	0.76					0.00	0.00	0.00	
	Loop MakeupWith or Without Reservation, per working or spare									1						
	facility queried (Mechanized)	R	1	UMK	UMKMQ		0.76	0.76					0.00	0 00	0 00	_
NE SHARING	The Line Sharing monthly recurring rates for all installations	comple	ted from	m October 02, 2003 th	rough midni	aht October 01	2004 shall be b	illed as follow	e-							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copy				3											
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND			50			75-7									
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND					1					0					
			_													
NOTE	1: Above will apply to USOCS: ULSDT and ULSCT	Candi	11 500	anniina anti-ta aire-ii	a iontallad :	nd incomice o	n as before Oats	bos 1 2002		_	-					
NOTE "NOT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and L	JLSCC	applies only to circui	s installed a	and inservice o	n or before Octo	ber 1, 2003								
NOTE "NOT LINE S		C and L	JLSCC	applies only to circuit	s installed a	and inservice o	n or before Octo	ober 1, 2003								
"NOTE	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Spitter, per System 96 Line Capacity	C and L	JLSCC	ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20 35	10.54	13.32	
NOTE "NOT LINE S	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	C and L	JLSCC	ULS					0.00	0.00			20 35 20 35	10.54 10.54	13.32 13.32	
NOTE "NOT LINE S	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	C and L	JLSCC	ULS ULS	ULSDA ULSDB	100.00	150 00 150.00	0.00	0.00	0.00			20 35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-Ditter, per System 24 Line Capacity Line Sharing-Ditter of Co-CFA activaton-deactivation (per LSOD)	C and L	JLSCC	ULS ULS	ULSDA	100.00	150.00	0.00								
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	C and L	JLSCC	ULS ULS	ULSDA ULSDB	100.00	150 00 150.00	0.00	0.00	0.00			20 35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharies Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	C and L	JLSCC	ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150.00 150.00 163.06	0.00	92.71	0.00			20.35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per fine activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)	C and L	JLSCC	ULS ULS ULS	ULSDA ULSDB	100.00	150 00 150.00	0.00	0.00	0.00			20 35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DILEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	C and L	JLSCC	ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150.00 150.00 163.06	0.00	92.71	0.00			20.35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-Capacity Line Sharing-DLEC Owned Splitter in CO-CAPA activation-deactivation (per LSOD) JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/ZZ2033) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1	C and t	JLSCC	ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150 00 150.00 163 06	0.00 0 00 0.00	0.00 92.71 0 00	0.00			20.35 20.35 20.35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DILEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	C and t	JLSCC	ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150.00 150.00 163.06	0.00	92.71	0.00			20.35	10.54	13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1	C and L	JLSCC	ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT	100 00 25.00 2.94 5.87	150 00 150,00 163 06 40 00	0.00 0.00 0.00 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54	13.32 13.32 13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System 98 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004)	C and L	JLSCC	ULS ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150 00 150.00 163 06	0.00 0 00 0.00	0.00 92.71 0 00	0.00			20.35 20.35 20.35	10.54	13.32	1
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST	OC and L	JLSCC	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT	100 00 25.00 2.94 5.87	150 00 150.00 163 06 40 00 40 00	0.00 0.00 0.00 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54 10.54	13.32 13.32 13.32 13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - or Subsequent Activity per Line Rearrangement(BST Owned Splitter)	OC and L	JLSCC	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT	100 00 25.00 2.94 5.87	150 00 150,00 163 06 40 00	0.00 0.00 0.00 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54	13.32 13.32 13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST	C and L	JLSCC	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT	100 00 25.00 2.94 5.87	150 00 150.00 163 06 40 00 40 00	0.00 0.00 0.00 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54 10.54	13.32 13.32 13.32 13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(IDEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter -	C and L	JLSCC	ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDT	100 00 25.00 2.94 5.87	150 00 150 00 163 06 40 00 40 00 30.00	0.00 0.00 0.00 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	C and L	ULSCC	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDS ULSDS	100.00 25.00 2.94 5.87 8.81	150 00 150 00 163 06 40 00 40 00 30.00	0.00 0.00 0.00 31.39 31.39 31.39	0.00 92.71 0.00 0.00	0.00			20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 98 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) JER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)	C and L	ULSCC	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDT	100 00 25.00 2.94 5.87	150 00 150 00 163 06 40 00 40 00 30.00	0.00 0.00 0.00 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	1 1 1 1 1 1 1 1 1 1
NOTE "NOT LINE S SPLIT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD SHARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	Candl	ULSCC	ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDS ULSDS	100.00 25.00 2.94 5.87 8.81	150 00 150 00 163 06 40 00 40 00 30.00	0.00 0.00 0.00 31.39 31.39 31.39	0.00 92.71 0.00 0.00	0.00			20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

	NETWORK ELEMENTS - Tennessee	T			T						Sun Order	Svc Order	Incremental	ment: 2	Incremental	ibit: A In cremer
TEGORY	RATE ELEMENTS	Interim	Zone	всѕ	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
_			_			Rec	Nonrecurring	4.640	Nonrecurring		201150	COMAN		Rates(\$)	001111	SOMA
_	Line Share Service, TRO per line activation, CLEC owned splitter -	1-			-		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Central Office Located (75% of UCLND) - please see NOTE 1 (E.10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00			20 35	10.54	13.32	1
MAINT	ENANCE	1		020	00001	0.01	41.43	10.01	0.00	0.00			2000	10.04	10.02	
	No Trouble Found - per 1/2 hour increments - Basic					145	80.00	55.00					0.00	0.00	0.00	
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50				1	0.00	0 00	0.00	
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00				200	0.00	0.00	0.00	
	EDICATED TRANSPORT															
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT	-	_												_	-
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174				_						
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX_	U1TV2	_ 18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21 09	9.80	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15 08	15.08	9.80	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	17 98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	
ALING (CC																
-	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Connection, Per DS1 level link (A link)	-	_	UDB UDB	PT8SX TPP6A	138.41 17.84	130.84	130.84					20.35	0.00	0.00	
+	CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link)	-		UDB	TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	
	CCS7 Signaling Connection, Per DS3 level link (A link) (also known as D link)			UDB	ТРР6В	17.84	130 84	130.84					20.35	0.00	0.00	
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	ТРР9В	17.84	130.84	130.84					20.35	0.00	0.00	
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO	17.04	121.77	121.77					20.35	0.00	0.00	
ANCED EX	TENDED LINK (EELs)			000	COALO		121.11	121.77					20.55	0.00	0 00	
NOTE:	The monthly recurring and non-recurring charges below will a	pply and	the Sw	itch-As-Is Charge w	ill not apply fo	or UNE combin	ations provision	ned as 'Ordina	rily Combined' I	Network Eleme	nts.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	e non-red	curring	charges below will	apply for UNE	combinations	provisioned as	'Currently Co	mbined Networ	k Elements.						
EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI	RADE IN														_
	2-WireVG Loop in combination - Zone 1	-		UNCVX	UEAL2	14.74		35.47 35.47	72.94	10.86			31 26	10.42	0.00	
	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3	_		UNCVX	UEAL2 UEAL2	22 08 36.87	108.76 108.76	35.47	72.94 72.94	10 86 10.86		_	31.26 31.26	10.42 10.42	0.00	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		3	UNCVX	1L5XX	0.0174	100.10	33 41	12.54	10.00			3120	10.42	0.00	
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	18.58	79 83	44.08	69.32	31 00			20 35	21.09	9.80	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	10.00	52.73	24.62	9.12	9.12			31.26	10.42	0.00	
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI	RADE IN	EROF				52.10	22	5.72	J.12			020	19172	0.00	
- 15	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72 94	10.86			31 26	10.42	0.00	
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	32.93	108.76	35 47	72.94	10.86			31.26	10.42	0.00	
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35 47	72.94	10.86			31.26	10.42	0 00	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0.0174										
	per month Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			15.08	15.08	8.66	-

INDLED NE	TWORK ELEMENTS - Tennessee	-								_			121275	ment: 2		bit: A
												Svc Order	Incremental		Incremental	Increme
											Submitted			Charge -	Charge -	Charg
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
													Electronic-	Electronic-	Electronic-	Electro
													1st	Add'I	Disc 1st	Disc Ad
							-									
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMA
EVTENDED	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	DITEDO) FFICE	TRANSPORT			FIRST	Addi	FIRST	Addi	SUMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMA
		INTERC		UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	-
	ire 56 kbps Local Loop in combination - Zone 1	_				41.47	108.76	35.47			_			10.54		
	ire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56				72 94	10.86			20.35		13.32	_
	ire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	-
	roffice Transport - Dedicated - 4-wire 56 kbps combination - Per					4	1									
	per month			UNCDX	1L5XX	0.0174	4									
Inter	roffice Transport - Dedicated - 4-wire 56 kbps combination -			ALC: NO.	100000											
Faci	ility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	
Non	recurring Currently Combined Network Elements Switch -As-Is															
Cha				UNCDX	UNCCC		52 73	24.62	9.12	9.12			31.26	10 42	0.00	
EXTENDED	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE	TRANSPORT												
	ere 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.66	108.76	35.47	72.94	10 86			20.35	10.54	13.32	
	ire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86			20 35	10.54	13.32	
	ire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	roffice Transport - Dedicated - 4-wire 64 kbps combination - Per			OHODA	ODE04	03,24	100.70	00.41	12.54	10.00			20.55	10.54	10.02	
	per month			UNCDX	1L5XX	0 0174			1		1					
	roffice Transport - Dedicated - 4-wire 64 kbps combination -	-		UNCDX	ILOXX	00174					_					-
						47.00										
	ifity Termination per month			UNCDX	U1TD6	17.98	79.83	44 08	69.32	31.00			20.35	21.09	9.80	
	recurring Currently Combined Network Elements Switch -As-Is				and the second second			100000000000000000000000000000000000000	7.67.00				1000 000	1200 0000	500 0000	
Cha				UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	ROFFIC														
	t 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31 10	108.76	35 47	72.94	10 86			20.35	10.54	13.32	
First	t 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35 47	72.94	10.86			20 35	10.54	13.32	
First	t 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53 11	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
First	t 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
mon	oth			UNCDX	1L5XX	0 0174										
First	t 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	mination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31 00			20.35	21 09	9.80	
	recurring Currently Combined Network Elements Switch -As-Is			0.10011	-	.,,,,,,			- 00.02				20.00	2.00	0.00	
Chai		1		UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	POFFIC			DIVCCC		32.13	24.02	5.12	5.12		_	31.20	10.42	0.00	
	t 4-wire 64 kbps Local Loop in combination - Zone 1	ROFFIC		UNCDX	UDL64	31.10	108.76	35 47	72.94	10.86			20.35	10.54	13.32	-
	t 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	40 61	108.76	35.47	72.94	10.86	_		20.35	10.54	13.32	_
	t 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108 76	35.47	72.94	10.86			20 35	10.54	13.32	
	t I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			100000000000000000000000000000000000000		12.00							1		}	
mon				UNCDX	1L5XX	0.0174										_
	t 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	mination per month			UNCDX	U1TD6	17 98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	
	recurring Currently Combined Network Elements Switch -As-Is		1													
Chai	irge			UNCDX	UNCCC		52 73	24.62	9.12	9.12			31.26	10.42	0.00	
ONAL NETW	ORK ELEMENTS															
When used	as a part of a currently combined facility, the non-recurring	charge	s do no	ot apply, but a Swi	tch As is charge	does apply.									175	
	as ordinarily combined network elements in All States, the						not.									
	ng Currently Combined Network Elements "Switch As Is" C															
	recurring Currently Combined Network Elements Switch -As-Is	ye (e	с арр	to cuch como	1		_				_					_
	rge - 2 wre/4-Wire VG			UNCVX	UNCCC	ĺ	52.73	24.62	9.12	9 12			53 73	24.62	0.00	1
				DINCVA	UNCCC		32.73	24.DZ	5.12	5 12			3373	24.02	0.00	-
	recurring Currently Combined Network Elements Switch -As-Is			LINICDY	LINICOC		50.70	24.22	0.00	0.10			20.05	10.51	0.00	1
	rge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9 12	9.12			20.35	10.54	0.00	-
Miscellaneo																