



Marshall M. Criser III

BellSouth Telecommunications, Inc.

150 South Monroe Street Suite 400

Marshall.criser@bellsouth.com

April 20, 2005

Vice President Regulatory & External Affairs Tallahassee, FL 32303-1556

850 224 7798 Fax 850 224 5073

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Global Crossing Local Services, Inc. and Global Crossing Telemanagement, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with Global Crossing Local Services, Inc. and Global Crossing Telemanagement, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

FPSC-COMMISSION CLERK

Amendment to the Agreement Between

Global Crossing Local Services, Inc. and Global Crossing Telemanagement, Inc. and

BellSouth Telecommunications, Inc. Dated October 18, 2003

Pursuant to this Amendment, (the "Amendment"), Global Crossing Local Services, Inc. and Global Crossing Telemanagement, Inc. ("Global Crossing"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated October 18, 2003 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and Global Crossing entered into the Agreement on October 18, 2003, and;

WHEREAS, BellSouth and Global Crossing desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911. 10.2 Basic 911 Interconnection. BellSouth will provide to Global Crossing a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Global Crossing will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list

BASIC 911 AND E911 INTERCONNECTION

Version: TRRO Amendment - DS0

10

provided by BellSouth. Global Crossing will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Global Crossing will be required to begin using E911 procedures.

10.3 E911 Interconnection. Global Crossing shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Global Crossing shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Global Crossing will be required to provide BellSouth daily updates to the E911 database. Global Crossing will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Global Crossing will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Global Crossing shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

- Trunks and facilities for 911 Interconnection may be ordered by Global Crossing from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 SS7 Network Interconnection is the interconnection of Global Crossing local signaling transfer point switches or Global Crossing local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Global Crossing

Version: TRRO Amendment - DS0

local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Global Crossing or other third-party switching systems with A-link access to the BellSouth SS7 network.
- If traffic is routed based on dialed or translated digits between a Global Crossing Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Global Crossing local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
- 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI TI.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Global Crossing local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Global Crossing local STPs and shall not include SCCP Subsystem Management of the destination.
- SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

Version: TRRO Amendment - DS0

- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- Interface Requirements. The following SS7 Network
 Interconnection interface options are available to connect Global
 Crossing or Global Crossing-designated local or tandem
 switching systems or signaling transfer point switches to the
 BellSouth SS7 network:
- 11.9.1 A-link interface from Global Crossing local or tandem switching systems; and
- 11.9.2 B-link interface from Global Crossing STPs.
- 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.9.5 The protocol interface requirements for SS7 Network
 Interconnection include the MTP, ISDNUP, SCCP, and TCAP.
 These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.9.6 BellSouth shall set message screening parameters to accept messages from Global Crossing local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Global Crossing switching system has a valid signaling relationship.
- 3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
- 4. The Parties agree to add Section 3.8 to Attachment 6 as follows:
 - 3.8 If Global Crossing modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Global Crossing in accordance with FCC No. 1 Tariff, Section 5.

Version: TRRO Amendment - DS0

- 5. All of the other provisions of the Agreement dated October 18, 2003 shall remain unchanged and in full force and effect.
- 6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: TRRO Amendment – DS0 03/15/05

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Global Crossing Local Services, Inc and Global Crossing Telemanagement, Inc.		
By: 3m - 9m	By: May Santy		
Name: Kristen E. Rowe	Name: premier sucrees of		
Title: Director	Title: pice office sent		
Date: 4//2/05	Date: ε Αρι. ν 3.25		

Exhibit 1 Attachment 2 Page 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	LOOPS	7
3	LINE SPLITTING2	7
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS)
5	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	l
6	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 30	5
7	OSS	7
Rat	esExhibit A	l.
Rat	es Exhibit B	

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Global Crossing for Global Crossing's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Global Crossing (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Global Crossing to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Global Crossing purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- Global Crossing may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Global Crossing shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Global Crossing pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Global Crossing pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as

of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Global Crossing. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Global Crossing and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Global Crossing may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Global Crossing has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to Global Crossing.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Global Crossing shall undertake a reasonably diligent inquiry to determine whether Global Crossing is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Global Crossing self-certifies that to the best of Global Crossing's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Global Crossing's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 Global Crossing may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to

the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Global Crossing, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Global Crossing has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Global Crossing must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.

1.13 Ordering Guidelines and Processes

- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Global Crossing should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Global Crossing's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Global Crossing's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment.

1.13.4 <u>Testing/Trouble Reporting.</u>

- 1.13.4.1 Global Crossing will be responsible for testing and isolating troubles on Network Elements. Global Crossing must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Global Crossing will be required to provide the results of the Global Crossing test which indicate a problem on the BellSouth network.
- Once Global Crossing has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Global Crossing reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Global Crossing a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Global Crossing (e.g.,

incomplete address, incorrect contact name/number, etc.), BellSouth will bill Global Crossing for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Global Crossing shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

Version: ATT 2 TRRO Amendment - DS0

- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Global Crossing on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Global Crossing. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Global Crossing with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Global Crossing as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2.

 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Global Crossing's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.5 During the Transition Period, the rates for Global Crossing's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to Global Crossing's Embedded Base and Global Crossing shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Global Crossing in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Global Crossing wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Global Crossing may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Global Crossing shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.

- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and Global Crossing to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Global Crossing's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Global Crossing to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Global Crossing's specific conversion time request. However, BellSouth reserves the right to negotiate with Global Crossing a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Global Crossing may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Global Crossing specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option — ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Global Crossing must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by Global Crossing when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Global Crossing's Interconnection Agreement before requesting a conversion.

- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.9.3 The Loops converted to Global Crossing pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.
- 2.1.10 Bulk Migration
- 2.1.10.1 BellSouth will make available to Global Crossing a Bulk Migration process pursuant to which Global Crossing may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should Global Crossing request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Global Crossing must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Global Crossing will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Global Crossing, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Global Crossing may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Global Crossing may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Global Crossing. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Global Crossing to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Unbundled ADSL Compatible Loop 2.3.2.3 2-wire Unbundled HDSL Compatible Loop 2.3.2.4 4-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled DS1 Digital Loop 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.7 DS3 Loop 2.3.2.8 STS-1 Loop 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Global Crossing will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.6 4-wire Unbundled DS1 Digital Loop. 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-2ire copper Loops capable of providing high-bit rate digital subscriber line

services, such as 2-wire and 4-wire HDSL Compatible Loops.

- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Global Crossing at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Global Crossing may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.

Version: ATT 2 TRRO Amendment - DS0

- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Global Crossing.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Global Crossing to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Global Crossing can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Global Crossing may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Global Crossing to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Global Crossing may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Global Crossing which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Global Crossing, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Global Crossing. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Global Crossing may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Global Crossing requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Global Crossing will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Global Crossing shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Global Crossing desires BellSouth to condition.
- When requesting ULM for a Loop that BellSouth has previously provisioned for Global Crossing, Global Crossing will submit a S1 to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Global Crossing is available at the location for which the ULM was requested, Global Crossing will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Global Crossing will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 <u>Loop Provisioning Involving IDLC</u>
- 2.6.1 Where Global Crossing has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Global Crossing. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Global Crossing (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Global Crossing, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Global Crossing will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Global Crossing to connect Global Crossing's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Global Crossing may access the End User's premises wiring by any of the following means and Global Crossing shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Global Crossing to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire

from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Global Crossing may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Global Crossing's responsibility to ensure there is no safety hazard, and Global Crossing will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Global Crossing shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Global Crossing shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Global Crossing to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Global Crossing's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Global Crossing may request BellSouth to do additional work to the NID on a

Version: ATT 2 TRRO Amendment - DS0

time and material basis. When Global Crossing deploys its own local loops in a multiple-line termination device, Global Crossing shall specify the quantity of NID connections that it requires within such device.

- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Global Crossing requests a UCSL and it is not available, Global Crossing may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Global Crossing, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-

INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Global Crossing's use on this cross-connect panel. Global Crossing will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Global Crossing shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Global Crossing's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Global Crossing is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Global Crossing's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Global Crossing can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Global Crossing's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Global Crossing will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Global Crossing requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Global Crossing for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Global Crossing does own or control such wiring, Global Crossing will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Global Crossing.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Global Crossing for each pair activated commensurate to the price specified in Global Crossing's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 Dark Fiber Loop.

- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Crossing to utilize Dark Fiber Loops.
- 2.8.4.2 Transition for Dark Fiber Loop
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Global Crossing as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Global Crossing at the terms and conditions set forth in this Attachment.
- 2.8.4.4 The rates for Global Crossing's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Global Crossing's Embedded Base and Global Crossing shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 2.9 Loop Makeup
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Global Crossing LMU information with respect to Loops that are required to be unbundled under this Agreement so that Global Crossing can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Global Crossing intends to install and the services Global Crossing wishes to provide. LMU is a preordering transaction, distinct from Global Crossing ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Global Crossing LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type

of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to Global Crossing as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Global Crossing may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Global Crossing and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Global Crossing's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Global Crossing or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Global Crossing is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Global Crossing, according to the applicable network disclosure requirements. It will be Global Crossing's responsibility to move any service it may provide over such facilities to alternative facilities. If Global Crossing fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

- 2.9.2.1 Global Crossing may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Global Crossing needs further Loop information in order to determine Loop service capability, Global Crossing may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Global Crossing will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Global Crossing does not reserve facilities upon an initial LMUSI, Global Crossing's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Global Crossing has reserved multiple Loop facilities on a single reservation, Global Crossing may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Global Crossing, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Global Crossing.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Global Crossing provides its own switching or obtains switching from a third party, Global Crossing may engage in line splitting arrangements with another CLEC using a splitter, provided by Global Crossing, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 Provisioning Line Splitting and Splitter Space

Version: ATT 2 TRRO Amendment - DS0

- 3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Global Crossing or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.
- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 <u>CLEC Provided Splitter Line Splitting</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, Global Crossing must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Global Crossing must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.4.3 Global Crossing may purchase, install and maintain central office POTS splitters in its collocation arrangements. Global Crossing may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.4 Any splitters installed by Global Crossing in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards.

 Global Crossing may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 <u>Maintenance Line Splitting.</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.5.2 Global Crossing shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions

related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Global Crossing are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Global Crossing are not already combined by BellSouth in the location requested by Global Crossing but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Global Crossing are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Global Crossing requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Global Crossing.
- 4.3 Enhanced Extended Links (EELs)
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Global Crossing with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Global Crossing thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Global Crossing's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Global Crossing must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Global Crossing has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Global Crossing will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Global Crossing will have at least one (1) active DS1 local service interconnection trunk over which Global Crossing will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Global Crossing's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Global Crossing failed to comply with the service eligibility criteria, Global Crossing must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Global Crossing did not comply in any material respect with the service eligibility criteria, Global Crossing shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Global Crossing did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Global Crossing for its reasonable and demonstrable costs associated with the audit. Global Crossing will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Global Crossing converts special access services to UNEs, Global Crossing shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Global Crossing. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Global Crossing. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall

not be required to provide to Global Crossing unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

- 5.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3</u> Entrance Facilities
- 5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for Global Crossing as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5.

 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for Global Crossing's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- During the Transition Period, the rates for Global Crossing's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B and the rates for Global Crossing's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 5.2 shall be as set forth in Exhibit A.
- 5.2.4.4 The Transition Period shall apply only to Global Crossing's Embedded Base and Global Crossing shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.
- 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.

- 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 5.3 BellSouth shall:
- 5.3.1 Provide Global Crossing exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.3.3 Permit, to the extent technically feasible, Global Crossing to connect Dedicated Transport to equipment designated by Global Crossing, including but not limited to, Global Crossing's collocated facilities; and
- 5.3.4 Permit, to the extent technically feasible, Global Crossing to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.4 BellSouth shall offer Dedicated Transport:
- 5.4.1 As capacity on a shared facility; and
- 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Global Crossing.
- Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Global Crossing may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.7 Technical Requirements
- 5.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

Version: ATT 2 TRRO Amendment – DS0 03/15/05

- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
 5.7.2.1 DS0 Equivalent;
 5.7.2.2 DS1;
- 5.7.2.3 DS3; and
- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Global Crossing shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 <u>Unbundled Channelization (Multiplexing)</u>
- To the extent Global Crossing is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Global Crossing may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:

- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Global Crossing's channelization equipment must adhere strictly to form and protocol standards. Global Crossing must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.9 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for Global Crossing as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for Global Crossing's Embedded Base during the Transition Period:
- 5.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

5.9.1.5 During the Transition Period, the rates for Global Crossing's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B and the rates for Global Crossing's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 5.9.1 shall be as set forth in Exhibit A. 5.9.1.6 The Transition Period shall apply only to Global Crossing's Embedded Base and Global Crossing shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement. 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center. 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected. 5.10 Rearrangements 5.10.1 A request to move a working Global Crossing CFA to another Global Crossing CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A. 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply. 5.10.3 Upon request of Global Crossing, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Global Crossing may request OC-TS for such orders. 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between Global Crossing and another carrier that will allow Global Crossing to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport. 6 Automatic Location Identification/Data Management System (ALI/DMS) 6.1 911 and E911 Databases 6.1.1 BellSouth shall provide Global Crossing with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f). 6.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service

Version: ATT 2 TRRO Amendment - DS0

03/15/05

provider or End User) used to determine to which PSAP to route the call. The

ALI/DMS database is used to provide enhanced routing flexibility for E911. Global Crossing will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.

- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide Global Crossing the capability of providing updates to the ALI/DMS database through a specified electronic interface. Global Crossing shall contact BellSouth's 911 database vendor directly to request interface. Global Crossing shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Global Crossing and BellSouth shall not be liable for the transactions between Global Crossing and BellSouth's 911 database vendor.
- 6.2.2 It is Global Crossing's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 Global Crossing shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Global Crossing, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Global Crossing to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Global Crossing that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Global Crossing shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Global Crossing within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Global Crossing shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Global Crossing's records.
- 7 OSS

- 7.1 BellSouth has developed and made available electronic interfaces by which Global Crossing may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
- 7.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 7.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 7.5 <u>Denial/Restoral OSS Charge.</u> BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event Global Crossing provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

NBUNDI	ED NETWORK ELEMENTS - Alabama												A11.5 (CO.)	ment: 2	Exhil	bit: A
													Incremental	Agreement and the second secon	Incremental	ANY AND DESCRIPTION OF
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
						1							Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'I	Disc 1st	Disc Add
		_														West State Co.
			-			Rec		curring	Nonrecurring					Rates (\$)		
-+						600.0000	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	"Zone" shown in the sections for stand-alone loops or loops as	nort of a	oombi.	nation refers to Good	ranhigally I	Dogworanad LIME	Zonos Touis	w Goographia	ally Denverse	LIME Zono De	nianatia na	by Control	Min	internet Mah	-16	
					rapincany i	Deaveraged UNE	Zunes. To vie	w Geographic	any Deaverage	UNE ZONE DE	esignations	by Central (Jince, refer to	internet web	site:	
DEDATION	//www.interconnection.bellsouth.com/become_a_clec/html/inter	Teonnect	On.nun													
	E: (1) CLEC should contact its contract negotiator if it prefers the	o "etato	enecific	" OSS charges as on	dered by the	State Commiss	inns The OS	S charges curre	antly contained	in this rate ex	hibit are th	ReliSouth	"regional" se	Drice ordering	charges CI	EC mau
	t either the state specific Commission ordered rates for the servi															
	of the 9 states.	ice order	ing cita	iges, or occominay er	lect the regi	onal service ord	ernig charge, i	IOWEVEL, OLLO	Carl Hot Obtain	a mixture or	the two regi	iluless ii Ci	LC nas a mile	erconnection c	Jonitract estat	unsneu m
	E: (2) Any element that can be ordered electronically will be bill	ed accor	ding to	the SOMEC rate liste	d in this ca	tegon, Please	efer to BellSon	ith's Local Ord	ering Handhoe	k (I OH) to do	ormine if a	product car	he ordered o	lectronically	For those pla	omonte the
	not be ordered electronically at present per the LOH, the listed S															
			te in till	is category renects to	ie Charge ti	iai would be bill	ed to a CLEC t	ince electronic	ordening capa	onnies come c	in-line for ti	iai element.	Otherwise, t	ne manuai orc	ering charge	, SUMAN,
Will	be applied to a CLECs bill when it submits an LSR to BellSouth.		T													
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	1		ĺ			
	OSS - Manual Service Order Charge, Per Local Service Request		-		JOIVIEC		3.30	0.00	3.30	0.00					_	
	(LSR) - UNE Only		İ		SOMAN	İ	15.66	0.00	1.97	0.00				l 1		
IF SERVI	CE DATE ADVANCEMENT CHARGE		_		COMPAN	-	10.00	0.00	1.51	0.00				-		
	E: The Expedite charge will be maintained commensurate with	RellSout	h's FCC	No 1 Tariff Section	5 as applica	able					-					
1101	a. The Expedite onlings will be maintained commensurate with	L		Worr rom, ocomon	l as applied									-		
				UAL, UEANL, UCL.												
				UEF, UDF, UEQ.		1								i l		
		ı		UDL, UENTW. UDN.												
				UEA, UHL. ULC.							1	1				
								l						l í		
				USL, U1T12, U1T48,	1									1 1		
				U1TD1, U1TD3,		1	ì							})	
			1	U1TDX. U1TO3.							J	J				
		1		U1TS1, U1TVX.												
				UC1BC, UC1BL,				1						1)	
				UC1CC, UC1CL,										1		1
1				UC1DC, UC1DL,	1											
				UC1EC, UC1EL,			1)		ļ.			[[
			1	UC1FC, UC1FL,												
			1	UC1GC, LIC1GL,										1 1		
			1	UC1HC, UC1HL,												
		1		UDL12, UDL48,				1						1 1		
				UDLO3 1/DLSX	1						i .			l 1		
- 1				UE3, ULD 12,	1]									
ľ				ULD48. ULDD1,	1		ł					1		1 1		
				ULDD3. L/LDDX.		1								1 1		J
			1	ULDO3. ULDS1,				1						1		
			1	ULDVX. UNC1X,							ı					
			1		1									i l		
		İ	Ī	UNC3X, UNCDX,			1		1			ł		1	1	
- }				UNCNX. UNCSX.	J	J		1								ŀ
				UNCVX, UNLD1,				1						1		
				UNLD3, UXTD1.										J		
			1	UXTD3, UXTS1.	1		Í		ĺ		ſ	1		[[
- 1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	i	1	U1TUC, U1TUD.										1		1
	Day			U1TUB, U1TUA	SDASP		200.00									
	D EXCHANGE ACCESS LOOP		-													
	IRE ANALOG VOICE GRADE LOOP					<u> </u>										
		1	1 1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL												
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	34,34	37.81	17.56	23.49	5.30						
	Wire Analog Voice Grade Loop - Service Level 1- Zone 2 Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	34,34 12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3 1 2	UEANL UEANL UEANL	UEAL2 UEASL UEASL	34.34 12.58 21.05	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEASL	34,34 12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3 1 2	UEANL UEANL UEANL UEANL	UEAL2 UEASL UEASL UEASL	34.34 12.58 21.05	37.81 37.81 37.81	17.56 17.56 17.56	23.49 23.49	5.30 5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		3 1 2	UEANL UEANL UEANL UEANL UEANL	UEAL2 UEASL UEASL UEASL URETL	34.34 12.58 21.05	37.81 37.81 37.81 8.33	17.56 17.56 17.56	23.49 23.49	5.30 5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3 1 2	UEANL UEANL UEANL UEANL	UEAL2 UEASL UEASL UEASL	34.34 12.58 21.05	37.81 37.81 37.81	17.56 17.56 17.56	23.49 23.49	5.30 5.30						

UNBUNDL	ED NETWORK ELEMENTS - Alabama						_				1	T		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		-	-			Rec	Nonrec First	Add'I	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				_		First	Addi	FIRST	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UVL-SL1)			UEANL	UREWO		15.78	8.94							İ	İ
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			CLITTE	DALLIO	-	10.70	0.54							_	
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44					1				1
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	-	8.15	8.15	1							1
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		18 09									
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15				_		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1 1											
	Premise			UEQ	URETL		8.33	0.83								
l i	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		8.15									
1	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)		_	UEQ	UEQMU		13.44	24.40								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16 19.85	34.16 19.85			_					
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch		_	UEQ	URETA		19.85	19.85							_	_
1 1	(UCL-ND)			UEQ	UREWO		14.27	7.43	1		1					İ
UNBUMBLE	EXCHANGE ACCESS LOOP		_	UEQ	UNEVVO		14.27	7.43								-
	RE ANALOG VOICE GRADE LOOP	-			+						-					
2.44	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-							-	-						_	
	Zone 1		1	UEPSR UEPSB	UEALS	12.58	37 81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 0	. 00.00	12.00	0.01	17.00	200	- 0.00	-					
1 1	Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	-										
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5 30		i				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17 56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	34 34	37.81	17.56	23.49	5 30						
	EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP		_					_						_		
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				115410	44.00	00.00	55.00	47.04			1		i		
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_		UEA	UEALZ	22.03	00.00	35.00	47.24	7.44	-	_				-
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44	1	ľ		f		
	Order Coordination for Specified Conversion Time (per LSR)	-		UEA	OCOSL	30.14	18.09	33.00	47.24	7.44					-	-
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ODI	00000		10.03									
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47,24	7,44					l	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				102.112		00.00	00.00					_			
1 1	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88 00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-WII	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Increment Charge Manual S Order v
_						Rec	Nonrec First	umng Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMA
2.WIDE	ISDN DIGITAL GRADE LOOP	-		-			Frist	Auui	Filst	Auu i	SOMEC	JUMAN	SONIAN	SOWAN	SOMAN	SUMIA
2-41110	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117 24	79.77	52.88	10.54						
_	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54					_	-
	Order Coordination For Specified Conversion Time (per LSR)		—ٽ	UDN	OCOSL		18 09		02.00	10.01	 					
_	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16						-		-
2.WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRIFI	OOP	ODIN	JOILETTO		31.03	44.10								
2-441133	2 Wire Unbundled ADSL Loop including manual service inquiry														-	
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7 44			1		1	
_	2 Wire Unbundled ADSL Loop including manual service inquiry			0.12	0.120											_
	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44					ĺ	
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	U. L.			1,10,00	00.00		,,,,,				-		_
i	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68 00	47.24	7.44						
_	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
_	2 Wire Unbundled ADSL Loop without manual service inquiry &				(1111					-						_
	facility reservation - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						1
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0.12												
	facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44					ļ	
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0.14	0.1211	12.70	00.00			,,,,,,,						_
	facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90 00	57 00	47.24	7.44						1
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL		18.09								-	
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLELO	OP	0.12		_						_				
2 *****	2 Wire Unbundled HDSt Loop including manual service inquiry															_
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
i	& facility reservation - Zone 3	ì	3	UHL	UHL2X	11.44	110 00	68.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44		1 :				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44					i	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	ocost		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.14	40.40								
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
	4 Wire Unbundled HDSL Loop including manual service inquiry												_			
	and facility reservation - Zone 1		1_	UHL	UHL4X	13.95	148 36	68 00	51.70	9.73					1	
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	4-Wire Unbundled HDSL Loop without manual service inquiry												_			
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry													-	- 0	
	and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94 00	57.00	51.70	9.73	1					
	4-Wire Unbundled HDSL Loop without manual service inquiry						1									
	and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9 73						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40.40								
4-WIRI	DS1 DIGITAL LOOP															
-	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252 47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	UŞLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09									

MRONDLE	D NETWORK ELEMENTS - Alabama										,			ment: 2		blt: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
-					1		Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without gutside dispatch			USL	UREWO		101.09	43.05								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126 27	88.80	59.14	14.50						
_	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL.	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)		-	UDL	OCOSL	37.00	18 09	00.00	33.14	14.00						
		_	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1				UDL64	35.95		88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL		35.95	126.27		59.14		-	_				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37 88	126 27	88 80	59.14	14.50						
_	Order Coordination for Specified Conversion Time (per LSR)		_	UDL	OCOSL	_	18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual													1		
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7,44						
_	Order Coordination for Unbundled Copper Loops (per loop)		- ·	UCL	UCLMC		8.15	8.15	1							
	2-Wire Unbundled Copper Loop-Designed without manual	-		1001	OOLIVIO		0.10	0.10	-	_		-				
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54 30	47.24	7.44						
_		- 1	-	UCL	UCLFVV	11.01	91.40	34 30	47.24	7.44						-
	2-Wire Unbundled Copper Loop-Designed without manual		_		LIGI DIA	40.70	04.45	54.00	47.04	7.44						
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7 44						
	2-Wire Unbundled Copper Loop-Designed without manual							20.0		-						
	service inquiry and facility reservation - Zone 3	i	3	UCL	UCLPW	14.30	91 46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WIRI	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						i
	4-Wire Copper Loop-Designed including manual service inquiry											_				
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry				202.0	20.10	100.21	00.00	00	0.70						
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
-			3	UCL	UCLMC	20.21	8 15	8.15	31.70	5.73	-					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLIVIC		0 15	0.15					_			_
	4-Wire Copper Loop-Designed without manual service inquiry			Luci	LICLAIN	47.00	144.04	67.65	64.70	0.70						
	and facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73	—					_
	4-Wire Copper Loop-Designed without manual service inquiry				1	22.20				192						
	and facility reservation - Zone 2	- 1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry					i										
	and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								
P MODIFI																
				UAL, UHL UCL.											_	
				UEQ. ULS. UEA.					1							
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR.					1 1						1	
	pair less than or equal to 18k ft. per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00	[
_	Unbundled Loop Modification Removal of Load Coils - 4 Wire	· ·					0.00	5.50								
1	less than or equal to 18K ft. per Unbundled Loop			UHL, UCL UEA	ULM4L	1	0.00	0.00								
	ress than or equal to Tok II, per Unbulldied Loop	- 1		UAL, UHL. UCL.	OLIVIAL		0.00	0.00						_		
					1 1											
		1	1	UEQ.ULS.UEA.			1									
	10 A															
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled toop			UEANL, DEPSR. UEPSB	ULMBT		32.41	32.41						1	1	

4DOMDEL	D NETWORK ELEMENTS - Alabama		1							_				ment: 2	220,470,47	iblt: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Order v Electror Disc Ac
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		
	B 4 1 4		-				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Sub-L	cop Distribution		1						_							
	Sub-Lopp - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		244.42									
	Up	1.	-	UEANL	USBSA		244.42					_				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1 1	i	UEANL	USBSB		22.64				1					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		_	OLAN	00000		22.04						 			
	Facility Set-Up	1		UEANL	USBSC		177.45						i			
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		_	OENIAC	00000		177.43									
	Set-Up	T T		UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					250										
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
i	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				0.5	1	= 4									
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	- Secretary			400	l											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Catile (INC)	I		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	0.1.0			LIFANII	1100140		0.45	0.45								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL UEANL	USBMC USBR4	5.16	8.15 59.25	8.15 24.41	49.71	9 07						
_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANI.	USBR4	5.16	59.25	24.41	49.71	9 07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.15	8.15			1					
	Loop Testing - Basic 1st Half Hour	_	+	UEANL	URET1		34.16	34.16			-					
	Loop Testing - Basic Additional Half Hour		-	UEANL	URETA		19.85	19.85			_		_	_	_	-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70				_		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70			-		-	
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		-				
				-												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07					-	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9 07						
																_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85								
Unbut	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01									
Netwo	rk Interface Device (NID)		1	LIEVENIA .	Lucia					_						_
	Network Interface Device (NID) - 1-2 lines	-		UENTW	UND12		43.23	28.38								<u> </u>
_	Network Interface Device (NID) - 1-6 lines		-	UENTW	UND16		63.97	49.11								<u> </u>
	Network Interface Device Cross Connect - 2 W	-		UENTW	UNDC2		5.87	5.87								_
OTUES	Network Interface Device Cross Connect - 4W	-	+	UENTW	UNDC4		5.87	5.87	-							-
OTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0 00								_	-
_	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00									
+	UNITY CITCUIT ID Establishment, Provisioning Unity - No Rate	_		UEANL, UEF, UEQ, U	DENCE	0.00	0.00	_	-							_
	Unbundled Contract Name, Provisioning Only - No Rate	i		ENTW.	UNECN	0.00	0.00						1			1
	PROVISIONING ONLY - NO RATE	_		E14141	ONCON	0.00	0.00									

ONBONDLED	NETWORK ELEMENTS - Alabama										1			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			promise appropriate	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			İ	UAL.UCL.UDC,UDL,												
	Inbundled Contact Name, Provisioning Only - no rate Inbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN.UEA.UHL USL	UNECN	0.00	0 00									
	ate			UEA,UDN,UCL,UDC	LISBEO	0.00	0.00				Ì	İ				
	Inbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		_	027,027,000	ÇODI G	0.00	0.00									
	ale			UEA,USL UCL,UDL	USBFR	0 00	0 00									
	Inbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Inbundled DS1 Loop - Expanded Superframe Format option -															
	o rate		-	USL	CCOEF	0.00	0.00				-					
	UNBUNDLED LOCAL LOOP ligh Capacity Unbundled Local Loop - DS3 - Per Mile per		_											_	_	
	nonth			UE3	1L5ND	8.38	l									Ì
	ligh Capacity Unbundled Local Loop - DS3 - Facility			020	LOND	0.36					1					
	ermination per month			UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117						
Н	tigh Capacity Unbundled Local Loop - STS-1 - Per Mile per													_		
m	nonth			UDLSX	1L5ND	8.38										
	ligh Capacity Unbundled Local Loop - STS-1 - Facility															
	ermination per month			UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117						
LOOP MAKE-UP																
	oop Makeup - Preordering Without Reservation, per working or pare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	oop Makeup - Preordering With Reservation, per spare facility			UWIK	OWNER		20.00	20.00			-					-
	ueried (Manual).			UMK	UMKLP		21 00	21.00								
	oop MakeupWith or Without Reservation, per working or															
sı	pare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
LINE SPLITTING																
LINE SPL		1	_													
	ER ORDERING-CENTRAL OFFICE BASED une Splitting - per line activation DLEC owned splitter	-	-	UEPSR UEPSB	UREOS	0.61					-					
	une Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83		-				
	ine Splitting - per line activation BST owned - virtual	_		UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
MAINTEN			_	02. 07.02. 00	OTTED V	0.01	01.01	2,1,0	20.02	0.00						
	he Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as ap	plicable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	to Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100 00	75.00	-							
	DICATED TRANSPORT FICE CHANNEL - DEDICATED TRANSPORT		-								-		_			
	nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -					 		_	1							
	Per Mile per month		1	U1TVX	1L5XX	0.008838										
	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -									1						_
	Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
In	nteroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	nteroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1			LIATES	2	40.54	27.44	40.74	2.00						
	acility Termination nteroffice Channel - Dedicated Transport - 4-Wire Voice Grade		+	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Per Mile per month	1		U1TVX	1L5XX	0.008838										
	nteroffice Channel - Dedicated Transport - 4- Wire Voice Grade		_	V.1.47		0.000000			1							
	Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
Ir	nteroffice Channel - Dedicated Transport - 56 kbps - per mile										-					
P	er month			UITDX	1L5XX	0.008838										
	nteroffice Channel - Dedicated Transport - 56 kbps - Facility								40-							
	Termination		-	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90	-					
	nteroffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	1L5XX	0.008838										
	nteroffice Channel - Dedicated Transport - 64 kbps - Facility	-	-	STIDA	1.2000	0.000036				-						
	Termination	i		U1TDX	U1TD6	15.12	40.54	27.41	16,74	6.90	1					

	DLED NETWORK ELEMENTS - Alabama	,												ment: 2		bit: A
ATEGOR	Y RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)	,			Submitted		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.18										i
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATED	41.5307	4.00										
	month			U1TD3	1L5XX	4.09				_						
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		LIATED	U1TF3	702 52	278.75	100.70	60.00	20.46					f	f
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	UTIF3	703.52	2/8./5	162.76	60.20	28.46						
	month			U1TS1	1L5XX	4.09										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			Official	TESAX	4.03										
	Termination			U1TS1	U1TFS	701.37	278 75	162.76	60.20	28 46						
DARK FIBE				01101		101.01	2.0.0	102.10	00.20	20 40					-	
	Dark Fiber, Four Fiber Strands, Per Route Mile of Fraction				1					_	_			_		
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	69.37										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												_	_		
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137 87	317.06	197.66						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	69.37										
VIRTUAL C	COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
PHYSICAL	COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line			and the second	00.02											
	Splitting			UEPSR LIEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
	D EXTENDED LINK (EELs)				10				"							
	OTE: The monthly recurring and non-recurring charges below will OTE: The monthly recurring and the Switch-As-Is Charge and not															
	VIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	ne non-re	Curning	charges below will	apply for UN	E compinations	provisioned a	s Currently C	ompined Netw	ork Elements.						
2-4	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88 00	55.00	47.24	7 44					-	
	2-Wire VG Loop (SL2) in Combination - Zone 2	-	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44				_		_
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				_	-	-
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	0.53	6.58	4.72						_		
4-V	VIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1															
			1	IUNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
			1 2	UNCVX	UEAL4	25.34 38.58	131.97 131.97	94.51 94.51	59.14 59.14	14.50 14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3		-													_
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month VIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		2	UNCVX UNCVX UNCVX	UEAL4 UEAL4 1D1VG	38.58 60.02 0.53	131.97 131.97 6.58	94.51 94.51 4.72	59.14 59.14	14.50 14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month		3	UNCVX UNCVX UNCVX	UEAL4 UEAL4 1D1VG UDL56	38.58 60.02 0.53	131.97 131.97 6.58	94.51 94.51 4.72 88.80	59.14 59.14 59.14	14.50 14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month VIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX UNCVX	UEAL4 UEAL4 1D1VG UDL56 UDL56	38.58 60.02 0.53 26.09 35.95	131.97 131.97 6.58	94.51 94.51 4.72	59.14 59.14	14.50 14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56	38.58 60.02 0.53 26.09 35.95 37.88	131.97 131.97 6.58	94.51 94.51 4.72 88.80	59.14 59.14 59.14	14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month VIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		1 2	UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56	38.58 60.02 0.53 26.09 35.95	131.97 131.97 6.58 126.27 126.27	94.51 94.51 4.72 88.80 88.80	59.14 59.14 59.14 59.14	14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) VIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	38.58 60.02 0.53 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 94.51 4.72 88.80 88.80 88.80 4.72	59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0CU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	38.58 60.02 0.53 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 94.51 4.72 88.80 88.80 4.72 88.80	59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month NIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) VIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95	131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 4.72	59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) VIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	38.58 60.02 0.53 25.09 35.95 37.88 1.12 26.09 35.95 37.88	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 88.80 88.80	59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0CU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 0CU-DP COCI (data) - in combination - Zone 3 0CU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95	131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 4.72	59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION		1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 1D10D	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 126.27	94.51 94.51 4.72 88.80 88.80 4.72 88.80 4.72 88.80 88.80 4.72	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DigITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3		1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 126.27	94.51 94.51 4.72 88.80 88.80 4.72 88.80 4.72 88.80 4.72 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-U-DP COCI (data) per month (2.4-54kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88	131.97 131.97 6.58 1 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 126.27 127 126.27	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 88.80 4.72 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-54kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2		1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL6	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55	131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 127 128.27 128.27 129.27 129.27 129.27 129.27 129.27	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88	131.97 131.97 6.58 1 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 126.27 127 126.27	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 88.80 4.72 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-54kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 16Kbps Digital Grade Loop in Combination - Zone 2 1-Wire ISDN Loop in Combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL56	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55 2.41	131.97 131.97 6.58 8 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 127 6.58	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 88.80 4.72 79.77 79.77 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1		1 2 3 3 1 2 3 1 2 3	UNCVX UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55 2.41	131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 127 6.58 117.24 117.24 117.24 6.58	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 4.72 79.77 79.77 79.77 4 72	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.18	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-V	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-54kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 16Kbps Digital Grade Loop in Combination - Zone 2 1-Wire ISDN Loop in Combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3		1 2 3 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL56	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55 2.41	131.97 131.97 6.58 8 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 127 6.58	94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 88.80 4.72 79.77 79.77 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						

NRONDLED NETWORK EL	EMENTS - Alabama												Attach	ment: 2	Exhi	blt: A
											Svc Order	Svc Order	Incremental	Incremental		
												Submitted		Charge -	Charge -	Charge
TEGORY	RATE ELEMENTS	Yeardin	7	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
LEGURY	RATE ELEMENTS	Interim	Zone	BUS	USUC			RATES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
													Electronic-	Electronic-	Electronic-	Electron
													1st	1'bbA	Disc 1st	Disc Ad
													131	Aug.	D130 131	Disc Ac
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		77
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
2 WIRE VOICE GRADE INT	EROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON													
	- 2-wire VG - Dedicated - Per Mile Per	1														
Month	2 1110 10 200100100 10 11110 1 01	(UNCVX	1L5XX	0.008838					į l					
	- 2-wire VG - Dedicated - Facility	-		ONCYA	TESTON	0.000030										
Termination per mo		[UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90	1					
		014011147	011	UNCVA	01172	21.13	40.54	27.41	10.74	6.90						
	EROFFICE TRANSPORT FOR USE IN A CO	OWRINATI	ON													
	- 4-wire VG - Dedicated - Per Mile Per				100 000000	VCD-04-0000000000000000000000000000000000				i					1	
Month				UNCVX	1L5XX	0.008838							İ			
Interoffice Transport	- 4-wire VG - Dedicated - Facility															
Termination per mo	nth			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
DS1 INTEROFFICE TRANS	PORT FOR COMBINATION]		
	- Dedicated - DS1 combination - Per Mile													1		
per month				UNC1X	1L5XX	0.18								1	1	1
	- Dedicated - DS1 combination - Facility			J.10 16	12075	0.10				<u> </u>						
				LINICAY	U1TF1	00.40	00.07	04.04	40.05							
Termination per mo		-		UNC1X	UTIFT	60.16	89.27	81.81	16.35	14.44						-
	PORT FOR USE IN A COMBINATION															
	- Dedicated - DS3 combination - Per Mile				1					1	1			1	1	1
Per Month				UNC3X	1L5XX	4.09										
Interoffice Transport	- Dedicated - DS3 - Facility Termination per															
month				UNC3X	U1TF3	703.52	278 75	162.76	60.20	58.46						
3/1 Channel System	in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	SPORT FOR USE IN COMBINATION															
	- Dedicated - STS-1 combination - Per Mile							_								
Per Month	- Dedicated - 515-1 compilation - 1 et wille			UNCSX	1L5XX	4.09					1					
	Definited STO 4 and 1 de F. Wa	-		UNCOA	ILSAA	4.09										-
	- Dedicated - STS-1 combination - Facility				1											
Termination per mo				UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
4-WIRE 56 KBPS DIGITAL	LOOP WITH 56 KBPS INTEROFFICE TRAN	NSPORT			1											
4-wire 56 kbps Loca	Loop in combination - Zone 1	1	1	UNCDX	UDL56	26.09	126 27	88.80	59.14	14.50						
4-wire 56 kbps Loca	Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
4-wire 56 kbps Loca	Loop in combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50			,			
	- Dedicated - 4-wire 56 kbps combination -			0.100	00200	07.00	120,21	00.00	00.11	14.00						
Per Mile per month	- Dedicated - 4 wife on stape combinetion			UNCDX	1L5XX	0.008838										
	- Dedicated - 4-wire 56 kbps combination -			UNCDA	ILSAX	0.000030										
Facility Termination		1		UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														
	Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
4-wire 64 kbps Lcoa	Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
Interoffice Transport	- Dedicated - 4-wire 64 kbps combination -															
Per Mile per month				UNCDX	1L5XX	0.008838				1			1	1	1	1
	- Dedicated - 4-wire 64 kbps combination -					2.300000										
Facility Termination				UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	EXTENDED LOOP WITH DS0 INTEROFFIC	E TOANCE	PORT	DINCEA	סטווט	15.12	40.54	21.41	10.74	0.90	-				-	-
		EIKANS		LINCOV	UDIES	00.0-	400.0-	00.00	50.41	11.5-						
	I Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14 50						
	Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	eroffice Transport - Dedicated - Per Mile per															
month				UNCDX	1L5XX	0.008838										
4-wire 56 kbps inte	office Transport - Dedicated - Facility															1
Termination per mor				UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	EXTENDED LOOP WITH DS0 INTEROFFIC	F TRANS	TROS		220	10.12	-10.04	Ec 1	10.74	5.50					!	
		LINAMO	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	I Loop in combination - Zone 1		1													-
	I Loop in combination - Zone 2	-	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14 50						
4-wire 64 kbps Loc	I Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	roffice Transport - Dedicated - Per Mile per					1			1			1				
month				UNCDX	1L5XX	0.008838										
4-wire 64 kbps Inte	office Transport - Dedicated - Facility															
Termination per mor				UNCDX	U1TD6	15.12	40.54	27.41	16,74	6.90			1	1	1	1

UNDLED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
GORY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	Charge
												Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Disc Ac
			0		Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	•	•
					Rec	First	Addil	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	-			1											
4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
Interoffice Transport - Dedicated - DS1 combination - Per Mile															
per month	1		UNC1X	1L5XX	0.18										-
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44]	
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSF	OPT		UNCIA	UTIFT	60.10	09.21	81.81	10.33	14.44				ļ		-
DS3 Local Loop in combination - per mile per month	T		UNC3X	1L5ND	9.637			<u> </u>					-	1	-
B33 Local Loop III comomation - per mile per month	-		UNCOA	TESIND	3.037										_
DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.327	519.248	303.531	137.4135	96.117				1		
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	313.240	303.331	107.4.00	50.117			-	-		
Interoffice Transport - Dedicated - DS3 combination - Facility			DIVOJA	123700	4.00								-		+
Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58,46				1		
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRA	NSPORT		0.10011	0,0	100.02	270.10	102.110	00.20	00.10						
STS-1 Local Lolp in combination - per mile per month	1		UNCSX	1L5ND	9.637										
STS-1 Local Loop in combination - Facility Termination per			ON COM	120115	0.007										
month			UNCSX	UDLS1	367.8045	519.248	303.531	137.4135	96.117						
Interoffice Transport - Dedicated - STS-1 combination - per mile			0.100	ODEO!	00110010	0.0.2.0	000.00		00.177						
per month			UNCSX	1L5XX	4.09			1						1	
Interoffice Transport - Dedicated - STS-1 combination - Facility									8						
Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
TIONAL NETWORK ELEMENTS															
When used as a part of a currently combined facility, the non-recu	rena abara		ot apply, but a Swi	tch As Is cha	rge does apply										
principal decorate a part of a currently combined facility, the non-recu	iring charg	62 00 L		ton mo is ond	ige does apply.					,					1
When used as ordinarily combined network elements in All States,	the non-re	curring	charges apply and	the Switch A	s is Charge doe:	s not.									
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is	the non-re	curring	charges apply and	the Switch A	s is Charge doe:	s not.			_						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is	the non-re " Charge (curring	charges apply and plies to each combined UNCVX, UNCDX,	the Switch A	s Is Charge doe:	s not.			-						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A	the non-re " Charge (curring	charges apply and plies to each combin UNCVX, UNCDX, UNC1X, UNC3X,	the Switch A	s is Charge doe	s not.									
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge	the non-re " Charge (curring	charges apply and plies to each combined UNCVX, UNCDX,	the Switch A	s Is Charge doe	5.59	5.59	6.98	6.98						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A	the non-re " Charge (curring	charges apply and plies to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	the Switch A	s Is Charge doe	s not.	5.59	6.98	6.98						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions:	the non-re " Charge (curring	charges apply and plies to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	the Switch A nation)	s is Charge doe	5.59									
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge	the non-re " Charge (curring	charges apply and plies to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X	the Switch A	s is Charge doe	s not.	5.59	6.98	6.98						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	the non-re " Charge (curring	charges apply and piles to each combination of the	the Switch Anation) UNCCC CCOEF	s is Charge doe:	5.59	0.00	0.00	0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	the non-re " Charge (curring	Leharges apply and planes to each combination of the combination of th	the Switch A nation)	s is Charge doe:	5.59									
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Super FrameOption - subsequent	the non-re " Charge (curring	charges apply and biles to each combin place to each combin place. UNCVX, UNCDX, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X UUDD1,UNC1X	the Switch A nation) UNCCC CCOEF CCOSF	s is Charge doe:	5.59 0.00	0.00	0.00	0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	the non-re " Charge (curring	charges apply and plants to each combin UNCVX, UNCDX, UNCTX, UNC3X, UNC3X, UNC5X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X, USL	the Switch Anation) UNCCC CCOEF	s is Charge doe:	5.59	0.00	0.00	0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	the non-re " Charge (curring	charges apply and displayed to each combined to each comb	UNCCC CCOEF CCOSF	s is Charge doe:	5.59 0.00 0.00	0.00 0.00 23.81	0.00 0.00 1.99	0.00 0.00 0.7741						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parily Option - Subsequent Activity - per DS3	the non-re " Charge (curring	charges apply and plants to each combin UNCVX, UNCDX, UNCTX, UNC3X, UNC3X, UNC5X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X, USL	the Switch A nation) UNCCC CCOEF CCOSF	s is Charge doe:	5.59 0.00	0.00	0.00	0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS	the non-re " Charge (curring	charges apply and plants to each combin UNCVX, UNCDX, UNCTX, UNC3X, UNC3X, UNC5X ULDD1, UNC1X ULDD1, UNC1X UTD1, ULDD1, UNC1X ULDD1, UTD1, ULDD1, UTD1, UTD1, UNC1X, USL UTTD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3	UNCCC CCOEF CCOSF NRCCC	s is Charge doe	5.59 0.00 0.00 184.85 219.13	0.00 0.09 23.81 7.67	0.00 0.00 1.99 0.7355	0.00 0.00 0.7741 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month	the non-re " Charge (curring	charges apply and displayed to each combined to each comb	UNCCC CCOEF CCOSF	s is Charge doe:	5.59 0.00 0.00	0.00 0.00 23.81	0.00 0.00 1.99	0.00 0.00 0.7741						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	the non-re " Charge (curring	Leharges apply and piles to each combin UNCVX, UNCDX, UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X UNC3X, USL UNC3X	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3	s is Charge doe	5.59 0.00 0 00 184.85 219.13	0.00 0.00 23.81 7.67 62.57	0.00 0.00 1.99 0.7355	0.00 0.00 0.7741 0.00 9.79						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	the non-re " Charge (curring	charges apply and plants to each combin UNCVX, UNCDX, UNCTX, UNC3X, UNC3X, UNC5X ULDD1, UNC1X ULDD1, UNC1X UTD1, ULDD1, UNC1X ULDD1, UTD1, ULDD1, UTD1, UTD1, UNC1X, USL UTTD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3	UNCCC CCOEF CCOSF NRCCC	s is Charge doe	5.59 0.00 0.00 184.85 219.13	0.00 0.09 23.81 7.67	0.00 0.00 1.99 0.7355	0.00 0.00 0.7741 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - SS1 to DS0 Channel System - per	the non-re " Charge (curring	Leharges apply and piles to each combin UNCVX, UNCDX, UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X UNC3X, USL UNC3X	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3	s is Charge doe	5.59 0.00 0 00 184.85 219.13	0.00 0.00 23.81 7.67 62.57	0.00 0.00 1.99 0.7355	0.00 0.00 0.7741 0.00 9.79						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	the non-re " Charge (curring	charges apply and plas to each combin UNICVX, UNICDX, UNICX, UNICX, UNICX, UNICX, UNICX, UNICX, UNICX, UNICX, UNITD1, ULDD1, UNICX, UITD1, ULDD1, UNICX, USL UITD3, ULDD1, UNICX, USL UITD3, UNICX, USL UITD3, UNICX, USL UNICX, USL UNICX, USL UNICX, USL UNICX, USL UNICX, USA, UNICX, U	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	101 06 1.12	5.59 0.00 0.00 184.85 219.13 91.04 6.58	0.00 0.00 23.81 7.67 62.57	0.00 0.00 1.99 0.7355 10.54	0.00 0.00 0.7741 0.00 9.79						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	the non-re	curring	Leharges apply and piles to each combin UNCVX, UNCDX, UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X UNC3X, USL UNC3X	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3	s is Charge doe	5.59 0.00 0 00 184.85 219.13	0.00 0.00 23.81 7.67 62.57	0.00 0.00 1.99 0.7355	0.00 0.00 0.7741 0.00 9.79						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch - Alls Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Z-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	the non-re	curring	charges apply and charges apply and combin UNCVX, UNCDX, UNC3X, UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1, UNC1X U1TD1, U1TD1, U1DD1, UNC1X, USLD1, UNC1X, USLD1, UNC1X, USLD1, UTD3, UE3, UNC1X, USLD1, UTD3, UC3X UNC1X, USL	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	101.06 1.12	5.59 0.00 0.00 184.85 219.13 91.04 6.58	0.00 0.00 23.81 7.67 62.57 4.72	0.00 0.00 1.99 0.7355 10.54 0.00	0.00 0.00 0.7741 0.00 9.79 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	the non-te "Charge ("Charge ("	curring	charges apply and plas to each combin UNICVX, UNICDX, UNICX, UNICX, UNICX, UNICX, UNICX, UNICX, UNICX, UNICX, UNITD1, ULDD1, UNICX, UITD1, ULDD1, UNICX, USL UITD3, ULDD1, UNICX, USL UITD3, UNICX, USL UITD3, UNICX, USL UNICX, USL UNICX, USL UNICX, USL UNICX, USL UNICX, USA, UNICX, U	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	101 06 1.12	5.59 0.00 0.00 184.85 219.13 91.04 6.58	0.00 0.00 23.81 7.67 62.57	0.00 0.00 1.99 0.7355 10.54	0.00 0.00 0.7741 0.00 9.79						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	the non-se "Charge ("Charge ("	curring	charges apply and charges apply and combin UNCVX, UNCDX, UNC3X, UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1, UNC1X U1TD1, U1TD1, U1DD1, UNC1X, USLD1, UNC1X, USLD1, UNC1X, USLD1, UTD3, UE3, UNC1X, USLD1, UTD3, UC3X UNC1X, USL	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	101.06 1.12	5.59 0.00 0.00 184.85 219.13 91.04 6.58	0.00 0.00 23.81 7.67 62.57 4.72	0.00 0.00 1.99 0.7355 10.54 0.00	0.00 0.00 0.7741 0.00 9.79 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel Systsem - per month used for connection to a channelized DS1 Local Channel	the non-se "Charge ("Charge ("	curring	charges apply and pelies to each combin UNCVX, UNCDX, UNCX, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCA, UNCDA,	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	101.06 1.12 2.41	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00	0.00 0.00 0.7741 0.00 9.79 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As is Nonrecurring Currently Combined Network Elements Switch As is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	the non-se "Charge ("Charge ("	curring	charges apply and charges apply and combin UNCVX, UNCDX, UNC3X, UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1, UNC1X U1TD1, U1TD1, U1DD1, UNC1X, USLD1, UNC1X, USLD1, UNC1X, USLD1, UTD3, UE3, UNC1X, USLD1, UTD3, UC3X UNC1X, USL	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	101.06 1.12	5.59 0.00 0.00 184.85 219.13 91.04 6.58	0.00 0.00 23.81 7.67 62.57 4.72	0.00 0.00 1.99 0.7355 10.54 0.00	0.00 0.00 0.7741 0.00 9.79 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	the non-se "Charge ("Charge ("	curring	charges apply and pelles to each combin UNCVX, UNCDX, UNCX,	the Switch A mation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	101.06 1.12 2.41	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00 0.00	0.00 0.00 0.7741 0.00 9.79 0.00 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month vised for connection to a channelized DS1 Local Channel used for a Local Loop	the non-se "Charge ("Charge ("	curring	charges apply and pelies to each combin UNCVX, UNCDX, UNCX, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCDA, UNCA, UNCDA,	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	101.06 1.12 2.41	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00	0.00 0.00 0.7741 0.00 9.79 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channe in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month vector of the Cocine State - per month	the non-se "Charge ("Charge ("	curring	charges apply and pelles to each combin UNCVX, UNCDX, UNCX,	the Switch A mation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	101.06 1.12 2.41	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00 0.00	0.00 0.00 0.7741 0.00 9.79 0.00 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used	the non-se "Charge ("Charge ("	curring	Charges apply and Piles to each combin UNCVX, UNCDX, UNCX, UNX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNX, UNCX, UNX, UNCX, UNX, UNCX,	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	101.06 1.12 2.41 2.41 0.53	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00 0.00 0.00	0.00 0.00 0.7741 0.00 9.79 0.00 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch -A Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month seed for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	the non-se "Charge ("Charge ("	curring	charges apply and pelies to each combin UNCVX. UNCDX. UNCDX. UNC3X. UNC3X. UNC3X. UNC3X. UNC3X. UNCDX. ULDD1.UNC1X. ULDD1.UNC1X. ULDD1.UNC1X. ULDD1.UNC1X. ULDD1.UNC1X. ULDD1.UNC1X. ULDD3. ULD	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA 1D1VG	101.06 1.12 2.41 0.53	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72 4.72 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00 0.00 0.00 0.00	0.00 0.00 0.7741 0.00 9.79 0.00 0.00 0.00						
When used as ordinarily combined network elements in All States, Nonrecurring Currently Combined Network Elements "Switch As Is Nonrecurring Currently Combined Network Elements Switch As Is Charge Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 MULTPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used	the non-se "Charge ("Charge ("	curring	Charges apply and Piles to each combin UNCVX, UNCDX, UNCX, UNX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNX, UNCX, UNX, UNCX, UNX, UNCX,	the Switch A nation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	101.06 1.12 2.41 2.41 0.53	5.59 0.00 0.00 184.85 219.13 91.04 6.58 6.58 6.58	0.00 0.00 23.81 7.67 62.57 4.72 4.72 4.72 4.72	0.00 0.00 1.99 0.7355 10.54 0.00 0.00 0.00	0.00 0.00 0.7741 0.00 9.79 0.00 0.00						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		N		100.000.4600	10.000.000.000						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						D	Nonrecu	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUÁ	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			ULDD1	UC1D1	12.70	6 58	4.72	0.00	0.00						

INBUNDLED NE	TWORK ELEMENTS - Florida													ment; 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order v Electron
													1st	Add'l	Disc 1st	Disc Add
-						Rec	Nonre First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAI
									-0							
	shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically D	eaveraged UNE	Zones. To vie	w Geographic	ally Deaverage	d UNE Zone D	esignations	by Central	Office, refer t	o internet We	bsite:	
	nterconnection.bellsouth.com/become_a_clec/html/inter	connecti	on.htm		_	1	_					1	1	_	-	
	LEC should contact its contract negotiator if it prefers th	e "state s	pecific"	OSS charges as ord	lered by the	State Commiss	sions. The OS	S charges curr	ently containe	d in this rate e	xhibit are th	e BellSouth	"regional" s	ervice orderin	g charges. C	LFC may
	the state specific Commission ordered rates for the servi															
each of the 9				SINGUIO CENTO												and managed the
	ny element that can be ordered electronically will be bill															
	rdered electronically at present per the LOH, the listed S		e in this	category reflects th	e charge tha	at would be bill	ed to a CLEC	once electronic	ordering cap	abilities come	on-line for t	hat element	t. Otherwise,	the manual o	rdering charg	e, SOMA
	ed to a CLECs bill when it submits an LSR to BellSouth. - Electronic Service Order Charge, Per Local Service	1								1		1				
	uest (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
OSS	- Manual Service Order Charge, Per Local Service Request															
) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
	ADVANCEMENT CHARGE					<u> </u>										
NOTE: The I	Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tarill, Section	as applica	ble.										
UNE	Expedite Charge per Circuit or Line Assignable USOC, per			JDL. UENTW, JDN. JEA. UHL. ULC. USL, UTT12. U1T48. U1TD1. U1TD3. U1TDX. U1TO3. U1TS1. U1TVX. UC18C. UC16L, UC10C. UC16L, UC10C. UC16L, UC16C. UC16C.												
Day BUNDLED EXCH	ANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00									
	LOG VOICE GRADE LOOP															
2-Win	re Analog Voice Grade Loop - Service Level 1- Zone 1		1	LIEANL	UEAL2	10.69	49 57	22 83	25.62	6.57						
	re Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	re Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57 6.57						
	re Analog Voice Grade Loop - Service Level 1- Zone 1 re Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL	UEASL UEASL	10.69 15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57						
	re Analog Voice Grade Loop - Service Level 1-Zone 2 re Analog Voice Grade Loop - Service Level 1-Zone 3		3	LIEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	undled Miscellaneous Rate Element, Tag Loop at End User			, No. 10. 19 May	JENOL	20.57	45.57	22.00	20.02	5.57						
Prem	nise			DEANL	URETL		8 33	0.83								
	Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65						-		
	Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								

UNBUNDEED N	ETWORK ELEMENTS - Florida	-												ment: 2		ibit: A
												Svc Order		Incremental	Incremental	
												Submitted	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	7	BCS	usoc			RATES (\$)			Elec	Manually			Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USUC			KATES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												ļ	Electronic-	Electronic-	Electronic-	Electronic
												l	1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CLE	EC to CLEC Conversion Charge Without Outside Dispatch															
	(L-SL1)			UEANL	UREWO		15.78	8.94								
Unb	oundled Voice Loop, Non-Design Voice Loop, billing for BST															
prov	viding make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
Man	nual Order Coordination for UVL-SL1s (per loop)		5	UEANL	UEAMC		9.00	9.00								
Orde	ler Coordination for Specified Conversion Time for UVL-SL1															
(per	r LSR)			LIEANL	OCOSL		23.02		i							
2-WIRE Unt	bundled COPPER LOOP															
2-W	/ire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ-	UEQ2X	7.69	44.98	20 90	24.88	6.45			i .			
2 W	/re Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
2 W	/ire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	oundled Miscellaneous Rate Element, Tag Loop at End User															
Pren	mise			LIEQ	URETL		8.33	0.83								
Man	nual Order Coordination 2 Wire Unbundled Copper Loop -															
Non	n-Designed (per loop)			UEQ	USBMC		9.00								ļ	
Unb	oundled Copper Loop, Non-Design Cooper Loop, billing for															
BST	T providing make-up (Engineering Information - E.I.)			NEO	UEQMU		13.49									
Loop	p Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
	p Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
CLE	C to CLEC Conversion Charge Without Outside Dispatch															
(UC	CL-ND)			UEQ	UREWO		14.27	7.43								1
UNBUNDLED EXCH	HANGE ACCESS LOOP											-				
2-WIRE ANA	ALOG VOICE GRADE LOOP															
2 W	fire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zon	ne 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
2 W	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zon	ne 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57				Ì		
2 W	/ire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
Zone	ne 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
2 W	/ire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
Zon	ne 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6 57						
2 W	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-													36	_	
Zone	ne 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
2 W	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zon			3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57	1					
	HANGE ACCESS LOOP															
	ALOG VOICE GRADE LOOP															
	/ire Analog Voice Grade Loop - Service Level 2 w/Loop or				100		1									
	und Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	/ire Analog Voice Grade Loop - Service Level 2 w/Loop or						1									P. C.
Grou	ound Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
	/ire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	und Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
	ler Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	/ire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	tery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12 01						
	/ire Analog Voice Grade Loop - Service Level 2 w/Reverse			specifical.		COURT STORY	2000	90000 1 2000								
	tery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12 01						
	/ire Analog Voice Grade Loop - Service Level 2 w/Reverse		1 7		100000	DATES COLAR	390 m 1 400 m 1 400 m 1							1		
	tery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	er Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	EC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
	p Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	ALOG VOICE GRADE LOOP															
	/ire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15		15.56						
	/ire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15		15.56						
	/ire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56				V		
	ler Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
CLE	C to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								

NRONDLED N	IETWORK ELEMENTS - Florida													ment: 2		ibit: A
									9		Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order v
1			0000000		0 0			# 185			per core	per Corc				
					1 1								Electronic-	Electronic-	Electronic-	Electroni
													1st	l'bbA	Disc 1st	Disc Add
			-				Nonrec	urring	Nonrecurring	Disconnect	-		000	Rates (\$)		
			-			Rec	First				COMEC	SOMAN		SOMAN	SOMAN	SOMAN
0.00000	DUDICITAL ODING LOOD				-		First	Add'l	First	Add'i	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	ON DIGITAL GRADE LOOP															
	Vire ISDN Digital Grade Loop - Zone 1		1	UDN	ป1L2X	19.28	147.69	94.41	62.23	10.71						
2-W	Vire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
2-W	Vire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
Ord	der Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
CLE	EC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
2-WIRE AS	YMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	OOP													
	Vire Unbundled ADSL Loop including manual service inquiry															_
	aculity reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	Vire Unbundled ADSL Loop including manual service inquiry		-	0,000	UNLEN	0.50	143.55	103.00	75.05	15.05						+
			2	1000	LIALOV	44.00	440.50	400.05	75.05	45.00						
	acility reservation - Zone 2		2	LIAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	Vire Unbundled ADSL Loop including manual service inquiry				3.00											
	acility reservation - Zone 3		3	DAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	der Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
2 W	Vire Unbundled ADSL Loop without manual service inquiry &														3	
faci	ility reservaton - Zone 1		1 1	LIAL	UAL2W	8.30	124.83	71.12	60 64	9.12						
2 W	Vire Unbundled ADSL Loop without manual service inquiry &															
	ility reservation - Zone 2		2	LIAL	UAL2W	11.80	124.83	71.12	60.64	9.12				i		
	Vire Unbundled ADSL Loop without manual service inquiry &		-	6114	UNLETT	11.00	124.00	7 1.12	00.04	0.12						+
			_	UAL	UAL2W	20.94	404.00	71.12	50.54	0.40	1					
	ility reservaton - Zone 3		3			20.94	124.83	71.12	60.64	9 12	1					-
	der Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	EC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39							1	
2-WIRE HIC	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE LO	OP								i					
2 W	Vire Unbundled HDSL Loop including manual service inquiry						1				1					
& fa	acility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		1				
	Vire Unbundled HDSL Loop including manual service inquiry															
	acility reservation - Zone 2	1	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63		1				
	Vire Unbundled HDSL Loop including manual service inquiry		-	0.12	OTILEX	10.20	103.03	110,41	70.00	10.00						_
	acility reservation - Zone 3		3	CHL	UHL2X	18.21	159.09	113.41	75.05	15.63				1		
			3			10.21		113.41	75.05	15.63						-
	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	Vire Unbundled HDSL Loop without manual service inquiry					//www.screen	25. 2. 1041	900 5332	V3245-0011							
	d facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
2 W	Vire Unbundled HDSL Loop without manual service inquiry															
and	facility reservation - Zone 2		2	LIHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
2 W	Vire Unbundled HDSL Loop without manual service inquiry															
	d facility reservation - Zone 3		3	1.3141	UHL2W	18.21	134.40	80.69	60.64	9.12						
	der Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.21	23 02	00.00	00.01	0.72						
	EC to CLEC Conversion Charge without outside dispatch	-	+	UHL	UREWO		86.12	40.39				_				+
			_	Urit	UREWU		86.12	40.39								-
	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP										<u> </u>			
	Vire Unbundled HDSL Loop including manual service inquiry				200000000000000000000000000000000000000	5795.00795.0	200700 00 00		1000000 00000							
	d facility reservation - Zone 1		1	LIHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
4-W	Vire Unbundled HDSL Loop including manual service inquiry															
and	d facility reservation - Zone 2		2	UHL	UHL4X	15.44	193 31	138.98	77.15	12.61	į.	1				
	Vire Unbundled HDSL Loop including manual service inquiry															
	facility reservation - Zone 3		3	DHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	der Coordination for Specified Conversion Time (per LSR)		-	LIHL	OCOSL	21.03	23.02	130.30	77.10	12.01					_	
	Vire Unbundled HDSL Loop without manual service inquiry	-		COAL	OCOSE		25.02									
		1		UHL	UHL4W	10.86	400.00	445 47	60.74	14.00				Į.		
	d facility reservation - Zone 1	_	1	UHL	UHL4VV	10.86	168.62	115.47	62.74	11.22	_					
	Vire Unbundled HDSL Loop without manual service inquiry			4.076	50000 0000			1982	12/2/2/2/2	92.92.000	1		1	I	1	
	d facility reservation - Zone 2		2	LIHL	UHL4W	15.44	168 62	115.47	62.74	11.22						
	Vire Unbundled HDSL Loop without manual service inquiry															
and	d facility reservation - Zone 3		3	UHL	UHL4W	27.39	168 62	115.47	62 74	11 22	1					
	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	EC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	1 DIGITAL LOOP				UNLING		00.12	-0.03			1					_
		_	1	USL	USLXX	70 74	313.75	181.48	61.22	13 53	-			-		
	Vire DS1 Digital Loop - Zone 1		-			100.54					-					
	Vire DS1 Digital Loop - Zone 2	-	2	USL	USLXX		313.75	181.48	61.22	13.53						-
14-\A	Vire DS1 Digital Loop - Zone 3	1	3	USL	USLXX	178.39	313 75 23.02	181 48	61.22	13.53						

MOUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	-	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
_	CLEC to CLEC Conversion Charge without outside dispatch	-	1	USL	UREWO		First 101 07	Add'I 43 04	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 WID	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			Ual	UKEWU		10107	43 04								
4-4411	4 Wire Unbundled Digital 19.2 Kbps	-	1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps	1	3	UOL	UDL19	55.99	161.56	108.85	67.08	15.56					-	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	LIDL	UDL56	31.56	161 56	108.85	67.08	15.56						
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02		000			t .				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ì	1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56		Í				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15 56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49 74								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63				•		
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9 00								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12				ļ		
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3.	3	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
	CLEC to CLEC Conversion Charge without outside dispatch		1											i		
	(UCL -Des)			UCL	UREWO		97.21	42.47								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry		l . I				200			10.00						
	and facility reservation - Zone 1		1	LICL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry			17.41												
_	and facility reservation - Zone 2		2	ncr	UCL4S	16.81	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry		_	1461												
_	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
_	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry		ا ہِ ا	1101	1 1101 1111	44.05	455.45	400 5-	0.00							
-	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry			uci	LICIAN	40.04	450.40	400.00	60.71	44.00						
-	and facility reservation - Zone 2	_	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4W UCLMC	29.82	9.00	9.00	62.74	11.22						
	CLEC to CLEC Conversion Charge without outside dispatch		 	UCL	UREWO		97.21	42.47							1	
P MODIF				UUL	SKEWO		91.21	42.47								-
, modif			\vdash	UAL. UHL. UCL,	 											
1				UEQ. ULS. UEA.			1									1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL. UEPSR.			1		Į I							
1	pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0 00								1
	Unbundled Loop Modification Removal of Load Colls - 4 Wire															
	tess than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L	1	0 00	0.00]				
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												1
	Unbundled Loop Modification Removal of Bridged Tap Removal.			UEANL. UEPSR,												1
	per unbundled loop			UEPSB	ULMBT		10.52	10.52								1
B-LOOPS	Charles St. A. C. C. C. C. C. C. C. C. C. C. C. C. C.													l		

MBOMPER	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
_		-				Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
Sub L	pop Distribution		_				FIISL	Add I	FIISL	Adul	SOMEC	JUNIAN	SUMAN	SOMAN	SOMAN	SUMAN
Sub-Li	Sub-Loop - Per Cross Box Location - CLEC Feetler Facility Set-								-							
	Up	1		UEANL	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6.25									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			CHEARN.	110000		400.05									
_	Facility Set-Up		-	UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			THE CAN					47.50	5.00						
$\overline{}$	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	1	LIEANL	USBN2	6.46	60.19	21.78	47.50	5.26					-	+
	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	LIEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	H. Carlotte and the second sec															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-1		UEANL	USBR2	3.96	51.84	13.44	47.50	5 26						-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	9.37	55.91	17.51	49.71	6 60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9 00								
_	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								+
	Loop Testing - Basic Additional Half Hour		_	UEANL	URETA		23.95	23.95								
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26					1	1
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26		į.				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
		7														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Countination for Habundle J Sub-Language			uce	LICOMO		0.00	0.00								
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		1	UEF	USBMC URET1		9.00 48.65	9.00 48.65								+
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour		1	UEF	URETA		23.95	23.95			-					+
Unbur	Idled Network Terminating Wire (UNTW)		-	MET	ONEIA		23.93	20.90	-							+
Jillian	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									—
Netwo	rk Interface Device (NID)		1				.5.52					-				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
	Network Interface Device (NID) - 1-6 lines	11/1		UENTW	UND16		113 89	89.07								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7 63								
IE OTHER, I	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation	\$- page		UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		-							
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL.UEF,UEQ,U ENTW	UNECN	0.00	0.00									

PINEONDE	D NETWORK ELEMENTS - Florida												200000000000000000000000000000000000000	ment: 2	10.0710000	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCLUDC.UDL.												
	Unbundled Contact Name, Provisioning Only - no rate		2	UDN,UEA UHL,USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			Committee of the commit	M 445-00-00000	20.75	M 9000									
	rate			UEA,UDN.UCL,UDC	USBFQ	0.00	0.00									
1	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		-		Hopen	0.00	0.00									
	Industrial Industrial			UEA,USL UCL,UDL	USBFR CCOSF	0.00	0.00								1	
	Unbundled DS1 Loop - Supername Format Option - no rate			L'SL.	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			201	OOOL.	0.00	0.00									
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366						
LOOP MAKE-						,										-
	Loop Makeup - Preordering Without Reservation, per working or spare facility gueried (Manual).			UMK	UMKLW		52 17	52.17							1	
	Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMIKLVV		52 17	52.17								
	queried (Manual).			LIMK	UMKLP		55.07	55 07	, ,						ł	
	Loop MakeupWith or Without Reservation, per working or			1001111	- Omitei		00.01									
	spare facility queried (Mechanized)			LIMK	UMKMQ	i	0.6784	0.6784			ļ					
INE SPLITTI																
	SPLITTING															
END U	ISER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21 28	19.57	9.61		_				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
MAINTENANU	E OF SERVICE The Expedite charge will be maintained commensurate with	DallCauth	's ECC	No 1 Tarill Coation	12 2 1	lianh/a										
NOTE	No Trouble Found - per 1/2 hour increments - Basic	l	SPUC	No.1 raini, Section	13.3.1 as app	псавте.	80.00	55.00	-					_		
	No Trouble Found - per 1/2 hour increments - Overtime	_					90.00	65.00						7,		-
	No Trouble Found - per 1/2 hour increments - Premium						100 00	75.00		_						
UNBUNDLED	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0091								6		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			on an Pool	575 C 755 C 755 C 755 C	Name and Spiritor										
	Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				1.5004				1						1	1
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			U1TVX	1L5XX	0.0091										
	Facility Termination	1		U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			UTIVA	UTIKZ	20.52	47.35	31.76	10.31	7.03					-	
	Per Mile per month			U1TVX	1L5XX	0.0091									i	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade					3.0001								_		
	- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile								1							
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month	I	I	U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		_													

	D NETWORK ELEMENTS - Florida										1	/		ment: 2	-	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)	*		The continue of the continue of the	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l
10 (0.0)						Rec	Nonrec		Nonrecurring		201150	2014411		Rates (\$)	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					10.000000	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			- 1,100	120701	0.0.										
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		_	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	month			U1TS1	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FIBER																
	Dark Fiber. Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	53.87										
l l	Dark Fiber. Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	26.85	751.34	193 88	356.21	230.11						_
	Dark Fiber, Four Fiber Strands, Per Roule Mile or Fraction					50.07	101.04	100 00	000.21	200.71						
VIRTUAL COL	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	53.87										
VIRTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
ENHANCED E	XTENDED LINK (EELs)			OLI CIT GET OB	1 2 120	0.02.0	0.22			1100						
	: The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combination	s provisioned	as ' Currently	Combined' Netv	ork Elements),					
2-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08								
	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
4-WIR																
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX UNCVX	UEAL4 UEAL4	26.84 47.62	127.59 127.59	60.54 60.54								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX UNCVX	UEAL4 UEAL4 1D1VG	26.84 47.62 1.38	127.59 127.59 10.07	60.54 60.54 7.08	42.79	2.81						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCVX UNCVX	UEAL4 UEAL4	26.84 47.62	127.59 127.59	60.54 60.54	42.79 42.79	2.81						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX UNCVX	UEAL4 UEAL4 1D1VG UDL56	26.84 47.62 1.38	127.59 127.59 10.07	60.54 60.54 7.08	42.79 42.79 42.79	2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		1 2	UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56	26.84 47.62 1.38 22.20 31.56	127.59 127.59 10.07 127.59 127.59	60.54 7.08 60.54 60.54	42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per menth E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	26.84 47.62 1.38 22.20 31.56 55.99 2.10	127.59 127.59 10.07 127.59 127.59 127.59 10.07	60.54 60.54 7.08 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10	127.59 127.59 10.07 127.59 127.59 127.59 10.07	60.54 60.54 7.08 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 15 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56	127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59	60.54 60.54 7.08 60.54 60.54 50.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3	UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99	127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59	60.54 7.08 60.54 60.54 60.54 7.08 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 15 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56	127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59	60.54 60.54 7.08 60.54 60.54 50.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3	UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10	127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59	60.54 7.08 60.54 60.54 60.54 7.08 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1 2 3 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 22.20	127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-64kbs) 16 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 1-SDN Loop in Combination - Zone 1 1-Wire ISDN Loop in Combination - Zone 1 1-Wire ISDN Loop in Combination - Zone 2 1-Wire ISDN Loop in Combination - Zone 2 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3		1 2 3	UNCVX UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL62 UDL62 UDL56 UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 27.40 48.62	127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	60.54 60.54 7.08 60.54 60.54 7.08 60.54 7.08 60.54 7.08 60.60 60.60 60.60	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Jone 3 OCU-DP COCI (data) - in combination - Zone 3 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN Loop in Combination - Zone 2 - Wire ISDN COCI (BRITE) - in combination - per month		1 2 3 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 22.20	127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN LOOp in Combination - Zone 3 2-were ISDN LOOP FOR USE IN A COMBINATION E DST DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 1D1DD UL64 1D1DD UL12X UL2X UL2X UL2X UC1CA	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.55 55.99 2.10 19.28 27.40 48.52 3.66	127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 10.07	60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08 60.60 60.60 60.60 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 16 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 15DN Loop in Combination - per month (2.4-64kbs) 15 ISDN LOOP FOR USE IN COMBINATION 12-Wire ISDN Loop in Combination - Zone 3 12-wire ISDN Loop in Combination - Zone 3 12-wire ISDN Loop in Combination - Zone 3 12-wire ISDN Loop in Combination - Zone 3 12-wire ISDN Loop in Combination - Zone 3 13-wire ISDN Loop in Combination - Zone 3 14-Wire ISDN Loop in Combination - Zone 3 15 IGITAL LOOP FOR USE IN A COMBINATION 14-Wire DS1 Digital Loop in Combination - Zone 1		1 2 3 3 1 2 3 3 1 1 2 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 21.00 48.62 3.66	127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59	60.54 60.54 7.08 60.54 60.54 7.08 60.54 7.08 60.54 7.08 60.60 60.60 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN LOOp in Combination - Zone 3 2-were ISDN LOOP FOR USE IN A COMBINATION E DST DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	UNCVX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 1D1DD UL64 1D1DD UL12X UL2X UL2X UL2X UC1CA	26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.55 55.99 2.10 19.28 27.40 48.52 3.66	127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 10.07	60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08 60.60 60.60 60.60 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						

INBONDLED	NETWORK ELEMENTS - Florida	_	_											ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	DMBINAT	ION												-	├──
	nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
	nteroffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAX	0.0091										
	ermination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53					1	
	OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION	0,1017	01172	20.02		02.00	-	2						
	nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per			6												
	Month			UNCVX	1L5XX	0.0091										
	nteroffice Transport - 4-wire VG - Dedicated - Facility															
	ermination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	EROFFICE TRANSPORT FOR COMBINATION										1					
	nteroffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.530	0.4050										
	er month hteroffice Transport - Dedicated - DS1 combination - Facility		-	UNC1X	1L5XX	0.1856									-	+
	ermination per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				i		
	EROFFICE TRANSPORT FOR USE IN A COMBINATION			GIVOTA	01111	00.44	174.40	122.40	40.01	17.50	_					_
	nteroffice Transport - Dedicated - DS3 combination - Per Mile								1							
	Per Month			UNC3X	1L5XX	3.87			i							
In	nteroffice Transport - Dedicated - DS3 - Facility Termination per															
	nonth			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	TEROFFICE TRANSPORT FOR USE IN COMBINATION		i													
	nteroffice Transport - Dedicated - STS-1 combination - Per Mile			2200												
	Per Month			UNCSX	1L5XX	3.87										
	nteroffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	4.050.00	314.45	130.88	38.60	18.23						
	ermination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISDODT	-	UNCSX	UTIFS	1,056.00	314.45	130.88	38.60	18.23	-					
	-wire 56 kbps Local Loop in combination - Zone 1	SPURI	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	-					+
	-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60 54	42.79	2.81				7		
In	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091										
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -			AC SIGNAL DATE		2007 2004	N. 40 2004	CALCO VALUE	100000	12000 10010	1					
	acility Termination per month			UNCDX	U1TD5	18 44	94.70	52.59	50.49	21.53						1
	54 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE IR		UNCDX	UDL64	22.20	127.59	60.54	42.79	2 81					1	-
	-wire 64 kbps Lcoal Loop in Combination - Zone 1 -wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54		2.81						
	-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54		2.81						†
	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -		1	0.132	10000	22.00										-
	Per Mile per month			UNCDX	1L5XX	0.0091										
Ir	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -															
	acility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	66 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT												1	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54		2.81						-
	4-wire 56 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL56 UDL56	31.56 55.99	127.59 127.59	60.54 60.54		2.81 2.81					1	-
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		-	UNCDA	UDLS6	33.39	121.59	00.34	42.19	2.01					1	+
	nonth			UNCDX	1L5XX	0.0091				1					1	
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility		t													
	ermination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54		2.81						
	4-wire 64 kbps Local Loop in combination - Zorie 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						-
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						1
	44-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										1
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility		_	UITODA	TLDAN.	0.0031										_
	ermination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						1
	ITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															1
	-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						

	D NETWORK ELEMENTS - Florida													ment: 2	Exhil	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Increment Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			11+1												
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility	ļ														
	Termination per month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month	_		UNC3X	1L5ND	12.558										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						
_	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility			LINGSY	LIATES	4.074.00		0.0.5	70.01	7- 6-						
0.70	Termination per month	ICOCOT	-	UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
515-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	NSPURI		1111001	41.5115	10.550										
_	STS-1 Local Lolp in combination - per mile per month	_		UNCSX	1L5ND	12.558	_									
ĺ	STS-1 Local Loop in combination - Facility Termination per			LINGEY	1101.04	490.59	220 2255	204 4045	450 0005	144.000						
	month			UNCSX	UDLS1	490.59	639.8255	394.4615	159.9995	111.366						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		}	LINGSY	41.5707	3.87										
				UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility					4.050.00	244.6									
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23	1					
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr										-				_	
	used as ordinarily combined network elements in All States, t					s is charge doe	S HOL.									
		Charma (
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge (0	One app		nation)											
Nonre			One app	UNCVX UNCDX,	nation)											
Nonre	Nonrecurring Currently Combined Network Elements Switch -As-		One app	UNCVX. UNCDX, UNC1X. UNC3X,			8 08	9.08	8.00	9.09						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG		One app	UNCVX UNCDX,	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-		One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX			8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG nal Features & Functions:		One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX	UNCCC											
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG		One app	UNCVX UNCDX, UNC1X. UNC3X, UNCSX U1TD1, ULDD1.UNC1X			8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	-	One app	UNCVX UNCDX, UNC1X. UNC3X, UNCSX U1TD1, ULDD1.UNC1X U1TD1,	UNCCC		0.00	0.00	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1		One app	UNCVX UNCDX, UNC1X. UNC3X, UNCSX U1TD1, ULDD1.UNC1X U1TD1, ULDD1,UNC1X	UNCCC							-				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG nat Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	1	One app	UNCVX UNCDX, UNC1X. UNC3X, UNCSX U1TD1, ULDD1.UNC1X U1TD1, ULDD1.UNC1X ULDD1, U1TD1,	UNCCC CCOEF CCOSF		0.00	0.00	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	-	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL	UNCCC		0.00	0.00	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nat Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3,	UNCCC CCOEF CCOSF NRCCC		0.00 0.00 184.92	0.00 0.00 23 82	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	1	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL	UNCCC CCOEF CCOSF		0.00	0.00	0.00	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS	1	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, U1DD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3	146 77	0.00 0.00 184.92 219.09	0.00 0.00 23 82 7.67	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nat Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month	1	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3,	UNCCC CCOEF CCOSF NRCCC	146.77	0.00 0.00 184.92	0.00 0.00 23 82	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	Эпе арр	UNCYX UNCDX, UNC1X UNC3X, UNC3X UNC3X, UNCSX U1TD1, U1TD1, U1D1 UNC1X U1TD1, U1D1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.92 219.09	0.00 0.00 23 82 7.67 71.62	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	1	Эпе арр	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, U1DD1, UNC1X U1TD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3	146.77	0.00 0.00 184.92 219.09	0.00 0.00 23 82 7.67	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	Эпе арр	UNCYX UNCDX, UNC1X UNC3X, UNC3X UNC3X, UNCSX U1TD1, U1TD1, U1D1 UNC1X U1TD1, U1D1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.92 219.09	0.00 0.00 23 82 7.67 71.62	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	1	Эпе арг	UNCVX UNCDX, UNC1X UNC3X, UNC3X UNC3X, UNC3X U1TD1, U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.10	0.00 0.00 184.92 219.09 101.42	0.00 0.00 23 82 7.67 71.62 7.08	0.00 0.00 2.07 0.773	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i l	Эпе арр	UNCYX UNCDX, UNC1X UNC3X, UNC3X UNC3X, UNCSX U1TD1, U1TD1, U1D1 UNC1X U1TD1, U1D1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.92 219.09	0.00 0.00 23 82 7.67 71.62	0.00	0.00 0.00 0.80						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	i l	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, USS, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.10	0.00 0.00 184.92 219.09 101.42 10.07	0.00 0.00 23 82 7.67 71.62 7.08	0.00 0.00 2.07 0.773	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	1	One app	UNCVX UNCDX, UNC1X UNC3X, UNC3X UNC3X, UNC3X U1TD1, U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.10	0.00 0.00 184.92 219.09 101.42	0.00 0.00 23 82 7.67 71.62 7.08	0.00 0.00 2.07 0.773	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	1 1 i	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, USS, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.10	0.00 0.00 184.92 219.09 101.42 10.07	0.00 0.00 23 82 7.67 71.62 7.08	0.00 0.00 2.07 0.773	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nat Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month if a Local Loop 2-wire ISDN COCI (GRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel	1 1 i	One app	UNCYX UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X U1TD3, ULDD3, UC3, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	2.10 2.10 3.66	0.00 0.00 184.92 219.09 101.42 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08	0.00 0.00 2.07 0.773	0.00 0.00 0.80 0.00						
Option	Nonrecurring Currently Combined Network Elements Swifch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	1 1 i	One app	UNCVX UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.10	0.00 0.00 184.92 219.09 101.42 10.07	0.00 0.00 23 82 7.67 71.62 7.08	0.00 0.00 2.07 0.773	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month	1 1 i	One app	UNCVX UNCDX, UNC1X UNC3X, UNC1X UNC3X UNCSX U1TD1, ULDD1 UNC1X U1TD1, ULDD1 UNC1X ULDD1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	2.10 2.10 3.66 3.66	0.00 0.00 184.92 219.09 101.42 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08	0.00 0.00 2.07 0.773	0.00 0.00 0.80 0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nat Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channel systsem - per month used for connection to a channel systsem - per month used for connection to a channel systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1 1 i	One app	UNCYX UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X U1TD3, ULDD3, UC3, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	2.10 2.10 3.66	0.00 0.00 184.92 219.09 101.42 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08	0.00 0.00 2.07 0.773	0.00 0.00 0.80 0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	1 1 i	One app	UNCVX UNCDX, UNC1X UNC3X, UNC1X UNC3X UNCSX U1TD1, ULDD1 UNC1X U1TD1, ULDD1 UNC1X ULDD1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	2.10 2.10 3.66 3.66	0.00 0.00 184.92 219.09 101.42 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08	0.00 0.00 2.07 0.773	0.00 0.00 0.80 0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1 1 i	One app	UNCVX UNCDX, UNC1X UNC3X, UNC1X UNC3X UNCSX U1TD1, ULDD1 UNC1X U1TD1, ULDD1 UNC1X ULDD1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA	2.10 2.10 3.66 3.66	0.00 0.00 184.92 219.09 101.42 10.07 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08 7.08	0.00 0.00 2.07 0.773	0.00 0.00 0.80 0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nat Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1 1 i	One app	UNCYX UNCDX, UNC1X UNC3X, UNC1X UNC3X, UNCSX UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X U	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	2.10 2.10 3.66 3.66 1.38	0.00 0.00 184.92 219.09 101.42 10.07 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08 7.08	0.00 0.00 2.07 0.773 0.00	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 1-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1 1 i	One app	UNCVX UNCDX, UNC1X UNC3X, UNC1X UNC3X, UNC1X U1TD1, U1TD1, U1DD1,UNC1X U1TD1, UNC1X USL U1TD3, ULDD3, US3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUB U1TUB UEA	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	2.10 2.10 3.66 3.66 1.38	0.00 0.00 184.92 219.09 101.42 10.07 10.07 10.07 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08 7.08 7.08 7.08 7.08	0.00 0.00 2.07 0.773 0.00 0.00	0.00 0.00 0.80 0.00 0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	1 1 i	One app	UNCVX UNCDX, UNC1X UNC3X, UNC1X UNC3X, UNC1X U1TD1, ULDD1 UNC1X U1TD1, ULDD1 UNC1X U1TD3, ULDD1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUB UITUB UITUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA UC1CA 1D1VG MQ3 MQ3 MQ3	2.10 2.10 3.66 3.66 1.38 1.38 211.19 211.19	0.00 0.00 184.92 219.09 101.42 10.07 10.07 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08 7.08 7.08 7.18 118.64 118.64	0.00 0.00 2.07 0.773 0.00 0.00	0.00						
Option	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 1-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop 1-wire Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1 1 i	One app	UNCVX UNCDX, UNC1X UNC3X, UNC1X UNC3X, UNC1X U1TD1, U1TD1, U1DD1,UNC1X U1TD1, UNC1X USL U1TD3, ULDD3, US3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUB U1TUB UEA	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	2.10 2.10 3.66 3.66 1.38	0.00 0.00 184.92 219.09 101.42 10.07 10.07 10.07 10.07 10.07	0.00 0.00 23 82 7.67 71.62 7.08 7.08 7.08 7.08 7.08 7.08	0.00 0.00 2.07 0.773 0.00 0.00	0.00 0.00 0.80 0.00 0.00						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1	1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
						USOC RATES (\$)					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
							RATES (\$)					• 10000 100000000	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Page 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	13 76	10.07	7.08	0 00	0.00						

UNBUNDLED N	IETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	1-4	7	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc	The state of the s	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USUC			RATES (S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						_							35-28-27		DISC ISI	DISC Add
						Rec	First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
					1											- COMPAR
	" shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically Dea	averaged UNE	Zones. To vie	ew Geographic	ally Deaverag	ed UNE Zone D	esignations	by Central	Office, refer t	o internet We	bsite:	
	/.interconnection.bellsouth.com/become_a_clec/html/inter	connection	n.htm								r					
	JPPORT SYSTEMS (OSS) - "REGIONAL RATES" CLEC should contact its contract negotiator if it prefers th	o "stato s	pocific	'OSS charges as or	dered by the S	tate Commiss	ione The OS	S charges our	onthi contains	d in this rate o	vhibit are th	no Boll South	"rogionat" c	onice orderin	a charace C	1 EC may
	r the state specific Commission ordered rates for the servi															
each of the		00 0100111	ig ona	ges, or octio may e	col the region	a service ora	iering enarge,	nowever, orre	b can not obta	in a mixture of	THE TWO IEE	juidicas ii o	220 1103 0 1111	eroo micenon	communication can	ibiianea iii
	Any element that can be ordered electronically will be bill	ed accord	ling to	the SOMEC rate liste	d in this cate	gory. Please r	refer to BellSo	uth's Local Or	dering Handbo	ok (LOH) to de	etermine if a	product ca	n be ordered	electronically	. For those e	lements the
	ordered electronically at present per the LOH, the listed S	OMEC rat	e in thi	s category reflects th	e charge that	would be bill	ed to a CLEC	once electroni	ordering cap	abilities come	on-line for t	hat element	Otherwise,	the manual o	rdering charg	e, SOMAN,
	olied to a CLECs bill when it submits an LSR to BellSouth.															
	SS - Electronic Service Order Charge, Per Local Service				20145				2120							
	quest (LSR) - UNE Only S - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
	SR) - WARUAI Service Urder Charge, Per Local Service Request				SOMAN		11.73	0.00	6.13	0.00						
	TE ADVANCEMENT CHARGE				0011044		11.73	0.00	3.13	3.00						
	e Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	5 as applicabl	e.							-			
					1, 1											
				UAL, UEANL, UCL.												
				UEF, UDC, UDF,												
				UEQ, UDL. UENTW,					1							
				UDN, UEA UHL.	1 1											
				ULC. USL, U1T12, U1T48, U1TD1.	1 1											
				U1TD3 U1TDX												
				U1TO3, U1TS1,								1				
				U1TVX, UC1BC,											1	
				UC1BL. LIC1CC.											[
				UC1CL, UC1DC.												
				UC1DL, UC1EC,												ĺ
				UC1EL, UC1FC, UC1FL, UC1GC,												
				UC1GL UC1HC.												
		1		UC1HL. UDL12.												
				UDL48, UDLO3,												
				UDLSX, UE3.												
				ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3. ULDS1, ULDVX,	1											
				UNC1X, UNC3X,											ł	
				UNCDX, UNCNX.										1		
				UNCSX. UNCVX,					1							
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
	IF F			UXTS1, U1TUC,	1											
C210	E Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB, U1TUA	SDASP		200.00		1							
UNBUNDI ED EXC	HANGE ACCESS LOOP			UTTUA	SUASP		200.00		-		 			 		
	IALOG VOICE GRADE LOOP					_										
	Vire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
	Vire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						
	Vire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
	Vire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61							
	Vire Analog Voice Grade Loop - Service Level 1- Zone 2 Vire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	15.85 31.97	40.02 40.02	9.99 9.99	5.61 5.61	1.72						
	bundled Miscellaneous Rate Element, Tag Loop at End User		3	OLAINE	UEAGL	31.9/	40.02	9.99	3.01	1./2	+					
	emise			UEANL	URETL		8.33	0.83								
Loo	pp Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	op Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								

	NETWORK ELEMENTS - Georgia												Attach	nment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
												Submitted		Charge -	Charge -	Charge
											Elec				Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Manually				
ATEGORI	RATE ELEMENTS	meim	Zone	DC3	0300			IOA 1 E3 (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
1													1st	Add'i	Disc 1st	Disc Add
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\overline{}$	CLEC to CLEC Conversion Charge Without Outside Dispatch						11101	ridu i	7,1101	7,4441	0020	00		- Committee	00,1111	00
				UEANL	UDEWO		15.75	8.92					1			
	(UVL-SL1)			UEANL	UREWO		15.75	8.92						-		
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			u - : 71901		1	*41 SEE	GPT CNC					1			
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
1 1	Manual Order Coordiantion for UVL-SL1s (per loop)	1		UEANL	UEAMC		18.92	18.92					1			
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)	1		UEANL	ocosl		57.79						1			
	UNBUNDLED COPPER LOOP - NON-DESIGNED			OGMITE	OCCUL		37.73									
												_	←			
	2 Wire Unbundled Copper Loop Non-Designed-Zone 1		-1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0 00						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00			1			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User										1					
	Premise		1	UEQ	URETL		8.33	0.83					1	1		
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	_		OLG	OKLIC		0.55	0.03					-			
				UEQ	USBMC		40.00	40.00			1	1	1	1		
	Non-Designed (per loop)			UEQ	DSBWC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for												1	1		
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30					1			1
1	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			ora -	OKEIX		13.02	13.02								
					LUDELLIO		44.05	7.40					1			
	(UCL-ND)			UEQ	UREWO		14.25	7.42								
	XCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
UNE Lo	op Rates for Line Splitting (In Ga. PSC ordered the line spli	tting loop	USOC	match the lower p	ort- loop com	bo rates UEPLX	0									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1		UEPSR LIEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1 28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i i	2	UEPSR LIEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (S£1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28	_					
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1		UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	L	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28			1			
BUNDLED E'	XCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				_											
				LUTA .	115410	44.57	70.05	24.05	40.00	7.07			1	1 '		1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or												1			
- /	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87			1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7 87	1		1	1		
	Order Coordination for Specified Conversion Time (per LSR)	1	- ŭ	UEA	OCOSL	00.00	57.79	24.00	10.52	7 07						
				ULA	OCCOSE		37.73							-		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										1		1			
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79 85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
_	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87			1	1	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			021	1021112	10.00	7 0.00	200	10.02	110				_		
			3	UEA	IJEAR2	33.08	70.05	24.65	40.00	7.87			1		Į.	
	Battery Signaling - Zone 3		3			33.06	79.85	24.00	18.92	7.07						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	ANALOG VOICE GRADE LOOP													1		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
\rightarrow	4-Wire Analog Voice Grade Loop - Zone 2	-		UEA	UEAL4	21.68	93.01	28.17	19.52	8.12		-				-
											-			+		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
4	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
- 4				UEA	UREWO		87 72	36.36					1			
	CLEC to CLEC Conversion Charge without outside dispatch															
(0.01	0.1.2.1.0											
2-WIRE	ISDN DIGITAL GRADE LOOP		1			21.80	180.06	35.25	18.23	6.97				5		
2-WIRE	ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
2-WIRE	ISDN DIGITAL GRADE LOOP		1 2 3			21.89 25.27 40.17	180.06 180.06 180.06	35.25 35.25 35.25	18.23 18.23 18.23	6.97 6.97 6.97						

NRONDLE	D NETWORK ELEMENTS - Georgia	,	,											ment: 2		bit: A
-									10.				Incremental	Incremental	Incremental	
			ì									Submitted	Charge -	Charge -	Charge -	Charge
				500							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USDC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
									T.N	Di					2.00 101	
						Rec	Nonrec		Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without guiside dispatch		-	UDN	UREWO		First 120.98	Add'I 33.04	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
2 14(10)	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	OOR	UDN	UKEWU		120.98	33.04						-		
2-9911	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	1006						-							
ł	& facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00				†	1	
_	2 Wire Unbundled ADSL Loop including martial service inquiry	-	+-'-	UAL	UALZA	11.23	44.09	31.33	0.00	0.00	_				_	
i	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00					Į.	
	2 Wire Unbundled ADSL Loop including manual service inquiry	-		UAL	UALZA	12.97	44.09	31,55	0.00	0.00						
1	& facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00					l	
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.62	57.79	31.55	0.00	0.00						
-			_	UAL	UCUSE		57.79									
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1			44.00	44.00	31.55	0.00	0.00				1		
_	facility reservation - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_	LIAI	LIAL SU	10.03		04.55		0.00			Į.			
-1	facility reservator - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00			1		-	-
	2 Wire Unbundled ADSL Loop without manual service inquiry &															ŀ
_	facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						-
_	Order Coordination for Specified Conversion Time (per LSR)		_	UAL	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		44.69	29.29								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry			and a section		0.0000000000000000000000000000000000000										
	& facility reservation - Zone 1	1	1	UHL	UHL2X	7.88	44 69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
1	and facility reservation - Zone 2	Ĭ.	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	l l	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		44.69	31.55								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00	1			1		
	4-Wire Unbundled HDSL Loop including manual service inquiry		1													
	and facility reservation - Zone 2	Ĭ.	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00				1		
	4-Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	T-	1		12.00		2,,,,,		2,100						
	and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00	l .					
-	Order Coordination for Specified Conversion Time (per LSR)	- Au	1	UHL	OCOSL		57.79	250		2,50						
	4-Wire Unbundled HDSL Loop without manual service inquiry		1													
	and facility reservation - Zone 1	1	1	UHL	UHL4W	10 39	44.69	31.55	0.00	0 00			1	1		
_	4-Wire Unbundled HDSL Loop without manual service inquiry	-	1	0	3112111	10 00		01.00	0.00	2 00						
	and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00			1	1	1	
	4-Wire Unbundled HDSL Loop without manual service inquiry			-	J. IL.	.2.00	44.00	01.00	0.00	\$.00						
	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL	15.07	57.79	51.55	0.00	0.00			-			
_	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		44.69	31.55	 				_	 		_
4.WID	E DS1 DIGITAL LOOP		+	U. 16	0,12,10			31.33						 	-	
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20					-	-
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	46.41	211 93	72.49		7.20						
-	4-Wire DS1 Digital Loop - Zone 2		3	USL	USLXX	62.03	211.93	72.49		7.20				-		
_	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	USL	OCOSL	UZ.03	57.79	12.45	50.24	, .20						
_	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97		-				-		-
A_WID	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		+	1002	DIVENTO		100.51	72.37	 		—					
AAIK	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20				_		_
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00		7.20						
				IUDL				37.00	1 10.02	1.20				1	1	I and a second

ONBON	ADLEL	NETWORK ELEMENTS - Georgia	_									Constant of the Constant of th			ment: 2		bit: A
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						+ -	-22	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37 00		7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196,66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	195.66	37.00	18.82	7.20					1	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual									200 10000						
		service inquiry & facility reservation - Zone 1	, I	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0 00						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	1	18.92	18.92								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	Ī	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00	1					
-		2-Wire Unbundled Copper Loop-Designed without manual										Į.					
		service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00	Ĭ					.i
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92			1					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without putside dispatch										1					
		(UCL-Des)			UCL	UREWO		44.69	31.55								
4		COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry					ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 20 ALCO 2	PARAMETER 1777-15		MANUFACE .	900000000						
		and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry				2000 CO	200000000000000000000000000000000000000	55300 - 511ma		100,000	500 2000						
		and facility reservation - Zone 2	T	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry				weeks and a second	** _ (*********************************	2737.5420		27 (16)	**** ******						
		and facility reservation - Zone 3	I	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		4-Wire Copper Loop-Designed without manual service inquiry				TO THE SAME AND THE SAME	200000000000000000000000000000000000000			torrare .							
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16 65	44 69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry			1101		00.55		24.55	1							
		and facility reservation - Zone 3	J	3	UCL	UCL4W	30.55	44 69	31.55	0.00	0.00	<u> </u>					
_		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC UREWO		18.92	18.92	_							
LOOP M		CLEC to CLEC conversion Charge without outside dispatch	1	-	UCL	UKEWO		44.69	31 55								
LOOP M	ODIFIC	ATION		-	UAL, UHL, UCL.											-	-
			1		UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR.										1		
		pair less than or equal to 18k ft, per Unbundled Loop	1 1		UEPSB	ULM2L		0.00	0 00	1					1		1
		Unbundled Loop Modification Removal of Load Coils - 4 Wire			ULFOB	ULIVIZE		0.00	0 00						-		
1		less than or equal to 18K ft. per Unbundled Loop	Li		UHL, UCL. UEA	ULM4L		0.00	0.00							1	1
-		less than of equal to Tok It. per offoundied 2000p	- '		UAL, UHL UCL.	OLIVIAL		0.00	0.00							_	
					UEQ, ULS. UEA.			1								1	1
- 1		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.	1 1										1	1
		per Unbundled Loop		1	UEPSB	ULMBT		17.91								1	i
SUB-LOC		por onconored coop			52. 55	S B VID		17.31									
		op Distribution				1 1							-				-
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				+ +	-										t —
- 1		Up			UEANL	USBSA	1	255.76							1		1

111001	ADEC	D NETWORK ELEMENTS - Georgia												XIII COMMON	ment: 2		bit: A
ATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																i	
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up			UEANL	USBSC		175.09								_	
		Sub-Loop - Per Building Equipmert Room - Per 25 Pair Panel Set-Up		į	UEANL	USBSD		51.61									ļ
-		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		-	UEANL	USBSD		51.61									
1		and Spare Loop Activation		1	UEANL	USBRC	3.61	28.46	3.85	2.20	0.01]			1
-		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			VEANL.	USBRC	3.01	20.40	3.00	2.20	0.01						
		and Spare Loop Activation		1	UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			007.1112	CODING	1.01	01.01	1110	2.27	0.01						
		Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2 20	0.01			!	1		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					7.00				2.21						
		Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01					1	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	19.51	28.46	3 85	2.20	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		-1	UEANL	USBN4	5.93	31.07	4 79	2.27	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
-		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		16	100	m100m200m +4 m	80 484	e 0.45									
		Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0 01						
						l I		1				1					i
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
_		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
		Only Condition to the pull S. L. 1999 and L. 1999			UEANL	LICELAG		40.00	40.00								
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1	-	UEANL	USBMC USBR4	7.67	18.92 31.07	18.92 4.79	2.27	0.01						
		Sub-Loop 4-Wile intrabuliding Network Capie (INC)	- '		UEANL	USBR4	1.01	31.07	4.79	2.21	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12			-				-	
		Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		13.62	13.62			-	-			1	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3 85	2.20	0.01						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ì		UEF	UCS2X	9.22	28.46	3.85	2 20	0.01		,				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
								274-704-7020 - 1-1									
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
_		Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								
	1-1	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
	unbun	dled Network Terminating Wire (UNTW)			LIENCE A	LIENDS	0.000	05.45	10.00			1					
	lab	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28	_							_
	Networ	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines	_	_	UENTW	UND12		32.86	20.69			1		-		1	_
\rightarrow		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	+	-	UENTW	UND12 UND16		56.03	43.86					-	_		
-		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	-		UENTW	UNDC2		2.45	2.45								
		Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC4		2.45	2.45	_							
LINE OT	HER C	PROVISIONING ONLY - NO RATE			OLITIV	014004		2.43	2.43						-		_
J.1L 011	, F	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							-		
-+		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							-		
	_	order of Education High Transferred Stray - No Note			UEANL, UEF, UEQ, U		0.50	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00							1		
	UED D	PROVISIONING ONLY - NO RATE					0.00	0.00							_		

UNBUNDLE	D NETWORK ELEMENTS - Georgia				1									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim							Submitted S Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l		
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
				UAL,UCL UDC,UDL.												
	Unbundled Contact Name, Provisioning Only - no rate			UDN, UEA. UHL, USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN.UCL.UDC	LISBEO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL.UCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP			UGL	COOEF	0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.97										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per						2,010.2145	131.003	123.0403	07.202						
	month			UDLSX	1L5ND	10.97										-
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		1	UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262						
OOP MAKE-	UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	Loop Makeup - Preordering With Reservation, per spare facility			UMIK	UNIKLVV		15.19	15.19								
	queried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ	ė	0.82	0.82								
INE SPLITTI				O.I.I.	Sirii (iriq		0.02	0.02								
	SPLITTING															
END L	ISER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
	CE OF SERVICE	D-11C4L	'- FCC	No 4 Tariff Continu	12 2 1	-1161-					-					
NOTE	: The Expedite charge will be maintained commensurate with No Trouble Found - per 1/2 hour increments - Basic	BeirSouth	SPUC	No. 1 Jarin, Section	13.3.1 as ap	рпсавіе.	80.00	55.00								
-	No Trouble Found - per 1/2 hour increments - Desic						90.00	65.00		-	-					
	No Trouble Found - per 1/2 hour increments - Premium	_					100.00	75.00								
NBUNDLED	DEDICATED TRANSPORT						100.00	70.00			 					
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			UITVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transpor 1- 2-Wire Voice Grade			OTIVA	01172	12.07	40.40	15.45	10.36	3.00						
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination	1		U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -								10.00	3.00						
_	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0057			_							-
	- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0057										
_	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILSAA	0.0057										\vdash
	Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0057										
	per month Interoffice Channel - Dedicated Transport - 64 khps - Facility		 	01104	ILJAA	0.005/						_				-
1	Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						

	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			1								Elec					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								
CATEGORY	RAIE ELEMENTS	intenin	Zone	BUS	USUC			KATES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						<u> </u>		0.00								
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				80 100		1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			600-60												
	month			U1TD1	1L5XX	0.1154										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21 73						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	2.53									1]
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	OTTES.	120701	2.00		-								
				U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
	Termination per month	_		01103	01115	342.02	320.47	86.32	00.77	32.01						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				an exercis						1					
	month		-	U1TS1	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			Circ												
	Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			Toesection .												
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	46.84	i									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					10.04										
	Thereof per month - Interoffice Channel	3		UDF, UDFCX	1L5DF	23.29							1		1	
-		1		UDF, UDFCX	UDF14	23.29	1,776.53	89.75	73.64	18.70						
	NRC Dark Fiber - Interoffice Channel			UDF, ULF UX	UDF 14		1,776.53	89.75	73.04	10.70						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										
VIRTUAL COI	LLOCATION														1	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	i i														
	Splitting	ţ	ļ	UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00					1	
PHYSICAL CO			1													
111010112 01	Physical Collocation-2 Wire Cross Connects (Loop) for Line	 													1	
	Solitting	1		UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
ENULANCED E		1	-	ULPSK ULPSB	FEILS	0.0197	0.00	0.00								
	XTENDED LINK (EELs)			2.1.1.1.01	711 4 1	4 IIIIF								1	f.	
	: The monthly recurring and non-recurring charges below will	apply and	i the Sy													
NOTE	. The second the control of the Control of the Control of the cont															
	: The monthly recurring and the Switch-As-Is Charge and not															
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION		curring	charges below wil	apply for UN	VE combination	s provisioned	as ' Currently (Combined' Net	vork Elements						
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1		curring 1	charges below will UNCVX	UEAL2	VE combination	s provisioned 195.94	as ' Currently (Combined' Net 18.42	vork Elements 6.86						
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2		curring 1 2	UNCVX UNCVX	UEAL2 UEAL2	11.57 16.95	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1		curring 1	charges below will UNCVX	UEAL2	VE combination	s provisioned 195.94	as ' Currently (18.42 18.42 18.42	6.86 6.86 6.86		1				
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2		curring 1 2	UNCVX UNCVX	UEAL2 UEAL2	11.57 16.95	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86				-		
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month		curring 1 2	UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2	11.57 16.95 33.08	195.94 195.94 195.94	36.38 36.38 36.38	18.42 18.42 18.42	6.86 6.86 6.86						
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION		1 2 3	UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG	11.57 16.95 33.08 0.4689	195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 36.38 2.90	18.42 18.42 18.42 18.42 16.86	6.86 6.86 6.86 1.04						
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month EV VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG	11.57 16.95 33.08 0.4689	195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 36.38 2.90	18.42 18.42 18.42 18.42 16.86	6.86 6.86 6.86 1.04						
2-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2		1 2 3 1 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68	195.94 195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42	6.86 6.86 6.86 1.04 6.86						
2-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month REVOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4	NE combination 11.57 16.95 33.08 0.4689 17.80 21.68 30.25	195.94 195.94 195.94 195.94 27.33 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86						
2-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month		1 2 3 1 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68	195.94 195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42	6.86 6.86 6.86 1.04 6.86						
2-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 1 2 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689	195.94 195.94 195.94 27.33 195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 1.04						
2-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 2-56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56KDPS Digital Grade Loop in Combination - Zone 1		1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL6 UEAL6 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42 16.86 18.42 18.42 16.86	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86						
2-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8-VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1 2 3 1 2 3 1 2 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL6 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04						
2-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 2-56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56KDPS Digital Grade Loop in Combination - Zone 1		1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL6 UEAL6 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42 16.86 18.42 18.42 16.86	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04						
2-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8-VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1 2 3 1 2 3 1 2 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL6 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		1 2 3 1 2 3 1 2 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 21.86 28.36 28.36	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 18.84 18.84 18.84 18.84 18.84	6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 1 2 3 1 2 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 28.36 38.22 0.9963	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 18.84 18.84 18.84 18.84 18.84	6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 2 1 1 2 1 1 1 2 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38	18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86						
4-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire S6KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56KBpS Digital Grade Loop in Combination - Zone 1 4-Wire 56KBpS Digital Grade Loop in Combination - Zone 2 4-Wire 56KBpS Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64KBpS Digital Grade Loop in Combination - Zone 3 OCU-DF COCI (data) per month (2.4-64kbs) 4-Wire 64KBpS Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.95 27.33 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
2-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 2 1 1 2 1 1 1 2 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2	11.57 16.95 33.08 0.4689 21.68 30.25 0.4689 21.86 30.25 0.4689 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 16.86 18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Sefkops Digital Grade Loop in Combination - Zone 1 4-Wire Sefkops Digital Grade Loop in Combination - Zone 2 4-Wire Sefkops Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.95 27.33 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
4-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 85 66 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 2.90	18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire SekSps Digital Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 1		1 2 3 3 1 2 3 3 1 2 3 3 1 1 2 3 3 1 1 2 1 2	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	Japply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL5	11.57 16.95 33.08 0.4689 21.68 30.25 0.4689 21.86 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 2.90	18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 85 66 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 28.36 28.36 28.36 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 1.04 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire SekSps Digital Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 1		1 2 3 3 1 2 3 3 1 2 3 3 1 1 2 3 3 1 1 2 1 2	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	Japply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL5	11.57 16.95 33.08 0.4689 21.68 30.25 0.4689 21.86 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 4 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) in combination - per month (2.4-64kbs) 8E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1		1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 28.36 28.36 28.36 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 27.33	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 1.04 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIR 4-WIR 4-WIR	RE VOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire Sékbps Digital Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire 56kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 2 4-Wire 64kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (Gata) - in combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64	11.57 16.95 33.08 17.80 21.68 30.25 0.4689 21.68 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 28.36 48.36	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
4-WIR 4-WIR 4-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 8- 66 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 66Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8- 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - ger month (2.4-64kbs) RE ISON LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN LOOP FOR USE IN A COMBINATION		1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	Japply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL64 UDL6	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 28.36 28.36 28.36 29.63 38.22 0.9963	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
4-WIR 4-WIR 4-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 85 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 0-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 5 2-Wire ISDN Loop in Combination - Zone 1		1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 3 3 1 1 1 2 3 3 1 1 1 2 1 3 3 1 1 1 2 1 3 3 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX UNCNX UNCNX UNCNX UNCNX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56	11.57 16.95 33.08 17.80 21.68 30.25 0.4689 21.68 23.86 28.36 28.36 28.36 28.36 28.36 28.36 28.36 42.17 1.66	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 27.33	36.38 70.44	18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
4-WIR 4-WIR 4-WIR	REVOICE GRÂDE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 8- 66 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 66Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8- 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - ger month (2.4-64kbs) RE ISON LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN LOOP FOR USE IN A COMBINATION		1 1 2 3 3 1 1 3 3 1 3 1 3 3 1 1 3 3 1 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 3 3 3 1 3 3 3 3 1 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	Japply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL64 UDL6	11.57 16.95 33.08 0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 28.36 28.36 28.36 29.63 38.22 0.9963	195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 16.86 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						

NUBUNDEF	D NETWORK ELEMENTS - Georgia										1			ment: 2	0.00.000	bit: A
CATEGORY	RATE ÉLEMENTS	Interim	Zone	8CS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			-		_		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ON				THOU	Addi	11131	Auu	SOMEO	JOINAIN	SOMAN	SOMAN	30111711	JOMAN
- 11.11	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0057								i i	1	
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60					1	
4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ON		_						1					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			and the second s	G Ph. Daving Dillowin	25 60000000000										
	Month		<u> </u>	UNC/X	1L5XX	0.0057										
	Interoffice Transport - 4-wire VG - Dedicated - Facility	1					20000000			20.22					İ	
20411	Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION										+					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154			1							
_	Interoffice Transport - Dedicated - DS1 combination - Facility		ļ —	UNCIX	ILSAA	0.1154					+					-
	Termination per month		}	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1					
DS3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION			ONO IN	01117	54.15	01.70	43.10	45.50	21.07	+					
,,,,	Interoffice Transport - Dedicated - DS3 combination - Per Mile										+					
	Per Month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month	ł		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88					ĺ	
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile										•					
	Per Month			UNCSX	1L5XX	2.53									1	
	Interoffice Transport - Dedicated - STS-1 combination - Facility								1	28						
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT			110150	0.00	105.01		40.40							
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86					_	
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56 UDL56	28.36 38.22	195.94 195.94	36.38 36.38		6.86 6.86						
_	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCUX	UDLS6	30.22	195.94	30.30	10.42	0.00	+					
	Per Mile per month		l	UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			DIVEDA	120701	0.0001	-				1					
	Facility Termination per month	1	l	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60	,					1
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	1					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			KCOHNA VIII WASHI	STORY OF STREET	W. 1804 (1904)										
	Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		ļ	**************************************				200	90 90	2200					l .	
	Facility Termination per month		1	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	-					
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E IRANS		LINCOV	1101.50	24.00	195.94	20.20	40.40	6.00						-
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86 28.36	195.94	36.38	18.42 18.42	6.86 6.86						1
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56 UDL56	38.22	195.94	36.38 36.38		6.86						1
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		1 3	DIVCDA	100130	30.22	193.94	30.36	10.42	0.00	1					
	month			UNCDX	1L5XX	0.0057			1							
-	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			DIVODA	120/01	0.000.					1					
	Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27,60	1					
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38		6.86	k					
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1	l													
	month			UNCDX	1L5XX	0.0057					1					
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINGSY	LIATOS	* *-										
DC1 2:	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	-					-
0.1S1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	I	I						1 1	1	1		I .		1	1

	ETWORK ELEMENTS - Georgia													ment: 2		bit: A
GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		,				Nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
4-Wi	ire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6 86						
4-Wi	ire DS1 Digital Loop in Combination - Zone 3	ĺ	3	UNC1X	USLXX	62.03	209 45	70.44	37.91	6.86						
Inter	roffice Transport - Dedicated - DS1 combination - Per Mile															
perr	month			UNC1X	1L5XX	0.1154										
	roffice Transport - Dedicated - DS1 combination - Facility															
	nination per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	L LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT.	_	0110111	011.71	01.10	07.70	40.70	40.00	27.07						
	Local Loop in combination - per mile per month	JK1	-	UNC3X	1L5ND	12.6155	—									
033	Local Loop in combination - per mile per month			UNCSA	ILDINU	12.0155										
		ì													l i	i
	Local Loop in combination - Facility Termination per month		-	UNC3X	UE3PX	291.387	2.016.2145	151.685	129.8465	87.262	_					-
	roffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53	ļ									
	roffice Transport - Dedicated - DS3 combination - Facility			o wallows.												
	nination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	TAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT														
STS	-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.6155										
	-1 Local Loop in combination - Facility Termination per			7												
mon				UNCSX	UDLS1	351.233	2.016.2145	151.685	129.8465	87.262						
	roffice Transport - Dedicated - STS-1 combination - per mile				1	00200	210.1012.140		.20.0.00	J LUL						
	month			UNCSX	1L5XX	2.53										
	roffice Transport - Dedicated - STS-1 combination - Facility		_	UNCOX	ILJAA	2.33										
				LINIORY	LIATES	050.07	205.04	77.07	40.50	20.00						
	mination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	/ORK ELEMENTS as a part of a currently combined facility, the non-recurr		1													
I TTHE II WARU																
	as ordinarily combined network elements in All States, to			lies to each combin	nation)											1
	ng Currently Combined Network Elements "Switch As Is"			lies to each combin	nation)											
Nonrecurrin	g Currently Combined Network Elements "Switch As Is"	Charge (UNCVX. UNCDX.	nation)											
Nonrecurrin Nonr	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As-	Charge (UNCVX. UNCDX. UNC1X. UNC3X,			5.70	5.70	6.61	6.61						
Nonrecurrin Nonr Is Ch	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge	Charge (UNCVX. UNCDX.	unccc		5.70	5.70	6.61	6.61						
Nonrecurrin Nonr Is Ch	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As-	Charge (UNCVX. UNCDX. UNC1X. UNC3X, UNCSX			5.70	5.70	6.61	6.61						
Nonrecurrin Nonr Is Ch Optional Fe	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge latures & Functions:	Charge (0		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX	UNCCC											
Nonrecurrin Nonr Is Ch Optional Fe	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge	Charge (UNCVX. UNCDX. UNC1X. UNC3X, UNCSX U1TD1, ULDD1,UNC1X			5.70	5.70	6.61	6.61						
Nonrecurrin Nonr Is Ch Optional Fe	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge atures & Functions: or Channel Capability Extended Frame Option - per DS1	Charge (0		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1,	UNCCC		0 00	0.00	0.00	0 00		_				
Nonrecurrin Nonr Is Ch Optional Fe	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge latures & Functions:	Charge (0		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX U1TD1, ULDD1,UNC1X	UNCCC							_				
Nonrecurrin Nonr Is Ch Optional Fe	ng Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge atures & Functions: or Channel Capability Extended Frame Option - per DS1	Charge (C		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1,	UNCCC		0 00	0.00	0.00	0 00						
Nonrecurrin Nonrecurrin Is Ch Optional Fe: Clea Clea Clea	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge ratures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent	Charge (C		UNCVX. UNCDX. UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X	UNCCC CCOEF CCOSF		0.00	0.00	0.00	0.00		_				
Nonrecurrin Nonrecurrin Is Ch Optional Fe: Clea Clea Clea	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge ratures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1	Charge (C		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,U1TD1, UNC1X. USL	UNCCC		0 00	0.00	0.00	0 00						
Nonrecurrin Nonris CF Optional Fe: Clea Clea Activ	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge ratures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent wity - per DS1	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X	UNCCC CCOEF CCOSF NRCCC		0 00 0.00 184.62	0.00 0 00 23.78	0.00 0.00 2.03	0 00 0.00 0.79						
Nonrecurrin Nonrils Ch Optional Fer Clea Clea Clea Clea Colea	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge ratures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent wity - per DS1 t Parity Option - Subsequent Activity - per DS3	Charge (C		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,U1TD1, UNC1X. USL	UNCCC CCOEF CCOSF		0.00	0.00	0.00	0.00						
Nonrecurrin Nons Is CF Optional Fe: Clea Clea Clea Activ C-bit	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge rechange Services Frame Option - per DS1 ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent wity - per DS1 I Parity Option - Subsequent Activity - per DS3 KERS	Charge (C		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X. USL U1TD3, ULDD3. UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3	60.75	0 00 0.00 184.62 218.74	0.00 0 00 23.78	0.00 0.00 2.03	0 00 0.00 0.79						
Nonrecurrin Nonrecurrin Nonrecurrin Clea Clea Activ C-bit MULTIPLEX DS1	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge ratures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent wity - per DS1 t Parity Option - Subsequent Activity - per DS3 (CERS) to DS0 Channel System per month	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X	UNCCC CCOEF CCOSF NRCCC	69.75	0 00 0.00 184.62	0.00 0 00 23.78	0.00 0.00 2.03	0 00 0.00 0.79						
Nonrecurrin Nonnis Ch Optional Fe: Clea Clea Clea Activ C-bit MULTIPLEX DS1 OCU	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge atures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent wity - per DS1 t Parity Option - Subsequent Activity - per DS3 (ERS to DS0 Channel System per month) - DP COCI (data) - DS1 to DS0 Channel System - per	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3,ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0 00 0.00 184.62 218.74 86.10	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
Nonrecurrin Nonin Is Ch Optional Fe: Clea Clea Activ C-bit MULTIPLEX DS1 OCU	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge returnes & Functions: or Channel Capability Extended Frame Option - per DS1 or Channel Capability Super FrameOption - per DS1 or Channel Capability (SF/ESF) Option - Subsequent ority - per DS1 It Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop	Charge (C		UNCVX. UNCDX. UNC1X. UNC3X, UNCSX. U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X. USL U1TD3, ULDD3. UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3	69.75	0 00 0.00 184.62 218.74	0.00 0 00 23.78	0.00 0.00 2.03	0 00 0.00 0.79						
Nonrecurrin Nont Is Ch Optional Fe: Clea Clea Activ C-bit MULTIPLEX DS1 OCU mon	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge artures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent virty - per DS1 1 Parity Option - Subsequent Activity - per DS3 (EERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per tith (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3,ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0 00 0.00 184.62 218.74 86.10	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
Nonrecurrin Nonnecurrin Is CH Optional Fe: Clea Clea Clea Activ C-bit MULTIPLEX OCL mon OCL	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge returnes & Functions: or Channel Capability Extended Frame Option - per DS1 or Channel Capability Super FrameOption - per DS1 or Channel Capability (SF/ESF) Option - Subsequent ority - per DS1 It Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3,ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0 00 0.00 184.62 218.74 86.10	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
Nonrecurrin Nonnecurrin School Clea Clea Clea Clea Clea Clea Clea Clea	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge artures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent virty - per DS1 1 Parity Option - Subsequent Activity - per DS3 (EERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per tith (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3,ULDD3, UE3, UNC3X	UNCCC CCOEF CCOSF NRCCC NRCC3		0 00 0.00 184.62 218.74 86.10	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
Nonrecurrin Nonrecurrin Nont is Cit Schiller Clea Clea Clea Clea Clea Cobit MULTIPLEX MOLTIPLEX MON OCL MON Loca	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge returnes & Functions: or Channel Capability Extended Frame Option - per DS1 or Channel Capability Super FrameOption - per DS1 or Channel Capability (SF/ESF) Option - Subsequent ority - per DS1 t Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 all Channel in the same SWC as collocation	Charge (G		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3,UDD3, UT103,UDD3, UNC1X UNC1X	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0 00 0.00 184.62 218.74 86.10	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0 00 0.00 0.79 0.00						
Nonrecurrin Nonrecurrin Is Ch Optional Fe. Clea Clea Clea Activ C-bit OCC. mon OCC. mon Loca 2-wir	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge artures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent virty - per DS1 1 Parity Option - Subsequent Activity - per DS3 (ERS) to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per tith (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per tith (2.4-64kbs) used for connection to a channelized DS1 al channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	Charge (G		UNCVX. UNCDX. UNC3X, UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UNC1X, USL UTTO3, ULDD3, UE3, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963 0.9963	0 00 0.00 184.62 218.74 86.10 11.98	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
Nonrecurrin Noninis Ch Optional Fe: Clea Clea Clea Clea Chit C-bit OCL mon OCL mon Loca 2-wire mon mon	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge atures & Functions: or Channel Capability Extended Frame Option - per DS1 are Channel Capability Super FrameOption - per DS1 are Channel Capability (SF/ESF) Option - Subsequent vity - per DS1 It Parity Option - Subsequent Activity - per DS3 (ERS to DS0 Channel System per month) JOP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop JOP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 al Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3,UDD3, UT103,UDD3, UNC1X UNC1X	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0 00 0.00 184.62 218.74 86.10	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0 00 0.00 0.79 0.00						
Nonrecurrin Nontic Clea Clea Clea Clea Clea Clea Cobin MULTIPLEX DS1 OCU mon Loca 2-wimn 2-wim 2	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -As- harge returnes & Functions: or Channel Capability Extended Frame Option - per DS1 or Channel Capability Super FrameOption - per DS1 or Channel Capability (SF/ESF) Option - per DS1 or Channel Capability (SF/ESF) Option - Subsequent ority - per DS1 t Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 al Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UNC1X, USL UTTO3, ULDD3, UE3, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963 0.9963	0 00 0.00 184.62 218.74 86.10 11.98	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
Nonrecurrin Nonrecurrin Is CH Is CH Clea Clea Clea Activ C-bit OCC mon Loca 2-wir mon 2-wir moni	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge recurring Currently Combined Network Elements Switch -Asharge rechange (Switch - Asharge - As	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UNC1X, USL UNC1X UDL UTT03, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0 00 0.00 184.62 218.74 86.10 11.98 11.98	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
Nonrecurrin Noninis Cica Cica Cica Cica Cica Cica Cica Cica	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge atures & Functions: or Channel Capability Extended Frame Option - per DS1 are Channel Capability Super FrameOption - per DS1 are Channel Capability (SF/ESF) Option - Subsequent vity - per DS1 It Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month JDP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop JDP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 all Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channel system - per th used for connection to a channel system - per th used for connection to a channel system - per th used for connection to a channel system - per th used for connection to a channel system - per th used for connection to a channel system - per th used for connection to a channel system - per th used for connection to a channel system - per the same SWC as collocation	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UNC1X, USL UTTO3, ULDD3, UE3, UNC3X UNC1X UDL	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963 0.9963	0 00 0.00 184.62 218.74 86.10 11.98	0.00 0 00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
Nonrecurrin Nonin Is Ch Optional Fe: Clea Clea Clea Activ C-bit MULTIPLEX DS1 OCU mon Loca 2-wir moni in thi Voice	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge ratures & Functions: or Channel Capability Extended Frame Option - per DS1 or Channel Capability Super FrameOption - per DS1 or Channel Capability (SF/ESF) Option - Subsequent with per DS1 the Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 all Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel re same SWC as collocation	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UC3X, ULDD3, UC3X, UNC1X UDL U1TUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0 00 0.00 184.62 218.74 86.10 11.98 11 98 15.81	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
Nonrecurrin Nont Is Ch Optional Fe: Clea Clea Clea Activ MULTIPLEX OCU mon Loca 2-wir mon in th Voice used	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge returning Currently Combined Network Elements Switch - Asharge returned Structures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent virty - per DS1 to Channel Capability (SF/ESF) Option - Subsequent virty - per DS3 (ERS to DS0 Channel System per month) J-DP COCI (data) - DS1 to DS0 Channel System - per thth (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per thth (2.4-64kbs) used for connection to a channelized DS1 al Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel es same SWC as collocation re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UNC1X, USL UNC1X UDL UTT03, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0 00 0.00 184.62 218.74 86.10 11.98 11.98	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
Nonrecurrin Nonrecurrin Is Che Clea Clea Clea Clea Activ C-bit MULTIPLEX DS1 OCL mon OCL mon 2-wir mon in the Voice used	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge atures & Functions: or Channel Capability Extended Frame Option - per DS1 are Channel Capability Super FrameOption - per DS1 are Channel Capability (SF/ESF) Option - Subsequent vity - per DS1 It Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month JDP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop JDP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 all Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel se same SWC as collocation re Grade COCI - DS1 to DS0 Channel System - per month dror a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month dror a Local L	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UC3X, ULDD3, UC3X, UNC1X UDL U1TUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0 00 0.00 184.62 218.74 86.10 11.98 11 98 15.81	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
Nonrecurrin Nonrecurrin Is Chance	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge returnes & Functions: or Channel Capability Extended Frame Option - per DS1 are Channel Capability Super FrameOption - per DS1 are Channel Capability (SF/ESF) Option - Subsequent with per DS1 to Post Channel Capability (SF/ESF) Option - Subsequent with per DS1 to Post Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 al Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel re same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month of for connection to a channelized DS1 Local Channel in the same SWC as collocation re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UC3X, ULDD3, UC3X UNC1X UDL U1TUB UDN U1TUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66 1.66 0.4689	0 00 0.00 184.62 218.74 86.10 11.98 11 98 15.81 15.81	0.00 0 00 23.78 7.66 11.39 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61 6.61						
Nonrecurrin Nonin Is Ch Optional Fe: Clea Clea Clea Activ C-bit MULTIPLEX DS1 OCU mon Loca 2-wir moni in th Voice used	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge atures & Functions: or Channel Capability Extended Frame Option - per DS1 are Channel Capability Super FrameOption - per DS1 are Channel Capability (SF/ESF) Option - Subsequent vity - per DS1 It Parity Option - Subsequent Activity - per DS3 KERS to DS0 Channel System per month JDP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop JDP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 all Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel se same SWC as collocation re Grade COCI - DS1 to DS0 Channel System - per month dror a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month dror a Local L	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UC3X, ULDD3, UC3X, UNC1X UDL U1TUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66	0 00 0.00 184.62 218.74 86.10 11.98 11 98 15.81	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
Nonrecurring Nonte	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch -Asharge returnes & Functions: or Channel Capability Extended Frame Option - per DS1 are Channel Capability Super FrameOption - per DS1 are Channel Capability (SF/ESF) Option - Subsequent with per DS1 to Post Channel Capability (SF/ESF) Option - Subsequent with per DS1 to Post Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per th (2.4-64kbs) used for connection to a channelized DS1 al Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel re same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month of for connection to a channelized DS1 Local Channel in the same SWC as collocation re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UC3X, ULDD3, UC3X UNC1X UDL U1TUB UDN U1TUB	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66 1.66 0.4689	0 00 0.00 184.62 218.74 86.10 11.98 11 98 15.81 15.81	0.00 0 00 23.78 7.66 11.39 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61 6.61						
Nonrecurrin Nonrecurrin Is Chance Clease	recurring Currently Combined Network Elements "Switch As Is" recurring Currently Combined Network Elements Switch - Asharge ratures & Functions: ar Channel Capability Extended Frame Option - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability Super FrameOption - per DS1 ar Channel Capability (SF/ESF) Option - Subsequent vity - per DS1 to Channel Capability (SF/ESF) Option - Subsequent vity - per DS3 (ERS) to DS0 Channel System per month J-DP COCI (data) - DS1 to DS0 Channel System - per thth (2.4-64kbs) used for a Local Loop J-DP COCI (data) - DS1 to DS0 Channel System - per thth (2.4-64kbs) used for connection to a channelized DS1 al Channel in the same SWC as collocation re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th for a Local Loop re ISDN COCI (BRITE) - DS1 to DS0 Channel System - per th used for connection to a channelized DS1 Local Channel es same SWC as collocation re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop re Grade COCI - DS1 to DS0 Channel System - per month of for a Local Loop	Charge (C		UNCVX. UNCDX. UNC3X, UNC3X, UNC3X, UNC3X, UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, UNC1X UNC1X UNC1X UDL U1TUD UDN U1TUB UEA	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66 1.66 0.4689	0 00 0.00 184.62 218.74 86.10 11.98 11 98 15.81 15.81	0.00 0 00 23.78 7.66 11.39 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61 6.61						

UNBUNDLE	D NETWORK ELEMENTS - Georgia											V-	Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			i I								"		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'i
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61						1
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6 61						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	7.35	15.81	11 39	6.61	6.61]			1
Note:	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissio	n order.												

NBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	fnterim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
			-				FIFSI	Addi	First	Addi	SUMIEC	SUMAN	SOMAN	SOMAN	SUMIAN	SUMIAN
The "Z	one" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Geog	raphically D	eaveraged UNE	Zones. To vie	w Geographic	ally Deaverage	d UNE Zone D	esignations	s by Central	Office, refer	to internet We	bsite:	
	www.interconnection.belfsouth.com/become_a_clec/html/inter	rconnecti	on.htm						_							
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	11-4-4	1	000	1	State Committee	i The OC	C - b	41 41	din this sets a	ubible and the	- D-UC	L V:			LEC
	(1) CLEC should contact its contract negotiator if it prefers th															
	ither the state specific Commission ordered rates for the servi	ice orderi	ng char	ges, or CLEC may el	ect the regio	onal service ord	enng charge,	nowever, CLE	C can not obta	in a mixture of	the two reg	gardiess if C	LEC has a in	terconnection	contract esta	iblished ir
	f the 9 states. (2) Any element that can be ordered electronically will be bill	led accord	ding to 1	the SOMEC rate liste	d in this cat	ennty Please	refer to ReliSo	ith's Local On	dering Handho	ok (LOH) to de	termine if a	nroduct ca	n he ordered	electronically	For those e	lements t
	t be ordered electronically at present per the LOH, the listed S															
	applied to a CLECs bill when it submits an LSR to BellSouth.														3 3	
-	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
15 05D) (105	(LSR) - UNE Only		_		SOMAN		7.86	0.00	0.99	0.00						
	DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	PallSouth	's ECC	No 1 Tariff Section	F as applica	bla					_	-				
NOTE.	The Expedite Charge will be maintained commensurate with	Bensoun	13700	No.1 Talm, Section	as applica	Jie.			+			1				
				UAL, UEANL, UCL.												
				UEF, UDF, UEQ.												
				UDL, UENTW. UDN,									l			
				UEA, UHL, ULC.									1			
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, LI1TO3, U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL.												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,						1					ľ	
				UC1HC, UC1HL, UDL12, UDL48,												
1				UDLO3, UDLSX.												
				UE3, ULD12,				ļ	ŀ							
			i	ULD48, ULDD1.		'					1	1				
			1	ULDD3, ULDDX,												
				ULDO3. ULDS1.		1						1		1		
				ULDVX, UNC1X,		1										
				UNC3X UNCDX, UNCNX UNCSX,	l .								1			
		ļ		UNCVX, UNLD1,	1											
		i		UNLD3. UXTD1.												
				UXTD3, UXTS1,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, L/1TUD,												
	Day			U1TUB, U1TUA	SDASP		200.00									
	EXCHANGE ACCESS LOOP								1				-			
2-WIRI	E ANALOG VOICE GRADE LOOP		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	-		1			-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65				1			
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		3	UEANL	UEAL2	31.11	46.66	22 57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Lovel 1- Zone 2		2	LIEANL	UEASL	15.34	46 66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User												1			
	Premise	1		UEANL	URETL		8.33	0 83								
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour	1	1	UEANL	URETA	1	24.16	24.16						l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		-
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)								
CATEGORI	RATE ELEMENTS	memm	Zone	ВСЗ	0300			ICATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.L.)			UEANL	UEANM		13.49	13.49				1				
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1					-										
	(per LSR)		1	UEANL	ocost		23.01	23.01								1
2-M/ID	E Unbundled COPPER LOOP	<u> </u>		- C- C- C- C- C- C- C- C- C- C- C- C- C-	00000		4.5.01	20.01		-						
2-9711	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20 89	25.64	6.65					_	
		-		UEQ		11.51	44.97			6.65			-			
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64 25.64	6.65			-	-		-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	DEG	UEQ2X	13.19	44.97	20.89	25.64	6.65		-				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1 1				12020							1		
	Premise			UEQ	URETL		8.33	0.83			1					
	Manual Order Coordination 2 Wire Unbundled Copper Loop -										1				1	
	Non-Designed (per loop)		Ll	UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49						1		
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			7.00	0.112.111											
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
LIMBUMDI ED	EXCHANGE ACCESS LOOP			ULG	DIVELLO		14.27	7.45								
	E ANALOG VOICE GRADE LOOP	-			 						_					
2-9915						_						-				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			HEDGE HEDDE		40.50	40.00	00.57	00.05	7.05						
_	Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			0.0000000000000000000000000000000000000	1							1				
	Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1 1											
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46 66	22.57	26.65	7 65						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						-									
	Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65			1			
HARHADI ED	EXCHANGE ACCESS LOOP	1		OLI CIT OCI CO	00.00	01.71	40.00	LL.U7	20.00	1.00						
	E ANALOG VOICE GRADE LOOP	_					_									
2-441K		_	_													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	12.63	124.00	81.87	73.65	14.88						
	Ground Start Signaling - Zone 1	_	31)	UEA	UEALZ	12.67	134.89	01.87	73.55	14.88	-	-				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		ا ہا	1904	1	3= 3=	,									
	Ground Start Signaling - Zone 2	-	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88	-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		550		200000000000000000000000000000000000000	10770. 2000	ACCOUNT TO ACCOUNT	20022000	2507 2000	0450 0450		1				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				1		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81 87	73.65	14.88		1			1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		1		1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
1	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88	1	1				
	Order Coordination for Specified Conversion Time (per LSR)			LIEA	OCOSL	00.22	23.01	5,.57		,00		1			1	
	CLEC to CLEC Conversion Charge without outside dispatch		\vdash	UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL	-	11.21	1.10				1				
4 14/15	E ANALOG VOICE GRADE LOOP	_		DEM	UKEIL		11.21	1.10	_			1				
4-WIR			1	LICA	LIENIA	20.00	164.11	112.20	70.04	10.00	_	1		1		
	4-Wire Analog Voice Grade Loop - Zone 1	_	1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66	_			1	-	
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18 66		1				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01	1								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

NNBNNDLED P	NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge • Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						3.78.01	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DN DIGITAL GRADE LOOP			LIEN	1141.07	18.44	146.77	95.02	71.38	13.83					-	
	Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X U1L2X	25.08	146.77	95.02		13.83	-					-
	Wire ISDN Digital Grade Loop - Zone 2		2			42.87		95.02			1					
	Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83					3	-
	der Coordination For Specified Conversion Time (per LSR)	_		UDN	OCOSL UREWO		23.01 91.63	44.16								
	.EC to CLEC Conversion Charge without outside dispatch SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	COD	UUN	UREWU		91.63	44.16								
	Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	JUUP		+											+
	facility reservation - Zone 1		1	LIAL	LIALOV	10.82	141.98	79.73	69.02	11.47						
			-1	LIAL	UAL2X	10.62	141.96	79.73	09.02	11,47						-
	Wire Unbundled ADSL Loop including manual service inquiry facility reservation - Zone 2		2	DAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	Vire Unbundled ADSL Loop including manual service inquiry	-	2	DAL	UALZX	11.79	141.98	79.73	69.02	11.47	 				-	+
	facility reservation - Zone 3		3	LIAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	rder Coordination for Specified Conversion Time (per LSR)	-	3	UAL	OCOSL	12.67	23.01	19.13	69.02	11.47						+
	Wire Unbundled ADSL Loop without manual service inquiry &	-		12/4	OCUSE		23.01		1	1						+
	chity reservation - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	Wire Unbundled ADSL Loop without manual service inquiry &		1 1	13/44	UALZVV	10.02	121.10	09.00	05.05	11.54	1					
	citity reservation - Zone 2		2	LIAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	Wire Unbundled ADSL Loop without manual service inquiry &			DAT	UALZVV	11.73	121.10	09.00	05.05	11.54	1					
	cility reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	der Coordination for Specified Conversion Time (per LSR)		3	LIAL	OCOSL	12.07	23.01	09.00	09.09	11.54	1					
	EC to CLEC Conversion Charge without outside dispatch	-	1	UAL	UREWO		86.20	40.40	1		 					-
	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLETO	ODP	5275%	SINEWO	- 1	00.20	40.40			1				+	1
	Wire Unbundled HDSL Loop including manual service inquiry	T TOLL LC	101		1			7								-
	facility reservation - Zone 1		1	LIHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	Wire Unbundled HDSL Loop including manual service inquiry		-1	OPIL	UHLZX	0.73	151.54	09.29	09.09	11.54	1					
	facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	Wire Unbundled HDSL Loop including manual service inquiry		2	Deal	UNLZA	5.50	131.34	05.25	05.05	11.54	1					
	facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89 29	69.09	11.54						
	der Coordination for Specified Conversion Time (per LSR)	+	3	UHL	OCOSL	10.01	23.01	03 23	09.00	11.54	-					
	Wire Unbundled HDSL Loop without manual service inquiry			DITE	COOL		23.01									1
	d facility reservation - Zone 1		1 1	DHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	Wire Unbundled HDSL Loop without manual service inquiry		- 1	571.14	OFFICE	0.13	130.74	10.50	05.05	11.54	1					+
	d facility reservation - Zone 2		2	LIHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	Wire Unbundled HDSL Loop without manual service inquiry	-	-	21112	OIIIZ.	3.50	150.14	, 0.00	00.03	11.54						
	d facility reservation - Zone 3	1	3	DHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	der Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.01	23.01	10.50	05.05	11.5-						+
	EC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40			1				 	
	IGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLETO	DP	- CONTE	OILLIIO		00.11	10.10							†	†
	Wire Unbundled HDSL Loop including manual service inquiry	THE E	1		+ +						l					
	d facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69			1			
	Wire Unbundled HDSL Loop including manual service inquiry				OTTE IX	10.00	100.10	120.00	1 1.00	11.00			1			
	d facility reservation - Zone 2	1 1	2	LIHL	UHL4X	15.68	185.75	123.50	74.95	14.69			1			
	Wire Unbundled HDSL Loop including manual service inquiry		-	D. IL	CITETA	10.00	100.10	120.00	17.00	11.00	1					
	d facility reservation - Zone 3		3	DHL	UHL4X	16.98	185.75	123.50	74.95	14.69			1			
	rder Coordination for Specified Conversion Time (per LSR)		-	DHL	OCOSL	10.00	23.01	120.00		,			i e			
	Wire Unbundled HDSL Loop without manual service inquiry												1			
	d facility reservation - Zone 1	1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80	ia.					
4-V	Wire Unbundled HDSL Loop without manual service inquiry			100 00 00									1			
	d facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
	Wire Unbundled HDSL Loop without manual service inquiry								1		1					
an	d facility reservation - Zone 3	1	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						ł
	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
CL	EC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	S1 DIGITAL LOOP															
	Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86 47	306.69	174.44		14 55						
4-1	Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44		14.55						
4-1	Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
10-	der Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									

ARONDEED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	iblt: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43 04							1	
	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18 66						
	Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						1
	order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66				-	-	
0	order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
C	LEC to CLEC Conversion Charge without autside dispatch			UDL	UREWO		102.13	49.75								
	Inbundled COPPER LOOP															
	-Wire Unbundled Copper Loop-Designed including manual															
	ervice inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	-Wire Unbundled Copper Loop-Designed including manual															
	ervice inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	Wire Unbundled Copper Loop-Designed including manual												1			
	ervice inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
2-	-Wire Unbundled Copper Loop-Designed without manual															
Se	ervice inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	-Wire Unbundled Copper Loop-Designed without manual															
	ervice inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
2-	-Wire Unbundled Copper Loop-Designed without manual															
se	ervice inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
0	order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
C	LEC to CLEC Conversion Charge without outside dispatch															
	JCL-Des)			UCL	UREWO		97.23	42.48			1					
	COPPER LOOP											Ì				
4-	-Wire Copper Loop-Designed including manual service inquiry	i														
ar	nd facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
4-	-Wire Copper Loop-Designed including manual service inquiry															
	nd facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
4-	-Wire Copper Loop-Designed including manual service inquiry															
ar	nd facility reservation - Zone 3		3	UCL.	UCL4S	28.10	170.31	108.06	74.95	14.69		1				
	order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
4-	-Wire Copper Loop-Designed without manual service inquiry															
ar	nd facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
4-	-Wire Copper Loop-Designed without manual service inquiry															
ar	nd facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14 69						
4-	-Wire Copper Loop-Designed without manual service inquiry															
аг	nd facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						1
0	order Coordination for Unbundled Copper Loaps (per loop)			UCL	UCLMC		9.00	9.00								
C	LEC to CLEC Conversion Charge without outside dispatch															
	JCL-Des)			UCL	UREWO		97.23	42.48			1					
P MODIFICA	TION															
				UAL. UHL, UCL,												
1 1				UEQ, ULS. UEA,									1		1	
	inbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL. UEPSR,									1	1		
	air less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		9.24	9.24								
	nbundled Loop Modification Removal of Load Coils - 4 Wire						206.02 **	-								
le	ess than or equal to 18K ft, per Unbundled Loop			UHL UCL, UEA	ULM4L		9.24	9.24								
				UAL UHL. UCL,												
1 1				UEQ, ULS, UEA,	j								1	1		
	nbundled Loop Modification Removal of Bridged Tap Removal,			UEANL UEPSR,	j						1		1	1		1
I 0/	er unbundled loop		1	UEPSB	ULMBT		10.47	10.47								

OMBONDER	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	iblt: A
										ŝ		Submitted	Incremental Charge - Manual Svc	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
- 1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS						-										
Sub-L	oop Distribution					- 1										
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	Ī		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ī		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ĭ		UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	,						0.000 00.00								
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		45.04	45.04								
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	, l	1	UEANL	USBN2	6.34	85.03	39.05	59 81	7 90	-					
	Zone 2	1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7 90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56 32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	J		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00	25.01	10.00						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	24.16	24.16								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	7	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7 90						†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	7.7	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						t
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ī	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88					1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						7
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEF	URET1	-	46.88	46.88								1
	Loop Testing - Basic Additional Half Hour			UEF	URETA	-	24.16	24.16				_				-
Unbui	ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		\vdash	UENTW	UENPP	0.53	23.51	23 51	1	_	1	-		-	-	1
				DENTW	UENPP	0.53	23.51	23 51			1		-			-
Netwo	ork Interface Device (NID)	-	\vdash	UENTW	UND12		73 53	49 47	-							-
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		\vdash	UENTW	UND12 UND16		115 96	91.91			 					1
			\vdash	DENTW	UNDC2	-	8.56	8 56								
	Network Interface Device Cross Connect - 2 W		\vdash	UENTW	UNDC2		8.56	8.56	1		1				_	+
UNE OTHER	Network Interface Device Cross Connect - 4W		 	DENTW	UNUC4		8.56	8.36	1		1	-		-		1
UNE UTHER,	PROVISIONING ONLY - NO RATE			UENTW	UNIDRY	0.00	0.00		1		-				-	
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UNDBX	0.00	0.00									
	8			UEANL, UEF, UEO, L ENTW												

OMBONDER	ED NETWORK ELEMENTS - Kentucky										,			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec		Nonrecurring			T =====		Rates (\$)		
			_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA.UHL,USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no							_								
	rate			UEA, UDN, UCL, UDC	USBFQ	0.00	0.00		ļi							
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA.USL.UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL.	CCOSF	0.00	0.00				-					
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP					0.00	0.00			_						
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	634.087	388.792	198.95	138.483					-	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.25		-								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	320.51	634.087	388.792	198.95	138.483						
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24 85								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SPLITTI				200												
	SPLITTING JSER ORDERING-CENTRAL OFFICE BASED								-					_		
END	Line Splitting - per line activation DLEC owned splitter			UEPSR JEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
	TENANCE												1			
NOTE	: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	licable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime				-		90.00	65.00 75.00								
LINDINDI ED	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT		-				100.00	75 00								
	ROFFICE CHANNEL - DEDICATED TRANSPORT											_				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22 77	8.75						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0115										
	Interoffice Channet - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75					-	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						

	ED NETWORK ELEMENTS - Kentucky	,			,									ment: 2	Exhi	bit: A
													Incremental		incremental	Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	000000000000000000000000000000000000000	Manual Svc	Manual Svc	Manual Svc	Manual S
DATE CO. ()	THE ELEMENTS		Lone	000	0000	[perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
		-	-	=====			Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1.114	7133	-		301117114	- COMPART	JOIN N	DOMAN
	month			U1TD1	1L5XX	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		Į													
	Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD3	1L5XX	4.97										
_	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILSAX	4.97										
	Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01.00		1,170110		2.0.2	00.0.	07.10						
	month			U1TS1	1L5XX	4.97										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility														-	
	Termination			U1TS1	U1TFS	1,149.51	335.40	219 24	89.57	87.75						
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIBERY	1L5DC	54.06										
	Thereof per month - Local Channel Dark Fiber. Four Fiber Strands. Per Route Mile or Fraction			UDF, UDFCX	ILSDC	54.06										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	30.74										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	30.14	732.53	192.67	377.27	241.67		-				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						1.02.112		0.7.2.	2.,,0			-			
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	54.06			l i							
VIRTUAL CO																
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		i													
	Splitting	-	-	UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO	OLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line	-							<u> </u>							
	Solitting			UEPSR UEPSB	PE1LS	0.0333	24.60						1		1	
									1 12 14 1	10.95				- 1	- 1	
ENHANCED E	EXTENDED LINK (EELs)				FEILS	0.0333	24.68	23.68	12.14	10.95	_		-	-		
	EXTENDED LINK (EELs) The monthly recurring and non-recurring charges below will	apply and	the Sv	vitch-As-Is Charge w							ements.					
NOTE	: The monthly recurring and non-recurring charges below will : The monthly recurring and the Switch-As-Is Charge and not t				ill not apply	for UNE combi	nations provisi	oned as ' Ord	inarily Combine	ed' Network El						
NOTE	E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not t RE VOICE GRADE LOOP FOR USE IN A COMBINATION		curring	charges below will	ill not apply apply for UN	for UNE combi	nations provisioned a	oned as ' Ord as ' Currently (inarily Combine	ed' Network El work Elements						
NOTE	: The monthly recurring and non-recurring charges below will :: The monthly recurring and the Switch-As-Is Charge and not to EVOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1		curring 1	charges below will UNCVX	ill not apply apply for UN UEAL2	for UNE combi E combination	nations provisi s provisioned a 125 22	oned as ' Ord as ' Currently 60.48	inarily Combine Combined' Netv	ed' Network El work Elements 7.84						
NOTE	: The monthly recurring and non-recurring charges below will: :The monthly recurring and the Switch-As-Is Charge and not to the VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2		curring 1 2	UNCVX UNCVX	ill not apply apply for UN UEAL2 UEAL2	for UNE combi E combination: 12 67 17.45	nations provisioned a 125 22 125.22	oned as 'Ord as 'Currently 60.48 60.48	inarily Combine Combined' Netv 59.69 59.69	ed' Network El work Elements 7.84 7.84						
NOTE	The monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the EVOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		curring 1	UNCVX UNCVX UNCVX	ill not apply apply for UN UEAL2 UEAL2 UEAL2	for UNE combi E combination: 12 67 17.45 33 22	nations provisioned a 125 22 125.22 125.22	60.48 60.48	inarily Combine Combined' Netv	ed' Network El work Elements 7.84						
NOTE NOTE 2-WIR	The monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month		curring 1 2	UNCVX UNCVX	ill not apply apply for UN UEAL2 UEAL2	for UNE combi E combination: 12 67 17.45	nations provisioned a 125 22 125.22	oned as 'Ord as 'Currently 60.48 60.48	inarily Combine Combined' Netv 59.69 59.69	ed' Network El work Elements 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION		curring 1 2	UNCVX UNCVX UNCVX	ill not apply apply for UN UEAL2 UEAL2 UEAL2	for UNE combi E combination: 12 67 17.45 33 22 0.62	125 22 125 22 125 22 125 22 127 22 6.71	60.48 60.48	59.69 59.69	ed' Network El work Elements 7.84 7.84						
NOTE NOTE 2-WIR	The monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month		1 2 3	UNCVX UNCVX UNCVX UNCVX	ill not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	for UNE combi E combination 12 67 17.45 33 22 0.62 29.26 34.25	125 22 125 22 125 22 125 22 125 22 6.71	60.48 60.48 60.48 60.48 60.48 60.48	inarily Combine Combined' Netv 59.69 59.69	7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3		1 2 3	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4	12 67 17.45 33 22 0.62 29.26 34.25 85.06	125 22 125 22 125 22 125 22 125 22 6.71 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69	7.84						
NOTE NOTE 2-WIR	E:The monthly recurring and non-recurring charges below will: E: The monthly recurring and the Switch-As-Is Charge and not to the Switch-As-Is Charge and not to the Switch-As-Is Charge and not to the Switch-As-Is Charge and not to the Switch-As-Is Charge and not to the Switch-As-Is Charge and Notice Grade Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Switch-As-Is Charge Coci - Per Month Revolution - Per Month Revolut		1 2 3 1 1 2	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	ill not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	for UNE combi E combination 12 67 17.45 33 22 0.62 29.26 34.25	125 22 125 22 125 22 125 22 125 22 6.71	60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Pone 3 Voice Grade COCI in combination - Pone 3		1 2 3 1 2 3	Charges below will UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	for UNE combi E combination 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62	125 22 125 22 125 22 125 22 125 22 6.71 125.22 125.22 125.22 125.22 6.71	60.48 60.48 60.48 60.48 60.48 4.84 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	The monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not the Evolice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month EVOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month Estable Shight A COMBINATION 4-Wire 56KBPS Digital Loop FOR USE IN A COMBINATION 4-Wire 56KBPS Digital Grade Loop in Combination - Zone 1		1 2 3 1 2 3 1 1 1 2 1 3	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62	125 22 125 22 125 22 125 22 125 22 6.71 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 4.84 60.48 60.48 60.48	inarily Combined Network 19.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the World Composition of		1 2 3 1 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 2	Charges below will UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX	III not apply apply for UN UEAL2 UEAL2 UEAL2 TD1VG UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48	125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		1 2 3 1 2 3 1 1 1 2 1 3	Charges below will UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX	ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37	125 22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	inarily Combined Network 19.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Zone 3 Voice Grade COCI in Combination - Zone 3 Voice Grade COCI in Combination - Per month 85 66 KBPS Digital CDOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		1 2 3 1 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 2	Charges below will UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX	III not apply apply for UN UEAL2 UEAL2 UEAL2 TD1VG UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48	125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Wolce GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (St.2) in Combination - Zone 1 2-Wire VG Loop (St.2) in Combination - Zone 2 2-Wire VG Loop (St.2) in Combination - Zone 3 Voice Grade COCI - Per Month 2-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 1 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 3 1 2 2 2 2	Charges below will UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX UNGVX	ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37	125 22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month EVOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month E5 66 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E6 4 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3 1 3 3 3 3 1 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	IIII not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 ID1DD UDL64 UDL64	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32	125 22 125.22 125.22 125.22 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
NOTE NOTE 2-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the William of the Worker Scharge and not to the Worker Scharge and not to the Worker Scharge and not to the Worker Scharge and not to the Worker Scharge and Not to the Worker Scharge and Not to the Worker Scharge Scharg		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UD156 UD156 UD156 UD156 UD156 UD156 UD156 UD156 UD156 UD156	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32 27.59 32.48 36.37	125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 4.84 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8E VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3 1 3 3 3 3 1 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	IIII not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 ID1DD UDL64 UDL64	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32	125 22 125.22 125.22 125.22 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 3 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8E VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32 27.59 32.48 36.37	125 22 125.22 125.22 125.22 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the William of the Common of the C		1 2 3 3 1 2 3 3 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Charges below will UNGVX UNGVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	for UNE combi	125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 4.84	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 3 1 3 2 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	IIII not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32 27.59 32.48 36.37 1.32	125 22 125.22 125.22 125.22 125.22 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR	E:The monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Common of the C		1 2 3 3 1 2 3 3 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Charges below will UNGVX UNGVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	for UNE combi	125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 4.84	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR 4-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 3 1 3 2 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL5	12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32 27.59 32.48 36.37 1.32	125 22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 4.84 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR 4-WIR	E:The monthly recurring and non-recurring charges below will: E: The monthly recurring and the Switch-As-Is Charge and not to the Common of th		1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 3 3 1 1 1 2 3 3 1 1 1 2 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL65 UDL50 UTL2X UTL2X UTL2X UTL2X	12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32 27.59 32.48 36.37 1.32 42.87 85.06	125 22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
4-WIR 4-WIR	EThe monthly recurring and non-recurring charges below will: The monthly recurring and the Switch-As-Is Charge and not to the Voice GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month 8E VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month 8E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 8E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) 8E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN LOOP FOR USE IN COMBINATION		1 2 3 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL50	for UNE combi E combination: 12 67 17.45 33 22 0.62 29.26 34.25 85.06 0.62 27.59 32.48 36.37 1.32 27.59 32.48 36.37 1.32 27.59 32.48 36.37 1.32 27.59	125 22 125.22	60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 4.84 60.48 60.48 60.48 60.48	1	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						

NRONDLED NE	TWORK ELEMENTS - Kentucky												Attach	ment: 2	Exh	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremen
						Rec	Nonred		Nonrecurring				OSS	Rates (\$)		
						- Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIRE VOIC	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATI	ON													
Intero	office Transport - 2-wire VG - Dedicated- Per Mile Per															
Month	h			UNCVX	1L5XX	0.01										1
Intero	office Transport - 2-wire VG - Dedicated - Facility															
	ination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42	l i					
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATI	ON													-
	office Transport - 4-wire VG - Dedicated - Per Mile Per														_	
Month				UNCVX	1L5XX	0.01					f i				1	1
	office Transport - 4-wire VG - Dedicated - Facility			ONOVA	120701	0.01										—
	ination per month			UNCVX	U1TV4	23.95	98.09	53.67	56.31	22.42				i	ł	
	FFICE TRANSPORT FOR COMBINATION		_	ONCYA	01114	20.55	30.03	33.07	30.31	22.42						
	office Transport - Dedicated - DS1 combination - Per Mile		_		_	_			_			-				
				UNC1X	1L5XX	0.19									i	1
per m			_	UNCIX	ILSXX	0.19										
	office Transport - Dedicated - DS1 combination - Facility		ļ.			70.00	404.04	400.50	50.70							1
	ination per month			UNC1X	U1TF1	79.02	181 24	123.53	56.72	22 32						
	Channelization System in combination Per Month		_	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	FFICE TRANSPORT FOR USE IN A COMBINATION															
Intero	office Transport - Dedicated - DS3 combination - Per Mile										l i				-	
Per M	Month			UNC3X	1L5XX	4.09										
Intero	office Transport - Dedicated - DS3 - Facility Termination per											_				
month	th			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39			1			l .
STS-1 INTER	ROFFICE TRANSPORT FOR USE IN COMBINATION															
	office Transport - Dedicated - STS-1 combination - Per Mile		<u> </u>		+									_		
Per M				UNCSX	1L5XX	4.09								i	1	(
	office Transport - Dedicated - STS-1 combination - Facility			O. COO.	120701											
	nination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39	1 1					į.
	BPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISBORT		ONCOA	01113	343.73	330.30	74 1.50	40.00	23.35						
	e 56 kbps Local Loop in combination - Zone 1	I OK I	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
					UDL56	32.48	125.22	60.48	59.69	7.84						
	e 56 kbps Local Loop in combination - Zone 2			UNCDX		36.37										
	e 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	office Transport - Dedicated - 4-wire 56 kbps combination -															i
	Mile per month			UNCDX	1L5XX	0.01										
Interd	office Transport - Dedicated - 4-wire 56 kbps combination -															
	ity Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42	Li					(
	BPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														i ———
4-wire	e 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48		7.84						
4-wire	e 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60 48	59.69	7.84						
4-wire	e 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	office Transport - Dedicated - 4-wire 64 kbps combination -															
	Mile per month			UNCDX	1L5XX	0.01			1							
	office Transport - Dedicated - 4-wire 64 kbps combination -														_	
	ity Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	BPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	FTRANS	PORT	0.1007	101120	71.20	00.00		00.07							
		LIKANS	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	re 56 kbps Local Loop in combination - Zone 1 re 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48		7.84						
		_	3	UNCDX	UDL56	36.37	125.22	60.48		7.84						
	re 56 kbps Local Loop in combination - Zone 3		_ 3	UNCOX	UDLSU	30.37	120 22	00.46	39.09	7.04						
	ree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1		LINCDY	41.500	0.04]]					
montl				UNCDX	1L5XX	0.01										
	re 56 kbps Interoffice Transport - Dedicated - Facility			LINIODY	LIATES		20.0-			22.70						
	nination per month	- TD	1	UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	BPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRANS														
	re 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48		7.84						
4-wir	re 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48		7.84						
4-wir	re 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60 48	59.69	7 84						
	ire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
mont	th			UNCDX	1L5XX	0.01										
4-wir	re 64 kbps Interoffice Transport - Dedicated - Facility															
	nination per month			UNCDX	U1TD6	17 25	98 09	53.67	56.31	22.42						
1.01111	L LOOP AND DS1 INTERFOFFICE TRANSPORT	_			1									+		

NDUNUL	ED NETWORK ELEMENTS - Kentucky				, ,									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)	,			Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	4-Wire DS1 Digital Loop in Combination - Zone 1		-	UNC1X	USLXX	86.47	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	114.10	210.70	114 60 114 60	63.96 63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97 17.97	-					
_	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	-3	UNCIA	USLAA	231.10	210 70	114.00	03.90	17.97					<u> </u>	
	per month	ĺ		UNC1X	1L5XX	0 19									1	
	Interoffice Transport - Dedicated - DS1 combination - Facility													-		
	Termination per month			UNC1X	U1TF1	79.02	181 24	123.53	56.72	22.32						
DS3 I	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.6375							-			
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	354.5565	634.087	388.792	198.95	138.483					1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	966.89	350 56	141.58	48.00	23.39						
STS-	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.6375										,
	STS-1 Local Loop in combination - Facility Termination per			constitution of					i i		i					
	month			UNCSX	UDLS1	368.5865	634.087	388.792	198.95	138 483						
1	Interoffice Transport - Dedicated - STS-1 combination - per mile		1													_
	per month		<u> </u>	UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			J. Sept.							1					
	Termination per month		_	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	NETWORK ELEMENTS			- 1 1 - 1 - 1 - C1	4-5-4-4	1										
	used as a part of a currently combined facility, the non-recurr									_	_					
	nused as ordinarily combined network elements in All States, the ecurring Currently Combined Network Elements "Switch As Is"					s is Charge doe	s not.									
Nonin	ecuting Currently Combined Network Elements Switch As is	Charge (C	Jue aht	UNCVX, UNCDX.	liation)											
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X.							1		İ			
	Is Charge		1	UNCSX	UNCCC		8 98	8.98	11,17	11.17						
Ontio	onal Features & Functions:			U. COM	0.1000		0 30	0.30	11.17	11.17	_	-				
Орис	mai i catales a i anctions.		1	U1TD1.		1	_					-				
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00	i I					
_	Cool Citation Copedition 2 to the Copedition 2			U1TD1,	10002		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,				0.00	0.00	0.00						
	Activity - per DS1	ĵ		UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78				i		
				U1TD3. ULDD3.						0						
	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
MUL	TIPLEXERS									-					-	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per										-			-		
	month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08							1	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per											_		_		
	month (2.4-64kbs) used for connection to a channelized DS1														1	
_	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per													-		
	month for a Local Loop			UDN	UC1CA_	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per														1	
	month used for connection to a channelized DS1 Local Channel				V0-2-1-2-1											
	in the same SWC as collocation			U1TUB	UC1CA	2 84	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1000		1									
	used for a Local Loop			UEA	1D1VG	0 6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
1	used for connection to a channelized DS1 Local Channel in the		1	LISTING	1011/0	0.0000	40.07	7.00					ı	- 1		
1	same SWC as collocation		-	U1TUC UNC3X	1D1VG MQ3	0.6228 158.20	10.07 115 48	7.08 56.53	15.12	5.30	<u> </u>					
									15 12 1	5 30		1	- 1			
	DS3 to DS1 Channel System per month	_	1													
\pm	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX	MQ3 UC1D1	158.20 158.20	115.48 10.07	56.53 7.08	15.12	5.30						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
S- 79-000		827 54 545	500		94/92/00/00						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1										Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecu	irring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			ULDD1	UC1D1	11.80	10.07	7 08								
Note:	Rates displaying an "I" In Interim column are interim as a res	ult of a Co			00701	11.00	10.07	1 00								

INBUND	LED	NETWORK ELEMENTS - Louisiana	-											Attach	ment: 2	Exhi	bit: A
												Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremer Charge
ATEGORY	Y	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual S Order vs Electroni Disc Add
							Rec		curring		g Disconnect				Rates (\$)		
					100000		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	"Zor	ne" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Geog	raphically D	eaveraged UNE	Zones. To vi	ew Geographic	ally Deaverage	ed UNE Zone D	esignations	by Central	Office, refer t	n internet We	hsite:	
		w.interconnection.bellsouth.com/become a clec/html/inter				, , .									o mitorinat vva	Donc.	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
) CLEC should contact its contract negotiator if it prefers th															
		ner the state specific Commission ordered rates for the servi	ice orderi	ng char	ges, or CLEC may el	ect the region	nal service ord	ering charge,	however, CLE	can not obta	in a mixture of	the two reg	ardless if C	LEC has a int	erconnection	contract esta	iblished in
		he 9 states. 3) Any element that can be ordered electronically will be bill	ed accord	ding to	the SOMEC rate liste	d in this cat	egory Please r	efer to BellSo	uth's Local Or	dering Handho	onk (LOH) to de	termine if a	product ca	n he ordered	electronically	For those o	lamente ti
		e ordered electronically at present per the LOH, the listed S															
		pplied to a CLECs bill when it submits an LSR to BellSouth.				200000000000000000000000000000000000000	E- CONTINUE FLORIDA					Samuel Water				g	-, oom,
		DSS - Electronic Service Order Charge, Per Local Service				o Personal									-		
_		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00				_		
		OSS - Manual Service Order Charge, Per Local Service Request LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
IF SERV		ATE ADVANCEMENT CHARGE	_			SOWAN		13.20	0.00	13.20	0.00			-			
		he Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	5 as applica	ble.										
																	_
					UAL, LIEANL, UCL,				1								
					UEF, UDF, UEQ.								1				
					UDL. UENTW, UDN,						ļ						}
- }					UEA. UHL. ULC. USL, U1T12, U1T48.												
					U1TD1, U1TD3,]			ļ			1				l
	- 1				U1TDX, U1TO3,		1						1 .				
	- 1				U1TS1, U1TVX,						1						
					UC1BC, UC1BL.								J I	J			
					UC1CC, UC1CL,												
					UC1DC, UC1DL.				1				l i				
			1		UC1EC, UC1EL.												
- 1					UC1FC, UC1FL.		1 1										
					UC1GC, UC1GL,												
- 4					UC1HC, UC1HL.									ĺ			
	- 1				UDL12, UDL48.								1 1			ſ	
					UDLO3. UDLSX,				1								
					UE3, ULD12,	ł						i	l i	ľ			
1					ULD48, ULDD1.		1 1										
					ULDD3, ULDDX,						1				1		
	1			1	ULDO3, ULDS1, ULDVX, UNC1X,								l i			1	
					UNC3X, UNCDX,							1					
					UNCNX, UNCSX,									1	1		
					UNCVX, UNLD1,												
					UNLD3. UXTD1,						i.				ł		
- 1			ł		UXTD3, UXTS1,	i	1					1		}		1	
	ι	JNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC. U1TUD,				1								
		Day			U1TUB, U1TUA	SDASP		200.00									
		CCHANGE ACCESS LOOP															
2-W		ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
-		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	2	UEANL	UEAL2	23.33	36.54	16.87						-		
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
	12	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87								
	2	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87								
	2	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	48.43	36.54	16.87								
	I	Inbundled Miscellaneous Rate Element, Tag Loop at End User				UDET		0.00	0.83								
	f	Premise Loop Testing - Basic 1st Half Hour		-	UEANL UEANL	URETL URET1		8.33 33.17	33.17								

DIADOIADE	ED NETWORK ELEMENTS - Louisiana		1		7 .							12		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				i											
	(UVL-SL1)			UEANL	UREWO		15.75	8.93								1
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
	Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL		17.56	17.56			1 1					
2 14/15	(per LSR)		-	UEANL.	UCUSL		17.56	17.56								
2-WIR	E Unbundled COPPER LOOP		1	UEO	UEQ2X	12.40	05.07	45.00								
_	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		2	UEQ UEQ		12.40 14.32	35.27	15.60								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	_		UEQ	UEQ2X UEQ2X	16.87	35.27 35.27	15.60								
_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEU	DEQZX	16.87	35.27	15.60			_					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0 83				i			i	í.
_	Manual Order Coordination 2 Wire Unbuildled Copper Loop -			UEQ	UREIL		6.33	0.83						_		
	Non-Designed (per loop)			UEQ	USBMC		7.92	7.92			i i					ı
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	USBIVIC		7.92	7.92								
	BST providing make-up (Engineering Information - E.I.)		1	UEQ	UEQMU		13.04	13.04								
+-	Loop Testing - Basic 1st Half Hour		-	UEQ	URET1	_	33.17	33.17								
	Loop Testing - Basic 1st Half Hour	_	-	UEQ	URETA		19.28	19.28			-					
			_	UEU	UKETA		19.28	19.28								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
ILINDI ED	EXCHANGE ACCESS LOOP		-	UEU	UREVVO		14.25	7.42								
	E ANALOG VOICE GRADE LOOP															
2-9VIR	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_		+											
	Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	- 0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0 00		,				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			00.000	1	20.00	00.0	10.01	0.00	0.00			-			
_	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0 00	0.00				Ì	ì	
RUNDLED	EXCHANGE ACCESS LOOP			OL. GITTOUT OF	027.00		00.04	10.01	0.00	0.00			-			
	E ANALOG VOICE GRADE LOOP						_			-	-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_											-	-		
	Ground Start Signaling - Zone 1	ĺ	1	UEA	UEAL2	14.93	102.10	65.72				1	- 1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									-						
i	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65 72								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72	i							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1											_		
ĺ	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse													-	-	
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72	1				1			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 2	_	2	UEA	UEAL4	38.32	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)	·	Su	ubmitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring Disco					Rates (\$)	•	
						Nec .	First	Add't	First A	dd'l S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22.09	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76 96								
-	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56 91.49	44.09			-					
0.1400/	CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	COR	UDN	UREWO		91.49	44.09								
2-WIRE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	.008							_		_				
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68 36	1	1	-					
_	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZX	12.29	117.08	55 35			_		_			
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36		- 1						
-	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	14.09	117.00	00.30								
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36								1
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	15.75	17.56	00.30		_						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			OAC	OGGGE		17.50									
	facility reservation - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02		- 1						1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	O/ LE	O/ILLY!	12.20	52.00	50.02						_	_	
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02		1	1	1				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0.12			02.00	00.02							_	
	facility reservation - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56			_				-		
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP													$\overline{}$
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1			UHL	UHL2X	9.79	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77					_		-	
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	12.74	17.56	76.77	_							
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	-	UNL	OCOSE		17.30									
	and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								i
_	2 Wire Unbundled HDSL Loop without manual service inquiry			UTIL	UTILZVV	5.15	101.24	04.43		_						
	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	11.52	101.24	64.43								
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.04	64.43	l i		1				f	
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	12.14	101.24 17.56	64.43								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4.MIDI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLETO	L DDP	UHL	UKEWO		85.00	40.34			-					
4-1111	4 Wire Unbundled HDSL Loop including manual service inquiry	THE LC		-	+ -						_					
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54		1					i	
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILIAN	10.24	100.20	107.04			-		-			
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54			- 1		ĺ			
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54		-			i			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry			191	27221142 272221											
	and facility reservation - Zone 3		3	UHL	UHL4W	17 34	129 00	92.20					i			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4-WIRE	DS1 DIGITAL LOOP		-		100000											
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	85.70	245.16	152.98								
			2	USL	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3	1	3	USL	USLXX	491.94	245.16	152.98								

HOUNDE	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
							Maria						1st	Addʻl	Disc 1st	Disc Add
						Rec	Nonrec First	Add'I	Nonrecurrin First	g Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without putside dispatch			USL	UREWO		100.93	42.98	71.50	Addi	- COMILO	30111711	JOMAN	JOHIAN	JOHAN	JOMAN
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67								
2-WIR	E Unbundled COPPER LOOP				-					_						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual	i			i									1		
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46			1					
	2 Wire Unbundled Copper Loop-Designed including manual		_													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2-Wire Unbundled Copper Loop-Designed without manual															
_	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual										i					
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55 12								
	2-Wire Unbundled Copper Loop-Designed without manual					45.75		55.40								
_	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92 7.92	55.12 7.92								
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		7.92	7.92	_		-					
	CLEC to CLEC Conversion Charge without outside dispatch			luci.	LIDEAGO		24.00	40.47		1						
4 1405	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WIR	RE COPPER LOOP		_				_									
	4-Wire Copper Loop-Designed including manual service inquiry		1	UCL	UCL4S	22.27	120.60	00.00	ľ] .					
_	and facility reservation - Zone 1		1	UCL	UCL4S	22.21	139.69	90.96			-					
1	4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	18.95	139.69	90.96					1		1	
	and facility reservation - Zone 2			UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
			3		UCLMC	10.99	7.92	7.92			-					
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry		-	UCL	UCEMC		7.92	1.92							_	
			1	UCL	UCL4W	22.27	115.43	78.63							- 1	
	and facility reservation - Zone 1		-	UCL	UCL4VV	22.21	115.43	/8.63								
	4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	18.95	115 43	78.63					1			
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4VV	18.95	115 43	78.63								
			3	UCL	UCL4W	10.99	115.43	78.63								
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	10.99	7 92	7.92		-						
	CLEC to CLEC Conversion Charge without outside dispatch	-	_	UCL	UCLNIC		7 92	7.92								
	(UCL-Des)			UCL	UREWO		91.92	42.47								
OP MODIF			-	UCL	OILE WO		31.32	42.47		_			-			
O. HIODIF	ion ion			UAL, UHL. UCL,						-						
		1		UEQ. ULS. UEA,	1				1							
	Unbundled Loop Modification, Removal of Load Coits - 2 Wire			UEANL, UEPSR.	1 1					1					J	
1	pair less than or equal to 18k ft, per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00			1					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1				0.00	5.50			\vdash			-		
	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL. UEA	ULM4L	1	0.00	0.00								
_	and the control box over all and a second			UAL, UHL. UCL,			2.00	2,00					_			_
				UEQ, ULS, UEA,						1						
	Unbundled Loop Modification Removal of Bridged Tap Removal.	1		UEANL LEPSR.	1								ŀ	1	1	
1	per unbundled loop		1	UEPSB	ULMBT		12.15	12.15	1	1	1			1		

MPOMPEE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	iblt: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge Manual S Order v
							Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)	I	
		4				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UB-LOOPS																
Sub-Lo	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	1		UEANL	USBSA		144.09	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder						1970									
	Facility Set-Up	1		UEANIL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		1		************		DOWN DOWN	10000000								
	Set-Up	1		UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			V-140 - 150												
	Zone 1		1	UEANL	USBN2	7.57	63.89	30 06								
i	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -														15	
	Zone 2	- 1	2	UEANL	USBN2	12.75	63.89	30 06	_							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_		LIGRAIG	54.45	60.00									
	Zone 3	1	3	UEANL	USBN2	21.45	63.89	30.06								
	Onder Country and Callet and add Catalogue and add to the country and the callet			LIEANII	LICDIAC		7.00	7.00				l				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		١.	115 414	LICENIA	44.70	70.75	42.00			i i					
	Zone 1		_ 1	UEANL	USBN4	11.76	76.75	42.92			-					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	115 441		40.04	70.75	40.00								
	Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			LUE AVE		40.07	20.25	40.00								
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
			1	UEANL	USBMC		7.92	7.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)				USBR2	2.04	51.48	7.92								
_	(Sub-Loop 2-wire intraduliding Network Cable (INC)	- '	1	UEANL	USBRZ	2.91	51.48	17.65								
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7 92								1
_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR4	6.58	57.54	23.71			-					-
_	Sub-Loop 4-Ville Intrabbilding Network Cable (INC)			UEANL	USBR4	0.36	37.34	23.71		-						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	6	7.92	7.92								1
-	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17		_	_					
	Loop Testing - Basic Additional Half Hour	-		UEANL	URETA		19.28	19.28			-			-		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.26	63.89	30.06		-		-				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	10.07	63.89	30.06		_	_					
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS2X	12.70	63.89	30.06	1.0		-	-				-
	E THIS SUPPLY SHEATISTED DUD EDUP DISHIPS DATE COLLEGE			100.	OGGEN	12.10	00.00	30.00						-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC	l i	7.92	7.92								
1 2	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	8.03	76.75	42.92				-				
$\neg + \neg$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	10.71	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- i-		UEF	UCS4X	6.08	76.75	42.92							_	
	The state of the s	<u> </u>			322.77	5.00	70.10					-		_		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92		1					-	i
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
Unbun	Idled Network Terminating Wire (UNTW)													-		
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
Netwo	rk Interface Device (NID)			17-17-17				_							-	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73								
E OTHER, F	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL UEF UEQ.U					-					- 1		
	Unbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0.00	0.00		1	t t			- 1	I		

ONBONDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs
											P	p. 23.1	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CONTRACTOR OF THE PARTY OF THE												1
	ter 50s - per les 183 - 45 - 11102/55 - park - 35 fe despressional despression de la company			UAL,UCL.UDC,UDL,												1
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA UHL,USL	UNECN	0.00	0 00									
ļ	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			LIEA LIBYLLION LIBO	HODEO		0.00									1
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Flox Jumper - no	-		UEA,UDN UCL,UDC	USBFU	0.00	0.00	_	-							
				UEA,USL.UCL.UDL	USBFR	0.00	0.00					ļ				l .
_	Unbundled DS1 Loop - Superframe Formal Option - no rate			USL	CCOSF	0.00	0.00		-	_	_			_		
	Unbundled DS1 Loop - Supername Format Option -			000	00001	0.00	0.00							-		
	no rate		1	USL	CCOEF	0.00	0.00									l .
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Fer Mile per															
	month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	362.34	504.229	294.745								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			(100)	29 129 129											
	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility			4.600												
	Termination per month		_	UDLSX	UDLS1	374.56	504.229	294.745		1						
LOOP MAKE-L																
	Loop Makeup - Preordering Without Reservation, per working or			UMK	UMKLW	1	23.29	23.29								1
	spare facility queried (Manual).		-	UMK	UMKLW		23.29	23.29	-	-						
1	Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLP		24.70	24.70			1					1
	queried (Manual) Loop MakeupWith or Without Reservation, per working or		_	UMK	UMIKLP		24.70	24.70			1-					
	spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								l .
LINE SPLITTIN	IG		-	Olvire	OWNER		0.10	0.10					_			
	PLITTING		1													
	SER ORDERING-CENTRAL OFFICE BASED		$\overline{}$													
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
MAINTENANC	E OF SERVICE															
NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	licable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime		—				90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00			-					
	DEDICATED TRANSPORT		-						-	-						
INTER	DFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		-				_			_				_	_	
i	Per Mile per month			U1TVX	1L5XX	0.013			1							
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	TESAA	0.013										
	Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62		1						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade		-	OTTVA	01142	22.00	55.50	20.02								
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			0.1.1.1		0.0.0								1		
	Facility Termination		1	U1TVX	U1TR2	22.60	39.36	26.62							(
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-														
	Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month		1	U1TDX	1L5XX	0.013										
1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		1	LUTDY	LIATOS	45.01	20.07	00.00								
	Termination	-	1	U1TDX	U1TD5	15.61	39.37	26.62		+						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	1		U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		_	UTIDA	12000	0.013				1						
	Termination			U1TDX	U1TD6	15.61	39.37	26.62		1						

	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Company.							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	l e	ł			1								Electronic-	Electronic-	Electronic-	Electronic
												i	1st	Add'l	Disc 1st	Disc Add'i
														2 1-2	CHARACTER AND	
			-		-	Rec	Nonrec			Disconnect				Rates (\$)		
	Inter-Was Channel Designated Channel DC1 Stability		_		-	Secretor	First	Add'I_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.2652					1					
_	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			UTIDI	ILSXX	0.2052										
	Termination	ł		U1TD1	U1TF1	70.47	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01101	01111	70.41	00.03	13.44						_		-
	month			U1TD3	1L5XX	6.04	J									
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	120701	0.01							_	_		
	Termination per month			U1TD3	ม1TF3	850.45	270 69	158 05								
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per														_	
	month			U1TS1	1L5XX	6.04						1				
	Interoffice Channel - Dedicated Transport - STS-1 - Facility													_		
	Termination			U1TS1	U1TFS	830.19	270 69	158.05								
DARK FIBER	3															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		i													
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	60.06										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			and the standard for	1022 2007776	200000000										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	25.28										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	<u> </u>	620 60	133.88								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.06										
VIRTUAL CO	DLLOCATION				_											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	[UEPSR UEPSB	V£1LS	0.0296	11.94	11.46								
DUVEICAL C	Splitting	-		DEPSK DEPSB	VEILS	0.0296	11.94	11.46	0.00	0.00	_					
PHYSICAL	COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line		-		-	-										
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11 94	11.46	0.00	0 00					,	
ENHANCED	EXTENDED LINK (EELs)			OLFSK ULFSC	FLILS	0.0318	1134	71.40	0.00	0 00						
	E: The monthly recurring and non-recurring charges below will	annly and	the Sv	vitch-As-Is Charge	vill not anniv	for LINE combi	nations provisi	oned as ' Ord	inarily Combin	ed' Notwork F	ements					
11011	= 71	oppij am					THE PLANTE			ou notivo.k c	ememo.					
I INOTE	E: The monthly recurring and the Switch-As-Is Charge and not t	the non-re	curring			VE combination:	s provisioned a	s Currently	Combined Net			3				
NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not I RE VOICE GRADE LOOP FOR USE IN A COMBINATION	the non-re	curring	charges below will	apply for UN	NE combination	s provisioned a	as ' Currently (Combined Net	work Elements	i.					
2-WIF	E: The monthly recurring and the Switch-As-is Charge and not ti RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1	the non-re	1	UNCVX	UEAL2	NE combination	s provisioned a	45.09	Combined Net	work Elements						
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	the non-re							Combined Net	Work Elements						
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1	the non-re	1	UNCVX	UEAL2	14.93	94.21	45.09	Combined Net	work Elements						
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	the non-re	1 2	UNCVX	UEAL2 UEAL2	14.93 25.35	94.21 94.21	45.09 45.09	Combined Net	WORK Elements						
2-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3	the non-re	1 2	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	14.93 25.35 50.46	94.21 94.21 94.21	45.09 45.09	Combined Net	WORK Elements						
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month	the non-re	1 2	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG	14.93 25.35 50.46 0.6497	94.21 94.21 94.21 5.91	45.09 45.09	Combined Net	WORK Element						
2-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2	the non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4	14.93 25.35 50.46 0.6497 30.81 38.32	94.21 94.21 94.21 5.91 94.21 94.21	45.09 45.09 45.09 4.26 45.09 45.09	Combined Net	WORK Elements						
2-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3	the non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4	14.93 25.35 50.46 0.6497 30.81 38.32 60.39	94.21 94.21 94.21 5.91 94.21 94.21 94.21	45.09 45.09 45.09 4.26 45.09 45.09 45.09	Combined Net	WORK Elements						
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	the non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4	14.93 25.35 50.46 0.6497 30.81 38.32	94.21 94.21 94.21 5.91 94.21 94.21	45.09 45.09 45.09 4.26 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91	45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09	Combined Net	work Element						
2-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UDL56	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91	45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09	Combined Net	WORK Elements						
2-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 55 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91	45.09 45.09 45.09 4.26 45.09 45.09 45.09 4.26 45.09 45.09	Combined Net	WORK Elements						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 5.91 94.21 94.21	45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	WORK Elements						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91	45.09 45.09 45.09 4.26 45.09 45.09 45.09 4.26 45.09 45.09	Combined Net	WORK Elements						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.76 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 5.91	45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	WORK Elements						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 1D1DD	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 4.26 45.09 4.26 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	he non-re	1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 2 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 55 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	he non-re	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL54 UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.76 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	WORK Elements						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DigITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64bs)	he non-ra	1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 2 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	he non-ra	1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 2 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 5.91	45.09 45.09 4.26 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 4 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1	he non-ra	1 2 3 3 1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 33.99	94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 5.91 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21	45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Elements						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2	he non-re	1 2 3 1 2 3 3 1 2 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 5.91	45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 10-10-10-10-10-10-10-10-10-10-10-10-10-1	he non-ra	1 2 3 1 2 3 3 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 33.99	94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 5.91 94.21 5.91 94.21 94.21 94.21 94.21 94.21	45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2	he non-ra	1 2 3 1 2 3 3 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38	94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	WORK Elements						
4-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 1 4-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN LOOP FOR USE IN COMBINATION RE DIGITAL LOOP FOR USE IN A COMBINATION	he non-re	1 2 3 1 2 3 3 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38	94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2	he non-ra	1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 3 3 3 1 1 3 3 3 3 1 1 3 3 3 3 1 1 3 3 3 3 1 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38	94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 5.91 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Element						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 1	he non-ra	1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL	14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38 22.09 35.28 65.18 2.96	94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21	45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09	Combined Net	work Elements						

OMBOMPTED I	NETWORK ELEMENTS - Louisiana	_											Attach	ment: 2	Exhl	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec		Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS	Interim	Zono	BCS	usoc			RATES (\$)								
AIEGORI	RATE ELEMENTS	interim	Zone	BCS	0300			KATES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add'
													100,00	25 (11 85 85 1.2)		
						Rec	Nonred			g Disconnect				Rates (\$)		
						11.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	DMBINAT	ON													
Int	teroffice Transport - 2-wire VG - Dedicated - Per Mile Per															
Mo	onth			UNCVX	1L5XX	0.013										
Int	teroffice Transport - 2-wire VG - Dedicated - Facility															
	ermination per month			UNCVX	U1TV2	22 60	72.60	41.75		1		ł		ļ		ł
4 WIRE VO	OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MRINATI	ON							1						
	teroffice Transport - 4-wire VG - Dedicated - Per Mile Per	1	_								<u> </u>					
	onth			UNCVX	1L5XX	0.013										1
	teroffice Transport - 4-wire VG - Dedicated - Facility		_	DINCVA	ILJAA	0.013				-						
				11510101	1147774	40.04	70.00	44.75		1						
	ermination per month			UNCVX	U1TV4	19.81	72.60	41 75				i				1
	ROFFICE TRANSPORT FOR COMBINATION															
	teroffice Transport - Dedicated - DS1 combination - Per Mile															
	er month			UNC1X	1L5XX	0.2652				1						
Int	teroffice Transport - Dedicated - DS1 combination - Facility							0								
Te	ermination per month			UNC1X	U1TF1	70.47	143.58	103.88		1						
1/0	O Channelization System in combination Per Month			UNC1X	MQ1	105 09	59.97	12.96			1					
	ROFFICE TRANSPORT FOR USE IN A COMBINATION			CITOTA		100 03	00.01	12.00							_	
	Iteroffice Transport - Dedicated - DS3 combination - Per Mile									1						
	er Month			1111000	41.5304	5.04										
				UNC3X	1L5XX	6.04										
	teroffice Transport - Dedicated - DS3 - Facility Termination per			and the second	2008-020-020-020		0000	10.0298 0000			1					
	onth			UNC3X	U1TF3	850.45	270.69	158.05								
	TEROFFICE TRANSPORT FOR USE IN COMBINATION															
Int	teroffice Transport - Dedicated - STS-1 combination - Per Mile															
Pe	er Month			UNCSX	1L5XX	6.04							ł			
Int	teroffice Transport - Dedicated - STS-1 combination - Facility															
	ermination per month			UNCSX	U1TFS	830.19	270.69	158.05								
	6 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT					2.0.00	100100						_	-	
	wire 56 kbps Local Loop in combination - Zone 1	I OIL	1	UNCDX	UDL56	30.99	94.21	45.09			-					
	wire 56 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL56	36.78	94.21	45.09								
		-														
	wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	teroffice Transport - Dedicated - 4-wire 56 kbps combination -		1	to the bookshops and	2000 2000 200	27.00.00			1		1					
	er Mile per month			UNCDX	1L5XX	0.013										
Int	teroffice Transport - Dedicated - 4-wire 56 kbps combination -															
Fa	acility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
4-WIRE 64	4 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO	RT								_	-			-
	wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09						_		
	wire 64 kbps Looal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09	-			1				
				UNCDX							-					
	wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94 21	45.09		-						
	teroffice Transport - Dedicated - 4-wire 64 kbps combination -					-				1						
	er Mile per month			UNCDX	1L5XX	0.013										
	teroffice Transport - Dedicated - 4-wire 64 kbps combination -															
	acility Termination per month			UNCDX	U1TD6	15.61	72 60	41.75					1			
4-WIRE 56	6 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	E TRANSI	PORT													
4-	-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45 09		1						
	-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			OHODA:	OBLOO	00.02	04.L1	40.00								
	onth			UNCDX	1L5XX	0.013								l :		
	-wire 56 kbps Interoffice Transport - Dedicated - Facility			DINCDA	ILSAA	0.013					-					
														1		
	ermination per month			UNCDX	U1TD5	15.61	72 60	41.75			-					
	4 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	LIKANSI	PORT			- 1										
	-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
4-	-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94 21	45.09								
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			10.00												
	onth			UNCDX	1L5XX	0.013			1							
	-wire 64 kbps Interoffice Transport - Dedicated - Facility				1	0.0.0			1		1			-	-	
			1	UNCDX	U1TD6	15.61	72.60	41.75	l			1				
1 11e	ermination per month TAL LOOP AND DS1 INTERFOFFICE TRANSPORT			UNODX	01106	15.61	12.60	41./5								

OMBOMBLE	D NÉTWORK ELEMENTS - Louisiana	_	_		T								1002000000	ment: 2	Exhi	2.0000000
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169 22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169 22	100 89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652										6
	Interoffice Transport - Dedicated - DS1 combination - Facility						- 9									
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.546										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	416.691	504.229	294.745								
1	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04						9				
	Interoffice Transport - Dedicated - DS3 combination - Facility											11				
ł	Termination per month			UNC3X	U1TF3	850.45	270.69	158.05								
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT								_						_
0.0	STS-1 Local Lolp in combination - per mile per month		_	UNCSX	1L5ND	11.546										
	STS-1 Local Loop in combination - Facility Termination per		_	Ontoon	TEGINE	11.040										
	month			UNCSX	UDLS1	430.744	504.229	294.745								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.04										
1	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	830.19	270.69	158.05								
ADDITIONAL	NETWORK ELEMENTS		_													
			1													
		rna chara	es do n	ot apply, but a Swi	tch As Is cha	rge does apply.					-	-				
When	used as a part of a currently combined facility, the non-recurr						s not.									
When When	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, t	he non-re	curring	charges apply and	the Switch A		s not.	-				_				
When When	used as a part of a currently combined facility, the non-recurr	he non-re	curring	charges apply and plies to each combi	the Switch A		s not.	_								
When When	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"	he non-re Charge (curring	charges apply and plies to each combi UNCVX. UNCDX.	the Switch A		s not.	-	_							
When When	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	he non-re Charge (curring	charges apply and plies to each combi UNCVX. UNCDX. UNC1X, UNC3X,	the Switch A nation)			5 43								
When When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	he non-re Charge (curring	charges apply and plies to each combi UNCVX. UNCDX.	the Switch A		s not.	5.43								
When When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	he non-re Charge (curring	charges apply and blies to each combi UNCVX. UNCDX. UNC1X, UNC3X, UNCSX	the Switch A nation)			5.43								
When When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge nal Features & Functions:	he non-re Charge (curring	charges apply and lies to each combi UNCVX. UNCDX. UNC1X, UNC3X, UNCSX.	the Switch A nation) UNCCC		5.43 (0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	he non-re Charge (curring	charges apply and blies to each combi UNCVX. UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1.UNC1X	the Switch A nation)			5.43	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Assis Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	he non-re Charge (i	curring	charges apply and blies to each combi UNCVX. UNCDX. UNC1X, UNC3X, UNC5X U1TD1, ULDD1,UNC1X U1TD1.	unccc		5.43	0.00								
When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge All Features & Functions: Ciear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	he non-re Charge (curring	charges apply and blies to each combi UNCVX. UNCDX. UNC1X, UNC3X, UNC1X, UNC1X, UNC1X, ULTD1, ULDD1.UNC1X UTTD1, ULDD1,UNC1X	the Switch A nation) UNCCC		5.43 (0.00	0.00						
When Nonre	used as a part of a currently combined facility, the non-recurring das ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch - As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	he non-re Charge (i	curring	charges apply and biles to each combi UNCVX. UNCDX. UNCDX. UNC3X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1.UNC1X U1TD1, ULDD1.UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD1, U1TD1, ULDD1, U1TD1.	the Switch A nation) UNCCC CCOEF CCOSF		5.43 0.00 0.00	0.00	0.00	0.00						
When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge All Features & Functions: Ciear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	he non-re Charge (i	curring	Charges apply and Diles to each combine to each combine to the process of the pro	unccc		5.43	0.00								
When Nonre	used as a part of a currently combined facility, the non-recurred as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Assis Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	he non-re Charge (i	curring	Charges apply and Individual Combination of the Com	UNCCC CCOEF CCOSF NRCCC		0.00 0.00 184.65	0.00 0.00 23.79	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch - As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	he non-re Charge (i	curring	Charges apply and Diles to each combine to each combine to the process of the pro	the Switch A nation) UNCCC CCOEF CCOSF		5.43 0.00 0.00	0.00	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurring day ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS	he non-re Charge (f	curring	Charges apply and Dises to each combine to each combine to the process of the pro	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge doe	5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurring das ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Assis Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month	he non-re Charge (f	curring	Charges apply and Individual Combination of the Com	UNCCC CCOEF CCOSF NRCCC		0.00 0.00 184.65	0.00 0.00 23.79	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month (OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non-re Charge (f	curring	charges apply and all all and all all all all all all all all all al	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge doe	5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurring das ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Assis Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month	he non-re Charge (f	curring	Charges apply and Dises to each combine to each combine to the process of the pro	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge doe	5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month (OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non-re Charge (f	curring	charges apply and all all and all all all all all all all all all al	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge doe	5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuring das ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kbs) used for a Local Loop	he non-re Charge (f	curring	charges apply and all all and all all all all all all all all all al	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge doe	5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non-re Charge (f	curring	charges apply and all all and all all all all all all all all all al	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge doe	5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00			-			
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	he non-re Charge (t	curring	charges apply and illustrate to each combi- luncvx. UNICDX.	UNCCC CCOEF CCOSF NRCCC NRCCS MQ1	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurring das ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	he non-re Charge (t	curring	charges apply and illustrate to each combi- luncvx. UNICDX.	UNCCC CCOEF CCOSF NRCCC NRCCS MQ1	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurred used as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Is Charge The Elements Switch As Is Charge The Elements Switch	he non-re Charge (t	curring	Charges apply and income in the combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	105.09 1.38	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is Charge hal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	he non-re Charge (t	curring	Charges apply and income in the combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	105.09 1.38	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel	he non-re Charge (t	curring	Charges apply and income in the combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	105.09 1.38	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuriused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-re Charge (t	curring	Charges apply and I window, wi	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA	105.09 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuring das ordinarity combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Is Charge all Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI ((BRITE) - DS1 to DS0 Channel System - per month used for connection to a channel System - per month w	he non-re Charge (t	curring	Charges apply and olise to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA	105.09 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurring das ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As-Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	he non-re Charge (t	curring	Charges apply and I window, wi	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA	105.09 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurred used as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is Charge hal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month COU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month vised for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	he non-re Charge (t	curring	Charges apply and olise to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA	105.09 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuring das ordinarity combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Is Charge all Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-re Charge (t	curring	Charges apply and olise to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA	105.09 1.38 2.96 0.6497	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recurred used as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Is Charge and Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Sylver FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month COU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-re Charge (t	curring	Charges apply and income in the combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	105.09 1.38 1.38 2.96 0.6497	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58 4.58 4.58	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recuring das ordinarity combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Is Charge all Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-re Charge (t	curring	Charges apply and olise to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA	105.09 1.38 2.96 0.6497	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58 4.58	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhl	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1											Electronic-	Electronic-	Electronic-	Electronic-
											1		1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecu	urring	Nonrecurring	Disconnect			oss	Rates (\$)	-	
						Rec	First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58				1			1 7	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	11.78	6.39	4.58							1 /	
Note:	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.												

NRONDLED	NETWORK ELEMENTS - Mississippi			_										ment: 2	17-15-78-53	bit: A
TEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order v Electron
													1st	Add'l	Disc 1st	Disc Ad
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)	,	•
						Nec	First	Adđ'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ANALYSIS AND TO COLUMN AND THE PROPERTY OF THE				L				L		1,	<u> </u>	<u> </u>	l	l	
	ne" shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically De	eaveraged UNE	Zones. To view	w Geographica	ally Deaveraged	d UNE Zone Di	esignations	by Central	Office, refer to	internet Wet	osite:	
	vw.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connection	on.htm							1	1	_	1	1		
	CLEC should contact its contract negotiator if it prefers the	o "stata s	ponifie!	OSS sharees as are	l darad bu tha	State Commiss	ions The OSS	abarger curr	ntly contained	lin this rate o	hibit am th	Doll Courth	"rogional" co	nico erderin	charges Cl	EC may
	ner the state specific Commission ordered rates for the servi															
	the 9 states.	ce oraern	ig chai	ges, or occomby er	ect the regio	mar service ordi	ering charge, ii	Owever, OLLO	can not obtain	i a illixiare or	ine two legi	urureas ir Ot	LO Has a Hite	. reomicenom	communicación com	JII31700
	2) Any element that can be ordered electronically will be bill	ed accord	ling to	the SOMEC rate liste	d in this cate	egory. Please r	efer to BellSou	th's Local Ord	ering Handboo	k (LOH) to de	termine if a	product car	be ordered e	electronically.	For those el	ements
	be ordered electronically at present per the LOH, the listed S															
will be a	pplied to a CLECs bill when it submits an LSR to BellSouth.			Comment of the second												
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	DSS - Manual Service Order Charge, Per Local Service Request				10. 00		25,000,000		19501	97 1968						
	LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
	ATE ADVANCEMENT CHARGE			1	<u> </u>							ļ				
NOTE: 1	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	5 as applicat	ole.							-			
				LIMI HEAVE LICE												1
				UAL, UEANL, UCL, UEF, UDF, UEQ.												1
				UDL, UENTW, UDN.												1
				UEA. UHL. ULC.												
				USL. U1T12, U1T48.												
				U1TD1, U1TD3.												
				U1TDX, U1TQ3,			l									
1 1				U1TS1, U1TVX,		1										
				UC1BC UC1BL,												
				UC1CC, UC1CL,			1									
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
1 1				UC1FC, UC1FL,												
				UC1GC, UC1GL.												
				UC1HC, UC1HL,												
				UDL12, UOL48,												
				UDLO3. UDLSX.												
				UE3, ULD12, ULD48, ULDD1,												
				ULDD3 ULDDX.												
1				ULDO3, ULDS1.												
				ULDVX, UNC1X,												
				UNC3X, UNCDX.												
		l		UNCNX, LINGSX,												
				UNCVX. UNLD1,												1
				UNLD3, UXTD1,											1	1
				UXTD3. UXTS1.												
	JNE Expedite Charge per Circuit or Line Assignable USOC, per	1		UTTUC, UTTUD.												
	Day			U1TUB, U1TUA	SDASP		200.00				1					
	CHANGE ACCESS LOOP								!							
	ANALOG VOICE GRADE LOOP		4	LICANII	UEAL2	12 03	37.92	17.55	23.48	6.26	<u> </u>		-		-	-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL UEANL	UEAL2	12 03	37.92	17.55	23.48	5.25 5.25						ļ
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						1
	P-Wire Analog Voice Grade Loop - Service Level 1-Zone 3			UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25			_			1
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1			UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						_
	P-Wire Analog Voice Grade Loop - Service Level 1-Zone 2			UEANL	UEASL	16.87	37 92	17.55	23.48	5.25						t -
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68		17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEASL	43.85	37 92	17.55	23 48	5.25						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User												1			
			1	In the second	Luner	1	8.33	0.00	1	I .	1	1		I	1	1
	Premise .oop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		34.36	0.83 34.36								

NABONDEED NET	WORK ELEMENTS - Mississippi										Ta	T :		ment; 2	1,000,000	bit: A
													Incremental	Incremental		
												Submitted		Charge -	Charge -	Charge
			_					D. TEO (8)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	(*)	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add
															1.000	
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						7.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Festing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
	idled Voice Loop, Non-Design Voice Loop, billing for BST			and the second			24-501									i .
	ng make-up (Engineering Information - E.I.)			UEANI.	UEANM		13.51	13.51								
	Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Coordination for Specified Conversion Time for UVL-SL1															1
(per LS				UEANL	OCOSL		18.19	18.19								1
	ndled COPPER LOOP															1
	Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						1
2 Wire	Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	36.53	16,16	22.66	4.42						(
2 Wire	Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
2 Wire	Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13 10	36.53	16.16	22.66	4.42						
	idled Miscellaneous Rate Element, Tag Loop at End User															
Premis	se			UEQ	URETL		8.33	0.83						Į.		4
Manua	ol Order Coordination 2 Wire Unbundled Copper Loop -															
Non-Di	esigned (per loop)			UEQ	USBMC		8.20	8.20						1		į.
Unbun	idled Copper Loop, Non-Design Copper Loop, billing for															
	roviding make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								(
	Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
	Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
	to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42			1					
	NGE ACCESS LOOP															
	OG VOICE GRADE LOOP										1					
	Analog Voice Grade Loop-Service Level 1-Line Splitting-										İ					
Zone 1			1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						(
	Analog Voice Grade Loop-Service Level 1-Line Splitting-						002		20							
Zone 1			1	UEPSR LIEPSB	UEABS	12.03	37.92	17.55	23.48	5 25						į.
	Analog Voice Grade Loop- Service Level 1-Line Splitting-															
Zone 2		1	2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						(
	Analog Voice Grade Loop- Service Level 1-Line Splitting-		~	021 01 021 02	02.20	10.01	01.02	11.00	20.10	0.20						
Zone 2			2	UEPSR LIEPSB	UEABS	16.87	37 92	17.55	23.48	5.25						i
	Analog Voice Grade Loop-Service Level 1-Line Splitting-			-	1	10.01	0.02		20	0.20		_				
Zone 3			3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25		9				l .
	Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI GIVE OF OF	OLFILO	2.0.00	31.02	11.00	20.40	0.20						
Zone 3			3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						l .
	Analog Voice Grade Loop-Service Level 1-Line Splitting-		- 0	OLI ON DEFOR	02.00	20.00	31.02	17.55	20.40	5.25						
Zone 4			4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5 25						l .
	Analog Voice Grade Loop-Service Level 1-Line Splitting-		4	ULF SK ULF SB	DEALS	43.63	31.52	17.55	23.40	5 25						
Zone 4			4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5 25						1
	NGE ACCESS LOOP		4	UEPSK UEPSB	UEABS	43.65	37.92	17.55	23.46	5 25						
	OG VOICE GRADE LOOP										-					
	Analog Voice Grade Loop - Service Level 2 w/Loop or															
			1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						í .
	d Start Signaling - Zone 1		- 1	UEA	UEALZ	13.89	105.96	68.28	52.82	10.37	-					
	Analog Voice Grade Loop - Service Level 2 w/Loop or				115410	40.75	405.00	CO 20	50.00	40.07				1		í
	d Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Analog Voice Grade Loop - Service Level 2 w/Loop or		_													į.
	d Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Analog Voice Grade Loop - Service Level 2 w/Loop or			LUTA.	lucas I		,									i
	d Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37	_					
	Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19		_							
	Analog Voice Grade Loop - Service Level 2 w/Reverse		_									į į				
	y Signaling - Zone 1		1	UEA	UEAR2	13.89	105 96	68.28	52.82	10.37						
	Analog Voice Grade Loop - Service Level 2 w/Reverse															
Battery	y Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	Analog Voice Grade Loop - Service Level 2 w/Reverse			10												
	y Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10 37						
	Analog Voice Grade Loop - Service Level 2 w/Reverse															
Battery	y Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
Order	Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									

ONBONDE	ED NETWORK ELEMENTS - Mississippi													ment: 2		bít: A
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								. M. 130 130 130 130 130 130 130 130 130 130			per Lak	percan	Electronic-	Electronic-	Electronic-	Electronic
			-										1st	Add'I	Disc 1st	Disc Add'I
					45										Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36 29								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIF	E ANALOG VOICE GRADE LOOP			LUE I			100.00									
-	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38 26 50.03	132 27 132.27	94.59 94.59	60.68 60.68	14.64 14.64		-		_		
	4-Wire Analog Voice Grade Loop - Zone 3		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64			1			
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	OCOSL	50.03	132.27	94.59	60.68	14.64		-				-
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without putside dispatch			UEA	UREWO		87.56	36.29								-
2 14/15	RE ISDN DIGITAL GRADE LOOP			UEA	UKEVVO		87.36	30.29								
2-9915	2-Wire ISDN Digital Grade Loop - Zone 1		4	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		-	-			
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2		1 2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37			-			
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37			-			-
	2-Wire ISDN Digital Grade Loop - Zone 3 2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92		10.37						
	Order Coordination For Specified Conversion Time (per LSR)	_	-	UDN	OCOSL	Ja. 15	18.19	13.32	32.02	10.37	_					
	CLEC to CLEC Conversion Charge without outside dispatch		_	UDN	UREWO		91.46	44.07			-					
2-WIE	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRLE	OOP	OON	OKEVIO		31.40	44.07					1			
2-111	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	T		_											
	& facility reservation - Zone 1	Ì	1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93			1			
_	2 Wire Unbundled ADSL Loop including manual service inquiry			OAL	UALZA	31.31	121.21	70.01	30.30	7.55	-					
1 1	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93			1			
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	IOAL	UALZA	11.47	121.21	70.01	30.30	1.55	1	-	-			
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		۱Ť	OAL	OALEA	11.3.4	121.21	10.01	00.50	7.55						
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7 93	6					
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL	12.00	18.19	7 0.0 1	00.00	. 50						-
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1	-			10.10									
	facility reservation - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93	c					1
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0.12	0.10211		00.10	00.00								
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93	6				.)
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93	8					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP							·						
	2 Wire Unbundled HDSL Loop including manual service inquiry		T													
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	8					
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93	i i			1		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104 86	66.74	50 38	7 93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50 38	7 93	ii .					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18,19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33						1		
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
T T	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108 28	56 72	10 68						1

MBOMPE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
				- 41		Rec	Nonre		Nonrecurring					Rates (5)		
						1100	First	Add'I	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry		_			40.40	450.74	400.00	50.70	40.00						
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68	-					
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry		3	OTTE	OTILAX	(3.03	130.74	100.20	30.72	10.00	-					
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158,74	108.28	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry							7.								
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68	_				-	-
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	I JEI	UHL4W	15.59	133.62	95.50	56.72	10.68						
_	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UML	UHL4VV	15.59	133.62	95.50	50.72	10.00		-	-	-		1
1	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68			1			
-	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	14.40	18 19	55.50	55.12	10.50						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45		12.07				1		
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45		12.07						1
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						-
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19								1	+
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96			-			+	_	+
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI	110140	27.44	420.50	88.85	60.68	14.64		-	-	+		+
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL.	UDL19	34.55	126.53 126.53	88.85		14.64					+	+-
_	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85		14.64				-	†	
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85		14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85		14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85		14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126.53	88.85		14.64			 	-		_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85		14.64 14.64	-				+	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zene 3			UDL UDL	UDL64	40.76 32.25	126.53 126.53	88.85 88.85		14.64	1			_		+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UDL	UDL64 OCOSL	32.25	18.19	88.83	60.08	14.64	-		-		_	+
_	CLEC to CLEC Conversion Charge without outside dispatch	_		UDL	UREWO		101.94	49.66								_
2-WIR	E Unbundled COPPER LOOP			UDL	OI CENTO	_	101.34	-3.00		_						
2	2-Wire Unbundled Copper Loop-Designed including manual				-											T
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93			1			
	2-Wire Unbundled Copper Loop-Designed including manual												1			
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual									24.55	1					
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93				_	_	-
	2 Wire Unbundled Copper Loop-Designed including manual		١							7.00	1					1
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.8 <u>7</u> 8.20		7.93	-			-	+	-
_	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual		-	UCL	UCLMC	+	8 20	8.20	+			-	-		_	+-
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93	1					
_	2-Wire Unbundled Copper Loop-Designed without manual		-	UCL	JOLEVY	11.11	95.21	37.09	30.36	1.33	 				1	1
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual		_		302.71		30.27	200	33.30							
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95 21	57.09	50.38	7.93		192				
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09		7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	×	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonre	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			Land and the same of the same												
	(UCL-Des)			UCL	UREWO		95.21	42.40						_		
4-WIRE	COPPER LOOP															ļ
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	55.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry														İ	
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68			-			
	4-Wire Copper Loop-Designed including manual service inquiry						12/2/2020								1	
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68			-			
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry		-	UCL	UCLMC .		8.20	8.20			-					-
	and facility reservation - Zone 1		1	UCL	UCL4W	17 30	119.56	81.44	56.72	10 68				_		_
	4-Wire Copper Loop-Designed without manual service inquiry															1
	and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56 72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry		_	500	000.11	200	1.0.00	• • • • • • • • • • • • • • • • • • • •	1							
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40								
LOOP MODIFIE	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, LIEPSR, UEPSB	ULM2L ULM4L		32.57 32.57	32.57 32.57						_		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL. UHL. UCL. UEQ, ULS. UEA. UEANL. UEPSR. UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS	pop Distribution		_		_	_				_	-	-			+	
Sub-Le	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				_		_	_			-		-		1	+
	Up	- 1		UEANL	USBSA		259.69								_	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	i		UEANL	USBSB		22.77									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel								_							
-	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		55.39				<u> </u>					
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	11	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71			1		-	
	Zone 2		2	UEANL	USBN2	9.51	56 18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	12.45	66 18	31.14	45.36	6 71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	,								6.71						
-	Zone 4		4	UEANL	USBN2	18.26	66 18	31.14	45.36	6./1	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.20	8.20	-			-		1		_
	Zone 1		_1	UEANL	USBN4	7.30	79.49	44.45	51.27	9 35						-
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

DIADOIADE	ED NETWORK ELEMENTS - Mississippi										1	1		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANI.	USBN4	16.73	79.49	44.45	51.27	9.35					·	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			7												
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 20	8.20								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.40	59 60	24.55	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	_	19.97	19.97								
$\overline{}$	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71					1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.09	66 18	31.14	45.36	6.71						
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						1
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						_
	2 TYTIC COPPET CHISATICIES CAD LOOP DISTINGUIST - LOTIC 4	_	-	02.	OGGEN	0.00	- 00.10	0	70.00	0		-				$\overline{}$
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 20	8.20								1
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						+
$\overline{}$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+-	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35					-	+
-+-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	1		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35			_	-	_	
	4 Wire Copper Unbundled SUB-LOOP Distribution - Zone 4	-	4	UEF	UC54X	14.00	79.49	44.45	31.27	9.35					<u> </u>	+
		1		ure	1100140		0.00	0.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36			-					
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbu	undled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
Netw	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94								
UNE OTHER	, PROVISIONING ONLY - NO RATE		1													
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL UEF, UEQ.U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER	PROVISIONING ONLY - NO RATE															
				UAL,UCL.UDC.UDL,		i										
	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL,USL	UNECN	0 00	0.00								1	
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			00.11.00.00.00.00.00.00.00.00.00.00.00.0			0.00					1				1
	rate	i		UEA.UDN.UCL,UDC	LISBEO	0.00	0.00							1		
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	_	_		230, 4	0.00	0.00									
	rate	1		UEA.USL.UCL.UDL	USBFR	0.00	0.00				i					
	Unbundled DS1 Loop - Superframe Format Option - no rate	_	-	USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Supertraine Format Option - Unbundled DS1 Loop - Expanded Superframe Format option -	-	_	USL	00031	0.00	0.00									
	no rate	1		USL	CCOEF	0.00	0.00								1	
LUCILOADA	CITY UNBUNDLED LOCAL LOOP	_	-	USL	CCOEF	0.00	0.00			,		-				-
HIGH CAPAC			-								_					+
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1	UE3	1L5ND	11.20								1		
	month		-	UES	ILSNU	11.20					-	_				
	High Capacity Unbundled Local Loop - DS3 - Facility			LIES	UE3PX	226.45	522.2495	305.2905	141,7145	99,1185						1
	Termination per month		-	UE3	DE3PX	326.15	522.2495	305.2905	141./145	99.1185						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															

ONBONDLED N	ETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
	0.70 4 7 77						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	h Capacity Unbundled Local Loop - STS-1 - Facility			LIDICY	UDLS1	220.55	E22 240E	205 2005	141.7145	00.4405						
LOOP MAKE-UP	mination per month			UDLSX	UDLST	338.55	522.2495	305.2905	141.7145	99.1185						
	p Makeup - Preordering Without Reservation, per working or		_		+											
	are facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	op Makeup - Preordering With Reservation, per spare facility															
	eried (Manual).			UMK	UMKLP		25.58	25.58								
	op MakeupWith or Without Reservation, per working or			and a												
	are facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE SPLITTING	TT.110															
LINE SPLIT	ORDERING-CENTRAL OFFICE BASED		-		-								_		_	
	e Splitting - per line activation DLEC owned splitter	_	-	UEPSR LIEPSB	UREOS	0.61				_	-					
	e Splitting - per line activation BST owned - physical	-		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93	-		_		_	
	e Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93				-		1
MAINTENANCE OF			_	02. 01. 02	-	0.01	,0.02	10.00	10.01	4.50						
	e Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as ap	plicable.								_		
	Trouble Found - per 1/2 hour increments - Basic						80.00	55.00					7			
No	Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
	ICATED TRANSPORT										0					
	ICE CHANNEL - DEDICATED TRANSPORT															
	eroffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Mile per month			U1TVX	1L5XX	0.0098										
	eroffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	cility Termination eroffice Channel - Dedicated Transpor I-2-Wire Voice Grade			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11			_			
	v Bat Per Mile per month			U1TVX	1L5XX	0.0098			1							
	eroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTIVA	12300	0.0096										
	cility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	eroffice Channel - Dedicated Transport - 4-Wire Voice Grade	1		0.1117	011112	22.02	10117	21.01	11.20	2111						
	Mile per month			U1TVX	1L5XX	0.0098										1
	eroffice Channel - Dedicated Transport - 4- Wire Voice Grade															-
	acility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11					1	
	eroffice Channel - Dedicated Transport - 56 kbps - per mile															
	month			U1TDX	1L5XX	0.0098										
	eroffice Channel - Dedicated Transport - 55 kbps - Facility															
	mination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	eroffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	1L5XX	0.0098						i				
	month eroffice Channel - Dedicated Transport - 64 kbps - Facility	1	-	U1TDX	11.58.8	0.0098			-							
	mination	i	i	U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	eroffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	UTIDO	13.00	40.76	21.31	17.26	7.11						
moi				U1TD1	1L5XX	0 201										1
	eroffice Channel - Dedicated Tranport - DS1 - Facility			01101	120701	0 201										
	mination			U1TD1	U1TF1	57.33	89.79	82.28	16 86	14.90						1
	eroffice Channel - Dedicated Transport - DS3 - Per Mile per															
mo				U1TD3	1L5XX	4.76										
	eroffice Channel - Dedicated Transport - DS3 - Facility		1				12712 12911									
	mination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60 29						1
	eroffice Channel - Dedicated Transport - STS-1 - Per Mile per					1										
	nth	-		U1TS1	1L5XX	4.76										
	eroffice Channel - Dedicated Transport - STS-1 - Facility			LIATOA	HATEC	044.04	200.23	400.70	60.00	60.00						
DARK FIBER	mination		-	U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29			_			-
	rk Fiber, Four Fiber Strands, Per Route Mile or Fraction	-			+	+										
	rk Fiber, Four Fiber Strands, Per Route Mile of Fraction ereof per month - Local Channel			UDF, UDFCX	1L5DC	68.94										1
	rk Fiber, Four Fiber Strands, Per Route Mile or Fraction		-	ODI , ODI OX	,LODG	00.94								_		-
	ereof per month - Interoffice Channel		1	UDF, UDFCX	1L5DF	28.27			, ,							1

UNBUNDLED NETV	WORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											PG: -611	percen	Electronic-	Electronic-	Electronic-	Electronic
						i					i		1st	Add'I	Disc 1st	Disc Add'
	120 20111										i		131	Audi	B130 131	Dist Add I
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NRC Da	ark Fiber - Interoffice Channel			UDF, UDECX	UDF14		642.79	138 67	326.97	203.85						
	per, Four Fiber Strands, Per Route Mile or Fraction															
	per month - Local Loop			UDF, UDFCX	1L5DL	68.94										
VIRTUAL COLLOCATION																
	Collocation-2 Wire Cross Connects (Loop) for Line			Contraction of the State Contract	and the same of th		501 7000									
Splitting				UEPSR DEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSICAL COLLOCAT																
	Collocation-2 Wire Cross Connects (Loop) for Line			Transport Transport												
Splitting				UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
ENHANCED EXTENDED																
	nthly recurring and non-recurring charges below will															
	nthly recurring and the Switch-As-Is Charge and not	the non-re	curring	charges below wil	I apply for UN	E combinations	provisioned a	s ' Currently C	ombined' Netv	vork Elements.						
	GRADE LOOP FOR USE IN A COMBINATION															
	VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52 82	10.37						
	VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	rade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
	GRADE LOOP FOR USE IN A COMBINATION															
	Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14 64						1
	Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132 27	94.59	60.68	14.64						
	Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132 27	94.59	60.68	14.64						
	Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132 27	94.59	60.68	14.64						
	rade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	S DIGITAL LOOP FOR USE IN A COMBINATION															
	56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1					
	56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14 64						
	56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						-
	56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126 53	88.85	60 68	14.64				_		
	COCI (data) per month (2.4-64kbs)	_		UNCDX	1D1DD	1.22	6.62	4.74								
	S DIGITAL LOOP FOR USE IN A COMBINATION		-	LINIODY	110101	07.11	400 50	20.05	20.00	44.04						
	64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64					1	
	64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55 40.76	126.53	88.85	60.68 60.68	14.64 14.64						
	64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64		126.53	88.85						1		+
	64Kbps Digital Grade Loop in Combination - Zone 4 COCI (data) - in combination - per month (2,4-64kbs)	-	4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14 64						-
	OOP FOR USE IN COMBINATION			UNCDX	טטוטו	1.22	6.62	4.74	_		1					
	ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				_		_
	ISDN Loop in Combination - Zone 2	_	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		1				+
	SDN COCI (BRITE) - in combination - per month		- 4	UNCNX	UC1CA	2.62	6.62	4.74	32.02	10.37		_				+
	GITAL LOOP FOR USE IN A COMBINATION			UNCIVA	OCICA	2.02	0.02	4.74						_		
	OS1 Digital Loop in Combination - Zone 1	-	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	-					1
	DS1 Digital Loop in Combination - Zone 2	-	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07				1		_
	OS1 Digital Loop in Combination - Zone 3	-	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07				 		+
	DS1 Digital Loop in Combination - Zone 4	1	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	—		-			+
	OCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	40.10	12.07						t
	GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINATI	ION			2.02	0.02	4								
	ce Transport - 2-wire VG - Dedicated - Per Mile Per	Ι	1													
Month	E the February Comments of the February Commen		1	UNCVX	1L5XX	0.00088			1							
	ce Transport - 2-wire VG - Dedicated - Facility				1											
	ition per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		İ				
	GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINATI	ION													
	ce Transport - 4-wire VG - Dedicated - Per Mile Per		T													
Month				UNCVX	1L5XX	0.00088								t l		
	ce Transport - 4-wire VG - Dedicated - Facility		-													
	ition per month			UNCVX	U1TV4	17.86	40 77	27.57	17 26	7.11						
	ICE TRANSPORT FOR COMBINATION					1		2	20					_		1

	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	
						1100	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1813										
- 1	Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAV		54.70	00.70		40.00							
DC3 II	Termination per month ITEROFFICE TRANSPORT FOR USE IN A COMBINATION			UNC1X	U1TF1	51.72	89 79	82.28	16.86	14.90						
DS3 IN	Interoffice Transport - Dedicated - DS3 combination - Per Mile				-	_				_	-					
	Per Month			UNC3X	1L5XX	4.76					1					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			ONGON	120701	4.70								_		
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		i		r .	l	
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			o i i di	0.00		200.01	100110	02.00	00.20				-		
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile								1							
	Per Month			UNCSX	1L5XX	4.76						1				
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	644.21	280 37	163.70	62.08	60.29						
4-WIRI	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14 64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINIONY.	41.5304											
_	Per Mile per month			UNCDX	1L5XX	0.0098					,					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			LINICDY	LIATES	22.52	10.70	07.57	47.00	7						
4 14/10/	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TO	ANCRO	UNCDX	U1TD5	22,52	40.78	27.57	17.26	7.11						
4-44146	4-wire 64 kbps Local Loop in Combination - Zone 1	FFICE IR		UNCDX	UDL64	27.44	126 53	88.85	60.68	14 64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						_
_	4-wire 64 kbps Local Loop in Combination - Zone 3	_	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64				_		_
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			O. CODIN	0020	52.20	120.00	00.00	00.00	14.04	_					
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -							_						_		
	Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11	1	i				
4-WIRI	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	-					
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14 64						
	4-wire 56 kbps Local Loop in combination - Zone 3	8	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			learn .												
	month			UNCDX	1L5XX	0.0098		_								
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
4 14117	Termination per month	FTDANC	DODT	UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
4-WIRE	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E IRANS	PORT	UNCDX	UDL64	27.44	400.50	00.05	20.00	44.04						
	4-wire 64 kbps Local Loop in combination - Zone 1 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64						
_	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
_	4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
-	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		-	0.100%	35204	32.23	120.53	00.03	00.06	14.04						
	month			UNCDX	1L5XX	0.0098	1		[]						1	
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility					3.0000							-		+	
	Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT												-			
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253 93	158.45	46.10	12.07						-
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253 93	158.45	46.10	12.07						
	4-wire DS1 Digital Looal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										T					
1	per month			UNC1X	1L5XX	0.1813										
_	Interoffice Transport - Dedicated - DS1 combination - Facility											I				

MRONDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order v Electron
							Name	-1	Nonrecurring	. Di			1st	Add'I	Disc 1st	Disc Add
					+	Rec	Nonreci First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
DS3 DI	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT.			-		THIST	Addi	Tilat	Auui	JONILO	JOINAN	SOMAN	JOMAN	JOHAN	JOWIAN
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88										
	200 Auto 200 Auto Auto Auto Auto Auto Auto Auto Auto			0.1007	1.00.1.0	12.00										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	375.0725	522.2495	305.2905	141 7145	99.1185						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.76									_	
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT			-											
_	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.88								-		
	STS-1 Local Loop in combination - Facility Termination per month		1	UNCSX	UDLS1	389.3325	522.2495	305.2905	141.7145	99.1185				1		
_	Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCOX	ODES:	369.3323	522.2495	303.2903	141.7145	99.1100						
	per month			UNCSX	1L5XX	4.76	1				1					ļ
	Interoffice Transport - Dedicated - STS-1 combination - Facility			O.TOOX	120701	4.10										
1	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
DITIONAL N	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurr	ng charge	es do n	ot apply, but a Sw	itch As Is char	ge does apply.										
	used as ordinarily combined network elements in All States, the					Is Charge does	not.									
Nonred	curring Currently Combined Network Elements "Switch As Is"	Charge (0	ne app		nation)											
	14.93			UNCVX, UNCDX,												
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X. UNC3X,							1					
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7 20						
Option	al Features & Functions:												_			
	5. 5. 10 17. 5. 115 5.	197		U1TD1,	20055											
_	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X U1TD1,	CCOEF	-	0.00	0.00	0 00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1.UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent	- 10	-	ULDD1, U1TD1,	CCOSi		0.00	0.00	0.00	0.00						-
	Activity - per DS1	1		UNC1X. USL	NRCCC		184.60	23.78	1.96	0.76						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
MULTI	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91 57	62.94	10.87	10 10						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1				120 0 0	11 412										
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					2.55	2.00									
_	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDN	UC1CA	2.62	6.62	4.74								
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	Voice Grade COC! - DS1 to DS0 Channel System - per month			ОПОВ	DCTCA	2.02	0.02	4.74								
	used for a Local Loop		ĺ	UEA	1D1VG	0.5737	6.62	4.74								1
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1.5	3.0.07	5.52									
1	used for connection to a channelized DS1 Local Channel in the						1									1
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4 74								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74								
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74	8							
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6 62	4.74								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.96	6.62	4.74								1

JNBUNDLED NET	WORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charg
			25.10					,,,			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Electro Disc A
						Rec		urring	Nonrecurring				oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
The "Zone" sh	own in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Georg	ranhically D	leaveraged LINE	Zones To vie	w Geographic	ally Deaverage	d LINE Zone D	lesignations	by Central	Office refer t	o internet We	heita:	
	erconnection.bellsouth.com/become a clec/html/inter			audit teres to dedg	aprincelly D	enveraged bive	201103. 10 110	. Ocograpiii	bily beaverage	a DIVE LONG E	resignation.	by Central	Omice, reser t	o miemer we	Datte.	
	ORT SYSTEMS (OSS) - "REGIONAL RATES"															
	C should contact its contract negotiator if it prefers the															
	state specific Commission ordered rates for the servi	ice orderi	ng char	ges, or CLEC may el	ect the region	onal service or	fering charge,	however, CLE	C can not obtai	n a mixture of	the two reg	pardless if C	LEC has a int	erconnection	contract esta	blished
each of the 9 s	states. velement that can be ordered electronically will be bill	ed accor	ding to	the SOMEC rate liste	d in this cat	eseald vones	refer to ReliSo	uth's Local Or	dering Handho	ok (LOH) to de	etermine if a	nroduct ca	n he ordered	electronically	For those e	lemente
	ered electronically at present per the LOH, the listed S															
	to a CLECs bill when it submits an LSR to BellSouth.			outegor) remedia in	o one go m				o ordoring cup.			indi oromoni	• • • • • • • • • • • • • • • • • •		dering onling	c, 00iii
	Electronic Service Order Charge, Per Local Service		1													
	st (LSR) - UNE Only		1		SOMEC		3.50	0.00	3.50	0.00						
	Manual Service Order Charge, Per Local Service				2014411		45.00		45.00	0.00		1				
	st (LSR) - UNE Only ADVANCEMENT CHARGE		-		SOMAN	-	15.20	0.00	15.20	0.00	-	-				
	pedite charge will be maintained commensurate with	BellSouth	's FCC	No 1 Tariff Section	S as annlica	hle						-			-	
NOTE. THE EX	pedite charge will be manitained commensurate with	L	13100	leo. i raini, section		Die.					_	-				
				UAL, UEANL, UCL.							1					
				UEF, UDF, UEQ.							1					
				UDL, UENTW, UDN.								1	ſ			1
				UEA. UHL., ULC.												
				USL, U1T12, U1T48,												
				U1TD1. U1TD3.											1	
				U1TDX, U1TO3.												
				U1TS1, U1TVX,					Į.							
				UC1BC UC1BL,							1			ſ		
				UC1CC, UC1CL,								1				
				UC1DC, UC1DL,												1
				UC1EC, UC1EL, UC1FC, UC1FL,			1						ļ			
				UC1GC, UC1GL,							1					
				UC1HC, UC1HL,											ľ	
				UDL12. UDL48.												
			1	UDLO3, UDLSX,												
			ļ	UE3, ULD12.												
				ULD48, ULDD1,							1	1				[
				ULDD3, ULDDX,					ſ		1					
				ULDO3, ULDS1,												
				ULDVX, LINC1X,									1		[
				UNC3X, UNCDX,							1					
				UNCNX, UNCSX, UNCVX, UNLD1.										ĺ		
				UNLD3, UXTD1,							1					ĺ
		i		UXTD3, UXTS1,			1				1					
UNE E	xpedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
Day	FEETE SID \$ 170 1 11 1 E			U1TUB, U1TUA	SDASP		200.00				1	1				
	IGE ACCESS LOOP															
	OG VOICE GRADE LOOP										_					
	Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37	-							
	Analog Voice Grade Loop - Service Level 1- Zone 2	1	3	UEANL UEANL	UEAL2 UEAL2	21.24 33 65	57.99 57.99	42.37 42.37	-		+	 				<u> </u>
	Analog Voice Grade Loop - Service Level 1- Zone 3 Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37			-					
	Analog Voice Grade Loop - Service Level 1-Zone 1 Analog Voice Grade Loop - Service Level 1-Zone 2	1	2	UEANL	UEASL	21.24	57.99	42.37						-		
	Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	33.65	57.99	42.37								
	dled Miscellaneous Rate Element, Tag Loop at End User		Τ.													
Premis	e			UEANL	URETL		8.33	0.83								
	esting - Basic 1st Half Hour			UEANL	URET1		76.24	76.24			1					
	esting - Basic Additional Half Hour	1		UEANL	URETA	1	39.51	39.51								

UNBUNDLED NE	TWORK ELEMENTS - North Carolina										1-			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						D	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CLEC	to CLEC Conversion Charge Without Outside Dispatch															
(UVL-	SL1)			UEANL	UREWO		15.76	8.93				l i				
Unbur	ndled Voice Loop, Non-Design Voice Loop, billing for BST			10.1												
	ling make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
	al Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Coordination for Specified Conversion Time for UVL-SL1					i										
(per L				UEANL	OCOSL		45.34	45.34								
	Indled COPPER LOOP															
	e Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15 60		•						
	e Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60								
	e Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60								
	ndled Miscellaneous Rate Element, Tag Loop at End User															
Premi				UEQ	URETL		8.33	0.83								
	al Order Coordination 2 Wire Unbundled Copper Loop -						-1000 3000	200 (200)						1	i	
	Designed (per loop)			UEQ	USBMC		61.38	61.38								
	ndled Copper Loop, Non-Design Copper Loop, billing for						return agov								ĺ	1
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74								
	Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24								
	Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51								
	to CLEC Conversion Charge Without Outside Dispatch				00000000000		20.00 2000	201.00								
				UEQ	UREWO		14.26	7.42								
	NGE ACCESS LOOP															
	LOG VOICE GRADE LOOP															
2 Wire Zone	e Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	12,11	57.99	42.37	0.00	0.00						
	e Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	OEFSK DEFSB	ULALS	12.11	37.99	42.31	0.00	0.00						
Zone			1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00				1		
	e Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI CIN OLI CO	OEMBO	12.11	51.55	42.01	0.00	0.00						
Zone			2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00	f	i i		ĺ		
	e Analog Voice Grade Loop- Service Level 1-Line Splitting-						000		0.00	0.00						
Zone			2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00						
	e Analog Voice Grade Loop-Service Level 1-Line Splitting-						0,100		0.00	0.00						
Zone			3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00						1
	e Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zone			3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00						1
BUNDLED EXCHA	ANGE ACCESS LOOP	1														
2-WIRE ANAL	LOG VOICE GRADE LOOP						_									
	e Analog Voice Grade Loop - Service Level 2 w/Loop or															
	nd Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56								1
	e Analog Voice Grade Loop - Service Level 2 w/Loop or									_						
	nd Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56								1
	e Analog Voice Grade Loop - Service Level 2 w/Loop or															
Groun	nd Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56]	1
Order	Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	e Analog Voice Grade Loop - Service Level 2 w/Reverse															
Batter	ry Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56								1
2-Wire	e Analog Voice Grade Loop - Service Level 2 w/Reverse															
Batter	ry Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56								(
2-Wire	e Analog Voice Grade Loop - Service Level 2 w/Reverse															
Batter	ry Signaling - Zone 3		3	UEA	UEAR2	40.81	142 97	106.56								1
Order	Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33								
Loop	Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
4-WIRE ANAL	LOG VOICE GRADE LOOP															
	e Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.32	288.47	237.45								
	e Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36.27	288.47	237.45								
	e Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56.57	288.47	237.45								
	Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
01.50	to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33								

NUBUNDLED NE.	TWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
		1 1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually		Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								
	NATE ELLINERTO	1111011111	20116	500	0000			101120 (0)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'!	Disc 1st	Disc Add
						Rec	Nonrec			g Disconnect		4		Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DIGITAL GRADE LOOP															
2-Wire	e ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31								
2-Wire	e ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31								
	e ISDN Digital Grade Loop - Zone 3	1 1	3	UDN	U1L2X	51.14	325.91	251.31	_		1		_			
	Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	01.14	45.34	201.01			+					
	to CLEC Conversion Charge without outside dispatch			UDN	UREWO			44.12			-					
				UDIN	UKEWU		91.55	44.12				1				
	MMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	OOP													
	e Unbundled ADSL Loop including manual service inquiry			10078												
& facil	ility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60		1		1				
2 Wire	e Unbundled ADSL Loop including manual service inquiry															
& facil	ility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145 60					ļ			
	e Unbundled ADSL Loop including manual service inquiry			-			=,=,=,=;;;;									
	ility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				i				
	r Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.42	45.34	145.60	-			-				+
				UAL	UCUSE		45.34									
	e Unbundled ADSL Loop without manual service inquiry &					5.5										
	y reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82								
2 Wire	e Unbundled ADSL Loop without manual service inquiry &															
	y reservaton - Zone 2	1	2	UAL	UAL2W	18.39	190.25	114.82								
	e Unbundled ADSL Loop without manual service inquiry &				0	10.00	100.20	1,1102								1
	v reservator - Zone 3		3	UAL	UAL2W	28.42	190.25	114 82	1							
		1	3	UAL		20.42		114 02								
	Coordination for Specified Conversion Time (per LSR)				OCOSL		45.34									
	to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36				İ				
2-WIRE HIGH	BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
2 Wire	e Unbundled HDSL Loop including manual service inquiry	1														
& facil	ility reservation - Zone 1	1	1	UHL	UHL2X	9.01	284.74	163.54								
	e Unbundled HDSL Loop including manual service inquiry															
	ility reservation - Zone 2	1 1	2	UHL	UHL2X	14.87	284.74	163.54				1				
	e Unbundled HDSL Loop including manual service inquiry	-	- 4	UTIL	UTILZA	144.07	204.74	103.34			-	-				
				3971									1			
	ility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163 54								
	Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
2 Wire	e Unbundled HDSL Loop without manual service inquiry															
and fa	acility reservation - Zone 1	1	1	UHL	UHL2W	9.01	207.48	132.05	1			l				
	e Unbundled HDSL Loop without manual service inquiry															
	acility reservation - Zone 2	1	2	UHL	UHL2W	14.87	207.48	132.05								
	e Unbundled HDSL Loop without manual service inquiry			OFFIC	OTILETY	14.07	201.40	152.05								
							007.40	100.05								
	acility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05								
	Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36								
4-WIRE HIGH	BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
4 Wire	e Unbundled HDSL Loop including manual service inquiry				14.00	1										
	aculity reservation - Zone 1	1	1	UHL	UHL4X	10.62	341.65	220.45		ì	1		l i			
	e Unbundled HDSL Loop including manual service inquiry			Offic	OT IC 4K	10.02	541.00	220.40								
			2		11111.432	17.67	244.05	220.45								
	acility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45								
	e Unbundled HDSL Loop including manual service inquiry															
and fa	acility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
Order	Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	e Unbundled HDSL Loop without manual service inquiry															
	acility reservation - Zone 1		1	UHL	UHL4W	10 62	264.39	188.96	}			1				1
	e Unbundled HDSL Loop without manual service inquiry			OTIL	OHEST	10.02	204.55	100.50								-
			2	UHL	LUURANA	47.67	204.00	100.00			I					1
	acility reservation - Zone 2		- 2	UTIL	UHL4W	17.67	264 39	188 96			+					
	e Unbundled HDSL Loop without manual service inquiry				0.000	************	22000.000000000000000000000000000000000	2700 MAR POR 1677			1					
	acility reservation - Zone 3		3	UHL	UHL4W	27 24	264.39	188.96								
Order	Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34			1						1
	to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40 36		1						
	DIGITAL LOOP															-
	e DS1 Digital Loop - Zone 1		1	USL	USLXX	47.50	714 84	421.47			1				_	-
		 				84.36	714.84	421.47		1	_	-				
	e DS1 Digital Loop - Zone 2	_	2	USL	USLXX											-
	e DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47								
I Orden	Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48.31					i				

NOUNDEL	D NETWORK ELEMENTS - North Carolina			Ī						100	- T			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)		Sub		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring Discon					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch		-	USL	UREWO		First 100 99	Add'l 43.00	First Ada	11 50	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WID	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		_	USL	UKEWO		100 99	43.00								
4-1111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51			-					-
	4 Wire Unbundled Digital 19.2 Kbps				UDL19	43.11	489.04	337.51					_			
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDt.	UDL56	67.26	489.04	337.51							1	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34						-			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51							-	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51								
	Order Coordination for Specified Conversion Time (per LSR)	10		UDL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 03	49.70								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual					2901 17012	215020000000									1
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
	2-Wire Unbundled Copper Loop-Designed including manual		9			00.00	200-00	10.000.2001		1						1
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
	2 Wire Unbundled Copper Loop-Designed including manual		_	lue.												1
_	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
_	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLMC		61 38	61.38			-					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96								1
	2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLFVV	13.20	100.39	112.90								
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96								l .
	2-Wire Unbundled Copper Loop-Designed without manual		-	000	OOLI VI	22.55	100.03	112.50								
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96								1
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC	0.100	61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch				1											
	(UCL-Des)		1	UCL	UREWO		97.14	42.44			1					1
4-WIR	E COPPER LOOP							637.0 (137.2)								
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
1	4-Wire Copper Loop without manual service inquiry and facility		١.			.7.00	500 57		1 1		1		l .			1
_	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14		_						
	4-Wire Copper Loop without manual service inquiry and facility		_	UCL	UCL4W	29.61	220 57	101.14	1							ĺ
	reservation - Zone 2		2	UCL	UCL4VV	29.61	236 57	161.14		_						
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14								í
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	40.20	61.38	61.38								
_	CLEC to CLEC Conversion Charge without outside dispatch		_	UCL	UCLIVIC		01.30	01.30								
	(UCL-Des)			UCL	UREWO		97.14	42 44								1
OP MODIF					J. C. L. C.		01.11									
				UAL, UHL, UCL,												
				UEQ. ULS. UEA,												i
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL UEPSR,						1						i
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		21.24	21.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft. per Unbundled Loop			UHL, UCI,, UEA	ULM4L		21 24	21.24								
				UAL, UHL UCL,												i
	Unbundled Loop Modification Removal of Bridged Tap Removal.			UEQ, ULS, UEA, UEANL, UEPSR,		9			1							

MRONDE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremen Charge
	A second			Ť.							Elec		Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			1								per zon	per Lon	Electronic-	Electronic-	Electronic-	Electronic
			1								l		1st	Add'l	Disc 1st	Disc Add'l
													10700	353530-	D130 131	Disc Add)
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	, ,	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS							- 35									
Sub-	Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-											1				
	Up	1		UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Fair Panel Set-Up	1		UEANL.	USBSB		33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			India.												
	Facility Set-Up	1		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	1		UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	1	1	UEANL.	USBN2	7.31	126.03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -													1		
	Zone 2	1	2	UEANL	USBN2	11.93	126.03	54 54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			16.0												
	Zone 3	- 1	3	UEANL	USBN2	18.20	126.03	54.54						1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -													10		
	Zone 1		1	UEANL,	USBN4	8.44	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					1			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL.	USBN4	21.10	156.52	79 66						1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-1		UEANL	USBR2	2.79	114.05	37.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ſ		UEANL	USBR4	3.74	127.67	50.82								
	•															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								Į.
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								*
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.10	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	9.70	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS2X	14.59	137 10	60.24								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38	ł			1				1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.58	162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	11	2	UEF	UCS4X	10.51	162.24	85.38				1				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	15.84	162.24	85.38								
							7									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51								
Unbu	indled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98								_	
Netw	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		86.37	56 69			1					
	Network Interface Device (NID) - 1-6 lines	J		UENTW	UND16		127.93	98.21							_	
	Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		11.68	11.68								
	Network Interface Device Cross Connect - 4W	- 1		UENTW	UNDC4		11.68	11.68								
INE OTHER.	PROVISIONING ONLY - NO RATE										1					_
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00									
	The state of the s			UEANL, UEF, UEQ, U			2.20									
1	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00									1
	PROVISIONING ONLY - NO RATE		t		1		0.00			1						

ONBONDE	ED NETWORK ELEMENTS - North Carolina		_											ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BC S	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First	Add'I	First	g Disconnect	SOMEC			Rates (\$)	0014411	20114
_							First	Add I	FIRST	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL UDC.UDL.												
	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL,USL	UNECN	0.00	0.00							ł		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN.UGL.UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no							-								
	rate			UEA,USLUCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00			-						
mon dai ad	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	450.69	1.231.65	743.038			ł l			Į	ļ	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility			LUDI DV			4 004 05	740.000								
LOOP MAKE	Termination per month			UDLSX	UDLS1	464.26	1.231.65	743.038		-						
LOUP MAKE	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
	Loop Makeup - Preordering With Reservation, per spare facility			Olim	-		00.44	00								-
	queried (Manual).			UMK	UMKLP		55.73	55.73								
	Loop MakeupWith or Without Reservation, per working or			1.0												
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SPLITT																
	SPLITTING USER ORDERING-CENTRAL OFFICE BASED															
END	Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61										
_	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59							1	
	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	0.61	56.92	28.59								
MAINTENAN	CE OF SERVICE															
NOTE	: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	olicable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55 00				_				
	No Trouble Found - per 1/2 hour increments - Overtime		1				90.00	65.00								
UNDUNDUED	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT		-				100.00	75.00					_			
	ROFFICE CHANNEL - DEDICATED TRANSPORT		-			-				 	1					
III E	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -									-						
	Per Mile per month			U1TVX	1L5XX	0.0125			1	1	į				Į	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transpor 1- 2-Wire Voice Grade															
	Rev Bat Per Mile per month	-	-	U1TVX	1L5XX	0.0125										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination	1		UITVX	U1TR2	18.00	137.48	52.50								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVX	UTIKZ	18.00	137.48	52.58								
ſ	Per Mile per month	1		U1TVX	1L5XX	0.0125										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade					3.3.23										
	- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility					100000000000000000000000000000000000000										
	Termination			U1TDX	U1TD5	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282			1							
	Interoffice Channel - Dedicated Transport - 54 kbps - Facility			UTIDA	ILJAA	0.0282			1	_				_		
	Termination			U1TDX	U1TD6	17.40	137.48	52.58	I						1	

	ED NETWORK ELEMENTS - North Carolina		r		1								0.0000000000000000000000000000000000000	ment: 2	Exhib	200
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					1	Rec	Nonrec		Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
_	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						First	Add'l	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	month			U1TD1	1L5XX	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	71.29	217.17	163.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12.98		1000								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720.38	794.94	579.55								
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.14	754.54	010.00								
-	Interoffice Channel - Dedicated Transport - STS-1 - Facility			DITO	TEOX	0.14										
	Termination	1	0.0	U1TS1	U1TFS	790.37	642.23	408.89								
RK FIBER	3															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	73.65										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDS UBSON	41.55.5											
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	1		UDF, UDFCX	1L5DF UDF14	27.71	1,807.00	562.96								
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	73.65	1,007.00	302.90								
TUAL CO	DLLOCATION			ODF, ODFCX	1LJDL	73.03										
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			may 100-201200 1												
	Splitting			UEPSR LIEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
YSICAL C	OLLOCATION		-		1											
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00						
HANCED	EXTENDED LINK (EELs)															
	C. The area (1) and a control of the															
NOTE	E: The monthly recurring and non-recurring charges below will	apply and	the Sv	vitch-As-Is Charge v	will not apply	for UNE combi	nations provisi	oned as ' Ord	narily Combin	ed' Network E	lements.					
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not t	apply and the non-re	the Sv	vitch-As-Is Charge v charges below will T	will not apply I apply for UN	for UNE combi	nations provisi s provisioned a	oned as ' Ord is ' Currently	narily Combin Combined' Net	ed' Network E work Element	lements.			-		
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not t RE VOICE GRADE LOOP FOR USE IN A COMBINATION	apply and the non-re	curring	charges below will	l apply for UN	E combination	s provisioned a	s ' Currently	narily Combin Combined' Net	work Element	lements.					
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not t RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1	apply and	curring 1	UNCVX	UEAL2	E combination	s provisioned a 142.97	106.56	narily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not t RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	apply and	1 2	UNCVX UNCVX	UEAL2 UEAL2	14.97 25.93	142.97 142.97	106.56 106.56	narily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3	apply and	1 2	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81	142.97 142.97 142.97 142.97	106.56 106.56 106.56	narily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month	apply and	1 2	UNCVX UNCVX	UEAL2 UEAL2	14.97 25.93	142.97 142.97	106.56 106.56	narily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3	apply and	1 2 3	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81	142.97 142.97 142.97 142.97	106.56 106.56 106.56	narily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not the Revoice Grade Loop For Use In A Combination 2-Wire VG Loop (St2) in Combination - Zone 1 2-Wire VG Loop (St2) in Combination - Zone 2 2-Wire VG Loop (St2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION	apply and	1 2 3 1	UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG	14.97 25.93 40.81 1.27	142.97 142.97 142.97 142.97 13.09	106.56 106.56 106.56 9 38	narily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3	apply and	1 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4	14.97 25.93 40.81 1.27 21.32 36.27 56.57	142.97 142.97 142.97 142.97 13.09 288.47 288.47 288.47	106.56 106.56 106.56 9 38 237.45 237.45	inarily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month	apply and	1 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	14.97 25.93 40.81 1.27 21.32 36.27	142.97 142.97 142.97 142.97 13.09 288.47 288.47	106.56 106.56 106.56 9 38 237 45 237.45	inarily Combin Combined' Net	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	apply and	1 2 3 1 2 3	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4	14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27	142.97 142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09	106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38	narily Combin Combined' Net	ed' Network E work Element:	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (St.2) in Combination - Zone 1 2-Wire VG Loop (St.2) in Combination - Zone 2 2-Wire VG Loop (St.2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	apply and	1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDU56	E combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32	142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09	106.56 106.56 106.56 9 38 237 45 237.45 237 45 9.38	narily Combin	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	apply and	1 2 3 1 2 3 1 2 3 1 2 2 3 1 2 2 3 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG	14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04	106.56 106.56 106.56 9 38 237.45 237.45 9.38 337.51 337.51	narily Combin	ed' Network E work Element:	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	apply and	1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26	142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04	106.56 106.56 106.56 9 38 237.45 237.45 237.45 337.51 337.51	narily Combin	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	apply and	1 2 3 1 2 3 1 2 3 1 2 2 3 1 2 2 3 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG	14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04	106.56 106.56 106.56 9 38 237.45 237.45 9.38 337.51 337.51	narily Combin	ed' Network E	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	apply and	1 2 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 3 1 3 2 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 15.76	106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38 337.51 337.51	narily Combin	ed' Network E	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	apply and	1 2 3 1 2 3 3 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04	106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38 337.51 337.51 11.28	narily Combin	ed' Network E	lements. s.					
NOTE NOTE 2-WIF 4-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RevOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE SK KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	apply and	1 2 3 1 2 3 1 2 3 1 2 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04	106.56 106.56 106.56 106.56 9 38 237.45 237.45 9 38 337.51 337.51 11.28	narily Combin	ed' Network E	lements.					
NOTE NOTE 2-WIF 4-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (St.2) in Combination - Zone 1 2-Wire VG Loop (St.2) in Combination - Zone 2 2-Wire VG Loop (St.2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	apply and	1 2 3 1 2 3 3 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11 67,26	142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04	106.56 106.56 106.56 106.56 9 38 237.45 237.45 9.38 337.51 337.51 11.28 337.51 337.51	narily Combin	ed' Network E	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to Re VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire S6Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	apply and	1 2 3 1 2 3 1 2 3 1 2 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04	106.56 106.56 106.56 106.56 9 38 237.45 237.45 9 38 337.51 337.51 11.28	narily Combine	ed' Network E	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION	apply and	1 2 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 3 3 1 3 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD	14,97 25,93 40,81 1.27 21,32 36,27 56,57 1.27 25,32 43,11 67,26 2.00 25,32 43,11 67,26	142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76	106.56 106.56 106.56 106.56 9 38 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28	narily Combin	ed' Network E	lements. S. In the second seco					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 5-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 6-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION	apply and	1 2 3 1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11 67,26	142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04	106.56 106.56 106.56 106.56 9 38 237.45 237.45 9.38 337.51 337.51 11.28 337.51 337.51	narily Combin	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RevOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 1-Wire VG Loop (SL2) in Combination - Zone 3 1-Wice Grade LOOP FOR USE IN A COMBINATION 1-Wire Analog Voice Grade Loop in Combination - Zone 1 1-Wire Analog Voice Grade Loop in Combination - Zone 2 1-Wire Analog Voice Grade Loop in Combination - Zone 2 1-Wire Analog Voice Grade Loop in Combination - Zone 3 1-Wire S6Kbps Digital Grade Loop in Combination - Zone 3 1-Wire S6Kbps Digital Grade Loop in Combination - Zone 3 1-Wire S6Kbps Digital Grade Loop in Combination - Zone 1 1-Wire S6Kbps Digital Grade Loop in Combination - Zone 2 1-Wire S6Kbps Digital Grade Loop in Combination - Zone 2 1-Wire S6Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE ISDN LOOP FOR USE IN A COMBINATION 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2	apply and	1 2 3 1 2 3 3 1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 2 1 3 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL54 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11 67,26	142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 15.76	106.56 106.56 106.56 9 38 237 45 237 45 237 45 9 .38 337.51 337.51 11.28 337.51 11.28	narily Combined Net	ed' Network E	lements. s. s.					
NOTE NOTE 2-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 5-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 6-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION	apply and	1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 3 3 3 1 3 3 3 1 3 3 3 3	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL54 UDL64	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11 67,26 2,00	142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 489.04 489.04 325.91	106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 337.51 11.28	narily Combin	ed' Network E	lements. S. In the second seco					
NOTE NOTE 2-WIF 4-WIF 4-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to Re VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 3 OCU-DP COCI (data) - In combination - Zone 3 OCU-DP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2	apply and	1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 3 3 3 1 3 3 3 1 3 3 3 3	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL54 UDL64	E combination 14,97 25,93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 32.88 51.14	142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 15.76 489.04 489.04 15.76 325.91	106.56 106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28 251.31 251.31	narily Combin	ed' Network E work Element	lements.					
NOTE NOTE 2-WIF 4-WIF 4-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3	apply and	1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1	charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	Japply for UN	14,97 25,93 40,81 1.27 21,32 36,27 56,57 1.27 25,32 43,11 67,26 2.00 25,32 43,11 67,26 2.00 25,32 43,11 67,26 32,88 51,14 3,59	142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 15.76 325.91 325.91 15.76	106.56 106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28 251.31 251.31 251.31	narily Combined Net	ed' Network E work Element	lements. s. i					
NOTE NOTE 2-WIF 4-WIF 4-WIF	E: The monthly recurring and the Switch-As-Is Charge and not to RevOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN LOOP FOR USE IN A COMBINATION RE DIGITAL LOOP FOR USE IN COMBINATION	apply and	1 2 3 3 1 2 2 3 3 1 1 1 2 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 2 3 3 3 1 1 1 1	Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL54 UDL64	14,97 25,93 40,81 1,27 21,32 36,27 56,57 1,27 25,32 43,11 67,26 2,00 25,32 43,11 67,26 2,00 25,32 43,11 3,11 67,26 2,00	142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 325.91 325.91 15.76	106.56 106.56 106.56 106.56 9 38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28 251.31 251.31 251.31	narily Combined Net	ed' Network E work Element	lements. s. s.					

MOUNDEEL	NETWORK ELEMENTS - North Carolina				_,									ment; 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
					_	_	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ON													
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	18.00	137.48	52 58						1	1	ł
4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	22.16	106.11	65.95								
DS1 IN1	FEROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	16.07										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217.17	163 75								
	TEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile										1					
	Per Month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			11.00												
	month			UNC3X	U1TF3	720.38	794.94	579.55								
	NTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				The second second	1					1					
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			N. Constitution			i			1	İ					
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89								
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						ì									
	Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 ktps combination -			E. 2500										1		
	Facility Termination per month		L	UNCDX	U1TD5	17.40	137.48	52.58								
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR									1					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489 04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		LINCOV	41.500	0.0000	i			1						
	Per Mile per month			UNCDX	1L5XX	0.0282	_			-	-					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINIODY	LIATOS	47.40	407.40	50.50						1		
4 140'55	Facility Termination per month	E EDANIC	CODT	UNCDX	U1TD6	17.40	137 48	52 58								
	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	EIRANS	PURI	LINIODY	UDLEC	25.22	400.04	227.54				_				
	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	25.32 43.11	489.04 489.04	337.51 337.51								
			3	UNCDX	UDL56			337.51		-						
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDA	UDL56	67.26	489 04	337.51		-						
	4-wiree 56 kops interoffice Transport - Dedicated - Per Mile per			LINCOV	41 EVV	0 0282										
- 1				UNCDX	1L5XX	0.0282										_
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TD5	17.40	137.48	52 58				1			}	
	Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TOANS	PORT	UNCDX	פטווט	17.40	137.48	52 58	-	-	-					
		LIKANSI	1	UNCDX	UDL64	25.32	489.04	337 51		-	1			-		-
+	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	43.11	489.04		 	-	1					-
	4-wire 64 kbps Local Loop in combination - Zone 2 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51 337.51		 	+				-	
-	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		3	DINCOA	UDL04	07.20	409.04	337.57								_
	month			UNCDX	1L5XX	0.0282				1						
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCUA	ILSAA	0.0282										
	Termination per month			UNCDX	U1TD6	17.40	137 48	52.58							1	
DS1 DIC	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			DINCDA	01100	17.40	137 48	52.58							—	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47	-		-					-

	D NETWORK ELEMENTS - North Carolina										C C. 1	C C	12 01-02-010	ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
						Rec	Nonrece		Nonrecurring					Rates (\$)	1	
			-	LINIO AND	1101101	1	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2	_		UNC1X UNC1X	USLXX	84.36 134.29	714.84 714.84	421.47 421.47				_				
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCTX	0300	134.29	714.84	421.47		_		_				_
	per month			UNC1X	1L5XX	16.07										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75								
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT														
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	13.33									\longrightarrow	
	DOOL STORY TO STORY T			LINICAN	UE3PX	450.00	4.074.00	646.40								
	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X UNC3X	1L5XX	450.69 12.98	1,071.00	646.12								
			1	UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	720.38	794 94	579.55								
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33	1									
	STS-1 Local Loop in combination - Facility Termination per					12.22										
-	month			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile				1.5.5.5.											
	per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89								
	NETWORK ELEMENTS	1 - 01 - 11														
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					s Is Charge doe	s not.	=>								
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge (0	One app		nation)											
				UNCVX. UNCDX.												
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X. UNC3X,												
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96						
Option	nal Features & Functions:	1								S						
				U1TD1,			2000000]	
	Clear Channel Capability Extended Frame Option - per DS1		1	ULDD1,UNG1X	CCOEF		0.00	0.00	0.00	0 00						
				U1TD1.												
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1.UNC1X	CCOSF	1	0.00	0.00	0.00	0 00						
									1							
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, LITTD1,	0				4							
		a Ē.			NRCCC		184.76	23 80	1.99	0.78						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, LITTD1,	NRCCC		184.76	23 80	1.99	0.78						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	- k		ULDD1, LITD1, UNC1X, USL	NRCCC NRCC3		184.76 218.92	23 80 7.66	1.99 0.7576	0.78						
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent	_ i-		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	NRCC3		218.92	7.66								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	_ L_		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,		146.69										_
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	i i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	NRCC3	146.69	218.92	7.66								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	1		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	NRCC3	146.69	218.92	7.66								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	NRCC3		218.92 197.78	7.66 140.06								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	11		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	NRCC3		218.92 197.78	7.66 140.06								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	i ·		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	NRCC3		218.92 197.78	7.66 140.06								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	i		ULDD1, LITD1, UNC1X, USL UTTD3, ULDD3, UE3, UNC3X UNC1X UDL	MQ1 1D1DD	2.00	218.92 197.78 13.09	7.66 140.06 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i i		ULDD1, LITD1, UNC1X, USL UTTD3, ULDD3, UE3, UNC3X UNC1X UDL	MQ1 1D1DD	2.00	218.92 197.78 13.09	7.66 140.06 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS IDS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	i i		ULDD1, U1TD1, UNCX, USL U1TD3, ULDD3, ULDD3, UNC3X UNC1X UDL	MQ1 1D1DD	2.00	218.92 197.78 13.09	7.66 140.06 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	i		ULDD1, U1TD1, UNCXX USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN	MQ1 1D1DD 1D1DD UC1CA	2.00 2.00 3.59	218.92 197.78 13.09	7.66 140.06 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month tused for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1, U1TD1, UNCX, USL U1TD3, ULDD3, ULDD3, UNC3X UNC1X UDL	MQ1 1D1DD	2.00	218.92 197.78 13.09	7.66 140.06 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month	i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDC3X UNC1X UDL U1TUD UDN U1TUB	MQ1 1D1DD 1D1DD UC1CA	2.00 2.00 3.59 3.59	218.92 197.78 13.09 13.09 13.09	7.66 140.06 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel voice Grade COCI - DS1 to DS0 Channel System - per month	1		ULDD1, U1TD1, UNCXX USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN	MQ1 1D1DD 1D1DD UC1CA	2.00 2.00 3.59	218.92 197.78 13.09 13.09	7.66 140.06 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDC3X UNC1X UDL U1TUD UDN U1TUB	MQ1 1D1DD 1D1DD UC1CA	2.00 2.00 3.59 3.59	218.92 197.78 13.09 13.09 13.09	7.66 140.06 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel voice Grade COCI - DS1 to DS0 Channel System - per month	i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, UD3, UNC1X UDL U1TUD UDN U1TUB UEA	MQ1 1D1DD 1D1DD UC1CA UC1CA	2.00 2.00 3.59 3.59 1.27	218.92 197.78 13.09 13.09 13.09 13.09	7.66 140.06 9.38 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	i		ULDD1, U1TD1, UNC1X USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUB UEA	MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	2.00 2.00 3.59 3.59 1.27	218.92 197.78 13.09 13.09 13.09 13.09 13.09	7.66 140.06 9.38 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X	MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	2.00 2.00 3.59 3.59 1.27 1.27 233.10	218.92 197.78 13.09 13.09 13.09 13.09 13.09	7.66 140.06 9.38 9.38 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDC3X, UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX	MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3	2.00 2.00 3.59 3.59 1.27 1.27 233.10 233.10	218.92 197.78 13.09 13.09 13.09 13.09 13.09 403.97 403.97	7.66 140.06 9.38 9.38 9.38 9.38 9.38 234.40								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month STS-1 to DS1 Channel System per month	1		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X	MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	2.00 2.00 3.59 3.59 1.27 1.27 233.10	218.92 197.78 13.09 13.09 13.09 13.09 13.09	7.66 140.06 9.38 9.38 9.38 9.38 9.38								
MULTI	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	i		ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDC3X, UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX	MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3	2.00 2.00 3.59 3.59 1.27 1.27 233.10 233.10	218.92 197.78 13.09 13.09 13.09 13.09 13.09 403.97 403.97	7.66 140.06 9.38 9.38 9.38 9.38 9.38 234.40								

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
						RATES (\$) E per					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES (\$)						Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per														!	
	month			ULDD1	UC1D1	16.07	13.09	9.38								
Note:	Rates displaying an "I" in Interim column are Interim as a res	ult of a Co	mmissio	on order.												

INBUNDLED NETWO	ORK ELEMENTS - South Carolina													ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)		,		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order Electro Disc Ad
						Rec	Nonre	curring	Nonrecurring	Disconnect				Rates (\$)		
						Ket	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
The "Zone" chause	In the sections for stand-alone loops or loops as pa	d of a coo	ab location	n mfam to Consumb	nally Danier	and UNE Zanas	Ta ulau Casa			na Danimontina	c bu Canten	1 Office	- 4	- h - h		
	nnection.bellsouth.com/become a clec/html/interco			ir leiers to Geograph	cally Deavers	iged ONL Zones.	TO VIEW GEOGI	apriically Deav	eraged DNC 20	nie Designation	is by Celitia	Olike, lele	t to internet **	ebsite.		
ERATIONAL SUPPORT	SYSTEMS (OSS) - "REGIONAL RATES"															
state specific Com NOTE: (2) Any ele ordered electronica bill when it submits	nould contact its contract negotiator if it prefers the nission ordered rates for the service ordering charg nent that can be ordered electronically will be billed by at present per the LOH, the listed SOMEC rate in an LSR to BellSouth.	es, or CLE according	C may	elect the regional ser SOMEC rate listed in	lice ordering his category.	charge, however, Please refer to Be	CLEC can not	obtain a mixtural Ordering Han	re of the two re adbook (LOH) to	gardless if CLE determine if a	C has a inte product car	rconnection be ordered	contract esta electronically.	blished in each For those ele	n of the 9 state ments that ca	es. Innot be
	ronic Service Order Charge, Per Local Service (R) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	al Service Order Charge, Per Local Service Request	-			SUMEC		3,50	0.00	3.50	0.00						\vdash
(LSR) - UN	Only				SOMAN		15.69	0 00	1,97	0.00						
E SERVICE DATE ADV	ANCEMENT CHARGE ite charge with Be the charge will be maintained commensurate with Be															
UNE Exped	ire Charge per Circuit or Line Assignable USOC, per			UDL, UENTW, UDN, UEA, UHL, ULC. USL, UIT12, UIT28, UITD1, UIT03, UITD1, UIT03, UITD1, UIT03, UITD1, UIT04, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UDD3, UDD3, UDD3, UDD3, ULD03, ULD03, UDD3, UDD3, UDD3, UDD3, UNCOX, U	SDASP		200.00									
	OICE GRADE LOOP								-							
	og Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
2-Wire Ana	og Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37 92	17.62	23.56	5.32						
	og Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
	og Voice Grade Loop - Service Level 1-Zone 1 og Voice Grade Loop - Service Level 1-Zone 2	-	1 2	UEANL UEANL	UEASL	14.94 21.39	37 92 37.92	17.62 17.62	23.56 23.56	5 32 5.32						
	og Voice Grade Loop - Service Level 1-Zone 2 og Voice Grade Loop - Service Level 1-Zone 3			UEANL	UEASL	26.72	37.92	17.62	23.56							
	discellaneous Rate Element, Tag Loop at End User		-				5,.52	02	2330	3.52						
Premise	A CONTRACTOR OF THE PROPERTY O			UEANL	URETL		8.33	0.83								
	g - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
	g - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
(UVL-SL1)	EC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.81	8.96								
	/oice Loop, Non-Design Voice Loop, billing for BST		100		5.1.0		10.01	0.30								
	ake-up (Engineering Information - E.I.)	1		UEANL	UEANM	1	13.47	13.47	1	I	1	1	1		1	
lproviding m	er Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								

иваирг	ED NETWORK ELEMENTS - South Carolina						10							ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates (\$)		
						7120	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		18.13	18 13								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	VI.	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22 66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	DEQ2X	15.02	36 40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		8.17	8.17								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13 47								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34 23								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19 90								
1	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14 30	7.45								
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
1	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			02.0		,	002		20.00	- 0.02						
	Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		-	OLI OIL OLI OLI	DEMEG	2.1.00	57.52	17.02	20.50	0.02						
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17 62	23.56	5.32						
-	2 Wire Analog Voice Grade Loop-Service Level 1 Line Splitting		-	OLI SICOLI SO	BEADO	21.00	31.32	17 02	20.00	5.52						
	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
+	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			222	1,000											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10 61						
_	2-Wire Analog Voice Grade Loop - Service Level 2 W/Loop or			OE/	TO ETTE	20.10	700.00	000	00.00	1001						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	1					
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	20.40	18 13	00.43	30.03	10.01					-	
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				00001		10 13									
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	<u> </u>			10.00	103.00	30,43	33.03	10.01						
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105 98	68.43	53.05	10.61						
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	-			20.13	100 00	30.73	55.05	10.01						
	Battery Signaling - Zone 3	1	3	UEA	UEAR2	28.46	105.98	68 43	53 05	10.61						
_	Order Coardination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	20.40	18.13	00 40	55 65	10.01						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.90	36.44								
+	Loop Tagging - Service Level 2 (SL2)	t		UEA	URETL		11.24	1.10								
4.MID	E ANALOG VOICE GRADE LOOP	1		1020	OKETE		11.24	1.10								
	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	32 59	132.38	94.83	59.35	14 61				_		
+	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43 89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
_	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	45.50	18.13	54.03	35.33	14.01				_		
-	CLEC to CLEC Conversion Charge without outside dispatch		_	UEA	UREWO		87.90	36.44								
2 AVID	E ISDN DIGITAL GRADE LOOP			OCA .	JAE WO		07.90	30,44		_						
2-14/10	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						-
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						-
-			3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61	_					-
1	2-Wire ISDN Digital Grade Loop - Zone 3		-	UDN	OCOSL	37.70	18.13	60.03	33.05	10.01						_
_	Order Coordination For Specified Conversion Time (per LSR)							11.05	_		_					
				LION												
2.\\(\text{A}\)	CLEC to CLEC Conversion Charge without outside dispatch	TIBLE	OP.	UDN	UREWO		91.82	44.25		_						
2-WIR		TIBLE LO	OP	UDN	UREWO		91.82	44.25								

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		,										100011200100010	ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment: Charge - Manual Sv Order vs. Electronic Disc Add
									T. c.							
					-	Rec	Nonrec First	Add'I	Nonrecurring First	Disconnect Add'l	SOMEC	COMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry &						riist	Addi	FIISL	Abdi	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	facility reservation - Zone 2		2	UAL	UAL2X	13 71	120.84	70.56	50 37	7 93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2X	14 14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 1		1	UAL	UAL2W	12,19	95.81	57 82	50.37	7 93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	12.19	95.61	5/ 62	50.37	7 93						
	facility reservaton - Zone 2		2	UAL	UAL2W	13 71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSI, Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14,14	95 81	57.82	50 37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
2 141171	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BILLIO	\ <u>\</u>	UAL	UREWO		86.38	40.48								-
Z-WIRI	2 Wire Unbundled HDSL Loop including manual service inquiry &	IBLE LOC)r		1											<u> </u>
j	facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7 93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &			0.12	J. L. L.	0.00	120.02	15.24	00.01	. 00						
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
-	facility reservation - Zone 3		3	UHL	UHL2X	11 40	129.52	79.24	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
_	2 Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHLZVV	9.58	104.49	00.00	50.37	7.93				_		
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104,49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		-	0112	OTTE TO	10.52	104.45	00.00	30.01	7.55						
	facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50 37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40 48								
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LOC)P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16 02	158.18	107.89	55.12	10 38		1				
_	4-Wire Unbundled HDSL Loop including manual service inquiry and		<u> </u>	OTIL	UTILAX	10 02	150.10	101.03	33.12	10 30				_		
	facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55 12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10 38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 13									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133,14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and			UHL	UHL4VV	16.02	133,14	95.16	55.12	10.38						
	facility reservation - Zone 2		2	UHL	UHL4W	14.33	133,14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and							00110	00.12							
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133 14	95.16	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 13							-		
	CLEC to CLEC Conversion Charge without outside rispatch			UHL	UREWO		86.32	40.48								
4-WIRI	DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73				_		
\rightarrow	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														1	
_	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
_	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19 UDL19	33.99 34.74	126.66 126.66	89.12 89.12	59 35 59.35	14.61 14.61						
_	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12		14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	128 66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	VDL	UDL56	34.74	126.66	89.12	59.35	14 61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89 12	59.35	14.61						
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33 99	126.66	89 12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time Iper LSR)		3	UDL	UDL64 OCOSL	34.74	126.66 18.13	89.12	59.35	14.61	-					——
-	CLEC to CLEC Conversion Charge without outside dispatch		_	UDL	UREWO		102 34	49.85			-					

INDUNDE	ED NETWORK ELEMENTS - South Carolina		1		T 1									ment: 2	97 235257	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
			-			Rec	Nonrec		Nonrecurring		001450			Rates (\$)		
2 14/11	DE University CORRER LOOP		-			0410270201	First	Addʻi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-4411	RE Unbundled COPPER LOOP	-	+								1					├
	2-Wire Unbundled Copper Loop-Designed including manual		١.		1101.00				50.00		1				1	
_	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 19	119.91	69.62	50.37	7.93						
1	2-Wire Unbundled Copper Loop-Designed including manual		2										ļ			
	service inquiry & facility reservation - Zone 2		- 2	UCL	UCLPB	13 71	119.91	69 62	50 37	7.93	-					├
	2 Wire Unbundled Copper Loop-Designed including manual service		_	1101	1101.00		440.04		50.07		l		Į		1	1
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14 14	119.91	69 62	50.37	7.93						
_	Order Coordination for Unbundled Copper Loops (per loop)		-	NCT	DCTWC		8.17	8.17						-		
	2-Wire Unbundled Copper Loop-Designed without manual service		1	LICI.	UCLPW	40.40	04.07	50.00	50.07	7.00						
	inquiry and facility reservation - Zone 1	_		UCL	UCLPVV	12 19	94.87	56.89	50.37	7 93			i			
1	2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	13.71	04.97	EC 90	50.27	7.02						
_	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service			001	JCLFVI	19.71	94.87	56 89	50.37	7.93	-					+
1	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14,14	94.87	56.89	50.37	7 93						
-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14,14	94.87	8 17	50.37	7 93	-				80	-
-	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		+	1001	SCLIVIC		017	0 17			-					+
ĺ	Des)	1		UCL	UREWO		94,87	42.57				ļ				l .
4.38/16	RE COPPER LOOP		+	1000	UNEWO		34.07	42.57		-	-				-	+
4-4411	4-Wire Copper Loop-Designed including manual service inquiry		+		1						—	-				
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38					1	1
	4-Wire Copper Loop-Designed including manual service inquiry		+ '-	OCL	190143	15.04	149,17	33.00	33.12	10.36						-
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144,17	93.88	55.12	10.38		ļ.				
	4-Wire Copper Loop-Designed including manual service inquiry		-	OCL	00040	20.30	149.17	33.00	33.12	10.36						-
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144,17	93.88	55.12	10.38		1				
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	10.54	8.17	8.17	33.12	10.35		-			1	
	4-Wire Copper Loop-Designed without manual service inquiry and			OCL	DCDVIC		0.17	0.17								
	facility reservation - Zone 1		1	UCL	UCL4W	19 64	119 13	81.15	55.12	10.38		ł				
	4-Wire Copper Loop-Designed without manual service inquiry and		+ '-	002	DCEAN	13 04	119 13	01,13	33,12	10.36	-					-
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10 38						
	4-Wire Copper Loop-Designed without manual service inquiry and			002	JOCE	20.50	110.10	01.13	33.14	10 30			-			
	facility reservation - Zone 3		3	UCL	UCL4W	19 34	119.13	81 15	55.12	10.38		1			i	
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	10 04	8.17	8,17	33. TE	10.50		-				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		1	1002	3020		0.11	0,11								
	Des)	l		UCL	UREWO		94.87	42 57							į.	
OOP MODIF			1				0 101	- 201						2		
			1	UAL, UHL, UCL												-
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	L/LM2L		32.46	32 46								
	Unbundled Loop Modification Removal of Load Cells - 4 Wire less				1							}				
	than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL. UEA	ULM4L		32 46	32.46		1						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA. UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
UB-LOOPS			1		1		52.40	52.40								
	Loop Distribution			-												
1.50	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1													
	Up	ĵ.		UEANL	USBSA		241.42	241 42								
				6												
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I I		UEANL	USBSB		22.69	22.69								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		1													
	Sel-Up	- 1		UEANL	USBSC		177.84	177.84								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-						#100 tours 100	**************************************								
	Up	1		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1		1700											
	Zone 1	1	1	UEANL	USBN2	8 87	65.94	31.03	45.35	6.71						L
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1 .		Vision I	9002 -140	222,000	2	900000	12 mars						1
	Zone 2	1	2	UEANL	USBN2	12.58	65 94	31.03	45 35	6.71			ē.			
_				1							1	1				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1.	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						

	D NETWORK ELEMENTS - South Carolina										C O=!	Sun Ond-		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44 29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19 40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18 90	79 21	44 29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8 17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17					125			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19 90	19.90								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UC\$2X	7.11	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	. 1	3	UEF	UCS2X	10.48	65.94	31 03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	7.85	79,21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	14 17	79.21	44 29	49.82	9 09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	T	3	UEF	UCS4X	12.64	79.21	44.29	49 82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17			1					
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	34 23								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
Unbun	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20			1					
Netwo	rk Interface Device (NID)		1													
	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		43.68	28.79								
_	Network Interface Device (NID) - 1-6 fines			UENTW	UND16		64.42	49 53								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5 92								
NE OTHER, I	PROVISIONING ONLY - NO RATE			LIENTELL.	w.ppv											
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		1-	UENTW	UNDBX	0.00	0.00									—
				UEANL.UEF,UEQ.U												
UE OTHER	Unbundled Contract Name, Provisioning Only - No Rate		-	ENTW	UNECN	0.00	0.00									-
NE OTHER,	PROVISIONING ONLY - NO RATE			UAL,UCL,UDC.UDL					2							
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDG	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		1	UEA,USL,UCL,UDC	USBFR	0.00	0.00			1						i
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Formul option - no rate			USL	CCOEF	0.00	0.00									
GH CAPACI	Y UNBUNDLED LOCAL LOOP					5.50	5.00									
	High Councils Hab malled Level I 500 D. 181			UE2	HEND	40.00				1						i
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		-	UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	306.36	520.398	304.2095	137.7125	96 3355						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	_		UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	313.49	520.398	304 2095	137.7125	96.3355						
OOP MAKE-L																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								

UNBUND	LED NETWORK ELEMENTS - South Carolina					1				-	Suc Order	Sun Onde-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					-	Rec	Nonre: First	Add'!	Nonrecurring First	Add'I	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	0011111	00144
_	Loop Makeup - Preordering With Reservation, per spare facility	_	_			-	FIIST	Addi	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
	queried (Manual).			UMK	UMKLP		25.49	25 49			1			1		
	Loop Makeup-With or Without Reservation, per working or spare				-											_
	facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34					1			
LINE SPLITT	TING															
	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per fine activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per fine activation BST owned - physical		-	UEPSR UEPSE	UREBY UREBY	0.61	37 09 37.09	21.24 21.24	20.07							
MAINIT ENAL	Une Splitting - per line activation BST owned - virtual		-	UEPSR UEPSB	OKERA	0.61	37.09	21 24	20.07	9.85						
MAINTENAN	NCE OF SERVICE TE: The Expedite charge will be maintained commensurate with Be	allSouth's	ECC No	1 Tariff Section 13	3.1 as applica	hla				1					_	_
NOT	No Trouble Found - per 1/2 hour increments - Basic	E II S O LL II S	1	I Talli, Section 13	J. r as applice	loe.	80.00	55.00						_	-	
-	No Trouble Found - per 1/2 hour increments - Overtime						90 00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100 00	75.00								
UNBUNDLE	D DEDICATED TRANSPORT															
INTE	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1			1	7.000.000.000.000					İ					
	Per Mile per month	-		U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LIATE OF	U1TV2	24.20	40.63	27.47	46.77							1
	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		-	U1TVX	D1172	24.30	40.63	27.47	16.77	6.91						
			1	U1TVX	1L5XX	0.0167										1
-	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -	+	1	01147	Than's	0.0107		-								-
	Facility Termination		1	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						1
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			011111	13,1	200				0.07						
1	Per Mile per month			U1TVX	1L5XX	0.0167										1
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV4	21 29	40,63	27.47	16 77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
	month	-	-	U1TDX	1L5XX	0.0167						_				-
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UITDX	U1TD5	16.76	40 63	27.47	16.77	6.91						1
-	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	+	_	OTTOX	1011103	10.70	40 03	21.41	10.77	0.31	-		-			
	month	1	1	UITOX	1LSXX	0.0167			1							1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	0	1							-				
	Termination			U1TDX	U1TD6	16.76	40 63	27.47	16.77	6.91	1					(
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3415										L
	Interoffice Channel - Dedicated Transport - DS1 - Facility															
	Termination		1	U1TD1	U1TF1	77.14	89.47	81.99	16 39	14.48		_				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		1	U1TD3	1L5XX	8.02										(
	Interoffice Channel - Dedicated Transport - DS3 - Facility	_	_	01103	IWAA	0.02							-			
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59	İ					ĺ.
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		_		1											
	month			U1TS1	1L5XX	8.02				1						1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				102											
	Termination			U1TS1	U1TFS	880.55	279.37	163.12	60 33	58 59						
DARK FIBER			_		_											
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereo	7		UDF, UDFCX	1L5DC	112.20			1	1						
	per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereo	-	-	OUF, OUFCX	LOUC	112 30										
	per month - Interoffice Channel	Ί		UDF, UDFCX	1LSDF	36.41										i
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		640 51	138.17	317.76	198.11				_		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereo	f			17.11											
	per month - Local Loop			UDF, UDFCX	ILSDI.	112.30										
VIRTUAL CO	OLLOCATION															
						0.05:-				2000						
DIIVE:	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	-	-	UEPSR UEPSB	VE1LS	0.0317	12.32	11 83	6 04	5.45						
PHYSICAL (COLLOCATION Division Collegation 3 Was Course Connected to the Line		-		-											
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		1	UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6 04	5 45						
1																

TOOMDELD HE	WORK ELEMENTS - South Carolina				T					_	Suc Order	Svc Order	Attachi	Incremental	Incremental	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual St Order vs Electroni Disc Add
					-	Rec	Nonrec		Nonrecurring					Rates (\$)		
						2,000	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: The mor	nthly recurring and non-recurring charges below will app	ofy and the	Switch	n-As-Is Charge will	not apply for UN	E combinations p	rovisioned as	Ordinarily Cor	mbined' Networl	Elements.						
NOTE: The mor	othly recurring and the Switch-As-Is Charge and not the	non-recur	ring ch	arges below will ap	ply for UNE com	binations provisi	oned as 'Curre	ntly Combines	' Network Elem	ents.						
2-WIRE VOICE (GRADE LOOP FOR USE IN A COMBINATION															
2-Wire \	VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
2-Wire \	VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
2-Wire \	VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105 98	68 43	53.05	10.61						
	rade COCI - Per Month			UNCVX	1D1VG	0.56	6 59	4.73	0.00	0.00						
4-WIRE VOICE	GRADE LOOP FOR USE IN A COMBINATION															
	Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94 83	59.35	14 61						
	Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	IJEAL4	43.89	132.38	94.83	59.35	14.61						$\overline{}$
	Analog Voice Grade Loop in Combination - Zone 3	$\overline{}$		UNCVX	IJEAL4	43.38	132.38	94.83	59.35	14.61						
	rade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						$\overline{}$
	S DIGITAL LOOP FOR USE IN A COMBINATION			U.101A	10.110	0.50	0.35	4,/3	0.00			-				
			1	LINCDY	UDL56	29.93	126.66	89.12	59.35	14.61	_			_		
4-Wire	56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX												
	56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126 66	89.12	59.35	14.61						
	COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	_					
	S DIGITAL LOOP FOR USE IN A COMBINATION															
	64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
4-Wire	64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	OOP FOR USE IN COMBINATION								-							
	SDN Loop in Combination - Zone 1	_	1	UNCNX	U1L2X	25 21	117.58	80.03	53.05	10.61	-					
	SDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32 76	117.58	80.03	53.05	10.61					_	
					U1L2X	37.70	117.58	80.03	53.05	10.61	_					
	ISDN Loop in Combination - Zone 3	-	3	UNCNX					55.05	10.01	-	_				
	DN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2 56	6.59	4.73								-
	SIT AL LOOP FOR USE IN A COMBINATION															
	OS1 Digital Loop in Combination - Zone 1		_ 1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	OS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44 80	11 73						
4-Wire D	OS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Cf in combination per month			UNC 1X	UC1D1	8.64	6 59	4.73								
2 WIRE VOICE	GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATIO	N													
Interoffic	ce Transport - 2-wire VG - Dedicated- Per Mile Per Month	ł l		UNCVX	1L5XX	0 0134										
	ce Transport - 2-wire VG - Dedicated - Facility Termination															
per mon				UNCVX	U1TV2	19,44	40 63	27.47	16.77	6 91			1			
	GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MRINATIO	N													$\overline{}$
TORE	DATE TO THE TRANSPORT OF THE OUT OF THE OUT											-				
Interest	ce Transport - 4-wire VG - Dedicated - Per Mile Per Month		1	UNCVX	1L5XX	0.0134			1							
		_		0.4047	ILUAA	0.0134			<u> </u>		1					
	ce Transport - 4-wire VG - Dedicated - Facility			LINGUY	U1TV4	17.03	40.63	27.47	16.77	6.04						1
	tion per month		—	UNCVX	DIIV4	17.03	40.53	21.41	10.77	6.91						
	ICE TRANSPORT FOR COMBINATION				-											
	ce Transport - Dedicated - DS1 combination - Per Mile per	!			at more								1			
month				UNC1X	1L5XX	0.27										
Interoffic	ce Transport - Dedicated - DS1 combination - Facility															
Termina	tion per month			UNC1X	U1TF1	61.71	89 47	81 99	16.39	14 48						
1/0 Char	nnelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
DS3 INTEROFF	ICE TRANSPORT FOR USE IN A COMBINATION															
	ce Transport - Dedicated - DS3 combination - Per Mile Per															
Month				UNC3X	1L5XX	6.42			i 1						1	
	ce Transport - Dedicated - DS3 - Facility Termination per															
month	de Transport - Dedicated - 033 - Facility Territorion per			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59	1 1					
	FICE TRANSPORT FOR USE IN COMBINATION			ONCOX	DITTS	104.02	213.31	103.12	00.33	30.33						
			_		1			_	 		-					
	ce Transport - Dedicated - STS-1 combination - Per Mile			LINCEY	1L5XX	6.42							1	1		
Per Mor				UNCSX	ILSXX	0.42										
	ce Transport - Dedicated - STS-1 combination - Facility										1 1		- 1			
	tion per month			UNCSX	U1TFS	704.44	279.37	163.12	60 33	58.59						
	S DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS	SPORT														
	6 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126 66	89.12	59.35	14.61						
	6 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	6 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	ce Transport - Dedicated - 4-wire 56 kbps combination -															
	per month	1	I	UNCDX	1L5XX	0.0134					1					

	D NETWORK ELEMENTS - South Carolina			_	1						Cur O-1	C C1		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring				oss	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP	FICETRA			The same of the sa											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		3	UNCDX	UDL64	0 0134	126 66	89.12	59 35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13,41	40.63	27.47	16.77	6.91						
AWIDE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TDANCE	OPT	UNCDX	UTIDO	13,41	40.63	27.47	10.77	0.91	-					
4-4416	4-wire 56 kbps Local Loop in combination - Zone 1	IKANSF		UNCDX	UDL56	29 93	126.66	89.12	59.35	14,61	-					
_	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	\vdash		-			_
-	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	34.74	126.66	89.12	59.35	14,61	1		_			
	4-wiree 56 kbps Interoffice Transport - Dedicated - Fer Mile per				1L5XX	0.0134	120.00	03.12	30.00	14.07			-			
	month 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX						-					-	
4 WIDE	Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TOANCE	ODT	UNCDX	U1TD5	13.41	40.63	27.47	16 77	6.91						
4-WIKE		IRANSF		UNCDX	UDL64	29.93	126 66	89.12	59.35	14.61	-					
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	33.99	126.66				-					
_	4-wire 64 kbps Local Loop in combination - Zone 2 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	34.74	126.66	89.12 89.12	59.35 59.35	14.61						
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134	120.00	05.12	39 35	14,61						
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCUA	ILSAA	0.0134					_					
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
DS1 DI	GIT AL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11 73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	61.71	89 47	81.99	16 39	14.48						
	SITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	_		UNC3X	1L5XX	6 42	102.02	201.00	110.10	00.11						
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58 59				-		
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month	ÿ		UNCSX	1L5ND	12.26			_							
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month	1		UNCSX	1L5XX	6 42			8.00						-	
	Interoffice Transport - Dedicated - STS-1 combination - Facility				U1TFS	704.44	270.27	163.13	60.33	50.50						
DITIONAL N	Termination per month ETWORK ELEMENTS		-	UNCSX	UTIFS	704,44	279.37	163.12	50.33	58.59						
	sed as a part of a currently combined facility, the non-recurring	charges d	lo not a	pply, but a Switch	As is charge doe	s apply.										
	sed as ordinarily combined network elements in All States, the r															
	urring Currently Combined Network Elements "Switch As Is" Ch			s to each combinat				-								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX, UNCDX UNC1X, UNC3X, UNCSX	UNCCC		5.61	5.61	7.00	7 00						
Optiona	l Features & Functions:	il			MACCO		5.01	5.01	7.00	, 00					+	
	No. 252 402 40 1000 1000 1000 1000 1000 1000 1			U1TD1,			1000 1000000			3						
	Clear Channel Capability Extended Frame Option - per DS1	1	-	ULDD1.UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0 00						
	Clear Channel Capability Super FrameOption - per DS 1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	1		ULDD1.UNC1X ULDD1, U1TD1;	CCOSF		0.00	0.00	0 00	0.00						
1	per DS1	1 5	1	UNC1X, USL	NRCCC	1	185.26	23.86	1.99	0.78			1		1	

NBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interim		BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge Manual S
TEGURT	KAI E ELEMENIS	Interim	Zone	BCS	USOC			RATES (S)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order v Electron Disc Ad
						Rec	Nonrec	urning	Nonrecurring [Disconnect			oss	Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	C-bil Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
MULT	IPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1,19	6.59	4.73								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4 73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channel zed DS1 Local Channel in the same SWC as collocation			U1TUB	UG1CA	2.56	6.59	4 73						-		
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.56	6.59	4 73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178 54	94.18	33.33	31 90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178 54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6 59	4.73								
	DS1 COCI (used for connection to a channefized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month Rates displaying an "I" in Interim column are interim as a result of			ULDD1	UC1D1	8.64	6.59	4.73								

UNBUND	LED N	ETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	blt: A
CATEGOR	Y	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
							Rec	Nonrecurring			g Disconnect			oss	Rates (\$)		
-+	-							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	e "Zone"	" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Geog	raphically D	eaveraged UNE	Zones. To vis	ew Geographic	ally Deaverag	ed UNE Zone D	esignations	by Central	Office, refer t	o internet We	hsite:	
http	p://www	interconnection.bellsouth.com/become_a_clec/html/inter						1007								bone.	
		JPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NO	TE: (1) (CLEC should contact its contract negotiator if it preters the	e "state s	pecific"	OSS charges as ord	lered by the	State Commiss	sions. The OS	S charges curr	ently containe	d in this rate e	xhibit are th	ne BellSouth	"regional" s	ervice orderin	g charges. C	LEC may
		r the state specific Commission ordered rates for the servi	ce orderin	ng char	ges, or CLEC may el	ect the region	onal service ord	lering charge,	however, CLE	C can not obta	in a mixture of	the two reg	ardless if C	LEC has a int	erconnection	contract esta	blished in
		9 states.			he COMEC ante liste	din this and	oseni Dieses	refer to DallCa		d (- 1	-1: // (011) 41:	4					
000	net be	Any element that can be ordered electronically will be bill ordered electronically at present per the LOH, the listed S	OMEC rate	nng to t	category reflects th	e charge th	at would be bill	ed to a CLEC	utin's Local Ori	ering Handbo	abilitles some	termine it a	product car	n be ordered	electronically.	For those e	ements tha
will	he ann	blied to a CLECs bill when it submits an LSR to BellSouth	OWILC TAU	e ili tina	category renects th	e charge th	at would be bill	ed to a CLEC t	once electronic	ordering cap	abilities come	on-ine for t	nat element	. Otherwise,	the manual or	dering charg	e, SOMAN,
		OSS - Manual Service Order Charge, Per Element - UNE Or		se see a	applicable rate eleme	nt for SOM	AN charge									_	
		S - Electronic Service Order Charge, Per Local Service	ſ _								-						
		quest (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00		1				
		TE ADVANCEMENT CHARGE															
NO	TE: The	e Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	as applica	ble.										
	UN	IE Expedite Charge per Circuit or Line Assignable USOC, per			UEF. UFF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT12, UTT48, UTT01, UTT03, UTT01, UTT03, UTT01, UTT03, UTT01, UTT04, UC18C, UDC18, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD01, ULD01, ULD01, UNC18C, UNC18C, UNC18C, UNC18C, UNC18C, UNC18C, UNC18C, UNT01, UNT03, UXT01, UXT03, UXT01, UTT0C,												
UNBUNDLE	Day ED EXC	HANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00		-							
		IALOG VOICE GRADE LOOP			Variable of the second												
	2-V	Vire Analog Voice Grade Loop - Service Level 1-Zone 1				UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Vire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Vire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Vire Analog Voice Grade Loop - Service Level 1-Zone 1		1	UEANL UEANL	UEASL UEASL	13.19 17.23	31.99 31.99	20.02	10.65	1.41			20.35	10.54	13.32	13 32
		Vire Analog Voice Grade Loop - Service Level 1- Zone 2 Vire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41		-	20.35	10.54	13.32	13.32
-		bundled Miscellaneous Rate Element, Tag Loop at End User		3	OLAIVL	UEAGL	22.53	31.99	20.02	10.65	141		_	20.35	10.54	13.32	13.32
		emise			UEANL	URETL		8.33	0.83					20.35	10.54	12.22	40.00
		op Testing - Basic 1st Half Hour				URET1		78.92	78 92		-			20.35	10.54	13.32	13.32
		pp Testing - Basic Additional Half Hour				URETA		23.33	23.33					20.35	10.54	13.32	13.32
		EC to CLEC Conversion Charge Without Outside Dispatch												20.00	10.04	13.32	13.32
		VL-SL1)	1	1	UEANL	UREWO	1	15.80	8.95		1	ı		20.35	10.54	- 1	

JIVBOITBELL	NETWORK ELEMENTS - Tennessee				_									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
				-			Nonrecurring		Nonrecurring	Disconnect			2000	Rates (\$)	D130 130	Disc Au
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST												00111111	JOINTAIN	JOHNAIN	SOMIA
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80						i		ļ
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36 52								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		34 29	34 29								
2-WIRE	Unbundled COPPER LOOP		1	LICO	LIEONY	12.10	24.00	20.00	10.05							
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X UEQ2X	13.19 17.23	31.99 31.99	20 02	10.65	1.41			20.35	10.54	13.32	1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
_	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	_	3	UEQ	UEQZX	22.53	31.99	20 02	10.65	1.41			20.35	10.54	13.32	1
	Premise			UEQ	URETL		8.33	0.83					20.35	10.54	12.22	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -				3.1.2.12		0.00	0.00	1		_		20.35	10.54	13.32	1
	Non-Designed (per loop)			UEQ	иѕвмс		36.52	36.52					1			
	Unbundled Copper Loop, Non-Design Copper Loop, billing for										-			-		_
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	1
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78 92					20.35	10.54	13.32	1
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	1
	CLEC to CLEC Conversion Charge Without Outside Dispatch				Lancaca management											
	(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	1
	XCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	13.19	31.99	00.00	10.05					52494 SADA	28.55	
	Zone 1		1	DEPSK DEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			00.25	46.64		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	OEF SIX OEF SB	ULALS	17.23	31.55	20.02	10.03	1.41			20.35	10.54	13.32	1;
	Zone 2		2	UEPSR UEPSB	UEA8S	17.23	31.99	20.02	10.65	1.41		ì	20.35	10.54	13.32	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_			20	01.00	20.02	10.00				20.33	10.34	13.32	1
	Zone 3		3	UEPSR LIEPSB	UEALS	22.53	31.99	20.02	10.65	1 41	í l		20.35	10.54	13.32	1:
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-												20.00	10.54	13.32	
	Zone 3		3	UEPSR LIEPSB	UEABS	22.53	31.99	20.02	10.65	1 41			20.35	10.54	13 32	. 13
	XCHANGE ACCESS LOOP							-							10 02	
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								0.0000000000000000000000000000000000000							
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48 20	28.70	17.64			20.35	10.54	13.32	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		LIEALS	04.65	75.00	40.00	20.75							
	Ground Start Signaling - Zone 2	_	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
	2-Wire Analog Voice Grade Loop - Service Lovel 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.25		,	
+	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	20.28	34.29	40.20	20.70	17.64			20.35	10.54	13.32	1
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			-	OGGGE		34.23									
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48 20	28.70	17.64			20.35	10.54	12 20	4.0
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					. 5.56	7 5.50	.0 20	20.70	11.04			20.35	10.54	13.32	13
	Battery Signaling - Zone 2		2	UEA	UEAR2	21 63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												20.55	10.54	13.32	
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48 20	28.70	17.64		1	20.35	10.54	13.32	13
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29								10.02	- 10
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	7000		UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13 32	13
-	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29	20.41								
2 74100	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	-	75.06	36.41		_			20.35	10.54	13.32	13.
	ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1	-		UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.

DANFE	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)	٠			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
							Nonrecurring		Nonrecurring	Disconnect				Rates (\$)	DISC 1St	DISC AG
		_				Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39 16	0020	CONTRIC	20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29							10.54	10.02	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	.00P													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74,54	39.14	1		20.35	10.54	13.32	10
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	10
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	LIALOV	23.60	270.04	004.00	74.54				40.02	A400 + 1840		
-	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X OCOSL	23.60	270.01 34.29	234.63	74.54	39.14			20.35	10.54	13.32	1:
+	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	UAL	UCUSL		34.29		-		_					
	facility reservation - Zone 1	7	1	UAL	UAL2W	13.82	31.99	20.02	10 65	1 41	1		20.35	40.54		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>		UAL	UALZVV	13.02	31.55	20.02	10 03	141			20.35	10.54	13.32	13
	facility reservator - Zone 2	1	2	UAL	UAL2W	18.05	31.99	20 02	10.65	1.41			20.35	10.54	13.32	4.7
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	0.10	0.12	10.00	0.1.00	20 02	10.00	1.41			20.55	10.54	13.32	13
	facility reservation - Zone 3	T	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1 41			20.35	10.54	13.32	13
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29						20.00	10.54	13.32	 '
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		31.99	20.02					20.35	10,54	13.32	1:
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP												.0.02	<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry								1							
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39 14			20.35	10.54	13.32	10
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13
	2 Wire Unbundled HDSL Loop including manual service inquiry							Western 100 / 400 for	2200 10000							
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	10
	Order Coordination for Specified Conversion Time (per LSR)		_	UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry		4	UHL	UHL2W	10.83	21.00	20.02	10.05	1.11						1
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	-	-	UNL	UNLZW	10.03	31.99	20.02	10.65	1.41	_		20.35	10.54	13.32	13
	and facility reservation - Zone 2		2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54		
-	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OHEZW	14.10	31.33	20.02	10.03	1,41			20.35	10.54	13.32	13
	and facility reservation - Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41	1	i	20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)		_ <u> </u>	UHL	OCOSL	10.00	34.29	20.02	10.05	1.41			20.55	10.54	13.32	10
	CLEC to CLEC Conversion Charge without putside dispatch	1		UHL	UREWO	-	31.99	20.02					20.35	10.54	13.32	13
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP										20.00	10.54	13.32	
1	4 Wire Unbundled HDSL Loop including manual service inquiry								_							
	and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244 22	74.54	39.14			20.35	10.54	13.32	13
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13
	4-Wire Unbundled HDSL Loop including manual service inquiry				1											
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39 14			20.35	10.54	13.32	13
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4-Wire Unbundled HDSL Loop without manual service inquiry	1		1.00						2.20			Ī			
-	and facility reservation - Zone 1	- 4	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13 32	13
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65							
-	4-Wire Unbundled HDSL Loop without marinal service inquiry	.1.		UHL	UHL4VV	10.20	31.99	20.02	10.65	1 41			20.35	10.54	13.32	13
	and facility reservation - Zone 3	T	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	20.00	34.29	20.02	10.00	1.71			20.55	10.54	13.32	13
_	CLEC to CLEC Conversion Charge without outside dispatch	T		UHL	UREWO		31 99	20.02					20.35	10.54	13.32	13
4-WIRE	DS1 DIGITAL LOOP												20.00	10.54	13.32	
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11
							24.50									
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		34.59 130.47	40.11					20.35	10.54		

NRONDE	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
													Incremental		Incremental	Incremer
					1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
											por Lore	per Luit	Electronic-	Electronic-		
															Electronic-	Electronic
		ļ									1		1st	Add'l	Disc 1st	Disc Add
- 1						1000	Nonrecurring		Nonrecurring	Disconnect			220	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141 38	90.70	44.18	DOMES	JOINAIT	20.35	10.54		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18	-	_	20.35		13.32	13.3
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18				10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
				UDL	UDL56	40.61							20.35	10.54	13.32	13.3
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2				207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDI.	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29								.0.02	10.0
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49 82					20.35	10.54	13.32	13.33
2-WIF	RE Unbundled COPPER LOOP						-					-	20.00	10.54	13.32	13.3
2-3011	2-Wire Unbundled Copper Loop-Designed including manual	-	_		1		—	_								
1	service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	40	40	
			<u>- '</u>	UCL	UCLEB	13.15	31.33	20.02	10.03	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual		_										6764-7-25			
	service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3	I.	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop-Designed without manual				1											
	service inquiry and facility reservation - Zone 1	T T	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual			-				20.02	10.00	11		_	20.33	10.54	13.32	13.32
	service inquiry and facility reservation - Zone 2	I F	2	UCL	UCLPW	17.23	31.99	20 02	10.65	1.41			20.35	10.51	40.00	
_	2-Wire Unbundled Copper Loop-Designed without manual	-		001	OCEF **	17.25	31.33	20 02	10.03	1.41	-		20.35	10.54	13.32	13 32
1				UCL	UCLPW	22.50	24.00	20.00	10.55					1000 1200		
	service inquiry and facility reservation - Zone 3		3			22.53	31.99	20 02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
1	CLEC to CLEC Conversion Charge without guitside dispatch			Constant												
	(UCL-Des)	- 1		UCL	UREWO		31 99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE COPPER LOOP							_								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1	1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16	i		20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry														10.02	10.52
	and facility reservation - Zone 2	1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry				0.02.0	02.20	122.70	00.0	70.00	05:10			20.33	10.54	13.32	13.32
	and facility reservation - Zone 3	6	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16		J	20.35	40.54		
			3	UCL	UCLMC	42.17	36.52	36.52	76.33	39.10			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLNIC		30.52	30.52								
4	4-Wire Copper Loop-Designed without manual service inquiry			20												
	and facility reservation - Zone 1	I	1	UCL	UCL4W	24.70	122.76	85 57	76.35	39 16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry														-	
	and facility reservation - Zone 2		2	UCL	UCL4W	32.25	122.76	85 57	76.35	39 16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3	1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16	, ,	i	20.35	10.54	13.32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52						10.01	.0.52	10 02
	CLEC to CLEC Conversion Charge without outside dispatch										_		-			
i	(UCL-Des)	l i		UCL	UREWO		31,99	20.02					20.35	10.54	40.00	
OOP MODIF		- '		-	CINEVIO		31.33	20.02		_	-		20.35	10.54	13.32	13.32
JOF MIODIF	ICATION	_		UAL, UHL UCL.	-											
				UEQ. ULS. UEA.	1											
					1		1						1			
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, LIEPSR,										1		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			Land Street Control						11		T				
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
				UAL. UHL UCL.						-					10.02	13.32
				UEQ. ULS. UEA.									1	1		
1	Unbundled Loop Modification Removal of Bridged Tap Removal.			UEANL UEPSR.					}	1		ł	1		1	
	per unbundled loop	1		UEPSB	ULMBT		65.44	65.44					20.25	10.51	40.0-	gight sta
B-LOOPS			_	00100	OCIMO!		05,44	03.44					20.35	10.54	13.32	13.32
	1	4					,		I		. ,					

O. ADOINDEE	D NETWORK ELEMENTS - Tennessee		_			I					S O!	C O		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring	Add'l	Nonrecurring First				OSS	Rates (\$)		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-		20.2		First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Up	1		UEANL.	USBSA		517.25	517.25					20.35	10.54	13.32	13.3
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13:
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSD		108.06	108.06								13.:
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -									_	-		20.35	10.54	13.32	13.
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34 29								1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														13.32	13.0
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16 98			20.35	10.54	13.32	13.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	1.35	94.56	29.35	 				20.35	10.54	13.32	13.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	34.29	34.29								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2 26	116 14	37.10					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3	UEF	UCS2X	6.74 8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		.	UEF	USBMC		34.29	34 29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X UCS4X	8.52 11.14	117.12	44.30 44.30	99.96 99.96	16.98 16.98	-		20.35	10.54 10.54	13.32	13.3
			Ť					_	33.30	10.50			20.33	10.54	13.32	13.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		-	UEF	USBMC URET1		34.29 78.92	34.29 78.92								
_	Loop Testing - Basic 1st Hall Floor		_	UEF	URETA		23.33	23.33								
Linhur	Idled Network Terminating Wire (UNTW)			OLI	OKLIA		25.55	20.00								
- 0	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4555	2,48	2.48					20.35	10.54	13.32	13.3
Netwo	rk Interface Device (NID)												20.00	10.04	13.32	13.3
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.3
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect - 4VV			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.3
UNE OTHER,	PROVISIONING ONLY - NO RATE		1	CUES CENT												
	NID - Dispatch and Service Order for NID installation		-	UENTW UENTW	UNDBX	0.00	0.00			_						
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL.UEF.UEQ.U			0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL.UCL.UDC,UDL, UDN.UEA.UHL,USL	UNECN	0.00	0.00	i i								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no									-				-		
	rate	Į.	1	UEA UDN UCL UDC	USBEO	0.00	0.00		l i						1	

OMBUNDL	ED NETWORK ELEMENTS - Tennessee		_			1					-			ment: 2		ibit: A
													Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	ł		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											14.5000.00.0000		Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'I
		-												5000000000	D130 131	Disc Add I
						Rec	Nonrecurring			Disconnect				Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			The second secon		no 40000										
	rate			UEA.USI. UCL,UDL	USBFR	0.00	0.00									1
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -		1													
	no rate			USL	CCOEF	0.00	0.00									L
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					12.00	1									
	month			UE3	1L5ND	9.19						_				1
	High Capacity Unbundled Local Loop - DS3 - Facility			e refer		200,000 12 12	10000 UP-0100		1							
	Termination per month			UE3	UE3PX	374.24	684.6755	350.175	270.0545	195.684			20.35	10.54		(
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			5780 Sept.		81 20										
	month			UDLSX	1L5ND	9.19										1
	High Capacity Unbundled Local Loop - STS-1 - Facility	i					2200									
	Termination per month			UDLSX	UDLS1	389.35	684.6755	350.175		173.8225			20.35	10.54		i
Note	(1): Rates provided in TN for both electronic and manual Loop	Makeup	are inte	rim and subject to re	tro-active tri	ue-up adjustm	ents pending a	ermanent rat	e ruling on the	se rate elemer	its from the	Tennessee	Regulatory A	uthority.		
LOOP MAKE	-UP													,		
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76				}{	19.99	19.99	19.99	19.99
	Loop Makeup - Preordering With Reservation, per spare facility															- 10.00
	queried (Manual).	R		UMK	UMKLP		0.76	0.76				1	19.99	19.99	19.99	19.99
	Loop MakeupWith or Without Reservation, per working or														12.00	10.00
	spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76			1			- 1	1	
LINE SPLIT	TING															
LINE	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED			A 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10												
	Line Splitting - per line activation DLEC owned splitter			UEPSR LIEPSB	UREOS	0.61										
	Line Splitting - per line activation 8ST owned - physical			UEPSR LIEPSB	UREBP	0.61	48.96	21.39	35.06	10 79			20.35	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - virtual			UEPSR LIEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
MAINTENAN	ICE OF SERVICE													10.0	10.02	13.32
	E: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	licable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55 00					_			
	No Trouble Found - per 1/2 hour increments - Overtime			The second			90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100 00	75 00								
UNBUNDLE	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
i	Per Mile per month			U1TVX	1L5XX	0.0054					i i					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transpor 1- 2-Wire Voice Grade													21,00	-	
	Rev Bat - Per Mile per month	į		U1TVX	1L5XX	0.0054								1		
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
- 1	Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3 51			20.35	21.09	- 1	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -											_	20.50	21.03	-	
	Per Mile per month			U1TVX	1L5XX	0.0054	1					í		1	1	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile						-			,,,,,,		-	75.00	13.00		
	oer month	l		U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility														+	
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51		1	20.35	21.09		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile						1						20.55	21.03		
	per month			U1TDX	1L5XX	0.0174	1							1	1	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51		-	20.35	21.09	1	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						55.55	11.31	2.1.30	3.31			20.35	21.09		
	month	1		U1TD1	1L5XX	0.3562						1	1			
	Interoffice Channel - Dedicated Transport - DS1 - Facility			- / 19/1	1.20.07	0.0002				-	-	-				
1	Termination			U1TD1	U1TF1	77.86	112 40	76 27	19.55	14.99			20.35	21.09		l

	ED NETWORK ELEMENTS - Tennessee		T								Cur Ord	C O		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						-	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATOS	LIATES	040.00	205.20	470 50	400.04	405.04		ľ				
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-		U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
	month			U1TS1	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1							_		-		
	Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
ARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	67.65										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDE UDEAY	41.505	20.71										
	Thereof per month - Interoffice Channel	-	-	UDF, UDFCX	1L5DF UDF14	28.74	1,121.00	153.19	580.26	357.17				10.71		
_	NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		-	OUF, ULIFUX	UUF 14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	67.65										
RTUAL CO	PLLOCATION			ODI , ODI OX	12002	07.00				_	-					
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting	1		VEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.9
YSICAL C	OLLOCATION														10.00	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line					200				***************************************						
	Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.9
	EXTENDED LINK (EELs)		1.1.													
	E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-is Charge and not															
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	ine non-re	Curring	charges below wil	apply for UN	E combination	s provisioned a	is Currently	Complined Netw	ork Elements	i.					
2-4411	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	2-Wire VG Loop (SL2) in Combination - Zone 2	_	2	UNCVX	UEAL2	21.63	108.76	35.47		10.86			20.35	21.09	_	
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47		10.86			20.35	21.09		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
4-WII	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108 76	35.47		10.86			20.35	21.09		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	_	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47		10.86			20.35	21.09		
4 14/11	Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.91	5.70	4 42			_					
4-14	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35 47	72.94	10.86			20.35	24.00		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47		10.86		-	20.35	21.09		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42					20.00	21.00		
4-WII	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35 47		10.86			20.35	21.09		
				UNCDX	UDL64	53.11	108.76	35.47		10.86			20.35	21.09		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3					4.42	1 1							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		3	UNCDX	1D1DD	0.91	5.70	7.42								
2-WII	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION			UNCDX						10.00			20.05	24.55		
2-WII	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
2-WII	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2	UNCDX UNCNX UNCNX	U1L2X U1L2X	22.22 29.02	108.76 108.76	35.47 35.47	72.94 72.94	10.86			20 35	21.09		
2-WII	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94 72.94 72.94							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2	UNCDX UNCNX UNCNX UNCNX	U1L2X U1L2X U1L2X	22.22 29.02 37.95	108.76 108.76 108.76	35.47 35.47 35.47 4.42	72.94 72.94 72.94	10.86			20 35	21.09		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month		1 2 3	UNCDX UNCNX UNCNX UNCNX	U1L2X U1L2X U1L2X UC1CA	22.22 29.02 37.95 3.24	108.76 108.76 108.76	35.47 35.47 35.47	72.94 72.94 72.94	10.86			20 35	21.09		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN LOOP FOR USE IN A COMBINATION RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		1 2 3	UNCDX UNCNX UNCNX UNCNX UNCNX UNC1X UNC1X	U1L2X U1L2X U1L2X UC1CA USLXX USLXX	22.22 29.02 37.95 3.24 57.73 75.40	108.76 108.76 108.76 5.70 228.40 228.40	35.47 35.47 35.47 4.42 161.74	72.94 72.94 72.94 72.94 79.87	10.86 10.86 24.88 24.88			20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		1 2 3	UNCDX UNCNX UNCNX UNCNX UNCNX UNC1X UNC1X UNC1X UNC1X	U1L2X U1L2X U1L2X UC1CA USLXX USLXX USLXX	22.22 29.02 37.95 3.24 57.73 75.40 98.59	108.76 108.76 108.76 5.70 228.40 228.40 228.40	35.47 35.47 35.47 4.42 161.74 161.74	72.94 72.94 72.94 72.94 79.87 79.87 79.87	10.86 10.86 24.88			20.35 20.35	21.09 21.09		
4-WII	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OLU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Per month RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month		1 2 3	UNCDX UNCNX UNCNX UNCNX UNCNX UNC1X UNC1X	U1L2X U1L2X U1L2X UC1CA USLXX USLXX	22.22 29.02 37.95 3.24 57.73 75.40	108.76 108.76 108.76 5.70 228.40 228.40	35.47 35.47 35.47 4.42 161.74	72.94 72.94 72.94 72.94 79.87 79.87 79.87	10.86 10.86 24.88 24.88			20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09		
4-WII	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3	OMBINAT	1 2 3	UNCDX UNCNX UNCNX UNCNX UNCNX UNC1X UNC1X UNC1X UNC1X	U1L2X U1L2X U1L2X UC1CA USLXX USLXX USLXX	22.22 29.02 37.95 3.24 57.73 75.40 98.59	108.76 108.76 108.76 5.70 228.40 228.40 228.40	35.47 35.47 35.47 4.42 161.74 161.74	72.94 72.94 72.94 72.94 79.87 79.87 79.87	10.86 10.86 24.88 24.88			20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09		

100,40220	NETWORK ELEMENTS - Tennessee										Svc Order	Svc Order	Incremental	ment: 2	Incremental	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
				-		Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	CONEC	SOMAN	OSS	Rates (\$)	0011411	2014
-	Interoffice Transport - 2-wire VG - Dedicated - Facility				1		First	Addi	FIRST	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		
	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATI	ON													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month	-		UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	EROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.3562										
	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNCTX	ILSXX	0.3562	 		-		-					
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	EROFFICE TRANSPORT FOR USE IN A COMBINATION			ONO IX	01111	17.00	(1.1.24	110.12	70.07	30.30			20.33	21.09		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.34								_		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43	i		20.04	20.04		
	MONTH WITEROFFICE TRANSPORT FOR USE IN COMBINATION	-		UNUSA	UTIF3	654.97	402.01	153.61	64.43	35.43	_		36.84	36.84		
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.34	l i									
	Interoffice Transport - Dedicated - STS-1 combination - Facility															_
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	_	1	UNCDX	UDL56	31.10 40.61	108.76	35.47 35.47	72.94 72.94	10.86 10.86						
-	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL56	53.11	108.76	35.47		10.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDA	UDLS6	33.11	105.76	33.47	72.94	10.66						
	Per Mile per month			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	21.19	79 83	44.08	69.32	31 00			20.35	21.09		
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	_	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONCEA	TESAA	0.0114							_		_	
	Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													-
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47		10 86						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86					_	
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.0174										
	Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRANS	PORT										20.55			
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Local Loop in combination - Zone 3 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility				-	20114										
	Termination per month			UNCDX	U1TD6	21.19	79 83	44.08	69.32	31.00			20.35	21.09	1	
DS1 DIC	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
1	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74		24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
1	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228 40	161.74	79.87	24.88						

MBUNDLEL	NETWORK ELEMENTS - Tennessee	_	1								10	I		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
1						Rec	Nonrecurring		Nonrecurring				oss	Rates (\$)		
						1100	First	Add'l	First	I'bb <u>A</u>	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC 1X	1L5XX	0.3562										
+-+	Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNCIA	ILSXX	0.3552							-			_
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		Ì
DS3 DIG	SITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT											20.00	21.00	_	
	DS3 Local Loop in combination - per mile per month		-	UNC3X	1L5ND	9.19										
						and the second										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2 34		_	_	_						
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ICDODT		UNCSX	USIFS	854.97	402.01	153.61	64.43	35.43			35.84	36.84		
313-11	MOTIAL LOOP WITH DEDICATED \$15-1 INTEROFFICE TRAN	SPURI	-	-												
	STS-1 Local Loip in combination - per mile per month			UNCSX	1L5ND	9.19										
+	STS-1 Local Loop in combination - Facility Termination per					20									_	
	month			UNCSX	UDLS1	394.56	240 23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - STS-1 combination - per mite															
	per month		_	UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.04	22.24		
	ETWORK ELEMENTS		-	UNCSX	UTIFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	ised as a part of a currently combined facility, the non-recurr	rng charg	es do r	not apply, but, a Swit	tch As Is cha	rge does anniv							-			
	ised as ordinarily combined network elements in All States, t													-		
	urring Currently Combined Network Elements "Switch As Is"			plies to each combin												
			T	UNCVX, UNCDX.									-			
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X, LING3X.												
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Optiona	Features & Functions:			114704												
	Clear Channel Capability Extended Frame Option - per DS1	١.,		U1TD1. ULDD1,UNC1X	CCOEF		0.00	0 00	0.00	0.00						
	Clear Channel Capability Extended Frame Option - per DS1		-	U1TD1.	CCOEF		0.00	0 00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	,	ļ	ULDD1.UNC1X	CCOSF		0.00	0.00	0.00	0.00						
+ 1	Clear Channel Capability (SF/ESF) Option - Subsequent		1	ULDD1_U1TD1.	00001		0.00	0.00	0.00	0.00			-			
	Activity - per DS1	1	1	UNC1X, USL	NRCCC		185 16	23 85	2.03	0.79			45.68	1.76		
				U1TD3 ULDD3,												-
	C-bit Panty Option - Subsequent Activity - per DS3	i		UE3, UNG3X	NRCC3		219.46	7.68	0.7637	0 00			45.68	1.76		
	PLEXERS															
	DS1 to DS0 Channel System per month		-	UNC1X	MQ1	80.77	105.76	14.48	3.04	2 74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						0.00		
+	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		_	ODL	טטוטו	1.02	0.07	4.00						9.80		
	month (2.4-64kbs) used for connection to a channelized DS1				1											
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66							ĺ	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			1												
	month for a Local Loop			UDN	UC1CA	3 10	6.07	4.66						i		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel					100 1100	6500 Jane	12 5/8/9								
\perp	in the same SWC as collocation	1	-	U1TUB	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month	1		UEA	1D1VG	0.91	6.07	4.66								
+	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	-	+	UEA	10170	0.91	6.07	4.66	 							
	used for connection to a channelized DS1 Local Channel in the										l j	İ				
	same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
	DS3 to DS1 Channel System per month		1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49 41	17.12	6 77			20.35	9.80		
	DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
	DS1 COCI (used for connection to a channelized DS1 Local							9 200								
	Channel in the same SWC as collocation) per month	E .	1	U1TUA	UC1D1	17.58	6.07	4.66	l		1		1			
	DS1 COCI used with Interoffice Channel per month	-	_	U1TD1	UC1D1	17.58	6.07	4.66								

UNBUNDLE	D NETWORK ELEMENTS - Tennessee											Attach	ment: 2	Exhi	bit: A
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	8CS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
Y												1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per											-			
	month			ULDD1	UC1D1	17.58	6 07	4 66						[
Note: I	Rates displaying an "I" in Interim column are interim as a resi	ult of a Co	mmissio	on order											

UNBUNDL	ED NETWORK ELEMENTS - Alabama										10			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			_			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	CONEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	-						rirst	Addi	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
UNRUNDLED	EXCHANGE ACCESS LOOP									_						
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP			-										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10 05	110.00	68.00	47 24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry		_	UHL	11111 004	44.70	440.00	CO 00	47.04	7.44						
	& facility reservation - Zone 2		2	UHL	UHL2X	11.70	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	13.16	110.00	68.00	47 24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	OTILZA	13.10	110.00	00.00	47 24	7.44			-			
	and facility reservation - Zone 1		1	UHL	UHL2W	10.05	90.00	57.00	47.24	7.44	1					
	2 Wire Unbundled HDSL Loop without manual service inquiry			0112	O. I.L.	10100		00							_	
	and facility reservation - Zone 2		2	UHL	UHL2W	11.70	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
i	and facility reservation - Zone 3		3	UHL	UHL2W	13.16	90.00	57.00	47.24	7.44						
4-Wif	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.04	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL		17.89	148.36	68.00	51,70	0.70						
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	-	2	UHL	UHL4X	17.89	148.36	68.00	51,70	9.73					_	
- 1	and facility reservation - Zone 3		3	UHL	UHL4X	17.54	148.36	68.00	51.70	9.73						
_	4-Wire Unbundled HDSL Loop without manual service inquiry	-	3	UNL	UNL4X	17.54	140.30	00.00	31.70	9.73	_					
İ	and facility reservation - Zone 1		1	UHL	UHL4W	16.04	94.00	57.00	51.70	9.73					1	
	4-Wire Unbundled HDSL Loop without manual service inquiry		i i	OTTE	0.1.2.11	10.0				-						
	and facility reservation - Zone 2		2	UHL	UHL4W	17.89	94 00	57.00	51.70	9.73						ì
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	17.54	94.00	57.00	51.70	9.73						
4-WII	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	94.93	252.47	157.54		11.71						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31	252.47	157.54		11.71						
	4-Wire DS1 Digital Loop - Zone 3 CITY UNBUNDLED LOCAL LOOP		3	USL	USLXX	361.70	252.47	157.54	44.70	71.71						
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per		-										_			
1	month	ĺ		UE3	1L5ND	9.64					i					
	High Capacity Unbundled Local Loop - DS3 - Facility			020	120140	0,01										
	Termination per month			UE3	UE3PX	355.33										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	9.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month		_	UDLSX	UDLS1	367.80										
	D DEDICATED TRANSPORT				-					-						
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-								_					_ ~	
	month			U1TD1	1L5XX	0.21										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			01101	1632	0.21										
	Termination			U1TD1	U1TF1	69.18										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LUTDA												
	Termination per month	-	_	U1TD3	U1TF3	809.05										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	LIATOA	11 500	4.70				i						
- i -	month Interoffice Channel - Dedicated Transport - STS-1 - Facility	-		U1TS1	1L5XX	4.70										
	Termination			U1TS1	U1TFS	806.58										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	16.07										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	13.0		ULDVX	ULDR2	16.07			1							
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	17.17										
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNG1X	ULDF1	41.12	-									

Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOICE GRADE LOOY 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire Analog Voice of the Vire Analog Voice	ORK ELEMENTS - Alabama	,									_			ment: 2		bit: B
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Rediction of the Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Rediction of the Channel - Dedic Rediction of the Channel - Dediction of the Channel Rotte - Dediction of the Channel Rotte - Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rediction of the Channel Rotte - Rotte - Rediction of the Channel Rotte - Rotte - Rediction of the Channel Rotte - Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of the Rotte - Rediction of										~			Incremental		Incremental	Increment
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Rocal		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Rocal		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin Volce Transport - Volce GRADE LOOP 2-Wire VOLCE GRADE LOOP 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice of Voice Grade COCI - F 4-Wire Analog Voice of Voice Grade COCI - F 4-Wire Analog Voice of Voice Grade COCI - F 4-Wire Analog Voice of Voice Grade COCI - F 4-Wire S6Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire GAKbps Digital 4-Wire GAKbps Digital COCU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-2-wire ISDN COCI (BE 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-4-Wi	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin Volce Trease (State Cool) 2-Wire VOLCO (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Cool) 4-Wire Cool (SL2 Voice Grade COCI - F 4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 0-CU-DP COCI (data) 4-Wire 64Kbps Digital 2-Wire ISDN LOOP FOR US 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-2-wire ISDN COCI (BE 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo DIGITOR (I combina) 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month		m	Sent Service								Percon	per Eur	Electronic-	Electronic-		Electronic
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOICE GRADE LOOF 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire SAD LOOP 4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire S6Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital COU-DP COCI (data) 2-Wire ISDN LOOP in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-2-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-4					1											
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOICE GRADE LOOF 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire SAD LOOP 4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital COU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN COCI (BE 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-Wire DS1 Digit					1								1st	Add'I	Disc 1st	Disc Add'l
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOICE GRADE LOOF 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire SAD LOOP 4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire Analog Voice (4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital COU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN COCI (BE 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-Wire DS1 Digit						_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOLOE GRADE LOOF 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire SGADE LOOF 4-Wire Analog Voice (1-Wire Analog Voice (1-Wire Analog Voice (1-Wire Analog Voice (1-Wire Analog Voice (1-Wire S6Kbps Digital 1-Wire 56Kbps Digital 1-Wire 56Kbps Digital 1-Wire 56Kbps Digital 1-Wire 64Kbps Digital 1-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOLOE GRADE LOOF 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire SGADE LOOF 4-Wire Analog Voice (1-Wire Analog Voice (1-Wire Analog Voice (1-Wire Analog Voice (1-Wire Analog Voice (1-Wire S6Kbps Digital 1-Wire 56Kbps Digital 1-Wire 56Kbps Digital 1-Wire 56Kbps Digital 1-Wire 64Kbps Digital 1-	nnel - Dedicated - DS1 - Zone 2		2	ULDD1, UNG1X	ULDF1	57.48										
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTROBED LINK (EELs NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice (SL2 4-Wire Analog Voice (SL2 4-Wire Analog Voice (SL2 4-Wire Analog Voice (SL2 4-Wire S6Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 2-Wire (SDN Loop FOR US) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-Wire VOICE GRADE INTE Interoffice Transport - Month	nnel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	123.77										
Local Channel - Dedic Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELs NOTE: The monthly recurrin NOTE: The monthly recurrin 2-WIRE VOICE GRADE LOOI 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice of the Voice GRADE LOOI 4-Wire Analog Voice of the Voice GRADE LOOI 4-Wire Analog Voice of the Voice Grade COCI - If the				ULDD3, UNC3X	1L5NC	7.96										
Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOLCE GRADE LOOD 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire SANDE Voice (SL2 2-Wire Analog Voice (SL2 2-Wire Analog Voice (SL2 2-Wire SANDE DIGITAL LC 4-Wire S6Kbps Digital 4-Wire S6Kbps Digital 4-Wire S6Kbps Digital 4-Wire S6Kbps Digital 4-Wire S6Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire SDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-2-wire ISDN COCI (BE) 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-Wire Combina 2-Wire VOICE GRADE INTE Interoffice Transport Month Interoffice Transport Month Interoffice Transport Interoffice	nnel - Dedicated - DS3 - Per Mile per month			ULDUS, UNCSX	ILSNC	7.96	_									
Local Channel - Dedic Local Channel - Dedic ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOICE GRADE LOOI 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice of the V																
Local Channel - Dedic ENHANCED EXTRENDED LINK (ELLS NOTE: The monthly recurrin NOTE: The monthly recurrin Portion of the property of the monthly recurrin Portion of the property of the monthly recurrin Portion of the property of the prope	nnel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	479.02										_
ENHANCED EXTENDED LINK (EELS NOTE: The monthly recurrin 2-WIRE VOICE GRADE LOO! 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice of the second o	nnel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	7.96										
NOTE: The monthly recurrin NOTE: The monthly recurrin NOTE: The monthly recurrin 2-Wire VOICE GRADE LOOD 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Coop (SL2 4-Wire Analog Voice of the Voice Grade COCI or or or or or or or or or or or or or	nnel - Dedicated - STS-1 - Facility Termination			ULDS1, UNGSX	ULDFS	469.76										
NOTE: The monthly recurrin 2-WIRE VOICE GRADE LOO! 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire S6Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 2-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 5-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-2-wire ISDN COOL [B4] 4-Wire D51 Digital Loo 4-Wire D51 Digital Loo 4-Wire D51 Digital Loo 4-Wire D51 Digital Loo 5-Wire VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month																
2-WIRE VOICE GRADE LOOI 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire Analog Voice (SL2) 4-Wire Analog Voice (AWIRE VOICE GRADE LOOI) 4-Wire Analog Voice (AWIRE SE VIVE SE	ly recurring and non-recurring charges below wil	l apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Networ	k Elements.					
2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 4-Wire VG Loop (SL2 4-Wire VG Loop (SL2 4-Wire Analog Voice (S-Wire Analog Voice (S-Wire Analog Voice (S-Wire Analog Voice (S-Wire S6Kbps Digita) 4-Wire 56Kbps Digita (S-Wire 56Kbps Digita) 4-Wire 56Kbps Digita (S-Wire 56Kbps Digita) 4-Wire 56Kbps Digita (S-Wire 56Kbps Digita) 4-Wire 56Kbps Digita (S-Wire 56Kbps Digita) 4-Wire 56Kbps Digita (S-Wire 56Kbps Digita) 4-Wire 56Kbps Digita (S-Wire 64Kbps Digita) 4-Wire 64Kbps Digita (S-Wire 64Kbps Digita) 4-Wire 64Kbps Digita (S-Wire 15DN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire D51 Digital Loop (S-Wire D51 D) (S-Wire D51 Digital Loop (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51 D) (S-Wire D51	ly recurring and the Switch-As-Is Charge and not	the non-	recurri	ng charges helow v	vill apply for	UNE combination	ons provision	ed as 'Curren	tly Combined	Network Eleme	ents.					
2-Wire VG Loop (SL2 2-Wire VG Loop (SL2 Voice Grade COCI-F 4-WIRE VOICE GRADE LOOP 4-Wire Analog Voice of A-Wire Analog Voice of A-Wire Analog Voice of A-Wire S6K bps Digital Cocine of A-Wire S6K bps Digital A-Wire S6K bps Digital A-Wire S6K bps Digital A-Wire S6K bps Digital OCU-DP COCI (data) 4-Wire 64K bps Digital A-Wire 64K bps Digital A-Wire 64K bps Digital A-Wire 64K bps Digital A-Wire 64K bps Digital DOCU-DP COCI (data) 2-Wire ISDN LOOP FOR US 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN LOOP In 2-Wire ISDN LOOP In 2-Wire ISDN LOOP In 2-Wire ISDN LOOP In 2-Wire ISDN LOOP In 2-Wire ISDN LOOP In 2-Wire ISDN LOOP In 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-Wire ISDN LOOP IN 1-2-WIRE ISDN LOOP IN 1-2-WIRE ISDN LOOP IN 1-2-WIRE ISDN LOOP IN 1-2-WIRE ISDN LOOP IN 1-2-WIRE ISDN LOOP IN 1-2-W	ADE LOOP FOR USE IN A COMBINATION															
2-Wire VG Loop [SL2 Voice Grade COCI - F 4-WIRE VOICE GRADE LOOP 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Grade COCI in I 4-Wire S6 KBPS DIGITAL LC 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 0-COCI-DP COCI (data) 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 2-Wire 64Kbps Digita 2-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 1-Wire DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month	Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.54										
Voice Grade COCI - F 4-WIRE VOICE GRADE LOOP 4-Wire Analog Voice 4-Wire Analog Voice 4-Wire Analog Voice 4-Wire Analog Voice 4-Wire Analog Voice 4-Wire Analog Voice Voice Grade COCI 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 1SDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 5-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 5-Wire ISDN Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loop 5-Wire ISDN Loop 4-Wire DS1 Digital Loop 5-Wire ISDN Loop 6-Wire DS1 Digital Loop 6-Wire DS1 Digital Loop 7-Wire ISDN Loop 8-Wire ISDN Loop 8-Wire ISDN Loop 8-Wire ISDN Loop 9-Wire ISDN Loop 1-Wire ISDN Loop 1-Wire ISDN Loop 1-Wire ISDN Loop 1-Wire ISDN Loop 1-Wire ISDN Loop 1-Wir	Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	26.28										
4-WIRE VOICE GRADE LOOI 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Sold Voice I 4-Wire Gold Voice I 4-Wire Gold Voice I 4-Wire Gold Voice I 4-Wire Gold Voice I 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 2-Wire ISDN Loop In 1-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-Wire VOICE GRADE INTE Interoffice Transport Intermination per month 4 WIRE VOICE GRADE INTE Interoffice Transport Interination per month DS1 INTEROFFICE TRANSPI Interoffice Transport Interination per month DS1 INTEROFFICE TRANSPI Interoffice Transport Interination per month	Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	41.56				1						
4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I Voice Grade COCI in I 4-Wire S6KBPS DIGITAL LC 4-Wire 56Kbps Digita 0-COL-DP-COCI (data) 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 2-Wire 64Kbps Digita 2-Wire 15DN Loop in 1 2-Wire ISDN Loop in 1 2-Wire ISDN Loop in 1 2-Wire ISDN Loop in 1 2-Wire ISDN Loop in 1 2-Wire ISDN Loop in 1 2-Wire ISDN Loop in 1 2-Wire ISDN Loop in 1 2-Wire DS1 Digital Loop 1 4-Wire DS1 Digital Loop 1 4-Wire DS1 Digital Loop 1 4-Wire DS1 Digital Loop 1 4-Wire DS1 Digital Loop 1 1-Wire DS1 COCI in combina 1 2-Wire ISDN Loop in 1 4-Wire DS1 Digital Loop 1 1-Wire				UNCVX	1D1VG	0.61										
4-Wire Analog Voice I 4-Wire Analog Voice I 4-Wire Analog Voice I Voice Grade COCI in I 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital COU-DP COCI (data) 4-Wire 56Kbps Digital OCU-DP COCI (data) 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital COU-DP COCI (data) 4-Wire 64Kbps Digital OCU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 14-Wire DS1 Digital Loo 15-DI COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport Month Interoffice Transport Month Interoffice Transport Month Interoffice Transport Month Interoffice Transport Month Interoffice Transport Month Interoffice Transport Month Interoffice Transport Termination per month DS1 INTEROFFICE TRANSP! Interoffice Transport Termination per month	ADE LOOP FOR USE IN A COMBINATION															
4-Wire Analog Voice (Voice Grade COCI in of 4-Wire 56 KBPS DIGITAL LC 4-Wire 56 KBPS Digital A-Wire 56 KBPS Digital 4-Wire 56 KBPS Digital 4-Wire 56 KBPS Digital 4-Wire 56 KBPS Digital OCU-DP COCI (data) 4-Wire 64 KBPS Digital 4-Wire 64 KBPS Digital 4-Wire 64 KBPS Digital OCU-DP COCI (data) 2-Wire 15DN Loop in 2-Wire 15DN Loop in 2-Wire 15DN Loop in 2-Wire 15DN Loop in 12-Wire 15DN Loop in 12-Wire 15DN Loop in 12-Wire 15DN COCI (BF 4-Wire DS1 Digital Loop 14-Wire DS1 Digital Loop 15-Wire 15DN COCI (BF 4-Wire DS1 Digital Loop 15-Wire 15DN LOOP 16-Wire DS1 Digital Loop 15-Wire 15DN LOOP 16-Wire DS1 Digital Loop 15-Wire DS1 Digital Loop 15-Wire DS1 Digital Loop 15-Wire DS1 Digital Loop 15-Wire NS1 Digital Loop 15-W	alog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.14										
Voice Grade COCI in .	alog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	44.37										
4-WIRE 56 KBPS DIGITAL LC 4-Wire 56Kbps Digital 4-Wire 56Kbps Digital OCU-DP COCI (data) 4-Wire 56Kbps Digital OCU-DP COCI (data) 4-Wire 64 KBPS DIGITAL LC 4-Wire 64 KBPS DIGITAL LC 4-Wire 64Kbps Digital OCU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DS1 DIGITAL LOOP 4-Wire DS1 DIGITAL LOOP 4-Wire DS1 DIGITAL LOOP 4-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-Wire DS1 DIGITAL LOOP 1-WIRE DS1 D	alog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	69.02										
4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita 4-Wire 56Kbps Digita OCU-DP COCI (data) 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 0-CU-DP COCI (data) 2-Wire 15DN Loop in 2-Wire 15DN Loop in 2-Wire 15DN Loop in 2-Wire 15DN Loop in 1-2-Wire 15DN Loop in 2-Wire 15DN Loop in 2-Wire 15DN Loop in 1-2-Wire 15DN Loop in 2-Wire 15DN Loop in 2-Wire 15DN COCI (BF 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-4-Wire	le COCI in combination - per month			UNCVX	1D1VG	0.61										
4-Wire 56Kbps Digita 4-Wire 56Kbps Digita OCU-DP COCI (data) 4-WiRE 64 KBPS DIGITAL LC 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 0CU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DSD Loop in 12-wire ISDN LOOP FOR US 4-WIRE DSI DIGITAL LOOP 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 1-SI COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per month Interoffice Transport - Termination per month	DIGITAL LOOP FOR USE IN A COMBINATION								1							
4-Wire 56Kbps Digita 4-Wire 56Kbps Digita OCU-DP COCI (data) 4-WiRE 64 KBPS DIGITAL LC 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 0CU-DP COCI (data) 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DSDN Loop in 2-Wire ISDN LOOP FOR US 4-WIRE DSD LOOP IN 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 0S1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.00										
4-Wire 56Kbps Digita OCU-DP COCI (data) 4-WIRE 64 KBPS DIGITAL LI 4-Wire 64 Kbps Digita 4-Wire 64 Kbps Digita 4-Wire 64 Kbps Digita 4-Wire 64 Kbps Digita OCU-DP COCI (data) 2-WIRE ISDN LOOP FOR USI 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 4-Wire ISDN LOOP in 12-Wire ISDN LOOP in 2-Wire ISDN COCI [BE 4-WIRE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo DISTORMED IN TECHNOLOGY INTERPORT OF THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT ON THE INTERPORT OF THE INTERPORT ON THE INTERPORT OF THE	Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	41.34										
OCU-DP COCI (data) 4-WIRE 64 KBPS DIGITAL LO 4-WIRE 64KDPS Digital 4-Wire 64KDPS Digital OCU-DP COCI (data) 2-WIRE ISDN LOOP FOR US 2-WIRE ISDN LOOP FOR US 2-WIRE ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 4-Wire ISDN LOOP in 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 1-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo 5-Wire Transport - Month Interoffice Transport - Month Interoffice Transport - Month DS1 INTEROFFICE TRANSPI Interoffice Transport - Month Interoffice	Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.56										
4-WIRE 54 KBPS DIGITAL LI 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital 4-Wire 64Kbps Digital COU-DP COCI (data) 2-WIRE ISDN LOOP FOR USI 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 4-Wire DSDN LOOP in 4-Wire DSDN LOOP in 4-Wire DSD Digital Loo 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per month Interoffice Transport - Termination per month	OCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.29										
4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita 4-Wire 64Kbps Digita OCU-DP COCI (data) 2-Wire ISDN LOOP FOR USI 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 2-Wire ISDN LOOP in 4-Wire DSI DIGITAL LOOP 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 5-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-Wire DSI DIGITAL COOP 1-WIRE VOICE GRADE INTE Interoffice Transport 1-Month	DIGITAL LOOP FOR USE IN A COMBINATION															-
4-Wire 64Kbps Digita 4-Wire 64Kbps Digita OCU-DP COCI (data) 2-WIRE ISDN LOOP FOR US 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP! Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP! Interoffice Transport - Termination per month	(bps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.00										
4-Wire 64Kbps Digita OCU-DP COCI (data) 2-WIRE ISDN LOOP FOR USI 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire DSI Digital Loop 4-Wire DSI Digital Loo 4-Wire DSI Digital Loo 5-SI COCI in combina 2-WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Interoffice Transport - Interoffice Transport - Interoffice Transport - Termination per month Interoffice Transport - Interoffice Transpor	Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	41.34										
OCU-DP COCI (data) 2-WIRE ISDN LOOP FOR USI 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN COO! BE 4-WIRE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loo 4-Wire DS1 Digital Loo DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montl 4 WIRE VOICE GRADE INTE Interoffice Transport - Month interoffice Transport - Month John Cocine Cocine 1 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per montl DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	43.56										
2-WIRE ISDN LOOP FOR US. 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 4-Wire ISDN LOOP in 4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot DIST COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month DIST INTEROFFICE TRANSP! Interoffice Transport - Termination per month	OCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.29										
2-Wire ISDN Loop in 2-Wire ISDN Loop in 2-Wire ISDN Loop in 1-Wire ISDN Loop in 2-Wire ISDN Loop in 2-wire ISDN LOOP in 4-Wire DS1 Digital Loop 4-Wire DS1 Digital Loo DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montl 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montl DS1 INTEROFFICE TRANSP! Interoffice Transport - Termination per montl		1	1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-										
2-Wire ISDN Loop in 2-Wire ISDN Loop in 12-Wire ISDN LOOP in 14-Wire DSDN COCI [BF 4-WIRE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loo 14-Wire DS1 Digital Loo DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport Month Interoffice Transport Termination per montl 4 WIRE VOICE GRADE INTE Interoffice Transport Termination per montl 1 wire VOICE GRADE INTE Interoffice Transport Month Interoffice Transport Termination per montl DS1 INTEROFFICE TRANSP! Interoffice Transport per month	ON Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.16										
2-Wire ISDN Loop in 2-wire ISDN COCI (BF 4-WIRE DS1 DigITAL LOOP 4-Wire DS1 DigITAL LOOP 4-Wire DS1 DigITAL LOOP 4-Wire DS1 DigITAL LOOP 4-Wire DS1 DigITAL LOOP DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month MIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP Interoffice Transport - per month	ON Loop in Combination - Zone 2	1		UNCNX	U1L2X	37.78										
2-wire ISDN COCI (BF 4-WIRE DS1 DIGITAL LOOP 4-Wire DS1 DIGITAL LOOP 4-Wire DS1 Digital Loo DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month A WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month Interoffice Transport - Month Interoffice Transport - Termination per month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP	ON Loop in Combination - Zone 3	_		UNCNX	U1L2X	55.83										
4-WIRE DS1 DIGITAL LOOP 4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP! Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	N COCI (BRITE) - in combination - per month		-	UNCNX	UC1CA	2.77										
4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot 4-Wire DS1 Digital Lot DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montl 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per montl DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	TAL LOOP FOR USE IN A COMBINATION	_		Onton	100.1011						 					
4-Wire DS1 Digital Loc 4-Wire DS1 Digital Loc DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montl 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per montl DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	1 Digital Loop in Combination - Zone 1	_	1	UNC1X	USLXX	94.93										
4-Wire DS1 Digital Lor DS1 COCI in combina 2 WiRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montl 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Month Interoffice Transport - Termination per montl DS1 INTEROFFICE TRANSP: Interoffice Transport - per month	1 Digital Loop in Combination - Zone 2	_		UNC1X	USLXX	177,31							_			
DS1 COCI in combina 2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per mont! 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per mont! DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	361.70										
2 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montt 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montt DS1 INTEROFFICE TRANSP! Interoffice Transport - per month		+	-	UNC1X	UC1D1	14.60			<u> </u>			1			-	
Interoffice Transport - Month Interoffice Transport - Termination per montt 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per montt DS1 INTEROFFICE TRANSPI Interoffice Transport - per month	ADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION	0.1017	00101	14.00					+					
Month Interoffice Transport - Termination per month 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP	Transport - 2-wire VG - Dedicated - Per Mile Per	T T	1014							 			t			
Interoffice Transport - Termination per mont 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per mont DS1 INTEROFFICE TRANSP! Interoffice Transport - per month	Trongott - 2-4116 vo - Dedicateur Fair Mile Cel	1		UNCVX	1L5XX	0.01		1							1	
Termination per monts 4 WIRE VOICE GRADE INTE Interoffice Transport - Month Interoffice Transport - Termination per monts DS1 INTEROFFICE TRANSPI Interoffice Transport - per month	Transport - 2-wire VG - Dedicated - Facility	-		OITOVA	12377	0.01				1						
4 WIRE VOICE GRADE INTE Interoffice Transport - Month Inferoffice Transport - Termination per mont! DS1 INTEROFFICE TRANSP! Interoffice Transport - per month		1		UNCVX	U1TV2	24.30		Į.		Ī	1		[]			
Interoffice Transport - Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSP Interoffice Transport - per month	ADE INTEROFFICE TRANSPORT FOR USE IN A C	OMPINA	TION	OIACAV	UTIVZ	24.30				_	_	1		-		
Month Interoffice Transport - Termination per month DS1 INTEROFFICE TRANSPORT - Interoffice Transport - per month	Transport - 4-wire VG - Dedicated - Per Mile Per	-CMIDINA	TON		_					+				-		
Interoffice Transport - Termination per mont! DS1 INTEROFFICE TRANSP: Interoffice Transport - per month	TIOUSPORT - 4-MILE AG - DEGICARRIT - LEI MILE LEL	1		UNCVX	1L5XX	0.01		1		1		1				
DS1 INTEROFFICE TRANSPI Interoffice Transport - per month	Transport - 4-wire VG - Dedicated - Facility	_		0.1007	1.2000	0.01		 					1			
DS1 INTEROFFICE TRANSPI Interoffice Transport - per month		1	1	UNCVX	U1TV4	21.54		1					į i			
Interoffice Transport - per month		_		UNUVA	01174	21.54		-		+		-				
per month		+	-		1					_			_			
	Transport - Dedicated - DS1 combination - Per Mile			LINCAY	11 500	0.04			1							
I Unteroffice Transport -	Delivery Dodaway France	-		UNC1X	1L5XX	0.21		-				-				
	Transport - Dedicated - DS1 combination - Facility	1		LINCAY	LIATEA	00.40									1	
Termination per month		+	-	UNC1X	U1TF1	69.18					-					
	E TRANSPORT FOR USE IN A COMBINATION		-		-					-						
Interoffice Transport -	Transport - Dedicated - DS3 combination - Per Mile	1		UNC3X	1L5XX	4.70								1		

NARONDE	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
												Submitted		Charge -	Charge -	Charge
					1 1						Elec	Manually			Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
ATEGORY	RAIE ELEMENIS	m	Zone	BCS	0300			PORTES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		55.55	1		1 1						1		Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
														,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D.50 .51	Disco rida
					-		Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		_			- i	11130	- ridui	11.34	Addi	GOWIEG	COMAN	COMIZIT	COMPAN	- COMPART	JOHN
					U1TF3	200.05		1								
	month			UNC3X	U11F3	809.05			_		_					
STS	-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
- 1	Termination per month			UNCSX	U1TFS	806.58				1		İ		1		
4 18/	IRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	CDODT		UNGOA	01110	000.00										
4-99		SPURI														
	4-wire 56 kbps Local Loop in combination - Zorie 1			UNCDX	UDL56	30.00					1		1			
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	41.34			i e							
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	43.56										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						-									
1	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			0.1007	162	0.017			_					_		t —
			1												1	1
-1-	Facility Termination per month		1	UNCDX	U1TD5	17.39								1		
4-W	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	30.00										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	41.34										
	4-wire 64 kbps Looal Loop in Combination - Zone 3			UNCDX	UDL64	43.56				1						_
_	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		-	OITODA	00204	40.00				-				_		
				LINGDY	41.5304	0.04				1						
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 klips combination -		1		-						1			1		
	Facility Termination per month			UNCDX	U1TD6	17.39										
4-W	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPOR	r												
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.00		-								
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	41.34									_	
						43.56					_					
_	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	43.56								_		
ĺ	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per				545	1										
	month			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility					i										
	Termination per month			UNCDX	U1TD5	17.39										
4.W	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	F TRAN	SPOR				-		-							
4.00	4-wire 64 kbps Local Loop in combination - Zone 1	L		UNCDX	UDL64	30.00				-	+					-
_						41.34						-				_
_	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64											
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	43.56										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
1	month			UNCDX	1L5XX	0.01										1
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility					2020		1								
	Termination per month	1		UNCDX	U1TD6	17.39							1	1		
004	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		—	U.100A	01100	17.59			+		-	_				
051			-	LINICAY	1101.704	010-			+	+	-					
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	94.93										
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	177.31										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70										
7	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.21										1
-	Interoffice Transport - Dedicated - DS1 combination - Facility		_	5.1.5 IA	123701	0.27										
				LINICAN	LIATEA	60.40										
	Termination per month			UNC1X	U1TF1	69.18	_			1			 			
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	JKT										_				
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.08										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	408.63										1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
_	Interoffice Transport - Dedicated - DS3 combination - Facility				1.40.00	4.10			+							
				LINCOV	LIATES	900.05			1							
	Termination per month		_	UNC3X	U1TF3	809.05			-							
STS	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.08										
	STS-1 Local Loop in combination - Facility Termination per														1	
1	month	1	1	UNCSX	UDLS1	422.98		1	1	1	1			1		l

UNBU	INDLE	D NETWORK ELEMENTS - Alabama												Attach	ment; 2	Exhi	
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
							Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
				y			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	806.58										
ADDITI	ONAL N	ETWORK ELEMENTS													-		
	When	used as a part of a currently combined facility, the non-recurr	na cha	raes do	not apply, but a	Switch As Is cl	narge does appl	v								_	
		used as ordinarily combined network elements in All States, t															
		curring Currently Combined Network Elements "Switch As Is"															$\overline{}$
		al Features & Functions:		()		T		- 1									
		Clear Channel Capability Extended Frame Option - per DS1	ï		U1TD1, ULDD1,UNG1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1			U1TD1; ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	-	Clear Channel Capability (SF/ESF) Option - Subsequent	3.13		ULDD1, U1TD1,	CCCSF		0.00	0.00	0.00	0.00						
		Activity - per DS1	1		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
		C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDO3. UE3, UNC3X	NRCC3	,	219.13	7.67	0.7355	0.00						
	MULTI	PLEXERS							3								
		DS1 to DS0 Channel System per month			UNC1X	MQ1	116.22										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.29										ĺ
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.29										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			NGU	UC1CA	2.77										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.771										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.61										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.61										
		DS3 to DS1 Channel System per month			UNC3X	MQ3	191.05										
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	191.05										
		DS1 COCI used with Loop per month			USL	UC1D1	14.60										
		DS1 COCI (used for connection to a channelized DS1 Local				1											
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	14.60										
		DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			U1TD1	UC1D1	14.60										

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'!	Charge -	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\longrightarrow							First	Addʻl	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				2												_
	EXCHANGE ACCESS LOOP				_											
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	1000						-	(
	& facility reservation - Zone 1		1	UHL	UHL2X	8.30	159.09	113.41	75.05	15.63				1		
	2 Wire Unbundled HDSL Loop including manual service inquiry		- 11	UHL	UFILZX	0.30	139.09	113.41	75.05	13.63						-
/ I	& facility reservation - Zone 2		2	UHL	UHL2X	11.80	159.09	113.41	75 05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTIGEX	11.00	100.00	110.41	7500	10.00						
	& facility reservation - Zone 3		3	UHL	UHL2X	20.94	159 09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without martial service inquiry				4											
	and facility reservation - Zone 1		1	UHL	UHL2W	8.30	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	11.80	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	20.94	134.40	80.69	60.64	9.12						
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	-00P													
	4 Wire Unbundled HDSL Loop including manual service inquiry				AND ADDRESS OF THE PARTY.		-0		Service Conf							1
	and facility reservation - Zone 1		1	UHL	UHL4X	12.49	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry			V-0-10	· 1											
-	and facility reservation - Zone 2		2	UHL	UHL4X	17.76	193 31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	_													1
	and facility reservation - Zone 3		3	UHL	UHL4X	31.50	193.31	138.98	77.15	12.61						_
/ I	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL		40.40	400.00	445.43	00.74	44.00						ì
	and facility reservation - Zone 1		1	UHL	UHL4W	12.49	168.62	115.47	62.74	11.22					1	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	17.76	168.62	115.47	62.74	11.22						
_	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL4VV	17.76	100.02	115.47	02.74	11.22						
/	and facility reservation - Zone 3		3	UHL	UHL4W	31.50	168.62	115.47	62.74	11.22]	İ	
4-WIF	RE DS1 DIGITAL LOOP		- J	OTIL	Oricari	31.50	100.02	110.47	02.74	11.22						
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	81.35	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	115.62	313 75	181.48		13.53				i		
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	205.15	313.75	181.48	61.22	13.53						
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	12.56										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	444.91										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per				41.5410											
	month Wish Conseits Habyardied Legal Lagar STS 1 Facility			UDLSX	1L5ND	12.56										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	490.59										
IINBIINDI EF	DEDICATED TRANSPORT	-		UDLOX	UDLST	490.59								 		
	ROFFICE CHANNEL - DEDICATED TRANSPORT	—			+						-					
114121	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	 	=	+ +	-										
	month			U1TD1	1L5XX	0.21			1		1					1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1.20701	- · L ·										
	Termination			U1TD1	U1TF1	101.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	4.45										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1231.65										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				125 300	2.1								1		
	month			U1TS1	1L5XX	4.45										
. 1	Interoffice Channel - Dedicated Transport - STS-1 - Facility]					1		
1	Termination	ł	l	U1TS1	U1TFS	1214.40										-
				THE PARK COLUMN 21	111 010	00.01										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX, UNCVX ULDVX, UNCVX	ULDV2	22.61 32.13										

T T T T T T T T T T T T T T T T T T T	VORK ELEMENTS - Florida	1			1				_		Cun O-1	Sup O-1	N222222222	ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		5		Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
							Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)	Diag (at	Disc Add
					_	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local Ch	nannel - Dedicated - 2-Wire Voice Grade Rev. Bat							7,122	1	7		-			COMPART	- Compan
Zone 1	110000		1	ULDVX	ULDR2	22.61				0					_	
Local Ch Zone 2	nannel - Dedicated - 2-Wire Voice Grade Rev. Bat		2	ULDVX	ULDR2	32.13										
	nannel - Dedicated - 2-Wire Voice Grade Rev. Bat									7						
Zone 3				ULDVX	ULDR2	57.02										
	nannel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV4	23.52										
	nannel - Dedicated - 4-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV4	33.42										
	nannel - Dedicated - 4-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV4	59.29		1/								
	nannel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	41.96										
	nannel - Dedicated - DS1 - Zone 2			ULDD1, UNC1X	ULDF1	59.63										
	nannel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	105.80										
	nannel - Dedicated - DS3 - Per Mile per month	-		ULDD3, UNG3X	1L5NC	9.78	_		-	1						
	nannel - Dedicated - DS3 - Facility Termination	-		ULDD3, UNG3X	ULDF3	611 70			+	1						
	nannel - Dedicated - STS-1- Per Mile per month	-		ULDS1, UNCSX	1L5NC	9.78				1						
	nannel - Dedicated - STS-1 - Facility Termination	-		ULDS1, UNGSX	ULDFS	621.79		-	-		-					
HANCED EXTENDED			. 1.41	0 2 1 4 1 00				1								
	othly recurring and non-recurring charges below will															
	nthly recurring and the Switch-As-Is Charge and not	ine non-	recurr	ng charges helow	will apply for	UNE combination	ons provision	ed as Currer	itly Combined	Network Eleme	ents.					_
	GRADE LOOP FOR USE IN A COMBINATION		<u> </u>													
	VG Loop (SL2) in Combination - Zone 1	_		UNCVX	UEAL2	14.08										
	VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	20.01										
	VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	35.50										
	rade COCI - Per Month			UNCVX	1D1VG	1.59										
	GRADE LOOP FOR USE IN A COMBINATION		<u> </u>	-		21.70			+				_		-	
	Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.72										
	Analog Voice Grade Loop in Combination - Zone 2	-	2	UNCVX	UEAL4	30.87										
	Analog Voice Grade Loop in Combination - Zone 3	-	3	UNCVX	UEAL4	54.76		<u> </u>			1					
	rade COCI in combination - per month S DIGITAL LOOP FOR USE IN A COMBINATION			UNCVX	1D1VG	1.59	_									
		_	1	LINCOV	UDL56	25.52			-			_				
	56Kbps Digital Grade Loop in Combination - Zone 1 56Kbps Digital Grade Loop in Combination - Zone 2	_	1	UNCDX	UDL56	25.53 36.29			+		-					<u> </u>
	56Kbps Digital Grade Loop in Combination - Zone 3	_	2	UNCDX	UDL56	64.39										
	P COCI (data) per month (2.4-64kbs)		3	UNCDX	1D1DD	2.42			+		-					
	S DIGITAL LOOP FOR USE IN A COMBINATION	-		UNCDX	10100	2.42	_				1					
	64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53			-	-				_		
	64Kbps Digital Grade Loop in Combination - Zone 2	_	2	UNCDX	UDL64	36.29										
	64Kbps Digital Grade Loop in Combination - Zone 3	-	3	UNCDX	UDL64	64.39			+							
	COCI (data) - in combination - per month (2.4-64kbs)		3	UNCDX	1D1DD	2.42		_	_	_	_					
	OOP FOR USE IN COMBINATION			DIVODA	10100	2.42			_	+	+	_				
	ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	22.17		-	+	-	+	<u> </u>				
	ISDN Loop in Combination - Zone 2	_	2	UNCNX	U1L2X	31.51			_							_
	ISDN Loop in Combination - Zone 3	_	3	UNCNX	U1L2X	55.91		_		 						
	SDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	4.21				_						
	GITAL LOOP FOR USE IN A COMBINATION		-	GIACIAY	OCICA	4.21			+							
	OS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35			_		-			_		
	OS1 Digital Loop in Combination - Zone 2	_	2	UNC1X	USLXX	115.62			+			-				
	OS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15		-				-				
	ICI in combination per month			UNC1X	UC1D1	15.82		1	_	-	+			_		
	GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													
	ce Transport - 2-wire VG - Dedicated- Per Mile Per															_
Month				UNCVX	1L5XX	0.01			1							
	ce Transport - 2-wire VG - Dedicated - Facility					2.01			_							
	tion per month			UNCVX	U1TV2	29.12		1	1	1						
	GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION		-									_		
	ce Transport - 4-wire VG - Dedicated - Per Mile Per															
Month	and the same of th			UNCVX	1L5XX	0.01									l.	
	ce Transport - 4-wire VG - Dedicated - Facility						-									
	tion per month	1		UNCVX	U1TV4	25.97		1	1	1		1				ĺ

ABOMDLED	NETWORK ELEMENTS - Florida		_											ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre	curring		g Disconnect				Rates (\$)	•	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ROFFICE TRANSPORT FOR COMBINATION	1														
	nteroffice Transport - Dedicated - DS1 combination - Per Mile er month			UNC1X	1L5XX	0.21										
	nteroffice Transport - Dedicated - DS1 combination - Facility ermination per month			UNC1X	U1TF1	101 71										
	EROFFICE TRANSPORT FOR USE IN A COMBINATION			DIVOTA	01111	10171										
	nteroffice Transport - Dedicated - DS3 combination - Per Mile						_									
P	er Month			UNC3X	1L5XX	4.45										
	nteroffice Transport - Dedicated - DS3 - Facility Termination per north			UNC3X	U1TF3	1231.65										
STS-1 IN	TEROFFICE TRANSPORT FOR USE IN COMBINATION			- Harris												
	nteroffice Transport - Dedicated - STS-1 combination - Per Mile			UNCSX	1L5XX	4.45										
In	nteroffice Transport - Dedicated - STS-1 combination - Facility			w200 m												
	ermination per month 66 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SBODT	-	UNCSX	U1TFS	1214.40			-							
	-wire 56 kbps Local Loop in combination - Zone 1	SPURI		UNCDX	UDL56	25.53			+				_			
	-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.29			+							
	-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	64.39						_			_	
in	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -		Ť													
	er Mile per month nteroffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.01										
	acility Termination per month			UNCDX	U1TD5	21.21										
	4 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FFICE T	RANS	PORT												
4	-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53					•					
	-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	36.29										
	-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39					1					
	nteroffice Transport - Dedicated - 4-wire 64 kbps combination - er Mile per month			UNCDX	1L5XX	0.01										
In	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX												
4 MIDE S	acility Termination per month 6 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	ETDAN	EBOB		U1TD6	21.21			_						_	
	4-wire 56 kbps Local Loop in combination - Zone 1	LIKAN		UNCDX	UDL56	25.53	_			-						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.29										
	1-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	64.39					-					
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	nonth			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1,000								1			
	ermination per month			UNCDX	U1TD5	21.21										
	4 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	E TRAN														
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	25.53										
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	36.29			+		1				-	
	4-wire 64 kbps Local Loop in combination - Zone 3 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL64	64.39		_	_							
m	nonth			UNCDX	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility ermination per month			UNCDX	U1TD6	21.21										
	TAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	81.35										
	-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	115.62										
	-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15										
	nteroffice Transport - Dedicated - DS1 combination - Per Mile er month			UNC1X	1L5XX	0.21										
	nteroffice Transport - Dedicated - DS1 combination - Facility															
Т.	ermination per month			UNC1X	U1TF1	101.71										
	TAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT			41.50.5											
- P	S3 Local Loop in combination - per mille per month	_	-	UNC3X	1L5ND	14.44			_	-						
	S3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	511.65										

NRONDE	D NETWORK ELEMENTS - Florida											100000000000000000000000000000000000000	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					Rec	Nonrec		Nonrecurring					Rates (\$)		
						First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	4.45										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	1231.65										
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT													
10.0	STS-1 Local Lolp in combination - per mile per month	0.0.0.	UNCSX	1L5ND	14.44										
	STS-1 Local Loop in combination - Facility Termination per					-									
_	month STO 4 Paris And STO 4		UNCSX	UDLS1	564.18										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCSX	1L5XX	4.45										
	Interoffice Transport - Dedicated - STS-1 combination - Facility														
	Termination per month		UNCSX	U1TFS	1214.40										
DITIONAL	NETWORK ELEMENTS														
When	used as a part of a currently combined facility, the non-recurr	ng char	ges do not apply, but	a Switch As Is c	harge does app	ly.									
When	used as ordinarily combined network elements in All States, to	he non-	recurring charges app	ly and the Switch	As Is Charge d	oes not.	_								
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One applies to each	combination)											
Option	nal Features & Functions:														
			U1TD1.					1							
	Clear Channel Capability Extended Frame Option - per DS1	_1_	ULDD1_UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	Ĩ	ULDD1,UNC1X			0 00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1	ULDD1, U1TD1 UNC1X, USL	. NRCCC		184 92	23.82	2.07	0.80						
	C-bit Parity Option - Subsequent Activity - per DS3	ı	U1TD3, ULDD3 UE3, UNG3X	NRCC3		219.09	7.67	0.773	0.00						
MILLE	PLEXERS	<u> </u>	040, 011001	1111000	1	213.03	1.01	0.110	0.00						
MIDE	DS1 to DS0 Channel System per month		UNC1X	MQ1	168.79										
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		UNCIX	WQT	100.19	-	_		_		_	_			_
	month (2.4-64kbs) used for a Local Loop		UDL	1D1DD	2.42										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per									1					
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD	2.42										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per														
	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		UDN	UC1CA	4.21					_					
	month used for connection to a channelized DS1 Local Channel														
	in the same SWC as collocation Voice Grade COC! - DS1 to DS0 Channel System - per month		U1TUB	UC1CA	4.21										
_	used for a Local Loop Voice Grade COCi - DS1 to DS0 Channel System - per month		UEA	1D1VG	1.59										
	used for connection to a channelized DS1 Local Channel in the														
_	same SWC as collocation		U1TUC	1D1VG	1.59										
	DS3 to DS1 Channel System per month		UNC3X	MQ3	242.87										
	STS-1 to DS1 Channel System per month		UNCSX	MQ3	242.87										
	DS1 COCI used with Loop per month		USL	UC1D1	15.82										
	DS1 COCI (used for connection to a channelized DS1 Local		4 104 10 4 10 10 10		2000000000										
	Channel in the same SWC as collocation) per month		U1TUA	UC1D1	15.82										
_	DS1 COCI used with Interoffice Channel per month		U1TD1	UC1D1_	15.82										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	UC1D1	15.82										

UNBUNDLE	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: B
		Interi						27.32				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Charge
ATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NEUNDI ED	EXCHANGE ACCESS LOOP						_									
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP		1											
	2 Wire Unbundled HDSL Loop including manual service inquiry	I	T													
	& facility reservation - Zone 1	1	1	UHL	UHL2X	9.06	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
_	& facility reservation - Zone 2	1	2	UHL	UHL2X	10 45	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	T	3	UHL	UHL2X	10.05	44.69	24.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry	- 1	3	UHL	UHLZX	16.65	44.59	31.55	0.00	0.00						
	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.06	44.69	31.55	0.00	0.00	9					
	2 Wire Unbundled HDSL Loop without manual service inquiry	- '	-	0112	OHLE.	5.00	44.00	01.55	0.00	0.00						
	and facility reservation - Zone 2	1	2	UHL	UHL2W	10.45	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
- 1	and facility reservation - Zone 3	1	3	UHL	UHL2W	16.65	44.69	31.55	0.00	0.00						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		١.			44.05	44.00	04.55								
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry	1	1	UHL	UHL4X	11.95	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	1	2	UHL	UHL4X	13.80	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 3	1	3	UHL	UHL4X	21.93	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL4W	11.95	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL4W	13.80	44.69	31.55	0.00	0.00						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	21.93	44.69	31.55	0.00	0.00						
4-WIR	E DS1 DIGITAL LOOP	- 1	3	UNL	UNL4VV	21.93	44.09	31.55	0.00	0.00						
- 1111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47.17	211.93	72.49	38.24	7.20					_	
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	53.37	211 93	72.49	38.24	7.20						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	71.33	211.93	72.49	38.24	7.20						
GH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			UE3	1L5ND	12.62										
	High Capacity Unbundled Local Loop - DS3 - Facility			-	1											
	Termination per month			UE3	UE3PX	291.39										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.62										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	351.23										
	DEDICATED TRANSPORT															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT				-			_	_							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.13										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	39.32										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					33.32										
	month			U1TD3	1L5XX	2.91										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	393.32										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.92										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
_	Termination			U1TS1	U1TFS	412.47										
-	Local Channel - Dedicated - 2-Wire Voice Grade	-	-	ULDVX, UNCVX	ULDV2	8.90				-			_			
_	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade		-	ULDVX, UNCVX	ULDR2 ULDV4	8.90 10.03										
	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 Zone 1		—	ULDD1, UNG1X	ULDF1	21.24		_								

NUBUNDLED I	NETWORK ELEMENTS - Georgia													ment: 2		ibit: B
										2	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									P. 0. 10.1.	P	Electronic-	Electronic-	Electronic-	
		1	1										1st	Add'I	Disc 1st	Disc Add
													151	Auu i	Disc 1st	Disc Add
							Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Lo	ocal Channel - Dedicated - DS1 Zone 2		2	ULDD1, UNC1X	ULDF1	64.75										
Lo	ocal Channel - Dedicated - DS1 Zone 3		3	ULDD1, UNC1X	ULDF1	189.41										
Lo	ocal Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	1.66										
Lo	ocal Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNG3X	ULDF3	169.06										
Lo	ocal Channel - Dedicated - STS-1- Per Mile per month	1		ULDS1, UNCSX	1L5NC	1.66										
Lo	ocal Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	177.81										
	ENDED LINK (EELs)															
NOTE: Th	e monthly recurring and non-recurring charges below will	apply at	nd the	Switch-As-Is Charg	e will not ap	ply for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Networ	k Elements.					
NOTE: Th	e monthly recurring and the Switch-As-Is Charge and not	the non-	recurri	ing charges helow	will apply for	UNE combination	ons provision	ed as 'Curren	tly Combined	Network Eleme	ents.					
2-WIRE V	OICE GRADE LOOP FOR USE IN A COMBINATION	9							T .							
	-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	13.31										
2-	-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	19.49										
	-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	38.04										
Vo	oice Grade COCI - Per Month			UNCVX	1D1VG	0.54										
4-WIRE V	OICE GRADE LOOP FOR USE IN A COMBINATION	- 0	1											1		
4-	-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	20.47										
4-	-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.93										
4-	-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	34.79										
Vo	pice Grade COCI in combination - per month			UNCVX	1D1VG	0.54										
4-WIRE 56	6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-	-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.14										
4-	-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.61										
4-	-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.95										
00	CU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	1.15										
4-WIRE 64	4 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-	-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		-1	UNCDX	UDL64	25.14										
4-	-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.61									•	
	-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	43.95					(
	CU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.15										
2-WIRE IS	DN LOOP FOR USE IN COMBINATION															
	-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.79										
	-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	30.20	-									
	-Wire ISDN Loop in Combination - Zone 3	3		UNCNX	U1L2X	48.50										
	wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.91										
	S1 DIGITAL LOOP FOR USE IN A COMBINATION															
	Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	47.17										
	Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	53.37										
	Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	71.33										
	S1 COCI in combination per month			UNC1X	UC1D1	8 45				_						
	OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													
	teroffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	onth			UNCVX	1L5XX	0.01										
	teroffice Transport - 2-wire VG - Dedicated - Facility															
	ermination per month			UNCVX	U1TV2	14.80										
	OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													
Mo	teroffice Transport - 4-wire VG - Dedicated - Per Mile Per onth			UNCVX	1L5XX	0.01										
Te	teroffice Transport - 4-wire VG - Dedicated - Facility ermination per month			UNCVX	U1TV4	12.40										
	ROFFICE TRANSPORT FOR COMBINATION teroffice Transport - Dedicated - DS1 combination - Per Mile		4						-							
pe	er month teroffice Transport - Dedicated - DS1 combination - Facility	_		UNC1X	1L5XX	0.13										
	ermination per month			UNC1X	U1TF1	39.32										
	0 Channelization System in combination Per Month			UNC1X	MQ1	80.21										
	ROFFICE TRANSPORT FOR USE IN A COMBINATION				1	55.21										_
	teroffice Transport - Dedicated - DS3 combination - Per Mile				1					1						-
	er Month			UNC3X	1L5XX	2 91								1		1

NRUNDLE	D NETWORK ELEMENTS - Georgia												Attach			ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	First	urring Add'l	First	g Disconnect	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
_							FIRST	Addi	FIRST	Add'I	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINICOV	CIATED	202.20					1				1	
070.4	month		_	UNC3X	U1TF3	393.32										-
515-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile															+
	Per Month			UNCSX	1L5XX	2.91										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	ILSAA	2.91	-									+
	Termination per month			UNCSX	U1TFS	412.47				1						i
A MIDE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT		UNCSX	UTIFS	412.47			 	_						-
4-1111	4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	25.14				-				_	1	
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.61					1					1
-	4-wire 56 kbps Local Loop in combination - Zone 3	1		UNCDX	UDL56	43.95			+	1		Į.				
-1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	t –	3	ONCOX	UDE30	45.55										1
	Per Mile per month			UNCDX	1L5XX	0.01				1					1	1
-1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONCOX	ILJAA	0.01			+		_					+
1	Facility Termination per month			UNCDX	U1TD5	9.00				ł					ľ	
A JANIDS	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE T	DANE		01103	3.00			+	1				_		1
14-44 11/2	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	TERCET		UNCDX	UDL64	25.14			+	-						+
+	14-wire 64 kbps Lcoat Loop in Combination - Zone 2			UNCDX	UDL64	32.61			+							
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	43.95			-	 					-	+
_	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCUX	UDL64	43.95			+			<u> </u>				+
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	9.00										
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	25.14										
	4-wire 56 kbps Local Loop in combination - Zone 2	o .		UNCDX	UDL56	32.61										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDŁ56	43.95										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	9.00										
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT													1
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.14			1							
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.61	-									
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	43.95										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	9.00										
DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	53.37										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	71.33										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.13										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	39.32										
DS3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT		ONOTA	CIIII	33.32			+		1	-				+
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.51										
	DC2 I and I am in a second of the Tourist Tour			LINGSY	LIESDY	225 42			1							
+-	DS3 Local Loop in combination - Facility Termination per month	_		UNC3X	UE3PX	335.10			1	1	-					+
_	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.91			+	_					-	
	Interoffice Transport - Dedicated - DS3 combination - Facility	l		LINICOV	LIATES	000.00									1	1
676	Termination per month	L	-	UNC3X	U1TF3	393.32			-						-	-
5 5-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN STS-1 Local Lolp in combination - per mile per month	SPORT		LINCEY	41.5115				1	1			-		-	
-		i .		UNCSX	1L5ND	14.51		1	1	1	1					1
	STS-1 Local Loop in combination - per fille per month STS-1 Local Loop in combination - Facility Termination per					, , , , ,		_	+	+			_		+	+

JNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
_				-			Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
_			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.91										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	412,47										
DDITIONAL	Termination per month NETWORK ELEMENTS		-	UNCSX	UTIFS	412.47					-					
					inital Auton	L			-						_	
wnen	used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, the	ng chai	rges at	not apply, out a s	WITCH AS IS C	harge does app	ly.		_			-				
	curring Currently Combined Network Elements in All States, tr					As is Charge C	ides not.									
	nal Features & Functions:	Charge	One a	pplies to each com	Dination)							_				
Uption	nai Features & Functions:			U1TD1.	_							-				
	Clear Channel Capability Extended Frame Option - per DS1	Ī		ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	ī		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	1		UNC1X, USI, U1TD3, ULDD3,	NRCCC		184.62	23.78	2.03	0.79			_			
,	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
MULT	IPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.21										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.15										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.15										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	1.91										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.91										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.54										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.54										
	DS3 to DS1 Channel System per month			UNC3X	MQ3	140.18										
-	STS-1 to DS1 Channel System per month			UNCSX	MQ3	140.18					1					
	DS1 COCI used with Loop per month			USL	UC1D1	8 45					1					
	DS1 COCI (used for connection to a channelized DS1 Local				UC1D1					-						
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1	8.45 8.45										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			ULDD1	UC1D1	8.45										

ONBONDLED ME	ETWORK ELEMENTS - Kentucky													ment: 2	1-000	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			-													1
	ANGE ACCESS LOOP															
	H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	THREE	LOOP		-											
	ire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	10.00	454.54	20.20	60.00	** **						1
	cility reservation - Zone 1		1	UHL	UHL2X	10.06	151 54	89.29	69.09	11.54						-
	ire Unbundled HDSL Loop including manual service inquiry cility reservation - Zone 2		2	UHL	UHL2X	10.99	151.54	00.00	69.09	11.54						
	ire Unbundled HDSL Loop including manual service inquiry		- 4	UHL	UMLZX	10.99	151.54	89.29	69.09	11.54						1
				UHL		40.00	454.54	20.00	50.00	*****						
	cility reservation - Zone 3 ire Unbundled HDSt Loop without manual service inquiry		3	UHL	UHL2X	12.20	151.54	89.29	69.09	11.54						1
	facility reservation - Zone 1	1	1	UHL	UHL2W	10.06	130.74	78.56	69.09	11.54						1
	ire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHLZVV	10.06	130.74	78.56	69.09	11.54	-					
	facility reservation - Zone 2		2	UHL	UHL2W	10.99	130.74	78.56	69.09	11.54						1
	ire Unbundled HDSL Loop without manual service inquiry	<u> </u>	- 2	UHL	UNLZVV	10.99	130.74	/8.56	69.09	11.54						
	facility reservation - Zone 3		3	UHL	UHL2W	12.20	130.74	78.56	69.09	11.54		i				
4 MIDE HIC	SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE		UNL	UNLZVV	12.20	130.74	70.30	09.09	11.54						
	ire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOUP		1 1				-							
	facility reservation - Zone 1	1	1	UHL	UHL4X	16.04	185.75	123.50	74.95	14.69						1
	re Unbundled HDSL Loop including manual service inquiry	_	<u> </u>	UHL	UNL4X	10.04	103.73	123.50	74.53	14.03	_					
	facility reservation - Zone 2	١.,	2	UHL	UHL4X	18.03	185 75	123.50	74.95	14.69						
	fire Unbundled HDSL Loop including manual service inquiry	+ -		UNL	UNL4X	18.03	165 75	123.50	74.95	14.69						+
	facility reservation - Zone 3		3	UHL	UHL4X	19.53	185 75	123.50	74.95	14.69		1				
	fire Unbundled HDSL Loop without manual service inquiry	1	3	UNL	JUNL4X	19.53	105 75	123.50	74.95	14.69	_					
	facility reservation - Zone 1		1	UHL	UHL4W	15.04	164.95	114.04	77 32	15.80						1
	fire Unbundled HDSL Loop without manual service inquiry	-		UNL	UNE4VV	15.04	104.93	114.04	11 32	13.60						
	facility reservation - Zone 2	i	2	UHL	UHL4W	18.03	164.95	114.04	77.32	15.80						
	ire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILAN	10.03	104.55	114.04	17.52	13.00						
	facility reservation - Zone 3		3	UHL	UHL4W	19.53	164.95	114.04	77.32	15.80						
	1 DIGITAL LOOP		<u> </u>	OFIC	- OTIL-TVI	10.00	104.55	114.04	17.52	15.00						
	re DS1 Digital Loop - Zone 1	_	1	USL	USLXX	99.44	306.69	174.44	65.83	14.55						1
	re DS1 Digital Loop - Zone 2	_		USL	USLXX	131.22	306.69	174.44	65.83	14.55						
	re DS1 Digital Loop - Zone 3			USL	USLXX	342,42	306.69	174,44	65.83	14.55						
	NBUNDLED LOCAL LOOP		Ť	1000	100201	0.22	000100	7, 4, 4,	00.00							
	Capacity Unbundled Local Loop - DS3 - Per Mile per															
mon				UE3	1L5ND	10.64										
High	Capacity Unbundled Local Loop - DS3 - Facility				-											
	mination per month			UE3	UE3PX	354.56										
High	Capacity Unbundled Local Loop - STS-1 - Per Mile per															
mon	ith		1	UDLSX	1L5ND	10.64	1						1			
	Capacity Unbundled Local Loop - STS-1 - Facility															
	nination per month			UDLSX	UDLS1	368.59							1			
UNBUNDLED DEDIC	CATED TRANSPORT															
	CE CHANNEL - DEDICATED TRANSPORT															
	roffice Channel - Dedicated Channel - DS1 - Per Mile per			E-1	-											
mon				U1TD1	1L5XX	0.26										
	roffice Channel - Dedicated Tranport - DS1 - Facility		1													
	mination		1	U1TD1	U1TF1	110.45										
	roffice Channel - Dedicated Transport - DS3 - Per Mile per												}			
mon				U1TD3	1L5XX	5.72										
	roffice Channel - Dedicated Transport - DS3 - Facility			anne and the	200000-04	and the same of the same of										
	mination per month		_	U1TD3	U1TF3	1351.42										
	roffice Channel - Dedicated Transport - STS-1 - Per Mile per					227 200										
mon			1	U1TS1	1L5XX	5.72										
	roffice Channel - Dedicated Transport - STS-1 - Facility				1											
	mination		1	U1TS1	U1TFS	1321.94										
	al Channel - Dedicated - 2-Wire Voice Grade	_	1	ULDVX, UNCVX	ULDV2	21.36										
	al Channel - Dedicated - 2-Wire Voice Grade Rev Bat	_	-	ULDVX	ULDR2	21.36										1
	al Channel - Dedicated - 4-Wire Voice Grade	_		ULDVX, UNCVX	ULOV4	22.84										
I II oca	al Channel - Dedicated - DS1 - Zone 1		1 1	ULDD1, UNC1X	ULDF1	46.53										1

Local Ch Loc	onthly recurring and non-recurring charges below will interest the control of the		nd the	ULDD1, UNC1X ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 ULDF1 1L5NC ULDF3 1L5NC	Rec 49.90 189.18 10.05	Nonre First	RATES (\$)	Nonrecurrin First	Disconnect Add'I	Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'
Local Ch Loc	Channel - Dedicated - DS1 - Zone 2 Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicate	m apply a	2 3	ULDD1, UNC1X ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05		curring			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Sonder vs Electronic Disc Add
Local Ch Loc	Channel - Dedicated - DS1 - Zone 2 Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicate	m apply a	2 3	ULDD1, UNC1X ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05		curring			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l Rates (\$)	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
Local Ch Loc	Channel - Dedicated - DS1 - Zone 2 Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicate	m apply a	2 3	ULDD1, UNC1X ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05		curring				#-00 Natividadidi	Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic Disc Add
Local Ch Loc	Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Alley Termination Channel - Dedicated - STS-1 - Facility Termination Coll LINK (EELs) Onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not CRADE LOOP FOR USE IN A COMBINATION VICTURE - COMBINATION VICTURE - COMBINATION COMBINATI	apply a	nd the	ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05						#-00 Natividadidi	Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Disc Add
Local Ch Loc	Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Alley Termination Channel - Dedicated - STS-1 - Facility Termination Coll LINK (EELs) Onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not CRADE LOOP FOR USE IN A COMBINATION VICTURE - COMBINATION VICTURE - COMBINATION COMBINATI		nd the	ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05					SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add
Local Ch Loc	Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Alley Termination Channel - Dedicated - STS-1 - Facility Termination Coll LINK (EELs) Onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not CRADE LOOP FOR USE IN A COMBINATION VICTURE - COMBINATION VICTURE - COMBINATION COMBINATI		nd the	ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05					SOMEC	SOMAN	OSS	Rates (\$)		
Local Ch Loc	Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Alley Termination Channel - Dedicated - STS-1 - Facility Termination Coll LINK (EELs) Onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not CRADE LOOP FOR USE IN A COMBINATION VICTURE - COMBINATION VICTURE - COMBINATION COMBINATI		nd the	ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05					SOMEC	SOMAN			SOMAN	
Local Ch Loc	Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Alley Termination Channel - Dedicated - STS-1 - Facility Termination Coll LINK (EELs) Onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not CRADE LOOP FOR USE IN A COMBINATION VICTURE - COMBINATION VICTURE - COMBINATION COMBINATI		nd the	ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 1L5NC ULDF3 1L5NC	49.90 189.18 10.05	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
Local Ch Loc	Channel - Dedicated - DS1 - Zone 3 Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Per Alley Termination Channel - Dedicated - STS-1 - Facility Termination Coll LINK (EELs) Onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not CRADE LOOP FOR USE IN A COMBINATION VICTURE - COMBINATION VICTURE - COMBINATION COMBINATI		nd the	ULDD1, UNC1X ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	ULDF1 1L5NC ULDF3 1L5NC	189.18 10.05										SOMAN
Local Ch Local Ch Local Ch Local Ch Local Ch Local Ch Local Ch ENHANCED EXTENDED NOTE: The mon NOTE: The mon 2-WIRE VOICE (2-Wire V Voice Gr 4-Wire V 4-Wire V 4-Wire V 4-Wire S 6KBP) 4-Wire S 6KBP 4-Wire S 6KBP 4-Wire S 6KBP 1-Wire S 6KBP	Channel - Dedicated - DS3 - Per Mile per month Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS-1 - Per Mile per month Channel - Dedicated - STS-1 - Facility Termination DLINK (EELs) Thirty recurring and non-recurring charges below will outhly recurring and the Switch-As-Is Charge and not E GRADE LOOP FOR USE IN A COMBINATION VG Loop (SL2) in Combination - Zone 1 VG Loop (SL2) in Combination - Zone 2 VG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month E GRADE LOOP FOR USE IN A COMBINATION PANAION Voice Grade Loop in Combination - Zone 1		nd the	ULDD3, UNC3X ULDD3, UNC3X ULDS1, UNCSX ULDS1, UNCSX	1L5NC ULDF3 1L5NC	10.05										
Local Ch Local Ch Local Ch Local Ch Local Ch RNANCED EXTENDED NOTE: The mon NOTE: The mon 2-Wire V 2-Wire V 2-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire SA KBP 4-Wire SA K	Channel - Dedicated - DS3 - Facility Termination Channel - Dedicated - STS-1- Per Mile per month Channel - Dedicated - STS-1- Facility Termination ED LINK (EELs) Inthly recurring and non-recurring charges below will mithly recurring and the Switch-As-Is Charge and not GRADE LOOP FOR USE IN A COMBINATION EVG Loop (SL2) in Combination - Zone 1 EVG Loop (SL2) in Combination - Zone 2 EVG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month GRADE LOOP FOR USE IN A COMBINATION EARAIGO Voice Grade Loop in Combination - Zone 1		nd the	ULDD3, UNCSX ULDS1, UNCSX ULDS1, UNCSX	ULDF3 1L5NC											
Local Ch Local Ch Local Ch ROMENTENDEE NOTE: The mon NOTE: The mon NOTE: The mon 2-WIRE VOICE G 2-Wire V Voice Gr 4-WIRE VOICE G 4-Wire V 4-Wire G	Channel - Dedicated - STS-1- Per Mile per month Channel - Dedicated - STS-1 - Facility Termination D LINK (ELS) DILNK (ELS) DILNT (ELS) DI			ULDS1, UNCSX ULDS1, UNCSX	1L5NC											
Local Chenhanced Extended	Channel - Dedicated - STS-1 - Facility Termination D LINK (EELs) To think (EEL			ULDS1, UNCSX		662.46										
ENHANCED EXTENDED NOTE: The mon NOTE: The mon 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-Wire A 4-Wire A 4-Wire A 4-Wire A 4-Wire A 4-Wire B	ED LINK (EELs) onthly recurring and non-recurring charges below will onthly recurring and the Switch-As-Is Charge and not GRADE LOOP FOR USE IN A COMBINATION VG Loop (SL2) in Combination - Zone 1 VG Loop (SL2) in Combination - Zone 2 VG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month GRADE LOOP FOR USE IN A COMBINATION Analog Voice Grade Loop in Combination - Zone 1					10.05										
NOTE: The mon NOTE: The mon NOTE: The mon 2-WIRE VOICE (2-Wire \) 2-Wire \) 2-Wire \) 2-Wire \) 4-Wire \ 4-Wire \] 4-Wire \ 4-Wire \) 4-Wire \ 4-Wire \] 4-Wire \ 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 4-Wire \] 6-CCU-DP 4-Wire \] 4-Wire \] 7-CU-DP 2-WIRE ISDN LC 2-Wire \]	onthly recurring and non-recurring charges below will interest the control of the			Switch As Is Chara	ULDFS	624.73										
NOTE: The mon 2-WIRE VOICE (2-Wire \) 2-Wire \) 2-Wire \) 2-Wire \) Voice GF 4-Wire \) 4-Wire \] 2-Wire II	onthly recurring and the Switch-As-Is Charge and not E GRADE LOOP FOR USE IN A COMBINATION & VG Loop (SL2) in Combination - Zone 1 & VG Loop (SL2) in Combination - Zone 2 & VG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month & GRADE LOOP FOR USE IN A COMBINATION & Analog Voice Grade Loop in Combination - Zone 1			Switch Ar le Chara									2			
2-WIRE VOICE (EGRADE LOOP FOR USE IN A COMBINATION VG Loop (SL2) in Combination - Zone 1 vG Loop (SL2) in Combination - Zone 2 vG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month EGRADE LOOP FOR USE IN A COMBINATION Analog Voice Grade Loop in Combination - Zone 1	the non-	recurr													
2-Wire \ 2-Wire \ 2-Wire \ 2-Wire \ Voice G \ 4-Wire Voice G \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 4-Wire \ 6-CCU-DP \ 4-Wire \ 7-CU-DP \ 2-Wire \ 1-Wire \	VG Loop (SL2) in Combination - Zone 1 VG Loop (SL2) in Combination - Zone 2 VG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month GRADE LOOP FOR USE IN A COMBINATION Analog Voice Grade Loop in Combination - Zone 1		1	ing charges below v	will apply for	UNE combinati	ons provision	ed as 'Current	ly Combined' l	Network Eleme	nts.					
2-Wire \ 2-Wire \ \ 2-Wire \ \ \ 2-Wire \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	e VG Loop (SL2) in Combination - Zone 2 e VG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month E GRADE LOOP FOR USE IN A COMBINATION e Analog Voice Grade Loop in Combination - Zone 1		_													
2-Wire Voice Gr 4-WIRE VOICE Gr 4-Wire / 4-Wire / 4-Wire / Voice Gr 4-Wire / Voice Gr 4-Wire So KBP: 4-Wire So KBP: 4-Wire So CU-DP 4-Wire 64 KBP: 4-Wire 6 4-Wire 6 4-Wire 6 2-Wire 1 2-Wire 1 2-Wire 1	e VG Loop (SL2) in Combination - Zone 3 Grade COCI - Per Month GRADE LOOP FOR USE IN A COMBINATION Analog Voice Grade Loop in Combination - Zone 1	1		UNCVX	UEAL2	14.57										
Voice Gr 4-WIRE VOICE C 4-Wire / 4-Wire / Voice Gr 4-Wire 5 KBP 4-Wire 5 KBP 4-Wire 5 KBP 4-Wire 5 KBP 4-Wire 6 KBP 4-Wire 6 KBP 4-Wire 6 KBP 4-Wire 6 COU-DP 2-Wire ISDN LC 2-Wire ISDN LC 2-Wire ISDN LC 2-Wire ISDN LC 2-Wire ISDN LC	Grade COCI - Per Month E GRADE LOOP FOR USE IN A COMBINATION e Analog Voice Grade Loop in Combination - Zone 1	1	2	UNCVX	UEAL2	20.07										
4-WIRE VOICE (GRADE LOOP FOR USE IN A COMBINATION Analog Voice Grade Loop in Combination - Zone 1		3	UNCVX	UEAL2	38.20										
4-Wire / 4-Wire / 4-Wire / 4-Wire / Voice Gr 4-Wire 5 6 KBP: 4-Wire 5 4-Wire 5 6-CU-DP 4-Wire 6 4-Wire 6 4-Wire 6 4-Wire 6 7-CU-DP 2-Wire 1 2-Wire 1 2-Wire 1	Analog Voice Grade Loop in Combination - Zone 1			UNCVX	1D1VG	0.71			-							
4-Wire / 4-Wire / Voice GF 4-Wire 56 KBP: 4-Wire 56 KBP: 4-Wire 56 KBP: 4-Wire 56 KBP: 4-Wire 57 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 67 KBP: 4-Wire 17																
4-Wire / Vicioe Gr 4-WIRE 56 KBP; 4-Wire 5 KBP; 0-CU-DP 4-WIRE 64 KBP; 4-Wire 6 4-Wire 6 4-Wire 6 2-Wire 1 2-Wire 1 2-Wire 1			1	UNCVX	UEAL4	33.65										
Voice Gr 4-WIRE 55 KBP: 4-WIRE 5 KBP: 4-Wire 9 4-Wire 9 0-CU-DP 4-WIRE 64 KBP: 4-Wire 6 4-Wire 6 0-CU-DP 2-WIRE ISDN LC 2-Wire 1 2-Wire 1	Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	39.39										
4-WIRE 56 KBP: 4-Wire 9 4-Wire 1 4-Wire 9 C:U-DP 4-WIRE 64 KBP: 4-Wire 6 4-Wire 6 0-CU-DP 2-WIRE ISDN LC 2-Wire 1 2-Wire 1 2-Wire 1	Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	97.82										
4-Wire \$ 4-Wire \$ 4-Wire \$ 4-Wire \$ 0-CU-DP 4-WIRE 64-KBP: 4-Wire 6 4-Wire 6 0-CU-DP 2-WIRE ISDN LC 2-Wire 1 2-Wire 1	Grade COCI in combination - per month	1		UNCVX	1D1VG	0.71										
4-Wire \$ 4-Wire \$ OCU-DP 4-WIRE 64 KBP! 4-Wire 6 4-Wire 6 OCU-DP 2-WIRE ISDN LC 2-Wire 1 2-Wire 1	PS DIGITAL LOOP FOR USE IN A COMBINATION															
4-Wire \$	e 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.73										
OCU-DP 4-WIRE 64 KBP: 4-Wire 6 4-Wire 6 OCU-DP 2-WIRE ISDN LC 2-Wire 1 2-Wire 1 2-Wire 1	56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	37.35										
4-WIRE 64 KBP: 4-Wire 6 4-Wire 6 4-Wire 6 OCU-DP 2-WIRE ISDN LC 2-Wire 1 2-Wire 1	56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	41.83										
4-Wire 6 4-Wire 6 4-Wire 6 OCU-DP 2-WIRE ISDN LC 2-Wire I 2-Wire I 2-Wire I	OP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.52										
4-Wire 6 4-Wire 6 OCU-DP 2-WIRE ISDN LG 2-Wire 1 2-Wire 1 2-Wire 1	PS DIGITAL LOOP FOR USE IN A COMBINATION															
4-Wire 6 OCU-DP 2-WIRE ISDN LC 2-Wire I 2-Wire I 2-Wire I	64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.73										
2-WIRE ISDN LC 2-Wire I 2-Wire I 2-Wire I 2-Wire I	e 64Kbps Digital Grade Loop in Combination - Zone 2				UDL64	37.35										
2-WIRE ISDN LC 2-Wire I 2-Wire I 2-Wire I	e 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	41.83										
2-Wire I 2-Wire I 2-Wire I	OP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.52										
2-Wire I 2-Wire I	LOOP FOR USE IN COMBINATION															
2-Wire I	ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	21.21					ģ.					
	ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	28.84										
	ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.30										
	ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.27	0									
	IGITAL LOOP FOR USE IN A COMBINATION															
	DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	99.44										
4-Wire D	DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	131.22										
	DS1 Digital Loop in Combination - Zone 3		3_	UNC1X	USLXX	342.42										
	OCI in combination per month			UNC1X	UC1D1	13.57										
	GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													
	fice Transport - 2-wire VG - Dedicated- Per Mile Per															
Month				UNCVX	1L5XX	0.01										
	ice Transport - 2-wire VG - Dedicated - Facility				1											1
	ation per month			UNCVX	U1TV2	27.54										
	GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													
	fice Transport - 4-wire VG - Dedicated - Per Mile Per															
Month				UNCVX	1L5XX	0.01										
	ice Transport - 4-wire VG - Dedicated - Facility															
Terminal	ation per month			UNCVX	U1TV4	27.54										
				55.50												
	FICE TRANSPORT FOR COMBINATION															
	ice Transport - Dedicated - DS1 combination - Per Mile				1										1	
per mon				UNC1X	1L5XX	0.22										
	lice Transport - Dedicated - DS1 combination - Facility															
				UNC1X	U1TF1	90.87										
	ation per month															
Interoffic Per Mon	ation per month FICE TRANSPORT FOR USE IN A COMBINATION			UNC3X	1L5XX	4.70					1					

NDUNDED N	ETWORK ELEMENTS - Kentucky				-									ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
-						Rec	Nonre First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	roffice Transport - Dedicated - DS3 - Facility Termination per				Total State of the		17.50	, Add i	1	7,001	20.0.20	COMMI	John	COMPAR	COMPART	- COMPART
mor	ROFFICE TRANSPORT FOR USE IN COMBINATION			UNC3X	U1TF3	1111.92										
	roffice Transport - Dedicated - STS-1 combination - Per Mile				-						_			_		
	Month			UNCSX	1L5XX	4.70			1							
	roffice Transport - Dedicated - STS-1 combination - Facility															
	mination per month			UNCSX	U1TFS	1087.66										
	KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT			115150											
	ire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.73					_					
	ire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	37.35			-							
	ire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	41.83				-						
	roffice Transport - Dedicated - 4-wire 55 kbps combination - Mile per month			UNCDX	1L5XX	0.01			1							
	roffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCUX	IL5XX	0.01			-	-						├
	ility Termination per month			UNCDX	U1TD5	19.84			1						1	
	KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROL	EEICE T	DANICI		01105	19.04										
	ire 64 kbps Lcoal Loop in Combination - Zone 1	FICE		UNCDX	UDL64	31.73								_		
	ire 64 kbps Lcoal Loop in Combination - Zone 2	-		UNCDX	UDL64	37.35										
	ire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	41.83						_				
	roffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCUX	- IODEO4	41.03					+					
	Mile per month		1	UNCDX	1L5XX	0.01										l
	roffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	123/01	0.01				1						
	ility Termination per month			UNCDX	U1TD6	19.84					1	•		J		1
	KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	FTRAN	SPORT		1011.00	10.04					1					
	vire 56 kbps Local Loop in combination - Zone 1	110		UNCDX	UDL56	31.73										
	vire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	37.35										
	vire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	41.83				1						
	viree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
mor	nth			UNCDX	1L5XX	0.01										1
4-v.	vire 56 kbps Interoffice Transport - Dedicated - Facility															
Terr	mination per month			UNCDX	U1TD5	19.84										
4-WIRE 64	KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT							T						
4-w	vire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31 73										
4-w	vire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	37.35				_						
	vire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	41.83										
	wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
mor				UNCDX	1L5XX	0.01										
	vire 64 kbps Interoffice Transport - Dedicated - Facility															
	mination per month			UNCDX	U1TD6	19.84										
	AL LOOP AND DS1 INTERFOFFICE TRANSPORT		100													
	/ire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	99.44			1							
	/ire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	131.22										
	fire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42										
	roffice Transport - Dedicated - DS1 combination - Per Mile				41.5104											(
	month			UNC1X	1L5XX	0.22			-		_					
	roffice Transport - Dedicated - DS1 combination - Facility mination per month			UNC1X	U1TF1	90.87										1
	MINITION PER MONTH AL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DT		UNCIA	UTIFT	90.87										
	3 Local Loop in combination - per mile per month	, N. I		UNC3X	1L5ND	12.23			-				_			
1000	2 2000 2000 in Combination - per mile per militar			5.100A	ILOIAD	12.23	_		+					_		
DS	3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	407.74										1
	roffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	roffice Transport - Dedicated - DS3 combination - Facility				1.22.21	0										
	mination per month			UNC3X	U1TF3	1111.92										(
	TAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT		-						i						
	S-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.23										
	5-1 Local Loop in combination - Facility Termination per															
mor				UNCSX	UDLS1	423.87										1

UNB	UNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70				N						
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1087.66										
ADDIT		IETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, the					n As Is Charge d	oes not.									
		curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each cor	nbination)											
	Option	al Features & Functions:	-			-1											
		Clear Channel Capability Extended Frame Option - per DS1	_1_		U1TD1, ULDD1,UNG1X	CCOEF	3	0 00	0 00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1	1		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, UTTO1,		1			1							
	-	Activity - per DS1	1		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.91	23.82	1.99	0.78						
	i	C-bit Parity Option - Subsequent Activity - per DS3	j		UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						į.
	MULTIF	PLEXERS									,.						
		DS1 to DS0 Channel System per month			UNC1X	MQ1	130.33										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.52										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.52										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.27										į.
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.27		,								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.72										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			10												
		same SWC as collocation			U1TUC	1D1VG	0.72										
		DS3 to DS1 Channel System per month			UNC3X	MQ3	181.93										
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	181.93										
		DS1 COCI used with Loop per month			USL	UC1D1	13 57										
		DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.57		,								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.57										
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13.57										

ONBONDLE	D NETWORK ELEMENTS - Louisiana											Too.		ment: 2		blt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
_						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
				***************************************	1		FIISt	Auu i	FIISt	Auu i	SOMIEC	JOMAN	SUMAN	SUMAN	SOMAN	SOMAN
UNBUNDLED	EXCHANGE ACCESS LOOP						_									
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP							<u> </u>						<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.26	125 50	76.77	İ			ŀ				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	13.25	125 50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry				-						1					
1	& facility reservation - Zone 3		3	UHL	UHL2X	14.65	125.50	76.77			1					
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	11.26	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	13.25	101.24	64.43								
1	2 Wire Unbundled HDSL Loop without manual service inquiry		507		1			Team wast								ľ
	and facility reservation - Zone 3		3	UHL	UHL2W	14.65	101.24	64.43								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	.00P													
1	4 Wire Unbundled HDSL Loop including manual service inquiry			r m m		40.00	450.00									
	and facility reservation - Zone 1		1	UHL	UHL4X	18.68	153.26	104.54								
l l	4-Wire Unbundled HDSL Loop including manual service inquiry			Lucia.		40.45	450.00	10151								
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	19.15	153.26	104.54								ļ
İ	and facility reservation - Zone 3		3	UHL	UHL4X	19.94	153.26	104.54	•							
	4-Wire Unbundled HDSL Loop without manual service inquiry	_	3	UAL	Unt4X	19.94	133.26	104.34								
	and facility reservation - Zone 1	ļ	1	UHL	UHL4W	18.68	129.00	92.20	J			Ì				!
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILAVY	10.00	125.00	52.20	1							
	and facility reservation - Zone 2		2	UHL	UHL4W	19.15	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILAVI	15.75	123.00	32.20		-						
	and facility reservation - Zone 3	ĺ	3	UHL	UHL4W	19.94	129.00	92.20		1						
4-WIR	E DS1 DIGITAL LOOP		_													
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	98.56	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	224.20	245.16	152.98								,
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	565.73	245.16	152.98								
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.55										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	416.69										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per					10 90										
	month			UDLSX	1L5ND	11.55										
1	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	420.74										
INDIADI ED	DEDICATED TRANSPORT			UULSX	UULST	430.74				-						
	OFFICE CHANNEL - DEDICATED TRANSPORT				+ +						-					
INTER	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				+ -					_	-					
	month			U1TD1	1L5XX	0.30										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	81.04										
	month			U1TD3	1L5XX	6.95					1				1	
_	Interoffice Channel - Dedicated Transport - DS3 - Facility		-	01103	1L3AA	6.95					-					
	Termination per month			U1TD3	U1TF3	978.02										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.95										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	954.72					1					
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNGVX	ULDV2	21.07										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	21.07										
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNDVX	ULDV4	22.32					i					
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	45.06										

NUBRUNDED NE	ETWORK ELEMENTS - Louisiana										,			ment; 2		bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
19,000 00,000 00,000 00		m		***************************************							per Lon	per Luik	Section of the sectio	100000000000000000000000000000000000000	4 (2 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4	Electronic
											1		Electronic-	Electronic-	Electronic-	the state of the s
											1		1st	Add'I	Disc 1st	Disc Add
							Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	al Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	139.82	1 1131	Addi	11131	Addi	CONIEC	COMIZIT	JOHIAN	JOHAN	JOINAIN	SOMAN
	el Channel - Dedicated - DS1 - Zone 3	+		ULDD1, UNC1X	ULDF1	80.52					_					
	Channel - Dedicated - DS3 - Per Mile per month		-	ULDD3, UNC3X	1L5NC	8.99		_			_	_		 		-
		_	_	ULDD3, UNG3X	ULDF3	539.86					-			-		
	al Channel - Dedicated - DS3 - Facility Termination												_			
	al Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	8.99										
	d Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	525.80										
NHANCED EXTEN																
	monthly recurring and non-recurring charges below will															
NOTE: The r	monthly recurring and the Switch-As-Is Charge and not	he non-	recurri	ng charges helow w	ill apply for	UNE combination	ns provision	ed as 'Current	lly Combined' I	Network Eleme	ents.					
2-WIRE VOIC	CE GRADE LOOP FOR USE IN A COMBINATION									1						
	/ire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	17.17										
	/ire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	29.15										
	/ire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	58.03									_	
	e Grade COCI - Per Month		-	UNCVX	1D1VG	0.75			 		 				_	
	CE GRADE LOOP FOR USE IN A COMBINATION		_	UIVUVA	10100	0.75		_	-							-
		_	-	LINCLO	LIEAL A	25.10				-				_		
	/ire Analog Voice Grade Loop in Combination - Zone 1	-		UNCVX	UEAL4	35.43										
	/ire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	44.07										
	/ire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	69.45										
	e Grade COCI in combination - per month			UNCVX	1D1VG	0.75										
4-WIRE 56 K	KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-W	/ire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.64										
	/ire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	42.30										
	/ire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	44.76										
	J-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.59										
	KBPS DIGITAL LOOP FOR USE IN A COMBINATION				1.5.55	1.00			i —	i					-	
	/ire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	35.64			-							
	/ire 64Kbps Digital Grade Loop in Combination - Zone 2	_		UNCDX	UDL64	42.30	_				-			_		
											1					
	/ire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76										
	J-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.59										
	N LOOP FOR USE IN COMBINATION															
	/ire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.40										
2-W	/ire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	40.57										
2-W	/ire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	74.96										
2-win	re ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.40										
	DIGITAL LOOP FOR USE IN A COMBINATION															
	ire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56										
	re DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	224.20					1					
	ire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	565.73					_					
	COCI in combination per month	t	3	UNC1X	UC1D1	13.55					+			-		
	CE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OHADINIA	TION	OINCIX	00101	13.55				-	-					
		MIRINA	IION													
	roffice Transport - 2-wire VG - Dedicated- Per Mile Per					19.9%					1 1					
Mont				UNCVX	1L5XX	0.01										
	roffice Transport - 2-wire VG - Dedicated - Facility															
	nination per month			UNCVX	U1TV2	25.99					1					
4 WIRE VOIC	CE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													
	office Transport - 4-wire VG - Dedicated - Per Mile Per															
Mont				UNCVX	1L5XX	0.01		ļ								
	roffice Transport - 4-wire VG - Dedicated - Facility					2.01	-									
	nination per month		J.	UNCVX	U1TV4	22.78										
	OFFICE TRANSPORT FOR COMBINATION	<u> </u>		0	51197	22.701				_		_				
					-				-	-	1 '					
	roffice Transport - Dedicated - DS1 combination - Per Mile			UNCIY	11.500	0.00				-						
	month 501	_		UNC1X	1L5XX	0.30					-					
	roffice Transport - Dedicated - DS1 combination - Facility	1	1	l	l				1	1						
	nination per month			UNC1X	U1TF1	81.04										
	OFFICE TRANSPORT FOR USE IN A COMBINATION															
Interd	roffice Transport - Dedicated - DS3 combination - Per Mile	1														
Perk	Month			UNC3X	1L5XX	6.95										
Interd	roffice Transport - Dedicated - DS3 - Facility Termination per													1		
	th			UNC3X	U1TF3	978.02								1		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATÉS (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs.
						Rec	Nonre	curring	Nonrecurrir	ng Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
STS-	-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile										1					
	Per Month			UNCSX	1L5XX	6.95										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	954.72										
4-WI	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.64										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	42.30										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	44.76							-			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	17.95										1
4-Wi	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	35.64										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	42.30										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
1	Facility Termination per month			UNCDX	U1TD6	17.95										
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN	SPOR	T	ii.											
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.64	*						- 15			
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	42.30			-	1						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	44.76										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	17.95			ļ							1
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPOR	T. F. S. S. S. S. S. S. S. S. S. S. S. S. S.	5.6											
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	35.64					1	ì				
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	42.30										
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	44.76										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	17.95										
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20										
	4-Wire DS1 Digital Loop in Combination - Zone 3	i	3	UNC1X	USLXX	565.73										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.30			i		l					
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	81.04					1					
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.28										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	479.19										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.95										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	978.02										
STS-	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.28										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	495.36										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.95										

INBUNDLI	ED NETWORK ELEMENTS - Louisiana		_								,			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	954.72	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DDITIONAL	NETWORK ELEMENTS													-		
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is c	harge does appl	у.									
	used as ordinarily combined network elements in All States, the					As Is Charge d	oes not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each cor	mbination)											
													_			
Optio	nal Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		0 00	0.00	0.00	0.00						
				U1TD1.												
	Clear Channel Capability Super FrameOption - per DS1	_1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	T		UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
				U1TD3, ULDD3.												
	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3	1	218.78	7.66	0.7263	0.00				l		
MULT	TIPLEXERS			020, 011001	1111000		210.70	7.00	0.7200	0.00			_		_	
11.02	DS1 to DS0 Channel System per month			UNC1X	MQ1	120.85	-				1		-			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			0.10.11		120.00	- 1									
	month (2.4-64kbs) used for a Local Loop		1	UDL	1D1DD	1.59	ł				l					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			UITUD	1D1DD	1.59										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	3.40										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.40										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.75										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.75										
	DS3 to DS1 Channel System per month			UNC3X	MQ3	231.70										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	231.70										
_	DS1 COCI used with Loop per month			USL	UC1D1	13.55									1	
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.55										
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.55										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13.55		_								

UNBUNDE	ED NETWORK ELEMENTS - Mississippi		-		_									ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
						1199		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP	L														
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10.06	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry								00.00							
	& facility reservation - Zone 2		2	UHL	UHL2X	10.60	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	11.35	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.60	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.35	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	12.03	104.86	66.74	50.38	7.93						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including maintal service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85	158 74	108.28	56.72	10 68						
	4-Wire Unbundled HDSL Loop including manual service inquiry							4								
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	158.74	108.28	56 72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry		1							2007 - 2006						
	and facility reservation - Zone 3		3	UHL	UHL4X	17.93	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry			10072400		1200 1200		100004000000	100000000000	50.00						
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry	1		55500		560 0000		22379409	(2005)	V = 5.0						
	and facility reservation - Zone 1		1	UHL	UHL4W	15.85	133.62	95.50	56 72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry				25.00			0447.000		1						
	and facility reservation - Zone 2		2	UHL	UHL4W	15.44	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry									1						
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93	133.62	95.50	56.72	10.68						
İ	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4W	16.63	133.62	95.50	56.72	10.68						
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	118.62	253.93	158.45		12.07						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	148.79	253.93	158.45		12 07						
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	237.75	253.93	158.45		12.07						
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	527.23	253.93	158.45	46 10	12.07						
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
ĺ	High Capacity Unbundled Local Loop - DS3 - Par Mile per			1150	41.5115	40.00		1	1							
	month Document Habitan BC3 Facility	-	-	UE3	1L5ND	12.88			-		-					
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	375.07										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	023.7	3/3.07				1						_
	month			UDLSX	1L5ND	12.88										
	High Capacity Unbundled Local Loop - STS+1 - Facility			OBLOK	120.10	12.00										
	Termination per month	l		UDLSX	UDLS1	389.33				1						
UNBUNDLED	DEDICATED TRANSPORT					300.00										
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
11.72	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination		1	U1TD1	U1TF1	65.93				1						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
1	month			U1TD3	1L5XX	5.47		I		1	1		1	I	1	1

	ED NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	blt: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
1.TECODY	OATS SUBMENTS	Interi	-	200			-	ATEC (*)			Elec		Manual Svc	Manual Svc		Manual Sy
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		١,	RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		333											Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'i	Disc 1st	Disc Add'l
													131	Addi	Diac ist	Diac Add I
							Nonrecurr	ina	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec -		Add'l		Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1					7144				001111111	00,	COMPAR	00	
	Termination per month			U1TD3	U1TF3	738.18	1									
		_	_	01103	UTIFS	/30.10										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	5.47										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination		i	U1TS1	U1TFS	740.84										
	Local Channel - Dedicated - 2-Wire Voice Grade		1	ULDVX, UNCVX	ULDV2	17.15										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.15										
	Local Channel - Dedicated - 4-Wire Voice Grade		 	ULDVX, UNCVX	ULDV4	18.39										
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	42.35										
-	Local Channel - Dedicated - DS1 - Zone 2	-			ULDF1	42.35			-							
		_		ULDD1, UNC1X												
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	254.87										
	Local Channel - Dedicated - DS1 - Zone 4		4	ULDD1, UNC1X	ULDF1	254.87										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	11 11										
1	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	475.95										
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	11.11										
-	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	469.22										
NUANCEDE	EXTENDED LINK (EELs)			OLDO I, GINGOX	02013	403.22										
						1										
	: The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t	the non	-recurr	ing charges helow v	vill apply for I	UNE combination	is provisioned a	s ' Current	lly Combined'	Network Eleme	nts.					
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	1							1							
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	15 97										
	2-Wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	21.56			1							
	2-Wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	31.68										
	2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	52.58										
-	Voice Grade COCI - Per Month	-	-	UNCVX	1D1VG											
4.1			-	UNCVX	IDIVG	0 66										
4-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	31.59										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	44.00										
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	57.53										
	4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	57.53										
	Voice Grade COCI in combination - per month	_		UNCVX	1D1VG	0.66										
AJANIE	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	_	1	DITOTA	110110	0.00				 						
4-4414		-	-	LINCOV	110150	24.50					_					
_	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDL56	31.56										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	39.73										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	46.87										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	37.09										
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.40										
4-WIR	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.56										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	39.73										
			_								-					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	46.87						-				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	37.09										
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.40										
	RE ISDN LOOP FOR USE IN COMBINATION	1														
2-WiR			1	UNCNX	U1L2X	24.16	1									
2-WIR	2-Wire ISDN Loop in Combination - Zone 1				U1L2X	31.73										
2-WIR		-	2	UNCNX	UILZA											
2-WIR	2-Wire ISDN Loop in Combination - Zone 2				U1L2X	42.94										
2-WIR	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.94										
2-WiR	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4		3	UNCNX	U1L2X U1L2X	42.94 68.06										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month		3	UNCNX	U1L2X	42.94										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month IE DS1 DIGITAL LOOP FOR USE IN A COMBINATION		3 4	UNCNX UNCNX UNCNX	U1L2X U1L2X UC1CA	42.94 68.06 3.01										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month te DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1		3 4	UNCNX UNCNX UNCNX UNCNX	U1L2X U1L2X UC1CA	42.94 68.06 3.01 90.94										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month KE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		1 2	UNCNX UNCNX UNCNX UNCNX UNC1X UNC1X	U1L2X U1L2X UC1CA USLXX USLXX	42.94 68.06 3.01 90.94 148.79										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month te DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1		3 4	UNCNX UNCNX UNCNX UNCNX	U1L2X U1L2X UC1CA	42.94 68.06 3.01 90.94										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		1 2	UNCNX UNCNX UNCNX UNCNX UNC1X UNC1X	U1L2X U1L2X UC1CA USLXX USLXX	42.94 68.06 3.01 90.94 148.79										
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month te DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 4-Wire DS1 Digital Loop in Combination - Zone 4		1 2 3	UNCNX UNCNX UNCNX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	U1L2X U1L2X UC1CA USLXX USLXX USLXX USLXX USLXX	42.94 68.06 3.01 90.94 148.79 237.75 527.23										
4-WIR	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month KE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 4-Wire DS1 Digital Loop in Combination - Zone 4 DS1 COCI in combination per month	OMBINA	1 2 3 4	UNCNX UNCNX UNCNX UNC1X UNC1X UNC1X UNC1X	U1L2X U1L2X UC1CA USLXX USLXX USLXX USLXX	42.94 68.06 3.01 90.94 148.79 237.75										
4-WIR	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4 2-wire ISDN COCI (BRITE) - in combination - per month te DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 4-Wire DS1 Digital Loop in Combination - Zone 4	OMBINA	1 2 3 4	UNCNX UNCNX UNCNX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	U1L2X U1L2X UC1CA USLXX USLXX USLXX USLXX USLXX	42.94 68.06 3.01 90.94 148.79 237.75 527.23										

NBUNDLED NETWORK ELEMENTS - Mississippi				-									ment: 2		bit: B
RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
Intereffee Transport 2 wire VC Confested Faci	I de a				17.55		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Transport - 2-wire VG - Dedicated - Faci Termination per month	iny		UNCVX	U1TV2	23.37				1				İ		
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR	LISE IN A COMPINI	TION	DINCVX	UTIVZ	23.37				1						
Interoffice Transport - 4-wire VG - Dedicated - Per		T		-					1						
Month	water et		UNCVX	1L5XX	0.00										
Interoffice Transport - 4-wire VG - Dedicated - Fac	ility	_	ONOVA	120/01	0.00			 	-		-	-			
Termination per month			UNCVX	U1TV4	20.54								l		
DS1 INTEROFFICE TRANSPORT FOR COMBINATION			ONOVA	011143	20.04			_	1						
Interoffice Transport - Dedicated - DS1 combination	n - Per Mile														
per month	or mine		UNC1X	1L5XX	0.21				1		1			i	
Interoffice Transport - Dedicated - DS1 combination	n - Facility		0110111	100701	0.2.				1						
Termination per month	1 00		UNC1X	U1TF1	59.48										
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBI	NATION		ONO IX	- 011	00.40										
Interoffice Transport - Dedicated - DS3 combination															
Per Month	T CI IIIIC		UNC3X	1L5XX	5.47								•	1	
Interoffice Transport - Dedicated - DS3 - Facility Te	ermination ner		OTTOOK	TEO/OT	0.71										
Imonth	animotion per		UNC3X	U1TF3	738.18										
STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBIN	NATION		DIVOSA	01113	130.10		2/	+	1						
Interoffice Transport - Dedicated - STS-1 combinat		= =							1						
Per Month	ion i oi mine		UNCSX	1L5XX	5.47										
3/1 Channel System in combination per month			UNCSX	MQ3	196.22				1						
4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTER	DEFICE TRANSPORT		O. COOK	mas .	150.22	7.									
4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.56										
4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.73				l l			-			-
4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	46.87										
4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	37.09										
Interoffice Transport - Dedicated - 4-wire 56 kbps of		1	ONODA	00230	37.03			-	1						
Per Mile per month	omonon	1	UNCDX	1L5XX	0.01										
Interoffice Transport - Dedicated - 4-wire 56 kbps of	ombination -				0.0.										
Facility Termination per month			UNCDX	U1TD5	25.90										
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 K	BPS INTEROFFICE	TRANS			20.00			1							
4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	31.56										
4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	39.73										
4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	46.87										
4-wire 64 kbps Lcoal Loop in Combination - Zone 4			UNCDX	UDL64	37.09				1						
Interoffice Transport - Dedicated - 4-wire 64 kbps of		1			555										
Per Mile per month			UNCDX	1L5XX	0.01										
Interoffice Transport - Dedicated - 4-wire 64 kbps of	ombination -														
Facility Termination per month			UNCDX	U1TD6	25.90										1
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTEROFFICE TRAN	SPORT													
4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	31.56										
4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.73										
4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	46.87										
4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	37.09										
4-wiree 56 kbps Interoffice Transport - Dedicated -															
month			UNCDX	1L5XX	0.01										
4-wire 56 kbps Interoffice Transport - Dedicated -	Facility														
Termination per month			UNCDX	U1TD5	25.90										
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTEROFFICE TRAN	SPORT												1	
4-wire 64 kbps Local Loop in combination - Zone			UNCDX	UDL64	31.56										
4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	39.73										
4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	46.87										
4-wire 64 kbps Local Loop in combination - Zone 4	4	4	UNCDX	UDL64	37.09										
14-wire 65 kbps Interoffice Transport - Dedicated -															
month			UNCDX	1L5XX	0.01										
4-wire 64 kbps Interoffice Transport - Dedicated -	Facility	72													
Termination per month			UNCDX	U1TD6	25.90										
DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPO	ORT						1					<u> </u>		1	
4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.94										

	WORK ELEMENTS - Mississippi				_									ment: 2		blt: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)		-		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec		Add'i		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79										
4-Wire	DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75	7			77 61.00						
	DS1 Digital Loop in Combination - Zone 4			UNC1X	USLXX	527.23										
	fice Transport - Dedicated - DS1 combination - Per Mile			Citto III	3020	021.20										
per mo				UNC1X	1L5XX	0.21										1
	fice Transport - Dedicated - DS1 combination - Facility	_		DINCIA	TESAN	0.21			-		_					-
				UNC1X	U1TF1	59.48			1						1	
	ation per month	007	-	UNCIX	UTIFI	59.46										
	LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORI														
DS3 Lo	ocal Loop in combination - per mile per month			UNC3X	1L5ND	14.81										
						2000000										
	ocal Loop in combination - Facility Termination per month			UNC3X	UE3PX	431.33										
	fice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47										
	fice Transport - Dedicated - DS3 combination - Facility			11												
	ation per month			UNC3X	U1TF3	738.18										
STS-1 DIGITAL	L LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
STS-1	Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.81										
STS-1	Local Loop in combination - Facility Termination per															
month				UNCSX	UDLS1	447.73										
	fice Transport - Dedicated - STS-1 combination - per mile															
per mo				UNCSX	1L5XX	5.47										
	fice Transport - Dedicated - STS-1 combination - Facility			O. TO D. T.	120701	0,11										
	ation per month	Į.		UNCSX	U1TFS	740.84								ļ.		
ITIONAL NETWO		_		UNCOX	01113	740.04							_			
	a part of a currently combined facility, the non-recurr	rna chai	race de	not apply but a	Switch As Is a	harge does apply										
Trifeii useu us			ges or													
			racurri	na charges annly s			ner not									
When used as	ordinarily combined network elements in All States, t	he non-				As Is Charge do	es not.									
When used as Nonrecurring	ordinarily combined network elements in All States, t Currently Combined Network Elements "Switch As Is"	he non-				As Is Charge do	pes not.									
When used as Nonrecurring	ordinarily combined network elements in All States, t	he non-		applies to each con		As Is Charge do	pes not.									
When used as Nonrecurring Optional Featu	ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions:	he non- Charge		untD1,	nbination)	As Is Charge do		0.00	0.00	0.00				_		
When used as Nonrecurring Optional Featu	ordinarily combined network elements in All States, t Currently Combined Network Elements "Switch As Is"	he non-		u1TD1, ULDD1,UNC1X		As Is Charge do	0.00	0.00	0.00	0 00						
When used as Nonrecurring Optional Featu	i ordinarily combined network elements in All States, t Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1	he non- Charge		U1TD1, ULDD1,UNC1X U1TD1,	CCOEF	As Is Charge do	0.00									
When used as Nonrecurring Optional Featu Clear C	ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1	he non- Charge		utTD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X	nbination)	As is Charge do		0.00	0.00	0 00						
When used as Nonrecurring Optional Featu Clear C	ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent	he non- Charge		ultD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X	CCOEF	As is Charge do	0.00	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C	ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1	he non- Charge		UITD1, ULDD1,UNG1X UITD1, ULDD1,UNG1X ULDD1,UNG1X ULDD1,UITD1, UNG1X, USL	CCOEF	As Is Charge do	0.00									
When used as Nonrecurring Optional Featu Clear C	ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent	he non- Charge		ulTD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL ULTD3, ULDD3,	CCOEF	As Is Charge do	0.00	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C Clear C Activity	ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent	he non- Charge		UITD1, ULDD1,UNG1X UITD1, ULDD1,UNG1X ULDD1,UNG1X ULDD1,UITD1, UNG1X, USL	CCOEF	As Is Charge do	0.00	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C Clear C Activity	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent per DS1 Parity Option - Subsequent Activity per DS3	he non- Charge		ulTD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL ULTD3, ULDD3,	CCOEF CCOSF	As Is Charge do	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C Clear C Clear C Activity C-bit P MULTIPLEXER	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent per DS1 Parity Option - Subsequent Activity per DS3	he non- Charge		ulTD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL ULTD3, ULDD3,	CCOEF CCOSF	As Is Charge do	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent (- per DS1 tarrity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month	he non- Charge		ultD1, ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3	CCOEF CCOSF NRCCC		0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C Clear C Activity C-bit P MULTIPLEXEE DS1 to OCU-D	i ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent per DS1	he non- Charge		ultD1, ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X ULDD1,UNG1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3	CCOEF CCOSF NRCCC		0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C Clear C Clear C Activity C-bit P MULTIPLEXEE DS1 to OCU-D month	i ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability (SF/ESF) Option - per DS1 Channel Capability (SF/ESF) Option - Subsequent per DS1 Varity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring in Optional Feature Clear Control of Clear Control of Clear Control of Clear Control of Clear Control of Clear Control of Contro	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 trainty Option - Subsequent Activity - per DS3 RS DS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per CQ1-Gdata) - DS1 to DS0 Channel System - per CQ1-Gdata) - DS1 to DS0 Channel System - per CQ1-Gdata) - DS1 to DS0 Channel System - per CQ1-Gdata) - DS1 to DS0 Channel System - per CQ1-Gdata) - DS1 to DS0 Channel System - per CQ1-Gdata) - DS1 to DS0 Channel System - per	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring i Optional Featu Clear C Clear C Activity C-bit P MULTIPLEXEE DS1 to OCU-D month OCU-D month	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent r- per DS1 traity Option - Subsequent Activity - per DS3 RS RS RS RS RS RS RS RS RS	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Part Clear Control Part Co	i ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability (SF/ESF) Option - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Parity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation	che non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring in Optional Feats Clear C Clear C Clear C Activity C-bit P MULTIPLEXEF DS1 to OCU-D month OCU-D month Local C 2-wire I	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 carrity Option - Subsequent Activity - per DS3 RS I DS0 Channel System per month IP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop IP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	che non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD4, UNC1X UNC1X UNC1X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Clear Clear Carrity C-bit P MULTIPLEXEF DS 1 to OCU-D month Cocu-D month Local C 2-wire I month month	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability (SF/ESF) Option - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Tarity Option - Subsequent Activity - per DS3 RS IDS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Part Part Part Part Part Part Part Part	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability (SF/ESF) Option - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Parity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per ISDN COCI (BRITE) - DS1 to DS0 Channel System - per ISDN COCI (BRITE) - DS1 to DS0 Channel System - per ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD4, UNC1X UNC1X UNC1X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring in Optional Feature Clear Control of Clear Control of Clear Control of Clear Control of Clear Control of Council of C	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 channel Capability (SF/ESF) Option - Subsequent - per DS1 carity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per social Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per social Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per social Coop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per social Coop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per social Coop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per social Coop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UNC1X, USL UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD4, UITUD4, UITUD4, UITUD4, UITUD6,	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40 3.01	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear C Clear C Clear C Activity C-bit P MULTIPLEXEF DS 1 to OCU-D month OCU-D month Local C 2-wire I month 2-wire I month in the s	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Tarity Option - Subsequent Activity - per DS3 RS IDS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel same SWC as collocation to a channelized DS1 Local Channel same SWC as collocation	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD4, UNC1X UNC1X UNC1X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Part Part Part Part Part Part Part Part	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability (SF/ESF) Option - per DS1 Channel Capability (SF/ESF) Option - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Carity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel same SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UNC1X, USL UTTD3, UNC3X UNC1X UDL UTTU3, UNC1X UDL UTTU3	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40 3.01	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring i Optional Feature Clear C Clear C Clear C Activity C-bit P MULTIPLEXEF DS1 to OCU-D month OCU-D month Local C 2-wire I month in the s Voice C used fe used fe used fe used fe used fe used fe	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 channel Capability (SF/ESF) Option - Subsequent - per DS1 carity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel same SWC as collocation Srade COCI - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel same SWC as collocation Srade COCI - DS1 to DS0 Channel System - per month or a Local Loop	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UNC1X, USL UITD3, UITD3, UITD3, UITD3, UITD3, UITD3, UITD4, UITUD4, UITUD4, UITUD4, UITUD6,	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40 3.01	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear	is ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Tarity Option - Subsequent Activity - per DS3 RS IDS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per used for connection to a channel System - per month or a Local Loop	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL UNC1X, USL UTTD3, UNC3X UNC1X UDL UTTU3, UNC1X UDL UTTU3	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40 3.01	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Peature Clear Control Peature Control	is ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Parity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel SISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel Grade COCI - DS1 to DS0 Channel System - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the	he non- Charge		UITD1. ULDD1,UNC1X UITD1. ULDD1,UNC1X UITD1. ULDD1,UNC1X ULDD1, UITD1. UNC1X, USL UNC1X, USL UNC1X, USL UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA	118.28 1.40 1.40 3.01 3.01 0.66	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring i Optional Feats Clear C Clear C Activity C-bit P MULTIPLEXEF DS1 to OCU-D month OCU-D month Local C 2-wire I month in the s Voice C used fc same S	cordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 channel Capability (SF/ESF) Option - Subsequent - per DS1 carity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per for a Local Loop ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel Same SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or a Local Loop	he non- Charge		UITUD UITUB	nbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	118.28 1.40 1.40 3.01 3.01 0.66	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Part Country	is ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Tarity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel same SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel SGRAGE COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation DS1 Channel System per month	he non- Charge		UITD1. ULDD1,UNC1X UITD1. ULDD1,UNC1X UITD1. ULDD1,UNC1X ULDD1, UITD1. UNC1X, USL UNC1X, USL UNC1X, USL UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA	118.28 1.40 1.40 3.01 3.01 0.66	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Clear Control Clear Control Clear Control Clear Control Clear Control Clear Control C	is ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Tarity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel same SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel SGRAGE COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation DS1 Channel System per month	he non- Charge		UITUD UITUB	nbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	118.28 1.40 1.40 3.01 3.01 0.66	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Part Control	is ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Parity Option - Subsequent Activity - per DS3 RS Larity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation DS1 Channel System per month	he non- Charge		UITUD UITUB	nbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 MQ3 MQ3	118.28 1 40 1.40 3.01 3.01 0.66 0.66	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Featu Clear C Clear C Activity MULTIPLEXEF DS1 to OCU-D month Local C 2-wire I month in thes Voice C used fc same S DS3 to STS-1 DS1 C	is ordinarily combined network elements in All States, the Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 channel Capability (SF/ESF) Option - Subsequent - per DS1 carity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop DP COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel SiSDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Channel Same SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or Connection to a channelized DS1 Local Channel in the SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or Connection to a channelized DS1 Local Channel in the SWC as Collocation	he non- Charge		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X, USL UNC1X, USL UNTD3, UNC3X UNC1X UNC1X UNC1X UDL U1TD3, UTD3, UBA UTTUD	nbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	118.28 1.40 1.40 3.01 0.66 0.66 196.22	0.00 0.00 184 60	0.00	0 00	0.00						
When used as Nonrecurring Optional Feature Clear Control Clear Control Clear Control Clear Control Clear Control Clear Control Clear Control C	is ordinarily combined network elements in All States, to Currently Combined Network Elements "Switch As Is" ures & Functions: Channel Capability Extended Frame Option - per DS1 Channel Capability Super FrameOption - per DS1 Channel Capability (SF/ESF) Option - Subsequent - per DS1 Parity Option - Subsequent Activity - per DS3 RS Larity Option - Subsequent Activity - per DS3 RS DS0 Channel System per month PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for a Local Loop PC COCI (data) - DS1 to DS0 Channel System - per (2.4-64kbs) used for connection to a channelized DS1 Channel in the same SWC as collocation ISDN COCI (BRITE) - DS1 to DS0 Channel System - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per used for connection to a channel system - per month or a Local Loop Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation Grade COCI - DS1 to DS0 Channel System - per month or connection to a channelized DS1 Local Channel in the SWC as collocation DS1 Channel System per month	he non- Charge		UITUD UITUB	nbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 MQ3 MQ3	118.28 1.40 1.40 3.01 0.66 0.66 196.22	0.00 0.00 184 60	0.00	0 00	0.00						

UNBUNDLE	NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	bit: B
									¥		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring Di	sconnect			oss	Rates (\$)		
						Rec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		U	LDD1	UC1D1	14.90										

UNDUNULE	ED NETWORK ELEMENTS - North Carolina	1			, ,								16/45/2020/00/2020	ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred			g Disconnect				Rates (\$)		
_							First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNDUNDUED.	EXCHANGE ACCESS LOOP		-		+				-							
ONRONDEED	EXCHANGE ACCESS LOOP RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	000								-					
2-9911	2 Wire Unbundled HDSL Loop including manual service inquiry	TIDLE L	JUUP	20.00	+					-						-
	& facility reservation - Zone 1		1	UHL	UHL2X	10.36	284.74	163.54					25.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTTE	OTILEX	10.50	204.74	100.04		-			20.54	12.70	0.00	0.00
	& facility reservation - Zone 2		2	UHL	UHL2X	17.10	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry												20.0		0.00	
	& facility reservation - Zone 3		3	UHL	UHL2X	26.24	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry			51 I C 16												
	and facility reservation - Zone 1		1	UHL	UHL2W	10.36	207.48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	17.10	207 48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	1	3	UHL	UHL2W	26.24	207.48	132.05					26.94	12.76	0.00	0.00
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP					8 (8								
	4 Wire Unbundled HDSL Loop including manual service inquiry	ļ				97.85							3.0 N	2 20		
	and facility reservation - Zone 1		1	UHL	UHL4X	12.21	341.65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry	1														
	and facility reservation - Zone 2		2	UHL	UHL4X	20.32	341 65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry	1												1		
	and facility reservation - Zone 3		3	UHL	UHL4X	31.33	341.65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	12.21	264.39	188.96			İ		26.94	12.76	0.00	0.00
		-	1	UHL	UHL4VV	12.21	264.39	188.96					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	20.32	264.39	188.96					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UnL4VV	20.32	204.39	100.90				_	20.94	12.76	0.00	0.00
	and facility reservation - Zone 3		3	UHL	UHL4W	31.33	264.39	188.95				ļ	26.94	12.76	0.00	0.00
4-WIR	RE DS1 DIGITAL LOOP		, J	OTIL	OTILATO	31.33	204.55	100.50			—		20.54	12.70	0.00	0.00
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	54.74	714.84	421.47					42.19	12.76	0.00	0.00
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	97.01	714.84	421.47			1		42.19	12.76	0.00	0.00
	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	154.43	714.84	421.47					42.19	12.76	0.00	0.00
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	15.33					1	1				
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	518.29										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month	1		UDLSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility	Ì										1		ĺ		
	Termination per month			UDLSX	UDLS1	533.90					1	1				
	DEDICATED TRANSPORT ROFFICE CHANNEL - DEDICATED TRANSPORT															
INTER	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				-					-						
	month			U1TD1	1L5XX	0.66								1		
_	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		01101	112500	0.00										
	Termination			U1TD1	U1TF1	81.98								İ		
+	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTET	1011111	01.50		Ŷ								
	month			U1TD3	1L5XX	14.93										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
-	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-		U1TD3	U1TF3	828.44					-					
	month			U1TS1	1L5XX	7.06										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility									İ					İ	
	Termination			U1TS1	U1TFS	908 93										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX, UNGVX	ULDV2	12.93								}		
				ULDVX, UNCVX	ULDV2	22.90						1				1
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2				CLDVZ	22.50				1				_		
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV2	35.46									- 27	

INBUNDLE	D NETWORK ELEMENTS - North Carolina					_								ment: 2	1-0,000	bit: B
											COLUMN TATABASA	C1000000000000000000000000000000000000	Incremental	Partitional Community Programmers	TOTAL SECTION OF THE PROPERTY.	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
	-0	Interi				•					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	1		RATES (S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									70. 00.	PO. 00.1	Electronic-	Electronic-	Electronic-	Electronia
											1		Section 200 Persons and Company	And an extend manufacture and an extension		AND DESCRIPTION OF THE PROPERTY OF THE PROPERT
			1004										1st	Add'i	Disc 1st	Disc Add
							Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	24.53										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDV4	39.04	-									
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, LINC1X	ULDF1	31.11	_	1								
	Local Channel - Dedicated - DS1 - Zone 2	-		ULDD1, UNG1X	ULDF1	55.13										
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	87.77										
	Local Channel - Dedicated - DS3 - Per Mile per month		-	ULDD3, UNG3X	1L5NC	1.14				-	1-					
_	Local Channel - Dedicated - DS3 - Facility Termination		-	ULDD3, UNC3X	ULDF3	343.76	_					_				
	Local Channel - Dedicated - STS-1- Per Mile per month		_	ULDS1. UNGSX	1L5NC	1.14					+			-		
_		-		ULDS1, UNCSX							-					
11111050 51	Local Channel - Dedicated - STS-1 - Facility Termination	_	-	ULUST, UNCSX	ULDFS	329.05										
	XTENDED LINK (EELs)	٠.	L			1		L		L						
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not	the non-	recurr	ng charges helow w	vill apply for	UNE combination	ons provision	ed as 'Curren	tly Combined'	Network Eleme	ents.					
2-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	17.22										
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	29.82										
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	46.93										
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.46										
4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.52						-				
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	41.71			1							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	65.06										
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.46					-					
A-MID	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	-		OIVCVX	IDIVG	1.40										
4-4411/1	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	_	1	UNCDX	UDL56	29.12					_				-	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	-		UNCDX	UDL56	49.58							_			
		-														
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	-	3	UNCDX	UDL56	77.35										
	OCU-DP COCI (data) per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	2.30										
4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	1														
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.12										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	49.58			1							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	77.35										
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.30							7			
2-WIRE	ISDN LOOP FOR USE IN COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.33										
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	37.81										
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	58.81										
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	4.13										
4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION								1							
	4-Wire DS1 Digital Loop in Combination - Zone 1		.1	UNC1X	USLXX	54.74										
	4-Wire DS1 Digital Loop in Combination - Zone 2	_	2	UNC1X	USLXX	97.01										
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	154.43			·		+		_			
-+	DS1 COCI in combination per month	-	3	UNC1X	UC1D1	18.48								-		-
2 WIDE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION	UIUIA	-	10.40			-		_	_		-		
- AAIME	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		I		-					-	-		-	_		
	Month		1	LINCVO	11.5	0.00		1	1	I	1			1		
				UNCVX	1L5XX	0.03					-	_				
	Interoffice Transport - 2-wire VG - Dedicated - Facility	Į.		LINIO) OV	LIATE			1								
4	Termination per month		T.G.:	UNCVX	U1TV2	20.70					+			-		
4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	HON						1							
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per					22. 24.		1						1	1	
	Month			UNCVX	1L5XX	0.03										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	22.16										
DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION					7										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month		1	UNC1X	1L5XX	0.66					1			1		
	Interoffice Transport - Dedicated - DS1 combination - Facility		_			3.00				_						
	Termination per month			UNC1X	U1TF1	81.98		1		1	1			1		
	TEROFFICE TRANSPORT FOR USE IN A COMBINATION	_		ONOIA	01111	01.90					-			_		

NRONDE	ED NETWORK ELEMENTS - North Carolina	1			-						1			ment: 2		bit: B
											A STATE OF THE PARTY OF THE PAR	Proceedings of the second second	Incremental	The second state of the second	Incremental	
					1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi		CT Inching Co.							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
					1								Electronic-	Electronic-	Electronic-	Electronic
					1 1								1st	Addʻl	Disc 1st	Disc Add'I
														12 00-14-15 76	-194 144	
						Rec		curring		g Disconnect				Rates (\$)		
						1,00	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1			10000											
	Per Month			UNC3X	1L5XX	14.93										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		1		1000											
	month			UNC3X	U1TF3	828.44										
STS-	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				Landa	1201 1000					1				1	1
	Per Month			UNCSX	1L5XX	7 06										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	908.93										
4-WII	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.12		-								
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	49.58		_					-			
	4-wire 56 kbps Local Loop in combination - Zone 3		3_	UNCDX	UDL56	77,35							-			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1											
	Per Mile per month			UNCDX	1L5XX	0.03										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1													
	Facility Termination per month			UNCDX	U1TD5	20.01										
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.12										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	49.58										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	_	3	UNCDX	UDL64	77.35										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.03										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ar manager de con-				ł								
	Facility Termination per month			UNCDX	U1TD6	20.01										
4-WII	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.12										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	49.58										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	77.35		1								
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per							1	1							
	month			UNCDX	1L5XX	0.03										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility										ŀ		1			1
	Termination per month			UNCDX	U1TD5	20.01										
4-Wil	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN														
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.12										
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	49.58						1			_	
	4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	77.35										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per				41.5304											
	month Court	_		UNCDX	1L5XX	0.03										
1	4-wire 64 kbps Interoffice Transport - Dedicated - Facility				Lua TDo	00.04			1		1					
201	Termination per month		_	UNCDX	U1TD6	20.01										
081	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	_		101047	1101101	51.71										
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	54.74					_					
	4-Wire DS1 Digital Loop in Combination - Zone 2	-		UNC1X	USLXX	97.01 154.43			_				-			
-	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	154.43			_							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	ļ		LINCIY	1L5XX	0.60							1			I
	per month	-		UNC1X	ILDAX	0.66		-								
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	81.98					1					
002	Termination per month DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DPT.	-	DINCIA	UTIFI	81.98		-	+				-			
U33 !	DS3 Local Loop in combination - per mile per month	JK I	-	UNC3X	1L5ND	15.33					+			-	-	
-+-	1003 Local Loop in combination - per mile per month			DINCOX	ILDIND	13.33			_		+					
1	DC2 Level Level is combination. English Tormination and			UNC3X	UE3PX	518.29									1	1
	DS3 Local Loop in combination - Facility Termination per month	_	-	UNC3X	1L5XX	14.93			-						-	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	-	-	UNUSA	ILOXX	14.93			+ -		1					-
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month	1		UNC3X	U1TF3	828.44							1			1
CYC	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISDODT	-	UNUSA	UTIF3	020.44					-					-
313-	STS-1 Local Lolp in combination - per mile per month	SPURI	-	UNCSX	1L5ND	15.33			+							

PIADOMOFE	NETWORK ELEMENTS - North Carolina		_		_	1								ment; 2		bit: B
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sve Order vs. Electronic- Disc Add'l
			-		-		Nonred	utrina	Nanraguerin	g Disconnect			088	Rates (\$)		
_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	STS-1 Local Loop in combination - Facility Termination per						11131	Addi	11/31	Addi	COMILO	JOHIAN	COMPAR	COMPAN	GOMPAIN	Company
	month			UNCSX	UDLS1	533.90										
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	7.06										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	908.93										
	ETWORK ELEMENTS										3					
	ised as a part of a currently combined facility, the non-recurr															
When I	ised as ordinarily combined network elements in All States, the	ne non-	recurri	ng charges apply a	nd the Switch	As Is Charge de	oes not.									
	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	nbination)											
Option	al Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00				_		
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, UTTD1,												
	Activity - per DS1	}		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
	Winds			U1TD3, ULDD3.			***************************************									
	C-bit Parity Option - Subsequent Activity - per DS3	ì		UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00						
	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.69										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			2020												
	month (2.4-64kbs) used for a Local Loop		-	UDL	1D1DD	2.30										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1		1													
	Local Channel in the same SWC as collocation		_	U1TUD	1D1DD	2 30										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	110404	4.13										
	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	4.13										
1	month used for connection to a channelized DS1 Local Channel									1						
	in the same SWC as collocation			U1TUB	UC1CA	4.13										
	Voice Grade COCI - DS1 to DS0 Channel System - per month	_		UTIOB	UCICA	4.13				_	_					
	used for a Local Loop			UEA	1D1VG	1.46										
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	TIDIVG _	1.40										
	used for connection to a channelized DS1 Local Channel in the										1					
	same SWC as collocation			U1TUC	1D1VG	1.46				1						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	268.06										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	268.06										
	DS1 COCI used with Loop per month			USL	UC1D1	18.48										
	DS1 COCI (used for connection to a channelized DS1 Local			-	30.01	13.40		_		_						
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	18.48				1	1		Ì			
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	18.48							1			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				1-0.0.	.5.40	_			_						
	month			ULDD1	UC1D1	18.48										

CHECHEL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment. Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonred First	urring Add'I	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
		-			 		riist	Addi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
UNBUNDLED	EXCHANGE ACCESS LOOP															
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry									_						
	& facility reservation - Zone 1		1	UHL	UHL2X	11.02	129 52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry								e							
	& facility reservation - Zone 2		2	UHL	UHL2X	12.56	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	13.11	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry					****				7.4						
	and facility reservation - Zone 1		1	UHL	UHL2W	11.02	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	12.56	104.49	66.50	50.07	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry	-	2	UNL	UMLZVV	12.56	104.49	66.50	50.37	7.93						
	and facility reservation - Zone 3	1	3	UHL	UHL2W	13.11	104.49	66.50	50.37	7.93						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		0.75	GIILEYY	13.11	104.49	00.30	30.37	7.53						
	4 Wire Unbundled HDSL Loop including manual service inquiry	1			·											
	and facility reservation - Zone 1		1	UHL	UHL4X	18.42	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	16.48	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	19.37	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	18.42	133 14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	16.48	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.37	133.14	95.16	55.12	10.38						
4-WIB	E DS1 DIGITAL LOOP		3	UML	UML4VV	19.37	133.14	95.16	55.12	10.38		_				
4-1111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	91.44	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	156.40	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	263.52	253.03	157.89	44.80	11.73						
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	14.10										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	352.31										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLOY	LU SUB											
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	14.10			_							
	Termination per month			UDLSX	UDLS1	360.51			1	ļ						
UNBUNDI FO	DEDICATED TRANSPORT		_	OULUX _	30031	360.31	-		+							
	ROFFICE CHANNEL - DEDICATED TRANSPORT				1											
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1	-		_								
	month			U1TD1	1L5XX	0.39										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	88.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	9.22										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATED		1010										
	Termination per month	—	_	U1TD3	U1TF3	1012.75			-							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	9.22										
			-	01131	11.577	9.22										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1012.63										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	17.63									_	_
_	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.63	-									
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	19.02										
	Local Channel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	49.01										

NOUNDLED NE	TWORK ELEMENTS - South Carolina					1						T	20.000.000	ment: 2	_	bit: B
														Incremental		Incremen
											Submitted	Submitted		Charge -	Charge -	Charge
SA DOMESTIC DESCRIPTION OF THE SAME OF THE		Interi		1575.0							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
						1									DECESS OF	
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channel - Dedicated - DS1 - Zone 2				ULDF1	80.87										1
	Channel - Dedicated - DS1 - Zone 3				ULDF1	219.28										
	Channel - Dedicated - DS3 - Per Mile per month				1L5NC	13.72										
	Channel - Dedicated - DS3 - Facility Termination			ULDD3. UNC3X	ULDF3	512.90							-			
	Channel - Dedicated - STS-1- Per Mile per month	-		ULDS1, UNCSX	1L5NC	13.72										
	Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	500.37		ļ								
ENHANCED EXTEND																
NOTE: The m	onthly recurring and non-recurring charges below will	apply at	nd the	Switch-As-Is Charge	e will not ap	ply for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Network	Elements.					
NOTE: The m	onthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati	ons provision	ed as ' Curren	tly Combined'	Network Eleme	nts.					
	E GRADE LOOP FOR USE IN A COMBINATION									1	T					
	re VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	19.18										
	re VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	26.60										
	re VG Loop (SL2) in Combination - Zone 3	1		UNCVX	UEAL2	32.73	_									
	Grade COCI - Per Month	1		UNCVX	1D1VG	0.64	_	1	1							
	E GRADE LOOP FOR USE IN A COMBINATION			DIVOVA	10100	0.04		1		-	-					
	re Analog Voice Grade Loop in Combination - Zone 1	-	1	UNCVX	UEAL4	37.48			1	1	1		t -		1	
	re Analog Voice Grade Loop in Combination - Zone 2	-		UNCVX	UEAL4	50.47			_			-			1	
	re Analog Voice Grade Loop in Combination - Zone 3	_		UNCVX	UEAL4	49.89			+			1		1		
	Grade COCI in combination - per month		3	UNCVX	1D1VG	0.64		_	1		_	-	_	+	i	
	BPS DIGITAL LOOP FOR USE IN A COMBINATION			DINCVA	TIDIVG	0.04	_		+						1	
		-	1	UNCDX	UDL56	34.42			+							
	re 56Kbps Digital Grade Loop in Combination - Zone 1 re 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	39.09						_				
									_						-	
	re 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	39.95										1
	DP COCI (data) per month (2.4-64kbs)		_	UNCDX	1D1DD	1.37			_		<u> </u>					1
	BPS DIGITAL LOOP FOR USE IN A COMBINATION			LINIOSY	115151	34.42										
	re 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64											
	re 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	39.09					-					
	re 64Kbps Digital Grade Loop in Combination - Zone 3		- 3	UNCDX	UDL64	39.95					-					
	DP COCI (data) - in combination - per month (2.4-64kbs)		_	UNCDX	1D1DD	1.37				ļ	_					
	LOOP FOR USE IN COMBINATION										<u> </u>					
	re ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	28.99				1						
	re ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	37.67										
	re ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	43.36										
	ISDN COC! (BRITE) - in combination - per month			UNCNX	UC1CA	2 94										
	DIGITAL LOOP FOR USE IN A COMBINATION															
	e DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	104.50										
	e DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178.74										
	e DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17										
	COCI in combination per month	1		UNC1X	UC1D1	9.94										
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
	ffice Transport - 2-wire VG - Dedicated- Per Mile Per															
Month				UNCVX	1L5XX	0.02										
	ffice Transport - 2-wire VG - Dedicated - Facility															
	ination per month			UNCVX	U1TV2	22.36										
4 WIRE VOIC	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
Intero	ffice Transport - 4-wire VG - Dedicated - Per Mile Per															
Month	1			UNCVX	1L5XX	0.02							1			
Intero	ffice Transport - 4-wire VG - Dedicated - Facility								1							
Termi	nation per month			UNCVX	U1TV4	19.58		1	1							
DS1 INTEROI	FFICE TRANSPORT FOR COMBINATION															
	ffice Transport - Dedicated - DS1 combination - Per Mile				1											
per m				UNC1X	1L5XX	0.31										
	ffice Transport - Dedicated - DS1 combination - Facility	1														
	ination per month	1		UNC1X	U1TF1	70.97										
	FFICE TRANSPORT FOR USE IN A COMBINATION						_	-								
	ffice Transport - Dedicated - DS3 combination - Per Mile				1										1	
Per M				UNC3X	1L5XX	7.38		1							1	
	ffice Transport - Dedicated - DS3 - Facility Termination per					1									1	
	hince transport - Dedicated - Dos - Facility Termination per	I	I	UNC3X	U1TF3	810.20		1	1	1	1	1	1	1	1	1

ADOMNTE	D NETWORK ELEMENTS - South Carolina				T 1						Cur Ord	C O		ment: 2		bit: B
													Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge
		Interi			l						Elec	Manually				
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		'''											Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
													310000		Diac rat	Disc ridd
						Rec		curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
1	Per Month			UNCSX	1L5XX	7.38								ļ		
	Interoffice Transport - Dedicated - STS-1 combination - Facility									1						
	Termination per month			UNCSX	U1TFS	810.11								1		
4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT		0.100/1		0,0										
7 11111	4-wire 56 kbps Local Loop in combination - Znne 1	1		UNCDX	UDL56	34.42										
_	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.09			+	 	-					
_	4-wire 56 kbps Local Loop in combination - Zone 3				UDL56	39.95			_		-	_				
			3	UNCDX	UDLOG	39.93				-	-					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				41.5304	2.00					1					
_	Per Mile per month			UNCDX	1L5XX	0.02				-	-				-	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1											
	Facility Termination per month			UNCDX	U1TD5	15.42										
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	34.42										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	39.09										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	39.95										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	15.42		1	i							
A-WIDE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	FTRAN	SPORT	r	01100	10.42				1						
- ***	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	34.42					1					
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.09			+							
_	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	39.95				1	_					
-			3	UNCDX	00136	39.93			_	1						
1	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			LINIODY	41.500	0.00										
-	month			UNCDX	1L5XX	0.02										
İ	4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1														
	Termination per month			UNCDX	U1TD5	15.42										
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN														
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	34.42								f		
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	39.09										
	4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	39.95										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.02										1
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility		_													
	Termination per month		Į	UNCDX	U1TD6	15.42							i			
DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT				-											
120.2	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50			1							
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178.74										
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	301.17					<u> </u>					1
_	Interoffice Transport - Dedicated - DS1 combination - Per Mile		J	ONOIX	03200	301.17			1	_	1					
				LINICAY	41.500	0.24										1
	per month			UNC1X_	1L5XX	0.31										
	Interoffice Transport - Dedicated - DS1 combination - Facility							1								
	Termination per month			UNC1X	U1TF1	70.97		1								
DS3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT										_				
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.10		1								1
			_													
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	352.31		1					1			
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	7.38			1			_			1	
	Interoffice Transport - Dedicated - DS3 combination - Facility			050/1					1							1
	Termination per month			UNC3X	U1TF3	810.20		1								
CTC 4	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	I COCOT		014037	01113	0 10.20			1	1	_				-	-
212-1		ISPURI	_	LINICCY	41 END	14.40	_			-						
-	STS-1 Local Lolp in combination - per mile per month	_	-	UNCSX	1L5ND	14.10		-	-	-	-		-			-
	STS-1 Local Loop in combination - Facility Termination per	I	I		1			I	1	1	1	I	1	I		1
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	360.51									_	-

DARONDLE	D NETWORK ELEMENTS - South Carolina													ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge
		m									por Luit		Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Ado
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	810.11										
ADDITIONAL I	NETWORK ELEMENTS	ĺ						_								
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a	Switch As Is o	harge does app	ly.	_							-	
	used as ordinarily combined network elements in All States, th									-						
	curring Currently Combined Network Elements "Switch As Is"															
	nal Features & Functions:		Ì		T											
	Clear Channel Capability Extended Frame Option - per DS1	ī		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	ī		U1TD1, ULDD1,UNG1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ī		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58	7.69	0.737	0 00						
MULT	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	123.71										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.37										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.37										
	2-wire ISDN COC! (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.94										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.94										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.64										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.64										
	DS3 to DS1 Channel System per month		_	UNC3X	MQ3	165.62										
	STS-1 to DS1 Channel System per month		_	UNCSX	MQ3	165.62				_			_			
	DS1 COCI used with Loop per month			USL	UC1D1	9.94								_		
	DS1 COCk (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	9.94										
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	9.94										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	9.94	Ï									

ONBONDEL	D NETWORK ELEMENTS - Tennessee		_								True and a	la constant		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		-		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring			Disconnect				Rates (\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			_													
	EXCHANGE ACCESS LOOP E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIPL E	LOOP		_											ļ .
Z-VVIR	2 Wire Unbundled HDSL Loop including manual service inquiry	HBLE	LUUP		_			_	5	-	-	1				
	& facility reservation - Zone 1		١,٠	UHL	UHL2X	12.45	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry		-	OFIL	UNLEX	12.45	270.01	234.03	74.34	39.14	<u> </u>		20.33	10.54	13.32	13.3.
	& facility reservation - Zone 2		2	UHL	UHL2X	16.27	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry		_	O. I.E.	0.11221	10.21	210.01	20 1100	11.04	00.11			20.00	10.01	10.02	, 0.0.
	& facility reservation - Zone 3		3	UHL	UHL2X	21.28	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13 3:
	2 Wire Unbundled HDSt, Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL2W	12.45	31.99	20.02	10.65	1.41		İ	20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- }	2	UHL	UHL2W	16.27	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry		1				400.00									
	and facility reservation - Zone 3	1	3	UHL	UHL2W	21.28	31 99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		_											
	4 Wire Unbundled HDSL Loop including manual service inquiry					40.00	070.00		7.54							
	and facility reservation - Zone 1		1	UHL	UHL4X	16 02	279 60	244.22	74 54	39.14			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry		_		1,000,492	20.00	070.00	044.00	74.54	20.44			20.05	40.54	10.00	
	and facility reservation - Zone 2		2	UHL	UHL4X	20.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry		_	c m m		27.27	270.00	244.22	74.54	20.44			20.25	40.54	40.00	40.0
	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	27.37	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	and facility reservation - Zone 1	- 1	1	UHL	UHL4W	16.02	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry	,		OFFIC	OHETT	10.02	31.33	20.02	10.05	1.97	+		20.55	10.54	13.32	13.3
	and facility reservation - Zone 2	ű	2	UHL	UHL4W	20.93	31.99	20.02	10 65	1.41			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry	- '	-	OTTE	- 0112111	20.00	01.50	LU.UL	10 00	1.77			20.00	10.04	10.02	10.5
	and facility reservation - Zone 3	1	3	UHL	UHL4W	27.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
4-WIR	E DS1 DIGITAL LOOP										1					
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	66.39	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	86.71	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	113.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP								8							
	High Capacity Unbundled Local Loop - DS3 + Per Mile per															
	month			UE3	1L5ND	10.57										
	High Capacity Unbundled Local Loop - DS3 - Facility				and the second second											
	Termination per month			UE3	UE3PX	430.38										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month		-	UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			LIDION	UDICA	447.75										
UNDUNDUED	DEDICATED TRANSPORT		1	UDLSX	UDLS1	447.75					-					
	OFFICE CHANNEL - DEDICATED TRANSPORT		-													
INTER	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				_											
	month			U1TD1	1L5XX	0.41									Ì	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		i –	0.1.5.	- 120.01	0										1
	Termination			U1TD1	U1TF1	89.54									ĺ	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					7				10						1
	month			U1TD3	1L5XX	2.69								<u> </u>		
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	976.34		<u> </u>								
	Interoffice Channel - Dedicated Transport - \$TS-1 - Per Mile per			7.0			-								_	
	month			U1TS1	1L5XX	2.69				1						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility					2000										
\vdash	Termination			U1TS1	U1TFS	976.70										
\vdash	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV2	19.76									-	
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			ULDVX, UNCVX ULDVX, LINCVX	ULDV2 ULDV2	25.81 33.74					+					

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
						-					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		10000000		1							Elec		Manual Svc			
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m						ζ-,			per Lak	percak				
													Electronic-	Electronic-	Electronic-	Electronic
												l	1st	Add'i	Disc 1st	Disc Add
		-			_		Manragurring		Monroquedo	a Disconnect	_		220	Rates (\$)		
		-				Rec	Nonrecurring	A dall		g Disconnect	COMEC	COMAN			LANDO	SOMAN
_		-					First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
i	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		١.						1							
_	Zone 1	100	1	ULDVX	ULDR2	19.76			-	12 .						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			LUCATION .		777-24-617										
	Zone 2	-	2	ULDVX	ULDR2	25.81										
1	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		-	AND AND AND AND AND AND AND AND AND AND		10000 10000				1						
	Zone 3			ULDVX	ULDR2	33.74										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV4	20.91										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	27.30										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			ULDVX, UNGVX	ULDV4	35.71										
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	41.68										
	Local Channel - Dedicated - DS1 - Zone 2			ULDD1, UNC1X	ULDF1	54.43										
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	71.17										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	8.22										
	Local Channel - Dedicated - DS3 - Facility Termination	1	—	ULDD3, UNC3X	ULDF3	703.00										
	Local Channel - Dedicated - STS-1- Per Mile per month		-	ULDS1, UNCSX	1L5NC	8.22					1					
	Local Channel - Dedicated - STS-1 - Facility Termination	1		ULDS1, UNGSX	ULDFS	689.53		_			1					
NHANCED E	XTENDED LINK (EELs) AND THEIR COMPONETS	1		CLDO1, GROOM	520, 5	000.00					1					
	The monthly recurring and non-recurring charges below will	nnnh.	ad the	Curitab As Is Chara		lu for LIME oom		dalament en !	Ordinarily Cam	hinad' Nahua	k Elemente					
	The monthly recurring and the Switch-As-Is Charge and not	tne non-	recurri	ing charges below v	vill apply for t	INE combinati	ons provision	ed as Curren	tiy Combined	Network Elem	ents.					
2-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION		L						-							
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	19.04										
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	24.87			1	<u> </u>						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	32.52										
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.05			1							
4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	28.40										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4 .	37.10										
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	48.51				1						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.05										
4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.76										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	46.70										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	61.08										
	OCU-DP COCI (data) per month (2.4-64kbs)		-	UNCDX	1D1DD	1.05										
4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			0.10071	10.00								_			
771111	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	35.76										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	-	2	UNCDX	UDL64	46.70					1					
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	61.08				1	+					
			3		1D1DD	1.05					_					
0.11110	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	טטוטון	1.05					-					
2-WIRE	ISDN LOOP FOR USE IN COMBINATION										-					
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.55										
	2-Wire ISDN Loop in Combination - Zone 2		_ 2	UNCNX	U1L2X	33.37										
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	43.64										
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.73										
4-WIRE	EDS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	66.39										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	86.71										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	113.38										
	DS1 COCI in combination per month			UNC1X	UC1D1	20.22										
2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION						1	1	1					
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per	T														
1	Month			UNCVX	1L5XX	0.02										
	Interoffice Transport - 2-wire VG - Dedicated - Facility				. 20701	3.02										
ŧ	Termination per month			UNCVX	U1TV2	25.06				1						
A SAUDE	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMPINA	TION	U.10VA	31142	25.00				 						
- TTIRE	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	T T T T T T T T T T T T T T T T T T T	I		+ -						_		_		_	
ł.	Month	İ		UNCVX	1L5XX	0.02				1	1					
	Interoffice Transport - 4-wire VG - Dedicated - Facility	-		DINCVA	1127//	0.02			-		-					
		1	1	I	1				1	1	1	,		1	1	I

AROMOTE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurrin	g Disconnect				Rates (\$)		
						Nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS1 IN	ITEROFFICE TRANSPORT FOR COMBINATION				2							1				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.41										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	89.54										
DC2 /h	1/0 Channelization System in combination Per Month			UNC1X	MQ1	92.89			-	_						
D23 1M	Interoffice Transport - Dedicated - DS3 combination - Per Mile				-		-		t							
	Per Month			UNC3X	1L5XX	2.69	1									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	U1TF3	983.22								1.0		
CTC 4	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			UNUSA	UTIFS	903.22			-	+						
313-1		-	-		-											
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINICCY	ai rvv	2.00									1	
	Per Month			UNCSX	1L5XX	2.69									1	
4 1400	3/1 Channel System in combination per month	CRADT		UNCSX	MQ3	256.43										
4-WIRI	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														-
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	35.76										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	61.08									_	
	Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	24.37										
4-WIRI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FEICE T	RANS		011100	24.01										
7 1141	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	11021		UNCDX	UDL64	35.76			-				-		-	+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	46.70									-	
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	61.08										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		-													
_	Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.02										-
	Facility Termination per month			UNCDX	U1TD6	24.37			1			j				
4-WIRI	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	E TRAN	SPOR'													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.76										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	61.08										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.02										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility						ł								1	
7 (37)	Termination per month 6 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	THAN	FRON	UNCDX	U1TD5	24.37										
4-9VIKI		LIKAN			UDICA	25.70			ļ							-
	4-wire 64 kbps Local Loop in combination - Zone 1 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64 UDL64	35.76										
_						46.70										
-	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	61.08										
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.02										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	24.37										
DS1 DI	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			ONOBA	01100	24.01									-	
100.0	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	66.39	-		-	-	1		_			
_	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	86.71			-							<u> </u>
_	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	113.38		-							_	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			OITO IN	0000	110.00										1
	per month			UNC1X	1L5XX	0.41										
	Interoffice Transport - Dedicated - DS1 combination - Facility														1	
	Termination per month			UNC1X	U1TF1	89.54										
DS3 DI	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT														—
1	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57		-								

	D NETWORK ELEMENTS - Tennessee		,		_								1696334000000	ment: 2	Exhi	
											Svc Order	Svc Order	Incremental	incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs
		m									por cont	per con	Electronic-	Electronic-	Electronic-	Electronia
			1		1								1st	Add'l	Disc 1st	Disc Add
													I	Addi	DISC 1St	DISC Add
						-	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
	927					Rec	First	l'bbA	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69				1,1221						
-	Interoffice Transport - Dedicated - DS3 combination - Facility			0.110011	7.40.01	2.00										
1	Termination per month			UNC3X	U1TF3	983.22								1		1
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT		ONOSA	01113	303.22										
313-1	STS-1 Local Lolp in combination - per mile per month	JI OKI	1	UNCSX	1L5ND	10.57					_					
-	STS-1 Local Loop in combination - per time per month		_	UNCSX	TUSIND	10.57							_			
1						450.74								1		ł
	month		_	UNCSX	UDLS1	453.74										
	Interoffice Transport - Dedicated - STS-1 combination - per mile			Dec.												
	per month			UNCSX	1L5XX	2.69										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	976.70								1		l.
DITIONAL	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does app	ly.									
	used as ordinarily combined network elements in All States, ti													1		
	curring Currently Combined Network Elements "Switch As Is"															
	nal Features & Functions:	Jilaige	1	ppiles to etter con	1						-			1		
- Jopas	Tall Teatures at Farming 13.		_	U1TD1.												
	01 01 10 10 10 10 10 10 10 10 10 10 10 1				CCOEF		0 00	0.00	0.00							
	Clear Channel Capability Extended Frame Option - per DS1	t	_	ULDD1,UNG1X	CCOEF		0 00	0.00	0.00	0.00						
1	1,000			U1TD1.		1										
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		185 16	23.85	2.03	0.79						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	- 6		UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00						
MULT	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	92.89										
\neg	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			-	11.04											
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.09										
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	2.00					1	1				
	month (2.4-64kbs) used for connection to a channelized DS1															
		1		LIATUR	1D1DD	2.09										
	Local Channel in the same SWC as collocation			U1TUD	טטיטו	2.09					-					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
$-\!\!\!\!-\!\!\!\!\!-$	month for a Local Loop			UDN	UC1CA	3.56										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel			an whiteeroods	4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -						1		I			
	in the same SWC as collocation			U1TUB	UC1CA	3.56					1					
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	1.05								1		
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the													1		
	same SWC as collocation			U1TUC	1D1VG	1.05								1		
-	DS3 to DS1 Channel System per month		_	UNC3X	MQ3	256.43			1	-	 			1		
-	STS-1 to DS1 Channel System per month		_	UNCSX	MQ3	256.43				_						
		-	+	USL	UC1D1	20.22			-					-		
-	DS1 COCI used with Loop per month		-	USL	UCIDI	20.22										
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	20.22										
	DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	20.22				1			1		1	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			01101	00101	20.22										

LOCAL INT	ERCONNECTION - Alabama												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		ė		Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urrina	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)						-									
	CCS7 Signaling Connection, Per 56Kbps Facility		1			15.46	35.53	35.53	16 44	16.44				· ·		
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signating Usage, Per TCAP Message					0.0000569										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44	1					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	15 46	35 53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISUP Message					0 0000142										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33	-									
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						

LOCAL INT	ERCONNECTION - Florida												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				_		_ 1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)		-
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)														-	
T T	CCS7 Signating Termination, Per STP Port			UDB	PT8SX	135.05							_			
	CCS7 Signaling Usage, Per TCAP Message					0 0000607		_								
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			LIDB	трр6В	17.93	43.57	43.57	18.31	18 31						
	CCS7 Signaling Connection, Switched access service, interface groups, Iransmissiom paths 6 DS1 level path with bit stream signaling			UD8	TPP6X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31	1					
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDS	TPP9X	17.93	43.57	43 57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message					0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						

LOCAL INT	ERCONNECTION - Georgia												Attachment:	3	Exhibit: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	ics	usoc			RATES(\$)			400 0100 1000 1000 1000	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
		_	+	_				Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING										_						1	
	CCS7 Signaling Termination, Per STP Port			UDB		PT8SX	108.80			-						1	
	CCS7 Signaling Usage, Per TCAP Message						0.0000527										
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB		TPP6A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1)			UDB		TPP6B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB		TPP9A	8.73	34.77	34.77	16.91	16.91						1
	CCS7 Signaling Connection-B link(also known as D link) per month (same as E.3.1)			UDB		TPP9B	8.73	34.77	34.77	16.91	16.91						
	.CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		трр9х	8 73	34.77	34.77	16 91	16.91						
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)						0.0000132										
	CCS7 Signaling Usage Surrogate, per link			UDB		STU56	907.44									1	
	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB		CCAPO		28.15	28.15	33.32	33.32						

LOCAL IN	ERCONNECTION - Kentucky												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			+				Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
					0	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151 39										
	CCS7 Signaling Usage, Per TCAP Message					0.0000656			100							
	CCS7 Signaling Connection, Per link (A link)		- 3 K	UDB	TPP6A	20.71	43 56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			NDB	TPP6B	20 71	43.56	43.56	22 45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB.	TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	20.71	43.56	43.56	22.45	22.45		1				
	CCS7 Signaling Connection-B link(also known as D link) per month		l di	UDB	TPP9B	20.71	43.56	43.56	22.45	22.45		10				
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message					0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46 02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46 02	46.02	56,43	56.43						

LOCAL INT	ERCONNECTION - Louisiana	10.7						_					Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		No.		Submitted Manually	Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)	-			-		- 1	_			-					-
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60				_						
	CCS7 Signaling Usage, Per TCAP Message					0.000064										
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP6A	15 77	34 50	34.50								
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.77	34.50	34.50								
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP98	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.77	34.50	34.50								
	CCS7 Signaling Usage, Per ISUP Message					0.000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								

LOCAL INT	ERCONNECTION - Mississippi						_				_		Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted		Charge - Manual Svo Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Usage, Per TCAP Message					0.0000597					31					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53		i				
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message					0.0000149										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						

LOCAL INT	ERCONNECTION - North Carolina													Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi	Zone		BCS	USOC			RATES(\$)		-		Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs.	Charge -
		m							3333333333333			per car	percan	Electronic- 1st	Electronic- Add'l	(E. 0. E. E.) (1. E.)	Electronic- Disc Add'l
			1				Rec	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)		1									-					
, .	CCS7 Signaling Connection, Per link (A link)			UDB		TPP6A	18.22	278.02	278 02								
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB.		TPP68	18 22	278.02	278.02								
	CCS7 Signating Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	18.22	278.02	278.02								
	CCS7 Signaling Connection-A link, per month			UDB		TPP9A	18.22	278.02	278.02								
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB		TPP9B	18.22	278.02	278.02								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	18.22	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port			UDB		PT8SX	132.83										
	CCS7 Signaling Usage. Per ISUP Message						0.00004										$\overline{}$
	CCS7 Signaling Usage, Per TCAP Message						0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	338.98							e			
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB		CCAPO		40.00	40.00								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB		CCAPD		8.00	8.00								

LOCAL INT	ERCONNECTION - South Carolina												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			_		_	- 1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49				v						
	CCS7 Signaling Usage, Per TCAP Message					0.0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.93	35 61	35.61	16.48	16.48					_	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	16.93	35.61	35 61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message					0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UD8	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35 65	35.65						

LOCAL INT	ERCONNECTION - Tennessee													Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	usoc			RATES(\$)		-		Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					_			Nonrec	urring	Nonrecurrin	na Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)					-					-	-	-				-
T ,	CCS7 Signaling Termination, Per STP Port			UDB		PT8SX	138.41								-		
	CCS7 Signaling Usage, Per TCAP Message						0.0000916					t					
	CCS7 Signaling Connection, Per link (A link)			UDB		TPP6A	17.84	130.84	130 84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB		TPP6B	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling CCS7 Signaling Connection-A link, per month			UDB		TPP6X TPP9A	17.84 17.84	130.84 130.84	130.84 130.84					20.35 20.35	20.35 20.35		13.32 13.32
	CCS7 Signaling Connection-8 link(also known as D link) per			000		IFF9A	17.04	130.04	130.64		-	-		20.33	20.35	13.32	13.32
	month			UDB		TPP98	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message						0.0000373									ļ	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB		CCAPO		121.77	121.77					20.35	20.35	13.32	13.32