BELLSOUTH

BellSouth Telecommunications, Inc.
150 South Monroe Street
Suite 400
Tallahassee, FL 32303-1556

Marshall.criser@bellsouth.com

Marshall M. Criser III
Vice President
Regulatory & External Affairs

850 224 7798
Fax 850 224 5073

May 18, 2005

050356-TP

Mrs. Blanca S. Bayo
Director, Division of Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and FLATEL, Inc. d/b/a Florida Telephone Compoany d/b/a Oscatel dba Telephone USA

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with FLATEL, Inc. d/b/a Florida Telephone Compoany d/b/a Oscatel dba Telephone USA

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

MMCriser III/RH
Regulatory Vice President

DOCUMENT NUMBER-DATE
04860 MAY 18 05
FPSC-COMMISSION CLERK

Amendment to the Agreement
Between
FLATEL, Inc. d/b/a Florida Telephone Company d/b/a Oscatel d/b/a
and
BellSouth Telecommunications, Inc.
Dated August 1, 2002

Pursuant to this Amendment, (the "Amendment"), FLATEL, Inc. d/b/a Florida Telephone Company d/b/a Oscatel d/b/a ("FLATEL"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 1, 2002 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and FLATEL entered into the Agreement on August 1, 2002, and;

WHEREAS, BellSouth and FLATEL desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.

2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

10	**BASIC 911 AND E911 INTERCONNECTION**
10.1	Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
10.2	Basic 911 Interconnection. BellSouth will provide to FLATEL a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the

provided by BellSouth. FLATEL will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, FLATEL will be required to begin using E911 procedures.

10.3 E911 Interconnection. FLATEL shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, FLATEL shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. FLATEL will be required to provide BellSouth daily updates to the E911 database. FLATEL will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, FLATEL will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. FLATEL shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

10.4 Trunks and facilities for 911 Interconnection may be ordered by FLATEL from BellSouth pursuant to the terms and conditions set forth in this Attachment.

10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 SS7 Network Interconnection is the interconnection of FLATEL

switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and FLATEL or other third-party switching systems with A-link access to the BellSouth SS7 network.

11.3 If traffic is routed based on dialed or translated digits between a FLATEL Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the FLATEL local signaling transfer point switches and BellSouth or other third-party local switch.

11.4 SS7 Network Interconnection shall provide:

11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;

11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and

11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.

11.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a FLATEL local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of FLATEL local STPs and shall not include SCCP Subsystem Management of the destination.

11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.

11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

11.9 Interface Requirements. The following SS7 Network Interconnection interface options are available to connect FLATEL or FLATEL-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:

11.9.1 A-link interface from FLATEL local or tandem switching systems; and

11.9.2 B-link interface from FLATEL STPs.

11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

11.9.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

11.9.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

11.9.6 BellSouth shall set message screening parameters to accept messages from FLATEL local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the FLATEL switching system has a valid signaling relationship

3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.

4. The Parties agree to add Section 3.8 to Attachment 6 as follows:

5. All of the other provisions of the Agreement dated August 1, 2002 shall remain unchanged and in full force and effect.

6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.	FLATEL, Inc.
By:	By:
Name: Kristen Rowe	Name: Abby Matari
Title: Director	Title: CEO
Date: 1/22/05	Date: 4-21-05

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1 INTRODUCTION 3

2 LOOPS 7

3 LINE SPLITTING 27

4 LOCAL SWITCHING 29

5 UNBUNDLED NETWORK ELEMENT COMBINATIONS 37

6 DEDICATED TRANSPORT AND DARK FIBER TRANSPORT 43

8 AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 57

9 OSS 58

Rates ..... Exhibit A

Rates ..... Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to FLATEL for FLATEL's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to FLATEL (Other Services). Additionally, the provision of a particular Network Element or Other Service may require FLATEL to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.

1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If FLATEL purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.

1.3 FLATEL may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.

1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.

1.5 FLATEL shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.

1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to FLATEL pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to FLATEL pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring

A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between FLATEL and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

1.7 Except to the extent expressly provided otherwise in this Attachment, FLATEL may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that FLATEL has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to FLATEL.

1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, FLATEL shall undertake a reasonably diligent inquiry to determine whether FLATEL is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, FLATEL self-certifies that to the best of FLATEL's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon FLATEL's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.

1.9 FLATEL may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.

1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for

intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from FLATEL, BellSouth shall perform the RNM.

1.11 Commingling of Services

1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that FLATEL has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. FLATEL must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.

1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit

1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, FLATEL should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http//www.interconnection.bellsouth.com/.

1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.

1.13.3 The provisioning of Network Elements, Combinations and Other Services to FLATEL's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with FLATEL's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.

1.13.4 Testing/Trouble Reporting.

1.13.4.1 FLATEL will be responsible for testing and isolating troubles on Network Elements. FLATEL must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, FLATEL will be required to provide the results of the FLATEL test which indicate a problem on the BellSouth network.

1.13.4.2 Once FLATEL has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

1.13.4.3 If FLATEL reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge FLATEL a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. FLATEL shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2.1.1 The Loop does not include any packet switched features, functions or capabilities.

2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.

2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by FLATEL. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval

2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide FLATEL with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

2.1.4 Transition for DS1 and DS3 Loops

2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for FLATEL as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.

2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for FLATEL's Embedded Base during the Transition Period:

2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.

2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators

2.1.4.6 The Transition Period shall apply only to FLATEL's Embedded Base and FLATEL shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.

2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.

2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.

2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.

2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

2.1.6 The Loop shall be provided to FLATEL in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.

2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If FLATEL wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), FLATEL may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), FLATEL shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date

purchased as an option, to FLATEL's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.8.2 OC-TS allows FLATEL to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate FLATEL's specific conversion time request. However, BellSouth reserves the right to negotiate with FLATEL a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. FLATEL may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If FLATEL specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, FLATEL must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 CLEC to CLEC Conversions for Unbundled Loops

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by FLATEL when converting an existing Loop from another CLEC for the same End User. The

2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.9.3 The Loops converted to FLATEL pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

2.1.10.1 BellSouth will make available to FLATEL a Bulk Migration process pursuant to which FLATEL may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2.1.10.2 Should FLATEL request migration for two (2) or more EATNs containing fifteen (15) or more circuits, FLATEL must use the Bulk Migration process referenced in 2.1.11.1 above.

2.2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that FLATEL will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by FLATEL, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. FLATEL may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

2.2.4 For an additional charge BellSouth will make available Loop Testing so that FLATEL may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.

2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to FLATEL. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow FLATEL to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2.2 2-wire Unbundled ADSL Compatible Loop

2.3.2.3 2-wire Unbundled HDSL Compatible Loop

2.3.2.4 4-wire Unbundled HDSL Compatible Loop

2.3.2.5 4-wire Unbundled DS1 Digital Loop

2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below

2.3.2.7 DS3 Loop

2.3.2.8 STS-1 Loop

2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. FLATEL will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.

2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

2.3.6 4-wire Unbundled DS1 Digital Loop.

2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and

2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.

2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.

2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.

2.3.12 FLATEL may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.

2.4 Unbundled Copper Loops (UCL).

2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.

2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by FLATEL.

2.4.2.4 These Loops are not intended to support any particular services and may be utilized by FLATEL to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, FLATEL can request LMU for which additional charges would apply.

2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that FLATEL may request further testing on the UCL-ND. Rates for Loop Testing are

long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

2.4.3.6 FLATEL may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.

2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.

2.5.3 For any copper loop being ordered by FLATEL which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from FLATEL, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to FLATEL. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

2.5.4 FLATEL may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties

2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.

2.5.7 If FLATEL requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. FLATEL will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.

2.5.8 FLATEL shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that FLATEL desires BellSouth to condition.

2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for FLATEL, FLATEL will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by FLATEL is available at the location for which the ULM was requested, FLATEL will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, FLATEL will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving IDLC

2.6.1 Where FLATEL has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to FLATEL. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for FLATEL (e.g., hairpinning):

1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.3 If no alternate facility is available, and upon request from FLATEL, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. FLATEL will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit FLATEL to connect FLATEL's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 FLATEL may access the End User's premises wiring by any of the following means and FLATEL shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow FLATEL to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;

2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such

2.7.3.1.4 FLATEL may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be FLATEL's responsibility to ensure there is no safety hazard, and FLATEL will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

2.7.3.3 FLATEL shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.

2.7.3.4 FLATEL shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with FLATEL to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

2.7.4 Technical Requirements

2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to FLATEL's NID.

2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition

2.8 Subloop Elements.

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.2 Unbundled Subloop Distribution (USLD)

2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If FLATEL requests a UCSL and it is not available, FLATEL may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

2.8.2.4.1 Upon request for USLD-INC from FLATEL, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-

FLATEL will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

2.8.2.5 For access to Voice Grade USLD and UCSL, FLATEL shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. FLATEL's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by FLATEL is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet FLATEL's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.

2.8.2.7 The site set-up must be completed before FLATEL can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice FLATEL's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

2.8.2.8 Once the site set-up is complete, FLATEL will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when FLATEL requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by FLATEL for Subloop pairs, expedite charges will apply for intervals less than five (5) days.

2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and FLATEL does own or control such wiring, FLATEL will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to FLATEL.

2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate FLATEL for each pair activated commensurate to the price specified in FLATEL's Agreement.

2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.

2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Dark Fiber Loop

Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for FLATEL to utilize Dark Fiber Loops.

2.8.4.2 Transition for Dark Fiber Loop

2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for FLATEL as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for FLATEL at the terms and conditions set forth in this Attachment.

2.8.4.4 The rates for FLATEL's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.

2.8.4.5 The Transition Period shall apply only to FLATEL's Embedded Base and FLATEL shall not add new Dark Fiber Loops pursuant to this Agreement.

2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

2.9 Loop Makeup

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to FLATEL LMU information with respect to Loops that are required to be unbundled under this Agreement so that FLATEL can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment FLATEL intends to install and the services FLATEL wishes to provide. LMU is a preordering transaction, distinct from FLATEL ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

2.9.1.3 BellSouth's LMU information is provided to FLATEL as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 FLATEL may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by FLATEL and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee FLATEL's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by FLATEL or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. FLATEL is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R. § 51.325(a) requirements or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify FLATEL, according to the applicable network disclosure requirements. It will be FLATEL's responsibility to move any service it may provide over such facilities to alternative facilities. If FLATEL fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if FLATEL needs further Loop information in order to determine Loop service capability, FLATEL may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.

2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. FLATEL will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, FLATEL does not reserve facilities upon an initial LMUSI, FLATEL's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

2.9.2.3 Where FLATEL has reserved multiple Loop facilities on a single reservation, FLATEL may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to FLATEL, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by FLATEL.

2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

3.2 Line Splitting – UNE-L. In the event FLATEL provides its own switching or obtains switching from a third party, FLATEL may engage in line splitting arrangements with another CLEC using a splitter, provided by FLATEL, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

3.3 Line Splitting –Loop and UNE Port (UNE-P).

3.3.1 To the extent FLATEL is purchasing UNE-P pursuant to this Agreement, BellSouth will permit FLATEL to replace UNE-P with Line Splitting. The UNE-P

3.3.2 FLATEL shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if FLATEL will not provide voice and data services.

3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 on or before March 10, 2006.

3.4 Provisioning Line Splitting and Splitter Space

3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When FLATEL or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.

3.5 CLEC Provided Splitter – Line Splitting

3.5.1 To order High Frequency Spectrum on a particular Loop, FLATEL must have a DSLAM collocated in the central office that serves the End User of such Loop.

3.5.2 FLATEL must provide its own splitters in a central office and have installed its DSLAM in that central office.

3.5.3 FLATEL may purchase, install and maintain central office POTS splitters in its collocation arrangements. FLATEL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.6 Maintenance – Line Splitting.

3.6.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.6.2 FLATEL shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Local Switching

4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2.

4.2 Transition for Local Switching

4.2.1 For purposes of this Section 4, the Transition Period for Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for FLATEL as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to FLATEL's Embedded Base and FLATEL shall not place new orders for Local Switching pursuant to this Agreement.

4.2.4 The rates for FLATEL's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.

4.2.5 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be

4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.

4.3.2 Unbundled local switching consists of three separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.

4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to FLATEL's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

4.3.4 Provided that FLATEL has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a FLATEL local End User, or originated by a BellSouth local End User and terminated to a FLATEL local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge FLATEL the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and FLATEL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Web site: http://interconnection.bellsouth.com/products/docs/FLOWSPPT.pdf.

4.3.5 Where FLATEL has unbundled Local Switching from BellSouth but does not use BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a FLATEL End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge FLATEL the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and FLATEL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's

may bill the toll provider originating or terminating switched access charges as appropriate.

4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.

4.3.9 BellSouth will provide to FLATEL selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by FLATEL will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to FLATEL all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.

4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by FLATEL.

4.3.15 BellSouth shall provide the following Local Switching interfaces:

4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;

4.3.15.4 2-wire analog interface to PBX;

4.3.15.5 4-wire analog interface to PBX; and

4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3.16 FLATEL shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.

4.3.17 FLATEL will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the FLATEL's End Users.

4.4 Common (Shared) Transport.

4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to FLATEL.

4.4.3 Technical Requirements of Common (Shared) Transport

4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.

4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

4.5.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.5.2 Where FLATEL utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.5.3 Technical Requirements

4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:

4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by FLATEL and BellSouth;

4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and

4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to FLATEL.

4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

4.5.3.4 Tandem Switching shall process originating toll free traffic received from FLATEL's local switch.

4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.

4.5.4 Upon FLATEL's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for FLATEL's traffic overflowing from direct end office high usage trunk groups.

4.6 Remote Call Forwarding (URCF)

4.6.1 As an option, BellSouth shall make available to FLATEL an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. FLATEL must ensure that the following conditions are satisfied:

4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);

4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;

4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge FLATEL the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.7 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

4.7.1 Where BellSouth provides Local Switching to FLATEL, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of FLATEL. AIN SCR will provide FLATEL with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

4.7.2 FLATEL shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.

4.7.3 AIN SCR is not available in DMS 10 switches.

4.7.4 Where AIN SCR is utilized by FLATEL, the routing of FLATEL's End User calls shall be pursuant to information provided by FLATEL and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.

4.7.5 Upon ordering AIN SCR Regional Service, FLATEL shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each FLATEL End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. FLATEL shall pay the AIN SCR Per Query Charge set forth in Exhibit A.

4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing

nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

4.7.7 The nonrecurring End Office Establishment charge will be billed to FLATEL following BellSouth's normal monthly billing cycle for this type of order.

4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to FLATEL following BellSouth's normal monthly billing cycle for this type of order.

4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to FLATEL following the normal billing cycle for per query charges.

4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.

4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)

4.8.1 Where FLATEL has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route FLATEL's End User calls to that provider through Selective Call Routing.

4.8.2 SCR-LCC provides the capability for FLATEL to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.

4.8.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

4.8.4 Where available, FLATEL specific and unique LCCs are programmed in each BellSouth end office switch where FLATEL intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify FLATEL's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA).

either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the FLATEL Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.

4.8.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by FLATEL to the BellSouth TOPS.

4.8.7 The Rates for SCR-LCC are as set forth in Exhibit A. There is a NRC for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by FLATEL are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by FLATEL are not already combined by BellSouth in the location requested by FLATEL but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by FLATEL are not elements that BellSouth combines for its use in its network.

5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

5.1.2 To the extent FLATEL requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the

5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of FLATEL.

5.3 Enhanced Extended Links (EELs)

5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide FLATEL with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

5.3.3 By placing an order for a high-capacity EEL, FLATEL thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit FLATEL's high-capacity EELs as specified below.

5.3.4 Service Eligibility Criteria

5.3.4.1 High capacity EELs must comply with the following service eligibility

5.3.4.1.1 FLATEL has received state certification to provide local voice service in the area being served;

5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:

5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);

5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which FLATEL will transmit the calling party's number in connection with calls exchanged over the trunk;

5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, FLATEL will have at least one (1) active DS1 local service interconnection trunk over which FLATEL will transmit the calling party's number in connection with calls exchanged over the trunk; and

5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.

5.3.4.3 BellSouth may, on an annual basis, audit FLATEL's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that FLATEL failed to comply with the service eligibility criteria, FLATEL must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that FLATEL did not comply in any material respect with the service eligibility criteria, FLATEL shall

and demonstrable costs associated with the audit. FLATEL will maintain appropriate documentation to support its certifications.

5.3.4.4 In the event FLATEL converts special access services to UNEs, FLATEL shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.4 UNE-P

5.4.1 DS0 Local Switching, as defined in Section 4, in combination with a Loop and Common (Shared) Transport as defined in Section 4.3.9 (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.

5.4.3 Transition Period for UNE-P

5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for FLATEL as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to FLATEL's Embedded Base and FLATEL shall not place new orders for UNE-P pursuant to this Agreement.

5.4.3.4 The rates for FLATEL's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.

5.4.3.5 Effective March 11, 2006, UNE-P will no longer be made available pursuant to

5.5 Intercarrier Compensation

5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by FLATEL utilizing Local Switching shall apply as follows:

5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge FLATEL for End Office Switching as set forth in Exhibit A at the terminating end office.

5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge FLATEL for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.

5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, FLATEL is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If FLATEL does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by FLATEL, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:

5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to FLATEL for each such call; or

5.5.3.1.2 pay such charges as billed by the third party carrier and FLATEL will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.

5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to FLATEL utilizing Local Switching shall apply as follows:

5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge FLATEL for End Office Switching at the terminating end office for use of the network component; therefore, FLATEL shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.

5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch

CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.

5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies,utilizing their own switches to serve their End Users, FLATEL is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. FLATEL may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.

5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by FLATEL utilizing Local Switching where FLATEL uses BellSouth's CIC for its End User's LPIC:

5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge FLATEL for End Office Switching as set forth in Exhibit A at the terminating end office.

5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge FLATEL for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and FLATEL will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.

5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, FLATEL is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If FLATEL does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by FLATEL, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:

5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to FLATEL for each such call; or

5.5.3.3.3.2 pay such charges as billed by the third party carrier and FLATEL will reimburse BellSouth the full amount of such charges within thirty (30) days following

5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to FLATEL utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:

5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge FLATEL for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. FLATEL may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A in this Agreement for such calls. FLATEL shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.

5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, FLATEL may bill the interexchange carrier in accordance with FLATEL's tariff and will not bill BellSouth any charges for such call. FLATEL shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

6 Dedicated Transport and Dark Fiber Transport

6.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by FLATEL. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to FLATEL. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to FLATEL unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities

6.2.1 For purposes of this Section 6.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated

6.2.3 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.

6.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 6. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for FLATEL's Embedded Base during the Transition Period:

6.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.

6.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

6.2.4.3 During the Transition Period, the rates for FLATEL's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 6.2 shall be as set forth in Exhibit B and the rates for FLATEL's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.

6.2.4.4 The Transition Period shall apply only to FLATEL's Embedded Base and FLATEL shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.

6.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 6.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.

6.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 6.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.

6.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.

6.3 BellSouth shall:

6.3.1 Provide FLATEL exclusive use of Dedicated Transport to a particular customer or carrier;

6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;

6.3.3 Permit, to the extent technically feasible, FLATEL to connect Dedicated Transport to equipment designated by FLATEL, including but not limited to, FLATEL's

6.4 BellSouth shall offer Dedicated Transport:

6.4.1 As capacity on a shared facility; and

6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to FLATEL.

6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

6.6 FLATEL may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6.7 Technical Requirements

6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.7.2.1 DS0 Equivalent;

6.7.2.2 DS1;

6.7.2.3 DS3; and

6.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.7.3 BellSouth shall design Dedicated Transport according to its network

6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;

6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 Unbundled Channelization (Multiplexing)

6.8.1 To the extent FLATEL is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, FLATEL may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

6.8.2 BellSouth shall make available the following channelization systems and interfaces:

6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.

6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, FLATEL's channelization equipment must adhere strictly to form and protocol standards. FLATEL must

6.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.

6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities

6.9.1.1 For purposes of this Section 6.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for FLATEL as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.

6.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 6.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for FLATEL's Embedded Base during the Transition Period:

6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

6.9.1.5 During the Transition Period, the rates for FLATEL's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.1 shall be as set forth in Exhibit B and the rates for FLATEL's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 shall be as set forth in Exhibit A.

6.9.1.6 The Transition Period shall apply only to FLATEL's Embedded Base and FLATEL shall not add new Dark Fiber Transport as described in this Section 6.9 pursuant to this Agreement.

6.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.

6.10.1 A request to move a working FLATEL CFA to another FLATEL CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.

6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.

6.10.3 Upon request of FLATEL, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and FLATEL may request OC-TS for such orders.

6.10.4 BellSouth shall accept a Letter of Authorization (LOA) between FLATEL and another carrier that will allow FLATEL to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

7 Call Related Databases and Signaling

7.1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to FLATEL pursuant to this Agreement.

7.2 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service</u>

7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, FLATEL must purchase appropriate signaling links pursuant to Section 7.3 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

7.3.2.1 BellSouth will offer to FLATEL any additional capabilities that are developed for LIDB during the life of this Agreement.

7.3.2.2 BellSouth shall process FLATEL's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to FLATEL what additional functions (if any) are performed by LIDB in the BellSouth network.

7.3.2.3 Within two (2) weeks after a request by FLATEL, BellSouth shall provide FLATEL with a list of the customer data items, which FLATEL would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.

7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in

where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

7.3.2.8 BellSouth shall provide priority updates to LIDB for FLATEL data upon FLATEL's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of FLATEL customer records will be missing from LIDB, as measured by FLATEL audits. BellSouth will audit FLATEL records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated FLATEL contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to FLATEL within one (1) business day of audit. Once reconciled records are received back from FLATEL, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00 p.m. Central Time. If more than 500 records are received, BellSouth will contact FLATEL to negotiate a time frame for the updates, not to exceed three (3) business days.

7.3.2.10 BellSouth shall perform backup and recovery of all of FLATEL's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

7.3.2.11 BellSouth shall provide FLATEL with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between FLATEL and BellSouth.

7.3.2.12 BellSouth shall prevent any access to or use of FLATEL data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by FLATEL in writing.

7.3.2.13 BellSouth shall provide FLATEL performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by FLATEL at least at parity with BellSouth Customer Data. BellSouth shall obtain

BellSouth shall offer it to FLATEL under the BFR/NBR Process as set forth in Attachment 11.

7.3.2.14 BellSouth shall accept queries to LIDB associated with FLATEL customer records and shall return responses in accordance with industry standards.

7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

7.3.2.16 BellSouth shall provide processing time at the LIDB within 1 second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.

7.3.3 Interface Requirements

7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.

7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.

7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. FLATEL shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. FLATEL shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling [illegible] links, STP [illegible]

7.4.1 Signaling Link Transport. Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between FLATEL designated SPOI that provide appropriate physical diversity.

7.4.1.1 Technical Requirements

7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

7.4.1.1.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and

7.4.1.1.1.2 As a "B-link" Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).

7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:

7.4.1.2.1 An A-link layer shall consist of two (2) links; and

7.4.1.2.2 A B-link layer shall consist of four (4) links.

7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and

7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).

7.4.2 Interface Requirements. There shall be a DS1 (1.544 Mbps) interface at FLATEL's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer points switches.

7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.

7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a FLATEL local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between FLATEL local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a FLATEL or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a FLATEL database, then FLATEL agrees to provide BellSouth with the Destination Point Code for FLATEL database.

7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).

7.4.3.1.6 Where the originating signaling point is a BellSouth local or tandem switching

STPs shall

connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

7.4.4 SS7

7.4.4.1 When technically feasible and upon request by FLATEL, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with FLATEL's SS7 network to exchange TCAP queries and responses with a FLATEL SCP.

7.4.4.2 SS7 AIN Access shall provide FLATEL SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and FLATEL SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the FLATEL SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

7.4.4.3 Interface Requirements

7.4.4.3.1 BellSouth shall provide the following STP options to connect FLATEL or FLATEL-designated Local Switching systems to the BellSouth SS7 network:

7.4.4.3.1.1 An A-link interface from FLATEL Local Switching systems; and

7.4.4.3.1.2 A B-link interface from FLATEL local STPs.

7.4.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.

7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

7.4.4.3.5 [illegible]

7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from FLATEL local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the FLATEL switching system has a valid signaling relationship.

7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from FLATEL local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the FLATEL switching system has a valid signaling relationship.

7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from FLATEL from any signaling point or network interconnected through BellSouth's SS7 network where the FLATEL SCP has a valid signaling relationship.

7.4.5 SCP/Databases

7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.

7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

7.4.5.3 Technical Requirements for SCPs/Databases

7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).

7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

7.5 LNP Database. The Permanent Number Portability (PNP) database supplies

7.6 CNAM Database Service

7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides FLATEL the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

7.6.2 FLATEL shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to FLATEL's access to BellSouth's CNAM Database Services and shall be addressed to FLATEL's Local Contract Manager.

7.6.3 BellSouth's provision of CNAM Database Services to FLATEL requires interconnection from FLATEL to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.

7.6.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, FLATEL shall provide its own CNAM SSP. FLATEL's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

7.6.5 If FLATEL elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that FLATEL desires to query.

7.6.6 If FLATEL queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

the responsibility of FLATEL to provide accurate information to BellSouth on a current basis.

7.6.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

7.6.9 FLATEL CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

7.7 SCE/SMS AIN Access

7.7.1 BellSouth's SCE/SMS AIN Access shall provide FLATEL the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to FLATEL. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.

7.7.3 BellSouth SCP shall partition and protect FLATEL service logic and data from unauthorized access.

7.7.4 When FLATEL selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable FLATEL to use BellSouth's SCE/SMS AIN Access to create and administer applications.

7.7.5 FLATEL access will be provided via remote data connection (e.g., dial-in, ISDN).

7.7.6 BellSouth shall allow FLATEL to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

8 Automatic Location Identification/Data Management System (ALI/DMS)

8.1 911 and E911 Databases

8.1.1 BellSouth shall provide FLATEL with nondiscriminatory access to 911 and E911 databases on an unbundled basis in accordance with 47 C.F.R. § 51.319 (f).

ALI/DMS database is used to provide enhanced routing flexibility for E911. FLATEL will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1.

8.2 Technical Requirements

8.2.1 BellSouth's 911 database vendor shall provide FLATEL the capability of providing updates to the ALI/DMS database through a specified electronic interface. FLATEL shall contact BellSouth's 911 database vendor directly to request interface. FLATEL shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of FLATEL and BellSouth shall not be liable for the transactions between FLATEL and BellSouth's 911 database vendor.

8.2.2 It is FLATEL's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

8.2.3 FLATEL shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.

8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to FLATEL, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for FLATEL to assume responsibility for such records.

8.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to FLATEL that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. FLATEL shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to FLATEL within two (2) months following the date of the Stranded Unlock report provided by BellSouth. FLATEL shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of FLATEL's records.

9.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.

9.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.

9.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

9.5 Denial/Restoral OSS Charge. BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event FLATEL provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

9.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUN		- Alabama											Attachment: 2 Ex. A			
CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
T	ne	stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website:														
h	ww	h.com/become_a_clec/html/interconnection.htm														
OPERATI	SI	"REGIONAL RATES"														
N	(1)	ntract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may														
el	the	sion ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in														
ea	the															
N	(2)	rdered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that														
ce	be	resent per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN,														
w	app	it submits an LSR to BellSouth.														
	OS	Charge, Per Local Service														
	Req				SOMEC		3.50	0.00	3.50	0.00						
	OS	harge, Per Local Service Request														
	(LS				SOMAN		15.66	0.00	1.97	0.00						
UNE SER	DA	BE														
N	Th	aintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.														
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA											
	UN	t or Line Assignable USOC, per														
	Day				SDASP		200.00									
UNBUND	XC															
2	AN	OR														
	2-W	p - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30					
	2-W	p - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30					
	2-W	p - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30					
	2-W	p - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30					
	2-W	p - Service Level 1- Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30					
	2-W	p - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30					
	Un	- Element, Tag Loop at End User														
	Pre				UEANL	URETL		8.33	0.83							
	Loc	Hour			UEANL	URET1		34.16	34.16							
	Loc	Half Hour			UEANL	URETA		19.85	19.85							

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CL rge Without Outside Dispatch (U			UEANL	UREWO		15.78	8.94								
	Un sign Voice Loop, billing for BST pro Information - E.I.)			UEANL	UEANM		13.44									
	Ma UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
	Or Conversion Time for UVL-SL1 (per			UEANL	OCOSL		18.09									
2	UE															
	2-W - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2-W - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2-W - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
	Un Element, Tag Loop at End User Pre			UEQ	URETL		8.33	0.83								
	Ma re Unbundled Copper Loop - Non			UEQ	USBMC		8.15									
	Un Design Copper Loop, billing for BS eering Information - E.I.)			UEQ	UEQMU		13.44									
	Loc Hour			UEQ	URET1		34.16	34.16								
	Loc t Half Hour			UEQ	URETA		19.85	19.85								
	CL rge Without Outside Dispatch (UC			UEQ	UREWO		14.27	7.43								
UNBUND	XC															
2	AN OP															
	2-W -Service Level 1-Line Splitting-Zon		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
	2-W -Service Level 1-Line Splitting-Zon		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2-W - Service Level 1-Line Splitting-Zon		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2-W - Service Level 1-Line Splitting-Zon		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	2-W -Service Level 1-Line Splitting-Zon		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
	2-W -Service Level 1-Line Splitting-Zon		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
UNBUND	XC															
2	AN OP															
	2-W - Service Level 2 w/Loop or Gro 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-W - Service Level 2 w/Loop or Gro 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-W - Service Level 2 w/Loop or Gro 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Ord ied Conversion Time (per LSR)			UEA	OCOSL		18.09									
	2-W - Service Level 2 w/Reverse Batt		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-W oop - Service Level 2 w/Reverse Batt Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	2-W oop - Service Level 2 w/Reverse Batt Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Ord Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLE Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loo Level 2 (SL2)			UEA	URETL		11.21	1.10								
4	AN OP															
	4-W oop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-W oop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-W oop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Ord ied Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CL arge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUN — - Alabama

Attachment: 2 Ex. A

CATEGO		ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	ISI															
		2-W — p - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-W — p - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-W — p - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Ord — ed Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLE — arge without outside dispatch			UDN	UREWO		91.63	44.16								
	2	AS — UBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-W — including manual service inquiry & fa		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2-W — including manual service inquiry & fa		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
		2-W — including manual service inquiry & fa		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
		Ord — ed Conversion Time (per LSR)			UAL	OCOSL		18.09									
		2-W — without manual service inquiry & fac		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
		2-W — without manual service inquiry & fac		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2-W — without manual service inquiry & fac		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Ord — ed Conversion Time (per LSR)			UAL	OCOSL		18.09									
		CLE — arge without outside dispatch			UAL	UREWO		86.20	40.40								
	2	HI — SCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2-W — including manual service inquiry & fa		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2-W — including manual service inquiry & fa		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2-W — including manual service inquiry & fa		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Ord — d Conversion Time (per LSR)			UHL	OCOSL		18.09									
		2-W — without manual service inquiry and		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2-W — without manual service inquiry and		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2-W — without manual service inquiry and		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Ord — d Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLE — arge without outside dispatch			UHL	UREWO		86.14	40.40								
	4	HI — SCRIBER LINE (HDSL) COMPATIBLE LOOP															
		4-W — including manual service inquiry and		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
		4-W — including manual service inquiry and 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
		4-W — including manual service inquiry and 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
		Ord — d Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-W — without manual service inquiry and		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
		4-W — without manual service inquiry and 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
		4-W — without manual service inquiry and 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
		Ord — d Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLE — arge without outside dispatch			UHL	UREWO		86.14	40.40								
	4	DS															
		1-W — n 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71						
		1-W — n 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71						
		1-W — n 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
		Ord — d Conversion Time (per LSR)			USL	OCOSL		18.09									

UNBUN	- Alabama											Attachment: 2 Ex. A			
CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rge without outside dispatch			USL	UREWO		101.09	43.05								
4-	GRADE LOOP															
	Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Conversion Time (per LSR)			UDL	OCOSL		18.09									
	64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
	64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
	Conversion Time (per LSR)			UDL	OCOSL		18.09									
	rge without outside dispatch			UDL	UREWO		102.13	49.75								
2-																
	n-Designed including manual tion - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	n-Designed including manual tion - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	n-Designed including manual ation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	led Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	n-Designed without manual vation - Zone 1	I	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	n-Designed without manual vation - Zone 2	I	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
	n-Designed without manual vation - Zone 3	I	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	led Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	rge without outside dispatch			UCL	UREWO		97.23	42.48								
4-																
	cluding manual service inquiry		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	cluding manual service inquiry		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	cluding manual service inquiry		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	led Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	ithout manual service inquiry	I	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	ithout manual service inquiry	I	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	ithout manual service inquiry	I	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	led Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	rge without outside dispatch			UCL	UREWO		97.23	42.48								
LOOP MO	CATI															
	Removal of Load Coils - 2 Wire per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Removal of Load Coils - 4 Wire er Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Removal of Bridged Tap Removal,	I		UAL, UHL, UCL, UEQ,ULS,UEA, UEANL, UEPSR, UEPSB	ULMBT		32.41	32.41								
SUB-LOC																

Attachment: 2 Ex. A

UNBUN		- Alabama															
CATEGOR		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	S	op															
		Sul															
		Up	I		UEANL	USBSA		244.42									
		Sul	I		UEANL	USBSB		22.64									
		Sul															
		Fac	I		UEANL	USBSC		177.45									
		Sul															
		Set	I		UEANL	USBSD		55.15									
		Sul															
		Zon		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sul															
		Zon		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sul															
		Zon		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		Ord			UEANL	USBMC		8.15	8.15								
		Sul															
		Zon		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sul															
		Zon		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
		Sul															
		Zon		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
		Ord			UEANL	USBMC		8.15	8.15								
		Sul	I		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		Ord			UEANL	USBMC		8.15	8.15								
		Sul	I		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		Ord			UEANL	USBMC		8.15	8.15								
		Loc			UEANL	URET1		34.16	34.16								
		Loc			UEANL	URETA		19.85	19.85								
		2W		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
		2W		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
		2W		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
		Ord			UEF	USBMC		8.15	8.15								
		4W		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
		4W		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
		4W		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
		Ord			UEF	USBMC		8.15	8.15								
		Loc			UEF	URET1		34.16	34.16								
		Loc			UEF	URETA		19.85	19.85								
	U																
		Unt			UENTW	UENPP	0.40	30.01									
	N																
		Net			UENTW	UND12		43.23	28.38								
		Net			UENTW	UND16		63.97	49.11								
		Net			UENTW	UNDC2		5.87	5.87								
		Net			UENTW	UNDC4		5.87	5.87								
UNE OTH																	
		NID			UENTW	UNDBX	0.00	0.00									
		UN			UENTW	UENCE	0.00	0.00									
		Un			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTH																	

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Un visioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL, USL	UNECN	0.00	0.00									
	Un Wire Cross Boy Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Un Wire Cross Boy Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Un eme Format Option - no rate			USL	CCOSF	0.00	0.00									
	Un d Superframe Format option - no			USL	CCOEF	0.00	0.00									
HIGH CA																
	Hi Loop - DS3 - Per Mile per mo			UE3	1L5ND	8.38										
	Hi Loop - DS3 - Facility Ter			UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117						
	Hi Loop - STS-1 - Per Mile per mo			UDLSX	1L5ND	8.38										
	Hi Loop - STS-1 - Facility Ter			UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117						
LOOP MA																
	Loc hout Reservation, per working or spa			UMK	UMKLW		20.00	20.00								
	Loc Reservation, per spare facility qu			UMK	UMKLP		21.00	21.00								
	Loc Reservation, per working or isp ead)			UMK	UMKMQ		0.59	0.59								
LINE SPL																
	LI															
	EP FICE BASED															
	Line n DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line n BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
	Line n BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	M ENA															
	N The maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	No ur increments - Basic						80.00	55.00								
	No ur increments - Overtime						90.00	65.00								
	No ur increments - Premium						100.00	75.00								
UNBUND	ED															
	IN ED TRANSPORT															
	Inte Transport - 2-Wire Voice Grade - Per			U1TVX	1L5XX	0.008838										
	Inte Transport- 2- Wire Voice Grade - Fac			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Inte Transpor t- 2-Wire Voice Grade Rev			U1TVX	1L5XX	0.008838										
	Inte Transport- 2- Wire VG Rev Bat. - Facil			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Inte d Transport - 4-Wire Voice Grade - Per			U1TVX	1L5XX	0.008838										
	Inte d Transport - 4- Wire Voice Grade - Fac			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Inte Transport - 56 kbps - per mile per			U1TDX	1L5XX	0.008838										
	Inte Transport - 56 kbps - Facility Ter			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Inte Transport - 64 kbps - per mile per			U1TDX	1L5XX	0.008838										
	Inte Transport - 64 kbps - Facility Ter			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						

UNBUN	D N	- Alabama											Attachment: 2 Ex. A			
CATEGO		LEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte mo	Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.18										
	Inte Ter	Tranport - DS1 - Facility			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Inte mo	Transport - DS3 - Per Mile per			U1TD3	1L5XX	4.09										
	Inte Ter	Transport - DS3 - Facility			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
	Inte mo	Transport - STS-1 - Per Mile per			U1TS1	1L5XX	4.09										
	Inte Ter	Transport - STS-1 - Facility			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
DARK FI																	
	Dar The	Per Route Mile or Fraction nnel			UDF, UDFCX	1L5DC	69.37										
	Dar The	Per Route Mile or Fraction Channel			UDF, UDFCX	1L5DF	23.29										
	NF	hannel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
	Dar The	Per Route Mile or Fraction n			UDF, UDFCX	1L5DL	69.37										
8XX ACC	EN																
	8X	g, Per Call					0.000565										
	8X	g, w/ 8FL No. Delivery					0.000565										
	8X	g, w/ POTS No. Delivery					0.000565										
LINE INF	TI	IDB)															
	LID	Query					0.00002										
	LID						0.012002										
	LID	tablishment or Change			OQU	NRBPX		34.32		42.08							
CALLING	CN																
	CN	ery					0.000902										
	CN	Query					0.000902										
LNP Que																	
	LNP						0.000757										
	LNP	qual						12.52		11.51							
	LNP	oint Code Establishment						593.49	303.20	268.93	197.74						
SELECT	UT																
	Se Sw	ne Class Code Per Request Per						84.70	84.70	14.11	14.11						
VIRTUAL	OC																
	Vir Spl	Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
PHYSICA	LC																
	Ph Spl	es Connects (Loop) for Line			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELF	SC																
	Re							101,098.91		8,590.70							
	En							169.88	169.88	1.70	1.70						
	Qu						0.002749										
AIN - BE	TH	2E															
	AIN Init	e Establishment, Per State,			A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN	Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						
	AIN	Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09						
	AIN ID	Identification Codes - Per User			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN Init	rity Card, Per User ID Code,			A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN	age, Per Unit (100 Kilobytes)					0.002188										

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN ... ssion, Per Minute					0.59										
	AIN ... mpany Performed Session, Per Mi...					0.73										
ENHANC	TE...															
N	The ... n-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
N	The ... Switch-As-Is Charge and not the non recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
2	VG... E IN A COMBINATION															
2	2... ination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
2	2... ination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
2	2... ination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Mon... n			UNCVX	1D1VG	0.53	6.58	4.72								
4	VG... E IN A COMBINATION															
	4... oop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4... oop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4... oop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Mon... tion - per month			UNCVX	1D1VG	0.53	6.58	4.72								
4	56... USE IN A COMBINATION															
	4... Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4... Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4... Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	OC... th (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
4	64... USE IN A COMBINATION															
	4... Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4... Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4... Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	OC... ination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
2	IS... MBINATION															
	2... tion - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2... tion - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	2... tion - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	2-W... combination - per month			UNCNX	UC1CA	2.41	6.58	4.72								
4	DS... E IN A COMBINATION															
	4-W... mbination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-W... mbination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-W... mbination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	DS... month			UNC1X	UC1D1	12.70	6.58	4.72								
2	VG... TRANSPORT FOR USE IN A COMBINATION															
	Inte... - Dedicated- Per Mile Per Mon...			UNCVX	1L5XX	0.008838										
	Inte... - Dedicated - Facility Ter... per...			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
4	VG... E TRANSPORT FOR USE IN A COMBINATION															
	Inte... - Dedicated - Per Mile Per Mon...			UNCVX	1L5XX	0.008838										
	Inte... - Dedicated - Facility Ter... per...			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
DS	TER... OR COMBINATION															
	Inte... ated - DS1 combination - Per Mile per m...			UNC1X	1L5XX	0.18										
	Inte... ated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
DS	TER... OR USE IN A COMBINATION															
	Inte... - DS3 combination - Per Mile Per ...			UNC3X	1L5XX	4.09										
	Inte... ed - DS3 - Facility Termination per mon...			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	3/1... ...ination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
S	NTE... OR USE IN COMBINATION															

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte... - STS-1 combination - Per Mile Per...			UNCSX	1L5XX	4.09										
	Inte... - STS-1 combination - Facility Ter...			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	3/1 ...ation per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
4	56 ...H 56 KBPS INTEROFFICE TRANSPORT															
	4-w... ...combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-w... ...combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-w... ...combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Inte... - 4-wire 56 kbps combination - Per...			UNCDX	1L5XX	0.008838										
	Inte... - 4-wire 56 kbps combination - San...			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
4	64 ...D LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
	4-w... ...ombination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-w... ...ombination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-w... ...ombination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Inte... - 4-wire 64 kbps combination - Per...			UNCDX	1L5XX	0.008838										
	Inte... - 4-wire 64 kbps combination - Fac...			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
4	56 ...D LOOP WITH DS0 INTEROFFICE TRANSPORT															
	4-w... ...ombination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-w... ...ombination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-w... ...ombination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	4-... ...sport - Dedicated - Per Mile per mo...			UNCDX	1L5XX	0.008838										
	4-... ...nport - Dedicated - Facility Term...			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
4	64 ...D LOOP WITH DS0 INTEROFFICE TRANSPORT															
	4-w... ...ombination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-w... ...ombination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-w... ...ombination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	4-... ...sport - Dedicated - Per Mile per mo...			UNCDX	1L5XX	0.008838										
	4-... ...nport - Dedicated - Facility Term...			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
D	3/1 ...OFFICE TRANSPORT															
	4-W... ...bination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-W... ...bination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-W... ...bination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Inte... - DS1 combination - Per Mile per...			UNC1X	1L5XX	0.18										
	Inte... - DS1 combination - Facility Ter...			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
D	3/1 ...ED DS3 INTEROFFICE TRANSPORT															
	DS3 ... - per mile per month			UNC3X	1L5ND	9.637										
	DS3 ... - Facility Termination per month			UNC3X	UE3PX	355.327	519.248	303.531	137.4135	96.117						
	Inte... - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Inte... - DS3 combination - Facility Ter...			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
S	3/1 ...TED STS-1 INTEROFFICE TRANSPORT															
	STS... ...n - per mile per month			UNCSX	1L5ND	9.637										
	STS... ...n - Facility Termination per mo...			UNCSX	UDLS1	367.8045	519.248	303.531	137.4135	96.117						
	Inte... - STS-1 combination - per mile per...			UNCSX	1L5XX	4.09										

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- STS-1 combination - Facility			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
ADDITION	ET															
W	se			ombined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.												
W	se			etwork elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.												
N	ur			twork Elements "Switch As Is" Charge (One applies to each combination)												
	Non d Network Elements Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		5.59	5.59	6.98	6.98						
C	al F															
	Cle ded Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Cle r FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Cle SF) Option - Subsequent	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
	C-h nt Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
M	LF															
	DS er month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OC DS0 Channel System - per mo ocal Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	OC DS0 Channel System - per mo nection to a channelized DS1 Lo as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2- 1 to DS0 Channel Systsem - per mo			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2- 1 to DS0 Channel Systsem - per mo channelized DS1 Local Channel in th			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Ver A Channel System - per month us			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voi 0 Channel System - per month use elized DS1 Local Channel in the san			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS er month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	ST per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS to a channelized DS1 Local Cha collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS used with Local Channel per mon			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
UNBUNDL	OC G(PORTS)															
T	cha Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005															
ar	nsi ed Rates Plus $1.00 in Accordance with the TRRO.															
EX	NGE															
NC	Alth ncludes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
2-	VOI RATES (RES)															
	Exch ng Line Port- Res.			UEPSR	UEPRL	2.38	2.38	2.27	1.42	1.33						
	Exch ng Line Port with Caller ID - Res.			UEPSR	UEPRC	2.38	2.38	2.27	1.42	1.33						
	Exch g Line Port outgoing only - Res.			UEPSR	UEPRO	2.38	2.38	2.27	1.42	1.33						
	Exc bundled AL extended local dial ID - Res.			UEPSR	UEPAR	2.38	2.38	2.27	1.42	1.33						
	Exc bundled res, low usage line port wit			UEPSR	UEPAP	2.38	2.38	2.27	1.42	1.33						

UNBUN	D N	- Alabama											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ex	abama Residence Dialing Plan															
	wit				UEPSR	UEPWA	2.38	2.38	2.27	1.42	1.33						
	2-M	age Line Port without Caller ID															
	Cap				UEPSR	UEPRT	2.38	2.38	2.27	1.42	1.33						
	Sul				UEPSR	USASC	0.00	0.00	0.00								
F	RE																
	All				UEPSR	UEPVF	1.98	0.00	0.00								
2	VC	ATES (BUS)															
	Ex	Line Port without Caller ID -															
	Bus				UEPSB	UEPBL	2.38	2.38	2.27	1.42	1.33						
	Ex	ndled Line Port with															
	un	4 ID - Bus.			UEPSB	UEPBC	2.38	2.38	2.27	1.42	1.33						
	Ex	g Line Port outgoing only - Bus.			UEPSB	UEPBO	2.38	2.38	2.27	1.42	1.33						
	Ex	ndled AL extended local															
	dia	- Bus.			UEPSB	UEPAW	2.38	2.38	2.27	1.42	1.33						
	Ex	ndled incoming only port with															
	Cal				UEPSB	UEPB1	2.38	2.38	2.27	1.42	1.33						
	Ex	Alabama Business Dialing Plan															
	wit				UEPSB	UEPWB	2.38	2.38	2.27	1.42	1.33						
	2-M	g Only Port without Caller ID															
	Cap				UEPSB	UEPBE	2.38	2.38	2.27	1.42	1.33						
	Sul				UEPSB	USASC	0.00	0.00	0.00								
F	RE																
	All				UEPSB	UEPVF	1.98	0.00	0.00								
E	NG	M)															
	2-M	BX Trunk - Res			UEPSE	UEPRD	2.38	31.27	14.85	13.94	0.90						
	2-M	2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.38	31.27	14.85	13.94	0.90						
	2-M	Outward PBX Trunk - Bus			UEPSP	UEPPO	2.38	31.27	14.85	13.94	0.90						
	2-M	Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.38	31.27	14.85	13.94	0.90						
	2-M	erminal PBX Trunk - Bus			UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90						
	2-M	PBX Alabama Calling Port			UEPSP	UEPA2	2.38	31.27	14.85	13.94	0.90						
	2-M	D Terminal Ports			UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90						
	2-M	PBX Usage Port			UEPSP	UEPXA	2.38	31.27	14.85	13.94	0.90						
	2-M	oll Terminal Hotel Ports			UEPSP	UEPXB	2.38	31.27	14.85	13.94	0.90						
	2-M	D DDD Terminals Port			UEPSP	UEPXC	2.38	31.27	14.85	13.94	0.90						
	2-M	D Terminal Switchboard Port			UEPSP	UEPXD	2.38	31.27	14.85	13.94	0.90						
	2-M	D Terminal Switchboard IDD															
	Ca				UEPSP	UEPXE	2.38	31.27	14.85	13.94	0.90						
	2-M	PBX Hotel/Hospital Economy															
	Adr				UEPSP	UEPXL	2.38	31.27	14.85	13.94	0.90						
	2-M	PBX Hotel/Hospital Economy															
	Ro				UEPSP	UEPXM	2.38	31.27	14.85	13.94	0.90						
	2-M	Outgoing PBX Hotel/Hospital															
	Dis				UEPSP	UEPXO	2.38	31.27	14.85	13.94	0.90						
	2-M	Outgoing PBX Measured Port			UEPSP	UEPXS	2.38	31.27	14.85	13.94	0.90						
	Sul				UEPSP	USASC	0.00	0.00	0.00								
F	RE																
	All				UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
N	ran	ed with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
N	ces	ket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
2	VC	ATES (DID)															
	Ex	ort			UEPEX	UEPP2	9.05	119.31	18.74	59.90	3.76						
2	VC	ATES (ISDN-BRI)															
	Ex	Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.79	72.77	52.99	47.79	10.74						
	All				UEPTX, UEPSX	UEPVF	1.98	0.00	0.00								
	Ex	Port -- Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
N	ran	ciated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
N	ces	Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
U	DL	ALL FORWARDING CAPABILITY															

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	DL RDING SERVICE - RESIDENCE															
	Un rding Service, Area Calling, Res			UEPVR	UERAC	2.38	2.38	2.27	1.42	1.33						
	Un rding Service, Local Calling - Res			UEPVR	UERLC	2.38	2.38	2.27	1.42	1.33						
	Un rding Service, InterLATA - Res			UEPVR	UERTE	2.38	2.38	2.27	1.42	1.33						
	Un rding Service, IntraLATA - Res			UEPVR	UERTR	2.38	2.38	2.27	1.42	1.33						
N	cur															
	Un rding Service - Conversion - Sw			UEPVR	USAC2		0.10	0.10								
	Un rding Service - Conversion with all			UEPVR	USACC		0.10	0.10								
U	DL RDING - Bus															
	Un rding Service, Area Calling - Bus			UEPVB	UERAC	2.38	2.38	2.27	1.42	1.33						
	Un rding Service, Local Calling - Bus			UEPVB	UERLC	2.38	2.38	2.27	1.42	1.33						
	Un rding Service, InterLATA - Bus			UEPVB	UERTE	2.38	2.38	2.27	1.42	1.33						
	Un rding Service, IntraLATA - Bus			UEPVB	UERTR	2.38	2.38	2.27	1.42	1.33						
	Un rding Service Expanded and Exc			UEPVB	UERVJ	2.38	2.38	2.27	1.42	1.33						
N	cur															
	Un rding Service - Conversion - Sw			UEPVB	USAC2		0.10	0.10								
	Un rding Service - Conversion with all			UEPVB	USACC		0.10	0.10								
UNBUND	OC AGE															
E	ice															
	End Per MOU					0.0007025										
	End Per MOU					0.0001638										
T	Sw cal or Access Tandem)															
	Tan or MOU					0.000095										
	Tan Per MOU					0.0002015										
	Tan or MOU (Melded)					0.000040993										
	Tan or MOU (Melded)					0.000086947										
M	Fac Rate															
C																
	Con Per MOU					0.0000023										
	Con Termination Per MOU					0.0003224										
UNBUND	OR COST BASED RATES															
>	ase e BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or															
S	Por															
>	NE eflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the															
T	Co in Accordance with the TRRO.															
>	es fied Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-															
A	Inbu is Rate Exhibit.															
>	ffic Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all															
co	ation elements except for UNE Coin Port/Loop Combinations.															
>	rst a curring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring															
ch	s sha in the Nonrecurring - Currently Combined sections.															
2	VO 2-WIRE LINE PORT (RES)															
U	ort/Lo															
	2-Wi Zone 1					13.70										
	2-Wi Zone 2					22.19										
	2-Wi Zone 3					35.80										
U	op															
	2-W) - Zone 1		1	UEPRX	UEPLX	11.55										
	2-W) - Zone 2		2	UEPRX	UEPLX	20.04										
	2-W) - Zone 3		3	UEPRX	UEPLX	33.65										
2	Voi (Res)															

- Alabama

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W esidence			UEPRX	UEPRL	2.15	40.19	19.83	24.91	6.63						
	2-W ith Caller ID - res			UEPRX	UEPRC	2.15	40.19	19.83	24.91	6.63						
	2-W tgoing only - res			UEPRX	UEPRO	2.15	40.19	19.83	24.91	6.63						
	2-W Alabama extended local dialing par			UEPRX	UEPAR	2.15	40.19	19.83	24.91	6.63						
	2-W usage line port with Caller ID (LL			UEPRX	UEPAP	2.15	40.19	19.83	24.91	6.63						
	2-W na Residence Dialing Plan with			UEPRX	UEPWA	2.15	40.19	19.83	24.91	6.63						
	2-W sage Line Port without Caller ID Car			UEPRX	UEPRT	2.15	40.19	19.83	24.91	6.63						
F	RES															
	All			UEPRX	UEPVF	1.98	0.00	0.00								
N	CU - CURRENTLY COMBINED															
	2-W - Port Combination - Conversion - Swi			UEPRX	USAC2		0.10	0.10								
	2-W Port Combination - Conversion - Swi			UEPRX	USACC		0.10	0.10								
	2-W Port Platform - Installation Ch - Not Conversion of Existing Ser			UEPRX	URECC		0.10									
A	ON															
	2-W ort Combination - Subsequent Act			UEPRX	USAS2	0.00	0.00	0.00								
	U Element, Tag Loop at End User Pro			UEPRX	URETL		8.33	0.83								
C	NNELS															
	2-W tension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2-W tension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2-W tension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2-W tension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2-W tension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2-W tension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
IN	FE															
	Int - 2 Wire Voice Grade - Facility Ter			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Int - 2 Wire Voice Grade - Per Mile or			UEPRX	U1TVM	0.008838	0.00	0.00								
2-	VO - WIRE LINE PORT (BUS)															
U	rt/I															
	2-W Zone 1					13.70										
	2-W Zone 2					22.19										
	2-W Zone 3					35.80										
U	op															
	2-W - Zone 1		1	UEPBX	UEPLX	11.55										
	2-W - Zone 2		2	UEPBX	UEPLX	20.04										
	2-W - Zone 3		3	UEPBX	UEPLX	33.65										
2	Voi															
	2-W ithout Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2-W h Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-W tgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2-W Alabama extended local dialing par			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
	2-W g only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
	2-W na Business Dialing Plan without Cal			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2-W g Only Port without Caller ID Car			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
F	RES															

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All			UEPBX	UEPVF	1.98	0.00	0.00								
N	CU															
	2-W															
	Swi			UEPBX	USAC2		0.10	0.10								
	2-W															
	Swi			UEPBX	USACC		0.10	0.10								
A	ON															
	2-W															
	Act			UEPBX	USAS2		0.00	0.00								
	Un															
	Pre			UEPBX	URETL		8.33	0.83								
O	PE															
	2-W		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2-W		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2-W		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2-W		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2-W		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2-W		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						
IN	OFF															
	Inte			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Inte			UEPBX	U1TVM	0.008838	0.00	0.00								
2	VG															
U	rt/															
	2-W					13.70										
	2-W					22.19										
	2-W					35.80										
U	por															
	2-W		1	UEPRG	UEPLX	11.55										
	2-W		2	UEPRG	UEPLX	20.04										
	2-W		3	UEPRG	UEPLX	33.65										
2	Voi															
	2-W			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
F	RES															
	All			UEPRG	UEPVF	1.98	0.00	0.00								
N	CU															
	2-W			UEPRG	USAC2		7.91	1.90								
	2-W			UEPRG	USACC		7.81	1.90								
A	ON															
	2-W			UEPRG	USAS2	0.00	0.00	0.00								
	PB						7.32	7.32								
	Grou															
	Unb			UEPRG	URETL		8.33	0.83								
O	U PRE															
	Loca		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
	Loca		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44						
	Loca		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44						
	Non		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
	Non		2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40						
	Non		3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40						
IN	OFF															
	Inte			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90						

UNBUN		- Alabama											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		- 2 Wire Voice Grade - Per Mile			UEPRG	U1TVM	0.008838	0.00	0.00								
	2	-WIRE LINE PORT (BUS - PBX)															
	U																
		Zone 1					13.70										
		Zone 2					22.19										
		Zone 3					35.80										
	U																
		) - Zone 1		1	UEPPX	UEPLX	11.55										
		) - Zone 2		2	UEPPX	UEPLX	20.04										
		) - Zone 3		3	UEPPX	UEPLX	33.65										
	2	US - PBX)															
		ion 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.15	69.08	32.41	37.43	6.20						
		PBX Trunk Port - Bus			UEPPX	UEPPO	2.15	69.08	32.41	37.43	6.20						
		PBX Trunk Port - Bus			UEPPX	UEPP1	2.15	69.08	32.41	37.43	6.20						
		Combination PBX Alabama			UEPPX	UEPA2	2.15	69.08	32.41	37.43	6.20						
		D Terminal Ports			UEPPX	UEPLD	2.15	69.08	32.41	37.43	6.20						
		Combination PBX Usage Port			UEPPX	UEPXA	2.15	69.08	32.41	37.43	6.20						
		oll Terminal Hotel Ports			UEPPX	UEPXB	2.15	69.08	32.41	37.43	6.20						
		D DDD Terminals Port			UEPPX	UEPXC	2.15	69.08	32.41	37.43	6.20						
		D Terminal Switchboard Port			UEPPX	UEPXD	2.15	69.08	32.41	37.43	6.20						
		D Terminal Switchboard IDD			UEPPX	UEPXE	2.15	69.08	32.41	37.43	6.20						
		PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.15	69.08	32.41	37.43	6.20						
		PBX Hotel/Hospital Economy			UEPPX	UEPXM	2.15	69.08	32.41	37.43	6.20						
		Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	2.15	69.08	32.41	37.43	6.20						
		Outgoing PBX Measured Port			UEPPX	UEPXS	2.15	69.08	32.41	37.43	6.20						
	F																
					UEPPX	UEPVF	1.98	0.00	0.00								
	N	CURRENTLY COMBINED															
		Port Combination (PBX) -			UEPPX	USAC2		7.91	1.90								
		Port Combination (PBX) -			UEPPX	USACC		7.91	1.90								
	A																
		Port Combination (PBX) -			UEPPX	USAS2	0.00	0.00	0.00								
		ge/Rearrange Multiline Hunt						7.32	7.32								
		Element, Tag Loop at End User			UEPPX	URETL		8.33	0.83								
	C	NNELS															
		termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
		termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
		termination		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Voice Grade		1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
		Voice Grade		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
		Voice Grade		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40						
	IN																
		- 2 Wire Voice Grade - Facility			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		- 2 Wire Voice Grade - Per Mile			UEPPX	U1TVM	0.008838	0.00	0.00								
	2	-WIRE ANALOG LINE COIN PORT															

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	rd/I															
	2-W bo – Zone 1					13.70										
	2-W bo – Zone 2					22.19										
	2-W bo – Zone 3					35.80										
U	op															
	2-W - Zone 1		1	UEPCO	UEPLX	11.55										
	2-W - Zone 2		2	UEPCO	UEPLX	20.04										
	2-W - Zone 3		3	UEPCO	UEPLX	33.65										
2-	Voi															
	2- ator Screening and without Blo			UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63						
	2-W or Screening (AL, KY)			UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63						
	2- or Screening and Blocking: 011, 900 IS)			UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63						
	2- or Screening and 011 Blocking (AL			UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63						
	2-W or Screening & Blocking: 900 l (AL, KY, LA, MS)			UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63						
	2- ator Screening and 011 Blocking (AL			UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63						
	2-W ator Screening and Blocking: 011 LA, MS)			UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63						
	2- Screening & Blocking: 900/976, 1+D Y, LA, MS)			UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63						
	2-W 00/976 (all states except LA)			UEPCO	UEPCK	2.15	40.19	19.83	24.91	6.63						
	2- with 900/976 (all states except LA)			UEPCO	UEPCR	2.15	40.19	19.83	24.91	6.63						
A	(RC)															
	sage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
N	ENTLY COMBINED															
	2- Port Combination - Conversion - Sw			UEPCO	USAC2		0.10	0.10								
	2- Port Combination - Conversion - Sw			UEPCO	USACC		0.10	0.10								
A																
	2- ort Combination - Subsequent Act			UEPCO	USAS2		0.00	0.00								
	Un Element, Tag Loop at End User Pro			UEPCO	URETL		8.33	0.83								
2-	VO GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
U	rt/Lo															
	2-W ort Combo - Zone 1					16.76										
	2-W ort Combo - Zone 2					25.23										
	2-W ort Combo - Zone 3					38.52										
U	op															
	2-Wire 2) - Zone 1		1	UEPFR	UECF2	14.38										
	2-Wire 2) - Zone 2		2	UEPFR	UECF2	22.85										
	2-Wire 2) - Zone 3		3	UEPFR	UECF2	36.14										
2-	Voice Voice (Res)															
	2-Wire - residence			UEPFR	UEPRL	2.38	90.38	57.27	48.66	8.77						
	2-Wire with Caller ID - res			UEPFR	UEPRC	2.38	90.38	57.27	48.66	8.77						
	2-Wire outgoing only - res			UEPFR	UEPRO	2.38	90.38	57.27	48.66	8.77						
	2-W Alabama extended local dialing pari			UEPFR	UEPAR	2.38	90.38	57.27	48.66	8.77						
	2-W usage line port with Caller ID (LU			UEPFR	UEPAP	2.38	90.38	57.27	48.66	8.77						
	2-W na Residence Dialing Plan with Caller ID			UEPFR	UEPWA	2.38	90.38	57.27	48.66	8.77						
N	FFI															

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte - 2 Wire Voice Grade - Facility Ter			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Inte - 2 Wire Voice Grade - Per Mile or F			UEPFR	1L5XX	0.008838										
F	PES															
	All F			UEPFR	UEPVF	1.98	0.00	0.00								
N	CU - CURRENTLY COMBINED															
	2-W nsport / 2 Wire Line Port Co witch-as-is			UEPFR	USAC2		8.48	1.87								
	2-W nsport / 2 Wire Line Port Co witch-With-Change			UEPFR	USACC		8.48	1.87								
	Un Element, Tag Designed Loop at En			UEPFR	URETN		11.21	1.10								
2	VG GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
U	4W															
	2-W ort Combo - Zone 1					16.76										
	2-W ort Combo - Zone 2					25.23										
	2-W ort Combo - Zone 3					38.52										
U	OP															
	2-W] - Zone 1		1	UEPFB	UECF2	14.38										
	2-W] - Zone 2		2	UEPFB	UECF2	22.85										
	2-W] - Zone 3		3	UEPFB	UECF2	36.14										
2	Voi															
	2-W ithout Caller ID - bus			UEPFB	UEPBL	2.38	90.38	57.27	48.66	8.77						
	2-W ith Caller + E484 ID - bus			UEPFB	UEPBC	2.38	90.38	57.27	48.66	8.77						
	2-W itgoing only - bus			UEPFB	UEPBO	2.38	90.38	57.27	48.66	8.77						
	2-W Alabama extended local dialing par			UEPFB	UEPAW	2.38	90.38	57.27	48.66	8.77						
	2-W ing only port with Caller ID - Bus			UEPFB	UEPB1	2.38	90.38	57.27	48.66	8.77						
	2-W a Business Dialing Plan without Call			UEPFB	UEPWB	2.38	90.38	57.27	48.66	8.77						
N	PES															
	Inte - 2 Wire Voice Grade - Facility Ter			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Inte - 2 Wire Voice Grade - Per Mile or F			UEPFB	1L5XX	0.008838										
F	PES															
	All F			UEPFB	UEPVF	1.98	0.00	0.00								
N	CU - CURRENTLY COMBINED															
	2-W nsport / 2 Wire Line Port Co witch-as-is			UEPFB	USAC2		8.48	1.87								
	2-W nsport / 2 Wire Line Port Co witch with change			UEPFB	USACC		8.48	1.87								
	Un Element, Tag Designed Loop at En			UEPFB	URETN		11.21	1.10								
2	VG GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
U	4W															
	2-W ort Combo - Zone 1					16.76										
	2-W ort Combo - Zone 2					25.23										
	2-W ort Combo - Zone 3					38.52										
U	OP															
	2-W] - Zone 1		1	UEPFP	UECF2	14.38										
	2-W] - Zone 2		2	UEPFP	UECF2	22.85										
	2-W] - Zone 3		3	UEPFP	UECF2	36.14										
2	Voi (BUS - PBX)															
	Line ation 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.38	119.27	69.85	61.18	8.34						
	Line PBX Trunk Port - Bus			UEPFP	UEPPO	2.38	119.27	69.85	61.18	8.34						
	Line PBX Trunk Port - Bus			UEPFP	UEPP1	2.38	119.27	69.85	61.18	8.34						

UNBUN	- Alabama											Attachment: 2 Ex. A			
CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W Combination PBX Alabama Ca			UEPFP	UEPA2	2.38	119.27	69.85	61.18	8.34						
	2-W LD Terminal Ports			UEPFP	UEPLD	2.38	119.27	69.85	61.18	8.34						
	2-W Combination PBX Usage Port			UEPFP	UEPXA	2.38	119.27	69.85	61.18	8.34						
	2-W oll Terminal Hotel Ports			UEPFP	UEPXB	2.38	119.27	69.85	61.18	8.34						
	2-W D DDD Terminals Port			UEPFP	UEPXC	2.38	119.27	69.85	61.18	8.34						
	2-W D Terminal Switchboard Port			UEPFP	UEPXD	2.38	119.27	69.85	61.18	8.34						
	2-W D Terminal Switchboard IDD Can			UEPFP	UEPXE	2.38	119.27	69.85	61.18	8.34						
	2-W PBX Hotel/Hospital Economy Adv			UEPFP	UEPXL	2.38	119.27	69.85	61.18	8.34						
	2-W PBX Hotel/Hospital Economy Roo			UEPFP	UEPXM	2.38	119.27	69.85	61.18	8.34						
	2-W Outgoing PBX Hotel/Hospital Disc			UEPFP	UEPXO	2.38	119.27	69.85	61.18	8.34						
	2-W Outgoing PBX Measured Port			UEPFP	UEPXS	2.38	119.27	69.85	61.18	8.34						
IN																
	Int - 2 Wire Voice Grade - Facility Ter			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Inte - 2 Wire Voice Grade - Per Mile or F			UEPFP	1L5XX	0.008838										
FE																
	All			UEPFP	UEPVF	1.98	0.00	0.00								
N	CU CURRENTLY COMBINED															
	2-W nsport / 2 Wire Line Port Co witch-as-is			UEPFP	USAC2		8.48	1.87								
	2-W nsport / 2 Wire Line Port Co witch with change			UEPFP	USACC		8.48	1.87								
	Un Element, Tag Designed Loop at End			UEPFP	URETN		11.21	1.10								
2-	VO NLY - WITH 2-WIRE DID TRUNK PORT															
U	ort/I															
	2-W nk Port Combo - UNE Zone 1					23.40										
	2-W nk Port Combo - UNE Zone 2					31.88										
	2-W nk Port Combo - UNE Zone 3					45.17										
U	op															
	2-W n - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
	2-W p - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85										
	2-W p - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										
U	ort P															
	Exch Port			UEPPX	UEPD1	9.02	207.31	73.74	107.14	11.20						
N	CU ENTLY COMBINED															
	2-W ire DID Trunk Port Combination - Swit			UEPPX	USAC1		7.31	1.87								
	2-W ire DID Trunk Port Conversion with nges			UEPPX	USA1C		7.31	1.87								
AD	ONA															
	2-Wire ctivity - Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78								
	Unb te Element, Tag Designed Loop at End			UEPPX	URETN		11.21	1.10								
Te	one Establisment Charges															
	DID (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID ive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Res numbers			UEPPX	ND6	0.00	0.00	0.00								
	Res			UEPPX	NDV	0.00	0.00	0.00								
2-	ISD WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
U	ort/I															

S - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ISDN Digital Line Side Port -					28.28										
	ISDN Digital Line Side Port -					38.86										
	ISDN Digital Line Side Port -					53.84										
	- UNE Zone 1		1	UEPPB UEPPR	USL2X	19.03										
	- UNE Zone 2		2	UEPPB UEPPR	USL2X	29.62										
	- UNE Zone 3		3	UEPPB UEPPR	USL2X	45.60										
	ine Side Port			UEPPR	UEPPR	9.24	190.01	132.76	100.67	21.28						
	Line Side Port			UEPPB	UEPPB	9.24	190.01	132.76	100.67	21.28						
	NTLY COMBINED															
	/ 2-Wire ISDN Line Side Port			UEPPB UEPPR	USACB	0.00	38.51	27.02								
	Element, Tag Designed Loop at			UEPPB UEPPR	URETN		11.21	1.10								
	Element, Tag Loop at End User			UEPPB UEPPR	URETL		8.33	0.83								
				UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	ILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
				UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	nly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	Channel B User Profile			UEPPB UEPPR	UEPVF	1.98	0.00	0.00								
	h, including first mile and			UEPPB UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
	ch, additional mile			UEPPB UEPPR	M1GNM	0.008838	0.00	0.00								
UNBUND	ATIONS - COST BASED RATES															
	AL,FL,GA,KY,LA,MS,&TN only)															
	Port (Centrex) Combo															
	Non-Design)															
	rade Port (Centrex) Port Combo -					13.70										
	rade Port (Centrex)Port Combo -					22.19										
	rade Port (Centrex)Port Combo -					35.80										
	Design)															
	rade Port (Centrex) Port Combo -					16.53										
	rade Port (Centrex)Port Combo -					25.00										
	rade Port (Centrex)Port Combo -					38.29										
	) - Zone 1		1	UEP91	UECS1	11.55										
	) - Zone 2		2	UEP91	UECS1	20.04										
	) - Zone 3		3	UEP91	UECS1	33.65										

UNBUN		- Alabama											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-W) - Zone 1		1	UEP91	UECS2	14.38										
		2-W) - Zone 2		2	UEP91	UECS2	22.85										
		2-W) - Zone 3		3	UEP91	UECS2	36.14										
	U	rts															
	A	as (Sout Carolina)															
		2-W ex) Basic Local Area			UEP91	UEPYA	2.15	40.19	19.83	24.91	6.63						
		2-W ex 800 termination)Basic Local Are			UEP91	UEPYB	2.15	40.19	19.83	24.91	6.63						
		2-W ex with Caller ID)Note1 Basic Loc			UEP91	UEPYH	2.15	40.19	19.83	24.91	6.63						
		2- ex from diff Serving Wire Center) Not			UEP91	UEPYM	2.15	90.38	57.27	48.66	8.77						
		2- erving Wire Center - 800 Service Ter			UEP91	UEPYZ	2.15	90.38	57.27	48.66	8.77						
		2- ated in on Megalink or equivalent I. Ba			UEP91	UEPY9	2.15	40.19	19.83	24.91	6.63						
		2- ated on 800 Service Term - Bas			UEP91	UEPY2	2.15	40.19	19.83	24.91	6.63						
	A	LA															
		2-W rex)			UEP91	UEPQA	2.15	40.19	19.83	24.91	6.63						
		2-W rex 800 termination)			UEP91	UEPQB	2.15	40.19	19.83	24.91	6.63						
		2-W rex with Caller ID)1			UEP91	UEPQH	2.15	40.19	19.83	24.91	6.63						
		2- ex from diff Serving Wire Cen			UEP91	UEPQM	2.15	90.38	57.27	48.66	8.77						
		2- erving Wire Center - 2,3 - 800 Ser			UEP91	UEPQZ	2.15	90.38	57.27	48.66	8.77						
		2- ated in on Megalink or equivalent			UEP91	UEPQ9	2.15	40.19	19.83	24.91	6.63						
		2- ated on 800 Service Term			UEP91	UEPQ2	2.15	40.19	19.83	24.91	6.63						
	L	wit															
		Cer ner port			UEP91	URECS	0.5488										
	F	s															
		All per port			UEP91	UEPVF	1.98										
		All r port			UEP91	UEPVS	0.00	405.52									
		All ffered, per port			UEP91	UEPVC	1.98										
	N																
		Un egister - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Un gister - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Un nister - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	M																
	2-	Tru															
		Tru			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
	In	ice															
		Inte ermination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Inte r mile or fraction of mile			UEP91	M1GBM	0.008838										
	F	Ac oops on Channelized DS1 Service															
	D	nnel ons															
		Fea Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
		Feat Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
		Fea nnel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.56										
		Fea nnel Bank Centrex Loop Slot - Diff			UEP91	1PQWP	0.56										
		Feat nnel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
		Fea nnel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.56										
		Fea nnel Bank WATS Loop Slot			UEP91	1PQWA	0.56										

UNBUN — D M — G - Alabama

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	ciated with UNE-P Centrex															
	Co ed Switch-As-Is with allowed ch			UEP91	USAC2		0.10	0.10								
	Co Common Block			UEP91	USACN		37.75	16.58								
	Ne on Block			UEP91	M1ACS	0.00	667.21									
	Ne mon Block			UEP91	M1ACC	0.00	667.21									
	Se			UEP91	M2CC1	0.00	78.02									
	NA er Occasion			UEP91	URECA	0.00	72.73									
A	nal (IRC)															
	Un Element, Tag Loop at End Use Pre			UEP91	URETL		8.33	0.83								
	Un Element, Tag Design Loop at En			UEP91	URETN		11.21	1.10								
U	CE ll States)															
2	/G Port (Centrex) Combo															
U	rd/I Non-Design)															
	2-W rade Port (Centrex) Port Combo - No					13.70										
	2-W rade Port (Centrex)Port Combo - No					22.19										
	2-W rade Port (Centrex)Port Combo - No					35.80										
U	rd/I Design)															
	2-W rade Port (Centrex) Port Combo - De					16.53										
	2-W rade Port (Centrex)Port Combo - De					25.00										
	2-W rade Port (Centrex)Port Combo - De					38.29										
U	OP															
	2-W) - Zone 1		1	UEP95	UECS1	11.55										
	2-W) - Zone 2		2	UEP95	UECS1	20.04										
	2-W) - Zone 3		3	UEP95	UECS1	33.65										
	2-W) - Zone 1		1	UEP95	UECS2	14.38										
	2-W) - Zone 2		2	UEP95	UECS2	22.85										
	2-W) - Zone 3		3	UEP95	UECS2	36.14										
U	rd P															
A	es															
	2-W ex) Basic Local Area			UEP95	UEPYA	2.15	40.19	19.83	24.91	6.63						
	2-W ex 800 termination)			UEP95	UEPYB	2.15	40.19	19.83	24.91	6.63						
	2-W ex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.15	40.19	19.83	24.91	6.63						
	2-W ex from diff Serving Wire Co			UEP95	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-W Serving Wire Center 2,3 - 800 Se a			UEP95	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-W ated in on Megalink or equivalent - Ba			UEP95	UEPY9	2.15	40.19	19.83	24.91	6.63						
	2-W ated on 800 Service Term - Ba			UEP95	UEPY2	2.15	40.19	19.83	24.91	6.63						
A	LA															
	2-W ex)			UEP95	UEPQA	2.15	40.19	19.83	24.91	6.63						
	2-W ex 800 termination)			UEP95	UEPQB	2.15	40.19	19.83	24.91	6.63						
	2-W ex with Caller ID)1			UEP95	UEPQH	2.15	40.19	19.83	24.91	6.63						
	2-W ex from diff Serving Wire Co			UEP95	UEPQM	2.15	90.38	57.27	48.66	8.77						
	2-W Serving Wire Center - 800 Service Te			UEP95	UEPQZ	2.15	90.38	57.27	48.66	8.77						

UNBUN		- Alabama											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-W ated in on Megalink or equivalent			UEP95	UEPQ9	2.15	40.19	19.83	24.91	6.63						
		2-W ated on 800 Service Term			UEP95	UEPQ2	2.15	40.19	19.83	24.91	6.63						
	L	wir															
		Co er port			UEP95	URECS	0.5488										
	F	s															
		All er port			UEP95	UEPVF	1.98										
		All r port			UEP95	UEPVS	0.00	405.52									
		All fered, per port			UEP95	UEPVC	1.98										
	N																
		Un gister - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Un gister - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Un gister - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	M																
	2																
					UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
	4																
		DS			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS			UEP95	M1HDO	0.00	14.48									
	In	ice															
		Inte rmination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Inte r mile or fraction of mile			UEP95	M1GBM	0.008838										
	F	Ar ops on Channelized DS1 Service															
	D																
		Fe nel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		Fe nel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Fe el Bank FX Trunk Side Loop Slo			UEP95	1PQW7	0.56										
		Fe nel Bank Centrex Loop Slot - Dir			UEP95	1PQWP	0.56										
		Fea nel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Fe el Bank Tjie Line/Trunk Loop Slo			UEP95	1PQWQ	0.56										
		Fe nel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	N	ur iated with UNE-P Centrex															
		MF bined Switch-As-Is with allowed cha			UEP95	USAC2		0.10	0.10								
		Co Common Block, each			UEP95	USACN		37.75	16.58								
		Ne n Block			UEP95	M1ACS	0.00	667.21									
		Ne mon Block			UEP95	M1ACC	0.00	667.21									
		NA er Occasion			UEP95	URECA	0.00	72.73									
	A	nal (IIRC)															
		Un Element, Tag Loop at End Use Pre			UEP95	URETL		8.33	0.83								
		Un Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
	U	CEN DMS Valid in All States)															
	2	VG L Port (Centrex) Combo															
	U	rt/L (Non-Design)															
		2-W Grade Port (Centrex) Port Combo - Non sign					13.70										
		2-W Grade Port (Centrex)Port Combo - Non sign					22.19										
		2-W Grade Port (Centrex)Port Combo - Non sign					35.80										
	U	rt/L Design)															

UNBUN... D M... S - Alabama

Attachment: 2 Ex. A

CATEGOR...	...EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W... ...rade Port (Centrex) Port Combo - Des...					16.53										
	2-W... ...rade Port (Centrex)Port Combo - Des...					25.00										
	2-W... ...rade Port (Centrex)Port Combo - Des...					38.29										
U...	or...															
	2-W... ...) - Zone 1		1	UEP9D	UECS1	11.55										
	2-W... ...) - Zone 2		2	UEP9D	UECS1	20.04										
	2-W... ...) - Zone 3		3	UEP9D	UECS1	33.65										
	2-W... ...) - Zone 1		1	UEP9D	UECS2	14.38										
	2-W... ...) - Zone 2		2	UEP9D	UECS2	22.85										
	2-W... ...) - Zone 3		3	UEP9D	UECS2	36.14										
U...	H...															
A...	AT...															
	2-W... ...ex) Basic Local Area			UEP9D	UEPYA	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex 800 termination)Basic Local Area			UEP9D	UEPYB	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex/Caller ID/Msg Wtg Lamp Indi...			UEP9D	UEPYW	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex/Msg Wtg Lamp Indication))4 Bas...			UEP9D	UEPYJ	2.15	40.19	19.83	24.91	6.63						
	2-W... ...ex from diff Serving Wire Center) 2,3...			UEP9D	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-PSET)2,3,4 Bas...			UEP9D	UEPYO	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-M5009)2,3,4 Bas...			UEP9D	UEPYP	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-5209)2,3,4 Bas...			UEP9D	UEPYQ	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-M5112)2,3,4 Bas...			UEP9D	UEPYR	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-M5312)2,3,4 Bas...			UEP9D	UEPYS	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-M5008)2,3,4 Bas...			UEP9D	UEPY4	2.15	90.38	57.27	48.66	8.77						
	2-W... ...ex/differ SWC /EBS-M5208)2, 3 Bas...			UEP9D	UEPY5	2.15	90.38	57.27	48.66	8.77						

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ev/differ SWC /EBS-M5216)2,3,4 Bas			UEP9D	UEPY6	2.15	90.38	57.27	48.66	8.77						
	2-W ev/differ SWC /EBS-M5316)2,3,4 Bas			UEP9D	UEPY7	2.15	90.38	57.27	48.66	8.77						
	2-W ving Wire Center - 800 Service Ter			UEP9D	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-W ated in on Megalink or equivalent Bas			UEP9D	UEPY9	2.15	40.19	19.83	24.91	6.63						
	2-W nated on 800 Service Term Basic Lon			UEP9D	UEPY2	2.15	40.19	19.83	24.91	6.63						
A	LA															
	2-W ex)			UEP9D	UEPQA	2.15	40.19	19.83	24.91	6.63						
	2-W ex 800 termination)			UEP9D	UEPQB	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-PSET)4			UEP9D	UEPQC	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5009)4			UEP9D	UEPQD	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5209)4			UEP9D	UEPQE	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5112)4			UEP9D	UEPQF	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5312)4			UEP9D	UEPQG	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5008)4			UEP9D	UEPQT	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5208)4			UEP9D	UEPQU	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5216)4			UEP9D	UEPQV	2.15	40.19	19.83	24.91	6.63						
	2-W ex / EBS-M5316)4			UEP9D	UEPQ3	2.15	40.19	19.83	24.91	6.63						
	2-W ex with Caller ID)			UEP9D	UEPQH	2.15	40.19	19.83	24.91	6.63						
	2-W w/Caller ID/Msg Wtg Lamp Ind			UEP9D	UEPQW	2.15	40.19	19.83	24.91	6.63						
	2-W ex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.15	40.19	19.83	24.91	6.63						
	2-W ov from diff Serving Wire Center) 2,3			UEP9D	UEPQM	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	2.15	90.38	57.27	48.66	8.77						
	2-W ex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	2.15	90.38	57.27	48.66	8.77						
	2-W Serving Wire Center - 800 Service Ter			UEP9D	UEPQZ	2.15	90.38	57.27	48.66	8.77						
	2-W minated in on Megalink or equivalent			UEP9D	UEPQ9	2.15	40.19	19.83	24.91	6.63						
	2-W minated on 800 Service Term			UEP9D	UEPQ2	2.15	40.19	19.83	24.91	6.63						
Lo	Switch															
	Cen per port			UEP9D	URECS	0.5488										
Fe	s															
	All per port			UEP9D	UEPVF	1.98										
	All per port			UEP9D	UEPVS	0.00	405.52									
	All ffered, per port			UEP9D	UEPVC	1.98										
N																
	Un nister - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						

UNBUN		- Alabama											Attachment: 2 Ex. A			
CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Un	egister - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Un	egister - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00					
	M															
	2															
					UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76					
	4															
	DS				UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46					
	DS	Channel			UEP9D	M1HDO	0.00	14.48								
	In															
		ermination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90					
		er mile or fraction of mile			UEP9D	M1GBM	0.008838									
	F	**oops on Channelized DS1 Service**														
	D															
		nel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56									
		nel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56									
		nel Bank FX Trunk Side Loop			UEP9D	1PQW7	0.56									
		nel Bank Centrex Loop Slot -			UEP9D	1PQWP	0.56									
		nel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56									
		el Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.56									
		nel Bank WATS Loop Slot			UEP9D	1PQWA	0.56									
	N	**iated with UNE-P Centrex**														
		bined Switch-As-Is with allowed			UEP9D	USAC2		0.10	0.10							
		Common Block, each			UEP9D	USACN		37.75	16.58							
		n Block			UEP9D	M1ACS	0.00	667.21								
		mon Block			UEP9D	M1ACC	0.00	667.21								
		er Occasion			UEP9D	URECA	0.00	72.73								
	A	IRC)														
		Element, Tag Loop at End Use			UEP9D	URETL		8.33	0.83							
		Element, Tag Design Loop at			UEP9D	URETN		11.21	1.10							
	U	L, FL, KY, LA, MS & TN)														
	2	Port (Centrex) Combo														
	U	Non-Design)														
		rade Port (Centrex) Port Combo -					13.70									
		rade Port (Centrex)Port Combo -					22.19									
		rade Port (Centrex)Port Combo -					35.80									
	U	Design)														
		rade Port (Centrex) Port Combo -					16.53									
		rade Port (Centrex)Port Combo -					25.00									
		rade Port (Centrex)Port Combo -					38.29									
	U															
		) - Zone 1		1	UEP9E	UECS1	11.55									
		) - Zone 2		2	UEP9E	UECS1	20.04									
		) - Zone 3		3	UEP9E	UECS1	33.65									
		) - Zone 1		1	UEP9E	UECS2	14.38									
		) - Zone 2		2	UEP9E	UECS2	22.85									

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGOR	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W - Zone 3		3	UEP9E	UECS2	36.14										
U																
A	K															
	2-W ex) Basic Local Area			UEP9E	UEPYA	2.15	40.19	19.83	24.91	6.63						
	2-W ex 800 termination)Basic Local Are			UEP9E	UEPYB	2.15	40.19	19.83	24.91	6.63						
	2-W ex with Caller ID)1Basic Local Are			UEP9E	UEPYH	2.15	40.19	19.83	24.91	6.63						
	2-W ex from diff Serving Wire Ce			UEP9E	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-W erving Wire Center 2.3 - 800 Se e			UEP9E	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-W ated in on Megalink or equivalent - Be			UEP9E	UEPY9	2.15	40.19	19.83	24.91	6.63						
	2-W ated on 800 Service Term - Bas			UEP9E	UEPY2	2.15	40.19	19.83	24.91	6.63						
A	LA															
	2-W tex)			UEP9E	UEPQA	2.15	40.19	19.83	24.91	6.63						
	2-W ex 800 termination)			UEP9E	UEPQB	2.15	40.19	19.83	24.91	6.63						
	2-W ex with Caller ID)1			UEP9E	UEPQH	2.15	40.19	19.83	24.91	6.63						
	2-W ex from diff Serving Wire Ce			UEP9E	UEPQM	2.15	90.38	57.27	48.66	8.77						
	2-W erving Wire Center 2.3 - 800 Se			UEP9E	UEPQZ	2.15	90.38	57.27	48.66	8.77						
	2-W ated in on Megalink or equivalent			UEP9E	UEPQ9	2.15	40.19	19.83	24.91	6.63						
	2-W ated on 800 Service Term			UEP9E	UEPQ2	2.15	40.19	19.83	24.91	6.63						
L	wit															
	Ce per port			UEP9E	URECS	0.5488										
Fe	s															
	All . per port			UEP9E	UEPVF	1.98										
	All s port			UEP9E	UEPVS	0.00	405.52									
	All ffered, per port			UEP9E	UEPVC	1.98										
N																
	Un gister - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un gister - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un gister - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
M	ane															
2	Tru															
	Tru			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4	Digi															
	DS ech			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS Channel			UEP9E	M1HDO	0.00	14.48									
In	ice															
	Inte ermination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Inte or mile or fraction of mile			UEP9E	M1GBM	0.008838										
Fe	e Ac oops on Channelized DS1 Service															
D	nnel ions															
	Fea Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
	Fea Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
	Fea nnel Bank FX Trunk Side Loop Slo			UEP9E	1PQW7	0.56										
	Fea nel Bank Centrex Loop Slot - Diff			UEP9E	1PQWP	0.56										
	Fea annel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	Fea nnel Bank Tjie Line/Trunk Loop Slo			UEP9E	1PQWQ	0.56										

UNBUN		- Alabama											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		nel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
	N	iated with UNE-P Centrex															
		bined Switch-As-Is with allowed			UEP9E	USAC2		0.10	0.10								
		Common Block, each			UEP9E	USACN		37.75	16.58								
		n Block			UEP9E	M1ACS	0.00	667.21									
		mon Block			UEP9E	M1ACC	0.00	667.21									
		er Occasion			UEP9E	URECA	0.00	72.73									
	A	IRC)															
		Element, Tag Loop at End Use			UEP9E	URETL		8.33	0.83								
		Element, Tag Design Loop at			UEP9E	URETN		11.21	1.10								
	U	L, KY, LA, MS, & TN)															
	2	Port (Centrex) Combo															
	U	Non-Design)															
		Trade Port (Centrex) Port Combo -					13.70										
		Trade Port (Centrex)Port Combo -					22.19										
		Trade Port (Centrex)Port Combo -					35.80										
	U	Design)															
		Trade Port (Centrex) Port Combo -					16.53										
		Trade Port (Centrex)Port Combo -					25.00										
		Trade Port (Centrex)Port Combo -					38.29										
	U	op															
		) - Zone 1		1	UEP93	UECS1	11.55										
		) - Zone 2		2	UEP93	UECS1	20.04										
		) - Zone 3		3	UEP93	UECS1	33.65										
		) - Zone 1		1	UEP93	UECS2	14.38										
		) - Zone 2		2	UEP93	UECS2	22.85										
		) - Zone 3		3	UEP93	UECS2	36.14										
	U																
	A	LA															
		ex) Basic Local Area			UEP93	UEPYA	2.15	40.19	19.83	24.91	6.63						
		ex 800 termination)Basic Local			UEP93	UEPYB	2.15	40.19	19.83	24.91	6.63						
		ex with Caller ID)1Basic Local			UEP93	UEPYH	2.15	40.19	19.83	24.91	6.63						
		ex from diff Serving Wire			UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77						
		Serving Wire Center - 2,3 - 800			UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77						
		ated in on Megalink or equivalent			UEP93	UEPY9	2.15	40.19	19.83	24.91	6.63						
		ated on 800 Service Term -			UEP93	UEPY2	2.15	40.19	19.83	24.91	6.63						
		ex)			UEP93	UEPQA	2.15	40.19	19.83	24.91	6.63						
		ex 800 termination)			UEP93	UEPQB	2.15	40.19	19.83	24.91	6.63						
		ex with Caller ID)1			UEP93	UEPQH	2.15	40.19	19.83	24.91	6.63						
		ex from diff Serving Wire			UEP93	UEPQM	2.15	90.38	57.27	48.66	8.77						
		erving Wire Center - 2,3 -800			UEP93	UEPQZ	2.15	90.38	57.27	48.66	8.77						

UNBUN - Alabama

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ated in on Megalink or equivalent			UEP93	UEPQ9	2.15	40.19	19.83	24.91	6.63						
	2-W ated on 800 Service Term			UEP93	UEPQ2	2.15	40.19	19.83	24.91	6.63						
L	wit															
	Ce per port			UEP93	URECS	0.5488										
Fe	s															
	All per port			UEP93	UEPVF	1.98										
	All fered, per port			UEP93	UEPVC	1.98										
N																
	Un gister - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un gister - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un gister - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
M	anc															
2-	Tru															
	Tru			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
4-	Dig															
	DS			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS Channel			UEP93	M1HDO	0.00	14.48									
In	ce															
	Inte ermination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Inte er mile or fraction of mile			UEP93	M1GBM	0.008838										
Fe	Ac oops on Channelized DS1 Service															
D	nne															
	Fea nel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
	Fea nel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Fea nel Bank FX Trunk Side Loop Slo			UEP93	1PQW7	0.56										
	Fea nel Bank Centrex Loop Slot - Diff			UEP93	1PQWP	0.56										
	Fea nel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Fea nel Bank Tie Line/Trunk Loop Slo			UEP93	1PQWQ	0.56										
	Fea nel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
N	cu lated with UNE-P Centrex															
	NE bined Switch-As-Is with allowed cha ge			UEP93	USAC2		0.10	0.10								
	Co Common Block, each			UEP93	USACN		37.75	16.58								
	Ne n Block			UEP93	M1ACS	0.00	667.21									
	Ne mon Block			UEP93	M1ACC	0.00	667.21									
	NA er Occasion			UEP93	URECA	0.00	72.73									
A	nal (NRC)															
	Un e Element, Tag Loop at End Use Pre			UEP93	URETL		8.33	0.83								
	Un e Element, Tag Design Loop at End Use Premises			UEP93	URETN		11.21	1.10								
No	- Req Control in 1AESS, 5ESS & EWSD															
No	- Req nel Mileage															
No	- Inst of Installation charge for SL2 Loop and Port															
No	- Req er Premises Equipment															
No	Rate rim column are interim as a result of a Commission order.															

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
T	ne															
	stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website:															
ht	ww															
	.com/become_a_clec/html/interconnection.htm															
OPERATI	SI			"REGIONAL RATES"												
N	(1)															
	ontract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may															
el	he															
	ssion ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in															
es	the															
N	(2)															
	rdered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that															
ca	be															
	resent per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN,															
w	app															
	it submits an LSR to BellSouth.															
	OS															
	Charge, Per Local Service															
	Re				SOMEC		3.50	0.00	3.50	0.00						
	OS															
	harge, Per Local Service Request															
	(LS				SOMAN		11.90	0.00	1.83	0.00						
UNE SER	D			GE												
N	Th															
	aintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA											
UN	it or Line Assignable USOC, per															
Da					SDASP		200.00									
UNBUND	XC															
2	AN			OR												
2-M	p - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
2-M	p - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
2-M	p - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
2-M	p - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
2-M	p - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
2-M	p - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
Un	Element, Tag Loop at End User															
Pre				UEANL	URETL		8.33	0.83								
Lo	Hour			UEANL	URET1		48.65	48.65								
Lo	Half Hour			UEANL	URETA		23.95	23.95								

UNBUN - Florida

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CL ge Without Outside Dispatch (UN			UEANL	UREWO		15.78	8.94								
	Un sign Voice Loop, billing for BST pro ering Information - E.I.)			UEANL	UEANM		13.49									
	Ma UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Ov Conversion Time for UVL-SL1 (per			UEANL	OCOSL		23.02									
2-	Un															
	2-W p - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
	2-W p - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	2-W p - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Un Element, Tag Loop at End User Pre			UEQ	URETL		8.33	0.83								
	Me ire Unbundled Copper Loop - Non			UEQ	USBMC		9.00									
	Un Design Cooper Loop, billing for BST ering Information - E.I.)			UEQ	UEQMU		13.49									
	Loo Hour			UEQ	URET1		48.65	48.65								
	Loo l Half Hour			UEQ	URETA		23.95	23.95								
	CL rge Without Outside Dispatch (UCL			UEQ	UREWO		14.27	7.43								
UNBUNDL	XC															
2-	AN OP															
	2-W -Service Level 1-Line Splitting-Zon		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	2-W -Service Level 1-Line Splitting-Zon		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	2-W - Service Level 1-Line Splitting-Zon		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
	2-W - Service Level 1-Line Splitting-Zon		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2-W -Service Level 1-Line Splitting-Zon		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2-W -Service Level 1-Line Splitting-Zon		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
UNBUNDL	XC															
2-	AN OP															
	2-W p - Service Level 2 w/Loop or Gro 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-W p - Service Level 2 w/Loop or Gro 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
	2-W p - Service Level 2 w/Loop or Gro 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
	Ord d Conversion Time (per LSR)			UEA	OCOSL		23.02									
	2-W - Service Level 2 w/Reverse Batt		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-W p - Service Level 2 w/Reverse Batt		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-W p - Service Level 2 w/Reverse Batt		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Orde Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLE charge without outside dispatch			UEA	UREWO		87.71	36.35								
	Loo Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-	AN OP															
	4-W p - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-W p - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-W p - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
	Ord d Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLE rge without outside dispatch			UEA	UREWO		87.71	36.35								

UNBUN... - Florida

Attachment: 2 Ex. A

CATEGO...		...EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	ISI																
	2-W...	...n - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
	2-W...	...n - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
	2-W...	...n - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	Ord...	...ed Conversion Time (per LSR)			UDN	OCOSL		23.02									
	CLF...	...arge without outside dispatch			UDN	UREWO		91.61	44.15								
2	AS...	...UBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2-W...	...including manual service inquiry & fa...		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	2-W...	...including manual service inquiry & fa...		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	2-W...	...including manual service inquiry & fa...		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	Ord...	...ed Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2-W...	...without manual service inquiry & fac...		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	2-W...	...without manual service inquiry & fac...		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2-W...	...without manual service inquiry & fac...		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	Ord...	...ed Conversion Time (per LSR)			UAL	OCOSL		23.02									
	CLF...	...arge without outside dispatch			UAL	UREWO		86.19	40.39								
2	HF...	...SCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2-W...	...including manual service inquiry & fa...		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2-W...	...including manual service inquiry & fa...		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2-W...	...including manual service inquiry & fa...		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	Ord...	...ed Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2-W...	...without manual service inquiry and ...		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2-W...	...without manual service inquiry and ...		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2-W...	...without manual service inquiry and ...		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	Ord...	...ed Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLF...	...arge without outside dispatch			UHL	UREWO		86.12	40.39								
4	HF...	...SCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4-W...	...including manual service inquiry and ...		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-W...	...including manual service inquiry and ...		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-W...	...including manual service inquiry and ...		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	Ord...	...ed Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-W...	...without manual service inquiry and ...		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-W...	...without manual service inquiry and ...		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-W...	...without manual service inquiry and ...		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	Ord...	...ed Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLF...	...arge without outside dispatch			UHL	UREWO		86.12	40.39								
4	DS...																
	4-W...	...e 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-W...	...e 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-W...	...e 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	Ord...	...ed Conversion Time (per LSR)			USL	OCOSL		23.02									

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLF rge without outside dispatch			USL	UREWO		101.07	43.04								
4	19 GRADE LOOP															
	4 W Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 W Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4 W Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 W 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 W 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
	4 W 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
	Ord Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 W 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
	4 W 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4 W 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Ord Conversion Time (per LSR)			UDL	OCOSL		23.02									
	CLF rge without outside dispatch			UDL	UREWO		102.11	49.74								
2	Un															
	2-W n-Designed including manual ser tion - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-W n-Designed including manual ser tion - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2-W n-Designed including manual ser tion - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	Ord lled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-W n-Designed without manual ser vation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-W n-Designed without manual ser vation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2-W n-Designed without manual ser vation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Ord lled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLF rge without outside dispatch (UC			UCL	UREWO		97.21	42.47								
4	CC															
	4-W ncluding manual service inquiry and		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-W ncluding manual service inquiry and		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
	4-W ncluding manual service inquiry and		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	Ord lled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-W ithout manual service inquiry and		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4-W ithout manual service inquiry and		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4-W ithout manual service inquiry and		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	Ord lled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLF rge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MO CATI																
	Unbu Removal of Load Coils - 2 Wire pair loop Basic or equal to 18K ft. per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L	0.00	0.00									
	Unl Removal of Load Coils - 4 Wire less er Unbundled Loop			UHL, UCL, UEA	ULM4L	0.00	0.00									
	Unb Removal of Bridged Tap Removal, per			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT	10.52	10.52									
SUB-LOC																

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sp															
	Sub-tion - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		487.23									
	Sub-ation - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		6.25									
	Sub-ment Room - CLEC Feeder Fac	I		UEANL	USBSC		169.25									
	Sub-ment Room - Per 25 Pair Panel Set	I		UEANL	USBSD		38.65									
	Sub-e Analog Voice Grade Loop - Zon		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-e Analog Voice Grade Loop - Zon		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-e Analog Voice Grade Loop - Zon		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Ord-led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-e Analog Voice Grade Loop - Zon		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-e Analog Voice Grade Loop - Zon		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-e Analog Voice Grade Loop - Zon		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Ord-led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Ord-led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Ord-led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loo-Hour			UEANL	URET1		48.65	48.65								
	Loo-Half Hour			UEANL	URETA		23.95	23.95								
	2W-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
	2W-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2W-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
	Ord-led Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4W-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4W-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4W-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Ord-led Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loo-Hour			UEF	URET1		48.65	48.65								
	Loo-Half Hour			UEF	URETA		23.95	23.95								
U	Ne-e (UNTW)															
	Unb-g Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
N	Net															
	Net-1-2 lines			UENTW	UND12		71.49	48.87								
	Net-1-6 lines			UENTW	UND16		113.89	89.07								
	Net-Connect - 2 W			UENTW	UNDC2		7.63	7.63								
	Net-Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE OTH																
	NII-er for NID installation			UENTW	UNDBX	0.00	0.00									
	UP-, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unb-rovisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTH																

- Florida

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Un visioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00									
	Un Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Un Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Un ame Format Option - no rate			USL	CCOSF	0.00	0.00									
	Un d Superframe Format option - no			USL	CCOEF	0.00	0.00									
HIGH CA	VI															
	Hig Loop - DS3 - Per Mile per mo			UE3	1L5ND	10.92										
	Hig Loop - DS3 - Facility Te			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366						
	Hig Loop - STS-1 - Per Mile per mo			UDLSX	1L5ND	10.92										
	Hig Loop - STS-1 - Facility Ter			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366						
LOOP MA	lo															
	Loo hout Reservation, per working or spa			UMK	UMKLW		52.17	52.17								
	Loo n Reservation, per spare facility qu			UMK	UMKLP		55.07	55.07								
	Loo Reservation, per working or sp end)			UMK	UMKMQ		0.6784	0.6784								
LINE SPL	O															
	LI SPLI															
	E ER															
	Line ICE BASED															
	Line on DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line on BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
	Line n BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
MAINTEN	OF															
	M The maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	No ir increments - Basic						80.00	55.00								
	No ir increments - Overtime						90.00	65.00								
	No ir increments - Premium						100.00	75.00								
UNBUND	ED															
	IN ED TRANSPORT															
	Inte Transport - 2-Wire Voice Grade - Per			U1TVX	1L5XX	0.0091										
	Inte Transport- 2- Wire Voice Grade - Fac			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Inte Transpor t- 2-Wire Voice Grade Re			U1TVX	1L5XX	0.0091										
	Inte Transport- 2- Wire VG Rev Bat. - Facil			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Inte d Transport - 4-Wire Voice Grade - Per			U1TVX	1L5XX	0.0091										
	Inte ed Transport - 4- Wire Voice Grade - Facility			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Inte Transport - 56 kbps - per mile per			U1TDX	1L5XX	0.0091										
	Inte Transport - 56 kbps - Facility Ter			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	Inte Transport - 64 kbps - per mile per			U1TDX	1L5XX	0.0091										
	Inte Transport - 64 kbps - Facility Ter			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						

UNBUN	D NE	S - Florida										Attachment: 2 Ex. A					
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte mo	Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.1856										
	Inte Ter	Tranport - DS1 - Facility			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Inte mo	Transport - DS3 - Per Mile per			U1TD3	1L5XX	3.87										
	Inte Ter	Transport - DS3 - Facility			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	Inte mo	Transport - STS-1 - Per Mile per			U1TS1	1L5XX	3.87										
	Inte Ter	Transport - STS-1 - Facility			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FIE																	
	De The	Per Route Mile or Fraction annel			UDF, UDFCX	1L5DC	53.87										
	De The	Per Route Mile or Fraction Channel			UDF, UDFCX	1L5DF	26.85										
	NE	annel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
	De The	Per Route Mile or Fraction			UDF, UDFCX	1L5DL	53.87										
8XX ACC	EN																
	8X	n, Per Call					0.0006252										
	8X	g, w/ 8FL No. Delivery, per query					0.0006252										
	8X que	n, w/ POTS No. Delivery, per					0.0006252										
LINE INF	TC	IDB)															
	LID	uery					0.0000203										
	LID						0.0136959										
	LID	tablishment or Change			OQU	NRBPX		55.13	55.13	55.13	55.13						
CALLING	EC																
	CN	ery					0.001024										
	CN	Query					0.001024										
LNP Que	vice																
	LN						0.000852										
	LN	nual						13.83	13.83	12.71	12.71						
	LN	Point Code Establishment						655.50	334.88	297.03	218.40						
SELECTI	UT																
	Se Sw	ne Class Code Per Request Per						93.55	93.55	12.71	12.71						
VIRTUAL	OC																
	Vir Spl	Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICA	LO																
	Ph Spl	ss Connects (Loop) for Line			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELF	EC																
	Rec							193,444.00		7,737.00							
	En							187.36	187.36	0.69	0.69						
	Qu						0.0031868										
AIN - BEI	ITP	2E															
	AIN Init	ice Establishment, Per State,			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AIN	Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN	Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN ID	Identification Codes - Per User			A1N	CAMAU		38.66	38.66	29.88	29.88						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Initia	...ity Card, Per User ID Code,			A1N	CAMRC		75.10	75.10	12.93	12.93						
	All	...ge, Per Unit (100 Kilobytes)					0.0028									
	All	...ion, Per Minute					0.7809									
	All Minu	...any Performed Session, Per					0.4609									
ENHANC	TE															
	N The	...n-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.														
	N The	...Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.														
	2 VC	...E IN A COMBINATION														
	2	...ination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81					
	2	...ination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81					
	2	...ination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81					
	Voi	...n			UNCVX	1D1VG	1.38	10.07	7.08							
	4 VC	...E IN A COMBINATION														
	4	...op in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81					
	4	...oop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81					
	4	...oop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81					
	Voi	...tion - per month			UNCVX	1D1VG	1.38	10.07	7.08							
	4 56	...USE IN A COMBINATION														
	4	...Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81					
	4	...Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81					
	4	...Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81					
	OC	...th (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08							
	4 64	...USE IN A COMBINATION														
	4	...Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81					
	4	...Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81					
	4	...Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81					
	OC	...bination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08							
	2 IS	...MBINATION														
	2	...tion - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81					
	2	...tion - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81					
	2	...tion - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					
	2	...combination - per month			UNCNX	UC1CA	3.66	10.07	7.08							
	4 DS	...E IN A COMBINATION														
	4	...bination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					
	4	...bination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45					
	4	...bination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					
	DS	...month			UNC1X	UC1D1	13.76	10.07	7.08							
	2 VC	...E TRANSPORT FOR USE IN A COMBINATION														
	Inte Mon	...S - Dedicated- Per Mile Per			UNCVX	1L5XX	0.0091									
	Inte Ter	...S - Dedicated - Facility			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53					
	4 VC	...E TRANSPORT FOR USE IN A COMBINATION														
	Inte Mon	...G - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0091									
	Inte Termination per	...VG - Dedicated - Facility			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53					
	DS TER	...OR COMBINATION														
	Inte per	...ed - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856									
	Inte Term	...ed - DS1 combination - Facility			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	DS TER	...R USE IN A COMBINATION														
	Inte Per	...ed - DS3 combination - Per Mile			UNC3X	1L5XX	3.87									
	Inte mo	...ed - DS3 - Facility Termination per			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56					

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
S	OR USE IN COMBINATION															
	- STS-1 combination - Per Mile			UNCSX	1L5XX	3.87										
	- STS-1 combination - Facility			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
4	H 56 KBPS INTEROFFICE TRANSPORT															
	ombination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	ombination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	mbination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	- 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0091										
	- 4-wire 56 kbps combination -			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
4	LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
	mbination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	inbination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	ombination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	- 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0091										
	- 4-wire 64 kbps combination -			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
4	LOOP WITH DS0 INTEROFFICE TRANSPORT															
	ombination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	ombination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	ombination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	sport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0091										
	nport - Dedicated - Facility			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
4	LOOP WITH DS0 INTEROFFICE TRANSPORT															
	ombination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	ombination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	ombination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	nport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0091										
	nport - Dedicated - Facility			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
D	OFFICE TRANSPORT															
	bination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	bination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	bination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	- DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	- DS1 combination - Facility			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
D	D INTEROFFICE TRANSPORT															
	- per mile per month			UNC3X	1L5ND	12.558										
	- Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						
	- DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	- DS3 combination - Facility			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
S	ED STS-1 INTEROFFICE TRANSPORT															
	- per mile per month			UNCSX	1L5ND	12.558										
	- Facility Termination per			UNCSX	UDLS1	490.59	639.8255	394.4615	159.9995	111.366						
	- STS-1 combination - per mile			UNCSX	1L5XX	3.87										

UNBUN - Florida

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte - STS-1 combination - Facility			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
ADDITION	ET															
	W combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	W etwork elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	N twork Elements "Switch As Is" Charge (One applies to each combination)															
	No d Network Elements Switch -As- Is			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		8.98	8.98	8.98	8.98						
C																
	Cle ded Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Cle FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Cle SF) Option - Snbsequent Act	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
	C-hi nt Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
M	LE															
	DS er month			UNC1X	MQ1	146.77	101.42	71.62								
	OC DS0 Channel System - per mo ocal Loop			UDL	1D1DD	2.10	10.07	7.08								
	OC DS0 Channel System - per mo nection to a channelized DS1 Loc C as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2- to DS0 Channel Systsem - per mo			UDN	UC1CA	3.66	10.07	7.08								
	2- to DS0 Channel Systsem - per mo channelized DS1 Local Channel in t n			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voi 0 Channel System - per month use			UEA	1D1VG	1.38	10.07	7.08								
	Voi 0 Channel System - per month use lized DS1 Local Channel in the sam			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
	DS per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS n per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS month			USL	UC1D1	13.76	10.07	7.08								
	DS to a channelized DS1 Local Cha collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS1 n Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS used with Local Channel per mon			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
UNBUNDI	OC G(PORTS)															
	T Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005															
	ar nsis ed Rates Plus $1.00 in Accordance with the TRRO.															
	Ex ge															
	NO Altho ludes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2- VO PATES (RES)															
	Exch log Line Port- Res.			UEPSR	UEPRL	2.40	3.74	3.63	1.88	1.80						
	Exch log Line Port with Caller ID - Res.			UEPSR	UEPRC	2.40	3.74	3.63	1.88	1.80						
	IAME?			UEPSR	UEPRO	2.40	3.74	3.63	1.88	1.80						
	Exch bundled Florida area calling with Call			UEPSR	UEPAF	2.40	3.74	3.63	1.88	1.80						
	Exch bundled Florida Residence Area Call capability			UEPSR	UEPA9	2.40	3.74	3.63	1.88	1.80						
	Exch bundled Florida extended dial and Caller ID			UEPSR	UEPA1	2.40	3.74	3.63	1.88	1.80						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ex… dial…	…bundled Florida extended …, without Caller ID capability			UEPSR	UEPA8	2.40	3.74	3.63	1.88	1.80						
	Ex… wit…	…bundled res, low usage line port			UEPSR	UEPAP	2.40	3.74	3.63	1.88	1.80						
	2-W… Cal…	…ge Line Port without Caller ID			UEPSR	UEPRT	2.40	3.74	3.63	1.88	1.80						
	Sub…				UEPSR	USASC	0.00	0.00	0.00								
F	PE…																
	All…				UEPSR	UEPVF	2.26	0.00	0.00								
2	VG…	…ATES (BUS)															
	Ex… Bus…	…Line Port without Caller ID -			UEPSB	UEPBL	2.40	3.74	3.63	1.88	1.80						
	Ex… Nu…	…bundled Line Port with …1 ID - Bus.			UEPSB	UEPBC	2.40	3.74	3.63	1.88	1.80						
	Ex…	…g Line Port outgoing only - Bus.			UEPSB	UEPBO	2.40	3.74	3.63	1.88	1.80						
	Ex… Cal…	…undled incoming only port with			UEPSB	UEPB1	2.40	3.74	3.63	1.88	1.80						
	2-W… Cal…	…g Only Port without Caller ID			UEPSB	UEPBE	2.40	3.74	3.63	1.88	1.80						
	Sub…				UEPSB	USASC	0.00	0.00	0.00								
F	PE…																
	All…				UEPSB	UEPVF	2.26	0.00	0.00								
E	MG…	…)															
	2-W…	…BX Trunk - Res			UEPSE	UEPRD	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…d 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…d Outward PBX Trunk - Bus			UEPSP	UEPPO	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…d Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…erminal PBX Trunk - Bus			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…LD Terminal Ports			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…PBX Usage Port			UEPSP	UEPXA	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…all Terminal Hotel Ports			UEPSP	UEPXB	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…D DDD Terminals Port			UEPSP	UEPXC	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…D Terminal Switchboard Port			UEPSP	UEPXD	2.40	39.06	18.18	12.35	0.7187						
	2-W… Cal…	…D Terminal Switchboard IDD			UEPSP	UEPXE	2.40	39.06	18.18	12.35	0.7187						
	2-W… Ad…	…PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187						
	2-W… Re…	…PBX Hotel/Hospital Economy			UEPSP	UEPXM	2.40	39.06	18.18	12.35	0.7187						
	2-W… Dis…	…Outgoing PBX Hotel/Hospital			UEPSP	UEPXO	2.40	39.06	18.18	12.35	0.7187						
	2-W…	…w Outgoing PBX Measured Port			UEPSP	UEPXS	2.40	39.06	18.18	12.35	0.7187						
	Sub…				UEPSP	USASC	0.00	0.00	0.00								
F	PE…																
	All…				UEPSP UEPSE	UEPVF	2.26	0.00	0.00								
N	Tra…	…associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
N	Ac…	…annel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
2	VG…	…ATES (DID)															
	Ex…	…Port			UEPEX	UEPP2	9.73	78.41	15.82	41.94	4.26						
2	VG…	…ATES (ISDN-BRI)															
	Ex…	…Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						
	All…				UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								
	Ex…	…Port -- Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
N	Ac…	…annel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
N	Ac…	…annel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
U	DLE…	…ALL FORWARDING CAPABILITY															
U	DL…	…RDING SERVICE - RESIDENCE															
	Un…	…rding Service, Area Calling, Res			UEPVR	UERAC	2.40	3.74	3.63	1.88	1.80						

UNBUN		- Florida											Attachment: 2 Ex. A			
CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Un rding Service, Local Calling - Res			UEPVR	UERLC	2.40	3.74	3.63	1.88	1.80						
	Un rding Service, InterLATA - Res			UEPVR	UERTE	2.40	3.74	3.63	1.88	1.80						
	Un rding Service, IntraLATA - Res			UEPVR	UERTR	2.40	3.74	3.63	1.88	1.80						
N																
	Un ling Service - Conversion - Swi			UEPVR	USAC2		0.102	0.102								
	Un ding Service - Conversion with all			UEPVR	USACC		0.102	0.102								
U	PDING - Bus															
	Un ding Service, Area Calling - Bus			UEPVB	UERAC	2.40	3.74	3.63	1.88	1.80						
	Un rding Service, Local Calling - Bus			UEPVB	UERLC	2.40	3.74	3.63	1.88	1.80						
	Un rding Service, InterLATA - Bus			UEPVB	UERTE	2.40	3.74	3.63	1.88	1.80						
	Un ding Service, IntraLATA - Bus			UEPVB	UERTR	2.40	3.74	3.63	1.88	1.80						
	Un ling Service Expanded and Exc			UEPVB	UERVJ	2.40	3.74	3.63	1.88	1.80						
N																
	Un ding Service - Conversion - Swi			UEPVB	USAC2		0.102	0.102								
	Un ding Service - Conversion with all			UEPVB	USACC		0.102	0.102								
UNBUND	OC AGE															
E	ice															
	En Per MOU					0.0007662										
	En Per MOU					0.000164										
T	Sw al or Access Tandem)															
	Tan er MOU					0.0001319										
	Ta Per MOU					0.000235										
	Tan er MOU (Melded)					0.000027185										
	Tan Per MOU (Melded)					0.000048434										
M	Fac Rate															
C	in															
	Con Per MOU					0.0000035										
	Con Termination Per MOU					0.0004372										
UNBUND	OF COST BASED RATES															
	Pas BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or															
S	Po															
	NE eflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the															
TE	Co in Accordance with the TRRO.															
	os ed Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-															
A	Unbu s Rate Exhibit.															
	ffice Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all															
co	atic lements except for UNE Coin Port/Loop Combinations.															
	st a curring charges apply to Not Currently Combined Combos. For Currently Combined Combos the															
no	urrin e identified in the Nonrecurring - Currently Combined sections.															
2	VO 2-WIRE LINE PORT (RES)															
U	ort/Lo															
	2-Wire Loop Zone 1					11.94										
	2-Wire Loop Zone 2					16.05										
	2-Wire Loop Zone 3					26.80										
U	op															
	2-W - Zone 1		1	UEPRX	UEPLX	9.77										
	2-W - Zone 2		2	UEPRX	UEPLX	13.88										
	2-Wire - Zone 3		3	UEPRX	UEPLX	24.63										
2	Voice (Res)															
	2-W esidence			UEPRX	UEPRL	2.17	53.31	26.46	27.50	8.37						
	2-W th Caller ID - res			UEPRX	UEPRC	2.17	53.31	26.46	27.50	8.37						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ...lgoing only - res			UEPRX	UEPRO	2.17	53.31	26.46	27.50	8.37						
	2-W ...n Area Calling with Caller ID - res			UEPRX	UEPAF	2.17	53.31	26.46	27.50	8.37						
	2-W ...usage line port with Caller ID (LL			UEPRX	UEPAP	2.17	53.31	26.46	27.50	8.37						
	2-W ...extended dialing with Caller ID			UEPRX	UEPA1	2.17	53.31	26.46	27.50	8.37						
	2-W ...extended dialing port without Call			UEPRX	UEPA8	2.17	53.31	26.46	27.50	8.37						
	2-W ...Area Calling Port without Caller ID			UEPRX	UEPA9	2.17	53.31	26.46	27.50	8.37						
	2-W ...ge Line Port without Caller ID Call			UEPRX	UEPRT	2.17	53.31	26.46	27.50	8.37						
F	RE															
	All			UEPRX	UEPVF	2.26	0.00	0.00								
N	CU ...CURRENTLY COMBINED															
	2-W ...Port Combination - Conversion - Sw			UEPRX	USAC2		0.102	0.102								
	2-W ...Port Combination - Conversion - Sw			UEPRX	USACC		0.102	0.102								
	2-W ...Port Platform - Installation Ch ...- Not Conversion of Existing Ser			UEPRX	URECC		0.102									
A	ON															
	2-W ...ort Combination - Subsequent Act			UEPRX	USAS2	0.00	0.00	0.00								
	UN ...Element, Tag Loop at End User Pre			UEPRX	URETL		8.33	0.83								
O	CH ...ANNELS															
	2-W ...tension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2-W ...tension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2-W ...tension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2-W ...tension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2-W ...tension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2-W ...tension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
IN	FE															
	Int ...- 2 Wire Voice Grade - Facility Te			UEPRX	U1TV2	25.32	47.35	31.78								
	Int ...- 2 Wire Voice Grade - Per Mile lor			UEPRX	U1TVM	0.0091	0.00	0.00								
2-	VG ...WIRE LINE PORT (BUS)															
U	ort/															
	2-W ...Zone 1					11.94										
	2-W ...Zone 2					16.05										
	2-W ...Zone 3					26.80										
U	op															
	2-W ...) - Zone 1		1	UEPBX	UEPLX	9.77										
	2-W ...- Zone 2		2	UEPBX	UEPLX	13.88										
	2-W ...- Zone 3		3	UEPBX	UEPLX	24.63										
2	Vair															
	2-W ...thout Caller ID - bus			UEPBX	UEPBL	2.17	53.31	26.46	27.50	8.37						
	2-W ...th Caller + E484 ID - bus			UEPBX	UEPBC	2.17	53.31	26.46	27.50	8.37						
	2-W ...lgoing only - bus			UEPBX	UEPBO	2.17	53.31	26.46	27.50	8.37						
	2-W ...ng only port with Caller ID - Bus			UEPBX	UEPB1	2.17	53.31	26.46	27.50	8.37						
	2-W ...n Only Port without Caller ID Call			UEPBX	UEPBE	2.17	53.31	26.46	27.50	8.37						
F	RE															
	All			UEPBX	UEPVF	2.26	0.00	0.00								
N	CU ...CURRENTLY COMBINED															

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Port Combination - Conversion - Sw			UEPBX	USAC2		0.102	0.102								
	2W Port Combination - Conversion - Sw			UEPBX	USACC		0.102	0.102								
A	ON															
	2W Port Combination - Subsequent Act			UEPBX	USAS2		0.00	0.00								
	Un Element, Tag Loop at End User Pre			UEPBX	URETL		8.33	0.83								
C	PE NNELS															
	2W ension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2W ension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2W ension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2W ension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2W ension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2W ension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
IN	FE															
	Int - 2 Wire Voice Grade - Facility Ter			UEPBX	U1TV2	25.32	47.35	31.78								
	Int - 2 Wire Voice Grade - Per Mile or Fr			UEPBX	U1TVM	0.0091	0.00	0.00								
2-	VO -WIRE LINE PORT (RES - PBX)															
U	rd/I															
	2W Zone 1					11.94										
	2W Zone 2					16.05										
	2W Zone 3					26.80										
U	OP															
	2W) - Zone 1		1	UEPRG	UEPLX	9.77										
	2W) - Zone 2		2	UEPRG	UEPLX	13.88										
	2W) - Zone 3		3	UEPRG	UEPLX	24.63										
2-	Vo RES - PBX)															
	2W tion 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73						
F	RE															
	All			UEPRG	UEPVF	2.26	0.00	0.00								
N	OIT CURRENTLY COMBINED															
	2W Port Combination (PBX) - Con			UEPRG	USAC2		8.45	1.91								
	2W Port Combination (PBX) - Con ge			UEPRG	USACC		8.45	1.91								
A	ON															
	2W Port Combination (PBX) - Sub			UEPRG	USAS2	0.00	0.00	0.00								
	PB nge/Rearrange Multiline Hunt Gro						7.86	7.86								
	Un n Element, Tag Loop at End User Premises			UEPRG	URETL		8.33	0.83								
O	PE CHANNELS															
	Loca ed Voice Grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Loca ed Voice Grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
	Loca ed Voice Grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non el Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non el Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non el Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
IN	FE															
	Int - 2 Wire Voice Grade - Facility Ter			UEPRG	U1TV2	25.32	47.35	31.78								
	Int - 2 Wire Voice Grade - Per Mile or Fr			UEPRG	U1TVM	0.0091	0.00	0.00								

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-	VG -WIRE LINE PORT (BUS - PBX)															
U	rt/l															
	2-W Zone 1					11.94										
	2-W Zone 2					16.05										
	2-W Zone 3					26.80										
U	op															
	2-W) - Zone 1		1	UEPPX	UEPLX	9.77										
	2-W) - Zone 2		2	UEPPX	UEPLX	13.88										
	2-W) - Zone 3		3	UEPPX	UEPLX	24.63										
2-	Voi (BUS - PBX)															
	Lin ation 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73						
	Lin PBX Trunk Port - Bus			UEPPX	UEPPO	2.17	174.81	100.65	75.88	12.73						
	Lin PBX Trunk Port - Bus			UEPPX	UEPP1	2.17	174.81	100.65	75.88	12.73						
	2-W D Terminal Ports			UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73						
	2-W Combination PBX Usage Port			UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73						
	2-W oll Terminal Hotel Ports			UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73						
	2-W D DDD Terminals Port			UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73						
	2-W D Terminal Switchboard Port			UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73						
	2-W D Terminal Switchboard IDD Cer			UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73						
	2-W PBX Hotel/Hospital Economy Ad			UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73						
	2-W PBX Hotel/Hospital Economy Ro			UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73						
	2-W Outgoing PBX Hotel/Hospital Dis			UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73						
	2-W Outgoing PBX Measured Port			UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73						
F	PE															
	All F			UEPPX	UEPVF	2.26	0.00	0.00								
N	SU CURRENTLY COMBINED															
	2-W Port Combination (PBX) - Co			UEPPX	USAC2		8.45	1.91								
	2-W Port Combination (PBX) - Co ng			UEPPX	USACC		8.45	1.91								
A	DM															
	2-W Port Combination (PBX) - Su			UEPPX	USAS2	0.00	0.00	0.00								
	PB nge/Rearrange Multiline Hunt Gro						7.86	7.86								
	Un Element, Tag Loop at End User Pro			UEPPX	URETL		8.33	0.83								
O	PB ANNELS															
	Lon termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Lon termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
	Lon termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
IN	VE															
	Inte - 2 Wire Voice Grade - Facility Ter			UEPPX	U1TV2	25.32	47.35	31.78								
	Inte - 2 Wire Voice Grade - Per Mile or F			UEPPX	U1TVM	0.0091	0.00	0.00								
2-	VG -WIRE ANALOG LINE COIN PORT															
U	rt/l															
	2-W bo – Zone 1					11.94										
	2-W bo – Zone 2					16.05										
	2-W bo – Zone 3					26.80										

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	op															
	2-W - Zone 1		1	UEPCO	UEPLX	9.77										
	2-W - Zone 2		2	UEPCO	UEPLX	13.88										
	2-W - Zone 3		3	UEPCO	UEPLX	24.63										
2	Voi															
	2-W Screening and Blocking: 011, 900			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37						
	2-W Screening and 011 Blocking (FL)			UEPCO	UEPFA	2.17	53.31	26.46	27.50	8.37						
	2-W Screening and Blocking: 900 cal (FL)			UEPCO	UEPCG	2.17	53.31	26.46	27.50	8.37						
	2-W lor Screening and 011 Blocking (AL			UEPCO	UEPRK	2.17	53.31	26.46	27.50	8.37						
	2-W lor Screening and Blocking: 900			UEPCO	UEPOF	2.17	53.31	26.46	27.50	8.37						
	2-W tor Screening and Blocking: 900 cal (FL, GA)			UEPCO	UEPCQ	2.17	53.31	26.46	27.50	8.37						
	2-W 00/976 (all states except LA)			UEPCO	UEPCK	2.17	53.31	26.46	27.50	8.37						
	2-W with 900/976 (all states except LA)			UEPCO	UEPCR	2.17	53.31	26.46	27.50	8.37						
A	ONA (RC)															
	UNE sage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
N	CU NTLY COMBINED															
	2-W Port Combination - Conversion - Sw			UEPCO	USAC2		0.102	0.102								
	2-W Port Combination - Conversion - Sw			UEPCO	USACC		0.102	0.102								
A	ONA															
	2-W Port Combination - Subsequent Act			UEPCO	USAS2		0.00	0.00								
	Un Element, Tag Loop at End User Pre			UEPCO	URETL		8.33	0.83								
2	Vo GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
U	ort/L															
	2-W rt Combo - Zone 1					14.64										
	2-W rt Combo - Zone 2					19.80										
	2-W rt Combo - Zone 3					33.27										
U	op															
	2-W) - Zone 1		1	UEPFR	UECF2	12.24										
	2-W) - Zone 2		2	UEPFR	UECF2	17.40										
	2-W) - Zone 3		3	UEPFR	UECF2	30.87										
2	Voi (Res)															
	2-W residence			UEPFR	UEPRL	2.40	174.81	100.65	75.88	12.73						
	2-W ith Caller ID - res			UEPFR	UEPRC	2.40	174.81	100.65	75.88	12.73						
	2-W utgoing only - res			UEPFR	UEPRO	2.40	174.81	100.65	75.88	12.73						
	2-W a Area Calling with Caller ID - res			UEPFR	UEPAF	2.40	174.81	100.65	75.88	12.73						
	2-W w usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.40	174.81	100.65	75.88	12.73						
IN	OFFICE TRANS															
	Inte ed - 2 Wire Voice Grade - Facility Ter			UEPFR	U1TV2	25.32	47.35	31.78								
	Inte - 2 Wire Voice Grade - Per Mile or F			UEPFR	1L5XX	0.0091										
FF	RES															
	All F			UEPFR	UEPVF	2.26	0.00	0.00								
N	CUR - CURRENTLY COMBINED															
	2-W nsport / 2 Wire Line Port Co ich-as-is			UEPFR	USAC2		16.97	3.73								

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ...nsport / 2 Wire Line Port Co... ...tch-With-Change			UEPFR	USACC		16.97	3.73								
	Un... ... Element, Tag Designed Loop at End...			UEPFR	URETN		11.21	1.10								
2	VG ...GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
U	...rt/I...															
	2W ...rt Combo - Zone 1					14.64										
	2W ...rt Combo - Zone 2					19.80										
	2W ...rt Combo - Zone 3					33.27										
U	...op...															
	2W ...) - Zone 1		1	UEPFB	UECF2	12.24										
	2W ...) - Zone 2		2	UEPFB	UECF2	17.40										
	2W ...) - Zone 3		3	UEPFB	UECF2	30.87										
2	Ye...															
	2W ...thout Caller ID - bus			UEPFB	UEPBL	2.40	174.81	100.65	75.88	12.73						
	2W ...th Caller + E484 ID - bus			UEPFB	UEPBC	2.40	174.81	100.65	75.88	12.73						
	2W ...tgoing only - bus			UEPFB	UEPBO	2.40	174.81	100.65	75.88	12.73						
	2W ...ng only port with Caller ID - Bus			UEPFB	UEPB1	2.40	174.81	100.65	75.88	12.73						
IN	RE...															
	Int... ... - 2 Wire Voice Grade - Facility Te...			UEPFB	U1TV2	25.32	47.35	31.78								
	Int... ... - 2 Wire Voice Grade - Per Mile or F...			UEPFB	1L5XX	0.0091										
FE	RE...															
	Alt...			UEPFB	UEPVF	2.26	0.00	0.00								
N	CU... ...CURRENTLY COMBINED															
	2W ...nsport / 2 Wire Line Port Co... ...tch-as-is			UEPFB	USAC2		16.97	3.73								
	2W ...nsport / 2 Wire Line Port Co... ...tch with change			UEPFB	USACC		16.97	3.73								
	Un... ... Element, Tag Designed Loop at End...			UEPFB	URETN		11.21	1.10								
2	VG ...GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
U	H/I...															
	2W ...rt Combo - Zone 1					14.64										
	2W ...rt Combo - Zone 2					19.80										
	2W ...rt Combo - Zone 3					33.27										
U	op...															
	2W ...) - Zone 1		1	UEPFP	UECF2	12.24										
	2W ...) - Zone 2		2	UEPFP	UECF2	17.40										
	2W ...) - Zone 3		3	UEPFP	UECF2	30.87										
2	Ye... ...RUS - PBX)															
	Line ...tion 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.40	174.81	100.65	75.88	12.73						
	Line ... PBX Trunk Port - Bus			UEPFP	UEPPO	2.40	174.81	100.65	75.88	12.73						
	Line ... PBX Trunk Port - Bus			UEPFP	UEPP1	2.40	174.81	100.65	75.88	12.73						
	2W ...D Terminal Ports			UEPFP	UEPLD	2.40	174.81	100.65	75.88	12.73						
	2W ... Combination PBX Usage Port			UEPFP	UEPXA	2.40	174.81	100.65	75.88	12.73						
	2W ...oll Terminal Hotel Ports			UEPFP	UEPXB	2.40	174.81	100.65	75.88	12.73						
	2W ...D DDD Terminals Port			UEPFP	UEPXC	2.40	174.81	100.65	75.88	12.73						
	2W ...D Terminal Switchboard Port			UEPFP	UEPXD	2.40	174.81	100.65	75.88	12.73						
	2W ...D Terminal Switchboard IDD Ce...			UEPFP	UEPXE	2.40	174.81	100.65	75.88	12.73						
	2W ... PBX Hotel/Hospital Economy Ad...			UEPFP	UEPXL	2.40	174.81	100.65	75.88	12.73						
	2W ... PBX Hotel/Hospital Economy Re...			UEPFP	UEPXM	2.40	174.81	100.65	75.88	12.73						
	2W ... Outgoing PBX Hotel/Hospital Di...			UEPFP	UEPXO	2.40	174.81	100.65	75.88	12.73						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W	Outgoing PBX Measured Port			UEPFP	UEPXS	2.40	174.81	100.65	75.88	12.73						
	IN																
		- 2 Wire Voice Grade - Facility			UEPFP	U1TV2	25.32	47.35	31.78								
		- 2 Wire Voice Grade - Per Mile			UEPFP	1L5XX	0.0091										
	F																
					UEPFP	UEPVF	2.26	0.00	0.00								
	N	CURRENTLY COMBINED															
		sport / 2 Wire Line Port ich-as-is			UEPFP	USAC2		16.97	3.73								
		sport / 2 Wire Line Port ich with change			UEPFP	USACC		16.97	3.73								
		Element, Tag Designed Loop at			UEPFP	URETN		11.21	1.10								
	2-	LY - WITH 2-WIRE DID TRUNK PORT															
	U																
	2-W	nk Port Combo - UNE Zone 1					21.95										
	2-W	nk Port Combo - UNE Zone 2					27.11										
	2-W	nk Port Combo - UNE Zone 3					40.58										
	U																
	2-W	p - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										
	2-W	p - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
	2-W	p - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
	U																
		ort			UEPPX	UEPD1	9.71	214.16	98.29								
	N	NTLY COMBINED															
		e DID Trunk Port Combination -			UEPPX	USAC1		7.85	1.87								
		ire DID Trunk Port Conversion ges			UEPPX	USA1C		7.85	1.87								
	A																
	2-W	- Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	Un	Element, Tag Designed Loop at			UEPPX	URETN		11.21	1.10								
	T	ablisment Charges															
	DID	er Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID	Group and Provide First Group			UEPPX	NDZ	0.00	0.00	0.00								
	Ad	ch Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID	e DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Res	numbers			UEPPX	ND6	0.00	0.00	0.00								
	Res				UEPPX	NDV	0.00	0.00	0.00								
	2-	IS WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
	U																
	2W	ISDN Digital Line Side Port - UNE					23.63										
	2W	ISDN Digital Line Side Port - UNE Zone 2					30.05										
	2W	ISDN Digital Line Side Port - UNE					46.84										
	U																
	2-W	p - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25										
	2-W	p - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67										
	2-W	p - UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46										
	U																
	Exc	ine Side Port			UEPPR	UEPPR	8.38	194.52	145.09								
	Exc	ine Side Port			UEPPB	UEPPB	8.38	194.52	145.09								

UNBUN		- Florida											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	N	ENTLY COMBINED															
		/ 2-Wire ISDN Line Side Port			UEPPB UEPPR	USACB	0.00	25.22	17.00								
	A	Element, Tag Designed Loop at			UEPPB UEPPR	URETN		11.21	1.10								
		Element, Tag Loop at End User			UEPPB UEPPR	URETL		8.33	0.83								
	P																
					UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
					UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
					UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	B	FILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	U																
		nly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	V																
		Channel B User Profile			UEPPB UEPPR	UEPVF	2.26	0.00	0.00								
	I																
		h, including first mile and			UEPPB UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
		ch, additional mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00								
UNBUND		NATIONS - COST BASED RATES															
	U	AL,FL,GA,KY,LA,MS,&TN only)															
	2	Port (Centrex) Combo															
	U	lon-Design)															
		rade Port (Centrex) Port Combo -					11.94										
		rade Port (Centrex)Port Combo -					16.05										
		rade Port (Centrex)Port Combo -					26.80										
	U	Design)															
		rade Port (Centrex) Port Combo -					14.41										
		rade Port (Centrex)Port Combo -					19.57										
		rade Port (Centrex)Port Combo -					33.04										
	U																
		) - Zone 1		1	UEP91	UECS1	9.77										
		) - Zone 2		2	UEP91	UECS1	13.88										
		) - Zone 3		3	UEP91	UECS1	24.63										
		) - Zone 1		1	UEP91	UECS2	12.24										
		) - Zone 2		2	UEP91	UECS2	17.40										
		) - Zone 3		3	UEP91	UECS2	30.87										
	U																
	A	South Carolina)															
		ex) Basic Local Area			UEP91	UEPYA	2.17	53.31	26.46	27.50	8.37						
		ex 800 termination)Basic Local			UEP91	UEPYB	2.17	53.31	26.46	27.50	8.37						
		ex with Caller ID)Note1 Basic			UEP91	UEPYH	2.17	53.31	26.46	27.50	8.37						
		ex from diff Serving Wire Center)			UEP91	UEPYM	2.17	139.49	86.10	65.41	13.81						
		Serving Wire Center - 800 Service			UEP91	UEPYZ	2.17	139.49	86.10	65.41	13.81						
		ted in on Megalink or equivalent			UEP91	UEPY9	2.17	53.31	26.46	27.50	8.37						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ated on 800 Service Term - Ba			UEP91	UEPY2	2.17	53.31	26.46	27.50	8.37						
G						2.17										
	2W ex)			UEP91	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2W ex 800 terminatinn)			UEP91	UEPHB	2.17	53.31	26.46	27.50	8.37						
	2W ex with Caller ID)1			UEP91	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2W ex from diff Serving Wire Cen			UEP91	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2W erving Wire Center 2.3 - 800 Se			UEP91	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2W ated in on Megalink or equivalent			UEP91	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2W ated on 800 Service Term			UEP91	UEPH2	2.17	53.31	26.46	27.50	8.37						
L	wit															
	Co ner port			UEP91	URECS	0.7384										
Fr	s															
	All per port			UEP91	UEPVF	2.26										
	All er port			UEP91	UEPVS	0.00	370.70									
	All ffered, per port			UEP91	UEPVC	2.26										
N																
	Un gister - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un gister - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un ister - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
M	anc															
2	Tra															
	Tra			UEP91	CENA6	8.73										
In	Se															
	Inte rmination - Voice Grade			UEP91	M1GBC	25.32										
	Inte r mile or fraction of mile			UEP91	M1GBM	0.0091										
Fe	Ar oops on Channelized DS1 Service															
D	anc															
	Fea nel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Fea nel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Fea el Bank FX Trunk Side Loop Slo			UEP91	1PQW7	0.66										
	Fea el Bank Centrex Loop Slot - Dif			UEP91	1PQWP	0.66										
	Feature Activation - anel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Fea nel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation - annel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
N	cur ciated with UNE-P Centrex															
	Co d Switch-As-Is with allowed cha pe			UEP91	USAC2		21.50	8.42								
	Connection of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
	New Centrex Station Common Block			UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82									
	Secondary Pivot per Pivot			UEP91	M2CC1	0.00	71.31									
	NAP Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48									
U	CEN FEC ed in All States)															
2	VG L Port (Centrex) Combo															
U	rt/L (Non-Design)															
	2W Grade Port (Centrex) Port Combo - Non					11.94										
	2W Grade Port (Centrex)Port Combo - Ne					16.05										

- Florida

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ...rade Port (Centrex)Port Combo -					26.80										
U	...Design)															
	2W ...rade Port (Centrex) Port Combo -					14.41										
	2W ...rade Port (Centrex)Port Combo -					19.57										
	2W ...rade Port (Centrex)Port Combo -					33.04										
U																
	2W ...) - Zone 1		1	UEP95	UECS1	9.77										
	2W ...) - Zone 2		2	UEP95	UECS1	13.88										
	2W ...) - Zone 3		3	UEP95	UECS1	24.63										
	2W ...) - Zone 1		1	UEP95	UECS2	12.24										
	2W ...) - Zone 2		2	UEP95	UECS2	17.40										
	2W ...) - Zone 3		3	UEP95	UECS2	30.87										
U																
A																
	2W ...ex) Basic Local Area			UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37						
	2W ...ex 800 termination)			UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2W ...x with Caller ID)1Basic Local Are...			UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2W ...ex from diff Serving Wire Ce...			UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81						
	2W ...erving Wire Center 2,3 - 800 Ser...			UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2W ...ated in on Megalink or equivalent - Ba...			UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2W ...ated on 800 Service Term - Bas...			UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37						
A	LA					2.17										
F	A C...					2.17										
	2W ...ex)			UEP95	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2W ...ex 800 termination)			UEP95	UEPHB	2.17	53.31	26.46	27.50	8.37						
	2W ...x with Caller ID)1			UEP95	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2W ...ex from diff Serving Wire Ce...			UEP95	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2W ...erving Wire Center - 800 Service Te...			UEP95	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2W ...ated in on Megalink or equivalent			UEP95	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2W ...ated on 800 Service Term			UEP95	UEPH2	2.17	53.31	26.46	27.50	8.37						
L	wit...															
	Ce... ...per port			UEP95	URECS	0.7384										
F	s															
	All ...per port			UEP95	UEPVF	2.26										
	All ...r port			UEP95	UEPVS	0.00	370.70									
	All ...ffered, per port			UEP95	UEPVC	2.26										
N																
	Un... ...gister - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un... ...gister - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un... ...gister - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
M																
2	Tru...															
	Tru...			UEP95	CEND6	8.73										
4	Dig...															
	DS...			UEP95	M1HD1	54.95										
	DS...			UEP95	M1HDO	0.00	15.69									
In	...es															

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte mination			UEP95	M1GBC	25.32										
	Inte r mile or fraction of mile			UEP95	M1GBM	0.0091										
F	Ar aps on Channelized DS1 Service															
D																
	Fea nel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Fea nel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Fea el Bank FX Trunk Side Loop Slo			UEP95	1PQW7	0.66										
	Fea ol Bank Centrex Loop Slot - Dif			UEP95	1PQWP	0.66										
	Fea nnel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Fea el Bank Tjie Line/Trunk Loop Slo			UEP95	1PQWQ	0.66										
	Fea nnel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
N	ciated with UNE-P Centrex															
	NP bined Switch-As-Is with allowed cha			UEP95	USAC2	0.00	21.50	8.42								
	Co Common Block, each			UEP95	USACN		5.17	8.32								
	Ne on Block			UEP95	M1ACS	0.00	618.82									
	Ne mon Block			UEP95	M1ACC	0.00	618.82									
	NA r Occasion			UEP95	URECA	0.00	66.48									
A	nal (RC)															
	Ele Element, Tag Loop at End Use Re			UEP95	URETL		8.33	0.83								
	Ele Element, Tag Design Loop at End			UEP95	URETN		11.21	1.10								
U	CE All States)															
2	VG Port (Centrex) Combo															
U	H/I Non-Design)															
	2-W rade Port (Centrex) Port Combo - Non					11.94										
	2-W rade Port (Centrex)Port Combo - Non					16.05										
	2-W rade Port (Centrex)Port Combo - Non					26.80										
U	H/I Design)															
	2-W rade Port (Centrex) Port Combo - Desi					14.41										
	2-W rade Port (Centrex)Port Combo - Desi					19.57										
	2-W rade Port (Centrex)Port Combo - Desi					33.04										
U	opp															
	2-W) - Zone 1		1	UEP9D	UECS1	9.77										
	2-W) - Zone 2		2	UEP9D	UECS1	13.88										
	2-W) - Zone 3		3	UEP9D	UECS1	24.63										
	2-W 2) - Zone 1		1	UEP9D	UECS2	12.24										
	2-W 2) - Zone 2		2	UEP9D	UECS2	17.40										
	2-W 2) - Zone 3		3	UEP9D	UECS2	30.87										
U	rt Pa															
A	ATE															
	2-W rox) Basic Local Area			UEP9D	UEPYA	2.17										
	2-W ox 800 termination)Basic Local Area			UEP9D	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2-W ox / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.17	53.31	26.46	27.50	8.37						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ...ex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex/Caller ID/Msg Wtg Lamp Indic			UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex/Msg Wtg Lamp Indication))4 Bas			UEP9D	UEPYJ	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex from diff Serving Wire Center) 2,3			UEP9D	UEPYM	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex/differ SWC /EBS-PSET)2,3,4 Bas			UEP9D	UEPYO	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex/differ SWC /EBS-M5009)2,3,4 Bas			UEP9D	UEPYP	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex/differ SWC /EBS-5209)2,3,4 Bas			UEP9D	UEPYQ	2.17	139.49	86.10	65.41	13.81						
	2-W ...ex/differ SWC /EBS-M5112)2,3,4 Bas			UEP9D	UEPYR	2.17	139.49	86.10	65.41	13.81						
	2-W ...ex/differ SWC /EBS-M5312)2,3,4 Bas			UEP9D	UEPYS	2.17	139.49	86.10	65.41	13.81						
	2-W ...ex/differ SWC /EBS-M5008)2,3,4 Bas			UEP9D	UEPY4	2.17	139.49	86.10	65.41	13.81						
	2-W ...ex/differ SWC /EBS-M5208)2, 3 Bas			UEP9D	UEPY5	2.17	139.49	86.10	65.41	13.81						
	2-W ...ex/differ SWC /EBS-M5216)2,3,4 Bas			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81						
	2-W ...ex/differ SWC /EBS-M5316)2,3,4 Bas			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81						
	2-W ...erving Wire Center - 800 Service Ter			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-W ...ated in on Megalink or equivalent Bas			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-W ...ated on 800 Service Term Basic Loc			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37						
F	...C					2.17										
	2-W ...ex)			UEP9D	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex 800 termination)			UEP9D	UEPHB	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-PSET)4			UEP9D	UEPHC	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5009)4			UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5209)4			UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5112)4			UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5312)4			UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5008)4			UEP9D	UEPHT	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5208)4			UEP9D	UEPHU	2.17	53.31	26.46	27.50	8.37						
	2-W ...ex / EBS-M5216)4			UEP9D	UEPHV	2.17	53.31	26.46	27.50	8.37						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ex / EBS-M5316)4			UEP9D	UEPH3	2.17	53.31	26.46	27.50	8.37						
	2-W ex with Caller ID)			UEP9D	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-W ex/Caller ID/Msg Wtg Lamp Ind			UEP9D	UEPHW	2.17	53.31	26.46	27.50	8.37						
	2-W ex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37						
	2-W ex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.81						
	2-W ex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.81						
	2-W ving Wire Center - 800 Service Te			UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2-W ated in on Megalink or equivalent			UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-W ated on 800 Service Term			UEP9D	UEPH2	2.17	53.31	26.46	27.50	8.37						
L	wi															
	Ce per port			UEP9D	URECS	0.7384										
Fe	s															
	All per port			UEP9D	UEPVF	2.26										
	All r port			UEP9D	UEPVS	0.00	370.70									
	All fered, per port			UEP9D	UEPVC	2.26										
N																
	Un gister - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un gister - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un gister - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
M																
2	Tru															
	Tru			UEP9D	CEND6	8.73										
4	Dig															
	DS			UEP9D	M1HD1	54.95										
	DS channel			UEP9D	M1HDO	0.00	15.69									
In	ice															
	Inte Termination			UEP9D	M1GBC	25.32										
	Inte ver mile or fraction of mile			UEP9D	M1GBM	0.0091										
Fe	Act Loops on Channelized DS1 Service															
D	nnel															
	Fea nnel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Fea nnel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Fea nel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Fea nel Bank Centrex Loop Slot - Diff			UEP9D	1PQWP	0.66										

UNBUN		- Florida											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		nnel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		nel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.66										
		nnel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	N	iated with UNE-P Centrex															
		hined Switch-As-Is with allowed			UEP9D	USAC2		21.50	8.42								
		Common Block, each			UEP9D	USACN		5.17	8.32								
		n Block			UEP9D	M1ACS	0.00	618.82									
		mon Block			UEP9D	M1ACC	0.00	618.82									
		r Occasion			UEP9D	URECA	0.00	66.48									
	A	IRC)															
		Element, Tag Loop at End Use			UEP9D	URETL		8.33	0.83								
		Element, Tag Design Loop at			UEP9D	URETN		11.21	1.10								
	U	L, FL, KY, LA, MS & TN)															
	2	Port (Centrex) Combo															
	U	Non-Design)															
		rade Port (Centrex) Port Combo -					11.94										
		rade Port (Centrex)Port Combo -					16.05										
		rade Port (Centrex)Port Combo -					26.80										
	U	Design)															
		rade Port (Centrex) Port Combo -					14.41										
		rade Port (Centrex)Port Combo -					19.57										
		rade Port (Centrex)Port Combo -					33.04										
	U																
		) - Zone 1		1	UEP9E	UECS1	9.77										
		) - Zone 2		2	UEP9E	UECS1	13.88										
		) - Zone 3		3	UEP9E	UECS1	24.63										
		) - Zone 1		1	UEP9E	UECS2	12.24										
		) - Zone 2		2	UEP9E	UECS2	17.40										
		) - Zone 3		3	UEP9E	UECS2	30.87										
	U																
	A																
		rex) Basic Local Area			UEP9E	UEPYA	2.17	53.31	26.46	27.50	8.37						
		ex 800 termination)Basic Local			UEP9E	UEPYB	2.17	53.31	26.46	27.50	8.37						
		ex with Caller ID)1Basic Local			UEP9E	UEPYH	2.17	53.31	26.46	27.50	8.37						
		ex from diff Serving Wire			UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.81						
		Serving Wire Center 2,3 - 800			UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81						
		ated in on Megalink or equivalent			UEP9E	UEPY9	2.17	53.31	26.46	27.50	8.37						
		ated on 800 Service Term -			UEP9E	UEPY2	2.17	53.31	26.46	27.50	8.37						
	F						2.17										
		rex)			UEP9E	UEPHA	2.17	53.31	26.46	27.50	8.37						
		ex 800 termination)			UEP9E	UEPHB	2.17	53.31	26.46	27.50	8.37						
		ex with Caller ID)1			UEP9E	UEPHH	2.17	53.31	26.46	27.50	8.37						

UNBUN - Florida

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ex from diff Serving Wire Ce			UEP9E	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2W Serving Wire Center - 800 Service Te			UEP9E	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2W ated in on Megalink or equivalent			UEP9E	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2W ated on 800 Service Term			UEP9E	UEPH2	2.17	53.31	26.46	27.50	8.37						
L	wi															
	Ce per port			UEP9E	URECS	0.7384										
Fe	s															
	All per port			UEP9E	UEPVF	2.26										
	All port			UEP9E	UEPVS	0.00	370.70									
	All fered, per port			UEP9E	UEPVC	2.26										
N																
	Un egister - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un egister - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un nister - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
M	ane															
2	Tru															
	Tru			UEP9E	CEND6	8.73										
4	Dig															
	DS			UEP9E	M1HD1	54.95										
	DS annel			UEP9E	M1HDO	0.00	15.69									
In	ice															
	Int rmination			UEP9E	M1GBC	25.32										
	Int s mile or fraction of mile			UEP9E	M1GBM	0.0091										
Fe	Ac ons on Channelized DS1 Service															
D	ane															
	Fea nel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Fea nel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Fea el Bank FX Trunk Side Loop Slo			UEP9E	1PQW7	0.66										
	Fea el Bank Centrex Loop Slot - Diff			UEP9E	1PQWP	0.66										
	Fea nnel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Fea el Bank Tjie Line/Trunk Loop Slo			UEP9E	1PQWQ	0.66										
	Fea nnel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
N	cur iated with UNE-P Centrex															
	NR bined Switch-As-Is with allowed cha			UEP9E	USAC2		21.50	8.42								
	Co Common Block, each			UEP9E	USACN		5.17	8.32								
	Ne n Block			UEP9E	M1ACS	0.00	618.82									
	Ne mon Block			UEP9E	M1ACC	0.00	618.82									
	NA Per Occasion			UEP9E	URECA	0.00	66.48									
A	nal nges (NRC)															
	Unb e Element, Tag Loop at End Use Pre			UEP9E	URETL		8.33	0.83								
	Unb e Element, Tag Design Loop at End			UEP9E	URETN		11.21	1.10								
N	- Re ontrol in 1AESS, 5ESS & EWSD															
N	- Re l Mileage															
N	- Ins of Installation charge for SL2 Loop and Port															
N	- Re Premises Equipment															
N	Date rim column are interim as a result of a Commission order.															

- Georgia

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website:															
	.com/become_a_clec/html/interconnection.htm															
OPERATI	"REGIONAL RATES"															
	ntract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may															
	ession ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in															
	rdered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that															
	resent per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN,															
	it submits an LSR to BellSouth.															
	Charge, Per Local Service				SOMEC		3.50	0.00	3.50	0.00						
	harge, Per Local Service Request				SOMAN		11.73	0.00	6.13	0.00						
UNE SER	GE															
	aintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
				UAL, UEANL, UCL, UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA											
	or Line Assignable USOC, per				SDASP		200.00									
UNBUND																
2																
	- Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
	- Service Level 1- Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						
	- Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
	- Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
	- Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
	- Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
	Element, Tag Loop at End User															
				UEANL	URETL		8.33	0.83								
	Hour			UEANL	URET1		25.12	25.12								
	Half Hour			UEANL	URETA		13.62	13.62								

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(CL ge Without Outside Dispatch															
	(UV			UEANL	UREWO		15.75	8.92								
	Un sign Voice Loop, billing for BST															
	pro neering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Ma IVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								
	Or Conversion Time for UVL-SL1															
	(pe			UEANL	OCOSL		57.79									
2	UD - NON-DESIGNED															
	2-W Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2-W Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
	2-W Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Un Element, Tag Loop at End User															
	Pre			UEQ	URETL		8.33	0.83								
	Ma re Unbundled Copper Loop -															
	Non			UEQ	USBMC		18.92	18.92								
	Un Design Copper Loop, billing for															
	BS earing Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loo Hour			UEQ	URET1		25.12	25.12								
	Loo t Half Hour			UEQ	URETA		13.62	13.62								
	CLE ge Without Outside Dispatch															
	(UCL			UEQ	UREWO		14.25	7.42								
UNBUND	XD															
2	AN op															
U	on (In Ga. PSC ordered the line splitting loop USOCs match the lower port- loop combo rates UEPLX)															
	2-W for Line Splitting - Zone 1	I	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
	2-W for Line Splitting - Zone 1	I	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
	2-W for Line Splitting - Zone 2	I	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-W for Line Splitting - Zone 2	I	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
	2-W for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
	2-W for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBUND	XD															
2	AN op															
	2-W n - Service Level 2 w/Loop or															
	Gre 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-W n - Service Level 2 w/Loop or															
	Gre 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-W n - Service Level 2 w/Loop or															
	Gre 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
	Ord d Conversion Time (per LSR)			UEA	OCOSL		57.79									
	2-W n - Service Level 2 w/Reverse															
	Bat		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-W n - Service Level 2 w/Reverse															
	Bat		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-W n - Service Level 2 w/Reverse															
	Bat		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Ord ied Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLE charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop ging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4	ANA LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	Ord ied Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLE charge without outside dispatch			UEA	UREWO		87.72	36.36								
2	ISD															
	2-W p - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
	2-W p - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
	2-W p - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
	Ord ied Conversion Time (per LSR)			UDN	OCOSL		57.79									

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		arge without outside dispatch			UDN	UREWO		120.98	33.04								
	2	BSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		ncluding manual service inquiry &	I	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
		ncluding manual service inquiry &	I	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
		ncluding manual service inquiry &	I	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
		d Conversion Time (per LSR)			UAL	OCOSL		57.79									
		ithout manual service inquiry &	I	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
		ithout manual service inquiry &	I	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
		ithout manual service inquiry &	I	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
		d Conversion Time (per LSR)			UAL	OCOSL		57.79									
		arge without outside dispatch	I		UAL	UREWO		44.69	29.29								
	2	BSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		ncluding manual service inquiry &	I	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
		ncluding manual service inquiry &	I	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
		ncluding manual service inquiry &	I	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
		d Conversion Time (per LSR)			UHL	OCOSL		57.79									
		ithout manual service inquiry &	I	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
		ithout manual service inquiry &	I	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
		ithout manual service inquiry &	I	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
		d Conversion Time (per LSR)			UHL	OCOSL		57.79									
		arge without outside dispatch	I		UHL	UREWO		44.69	31.55								
	4	BSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		ncluding manual service inquiry &	I	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
		ncluding manual service inquiry &	I	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
		ncluding manual service inquiry &	I	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
		d Conversion Time (per LSR)			UHL	OCOSL		57.79									
		ithout manual service inquiry &	I	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
		ithout manual service inquiry &	I	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
		ithout manual service inquiry &	I	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
		d Conversion Time (per LSR)			UHL	OCOSL		57.79									
		arge without outside dispatch	I		UHL	UREWO		44.69	31.55								
	4																
		1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20						
		2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20						
		3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						
		d Conversion Time (per LSR)			USL	OCOSL		57.79									
		arge without outside dispatch			USL	UREWO		100.91	42.97								
	4	L GRADE LOOP															
		Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
		Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20						
		Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20						

- Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1W [illegible] 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	1W [illegible] 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	1W [illegible] 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	Or [illegible] d Conversion Time (per LSR)			UDL	OCOSL		57.79									
	1W [illegible] 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	1W [illegible] 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	1W [illegible] 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Or [illegible] Conversion Time (per LSR)			UDL	OCOSL		57.79									
	CLE [illegible] ge without outside dispatc h			UDL	UREWO		101.95	49.66								
2	Un [illegible]															
	2W [illegible]															
	ser [illegible] n-Designed including manual tion - Zone 1	I	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2W [illegible] n-Designed including manual ser [illegible] tion - Zone 2	I	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2W [illegible] n-Designed including manual ser [illegible] tion - Zone 3	I	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Or [illegible] ed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	2W [illegible] n-Designed without manual ser [illegible] vation - Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2W [illegible] n-Designed without manual ser [illegible] vation - Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2W [illegible] n-Designed without manual ser [illegible] vation - Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Or [illegible] ed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	Or [illegible] ed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CL [illegible] ge without outside dispatch (UC [illegible]	I		UCL	UREWO		44.69	31.55								
4	CC [illegible]															
	1W [illegible]															
	1W [illegible] ncluding manual service inquiry an [illegible]	I	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	1W [illegible] ncluding manual service inquiry an [illegible]	I	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	1W [illegible] ncluding manual service inquiry an [illegible]	I	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Or [illegible] ed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	1W [illegible] ithout manual service inquiry an [illegible]	I	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	1W [illegible] ithout manual service inquiry and [illegible]	I	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	1W [illegible] ithout manual service inquiry and [illegible]	I	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	Or [illegible] ed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLE [illegible] ge without outside dispatch	I		UCL	UREWO		44.69	31.55								
LOOP MC	AT [illegible]															
	Unl [illegible] Removal of Load Coils - 2 Wire pair [illegible] ft. per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unl [illegible] Removal of Load Coils - 4 Wire less [illegible] per Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unl [illegible] Removal of Bridged Tap Removal, per [illegible]			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91									
SUB-LOO	[illegible]															
S	opp [illegible]															
	Su [illegible] ation - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub - ation - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
	Sub - ment Room - CLEC Feeder Fac			UEANL	USBSC		175.09									
	Sub - ment Room - Per 25 Pair Panel Set			UEANL	USBSD		51.61									
	Unb - able, 2-Wire per Loop, Working and			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unb - able, 4-Wire per Loop, Working and			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub - e Analog Voice Grade Loop - Zon		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub - e Analog Voice Grade Loop - Zon		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub - e Analog Voice Grade Loop - Zon		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub - e Analog Voice Grade Loop - Zon		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub - e Analog Voice Grade Loop - Zon		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub - e Analog Voice Grade Loop - Zon		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Ord - led Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub - Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Ord - ted Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub - Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Ord - ted Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loo - Hour			UEANL	URET1		25.12	25.12								
	Loo - Half Hour			UEANL	URETA		13.62	13.62								
	2W - Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2W - Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2W - Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Ord - ted Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4W - Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4W - Loop Distribution - Zone 2	I	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4W - Loop Distribution - Zone 3	I	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	Ord - ted Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	Loo - Hour			UEF	URET1		25.12	25.12								
	Loo - Half Hour			UEF	URETA		13.62	13.62								
U	- (UNTW)															
	Unb - Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								
N																
	Net - 1-2 lines	I		UENTW	UND12		32.86	20.69								
	Net - 1-6 lines	I		UENTW	UND16		56.03	43.86								
	Net - Connect - 2 W	I		UENTW	UNDC2		2.45	2.45								
	Net - Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OTH																
	NID - er for NID installation			UENTW	UNDBX	0.00	0.00									
	UN - Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unb - visioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTH																

- Georgia

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Un visioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00									
	Un Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Un Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Un ame Format Option - no rate			USL	CCOSF	0.00	0.00									
	Un Superframe Format option - no			USL	CCOEF	0.00	0.00									
HIGH CA	Hig															
	Hig Loop - DS3 - Per Mile per mo			UE3	1L5ND	10.97										
	Hig Loop - DS3 - Facility Ter			UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262						
	Hig Loop - STS-1 - Per Mile per mo			UDLSX	1L5ND	10.97										
	Hig Loop - STS-1 - Facility Ter			UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262						
LOOP MA																
	Loo out Reservation, per working or spa			UMK	UMKLW		15.19	15.19								
	Loo Reservation, per spare facility			UMK	UMKLP		19.85	19.85								
	Loo Reservation, per working or spa ed)			UMK	UMKMQ		0.82	0.82								
LINE SPL	3															
	LI															
	EF FICE BASED															
	Lin on DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Lin on BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Lin on BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
MAINTEN	OF															
	N Th maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	No ir increments - Basic						80.00	55.00								
	No ir increments - Overtime						90.00	65.00								
	No ir increments - Premium						100.00	75.00								
UNBUND	EN															
	I FD TRANSPORT															
	Inte Transport - 2-Wire Voice Grade - Per			U1TVX	1L5XX	0.0057										
	Inte Transport- 2- Wire Voice Grade - Fac			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Inte Transpor t- 2-Wire Voice Grade Rev			U1TVX	1L5XX	0.0057										
	Inte Transport- 2- Wire VG Rev Bat. - Facil			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Inte ed Transport - 4-Wire Voice Grade - Per			U1TVX	1L5XX	0.0057										
	Inte ed Transport - 4- Wire Voice Grade - Fac			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Inte d Transport - 56 kbps - per mile per			U1TDX	1L5XX	0.0057										
	Inte Transport - 56 kbps - Facility Ter			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	Inte Transport - 64 kbps - per mile per			U1TDX	1L5XX	0.0057										
	Inte Transport - 64 kbps - Facility Ter			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.1154										
	Tranport - DS1 - Facility			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
	Transport - DS3 - Per Mile per			U1TD3	1L5XX	2.53										
	Transport - DS3 - Facility			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
	Transport - STS-1 - Per Mile per			U1TS1	1L5XX	2.53										
	Transport - STS-1 - Facility			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK FIB																
	Per Route Mile or Fraction nnel			UDF, UDFCX	1L5DC	46.84										
	Per Route Mile or Fraction Channel			UDF, UDFCX	1L5DF	23.29										
	Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
	Per Route Mile or Fraction			UDF, UDFCX	1L5DL	46.84										
8XX ACC																
	g, Per Call					0.0008543										
	g, w/8FL No. Delivery					0.0008543										
	g, w/POTS No. Delivery					0.0008543										
LINE INF	(IDB)															
	uery					0.0000682										
						0.0266962										
	tablishment or Change			OQU	NRBPX		33.24	33.24	39.35	39.35						
CALLING																
	ry					0.0009924										
	Query					0.0009924										
LNP Que																
						0.00082										
	nual						12.49		11.09							
	Point Code Establishment						574.87	293.68	251.47	184.91						
SELECTI																
	e Class Code Per Request Per						102.19	61.15	12.68	6.34						
VIRTUAL																
	Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICA																
	ss Connects (Loop) for Line			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELF																
							101,311.67	101,311.67	7,833.25	7,833.25						
							158.92	158.92	1.64	1.64						
							2.06	2.06								
						0.0020368										
AIN - BE	E															
	ce Establishment, Per State,			A1N	CAMSE		41.41	41.41	41.63	41.63						
	Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
	Identification Codes - Per User			A1N	CAMAU		35.29	35.29	26.50	26.50						
	ity Card, Per User ID Code,			A1N	CAMRC		40.24	40.24	11.72	11.72						

- Georgia

Attachment: 2 Ex. A

CATEGO			EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Alt	ge, Per Unit (100 Kilobytes)					0.0038										
		Alt	ion, Per Minute					1.81										
		Alt	any Performed Session, Per Min					0.8323										
ENHANC		TE																
	N	The	n-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	N	The	e Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	2	VC	E IN A COMBINATION															
		2	ination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
		2	ination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		2	ination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		Vo				UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	4	VC	E IN A COMBINATION															
		4	op in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		4	op in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		4	op in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Vo	ion - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	4	56	USE IN A COMBINATION															
		4	oop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		4	oop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		4	oop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		OC	h (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	4	64	USE IN A COMBINATION															
		4	oop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		4	oop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
		4	oop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		OC	ination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	2	IS	BINATION															
		2	ion - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
		2	ion - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
		2	ion - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
		2-w	combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	4	DS	E IN A COMBINATION															
		4	bination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		4	bination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		4	bination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		DS	month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	2	VC	E TRANSPORT FOR USE IN A COMBINATION															
		Int	- Dedicated- Per Mile Per Mo			UNCVX	1L5XX	0.0057										
		Int	- Dedicated - Facility Ter			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	4	VC	E TRANSPORT FOR USE IN A COMBINATION															
		Int	- Dedicated - Per Mile Per Mo			UNCVX	1L5XX	0.0057										
		Int	- Dedicated - Facility Termination per			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
	D	TER	OR COMBINATION															
		Inte	ed - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154										
		Inte	ed - DS1 combination - Facility Termination per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	D	TER	R USE IN A COMBINATION															
		Inte	ed - DS3 combination - Per Mile Per			UNC3X	1L5XX	2.53										
		Inte	ed - DS3 - Facility Termination per Mon			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	S	NTF	OR USE IN COMBINATION															

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte - STS-1 combination - Per Mile Per			UNCSX	1L5XX	2.53										
	Inte - STS-1 combination - Facility Ter			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
4	56 H 56 KBPS INTEROFFICE TRANSPORT															
	1-w mbination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	1-w mbination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	1-w mbination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Inte - 4-wire 56 kbps combination - Per			UNCDX	1L5XX	0.0057										
	Inte - 4-wire 56 kbps combination - Fac			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4	64 D LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
	1-w mbination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	1-w mbination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	1-w mbination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Inte - 4-wire 64 kbps combination - Per			UNCDX	1L5XX	0.0057										
	Inte - 4-wire 64 kbps combination - Fac			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
4	56 D LOOP WITH DS0 INTEROFFICE TRANSPORT															
	4-w mbination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4-w mbination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	4-w mbination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	4-w nsport - Dedicated - Per Mile per mo			UNCDX	1L5XX	0.0057										
	4-w nport - Dedicated - Facility Ter			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4	64 D LOOP WITH DS0 INTEROFFICE TRANSPORT															
	4-w mbination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-w mbination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-w mbination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	W nport - Dedicated - Per Mile per mo			UNCDX	1L5XX	0.0057										
	4-w nport - Dedicated - Facility Ter			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
D	SIT OFFICE TRANSPORT															
	1-W bination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	1-W bination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	1-W bination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Inte - DS1 combination - Per Mile per			UNC1X	1L5XX	0.1154										
	Inte - DS1 combination - Facility Ter			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
D	SIT ED DS3 INTEROFFICE TRANSPORT															
	DS - per mile per month			UNC3X	1L5ND	12.6155										
	DS - Facility Termination per month			UNC3X	UE3PX	291.387	2,016.2145	151.685	129.8465	87.262						
	Inte - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
	Inte - DS3 combination - Facility Ter			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
S	NG TED STS-1 INTEROFFICE TRANSPORT															
	ST n - per mile per month			UNCSX	1L5ND	12.6155										
	ST - Facility Termination per mo			UNCSX	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262						
	Inte - STS-1 combination - per mile per			UNCSX	1L5XX	2.53										
	Inte - STS-1 combination - Facility Ter			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIO																
	W	combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.														
	W	etwork elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
	N	twork Elements "Switch As Is" Charge (One applies to each combination)														
		f Network Elements Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC	5.70	5.70	6.61	6.61						
	C															
	Cl	ded Frame Option - per DS1		1	U1TD1, ULDD1,UNC1X	CCOEF	0.00	0.00	0.00	0.00						
	Cl	r FrameOption - per DS1		1	U1TD1, ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00						
	Cl	ESF) Option - Subsequent Act		1	ULDD1, U1TD1, UNC1X, USL	NRCCC	184.62	23.78	2.03	0.79						
	C	t Activity - per DS3		1	U1TD3, ULDD3, UE3, UNC3X	NRCC3	218.74	7.66	0.7591	0.00						
	M	LE														
		DS or month			UNC1X	MQ1	69.75	86.10								
		OC DS0 Channel System - per mon ocal Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61					
		OC DS0 Channel System - per mo nection to a channelized DS1 Loc C as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61					
		1 to DS0 Channel Systsem - per mo			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61					
		1 to DS0 Channel Systsem - per mo channelized DS1 Local Channel in			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61					
		Channel System - per month			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61					
		Channel System - per month lized DS1 Local Channel in the sa			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61					
	DS	er month			UNC3X	MQ3	121.90									
	ST	per month			UNCSX	MQ3	121.90									
	DS	month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS	to a channelized DS1 Local Ch collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS	Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS	used with Local Channel per mon			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61					
UNBUND	OC	G(PORTS)														
	T	Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005														
	ar	ed Rates Plus $1.00 in Accordance with the TRRO.														
	Ex	ge														
	N	Alth ides all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														
	2-	VO RATES (RES)														
		Exc aling Line Port- Res.			UEPSR	UEPRL	2.09	2.42	2.31	1.37	1.28					
		Exch aling Line Port with Caller ID - Res.			UEPSR	UEPRC	2.09	2.42	2.31	1.37	1.28					
		Exch alog Line Port outgoing only - Res.			UEPSR	UEPRO	2.09	2.42	2.31	1.37	1.28					
		Exc bundled res, low usage line port with			UEPSR	UEPAP	2.09	2.42	2.31	1.37	1.28					
		Exc Georgia basic dialing port with			UEPSR	UEPWC	2.09	2.42	2.31	1.37	1.28					
		2-W ia basic dialing port for use with Ca			UEPSR	UEPWQ	2.09	2.42	2.31	1.37	1.28					

UNBUN	D N	- Georgia											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-W basic dialing port - outgoing only			UEPSR	UEPWR	2.09	2.42	2.31	1.37	1.28						
		2-W Line Port without Caller ID Capa			UEPSR	UEPRT	2.09	2.42	2.31	1.37	1.28						
		2-W Port without Caller ID capability, Geo			UEPSR	UEPRV	2.09	2.42	2.31	1.37	1.28						
		2-W Port with Caller ID capability, Geo			UEPSR	UEPRU	2.09	2.42	2.31	1.37	1.28						
		Sub			UEPSR	USASC	0.00	0.00	0.00								
	F	RES															
		All			UEPSR	UEPVF	0.775	0.00	0.00								
	2	VG ATES (BUS)															
		Ev Line Port without Caller ID - Bu			UEPSB	UEPBL	2.09	2.42	2.31	1.37	1.28						
		Ev bundled Line Port with un 4 ID - Bus.			UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28						
		Ev Georgia Business Basic Dialing Pe			UEPSB	UEPWP	2.09	2.42	2.31	1.37	1.28						
		Ev Line Port outgoing only - Bus.			UEPSB	UEPBO	2.09	2.42	2.31	1.37	1.28						
		Ev undled incoming only port with Ca			UEPSB	UEPB1	2.09	2.42	2.31	1.37	1.28						
		Ev Georgia Business Dialing Plan wit			UEPSB	UEPWD	2.09	2.42	2.31	1.37	1.28						
		2-W Only Port without Caller ID Ca			UEPSB	UEPBE	2.09	2.42	2.31	1.37	1.28						
		Sub			UEPSB	USASC	0.00	0.00	0.00								
	F	RES															
		All			UEPSB	UEPVF	0.775	0.00	0.00								
	E	NG Y)															
		2-W BX Trunk - Res			UEPSE	UEPRD	2.09	28.88	13.63	11.48	0.83						
		2-W d 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.09	28.88	13.63	11.48	0.83						
		2-W d Outward PBX Trunk - Bus			UEPSP	UEPPO	2.09	28.88	13.63	11.48	0.83						
		2-W d Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.09	28.88	13.63	11.48	0.83						
		2-W erminal PBX Trunk - Bus			UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
		2-W D Terminal Ports			UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
		2-W BX Usage Port			UEPSP	UEPXA	2.09	28.88	13.63	11.48	0.83						
		2-W oll Terminal Hotel Ports			UEPSP	UEPXB	2.09	28.88	13.63	11.48	0.83						
		2-W D DDD Terminals Port			UEPSP	UEPXC	2.09	28.88	13.63	11.48	0.83						
		2-W D Terminal Switchboard Port			UEPSP	UEPXD	2.09	28.88	13.63	11.48	0.83						
		2-W D Terminal Switchboard IDD Ca			UEPSP	UEPXE	2.09	28.88	13.63	11.48	0.83						
		2-W PBX Hotel/Hospital Economy Ad			UEPSP	UEPXL	2.09	28.88	13.63	11.48	0.83						
		2-W PBX Hotel/Hospital Economy Boo			UEPSP	UEPXM	2.09	28.88	13.63	11.48	0.83						
		2-W Outgoing PBX Hotel/Hospital Dis			UEPSP	UEPXO	2.09	28.88	13.63	11.48	0.83						
		2-W Outgoing PBX Measured Port			UEPSP	UEPXS	2.09	28.88	13.63	11.48	0.83						
		2-W basic dialing port - 1-Way Ou			UEPSP	UEPWS	2.09	28.88	13.63	11.48	0.83						
		2-W basic dialing port - 2-Way Tru			UEPSP	UEPWT	2.09	28.88	13.63	11.48	0.83						
		2-W basic dialing port - 2-way PBX Tru			UEPSP	UEPPQ	2.09	28.88	13.63	11.48	0.83						
		Sub			UEPSP	USASC	0.00	0.00	0.00								
	F	RES															
		All			UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
	N	ane rd with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	N	ace ket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															

UNBUN		- Georgia											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-	VC	ATES (DID)														
		Exc	Port			UEPEX	UEPP2	6.50	122.26	18.65	54.82	3.45						
	2	VC	ATES (ISDN-BRI)														
		Exc	Port (See Notes below.)			UEPTX, UEPSX	U1PMA	7.09	76.39	51.50	45.67	10.36						
		All				UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
		Ex	Port -- Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	N		ed with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	N		cket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
	U	DL	ALL FORWARDING CAPABILITY															
	U	DL	RDING SERVICE - RESIDENCE															
		Un	rding Service, Area Calling, Res			UEPVR	UERAC	2.09	2.42	2.31	1.37	1.28						
		Un	rding Service, Local Calling - Res			UEPVR	UERLC	2.09	2.42	2.31	1.37	1.28						
		Un	rding Service, InterLATA - Res			UEPVR	UERTE	2.09	2.42	2.31	1.37	1.28						
		Un	rding Service, IntraLATA - Res			UEPVR	UERTR	2.09	2.42	2.31	1.37	1.28						
	N																	
		Un	rding Service - Conversion -															
		Sw				UEPVR	USAC2		2.01	0.31								
		Un	rding Service - Conversion with															
		all				UEPVR	USACC		2.01	0.31								
	U	DL	RDING - Bus															
		Un	rding Service, Area Calling - Bus			UEPVB	UERAC	2.09	2.42	2.31	1.37	1.28						
		Un	rding Service, Local Calling - Bus			UEPVB	UERLC	2.09	2.42	2.31	1.37	1.28						
		Un	rding Service, InterLATA - Bus			UEPVB	UERTE	2.09	2.42	2.31	1.37	1.28						
		Un	rding Service, IntraLATA - Bus			UEPVB	UERTR	2.09	2.42	2.31	1.37	1.28						
		Un	ding Service Expanded and															
		Ex				UEPVB	UERVJ	2.09	2.42	2.31	1.37	1.28						
	N																	
		Un	rding Service - Conversion -															
		Sw				UEPVB	USAC2		2.01	0.31								
		Un	rding Service - Conversion with															
		all				UEPVB	USACC		2.01	0.31								
UNBUND		OC	AGE															
	E	ic																
		En	Per MOU					0.0006153										
		En	Per MOU					0.0001226										
	T	S	al or Access Tandem)															
		Tan	er MOU					0.0000972										
		Tan	Per MOU					0.0001557										
		Tand	er MOU (Melded)					0.000017904										
		Tan	Per MOU (Melded)					0.00002868										
	M	Fac	n Rate															
	C																	
		Con	Per MOU					0.0000027										
		Con	Termination Per MOU					0.0001914										
UNBUND		OR	- COST BASED RATES															
	>C	Base	re BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or															
		Swi	Porte															
	>	UNE-P	Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the															
		TE	Co					0 in Accordance with the TRRO.										
	>T	es	bined Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-															
		Al	Unbu					is Rate Exhibit.										
	>E	ffic	Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all															
		co	ation					lements except for UNE Coin Port/Loop Combinations.										
	>	st	curring charges apply to Not Currently Combined Combos. For Currently Combined Combos the															
		nc	urri					identified in the Nonrecurring - Currently Combined sections.										
	2-	VC	-WIRE LINE PORT (RES)															
	U	tfl																

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W Zone 1					11.46										
	2-W Zone 2					16.76										
	2-W Zone 3					33.56										
U	op															
	2-W) - Zone 1		1	UEPRX	UEPLX	9.56										
	2-W) - Zone 2		2	UEPRX	UEPLX	14.86										
	2-W) - Zone 3		3	UEPRX	UEPLX	31.66										
2	Voi (Res)															
	2-W esidence			UEPRX	UEPRL	1.9019	10.05	7.36	1.37	1.28						
	2-W ith Caller ID - res			UEPRX	UEPRC	1.9019	10.05	7.36	1.37	1.28						
	2-W utgoing only - res			UEPRX	UEPRO	1.9019	10.05	7.36	1.37	1.28						
	2-W usage line port with Caller ID (LU			UEPRX	UEPAP	1.9019	10.05	7.36	1.37	1.28						
	2-W basic dialing port without Caller ID re			UEPRX	UEPWC	1.9019	10.05	7.36	1.37	1.28						
	2-W basic dialing port for use with Call			UEPRX	UEPWQ	1.9019	10.05	7.36	1.37	1.28						
	2-W basic dialing port - outgoing onl			UEPRX	UEPWR	1.9019	10.05	7.36	1.37	1.28						
	2-W ssage Line Port without Caller ID Ger			UEPRX	UEPRT	1.9019	10.05	7.36	1.37	1.28						
	2-W Port without Caller ID, Georgia			UEPRX	UEPRV	1.9019	10.05	7.36	1.37	1.28						
	2-W Port with Caller ID, Georgia			UEPRX	UEPRU	1.9019	10.05	7.36	1.37	1.28						
F	TER															
	All			UEPRX	UEPVF	0.775	0.00	0.00								
N	CU CURRENTLY COMBINED															
	2-W Port Combination - Conversion - Swi			UEPRX	USAC2		0.10	0.10								
	2-W Port Combination - Conversion - Swi			UEPRX	USACC		0.10	0.10								
	2-W Port Platform - Installation Ch - Not Conversion of Existing Ser			UEPRX	URECC		0.10									
A	DM															
	2-W Port Combination - Subsequent Act			UEPRX	USAS2	0.00	0.00	0.00								
	Un Element, Tag Loop at End User Pre			UEPRX	URETL		8.33	0.83								
C	PE NNELS															
	2-W ension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2-W ension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2-W ension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2-W ension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2-W ension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2-W ension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
H	PE Inte - 2 Wire Voice Grade - Facility Ter			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Inte - 2 Wire Voice Grade - Per Mile or			UEPRX	U1TVM	0.0057	0.00	0.00								
2	VO WIRE LINE PORT (BUS)															
U	op															
	2-W Zone 1					11.46										
	2-W Zone 2					16.76										
	2-W Zone 3					33.56										
U	op															
	2-W) - Zone 1		1	UEPBX	UEPLX	9.56										
	2-W) - Zone 2		2	UEPBX	UEPLX	14.86										
	2-W - Zone 3		3	UEPBX	UEPLX	31.66										

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGOR	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	Voi															
	2-W thout Caller ID - bus			UEPBX	UEPBL	1.9019	10.05	7.36	1.37	1.28						
	2-W h Caller + E484 ID - bus			UEPBX	UEPBC	1.9019	10.05	7.36	1.37	1.28						
	2-W going only - bus			UEPBX	UEPBO	1.9019	10.05	7.36	1.37	1.28						
	2-W g only port with Caller ID - Bus			UEPBX	UEPB1	1.9019	10.05	7.36	1.37	1.28						
	2-W basic dialing port, without Cal			UEPBX	UEPWD	1.9019	10.05	7.36	1.37	1.28						
	2-W basic dialing port for use with Cal			UEPBX	UEPWP	1.9019	10.05	7.36	1.37	1.28						
	2-W n Only Port without Caller ID Ca			UEPBX	UEPBE	1.9019	10.05	7.36	1.37	1.28						
F	RE															
	All			UEPBX	UEPVF	0.775	0.00	0.00								
N	CU - CURRENTLY COMBINED															
	2-W Port Combination - Conversion - Sw			UEPBX	USAC2		0.10	0.10								
	2-W Port Combination - Conversion - Sw			UEPBX	USACC		0.10	0.10								
A	ON															
	2-W Port Combination - Subsequent Act			UEPBX	USAS2		0.00	0.00								
	Un Element, Tag Loop at End User Pro			UEPBX	URETL		8.33	0.83								
C	NELS															
	2-W ension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2-W ension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2-W ension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2-W ension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2-W ension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2-W ension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
IN	FE															
	Inte - 2 Wire Voice Grade - Facility Ter			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Inte - 2 Wire Voice Grade - Per Mile for			UEPBX	U1TVM	0.0057	0.00	0.00								
2	VC WIRE LINE PORT (RES - PBX)															
U	H/I															
	2-W Zone 1					11.46										
	2-W Zone 2					16.76										
	2-W Zone 3					33.56										
U	op															
	2-W) - Zone 1		1	UEPRG	UEPLX	9.56										
	2-W) - Zone 2		2	UEPRG	UEPLX	14.86										
	2-W) - Zone 3		3	UEPRG	UEPLX	31.66										
2	Voi RES - PBX)															
	2-W tion 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.9019	10.05	7.36	1.37	1.28						
FF	RES															
	All			UEPRG	UEPVF	0.775	0.00	0.00								
N	CUR - CURRENTLY COMBINED															
	2-W Port Combination (PBX) - Con			UEPRG	USAC2		0.10	0.10								
	2-W Port Combination (PBX) - Con ge			UEPRG	USACC		0.10	0.10								
A	ON															
	2-W Port Combination (PBX) - Sub			UEPRG	USAS2	0.00	0.00	0.00								
	PB ge/Rearrange Multiline Hunt Gro						6.70	6.70								

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Element, Tag Loop at End User			UEPRG	URETL		8.33	0.83								
O	NNELS															
	termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87						
	termination		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87						
	termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87						
	Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
	Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	- 2 Wire Voice Grade - Facility			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00						
	- 2 Wire Voice Grade - Per Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
2	WIRE LINE PORT (BUS - PBX)															
	Zone 1					11.46										
	Zone 2					16.76										
	Zone 3					33.56										
	) - Zone 1		1	UEPPX	UEPLX	9.56										
	) - Zone 2		2	UEPPX	UEPLX	14.86										
	) - Zone 3		3	UEPPX	UEPLX	31.66										
2	BUS - PBX)															
	ion 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28						
	PBX Trunk Port - Bus			UEPPX	UEPPO	1.9019	10.05	7.36	1.37	1.28						
	PBX Trunk Port - Bus			UEPPX	UEPP1	1.9019	10.05	7.36	1.37	1.28						
	D Terminal Ports			UEPPX	UEPLD	1.9019	10.05	7.36	1.37	1.28						
	Combination PBX Usage Port			UEPPX	UEPXA	1.9019	10.05	7.36	1.37	1.28						
	oll Terminal Hotel Ports			UEPPX	UEPXB	1.9019	10.05	7.36	1.37	1.28						
	D DDD Terminals Port			UEPPX	UEPXC	1.9019	10.05	7.36	1.37	1.28						
	D Terminal Switchboard Port			UEPPX	UEPXD	1.9019	10.05	7.36	1.37	1.28						
	D Terminal Switchboard IDD			UEPPX	UEPXE	1.9019	10.05	7.36	1.37	1.28						
	PBX Hotel/Hospital Economy			UEPPX	UEPXL	1.9019	10.05	7.36	1.37	1.28						
	PBX Hotel/Hospital Economy			UEPPX	UEPXM	1.9019	10.05	7.36	1.37	1.28						
	Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	1.9019	10.05	7.36	1.37	1.28						
	Outgoing PBX Measured Port			UEPPX	UEPXS	1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - 1-Way			UEPPX	UEPWS	1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - 2-Way			UEPPX	UEPWT	1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - 2-way PBX			UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - PBX LD					1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - PBX Toll					1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - PBX LD					1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - PBX LD					1.9019	10.05	7.36	1.37	1.28						
	basic dialing port - PBX LD nable Port					1.9019	10.05	7.36	1.37	1.28						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W basic dialing port - PBX 2-Way Tru			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28						
F	RE															
	All			UEPPX	UEPVF	0.775	0.00	0.00								
N	CURRENTLY COMBINED															
	2W Port Combination (PBX) - Con			UEPPX	USAC2		0.10	0.10								
	2W Port Combination (PBX) - Con			UEPPX	USACC		0.10	0.10								
A	ON															
	2W Port Combination (PBX) - Sub			UEPPX	USAS2	0.00	0.00	0.00								
	Change/Rearrange Multiline Hunt Gro						6.70	6.70								
	UE Element, Tag Loop at End User Pre			UEPPX	URETL		8.33	0.83								
C	CHANNELS															
	Loop termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
	Loop termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
	Loop termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
	Non Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Non Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
	Non Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
IN	IER															
	Int - 2 Wire Voice Grade - Facility To			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Int - 2 Wire Voice Grade - Per Mile or F			UEPPX	U1TVM	0.0057	0.00	0.00								
2	WIRE ANALOG LINE COIN PORT															
U																
	2W ho – Zone 1					11.46										
	2W ho – Zone 2					16.76										
	2W ho – Zone 3					33.56										
U																
	2W - Zone 1		1	UEPCO	UEPLX	9.56										
	2W - Zone 2		2	UEPCO	UEPLX	14.86										
	2W - Zone 3		3	UEPCO	UEPLX	31.66										
2																
	2W or Screening (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28						
	2W or Screening and Blocking: 011, 900/			UEPCO	UEP2G	1.9019	10.05	7.36	1.37	1.28						
	2W or Screening and 011 Blocking (GA			UEPCO	UEPGA	1.9019	10.05	7.36	1.37	1.28						
	2W ator Screening and 900/976 Bloc			UEPCO	UEPGB	1.9019	10.05	7.36	1.37	1.28						
	2W ator Screening and Blocking: 900/ Local (GA)			UEPCO	UEPCH	1.9019	10.05	7.36	1.37	1.28						
	2W erator Screening and 011 Blocking (GA			UEPCO	UEPRJ	1.9019	10.05	7.36	1.37	1.28						
	2W Operator Screening and Blocking: 900/ Local (FL, GA)			UEPCO	UEPCQ	1.9019	10.05	7.36	1.37	1.28						
	2W 900/976 (all states except LA)			UEPCO	UEPCK	1.9019	10.05	7.36	1.37	1.28						
	2W with 900/976 (all states except LA)			UEPCO	UEPCR	1.9019	10.05	7.36	1.37	1.28						
A	ONA (RC)															
	UNE sage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						
N	CURRENTLY COMBINED															
	2W Port Combination - Conversion - Sys			UEPCO	USAC2		0.10	0.10								

UNBUN		- Georgia											Attachment: 2 Ex. A			
CATEGO		EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-W Port Combination - Conversion - Switch			UEPCO	USACC		0.10	0.10								
	A																
		2-W Port Combination - Subsequent Act			UEPCO	USAS2		0.00	0.00								
		Un Element, Tag Loop at End User Pre			UEPCO	URETL		8.33	0.83								
	2-	VG GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	U	rt/L															
		2-W rt Combo - Zone 1					26.53										
		2-W rt Combo - Zone 2					31.92										
		2-W rt Combo - Zone 3					48.04										
	U	2B															
		2-W - Zone 1		1	UEPFR	UECF2	11.57										
		2-W - Zone 2		2	UEPFR	UECF2	16.95										
		2-W - Zone 3		3	UEPFR	UECF2	33.08										
	2	Voi (Res)															
		2-W esidence			UEPFR	UEPRL	2.09	166.05	43.66	41.89	15.44						
		2-W ith Caller ID - res			UEPFR	UEPRC	2.09	166.05	43.66	41.89	15.44						
		2-W tgoing only - res			UEPFR	UEPRO	2.09	166.05	43.66	41.89	15.44						
		2-W usage line port with Caller ID (LI			UEPFR	UEPAP	2.09	166.05	43.66	41.89	15.44						
		2-W basic dialing port, without Cal			UEPFR	UEPWC	2.09	166.05	43.66	41.89	15.44						
		2-W basic dialing port for use with Cal			UEPFR	UEPWQ	2.09	166.05	43.66	41.89	15.44						
		2-W basic dialing port - outgoing only			UEPFR	UEPWR	2.09	166.05	43.66	41.89	15.44						
	IF	FE															
		Inte - 2 Wire Voice Grade - Facility Te			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Inte - 2 Wire Voice Grade - Per Mile or			UEPFR	1L5XX	0.0057	0.00	0.00								
	F	PE															
		All			UEPFR	UEPVF	0.775	0.00	0.00								
	N	CU - CURRENTLY COMBINED															
		2-W nsport / 2 Wire Line Port Co itch-as-is			UEPFR	USAC2		7.85	1.86								
		2-W nsport / 2 Wire Line Port Co itch-With-Change			UEPFR	USACC		7.85	1.86								
		Un Element, Tag Designed Loop at En			UEPFR	URETN		11.19	1.10								
	2-	VG GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
	U	rt/L															
		2-W rt Combo - Zone 1					26.53										
		2-W rt Combo - Zone 2					31.92										
		2-W rt Combo - Zone 3					48.04										
	U	2B															
		2-W - Zone 1		1	UEPFB	UECF2	11.57										
		2-W - Zone 2		2	UEPFB	UECF2	16.95										
		2-W - Zone 3		3	UEPFB	UECF2	33.08										
	2	Voi															
		2-W ithout Caller ID - bus			UEPFB	UEPBL	2.09	166.05	43.66	41.89	15.44						
		2-W ith Caller + E484 ID - bus			UEPFB	UEPBC	2.09	166.05	43.66	41.89	15.44						
		2-W tgoing only - bus			UEPFB	UEPBO	2.09	166.05	43.66	41.89	15.44						
		2-W ng only port with Caller ID - Bus			UEPFB	UEPB1	2.09	166.05	43.66	41.89	15.44						
		2-W basic dialing port, without Cal			UEPFB	UEPWD	2.09	166.05	43.66	41.89	15.44						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ... basic dialing port for use with			UEPFB	UEPWP	2.09	166.05	43.66	41.89	15.44						
	IN															
	Int ... - 2 Wire Voice Grade - Facility			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Int ... 2 Wire Voice Grade - Per Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
	F															
	All			UEPFB	UEPVF	0.775	0.00	0.00								
	N	CURRENTLY COMBINED														
	2-W ...sport / 2 Wire Line Port															
	Co ...itch-as-is			UEPFB	USAC2		7.85	1.86								
	2-W ...sport / 2 Wire Line Port															
	Co ...itch with change			UEPFB	USACC		7.85	1.86								
	U ... Element, Tag Designed Loop at															
	En			UEPFB	URETN		11.19	1.10								
2-	VG ...GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
U	H/I															
	2-W ...rt Combo - Zone 1					26.53										
	2-W ...rt Combo - Zone 2					31.92										
	2-W ...rt Combo - Zone 3					48.04										
	U ...op															
	2-W ... - Zone 1		1	UEPFP	UECF2	11.57										
	2-W ... - Zone 2		2	UEPFP	UECF2	16.95										
	2-W ... - Zone 3		3	UEPFP	UECF2	33.08										
2-	...US - PBX)															
	Lin ...ion 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.09	166.05	43.66	41.89	15.44						
	Lin ... PBX Trunk Port - Bus			UEPFP	UEPPO	2.09	166.05	43.66	41.89	15.44						
	Lin ... PBX Trunk Port - Bus			UEPFP	UEPP1	2.09	166.05	43.66	41.89	15.44						
	2-W ...D Terminal Ports			UEPFP	UEPLD	2.09	166.05	43.66	41.89	15.44						
	2-W ... Combination PBX Usage Port			UEPFP	UEPXA	2.09	166.05	43.66	41.89	15.44						
	2-W ...tel Terminal Hotel Ports			UEPFP	UEPXB	2.09	166.05	43.66	41.89	15.44						
	2-W ...D DDD Terminals Port			UEPFP	UEPXC	2.09	166.05	43.66	41.89	15.44						
	2-W ...D Terminal Switchboard Port			UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44						
	2-W ...D Terminal Switchboard IDD															
	Ca			UEPFP	UEPXE	2.09	166.05	43.66	41.89	15.44						
	2-W ... PBX Hotel/Hospital Economy															
	Ad			UEPFP	UEPXL	2.09	166.05	43.66	41.89	15.44						
	2-W ... PBX Hotel/Hospital Economy															
	Ro			UEPFP	UEPXM	2.09	166.05	43.66	41.89	15.44						
	2-W ... Outgoing PBX Hotel/Hospital															
	Dis			UEPFP	UEPXO	2.09	166.05	43.66	41.89	15.44						
	2-W ...w Outgoing PBX Measured Port			UEPFP	UEPXS	2.09	166.05	43.66	41.89	15.44						
	2-W ...a basic dialing port - 1-Way															
	Ou			UEPFP	UEPWS	2.09	166.05	43.66	41.89	15.44						
	2-W ...ia basic dialing port - 2-Way															
	Tru			UEPFP	UEPWT	2.09	166.05	43.66	41.89	15.44						
	IN															
	Int ...ed - 2 Wire Voice Grade - Facility															
	Ter			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Int ...vi - 2 Wire Voice Grade - Per Mile															
	or			UEPFP	1L5XX	0.0057	0.00	0.00								
	F	RES														
	All			UEPFP	UEPVF	0.775	0.00	0.00								
	N	CU ... CURRENTLY COMBINED														
	2-W ...nsport / 2 Wire Line Port															
	Co ...itch-as-is			UEPFP	USAC2		7.85	1.86								

UNBUN… D N… …S - Georgia

Attachment: 2 Ex. A

CATEGO…		…EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-W… …nsport / 2 Wire Line Port Com… …itch with change			UEPFP	USACC		7.85	1.86								
		Un… … Element, Tag Designed Loop at End…			UEPFP	URETN		11.19	1.10								
	2-	VG… …NLY - WITH 2-WIRE DID TRUNK PORT															
	U…	ort/…															
		2-W… …unk Port Combo - UNE Zone 1					18.05										
		2-W… …unk Port Combo - UNE Zone 2					23.44										
		2-W… …unk Port Combo - UNE Zone 3					39.56										
	U…	op…															
		2-W… …op - (SL2) - UNE Zone 1		1	UEPPX	UECD1	11.57										
		2-W… …op - (SL2) - UNE Zone 2		2	UEPPX	UECD1	16.95										
		2-W… …op - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.08										
	U…	ort …															
		Ex… …Port			UEPPX	UEPD1	6.48	174.55	13.64	59.31	4.27						
	N…	CU… …NTLY COMBINED															
		2-W… …re DID Trunk Port Combination - Sw…			UEPPX	USAC1		6.66	1.86								
		2-W… …ire DID Trunk Port Conversion with… …nges			UEPPX	USA1C		6.66	1.86								
	A…	ON…															
		Un… … Element, Tag Designed Loop at End…			UEPPX	URETN		11.19	1.10								
	T…	one … …ablisment Charges															
		DID … …r Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID … …Group and Provide First Group of 2…			UEPPX	NDZ	0.00	0.00	0.00								
		Add… …ch Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
		DID … …re DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
		Res… …numbers			UEPPX	ND6	0.00	0.00	0.00								
		Res…			UEPPX	NDV	0.00	0.00	0.00								
	2-	ISD… …WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
	U…	ort/…															
		2W… …ISDN Digital Line Side Port - UNE					20.44										
		2W… …ISDN Digital Line Side Port - UNE					25.45										
		2W… …ISDN Digital Line Side Port - UNE					39.09										
	U…	op…															
		2-W… …p - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.25										
		2-W… …p - UNE Zone 2		2	UEPPB UEPPR	USL2X	19.26										
		2-W… …p - UNE Zone 3		3	UEPPB UEPPR	USL2X	32.90										
	U…	ort …															
		Ex… …Line Side Port			UEPPR	UEPPR	6.19	161.36	141.68	43.68	8.37						
		Ex… …Line Side Port			UEPPB	UEPPB	6.19	161.36	141.68	43.68	8.37						
	N…	CU… …NTLY COMBINED															
		2-W… …/ 2-Wire ISDN Line Side Port Com…			UEPPB UEPPR	USACB	0.00	42.52	26.99								
	A…	ON…															
		2-W… …Port Combination - Sub Actvy - No…			UEPPB UEPPR	USASB		0.00									
		Un… … Element, Tag Designed Loop at Sn…			UEPPB UEPPR	URETN		11.19	1.10								
		Un… … Element, Tag Loop at End User Pre…			UEPPB UEPPR	URETL		8.33	0.83								
	B…	NE… …es															
		2W…			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								

- Georgia

Attachment: 2 Ex. A

CATEGO			EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CW				UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
		CS				UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	B	NF	FILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	U	EG																
		Use	nly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	V	AL																
		All	Channel B User Profile			UEPPB UEPPR	UEPVF	0.775	0.00	0.00								
	IN	EF																
		Inte	, including first mile and															
		Fac				UEPPB UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
		Inte	ch, additional mile			UEPPB UEPPR	M1GNM	0.0057	0.00	0.00								
UNBUND		EN	NATIONS - COST BASED RATES															
	U	CE	AL,FL,GA,KY,LA,MS,&TN only)															
	2	'G	Port (Centrex) Combo															
	U	d/I	Non-Design)															
		2-W	rade Port (Centrex) Port Combo -															
		Non						11.46										
		2-W	rade Port (Centrex)Port Combo -															
		Non						16.76										
		2-W	rade Port (Centrex)Port Combo -															
		Non						33.56										
	U	d/I	Design)															
		2-W	rade Port (Centrex) Port Combo -															
		Des						13.47										
		2-W	rade Port (Centrex)Port Combo -															
		Des						18.85										
		2-W	rade Port (Centrex)Port Combo -															
		Des						34.98										
	U	ort																
		2-W	) - Zone 1		1	UEP91	UECS1	9.56										
		2-W	) - Zone 2		2	UEP91	UECS1	14.86										
		2-W	) - Zone 3		3	UEP91	UECS1	31.66										
		2-W	) - Zone 1		1	UEP91	UECS2	11.57										
		2-W	) - Zone 2		2	UEP91	UECS2	16.95										
		2-W	) - Zone 3		3	UEP91	UECS2	33.08										
	U	rts																
	A	es (	South Carolina)															
		2-W	rex) Basic Local Area			UEP91	UEPYA	1.9019	10.05	7.36	1.37	1.28						
		2-W	x 800 termination)Basic Local Area			UEP91	UEPYB	1.9019	10.05	7.36	1.37	1.28						
		2-W	rex with Caller ID)Note1 Basic Local			UEP91	UEPYH	1.9019	10.05	7.36	1.37	1.28						
		2-W	rex from diff Serving Wire Center) Note			UEP91	UEPYM	1.9019	82.27	26.96	20.29	9.15						
		2-W	Serving Wire Center - 800 Service Term			UEP91	UEPYZ	1.9019	82.27	26.96	20.29	9.15						
		2-W	inated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.9019	10.05	7.36	1.37	1.28						
		2-W	inated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.9019	10.05	7.36	1.37	1.28						
	G	n and																
		2-Wire	Centrex)			UEP91	UEPHA	1.9019	10.05	7.36	1.37	1.28						
		2-Wire	rex 800 termination)			UEP91	UEPHB	1.9019	10.05	7.36	1.37	1.28						
		2-W	rex with Caller ID)1			UEP91	UEPHH	1.9019	10.05	7.36	1.37	1.28						
		2-W	rex from diff Serving Wire Center			UEP91	UEPHM	1.9019	82.27	26.96	20.29	9.15						
		2-W	Serving Wire Center 2,3 - 800 Se			UEP91	UEPHZ	1.9019	82.27	26.96	20.29	9.15						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ...nated in on Megalink or equivalent			UEP91	UEPH9	1.9019	10.05	7.36	1.37	1.28						
	2-W ...nated on 800 Service Term			UEP91	UEPH2	1.9019	10.05	7.36	1.37	1.28						
L	wit...															
	Ce... ...per port			UEP91	URECS	0.4237										
F	s															
	All ... per port			UEP91	UEPVF	0.775										
	All ... ...port			UEP91	UEPVS	0.00	0.00									
	All ... ...ffered, per port			UEP91	UEPVC	0.00										
N																
	Un... ...egister - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un... ...egister - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un... ...egister - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
M																
2																
	Te...			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
In																
	Inte... ...ermination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Inte... ...er mile or fraction of mile			UEP91	M1GBM	0.0057										
Fe	Ar... **...oops on Channelized DS1 Service**															
D	...nn...															
	Fea... ...nel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
	Fea... ...nel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Fea... ...nel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.4689										
	Fea... ...nel Bank Centrex Loop Slot - Dif...			UEP91	1PQWP	0.4689										
	Fea... ...nnel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
	Fea... ...nel Bank Tie Line/Trunk Loop Slot			UEP91	1PQWQ	0.4689										
	Fea... ...nnel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
N	...ci... **...iated with UNE-P Centrex**															
	...d Switch-As-Is with allowed ...cha...			UEP91	USAC2		0.10	0.10								
	Ne... ...n Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
	Ne... ...non Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
	Se...			UEP91	M2CC1	0.00	77.10									
	NA... ...er Occasion			UEP91	URECA	0.00	0.00									
A	...nal ...NRC)															
	Un... ...Element, Tag Loop at End Use Pre...			UEP91	URETL		8.33	0.83								
	Un... ...Element, Tag Design Loop at End...			UEP91	URETN		11.19	1.10								
U	CE... **...ll States)**															
2	/G... **...Port (Centrex) Combo**															
U	rt/I **...tion-Design)**															
	2-W ...Grade Port (Centrex) Port Combo - Ne...					11.46										
	2-W ...Grade Port (Centrex)Port Combo - Ne...					16.76										
	2-W ...Grade Port (Centrex)Port Combo - Ne...					33.56										
U	rt/I ...Design)															
	2-W ...Grade Port (Centrex) Port Combo - Des...					13.47										
	2-W ...Grade Port (Centrex)Port Combo - De...					18.85										

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ade Port (Centrex)Port Combo - Des					34.98										
U	or															
	2W - Zone 1		1	UEP95	UECS1	9.56										
	2W - Zone 2		2	UEP95	UECS1	14.86										
	2W - Zone 3		3	UEP95	UECS1	31.66										
	2W - Zone 1		1	UEP95	UECS2	11.57										
	2W - Zone 2		2	UEP95	UECS2	16.95										
	2W - Zone 3		3	UEP95	UECS2	33.08										
U																
A																
	2W ex) Basic Local Area			UEP95	UEPYA	1.9019	10.05	7.36	1.37	1.28						
	2W ex 800 termination)			UEP95	UEPYB	1.9019	10.05	7.36	1.37	1.28						
	2W y with Caller ID)1Basic Local Area			UEP95	UEPYH	1.9019	10.05	7.36	1.37	1.28						
	2W y from diff Serving Wire Cen			UEP95	UEPYM	1.9019	82.27	26.96	20.29	9.15						
	2W erving Wire Center 2.3 - 800 Ser			UEP95	UEPYZ	1.9019	82.27	26.96	20.29	9.15						
	2W ated in on Megalink or equivalent - Ba			UEP95	UEPY9	1.9019	10.05	7.36	1.37	1.28						
	2W ated on 800 Service Term - Ba			UEP95	UEPY2	1.9019	10.05	7.36	1.37	1.28						
F																
	2W ex)			UEP95	UEPHA	1.9019	10.05	7.36	1.37	1.28						
	2W ex 800 termination)			UEP95	UEPHB	1.9019	10.05	7.36	1.37	1.28						
	2W ex with Caller ID)1			UEP95	UEPHH	1.9019	10.05	7.36	1.37	1.28						
	2W y from diff Serving Wire Cen			UEP95	UEPHM	1.9019	82.27	26.96	20.29	9.15						
	2W erving Wire Center - 800 Service Ter			UEP95	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
	2W ated in on Megalink or equivalent			UEP95	UEPH9	1.9019	10.05	7.36	1.37	1.28						
	2W ated on 800 Service Term			UEP95	UEPH2	1.9019	10.05	7.36	1.37	1.28						
L	wir															
	Ce per port			UEP95	URECS	0.4237										
F	s															
	All per port			UEP95	UEPVF	0.775										
	All r port			UEP95	UEPVS	0.00	0.00									
	All ffered, per port			UEP95	UEPVC	0.00										
N																
	Unb egister - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unb gister - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unb gister - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
M																
2	Tru															
	Tru each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45						
4	Digi															
	DS1 each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
In	ice															
	Inte termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Inte per mile or fraction of mile			UEP95	M1GBM	0.0057										
F	Ac oops on Channelized DS1 Service															
D	anel															
	Fea nnel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
	Fea nnel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										

UNBUN		- Georgia										Attachment: 2 Ex. A					
CATEGO		ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		nel Bank FX Trunk Side Loop			UEP95	1PQW7	0.4689										
		nel Bank Centrex Loop Slot -			UEP95	1PQWP	0.4689										
		nel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										
		nel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.4689										
		nel Bank WATS Loop Slot			UEP95	1PQWA	0.4689										
	N	iated with UNE-P Centrex															
		hined Switch-As-Is with allowed			UEP95	USAC2		0.10	0.10								
		on Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						
		mon Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92						
		r Occasion			UEP95	URECA	0.00	0.00									
	A	RC)															
		Element, Tag Loop at End Use			UEP95	URETL		8.33	0.83								
		Element, Tag Design Loop at			UEP95	URETN		11.19	1.10								
	U	All States)															
	2	Port (Centrex) Combo															
	U	Non-Design)															
		rade Port (Centrex) Port Combo -					11.46										
		rade Port (Centrex)Port Combo -					16.76										
		rade Port (Centrex)Port Combo -					33.56										
	U	Design)															
		rade Port (Centrex) Port Combo -					13.47										
		rade Port (Centrex)Port Combo -					18.85										
		rade Port (Centrex)Port Combo -					34.98										
	U																
		) - Zone 1		1	UEP9D	UECS1	9.56										
		) - Zone 2		2	UEP9D	UECS1	14.86										
		) - Zone 3		3	UEP9D	UECS1	31.66										
		) - Zone 1		1	UEP9D	UECS2	11.57										
		) - Zone 2		2	UEP9D	UECS2	16.95										
		) - Zone 3		3	UEP9D	UECS2	33.08										
	U																
	A																
		ex) Basic Local Area			UEP9D	UEPYA	1.9019	10.05	7.36	1.37	1.28						
		ex 800 termination)Basic Local			UEP9D	UEPYB	1.9019	10.05	7.36	1.37	1.28						
		ex / EBS-PSET)3Basic Local			UEP9D	UEPYC	1.9019	10.05	7.36	1.37	1.28						
		ex / EBS-M5009)3Basic Local			UEP9D	UEPYD	1.9019	10.05	7.36	1.37	1.28						
		ex / EBS-M5209))3 Basic Local			UEP9D	UEPYE	1.9019	10.05	7.36	1.37	1.28						
		ex / EBS-M5112))3 Basic Local			UEP9D	UEPYF	1.9019	10.05	7.36	1.37	1.28						
		ex / EBS-M5312))3Basic Local			UEP9D	UEPYG	1.9019	10.05	7.36	1.37	1.28						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ...v / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v with Caller ID) Basic Local Area			UEP9D	UEPYH	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v/Caller ID/Msg Wtg Lamp Indi...			UEP9D	UEPYW	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v/Msg Wtg Lamp Indication))4 Bas...			UEP9D	UEPYJ	1.9019	10.05	7.36	1.37	1.28						
	2-W ...v from diff Serving Wire Center) 2,3			UEP9D	UEPYM	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-PSET)2,3,4 Bas...			UEP9D	UEPYO	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5009)2,3,4 Bas...			UEP9D	UEPYP	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-5209)2,3,4 Bas...			UEP9D	UEPYQ	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5112)2,3,4 Bas...			UEP9D	UEPYR	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5312)2,3,4 Bas...			UEP9D	UEPYS	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5008)2,3,4 Bas...			UEP9D	UEPY4	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5208)2, 3 Bas...			UEP9D	UEPY5	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5216)2,3,4 Bas...			UEP9D	UEPY6	1.9019	82.27	26.96	20.29	9.15						
	2-W ...v/differ SWC /EBS-M5316)2,3,4 Bas...			UEP9D	UEPY7	1.9019	82.27	26.96	20.29	9.15						
	2-W ...rving Wire Center - 800 Service Ter...			UEP9D	UEPYZ	1.9019	82.27	26.96	20.29	9.15						
	2-W ...ted in on Megalink or equivalent Bas...			UEP9D	UEPY9	1.9019	10.05	7.36	1.37	1.28						
	2-W ...ated on 800 Service Term Basic Loc...			UEP9D	UEPY2	1.9019	10.05	7.36	1.37	1.28						
F																
	2-W ...trex)			UEP9D	UEPHA	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex 800 termination)			UEP9D	UEPHB	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-PSET)4			UEP9D	UEPHC	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5009)4			UEP9D	UEPHD	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5209)4			UEP9D	UEPHE	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5112)4			UEP9D	UEPHF	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5312)4			UEP9D	UEPHG	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5008)4			UEP9D	UEPHT	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5208)4			UEP9D	UEPHU	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5216)4			UEP9D	UEPHV	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex / EBS-M5316)4			UEP9D	UEPH3	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex with Caller ID)			UEP9D	UEPHH	1.9019	10.05	7.36	1.37	1.28						
	2-W ...rex/Caller ID/Msg Wtg Lamp Indic...			UEP9D	UEPHW	1.9019	10.05	7.36	1.37	1.28						
	2-W ...trex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.9019	10.05	7.36	1.37	1.28						
	2-W ...rex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	1.9019	82.27	26.96	20.29	9.15						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W ex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.9019	82.27	26.96	20.29	9.15						
	2-W ex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.9019	82.27	26.96	20.29	9.15						
	2-W Serving Wire Center - 800 Service Ter			UEP9D	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
	2-W ated in on Megalink or equivalent			UEP9D	UEPH9	1.9019	10.05	7.36	1.37	1.28						
	2-W iated on 800 Service Term			UEP9D	UEPH2	1.9019	10.05	7.36	1.37	1.28						
L	wit															
	Ce per port			UEP9D	URECS	0.4237										
	All per port			UEP9D	UEPVS	0.00	0.00									
	All ffered, per port			UEP9D	UEPVC	0.00										
N																
	Un gister - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Un gister - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Un gister - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
M																
2																
	Tru			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
4	Dig															
	DS			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS hannel			UEP9D	M1HDO	0.00	13.95									
In																
	Int ormination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Int r mile or fraction of mile			UEP9D	M1GBM	0.0057										
Fe	Ac **oops on Channelized DS1 Service**															
D																
	Fea nnel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
	Fea nnel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										
	Fea nel Bank FX Trunk Side Loop Slo			UEP9D	1PQW7	0.4689										
	Fea nel Bank Centrex Loop Slot - Dis			UEP9D	1PQWP	0.4689										
	Fea nel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										
	Fea el Bank Tjie Line/Trunk Loop Slo			UEP9D	1PQWQ	0.4689										
	Fea nel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
N	gu **iated with UNE-P Centrex**															
	Up bined Switch-As-Is with allowed ch			UEP9D	USAC2		0.10	0.10								
	Nex on Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	Nex mon Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						

UNBUN - Georgia

Attachment: 2 Ex. A

CATEGO			ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NA	er Occasion			UEP9D	URECA	0.00	0.00									
	A	nal	IRC)															
		Un	Element, Tag Loop at End Use			UEP9D	URETL		8.33	0.83								
		Un	Element, Tag Design Loop at			UEP9D	URETN		11.19	1.10								
	A	nal	IRC)															
		Un	Element, Tag Loop at End Use			UEP9E	URETL											
		Un	Element, Tag Design Loop at			UEP9E	URETN											
	N	Re	ntrol in 1AESS, 5ESS & EWSD															
	N	- Re	Mileage															
	N	In	Installation charge for SL2 Loop and Port															
	N	- Re	Premises Equipment															
	N	ate	m column are interim as a result of a Commission order.															

UNBUN			- Kentucky										Attachment: 2 Ex. A			
CATEGO		LEMENTS	Interim	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	T	one	stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website:													
	h	ww	.com/become_a_clec/html/interconnection.htm													
OPERATI		SI	"REGIONAL RATES"													
	N	(1) C	ontract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may													
	el	the	ssion ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in													
	ea	the														
	N	(2)	rdered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that													
	co	be	resent per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN,													
	w	app	it submits an LSR to BellSouth.													
		OS	Charge, Per Local Service													
		Re				SOMEC		3.50	0.00	3.50	0.00						
		OS	harge, Per Local Service Request													
		(LS				SOMAN		7.86	0.00	0.99	0.00						
UNE SER		DA	GE													
	M	Th	aintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.													
					UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA											
		UN	t or Line Assignable USOC, per														
		Da				SDASP		200.00									
UNBUND		XC															
	2	AM															
	2W		op - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65					
	2W		op - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65					
	2W		op - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65					
	2W		op - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65					
	2W		op - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65					
	2W		op - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65					
		Un	Element, Tag Loop at End User														
		Pre				UEANL	URETL		8.33	0.83							
		Lo	Hour			UEANL	URET1		46.88	46.88							
		Lo	Half Hour			UEANL	URETA		24.16	24.16							

UNBUN - Kentucky

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLE ...rge Without Outside Dispatch (UC...			UEANL	UREWO		15.78	8.94								
	Un... ...sign Voice Loop, billing for BST pro... ...n Information - E.I.)			UEANL	UEANM		13.49	13.49								
	Ma... ...UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Or... ...Conversion Time for UVL-SL1 (pro...			UEANL	OCOSL		23.01	23.01								
2	Un...															
	2-W... ...p - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2-W... ...p - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
	2-W... ...p - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
	Un... ...Element, Tag Loop at End User Pre...			UEQ	URETL		8.33	0.83								
	Ma... ...ire Unbundled Copper Loop - Non...			UEQ	USBMC		9.00	9.00								
	Un... ...Design Copper Loop, billing for BS... ...neering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	Loo... ...Hour			UEQ	URET1		46.88	46.88								
	Loo... ...f Half Hour			UEQ	URETA		24.16	24.16								
	CLE ...rge Without Outside Dispatch (UC...			UEQ	UREWO		14.27	7.43								
UNBUND	XC...															
2	AN... ...OP															
	2-W... ...-Service Level 1-Line Splitting-Zon...		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2-W... ...-Service Level 1-Line Splitting-Zon...		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2-W... ...- Service Level 1-Line Splitting-Zon...		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2-W... ...- Service Level 1-Line Splitting-Zon...		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	2-W... ...-Service Level 1-Line Splitting-Zon...		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
	2-W... ...-Service Level 1-Line Splitting-Zon...		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
UNBUND	XC...															
2	AN... ...OP															
	2-W... ...p - Service Level 2 w/Loop or Gro... 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-W... ...p - Service Level 2 w/Loop or Gro... 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-W... ...p - Service Level 2 w/Loop or Gro... 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
	Ord... ...ied Conversion Time (per LSR)			UEA	OCOSL		23.01									
	2-W... ...p - Service Level 2 w/Reverse Batt...		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-W... ...oop - Service Level 2 w/Reverse Batt... Signalling ... 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-W... ...oop - Service Level 2 w/Reverse Batt... Signalling ... 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Ord... ...ified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLE ...harge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loo... ...2 (SL2)			UEA	URETL		11.21	1.10								
4	AN... ...OP															
	4-W... ...op - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4-W... ...oop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
	4-W... ...oop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Ord... ...ied Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLE ...rge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUN - Kentucky

Attachment: 2 Ex. A

CATEGO		ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	ISL															
		2-W - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
		2-W - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
		2-W - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
		Ord ed Conversion Time (per LSR)			UDN	OCOSL		23.01									
		CLF arge without outside dispatch			UDN	UREWO		91.63	44.16								
	2	ASL BSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-W including manual service inquiry & fa		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
		2-W including manual service inquiry & fa		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
		2-W including manual service inquiry & fa		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
		Ord d Conversion Time (per LSR)			UAL	OCOSL		23.01									
		2-W ithout manual service inquiry & fac		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
		2-W ithout manual service inquiry & fac		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
		2-W ithout manual service inquiry & fac		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
		Ord d Conversion Time (per LSR)			UAL	OCOSL		23.01									
		CLF arge without outside dispatch			UAL	UREWO		86.20	40.40								
	2	HDS SCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2-W including manual service inquiry & fa		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
		2-W including manual service inquiry & fa		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
		2-W including manual service inquiry & fa		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
		Ord d Conversion Time (per LSR)			UHL	OCOSL		23.01									
		2-W ithout manual service inquiry and		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
		2-W ithout manual service inquiry and		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
		2-W ithout manual service inquiry and		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
		Ord d Conversion Time (per LSR)			UHL	OCOSL		23.01									
		CLF arge without outside dispatch			UHL	UREWO		86.14	40.40								
	4	HDS SCRIBER LINE (HDSL) COMPATIBLE LOOP															
		4-W including manual service inquiry and		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
		4-W including manual service inquiry and		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
		4-W including manual service inquiry and		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
		Ord d Conversion Time (per LSR)			UHL	OCOSL		23.01									
		4-W ithout manual service inquiry and		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
		4-W ithout manual service inquiry and		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
		4-W ithout manual service inquiry and		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
		Ord d Conversion Time (per LSR)			UHL	OCOSL		23.01									
		CLF arge without outside dispatch			UHL	UREWO		86.14	40.40								
	4	DS															
		4-W 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						
		4-W 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55						
		4-W 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
		Ord d Conversion Time (per LSR)			USL	OCOSL		23.01									

UNBUN - Kentucky

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLF - rge without outside dispatch			USL	UREWO		101.09	43.04								
4	10 - GRADE LOOP															
	4W - Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4W - Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	4W - Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4W - 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4W - 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4W - 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Ord - d Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4W - 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4W - 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	4W - 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	Ord - d Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLF - rge without outside dispatch			UDL	UREWO		102.13	49.75								
2	Un															
	2W - n-Designed including manual ser - ation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2W - n-Designed including manual ser - ation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2W - n-Designed including manual ser - ation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Ord - led Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W - n-Designed without manual ser - vation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2W - n-Designed without manual ser - vation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2W - n-Designed without manual ser - vation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Ord - led Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLF - rge without outside dispatch (UC			UCL	UREWO		97.23	42.48								
4	CC															
	4W - ncluding manual service inquiry an		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4W - ncluding manual service inquiry an		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4W - ncluding manual service inquiry an		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	Ord - led Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4W - ithout manual service inquiry an		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4W - ithout manual service inquiry an		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4W - ithout manual service inquiry an		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	Ord - led Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLF - rge without outside dispatch (UCL			UCL	UREWO		97.23	42.48								
LOOP MO	CAT															
	Unb - Removal of Load Coils - 2 Wire pair - ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
	Unb - Removal of Load Coils - 4 Wire less - or Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
	Un - Removal of Bridged Tap Removal, per			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								

UNBUN - Kentucky

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOO																
	ap															
	Sul tion - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		207.91	207.91								
	Sul tion - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12.50	12.50								
	Sul ent Room - CLEC Feeder Fac	I		UEANL	USBSC		80.87	80.87								
	Sul ent Room - Per 25 Pair Panel Set	I		UEANL	USBSD		45.04	45.04								
	Sul e Analog Voice Grade Loop - Zon	I	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sul e Analog Voice Grade Loop - Zon	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sul e Analog Voice Grade Loop - Zon	I	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Ord led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sul e Analog Voice Grade Loop - Zon		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sul e Analog Voice Grade Loop - Zon		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sul e Analog Voice Grade Loop - Zon		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Ord led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sul letwork Cable (INC)	I		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Ord led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sul letwork Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Ord led Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Lon hour			UEANL	URET1		46.88	46.88								
	Lon Half Hour			UEANL	URETA		24.16	24.16								
	2W Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
	2W Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2W Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Ord led Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4W Loop Distribution - Zone 1	I	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4W Loop Distribution - Zone 2	I	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4W Loop Distribution - Zone 3	I	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Ord led Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Lon hour			UEF	URET1		46.88	46.88								
	Lon Half Hour			UEF	URETA		24.16	24.16								
U	Ne (UNTW)															
	Un Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								
N	Ne															
	Ne 1-2 lines			UENTW	UND12		73.53	49.47								
	Ne 1-6 lines			UENTW	UND16		115.96	91.91								
	Ne Connect - 2 W			UENTW	UNDC2		8.56	8.56								
	No Connect - 4W			UENTW	UNDC4		8.56	8.56								
UNE OTH	RO E															
	NI er for NID installation			UENTW	UNDBX	0.00	0.00									
	UN Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Un ovisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTH	RO E															

UNBUNDL - NET - Kentuc

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbun - sioning Cr - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00									
	Unbun - Wire Cros - - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbun - Wire Cros - - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbun - ame Formal - ion - no rate			USL	CCOSF	0.00	0.00									
	Unbun - ral Superfi - rmal ation - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA - UNBI																
	High C - Loop - DC - ber			UE3	1L5ND	9.25										
	High C - Loop - DC -			UE3	UE3PX	308.31	634.087	388.792	198.95	138.483						
	High C - Loop - ST - ber			UDLSX	1L5ND	9.25										
	High C - Loop - ST -			UDLSX	UDLS1	320.51	634.087	388.792	198.95	138.483						
LOOP MAKE																
	Loop T - out Reser - king or spare f -			UMK	UMKLW		23.40	23.40								
	Loop T - Reserva - facility			UMK	UMKLP		24.85	24.85								
	Loop T - Reservatio - or spare f - ed)			UMK	UMKMQ		0.67	0.67								
LINE SPLIT -																
LINE - UNBUNDLED																
END - USER OF - ICE BASED																
	Line Sp - DLEC own - ability			UEPSR UEPSB	UREOS	0.61										
	Line Sp - BST own - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
	Line Sp - BST own - ctural			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
MAI - MAINTENANCE																
NOT - The E - aintained - mparable with BellS - s FCC No.1 Tariff, Section 13.3.1 as applicable.																
	No Tro - - increment - Basic						80.00	55.00								
	No Tro - - increment - Overtime						90.00	65.00								
	No Tro - - increment - Premium						100.00	75.00								
UNBUNDLED - DICA																
INTE - FICE - D TRANS -																
	Interoff - Transport - - Grade - Per Mil -			U1TVX	1L5XX	0.01										
	Interoff - Transport - - Grade - Facility -			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Interoff - Transport - - Grade - Rev Ba -			U1TVX	1L5XX	0.01										
	Interoff - Transport - - Rev Bal. - Facility -			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoff - Transport - - Grade - Per Mil -			U1TVX	1L5XX	0.01										
	Interoff - Transport - - e Grade - Facili -			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoff - Transport - - per mile - per mo -			U1TDX	1L5XX	0.0115										
	Interoff - Transport - - Facility - Termin -			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	Interoff - Transport - - per mile - per mo -			U1TDX	1L5XX	0.0115										
	Interoff - Transport - - Facility - Termin -			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						

UNBUNDL	NET	Kentuc																
															Attachment: 2 Ex. A			
CATEGORY		ELEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interof Channel per			U1TD1	1L5XX	0.23										
		month Transport			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
		Termin															
		Interof Transpor Mile per			U1TD3	1L5XX	4.97										
		month Transpor															
		Termin			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
		Interof Transpor Mile per			U1TS1	1L5XX	4.97										
		month Transpor															
		Termin			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
DARK FIBE		Dark F Per Rout															
		Thereof nel			UDF, UDFCX	1L5DC	54.06										
		Dark F Per Rout															
		Thereof Channel			UDF, UDFCX	1L5DF	30.74										
		HRC T annel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
		Dark F Per Rout															
		Thereof			UDF, UDFCX	1L5DL	54.06										
8XX ACCES		EN DIG															
		8XX Ar n, Per Call					0.0006478										
		8XX Ar w/ 8PL N					0.0006478										
		8XX Ar w/ POTS					0.0006478										
LINE INFOR		ION F DB)															
		IDB C uery					0.000023										
		IDB V					0.0137322										
		IDB C tablishmen hange			OOU	NRBPX		55.12		67.59							
CALLING N		(CNA															
		CNAM ery					0.0010348										
		CNAM Query					0.0010348										
LNP Query		ice															
		LNP C					0.0008695										
		LNP S ual						13.82	13.82	12.71	12.71						
		LNP Se ent Code F						953.27	487.00	431.95	317.61						
SELECTIVE		ETING															
		Select o Class	est Per					93.53	93.53	15.58	15.58						
		Switch															
VIRTUAL C		OCATI															
		Virtual Connecti															
		Splittin			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL C		LOCA															
		Physic s Connec ne) Per Line															
		Splittin			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECT		CARR															
		Region						193,401.00	193,401.00	9,483.34	9,483.34						
		End O						194.09	194.09	0.85	0.85						
		Line/Po						2.06	2.06								
		Query					0.0037502										
AIN - BELLS		TH AIN ICE															
		AIN SM ce Establi Per State,															
		Initial S			A1N	CAMSE		43.55	43.55	44.93	44.93						
		AIN SM Connection Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
		AIN SM Connection DN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
		AIN SI Identificat Per User															
		ID Cod			A1N	CAMAU		38.65	38.65	29.88	29.88						
		AIN SI ity Card, Code,															
		Initial			A1N	CAMRC		75.08	75.08	12.93	12.93						

UNBUNDI	NET	- Kentuc											Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ge, Per Uni (00 Kilobytes)					0.0025										
		ion, Per Minute					0.666										
		any Perfo Session, Per Minute					0.4608										
ENHANCED	ENDF																
	NOT	he mo n-recurring arges below will apply the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	NOT	he mo e Switch-As-Is Charge and not the no curring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	2-W	OICE SE IN A COM IATION															
		2 Wire ination - Zone		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
		2 Wire ination - Zo		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		2 Wire ination - Zo		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		Voice C			UNCVX	1D1VG	0.62	6.71	4.84								
	4-W	OICE SE IN A COM IATION															
		Wire op in Combi ion - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		Wire op in Combi ion - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
		Wire op in Combi ion - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		Voice C ion - per minu			UNCVX	1D1VG	0.62	6.71	4.84								
	4-W	56 KB USE IN A BINATION															
		Wire op in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		Wire op in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		Wire op in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		DCU-D h (2.4-64kbs			UNCDX	1D1DD	1.32	6.71	4.84								
	4-W	64 KB USE IN A BINATION															
		Wire op in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		Wire op in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		Wire op in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		DCU-D ination - po h (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	2-W	ISDN BINATION															
		2 Wire ion - Zone		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
		2 Wire ion - Zone		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
		2 Wire on - Zone		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
		Wire combination per month			UNCNX	UC1CA	2.84	6.71	4.84								
	4-W	DS1 D IN A COM ATION															
		Wire ination - Z		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Wire ination - Z		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Wire ination - Z		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		DS1 C onth			UNC1X	UC1D1	11.80	6.71	4.84								
	2 W	OICE TRANSPO FOR USE IN A COMBI ON															
		Interof Dedica er															
		Month			UNCVX	1L5XX	0.01										
		Interof Dedica ation															
		Termin			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	4 W	OICE TRANSPO FOR USE IN A COMBI ON															
		Interof Dedica Per Mile Per															
		Month			UNCVX	1L5XX	0.01										
		Interof Dedica acility															
		Termin			UNCVX	U1TV4	23.95	98.09	53.67	56.31	22.42						
	DS1	EROF COMBINA															
		Interof DS1 co Mile															
		or mo			UNC1X	1L5XX	0.19										
		Interof DS1 co Facility															
		Termin			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		n Ch ombination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	DS3	EROF USE IN A BINATION															
		Interof DS3 co Mile															
		Per Me			UNC3X	1L5XX	4.09										
		Interof DS3 - F ermination per															
		month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	STS	ERO R USE IN BINATION															

UNBUNDL ... NET ... Kentu...

CATEGORY		...EMENTS	Inte...	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		...Interoff... STS-1 ... Per Mile			UNCSX	1L5XX	4.09										
		...Interoff... STS-1 ... Facility Termin...			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	4-W...	...56 KBPS ... INTEROFFICE TRANSPOR...															
		...Wire ... mbination ... e 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		...Interoff... 4-wire ... ...ination - Per Mile			UNCDX	1L5XX	0.01										
		...Interoff... 4-wire ... ...ination - Facility Termin...			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	4-W...	...56 KBPS ... LOOP W... 4 KBPS INTEROFFICE ...NSPORT															
		...Wire ... mbination ... e 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		...Interoff... 4-wire ... ...e combination - Per Mile			UNCDX	1L5XX	0.01										
		...Interoff... 4-wire ... ...e combination - Facility Termin...			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	4-W...	...56 KBPS ... D LOOP W... ...0 INTEROFFICE TRA...PORT															
		...Wire ... mbination ... e 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		...Wire ... nport - D... ...Mile per ...month			UNCDX	1L5XX	0.01										
		...Wire ... ort - Ded... ...Facility Termin...			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	4-W...	...56 KBPS ... LOOP W... ...0 INTEROFFICE TRA...PORT															
		...Wire ... mbination ... e 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		...Wire ... mbination ... e 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		...Wire ... nport - D... ...Mile per ...month			UNCDX	1L5XX	0.01										
		...Wire ... ort - Ded... ...Facility Termin...			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	DS1	...ITAL ... ...OFFICE TR... ...SPORT															
		...4 Wire ... ...bination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		...4 Wire ... ...bination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		...4 Wire ... ...bination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		...Interoff... ...- DS1 co... ...ation - Per Mile per mo...			UNC1X	1L5XX	0.19										
		...Interoff... ...- DS1 co... ...ation - Facility Termin...			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	DS3	...ITAL ... ...D DS3 INTE...FFICE TRANSPORT															
		...DS3 Lo... ... per mile p... ...nth			UNC3X	1L5ND	10.6375										
		...DS3 Lo... ... - Facility Termination per month			UNC3X	UE3PX	354.5565	634.087	388.792	198.95	138.483						
		...Interoff... ...ed - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
		...Interoff... ...- DS3 co... ...ation - Facility Termin...			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	STS	...DIGITA... ...ATED STS-1 INTEROFFICE TRANSPOR...															
		...STS-1 ... ...- per mile per month			UNCSX	1L5ND	10.6375										
		...STS-1 ... ...- Facility ...ination per ...month			UNCSX	UDLS1	368.5865	634.087	388.792	198.95	138.483						
		...Interoff... ...- STS-1 c... ...ation per mile per mo...			UNCSX	1L5XX	4.09										
		...Interoff... ...- STS-1 c... ...ation - Facility Termin...			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						

UNBUNDL													Attachment: 2 Ex. A			
CATEGORY		ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONA																	
	Whe	ined as	combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.													
	Who	ed as	network elements in All States, the non- curring charges apply and the Switch As Is Charge does not.													
	Non	ing	Network Elem (Switch As Is" Charg One applies to each combination)													
			d Networ ate Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC	8.98	8.98	11.17	11.17						
	Opt	Feat															
		lear	ded Frame - per DS1			U1TD1 ULDD1,UNC1X	CCOEF	0.00	0.00	0.00	0.00						
		lear	FrameOpt per DS1			U1TD1, ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00						
		lear	SS) Optio equest			ULDD1, U1TD1, UNC1X, USL	NRCCC	184.91	23.82	1.99	0.78						
		tivity				U1TD3, ULDD3, UE3, UNC3X	NRCC3	205.70	7.20	0.6924	0.00						
		bit P	t Activity - per DS3														
	MUI	ER															
		DS1 to	er month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
		ULT	DS0 Chan ation - per														
		month	ocal Loop			UDL	1D1DD	1.32	10.07	7.08							
		ULT	DS0 Chan ation - per														
		month	nection to DS1														
		Local C	% as collocat			U1TUD	1D1DD	1.32	10.07	7.08							
		wire	to DS0 (Systems - per														
		month				UDN	UC1CA	2.84	10.07	7.08							
		wire	to DS0 (Systems - per														
		month	Channeliz Channel														
		the s				U1TUB	UC1CA	2.84	10.07	7.08							
		Local	Channel per month														
		used fr				UEA	1D1VG	0.6228	10.07	7.08							
		ice (	Channel per month														
		used fr	lized DS in the														
		same C				U1TUC	1D1VG	0.6228	10.07	7.08							
		DS3 to	er month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
		DS1 to	per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30					
		DS1 C	month			USL	UC1D1	11.80	10.07	7.08							
		DS1 C	to a chan DS1 Local														
		Chann	ollocation) month			U1TUA	UC1D1	11.80	10.07	7.08							
		DS1 C	Channel month			U1TD1	UC1D1	11.80	10.07	7.08							
		DS3 Ir	sed with el per														
		month				ULDD1	UC1D1	11.80	10.07	7.08							
UNBUNDLE		AL	G(PORTS)														
	The	ange	Reflected Apply to Embedded Base Switching Ports as of March 10, 2005														
	and	ist e	ed Rates Plus $1.00 in Accordance with the TRRO.														
	Exc	ge Por															
	NOT	Without	les all availa features in GA, KY, L N, the desired features will need to be ordered using retail USOCs														
	2-W	VOICE	ATES (RES														
		chan	Line Port			UEPSR	UEPRL	2.49	3.74	3.63	2.23	2.13					
		chan	Line Port Hunting - Res.			UEPSR	UEPRC	2.49	3.74	3.63	2.23	2.13					
		chan	Line Port ring only - Res.			UEPSR	UEPRO	2.49	3.74	3.63	2.23	2.13					
		chan	undled K Local														
		dialing	- Res.			UEPSR	UEPRM	2.49	3.74	3.63	2.23	2.13					
		chan	undled re ousand line port														
		with Ca				UEPSR	UEPAP	2.49	3.74	3.63	2.23	2.13					
		chan	Kentucky Dialing Plan														
		without				UEPSR	UEPWE	2.49	3.74	3.63	2.23	2.13					

UNBUNDL															Attachment: 2 Ex. A			
CATEGORY				Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						UEPSR	UEPRT	2.49	3.74	3.63	2.23	2.13						
						UEPSR	USASC	0.00	0.00	0.00								
	FEA					UEPSR	UEPVF	0.00	0.00	0.00								
	2-W		TES (BUS															
			Line Por	ID -		UEPSB	UEPBL	2.49	3.74	3.63	2.23	2.13						
			ndled L															
			ID - Bus			UEPSB	UEPBC	2.49	3.74	3.63	2.23	2.13						
			Line Port	ng only - Bus.		UEPSB	UEPBO	2.49	3.74	3.63	2.23	2.13						
			ndled K	local														
			Bus.			UEPSB	UEPBM	2.49	3.74	3.63	2.23	2.13						
			ndled inc	port with														
						UEPSB	UEPB1	2.49	3.74	3.63	2.23	2.13						
			entucky	Dialing Plan														
			Only P	ller ID		UEPSB	UEPWF	2.49	3.74	3.63	2.23	2.13						
						UEPSB	UEPBE	2.49	3.74	3.63	2.23	2.13						
						UEPSB	USASC	0.00	0.00	0.00								
	FEA																	
						UEPSB	UEPVF	0.00	0.00	0.00								
	EXC																	
			BX Trunk			UEPSE	UEPRD	2.49	39.05	18.17	15.38	0.89						
			2-Way PB	Bus		UEPSP	UEPPC	2.49	39.05	18.17	15.38	0.89						
			Outward	Bus		UEPSP	UEPPO	2.49	39.05	18.17	15.38	0.89						
			Incoming	Bus		UEPSP	UEPP1	2.49	39.05	18.17	15.38	0.89						
			erminal PB	Bus		UEPSP	UEPLD	2.49	39.05	18.17	15.38	0.89						
			O Terminal			UEPSP	UEPLD	2.49	39.05	18.17	15.38	0.89						
			PBX Usage			UEPSP	UEPXA	2.49	39.05	18.17	15.38	0.89						
			all Termina	t Ports		UEPSP	UEPXB	2.49	39.05	18.17	15.38	0.89						
			O DDD Te	k Port		UEPSP	UEPXC	2.49	39.05	18.17	15.38	0.89						
			O Terminal	board Port		UEPSP	UEPXD	2.49	39.05	18.17	15.38	0.89						
			Termina	bound IDD														
						UEPSP	UEPXE	2.49	39.05	18.17	15.38	0.89						
			PBX Ken	Area														
						UEPSP	UEPXF	2.49	39.05	18.17	15.38	0.89						
			entucky U	ea Calling Port		UEPSP	UEPXG	2.49	39.05	18.17	15.38	0.89						
			entucky P	m Calling Port		UEPSP	UEPXH	2.49	39.05	18.17	15.38	0.89						
			PBX Kent	Area Calling														
						UEPSP	UEPXJ	2.49	39.05	18.17	15.38	0.89						
			PBX Hote	ital Economy														
						UEPSP	UEPXL	2.49	39.05	18.17	15.38	0.89						
			PBX Hote	ital Economy														
						UEPSP	UEPXM	2.49	39.05	18.17	15.38	0.89						
			Outgoing	Hotel/Hospital														
						UEPSP	UEPXO	2.49	39.05	18.17	15.38	0.89						
			y Outgoing	PBX Measured Port		UEPSP	UEPXS	2.49	39.05	18.17	15.38	0.89						
						UEPSP	USASC	0.00	0.00	0.00								
	FEA	RES																
						UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
	Loca	Switchi	h Port															
	NOTE		ted with POTS	circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE		ccess to	acket capabilitie														
	2-W	VOICE		ATES (DID														
				Port		UEPEX	UEPP2	11.51	92.18	15.82	52.16	5.30						
	2-W	VOICE		ATES (ISDN														
				Port (See N		UEPTX, UEPSX	U1PMA	14.46	60.60	50.67	32.83	14.17						
						UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								

UNBUNDL - NET - Kentuc

CATEGORY	ELEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchan	Port -- Chan el Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00							
	NOTE	ined with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE	cket capabilities will be available only through the New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
	UNE	LL FORWARDING CAPABILITY														
	UNE	ARDING SERVICE - RESIDENCE														
	Unbun	ding Service - ea Calling, Res			UEPVR	UERAC	2.49	3.74	3.63							
	Unbun	ding Service - ocal Calling - Res			UEPVR	UERLC	2.49	3.74	3.63							
	Unbun	ding Service - terLATA - Res			UEPVR	UERTE	2.49	3.74	3.63							
	Unbun	ding Service - traLATA - Res			UEPVR	UERTR	2.49	3.74	3.63							
	Non															
	Unbun	ding Service - nection -			UEPVR	USAC2		0.10	0.10							
	Unbun	ding Service - nection with			UEPVR	USACC		0.10	0.10							
	UNE	ARDING - Bu														
	Unbun	ding Service - ea Calling - Bus			UEPVB	UERAC	2.49	3.74	3.63							
	Unbun	ding Service - ocal Calling - Bus			UEPVB	UERLC	2.49	3.74	3.63							
	Unbun	ding Service - terLATA - Bus			UEPVB	UERTE	2.49	3.74	3.63							
	Unbun	ding Service - traLATA - Bus			UEPVB	UERTR	2.49	3.74	3.63							
	Unbun	ding Service - ovided and			UEPVB	UERVJ	2.49	3.74	3.63							
	Non															
	Unbun	ding Service - nection -			UEPVB	USAC2		0.10	0.10							
	Unbun	ding Service - nection with			UEPVB	USACC		0.10	0.10							
UNBUNDLE	TRAL	AGE														
	End	ce Sw														
	End O	Per MOU					0.0011971									
	End O	Per MOU					0.0002112									
	Tan	Switc	al or Acce	dem												
		ande	MOU				0.000194									
		ande	MOU				0.0002416									
		ande	MOU (Me				0.000094381									
		ande	MOU (Ma				.000117538									
	Meld	ector	Rate													
	Con	n Tran														
		Transm	Per MOU				0.000003									
		Comm	ermination	MOU			0.0007466									
UNBUNDLE	PORT/L	COST BAS	RATES													
	>Co	BellSouth	equired by FCC and/o	te Commission rule to provide Unbundled Local Switching or												
	Swit	Ports.														
	> Th	NE-P S	eflected in	ost Based Section A	to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the											
	TEL	Cost	in Accorda	with the TRRO.												
	>Fe	s the	ed Port/Lo	mbination - Cost Ba	Rate section in the same manner as they are applied to the Stand-											
	Alo	Unbund	s Rate Exhibi													
	>En	Tra a	Usage and	on Transport Usage	s in the Port section of this rate exhibit shall apply to all											
	com	ections	lements ex	for UNE Coin Port/Lo	Combinations.											
	>Th	and	urring cha	pply to Not Currentl	mbined Combos. For Currently Combined Combos the											
	non	ring	dentified i	Nonrecurring - Curre	Combined sections.											
	2-W	ICE	WIRE LIN	RT (BES)												
	UNE	Loo														
		Wire	Zone 1				11.79									
		Wire	Zone 2				16.52									
		Wire	Zone 3				32.74									
	UNE	o Ra														
		Wire	Zone 1		1	UEPRX	UEPLX	9.64								

UNBUNDL		Kentuc										Attachment: 2 Ex. A			
CATEGORY		LEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Wire - Zone 2		2	UEPRX	UEPLX	14.37										
		Wire - Zone 3		3	UEPRX	UEPLX	30.59										
	2-W	Res)															
		Wire sidence			UEPRX	UEPRL	2.15	21.29	15.49	2.85	2.67						
		Wire h Caller ID			UEPRX	UEPRC	2.15	21.29	15.49	2.85	2.67						
		Wire going on			UEPRX	UEPRO	2.15	21.29	15.49	2.85	2.67						
		Wire ntucky - dialing			UEPRX	UEPRM	2.15	21.29	15.49	2.85	2.67						
		Wire sage li ller ID			UEPRX	UEPAP	2.15	21.29	15.49	2.85	2.67						
		Wire ly Reside Plan			UEPRX	UEPWE	2.15	21.29	15.49	2.85	2.67						
		Wire ge Line Caller ID			UEPRX	UEPRT	2.15	21.29	15.49	2.85	2.67						
	FEA				UEPRX	UEPVF	0.00	0.00	0.00								
	NO	URI OMBINED															
		Port Com Conversion -			UEPRX	USAC2		0.10	0.10								
		Port Com Conversion -			UEPRX	USACC		0.10	0.10								
		Port Platfo stallation			UEPRX	URECC		0.10									
		Not Co of Existing															
	ADI				UEPRX	USAS2	0.00	0.00	0.00								
		t Comb quent			UEPRX	URETL		8.33	0.83								
		Element, End User															
	OFF	ANNELS															
		Wire nsion Loop Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		Wire nsion Loop Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		Wire nsion Loop Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
		Wire nsion Loop sign		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
		Wire nsion Loop sign		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
		Wire nsion Loop sign		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INT	ICE															
		2 Wire Grade Facility			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		2 Wire Grade Per Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
	2-W	VOICE 2-WIRE LINE ORT (BUS)															
	UNE	Loop															
		Wire Zone 1					11.79										
		Wire Zone 2					16.52										
		Wire Zone 3					32.74										
	UNE	on Rat															
		2-Wire) - Zone 1		1	UEPBX	UEPLX	9.64										
		2-Wire) - Zone 2		2	UEPBX	UEPLX	14.37										
		2-Wire) - Zone 3		3	UEPBX	UEPLX	30.59										
	2-W	Voice															
		2-Wire ithout Caller ID bus			UEPBX	UEPBL	2.15	21.29	15.49	2.85	2.67						
		2-Wire ith Caller ID - bus			UEPBX	UEPBC	2.15	21.29	15.49	2.85	2.67						
		2-Wire utgoing only bus			UEPBX	UEPBO	2.15	21.29	15.49	2.85	2.67						
		2-Wire Kentucky ed local dialing			UEPBX	UEPBM	2.15	21.29	15.49	2.85	2.67						
		2-Wire ng only po Caller ID - Bus			UEPRX	UEPB1	2.15	21.29	15.49	2.85	2.67						
		Wire w Busine ling Plan			UEPBX	UEPWF	2.15	21.29	15.49	2.85	2.67						

UNBUNDI	NET	- Kentucky																			
																		Attachment: 2 Ex. A			
CATEGORY		ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Wire	g Only Po														
		Capabi															
	FEA	PES			UEPBX	UEPBE	2.15	21.29	15.49	2.85	2.67						
		UNE Fea			UEPBX	UEPVF	0.00	0.00	0.00								
	NON	UPFR	CURRENT	COMBINED													
		Wire	Port Comb	Conversion -													
		Switch			UEPBX	USAC2		0.10	0.10								
		Wire	Port Comb	Conversion -													
		Switch			UEPBX	USACC		0.10	0.10								
	ADI	MAL															
		Wire	ort Comb	Subsequent													
		Activity			UEPBX	USAS2		0.00	0.00								
		Labor	Element,	on a End User													
		Premis			UEPBX	URETL		8.33	0.83								
	OFF	OPEN	NNELS														
		Wire	nsion Loop	Non-Design	1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		Wire	nsion Loop	Non-Design	2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		Wire	nsion Loop	Non-Design	3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						
		Wire	nsion Loop	Design	1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						
		Wire	nsion Loop	Design	2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						
		Wire	nsion Loop	Design	3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INT	PICE															
		Term	2 Wire	Grade Facility													
		Termin				UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Termin	- 2 Wire	Grade Per Mile													
		Trans				UEPBX	U1TVM	0.0095	0.00	0.00								
	2-W	VOICE	WIRE LINE	RT (PES - PBX)													
	UNE	Loop															
		Wire	Zone 1					11.79									
		Wire	Zone 2					16.52									
		Wire	Zone 3					32.74									
	UNE	Loop Ra															
		Wire	- Zone 1		1	UEPRG	UEPLX	9.64									
		Wire	- Zone 2		2	UEPRG	UEPLX	14.37									
		Wire	- Zone 3		3	UEPRG	UEPLX	30.59									
	2-W	Voice C	PES - PBX														
		Wire	ion 2-Wa	Port -													
		Res				UEPRG	UEPRD	2.15	21.29	15.49	2.85	2.67						
	FEA	PES															
		UNE Fea				UEPRG	UEPVF	0.00	0.00	0.00								
	NON	UPFR	CURRENT	COMBINED													
		Wire	Port Comb	(PBX) -													
		Conver				UEPRG	USAC2		8.45	1.91								
		Wire	Port Comb	(PBX)													
		Conver				UEPRG	USACC		8.45	1.91								
	ADI	MAL															
		Wire	Port Comb	(PBX)													
		Subse				UEPRG	USAS2	0.00	0.00	0.00								
		PBX S	ge/Rearra	Building Hunt													
		Group							7.86	7.86								
		Labor	Element,	on a End User													
		Premis				UEPRG	URETL		8.33	0.83								
	OFF	OPEN	NNELS														
		Local T	Termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
		Local T	Termination		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local T	Termination		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
		Non-W	Voice Grad		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-W	Voice Grad		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-W	Voice Grad		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						

UNBUNDL - NET - Kentuc-

CATEGORY		ELEMENTS	Inte-	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	INTE- -ICE																
		-eral - 2 Wire - Grade - Facility			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42						
		-min -eral - 2 Wire - Grade - Per Mile			UEPRG	U1TVM	0.0095	0.00	0.00								
		- Trac															
	2-W	-WIRE LIN- -T (BUS - PBX)															
	UNE	-Loop															
		2-Wire - -one 1					11.79										
		2-Wire - -one 2					16.52										
		2-Wire - -one 3					32.74										
	UNE	-e Pa-															
		2-Wire - Zone 1		1	UEPPX	UEPLX	9.64										
		2-Wire - - Zone 2		2	UEPPX	UEPLX	14.37										
		2-Wire - - Zone 3		3	UEPPX	UEPLX	30.59										
	2-W	-ice - -BUS - PBX															
		-ine S- -ion 2-Way - -Trunk Port - Bus			UEPPX	UEPPC	2.15	21.29	15.49	2.85	2.67						
		-ine S- - -BX Trunk - - Bus			UEPPX	UEPPO	2.15	21.29	15.49	2.85	2.67						
		-ine S- - -BX Trunk - - Bus			UEPPX	UEPP1	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - D Terminal - -			UEPPX	UEPLD	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - Combinati- - BX Usage Port			UEPPX	UEPXA	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - oll Terminal - - el Ports			UEPPX	UEPXB	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - D DDD Te- - s Port			UEPPX	UEPXC	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - D Terminal - - ehboard Port			UEPPX	UEPXD	2.15	21.29	15.49	2.85	2.67						
		- - Termina- - -hboard IDD															
		-onab-			UEPPX	UEPXE	2.15	21.29	15.49	2.85	2.67						
		- - -BX Kent- - Room Area															
		-alling			UEPPX	UEPXF	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - -entucky L- - -a Calling Port			UEPPX	UEPXG	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - -entucky Pr- - -n Calling Port			UEPPX	UEPXH	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - Kentucky - - Calling Port			UEPPX	UEPXJ	2.15	21.29	15.49	2.85	2.67						
		-ithout - - Kentucky - - Area Calling			UEPPX	UEPOK	2.15	21.29	15.49	2.85	2.67						
		2-Wire - - -BX Hote- - -tal Economy			UEPPX	UEPXL	2.15	21.29	15.49	2.85	2.67						
		-Admini- - -BX Hote- - -tal Economy			UEPPX	UEPXM	2.15	21.29	15.49	2.85	2.67						
		-Room - 2-Wire - - Outgoing - - Hotel/Hospital			UEPPX	UEPXO	2.15	21.29	15.49	2.85	2.67						
		-Discou- 2-Wire - - Outgoing - - Measured Port			UEPPX	UEPXS	2.15	21.29	15.49	2.85	2.67						
	FEA- -RES																
		All Fea- -			UEPPX	UEPVF	0.00	0.00	0.00								
	NON- -CURRI- -																
		-CURRENT- - COMBINED															
		2-Wire - - Port Comb- - (PBX) -															
		-Conver- -			UEPPX	USAC2		8.45	1.91								
		2-Wire - - - Port Comb- - (PBX) -															
		Conver- - -ge			UEPPX	USACC		8.45	1.91								
	ADD- -ONAL N-																
		2-Wire - - - Port Combi- - (PBX) -															
		Subse- -			UEPPX	USAS2	0.00	0.00	0.00								
		PBX S- - -nge/Rearra- - Multiline Hunt															
		Group						7.86	7.86								
		-Unbun- - - Element - - -op al End User															
		-Premis- -			UEPPX	URETL		8.33	0.83								
	OFF- -PREM- - -ANNELS																
		-Local C- - -termination		1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88						
		Local C- - -termination		2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88						
		-Local C- - -termination		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88						

UNBUNDL NET - Kentuc

CATEGORY			ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-W	Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-W	Voice Grade		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-W	Voice Grade		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						
	INTF		FICE															
			- 2 Wire	Grade - Facility		UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42						
			- 2 Wire	Grade - Per Mile		UEPPX	U1TVM	0.0095	0.00	0.00								
	2-W		WIRE AN	LINE COIN PORT														
	UNF																	
		Wire	– Zone					11.79										
		Wire	– Zone					16.52										
		Wire	– Zone					32.74										
	UNF																	
		Wire	Zone 1		1	UEPCO	UEPLX	9.64										
		Wire	Zone 2		2	UEPCO	UEPLX	14.37										
		Wire	Zone 3		3	UEPCO	UEPLX	30.59										
	2-W																	
		Wire	lor Scre	ed without Blocki		UEPCO	UEPRF	2.15	21.29	15.49	2.85	2.67						
		Wire	r Screenin	KY)		UEPCO	UEPRE	2.15	21.29	15.49	2.85	2.67						
		Wire	Screeni	Blocking: 011, 900/97 S)		UEPCO	UEPRA	2.15	21.29	15.49	2.85	2.67						
		Wire	Screeni	011 Blocking (AL,		UEPCO	UEPKA	2.15	21.29	15.49	2.85	2.67						
		Wire	Screeni	Blocking: 900/97 (AL, KY, L S)		UEPCO	UEPCD	2.15	21.29	15.49	2.85	2.67						
		Wire	locking an	Operator Screen		UEPCO	UEPRN	2.15	21.29	15.49	2.85	2.67						
		Wire	lor Scree	011 Blocking (AL, K		UEPCO	UEPRJ	2.15	21.29	15.49	2.85	2.67						
		Wire	lor Scree	Blocking: 900/97 (AL, MS)		UEPCO	UEPRH	2.15	21.29	15.49	2.85	2.67						
		Wire	Screening	ing: 900/976, (AL, LA, MS)		UEPCO	UEPCN	2.15	21.29	15.49	2.85	2.67						
		Wire	976 (all s	except LA)		UEPCO	UEPCK	2.15	21.29	15.49	2.85	2.67						
		Wire	ith 900/	states except LA)		UEPCO	UEPCR	2.15	21.29	15.49	2.85	2.67						
	ADI		(RC)															
			sage (Flat Ra			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
	NON		NTLY COM	ED														
		Wire	Port Com	Conversion - Switch		UEPCO	USAC2		0.10	0.10								
		Wire	Port Com	Conversion - Switch		UEPCO	USACC		0.10	0.10								
	ADI																	
		Wire	rt Combi	Subsequent Activity		UEPCO	USAS2		0.00	0.00								
			Element.	op at End User Premis		UEPCO	URETL		8.33	0.83								
	2-W		RADE IO	NSPORT/ 2-WIRE LINE	RT (RES)													
	UNF																	
		Wire	Combo	1				14.90										
		Wire	Combo	2				19.68										
		Wire	Combo	3				35.45										
	UNF																	
		Wire	Zone 1		1	UEPER	UECF2	12.67										
		Wire	Zone 2		2	UEPER	UECF2	17.45										
		Wire	Zone 3		3	UEPER	UECF2	33.22										

UNBUNDL - NET - Kentuc

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	oice (Pes)															
	2-Wire - esidence			UEPER	UEPRL	2.23	128.96	64.11	61.92	9.97						
	2-Wire - h Caller ID			UEPER	UEPRC	2.23	128.96	64.11	61.92	9.97						
	2-Wire - going only			UEPER	UEPRO	2.23	128.96	64.11	61.92	9.97						
	- entucky - dialing															
	- usage li - aller ID			UEPER	UEPRM	2.23	128.96	64.11	61.92	9.97						
	(UM) - r Resid - Plan			UEPER	UEPAP	2.23	128.96	64.11	61.92	9.97						
	without -			UEPER	UEPWE	2.23	128.96	64.11	61.92	9.97						
INT	VICE -															
	Interoff - 2 Wire - Facility			UEPER	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Termin - Interoff - 2 Wire - Per Mile			UEPER	1L5XX	0.0095										
	or Frac -															
FEA	TURES -			UEPER	UEPVF	0.00	0.00	0.00								
	All Fea -															
NON	CURRI - CURRENTLY COMBINED															
	2-Wire - nsport / 2 - ine Port															
	Combi - itch-as-is			UEPER	USAC2		9.03	1.87								
	2-Wire - nsport / 2 - ine Port															
	Combi - itch-With-Ch -			UEPER	USACC		9.03	1.87								
	Unbun - Element, - signed Loop at															
	End Us -			UEPER	URETN		11.21	1.10								
2-W	VOICE - RADE IO - NSPORT/ 2-WIRE LINE - RT (BUS)															
UNE	- Loo -															
	2-Wire - - Combo - 1					14.90										
	2-Wire - - Combo - 2					19.68										
	2-Wire - - Combo - 3					35.45										
UNE	- Ra -															
	2-Wire - Zone 1		1	UEPEB	UECF2	12.67										
	2-Wire - Zone 2		2	UEPEB	UECF2	17.45										
	2-Wire - Zone 3		3	UEPEB	UECF2	33.22										
2-W	oice -															
	2-Wire - hout Caller - Bus			UEPEB	UEPBL	2.23	128.96	64.11	61.92	9.97						
	2-Wire - h Caller - Bus			UEPEB	UEPBC	2.23	128.96	64.11	61.92	9.97						
	2-Wire - going only -			UEPEB	UEPBO	2.23	128.96	64.11	61.92	9.97						
	2-Wire - Kentucky - dial local dialing															
	parity -			UEPEB	UEPBM	2.23	128.96	64.11	61.92	9.97						
	2-Wire - g only port - Caller ID - Bus			UEPEB	UEPB1	2.23	128.96	64.11	61.92	9.97						
	2-Wire - ky Business - ialing Plan															
	without -			UEPEB	UEPWF	2.23	128.96	64.11	61.92	9.97						
INTF	ERFICE -															
	Interoff - 2 Wire - Grade - Facility															
	Termin -			UEPEB	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoff - 2 Wire - Grade - Per Mile															
	or Frac -			UEPEB	1L5XX	0.0095										
FEA	TURES -															
	All Fea -			UEPEB	UEPVF	0.00	0.00	0.00								
NON	CURRI - CURRENTLY COMBINED															
	2-Wire - nsport / 2 - ine Port															
	Combi - itch-as-is			UEPEB	USAC2		9.03	1.87								
	2-Wire - nsport / 2 - ine Port															
	Combi - itch with charge -			UEPEB	USACC		9.03	1.87								
	Unbun - Element, - signed Loop at															
	End Us -			UEPEB	URETN		11.21	1.10								
2-W	VOICE - RADE IO - NSPORT/ 2-WIRE LINE - RT (PBX)															
UNE	- Loo -															
	2-Wire - - Combo - 1					14.90										

UNBUNDL[illegible] NET[illegible] - Kentuck[illegible]

CATEGORY		ELEMENTS	Interi[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire [illegible] Combo - [illegible] 2					19.68										
		2 Wire [illegible] Combo - [illegible] 3					35.45										
	UNE	[illegible] Rat[illegible]															
		2 Wire [illegible] Zone 1		1	UEPFP	UECF2	12.67										
		2 Wire [illegible] Zone 2		2	UEPFP	UECF2	17.45										
		2 Wire [illegible] - Zone 3		3	UEPFP	UECF2	33.22										
	2-W	[illegible] C[illegible] BUS - PBX															
		Line Si[illegible] [illegible]tion 2-Way [illegible] Trunk Port - Bus			UEPFP	UEPPC	2.23	164.27	78.65	75.05	8.73						
		Line Si[illegible] PBX Trunk [illegible] Bus			UEPFP	UEPPO	2.23	164.27	78.65	75.05	8.73						
		Line Si[illegible] PBX Trunk [illegible] Bus			UEPFP	UEPP1	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] D Terminal [illegible]			UEPFP	UEPLD	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] Combinatio[illegible] PBX Usage Port			UEPFP	UEPXA	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] all Termina[illegible] Ports			UEPFP	UEPXB	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] DDD Ter[illegible]s Port			UEPFP	UEPXC	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] D Terminal [illegible]witchboard Port			UEPFP	UEPXD	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] Termina[illegible] witchboard IDD [illegible]onnab[illegible]			UEPFP	UEPXE	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] PBX Ken[illegible] Room Area [illegible]Calling			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] entucky U[illegible]ea Calling Port			UEPFP	UEPXG	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] entucky R[illegible]m Calling Port			UEPFP	UEPXH	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] Kentucky [illegible]ller Port [illegible]Hotel			UEPFP	UEPXJ	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] PBX Hote[illegible]al Economy [illegible]Hospital			UEPFP	UEPXL	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] PBX Hote[illegible]al Economy [illegible]Room			UEPFP	UEPXM	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] Outgoing [illegible]Hotel Hospital [illegible]Recour[illegible]			UEPFP	UEPXO	2.23	164.27	78.65	75.05	8.73						
		2 Wire [illegible] Outgoing [illegible]easured Port			UEPFP	UEPXS	2.23	164.27	78.65	75.05	8.73						
	INTF	[illegible]FACE															
		[illegible]erf[illegible] 2 Wire [illegible]imple Facility [illegible]Termin[illegible]			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
		[illegible]erf[illegible] 2 Wire [illegible]imple Per Mile [illegible]or Fac[illegible]			UEPFP	1L5XX	0.0095										
	FEA	[illegible]RES [illegible] [illegible]or Fac[illegible]			UEPFP	UEPVF	0.00	0.00	0.00								
	NON	[illegible]UBRI[illegible] CURRENT[illegible] OMBINED															
		[illegible]Wire [illegible]sport / 2 [illegible]ine Port [illegible]ombin[illegible] [illegible]ish-as-is			UEPFP	USAC2		9.03	1.87								
		2 Wire [illegible]sport / 2 [illegible]ine Port [illegible]Combin[illegible] [illegible]itch with ch[illegible]			UEPFP	USACC		9.03	1.87								
		[illegible]Loop [illegible] Element, [illegible]esigned Loop at [illegible]Port U[illegible]			UEPFP	URETN		11.21	1.10								
	2-W	[illegible]OICE [illegible]MILY - WIT[illegible]IRE DID TRUNK POR[illegible]															
	UNE	[illegible]Loop [illegible]															
		2 Wire [illegible]nk Port Co[illegible] LINE Zone 1					22.30										
		2 Wire [illegible]nk Port Co[illegible] LINE Zone 2					27.08										
		2 Wire [illegible]nk Port Co[illegible] LINE Zone 3					42.85										
	UNE	[illegible]op Rat[illegible]															
		2 Wire [illegible]n - (SL2) [illegible] Zone 1		1	UEPPX	UECD1	12.67										
		2 Wire [illegible]n - (SL2) [illegible] Zone 2		2	UEPPX	UECD1	17.45										
		2 Wire [illegible]n - (SL2) [illegible] Zone 3		3	UEPPX	UECD1	33.22										
	UNE	[illegible]Loop Satr[illegible] [illegible]Exchan[illegible] Port			UEPPX	UEPD1	9.63	336.11	27.75	132.37	9.31						
	NON	[illegible]UBRI[illegible] [illegible]ENTLY COMBINED [illegible]2 Wire [illegible]ire DID Trun[illegible] Conversion [illegible]Bo[illegible] [illegible]nes			UEPPX	USA1C		7.85	1.87								

UNBUNDL	NET	- Kentuc																			
																		Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ADD	MAL															
		Wire	Add Trun Trunk		UEPPX	USAS1		32.25	32.25								
			Element Loop at														
		End U			UEPPX	URETN		11.21	1.10								
	Tele	hlisment															
		Port)			UEPPX	NDT	0.00	0.00	0.00								
		Group of Numbers			UEPPX	ND4	0.00	0.00	0.00								
		DID Num Number			UEPPX	ND5	0.00	0.00	0.00								
		Numbers			UEPPX	ND6	0.00	0.00	0.00								
					UEPPX	NDV	0.00	0.00	0.00								
	2-W	WITH 2-W DN DIGITAL LINE SI ORT															
	UNE	Loo															
		IST ISDN Di Side Port -															
		UNE Z					26.69										
		IST ISDN Di Side Port -															
		UNE Z					32.92										
		IST ISDN Di Side Port -															
		UNE Z					51.21										
	UNE	Ra															
		Wire UNE Zo		1	UEPPB UEPPR	USL2X	16.10										
		Wire UNE Zo		2	UEPPB UEPPR	USL2X	22.33										
		Wire UNE Zo		3	UEPPB UEPPR	USL2X	40.63										
	UNE	Rate															
		Exchar Side Po			UEPPR	UEPPR	10.59	320.53	289.13	92.19	17.56						
		Exchar Side Po			UEPPB	UEPPB	10.59	320.53	289.13	92.19	17.56						
	NO	UDR MTLY CO D															
		Wire 2-Wire Side Port															
		Combi			UEPPB UEPPR	USACB	0.00	22.77	17.00								
	ADD	MAL															
		Elem Loop at															
		End U			UEPPB UEPPR	URETN		11.21	1.10								
		Elem End User															
		Premis			UEPPB UEPPR	URETL		8.33	0.83								
	B-C	EL															
		VS/C			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
		VS (F			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
		SD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	B-C	EL A LE ACCE AL,KY,LA,MS SC,MS N)															
		VS/C			UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
		VS (F			UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
		SD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	USE	ERMIN															
		User Tr nly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	VER	AL FE															
		All Vert Channel B Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
	INTE	FFICE															
		Interoff h, including mile and															
		facilities			UEPPB UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
		Interoff each, additional mile			UEPPB UEPPR	M1GNM	0.01	0.00	0.00								
UNBUNDLED	CENTRE	INATIONS - COST BASED RATES															
	UNE	CENTRE in AL,FL,GA, ,LA,MS.&TN only)															
	2-Wi	VG Loo Port (Centre Combo															
	UNE	Loo (Non-Design)															
		Wire ade Port ( ) Port Combo -															
		Non-D					11.79										
		Wire ade Port ( ) Port Combo -															
		Non-D					16.52										

UNBUNDL[illegible] NET[illegible] - Kentuck[illegible]

CATEGORY	ELEMENTS	Inte[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	[illegible]Wire [illegible]ade Port ([illegible]ex)Port Combo - [illegible]Non-Dr[illegible]					32.74										
	UNE [illegible]Non[illegible]Design)															
	[illegible]Wire [illegible]ade Port ([illegible]ex) Port Combo - [illegible]Design					14.82										
	[illegible]Wire [illegible]ade Port ([illegible]ex)Port Combo - [illegible]Design					19.60										
	[illegible]Wire [illegible]ade Port ([illegible]ex)Port Combo - [illegible]Design					35.37										
	UNE [illegible]op Ra[illegible]															
	[illegible]Wire [illegible]) - Zone 1		1	UEP91	UECS1	9.64										
	[illegible]Wire [illegible]) - Zone 2		2	UEP91	UECS1	14.37										
	[illegible]Wire [illegible]) - Zone 3		3	UEP91	UECS1	30.59										
	[illegible]Wire [illegible]) - Zone 1		1	UEP91	UECS2	12.67										
	[illegible]Wire [illegible]) - Zone 2		2	UEP91	UECS2	17.45										
	[illegible]Wire [illegible]) - Zone 3		3	UEP91	UECS2	33.22										
	UNE [illegible]															
	All S[illegible] (Ex[illegible] [illegible]d Sout Caro[illegible]na)															
	[illegible]Wire [illegible]ex) Basic L[illegible] Area			UEP91	UEPYA	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]x 800 ter[illegible] [illegible]Basic Local [illegible]rea			UEP91	UEPYB	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]x with Ca[illegible] [illegible]Note] Basic [illegible]Local / [illegible]			UEP91	UEPYH	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]x from di[illegible] [illegible]ng Wire Center) [illegible]Note 2			UEP91	UEPYM	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]wing Wire [illegible]800 Service [illegible]Term -			UEP91	UEPYZ	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]ted in on [illegible]nk or equivalent [illegible]Basi[illegible]			UEP91	UEPY9	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]ted on 8[illegible] [illegible]ice Term - [illegible]Basic L[illegible]			UEP91	UEPY2	2.15	21.29	15.49	2.85	2.67						
	AL, [illegible]A, M[illegible]															
	[illegible]Wire [illegible]ex)			UEP91	UEPQA	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]ex 800 term[illegible] [illegible]ion)			UEP91	UEPQB	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]ex with Call[illegible]			UEP91	UEPQH	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]from di[illegible] [illegible]e Wire [illegible]enter			UEP91	UEPQM	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]wing Wir[illegible] [illegible]2 [illegible]800 [illegible]ervice			UEP91	UEPQZ	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]ted in on [illegible]nk or equivalent			UEP91	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	[illegible]Wire [illegible]ted on 80[illegible] [illegible]ice Term			UEP91	UEPQ2	2.15	21.29	15.49	2.85	2.67						
	Loc[illegible] [illegible]witchi[illegible] [illegible]centre			UEP91	URECS	0.8873										
	Feat[illegible]															
	[illegible]All Sta[illegible] [illegible]per port			UEP91	UEPVF	0.00										
	[illegible]All Se[illegible] [illegible]port			UEP91	UEPVS	0.00	405.66									
	[illegible]All Ope[illegible] [illegible]fered, per p[illegible]			UEP91	UEPVC	0.00										
	NAP[illegible]															
	[illegible]Helpin[illegible] [illegible]pister - Com[illegible] [illegible]ion			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	[illegible]Helpin[illegible] [illegible]pister - Indi[illegible]			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	[illegible]Helpin[illegible] [illegible]pister - Out[illegible]			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Misc[illegible] [illegible]neou[illegible]															
	2-W[illegible] [illegible]nk S[illegible]															
	[illegible]nk [illegible]			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
	Inte[illegible] [illegible]e Ch[illegible]															
	[illegible]Interoff[illegible] [illegible]mination - [illegible]e Grade			UEP91	M1GBC	29.11										
	[illegible]Interoff[illegible] [illegible]r mile or fracti[illegible] of mile			UEP91	M1GBM	0.01										
	Feat[illegible] [illegible]Active[illegible] [illegible]ops on Cha[illegible]lized DS1 Service															

UNBUNDL NET Kentuc

CATEGORY	EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 C nnel B																
	eatur el Bank C y Loop Slot			UEP91	1PQWS	0.62										
	eatur el Bank F Side Loop Slot			UEP91	1PQW6	0.62										
	el Bank Side Loop Slot			UEP91	1PQW7	0.62										
	el Bank Loop Slot -			UEP91	1PQWP	0.62										
	eatur el Bank F ine Loop Slot			UEP91	1PQWV	0.62										
	el Bank Trunk Loop Slot			UEP91	1PQWQ	0.62										
	eatur el Bank W B Loop Slot			UEP91	1PQWA	0.62										
Non	urring ated with P Centrex															
	Switch with allowed			UEP91	USAC2		0.102	0.102								
	Common B			UEP91	USACN		18.95	8.32								
	Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						
	Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
	Secon			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
	NAR E r Occasion			UEP91	URECA	0.00	72.75									
Addi nal No	IRC)															
	eatur Element, p at End Use			UEP91	URETL		8.33	0.83								
	Element, ine Loop at			UEP91	URETN		11.21	1.10								
UNE	States)															
2-Wi	Port (Centre mbo															
UNE	Non-Design															
	Wire ade Port ex)Port Combo -					11.79										
	Wire ade Port ex)Port Combo -					16.52										
	Wire ade Port ex)Port Combo -					32.74										
UNE	Design)															
	Wire ade Port ex)Port Combo - Design					14.82										
	Wire ade Port ex)Port Combo - Design					19.60										
	Wire rade Port ex)Port Combo - Design					35.37										
UNE	op Rate															
	2-Wire) - Zone 1		1	UEP95	UECS1	9.64										
	2-Wire - Zone 2		2	UEP95	UECS1	14.37										
	2-Wire) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire) - Zone 1		1	UEP95	UECS2	12.67										
	2-Wire) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire) - Zone 3		3	UEP95	UECS2	33.22										
UNE Port Rate																
All S tes																
	2-Wire rex) Basic Local Area			UEP95	UEPYA	2.15	21.29	15.49	2.85	2.67						
	2-Wire ex 800 termination)			UEP95	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire with Cal Basic Local Area			UEP95	UEPYH	2.15	21.29	15.49	2.85	2.67						
	2-Wire from dif ing Wire Center			UEP95	UEPYM	2.15	21.29	15.49	2.85	2.67						
	Wire oning Wire er 2,3 - 800 Service			UEP95	UEPYZ	2.15	21.29	15.49	2.85	2.67						

UNBUNDL NET - Kentuc

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire ... ted in on ... ink or equivalent Basic			UEP95	UEPY9	2.15	21.29	15.49	2.85	2.67						
	Wire ... ted on 80 ... ce Term - Basic L			UEP95	UEPY2	2.15	21.29	15.49	2.85	2.67						
AL,	LA, M															
	Wire ... ex)			UEP95	UEPQA	2.15	21.29	15.49	2.85	2.67						
	Wire ... x 800 term ... nal)			UEP95	UEPQB	2.15	21.29	15.49	2.85	2.67						
	Wire ... x with Call ...)			UEP95	UEPQH	2.15	21.29	15.49	2.85	2.67						
	Wire ... from di ... g Wire Center			UEP95	UEPQM	2.15	21.29	15.49	2.85	2.67						
	Wire ... wing Wir ... 800 Service Term 2			UEP95	UEPQZ	2.15	21.29	15.49	2.85	2.67						
	Wire ... ated in on ... ink or equivalent			UEP95	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	Wire ... ated on 80 ... ce Term			UEP95	UEPQ2	2.15	21.29	15.49	2.85	2.67						
Loca	Switchi ...															
	... centre ... per port			UEP95	URECS	0.8873										
Feat	...															
	All Sta ... per port			UEP95	UEPVF	0.00										
	All Sele ... port			UEP95	UEPVS	0.00	405.66									
	All Cen ... ffered, per p ...			UEP95	UEPVC	0.00										
NAP																
	Tabular ... gister - Con ... tion			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Tabular ... gister - Indi ...			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Tabular ... gister - Out ...			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	... neous															
2-W	... unk ...															
	... unk			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
4-W	... gital ...															
	DS1 C ...			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 C ...			UEP95	M1HDO	0.00	15.09									
Inte	... e Ch ...															
	Interoff ... rmination			UEP95	M1GBC	29.11										
	Interoff ... mile or fra ... of mile			UEP95	M1GBM	0.01										
Feat	Activa ... ons on Ch ... ized DS1 Service															
D4 C	... nel B ...															
	Featur ... el Bank C ... Loop Slot			UEP95	1PQWS	0.62										
	Featur ... el Bank ... Side Loop Slot			UEP95	1PQW6	0.62										
	Featur ... el Bank ... Side Loop Slot			UEP95	1PQW7	0.62										
	Featur ... el Bank C ... Loop Slot - Differe ...			UEP95	1PQWP	0.62										
	Featur ... nel Bank ... Line Loop Slot			UEP95	1PQWV	0.62										
	... ship ... el Bank ... Touch Loop Slot			UEP95	1PQWQ	0.62										
	Featur ... nel Bank W ... Loop Slot			UEP95	1PQWA	0.62										
Non	... curring ... iated with ... Centrex															
	... ... ined Swi ... ... allowed															
	Change ...			UEP95	USAC2		0.102	0.102								
	Power ... Common ... nch			UEP95	USACN		18.95	8.32								
	New C ... on Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New C ... on Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
	HAR E ... r Occasion			UEP95	URECA	0.00	72.75									
Add	... al No ... IRC)															
	... bur ... Element, ... p at End Use Premis ...			UEP95	URETL		8.33	0.83								

| UNBUNDL | NET | Kentuc | | |

UNBUNDL[illegible] NET[illegible] - Kentuc[illegible]

CATEGORY		[illegible]EMENTS	Inter	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)				
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire [illegible]v/differ SW [illegible]EBS-M5009)2,3,4															
		Basic [illegible]			UEP9D	UEPYP	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-5209)2,3,4															
		Basic [illegible]			UEP9D	UEPYQ	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5112)2,3,4															
		Basic [illegible]			UEP9D	UEPYR	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5312)2,3,4															
		Basic [illegible]			UEP9D	UEPYS	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5008)2,3,4															
		Basic [illegible]			UEP9D	UEPY4	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5208)2, 3															
		Basic [illegible]			UEP9D	UEPY5	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5216)2,3,4															
		Basic [illegible]			UEP9D	UEPY6	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5316)2,3,4															
		Basic [illegible]			UEP9D	UEPY7	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]wing Wire [illegible]800 Service															
		Form 2			UEP9D	UEPYZ	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ted in on [illegible]ine or equivalent															
		Basic [illegible]			UEP9D	UEPY9	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ted on 80[illegible]ine Term, Basic															
		Local A[illegible]			UEP9D	UEPY2	2.15	21.29	15.49	2.85	2.67						
	AL,	LA, M[illegible]															
		2-Wire [illegible]ex)			UEP9D	UEPQA	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex 800 termi[illegible]on)			UEP9D	UEPQB	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-PS[illegible]			UEP9D	UEPQC	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]01			UEP9D	UEPQD	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]04			UEP9D	UEPQE	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]04			UEP9D	UEPQF	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]04			UEP9D	UEPQG	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]01			UEP9D	UEPQT	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]01			UEP9D	UEPQU	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]03			UEP9D	UEPQV	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex / EBS-M[illegible]01			UEP9D	UEPQ3	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex with Call[illegible]			UEP9D	UEPQH	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]"Caller ID[illegible]Wire Termp															
		Medical[illegible]			UEP9D	UEPQW	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]ex/Msg Wtg[illegible]Indication)4			UEP9D	UEPQJ	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]from dif[illegible]Wire Center)															
		[illegible]			UEP9D	UEPQM	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-PSET)2,3,4			UEP9D	UEPQO	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5009)2,3,4			UEP9D	UEPQP	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-5209)2,3,4			UEP9D	UEPQQ	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5112)2,3,4			UEP9D	UEPQR	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5312)2,3,4			UEP9D	UEPQS	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5008)2,3,4			UEP9D	UEPQ4	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5208)2,3,4			UEP9D	UEPQ5	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5216)2,3,4			UEP9D	UEPQ6	2.15	21.29	15.49	2.85	2.67						
		2-Wire [illegible]v/differ SW [illegible]EBS-M5316)2,3,4			UEP9D	UEPQ7	2.15	21.29	15.49	2.85	2.67						

| UNBUNDL | NET | Kentuc | | |

UNBUNDL[illegible] NET[illegible] - Kentuc[illegible]

CATEGORY	[illegible]EMENTS	Inter	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
													OSS Rates ($)			
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	[illegible]/Loop[illegible] (Design)															
	2-Wire [illegible]rade Port [illegible]ort Combo - (Design					14.82										
	2-Wire [illegible]rade Port [illegible]Port Combo - (Design					19.60										
	4-Wire [illegible]rade Port [illegible]Port Combo - (Design					35.37										
UNE	[illegible]p Rat[illegible]															
	2-Wire [illegible] - Zone 1		1	UEP9E	UECS1	9.64										
	2-Wire [illegible] - Zone 2		2	UEP9E	UECS1	14.37										
	2-Wire [illegible] - Zone 3		3	UEP9E	UECS1	30.59										
	4-Wire [illegible] - Zone 1		1	UEP9E	UECS2	12.67										
	4-Wire [illegible] - Zone 2		2	UEP9E	UECS2	17.45										
	4-Wire [illegible] - Zone 3		3	UEP9E	UECS2	33.22										
UNE	[illegible] Rate															
AL	[illegible] L[illegible]															
	2-Wire [illegible]) Basic Local Area			UEP9E	UEPYA	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible] 800 ter[illegible] Basic Local Area			UEP9E	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible] with Call[illegible] Basic Local Area			UEP9E	UEPYH	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible] from dif[illegible] Wire Center			UEP9E	UEPYM	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible]ving Wire [illegible] 800 Service			UEP9E	UEPYZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible]led in on [illegible] or equivalent Basic			UEP9E	UEPY9	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible]led on [illegible] Term - Basic L			UEP9E	UEPY2	2.15	21.29	15.49	2.85	2.67						
AL	[illegible] A, M															
	2-Wire [illegible])			UEP9E	UEPQA	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible] 800 termi[illegible]			UEP9E	UEPQB	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible] with Call[illegible]			UEP9E	UEPQH	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible] from dif[illegible] Wire Center			UEP9E	UEPQM	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible]ving Wire [illegible] 800 Service			UEP9E	UEPQZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible]led in on [illegible] or equivalent			UEP9E	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	2-Wire [illegible]led on [illegible] Term			UEP9E	UEPQ2	2.15	21.29	15.49	2.85	2.67						
Loca	[illegible]witchi[illegible]															
	[illegible]Centre[illegible] per port			UEP9E	URECS	0.8873										
Feat	[illegible]															
	All Sta[illegible] per port			UEP9E	UEPVF	0.00										
	All Sel[illegible] port			UEP9E	UEPVS	0.00	405.66									
	All Ge[illegible] fered, per [illegible]			UEP9E	UEPVC	0.00										
NAP	[illegible]															
	Unbun[illegible] ister - Con[illegible]ion			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbun[illegible] ister - Indi[illegible]			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbun[illegible] ister - Ou[illegible]			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	[illegible]aneous															
2-W	[illegible]unk [illegible]															
	[illegible]unk [illegible]			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-W	[illegible]igital															
	DS1 C[illegible]			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Ch[illegible] [illegible]nnel			UEP9E	M1HDO	0.00	15.09									
Inter	[illegible]e Ch[illegible]															
	Interoffi[illegible] [illegible]mination			UEP9E	M1GBC	29.11										
	Interoffi[illegible] [illegible] mile or fra[illegible] of mile			UEP9E	M1GBM	0.01										

UNBUNDL	NET	Kentuc																	
																Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feat	Activa	ops on Ch	ized DS1 Service													
	D4 C																
		Featur	el Bank C	Loop Slot		UEP9E	1PQWS	0.62									
		Featur	el Bank	Side Loop Slot		UEP9E	1PQW6	0.62									
		Featu	el Bank	Loop													
		Slot				UEP9E	1PQW7	0.62									
		Featu	el Bank	Slot -													
		Differe				UEP9E	1PQWP	0.62									
		Featur	el Bank	Line Loop Slot		UEP9E	1PQWV	0.62									
		Featur	el Bank	Loop													
		Slot				UEP9E	1PQWQ	0.62									
		Featur	el Bank W	Loop Slot		UEP9E	1PQWA	0.62									
	Non	curring	ated with	Centrex													
		IRC (	ined Swi	allowed													
		chang				UEP9E	USAC2		0.102	0.102							
		Conver	Common B	each		UEP9E	USACN		18.95	8.32							
		New Co	Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27					
		New Co	on Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27					
		NAR E	Occasion			UEP9E	URECA	0.00	72.75								
	Addi	nal No	IRC)														
		Return	Element	End Use													
		Premis				UEP9E	URETL		8.33	0.83							
		Return	Element	Loop at													
		End Us				UEP9E	URETN		11.21	1.10							
	UNE	CENTE	, KY, LA,	TN)													
	2-Wi	Loc	ort (Centr	mbo													
	UNE	Loop	Non-Design														
		2-Wire	ade Port	Port Combo -													
		Non-De					11.79										
		2-Wire	ade Port	Port Combo -													
		Non-De					16.52										
		2-Wire	ade Port	Port Combo -													
		Non-De					32.74										
	UNE	Loop	Design)														
		2-Wire	ade Port	Port Combo -													
		Design					14.82										
		2-Wire	ade Port	Port Combo -													
		Design					19.60										
		2-Wire	ade Port	Port Combo -													
		Design					35.37										
	UNE	Loop Rat															
		2-Wire	- Zone 1		1	UEP93	UECS1	9.64									
		2-Wire	- Zone 2		2	UEP93	UECS1	14.37									
		2-Wire	- Zone 3		3	UEP93	UECS1	30.59									
		2-Wire	2) - Zone 1		1	UEP93	UECS2	12.67									
		2-Wire	2) - Zone 2		2	UEP93	UECS2	17.45									
		2-Wire	2) - Zone 3		3	UEP93	UECS2	33.22									
	UNE	Port Rate															
	AL,	LA, M															
		2-Wire	trex) Basic Local Area			UEP93	UEPYA	2.15	21.29	15.49	2.85	2.67					
		2-Wire	ex 800 term	Basic Local													
		Area				UEP93	UEPYB	2.15	21.29	15.49	2.85	2.67					
		2-Wire	ex with Call	Basic Local													
		Area				UEP93	UEPYH	2.15	21.29	15.49	2.85	2.67					
		2-Wire	ex from dif	Wire													
		Center				UEP93	UEPYM	2.15	21.29	15.49	2.85	2.67					

UNBUNDL NET - Kentuck

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire - Leaving Wire - 2-3 - 800 Service			UEP93	UEPYZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ted in on Meridian Link or equivalent Basic			UEP93	UEPY9	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ted on 80 - ce Term - Basic			UEP93	UEPY2	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ex)			UEP93	UEPQA	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ex 800 termination)			UEP93	UEPQB	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ex with Calle ID)			UEP93	UEPQH	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ex from diff - ing Wire Center			UEP93	UEPQM	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ving Wire - - 3 - 800 Service			UEP93	UEPQZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ted in on Meridian Link or equivalent			UEP93	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	2-Wire - ted on 80 - ce Term			UEP93	UEPQ2	2.15	21.29	15.49	2.85	2.67						
Loc	witchi															
	Centre - or port			UEP93	URECS	0.8873										
Feat																
	4-Wire Sta - per port			UEP93	UEPVF	0.00										
	4-Wire Cer - fered, per po			UEP93	UEPVC	0.00										
NAP																
	Inburn - egister - Con - sion			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Inburn - egister - Indi			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Inburn - egister - Out			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	aneous															
2-Wi	Trunk															
	Trunk			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wi	Digital															
	DS1 C			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 C - Channel			UEP93	M1HDO	0.00	15.09									
Inte	ce Cha															
	Interoff - rmination			UEP93	M1GBC	29.11										
	Interoff - mile or fra - of mile			UEP93	M1GBM	0.01										
Feat	Activa - ops on Cha - ized DS1 Service															
D4 C	Channel Ba															
	Featur - el Bank C - Loop Slot			UEP93	1PQWS	0.62										
	Featur - nel Bank E - Side Loop Slot			UEP93	1PQW6	0.62										
	Featur - el Bank E - Side Loop Slot			UEP93	1PQW7	0.62										
	Featur - el Bank C - Loop Slot - Offpre			UEP93	1PQWP	0.62										
	Featur - nel Bank P - Line Loop Slot			UEP93	1PQWV	0.62										
	Featur - el Bank T - Trunk Loop Slot			UEP93	1PQWQ	0.62										
	Featur - nel Bank W - Loop Slot			UEP93	1PQWA	0.62										
Non	urrinc - ated with - P Centrex															
	ISDN C - med Swi - e with allowed															
	Change -			UEP93	USAC2		0.102	0.102								
	Conve - Common P - each			UEP93	USACN		18.95	8.32								
	New C - Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New C - on Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	MAR E - Occasion			UEP93	URECA	0.00	72.75									
Add	al Ne - PC)															
	Return - Element - p at End Use															
	Termis			UEP93	URETL		8.33	0.83								

UNBUNDL	NET	Kentuc																	
																Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbun End Us	Element, Loop at		UEP93	URETN		11.21	1.10								
	Note	Requ	ntrol in 1A SESS & EWSD														
	Note	Requ	Mileage														
	Note	Instal	Installatio arge for SL2 Loop and rt														
	Note	Requ	remises E ment														
	Note	ates c	n colum as a result of mission order.														

UNBUNDL[illegible] NET[illegible] - Louisia[illegible]

Attachment: 2 Ex. A

CATEGORY	[illegible]EMENTS	Inter	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The [illegible]ne" sh[illegible] stand-alo[illegible]ops or loops as part of [illegible]combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website:														
	http[illegible]www.int[illegible].com/becou[illegible]n_clec/html/interconnection.htm														
OPERATION	SUPP[illegible] "REGIONA[illegible]RATES"														
	NOT[illegible](1) CLF[illegible] ntract negoti[illegible]or if it prefers the "state-specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect [illegible]her th[illegible] ission orde[illegible]ates for the service ord[illegible]g charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each [illegible]the 9 s[illegible]														
	NOT[illegible](2) Any [illegible]dered elec[illegible]ically will be billed acc[illegible]ing to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cann[illegible]be ord[illegible]esent per the LOH, the listed SOMEC [illegible]in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will [illegible]applied[illegible]it submits an LSR to BellSouth.														
	[illegible]OSS - [illegible]Charge, P[illegible]al Service				SOMEC		3.50	0.00	3.50	0.00						
	[illegible]Doque[illegible]OSS - [illegible]rge, Per [illegible]Service Request				SOMAN		15.20	0.00	15.20	0.00						
UNE SERVI[illegible]	DATE [illegible]RE														
	NOT[illegible]The E[illegible]aintained [illegible]nsurate with BellS[illegible]s FCC No.1 Tariff, Section 5 as applicable.														
					UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00								
	[illegible]UNE F[illegible]or Line A[illegible]ble USOC, per [illegible]Day														
UNBUNDLE[illegible]	[illegible]CHA[illegible]														
	2-W[illegible]ANAL[illegible]														
	[illegible]2-Wire [illegible]p - Service[illegible]el 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87							
	[illegible]2-Wire [illegible]p - Service[illegible]el 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87							
	[illegible]2-Wire [illegible]p - Service[illegible]el 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87							
	[illegible]2-Wire [illegible]p - Service[illegible]el 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87							
	[illegible]2-Wire [illegible]p - Service[illegible]el 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87							
	[illegible]2-Wire [illegible]n - Service[illegible]el 1- Zone 3		3	UEANL	UEASL	48.43	36.54	16.87							
	[illegible]Shor[illegible]Element, [illegible]n al End User [illegible]Premis[illegible]			UEANL	URETL		8.33	0.83							
	Loop T[illegible]	Hour		UEANL	URET1		33.17	33.17							
	Loop T[illegible]	Half Hour		UEANL	URETA		19.28	19.28							

UNBUNDL[illegible] NE[illegible] - Louisia[illegible]

CATEGORY	[illegible]EMENTS	Inter[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	[illegible]CLEC [illegible]ge Witho[illegible]le Dispatch (UNL-S[illegible]			UEANL	UREWO		15.75	8.93								
	[illegible]Unbur[illegible]ign Voice [illegible]Wire for BST provid[illegible] Informatio[illegible]			UEANL	UEANM		13.04	13.04								
	[illegible]Manu[illegible]/L-SL1s [illegible]ion)			UEANL	UEAMC		7.92	7.92								
	[illegible]Order [illegible]Conversi[illegible]/L-SL1 (per L[illegible]			UEANL	OCOSL		17.56	17.56								
	2-W[illegible] Unbu[illegible]															
	[illegible]Wire [illegible]Non-De[illegible] Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60								
	[illegible]Wire [illegible]Non-Des[illegible] Zone 2		2	UEQ	UEQ2X	14.32	35.27	15.60								
	[illegible]Wire [illegible]Non-Des[illegible] Zone 3		3	UEQ	UEQ2X	16.87	35.27	15.60								
	Unbur[illegible] Elementl[illegible]n at End User Premis[illegible]			UEQ	URETL		8.33	0.83								
	Manu[illegible]n Unbun[illegible]pper Loop - Non-De[illegible]			UEQ	USBMC		7.92	7.92								
	Unbur[illegible]Design Con[illegible]on, billing for BST p[illegible]ering Infor[illegible]E.I.)			UEQ	UEQMU		13.04	13.04								
	Loop [illegible]our			UEQ	URET1		33.17	33.17								
	Loop [illegible]Half Hour			UEQ	URETA		19.28	19.28								
	CLEC [illegible]ge Witho[illegible]le Dispatch (UCL-[illegible]			UEQ	UREWO		14.25	7.42								
UNBUNDLE[illegible]XCHA[illegible]																
2-W[illegible] ANAL[illegible]																
	[illegible]Wire [illegible]Service [illegible]Line Splitting- Zone [illegible]		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
	[illegible]Wire [illegible]Service [illegible]Line Splitting- Zone [illegible]		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
	[illegible]Wire [illegible]Service [illegible]Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
	[illegible]Wire [illegible]Service [illegible]Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	[illegible]Wire [illegible]Service [illegible]Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	[illegible]Wire [illegible]Service [illegible]Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
UNBUNDLE[illegible]XCHA[illegible]																
2-W[illegible] ANAL[illegible]																
	[illegible]Wire [illegible]Service [illegible]2-W Loop or Groun[illegible]		1	UEA	UEAL2	14.93	102.10	65.72								
	[illegible]Wire [illegible]n - Service [illegible]2 w/Loop or Groun[illegible]2		2	UEA	UEAL2	25.35	102.10	65.72								
	[illegible]Wire [illegible]n - Service [illegible]2 w/Loop or Ground[illegible]3		3	UEA	UEAL2	50.46	102.10	65.72								
	Order [illegible]ed Conversio[illegible]me (per LSR)			UEA	OCOSL		17.56									
	[illegible]Wire [illegible]n - Service [illegible]2 w/Reverse Battery [illegible]		1	UEA	UEAR2	14.93	102.10	65.72								
	2-Wire [illegible]n - Service [illegible]el 2 w/Reverse Battery [illegible]eturn		2	UEA	UEAR2	25.35	102.10	65.72								
	2-Wire [illegible]n - Service [illegible]el 2 w/Reverse Battery [illegible]		3	UEA	UEAR2	50.46	102.10	65.72								
	Order [illegible]ed Conversio[illegible]me (per LSR)			UEA	OCOSL		17.56									
	CLEC [illegible]arge without outside dispatch			UEA	UREWO		87.59	36.30								
	Loop T[illegible]2 (SL2)			UEA	URETL		11.20	1.10								
4-W[illegible] ANALO[illegible]OP																
	4-Wire [illegible]p - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02								
	4-Wire [illegible]p - Zone 2		2	UEA	UEAL4	38.32	127.40	91.02								
	4-Wire [illegible]p - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
	Order [illegible]ed Conversio[illegible]me (per LSR)			UEA	OCOSL		17.56									
	CLEC [illegible]arge without outside dispatch			UEA	UREWO		87.59	36.30								

UNBUNDL	D NET	- Louisia												Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WI	ISDN															
		2-Wire - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
		2-Wire - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96								
		2-Wire - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
		Order - Conversion Time (per LSR)			UDN	OCOSL		17.56									
		CLEC - Charge without outside dispatch			UDN	UREWO		91.49	44.09								
	2-WI	ASYM		OOP													
		2-Wire - Including maintenance service inquiry & facility		1	UAL	UAL2X	12.29	117.08	68.36								
		2-Wire - Including maintenance service inquiry & facility		2	UAL	UAL2X	14.09	117.08	68.36								
		2-Wire - Including maintenance service inquiry & facility		3	UAL	UAL2X	15.75	117.08	68.36								
		Order - Conversion Time (per LSR)			UAL	OCOSL		17.56									
		2-Wire - Without maintenance service inquiry & facility		1	UAL	UAL2W	12.29	92.83	56.02								
		2-Wire - Without maintenance service inquiry & facility		2	UAL	UAL2W	14.09	92.83	56.02								
		2-Wire - Without maintenance service inquiry & facility		3	UAL	UAL2W	15.75	92.83	56.02								
		Order - Conversion Time (per LSR)			UAL	OCOSL		17.56									
		CLEC - Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WI	HIGH		OOP													
		2-Wire - Including maintenance service inquiry & facility		1	UHL	UHL2X	9.79	125.50	76.77								
		2-Wire - Including maintenance service inquiry & facility		2	UHL	UHL2X	11.52	125.50	76.77								
		2-Wire - Including maintenance service inquiry & facility		3	UHL	UHL2X	12.74	125.50	76.77								
		Order - Conversion Time (per LSR)			UHL	OCOSL		17.56									
		2-Wire - Without maintenance service inquiry and fa		1	UHL	UHL2W	9.79	101.24	64.43								
		2-Wire - Without maintenance service inquiry and fa		2	UHL	UHL2W	11.52	101.24	64.43								
		2-Wire - Without maintenance service inquiry and fa		3	UHL	UHL2W	12.74	101.24	64.43								
		Order - Conversion Time (per LSR)			UHL	OCOSL		17.56									
		CLEC - Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	4-WI	HIGH		OP													
		4-Wire - Including maintenance service inquiry and fa		1	UHL	UHL4X	16.24	153.26	104.54								
		4-Wire - Including maintenance service inquiry and fa		2	UHL	UHL4X	16.65	153.26	104.54								
		4-Wire - Including maintenance service inquiry and fa		3	UHL	UHL4X	17.34	153.26	104.54								
		Order - Conversion Time (per LSR)			UHL	OCOSL		17.56									
		4-Wire - Without maintenance service inquiry and fa		1	UHL	UHL4W	16.24	129.00	92.20								
		4-Wire - Without maintenance service inquiry and fa		2	UHL	UHL4W	16.65	129.00	92.20								
		4-Wire - Without maintenance service inquiry and fa		3	UHL	UHL4W	17.34	129.00	92.20								
		Order - Conversion Time (per LSR)			UHL	OCOSL		17.56									
		CLEC - Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	4-WI	DS1 D															
		4-Wire		1	USL	USLXX	85.70	245.16	152.98								
		4-Wire		2	USL	USLXX	194.96	245.16	152.98								
		4-Wire		3	USL	USLXX	491.94	245.16	152.98								
		Order - Conversion Time (per LSR)			USL	OCOSL		17.56									

UNBUNDL[illegible] NE[illegible] Louisia[illegible]

CATEGORY			ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC	[illegible]ge without [illegible]side dispatch			USL	UREWO		100.93	42.98								
	4-WI[illegible]	19.2, [illegible]	GRADE [illegible]															
		1 Wire	[illegible]bps		1	UDL	UDL19	30.99	121.86	85.48								
		1 Wire	[illegible]bps		2	UDL	UDL19	36.78	121.86	85.48								
		1 Wire	[illegible]bps		3	UDL	UDL19	38.92	121.86	85.48								
		1 Wire	[illegible]6 Kbps - [illegible]		1	UDL	UDL56	30.99	121.86	85.48								
		1 Wire	[illegible]6 Kbps - [illegible]		2	UDL	UDL56	36.78	121.86	85.48								
		1 Wire	[illegible]6 Kbps - [illegible]		3	UDL	UDL56	38.92	121.86	85.48								
		Order	[illegible] Conversi[illegible] (per LSR)			UDL	OCOSL		17.56									
		1 Wire	[illegible]4 Kbps - [illegible]		1	UDL	UDL64	30.99	121.86	85.48								
		1 Wire	[illegible]4 Kbps - [illegible]		2	UDL	UDL64	36.78	121.86	85.48								
		1 Wire	[illegible]4 Kbps - [illegible]		3	UDL	UDL64	38.92	121.86	85.48								
		Order	[illegible] Conversi[illegible]e (per LSR)			UDL	OCOSL		17.56									
		CLEC	[illegible]ge without [illegible]side dispatch			UDL	UREWO		101.97	49.67								
	2-WI[illegible]	Unbu[illegible]																
		2-Wire	[illegible] Designed [illegible] manual															
		servic[illegible]	[illegible]tion - Zone [illegible]		1	UCL	UCLPB	12.29	116.18	67.46								
		2-Wire	[illegible] Designed [illegible] manual															
		servic[illegible]	[illegible]tion - Zone [illegible]		2	UCL	UCLPB	14.09	116.18	67.46								
		2-Wire	[illegible] Designed [illegible] manual															
		service[illegible]	[illegible]tion - Zone [illegible]		3	UCL	UCLPB	15.75	116.18	67.46								
		Order [illegible]	[illegible]ed Copper [illegible]s (per loop)			UCL	UCLMC		7.92	7.92								
		2-Wire	[illegible] Designed [illegible] manual															
		servic[illegible]	[illegible]nation - Zone [illegible]		1	UCL	UCLPW	12.29	91.92	55.12								
		2-Wire	[illegible] Designed [illegible] manual															
		servic[illegible]	[illegible]ation - Zone [illegible]		2	UCL	UCLPW	14.09	91.92	55.12								
		2-Wire	[illegible] Designed [illegible] manual															
		servic[illegible]	[illegible]nation - Zone [illegible]		3	UCL	UCLPW	15.75	91.92	55.12								
		Order [illegible]	[illegible]ed Copper [illegible]s (per loop)			UCL	UCLMC		7.92	7.92								
		CLEC [illegible]	[illegible]ge without [illegible]side dispatch															
		(UCL-D[illegible]				UCL	UREWO		91.92	42.47								
	4-WI[illegible]	COPP[illegible]																
		1 Wire	[illegible]cluding [illegible] service inquiry															
		and fa[illegible]			1	UCL	UCL4S	22.27	139.69	90.96								
		1 Wire	[illegible]cluding [illegible] service inquiry															
		and fa[illegible]			2	UCL	UCL4S	18.95	139.69	90.96								
		1 Wire	[illegible]cluding [illegible] service inquiry															
		and fa[illegible]			3	UCL	UCL4S	10.99	139.69	90.96								
		Order [illegible]	[illegible]ed Copper [illegible]s (per loop)			UCL	UCLMC		7.92	7.92								
		4-Wire	[illegible]without ma[illegible] service inquiry															
		and fa[illegible]			1	UCL	UCL4W	22.27	115.43	78.63								
		4-Wire	[illegible]without manual service inquiry															
		and fa[illegible]			2	UCL	UCL4W	18.95	115.43	78.63								
		4-Wire	[illegible]without manual service inquiry															
		and fa[illegible]			3	UCL	UCL4W	10.99	115.43	78.63								
		Order [illegible]	[illegible]ed Copper [illegible]s (per loop)			UCL	UCLMC		7.92	7.92								
		CLEC [illegible]	[illegible]ge without [illegible]side dispatch															
		(UCL-D[illegible]				UCL	UREWO		91.92	42.47								
LOOP MODIFICATION																		
		Unbun[illegible] pair les[illegible]	Removal of [illegible] Coils - 2 Wire [illegible], per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
		Unbun[illegible] loss th[illegible]	Removal of [illegible] Coils - 1 Wire [illegible] Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
		Unbun[illegible] per unit	[illegible]emoval of [illegible]ap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								

UNBUNDL[illegible]D NET[illegible] - Louisia[illegible]

CATEGORY			ELEMENTS	Inter[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS																		
	Sub-[illegible]oop Dis[illegible]																	
		Sub-L[illegible]	[illegible]ion - CLE[illegible]er Facility Set-															
		Up		I		UEANL	USBSA		144.09	144.09								
		Sub-Lo[illegible]	[illegible]ation - Per 2[illegible]ir Panel Set-Up	I		UEANL	USBSB		10.99	10.99								
		Sub-Lo[illegible]	[illegible]ont Room [illegible]66 Feeder															
		Facility		I		UEANL	USBSC		86.16	86.16								
		Sub-Lo[illegible]	[illegible]ont Room [illegible]66 Side Panel															
		Set-Up		I		UEANL	USBSD		27.13	27.13								
		Sub-Lo[illegible]	[illegible]e Analog [illegible]Grade Loop -															
		Zone 1		I	1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Lo[illegible]	[illegible]e Analog [illegible]Grade Loop -															
		Zone 2		I	2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Lo[illegible]	[illegible]e Analog [illegible]Grade Loop -															
		Zone 3		I	3	UEANL	USBN2	21.45	63.89	30.06								
		Order [illegible]	[illegible]led Sub-Loo[illegible]per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Lo[illegible]	[illegible]e Analog [illegible]Grade Loop -															
		Zone 1			1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Lo[illegible]	[illegible]e Analog [illegible]Grade Loop -															
		Zone 2			2	UEANL	USBN4	16.84	76.75	42.92								
		Sub-Lo[illegible]	[illegible]e Analog [illegible]Grade Loop -															
		Zone 3			3	UEANL	USBN4	19.27	76.75	42.92								
		Order [illegible]	[illegible]led Sub-Loo[illegible]per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Lo[illegible]	[illegible]Network Cat[illegible]5)	I		UEANL	USBR2	2.91	51.48	17.65								
		Order [illegible]	[illegible]led Sub-Loo[illegible]per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Lo[illegible]	[illegible]Network Cat[illegible]IC)	I		UEANL	USBR4	6.58	57.54	23.71								
		Order [illegible]	[illegible]led Sub-Loo[illegible]per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop T[illegible]	[illegible]our			UEANL	URET1		33.17	33.17								
		Loop T[illegible]	[illegible]Half Hour			UEANL	URETA		19.28	19.28								
		2 Wire [illegible]	[illegible]Loop Distri[illegible]n - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
		2 Wire [illegible]	[illegible]Loop Distri[illegible]n - Zone 2	I	2	UEF	UCS2X	10.07	63.89	30.06								
		2 Wire [illegible]	[illegible]Loop Distri[illegible]n - Zone 3	I	3	UEF	UCS2X	12.70	63.89	30.06								
		Order [illegible]	[illegible]led Sub-Loo[illegible]per sub-loop pair			UEF	USBMC		7.92	7.92								
		4 Wire [illegible]	[illegible]Loop Distri[illegible]n - Zone 1	I	1	UEF	UCS4X	8.03	76.75	42.92								
		4 Wire [illegible]	[illegible]Loop Distri[illegible]n - Zone 2	I	2	UEF	UCS4X	10.71	76.75	42.92								
		4 Wire [illegible]	[illegible]Loop Distri[illegible]n - Zone 3	I	3	UEF	UCS4X	6.08	76.75	42.92								
		Order [illegible]	[illegible]led Sub-Loo[illegible]per sub-loop pair			UEF	USBMC		7.92	7.92								
		Loop T[illegible]	[illegible]our			UEF	URET1		33.17	33.17								
		Loop T[illegible]	[illegible]Half Hour			UEF	URETA		19.28	19.28								
	Unb[illegible]	[illegible]led Ne[illegible]	[illegible]n (UNTW)															
		Unbun[illegible]	[illegible]n Wire (UN[illegible]per Pair			UENTW	UENPP	0.3454	14.72	14.72								
	Netw[illegible]	[illegible]n Inter[illegible]																
		Netwo[illegible]	1-2 lines			UENTW	UND12		42.26	27.83								
		Netwo[illegible]	1-6 lines			UENTW	UND16		62.86	48.43								
		Netwo[illegible]	[illegible]Connect [illegible]			UENTW	UNDC2		5.73	5.73								
		Netwo[illegible]	[illegible]Connect [illegible]			UENTW	UNDC4		5.73	5.73								
UNE OTHER	PROVIS[illegible]	[illegible]E																
	PID - T[illegible]	[illegible]er for NID [illegible]allation			UENTW	UNDBX	0.00	0.00										
	UNTW	[illegible]Provisioni[illegible]ly - No Rate			UENTW	UENCE	0.00	0.00										
	Unbun[illegible]	[illegible]ovisioning [illegible]No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00										
UNE OTHER	PROVIS[illegible]	[illegible]E																

UNBUNDL[illegible] NE[illegible] Louisia[illegible]

CATEGORY	[illegible]EMENTS	Inter[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbun[illegible]	[illegible]sioning O[illegible] rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00								
	Unbur[illegible]	Wire Cros[illegible] - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbur[illegible]	Wire Cros[illegible] - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbur[illegible]	me Forma[illegible]n - no rate			USL	CCOSF	0.00	0.00								
	Unbur[illegible]	f Superf[illegible]ional option - no rate			USL	CCOEF	0.00	0.00								
HIGH CAPA[illegible] UNE																
	High C[illegible]	Loop - DS[illegible] Mile per month			UE3	1L5ND	10.04									
	High C[illegible]	Loop - DS[illegible]acility Termin			UE3	UE3PX	362.34	504.229	294.745							
	High C[illegible]	Loop - S[illegible] Per Mile per month			UDLSX	1L5ND	10.04									
	High C[illegible]	Loop - S[illegible]acility Termin			UDLSX	UDLS1	374.56	504.229	294.745							
LOOP MAKE[illegible]P																
	Loop [illegible] spare [illegible]	Fiber Reser[illegible] per working or			UMK	UMKLW		23.29	23.29							
	Loop [illegible] [illegible]uerie[illegible]	Reserva[illegible] spare facility			UMK	UMKLP		24.70	24.70							
	Loop [illegible] spare [illegible]	Reservatio[illegible] [illegible]ed)			UMK	UMKMQ		0.19	0.19							
LINE SPLIT[illegible]G																
	LINE [illegible]PLITTI[illegible]															
	END [illegible]SER OF[illegible]	[illegible]ICE BASE[illegible]														
	Line S[illegible]	[illegible] DLEC own[illegible]splitter			UEPSR UEPSB	UREOS	0.61									
	Line S[illegible]	[illegible] BST owns[illegible]physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29							
	Line S[illegible]	[illegible] BST owns[illegible]irtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29							
MAINTENAN[illegible]S OF S[illegible]																
	NOT[illegible] The E[illegible]	[illegible]aintained [illegible]ompensurate with BellS[illegible]'s FCC No.1 Tariff, Section 13.3.1 as applicable.														
	No Tro[illegible]	[illegible] increment[illegible] Basic						80.00	55.00							
	No Tro[illegible]	[illegible] increment[illegible] Overtime						90.00	65.00							
	No Tro[illegible]	[illegible] increment[illegible] Premium						100.00	75.00							
UNBUNDLED [illegible]EDICA[illegible]																
	INTE[illegible]OFFICE[illegible]	[illegible]D TRANSP[illegible]														
	Interoff[illegible] Per Mil[illegible]	[illegible] Transport[illegible] Wire Voice Grade -			U1TVX	1L5XX	0.013									
	Interoff[illegible] Facility	[illegible] Transport[illegible] Wire Voice Grade -			U1TVX	U1TV2	22.60	39.36	26.62							
	Interoff[illegible] Rev Ba[illegible]	[illegible] Transport[illegible] Wire Voice Grade -			U1TVX	1L5XX	0.013									
	Interoff[illegible] Facility	[illegible] Transport[illegible] Wire V/G - Rev Bal. -			U1TVX	U1TR2	22.60	39.36	26.62							
	Interoff[illegible] Per Mil[illegible]	[illegible] Transport[illegible] Wire Voice Grade -			U1TVX	1L5XX	0.013									
	Interoff[illegible] - Facilit[illegible]	[illegible] Transport[illegible] Wire Voice Grade -			U1TVX	U1TV4	19.81	39.36	26.62							
	Interoff[illegible] per mo[illegible]	[illegible] Transport[illegible] Mps - per mile			U1TDX	1L5XX	0.013									
	Interoff[illegible] Termin[illegible]	[illegible] Transport[illegible] Mps - Facility			U1TDX	U1TD5	15.61	39.37	26.62							
	Interoff[illegible] per mo[illegible]	[illegible] Transport[illegible] Mps - per mile			U1TDX	1L5XX	0.013									
	Interoff[illegible] Termin[illegible]	[illegible] Transport[illegible] Mps - Facility			U1TDX	U1TD6	15.61	39.37	26.62							

UNBUNDLED NET - Louisiana

CATEGORY	ELEMENTS	Interi	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interof Channel - Per Mile per month			U1TD1	1L5XX	0.2652										
	Interof Tranport - Facility Termin			U1TD1	U1TF1	70.47	86.69	79.44								
	Interof Transport - Per Mile per month			U1TD3	1L5XX	6.04										
	Interof Transport - Facility Termin			U1TD3	U1TF3	850.45	270.69	158.05								
	Interof Transport - Per Mile per month			U1TS1	1L5XX	6.04										
	Interof Transport - Facility Termin			U1TS1	U1TFS	830.19	270.69	158.05								
DARK FIBER																
	Dark F Per Route - Fraction															
	Therer nel			UDF, UDFCX	1L5DC	60.06										
	Dark F Per Route - Fraction															
	Therer Channel			UDF, UDFCX	1L5DF	25.28										
	IRC Channel			UDF, UDFCX	UDF14		620.60	133.88								
	Dark F Per Route - Fraction															
	Therer			UDF, UDFCX	1L5DL	60.06										
8XX ACCES	EN DI															
	8XX A Per Call					0.0006387										
	8XX A w/ 8XX N livery, per query					0.0006387										
	8XX A w/ POTS Delivery, per query					0.0006387										
LINE INFOR	TION I DB)															
	LIDB C iery					0.0000221										
	LIDB V					0.0135077										
	LIDB C tablishment Change			OQU	NRBPX		33.33									
CALLING N	E (CNA															
	CNAM ry					0.0010217										
	CNAM Query					0.0010217										
LNP Query S	vice															
	LNP C					0.0008559										
	LNP S ual						12.16									
	LNP S int Code ishment						576.33	294.43								
SELECTIVE	TTING															
	Selecti n Class r Request Per Switch						82.25	82.25								
VIRTUAL CO	OCAT															
	Virtual Connects for Line Splittin			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL C	LOCA															
	Physic s Connect ion) for Line Splittin			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECT	CAR															
	Region						100,209.33									
	End O						164.29	164.29								
	Query					0.0030293										
AIN - BELLS	TH AI E															
	AIN S e Establi Per State, Initial C			A1N	CAMSE		38.30	38.30								
	AIN St Connection el/Shared Access			A1N	CAMDP		7.60	7.60								
	AIN St Connection ISDN Access			A1N	CAM1P		7.60	7.60								
	AIN S Identificati ies - Per User ID Cor			A1N	CAMAU		33.99	33.99								

UNBUNDL[illegible] NET[illegible] Louisi[illegible]

Attachment: 2 Ex. A

CATEGORY	[illegible]SMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN St[illegible]			A1N	CAMRC		41.39	41.39								
	Initial c[illegible]					0.0022										
	AIN St[illegible]					0.5795										
	AIN St[illegible]															
	Minutr[illegible]					0.8104										
ENHANCED [illegible]END[illegible]																
	NOT[illegible] he mo[illegible]															
	NOT[illegible] he mo[illegible]															
	2-W[illegible] VOICE[illegible]															
	[illegible]-Wire[illegible]		1	UNCVX	UEAL2	14.93	94.21	45.09								
	[illegible]-Wire[illegible]		2	UNCVX	UEAL2	25.35	94.21	45.09								
	[illegible]-Wire[illegible]		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Voice [illegible]			UNCVX	1D1VG	0.6497	5.91	4.26								
	4-WI[illegible] VOICE[illegible]															
	4-Wire[illegible]		1	UNCVX	UEAL4	30.81	94.21	45.09								
	4-Wire[illegible]		2	UNCVX	UEAL4	38.32	94.21	45.09								
	4-Wire[illegible]		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Voice [illegible]			UNCVX	1D1VG	0.6497	5.91	4.26								
	4-WI[illegible] 56 KB[illegible]															
	4-Wire[illegible]		1	UNCDX	UDL56	30.99	94.21	45.09								
	4-Wire[illegible]		2	UNCDX	UDL56	36.78	94.21	45.09								
	4-Wire[illegible]		3	UNCDX	UDL56	38.92	94.21	45.09								
	DCU-[illegible]			UNCDX	1D1DD	1.38	5.91	4.26								
	4-WI[illegible] 64 KB[illegible]															
	4-Wire[illegible]		1	UNCDX	UDL64	30.99	94.21	45.09								
	4-Wire[illegible]		2	UNCDX	UDL64	36.78	94.21	45.09								
	4-Wire[illegible]		3	UNCDX	UDL64	38.92	94.21	45.09								
	DCU-[illegible]			UNCDX	1D1DD	1.38	5.91	4.26								
	2-WI[illegible] ISDN [illegible]															
	2-Wire[illegible]		1	UNCNX	U1L2X	22.09	94.21	45.09								
	2-Wire[illegible]		2	UNCNX	U1L2X	35.28	94.21	45.09								
	2-Wire[illegible]		3	UNCNX	U1L2X	65.18	94.21	45.09								
	2-wire [illegible]			UNCNX	UC1CA	2.96	5.91	4.26								
	4-WI[illegible] DS1 T[illegible]															
	1-Wire[illegible]		1	UNC1X	USLXX	85.70	169.22	100.89								
	1-Wire[illegible]		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire[illegible]		3	UNC1X	USLXX	491.94	169.22	100.89								
	DS1 C[illegible]			UNC1X	UC1D1	11.78	5.91	4.26								
	2 WI[illegible] VOICE[illegible]															
	Interoff[illegible] Month			UNCVX	1L5XX	0.013										
	Interoff[illegible] Termin[illegible]			UNCVX	U1TV2	22.60	72.60	41.75								
	4 WI[illegible] VOICE[illegible]															
	Interoff[illegible] Month			UNCVX	1L5XX	0.013										
	Interoff[illegible] Termin[illegible]			UNCVX	U1TV4	19.81	72.60	41.75								
	DS1 INTEROF[illegible]															
	Interoff[illegible] per mo[illegible]			UNC1X	1L5XX	0.2652										
	Interoff[illegible] Termin[illegible]			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Ch[illegible]			UNC1X	MQ1	105.09	59.97	12.96								
	DS3 [illegible]EROF[illegible]															
	Interoff[illegible] Per Mo[illegible]			UNC3X	1L5XX	6.04										

[illegible]ision [illegible]

UNBUNDL D NET - Louisia

CATEGORY			Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interof			UNC3X	U1TF3	850.45	270.69	158.05								
		month															
	STS-	NTERC															
		Interof			UNCSX	1L5XX	6.04										
		Per Mo															
		Interof			UNCSX	U1TFS	830.19	270.69	158.05								
		Termin															
	4-WI	56 KP															
		4-wire		1	UNCDX	UDL56	30.99	94.21	45.09								
		4-wire		2	UNCDX	UDL56	36.78	94.21	45.09								
		4-wire		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interof			UNCDX	1L5XX	0.013										
		Per Mi															
		Interof			UNCDX	U1TD5	15.61	72.60	41.75								
		Facility															
	4-WI	64 KP															
		4-wire		1	UNCDX	UDL64	30.99	94.21	45.09								
		4-wire		2	UNCDX	UDL64	36.78	94.21	45.09								
		4-wire		3	UNCDX	UDL64	38.92	94.21	45.09								
		Interof			UNCDX	1L5XX	0.013										
		Per Mi															
		Interof			UNCDX	U1TD6	15.61	72.60	41.75								
		Facility															
	4-WI	56 KP															
		4-wire		1	UNCDX	UDL56	30.99	94.21	45.09								
		4-wire		2	UNCDX	UDL56	36.78	94.21	45.09								
		4-wire		3	UNCDX	UDL56	38.92	94.21	45.09								
		4-wire			UNCDX	1L5XX	0.013										
		month															
		4-wire			UNCDX	U1TD5	15.61	72.60	41.75								
		Termin															
	4-WI	64 KP															
		4-wire		1	UNCDX	UDL64	30.99	94.21	45.09								
		4-wire		2	UNCDX	UDL64	36.78	94.21	45.09								
		4-wire		3	UNCDX	UDL64	38.92	94.21	45.09								
		4-wire			UNCDX	1L5XX	0.013										
		month															
		4-wire			UNCDX	U1TD6	15.61	72.60	41.75								
		Termin															
	DS1	GITAL															
		4-Wire		1	UNC1X	USLXX	85.70	169.22	100.89								
		4-Wire		2	UNC1X	USLXX	194.96	169.22	100.89								
		4-Wire		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interof			UNC1X	1L5XX	0.2652										
		per mo															
		Interof			UNC1X	U1TF1	70.47	143.58	103.88								
		Termin															
	DS3	RITAL															
		DS3 L			UNC3X	1L5ND	11.546										
		per mile															
		DS3 L			UNC3X	UE3PX	416.691	504.229	294.745								
		Facility Te															
		Interof			UNC3X	1L5XX	6.04										
		Termin			UNC3X	U1TF3	850.45	270.69	158.05								
	STS	IGITA															
		STS-1			UNCSX	1L5ND	11.546										
		STS-1			UNCSX	UDLS1	430.744	504.229	294.745								
		month															

UNBUNDL[illegible] NET[illegible] Louisia[illegible]

Attachment: 2 Ex. A

CATEGORY	[illegible]EMENTS	Inter[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	[illegible]terof[illegible] [illegible] STS-1 [illegible] per mile															
	[illegible]per mo			UNCSX	1L5XX	6.04										
	[illegible]terof[illegible] STS-1 [illegible] Facility															
	[illegible]ermin[illegible]			UNCSX	U1TFS	830.19	270.69	158.05								
ADDITIONA[illegible]	[illegible]ETWO[illegible]															
	Whe[illegible] used as [illegible]mbined [illegible] the non-recurrng ch[illegible]s do not apply, but a Switch As Is charge does apply.															
	Whe[illegible] used as [illegible]twork ele[illegible] in All States, the no[illegible]curring charges apply and the Switch As Is Charge does not.															
	Non[illegible]urring [illegible]work Ele[illegible] "Switch As Is" Charg[illegible]e applies to each combination)															
	[illegible]Nonre[illegible] [illegible] Networ[illegible]ate Switch -As-Is Cha[illegible]			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		5.43	5.43								
	Optio[illegible]al Feat[illegible]															
	Clear [illegible] [illegible]ded Frame[illegible]on - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear [illegible] [illegible] FrameOpti[illegible] per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear [illegible] [illegible]F) Optio[illegible] equest			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
	[illegible]Activity [illegible]	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00						
	C-bit P[illegible] [illegible]t Activity - p[illegible] DS3	I														
	MUL[illegible]PLEXE[illegible]															
	DS1 to [illegible] [illegible]e month			UNC1X	MQ1	105.09	59.97	12.96								
	[illegible]CU-[illegible] [illegible]S0 Char[illegible] [illegible]per															
	[illegible]nonth [illegible]cal Loop			UDL	1D1DD	1.38	6.39	4.58								
	[illegible]CU-[illegible] [illegible]S0 Char[illegible] [illegible]ction per [illegible]nonth [illegible]nection to [illegible]chased DS1															
	Local [illegible] [illegible], as collo[illegible]			U1TUD	1D1DD	1.38	6.39	4.58								
	2-wire [illegible] [illegible] in DS0 [illegible] [illegible] System - per [illegible]month			UDN	UC1CA	2.96	6.39	4.58								
	2-wire [illegible] [illegible] to DS0 [illegible] [illegible]al System - per [illegible]month [illegible] [illegible]hannelize[illegible] Local Channel in the [illegible]			U1TUB	UC1CA	2.96	6.39	4.58								
	Voice [illegible] [illegible] Channel [illegible] [illegible] per month															
	[illegible]used f[illegible]			UEA	1D1VG	0.6497	6.39	4.58								
	Voice [illegible] [illegible]n Channel [illegible] [illegible] - per month															
	[illegible]used f[illegible] [illegible] [illegible]lized DS1 [illegible] Channel in the same [illegible]			U1TUC	1D1VG	0.6497	6.39	4.58								
	DS3 to [illegible] [illegible]er month			UNC3X	MQ3	201.48	107.05	91.25								
	STS-1 [illegible] [illegible]per month			UNCSX	MQ3	201.48	107.05	91.25								
	DS1 C[illegible] [illegible]month			USL	UC1D1	11.78	6.39	4.58								
	DS1 C[illegible] [illegible] to a channe[illegible]ed DS1 Local Channe[illegible] [illegible]collocation) pe[illegible]month			U1TUA	UC1D1	11.78	6.39	4.58								
	DS1 C[illegible] [illegible]e Channel pe[illegible]month			U1TD1	UC1D1	11.78	6.39	4.58								
	DS3 In[illegible] [illegible]used with [illegible] Channel per [illegible]month			ULDD1	UC1D1	11.78	6.39	4.58								
UNBUNDLED [illegible]OCAL [illegible] [illegible]G(PORTS)																
	The Exchange [illegible] [illegible] Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist o[illegible] [illegible]sed Rates Plus $1.00 in Accordance with the TRRO.															
	Exchange Port[illegible]															
	NOTE: Althou[illegible] [illegible] [illegible]ludes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE [illegible] [illegible] RATES (RES)															
	Exchan[illegible] [illegible]n Line Port- Res.			UEPSR	UEPRL	2.52	2.31	2.21								
	Exchan[illegible] [illegible]n Line Port with Caller ID - Res.			UEPSR	UEPRC	2.52	2.31	2.21								
	Exchan[illegible] [illegible]g Line Port outgoing only - Res.			UEPSR	UEPRO	2.52	2.31	2.21								
	Exchan[illegible] [illegible]bundled L[illegible]ded local dialing [illegible] - Res.			UEPSR	UEPAS	2.52	2.31	2.21								

UNBUNDLED NET - Louisiana

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchar... Bundled ... Area Plus			UEPSR	UEPAG	2.52	2.31	2.21								
	with C... Exchar... Bundled re... usage line port			UEPSR	UEPAP	2.52	2.31	2.21								
	Exchar... with C... isiana Re... e Dialing Plan			UEPSR	UEPWG	2.52	2.31	2.21								
	without Exchar... isiana Re... e Area Plus			UEPSR	UEPRQ	2.52	2.31	2.21								
	without 2-Wire ...ge Line ... ...out Caller ID			UEPSR	UEPRT	2.52	2.31	2.21								
	Capabi... Subse...			UEPSR	USASC	0.00	0.00	0.00								
FEA...RES	All Ava...			UEPSR	UEPVF	0.00	0.00	0.00								
2-WI... VOICE	...ATES (BUS)															
	Exchar... ...Line Port... ...Caller ID - Bus			UEPSB	UEPBL	2.52	2.31	2.21								
	Exchar... Bundled U... ...Usage			UEPSB	UEPBC	2.52	2.31	2.21								
	unbun... ...LID - Bus			UEPSB	UEPBO	2.52	2.31	2.21								
	Exchar... ...g Line Port ...ing only - Bus.			UEPSB	UEPAX	2.52	2.31	2.21								
	Exchar... Bundled I... ...tal Local dialing ... Bus.			UEPSB	UEPB1	2.52	2.31	2.21								
	Exhar... ...ndled inc... ...ort with Caller ...			UEPSB	UEPAA	2.52	2.31	2.21								
	Exchar... Bundled I... ...a Bus Area Callinp... (BUC)			UEPSB	UEPWH	2.52	2.31	2.21								
	Exchar... ...ouisiana ... ...e Dialing Plan without			UEPSB	UEPBA	2.52	2.31	2.21								
	Exchar... ...ouisiana ... ...e Area Calling Port wi...			UEPSB	UEPBE	2.52	2.31	2.21								
	2-Wire ...g Only P... ...ut Caller ID Capabi...			UEPSB	USASC	0.00	0.00	0.00								
	Subse...															
FEA...RES	All Ava...			UEPSB	UEPVF	0.00	0.00	0.00								
EXC...NGE P...	...)															
	2-Wire ...BX Trunk ...			UEPSE	UEPRD	2.52	30.37	14.42								
	2-Wire ... 2-Way PB... ...unk - Bus			UEPSP	UEPPC	2.52	30.37	14.42								
	2-Wire ... Outward P... ...Trunk - Bus			UEPSP	UEPPO	2.52	30.37	14.42								
	2-Wire ... Incoming ... Trunk - Bus			UEPSP	UEPP1	2.52	30.37	14.42								
	2-Wire ...erminal PB... ...unk - Bus			UEPSP	UEPLD	2.52	30.37	14.42								
	2-Wire ... PBX Louis... ...Calling Port			UEPSP	UEPL2	2.52	30.37	14.42								
	2-Wire ...D Terminal ...			UEPSP	UEPLD	2.52	30.37	14.42								
	2-Wire ... PBX Usage ...			UEPSP	UEPXA	2.52	30.37	14.42								
	2-Wire ...all Termina... ...ote Ports			UEPSP	UEPXB	2.52	30.37	14.42								
	2-Wire ...D DDD Te... ...ls Port			UEPSP	UEPXC	2.52	30.37	14.42								
	2-Wire ...D Terminal ... ...hboard Port			UEPSP	UEPXD	2.52	30.37	14.42								
	2-Wire ...D Termina... ...board IDD Capabi...			UEPSP	UEPXE	2.52	30.37	14.42								
	2-Wire ...BX Louis... ...cal Optional Callline ...			UEPSP	UEPXK	2.52	30.37	14.42								
	2-Wire ...PBX Hote... ...tal Economy Admini...			UEPSP	UEPXL	2.52	30.37	14.42								
	2-Wire ...PBX Hote... ...tal Economy Room ...			UEPSP	UEPXM	2.52	30.37	14.42								
	2-Wire ... Outgoing ... Hotel/Hospital Discon...			UEPSP	UEPXO	2.52	30.37	14.42								
	2-Wire ... Outgoing ... ...isiana Local Discon...			UEPSP	UEPXP	2.52	30.37	14.42								

UNBUNDL[illegible] NET[illegible] - Louisia[illegible]

Attachment: 2 Ex. A

CATEGORY	[illegible]EMENTS	Inter	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
													OSS Rates ($)			
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire [illegible] Outgoing [illegible] Measured Port			UEPSP	UEPXS	2.52	30.37	14.42								
	Subse[illegible]			UEPSP	USASC	0.00	0.00	0.00								
FEA[illegible]RES																
	All Ava[illegible]			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
NOTE [illegible]ansmi[illegible] [illegible]ed with POTS [illegible]uit switched usage will also [illegible]y to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE [illegible]ccess to [illegible]cket capabili[illegible] [illegible]e available only through [illegible]New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
2-Wi[illegible] VOICE [illegible]TES (DI[illegible]																
	Excha[illegible] [illegible]el			UEPEX	UEPP2	9.29	115.85	18.20								
2-Wi[illegible] VOICE [illegible]TES (ISD[illegible]																
	Excha[illegible] [illegible]ort (See [illegible]elow)			UEPTX, UEPSX	U1PMA	11.07	70.76	51.46								
	All Fea[illegible]			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Excha[illegible] [illegible]Port -- Char[illegible] Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE [illegible]ansmi[illegible] [illegible]ed with POTS [illegible]uit switched usage will also [illegible]y to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE [illegible]ccess to [illegible]cket capabili[illegible] [illegible]e available only through [illegible]New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
UNB[illegible]DLED [illegible]ALL FORW[illegible]NG CAPABILITY																
UNB[illegible]DLED [illegible]RDING SE[illegible]E - RESIDENCE																
	Unbun[illegible] [illegible]ding Servi[illegible]n Calling, Res			UEPVR	UERAC	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Servi[illegible]ocal Calling - Res			UEPVR	UERLC	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Servi[illegible]nterLATA - Res			UEPVR	UERTE	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Servi[illegible]ntraLATA - Res			UEPVR	UERTR	2.52	2.31	2.21								
Non-[illegible]ecurrin[illegible]																
	Unbun[illegible] [illegible]ding Servi[illegible]nnection - Switch[illegible]			UEPVR	USAC2		0.10	0.10								
	Unbun[illegible] [illegible]ding Servi[illegible]nnection with allowe[illegible]			UEPVR	USACC		0.10	0.10								
UNB[illegible]DLED [illegible]RDING - P[illegible]																
	Unbun[illegible] [illegible]ding Servi[illegible]n Calling - Bus			UEPVB	UERAC	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Servi[illegible]ocal Calling - Bus			UEPVB	UERLC	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Servi[illegible]nterLATA Bus			UEPVB	UERTE	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Servi[illegible]ntraLATA - Bus			UEPVB	UERTR	2.52	2.31	2.21								
	Unbun[illegible] [illegible]ding Ser[illegible]nnection and Except[illegible]			UEPVB	UERVJ	2.52	2.31	2.21								
Non-[illegible]ecurrin[illegible]																
	Unbun[illegible] [illegible]ding Servi[illegible]nnection - Switch[illegible]			UEPVB	USAC2		0.10	0.10								
	Unbun[illegible] [illegible]ding Servi[illegible]nnection with allowe[illegible]			UEPVB	USACC		0.10	0.10								
UNBUNDLED LOCAL [illegible]AGE																
End Office Sw[illegible]																
	End O[illegible] [illegible]Per MOU					0.001868										
	End O[illegible] [illegible]Per MOU					0.00018										
Tande[illegible] Switc[illegible] [illegible]al or Access [illegible]ndem)																
	Tande[illegible] [illegible]r MOU					0.0001067										
	Tande[illegible] [illegible]Per MOU					0.000222										
	Tande[illegible] [illegible]r MOU (Melded)					0.000035296										
	Tande[illegible] [illegible]Per MOU (Melded)					0.000073438										
Melded Factor [illegible]n Rate																
Common Tran[illegible]																
	Comm[illegible] [illegible]Per MOU					0.0000032										
	Comm[illegible] [illegible]Termination Pe[illegible] MOU					0.0003748										
UNBUNDLED PORT/LO[illegible] [illegible]COST BASE[illegible] RATES																
>Cost Based F[illegible] [illegible]BellSouth[illegible] [illegible]equired by FCC and/or [illegible]ate Commission rule to provide Unbundled Local Switching or Switch Ports.																
> Th[illegible]UNE-P [illegible]Reflected in [illegible]Cost Based Section Ap[illegible] to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost [illegible]s in Accorda[illegible]e with the TRRO.																
>Fe[illegible]es sha[illegible] [illegible]ed Port/Lo[illegible]mbination - Cost Ba[illegible] Rate section in the same manner as they are applied to the Stand-Alone Unbund[illegible] [illegible]e Rate Exhi[illegible]																

UNBUNDLED NET - Louisiana

Attachment: 2 Ex. A

CATEGORY	ELEMENTS	Interval	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	>End office a... usage and ...mon Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations ...lements except for UNE Coin Port/Loop Combinations.															
	>The first and ...urring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring ...identified in the Nonrecurring - Currently Combined sections.															
	2-WIRE VOICE ... WIRE LINE ...RT (RES)															
	UNE ...rt/Loo...															
	2-Wire ... Zone 1					14.13										
	2-Wire ... Zone 2					24.75										
	2-Wire ... Zone 3					50.62										
	UNE ...oop Ra...															
	2-Wire ... Zone 1		1	UEPRX	UEPLX	11.77										
	2-Wire ... Zone 2		2	UEPRX	UEPLX	22.39										
	2-Wire ... Zone 3		3	UEPRX	UEPLX	48.26										
	2-Wi... Voice ... Res)															
	2-Wire ...sidence			UEPRX	UEPRL	2.36	38.85	19.08								
	2-Wire ...h Caller ID			UEPRX	UEPRC	2.36	38.85	19.08								
	2-Wire ...gging only			UEPRX	UEPRO	2.36	38.85	19.08								
	2-Wire ...Louisiana ... toll/local dialing parity			UEPRX	UEPAS	2.36	38.85	19.08								
	2-Wire ...a Area Pl... Caller ID - res (RUL)			UEPRX	UEPAG	2.36	38.85	19.08								
	2-Wire ...usage lis... Caller ID (LUM)			UEPRX	UEPAP	2.36	38.85	19.08								
	2-Wire ...a Reside... Plan without			UEPRX	UEPWG	2.36	38.85	19.08								
	2-Wire ...a Area Pl... Caller ID Cap			UEPRX	UEPRQ	2.36	38.85	19.08								
	2-Wire ...one Line ... Caller ID Capab			UEPRX	UEPRT	2.36	38.85	19.08								
	FEA...RES															
	All Fea...			UEPRX	UEPVF	0.00	0.00	0.00								
	NON...CURR... CURRENT...OMBINED															
	2-Wire ...Port Com... ...version - Switch			UEPRX	USAC2		0.10	0.10								
	2-Wire ...Port Com... ...Conversion - Switch			UEPRX	USACC		0.10	0.10								
	2-Wire ...Port Plat... ...Installation Charg... Not Co... ...of Existing Servic...			UEPRX	URECC		0.10									
	ADD...ONAL ...															
	2-Wire ...ort Combi... Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbun... Element... ...p at End User Premis			UEPRX	URETL		8.33	0.83								
	OFF...UPREM...ANELS															
	2-Wire ...ension Loop ...Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
	2-Wire ...ension Loop ...Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								
	2-Wire ...ension Loop ...Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87								
	2-Wire ...ension Loop ...esign		1	UEPRX	UEAED	14.93	102.10	65.72								
	2-Wire ...ension Loop ...esign		2	UEPRX	UEAED	25.35	102.10	65.72								
	2-Wire ...ension Loop ...esign		3	UEPRX	UEAED	50.46	102.10	65.72								
	INTE...OFFICE ...															
	Interof... ... 2 Wire ...Cable Facility Termin			UEPRX	U1TV2	22.60	39.36	26.62								
	Interof... ... 2 Wire ...Cable Per Mile or Era...			UEPRX	U1TVM	0.013	0.00	0.00								
	2-WI... VOICE ... WIRE LINE ...RT (BUS)															
	UNE ...rt/Loo...															
	2-Wire ... Zone 1					14.13										

...sign

UNBUNDL	NET	Louisi																	
																Attachment: 2 Ex. A			
CATEGORY		ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)					
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire	one 2				24.75										
		2-Wire	one 3				50.62										
	UNE	op Ra															
		2-Wire	Zone 1	1	UEPBX	UEPLX	11.77										
		2-Wire	Zone 2	2	UEPBX	UEPLX	22.39										
		2-Wire	Zone 3	3	UEPBX	UEPLX	48.26										
	2-W	oice															
		2-Wire	hout Calle		UEPBX	UEPBL	2.36	38.85	19.08								
		2-Wire	Caller		UEPBX	UEPBC	2.36	38.85	19.08								
		2-Wire	ning only		UEPBX	UEPBO	2.36	38.85	19.08								
		2-Wire	uisiana		UEPBX	UEPAX	2.36	38.85	19.08								
		2-Wire	g only pe		UEPBX	UEPB1	2.36	38.85	19.08								
		2-Wire	a Bus Ar		UEPBX	UEPAA	2.36	38.85	19.08								
		2-Wire	a Busine		UEPBX	UEPWH	2.36	38.85	19.08								
		2-Wire	a Busine		UEPBX	UEPBA	2.36	38.85	19.08								
		2-Wire	Only P		UEPBX	UEPBE	2.36	38.85	19.08								
	FEA	ES															
		All Fea			UEPBX	UEPVF	0.00	0.00	0.00								
	NON	URR	CURREN														
		2-Wire	ort Con		UEPBX	USAC2		0.10	0.10								
		Switch	ort Con		UEPBX	USACC		0.10	0.10								
	ADD	IAL															
		2-Wire	rd Comb		UEPBX	USAS2		0.00	0.00								
		Switch	Element		UEPBX	URETL		8.33	0.83								
	OFF	REM	INELS														
		2-Wire	ension Loo	1	UEPBX	UEAEN	12.90	36.54	16.87								
		2-Wire	ension Loo	2	UEPBX	UEAEN	23.33	36.54	16.87								
		2-Wire	ension Loo	3	UEPBX	UEAEN	48.43	36.54	16.87								
		2-Wire	ension Loo	1	UEPBX	UEAED	14.93	102.10	65.72								
		2-Wire	ension Loo	2	UEPBX	UEAED	25.35	102.10	65.72								
		2-Wire	ension Loo	3	UEPBX	UEAED	50.46	102.10	65.72								
	INTE	FFICE															
		Interoff	- 2 Wire		UEPBX	U1TV2	22.60	39.36	26.62								
		Interoff	- 2 Wire		UEPBX	U1TVM	0.013	0.00	0.00								
	2-WI	VOICE	2-WIRE LINE	RT (PES - PBX)													
	UNE	ort/Loo															
		2-Wire	Zone 1				14.13										
		2-Wire	Zone 2				24.75										
		2-Wire	Zone 3				50.62										
	UNE	oop Rat															
		2-Wire	) - Zone 1	1	UEPRG	UEPLX	11.77										
		2-Wire	) - Zone 2	2	UEPRG	UEPLX	22.39										
		2-Wire	) - Zone 3	3	UEPRG	UEPLX	48.26										
	2-Wi	Voice C	PES - PBX)														
		2-Wire	ion 2-Wa		UEPRG	UEPRD	2.36	66.91	31.29								
	FEA	PES															
		All Fea			UEPRG	UEPVF	0.00	0.00	0.00								

UNBUNDL NET - Louisia

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NON	CURRI	CURRENT	OMBINED													
	2-Wire	Port Comb	(PBX) -													
	Conve				UEPRG	USAC2		7.68	1.85							
	2-Wire	Port Comb	(PBX) -													
	Conver	ne			UEPRG	USACC		7.68	1.85							
ADD	ONAL															
	2-Wire	Port Comb	(PBX) -													
	Subse				UEPRG	USAS2	0.00	0.00	0.00							
	PBX S	ge/Rearra	Hunt					7.11	7.11							
	Group															
	Inbun	Element	al End User													
	Premis				UEPRG	URETL		8.33	0.83							
OFF	PREM	ANNELS														
	Local	Termination			1	UEPRG	P2JHX	14.93	102.10	65.72						
	Local	Termination			2	UEPRG	P2JHX	25.35	102.10	65.72						
	Local	Termination			3	UEPRG	P2JHX	50.46	102.10	65.72						
INTR	FICE															
	Centrol	2 Wire	Facility													
	Termin				UEPRG	U1TV2	22.60	39.36	26.62							
	Centrol	- 2 Wire	Per Mile													
	or Fra				UEPRG	U1TVM	0.013	0.00	0.00							
2-W	VOICE	WIRE LIN	T (BUS - PBX)													
UNE	Loo															
	2-Wire	Zone 1					14.13									
	2-Wire	Zone 2					24.75									
	2-Wire	Zone 3					50.62									
UNE	on Ra															
	2-Wire	- Zone 1			1	UEPPX	UEPLX	11.77								
	2-Wire	- Zone 2			2	UEPPX	UEPLX	22.39								
	2-Wire	- Zone 3			3	UEPPX	UEPLX	48.26								
2-Wi	Voice	BUS - PBX														
	Line Si	tion 2-Way	Trunk Port - Bus			UEPPX	UEPPC	2.36	66.91	31.29						
	Line Si	PBX Trunk	Bus			UEPPX	UEPPO	2.36	66.91	31.29						
	Line Si	PBX Trunk	Bus			UEPPX	UEPP1	2.36	66.91	31.29						
	2-Wire	Combina	Louisiana													
	Calling					UEPPX	UEPL2	2.36	66.91	31.29						
	2-Wire	Terminat				UEPPX	UEPLD	2.36	66.91	31.29						
	2-Wire	Combinat	Usage Port			UEPPX	UEPXA	2.36	66.91	31.29						
	2-Wire	all Terminat	at Ports			UEPPX	UEPXB	2.36	66.91	31.29						
	2-Wire	DDD To	le Port			UEPPX	UEPXC	2.36	66.91	31.29						
	2-Wire	Terminat	nboard Port			UEPPX	UEPXD	2.36	66.91	31.29						
	2-Wire	Termina	Inward IDD													
	Capab					UEPPX	UEPXE	2.36	66.91	31.29						
	2-Wire	PBX Lou	cal Optional													
	Calling					UEPPX	UEPXK	2.36	66.91	31.29						
	2-Wire	PBX Hote	tal Economy													
	Admin					UEPPX	UEPXL	2.36	66.91	31.29						
	2-Wire	PBX Hote	tal Economy													
	Room					UEPPX	UEPXM	2.36	66.91	31.29						
	2-Wire	Outgoing	tal/Hospital													
	Discou					UEPPX	UEPXO	2.36	66.91	31.29						
	2-Wire	Outgoing	uisiana Local													
	Discou					UEPPX	UEPXP	2.36	66.91	31.29						
	2-Wire	Outgoing	Measured Port			UEPPX	UEPXS	2.36	66.91	31.29						
FEA	TES															
	All Fea					UEPPX	UEPVF	0.00	0.00	0.00						
NON	CURRI	CURRENT	OMBINED													

UNBUNDL NET — Louisia

CATEGORY				Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire	Port Comb			UEPPX	USAC2		7.68	1.85								
		Conve																
		2-Wire	Port Comb			UEPPX	USACC		7.68	1.85								
	ADD	Conver																
		2-Wire	Port Comb			UEPPX	USAS2	0.00	0.00	0.00								
		Subse																
		ABV S	/Rearra		Hunt				7.11	7.11								
		Group																
		Return	Element,		d User	UEPPX	URETL		8.33	0.83								
		Premis																
	OFF	PREM	NNELS															
		Local	Termination			1	UEPPX	P2JHX	14.93	102.10	65.72							
		Local	Termination			2	UEPPX	P2JHX	25.35	102.10	65.72							
		Local	Termination			3	UEPPX	P2JHX	50.46	102.10	65.72							
	INTF	FICE																
		Interof	2 Wire		Facility													
		Termin				UEPPX	U1TV2	22.60	39.36	26.62								
		Interof	2 Wire		Per Mile													
		or Frac				UEPPX	U1TVM	0.013	0.00	0.00								
	2-WI	VOICE	WIRE ANA		LINE COIN PORT													
	UNE	rt/Loo																
		2-Wire	ho – Zone					14.13										
		2-Wire	ho – Zone					24.75										
		2-Wire	ho – Zone					50.62										
	UNE	on Ra																
		2-Wire	Zone 1			1	UEPCO	UEPLX	11.77									
		2-Wire	Zone 2			2	UEPCO	UEPLX	22.39									
		2-Wire	Zone 3			3	UEPCO	UEPLX	48.26									
	2-W	oice																
		2-Wire	tor Scre		out													
		Blockir				UEPCO	UEPRF	2.36	38.85	19.08								
		2-Wire	Screen		g: 011,													
		900/97	S)			UEPCO	UEPRA	2.36	38.85	19.08								
		2-Wire	Screen		locking													
		(AL, LA				UEPCO	UEPRB	2.36	38.85	19.08								
		2-Wire	Screen															
		900/97	(AL, KY, L			UEPCO	UEPCD	2.36	38.85	19.08								
		2-Wire	locking an		rator													
		Screen				UEPCO	UEPRN	2.36	38.85	19.08								
		2-Wire	tor Scree		Blocking													
		(LA)				UEPCO	UEPLA	2.36	38.85	19.08								
		2-Wire	tor Scree		Blocking:													
		611, 90	LA, MS)			UEPCO	UEPRH	2.36	38.85	19.08								
		2-Wire	Screening		900/976,													
		1+DDD	(Y, LA, MS)			UEPCO	UEPCN	2.36	38.85	19.08								
		2-Wire	with 900/976 (Louisiana only)			UEPCO	UEPNA	2.36	38.85	19.08								
		2-Wire	ing with 900/976 (Louisiana only)			UEPCO	UEPCB	2.36	38.85	19.08								
	ADD	ONAL	(RC)															
		UNE	Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						
	NON	CURRI	ENTLY COMBINED															
		2-Wire	Port Comb		Conversion -													
		Switch				UEPCO	USAC2		0.10	0.10								
		2 Wire	Port Comb		Conversion -													
		Switch				UEPCO	USACC		0.10	0.10								
	ADD	ONAL																
		2-Wire	Port Comb		Subsequent													
		Activity				UEPCO	USAS2		0.00	0.00								

UNBUNDL[illegible] NET[illegible] - Louisia[illegible]

Attachment: 2 Ex. A

CATEGORY		ELEMENTS	Interi[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		[illegible]nbun[illegible] Premis[illegible]			UEPCO	URETL		8.33	0.83								
	2-WI[illegible]	VOICE[illegible]			RADE IO[illegible] NSPORT/ 2-WIRE LINE [illegible]RT (RES)												
	UNE	[illegible]/Loo[illegible]															
		2-Wire[illegible]			[illegible]rt Combo - [illegible] 1		17.45										
		2-Wire[illegible]			[illegible]rt Combo - [illegible] 2		27.87										
		2-Wire[illegible]			[illegible]rt Combo - [illegible] 3		52.98										
	UNE	[illegible]op Ra[illegible]															
		2-Wire[illegible]		1	UEPFR	UECF2	14.93										
		2-Wire[illegible]		2	UEPFR	UECF2	25.35										
		2-Wire[illegible]		3	UEPFR	UECF2	50.46										
	2-Wi[illegible]	Voice [illegible]			[illegible]es)												
		2-Wire[illegible]			UEPFR	UEPRL	2.52	104.41	67.93								
		2-Wire[illegible]			UEPFR	UEPRC	2.52	104.41	67.93								
		2-Wire[illegible]			UEPFR	UEPRO	2.52	104.41	67.93								
		2-Wire[illegible] [illegible]arity [illegible]			UEPFR	UEPAS	2.52	104.41	67.93								
		2-Wire[illegible] [illegible](DUL)			UEPFR	UEPAG	2.52	104.41	67.93								
		2-Wire[illegible] [illegible](LUM)			UEPFR	UEPAP	2.52	104.41	67.93								
		2-Wire[illegible] [illegible]without			UEPFR	UEPWG	2.52	104.41	67.93								
	INTE[illegible]	[illegible]FICE															
		[illegible]terof[illegible] Termin[illegible]			UEPFR	U1TV2	22.60	39.36	26.62								
		[illegible]terof[illegible] [illegible]per Frac			UEPFR	1L5XX	0.013										
	FEA[illegible]	[illegible]ES															
		[illegible]All Fea[illegible]			UEPFR	UEPVF	0.00	0.00	0.00								
	NON[illegible]	[illegible]URRI[illegible]			CURREN[illegible] OMBINED												
		2-Wire[illegible] [illegible]ombi[illegible]			UEPFR	USAC2		8.24	1.81								
		2-Wire[illegible] [illegible]ombi[illegible]			UEPFR	USACC		8.24	1.81								
		[illegible]Retun[illegible] End Us[illegible]			UEPFR	URETN		11.20	1.10								
	2-WI[illegible]	VOICE[illegible]			RADE IO[illegible] NSPORT/ 2-WIRE LINE [illegible]RT (BUS)												
	UNE	[illegible]/Loo[illegible]															
		2-Wire[illegible]			[illegible]rt Combo - [illegible] 1		17.45										
		2-Wire[illegible]			[illegible]rt Combo - [illegible] 2		27.87										
		2-Wire[illegible]			[illegible]rt Combo - [illegible] 3		52.98										
	UNE	[illegible]op Ra[illegible]															
		2-Wire[illegible]		1	UEPFB	UECF2	14.93										
		2-Wire[illegible]		2	UEPFB	UECF2	25.35										
		2-Wire[illegible]		3	UEPFB	UECF2	50.46										
	2-Wi[illegible]	Voice [illegible]															
		2-Wire[illegible]			UEPFB	UEPBL	2.52	104.41	67.93								
		2-Wire[illegible]			UEPFB	UEPBC	2.52	104.41	67.93								
		2-Wire[illegible]			UEPFB	UEPBO	2.52	104.41	67.93								
		2-Wire[illegible] [illegible]arity [illegible]			UEPFB	UEPAW	2.52										
		2-Wire[illegible] [illegible]arity [illegible]			UEPFB	UEPAX	2.52	104.41	67.93								
		2-Wire[illegible]			UEPFB	UEPB1	2.52	104.41	67.93								
		2-Wire[illegible] [illegible]Caller [illegible]			UEPFB	UEPAA	2.52	104.41	67.93								
		2-Wire[illegible] [illegible]without			UEPFB	UEPWH	2.52	104.41	67.93								

UNBUNDL NET - Louisia

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTF	EFICE															
	Interoff															
	2 Wire															
	Facility			UEPFB	U1TV2	22.60	39.36	26.62								
	Interoff															
	2 Wire															
	Per Mile			UEPFB	1L5XX	0.013										
FEA	RES															
	All Fea			UEPFB	UEPVF	0.00	0.00	0.00								
NON	URRI															
	CURREN															
	Wire															
	sport / 2															
	Combi			UEPFB	USAC2		8.24	1.81								
	tch-as-is															
	Wire															
	sport / 2															
	Combi			UEPFB	USACC		8.24	1.81								
	ich with ch															
	Inbun															
	Element,															
	Loop at															
	End U			UEPFB	URETN		11.20	1.10								
2-WI	VOICE															
	GRADE IO															
	SPORT / 2-WIRE LINE															
	RT (PBX)															
UNE	p/Loo															
	2-Wire															
	rt Combo -					17.45										
	2-Wire															
	rt Combo -					27.87										
	2-Wire															
	rt Combo -					52.98										
UNE	op Ra															
	2-Wire															
	Zone 1		1	UEPFP	UECF2	14.93										
	2-Wire															
	Zone 2		2	UEPFP	UECF2	25.35										
	2-Wire															
	Zone 3		3	UEPFP	UECF2	50.46										
2-W	oice															
	BUS - PBX															
	ine S															
	on 2-Way			UEPFP	UEPPC	2.52	132.47	82.14								
	ine S															
	PBX Trunk			UEPFP	UEPPO	2.52	132.47	82.14								
	ine S															
	PBX Trunk			UEPFP	UEPP1	2.52	132.47	82.14								
	Wire															
	ombinat															
	Louisiana															
	Calling			UEPFP	UEPL2	2.52	132.47	82.14								
	2-Wire															
	D Terminal			UEPFP	UEPLD	2.52	132.47	82.14								
	2-Wire															
	Combinati			UEPFP	UEPXA	2.52	132.47	82.14								
	DX Usage Port															
	2-Wire															
	all Termina			UEPFP	UEPXB	2.52	132.47	82.14								
	al Ports															
	2-Wire															
	D DDD Ter			UEPFP	UEPXC	2.52	132.47	82.14								
	ts Port															
	2-Wire															
	D Termina			UEPFP	UEPXD	2.52	132.47	82.14								
	switchboard Port															
	2-Wire															
	Termina															
	Visual DD															
	Capab			UEPFP	UEPXE	2.52	132.47	82.14								
	2-Wire															
	PBX Louisi															
	Local Optional															
	Calling			UEPFP	UEPXK	2.52	132.47	82.14								
	2-Wire															
	PBX Hote															
	tal Economy															
	Admini			UEPFP	UEPXL	2.52	132.47	82.14								
	2-Wire															
	PBX Hote															
	spital Economy															
	Room			UEPFP	UEPXM	2.52	132.47	82.14								
	2-Wire															
	Outgoing															
	Hotel/Hospital															
	Discou			UEPFP	UEPXO	2.52	132.47	82.14								
	2-Wire															
	Outgoing															
	Louisiana Local															
	Discou			UEPFP	UEPXP	2.52	132.47	82.14								
	2-Wire															
	Outgoing PBX			UEPFP	UEPXS	2.52	132.47	82.14								
	Measured Port															
INTE	OFFICE															
	Interoff															
	2 Wire															
	Grade - Facility															
	Termina			UEPFP	U1TV2	22.60	39.36	26.62								
	Interoff															
	2 Wire															
	Grade - Per Mile															
	or Frac			UEPFP	1L5XX	0.013										
FEA	RES															
	All Fea			UEPFP	UEPVF	0.00	0.00	0.00								
NON	CURRI															
	CURREN															
	OMBINED															
	2-Wire															
	esport / 2															
	Combi			UEPFP	USAC2		8.24	1.81								
	tch-as-is															

UNBUNDL[illegible] NET[illegible] - Louisia[illegible]

CATEGORY		ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire [illegible]sport / 2 [illegible] Port			UEPFP	USACC		8.24	1.81								
		Combi[illegible] [illegible]tch with cha[illegible]															
		Unbun[illegible] Element, [illegible]signed Loop at			UEPFP	URETN		11.20	1.10								
		End Us[illegible]															
	2-W[illegible]	VOICE [illegible]NLY - WITH [illegible]WIRE DID TRUNK PORT															
	UNE	[illegible]/Loo[illegible]															
		2-Wire [illegible]nk Port Co[illegible] UNE Zone 1					24.20										
		2-Wire [illegible]nk Port Co[illegible] UNE Zone 2					34.62										
		2-Wire [illegible]nk Port Co[illegible] UNE Zone 3					59.73										
	UNE	[illegible]on Ra[illegible]															
		2-Wire [illegible]n - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93										
		2-Wire [illegible]n - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35										
		2-Wire [illegible]n - (SL2) - UNE Zone 3		3	UEPPX	UECD1	50.46										
	UNE	[illegible]t Rate															
		Exchan[illegible] Port			UEPPX	UEPD1	9.27	217.95	83.92								
	NON	CURR[illegible] [illegible]ENTLY COM[illegible]ED															
		[illegible]Wire [illegible]e DID Tru[illegible] Coordination -															
		Switch[illegible]			UEPPX	USAC1		7.10	1.81								
		[illegible]Wire [illegible]e DID Tru[illegible] Conversion															
		[illegible]with Ba[illegible]nes			UEPPX	USA1C		7.10	1.81								
	ADD	DIAL [illegible]															
		2-Wire [illegible]- Add Trun[illegible]ce Trunk			UEPPX	USAS1		26.01	26.01								
		Unbun[illegible] Element, [illegible]signed Loop at															
		End Us[illegible]			UEPPX	URETN		11.20	1.10								
	Tele[illegible]	[illegible]one Nu[illegible] [illegible]ablisment Charges															
		DID Tr[illegible] Port)			UEPPX	NDT	0.00	0.00	0.00								
		Additio[illegible] [illegible]h Group of [illegible]D Numbers			UEPPX	ND4	0.00	0.00	0.00								
		DID Nu[illegible] [illegible]n DID Numb[illegible] Per Number			UEPPX	ND5	0.00	0.00	0.00								
		Reserv[illegible] [illegible]umbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserv[illegible]			UEPPX	NDV	0.00	0.00	0.00								
	2-W[illegible]	ISDN [illegible] WITH 2-WI[illegible]ISDN DIGITAL LINE SI[illegible]PORT															
	UNE	[illegible]/Loo[illegible]															
		[illegible]M ISI[illegible] [illegible]ISDN Di[illegible] Side Port -															
		[illegible]UNE Z[illegible]					28.48										
		[illegible]M ISI[illegible] [illegible]ISDN Di[illegible] Side Port -															
		[illegible]UNE Z[illegible]					41.34										
		[illegible]M ISI[illegible] [illegible]ISDN Di[illegible] Side Port -															
		[illegible]UNE Z[illegible]					71.99										
	UNE	[illegible]on Ra[illegible]															
		2-Wire [illegible]- UNE Zo[illegible]		1	UEPPB	UEPPR USL2X	19.09										
		2-Wire [illegible]- UNE Zo[illegible]		2	UEPPB	UEPPR USL2X	31.95										
		2-Wire [illegible]- UNE Zo[illegible]		3	UEPPB	UEPPR USL2X	62.60										
	UNE	[illegible]t Rate															
		Exchan[illegible] [illegible]ine Side Po[illegible]			UEPPR	UEPPR	9.39	184.10	128.42								
		Exchan[illegible] [illegible]ine Side Po[illegible]			UEPPB	UEPPB	9.39	184.10	128.42								
	NON	CURR[illegible] [illegible]ENTLY COM[illegible]ED															
		[illegible]Wire [illegible]2-Wire I[illegible] Side Port															
		Combi[illegible]			UEPPB	UEPPR USACB	0.00	37.40	26.23								
	ADD	DIAL [illegible]															
		Unbun[illegible] Element, [illegible]signed Loop at															
		End Us[illegible]			UEPPB	UEPPR URETN		11.20	1.10								
		Unbun[illegible] Element, [illegible]on at End User															
		Premis[illegible]			UEPPB	UEPPR URETL		8.33	0.83								
	B-C[illegible]	[illegible]EL [illegible]															
		CVS/C[illegible]			UEPPB	UEPPR U1UCA	0.00	0.00	0.00								
		CVS ([illegible]			UEPPB	UEPPR U1UCB	0.00	0.00	0.00								
		USD			UEPPB	UEPPR U1UCC	0.00	0.00	0.00								
	B-C[illegible]	[illegible]EL_A[illegible] [illegible]FILE ACCE[illegible]AL,KY,LA,MS SC,MS, [illegible]N)															

UNBUNDL	NET	Louisia																				
																			Attachment: 2 Ex. A			
CATEGORY			LEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)								
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CVS/C				UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (F				UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
		CSD				UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	USE	RMIN																
		User T	ly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	VER	AL FE																
		All Ver	hannel F	rofile		UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
	INTF	FICE																
		Interof	including			UEPPB UEPPR	M1GNC	22.613	39.36	26.62								
		Facilitie				UEPPB UEPPR	M1GNM	0.013	0.00	0.00								
		Interof	ch, addition															
UNBUNDLE		ENTR	MATIONS -	RASED RATES														
	UNE	CENTR	AL,FL,GA	A,MS,STN only)														
	2-Wi	VG Loc	Port (Centre	Combo														
	UNE	/Loo	Non-Desig															
		2-Wire	ade Port	Combo -				14.13										
		Non-D																
		2-Wire	ade Port	Combo -				24.75										
		Non-D																
		2-Wire	ade Port	Combo -				50.62										
		Non-D																
	UNE	rt/Loo	Design)															
		2-Wire	ade Port	Combo -				17.29										
		Design																
		2-Wire	ade Port	Combo -				27.71										
		Design																
		2-Wire	ade Port	Combo -				49.26										
		Design																
	UNE	op Ra																
		2-Wire	- Zone 1		1	UEP91	UECS1	11.77										
		2-Wire	- Zone 2		2	UEP91	UECS1	22.39										
		2-Wire	- Zone 3		3	UEP91	UECS1	48.26										
		2-Wire	- Zone 1		1	UEP91	UECS2	14.93										
		2-Wire	- Zone 2		2	UEP91	UECS2	25.35										
		2-Wire	Zone 3		3	UEP91	UECS2	50.46										
	UNE	rts																
	All S	s (Exc	Sout Carc															
		2-Wire	ox) Basic	Area		UEP91	UEPYA	2.36	38.85	19.08								
		2-Wire	ox 800 ter	Basic Local Area		UEP91	UEPYB	2.36	38.85	19.08								
		2-Wire	ox with Call	Note 1 Basic Local A		UEP91	UEPYH	2.36	38.85	19.08								
		2-Wire	ox from dif	ving Wire Center) Note 2		UEP91	UEPYM	2.36	104.41	67.93								
		2-Wire	Serving Wire	ter 800 Service Term -		UEP91	UEPYZ	2.36	104.41	67.93								
		2-Wire	ated in on Megalink or equivalent - Basic			UEP91	UEPY9	2.36	38.85	19.08								
		2-Wire	nated on 800 Service Term - Basic Local Area			UEP91	UEPY2	2.36	38.85	19.08								
	AL, K	LA, MS																
		2-Wire	ox)			UEP91	UEPQA	2.36	38.85	19.08								
		2-Wire	ox 800 termination)			UEP91	UEPQB	2.36	38.85	19.08								
		2-Wire	ox with Call			UEP91	UEPQH	2.36	38.85	19.08								
		2-Wire	ox from di	ving Wire Center)		UEP91	UEPQM	2.36	104.41	67.93								
		2-Wire	ving Wire	800 Service		UEP91	UEPQZ	2.36	104.41	67.93								

UNBUNDL NET Louisia

CATEGORY	ELEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	ated in on Megalink or equivalent		UEP91	UEPQ9	2.36	38.85	19.08								
	2-Wire	ated on 8 Service Term		UEP91	UEPQ2	2.36	38.85	19.08								
	Loca	witchi														
		Centre	per port		UEP91	URECS	0.8577									
	Feat															
		DII Sta	per port		UEP91	UEPVF	0.00									
		Al Sel	port		UEP91	UEPVS	0.00	412.25								
		Al Ger	ered, per p		UEP91	UEPVC	0.00									
	NAP															
		Unbun	gister - Con ion		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					
		Unbun	gister - Indiv		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00					
		Unbun	gister - Ou		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00					
	Misc	aneous														
	2-Wi	runk														
		runk			UEP91	CENA6	8.29	115.85	18.20							
	Inte	e Ch														
		Interoff	mination - Grade		UEP91	M1GBC	22.60	39.36	26.62							
		Interoff	mile or fra of mile		UEP91	M1GBM	0.013									
	Feat	Activ	ops on Ch ized DS1 Service													
	D4 C	anel B														
		Featur	nel Bank C Loop Slot		UEP91	1PQWS	0.6497									
		Featur	nel Bank F Side Loop Slot		UEP91	1PQW6	0.6497									
		Featur	el Bank F Side Loop Slot		UEP91	1PQW7	0.6497									
		Featur	el Bank Loop Slot - Differe		UEP91	1PQWP	0.6497									
		Featur	nel Bank P Line Loop Slot		UEP91	1PQWV	0.6497									
		Featur	el Bank Loop Slot		UEP91	1PQWQ	0.6497									
		Featur	nel Bank W Loop Slot		UEP91	1PQWA	0.6497									
	Non	urrin	iated with Centrex													
		ance	Switch Switched													
		Chang			UEP91	USAC2		0.10	0.10							
		Conve	Common P		UEP91	USACN	0.00	36.66	16.10							
		New C	n Block		UEP91	M1ACS	0.00	680.40								
		New C	on Block		UEP91	M1ACC	0.00	680.40								
		Seaso			UEP91	M2CC1	0.00	79.31								
		MAR E	e Occasion		UEP91	URECA	0.00	73.93								
	Addi	nal No	NRC)													
		Unbun	Element, p at End Use													
		Premis			UEP91	URETL		8.33	0.83							
		Unbun	Element, Loop at End Us		UEP91	URETN		11.20	1.10							
	UNE	ENTR	U States)													
	2-Wi	G Loc	Port (Centr mbo													
	UNE	/Loo	Non-Desig													
		Wire	ode Port Port Combo - Man-D				14.13									
		Wire	ode Port Port Combo - Man-D				24.75									
		Wire	ode Port Port Combo - Man-D				50.62									
	UNE	/Loo	Design)													
		Wire	ode Port Port Combo - Design				17.29									

UNBUNDI	NET	Louisia																	
																Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Wire	ade Port	Combo -			27.71										
		Design															
		Wire	ade Port	Combo -			49.26										
	UNE	Pa															
		Wire	Zone 1		1	UEP95	UECS1	11.77									
		Wire	Zone 2		2	UEP95	UECS1	22.39									
		Wire	Zone 3		3	UEP95	UECS1	48.26									
		Wire	Zone 1		1	UEP95	UECS2	14.93									
		Wire	Zone 2		2	UEP95	UECS2	25.35									
		Wire	Zone 3		3	UEP95	UECS2	50.46									
	UNE	Pa															
	All S																
		Wire	) Basic	Area		UEP95	UEPYA	2.36	38.85	19.08							
		Wire	800 term			UEP95	UEPYB	2.36	38.85	19.08							
		Wire	with Call	Basic Local Area		UEP95	UEPYH	2.36	38.85	19.08							
		Wire	from di	Wire		UEP95	UEPYM	2.36	104.41	67.93							
		Wire	ving Wir	800		UEP95	UEPYZ	2.36	104.41	67.93							
		Wire	ted in on	or equivalent		UEP95	UEPY9	2.36	38.85	19.08							
		Wire	ted on 8			UEP95	UEPY2	2.36	38.85	19.08							
	AL	M															
		Wire	)			UEP95	UEPQA	2.36	38.85	19.08							
		Wire	800 term			UEP95	UEPQB	2.36	38.85	19.08							
		Wire	with Call			UEP95	UEPQH	2.36	38.85	19.08							
		Wire	from di	Wire		UEP95	UEPQM	2.36	104.41	67.93							
		Wire	ving Wir	Service		UEP95	UEPQZ	2.36	104.41	67.93							
		Wire	ted in on	or equivalent		UEP95	UEPQ9	2.36	38.85	19.08							
		Wire	ted on 8	Term		UEP95	UEPQ2	2.36	38.85	19.08							
	Loca	witchi															
		Contro	per port			UEP95	URECS	0.8577									
	Feat																
		All Sta	per port			UEP95	UEPVF	0.00									
		All Sel	port			UEP95	UEPVS	0.00	412.25								
		All Ce	fered, per po			UEP95	UEPVC	0.00									
	NAP																
		Inbun	gister - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					
		Inbun	gister - Initial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					
		Inbun	gister - Outlin			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					
	Misc	aneous															
	2-Wi	Trunk S															
		Trunk S				UEP95	CEND6	8.29	115.85	18.20							
	4-Wi	Digital															
		DS1 Cl				UEP95	M1HD1	68.47	196.18	92.92							
		DS0 Ch				UEP95	M1HDO	0.00	14.06								
	Inter	ce Cha															
		Interoffi	ermination			UEP95	M1GBC	22.60	39.36	26.62							
		Interoffi	er mile or fraction of mile			UEP95	M1GBM	0.013									
	Feat	Activa	oops on Cha	ized DS1 Service													
	D4 C	nnel Ba															
		Featur	nel Bank C	Loop Slot		UEP95	1PQWS	0.6497									

UNBUNDL - NET - Louisia -

CATEGORY		ELEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		[Feature -	nel Bank EX	Side Loop Slot		UEP95	1PQW6	0.6497									
		[Feature -	nel Bank	Side Loop		UEP95	1PQW7	0.6497									
		[Slot -	el Bank	Loop Slot -		UEP95	1PQWP	0.6497									
		[Feature -	nel Bank	Line Loop Slot		UEP95	1PQWV	0.6497									
		[Feature -	el Bank	Trunk Loop		UEP95	1PQWQ	0.6497									
		[Slot -	nel Bank W	Loop Slot		UEP95	1PQWA	0.6497									
	Non	urring	ated with	Centrex													
			ined Swit	allowed		UEP95	USAC2		0.10	0.10							
			Common B	each		UEP95	USACN		36.66	16.10							
			Block			UEP95	M1ACS	0.00	680.40								
			on Block			UEP95	M1ACC	0.00	680.40								
			r Occasion			UEP95	URECA	0.00	73.93								
	Add	al No	RC)														
			Element	al End Use		UEP95	URETL		8.33	0.83							
			Element	Loop at		UEP95	URETN		11.20	1.10							
	UNE	SWITE	All States)														
	2-W	Loo	ort (Centr	mbo													
	UNE	Loo	Non-Design														
		Wire	ade Port	Port Combo -				14.13									
		Wire	ade Port	Port Combo -				24.75									
		Wire	ade Port	Port Combo -				50.62									
	UNE	Loo	esign)														
		Wire	arie Port	Port Combo -				17.29									
		Wire	arie Port	Port Combo -				27.71									
		Wire	ade Port	Port Combo -				49.26									
	UNE	Rat															
		Wire	- Zone 1		1	UEP9D	UECS1	11.77									
		Wire	- Zone 2		2	UEP9D	UECS1	22.39									
		Wire	- Zone 3		3	UEP9D	UECS1	48.26									
		Wire	- Zone 1		1	UEP9D	UECS2	14.93									
		Wire	- Zone 2		2	UEP9D	UECS2	25.35									
		Wire	- Zone 3		3	UEP9D	UECS2	50.46									
	UNE	Rate															
	ALL	TES															
		Wire	) Basic	Area		UEP9D	UEPYA	2.36	38.85	19.08							
		Wire	800 ter	Basic Local		UEP9D	UEPYB	2.36	38.85	19.08							
		Wire	/ EBS-P	Basic Local		UEP9D	UEPYC	2.36	38.85	19.08							
		Wire	/ EBS-	Basic Local		UEP9D	UEPYD	2.36	38.85	19.08							
		Wire	/ EBS-	Basic Local		UEP9D	UEPYE	2.36	38.85	19.08							
		Wire	/ EBS-	Basic Local		UEP9D	UEPYF	2.36	38.85	19.08							

UNBUNDL NET Louisia

CATEGORY			Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire	/ EBS- Local		UEP9D	UEPYG	2.36	38.85	19.08								
		Area 2-Wire	/ EBS Basic Local		UEP9D	UEPYT	2.36	38.85	19.08								
		Area 2-Wire	/ EBS- Basic Local		UEP9D	UEPYU	2.36	38.85	19.08								
		Area 2-Wire	/ EBS- Basic Local		UEP9D	UEPYV	2.36	38.85	19.08								
		Area 2-Wire	/ EBS- Basic Local		UEP9D	UEPY3	2.36	38.85	19.08								
		Area 2-Wire	with Ca Basic Local		UEP9D	UEPYH	2.36	38.85	19.08								
		Area 2-Wire	/Caller ID Msg Lamp		UEP9D	UEPYW	2.36	38.85	19.08								
		Indicat 2-Wire	/Msg Wi Indication))4		UEP9D	UEPYJ	2.36	38.85	19.08								
		Basic I 2-Wire	from di Center)		UEP9D	UEPYM	2.36	104.41	67.93								
		2,3 Ba 2-Wire	/differ S T)2,3,4		UEP9D	UEPYO	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 09)2,3,4		UEP9D	UEPYP	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S)2,3,4		UEP9D	UEPYQ	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 12)2,3,4		UEP9D	UEPYR	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 12)2,3,4		UEP9D	UEPYS	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 08)2,3,4		UEP9D	UEPY4	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 08)2, 3		UEP9D	UEPY5	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 6)2,3,4		UEP9D	UEPY6	2.36	104.41	67.93								
		Basic I 2-Wire	/differ S 16)2,3,4		UEP9D	UEPY7	2.36	104.41	67.93								
		Form 2 2-Wire	ing Wir Service		UEP9D	UEPYZ	2.36	104.41	67.93								
		2-Wire	ted in on equivalent		UEP9D	UEPY9	2.36	38.85	19.08								
		Basic I 2-Wire	ted on 80 ice Form Basic		UEP9D	UEPY2	2.36	38.85	19.08								
		Local A															
	AL	1 A, M			UEP9D	UEPQA	2.36	38.85	19.08								
		2-Wire	rex)		UEP9D	UEPQB	2.36	38.85	19.08								
		2-Wire	rex 800 termination)		UEP9D	UEPQC	2.36	38.85	19.08								
		2-Wire	rex / EBS-PSE)4		UEP9D	UEPQD	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5209)4		UEP9D	UEPQE	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5209)4		UEP9D	UEPQF	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5312)4		UEP9D	UEPQG	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5312)4		UEP9D	UEPQT	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5209)4		UEP9D	UEPQU	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5)1		UEP9D	UEPQV	2.36	38.85	19.08								
		2-Wire	rex / EBS-M5)1		UEP9D	UEPQ3	2.36	38.85	19.08								
		2-Wire	rex with Call		UEP9D	UEPQH	2.36	38.85	19.08								
		2-Wire	/Caller ID Msg Lamp		UEP9D	UEPQW	2.36	38.85	19.08								
		Indicati 2-Wire	/Msg Wi Indication)4		UEP9D	UEPQJ	2.36	38.85	19.08								

UNBUNDL - NET - Louisia

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire - v from dif - ing Wire Center)			UEP9D	UEPQM	2.36	104.41	67.93								
	Wire - v/differ SW - RS-PSET)2,3,4			UEP9D	UEPQO	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5009)2,3,4			UEP9D	UEPQP	2.36	104.41	67.93								
	Wire - v/differ SW - RS-5209)2,3,4			UEP9D	UEPQQ	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5112)2,3,4			UEP9D	UEPQR	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5312)2,3,4			UEP9D	UEPQS	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5008)2,3,4			UEP9D	UEPQ4	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5208)2,3,4			UEP9D	UEPQ5	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5216)2,3,4			UEP9D	UEPQ6	2.36	104.41	67.93								
	Wire - v/differ SW - RS-M5316)2,3,4			UEP9D	UEPQ7	2.36	104.41	67.93								
	Wire - ving Wire - 000 Service			UEP9D	UEPQZ	2.36	104.41	67.93								
	Wire - ated in on M - link or equivalent			UEP9D	UEPQ9	2.36	38.85	19.08								
	Wire - ated on 80 - ace Term			UEP9D	UEPQ2	2.36	38.85	19.08								
Loc - itchi																
	- er port			UEP9D	URECS	0.8577										
Feat -																
	- er port			UEP9D	UEPVF	0.00										
	- port			UEP9D	UEPVS	0.00	412.25									
	- ared, per			UEP9D	UEPVC	0.00										
NAP																
	- ister - Co -			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	- ister - Inv -			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	- ister - Ot -			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Mis -																
2-W -																
				UEP9D	CEND6	8.29	115.85	18.20								
4-W -																
	- channel			UEP9D	M1HD1	68.47	196.18	98.62								
				UEP9D	M1HDO	0.00	14.06									
Inte -																
	- rmination			UEP9D	M1GBC	22.60	39.36	26.62								
	- r mile or fra - of mile			UEP9D	M1GBM	0.013										
Feat -	- ops on Cha - ized DS1 Service															
D4 C -	- el B -															
	- el Bank C - - Loop Slot			UEP9D	1PQWS	0.6497										
	- el Bank E - - Side Loop Slot			UEP9D	1PQW6	0.6497										
	- el Bank E - - Side Loop Slot -			UEP9D	1PQW7	0.6497										
	- el Bank E - - Line Loop Slot			UEP9D	1PQWP	0.6497										
	- el Bank T - - Trunk Loop Slot			UEP9D	1PQWV	0.6497										
	- el Bank W - - Loop Slot			UEP9D	1PQWQ	0.6497										
Non -	- ated with - P Centrex			UEP9D	1PQWA	0.6497										

UNBUNDL NET Louisia

Attachment: 2 Ex. A

CATEGORY			EMENTS	Inter	Zone	BCS	USOC	RATES ($)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)			
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ined Sw allowed			UEP9D	USAC2		0.10	0.10								
			ommon B ach			UEP9D	USACN		36.66	16.10								
			Block			UEP9D	M1ACS	0.00	680.40									
			on Block			UEP9D	M1ACC	0.00	680.40									
			Occasio			UEP9D	URECA	0.00	73.93									
	Add		PC)															
			Element d Use			UEP9D	URETL		8.33	0.83								
			Element, op at			UEP9D	URETN		11.20	1.10								
	UNE	ENTR	L, FL, KY, S & TN)															
	2-W	G Loc	Port (Centre mbo															
	UNE	Loop	Non-Design)															
		Wire	ade Port Port Combo -					14.13										
		Non-D																
		Wire	ade Port Port Combo -					24.75										
		Non-D																
		Wire	ade Port Port Combo -					50.62										
	UNE	W/Loo	Design)															
		Wire	ade Port Port Combo -					17.29										
		Design																
		Wire	ade Port Port Combo -					27.71										
		Design																
		Wire	ade Port Port Combo -					49.26										
	UNE	Dal																
		Wire	Zone 1		1	UEP9E	UECS1	11.77										
		Wire	Zone 2		2	UEP9E	UECS1	22.39										
		Wire	Zone 3		3	UEP9E	UECS1	48.26										
		Wire	Zone 1		1	UEP9E	UECS2	14.93										
		Wire	Zone 2		2	UEP9E	UECS2	25.35										
		Wire	Zone 3		3	UEP9E	UECS2	50.46										
	UNE	Rate																
	AL,	KY, LA																
		Wire	) Basic Area			UEP9E	UEPYA	2.36	38.85	19.08								
		Wire	800 ter Basic Local			UEP9E	UEPYB	2.36	38.85	19.08								
		Area																
		Wire	with Ca Basic Local			UEP9E	UEPYH	2.36	38.85	19.08								
		Area																
		Wire	ex from di ing Wire			UEP9E	UEPYM	2.36	104.41	67.93								
		Center																
		Wire	eaving Wire for 2,2 800			UEP9E	UEPYZ	2.36	104.41	67.93								
		Service																
		Wire	ted in on k or equivalent			UEP9E	UEPY9	2.36	38.85	19.08								
		Basic																
		2-Wire	ated on 80 Service Term -			UEP9E	UEPY2	2.36	38.85	19.08								
		Basic L	Area															
	AL,	LA, MS																
		2-Wire	rex)			UEP9E	UEPQA	2.36	38.85	19.08								
		2-Wire	rex 800 termination)			UEP9E	UEPQB	2.36	38.85	19.08								
		2-Wire	rex with Caller ID)			UEP9E	UEPQH	2.36	38.85	19.08								
		2-Wire	ex from di ing Wire			UEP9E	UEPQM	2.36	104.41	67.93								
		Center																
		2-Wire	eaving Wire for 2,2 800			UEP9E	UEPQZ	2.36	104.41	67.93								
		Service																
		2-Wire	ted in on k or equivalent			UEP9E	UEPQ9	2.36	38.85	19.08								

UNBUNDL ET

Louisia

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ated on 8 ace Term			UEP9E	UEPQ2	2.36	38.85	19.08								
Loc witchi	er port			UEP9E	URECS	0.8577										
Feat	ner port			UEP9E	UEPVF	0.00										
	port			UEP9E	UEPVS	0.00	412.25									
	red, per p			UEP9E	UEPVC	0.00										
NAF																
	gister - Corp tion			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	gister - India			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	gister - Ot			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Mis nous																
2-Wi unk C																
unk				UEP9E	CEND6	8.29	115.85	18.20								
4-W ital																
				UEP9E	M1HD1	68.47	196.18	92.92								
nnel				UEP9E	M1HDO	0.00	14.06									
Inte e Ch																
nterof nination				UEP9E	M1GBC	22.60	39.36	26.62								
nterof mile or fra of mile				UEP9E	M1GBM	0.013										
Feat Activ ons on Ch alized DS1 Service																
D4 C nel B																
nel Bank C Loop Slot				UEP9E	1PQWS	0.6497										
nel Bank F Side Loop Slot				UEP9E	1PQW6	0.6497										
nel Bank F Side Loop				UEP9E	1PQW7	0.6497										
nel Bank C Loop Slot -				UEP9E	1PQWP	0.6497										
nel Bank F Line Loop Slot				UEP9E	1PQWV	0.6497										
nel Bank T Loop				UEP9E	1PQWQ	0.6497										
nel Bank W Loop Slot				UEP9E	1PQWA	0.6497										
Non ring ated with Centrex																
ixed Sw allowed																
				UEP9E	USAC2		0.10	0.10								
Common P each				UEP9E	USACN		36.66	16.10								
Block				UEP9E	M1ACS	0.00	680.40									
on Block				UEP9E	M1ACC	0.00	680.40									
Occasion				UEP9E	URECA	0.00	73.93									
Add nal No RC)																
Element nd Use																
				UEP9E	URETL		8.33	0.83								
Element sing Loop at				UEP9E	URETN		11.20	1.10								
UNE SUITE KY, LA, TN)																
2-Wi Loc ort (Centr mbo																
UNE Loo on-Desig																
ade Port Port Combo -						14.13										
ade Port Port Combo -						24.75										
ade Port Port Combo -						50.62										
UNE Loo esign)																
ade Port Port Combo -						17.29										

UNBUNDL NET — Louisia

CATEGORY	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A: Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire — rde Port — Combo - Design					27.71										
	Wire — rde Port — Combo - Design					49.26										
UNE	Ra															
	Wire — Zone 1		1	UEP93	UECS1	11.77										
	Wire — Zone 2		2	UEP93	UECS1	22.36										
	Wire — Zone 3		3	UEP93	UECS1	48.26										
	Wire — Zone 1		1	UEP93	UECS2	14.93										
	Wire — Zone 2		2	UEP93	UECS2	25.35										
	Wire — Zone 3		3	UEP93	UECS2	50.46										
UNE	Rate															
AL	A, M															
	Wire —) Basic — Area			UEP93	UEPYA	2.36	38.85	19.08								
	Wire — 800 ter — Basic Local — Area			UEP93	UEPYB	2.36	38.85	19.08								
	Wire — with Call — Basic Local — Area			UEP93	UEPYH	2.36	38.85	19.08								
	Wire — from dif — Area — Centers			UEP93	UEPYM	2.36	104.41	67.93								
	Wire — ving Wire — 2,3 - 800 — Service			UEP93	UEPYZ	2.36	104.41	67.93								
	Wire — ted in on — equivalent — Basic			UEP93	UEPY9	2.36	38.85	19.08								
	Wire — ted on R — Basic L			UEP93	UEPY2	2.36	38.85	19.08								
	Wire —)			UEP93	UEPQA	2.36	38.85	19.08								
	Wire — 800 term			UEP93	UEPQB	2.36	38.85	19.08								
	Wire — with Call			UEP93	UEPQH	2.36	38.85	19.08								
	Wire — from dif — Wire — Centers			UEP93	UEPQM	2.36	104.41	67.93								
	Wire — ving Wire — 800 — Service			UEP93	UEPQZ	2.36	104.41	67.93								
	Wire — ted in on — k or equivalent			UEP93	UEPQ9	2.36	38.85	19.08								
	Wire — ted on R — ce Term			UEP93	UEPQ2	2.36	38.85	19.08								
Loc	witchi															
	Centre — per port			UEP93	URECS	0.8577										
Feat																
	Air Sta — per port			UEP93	UEPVF	0.00	73.93	27.14								
	All Ce — fered, per po			UEP93	UEPVC	0.00	73.93	27.14								
NAP																
	Unbun — egister - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbun — egister - Individ			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbun — egister - Outdo			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	eneous															
2-Wi	Trunk S															
	Trunk Side —			UEP93	CEND6	8.27	115.85	18.20								
4-Wi	Digital															
	DS1 Ci —			UEP93	M1HD1	68.47	196.18	92.92								
	DS0 Ch — Channel			UEP93	M1HDO	0.00	14.06									
Inter	ree Cha —															
	Interoffi — rmination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffi — r mile or fraction of mile			UEP93	M1GBM	0.013										
Feat	Activa — oops on Cha — lized DS1 Service															
D4 C	nnel Ba —															
	Featur — nel Bank C — Loop Slot			UEP93	1PQWS	0.6497										
	Featur — nel Bank — Side Loop Slot			UEP93	1PQW6	0.6497										

UNBUNDL[illegible]NET [illegible] - Louisia[illegible]

Attachment: 2 Ex. A

CATEGORY		EMENTS	Inter	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		[illegible]el Bank [illegible]k Sivle Loop [illegible]Slot			UEP93	1PQW7	0.6497										
		[illegible]el Bank [illegible]n Loop Slot - [illegible]			UEP93	1PQWP	0.6497										
		[illegible]el Bank [illegible]e Line Loop Slot			UEP93	1PQWV	0.6497										
		[illegible]el Bank [illegible] Loop [illegible]Slot			UEP93	1PQWQ	0.6497										
		[illegible]nel Bank [illegible] Loop Slot			UEP93	1PQWA	0.6497										
	Non	[illegible]ciated with [illegible] Centrex															
		[illegible]ined Swi[illegible]allowed			UEP93	USAC2		0.10	0.10								
		[illegible]Common [illegible]each			UEP93	USACN		36.66	16.10								
		[illegible] Block			UEP93	M1ACS	0.00	680.40									
		[illegible]non Block			UEP93	M1ACC	0.00	680.40									
		[illegible] Occasion			UEP93	URECA	0.00	73.93									
	Add	[illegible]RC)															
		[illegible]Element [illegible]End Use [illegible]ress			UEP93	URETL		8.33	0.83								
		[illegible]Element [illegible]Loop at End Us[illegible]			UEP93	URETN		11.20	1.10								
	Note	Requi[illegible]ntrol in 1A[illegible]5ESS & EWSD															
	Note	Requi[illegible] Mileage															
	Note	Install[illegible] Installatio[illegible]harge for SL2 Loop and [illegible]rt															
	Note	Requi[illegible] Premises E[illegible]ment															
	Note	[illegible]es [illegible]m colum[illegible]terim as a result of a [illegible]mmission order.															

Attachment: 2 Ex. A

Zone		USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN

g to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN,

		SOMEC		3.50	0.00	3.50	0.00						
		SOMAN		15.75	0.00	1.97	0.00						
		s FCC No.1 Tariff, Section E as applica											
		UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UONI UEA, UHL, ULC, USL, U1T12, U1T48 U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00								
1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						
1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Half Hour			UEANL	URETA		19.97	19.97								
	ge Without Dispatch			UEANL	UREWO		15.75	8.92								
	sign Voice Billing for BST															
	n Information)			UEANL	UEANM		13.51	13.51								
	ML-SL1s ion)			UEANL	UEAMC		8.20	8.20								
	Conversion for UVL-SL1			UEANL	OCOSL		18.19	18.19								
2-W																
	- Non-Design Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	- Non-Design Zone 2		2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	- Non-Design Zone 3		3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	- Non-Design Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Element, End User			UEQ	URETL		8.33	0.83								
	Unbun Copper Loop -			UEQ	USBMC		8.20	8.20								
	Design Con Loop, Billing for ering Inform)			UEQMU			13.51	13.51								
	Hour			UEQ	URET1		34.36	34.36								
	Half Hour			UEQ	URETA		19.97	19.97								
	ge Without Dispatch			UEQ	UREWO		14.24	7.42								
UNBUNDLE																
2-W																
	Service Fiber Splitting-		1	UEPSR	UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		1	UEPSR	UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		2	UEPSR	UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		2	UEPSR	UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		3	UEPSR	UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		3	UEPSR	UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		4	UEPSR	UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25					
	Service Fiber Splitting-		4	UEPSR	UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25					
UNBUNDLE																
2-W																
	Service Loop or		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Service Loop or		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Service Loop or		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Service Loop or		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Conversion (per LSR)			UEA	OCOSL		18.19									
	Service Reverse		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	Service Reverse		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	Service Reverse		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
	Service Reverse		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
	Conversion (per LSR)			UEA	OCOSL		18.19									

UNBUNDL		Missis												Attachment: 2 Ex. A			
CATEGORY		EMENTS	Inter	Zone		USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		LEC			UEA	UREWO		87.56	36.29								
		Loop Ty			UEA	URETL		11.19	1.10								
	4-W	ANAL															
		4 Wire	- Zone 1	1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
		4 Wire	- Zone 2	2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
		4 Wire	- Zone 3	3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		4 Wire	- Zone 4	4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		Order	Conversi		UEA	OCOSL		18.19									
		LEC	ge without		UEA	UREWO		87.56	36.29								
	2-W	DIGI															
		2 Wire	- Zone 1	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37						
		2 Wire	- Zone 2	2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
		2 Wire	- Zone 3	3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						
		2 Wire	- Zone 4	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
		Order	t Conversi		UDN	OCOSL		18.19									
		LEC	ge without		UDN	UREWO		91.46	44.07								
	2-W	ASYM	RSCRIBER	S (ADSL) COMPATIBL	OOP												
		2 Wire	cluding	inquiry	1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93					
		2 facili	cluding	inquiry	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93					
		2 Wire	cluding	inquiry	3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93					
		2 facili	cluding	inquiry	4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93					
		Order	Conversi		UAL	OCOSL		18.19									
		2 Wire	hout ma	inquiry &	1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93					
		2 Wire	hout ma	inquiry &	2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93					
		2 Wire	hout ma	inquiry &	3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93					
		2 facility	hout ma	inquiry &	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93					
		Order	Conversi		UAL	OCOSL		18.19									
		LEC	ge without		UAL	UREWO		86.04	40.33								
	2-W	HIGH	RSCRIBER	(UDSL) COMPATIBL	OOP												
		2 Wire	cluding	inquiry	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93					
		2 facili	cluding	inquiry	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93					
		2 Wire	cluding	inquiry	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93					
		2 facili	cluding	inquiry	4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93					
		Order	d Conversi		UHL	OCOSL		18.19									
		2 Wire	without ma	service inquiry	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93					
		2 Wire	without ma	service inquiry	2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93					
		2 Wire	without ma	service inquiry	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93					
		2 Wire	without ma	service inquiry	4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93					
		Order	d Conversi		UHL	OCOSL		18.19									
		CLEC	arge without		UHL	UREWO		85.98	40.33								
	4-W	HIGH	RSCRIBER	(HDSL) COMPATIBL	OOP												
		4 Wire	cluding	service inquiry	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68					

UNBUNDL[illegible] NET — Missis[illegible]

CATEGORY		ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		[illegible] inquiry		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
		[illegible] inquiry		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
		[illegible] inquiry		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
		[illegible] (per LSR)			UHL	OCOSL		18.19									
		[illegible] inquiry		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
		[illegible] inquiry		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
		[illegible] inquiry		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
		[illegible] inquiry		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
		[illegible] (per LSR)			UHL	OCOSL		18.19									
		[illegible] dispatch			UHL	UREWO		85.98	40.33								
	4-W	[illegible]		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
		[illegible]		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07						
		[illegible]		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07						
		[illegible]		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
		[illegible] (per LSR)			USL	OCOSL		18.19									
		[illegible] dispatch			USL	UREWO		100.90	42.96								
	4-W	GRADE [illegible]															
		[illegible] Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
		[illegible] Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
		[illegible] Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
		[illegible] Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
		[illegible] 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
		[illegible] 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
		[illegible] 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
		[illegible] 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
		[illegible] (per LSR)			UDL	OCOSL		18.19									
		[illegible] 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
		[illegible] 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64						
		[illegible] 64 Kbps - Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
		[illegible] 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
		[illegible] (per LSR)			UDL	OCOSL		18.19									
		[illegible] dispatch			UDL	UREWO		101.94	49.66								
	2-W	[illegible]															
		[illegible] Designed [illegible] manual [illegible] - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
		[illegible] Designed [illegible] manual [illegible] - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
		[illegible] Designed [illegible] manual [illegible] - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
		[illegible] Designed [illegible] manual [illegible] - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
		[illegible] Copper [illegible] (per loop)			UCL	UCLMC		8.20	8.20								
		[illegible] Designed [illegible] manual [illegible] - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
		[illegible] Designed [illegible] manual [illegible] - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
		[illegible] Designed [illegible] manual [illegible] - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
		[illegible] Designed [illegible] manual [illegible] - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
		[illegible] Copper [illegible] (per loop)			UCL	UCLMC		8.20	8.20								

CATEGORY		EMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		en without dispatch			UCL	UREWO		95.21	42.40								
4-W																	
		luding inquiry		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
		luding inquiry		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
		luding inquiry		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		luding inquiry		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		ed Copper (per loop)			UCL	UCLMC		8.20	8.20								
		without ma inquiry		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
		without ma inquiry		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
		without ma inquiry		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		without ma inquiry		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		ed Copper (per loop)			UCL	UCLMC		8.20	8.20								
		en without dispatch			UCL	UREWO		95.21	42.40								
LOOP MOD																	
		moval of Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
		per Unbu Loop															
		moval of Wire			UHL, UCL, UEA	ULM4L		32.57	32.57								
		Unbundle															
		moval of Tag Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOP																	
Sub																	
		n - CLF Facility Set-			UEANL	USBSA		259.69									
		tion - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.77									
		ent Room FC Feeder			UEANL	USBSC		178.47									
		ent Room 25 Pair Panel			UEANL	USBSD		56.39									
		e Analog Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
		e Analog Grade Loop - Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
		e Analog Grade Loop - Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
		e Analog Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
		ed Sub-Loop, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		e Analog Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
		e Analog Grade Loop - Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

UNBUNDL	NET	- Mississi																	
																Attachment: 2 Ex. A			
CATEGORY		LEMENTS	Interi	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Analog		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Analog		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		ed Sub-Loop	per sub-loop pair		UEANL	USBMC		8.20	8.20								
		letwork Cab	IC)		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
		ed Sub-Loop	per sub-loop pair		UEANL	USBMC		8.20	8.20								
		letwork Cab	IC)		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
		ed Sub-Loop	per sub-loop pair		UEANL	USBMC		8.20	8.20								
		our			UEANL	URET1		34.36	34.36								
		Half Hour			UEANL	URETA		19.97	19.97								
		Loop Distri	Zone 1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71						
		Loop Distri	Zone 2	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						
		Loop Distri	Zone 3	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
		Loop Distri	Zone 4	4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
		ed Sub-Loop	per sub-loop pair		UEF	USBMC		8.20	8.20								
		Loop Distri	Zone 1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
		Loop Distri	Zone 2	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		Loop Distri	Zone 3	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		Loop Distri	Zone 4	4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		ed Sub-Loop	per sub-loop pair		UEF	USBMC		8.20	8.20								
		our			UEF	URET1		34.36	34.36								
		Half Hour			UEF	URETA		19.97	19.97								
	Unb	ed Ne	(UNTW)														
		Wire (UN	per Pair		UENTW	UENPP	0.3366	30.55									
	Net																
		1-2 lines			UENTW	UND12		43.84	28.90								
		1-5 lines			UENTW	UND16		65.30	50.36								
		Connect - 2			UENTW	UNDC2		5.94	5.94								
		Connect -			UENTW	UNDC4		5.94	5.94								
UNE OTHE																	
		for NID	allation		UENTW	UNDBX	0.00	0.00									
		Provisioni	ly - No Rate		UENTW	UENCE	0.00	0.00									
		visioning	No Rate		UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTHE																	
		visioning	no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECN	0.00	0.00									
		Wire Cros	no		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Wire Cros	no		UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		one Forma	no rate		USL	CCOSF	0.00	0.00									
		Superfr	ption -		USL	CCOEF	0.00	0.00									
HIGH CAPA																	
		Loop - DS	Mile per		UE3	1L5ND	11.20										
		Loop - DS	ality		UE3	UE3PX	326.15	522.2495	305.2905	141.7145	99.1185						
		Loop - ST	Per UNE per		UDLSX	1L5ND	11.20										

UNBUNDL ... Missis...

CATEGORY	...EMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...oop - S... ...acility				UDLSX	UDLS1	338.55	522.2495	305.2905	141.7145	99.1185						
LOOP MAK...	...vit Reso... ...per working or				UMK	UMKLW		24.12	24.12								
	...Reserva... ...r spare facility				UMK	UMKLP		25.58	25.58								
	...Reservati... ...working or ...ed)				UMK	UMKMQ		0.6652	0.6652								
LINE SPLIT...																	
LINE...	...LITT...																
END ...	...ER OF...																
	...ICE BASE...																
	...DLEC own... ...splitter				UEPSR UEPSB	UREOS	0.61										
	...BST owne... ...physical				UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						
	...BST owne... ...rtual				UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
MAINTENA...	...OF SE...																
NOT...	...he E...			...aintained ... ...mensurate with BellSo... ...s FCC No.1 Tariff, Section 13.3.1 as applicable.													
	...Tra...			...incremen... ...Basic				80.00	55.00								
	...Tra...			...incremen... ...Overtime				90.00	65.00								
	...Tra...			...incremen... ...remium				100.00	75.00								
UNBUNDLE...	...SERVICE...																
INTE...	...ERFACE...			...O TRANSP...													
	...Interoff...			...Transport ... ...ire Voice Grade - ...Per Mile		U1TVX	1L5XX	0.0098									
	...Interoff...			...Transport ... ...ire Voice Grade - ...Facility		U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11					
	...Interoff...			...Transport ... ...ire Voice Grade ...Rev Bal.		U1TVX	1L5XX	0.0098									
	...Interoff...			...Transport ... ...ire VG ...Rev Bal.		U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11					
	...Interoff...			...Transport ... ...ire Voice Grade - ...Per Mile		U1TVX	1L5XX	0.0098									
	...Interoff...			...Transport ... ...ire Voice Grade ...Facility		U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11					
	...Interoff...			...Transport ... ...bps - per mile		U1TDX	1L5XX	0.0098									
	...Interoff...			...Transport ... ...bps - Facility		U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11					
	...Interoff...			...Transport ... ...bps - per mile		U1TDX	1L5XX	0.0098									
	...Interoff...			...Transport ... ...bps - Facility		U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11					
	...Interoff...			...Channel ... ...Per Mile per ...month		U1TD1	1L5XX	0.201									
	...Interoff...			...Tranport ... ...Facility		U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90					
	...Interoff...			...Transport ... ...3 - Per Mile per ...month		U1TD3	1L5XX	4.76									
	...Interoff...			...Transport - ...3 - Facility		U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29					
	...Interoff...			...Transport ... ...1 - Per Mile per ...month		U1TS1	1L5XX	4.76									
	...Interoff...			...Transport ... ...1 - Facility		U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29					
DARK FIBE...																	
	...Dark Fi...			...Per Route ... ...er Fraction ...nel		UDF, UDFCX	1L5DC	68.94									
	...Dark Fi...			...Per Route ... ...er Fraction ...Channel		UDF, UDFCX	1L5DF	28.27									

UNBUNDI ... NET ... - Mississippi

CATEGORY	... EMENTS	Inter	Zone		USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment; 2 Ex. A: Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
													OSS Rates ($)			
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...Channel			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
	... Per Route ... or Fraction			UDF, UDFCX	1L5DL	68.94										
8XX ACCES	...ENDIC															
	...8XX Ar... Per Call					0.0006216										
	...(8XX Ar... w/ 8FL N... elivery, per query					0.0006216										
	...8XX Ar... w/ POTS ... Delivery, per Query					0.0006216										
LINE INFOR	...(ONE ... IDB)															
	...(IDB Q... Query					0.0000197										
	...(IDB V...					0.0137053										
	...(IDB C... ...ablishment ... Change			OQU	NRBPX		34.52	34.52	42.33	42.33						
CALLING N	...(CNA ...															
	...CNAM ...					0.0010231										
	...CNAM ... Query					0.0010231										
LNP Query	...															
	...LNP Q...					0.0008477										
	...LNP Su... ...ual						12.59	12.59	11.58	11.58						
	...LNP Su... ...oint Code ... ...blishment						596.94	304.96	270.49	198.89						
SELECTIVE	...ETING															
	...Selecti... ...e Class ... Per Request Per Switch						85.19	85.19	14.19	14.19						
VIRTUAL C	...(OCAT...															
	...Virtual ... Connect... ...n) for Line Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSICAL	...LOCA...															
	...Physic... ...s Connect... ...on) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELEC	...SAR...															
	...Feature ...						101,685.12		8,640.51							
	...Feature D...						167.49	167.49	1.71	1.71						
	...Query ...					0.0030502										
AIN - BELL S	...(AIN ... E															
	...Initial S... ...e Establi... ...t, Per State,			A1N	CAMSE		39.67	39.67	40.92	40.92						
	...AIN SM... ...Connection ...ol/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14						
	...AIN SM... ...Connection ...DN Access			A1N	CAM1P		7.87	7.87	9.14	9.14						
	...Feature ... ...Identificat... ...des - Per User			A1N	CAMAU		35.21	35.21	27.21	27.21						
	...AIN SM... ...ility Card, ... Per ID Code, Initial Lo...			A1N	CAMRC		42.13	42.13	11.78	11.78						
	...AIN SM... ...ge, Per Uni... ...00 Kilobytes)					0.0021										
	...AIN SM... ...tion, Per Minute					0.5649										
	...AIN SM... ...many Perfo... Session, Per Minute					0.8393										
ENHANCED	...SNDT...															
	NOT ... ...recurring ...arges below will apply ... the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	NOT ... Switch-As... Charge and not the no... curring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	2-W... VOICE ... E IN A CO... NATION															
	...Mini... ...mation - Zo...		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	...Mini... ...mation - Zo...		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	...Mini... ...mation - Zo...		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	...Mini... ...mation - Zo...		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	...Voice ...			UNCVX	1D1VG	0.5737	6.62	4.74								
	4-W... VOICE ... E IN A CO... NATION															
	...Mini... ...on in Combi... ...n - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	...Mini... ...on in Combi... ...n - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						

Attachment: 2 Ex. A

UNBUNDL	NET	Missis																			
CATEGOR		EMENTS	Inte	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		p in Combi n - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		p in Combi n - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		n - per mo			UNCVX	1D1VG	0.5737	6.62	4.74								
	4-W	ISE IN A BINATION															
		p in Com ion - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
		p in Com ion - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
		p in Com ion - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
		p in Com ion - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
		(2.4-64kb			UNCDX	1D1DD	1.22	6.62	4.74								
	4-W	USE IN A BINATION															
		p in Com ion - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		p in Com ion - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		p in Com ion - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		p in Com ion - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		ination - pe nth (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74								
	2-W	BINATION															
		n - Zone		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
		ion - Zone		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
		ion - Zone		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
		ion - Zone		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
		combination per month			UNCNX	UC1CA	2.62	6.62	4.74								
	4-W	IN A COMB ATION															
		bination - Z 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		ination - Z 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		bination - Z 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		ination - Z 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		nth			UNC1X	UC1D1	2.62	6.62	4.74								
	2 W	TRANSPO OR USE IN A COMBI ON															
		Dedicate Mile Per			UNCVX	1L5XX	0.00088										
		Dedicat acility			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	4 W	TRANSPO OR USE IN A COMBI ON															
		Dedicate Mile Per			UNCVX	1L5XX	0.00088										
		Dedicate acility			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						
	DS1	COMBINA ON															
		DS1 co ion - Per Mile			UNC1X	1L5XX	0.1813										
		DS1 com ation - Facility			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	DS3	USE IN A COMBINATION															
		DS3 com ation - Per Mile			UNC3X	1L5XX	4.76										
		DS3 - Fa Termination per			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
	STS	OR USE IN COMBINATION															
		STS-1 co ination - Per Mile			UNCSX	1L5XX	4.76										
		STS-1 com ination - Facility			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
	4-W	56 KBPS OFFICE TRANSPOR															
		mbination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
		mbination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
		mbination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
		mbination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
		- 4-wire 56 ns combination -			UNCDX	1L5XX	0.0098										

UNBUNDL - Mississippi

CATEGORY		ELEMENTS	Interi	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		- 4-wire 5 s combination -			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	4-W	LOOP WI 4 KBPS INTEROFFICE RANSPORT															
		ombination ne 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		ombination ne 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		ombination ne 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		ombination ne 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		- 4-wire 6 s combination -			UNCDX	1L5XX	0.0098										
		4-wire 6 s combination -			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	4-W	LOOP WI DS0 INTEROFFICE TRA PORT															
		ombination ne 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
		ombination ne 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
		ombination ne 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
		ombination ne 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
		sport - De d - Per Mile per			UNCDX	1L5XX	0.0098										
		sport - Dedi - Facility			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	4-W	LOOP WI DS0 INTEROFFICE TRA PORT															
		ombination ne 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		ombination ne 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		ombination ne 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		ombination ne 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		sport - De - Per Mile per			UNCDX	1L5XX	0.0098										
		sport - Dedi - Facility			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	DS1	OFFICE TR SPORT															
		bination - Z 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		bination - Z 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		bination - Z 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		Combinati Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		DS1 co tion - Per Mile			UNC1X	1L5XX	0.1813										
		- DS1 co tion - Facility			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	DS3	FFICE TRANSPORT															
		per mile month			UNC3X	1L5ND	12.88										
		Facility T ation per month			UNC3X	UE3PX	375.0725	522.2495	305.2905	141.7145	99.1185						
		- DS3 - Pe ile per month			UNC3X	1L5XX	4.76										
		- DS3 co tion - Facility			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
	STS	TED STS-1 EROFFICE TRANSPOR															
		S-1 per mile month			UNCSX	1L5ND	12.88										
		- Facility ination per			UNCSX	UDLS1	389.3325	522.2495	305.2905	141.7145	99.1185						
		STS-1 c ation - per mile			UNCSX	1L5XX	4.76										
		STS-1 c ation - Facility			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
ADDITIONA																	
	Whe	ombined fa ty, the non-recurrng ch es do not apply, but a Switch As Is charge does apply.															
	Whe	etwork ele ts in All States, the non- ecurring charges apply and the Switch As Is Charge does not.															
	Non	twork Elem "Switch As Is" Charge (One applies to each combination)															

UNBUNDL ...NET

Mississ...ppi

											Attachment: 2 Ex. A			
									Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Sv Order vs. Electronic- Disc Add'l

UNBUNDL[illegible] NET[illegible] - Mississippi

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-W[illegible] VOICE															
	[illegible]change															
	Bus			UEPSB	UEPBL	2.41	2.39	2.29	1.42	1.33						
	[illegible]change															
	[illegible]bound			UEPSB	UEPBC	2.41	2.39	2.29	1.42	1.33						
	[illegible]change															
	[illegible]change			UEPSB	UEPBO	2.41	2.39	2.29	1.42	1.33						
	[illegible]change															
	dialing			UEPSB	UEPAY	2.41	2.39	2.29	1.42	1.33						
	[illegible]change															
	Caller [illegible]			UEPSB	UEPB1	2.41	2.39	2.29	1.42	1.33						
	[illegible]change															
	[illegible]bound			UEPSB	UEPWK	2.41	2.39	2.29	1.42	1.33						
	[illegible]Wire															
	Capab[illegible]			UEPSB	UEPBE	2.41	2.39	2.29	1.42	1.33						
	Outbou[illegible]			UEPSB	USASC	0.00	0.00	0.00								
	FEA[illegible]ES															
	[illegible]ll Avail			UEPSB	UEPVF	2.56	0.00	0.00								
	EXC[illegible]															
	2-Wire			UEPSE	UEPRD	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPPC	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPPO	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPP1	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPLD	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPLD	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPXA	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPXB	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPXC	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPXD	2.41	31.45	14.93	14.38	0.92						
	Wire			UEPSP	UEPXE	2.41	31.45	14.93	14.38	0.92						
	Capab[illegible]															
	4-Wire			UEPSP	UEPXL	2.41	31.45	14.93	14.38	0.92						
	Auxiliary															
	Wire			UEPSP	UEPXM	2.41	31.45	14.93	14.38	0.92						
	Room															
	Wire			UEPSP	UEPXO	2.41	31.45	14.93	14.38	0.92						
	Premium															
	Wire			UEPSP	UEPXQ	2.41	31.45	14.93	14.38	0.92						
	Calling															
	Wire			UEPSP	UEPXR	2.41	31.45	14.93	14.38	0.92						
	Calling															
	2-Wire			UEPSP	UEPA5	2.41	31.45	14.93	14.38	0.92						
	2-Wire			UEPSP	UEPXS	2.41	31.45	14.93	14.38	0.92						
	Outbound			UEPSP	USASC	0.00	0.00	0.00								
	FEA[illegible]ES															
	[illegible]ll Avail			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
NOTE	[illegible]ed with POTS [illegible]uit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE	[illegible]cket capabilities [illegible]ll be available only through [illegible] New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
2-W	[illegible]TES (DID)															
	[illegible]change			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
2-W	[illegible]ATES (ISDN [illegible]ell)															
	[illegible]Port (See N[illegible]below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
	[illegible]ll Ser			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
	[illegible]change			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	[illegible]ed with POTS [illegible]uit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE	[illegible]cket capabilities [illegible]ll be available only through [illegible] New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
UNB[illegible]	[illegible]LL FORWARDING CAPABILITY															
UNB[illegible]	[illegible]RDING SERVICE - RESIDENCE															
	[illegible]ding Servi[illegible]ea Calling, Res			UEPVR	UERAC	2.41	2.39	2.29	1.42	1.33						

UNBUNDI NET — Missis

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbun	ling Servic ocal Calling - Res		UEPVR	UERLC	2.41	2.39	2.29	1.42	1.33						
	Unbun	ling Servic terLATA - Res		UEPVR	UERTE	2.41	2.39	2.29	1.42	1.33						
	Unbun	ling Servic traLATA - Res		UEPVR	UERTR	2.41	2.39	2.29	1.42	1.33						
Non	curring	ing Servi onversion -														
	Switch			UEPVR	USAC2		0.0988	0.0988								
	Unbun	ing Servi onversion with														
	allowe			UEPVR	USACC		0.0988	0.0988								
UNB	LED	DDING - P														
	Unbun	ling Servic a Calling - Bus		UEPVB	UERAC	2.41	2.39	2.29	1.42	1.33						
	Unbun	ling Servic ocal Calling - Bus		UEPVB	UERLC	2.41	2.39	2.29	1.42	1.33						
	Unbun	ling Servic terLATA - Bus		UEPVB	UERTE	2.41	2.39	2.29	1.42	1.33						
	Unbun	ling Servic traLATA - Bus		UEPVB	UERTR	2.41	2.39	2.29	1.42	1.33						
	Unbun	ling Servi manded and														
	Excepti			UEPVB	UERVJ	2.41	2.39	2.29	1.42	1.33						
Non	curring	ing Servi onversion -														
	Switch			UEPVB	USAC2		0.0988	0.0988								
	Unbun	ing Servi Conversion with														
	allowe			UEPVB	USACC		0.0988	0.0988								
UNBUNDLE	OCAL	AGE														
	End	ce Sw														
	End O	Per MOU				0.0010269										
	End O	Per MOU				0.000161										
	Tand	Swit	al or Acces andem)													
	Tande	MOU				0.0001723										
	Tande	er MOU				0.0001828										
	Tande	r MOU (Mel	)			0.000063441										
	Tande	r MOU (M	)			0.000067307										
	Mele	Factor	Rate													
	Com	Tra														
	Comm	Per MOU				0.0000026										
	Comm	ermination Fe MOU				0.0004541										
UNBUNDLE	ORT/L	COST BAS RATES														
	>Cos	ased	RellSouth is required by FCC and/or								e Commission rule to provide Unbundled Local Switching or Switch					
	Ports															
	> Th	NE-P S	flected in the Cost Based Section Ap								to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the					
	TELR	Cost B	in Accordance with the TRRO.													
	>Fea	es sha	ed Port/Loop Combination - Cost Base								Rate section in the same manner as they are applied to the Stand-					
	Alon	Unbund	s Rate Exhibit													
	>End	ffice a	Usage and Common Transport Usage								rates in the Port section of this rate exhibit shall apply to all					
	com	ations	ements except for UNE Coin Port/Loop Combinations.													
	>Thi	et and	curring charges apply to Not Currently								ombined Combos. For Currently Combined Combos the nonrecurring					
	charg	shall	the Nonrecurring - Currently Combined								sections.					
	2-WI	VOICE	2-WIRE LINE PORT (RES)													
	UNE	ort/Loop														
	2-Wire	Zone 1				13.22										
	2-Wire	Zone 2				18.13										
	2-Wire	Zone 3				27.26										
	2-Wire	Zone 4				45.91										
	UNE	op Rate														
	2-Wire	Zone 1		1	UEPRX	UEPLX	10.98									
	2-Wire	- Zone 2		2	UEPRX	UEPLX	15.91									
	2-Wire	- Zone 3		3	UEPRX	UEPLX	25.04									
	2-Wire	- Zone 4		4	UEPRX	UEPLX	43.68									

UNBUNDL[illegible] NET - Mississippi

Attachment: 2 Ex. A

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wi[illegible]	Voice C[illegible]	(Res)		UEPRX	UEPRL	2.23	40.31	19.84	24.90	6.58						
	2-Wire	residence		UEPRX	UEPRC	2.23	40.31	19.84	24.90	6.58						
	2-Wire	[illegible]s Caller ID		UEPRX	UEPRO	2.23	40.31	19.84	24.90	6.58						
	2-Wire	[illegible]tgoing only [illegible]														
	2-Wire	[illegible]ississippi [illegible]ded local		UEPRX	UEPAT	2.23	40.31	19.84	24.90	6.58						
	Dialing	res														
	2-Wire	[illegible]usage line [illegible]	with Caller ID	UEPRX	UEPAP	2.23	40.31	19.84	24.90	6.58						
	(LUM)															
	2-Wire	[illegible]ippi Resid[illegible]	Dialing Plan	UEPRX	UEPWJ	2.23	40.31	19.84	24.90	6.58						
	without															
	2-Wire	[illegible]age Line D[illegible]	thout Caller ID	UEPRX	UEPRT	2.23	40.31	19.84	24.90	6.58						
	Capab[illegible]															
FEA[illegible]	[illegible]RES															
	All Fea[illegible]			UEPRX	UEPVF	2.56	0.00	0.00								
NON[illegible]	CURR[illegible]	CURRENT[illegible]	COMBINED													
	2-Wire	Port Comb[illegible]n	Conversion -	UEPRX	USAC2		0.0988	0.0988								
	Switch															
	2-Wire	Port Comb[illegible]n	- Conversion -	UEPRX	USACC		0.0988	0.0988								
	Switch															
	2-Wire	Port Comb[illegible]n	- Conversion -				0.00	0.00								
	Subsc															
	2-Wire	Port Platfo[illegible]	Installation													
	Charge	Net Co[illegible]n	of Existing	UEPRX	URECC		0.0988									
	Service															
ADD[illegible]	NAL[illegible]															
	2-Wire	Port Combi[illegible]	- Subsequent	UEPRX	USAS2	0.00	0.00	0.00								
	Activity															
	Unbun[illegible]	Element[illegible]	oop at End User	UEPRX	URETL		8.33	0.83								
	Premis															
OFF[illegible]	PREM[illegible]	CHANNELS														
	2-Wire	[illegible]ension Loop	Non-Design	1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25					
	2-Wire	[illegible]ension Loop	Non-Design	2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25					
	2-Wire	[illegible]ension Loop	Non-Design	3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25					
	2-Wire	[illegible]ension Loop	Non-Design	4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25					
	2-Wire	[illegible]ension Loop	Design	1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37					
	2-Wire	[illegible]ension Loop	Design	2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37					
	2-Wire	[illegible]ension Loop	Design	3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37					
	2-Wire	[illegible]ension Loop	Design	4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37					
INTE[illegible]	FFICE															
	Interoff	2 Wire [illegible]	Grade - Facility	UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Termin															
	Interoff	2 Wire V[illegible]	Grade - Per Mile	UEPRX	U1TVM	0.0088	0.00	0.00								
	or Frac															
2-WI[illegible]	VOICE	WIRE LIMI[illegible]	RT (BUS)													
UNE[illegible]	P/Loo[illegible]															
	2-Wire	Zone 1				13.22										
	2-Wire	Zone 2				18.13										
	2-Wire	Zone 3				27.26										
	2-Wire	Zone 4				45.91										
UNE[illegible]	op Ra[illegible]															
	2-Wire	Zone 1		1	UEPBX	UEPLX	10.98									
	2-Wire	Zone 2		2	UEPBX	UEPLX	15.91									
	2-Wire	Zone 3		3	UEPBX	UEPLX	25.04									
	2-Wire	Zone 4		4	UEPBX	UEPLX	43.68									
2-Wi[illegible]	Voice C[illegible]															
	2-Wire	thout Caller ID - bus		UEPBX	UEPBL	2.23	40.31	19.84	24.90	6.58						
	2-Wire	h Caller + 5[illegible] ID - bus		UEPBX	UEPBC	2.23	40.31	19.84	24.90	6.58						
	2-Wire	tgoing only - bus		UEPBX	UEPBO	2.23	40.31	19.84	24.90	6.58						

UNBUNDLED NET - Mississippi

CATEGORY			Zone	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ... Mississippi ... ted local		UEPBX	UEPAY	2.23	40.31	19.84	24.90	6.58						
		Hunting ... - bus		UEPBX	UEPB1	2.23	40.31	19.84	24.90	6.58						
		2-Wire ... g only port ... Caller ID - Bus		UEPBX	UEPWK	2.23	40.31	19.84	24.90	6.58						
		2-Wire ... ... Business ... ling Plan without ...		UEPBX	UEPBE	2.23	40.31	19.84	24.90	6.58						
		2-Wire ... Only P... ...ut Caller ID Capab...		UEPBX	UEPVF	2.56	0.00	0.00								
	FEATURES															
	All Fea...			UEPBX	USAC2		0.0988	0.0988								
	NONRECURRI...	CURRENTLY COMBINED		UEPBX	USACC		0.0988	0.0988								
	2-Wire ...	Port Comb... - Conversion - Switch...					0.00	0.00								
	2-Wire ...	Port Comb... - Conversion - Switch...		UEPBX	USAS2		0.00	0.00								
	2-Wire ...	Port Comb... - Conversion - Subse...		UEPBX	URETL		8.33	0.83								
	ADDITIONAL ...															
	2-Wire ...	Port Combi... - Subsequent Activity	1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25						
	Unbun...	Element, ... - ...p at End User Premis...	2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25						
	OFF... PREM...	ANNELS	3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25						
	2-Wire ...	...ension Loop ... ion-Design	4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25						
	2-Wire ...	...ension Loop ... ion-Design	1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37						
	2-Wire ...	...ension Loop ... ...sign	2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37						
	2-Wire ...	...ension Loop ... ...sign	3	UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37						
	2-Wire ...	...ension Loop ... ...sign	4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37						
	INTE... OFFICE															
	Interof...	... 2-Wire ... Grade - Facility		UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Termin...															
	Interoff...	... 2-Wire ... Grade - Per Mile		UEPBX	U1TVM	0.0088	0.00	0.00								
	or Fra...															
	2-WI... VOICE	...WIRE LINE ...RT (RES - PBX)				13.22										
	UNE ...p/Loo...					18.13										
	2-Wire ...	Zone 1				27.26										
	2-Wire ...	Zone 2				45.91										
	2-Wire ...	Zone 3														
	2-Wire ...	Zone 4	1	UEPRG	UEPLX	10.98										
	UNE ...oop Ra...		2	UEPRG	UEPLX	15.91										
	2-Wire ...		3	UEPRG	UEPLX	25.04										
	2-Wire ...	Zone 2	4	UEPRG	UEPLX	43.68										
	2-Wire ...	Zone 3														
	2-Wire ...	... Zone 4														
	2-Wire Voice G...	...(RES - PBX)		UEPRG	UEPRD	2.23	69.37	32.48	37.86	6.17						
	2-Wire ...	...tion 2-Way ... / Trunk Port - Res														
	FEATURES			UEPRG	UEPVF	2.56	0.00	0.00								
	All Feat...	...(PBX)														
	NONRECURRI...	... CURRENTLY COMBINED		UEPRG	USAC2		7.96	1.91								
	2-Wire ...	Port Combination (PBX) - Conver...		UEPRG	USACC		7.96	1.91								
	2-Wire ...	Port Combination (PBX) - Conver...					0.00	0.00								
	2-Wire ...	...ng ... Port Comb... - Conversion - Subse...														
	ADDITIONAL ...															

...sion ...

UNBUNDLED NET

- Mississippi

CATEGORY		ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire															
		Subse															
		PBX S															
		Group															
		Unbur															
		Premis															
	OFF/ON PREM																
		Local		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
		Local		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
		Local		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
	INTE	FFICE															
		Interof			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Termin															
		Interof			UEPRG	U1TVM	0.0088	0.00	0.00								
		or Fra															
	2-WIR	VOICE															
	UNE	Port/Loo															
		2-Wire					13.22										
		2-Wire					18.13										
		2-Wire					27.26										
		2-Wire					45.91										
	UNE	oop Ra															
		2-Wire		1	UEPPX	UEPLX	10.98										
		2-Wire		2	UEPPX	UEPLX	15.91										
		2-Wire		3	UEPPX	UEPLX	25.04										
		2-Wire		4	UEPPX	UEPLX	43.68										
	2-Wi	Voice															
		Line Si			UEPPX	UEPPC	2.23	69.37	32.48	37.86	6.17						
		Line Si			UEPPX	UEPPO	2.23	69.37	32.48	37.86	6.17						
		Line Si			UEPPX	UEPP1	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPLD	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPXA	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPXB	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPXC	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPXD	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPXE	2.23	69.37	32.48	37.86	6.17						
		Capab															
		2-Wire			UEPPX	UEPXL	2.23	69.37	32.48	37.86	6.17						
		Admin															
		2-Wire			UEPPX	UEPXM	2.23	69.37	32.48	37.86	6.17						
		Room															
		2-Wire			UEPPX	UEPXO	2.23	69.37	32.48	37.86	6.17						
		Discou															
		2-Wire			UEPPX	UEPXQ	2.23	69.37	32.48	37.86	6.17						
		Calling															
		2-Wire			UEPPX	UEPXR	2.23	69.37	32.48	37.86	6.17						
		Calling			UEPPX	UEPXS	2.23	69.37	32.48	37.86	6.17						
		2-Wire			UEPPX	UEPA5	2.23	69.37	32.48	37.86	6.17						
		Missis															
	FEA	PES			UEPPX	UEPVF	2.56	0.00	0.00								
		All Fe															
	NON	URR															
		2-Wire			UEPPX	USAC2		7.96	1.91								
		Conve															
		2-Wire			UEPPX	USACC		7.96	1.91								
		Conve															

UNBUNDLED NET	Mississ														
												Attachment: 2 Ex. A			
CATEGORY	EMENTS	Inter	Zone		USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Port Comb - Conversion -														
	Subse						0.00	0.00								
	ADD ONAL															
	2-Wire	rt Comb (PBX) -														
	Subse				UEPPX	USAS2	0.00	0.00	0.00							
	PBX S	o/Rearra Shifting Hunt														
	Group							7.36	7.36							
	Unbur	Element op at End User														
	Premis				UEPPX	URETL		8.33	0.83							
	OFF NPREM	NELS														
	Local	Termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37					
	Local	Termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37					
	Local	Termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37					
	Local	Termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37					
	INTE OFFICE															
	Interoff	2 Wire Grade - Facility														
	Termin				UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11					
	Interoff	- 2 Wire Grade - Per Mile														
	or Fac				UEPPX	U1TVM	0.0088	0.00	0.00							
	2-WIRE VOICE	WIRE ANA G LINE COIN PORT														
	UNE Port/Loo															
	2-Wire	ho – Zone					13.22									
	2-Wire	ho – Zone					18.13									
	2-Wire	ho – Zone					27.26									
	2-Wire	ho – Zone					45.91									
	UNE oop Ra															
	2-Wire	Zone 1		1	UEPCO	UEPLX	10.98									
	2-Wire	Zone 2		2	UEPCO	UEPLX	15.91									
	2-Wire	Zone 3		3	UEPCO	UEPLX	25.04									
	2-Wire	Zone 4		4	UEPCO	UEPLX	43.68									
	2-Wir Voice															
	2-Wire	tor Scre and without														
	Blockir				UEPCO	UEPRF	2.23	40.31	19.84	24.90	6.58					
	2-Wire	erator Scre and without														
	Blockir	de 3) (MS)			UEPCO	UEPMC	2.23	40.31	19.84	24.90	6.58					
	2-Wire	Screeni Blocking: 011,														
	900/97	S)			UEPCO	UEPRA	2.23	40.31	19.84	24.90	6.58					
	2-Wire	Screening Blocking: 011,														
	900/97	arity (MS)			UEPCO	UEPMA	2.23	40.31	19.84	24.90	6.58					
	2-Wire	Screeni 011 Blocking														
	(AL, LA				UEPCO	UEPRB	2.23	40.31	19.84	24.90	6.58					
	2-Wire	Screening and 011 Blocking;														
	with Di				UEPCO	UEPMB	2.23	40.31	19.84	24.90	6.58					
	2-Wire	or Screening Blocking														
	900/97	(AL, KY, LA, S)			UEPCO	UEPCD	2.23	40.31	19.84	24.90	6.58					
	2-Wire	ening: 900 B 900/976,														
	1+DDD	ling Parity (MS)			UEPCO	UEPCJ	2.23	40.31	19.84	24.90	6.58					
	2-Wire	Blocking and out Operator														
	Screen				UEPCO	UEPRN	2.23	40.31	19.84	24.90	6.58					
	2-Wire	Blocking and out Operator														
	Screen	(MS)			UEPCO	UEPME	2.23	40.31	19.84	24.90	6.58					
	2-Wire	ator Screen and 011 Blocking														
	(GA, K															
	2-Wire	erator Screen and 011														
	Blockir	S)			UEPCO	UEPMD	2.23	40.31	19.84	24.90	6.58					
	2 Wire	tor Scree and Blocking;														
	011, 90	LA, MS)			UEPCO	UEPRH	2.23	40.31	19.84	24.90	6.58					
	3-Wire	Screening king: 900/976,														
	1+DDD	, LA, MS)			UEPCO	UEPCN	2.23	40.31	19.84	24.90	6.58					

UNBUNDLED NET

- Mississippi

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire															
	911+,															
	ority (MS)			UEPCO	UEPCS	2.23	40.31	19.84	24.90	6.58						
	2-Wire			UEPCO	UEPCK	2.23	40.31	19.84	24.90	6.58						
	2-Wire															
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADD	ONAL															
	UNE C			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
NON	CURR															
	2-Wire															
	Switch			UEPCO	USAC2		0.0988	0.0988								
	2-Wire															
	Switch			UEPCO	USACC		0.0986	0.0986								
ADD	ONAL															
	2-Wire															
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbun															
	Premis			UEPCO	URETL		8.33	0.83								
2-WIR	VOICE															
UNE	rt/Loo															
	2-Wire					16.16										
	2-Wire					21.02										
	2-Wire					29.82										
	2-Wire					47.99										
UNE	oop Ra															
	2-Wire		1	UEPER	UECF2	13.89										
	2-Wire		2	UEPER	UECF2	18.75										
	2-Wire		3	UEPER	UECF2	27.55										
	2-Wire		4	UEPER	UECF2	45.72										
2-Wi	Voice															
	2-Wire			UEPER	UEPRL	2.27	108.35	70.57	54.24	11.70						
	2-Wire			UEPER	UEPRC	2.27	108.35	70.57	54.24	11.70						
	2-Wire			UEPER	UEPRO	2.27	108.35	70.57	54.24	11.70						
	2-Wire															
	dialing			UEPER	UEPAT	2.27	108.35	70.57	54.24	11.70						
	2-Wire															
	(LUM)			UEPER	UEPAP	2.27	108.35	70.57	54.24	11.70						
	2-Wire															
	without			UEPER	UEPWJ	2.27	108.35	70.57	54.24	11.70						
INTE	FFICE															
	Interof															
	Termin			UEPER	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interof															
	or Frac			UEPER	1L5XX	0.0088										
FEA	RES															
	All Fea			UEPER	UEPVF	2.56	0.00	0.00								
NON	CURR															
	2-Wire															
	Comb			UEPER	USAC2		16.94	3.72								
	2-Wire															
	Comb			UEPER	USACC		16.94	3.72								
	Unbun															
	End U			UEPER	URETN		11.19	1.10								
2-WI	VOICE															
UNE	rt/Loo															
	2-Wire					16.16										
	2-Wire					21.02										
	2-Wire					29.82										
	2-Wire					47.99										
UNE	oop Ra															

UNBUNDLED NET... Mississippi

Attachment 2 Ex. A

CATEGORY	...EMENTS	Inter...	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Zone 1		1	UEPFB	UECF2	13.89									
	2-Wire	Zone 2		2	UEPFB	UECF2	18.75									
	2-Wire	Zone 3		3	UEPFB	UECF2	27.55									
	2-Wire	Zone 4		4	UEPFB	UECF2	45.72									
	2-Wi... Voice ...															
	2-Wire	...hout Caller ...bus			UEPFB	UEPBL	2.27	108.35	70.57	54.24	11.70					
	2-Wire	...s Caller ... ID - bus			UEPFB	UEPBC	2.27	108.35	70.57	54.24	11.70					
	2-Wire	...going only ...			UEPFB	UEPBO	2.27	108.35	70.57	54.24	11.70					
	2-Wire	...Mississipp... ...ed local dialing - bus			UEPFB	UEPAY	2.27	108.35	70.57	54.24	11.70					
	2-Wire	...g only pod... Caller ID - Bus			UEPFB	UEPB1	2.27	108.35	70.57	54.24	11.70					
	2-Wire ...inet Busi... Dialing Plan without ...				UEPFB	UEPWK	2.27	108.35	70.57	54.24	11.70					
	INTEROFFICE															
	Interof... 2 Wire V... Grade - Facility Termin...				UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11					
	Interof... 2 Wire V... Grade - Per Mile or Frac...				UEPFB	1L5XX	0.0088									
	FEATURES															
	All Fea...				UEPFB	UEPVF	2.56	0.00	0.00							
	NONRECURR... CURRENT... COMBINED															
	2-Wire ...sport / 2... ...ine Port Combi... ...tch-as-is				UEPFB	USAC2		16.94	3.72							
	2-Wire ...sport / 2... ...ine Port Combi... ...tch with chan...				UEPFB	USACC		16.94	3.72							
	Unbun... Element... ...esigned Loop at End Us...				UEPFB	URETN		11.19	1.10							
	2-WIRE VOICE ... GRADE IO... ...NSPORT/ 2-WIRE LINE ...RT (PBX)															
	UNE ...p/Loo...															
	2-Wire ...l Combo - Zone 1						16.16									
	2-Wire ...l Combo - Zone 2						21.02									
	2-Wire ...l Combo - Zone 3						29.82									
	2-Wire ...l Combo - Zone 4						47.99									
	UNE ...oop Ra...															
	2-Wire Zone 1			1	UEPFP	UECF2	13.89									
	2-Wire Zone 2			2	UEPFP	UECF2	18.75									
	2-Wire Zone 3			3	UEPFP	UECF2	27.55									
	2-Wire Zone 4			4	UEPFP	UECF2	45.72									
	2-Wi... Voice ... (BUS - PBX)															
	Line Si... ...ion 2-Way PBX Trunk Port - Bus				UEPFP	UEPPC	2.27	137.41	80.14	67.20	11.29					
	Line Si... ...PBX Trunk Port - Bus				UEPFP	UEPPO	2.27	137.41	80.14	67.20	11.29					
	Line Si... ...PBX Trunk Port - Bus				UEPFP	UEPP1	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...LD Terminal Ports				UEPFP	UEPLD	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...Combination PBX Usage Port				UEPFP	UEPXA	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...all Terminal Hotel Ports				UEPFP	UEPXB	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...LD DDD Terminals Port				UEPFP	UEPXC	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...LD Terminal Switchboard Port				UEPFP	UEPXD	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...LD Terminal Switchboard IDD Capabl...				UEPFP	UEPXE	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...PBX Hotel/...spital Economy Admini...				UEPFP	UEPXL	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...PBX Hotel/...spital Economy Room ...				UEPFP	UEPXM	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...Outgoing ...Hotel/Hospital Discou...				UEPFP	UEPXO	2.27	137.41	80.14	67.20	11.29					
	2-Wire ...PBX Missi... Local Economy Callin...				UEPFP	UEPXQ	2.27	137.41	80.14	67.20	11.29					

- Mississippi

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire		PBX Mississippi Local Optional		UEPFP	UEPXR	2.27	137.41	80.14	67.20	11.29						
	Calling		Outgoing PBX Measured Port		UEPFP	UEPXS	2.27	137.41	80.14	67.20	11.29						
	2-Wire		Local Opt 2 Calling Port		UEPFP	UEPA5	2.27	137.41	80.14	67.20	11.29						
	Missis															
INTER	OFFICE		2 Wire Voice Grade - Facility		UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interof															
	Termin		2 Wire Voice Grade - Per Mile		UEPFP	1L5XX	0.0088									
	Interof															
	or Frac															
FEA	RES				UEPFP	UEPVF	2.56	0.00	0.00							
	All Fea															
NON	CURRI		CURRENTLY COMBINED													
	2-Wire		Transport / 2 Line Port													
	Combi		Switch-as-is		UEPFP	USAC2		16.94	3.72							
	2-Wire		Transport / 2 Line Port													
	Combi		Switch with change		UEPFP	USACC		16.94	3.72							
	Unbun		Element, Unassigned Loop at		UEPFP	URETN		11.19	1.10							
	End U															
UNBUNDLED	PORT/L		COST BASED RATES													
2-WIR	VOICE		FAMILY - WITH 2-WIRE DID TRUNK POR													
UNE	rt/Loo															
	2-Wire		Trunk Port Con - UNE Zone 1				22.32									
	2-Wire		Trunk Port Con - UNE Zone 2				27.16									
	2-Wire		Trunk Port Con - UNE Zone 3				35.98									
	2-Wire		Trunk Port Con - UNE Zone 4				54.15									
UNE	oop Rat															
	2-Wire		Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	13.89									
	2-Wire		Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	18.75									
	2-Wire		Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	27.55									
	2-Wire		Loop - (SL2) - UNE Zone 4	4	UEPPX	UECD1	45.72									
UNE	ort Rat															
	Excha		Port		UEPPX	UEPD1	8.43	225.96	87.13	114.59	14.25						
NON	CURRI		CURRENTLY COMBINED													
	2-Wire		2-Wire DID Trunk Port Combination -													
	Switch		Switch-as-is		UEPPX	USAC1		7.35	1.88							
	2-Wire		2-Wire DID Trunk Port Conversion													
	with B		with Basic Features		UEPPX	USA1C		7.35	1.88							
ADD	ONAL															
	2-Wire		Additional Trunk Port Per Trunk		UEPPX	USAS1		26.94	26.94							
	Unbun		Element, Unassigned Loop at		UEPPX	URETN		11.19	1.10							
	End U															
Teler	one Nu		Establishment Charges													
	DID Tr		DID Trunk Port)		UEPPX	NDT	0.00	0.00	0.00							
	Additio		Additional Group of 20 DID Numbers		UEPPX	ND4	0.00	0.00	0.00							
	DID Nu		Additional DID Number - Per Number		UEPPX	ND5	0.00	0.00	0.00							
	Reser		Reserved Numbers		UEPPX	ND6	0.00	0.00	0.00							
	Reserv				UEPPX	NDV	0.00	0.00	0.00							
2-WIR	ISDN		WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT													
UNE	rt/Loo															
	2W ISI		2W ISDN Digital Line Side Port -													
	UNE Z		UNE Zone 1				29.29									
	2W ISI		2W ISDN Digital Line Side Port -													
	UNE Z		UNE Zone 2				36.00									
	2W ISI		2W ISDN Digital Line Side Port -													
	UNE Z		UNE Zone 3				46.18									
	2W ISI		2W ISDN Digital Line Side Port -													
	UNE Z		UNE Zone 4				68.61									
UNE	oop Rat															
	2-Wire		2-Wire - UNE Zone 1	1	UEPPB	UEPPR USL2X	18.26									

UNBUNDLED NET	Mississ											Attachment: 2 Ex. A			
CATEGORY	ELEMENTS	Inter	Zone			USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	- UNE Zo	2	UEPPB	UEPPR	USL2X	24.67										
	2-Wire	- UNE Zo	3	UEPPB	UEPPR	USL2X	34.85										
	2-Wire	- UNE Zo	4	UEPPB	UEPPR	USL2X	57.28										
	UNE rt Rate																
	Excha	e Side P		UEPPR		UEPPR	11.33	190.80	133.22	100.72	21.13						
	Excha	e Side Po		UEPPB		UEPPB	11.33	190.80	133.22	100.72	21.13						
	NON URR	ITLY CO															
	2-Wir	2-Wire	Port														
	Combi			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
	ADD ONAL																
	Unbur	Element	Loop at														
	End U			UEPPB	UEPPR	URETN		11.19	1.10								
	Unbur	Element	End User														
	Premis			UEPPB	UEPPR	URETL		8.33	0.83								
	B-CH NEL																
	CVS/C			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (F			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CH NEL A	FILE ACCE	AL,KY,LA,MS SC,MS, N)														
	CVS/C			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (F			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	USE ERMIN																
	User T	ly)		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	VER AL FE																
	All Ver	Channel F	rofile	UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
	INTE FFICE																
	Interoff	include	de and														
	facilitie			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoff	ch, additiona	ge	UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
UNBUNDLE CENTR	ATIONS - BASED RATES																
UNE CENTR	AL,FL,GA A,MS,&TN only)																
2-Wi VG Lo	ort (Centr mbo																
UNE rt/Loo	lon-Design)																
2-Wire	ade Port ex) Port Combo -																
Non-D							13.22										
2-Wire	ade Port ex)Port Combo -																
Non-D							18.13										
2-Wire	ade Port ex)Port Combo -																
Non-D							27.26										
2-Wire	Grade Port ex) Port Combo -																
Non-D							45.91										
UNE ort/Loo	(Design)																
2-Wire	Grade Port ex) Port Combo -																
Design							16.12										
2-Wire	Grade Port ex)Port Combo -																
Design							20.98										
2-Wire	Grade Port ex)Port Combo -																
Design							29.78										
2-Wire	Grade Port ex) Port Combo -																
Design							47.95										
UNE oop Rat																	
2-Wire	- Zone 1		1	UEP91		UECS1	10.98										
2-Wire	- Zone 2		2	UEP91		UECS1	15.91										
2-Wire	- Zone 3		3	UEP91		UECS1	25.04										
2-Wire	- Zone 4		4	UEP91		UECS1	43.68										
2-Wire	- Zone 1		1	UEP91		UECS2	13.89										
2-Wire	- Zone 2		2	UEP91		UECS2	18.75										

UNBUNDLED NET - Mississippi

CATEGORY	ELEMENTS	Interi...	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ... - Zone 3		3	UEP91	UECS2	27.55										
	2-Wire ... - Zone 4		4	UEP91	UECS2	45.72										
	UNE Ports															
	All States (Exc... Sout Caro...															
	2-Wire ...) Basic ... Area			UEP91	UEPYA	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... 800 ter... Basic Local Area			UEP91	UEPYB	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... with Ca... Basic Local A...			UEP91	UEPYH	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... from di... Center) Note 2			UEP91	UEPYM	2.23	108.35	70.57	54.24	11.70						
	2-Wire ... ing Wir... Service Term -			UEP91	UEPYZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire ... ted in on ... equivalent - Basic			UEP91	UEPY9	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... ated on ... - Basic L...			UEP91	UEPY2	2.23	40.31	19.84	24.90	6.58						
	AL, ... LA, M...															
	2-Wire ...)			UEP91	UEPQA	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... 800 termi...			UEP91	UEPQB	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... with Call...			UEP91	UEPQH	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... from di... Center			UEP91	UEPQM	2.23	108.35	70.57	54.24	11.70						
	2-Wire ... ing Wir... 800 Service			UEP91	UEPQZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire ... ted in on ... equivalent			UEP91	UEPQ9	2.23	40.31	19.84	24.90	6.58						
	2-Wire ... ated on ... Term			UEP91	UEPQ2	2.23	40.31	19.84	24.90	6.58						
	Local Switchi...															
	Centre ... er port			UEP91	URECS	0.7947										
	Features															
	All Sta... ...er port			UEP91	UEPVF	2.56										
	All Sel... ... port			UEP91	UEPVS	0.00	404.98									
	All Ce... ...tored, per ...			UEP91	UEPVC	2.56										
	NARS															
	Unbun... ...ister - Con...			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbun... ...ister - Indi...			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbun... ...ister - Ou...			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous															
	2-Wire Trunk ...															
	Trunk ...			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interoffice Cha...															
	Interoff... ...mination - ... Grade			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoff... ... mile or fra... of mile			UEP91	M1GBM	0.0098										
	Feature Activa... ...oops on Ch... ...ized DS1 Service															
	D4 Channel B...															
	Featur... ...nel Bank C... Loop Slot			UEP91	1PQWS	0.57										
	Featur... ...nel Bank ... Side Loop Slot			UEP91	1PQW6	0.57										
	Featur... ...el Bank ... Side Loop Slot			UEP91	1PQW7	0.57										
	Featur... ...el Bank ... Loop Slot - Differe...			UEP91	1PQWP	0.57										
	Featur... ...nel Bank D... Line Loop Slot			UEP91	1PQWV	0.57										
	Featur... ...el Bank ... Trunk Loop Slot			UEP91	1PQWQ	0.57										
	Featur... ...nel Bank V... Loop Slot			UEP91	1PQWA	0.57										
	Non-Recurrin... ...ciated with ... Centrex															

UNBUNDLED NET	- Mississ																	
																Attachment: 2 Ex. A		
CATEGORY		ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conve			UEP91	USAC2		0.10	0.10								
		chang			UEP91	USACN		37.97	16.68								
		Conve			UEP91	M1ACS	0.00	666.32									
		New C			UEP91	M1ACC	0.00	666.32									
		Secon			UEP91	M2CC1	0.00	77.91									
		MAR E			UEP91	URECA	0.00	72.63									
	Addi	nal Nc															
		Unbun			UEP91	URETL		8.33	0.83								
		Premis															
		Unbun			UEP91	URETN		11.19	1.10								
		End U															
	UNE-C	CENTR															
	2-Wire	VG Lo															
	UNE	Port/Loo															
		2-Wire															
		Non-D					13.22										
		2-Wire															
		Non-D					18.13										
		2-Wire															
		Non-D					27.26										
		2-Wire															
		Non-D					45.91										
	UNE	Port/Loo															
		2-Wire															
		Design					16.12										
		2-Wire															
		Design					20.98										
		2-Wire															
		Design					29.78										
		2-Wire															
		Design					47.95										
	UNE	Loop Ra															
		2-Wire		1	UEP95	UECS1	10.98										
		2-Wire		2	UEP95	UECS1	15.91										
		2-Wire		3	UEP95	UECS1	25.04										
		2-Wire		4	UEP95	UECS1	43.68										
		2-Wire		1	UEP95	UECS2	13.89										
		2-Wire		2	UEP95	UECS2	18.75										
		2-Wire		3	UEP95	UECS2	27.55										
		2-Wire		4	UEP95	UECS2	45.72										
	UNE	Port Rate															
	All States																
		2-Wire			UEP95	UEPYA	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP95	UEPYB	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP95	UEPYH	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP95	UEPYM	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP95	UEPYZ	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP95	UEPY9	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP95	UEPY2	2.23	40.31	19.84	24.90	6.58						
	AL, KY, LA, M																
		2-Wire			UEP95	UEPQA	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP95	UEPQB	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP95	UEPQH	2.23	40.31	19.84	24.90	6.58						

UNBUNDLED NET - Mississippi

Attachment: 2 Ex. A

CATEGORY	EMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	x from di		UEP95	UEPQM	2.23	108.35	70.57	54.24	11.70						
	2-Wire	ring Wire Service		UEP95	UEPQZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire	ated in on Digilink or equivalent		UEP95	UEPQ9	2.23	40.31	19.84	24.90	6.58						
	2-Wire	ated on 80 ice Term		UEP95	UEPQ2	2.23	40.31	19.84	24.90	6.58						
FL & GA Only																
Local Switchi																
	Centre	er port		UEP95	URECS	0.7947										
Feat s																
	All Star	per port		UEP95	UEPVF	2.56										
	All Sel	port		UEP95	UEPVS	0.00	404.98									
	All Ce	ated, per		UEP95	UEPVC	2.56										
NAR																
	Unbun	ister - Co		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbun	ister - Ind		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbun	ister - Ot		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc llaneou																
2-Wi Trunk				UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
	Trunk															
4-Wi Digital				UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS1 C			UEP95	M1HDO	0.00	14.56									
	DS0 C															
Inter ce Ch				UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoff	mination		UEP95	M1GBM	0.0098										
	Interoff	mile or fra of mile														
Feature Activa		ps on Ch ized DS1 Service														
D4 C nnel B																
	Featur	el Bank C Loop Slot		UEP95	1PQWS	0.57										
	Featur	el Bank F Side Loop Slot		UEP95	1PQW6	0.57										
	Featu	el Bank Loop														
	Slot			UEP95	1PQW7	0.57										
	Featur	el Bank Slot -														
	Differe			UEP95	1PQWP	0.57										
	Featur	el Bank Side Loop Slot		UEP95	1PQWV	0.57										
	Featu	el Bank Loop														
	Slot			UEP95	1PQWQ	0.57										
	Featur	el Bank W Loop Slot		UEP95	1PQWA	0.57										
Non- curring		ated with Centrex														
	NRC C	Signed Swi allowed														
	chang			UEP95	USAC2		0.10	0.10								
	Conve	Common B each		UEP95	USACN		37.97	16.68								
	New C	Block		UEP95	M1ACS	0.00	666.32									
	New C	mon Block		UEP95	M1ACC	0.00	666.32									
	NAR E	r Occasion		UEP95	URECA	0.00	72.63									
Addi nal No		IRC)														
	Unbun	Element End Use														
	Premis			UEP95	URETL		8.33	0.83								
	Unbun	Element Loop at														
	End Us			UEP95												
UNE CENTR		All States														
2-Wi VG Lo		Port (Centr Combo														
UNE rt/Loo		Non-Design														
	2-Wire	ode Port Combo														
	Non-D					13.22										

UNBUNDLED NET — Mississ

CATEGORY	ELEMENTS	Info	Zone		USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	rde Port	Combo -													
	Non-D															
	2-Wire	rde Port	Combo -													
	Non-D															
	2-Wire	rde Port	Combo													
	Non-D															
UNE	rt/Loo	esign)														
	2-Wire	rde Port	Combo -													
	Desig															
	2-Wire	rde Port	Combo -													
	Desig															
	2-Wire	rde Port	Combo -			29.78										
	Desig															
	2-Wire	rde Port	Combo -			47.95										
	Desig															
UNE	oop Ra															
	2-Wire	- Zone 1		1	UEP9D	UECS1	10.98									
	2-Wire	- Zone 2		2	UEP9D	UECS1	15.91									
	2-Wire	- Zone 3		3	UEP9D	UECS1	25.04									
	2-Wire	- Zone 4		4	UEP9D	UECS1	43.68									
	2-Wire	- Zone 1		1	UEP9D	UECS2	13.89									
	2-Wire	- Zone 2		2	UEP9D	UECS2	18.75									
	2-Wire	- Zone 3		3	UEP9D	UECS2	27.55									
	2-Wire	- Zone 4		4	UEP9D	UECS2	45.72									
UNE	ort Rat															
ALL	ATES															
	2-Wire	x) Basic			UEP9D	UEPYA	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x 800 te	Local													
	Area				UEP9D	UEPYB	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x / EBS-	ocal													
	Area				UEP9D	UEPYC	2.23	40.31	19.84	24.90	6.58					
	2-Wire	/ EBS	Local													
	Area				UEP9D	UEPYD	2.23	40.31	19.84	24.90	6.58					
	2-Wire	/ EBS	Local													
	Area				UEP9D	UEPYE	2.23	40.31	19.84	24.90	6.58					
	2-Wire	/ EBS	Local													
	Area				UEP9D	UEPYF	2.23	40.31	19.84	24.90	6.58					
	2-Wire	/ EBS-	Local													
	Area				UEP9D	UEPYG	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x / EBS	Basic Local													
	Area				UEP9D	UEPYT	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x / EBS-M	Basic Local													
	Area				UEP9D	UEPYU	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x / EBS-M	Basic Local													
	Area				UEP9D	UEPYV	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x / EBS-M	Basic Local													
	Area				UEP9D	UEPY3	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x with Call	Basic Local													
	Area				UEP9D	UEPYH	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x/Caller ID	Wtg Lamp													
	Indicat				UEP9D	UEPYW	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x/Msg Wtg	ication))4													
	Basic				UEP9D	UEPYJ	2.23	40.31	19.84	24.90	6.58					
	2-Wire	x from di	Center)													
	2.3-Ba				UEP9D	UEPYM	2.23	108.35	70.57	54.24	11.70					
	2-Wire	x/differ S	)2,3,4													
	Basic				UEP9D	UEPYO	2.23	108.35	70.57	54.24	11.70					
	2-Wire	x/differ S	9)2,3,4													
	Basic				UEP9D	UEPYP	2.23	108.35	70.57	54.24	11.70					

UNBUNDLED NET		- Mississippi															
CATEGORY		ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire			UEP9D	UEPYQ	2.23	108.35	70.57	54.24	11.70						
		Basic			UEP9D	UEPYR	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPYS	2.23	108.35	70.57	54.24	11.70						
		Basic			UEP9D	UEPY4	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPY5	2.23	108.35	70.57	54.24	11.70						
		Basic			UEP9D	UEPY6	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPY7	2.23	108.35	70.57	54.24	11.70						
		Basic			UEP9D	UEPYZ	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPY9	2.23	40.31	19.84	24.90	6.58						
		Basic			UEP9D	UEPY2	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQA	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQB	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQC	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQD	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQE	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQF	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQG	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQT	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQU	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQV	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQ3	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQH	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQW	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQJ	2.23	40.31	19.84	24.90	6.58						
		2-Wire			UEP9D	UEPQM	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQO	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQP	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQQ	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQR	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQS	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQ4	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQ5	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQ6	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQ7	2.23	108.35	70.57	54.24	11.70						
		2-Wire			UEP9D	UEPQZ	2.23	108.35	70.57	54.24	11.70						

UNBUNDL[illegible] NET

Missis[illegible]

CATEGORY	[illegible] EMENTS	Inter[illegible]	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	[illegible]ated in on [illegible] or equivalent		UEP9D	UEPQ9	2.23	40.31	19.84	24.90	6.58						
	2-Wire	[illegible]ated on [illegible]		UEP9D	UEPQ2	2.23	40.31	19.84	24.90	6.58						
	Loop Switchi															
	Centre	[illegible]er port		UEP9D	URECS	0.7947										
	Feat[illegible]															
	All Sta	[illegible]er port		UEP9D	UEPVF	2.56										
	All Sel	[illegible]port		UEP9D	UEPVS	0.00	404.98									
	All Ce	[illegible]ered, per		UEP9D	UEPVC	2.56										
	NAP															
	Unbun	[illegible]gister - Co[illegible]sion		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbun	[illegible]gister - Inva[illegible]		UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbun	[illegible]gister - Ou[illegible]		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Misc[illegible]aneous															
	2-Wi[illegible] Trunk															
	Trunk			UEP9D	CEND6	6.25	120.00	18.85	61.77	3.88						
	4-Wi[illegible] Digital															
	DS1 C			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 C	[illegible]annel		UEP9D	M1HDO	0.00	14.56									
	Inter[illegible]ffice Ch															
	Interoff	[illegible]rmination		UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoff	[illegible]r mile or fra[illegible]n of mile		UEP9D	M1GBM	0.0098										
	Featu[illegible] Activ	[illegible]ops on Cir[illegible]ad DS1 Service														
	D4 C[illegible]nnel B															
	Featu	[illegible]el Bank [illegible] Loop Slot		UEP9D	1PQWS	0.57										
	Featur	[illegible]el Bank Ex[illegible] Ring Loop Slot		UEP9D	1PQW6	0.57										
	Featu	[illegible]el Bank [illegible] Loop Slot		UEP9D	1PQW7	0.57										
	Featu	[illegible]el Bank [illegible] Loop Slot -		UEP9D	1PQWP	0.57										
	Differe															
	Featur	[illegible]el Bank Ex[illegible] Line Loop Slot		UEP9D	1PQWV	0.57										
	Featu	[illegible]el Bank [illegible] Loop		UEP9D	1PQWQ	0.57										
	Slot			UEP9D	1PQWA	0.57										
	Featur	[illegible]nel Bank W[illegible] Loop Slot														
	Non[illegible]recurring	[illegible]ated with [illegible]5 Centrex														
	[illegible]IRC [illegible]	[illegible]ined Sw[illegible] [illegible]allowed		UEP9D	USAC2		0.10	0.10								
	[illegible]change			UEP9D	USACN		37.97	16.68								
	Conver	[illegible]Common B[illegible] Loop		UEP9D	M1ACS	0.00	666.32									
	New C[illegible]	[illegible]n Block		UEP9D	M1ACC	0.00	666.32									
	New C[illegible]	[illegible]mon Block		UEP9D	URECA	0.00	72.63									
	NAR E[illegible]	[illegible]er Occasion														
	Addi[illegible]onal Ne[illegible]	[illegible](URC)														
	Unbun[illegible]	[illegible] Element, [illegible]e of End Use														
	Premis[illegible]			UEP9D	URETL		8.33	0.83								
	Unbun[illegible]	[illegible]e Element, Tw[illegible] Design Loop at														
	End Us[illegible]			UEP9D	URETN		11.19	1.10								
	UNE-P CENTR[illegible]	[illegible]AL, FL, KY, LA, MS & TN)														
	2-Wire VG Loo[illegible]	[illegible]n Port (Centrex) Combo														
	UNE Port/Loop[illegible]	[illegible](Non-Design)														
	2-Wire	[illegible]Grade Port ([illegible]ex) Port Combo -														
	Non-D[illegible]					13.22										
	2-Wire	[illegible]Grade Port ([illegible]ex)Port Combo -														
	Non-D[illegible]					18.13										
	2-Wire	[illegible]Grade Port ([illegible]ex)Port Combo -														
	Non-D[illegible]					27.26										
	2-Wire	[illegible]Grade Port ([illegible]ex) Port Combo -														
	Non-D[illegible]					45.91										

[illegible]sion [illegible]

UNBUNDLED NET... - Mississi...

CATEGORY			...SMENTS	Inter...	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE ...rt/Loo...		...esign)															
		2-Wire	...ade Port (... Port Combo -															
		Design						16.12										
		2-Wire	...ade Port (... Port Combo -															
		Design						20.98										
		2-Wire	...ade Port (... Port Combo -															
		Design						29.76										
		2-Wire	...ade Port ... Port Combo -															
		Design						47.95										
	UNE ...oop Rat...																	
		2-Wire	... Zone 1		1	UEP9E	UECS1	10.98										
		2-Wire	... Zone 2		2	UEP9E	UECS1	15.91										
		2-Wire	... Zone 3		3	UEP9E	UECS1	25.04										
		2-Wire	... Zone 4		4	UEP9E	UECS1	43.68										
		2-Wire	... Zone 1		1	UEP9E	UECS2	13.89										
		2-Wire	... Zone 2		2	UEP9E	UECS2	18.75										
		2-Wire	... Zone 3		3	UEP9E	UECS2	27.55										
		2-Wire	Zone 4		4	UEP9E	UECS2	45.72										
	UNE ...rt Rat...																	
	AL, ... KY, L...																	
		2-Wire	...) Basic ... Area			UEP9E	UEPYA	2.23	40.31	19.84	24.90	6.58						
		3-Wire	...800 ter... Basic Local Area			UEP9E	UEPYB	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...with Ca... Basic Local Area			UEP9E	UEPYH	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...from di... Wire Center			UEP9E	UEPYM	2.23	108.35	70.57	54.24	11.70						
		2-Wire	...ving Wire ... 800 Service			UEP9E	UEPYZ	2.23	108.35	70.57	54.24	11.70						
		2-Wire	...ted in on ... equivalent			UEP9E	UEPY9	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...ated on 80... Basic			UEP9E	UEPY2	2.23	40.31	19.84	24.90	6.58						
	AL, ... LA, M...																	
		2-Wire	...y)			UEP9E	UEPQA	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...y 800 term...			UEP9E	UEPQB	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...y with Call ...			UEP9E	UEPQH	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...from di... Center			UEP9E	UEPQM	2.23	108.35	70.57	54.24	11.70						
		2-Wire	...ving Wi... 800 Servic...			UEP9E	UEPQZ	2.23	108.35	70.57	54.24	11.70						
		2-Wire	...ted in on ... equivalent			UEP9E	UEPQ9	2.23	40.31	19.84	24.90	6.58						
		2-Wire	...ated on 80... Basic			UEP9E	UEPQ2	2.23	40.31	19.84	24.90	6.58						
	Local ...Switchi...																	
		Centr...	...per port			UEP9E	URECS	0.7947										
	Feat...s																	
		All Sta...	...per port			UEP9E	UEPVF	2.56										
		All Sel...	...port			UEP9E	UEPVS	0.00	404.98									
		All Ce...	...fered, per ...			UEP9E	UEPVC	2.56										
	NAR...																	
		Unbun...	...ister - Co...			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbun...	...ister - Indi...			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbun...	...ister - Ot...			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Misc...aneous																	
	2-Wir... Trunk ...																	
		Trunk ...				UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wi... Digital ...																	
		DS1 C...				UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54						

UNBUNDL[illegible] NET — Missis[illegible]

CATEGORY			EMENTS	Inter	Zone		USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
													OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS0 C	nnel			UEP9E	M1HDO	0.00	14.56									
	Inter ice Ch																	
		Interoff	rmination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interof	mile or fra t mile			UEP9E	M1GBM	0.0098										
	Featu Activ		ns on Cl ed DS1 Service															
	D4 C nnel P																	
		Featu	el Bank Loop Slot			UEP9E	1PQWS	0.57										
		Featu	el Bank Site Loop Slot			UEP9E	1PQW6	0.57										
		Featu	el Bank Loop															
		Slot				UEP9E	1PQW7	0.57										
		Featu	el Bank Slot -															
		Differe				UEP9E	1PQWP	0.57										
		Featu	nel Bank Line Loop Slot			UEP9E	1PQWV	0.57										
		Featu	el Bank Loop															
		Slot				UEP9E	1PQWQ	0.57										
		Featu	nel Bank W Loop Slot			UEP9E	1PQWA	0.57										
	Non-Recurrin		iated with D Centrex															
		NRC C	hined Sw allowed															
		chang				UEP9E	USAC2		0.10	0.10								
		Conve	Common Pl each			UEP9E	USACN		37.97	16.68								
		New C	Block			UEP9E	M1ACS	0.00	666.32									
		New C	on Block			UEP9E	M1ACC	0.00	666.32									
		MAR E	Occasio			UEP9E	URECA	0.00	72.63									
	Addi nal Ne		PC)															
		Unbun	Element End Use															
		Premir				UEP9E	URETL		8.33	0.83								
		Unbun	Element op at															
		End Us				UEP9E	URETN		11.19	1.10								
	UNE CENTR		, KY, LA, TN)															
	2-Wi G Lo		ort (Centr mbo															
	UNE rt/Loo		Non-Desig															
		2-Wir	de Port Combo -															
		Non-D						13.22										
		2-Wir	de Port Combo -															
		Non-D						19.13										
		2-Wir	de Port Combo -															
		Non-D						27.26										
		2-Wire	de Port Port Combo -															
		Non-D						45.91										
	UNE rt/Loo		Design)															
		2-Wire	de Port (Way) Port Combo -															
		Desig						16.12										
		2-Wire	de Port Port Combo -															
		Desig						20.98										
		2-Wire	de Port (Way) Port Combo -															
		Desig						29.78										
		2-Wire	de Port (Way) Port Combo -															
		Desig						47.95										
	UNE Loop Rat																	
		2-Wire	) - Zone 1		1	UEP93	UECS1	10.98										
		2-Wire	) - Zone 2		2	UEP93	UECS1	15.91										
		2-Wire	) - Zone 3		3	UEP93	UECS1	25.04										
		2-Wire	) - Zone 4		4	UEP93	UECS1	43.68										
		2-Wire	) Zone 1		1	UEP93	UECS2	13.89										
		2-Wire	) - Zone 2		2	UEP93	UECS2	18.75										
		2-Wire	) - Zone 3		3	UEP93	UECS2	27.55										
		2-Wire	) - Zone 4		4	UEP93	UECS2	45.72										

UNBUNDLED NET

Mississippi

CATEGORY	ELEMENTS	Inter	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port Rate																
AL, [illegible] LA, M																
	2-Wire [illegible] Basic [illegible] Area			UEP93	UEPYA	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] 800 term [illegible] Basic Local Area			UEP93	UEPYB	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] with Call [illegible] Basic Local Area			UEP93	UEPYH	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] from diff [illegible] Center			UEP93	UEPYM	2.23	108.35	70.57	54.24	11.70						
	2-Wire [illegible] ving Wire [illegible] 800 Service			UEP93	UEPYZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire [illegible] ated in on [illegible] equivalent - Basic			UEP93	UEPY9	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] ated on 8[illegible] - Basic			UEP93	UEPY2	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] ex)			UEP93	UEPQA	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] ex 800 term [illegible]			UEP93	UEPQB	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] ex with Call [illegible]			UEP93	UEPQH	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] ex from dif [illegible] Center			UEP93	UEPQM	2.23	108.35	70.57	54.24	11.70						
	2-Wire [illegible] ving Wire [illegible] 800 Service			UEP93	UEPQZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire [illegible] ated in on [illegible] or equivalent			UEP93	UEPQ9	2.23	40.31	19.84	24.90	6.58						
	2-Wire [illegible] ated on 8[illegible] wire term			UEP93	UEPQ2	2.23	40.31	19.84	24.90	6.58						
Local Switchi																
	Centr [illegible] per port			UEP93	URECS	0.7947										
Feat [illegible]																
	All Sta [illegible] per port			UEP93	UEPVF	2.56										
	All Ce [illegible] ered, per [illegible]			UEP93	UEPVC	2.56										
NAP [illegible]																
	Unbun [illegible] gister - Co [illegible]			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbun [illegible] gister - Indi [illegible]			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbun [illegible] gister - Ou [illegible]			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc [illegible] aneous																
2-Wi [illegible] Trunk																
	Trunk [illegible]			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wi [illegible] Digital																
	DS1 C [illegible]			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 C [illegible] Channel			UEP93	M1HDO	0.00	14.56									
Inter [illegible] ffice Ch [illegible]																
	Interoff [illegible] mination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoff [illegible] r mile or fraction of mile			UEP93	M1GBM	0.0098										
Feat [illegible] Activa [illegible]	oops on Cha [illegible] ized DS1 Service															
D4 C [illegible] annel B [illegible]																
	Featur [illegible] el Bank C [illegible] Loop Slot			UEP93	1PQWS	0.57										
	Featur [illegible] el Bank [illegible] Side Loop Slot			UEP93	1PQW6	0.57										
	Featur [illegible] el Bank [illegible] Loop Slot			UEP93	1PQW7	0.57										
	Featur [illegible] el Bank [illegible] Slot - Differ [illegible]			UEP93	1PQWP	0.57										
	Featur [illegible] el Bank [illegible] Line Loop Slot			UEP93	1PQWV	0.57										
	Featur [illegible] el Bank [illegible] Loop Slot			UEP93	1PQWQ	0.57										
	Featur [illegible] nel Bank WA [illegible] Loop Slot			UEP93	1PQWA	0.57										
Non- [illegible] curring [illegible]	ciated with [illegible] B Centrex															

UNBUNDLED NET

Mississ

CATEGORY	EMENTS	Interim	Zone		USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	IRC (															
	Chang															
	Conve															
	New C															
	New C															
	NAR E															
	Addi															
	Unbur															
	Premis															
	Unbur															
	End U															
	Note															
	Note															
	Note															
	Note															
	Note															

		Signed Swi	allowed													
		Common				UEP93	USAC2		0.10	0.10						
		Block				UEP93	USACN		37.97	16.68						
		Block				UEP93	M1ACS	0.00	666.32							
		Occasio				UEP93	M1ACC	0.00	666.32							
		(PC)				UEP93	URECA	0.00	72.63							
		Element	d Use													
						UEP93	URETL		8.33	0.83						
		Element	op at			UEP93	URETN		11.19	1.10						
		ntrol in 1	ESS & EWSD													
		Mileage														
		Installatio	harge for SL2 Loop and	Port												
		Premises E														
		m column	terim as a result of a	mmission order.												

- North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Inte	Zone	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	r stand-alone loops or loops as part of a combination														
	h.com/become_a_clec/html/interconnection.htm														
OPERATI	"REGIONAL RATES"														
	ontract negotiator if it prefers the "state specific" OSS														
	ssion ordered rates for the service ordering charges, or CLEC														
	rdered electronically will be billed according to the SOM														
	resent per the LOH, the listed SOMEC														
	it submits an LSR to BellSouth.														
	Charge, Per Local Service			SOMEC		3.50	0.00	3.50	0.00						
	Charge, Per Local Service			SOMAN		15.20	0.00	15.20	0.00						
UNE SER	GE														
	aintained commensurate with BellS			FCC No.		ection 5 as applicable.									
				UAL		UCL,									
				UE		EQ,									
				UD		UDN,									
				UEA		LC,									
				US		U1T48,									
				U1T		03,									
				U1T		03,									
				U1TS		X,									
				UC1R		BL,									
				UC1G		CL,									
				UC1D		DL,									
				UC1E		EL,									
				UC1F		FL,									
				UC1G		GL,									
				UC1		HL,									
				UDL		18,									
				UDL		SX,									
				UE1		2,									
				UL1D		D1,									
				UL1D		DX,									
				UL1D		S1,									
				UL1D		SX,									
				UNC		DX,									
				UNC		SX,									
				UNC		LD1,									
				UNLD		D1,									
				UXT		S1,									
				U1TU		UD,									
	it or Line Assignable USOC, per			U1TU		A	SDASI		200.00						
UNBUND															
	OP														
	p - Service Level 1- Zone 1		1	UEAN			UEAL2	12.11	57.99	42.37					
	p - Service Level 1- Zone 2		2	UEAN			UEAL2	21.24	57.99	42.37					
	p - Service Level 1- Zone 3		3	UEAN			UEAL2	33.65	57.99	42.37					
	p - Service Level 1- Zone 1		1	UEAN			UEASL	12.11	57.99	42.37					
	p - Service Level 1- Zone 2		2	UEAN			UEASL	21.24	57.99	42.37					
	p - Service Level 1- Zone 3		3	UEAN			UEASL	33.65	57.99	42.37					
	Element, Tag Loop at End User														
				UEAN			URETL		8.33	0.83					
	our			UEAN			URET1		76.24	76.24					
	Half Hour			UEAN			URETA		39.51	39.51					

- North Carolina

CATEGO	ELEMENTS	Interim	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rge Without Outside Dispatch			UEA	UREWO		15.76	8.93								
	sign Voice Loop, billing for BST			UEA	UEANM		28.74	28.74								
	Information - E.L)			UEA	UEAMC		61.38	61.38								
	UVL-SL1s (per loop)			UEA	OCOSL		45.34	45.34								
	Conversion Time - UVL-SL1			UEA												
2																
	- Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60								
	- Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60								
	- Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60								
	Element, Two Loop - End User			UEQ	URETL		8.33	0.83								
	ire Unbundled Copper Loop -			UEQ	USBMC		61.38	61.38								
	Design Copper Loop, billing for															
BS	eering Information - E.L)			UEQ	UEQMU		28.74	28.74								
	our			UEQ	URET1		76.24	76.24								
	Half Hour			UEQ	URETA		39.51	39.51								
	rge Without Outside Dispatch			UEQ	UREWO		14.26	7.42								
UNBUNDI	XC	CF														
2	AN	CF	OP													
	n-Service Level 1 Line Splitting-															
			1	UEA	UEALS	12.11	57.99	42.37	0.00	0.00						
	n-Service Level 1 Line Splitting-															
			1	UEA	UEABS	12.11	57.99	42.37	0.00	0.00						
	n- Service Level 1 Line Splitting-															
			2	UEA	UEALS	21.24	57.99	42.37	0.00	0.00						
	n- Service Level 1 Line Splitting-															
			2	UEA	UEABS	21.24	57.99	42.37	0.00	0.00						
	n-Service Level 1 Line Splitting-															
			3	UEA	UEALS	33.65	57.99	42.37	0.00	0.00						
	n-Service Level 1 Line Splitting-															
			3	UEA	UEABS	33.65	57.99	42.37	0.00	0.00						
UNBUND	XC	CF														
2	AN	CF	OP													
	p - Service Level 2 w/Loop or															
	1		1	UEA	UEAL2	14.97	142.97	106.56								
	p - Service Level 2 w/Loop or															
	2		2	UEA	UEAL2	25.93	142.97	106.56								
	p - Service Level 2 w/Loop or															
	3		3	UEA	UEAL2	40.81	142.97	106.56								
	d Conversion Time (per LSR)			UEA	OCOSL		45.34									
	n - Service Level 2 w/Reverse															
			1	UEA	UEAR2	14.97	142.97	106.56								
	p - Service Level 2 w/Reverse															
			2	UEA	UEAR2	25.93	142.97	106.56								
	n - Service Level 2 w/Reverse															
			3	UEA	UEAR2	40.81	142.97	106.56								
	d Conversion Time (per LSR)			UEA	OCOSL		45.34									
	rge without outside dispatch			UEA	UREWO		87.64	36.33								
	(SL2)			UEA	URETL		11.20	1.10								
4	AN	CF	OP													
	p - Zone 1		1	UEA	UEAL4	21.32	288.47	237.45								
	p - Zone 2		2	UEA	UEAL4	36.27	288.47	237.45								
	p - Zone 3		3	UEA	UEAL4	56.57	288.47	237.45								
	d Conversion Time (per LSR)			UEA	OCOSL		45.34									
	rge without outside dispatch			UEA	UREWO		87.64	36.33								

- North Carolina

CATEGO	ELEMENTS	Interim	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	n - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31								
	n - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31								
	n - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31								
	d Conversion Time (per LSR)			UDN	OCOSL		45.34									
	arge without outside dispatch			UDN	UREWO		91.55	44.12								
	IBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UAL	UAL2X	11.00	264.71	145.60								
	including manual service inquiry		2	UAL	UAL2X	18.39	264.71	145.60								
	including manual service inquiry		3	UAL	UAL2X	28.42	264.71	145.60								
	d Conversion Time (per LSR)			UAL	OCOSL		45.34									
	without manual service inquiry &		1	UAL	UAL2W	11.00	190.25	114.82								
	without manual service inquiry &		2	UAL	UAL2W	18.39	190.25	114.82								
	without manual service inquiry &		3	UAL	UAL2W	28.42	190.25	114.82								
	d Conversion Time (per LSR)			UAL	OCOSL		45.34									
	arge without outside dispatch			UAL	UREWO		86.12	40.36								
	SCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL2X	9.01	284.74	163.54								
	including manual service inquiry		2	UHL	UHL2X	14.87	284.74	163.54								
	including manual service inquiry		3	UHL	UHL2X	22.82	284.74	163.54								
	d Conversion Time (per LSR)			UHL	OCOSL		45.34									
	without manual service inquiry		1	UHL	UHL2W	9.01	207.48	132.05								
	without manual service inquiry		2	UHL	UHL2W	14.87	207.48	132.05								
	without manual service inquiry		3	UHL	UHL2W	22.82	207.48	132.05								
	d Conversion Time (per LSR)			UHL	OCOSL		45.34									
	arge without outside dispatch			UHL	UREWO		86.06	40.36								
	SCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL4X	10.62	341.65	220.45								
	including manual service inquiry		2	UHL	UHL4X	17.67	341.65	220.45								
	including manual service inquiry		3	UHL	UHL4X	27.24	341.65	220.45								
	d Conversion Time (per LSR)			UHL	OCOSL		45.34									
	without manual service inquiry		1	UHL	UHL4W	10.62	264.39	188.96								
	without manual service inquiry		2	UHL	UHL4W	17.67	264.39	188.96								
	without manual service inquiry		3	UHL	UHL4W	27.24	264.39	188.96								
	d Conversion Time (per LSR)			UHL	OCOSL		45.34									
	arge without outside dispatch			UHL	UREWO		86.06	40.36								
	1		1	USL	USLXX	47.60	714.84	421.47								
	2		2	USL	USLXX	84.36	714.84	421.47								
	3		3	USL	USLXX	134.29	714.84	421.47								
	d Conversion Time (per LSR)			USL	OCOSL		48.31									

- North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Int	Zone		USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rge without outside dispatch			USI	UREWO		100.99	43.00								
	GRADE LOOP															
	Kbps		1	UDL	UDL19	25.32	489.04	337.51								
	Kbps		2	UDL	UDL19	43.11	489.04	337.51								
	Kbps		3	UDL	UDL19	67.26	489.04	337.51								
	56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51								
	56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51								
	56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51								
	d Conversion Time (per LSR)			UDL	OCOSL		45.34									
	64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51								
	64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51								
	64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51								
	d Conversion Time (per LSR)			UDL	OCOSL		45.34									
	rge without outside dispatch			UDL	UREWO		102.03	49.70								
	n-Designed including manual															
	tion - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
	n-Designed including manual															
	tion - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
	n-Designed including manual															
	tion - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
	led Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	n-Designed without manual															
	vation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96								
	n-Designed without manual															
	vation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96								
	n-Designed without manual															
	vation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96								
	led Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	rge without outside dispatch			UCL	UREWO		97.14	42.44								
	manual service inquiry and facility		1	UCL	UCL4S	17.36	311.03	191.93								
	manual service inquiry and facility		2	UCL	UCL4S	29.61	311.03	191.93								
	manual service inquiry and facility		3	UCL	UCL4S	46.26	311.03	191.93								
	led Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	nual service inquiry and facility		1	UCL	UCL4W	17.36	236.57	161.14								
	nual service inquiry and facility		2	UCL	UCL4W	29.61	236.57	161.14								
	nual service inquiry and facility		3	UCL	UCL4W	46.26	236.57	161.14								
	led Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	rge without outside dispatch			UCL	UREWO		97.14	42.44								
LOOP MO	CATI															
	Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSR	ULM2L		21.24	21.24								
	Removal of Load Coils - 4 Wire			UHL, UCL, UEA	ULM4L		21.24	21.24								
	Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSR	ULMBT		24.84	24.84								

- North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOC																
	...tion - CLEC Feeder Facility Set-			UEANL	USBSA		373.57									
	...ation - Per 25 Pair Panel Set-Up			UEANL	USBSB		33.78									
	...ment Room - CLEC Feeder			UEANL	USBSC		234.76									
	...ment Room - Per 25 Pair Panel			UEANL	USBSD		81.05									
	...e Analog Voice Grade Loop -		1	UEANL	USBN2	7.31	126.03	54.54								
	...e Analog Voice Grade Loop -		2	UEANL	USBN2	11.93	126.03	54.54								
	...e Analog Voice Grade Loop -		3	UEANL	USBN2	18.20	126.03	54.54								
	...led Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	...e Analog Voice Grade Loop -		1	UEANL	USBN4	8.44	156.52	79.66								
	...e Analog Voice Grade Loop -		2	UEANL	USBN4	13.81	156.52	79.66								
	...e Analog Voice Grade Loop -		3	UEANL	USBN4	21.10	156.52	79.66								
	...led Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	...Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20								
	...led Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	...Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82								
	...led Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	...Hour			UEANL	URET1		76.24	76.24								
	...Half Hour			UEANL	URETA		39.51	39.51								
	...Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24								
	...Loop Distribution - Zone 2		2	UEF	UCS2X	9.70	137.10	60.24								
	...Loop Distribution - Zone 3		3	UEF	UCS2X	14.59	137.10	60.24								
	...led Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	...Loop Distribution - Zone 1		1	UEF	UCS4X	6.58	162.24	85.38								
	...Loop Distribution - Zone 2		2	UEF	UCS4X	10.51	162.24	85.38								
	...Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38								
	...led Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	...Hour			UEF	URET1		76.24	76.24								
	...Half Hour			UEF	URETA		39.51	39.51								
	...(UNTW)															
	...g Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98									
	...1-2 lines			UENTW	UND12		86.37	56.69								
	...1-6 lines			UENTW	UND16		127.93	98.21								
	...Connect - 2 W			UENTW	UNDC2		11.68	11.68								
	...Connect - 4W			UENTW	UNDC4		11.68	11.68								
UNE O	...E															
	...er for NID installation			UENTW	UNDBX	0.00	0.00									
	...Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	...visioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE O	...E															

- North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	sioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00									
	Wire Cross Box Jumper - no			UEA,UDL,UCL,UDC	USBFQ	0.00	0.00									
	Wire Cross Box Jumper - no			UEA,UCL,UDL	USBFR	0.00	0.00									
	ame Format Option - no rate			USI	CCOSF	0.00	0.00									
	rd Superfrm Format option -			USI	CCOEF	0.00	0.00									
HIGH CA																
	Loop - DS1 Per Mile per			UE3	1L5ND	13.33										
	Loop - DS1 Facility			UE3	UE3PX	450.69	1,231.65	743.038								
	Loop - STS1 Per Mile per			UDLSY	1L5ND	13.33										
	Loop - STS1 - Facility			UDLSY	UDLS1	464.26	1,231.65	743.038								
LOOP MU																
	hout Reservation, per working or			UMK	UMKLW		55.44	55.44								
	Reservation per spare facility			UMK	UMKLP		55.73	55.73								
	Reservation per working or ert)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SP																
	PICE BASED															
	n DLEC owned splitter			UEPSB,UEPSB	UREOS	0.61										
	n BST owned - physical			UEPSB,UEPSB	UREBP	0.61	56.92	28.59								
	n BST owned - virtual			UEPSB,UEPSB	UREBV	0.61	56.92	28.59								
MAINTE																
	naintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	ur increments - Basic						80.00	55.00								
	ur increments - Overtime						90.00	65.00								
	ur increments - Premium						100.00	75.00								
UNBUN																
	ED TRANSPORT															
	Transport - 2-Wire Voice Grade -			U1TVX	1L5XX	0.0125										
	Transport - 2-Wire Voice Grade -			U1TVX	U1TV2	18.00	137.48	52.58								
	Transport - 2-Wire Voice Grade			U1TVX	1L5XX	0.0125										
	Transport - 2-Wire V/G Rev Bat. -			U1TVX	U1TR2	18.00	137.48	52.58								
	Transport - 4-Wire Voice Grade -			U1TVX	1L5XX	0.0125										
	Transport - 4-Wire Voice Grade			U1TVX	U1TV4	22.16	106.11	65.95								
	Transport - 56 kbps - per mile			U1TDX	1L5XX	0.0282										
	Transport - 56 kbps - Facility			U1TDX	U1TD5	17.40	137.48	52.58								
	Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0282										
	Transport - 64 kbps - Facility			U1TDX	U1TD6	17.40	137.48	52.58								

UNBUN		S - North Carolina											Attachment: 2 Ex. A			
CATEGO		ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Channel - Per Mile per			U1TD1	1L5XX	0.5753										
		Tranport - Facility			U1TD1	U1TF1	71.29	217.17	163.75								
		Transport - Per Mile per			U1TD3	1L5XX	12.98										
		Transport - Facility			U1TD3	U1TF3	720.38	794.94	579.55								
		Transport - Per Mile per			U1TS1	1L5XX	6.14										
		Transport - Facility			U1TS1	U1TFS	790.37	642.23	408.89								
DARK FI																	
		Per Route or Fraction															
		nnel			UDF, UDFCX	1L5DC	73.65										
		Per Route or Fraction															
		Channel			UDF, UDFCX	1L5DF	27.71										
		hannel			UDF, UDFCX	UDF14		1,807.00	562.96								
		Per Route or Fraction															
					UDF, UDFCX	1L5DL	73.65										
8XX ACC																	
		g, Per Call					0.0005										
LINE INF		IDB)															
		uery					0.00003										
							0.0134										
		tablishment - Change			OOU	NRBPX		62.26									
CALLING																	
		s, Per Quer					0.0009592										
LNP Que																	
							0.0007579										
		nual						12.16									
		Point Code Establishment						576.33	294.43								
SELECT																	
		ne Class Per Request Per						188.59									
VIRTUA																	
		Connection) for Line			UEPSP,UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
PHYSICA																	
		ss Connection Loop) for Line			UEPSP,UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00						
AIN SEL																	
								215,597.00									
								347.27									
							0.0053758										
AIN - BE		CE															
		ce Establishment, Per State,			A1N	CAMSE		294.77									
		Connection, Dial/Shared Access			A1N	CAMDP		86.94									
		Connection, ISDN Access			A1N	CAM1P		86.94									
		Identification Codes, Per User			A1N	CAMAU		200.83									
		rity Card, Per User ID Code,			A1N	CAMRC		172.05									
		age, Per Unit (100 Kilobytes)					0.0023										
		ssion, Per Minute					0.0791										
		pany Performed Session, Per					2.08										

UNBUN - North Carolina

CATEGO	ELEMENTS	Inter	Zone	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ENHANC	TE														
	The			n-recurring Charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.											
	The			n Switch-As-Is Charge and not the re	curring charges	ow will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.									
	WI			SE IN A COMBINATION											
	2		1	UNCVX	UEAL2	14.97	142.97	106.56							
	2		2	UNCVX	UEAL2	25.93	142.97	106.56							
	2		3	UNCVX	UEAL2	40.81	142.97	106.56							
	WI			UNCVX	1D1VG	1.27	13.09	9.38							
	W			SE IN A COMBINATION											
	4		1	UNCVX	UEAL4	21.32	288.47	237.45							
	4		2	UNCVX	UEAL4	36.27	288.47	237.45							
	4		3	UNCVX	UEAL4	56.57	288.47	237.45							
	W			UNCVX	1D1VG	1.27	13.09	9.38							
	56			USE IN A COMBINATION											
	4		1	UNCDX	UDL56	25.32	489.04	337.51							
	4		2	UNCDX	UDL56	43.11	489.04	337.51							
	4		3	UNCDX	UDL56	67.26	489.04	337.51							
	D			UNCDX	1D1DD	2.00	15.76	11.28							
	64			USE IN A COMBINATION											
	4		1	UNCDX	UDL64	25.32	489.04	337.51							
	4		2	UNCDX	UDL64	43.11	489.04	337.51							
	4		3	UNCDX	UDL64	67.26	489.04	337.51							
	D			UNCDX	1D1DD	2.00	15.76	11.28							
	IS			MBINATION											
	2		1	UNCNX	U1L2X	19.42	325.91	251.31							
	2		2	UNCNX	U1L2X	32.88	325.91	251.31							
	2		3	UNCNX	U1L2X	51.14	325.91	251.31							
	2			UNCNX	UC1CA	3.59	15.76	11.28							
	DS			E IN A COMBINATION											
	1		1	UNC1X	USLXX	47.60	714.84	421.47							
	1		2	UNC1X	USLXX	84.36	714.84	421.47							
	1		3	UNC1X	USLXX	134.29	714.84	421.47							
	DS			UNC1X	UC1D1	16.07	13.09	9.38							
	W			TRANSPO FOR USE IN A COMBINATION											
				- Dedicate Per Mile Per											
	M			UNCVX	1L5XX	0.0282									
				- Dedicate Facility											
	Te			UNCVX	U1TV2	18.00	137.48	52.58							
	W			E TRANSPO FOR USE IN A COMBINATION											
				- Dedicate Per Mile Per											
	M			UNCVX	1L5XX	0.0282									
				- Dedicated Facility											
	Te			UNCVX	U1TV4	22.16	106.11	65.95							
	TE	RA		COMBINATION											
				- DS1 co ination Per Mile											
	pe			UNC1X	1L5XX	16.07									
				- DS1 combination - Facility											
	Te			UNC1X	U1TF1	71.29	217.17	163.75							
	TE	RA		R USE IN A COMBINATION											
				- DS3 combination - Per Mile											
	Pe			UNC3X	1L5XX	12.98									
				- DS3 - Facility Termination per											
	mo			UNC3X	U1TF3	720.38	794.94	579.55							
	NTE	TR		OR USE IN COMBINATION											
				- STS-1 co ination - Per Mile											
	Pe			UNCSX	1L5XX	6.14									
				- STS-1 co ination - Facility											
	Te			UNCSX	U1TFS	790.37	642.23	408.89							
	56			H 56 KBPS INTEROFFICE TRANSPO											

UNBUN... - North Carolina

Attachment: 2 Ex. A

CATEGO...	...LEMENTS	Inter...	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...ombination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	...ombination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	...ombination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	...d - 4-wire 56 ... combination -			UNCDX	1L5XX	0.0282										
	...d - 4-wire 56 ... combination -			UNCDX	U1TD5	17.40	137.48	52.58								
	...D LOOP WIT... 64 KBPS INTEROFFICE TRANSPORT															
	...ombination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	...ombination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	...ombination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	...d - 4-wire 64 ... combination -			UNCDX	1L5XX	0.0282										
	...d - 4-wire 64 ... combination -			UNCDX	U1TD6	17.40	137.48	52.58								
	...D LOOP WIT... DS0 INTEROFFICE TRANSPORT															
	...ombination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	...ombination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	...ombination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	...sport - Ded... - Per Mile per			UNCDX	1L5XX	0.0282										
	...sport - Dedi... - Facility			UNCDX	U1TD5	17.40	137.48	52.58								
	...D LOOP WIT... DS0 INTEROFFICE TRANSPORT															
	...ombination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	...ombination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	...ombination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	...sport - Ded... - Per Mile per			UNCDX	1L5XX	0.0282										
	...sport - Dedi... - Facility			UNCDX	U1TD6	17.40	137.48	52.58								
	...OFFICE TRANSPORT															
	...bination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
	...bination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	...bination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	...d - DS1 per ... Per Mile			UNC1X	1L5XX	16.07										
	...d - DS1 cor... Facility			UNC1X	U1TF1	71.29	217.17	163.75								
	...ED DS3 INTE... FICE TRANSPORT															
	... per mile per month			UNC3X	1L5ND	13.33										
	... - Facility Ter...nation per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
	...d - DS3 - Per ...e per month			UNC3X	1L5XX	12.98										
	...d - DS3 cor... - Facility			UNC3X	U1TF3	720.38	794.94	579.55								
	...TED STS-1 I... EROFFICE TRANSPORT															
	... - per mile p... month			UNCSX	1L5ND	13.33										
	... - Facility ...ination per			UNCSX	UDLS1	464.26	1,071.00	646.12								
	...d - STS-1 p... ...ation - per mile			UNCSX	1L5XX	6.14										
	...d - STS-1 p... ...ation - Facility			UNCSX	U1TFS	790.37	642.23	408.89								
ADDITIO...																
	...combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	...etwork elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	...etwork Elements "Switch As Is" Charge (One applies to each combination)															

- North Carolina

INBUN													Attachment: 2 Ex. A			
ATEGO	ELEMENTS	Interim	Zone	RQS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	od Network ents Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		21.75	21.75	32.28	10.96						
	ded Frame n - per DS1			U1TD1 ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOpt per DS1			U1TD ULDD IC1X	CCOSF		0.00	0.00	0.00	0.00						
	SF) Optio equipment			ULDD1 D1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
	t Activity - DS3			U1TD3, ULDD3, UE3, UNC1V	NRCC3		218.92	7.66	0.7576	0.00						
	er month			UNC1V	MQ1	146.69	197.78	140.06								
	DS0 Chann stem per			UDL	1D1DD	2.00	13.09	9.38								
	DS0 Chann ystem - per nection to a anelized DS1			U1TUD	1D1DD	2.00	13.09	9.38								
	C as collocat															
	1 to DS0 C el Systsem - per			UDN	UC1CA	3.59	13.09	9.38								
	1 to DS0 C el Systsem - per channelized Local Channel			U1TUR	UC1CA	3.59	13.09	9.38								
	Channel S per month			UEA	1D1VG	1.27	13.09	9.38								
	Channel S per month lized DS1 Channel in the			U1TUC	1D1VG	1.27	13.09	9.38								
	er month			UNC3X	MQ3	233.10	403.97	234.40								
	per month			UNCSX	MQ3	233.10	403.97	234.40								
	month			USL	UC1D1	16.07	13.09	9.38								
	to a chan d DS1 Local allocation) month			U1TUA	UC1D1	16.07	13.09	9.38								
	Channel pe month			U1TD1	UC1D1	16.07	13.09	9.38								
	used with Channel per			ULDD1	UC1D1	16.07	13.09	9.38								
NBUND	G(PORTS)															
	Reflected Ho Apply to Embedded Base Switching Ports as of March 10, 2005															
	ed Rates Plus $1.00 in Accordance with the TRRO.															
	des all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	ATES (RES)															
	g Line Port- Res.			UEPSR	UEPRL	3.19	21.60	21.60								
	g Line Port with Caller ID - Res.			UEPSR	UEPRC	3.19	21.60	21.60								
	log Line Port outgoing only - Res.			UEPSR	UEPRO	3.19	21.60	21.60								
	bundled res usage line port			UEPSR	UEPAP	3.19	21.60	21.60								
	sage Line P ithout Caller ID			UEPSR	UEPRT	3.19	21.60	21.60								
	Port without ller ID capability,			UEPSR	UEPRZ	3.19	21.60	21.60								
	Port with C ID capability,			UEPSR	UEPRY	3.19	21.60	21.60								
				UEPSR	USASC	0.00	0.00	0.00								
				UEPSR	UEPVF	3.40	0.00	0.00								

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	ATES (BUS)															
	Line Port ut Caller ID -			UEPSB	UEPBL	3.19	21.60	21.60								
	undled Li rt with															
	M ID - Bus			UEPSP	UEPBC	3.19	21.60	21.60								
	Line Port outgoing only - Bus.			UEPSP	UEPBO	3.19	21.60	21.60								
	undled inc only port with			UEPSP	UEPB1	3.19	21.60	21.60								
	g Only Po ut Caller ID			UEPSB	UEPBE	3.19	21.60	21.60								
				UEPSP	USASC	0.00	0.00	0.00								
F																
	All			UEPSP	UEPVF	3.40	0.00	0.00								
F	X)															
	BX Trunk - Bus			UEPSE	UEPRD	3.18	21.60	21.60								
	2-Way PBX Trunk - Bus			UEPSP	UEPPC	3.18	21.60	21.60								
	Outward PBX Trunk - Bus			UEPSP	UEPPO	3.18	21.60	21.60								
	Incoming PBX Trunk - Bus			UEPSP	UEPP1	3.18	21.60	21.60								
	erminal PBX unk - Bus			UEPSP	UEPLD	3.18	21.60	21.60								
	D Terminal Ports			UEPSP	UEPLD	3.18	21.60	21.60								
	PBX Usage			UEPSP	UEPXA	3.18	21.60	21.60								
	oll Terminal otel Ports			UEPSP	UEPXB	3.18	21.60	21.60								
	D DDD Terminals Port			UEPSP	UEPXC	3.18	21.60	21.60								
	D Terminal witchboard Port			UEPSP	UEPXD	3.18	21.60	21.60								
	D Terminal witchboard IDD			UEPSP	UEPXE	3.18	21.60	21.60								
	PBX Hotel ospital Economy			UEPSP	UEPXL	3.18	21.60	21.60								
	PBX Hotel ospital Economy			UEPSP	UEPXM	3.18	21.60	21.60								
	Outgoing Hotel/Hospital			UEPSP	UEPXO	3.18	21.60	21.60								
	Outgoing Measured Port			UEPSP	UEPXS	3.18	21.60	21.60								
				UEPSP	USASC	0.00	0.00	0.00								
F																
	All			UEPSP UEPSE	UEPVF	3.40	0.00	0.00								
	ted with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	cket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
2	ATES (DID)															
	Port			UEPEX	UEPP2	13.36	81.84	81.84								
2	ATES (ISDN BRI)															
	Port (See Note below.)			UEPTX, UEPSX	U1PMA	25.50	62.29	62.29								
	All			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
	Port -- Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	ted with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	cket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
	ALL FORWARDING CAPABILITY															
	ARDING SERVICE - RESIDENCE															
	rding Servic a Calling, Res			UEPVP	UERAC	3.19	21.60	21.60								
	rding Service ocal Calling - Res			UEPVR	UERLC	3.19	21.60	21.60								
	rding Servic terLATA - Res			UEPVR	UERTE	3.19	21.60	21.60								
	rding Servic traLATA - Res			UEPVR	UERTR	3.19	21.60	21.60								
	rding Servic Conversion -			UEPVR	USAC2		2.77	0.40								
	rding Servic Conversion with			UEPVR	USACC		2.77	0.40								
	ARDING - Bus															

- North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS Rates ($) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l SOMAN
	ding Servic ea Calling - Bus			UEPVB	UERAC	3.19	21.60	21.60								
	ding Servic cal Calling - Bus			UEPVB	UERLC	3.19	21.60	21.60								
	ding Servic erLATA - Bus			UEPVB	UERTE	3.19	21.60	21.60								
	ding Servic ral ATA - Bus			UEPVB	UERTR	3.19	21.60	21.60								
	ding Servi and			UEPVB	UERVJ	3.19	21.60	21.60								
	ding Servic nversion -			UEPVB	USAC2		2.77	0.40								
	ding Servic nversion with			UEPVB	USACC		2.77	0.40								
NBUND	AGE															
	Per MOU					0.0015										
	Per MOU					0.00023										
	al or Access ndem)															
	r MOU					0.0006										
	er MOU					0.0003										
	r MOU (Mel					0.00024618										
	er MOU (M					0.00012309										
	Rate															
	Per MOU					0.00001										
	Termination Per MOU					0.00034										
NBUND	COST BAS RATES															
	BellSouth quired by FCC a id State Commission rule to provide Unbundled Local Switching or															
	eflected in Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the															
	in Accorda with the TRRO.															
	ed Port/Loo ombination - Cost Based Rate section in the same manner as they are applied to the Stand-															
	s Rate Exhibit															
	Usage and Common Transport Usage ates in the Port section of this rate exhibit shall apply to all															
	lements excep for UNE Coin Port/Loop Combinations.															
	urring charg apply to Not Curren Combined Combos. For Currently Combined Combos the															
	identified in e Nonrecurring - Curr ly Combined sections.															
	-WIRE LINE RT (PES)															
	Zone 1					14.03										
	Zone 2					22.33										
	Zone 3					33.61										
	) - Zone 1		1	UEPRX	UEPLX	10.75										
	) - Zone 2		2	UEPRX	UEPLX	19.05										
	) - Zone 3		3	UEPRX	UEPLX	30.33										
	(Res)															
	esidence			UEPRX	UEPRL	3.28	79.59	63.97								
	ith Caller ID - res			UEPRX	UEPRC	3.28	79.59	63.97								
	utgoing only - res			UEPRX	UEPRO	3.28	79.59	63.97								
	w usage line and with Caller ID			UEPRX	UEPAP	3.28	79.59	63.97								
	sage Line Por without Caller ID			UEPRX	UEPRT	3.28	79.59	63.97								
	Port without aller ID capability,			UEPRX	UEPRZ	3.28	79.59	63.97								
	Port without aller ID capability,			UEPRX	UEPRY	3.28	79.59	63.97								

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEPRX	UEPVF	3.40	0.00	0.00								
	CURRENTLY COMBINED															
	Port Combination - Conversion -			UEPRX	USAC2		2.77	0.40								
	Port Combination - Conversion -			UEPRX	USACC		2.77	0.40								
	Port Combination - Conversion -						1.42									
	Port Platform Installation - Not Conversion of Existing			UEPRX	URECC		2.77									
	Port Combination - Subsequent			UEPRX	USAS2	0.00	0.00	0.00								
	Element, Loop or End User			UEPRX	URETL		8.33	0.83								
	CHANNELS															
	Extension Loop Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37								
	Extension Loop Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37								
	Extension Loop Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37								
	Extension Loop Design		1	UEPRX	UEAED	14.97	142.97	106.56								
	Extension Loop Design		2	UEPRX	UEAED	25.93	142.97	106.56								
	Extension Loop Design		3	UEPRX	UEAED	40.81	142.97	106.56								
	2 Wire V Grade - Facility			UEPRX	U1TV2	18.00	137.48	52.58								
	2 Wire V Grade - Per Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
	WIRE LINE PORT (BUS)															
	Zone 1					14.03										
	Zone 2					22.33										
	Zone 3					33.61										
	- Zone 1		1	UEPBX	UEPLX	10.75										
	- Zone 2		2	UEPBX	UEPLX	19.05										
	- Zone 3		3	UEPBX	UEPLX	30.33										
	thout Caller ID - Bus			UEPBX	UEPBL	3.28	79.59	63.97								
	th Caller + ID - Bus			UEPBX	UEPBC	3.28	79.59	63.97								
	tgoing only Bus			UEPBX	UEPBO	3.28	79.59	63.97								
	ng only port Caller ID - Bus			UEPBX	UEPB1	3.28	79.59	63.97								
	ng Only Port Without Caller ID			UEPBX	UEPBE	3.28	79.59	63.97								
				UEPBX	UEPVF	3.40	0.00	0.00								
	CURRENTLY COMBINED															
	Port Combination - Conversion -			UEPBX	USAC2		2.77	0.40								
	Port Combination - Conversion -			UEPBX	USACC		2.77	0.40								
	Port Combination - Conversion -						1.42									
	Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00								
	Element, Loop or End User			UEPBX	URETL		8.33	0.83								
	CHANNELS															

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Inte	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ...nsion Loop ...Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37								
	2W ...nsion Loop ...Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37								
	2W ...nsion Loop ...Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37								
	2W ...nsion Loop ...Design		1	UEPBX	UEAED	14.97	142.97	106.56								
	2W ...nsion Loop ...esign		2	UEPBX	UEAED	25.93	142.97	106.56								
	2W ...nsion Loop ...esign		3	UEPBX	UEAED	40.81	142.97	106.56								
	...2 Wire ... Facility Termination			UEPBX	U1TV2	18.00	137.48	52.58								
	...2 Wire V... Grade - Per Mile			UEPBX	U1TVM	0.0125	0.00	0.00								
	...WIRE LINE ...RT (RES - PBX)															
	Zone 1					14.03										
	Zone 2					22.33										
	Zone 3					33.61										
	...) - Zone 1		1	UEPRG	UEPLX	10.75										
	...) - Zone 2		2	UEPRG	UEPLX	19.05										
	...) - Zone 3		3	UEPRG	UEPLX	30.33										
	...RES - PBX)															
	...tion 2-Way ... Trunk Port - Recurring			UEPRG	UEPRD	3.28	164.57	128.16								
				UEPRG	UEPVF	3.40	0.00	0.00								
	CURRENT ...COMBINED															
	...Port Combi... (PBX) -			UEPRG	USAC2		2.77	0.40								
	...Port Combi... (PBX) - ...ge			UEPRG	USACC		2.77	0.40								
	...Port Combi... Conversion - Subsequent						1.42									
	...Port Combi... (PBX) - Subsequent			UEPRG	USAS2	0.00	0.00	0.00								
	Element, ...on A End User Premises			UEPRG	URETL		8.33	0.83								
	...NNELS															
	...termination		1	UEPRG	P2JHX	14.97	142.97	106.56								
	...termination		2	UEPRG	P2JHX	25.93	142.97	106.56								
	...termination		3	UEPRG	P2JHX	40.81	142.97	106.56								
	...Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08								
	...Voice Grade		2	UEPRG	SDD2X	23.86	126.03	54.54								
	...Voice Grade		3	UEPRG	SDD2X	36.40	126.03	54.54								
	...d - 2 Wire V... Grade - Facility Termination			UEPRG	U1TV2	18.00	137.48	52.58								
	...d - 2 Wire Voi... Grade - Per Mile			UEPRG	U1TVM	0.0125	0.00	0.00								
	...2-WIRE LINE PORT (BUS - PBX)															
	Zone 1					14.03										
	Zone 2					22.33										
	Zone 3					33.61										
	...) - Zone 1		1	UEPPX	UEPLX	10.75										
	...) - Zone 2		2	UEPPX	UEPLX	19.05										
	...) - Zone 3		3	UEPPX	UEPLX	30.33										
	...BUS - PBX)															

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Inte n	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...tion 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3.28	164.57	128.16								
	...PBX Trunk Port - Bus			UEPPX	UEPPO	3.28	164.57	128.16								
	...PBX Trunk Port - Bus			UEPPX	UEPP1	3.28	164.57	128.16								
	...D Terminal Ports			UEPPX	UEPLD	3.28	164.57	128.16								
	...Combination ...BX Usage Port			UEPPX	UEPXA	3.28	164.57	128.16								
	...all Terminal ...tel Ports			UEPPX	UEPXB	3.28	164.57	128.16								
	...D DDD Terminals Port			UEPPX	UEPXC	3.28	164.57	128.16								
	...D Terminal Switchboard Port			UEPPX	UEPXD	3.28	164.57	128.16								
	...D Terminal ...bboard IDD			UEPPX	UEPXE	3.28	164.57	128.16								
	...PBX Hotel ...tel Economy			UEPPX	UEPXL	3.28	164.57	128.16								
	...PBX Hotel ...tel Economy			UEPPX	UEPXM	3.28	164.57	128.16								
	...Outgoing ...otel Hospital			UEPPX	UEPXO	3.28	164.57	128.16								
	...Outgoing ...Measured Port			UEPPX	UEPXS	3.28	164.57	128.16								
				UEPPX	UEPVF	3.40	0.00	0.00								
	CURRENT ...COMBINED															
	...Port Combi... (PBX) -			UEPPX	USAC2		2.77	0.40								
	...Port Combi... (PBX) - ...pe			UEPPX	USACC		2.77	0.40								
	...Port Combi... ...Conversion -						1.42									
	...Port Combi... (PBX) -			UEPPX	USAS2	0.00	0.00	0.00								
	Element, ...ort End User			UEPPX	URETL		8.33	0.83								
	...NNELS															
	...termination		1	UEPPX	P2JHX	14.97	142.97	106.56								
	...termination		2	UEPPX	P2JHX	25.93	142.97	106.56								
	...termination		3	UEPPX	P2JHX	40.81	142.97	106.56								
			1	UEPPX	SDD2X	14.62	252.06	109.08								
			2	UEPPX	SDD2X	23.86	126.03	54.54								
	Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54								
	...- 2 Wire V... Grade - Facility			UEPPX	U1TV2	18.00	137.48	52.58								
	...- 2 Wire V... Grade - Per Mile			UEPPX	U1TVM	0.0125	0.00	0.00								
	...WIRE ANA... LINE COIN PORT															
	...bo – Zone 1					14.03										
	...bo – Zone 2					22.33										
	...bo – Zone 3					33.61										
	... Zone 1		1	UEPCO	UEPLX	10.75										
	... Zone 2		2	UEPCO	UEPLX	19.05										
	... Zone 3		3	UEPCO	UEPLX	30.33										
	...rator Scree... and without			UEPCO	UEPND	3.28	79.59	63.97								
	...or Screening (...C)			UEPCO	UEPNC	3.28	79.59	63.97								
	...or Screening ...d Blocking: 011,			UEPCO	UEPRP	3.28	79.59	63.97								

UNBUN - North Ca lina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	r Screenin Blocking			UEPCO	UEPNB	3.28	79.59	63.97								
	r Screenin Blocking:															
	al (NC, TN)			UEPCO	UEPCA	3.28	79.59	63.97								
	tor Screen Blocking			UEPCO	UEPNE	3.28	79.59	63.97								
	tor Screen Blocking:															
	al (NC)			UEPCO	UEPCL	3.28	79.59	63.97								
	0/076 (all st except LA)			UEPCO	UEPCK	3.28	79.59	63.97								
	with 900/9 states except LA			UEPCO	UEPCR	3.28	79.59	63.97								
A	(RC)															
	sage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00						
N	ENTLY COMBINED															
	Port Combination - Conversion -			UEPCO	USAC2		2.77	0.40								
	Port Combination - Conversion -			UEPCO	USACC		2.77	0.40								
	Port Combination - Conversion -						1.42									
A																
	ort Combi - Subsequent			UEPCO	USAS2		0.00	0.00								
	Element, per End User			UEPCO	URETL		8.33	0.83								
2	GRADE IO ISDPORT/ 2-WIRE LIN PORT (RES)															
	rt Combo - Zone 1					18.16										
	rt Combo - Zone 2					29.12										
	rt Combo - Zone 3					44.00										
	- Zone 1		1	UEPER	UECF2	14.97										
	- Zone 2		2	UEPER	UECF2	25.93										
	- Zone 3		3	UEPER	UECF2	40.81										
2	(Res)															
	sidence			UEPER	UEPRL	3.19	225.00	225.00								
	h Caller ID			UEPER	UEPRC	3.19	225.00	225.00								
	tgoing only			UEPER	UEPRO	3.19	225.00	225.00								
	usage line with Caller ID			UEPER	UEPAP	3.19	225.00	225.00								
	port without Caller ID capabilty			UEPER	UEPRZ	3.19	225.00	225.00								
	t without Caller ID capability - res			UEPER	UEPRZ	3.19	225.00	225.00								
	t with Caller capability - res			UEPER	UEPRY	3.19	225.00	225.00								
	l - 2 Wire Voice Grade - Facility Ter			UEPER	U1TV2	18.00	140.00	71.00								
	l - 2 Wire Voice Grade - Per Mile or F Mile			UEPER	1L5XX	0.0125										
F	RES															
	Rec			UEPER	UEPVF	3.40	0.00	0.00								
N	CURRENTLY COMBINED															
	nsport / 2 Wire Line Port															
	witch-as-is			UEPER	USAC2		9.03	1.87								
	nsport / 2 Wire Line Port															
	witch-With-Change			UEPER	USACC		9.03	1.87								
	Element, Tandem Designed Loop at			UEPER	URETN		11.20	1.10								

- North Carolina

Attachment: 2 Ex. A

UNBUN CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS Rates ($) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l OSS Rates ($) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st OSS Rates ($) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l OSS Rates ($) SOMAN
	GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
	rt Combo - Zone 1					18.16										
	rt Combo - Zone 2					29.12										
	rt Combo - Zone 3					44.00										
	- Zone 1		1	UEPFB	UECF2	14.97										
	- Zone 2		2	UEPFB	UECF2	25.93										
	- Zone 3		3	UEPFB	UECF2	40.81										
	thout Caller ID - bus			UEPFB	UEPBL	3.19	225.00	225.00								
	th Caller + ID - bus			UEPFB	UEPBC	3.19	225.00	225.00								
	tgoing only bus			UEPFB	UEPBO	3.19	225.00	225.00								
	g only port Caller ID - Bus			UEPFB	UEPB1	3.19	225.00	225.00								
	- 2 Wire V Grade - Facility			UEPFB	U1TV2	18.00	140.00	71.00								
	- 2 Wire V Grade - Per Mile			UEPFB	1L5XX	0.0125										
				UEPFB	UEPVF	3.40	0.00	0.00								
	CURRENT COMBINED															
	nsport / 2 W ine Port															
	itch-as-is			UEPFB	USAC2		9.03	1.87								
	nsport / 2 W ine Port															
	itch with cha			UEPFB	USACC		9.03	1.87								
	Element, T signed Loop at			UEPFB	URETN		11.20	1.10								
	GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
	rt Combo - Zone 1					18.16										
	rt Combo - Zone 2					29.12										
	rt Combo - Zone 3					44.00										
	- Zone 1		1	UEPFP	UECF2	14.97										
	- Zone 2		2	UEPFP	UECF2	25.93										
	- Zone 3		3	UEPFP	UECF2	40.81										
	BUS - PBX)															
	ion 2-Way F Trunk Port - Bus			UEPFP	UEPPC	3.18	225.00	225.00								
	PBX Trunk P Bus			UEPFP	UEPPO	3.18	225.00	225.00								
	PBX Trunk P - Bus			UEPFP	UEPP1	3.18	225.00	225.00								
	D Terminal P ts			UEPFP	UEPLD	3.18	225.00	225.00								
	Combinatio PBX Usage Port			UEPFP	UEPXA	3.18	225.00	225.00								
	oll Terminal Hotel Ports			UEPFP	UEPXB	3.18	225.00	225.00								
	D DDD Terminals Port			UEPFP	UEPXC	3.18	225.00	225.00								
	D Terminal Switchboard Port			UEPFP	UEPXD	3.18	225.00	225.00								
	D Terminal chboard IDD			UEPFP	UEPXE	3.18	225.00	225.00								
	PBX Hotel pital Economy			UEPFP	UEPXL	3.18	225.00	225.00								
	PBX Hotel pital Economy			UEPFP	UEPXM	3.18	225.00	225.00								
	Outgoing Hotel Hospital			UEPFP	UEPXO	3.18	225.00	225.00								
	Outgoing Measured Port			UEPFP	UEPXS	3.18	225.00	225.00								
	- 2 Wire V Grade - Facility			UEPFP	U1TV2	18.00	140.00	71.00								

UNBUN - North Carolina

CATEGO	ELEMENTS	Inte	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 2 Wire V Grade - Per Mile			UEPFD	1L5XX	0.0125										
				UEPFD	UEPVF	3.40	0.00	0.00								
	CURRENT COMBINED															
	sport / 2 ine Port			UEPFD	USAC2		9.03	1.87								
	sport / 2 ine Port			UEPFD	USACC		9.03	1.87								
	Element, T esigned Loop at			UEPFD	URETN		11.20	1.10								
	NLY - WITH WIRE DID TRUNK POR															
	nk Port Com UNE Zone 1					21.97										
	nk Port Com UNE Zone 2					28.80										
	nk Port Com UNE Zone 3					38.08										
	p - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
	p - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
	p - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
	Port			UEPPX	UEPD1	13.12	224.81	188.40								
	ENTLY COMBINED															
	re DID Trunk Combination -			UEPPX	USAC1		13.26	8.39								
	re DID Trunk Conversion			UEPPX	USA1C		13.26	8.39								
	- Add Trunks Per Trunk			UEPPX	USAS1		53.49									
	Element, T esigned Loop at			UEPPX	URETN		11.20	1.10								
	ablisment C nges															
	r Port)			UEPPX	NDT	0.00	0.00	0.00								
	Group and re First Group			UEPPX	NDZ	0.00	0.00	0.00								
	h Group of ID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	s DID Numb Per Number			UEPPX	ND5	0.00	0.00	0.00								
	umbers			UEPPX	ND6	0.00	0.00	0.00								
				UEPPX	NDV	0.00	0.00	0.00								
	WITH 2-WIR ISDN DIGITAL LINE SIDE PORT															
	W ISDN Digit ine Side Port - UNE					39.84										
	W ISDN Digit ine Side Port - UNE					51.01										
	W ISDN Digit ine Side Port - UNE					66.18										
	p - UNE Zone		1	UEPPB UEPPR	USL2X	14.47										
	p - UNE Zone		2	UEPPB UEPPR	USL2X	25.64										
	- UNE Zone		3	UEPPB UEPPR	USL2X	40.81										
	ine Side Port			UEPPR	UEPPR	25.37	388.20	302.77								
	ine Side Port			UEPPB	UEPPB	25.37	388.20	302.77								
	ENTLY COMBINED															
	/ 2-Wire IS ine Side Port			UEPPB UEPPR	USACB	0.00	174.35	174.35								

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Element, Te Designed Loop at															
	Element, Te Loop at End User			UEPPB UEPPR	URETN		11.20	1.10								
	S:			UEPPB UEPPR	URETL		8.33	0.83								
				UEPPR UEPPR	U1UCA	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
				UEPPR UEPPR	U1UCC	0.00	0.00	0.00								
	ILE ACCES /AL,KY,LA,MS SC,MS TN)															
	nly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	Channel B Profile			UEPPB UEPPR	UEPVF	3.40	0.00	0.00								
	h, including mile and			UEPPB UEPPR	M1GNC	18.0282	137.48	52.58								
	ch, additional ile			UEPPB UEPPR	M1GNM	0.0282	0.00	0.00								
UNBUND	NATIONS - COST BASED RATES															
	l States)															
	Port (Central Combo															
	Non-Design)															
	rade Port (ex) Port Combo -					14.03										
	rade Port (ex)Port Combo -					22.33										
	rade Port (ex)Port Combo -					33.61										
	Design)															
	rade Port (ex) Port Combo -					18.25										
	rade Port (ex)Port Combo -					29.21										
	rade Port (ex)Port Combo -					44.09										
	) - Zone 1		1	UEP95	UECS1	10.75										
	) - Zone 2		2	UEP95	UECS1	19.05										
	) - Zone 3		3	UEP95	UECS1	30.33										
	) - Zone 1		1	UEP95	UECS2	14.97										
	) - Zone 2		2	UEP95	UECS2	25.93										
	) - Zone 3		3	UEP95	UECS2	40.81										
	ex) Basic Local Area			UEP95	UEPYA	3.28	79.59	63.97								
	ex 800 termination)			UEP95	UEPYB	3.28	79.59	63.97								
	ex with Calle 1Basic Local			UEP95	UEPYH	3.28	79.59	63.97								
	ex from diff ing Wire			UEP95	UEPYM	3.28	164.57	128.16								
	oving Wire or 2 - 800			UEP95	UEPYZ	3.28										
	ted in on ink or equivalent			UEP95	UEPY9	3.28	79.59	63.97								
	ated on 800 ice Term -			UEP95	UEPY2	3.28	79.59	63.97								
	ex)			UEP95	UEPUA	3.28	79.59	63.97								
	ex 800 termination)			UEP95	UEPUB	3.28	79.59	63.97								
	ex with Calle 1			UEP95	UEPUH	3.28	79.59	63.97								

UNBUN	- North Carolina										Attachment: 2 Ex. A			
CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ex from diff Reg Wire			UEP95	UEPUM	3.28	164.57	128.16								
	ving Wire er 200 Service			UEP95	UEPUZ	3.28	164.57	128.16								
	ated in on M dlink or equivalent			UEP95	UEPU9	3.28	79.59	63.97								
	ated on 80 rice Form			UEP95	UEPU2	3.28	79.59	63.97								
	er port			UEP95	URECS	0.903										
	per port			UEP95	UEPVF	3.40										
	port			UEP95	UEPVS	0.00	457.83									
	fered, per p			UEP95	UEPVC	3.40										
	egister - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	egister - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	egister - Outb			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
				UEP95	CEND6	12.36										
				UEP95	M1HD1	123.65										
				UEP95	M1HDO	0.00	28.81									
	rmination			UEP95	M1GBC	18.00										
	r mile or fracti of mile			UEP95	M1GBM	0.0282										
	ops on Cha ized DS1 Service															
	nel Bank C Loop Slot			UEP95	1PQWS	0.65										
	nel Bank EX Side Loop Slot			UEP95	1PQW6	0.65										
	nel Bank E Side Loop			UEP95	1PQW7	0.65										
	nel Bank C Loop Slot -			UEP95	1PQWP	0.65										
	nnel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	el Bank Tie e/Trunk Loop			UEP95	1PQWQ	0.65										
	nnel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
	iated with UNE-P Centrex															
	bined Switch Ports with allowed			UEP95	USAC2		2.77	0.40								
	n Block			UEP95	M1ACS	0.00	695.11									
	mon Block			UEP95	M1ACC	0.00	695.11									
	r Occasion			UEP95	URECA	0.00	72.73									
	NRC)															
	Element, Ta oop at End Use			UEP95	URETL		8.33	0.83								
	Element, Tan Design Loop at			UEP95	URETN		11.20	1.10								
	All States)															
	Port (Centrex Combo															
	(Non-Design)															
	Grade Port (Centrex) Port Combo -					14.03										
	Grade Port (Centrex)Port Combo -					22.33										

UNBUN - North Carolina

CATEGO	LEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rade Port (ex)Port Combo -					33.61										
	Design)															
	rade Port (ex) Port Combo -					18.25										
	rade Port (ex)Port Combo -					29.21										
	rade Port (ex)Port Combo -					44.09										
	) - Zone 1		1	UEP9D	UECS1	10.75										
	) - Zone 2		2	UEP9D	UECS1	19.05										
	) - Zone 3		3	UEP9D	UECS1	30.33										
	) - Zone 1		1	UEP9D	UECS2	14.97										
	) - Zone 2		2	UEP9D	UECS2	25.93										
	) - Zone 3		3	UEP9D	UECS2	40.81										
	ex) Basic Lo Area			UEP9D	UEPYA	3.28	79.59	63.97								
	ex 800 term n)Basic Local			UEP9D	UEPYB	3.28	79.59	63.97								
	ex / EBS-P Basic Local			UEP9D	UEPYC	3.28	79.59	63.97								
	ex / EBS-M)3Basic Local			UEP9D	UEPYD	3.28	79.59	63.97								
	ex / EBS-M)3 Basic Local			UEP9D	UEPYE	3.28	79.59	63.97								
	ex / EBS-M)3 Basic Local			UEP9D	UEPYF	3.28	79.59	63.97								
	ex / EBS-M)3Basic Local			UEP9D	UEPYG	3.28	79.59	63.97								
	ex / EBS-M)3 Basic Local			UEP9D	UEPYT	3.28	79.59	63.97								
	ex / EBS-M)3 Basic Local			UEP9D	UEPYU	3.28	79.59	63.97								
	ex / EBS-M)3 Basic Local			UEP9D	UEPYV	3.28	79.59	63.97								
	ex / EBS-M)3 Basic Local			UEP9D	UEPY3	3.28	79.59	63.97								
	ex with Call) Basic Local			UEP9D	UEPYH	3.28	79.59	63.97								
	ex/Caller ID Wtg Lamp			UEP9D	UEPYW	3.28	79.59	63.97								
	ex/Msg Wtg p Indication))4			UEP9D	UEPYJ	3.28	79.59	63.97								
	ex from diff ing Wire Center)			UEP9D	UEPYM	3.28	164.57	128.16								
	ex/differ SW BS FSET)2,3,4			UEP9D	UEPYO	3.28	164.57	128.16								
	ex/differ SW BS M5009)2,3,4			UEP9D	UEPYP	3.28	164.57	128.16								
	ex/differ SW BS 5209)2,3,4			UEP9D	UEPYQ	3.28	164.57	128.16								
	ex/differ SW BS M5112)2,3,4			UEP9D	UEPYR	3.28	164.57	128.16								
	ex/differ SW BS M5312)2,3,4			UEP9D	UEPYS	3.28	164.57	128.16								
	ex/differ SW BS M5008)2,3,4			UEP9D	UEPY4	3.28	164.57	128.16								

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ex/differ SW (EBS-M5208)2, 3															
	ex/differ SW (EBS-M5216)2,3,4			UEP9D	UEPY5	3.28	164.57	128.16								
	ex/differ SW (EBS-M5316)2,3,4			UEP9D	UEPY6	3.28	164.57	128.16								
	erving Wire Center - 800 Service			UEP9D	UEPY7	3.28	164.57	128.16								
	ated in on Megalink or equivalent			UEP9D	UEPYZ	3.28	164.57	128.16								
	ated on 800 Service Term Basic			UEP9D	UEPY9	3.28	79.59	63.97								
				UEP9D	UEPY2	3.28	79.59	63.97								
	ex)			UEP9D	UEPUA	3.28	79.59	63.97								
	ex 800 termination)			UEP9D	UEPUB	3.28	79.59	63.97								
	ex / EBS-PSET)			UEP9D	UEPUC	3.28	79.59	63.97								
	ex / EBS-M5009)4			UEP9D	UEPUD	3.28	79.59	63.97								
	ex / EBS-M5209)4			UEP9D	UEPUE	3.28	79.59	63.97								
	ex / EBS-M5112)4			UEP9D	UEPUF	3.28	79.59	63.97								
	ex / EBS-M5312)4			UEP9D	UEPUG	3.28	79.59	63.97								
	ex / EBS-M5008)4			UEP9D	UEPUT	3.28	79.59	63.97								
	ex / EBS-M5208)4			UEP9D	UEPUU	3.28	79.59	63.97								
	ex / EBS-M5216)4			UEP9D	UEPUV	3.28	79.59	63.97								
	ex / EBS-M5316)4			UEP9D	UEPU3	3.28	79.59	63.97								
	ex with Caller ID)			UEP9D	UEPUH	3.28	79.59	63.97								
	ex/Caller ID with Camp			UEP9D	UEPUW	3.28	79.59	63.97								
	ex/Msg Wtg Camp Indication)4			UEP9D	UEPUJ	3.28	79.59	63.97								
	ex from diff Serving Wire Center)			UEP9D	UEPUM	3.28	164.57	128.16								
	ex/differ SW (EBS-PSET)2,3,4			UEP9D	UEPUO	3.28	164.57	128.16								
	ex/differ SW (EBS-M5009)2,3,4			UEP9D	UEPUP	3.28	164.57	128.16								
	ex/differ SW (EBS-5209)2,3,4			UEP9D	UEPUQ	3.28	164.57	128.16								
	ex/differ SW (EBS-M5112)2,3,4			UEP9D	UEPUR	3.28	164.57	128.16								
	ex/differ SW (EBS-M5312)2,3,4			UEP9D	UEPUS	3.28	164.57	128.16								
	ex/differ SW (EBS-M5008)2,3,4			UEP9D	UEPU4	3.28	164.57	128.16								
	rex/differ SW (EBS-M5208)2,3,4			UEP9D	UEPU5	3.28	164.57	128.16								
	rex/differ SW (EBS-M5216)2,3,4			UEP9D	UEPU6	3.28	164.57	128.16								
	rex/differ SW (EBS-M5316)2,3,4			UEP9D	UEPU7	3.28	164.57	128.16								
	Serving Wire Center - 800 Service			UEP9D	UEPUZ	3.28	164.57	128.16								
	nated in on Megalink or equivalent			UEP9D	UEPU9	3.28	79.59	63.97								
	nated on 800 Service Term			UEP9D	UEPU2	3.28	79.59	63.97								
	per port			UEP9D	URECS	0.903										
	per port			UEP9D	UEPVF	3.40										
	er port			UEP9D	UEPVS	0.00	457.83									
	ffered, per po			UEP9D	UEPVC	3.40										

UNBUN - North Carolina

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	gister - Completion			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	gister - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	gister - Outward			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
				UEP9D	CEND6	12.36										
				UEP9D	M1HD1	123.65										
	Channel			UEP9D	M1HDO	0.00	28.81									
	mination			UEP9D	M1GBC	18.00										
	r mile or fraction of mile			UEP9D	M1GBM	0.0282										
	oops on Channelized DS1 Service															
	nel Bank Co x Loop Slot			UEP9D	1PQWS	0.65										
	nel Bank EX Side Loop Slot			UEP9D	1PQW6	0.65										
	nel Bank Side Loop			UEP9D	1PQW7	0.65										
	nel Bank C Loop Slot -			UEP9D	1PQWP	0.65										
	nel Bank Pr Line Loop Slot			UEP9D	1PQWV	0.65										
	nel Bank Ti Trunk Loop			UEP9D	1PQWQ	0.65										
	nel Bank W Loop Slot			UEP9D	1PQWA	0.65										
	iated with P Centrex															
	bined Swi s allowed			UEP9D	USAC2		2.77	0.40								
	n Block			UEP9D	M1ACS	0.00	695.11									
	mon Block			UEP9D	M1ACC	0.00	695.11									
	r Occasion			UEP9D	URECA	0.00	72.73									
	IRC)															
	Element, p of End Use			UEP9D	URETL		8.33	0.83								
	Element, sion Loop at			UEP9D	URETN		11.20	1.10								
	ntrol in 1A SESS & EWSD															
	Mileage															
	f Installation charge for SL2 Loop															
	Premises Equipment															
	im column s interim as a result of a mission order.															

South Carolina

Attachment: 2 Ex. A

ATEGO	MENTS	Interim	Zone	RCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)				
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	T															
	ht				/become_a_clec/html/interconnection.htm											
PERAT					GIONAL RA											
	M															
	st															
	M															
	o															
	b															
				ne, Per Loop			SOMEC		3.50	0.00	3.50	0.00				
				Per Local S	Request		SOMAN		15.69	0.00	1.97	0.00				
NE SER	AT															
	NC			ained comm	ate with BellSouth's	No. 1 Tariff, Section 5 as applicable.										
						UAL, UEANL, UCL,										
						UEF, UDF, UFO,										
						UDL, UENTW, UDN,										
						UEA, UHL, UIC,										
						USL, U1T12, U1T48,										
						U1TD1, U1TD3,										
						U1TDX, U1TO3,										
						U1TS1, U1TVX,										
						UC1BC, UC1BL,										
						UC1CC, UC1CL,										
						UC1DC, UC1DI,										
						UC1EC, UC1EI,										
						UC1FC, UC1FL,										
						UC1GC, UC1GL,										
						UC1HC, UC1HL,										
						UDL12, UDL48,										
						UDLO3, UDLSY,										
						US3, ULD12,										
						ULD48, ULDD1,										
						ULDD3, ULDDX,										
						ULDO3, ULDS1,										
						ULDVX, UNC1X,										
						UNC3X, UNCDX,										
						UNCNX, UNCSX										
						UNCVX, UNLD1,										
						UNLD3, UXTD1,										
						UXTO3, UXTS1,										
					Line Assignal	USOC, per			U1TUC, U1TUD,								
	Pay						U1TUB, U1TUA	SDASP		200.00							
NBUNDI	CM		SS													
	2	NA		GF												
		Wir		oice	Service Level	Zone 1	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		
		Wir		oice	Service Level	Zone 2	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		
		Wir		oice	Service Level	Zone 3	3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32		
		Wir		oice	Service Level	Zone 1	1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32		
		Wir		oice	Service Level	Zone 2	2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32		
		Wir		oice	Service Level	Zone 3	3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32		
		In			ent, Tag Loop	End User										
	Prem							UEANL	URETL		8.33	0.83				
	Loop							UEANL	URET1		34.23	34.23				
	Loop				Hour			UEANL	URETA		19.90	19.90				
	UE				Without Outsi	Dispatch										
	UVL							UEANL	UREWO		15.81	8.96				
					Voice Loop	for BST										
	Num				rmation - E.I.			UEANL	UEANM		13.47	13.47				
					SL1s (per loo			UEANL	UEAMC		8.17	8.17				

/become_a_clec/html/interconnection.htm

...t negotiate prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the ...r the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states. ...d electronic ...ill be billed according ... SOMEC rate listed in this category. **Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be** ...H, the listed ... rate in this categ... is the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs

South Carolina

Attachment: 2 Ex. A

CATEGO	MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nversion Time - UNE-SL1			UEANL	OCOSL		18.13	18.13								
	n-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	n-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	n-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	nt, Tag Loc - End User			UEQ	URETL		8.33	0.83								
	Unbundled Com - Loop - Non-			UEQ	USBMC		8.17	8.17								
	n Copper Loc - ling for Information -			UEQ	UEQMU		13.47	13.47								
	Hour			UEQ	URET1		34.23	34.23								
	Without Order - spatch			UEQ	URETA		19.90	19.90								
				UEQ	UREWO		14.30	7.45								
UNBUND																
	rvice Level - Splitting-			UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	rvice Level - Splitting-			UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	rvice Level - Splitting-			UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	rvice Level - Splitting-			UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	rvice Level - Splitting-			UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	rvice Level - Splitting-			UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
UNBUND																
	Service Level - Loop or			UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Service Level - Loop or			UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Service Level - Loop or			UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	nversion Time - LSR)			UEA	OCOSL		18.13									
	Service Level - Reverse			UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	Service Level - Reverse			UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	Service Level - Reverse			UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	nversion Time - LSR)			UEA	OCOSL		18.13									
	without outside - spatch			UEA	UREWO		87.90	36.44								
	)			UEA	URETL		11.24	1.10								
	Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	nversion Time - LSR)			UEA	OCOSL		18.13									
	without outside - spatch			UEA	UREWO		87.90	36.44								
	Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
	nversion Time - LSR)			UDN	OCOSL		18.13									
	without outside - spatch			UDN	UREWO		91.82	44.25								
	RIBER LINE - SL) COMPATIBLE LOOP															
	ing manual s - iquiry &			UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						

South Carolina

Attachment: 2 Ex. A

UNBUN		CATEGO		MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic - 1st	Incremental Charge - Manual Svc Order vs. Electronic - Add'l	Incremental Charge - Manual Svc Order vs. Electronic - Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic - Disc Add'l
									Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
										First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				ing manual se inquiry &			UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
				ing manual se inquiry &			UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
				nversion Time (per LSR)			UAL	OCOSL		18.13									
				manual se inquiry &			UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
				manual se inquiry &			UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
				manual se inquiry &			UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
				nversion Time (per LSR)			UAL	OCOSL		18.13									
				without outside dispatch			UAL	UREWO		86.38	40.48								
	2			FIBER LINE (UCL) COMPATIBLE LOOP															
				ing manual se inquiry &			UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
				ing manual se inquiry &			UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
				ing manual se inquiry &			UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
				nversion Time (per LSR)			UHL	OCOSL		18.13									
				manual se inquiry and			UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
				manual se inquiry and			UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
				manual se inquiry and			UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
				nversion Time (per LSR)			UHL	OCOSL		18.13									
				without outside dispatch			UHL	UREWO		86.32	40.48								
	4			FIBER LINE (UCL) COMPATIBLE LOOP															
				ing manual se inquiry and			UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
				ing manual se inquiry and			UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
				ing manual se inquiry and			UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
				nversion Time (per LSR)			UHL	OCOSL		18.13									
				manual se inquiry and			UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
				manual se inquiry and			UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
				manual se inquiry and			UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
				nversion Time (per LSR)			UHL	OCOSL		18.13									
				without outside dispatch			UHL	UREWO		86.32	40.48								
	4																		
						1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						
						2	USL	USLXX	136.00	253.03	157.89	44.80	11.73						
						3	USL	USLXX	229.15	253.03	157.89	44.80	11.73						
				nversion Time (per LSR)			USL	OCOSL		18.13									
				without outside dispatch			USL	UREWO		101.30	43.13								
	4			ADE LOOP															
						1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
						2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
						3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
				ips - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
				ips - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
				ips - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
				nversion Time (per LSR)			UDL	OCOSL		18.13									
				ips - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
				ips - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
				ips - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
				nversion Time (per LSR)			UDL	OCOSL		18.13									
				without outside dispatch			UDL	UREWO		102.34	49.85								

South Carolina

Attachment: 2 Ex. A

CATEGO	MENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2															
	signed including manual - Zone 1		UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	signed including manual - Zone 2		UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	signed including manual service		UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	opper Loops (non-loop)		UCL	UCLMC		8.17	8.17								
	signed without manual service 1		UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	signed without manual service 2		UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	signed without manual service 3		UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	opper Loops (non-loop)		UCL	UCLMC		8.17	8.17								
	without outside patch (UCL-		UCL	UREWO		94.87	42.57								
4															
	ing manual service inquiry		UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	ing manual service inquiry		UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	ing manual service inquiry		UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	opper Loops (non-loop)		UCL	UCLMC		8.17	8.17								
	ut manual service inquiry and		UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	ut manual service inquiry and		UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	ut manual service inquiry and		UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
1	opper Loops (non-loop)		UCL	UCLMC		8.17	8.17								
	without outside patch (UCL-		UCL	UREWO		94.87	42.57								
LOOP MO															
	val of Load Coil 2 Wire Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSB, UEPSB	ULM2L		32.46	32.46								
	val of Load Coil 4 Wire less Loop		UHL, UCL, UEA	ULM4L		32.46	32.46								
	val of Bridged Tap Removal,		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSB, UEPSB	ULMBT		32.48	32.48								
SUB-LOO															
S															
	CLEC Feeder Facility Set-	1	UEANL	USBSA		241.42	241.42								
	- Per 25 Pair Terminal Set-Up	1	UEANL	USBSB		22.69	22.69								
	Room - CLEC Per Facility	1	UEANL	USBSC		177.84	177.84								
	Room - Per Pair Set-	1	UEANL	USBSD		55.58	55.58								
	alog Voice Grade Loop -	1	EANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	alog Voice Grade Loop -	1	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	alog Voice Grade Loop -	1	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	Sub-Loops, per 4-loop pair		UEANL	USBMC		8.17	8.17								

South Carolina

CATEGO	ENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	alog Voice G Loop -		UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	alog Voice G Loop		UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	alog Voice G Loop		UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	ib-Loops, per loop pair		UEANL	USBMC		8.17	8.17								
	k Cable (INI	1	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	ib-Loops, per loop pair		UEANL	USBMC		8.17	8.17								
	k Cable (INI	1	UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	ib-Loops, per loop pair		UEANL	USBMC		8.17	8.17								
			UEANL	URET1		34.23	34.23								
	Hour		UEANL	URETA		19.90	19.90								
	Distribution - e 1	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
	Distribution - e 2	1	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	Distribution - e 3	1	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
	ib-Loops, per loop pair		UEF	USBMC		8.17	8.17								
	Distribution - e 1	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
	Distribution - e 2	1	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
	Distribution - e 3	1	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
	ib-Loops, per loop pair		UEF	USBMC		8.17	8.17								
			UEF	URET1		34.23	34.23								
	Hour		UEF	URETA		19.90	19.90								
	TW)														
	(UNTW) pe		UENTW	UENPP	0.3303	30.20	30.20								
	lines		UENTW	UND12		43.68	28.79								
	lines		UENTW	UND16		64.42	49.53								
	nect - 2 W		UENTW	UNDC2		5.92	5.92								
	nect - 4W		UENTW	UNDC4		5.92	5.92								
UNE OTH															
	NID installa		UENTW	UNDBX	0.00	0.00									
	isioning Only Rate		UENTW	UENCE	0.00	0.00									
	ing Only - No rate		UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE OTH															
	ng Only - no rate		EAL,UCL,UDC,UDL, UDN,UEA,UHL, USL	UNECN	0.00	0.00									
	Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Formal Option no rate		USL	CCOSF	0.00	0.00									
	perframe Fo option - no rate		USL	CCOEF	0.00	0.00									
HIGH CA	UNE LOC														
	p - DS3 - Per Mile per month		UE3	1L5ND	12.26										
	- DS3 - Faci ermination		UE3	UE3PX	306.36	520.398	304.2095	137.7125	96.3355						
	p - STS-1 - Per Mile per month		UDLSX	1L5ND	12.26										
	- STS-1 - Fa		UDLSX	UDLS1	313.49	520.398	304.2095	137.7125	96.3355						
LOOP MA															
	Reservation working pr		UMK	UMKLW		24.04	24.04								

South Carolina

Attachment: 2 Ex. A

CATEGO	ENTS	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	servation, pe e facility			UMK	UMKLP		25.49	25.49								
	vation, per e or spare			UMK	UMKMQ		0.34	0.34								
LINE SPL																
	S BASED															
	EC owned splic			UEPSR UEPSB	UREOS	0.61										
	T owned - physic			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
	T owned - virtu			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
MAINTEN																
	ained commo rate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	ements - Basi						80.00	55.00								
	ements - Ow						90.00	65.00								
	ements - Pre						100.00	75.00								
UNBUND																
	RANSPORT															
	sport - 2-Wir e Grade -			U1TVX	1L5XX	0.0167										
	sport- 2- Wir e Grade -			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	sport - 2-Wir se Grade			U1TVX	1L5XX	0.0167										
	sport- 2- Wir Rev Pat, -			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	sport - 4-Wir e Grade -			U1TVX	1L5XX	0.0167										
	sport - 4- Wi e Grade -			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	sport - 56 kbp r mile per			U1TDX	1L5XX	0.0167										
	sport - 56 kbp pility			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	sport - 64 kbp r mile per			U1TDX	1L5XX	0.0167										
	sport - 64 kbp pility			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	el - DS1 - F s per			U1TD1	1L5XX	0.3415										
	sport - DS1 - F			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
	sport - DS3 ile per			U1TD3	1L5XX	8.02										
	sport - DS3			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	sport - STS- Mile per			U1TS1	1L5XX	8.02										
	sport - STS- pility			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
DARK FI																
	Route Mile or tion Thereof			UDF, UDFCX	1L5DC	112.30										
	Route Mile or tion Thereof			UDF, UDFCX	1L5DF	36.41										
				UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
	Route Mile or tion Thereof			UDF, UDFCX	1L5DL	112.30										
8XX ACC																
	r Call					0.0006673										
	8XX No. Deli y					0.0006673										
	POTS No. D y					0.0006673										
LINE INFO																
						0.0000246										
						0.0138158										

UNBUN... South Carolina

Attachment: 2 Ex. A

CATEGO...	...ENTS	Interim	...	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...shment or Ch...			...QQU	NRBPX		34.40		42.18							
CALLING																
	...tablishment						23.00	23.00	21.15	21.15						
	...e Establishme...						23.00	23.00	21.15	21.15						
	...visioning M... t Code						993.09	734.47	269.53	198.18						
	...Provisioni... Point						343.09	245.69	275.87	198.18						
						0.0010433										
	...try					0.0010433										
LNP Que...																
						0.0008837										
							25.09	25.09	23.07	23.07						
	...Code Establi... unt						594.82	303.88	269.53	198.18						
SELECTI...																
	...ss Code P... unset Per						84.89	84.89	14.14	14.14						
VIRTUAL																
	...nects (Loop) ...ine Splitting			UEPSR UEPSR	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSICAL	...onnects (Loo... Line															
				UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SELE...																
							101,324.34	101,324.34	8,609.85	8,609.85						
							175.66	175.66	1.70	1.70						
						0.0035036										
AIN - BE...																
	...Establishme... State			A1N	CAMSE		39.53	39.53	40.78	40.78						
	...nection - Dial... ...ess			A1N	CAMDP		7.85	7.85	9.11	9.11						
	...nection - ISDN ...ess			A1N	CAM1P		7.85	7.85	9.11	9.11						
	...rification Co... Per User			A1N	CAMAU		35.08	35.08	27.12	27.12						
	...Card, Per U... Code			A1N	CAMRC		41.98	41.98	11.74	11.74						
	...Per Unit (100... Bytes)					0.0027										
	...Per Minute					0.7121										
	...Performed ...tion, Per					0.8364										
ENHANC...																
	...urring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	...itch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
2...	...N A COMBINATION															
2-Wire ...	...ion - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
2-Wire ...	...ion - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
2-Wire ...	...ion - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
Voice ...	...ct			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
4...	...N A COMBINATION															
4-Wire ...	...n Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
4-Wire ...	...n Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
4-Wire ...	...n Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
Voice ...	...per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
4...	...E IN A COMBINATION															
4-Wire ...	...n Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
4-Wire ...	...n Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
4-Wire ...	...n Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
DCTU ...	...4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
4...	...E IN A COMBINATION															
4-Wire ...	...n Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
4-Wire ...	...n Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
4-Wire ...	...n Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
DCTU ...	...n - per month ...-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						

South Carolina

Attachment: 2 Ex. A

CATEGO	ENTS	Interim	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
										OSS Rates ($)					
										SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	ATION														
	Zone 1		UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Zone 2		UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Zone 3		UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	bination - per month		UNCNX	UC1CA	2.56	6.59	4.73								
4	A COMBINAT														
	tion - Zone 1		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	tion - Zone 2		UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	tion - Zone 3		UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
			UNC1X	UC1D1	8.64	6.59	4.73								
2	ANSPORT FO USE IN A COMBINATION														
	edicated- Per Per Month		UNCVX	1L5XX	0.0134										
	dicated - Fa Termination		UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
4	ANSPORT FO USE IN A COMBINATION														
	edicated - Per Per Month		UNCVX	1L5XX	0.0134										
	dicated - Fa		UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
D	MBINATION														
	S1 combinati Per Mile per		UNC1X	1L5XX	0.27										
	S1 combinati Facility		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	ination Per Mon		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
D	E IN A COMB ATION														
	S3 combinati Per Mile Per		UNC3X	1L5XX	6.42										
	S3 - Facility ination per		UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
S	SE IN COMB ATION														
	S-1 combin Per Mile		UNCSX	1L5XX	6.42										
	S-1 combin Facility		UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
4	KBPS INTE ICE TRANSPORT														
	ination - Zone		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	wire 56 kbps ination -		UNCDX	1L5XX	0.0134										
	wire 56 kbps ination -		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
4	OP WITH 64 PS INTEROFFICE TRANSPORT														
	ination - Zone		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	wire 64 kbps ination -		UNCDX	1L5XX	0.0134										
	wire 64 kbps ination -		UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
4	OP WITH DS TEROFFICE TRANSPORT														
	ination - Zone		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	- Dedicated Mile per		UNCDX	1L5XX	0.0134										
	Dedicated lity		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
4	OP WITH DS TEROFFICE TRANSPORT														
	ination - Zone		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	ination - Zone		UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						

UNBUN... | ...E | ...E | South Ca...lina

CATEGO...	...MENTS	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...- Dedicated ...Mile per			...NCDX	1L5XX	0.0134										
	Dedicated ...lity			...NCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
D...	...ICE TRANS...RT															
	...tion - Zone 1			...UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	...tion - Zone 2			...UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	...tion - Zone 3			...NC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	...S1 combinat... Per Mile per			...NC1X	1L5XX	0.27										
	...S1 combinat... Facility			...UNC1X	U1TF1	61.71	69.47	61.99	16.39	14.48						
D...	**...S3 INTEROF... E TRANSPORT**															
	...mile per mo...			...UNC3X	1L5ND	12.26										
	...acility Terminat... per month			...UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	...S3 - Per Mile p... month			...UNC3X	1L5XX	6.42										
	...S3 combinat... Facility			...UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
S...	**...STS-1 INTE...FICE TRANSPORT**															
	...er mile per mo...			...UNCSX	1L5ND	12.26										
	...Facility Termina...n per month			...UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	...S-1 combin... per mile			...NCSX	1L5XX	6.42										
	...S-1 combin... Facility			...NCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
ADDITIO...																
W...	...ed facility, t... non-recurring charges do not apply, but a Switch As Is charge does apply.															
W...	**...r elements in ... States, the non-recurring charges apply and the Switch As Is Charge does not.**															
M...	**...Elements ..."...itch As Is" Charge (One ...ge applies to each combination)**															
	...twork Eleme...Switch As-Is			...UNCVX, UNCDX ...UNC1X, UNC3X, ...UNCSX	UNCCC		5.61	5.61	7.00	7.00						
O...																
	...ame Option ...DS1	I		U1TD1, ...ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	...eOption - per DS1	F		U1TD1, ...ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	...Option - Subs... Activity - per	I		ULDD1, U1TD1, ...UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
	...ivity - per DS...	I		U1TD3, ULDD3, ...UE3, UNC3X	NRCC3		219.58	7.89	0.737	0.00						
M...	EXT...															
	...month			...UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	...Channel Syst... per month			...UDL	1D1DD	1.19	6.59	4.73								
	...Channel Syst... per month			...U1TUD	1D1DD	1.19	6.59	4.73								
	...channelized ... Local ...ation			...UDN	UC1CA	2.56	6.59	4.73								
	...DS0 Channe...tsem - per			...U1TUB	UC1CA	2.56	6.59	4.73								
	...DS0 Channel Syst...m - per ...nnelized DS1 L... Channel in															
	...hannel System... per month			...UEA	1D1VG	0.56	6.59	4.73								
	...hannel System... per month			...U1TUC	1D1VG	0.56	6.59	4.73								
	...DS1 Local C... ...ef in the															
	...month			...UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
...TS...	...month			...UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	...h			...USL	UC1D1	8.64	6.59	4.73								

South Carolina

CATEGO	MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	channelized [illegible] Local			UITUA	UC1D1											
	ation) per mon[illegible]			UITD1												
	nnel per mon[illegible]															
	d with Local C[illegible]nel per month			ULDD1												
UNBUND	ORTS)															
	sted Here Apply to Embedded Base Sw															
	Plus $1.00 in Accordance with the TRRO															
	available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
2	S (RES)															
	Port- Res.			UEPSR	UEPRL	2.65	2.38	2.28	1.42	1.33						
	Port with Call[illegible]ID - Res.			UEPSR	UEPRC	2.65	2.38	2.28	1.42	1.33						
	Port outgoing only - Res.			UEPSR	UEPRO	2.65	2.38	2.28	1.42	1.33						
	ted SC exten[illegible] local dialing			UEPSR	UEPAU	2.65	2.38	2.28	1.42	1.33						
	ted South Car[illegible] Area			UEPSR	UEPAJ	2.65	2.38	2.28	1.42	1.33						
	ted res. low u[illegible]ing port			UEPSR	UEPAP	2.65	2.38	2.28	1.42	1.33						
	Carolina Resi[illegible] Dialing			UEPSR	UEPWL	2.65	2.38	2.28	1.42	1.33						
	Carolina Resi[illegible] Area			UEPSR	UEPRS	2.65	2.38	2.28	1.42	1.33						
	ine Port with[illegible]ller ID			UEPSR	UEPRT	2.65	2.38	2.28	1.42	1.33						
				UEPSR	USASC	0.00	0.00	0.00								
				UEPSR	UEPVF	3.04	0.00	0.00								
2	S (BUS)															
	Port without [illegible]ller ID - Bus			UEPSB	UEPBL	2.65	2.38	2.28	1.42	1.33						
	ted Line Port [illegible]nlimited			UEPSB	UEPBC	2.65	2.38	2.28	1.42	1.33						
	Port outgoing only - Bus.			UEPSB	UEPBO	2.65	2.38	2.28	1.42	1.33						
	ted SC exten[illegible] local dialing			UEPSB	UEPAZ	2.65	2.38	2.28	1.42	1.33						
	d incoming c[illegible]rd with			UEPSB	UEPB1	2.65	2.38	2.28	1.42	1.33						
	ted South Car[illegible] Bus Area			UEPSB	UEPAB	2.65	2.38	2.28	1.42	1.33						
	h Carolina Bu[illegible]s Dialing			UEPSB	UEPWM	2.65	2.38	2.28	1.42	1.33						
	h Carolina Bu[illegible]s Area			UEPSB	UEPBB	2.65	2.38	2.28	1.42	1.33						
	y Port witho[illegible]ller ID			UEPSB	UEPBE	2.65	2.38	2.28	1.42	1.33						
				UEPSB	USASC	0.00	0.00	0.00								
				UEPSB	UEPVF	3.04	0.00	0.00								
						3.04	0.00	0.00								
	unk - Res			UEPSE	UEPRD	2.65	31.34	14.88	13.97	0.90						
	Way PBX Trunk[illegible]Bus			UEPSP	UEPPC	2.65	31.34	14.88	13.97	0.90						
	ward PBX Trun[illegible] Bus			UEPSP	UEPPO	2.65	31.34	14.88	13.97	0.90						
	ming PBX Tru[illegible] Bus			UEPSP	UEPP1	2.65	31.34	14.88	13.97	0.90						
	al PBX Trunk[illegible]us			UEPSP	UEPLD	2.65	31.34	14.88	13.97	0.90						
	rminal Ports			UEPSP	UEPLD	2.65	31.34	14.88	13.97	0.90						
	Usage Port			UEPSP	UEPXA	2.65	31.34	14.88	13.97	0.90						
	rminal Hotel P[illegible]rts			UEPSP	UEPXB	2.65	31.34	14.88	13.97	0.90						
	DD Terminals [illegible]			UEPSP	UEPXC	2.65	31.34	14.88	13.97	0.90						

South Carolina

Attachment: 2 Ex. A

CATEGO	ENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rminal Switch rd Port		UEPSP	UEPXD	2.65	31.34	14.88	13.97	0.90						
	minal Switch IDD		UEPSP	UEPXE	2.65	31.34	14.88	13.97	0.90						
	Hotel/Hosp		UEPSP	UEPXL	2.65	31.34	14.88	13.97	0.90						
	Hotel/Hosp		UEPSP	UEPXM	2.65	31.34	14.88	13.97	0.90						
	ving PBX H Hospital		UEPSP	UEPXO	2.65	31.34	14.88	13.97	0.90						
	ving PBX Mo ed Port		UEPSP	UEPXS	2.65	31.34	14.88	13.97	0.90						
	South Caro ea Plus		UEPSP	UEPXT	2.65	31.34	14.88	13.97	0.90						
			UEPSP	USASC	0.00	0.00	0.00								
FE			UEPSP UEPSE	UEPVF	3.04	0.00	0.00								
Lo															
NO	with POTS circu itched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
NO	capabilities wi available only through BFR Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
2	S (DID)														
			UEPEX	UEPP2	9.86	119.57	18.78	60.03	3.77						
2	S (ISDN-BRI)														
	(See Notes b		UEPTX, UEPSX	U1PMA	14.38	72.93	53.11	47.90	10.76						
			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
	- Channel Pro		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NO	with POTS circu itched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
NO	capabilities wi available only through BFR Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
U	FORWARDI APABILITY														
U	NG SERVICE RESIDENCE														
	Service, Area ng, Res		UEPVR	UERAC	2.65	2.38	2.28	1.42	1.33						
	Service, Local ling - Res		UEPVR	UERLC	2.65	2.38	2.28	1.42	1.33						
	Service, Intel A - Res		UEPVR	UERTE	2.65	2.38	2.28	1.42	1.33						
	Service, Intral A - Res		UEPVR	UERTR	2.65	2.38	2.28	1.42	1.33						
M															
	Service - Co ion - Switch		UEPVR	USAC2		0.10	0.10								
	Service - Co ion with		UEPVR	USACC		0.10	0.10								
U	NG - Bus														
	Service, Area ng - Bus		UEPVB	UERAC	2.65	2.38	2.28	1.42	1.33						
	Service, Local ling - Bus		UEPVB	UERLC	2.65	2.38	2.28	1.42	1.33						
	Service, Intel A - Bus		UEPVB	UERTE	2.65	2.38	2.28	1.42	1.33						
	Service, IntraLATA - Bus		UEPVB	UERTR	2.65	2.38	2.28	1.42	1.33						
	Service Expanded and		UEPVB	UERVJ	2.65	2.38	2.28	1.42	1.33						
N															
	Service - Co ion - Switch		UEPVB	USAC2		0.10	0.10								
	Service - Co ission with		UEPVB	USACC		0.10	0.10								
UNBUNDL	OCAL NG, RE														
E	ce Switch Port														
	End O hing MOU				0.0010519										
	End O Port MOU				0.0002136										
T	Switch Use Access Tandem)														
	anch ng E MOU				0.0001634										
	anch Port MOU				0.0002863										
	anch ng E MOU (Melded)				0.00004951										
	anch Port MOU (Melded)				0.000086749										
M															
IC	Tra														
	MOU				0.0000045										
	ination Per M				0.0004095										

UNBUN — South Carolina

CATEGOR	MENTS	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUND	ST BASED RATES															
	"South is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
	ted in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the															
	ccordance with the TRRO.															
	rt/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone															
	t.															
	and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of															
	E Coin Port/Loop Combinations.															
	charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges															
	- Currently Combined sections.															
	E LINE PORTS (ES)															
	1					15.89										
	2					22.52										
	3					28.17										
	ce 1			UEPRX	UEPLX	13.76										
	ce 2			UEPRX	UEPLX	20.38										
	ce 3			UEPRX	UEPLX	26.04										
	ce			UEPRX	UEPRL	2.13	40.30	19.90	24.98	6.65						
	er ID - res			UEPRX	UEPRC	2.13	40.30	19.90	24.98	6.65						
	only - res			UEPRX	UEPRO	2.13	40.30	19.90	24.98	6.65						
	Carolina exc local			UEPRX	UEPAU	2.13	40.30	19.90	24.98	6.65						
	a Area Call d with			UEPRX	UEPAJ	2.13	40.30	19.90	24.98	6.65						
	line port er ID			UEPRX	UEPAP	2.13	37.93	16.72								
	a Residen ing Plan			UEPRX	UEPWL	2.13	40.30	19.90	24.98	6.65						
	a Area Call d without			UEPRX	UEPRS	2.13	40.30	19.90	24.98	6.65						
	e Port with er ID			UEPRX	UEPRT	2.13	40.30	19.90	24.98	6.65						
				UEPRX	UEPVF	3.04	0.00	0.00								
	RRENTLY C INED															
	Combinatio nversion -			UEPRX	USAC2		0.10	0.10								
	Combinatio nversion -			UEPRX	USACC		0.10	0.10								
	Platform - In ation Charge															
	rsion of Exis Service			UEPRX	URECC		0.10									
	Combinatio subsequent			UEPRX	USAS2	0.00	0.00	0.00								
	ent, Tag Loc Fed User			UEPRX	URETL		8.33	0.83								
	ELS															
	n Loop – Nor sign			UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
	n Loop – Nor sign			UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	n Loop – Nor sign			UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	n Loop – Dest			UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
	n Loop – Dest			UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
	n Loop – Dest			UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
	Wire Voice Facility			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Wire Voice - Per Mile			UEPRX	U1TVM	0.0167	0.00	0.00								

South Carolina

| UNBUN | | |

South Carolina

UNBUN													Attachment: 2 Ex. A			
CATEGO	MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combinatio			UEPRG	USAC2		7.93	1.91								
	Combinatio			UEPRG	USACC		7.93	1.91								
A	Combinatio			UEPRG	USAS2	0.00	0.00	0.00								
	Rearrange Mu Hunt Group						7.34	7.34								
	Tag Lo Line User			UEPRG	URETL		8.33	0.83								
O	ELS															
	ination			UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61						
	ination			UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
	ination			UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
	e Grade			UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
	e Grade			UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71						
	e Grade			UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
P	Wire Voice Facility			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Wire Voice Per Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2	E LINE POR US - PBX)															
U	1					15.89										
	2					22.52										
	3					28.17										
U	one 1			UEPPX	UEPLX	13.76										
	one 2			UEPPX	UEPLX	20.38										
	one 3			UEPPX	UEPLX	26.04										
2	PBX)															
	Way PBX Tr Port - Bus			UEPPX	UEPPC	2.13	69.26	32.50	37.53	6.22						
	Trunk Port - B			UEPPX	UEPPO	2.13	69.26	32.50	37.53	6.22						
	Trunk Port - B			UEPPX	UEPP1	2.13	69.26	32.50	37.53	6.22						
	rminal Ports			UEPPX	UEPLD	2.13	69.26	32.50	37.53	6.22						
	bination PB ge Port			UEPPX	UEPXA	2.13	69.26	32.50	37.53	6.22						
	rminal Hotel			UEPPX	UEPXB	2.13	69.26	32.50	37.53	6.22						
	D Terminals			UEPPX	UEPXC	2.13	69.26	32.50	37.53	6.22						
	rminal Switch d Port			UEPPX	UEPXD	2.13	69.26	32.50	37.53	6.22						
	minal Switch IDP			UEPPX	UEPXE	2.13	69.26	32.50	37.53	6.22						
	Hotel/Hosp			UEPPX	UEPXL	2.13	69.26	32.50	37.53	6.22						
	Hotel/Hosp			UEPPX	UEPXM	2.13	69.26	32.50	37.53	6.22						
	ving PBX H Hospital			UEPPX	UEPXO	2.13	69.26	32.50	37.53	6.22						
	ging PBX M ved Port			UEPPX	UEPXS	2.13	69.26	32.50	37.53	6.22						
	South Caro na Plus			UEPPX	UEPXT	2.13	69.26	32.50	37.53	6.22						
E				UEPPX	UEPVF	3.04	0.00	0.00								
N	RRENTLY C INED															
	Combinatio			UEPPX	USAC2		7.93	1.91								
	Combinatio			UEPPX	USACC		7.93	1.91								
A	Combinatio			UEPPX	USAS2	0.00	0.00	0.00								

UNBUN... South Ca...

CATEGO...	...ENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...earrange Mul... Hunt Group					7.34	7.34								
	...ant, Tag Loc... Dial Tone		UEPPX	URETL		8.33	0.83								
C	...ELS														
	...ination		UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61						
	...ination		UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61						
	...ination		UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61						
	...e Grade		UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42						
	...e Grade		UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	...e Grade		UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						
	...Wire Voice ... Per Mile		UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	...Wire Voice ... Per Mile		UEPPX	U1TVM	0.0167	0.00	0.00								
2	...E ANALOG ... COIN PORT														
U	Zone 1				15.89										
	Zone 2				22.52										
	Zone 3				28.17										
U	...ne 1		UEPCO	UEPLX	13.76										
	...ne 2		UEPCO	UEPLX	20.38										
	...ne 3		UEPCO	UEPLX	26.04										
2	...Screening a...		UEPCO	UEPSD	2.13	40.30	19.90	24.98	6.65						
	...reening and ... Dial 911		UEPCO	UEPSA	2.13	40.30	19.90	24.98	6.65						
	...reening and ... Parking		UEPCO	UEPSH	2.13	40.30	19.90	24.98	6.65						
	...reening and ... Blocking		UEPCO	UEPSC	2.13	40.30	19.90	24.98	6.65						
	...reening and ... Blocking		UEPCO	UEPCC	2.13	40.30	19.90	24.98	6.65						
	...00 Block: 90... (SC)		UEPCO	UEPCE	2.13	40.30	19.90	24.98	6.65						
	...00 Block: 90... 7 (SC)		UEPCO	UEPCF	2.13	40.30	19.90	24.98	6.65						
	...1 and without ...		UEPCO	UEPSG	2.13	40.30	19.90	24.98	6.65						
	...Screening and ... Blocking		UEPCO	UEPSF	2.13	40.30	19.90	24.98	6.65						
	...Screening and ... Blocking 911,		UEPCO	UEPSJ	2.13	40.30	19.90	24.98	6.65						
	...Screening and ... Blocking		UEPCO	UEPCM	2.13	40.30	19.90	24.98	6.65						
	...Block: 900/97... (SC)		UEPCO	UEPCP	2.13	40.30	19.90	24.98	6.65						
	...3YW (SC)		UEPCO	UEPCK	2.13	40.30	19.90	24.98	6.65						
	...76 (all states except LA)		UEPCO	UEPCR	2.13	40.30	19.90	24.98	6.65						
	2-Wire ... with ... with 900/976 (all states except LA)		UEPCO	UEPCM	2.13	40.30	19.90	24.98	6.65						
AI	...NAL ... (SC)														
	...UNE ... Loop ... Usage (Flat Rate)		UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
N	...URE... ...RGE ...TLY COMBINED														
	... Combinatio... ...nversion -		UEPCO	USAC2		0.10	0.10								
	... Combinatio... ...nversion -		UEPCO	USACC		0.10	0.10								
AI	...NAL														
	... Combinatio... ...required		UEPCO	USAS2		0.00	0.00								

South Carolina

UNBUN														Attachment: 2 Ex. A			
CATEGO		MENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ont, Tag Loc		UEPCO	URETL		8.33	0.83								
	2-	DE IO TRANS PORT / 2-WIRE LINE PORT (RES)														
		ombo - Zone				19.00										
		ombo - Zone				25.45										
		ombo - Zone				30.78										
		one 1		UEPFR	UECF2	16.68										
		one 2		UEPFR	UECF2	23.13										
		one 3		UEPFR	UECF2	28.46										
		one		UEPFR	UEPRL	2.32	108.36	70.71	1.42	1.33						
		ller ID - res		UEPFR	UEPRC	2.32	108.36	70.71	1.42	1.33						
		n only - res		UEPFR	UEPRO	2.32	108.36	70.71	1.42	1.33						
		Carolina ext		UEPFR	UEPAU	2.32	108.36	70.71	1.42	1.33						
		na Area Call		UEPFR	UEPAJ	2.32	108.36	70.71	1.42	1.33						
		ne line port w	ller ID	UEPFR	UEPAP	2.32	108.36	70.71	1.42	1.33						
		na Residen	ling Char	UEPFR	UEPWL	2.32	108.36	70.71	1.42	1.33						
		Wire Voice	Facility	UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
		Wire Voice	Per Mile	UEPFR	1L5XX	0.0134										
				UEPFR	UEPVF	3.04	0.00	0.00								
		RRENTLY C INED														
		/ 2 Wire Li		UEPFR	USAC2		8.50	1.87								
		t / 2 Wire Li		UEPFR	USACC		8.50	1.87								
		With-Change		UEPFR	URETN		11.24	1.10								
	2-	DE IO TRANS RT / 2-WIRE LINE PORT (BUS)														
		ombo - Zone				19.00										
		ombo - Zone				25.45										
		ombo - Zone				30.78										
		one 1		UEPFB	UECF2	16.68										
		one 2		UEPFB	UECF2	23.13										
		one 3		UEPFB	UECF2	28.46										
		Caller ID - bus		UEPFB	UEPBL	2.32	108.36	70.71	1.42	1.33						
		ller + E484 ID	us	UEPFB	UEPBC	2.32	108.36	70.71	1.42	1.33						
		n only - bus		UEPFB	UEPBO	2.32	108.36	70.71	1.42	1.33						
		Carolina ext		UEPFB	UEPAZ	2.32	108.36	70.71	1.42	1.33						
		y port with Ca	ID - Bus	UEPFB	UEPB1	2.32	108.36	70.71	1.42	1.33						
		na Bus Area	n Port with	UEPFB	UEPAB	2.32	108.36	70.71	1.42	1.33						
		na Business	ng Char	UEPFB	UEPWM	2.32	108.36	70.71	1.42	1.33						
		Wire Voice	Fac ity	UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						
		Wire Voice	Per Mile	UEPFB	1L5XX	0.0134										
				UEPFB	UEPVF	3.04	0.00	0.00								

UNBUN

CATEGO

South Ca

ENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RRENTLY CO INED														
/ 2 Wire Li		UEPFB	USAC2		8.50	1.87								
as-is														
/ 2 Wire Li		UEPFB	USACC		8.50	1.87								
ith change														
ent, Tag Des Loop at		UEPFB	URETN		11.24	1.10								
E IO TRAN PT / 2 WIRE LINE POR														
mbo - Zone				19.00										
mbo - Zone				25.45										
mbo - Zone				30.78										
ne 1		UEPFP	UECF2	16.68										
ne 2		UEPFP	UECF2	23.13										
ne 3		UEPFP	UECF2	28.46										
PBX)														
Way PBX Tr Port - Bus		UEPFP	UEPPC	2.32	137.32	83.31	67.02	11.51						
Trunk Port - Bu		UEPFP	UEPPO	2.32	137.32	83.31	67.02	11.51						
Trunk Port -		UEPFP	UEPP1	2.32	137.32	83.31	67.02	11.51						
rminal Ports		UEPFP	UEPLD	2.32	137.32	83.31	67.02	11.51						
bination PBX sage Port		UEPFP	UEPXA	2.32	137.32	83.31	67.02	11.51						
erminal Hotel		UEPFP	UEPXB	2.32	137.32	83.31	67.02	11.51						
DD Terminals		UEPFP	UEPXC	2.32	137.32	83.31	67.02	11.51						
rminal Switch Port		UEPFP	UEPXD	2.32	137.32	83.31	67.02	11.51						
minal Switch		UEPFP	UEPXE	2.32	137.32	83.31	67.02	11.51						
Hotel/Hosp		UEPFP	UEPXL	2.32	137.32	83.31	67.02	11.51						
Hotel/Hosp		UEPFP	UEPXM	2.32	137.32	83.31	67.02	11.51						
ning PBX H Hospital		UEPFP	UEPXO	2.32	137.32	83.31	67.02	11.51						
ning PBX M ed Port		UEPFP	UEPXS	2.32	137.32	83.31	67.02	11.51						
South Car Plus		UEPFP	UEPXT	2.32	137.32	83.31	67.02	11.51						
Wire Voice		UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
Wire Voice For Mile		UEPFP	1L5XX	0.0134										
		UEPFP	UEPVF	3.04	0.00	0.00								
RRENTLY COMBINED														
/ 2 Wire Li		UEPFP	USAC2		8.50	1.87								
as-is														
/ 2 Wire Li		UEPFP	USACC		8.50	1.87								
ith change														
ent, Tag Des Loop at		UEPFP	URETN		11.24	1.10								
- WITH 2-WIRE DID TRUNK PORT														
Port Combo - UNE Zone 1				24.75										
Port Combo - UNE Zone 2				31.20										
Port Combo - UNE Zone 3				36.52										
(SL2) - UNE Zone 1		UEPPX	UECD1	16.68										
(SL2) - UNE Zone 2		UEPPX	UECD1	23.13										
(SL2) - UNE Zone 3		UEPPX	UECD1	28.46										
		UEPPX	UEPD1	8.06	225.55	87.21	113.08	14.38						
LY COMBINED														

South Carolina

UNBUN												Attachment: 2 Ex. A					
CATEGO	MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ID Trunk Por bination -			UEPPX	USAC1		7.32	1.87								
	ID Trunk Por ersion with			UEPPX	USA1C		7.32	1.87								
	d Trunks, Per nk			UEPPX	USAS1		26.84									
	ont, Tag Dea Loop at			UEPPX	URETN		11.24	1.10								
	ment Charges															
	rt)			UEPPX	NDT	0.00	0.00	0.00								
	and Provide Group of			UEPPX	NDZ	0.00	0.00	0.00								
	up of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	D Numbers - Per Number			UEPPX	ND5	0.00	0.00	0.00								
	bers			UEPPX	ND6	0.00	0.00	0.00								
				UEPPX	NDV	0.00	0.00	0.00								
	H 2-WIRE ISD DIGITAL LINE SIDE POR															
	DN Digital Li de Port -					31.85										
	DN Digital Li de Port -					39.60										
	DN Digital Li de Port -					45.23										
	IE Zone 1			UEPPB UEPPR	USL2X	21.90										
	NE Zone 2			UEPPB UEPPR	USL2X	29.64										
	NE Zone 3			UEPPB UEPPR	USL2X	35.27										
	ide Port			UEPPR	UEPPR	9.96	190.51	133.14	100.95	21.37						
	ide Port			UEPPB	UEPPB	9.96	190.51	133.14	100.95	21.37						
	LY COMBINED															
	Wire ISDN L de Port			UEPPB UEPPR	USACB	0.00	38.59	27.08								
	ont, Tag Dea Loop at			UEPPB UEPPR	URETN		11.24	1.10								
	ant, Tag Loc End User			UEPPB UEPPR	URETL		8.33	0.83								
				UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	ACCESS (A Y,LA,MS SC,MS, & TN)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
				UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	el B User Por			UEPPB UEPPR	UEPVF	3.04	0.00	0.00								
	nding first n d facilities			UEPPB UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
	ditional mile			UEPPB UEPPR	M1GNM	0.0167	0.00	0.00								
UNBUND	TIONS - COST ASED RATES															
	tes)															
	(Centrex) Com															
	Design)															
	Port (Centr d Combo -					15.89										
	Port (Centr d Combo -					22.52										

South Carolina

| UNBUN | | |

South Carolina

CATEGO			MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			Bank FX line Side Loop Slot			UEP95	1POW6	0.56										
			Bank FX Trunk Side Loop Slot			UEP95	1POW7	0.56										
			Bank Centrex Line Slot -			UEP95	1POWP	0.56										
			Bank Private Line Loop Slot			UEP95	1POWV	0.56										
			Bank Tie Line/Trunk Loop Slot			UEP95	1POWQ	0.56										
			Bank WATS Loop Slot			UEP95	1POWA	0.56										
	M		with UNE-P Centrex															
			Switch-As-Is allowed															
						UEP95	USAC2		37.93	16.72								
			ck			UEP95	M1ACS	0.00	668.70									
			Block			UEP95	M1ACC	0.00	668.70									
			asion			UEP95	URECA	0.00	72.89									
	A																	
			ont. Tag Loc End Use			UEP95	URETL		8.33	0.83								
			ont. Tag Des op at End			UEP95	URETN		11.24	1.10								
			States)															
			(Centrex) Com															
			Design)															
			Port (Centr rt Combo -					15.89										
			Port (Centr t Combo -					22.52										
			Port (Centr t Combo -					28.17										
			Port (Centr t Combo -					18.81										
			Port (Centr t Combo -					25.26										
			Port (Centr t Combo -					30.59										
			Zone 1			UEP9D	UECS1	13.76										
			Zone 2			UEP9D	UECS1	20.38										
			Zone 3			UEP9D	UECS1	26.04										
			Zone 1			UEP9D	UECS2	16.68										
			Zone 2			UEP9D	UECS2	23.13										
			Zone 3			UEP9D	UECS2	28.46										
			Basic Local Area			UEP9D	UEPYA	2.13	40.30	19.90	24.98	6.65						
			90 termination sic Local			UEP9D	UEPYB	2.13	40.30	19.90	24.98	6.65						
			EBS-PSET)3Ga s Local Area			UEP9D	UEPYC	2.13	40.30	19.90	24.98	6.65						
			EBS-M5000 sic Local			UEP9D	UEPYD	2.13	40.30	19.90	24.98	6.65						
			EBS-M5200 sic Local			UEP9D	UEPYE	2.13	40.30	19.90	24.98	6.65						
			EBS-M5112 sic Local			UEP9D	UEPYF	2.13	40.30	19.90	24.98	6.65						
			EBS-M5312 sic Local			UEP9D	UEPYG	2.13	40.30	19.90	24.98	6.65						
			EBS-M5008 Basic Local			UEP9D	UEPYT	2.13	40.30	19.90	24.98	6.65						
			EBS-M5208 Basic Local			UEP9D	UEPYU	2.13	40.30	19.90	24.98	6.65						

South Carolina

Attachment: 2 Ex. A

UNBUN																
CATEGO	ENTS	Interim	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EBS-M5210(sic Local		UEP9D	UEPYV	2.13	40.30	19.90	24.98	6.65						
	EBS-M5316(sic Local		UEP9D	UEPY3	2.13	40.30	19.90	24.98	6.65						
	th Caller ID) Local Area		UEP9D	UEPYH	2.13	40.30	19.90	24.98	6.65						
	aller ID/Msg amp		UEP9D	UEPYW	2.13	40.30	19.90	24.98	6.65						
	g Wtg Lamp ation)4		UEP9D	UEPYJ	2.13	40.30	19.90	24.98	6.65						
	m diff Serv e Center)		UEP9D	UEPYM	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS SET)2,3,4		UEP9D	UEPYO	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5009)2,3,4		UEP9D	UEPYP	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5209)2,3,4		UEP9D	UEPYQ	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5112)2,3,4		UEP9D	UEPYR	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5312)2,3,4		UEP9D	UEPYS	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5008)2,3,4		UEP9D	UEPY4	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5208)2,3,4		UEP9D	UEPY5	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5316)2,3,4		UEP9D	UEPY6	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EBS 5216)2,3,4		UEP9D	UEPY7	2.13	108.36	70.71	54.47	11.94						
	Wire Cent 0 Service		UEP9D	UEPYZ	2.13	108.36	70.71	54.47	11.94						
	on Megali equivalent		UEP9D	UEPY9	2.13	40.30	19.90	24.98	6.65						
	on 800 Ser orm Basic		UEP9D	UEPY2	2.13	40.30	19.90	24.98	6.65						
			UEP9D	UEPQA	2.13	40.30	19.90	24.98	6.65						
	00 terminatio		UEP9D	UEPQB	2.13	40.30	19.90	24.98	6.65						
	EBS-PSET)4		UEP9D	UEPQC	2.13	40.30	19.90	24.98	6.65						
	EBS-M5009)4		UEP9D	UEPQD	2.13	40.30	19.90	24.98	6.65						
	EBS-M5209)4		UEP9D	UEPQE	2.13	40.30	19.90	24.98	6.65						
	EBS-M5112)4		UEP9D	UEPQF	2.13	40.30	19.90	24.98	6.65						
	EBS-M5312)4		UEP9D	UEPQG	2.13	40.30	19.90	24.98	6.65						
	EBS-M5008)4		UEP9D	UEPQT	2.13	40.30	19.90	24.98	6.65						
	EBS-M5208)4		UEP9D	UEPQU	2.13	40.30	19.90	24.98	6.65						
	EBS-M5216)4		UEP9D	UEPQV	2.13	40.30	19.90	24.98	6.65						
	EBS-M5316)4		UEP9D	UEPQ3	2.13	40.30	19.90	24.98	6.65						
	th Caller ID)		UEP9D	UEPQH	2.13	40.30	19.90	24.98	6.65						
	aller ID/Msg Lamp		UEP9D	UEPQW	2.13	40.30	19.90	24.98	6.65						
	Msg Wtg Lamp Indication)4		UEP9D	UEPQJ	2.13	40.30	19.90	24.98	6.65						
	om diff Service Wire Center)		UEP9D	UEPQM	2.13	108.36	70.71	54.47	11.94						
	iffer SWC /EBS PSET)2,3,4		UEP9D	UEPQO	2.13	108.36	70.71	54.47	11.94						
	iffer SWC /EBS 5009)2,3,4		UEP9D	UEPQP	2.13	108.36	70.71	54.47	11.94						
	iffer SWC /EBS 5209)2,3,4		UEP9D	UEPQQ	2.13	108.36	70.71	54.47	11.94						
	iffer SWC /EBS 5112)2,3,4		UEP9D	UEPQR	2.13	108.36	70.71	54.47	11.94						
	iffer SWC /EBS 5312)2,3,4		UEP9D	UEPQS	2.13	108.36	70.71	54.47	11.94						

South Carolina

Attachment: 2 Ex. A

CATEGO	MENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ffer SWC /EB 15008)2.3.4			UEP9D	UEPQ4	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EB 15209)2.3.4			UEP9D	UEPQ5	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EB 15216)2.3.4			UEP9D	UEPQ6	2.13	108.36	70.71	54.47	11.94						
	ffer SWC /EB 15316)2.3.4			UEP9D	UEPQ7	2.13	108.36	70.71	54.47	11.94						
	g Wire Cent 00 Service			UEP9D	UEPQZ	2.13	108.36	70.71	54.47	11.94						
	in on Megalin equivalent			UEP9D	UEPQ9	2.13	40.30	19.90	24.98	6.65						
	on 800 Serv Term			UEP9D	UEPQ2	2.13	40.30	19.90	24.98	6.65						
	ort			UEP9D	UREGS	0.7996										
	ort			UEP9D	UEPVF	3.04										
				UEP9D	UEPVS	0.00	406.42									
	per port			UEP9D	UEPVC	3.04										
	- Combinati			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	- Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	- Oridial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
				UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
				UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
				UEP9D	M1HDO	0.00	14.51									
	ation			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	or fraction of			UEP9D	M1GBM	0.0167										
	on Channelize S1 Service															
	Bank Centrex Slot			UEP9D	1PQWS	0.56										
	Bank FX line S Loop Slot			UEP9D	1PQW6	0.56										
	Bank FX Trunk Loop Slot			UEP9D	1PQW7	0.56										
	Bank Centrex Slot			UEP9D	1PQWP	0.56										
	Bank Private Loop Slot			UEP9D	1PQWV	0.56										
	Bank Tie Line/ Loop Slot			UEP9D	1PQWQ	0.56										
	Bank WATS Slot			UEP9D	1PQWA	0.56										
	with UNE-P Centrex															
	I Switch-As allowad			UEP9D	USAC2		37.93	16.72								
	ck			UEP9D	M1ACS	0.00	668.70									
	Block			UEP9D	M1ACC	0.00	668.70									
	asion			UEP9D	URECA	0.00	72.89									
	nt, Tag Loc End Use			UEP9D	URETL		8.33	0.83								
	ent, Tag Dea op at End			UEP9D	URETN		11.24	1.10								
	in 1AESS, 5E & EWSD															
	age															
	allation charge SL2 Loop and Port															
	ises Equipment															
	lumn are inter as a result of a Commissing order.															

- Tennessee

Attachment: 2 Ex. A

CATEGORY	ELEMENTS	Interval	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	stand-alone loops or loops as part															
	.com/becor a_clec/html/intercon															
OPERAT	"REGIONAL ATES"															
	ontract neg or if it prefers the "st															
	sion order ates for the service o															
	the															
	dered elec ically will be billed a															
	resent per OH, the listed SOME															
	it submits a SR to BellSouth.															
	Charge, P lement - UNE Only					Please see applicable rate elem	it for SOM	N charge**								
	Charge, Pr al Service						SOMEC		3.50	0.00	3.50	0.00				
UNE SER	DE															
	aintained mensurate with BellSouth's FCC No.1 Tariff, Section as applica e.															
					UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN UEA, UHL, UILC, USL, U1T12, U1T48 U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1,										
	it or Line Assignable USOC, per				U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00								
UNBUND	CE															
	AN CE OP															
	2-W Voi oop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-W Voi oop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-W Voi oop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-W Voi oop - Service Level 1- Zone 1		1	UEANL	UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-W Voi oop - Service Level 1- Zone 2		2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-W Voi oop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Un Element, Tra oop at End User															
	Pre			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	Lon Ba Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
	Lon Ba Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	Ch rge Without aide Dispatch			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32

- Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($) Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
										OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	sign Voice ... billing for BST g Information ... E.I.)			UEANL	UEANM	28.80	28.80								
	UVL-SL1s (p... loop)			UEANL	UEAMC	36.52	36.52								
	d Conversio... me for UVL-SL1			UEANL	OCOSL	34.29	34.29								
	r - Non-Desig...d Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	p - Non-Desig...d - Zone 2		2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	p - Non-Desig...d - Zone 3		3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Element, Te... loop at End User			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	ire Unbund... Copper Loop -			UEQ	USBMC		36.52	36.52								
	Design Copp... loop, billing for ...ering Inform...n - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
	Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
	...l Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	...rge Without ...side Dispatch			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUNT																
	...P															
	...n-Service L... 1-Line Splitting-		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	...n-Service L... 1-Line Splitting-		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	...n- Service ... 1-Line Splitting-		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	...n- Service ... 1-Line Splitting-		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	...n-Service L... 1-Line Splitting-		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	...n-Service L... 1-Line Splitting-		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBUNT																
	...p															
	...p - Service ...l 2 w/Loop or ...1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	...p - Service ...l 2 w/Loop or ...2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	...p - Service ...l 2 w/Loop or ...3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	...d Conversio... me (per LSR)			UEA	OCOSL		34.29									
	...p - Service ...l 2 w/Reverse		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	...p - Service ...l 2 w/Reverse		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	...p - Service ...l 2 w/Reverse		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	...d Conversio... me (per LSR)			UEA	OCOSL		34.29									
	...rge without ...side dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	...(SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
	...P															
	...p - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	...p - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	...p - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	...d Conversio... me (per LSR)			UEA	OCOSL		34.29									
	...rge without ...side dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	... - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2W - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UDN	OCOSL		34.29									
	Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2	SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	including manual service inquiry		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	including manual service inquiry		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UAL	OCOSL		34.29									
	without manual service inquiry &		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without manual service inquiry &		2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without manual service inquiry &		3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UAL	OCOSL		34.29									
CLF	Charge without outside dispatch			UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2	HIGH SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	including manual service inquiry		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	including manual service inquiry		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UHL	OCOSL		34.29									
	without manual service inquiry		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without manual service inquiry		2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without manual service inquiry		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UHL	OCOSL		34.29									
CLF	Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4	HIGH SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	including manual service inquiry		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	including manual service inquiry		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UHL	OCOSL		34.29									
	without manual service inquiry		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without manual service inquiry		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without manual service inquiry		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Conversion time (per LSR)			UHL	OCOSL		34.29									
CLF	Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4	DS LP															
	1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Conversion time (per LSR)			USL	OCOSL		34.59									
	Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4	DS1 GRADE LOOP															

- Tennessee

Attachment: 2 Ex. A

ATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	d Conversion ime (per LSR)			UDL	OCOSL		34.29									
	64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	d Conversion ime (per LSR)			UDL	OCOSL		34.29									
	rge without side dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	n-Designed rding manual															
	tion - Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	n-Designed rding manual															
	tion - Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	n-Designed rding manual															
	tion - Zone 3		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	led Copper ops (per loop)			UCL	UCLMC		36.52	36.52								
	n-Designed ut manual															
	vation - Zone 1		1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	n-Designed ut manual															
	vation - Zone 2		2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	n-Designed ut manual															
	vation - Zone 3		3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	led Copper ops (per loop)			UCL	UCLMC		36.52	36.52								
	rge without side dispatch			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	including ma al service inquiry		1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	including ma al service inquiry		2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	including ma al service inquiry		3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	led Copper ops (per loop)			UCL	UCLMC		36.52	36.52								
	without mai service inquiry		1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	without mai service inquiry		2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	without mai service inquiry		3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	led Copper ops (per loop)			UCL	UCLMC		36.52	36.52								
	rge without side dispatch			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
OOP M																
	emoval of Load Coils - 2 Wire per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	emoval of Load Coils - 4 Wire Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
	moval of Load Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
UB-LO																

- Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Int	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	tion - CLEC ifer Facility Set-			UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	ation - Per 25 air Panel Set-Up			UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	nent Room EC Feeder			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	nent Room 25 Pair Panel			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	e Analog V Grade Loop -		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	ded Sub-Loo per sub-loop pair			UEANL	USBMC		34.29	34.29								
	e Analog V Grade Loop -		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	e Analog V Grade Loop -		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	e Analog V Grade Loop -		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	ded Sub-Loo per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Network Cab NIC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	ded Sub-Loo per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Network Cab NIC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	ded Sub-Loo per sub-loop pair			UEANL	USBMC		34.29	34.29								
	our			UEANL	URET1		78.92	78.92								
	Half Hour			UEANL	URETA		23.33	23.33								
	Loop Distribution - Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Loop Distribution - Zone 2		2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Loop Distribution - Zone 3		3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	ded Sub-Loops per sub-loop pair			UEF	USBMC		34.29	34.29								
	Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Loop Distribution - Zone 2		2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Loop Distribution - Zone 3		3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	ded Sub-Loo per sub-loop pair			UEF	USBMC		34.29	34.29								
	our			UEF	URET1		78.92	78.92								
	Half Hour			UEF	URETA		23.33	23.33								
	e (UNTW)															
	g Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
	- 1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	- 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Connect - 2			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
	Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
JNE OTH	ATE															
	der for NID installation			UENTW	UNDBX	0.00	0.00									
	, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Provisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
JNE OTH	TE															
	visioning Only no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECN	0.00	0.00									
	Wire Cross Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									

Attachment: 2 Ex. A

CATEGO	EMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Cross ... Jumper - no			UEA.USL.UCL.UDL	USBFR	0.00	0.00									
	ame Format ...tion - no rate			USL	CCOSF	0.00	0.00									
	ed Superfra... Format option -			USL	CCOEF	0.00	0.00									
HIGH CA																
	Loop - DS... Per Mile per			UE3	1L5ND	9.19										
	Loop - DS... Facility			UE3	UE3PX	374.24	684.6755	350.175	270.0545	195.684			20.35	10.54		
	Loop - ST... Per Mile per			UDLSX	1L5ND	9.19										
	Loop - ST... Facility			UDLSX	UDLS1	389.35	684.6755	350.175	248.193	173.8225			20.35	10.54		
	th electron... and manual Loop Mat...n are interim and subject to retro-active true-up adjustments pending a permanent rate ruling on these rate elements from the Tennessee Regulatory Authority.															
LOOP M																
	hout Reser... , per working or			UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
	h Reservati... or spare facility			UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
	Reservatio... working or ...ed)			UMK	UMKMQ		0.76	0.76								
LINE SP																
	FICE BASED															
	n DLEC owne... Splitter			UEPSR UEPSB	UREOS	0.61										
	n BST owne... physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	n BST owne... virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
MAINTE																
	aintained c... mensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	r increment... Basic						80.00	55.00								
	r increment... Overtime						90.00	65.00								
	r increment... Premium						100.00	75.00								
UNBUN																
	D TRANSP...															
	Transport ... Wire Voice Grade -			U1TVX	1L5XX	0.0054										
	Transport- ... Wire Voice Grade -			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Transport ... Wire Voice Grade			U1TVX	1L5XX	0.0054										
	Transport- ... Wire VG, Rev Bat. -			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Transport ... Wire Voice Grade -			U1TVX	1L5XX	0.0054										
	Transport ... Wire Voice Grade			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	Transport - ... Dps - per mile			U1TDX	1L5XX	0.0174										
	Transport - ... Dps - Facility			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Transport ... Dps - per mile			U1TDX	1L5XX	0.0174										
	Transport - ... Dps - Facility			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Channel - ... Per Mile per			U1TD1	1L5XX	0.3562										
	Tranport - ... Facility			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		

UNBUN	- Tennessee											Attachment: 2 Ex. A			
CATEGO	EMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport - 3 - Per Mile per			U1TD3	1L5XX	2.34										
	Transport - Facility			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
	Transport - 1 - Per Mile per			U1TS1	1L5XX	2.34										
	Transport - 1 - Facility			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
DARK F																
	Per Route - or Fraction nel			UDF, UDFCX	1L5DC	67.65										
	Per Route - or Fraction Channel			UDF, UDFCX	1L5DF	28.74										
	Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
	Per Route - or Fraction			UDF, UDFCX	1L5DL	67.65										
8XX AC																
	g, Per Call					0.0005192										
LINE INF	(IDB)															
	Query					0.0000354										
						0.0117403										
	stablishment - Change			OOT, OOU	NRBPX		49.03						20.35	20.35	13.28	13.28
CALLING																
	ry					0.0010541										
	Query					0.0010541										
SELECT																
	ne Class C - Per Request Per						179.60	179.60					20.35	20.35		
VIRTUA																
	Connects - e) for Line			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSICA																
	ss Connecti - ion) for Line			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SEL																
							190,638.00						20.35			
							317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
						0.0206047										
AIN - BE	CE															
	ice Establish - nt, Per State,			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	Identificati - odes - Per User			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	urity Card, Per User ID Code,			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	erage, Per Unit (100 Kilobytes)					0.0024										
	ession, Per Minute					0.0820123										
	pany Perform - Session, Per					2.27										
ENHANC																
	on-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	e Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	SE IN A COMBINATION															
	ination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	ination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	ination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
	[illegible]			UNCVX	1D1VG	0.91	5.70	4.42								
	SE IN A COMBINATION															
	op in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	op in Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	op in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	ion - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	oop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	oop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	th (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	oop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	oop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	bination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	MBINATION															
	tion - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	tion - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	tion - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
	E IN A COMBINATION															
	bination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	bination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	bination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	month			UNC1X	UC1D1	17.58	5.70	4.42								
	TRANSPOR FOR USE IN A COMBINATION															
	- Dedicated er Mile Per			UNCVX	1L5XX	0.0174										
	- Dedicated Facility			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		
	TRANSPOR FOR USE IN A COMBINATION															
	- Dedicated er Mile Per			UNCVX	1L5XX	0.0174										
	- Dedicated Facility			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	COMBINATION															
	- DS1 com tion - Per Mile			UNC1X	1L5XX	0.3562										
	- DS1 com tion - Facility			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	USE IN A COMBINATION															
	- DS3 com tion - Per Mile			UNC3X	1L5XX	2.34										
	- DS3 - Fa Termination per			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	OR USE IN COMBINATION															
	- STS-1 co ation - Per Mile			UNCSX	1L5XX	2.34										
	- STS-1 co ation - Facility			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	H 56 KBPS IN EROFFICE TRANSPORT															
	mbination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	mbination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	mbination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	- 4-wire 56 s combination -			UNCDX	1L5XX	0.0174										

- Tennessee

Attachment: 2 Ex. A

CATEG	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 4-wire 56 ... combination -			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	LOOP WIT... 4 KBPS INTEROFFICE TRANSPORT															
	...mbination - ...ne 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	...mbination - ...ne 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	...mbination - ...ne 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	- 4-wire 64 ... combination -			UNCDX	1L5XX	0.0174										
	- 4-wire 64 ... combination -			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	LOOP WIT... DS0 INTEROFFICE TRANSPORT															
	...mbination - ...ne 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	...mbination - ...ne 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	...mbination - ...ne 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	...sport - Ded... - Per Mile per			UNCDX	1L5XX	0.0174										
	...sport - Dedi... - Facility			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	LOOP WIT... DS0 INTEROFFICE TRANSPORT															
	...mbination - ...ne 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	...mbination - ...ne 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	...mbination - ...ne 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	...sport - Ded... - Per Mile per			UNCDX	1L5XX	0.0174										
	...sport - Dedi... - Facility			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	...FFICE TR... RANSPORT															
	...bination - Z... 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	...bination - Z... 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	...bination - Z... 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	- DS1 com... tion - Per Mile			UNC1X	1L5XX	0.3562										
	- DS1 com... tion - Facility			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	...ED DS3 INTE... FFICE TRANSPORT															
	... per mile p... month			UNC3X	1L5ND	9.19										
	... Facility Te...ination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
	...l - DS3 - Per ...ile per month			UNC3X	1L5XX	2.34										
	...l - DS3 com... tion - Facility			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	...TED STS-1 INTEROFFICE TRANSPORT															
	...n - per mile per month			UNCSX	1L5ND	9.19										
	...n - Facility Te...ination per			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
	...l - STS-1 com...ination - per mile			UNCSX	1L5XX	2.34										
	...l - STS-1 combination - Facility			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
ADDITION	...ETW... ...EME...															
	...sed ... of ... combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	...sed ... network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	...rrent... ...ly ... Network Elements "Switch As Is" Charge (One applies to each combination)															
	...Ne... ...ed Network E...ments Switch -As-Is Charge			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	...Cl... ...ded Frame ...ion - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						

- Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	r FrameOption per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	SF) Option Subsequent			ULDD1, U1TD1, UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79			45.68	1.76		
	nt Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00			45.68	1.76		
	er month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	DS0 Channel System - per Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80		
	DS0 Channel System - per nection to a channelized DS1 C as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
	1 to DS0 Channel Systsem - per			UDN	UC1CA	3.10	6.07	4.66								
	1 to DS0 Channel Systsem - per channelized DS1 Local Channel			U1TUB	UC1CA	3.10	6.07	4.66								
	Channel System - per month			UEA	1D1VG	0.91	6.07	4.66								
	0 Channel System - per month lized DS1 Local Channel in the			U1TUC	1D1VG	0.91	6.07	4.66								
	er month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	month			USL	UC1D1	17.58	6.07	4.66								
	to a channelized DS1 Local collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
	Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
	used with DS1 Channel per			ULDD1	UC1D1	17.58	6.07	4.66								
UNBUNDLED	G(PORTS)															
	Reflected Rates Apply to Embedded Base Switching Ports as of March 10, 2005 d Rates Plus $1.00 in Accordance with the TRRO.															
	es all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	ATES (RES)															
	Line Port - Res.			UEPSR	UEPRL	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Line Port w/ Caller ID - Res.			UEPSR	UEPRC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Line Port w/rotary only - Res.			UEPSR	UEPRO	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled TN extended local - Res.			UEPSR	UEPAQ	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Tennessee Area Plus			UEPSR	UEPAH	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Tennessee Area Calling			UEPSR	UEPAK	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Tennessee Area Calling R)			UEPSR	UEPAL	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Tennessee Area Calling R)			UEPSR	UEPAM	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Tennessee Area Calling X)			UEPSR	UEPAN	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Tennessee Area Calling			UEPSR	UEPAO	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled res usage line port			UEPSR	UEPAP	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

- Tennes

| UNBU | | |

Attachment: 2 Ex. A

UNBUN		- Tennessee															
CATEG		LEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
		ut PBX Hot / Hospital Economy															
		Calling Port			UEPSP	UEPXN	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Outgoing P / Hotel/Hospital			UEPSP	UEPXO	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		BX Trunk Co nation,			UEPSP	UEPA6	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Calling Plan															
		BX Trunk Co nation, first trunk,			UEPSP	UEPA7	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Calling Plan															
		Outgoing P Measured Port			UEPSP	UEPXS	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		oltiqville ar emphis Calling			UEPSP	UEPXU	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		PBX Tenne s RegionServ			UEPSP	UEPXV	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
					UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
					UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
		ted with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
		cket capabilities will be available only through ERI/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
		ATES (DID)															
		Port			UEPEX	UEPP2	9.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
		ATES (ISDN PRI)															
		Port (See No below)			UEPTX, UEPSX	U1PMA	17.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
					UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Port -- Chann Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		ted with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
		cket capabilities will be available only through ERI/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
		ALL FORWARDING CAPABILITY															
		ARDING SER E - RESIDENCE															
		rding Servic ea Calling, Res			UEPVR	UERAC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic ocal Calling - Res			UEPVR	UERLC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic terLATA - Res			UEPVR	UERTE	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic traLATA - Res			UEPVR	UERTR	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic Conversion -			UEPVR	USAC2		1.03	0.29								
		rding Servic Conversion with			UEPVR	USACC		1.03	0.29								
		ARDING - Bu															
		rding Servic ea Calling - Bus			UEPVB	UERAC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic Local Calling - Bus			UEPVB	UERLC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic terLATA - Bus			UEPVB	UERTE	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic traLATA - Bus			UEPVB	UERTR	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic anded and			UEPVB	UERVJ	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		rding Servic nversion -			UEPVB	USAC2		1.03	0.29								
		rding Servic Conversion with			UEPVB	USACC		1.03	0.29								
UNBUNI		AGE															
		Per MOU					0.0008041										
		al or Access ndem)															
		r MOU					0.0009778										
		r MOU (Mete					.000380364										
		Rate															

- Tennes

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
	Per MOU					0.0000064										
	Termination Per MOU					0.0003871										
UNBUNI	COST BASED RATES															
	BellSouth required by FCC and State Commission rule to provide Unbundled Local Switching or															
	Reflected in Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the															
	in Accordance with the TRRO.															
	ed Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-															
	Rate Exhibit															
	Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all															
	lements except for UNE Coin Port/Loop Combinations.															
	urring charges apply to Not Currently Combined Combos. For Currently Combined Combos the															
	identified in the Nonrecurring - Currently Combined sections.															
	WIRE LINE PORT (RES)															
	Zone 1					15.18										
	Zone 2					19.01										
	Zone 3					24.02										
	- Zone 1		1	UEPRX	UEPLX	12.48										
	- Zone 2		2	UEPRX	UEPLX	16.31										
	- Zone 3		3	UEPRX	UEPLX	21.32										
	Res)															
	esidence			UEPRX	UEPRL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	h Caller ID			UEPRX	UEPRC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	tgoing only			UEPRX	UEPRO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Tennessee ded local			UEPRX	UEPAQ	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	- res															
	ssee Area P ith Caller ID -			UEPRX	UEPAH	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Area C port with Caller ID			UEPRX	UEPAK	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Area C port with Caller ID			UEPRX	UEPAL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Area C port with Caller ID			UEPRX	UEPAM	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Area C port with Caller ID			UEPRX	UEPAN	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Area C port with Caller ID			UEPRX	UEPAO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	usage line with Caller ID			UEPRX	UEPAP	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Residence Dialing Plan			UEPRX	UEPWN	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Area Plus Port without Caller ID			UEPRX	UEPRR	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	sage Line Port without Caller ID			UEPRX	UEPRT	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	RES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
	CURRENTLY COMBINED															
	Port Combination - Conversion -			UEPRX	USAC2		1.03	0.29								
	Port Combination - Conversion -			UEPRX	USACC		1.03	0.29								
	Port Combination - Conversion -						0.76									

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEG	ELEMENTS	Inte	Zone	RCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
													OSS Rates ($)			
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- Port Platfor Installation			UEPRX	URECC		1.03									
	- Not Conv on of Existing															
	Port Combin - Subsequent			UEPRX	USAS2	0.00	0.00	0.00								
	Element, T oop at End User			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	ANNELS															
	ension Loop lon-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ension Loop lon-Design		2	UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ension Loop lon-Design		3	UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ension Loop Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ension Loop Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ension Loop Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	- 2 Wire V Grade - Facility			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	- 2 Wire V Grade - Per Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
	-WIRE LINE PORT (BUS)															
	Zone 1					15.18										
	Zone 2					19.01										
	Zone 3					24.02										
	- Zone 1		1	UEPBX	UEPLX	12.48										
	- Zone 2		2	UEPBX	UEPLX	16.31										
	- Zone 3		3	UEPBX	UEPLX	21.32										
	thout Caller I bus			UEPBX	UEPBL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	h Caller ID - bus			UEPBX	UEPBC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	tgoing only bus			UEPBX	UEPBO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Tennessee ded local - bus			UEPBX	UEPAV	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	g only port Caller ID - Bus			UEPBX	UEPB1	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Bus 2 Area Calling			UEPBX	UEPAC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Bus 2 Area Calling			UEPBX	UEPAD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Bus 2 Optionalle and 2F)			UEPBX	UEPAE	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	ssee Busin Dialing Plan			UEPBX	UEPWO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	d Memphis al Calling Plan			UEPBX	UEPB2	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	d Memphis al Calling Plan			UEPBX	UEPB3	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	g Only Por hout Caller ID			UEPBX	UEPBE	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
				UEPBX	UEPVF	0.00	0.00	0.00								
	CURRENTI COMBINED															
	Port Combi - Conversion -			UEPBX	USAC2		1.03	0.29								
	Port Combi - Conversion -			UEPBX	USACC		1.03	0.29								
	Port Combi - Conversion -						0.76									

UNBUN - Tenness

CATEG	EMENTS	Int	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ort Combin - Subsequent															
	Ad			UEPBX	USAS2	0.00	0.00	0.00								
	Element, Te oop at End User															
	Res			UEPBX	URETL		8.33	0.83								
	NNELS															
	ension Loop on-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ension Loop on-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ension Loop on-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ension Loop esign		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ension Loop esign		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ension Loop esign		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	- 2 Wire V Grade - Facility															
	Te			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	- 2 Wire V Grade - Per Mile															
	or			UEPBX	U1TVM	0.0174	0.00	0.00								
	WIRE LINE RT (RES - PBX)															
	Zone 1					15.18										
	Zone 2					19.01										
	Zone 3					24.02										
	- Zone 1		1	UEPRG	UEPLX	12.48										
	- Zone 2		2	UEPRG	UEPLX	16.31										
	- Zone 3		3	UEPRG	UEPLX	21.32										
	RES - PBX)															
	tion 2-Way Trunk Port -															
	Res			UEPRG	UEPRD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	All			UEPRG	UEPVF	0.00	0.00	0.00								
	CURRENT COMBINED															
	Port Comb (PBX) -															
	Co			UEPRG	USAC2		1.03	0.29								
	Port Comb (PBX) -															
	Co ne			UEPRG	USACC		1.03	0.29								
	Port Comb - Conversion -															
	Sub						0.75									
	Port Comb n (PBX) -															
	Sub			UEPRG	USAS2	0.00	0.00	0.00								
	ge/Rearran Multiline Hunt															
	Gr						14.64	14.64								
	Element, Te oop at End User															
	Res			UEPRG	URETL		8.33	0.83								
	NNELS															
	Loca r termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Loca r termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Loca r termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	GRO															
	- 2 Wire V Grade - Facility															
	Te			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	- 2 Wire V Grade - Per Mile															
	or			UEPRG	U1TVM	0.0174	0.00	0.00								
	WIRE LINE RT (BUS - PBX)															
	Zone 1					15.18										
	Zone 2					19.01										

- Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 3					24.02										
	) - Zone 1		1	UEPPX	UEPLX	12.48										
	) - Zone 2		2	UEPPX	UEPLX	16.31										
	) - Zone 3		3	UEPPX	UEPLX	21.32										
	BUS - PBX)															
	ion 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	PBX Trunk Port - Bus			UEPPX	UEPPO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	PBX Trunk Port - Bus			UEPPX	UEPP1	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	D Terminal Ports			UEPPX	UEPLD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Combinatic BX Tennessee			UEPPX	UEPT2	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Outgoing F Tennessee			UEPPX	UEPTO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Combinatio BX Usage Port			UEPPX	UEPXA	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	oll Terminal Hotel Ports			UEPPX	UEPXB	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	D DDD Terminals Port			UEPPX	UEPXC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	D Terminal Switchboard Port			UEPPX	UEPXD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	D Terminal Switchboard IDD			UEPPX	UEPXE	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	PBX Hotel/Hospital Economy			UEPPX	UEPXM	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	l PBX Hotel/Hospital Economy Calling Port			UEPPX	UEPXN	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Outgoing F Hotel/Hospital			UEPPX	UEPXO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Outgoing F Measured Port			UEPPX	UEPXS	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	olliervilla a mphis Calling			UEPPX	UEPXU	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	PBX Tenn RegionServ			UEPPX	UEPXV	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Each Addit Trunk Calling Plan			UEPPX	UEPA6	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	First Trunk nville and			UEPPX	UEPA7	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
				UEPPX	UEPVF	0.00	0.00	0.00								
	CURRENTI COMBINED															
	Port Combi (PBX) -			UEPPX	USAC2		1.03	0.29								
	Port Combi (PBX) - ge			UEPPX	USACC		1.03	0.29								
	Port Comb Conversion -						0.76									
	Port Combi (PBX) -			UEPPX	USAS2	0.00	0.00	0.00								
	ge/Rearra Multiline Hunt						14.64	14.64								
	Element, T hop at End User			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	NNELS															
	Termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Voice Grad		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32

UNBU

CATEG

- Tennessee

ELEMENTS	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
				Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
- 2 Wire V... Grade - Facility		UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
- 2 Wire V... Grade - Per Mile		UEPPX	U1TVM	0.0174	0.00	0.00								
WIRE LINE ...RT (COIN)														
ho – Zone 1				15.18										
ho – Zone 2				19.01										
ho – Zone 3				24.02										
- Zone 1	1	UEPCO	UEPLX	12.48										
- Zone 2	2	UEPCO	UEPLX	16.31										
- Zone 3	3	UEPCO	UEPLX	21.32										
rator Scree... and without		UEPCO	UEPTB	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
or Screenin... d Blocking: 011,		UEPCO	UEPRP	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
or Screenin... 011 Blocking		UEPCO	UEPTA	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
or Screenin... 1 Blocking: cal (NC, TN)		UEPCO	UEPCA	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
ator Scree... d 011 Blocking		UEPCO	UEPTC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
ator Scree... d Blocking: cal (TN)		UEPCO	UEPOT	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
00/976 (all st... except LA)		UEPCO	UEPCK	2.88							20.35	10.54	13.32	13.32
with 900/97... states except LA		UEPCO	UEPCR	2.88							20.35	10.54	13.32	13.32
(RC)														
...nage (Flat Rate)		UEPCO	URECU	3.45	0.00	0.00	0.00	0.00						
...Port Combo ...ion - Conversion -		UEPCO	USAC2		1.03	0.29								
...Port Combo ...ion - Conversion -		UEPCO	USACC		1.03	0.29								
...Port Combo ... - Subsequent		UEPCO	USAS2	0.00	0.00	0.00								
Element, Te... hop at End User		UEPCO	URETL		8.33	0.83								
GRADE TO TRANSPORT/ 2-WIRE LINE ... T (RES)														
...rt Combo - Zone 1				19.45										
...rt Combo - Zone 2				24.52										
...rt Combo - Zone 3				31.17										
...) - Zone 1	1	UEPER	UECF2	16.56										
...) - Zone 2	2	UEPER	UECF2	21.63										
...) - Zone 3	3	UEPER	UECF2	28.28										
(Res)														
residence		UEPER	UEPRL	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
...ith Caller ID - res		UEPER	UEPRC	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
...tgoing only - res		UEPER	UEPRO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
...Tennessee ...nded local ...D - res		UEPER	UEPAQ	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
...ssee Area P... with Caller ID - res		UEPER	UEPAH	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
...ssee Area Ca... port with Caller ID		UEPER	UEPAK	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Inter	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ssee Area Ca g port with Caller			UEPER	UEPAL	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Area Ca g port with Caller			UEPER	UEPAM	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Area Ca g port with Caller			UEPER	UEPAN	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Area Ca g port with Caller			UEPER	UEPAO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	usage line with Caller ID			UEPER	UEPAP	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Reside Dialing Plan			UEPER	UEPWN	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	- 2 Wire V Grade - Facility			UEPER	U1TV2	18.58	55.39	17.37	27.96	3.51						
	- 2 Wire V Grade - Per Mile			UEPER	1L5XX	0.0174										
				UEPER	UEPVF	0.00	0.00	0.00								
	- CURRENTLY COMBINED															
	nsport / 2 W Line Port															
	tch-as-is			UEPER	USAC2		16.94	3.72								
	nsport / 2 W Line Port															
	tch-With-Change			UEPER	USACC		16.94	3.72								
	Element, T Designed Loop at			UEPER	URETN		11.23	1.10								
	GRADE IO T NSPORT/ 2-WIRE LINE T (BUS)															
	rt Combo - Zone 1					19.45										
	rt Combo - Zone 2					24.52										
	rt Combo - Zone 3					31.17										
	Zone 1		1	UEPER	UECF2	16.56										
	- Zone 2		2	UEPER	UECF2	21.63										
	- Zone 3		3	UEPER	UECF2	28.28										
	thout Caller bus			UEPER	UEPBL	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	h Caller + E ID - bus			UEPER	UEPBC	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	tgoing only s			UEPER	UEPBO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	Tennessee ried local - bus			UEPER	UEPAV	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ng only port with Caller ID - Bus			UEPER	UEPB1	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Bus 2- Area Calling			UEPER	UEPAC	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Bus 2- Area Calling			UEPER	UEPAD	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Bus 2- Collierville and E)			UEPER	UEPAE	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	ssee Busine Dialing Plan			UEPER	UEPWO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	rd Memphis al Calling Plan			UEPER	UEPB2	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	rd Memphis al Calling Plan			UEPER	UEPB3	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	- 2 Wire V Grade - Facility			UEPER	U1TV2	18.58	55.39	17.37	27.96	3.51						
	- 2 Wire V Grade - Per Mile															

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
	All			UEPFB	UEPVF	0.00	0.00	0.00								
	CURRENTLY COMBINED															
	nsport / 2 W ine Port															
	itch-as-is			UEPFB	USAC2		16.94	3.72								
	nsport / 2 W ine Port															
	itch with cha			UEPFB	USACC		16.94	3.72								
	Element, T ssigned Loop at			UEPFB	URETN		11.23	1.10								
	GRADE IO NSPORT/ 2-WIRE LINE PORT (PBX)															
	rt Combo - Zone 1					19.45										
	rt Combo - Zone 2					24.52										
	rt Combo - Zone 3					31.17										
	- Zone 1		1	UEPFP	UECF2	16.56										
	- Zone 2		2	UEPFP	UECF2	21.63										
	- Zone 3		3	UEPFP	UECF2	28.28										
	BUS - PBX]															
	tion 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	PBX Trunk Port - Bus			UEPFP	UEPPO	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	PBX Trunk Port - Bus			UEPFP	UEPP1	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	D Terminal Ports			UEPFP	UEPLD	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Combinati X Tennessee															
				UEPFP	UEPT2	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Outgoing F Tennessee															
				UEPFP	UEPTO	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Combinatio BX Usage Port			UEPFP	UEPXA	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	oll Terminal Hotel Ports			UEPFP	UEPXB	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	D DDD Term s Port			UEPFP	UEPXC	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	D Terminal S chboard Port			UEPFP	UEPXD	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	D Terminal chboard IDD															
				UEPFP	UEPXE	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	PBX Hotel pital Economy															
				UEPFP	UEPXL	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	PBX Hotel pital Economy															
				UEPFP	UEPXM	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	l PBX Hotel pital Economy															
	Calling Port			UEPFP	UEPXN	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Outgoing P Hotel/Hospital															
				UEPFP	UEPXO	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	y Outgoing PBX Measured Port			UEPFP	UEPXS	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Collierville and Memphis Calling															
				UEPFP	UEPXU	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	PBX Tenne e RegionServ															
				UEPFP	UEPXV	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	USPO															
	d - 2 Wire Voice Grade - Facility			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	d - 2 Wire Voice Grade - Per Mile			UEPFP	1L5XX	0.0174										
	RES															
	All			UEPFP	UEPVF	0.00	0.00	0.00								
	CURRENTLY COMBINED															
	nsport / 2 W ine Port															
	itch-as-is			UEPFP	USAC2		16.94	3.72								
	nsport / 2 W ine Port															
	itch with cha			UEPFP	USACC		16.94	3.72								

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
													OSS Rates ($)			
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Element, Tes Designed Loop al			UEPFP	URETN		11.23	1.10								
	NLY - WITH WIRE DID TRUNK PORT															
	nk Port Com - UNE Zone 1					19.38										
	nk Port Com - UNE Zone 2					20.87										
	nk Port Com - UNE Zone 3					25.78										
	p - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60										
	p - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09										
	p - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16.00										
	ort			UEPPX	UEPD1	9.78	45.44	29.94	8.45	3.91			30.89	7.03		
	ENTLY COMBINED															
	re DID Trunk Port Combination -			UEPPX	USAC1		8.76	5.75								
	re DID Trunk Port Conversion ges			UEPPX	USA1C		8.76	5.75								
	Element, Tes Designed Loop al															
	ablisment Ch ges															
	r Port)			UEPPX	N0T	0.00	0.00	0.00								
	h Group of 2 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numb - Per Number			UEPPX	ND5	0.00	0.00	0.00								
	umbers			UEPPX	ND6	0.00	0.00	0.00								
				UEPPX	NDV	0.00	0.00	0.00								
	WITH 2-WI SDN DIGITAL LINE SIDE PORT															
	W ISDN Dig ne Side Port -					33.27										
	W ISDN Dig ne Side Port -					35.78										
	W ISDN Dig ne Side Port -					45.32										
	- UNE Zon		1	UEPPB UEPPR	USL2X	16.20										
	- UNE Zon		2	UEPPB UEPPR	USL2X	18.71										
	- UNE Zon		3	UEPPB UEPPR	USL2X	28.25										
	ine Side Port			UEPPR	UEPPR	17.07	141.75	118.37	49.20	43.26			19.99	19.99		
	ine Side Port			UEPPB	UEPPB	17.07	141.75	118.37	49.20	43.26			19.99	19.99		
	ENTLY COMBINED															
	/ 2-Wire IS ine Side Port			UEPPB UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
	N Port Con ion - Stih Activ			UEPPB UEPPR	USASB		212.88						19.99	19.99		
	Element, Tes esigned Loop al			UEPPB UEPPR	URETN		11.23	1.10								
	Element, Te oop al End User			UEPPB UEPPR	URETL		8.33	0.83								
	S			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	FILE ACCESS (AL,KY,LA,MS SC,MS, & TN)															
				UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
				UEPPB UEPPR	U1UCE	0.00	0.00	0.00								

- Tennessee

CATEGO	ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	...ly)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
	...Channel B1... Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
	...including ...mile and			UEPPB UEPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
	...ch, additional ...mile			UEPPB UEPPR	M1GNM	0.173	0.00	0.00								
UNBUND	...NATIONS - ...ST BASED RATES															
	...AL,FL,GA, ...LA,MS,&TN only)															
	...Port (Centre ...Combo															
	...Non-Design)															
	...rade Port (C... ...rex) Port Combo -					15.16										
	...rade Port (C... ...rex)Port Combo -					19.01										
	...rade Port (C... ...rex)Port Combo -					24.02										
	...Design)															
	...rade Port (C... ...rex) Port Combo -					19.26										
	...rade Port (C... ...ex)Port Combo -					24.33										
	...rade Port (C... ...ex)Port Combo -					30.98										
	...) - Zone 1		1	UEP91	UECS1	12.48										
	...) - Zone 2		2	UEP91	UECS1	16.31										
	...) - Zone 3		3	UEP91	UECS1	21.32										
	...) - Zone 1		1	UEP91	UECS2	16.56										
	...) - Zone 2		2	UEP91	UECS2	21.63										
	...) - Zone 3		3	UEP91	UECS2	28.28										
	...Sout Caro...															
	...rex) Basic L... Area			UEP91	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex 800 term... ...n)Basic Local			UEP91	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex with Calle... ...)Note1 Basic			UEP91	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex from diff S...ving Wire Center)			UEP91	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...Serving Wire C...ter - 800 Service			UEP91	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ated in on M...link or equivalent			UEP91	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ated on 800 S...vice Term -			UEP91	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Basic ... Area															
	LA, ... Or...															
	2-W... ...Grad... ...rex)			UEP91	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-W... ...Grad... ...rex 800 termination)			UEP91	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-W... ...Grad... ...rex with Calle... ID)1			UEP91	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-W... ...rex from diff S...ving Wire Cent...			UEP91	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-W... ...Serving Wire C...ter - 2,3 - 800 Ser...			UEP91	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-W... ...ated in on M...link or equivalent			UEP91	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ated on 800 S...vice Term			UEP91	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		

UNBUN - Tennessee

CATEGO	ELEMENTS	Inter	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per port			UEP91	URECS	0.6381										
	per port			UEP91	UEPVF	0.00							30.89	7.03		
	port			UEP91	UEPVS	0.00	433.78						30.89	7.03		
	fered, per po			UEP91	UEPVC	0.00							30.89	7.03		
	gister - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00			30.89	7.03		
	gister - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00			30.89	7.03		
	gister - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00			30.89	7.03		
				UEP91	CENA6	8.78	22.14	15.25	8.45	3.91			30.89	7.03		
	rmination - Voice Grade			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	r mile or fraction of mile			UEP91	M1GBM	0.0174										
	ops on Channelized DS1 Service															
	nel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	nel Bank FX Line Side Loop Slot			UEP91	1PQW6	0.66										
	nel Bank FX Trunk Side Loop			UEP91	1PQW7	0.66										
	nel Bank Centrex Loop Slot -			UEP91	1PQWP	0.66										
	nel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	nel Bank Tie Line/Trunk Loop			UEP91	1PQWQ	0.66										
	nnel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	iated with UNE-P Centrex															
	ed Switch-As with allowed			UEP91	USAC2		1.03	0.29					30.89	7.03		
	n Block			UEP91	M1ACS	0.00	658.60						30.89	7.03		
	non Block			UEP91	M1ACC	0.00	658.60						30.89	7.03		
				UEP91	M2CC1	0.00	73.55						30.89	7.03		
	r Occasion			UEP91	URECA		68.57						30.89	7.03		
	IRC)															
	Element, Tie Loop at End Use			UEP91	URETL		8.33	0.83								
	Element, Tie Loop at			UEP91	URETN		11.23	1.10								
	ll States)															
	Port (Centrex Combo															
	Non-Design)															
	rade Port (Centrex) Port Combo -					15.18										
	rade Port (Centrex)Port Combo -					19.01										
	rade Port (Centrex)Port Combo -					24.02										
	Design)															
	rade Port (Centrex) Port Combo -					19.26										
	rade Port (Centrex)Port Combo -					24.33										
	rade Port (Centrex)Port Combo -					30.98										

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	EMENTS	Inte	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	) - Zone 1		1	UEP95	UECS1	12.48										
	) - Zone 2		2	UEP95	UECS1	16.31										
	) - Zone 3		3	UEP95	UECS1	21.32										
	) - Zone 1		1	UEP95	UECS2	16.56										
	) - Zone 2		2	UEP95	UECS2	21.63										
	) - Zone 3		3	UEP95	UECS2	28.28										
	ex) Basic Local Area			UEP95	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 termination)			UEP95	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex with Call ...Basic Local			UEP95	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex from diff ...ing Wire			UEP95	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	erving Wire ...er 2.0 - 800			UEP95	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated in on M...link or equivalent			UEP95	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated on 80... vice Term -			UEP95	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex)			UEP95	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 termination)			UEP95	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex with Call...11			UEP95	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex from diff...ing Wire			UEP95	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	erving Wire ...er 2.0 Service			UEP95	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated in on Megalink or equivalent			UEP95	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated on 800 ...vice Term			UEP95	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...per port			UEP95	URECS	0.6381										
	...per port			UEP95	UEPVF	0.00										
	...r port			UEP95	UEPVS	0.00	433.78									
	...ffered, per p...			UEP95	UEPVC	0.00										
	...gister - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	...gister - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	...gister - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
				UEP95	CEND6	8.78	47.75	47.01	9.21	8.47			30.89	7.03		
	DS...			UEP95	M1HD1	35.55	75.93	38.15					30.89	7.03		
	DS0 ...ls Ac...			UEP95	M1HDO	0.00	108.67						30.89	7.03		
	...Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	...er mile or fraction of mile			UEP95	M1GBM	0.0174										
	...oops on Channelized DS1 Service															
	...nnel Bank Co...ex Loop Slot			UEP95	1PQWS	0.66										
	...nnel Bank EX ...e Side Loop Slot			UEP95	1PQW6	0.66										
	...nel Bank EX ...k Side Loop			UEP95	1PQW7	0.66										

- Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nel Bank C[illegible]x Loop Slot -			UEP95	1PQWP	0.66										
	nel Bank Pr[illegible]e Line Loop Slot			UEP95	1PQWV	0.66										
	nel Bank Ti[illegible]ne/Trunk Loop			UEP95	1PQWQ	0.66										
	nel Bank WA[illegible]S Loop Slot			UEP95	1PQWA	0.66										
	iated with U[illegible]P Centrex															
	bined Switc[illegible]ls with allowed			UEP95	USAC2		1.03	0.29					30.89	7.03		
	n Block			UEP95	M1ACS	0.00	658.60						30.89	7.03		
	non Block			UEP95	M1ACC	0.00	658.60						30.89	7.03		
	r Occasion			UEP95	URECA	0.00	68.57						30.89	7.03		
	IRC)															
	Element, T[illegible]oop at End Use			UEP95	URETL		8.33	0.83								
	Element, T[illegible]esign Loop at			UEP95	URETN		11.23	1.10								
	All States)															
	Port (Centrex Combo															
	Non-Design)															
	rade Port (C[illegible]rex) Port Combo -					15.18										
	rade Port (C[illegible]rex)Port Combo -					19.01										
	rade Port (C[illegible]rex)Port Combo -					24.02										
	Design)															
	rade Port (C[illegible]rex) Port Combo -					19.26										
	rade Port (C[illegible]rex)Port Combo -					24.33										
	rade Port (C[illegible]rex)Port Combo -					30.98										
	) - Zone 1		1	UEP9D	UECS1	12.48										
	) - Zone 2		2	UEP9D	UECS1	16.31										
	) - Zone 3		3	UEP9D	UECS1	21.32										
	) - Zone 1		1	UEP9D	UECS2	16.56										
	) - Zone 2		2	UEP9D	UECS2	21.63										
	) - Zone 3		3	UEP9D	UECS2	28.28										
	rex) Basic Lo[illegible] Area			UEP9D	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 termi[illegible]on)Basic Local			UEP9D	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex / EBS-PS[illegible]Basic Local			UEP9D	UEPYC	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex / EBS-M[illegible]3Basic Local			UEP9D	UEPYD	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex / EBS-M[illegible]3 Basic Local			UEP9D	UEPYE	2.70	22.14	15.25	8.45	3.91						
	ex / EBS-M[illegible]3 Basic Local															
	ex / EBS-M[illegible]3Basic Local															
	ex / EBS-M[illegible]3 Basic Local															

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Interval	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...v / EBS-M... 03 Basic Local			UEP9D	UEPYU	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M... 03 Basic Local			UEP9D	UEPYV	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v / EBS-M... 03 Basic Local			UEP9D	UEPY3	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ex with Call... Basic Local			UEP9D	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/Caller ID ... Wtg Lamp			UEP9D	UEPYW	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/Msg Wtg ...n Indication))4			UEP9D	UEPYJ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ex from diff ...ing Wire Center)			UEP9D	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-PSET)2,3,4			UEP9D	UEPYO	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-M5009)2,3,4			UEP9D	UEPYP	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-5209)2,3,4			UEP9D	UEPYQ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ex/differ SW... EBS-M5112)2,3,4			UEP9D	UEPYR	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-M5312)2,3,4			UEP9D	UEPYS	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-M5008)2,3,4			UEP9D	UEPY4	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-M5208)2, 3			UEP9D	UEPY5	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-M5216)2,3,4			UEP9D	UEPY6	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...v/differ SW... EBS-M5316)2,3,4			UEP9D	UEPY7	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...erving Wire ...er - 800 Service			UEP9D	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ated in on M... ...tek or equivalent			UEP9D	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ated on 80... ...ire Term, Basic			UEP9D	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex)			UEP9D	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex 800 termination)			UEP9D	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-PSET)4			UEP9D	UEPQC	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5009)4			UEP9D	UEPQD	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5209)4			UEP9D	UEPQE	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5112)4			UEP9D	UEPQF	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5312)4			UEP9D	UEPQG	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5008)4			UEP9D	UEPQT	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5208)4			UEP9D	UEPQU	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5216)4			UEP9D	UEPQV	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex / EBS-M5316)4			UEP9D	UEPQ3	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex with Caller ID))			UEP9D	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex/Caller ID ...o Wtg Lamp			UEP9D	UEPQW	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...ex from diff ...ing Wire Center)			UEP9D	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	...rex/differ SW... EBS-PSET)2,3,4			UEP9D	UEPQO	2.70	22.14	15.25	8.45	3.91			30.89	7.03		

UNBUN

CATEGO

- Tennessee

ELEMENTS	Interim	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ex/differ SW(EBS-M5009)2,3,4			UEP9D	UEPQP	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-5209)2,3,4			UEP9D	UEPQQ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-M5112)2,3,4			UEP9D	UEPQR	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-M5312)2,3,4			UEP9D	UEPQS	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-M5008)2,3,4			UEP9D	UEPQ4	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-M5208)2,3,4			UEP9D	UEPQ5	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-M5216)2,3,4			UEP9D	UEPQ6	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ex/differ SW(EBS-M5316)2,3,4			UEP9D	UEPQ7	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
erving Wire er - 800 Service			UEP9D	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ated in on M link or equivalent			UEP9D	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
ated on 800 vice Term			UEP9D	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
per port			UEP9D	URECS	0.6381										
per port			UEP9D	UEPVF	0.00										
port			UEP9D	UEPVS	0.00	433.78									
ffered, per p			UEP9D	UEPVC	0.00										
gister - Com ation			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
gister - Inwa			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
gister - Out			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91			30.89	7.03		
			UEP9D	M1HD1	35.55	75.93	38.15					30.89	7.03		
hannel			UEP9D	M1HDO	0.00	108.67						30.89	7.03		
rmination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
r mile or frac of mile			UEP9D	M1GBM	0.0174										
oops on Cha lized DS1 Service															
nel Bank Co ex Loop Slot			UEP9D	1PQWS	0.66										
nel Bank EX Side Loop Slot			UEP9D	1PQW6	0.66										
nel Bank EX nk Side Loop			UEP9D	1PQW7	0.66										
nel Bank Co Loop Slot -			UEP9D	1PQWP	0.66										
nel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
nel Bank TI e/Trunk Loop			UEP9D	1PQWQ	0.66										
nel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
iated with UNE-P Centrex															
bined Swit Mods with allowed			UEP9D	USAC2		1.03	0.29					30.89	7.03		
n Block			UEP9D	M1ACS	0.00	658.60						30.89	7.03		
mon Block			UEP9D	M1ACC	0.00	658.60						30.89	7.03		

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Int'v Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	r Occasion		UEP9D	URECA		68.57						30.89	7.03		
	IRC)														
	Element, Te Loop at End Use		UEP9D	URETL		8.33	0.83								
	Element, Te esign Loop at		UEP9D	URETN		11.23	1.10								
	L, FL, KY, L MS & TN)														
	Port (Centre ombo														
	Non-Design)														
	rade Port (ex) Port Combo -				15.18										
	rade Port (ex)Port Combo -				19.01										
	rade Port (ex)Port Combo -				24.02										
	Design)														
	rade Port (ex) Port Combo -				19.26										
	rade Port (ex)Port Combo -				24.33										
	rade Port (ex)Port Combo -				30.98										
	) - Zone 1	1	UEP9E	UECS1	12.48										
	) - Zone 2	2	UEP9E	UECS1	16.31										
	) - Zone 3	3	UEP9E	UECS1	21.32										
	) - Zone 1	1	UEP9E	UECS2	16.56										
	) - Zone 2	2	UEP9E	UECS2	21.63										
	) - Zone 3	3	UEP9E	UECS2	28.28										
	ex) Basic Lo Area		UEP9E	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 termi n)Basic Local		UEP9E	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex with Call)Basic Local		UEP9E	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex from diff ng Wire		UEP9E	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	erving Wire ter 2,3 - 800		UEP9E	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated in on Megalink or equivalent		UEP9E	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated on 800 Service Term -		UEP9E	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex)		UEP9E	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 termination)		UEP9E	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex with Caller ID)1		UEP9E	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex from diff Serving Wire		UEP9E	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	erving Wire Center 2,3 - 800		UEP9E	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated in on Megalink or equivalent		UEP9E	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated on 800 Service Term		UEP9E	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	per port		UEP9E	URECS	0.6381										
	per port		UEP9E	UEPVF	0.00							30.89	7.03		

- Tennessee

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	port			UEP9E	UEPVS	0.00	433.78						30.89	7.03		
	ffered, per po			UEP9E	UEPVC	0.00							30.89	7.03		
	gister - Conf ation			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00			30.89	7.03		
	gister - Indi			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00			30.89	7.03		
	gister - Outb			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00			30.89	7.03		
				UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91			30.89	7.03		
				UEP9E	M1HD1	35.55	75.93	38.15					30.89	7.03		
	nnel			UEP9E	M1HDO	0.00	108.67						30.89	7.03		
	rmination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	mile or fra of mile			UEP9E	M1GBM	0.0174										
	ops on Cha elized DS1 Service															
	nel Bank Ce x Loop Slot			UEP9E	1PQWS	0.66										
	nel Bank EX Side Loop Slot			UEP9E	1PQW6	0.66										
	nel Bank EX k Side Loop			UEP9E	1PQW7	0.66										
	nel Bank Ce x Loop Slot -			UEP9E	1PQWP	0.66										
	nel Bank Pr Line Loop Slot			UEP9E	1PQWV	0.66										
	el Bank Tr e/Trunk Loop			UEP9E	1PQWQ	0.66										
	nnel Bank WA Loop Slot			UEP9E	1PQWA	0.66										
	iated with U P Centrex															
	bined Swit ls with allowed			UEP9E	USAC2		1.03	0.29					30.89	7.03		
	n Block			UEP9E	M1ACS	0.00	658.60						30.89	7.03		
	mon Block			UEP9E	M1ACC	0.00	658.60						30.89	7.03		
	or Occasion			UEP9E	URECA	0.00	68.57						30.89	7.03		
	MRC)															
	Element, T op at End Use			UEP9E	URETL		8.33	0.83								
	Element, T esign Loop at			UEP9E	URETN		11.23	1.10								
	L, KY, LA, M & TN)															
	Port (Centre Combo															
	Non-Design)															
	rade Port (ex) Port Combo -					15.18										
	rade Port (ex)Port Combo -					19.01										
	rade Port (ex)Port Combo -					24.02										
	Design)															
	rade Port (ex) Port Combo -					19.26										
	rade Port (ex)Port Combo -					24.33										
	rade Port (ex)Port Combo -					30.98										
	) - Zone 1		1	UEP93	UECS1	12.48										
	) - Zone 2		2	UEP93	UECS1	16.31										

UNBUN - Tennessee

Attachment: 2 Ex. A

CATEGO	ELEMENTS	Int	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	) - Zone 3		3	UEP93	UECS1	21.32										
	) - Zone 1		1	UEP93	UECS2	16.56										
	) - Zone 2		2	UEP93	UECS2	21.63										
	Zone 3		3	UEP93	UECS2	28.28										
	ex) Basic L Area			UEP93	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 term)Basic Local			UEP93	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex with Call)Basic Local			UEP93	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex from diff ing Wire			UEP93	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	erving Wire ter - 2,3 - 800			UEP93	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated in on M link or equivalent			UEP93	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated on 80 vice Term -			UEP93	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex)			UEP93	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex 800 termination)			UEP93	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex with Calle)1			UEP93	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ex from diff ing Wire			UEP93	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	erving Wire er - 2,3 -800			UEP93	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated in on M link or equivalent			UEP93	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	ated on 800 vice Term			UEP93	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	per port			UEP93	URECS	0.6381										
	per port			UEP93	UEPVF	0.00										
	fered, per p			UEP93	UEPVC	0.00										
	gister - Con ation			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	gister - Indi			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	gister - Outb			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
				UEP93	CEND6	8.78	22.14	15.25	8.45	3.91			30.89	7.03		
				UEP93	M1HD1	35.55	75.93	38.15					30.89	7.03		
	hannel			UEP93	M1HDO	0.00	108.67						30.89	7.03		
	rmination			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	er mile or fraction of mile			UEP93	M1GBM	0.0174										
	oops on Channelized DS1 Service															
	s															
	nnel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	nnel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										
	nel Bank FX ink Side Loop Slot			UEP93	1PQW7	0.66										
	nel Bank Ce ex Loop Slot -			UEP93	1PQWP	0.66										
	nnel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										

UNBUN - Tennessee

CATEGO	ELEMENTS	Interim	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nel Bank Ti /Trunk Loop			UEP93	1PQWQ	0.66										
	nel Bank WA Loop Slot			UEP93	1PQWA	0.66										
	iated with UNE-P Centrex															
	bined Switch Trunks with allowed			UEP93	USAC2		1.03	0.29					30.89	7.03		
	n Block			UEP93	M1ACS	0.00	658.60						30.89	7.03		
	mon Block			UEP93	M1ACC	0.00	658.60						30.89	7.03		
	or Occasion			UEP93	URECA		68.57						30.89	7.03		
	IRC)															
	Element, Te oop at End Use			UEP93	URETL		8.33	0.83								
	Element, Te osign Loop at			UEP93	URETN		11.23	1.10								
	ontrol in 1AE , 5ESS & EWSD															
	Mileage															
	f Installation charge for SL2 Loop and Port															
	Premises Equipment															
	im column s interim as a result of Commission order.															

- Alabama

CATEGORY	ELEMENTS	Interval Zone	RCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
										OSS Rates ($)					
										SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	Including maximum service inquiry	1	UHL	UHL2X	10.05	110.00	68.00	47.24	7.44						
	Including maximum service inquiry	2	UHL	UHL2X	11.70	110.00	68.00	47.24	7.44						
	Including maximum service inquiry	3	UHL	UHL2X	13.16	110.00	68.00	47.24	7.44						
	Without maximum service inquiry	1	UHL	UHL2W	10.05	90.00	57.00	47.24	7.44						
	Without maximum service inquiry	2	UHL	UHL2W	11.70	90.00	57.00	47.24	7.44						
	Without maximum service inquiry	3	UHL	UHL2W	13.16	90.00	57.00	47.24	7.44						
	SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	Including maximum service inquiry	1	UHL	UHL4X	16.04	148.36	68.00	51.70	9.73						
	Including maximum service inquiry	2	UHL	UHL4X	17.89	148.36	68.00	51.70	9.73						
	Including maximum service inquiry	3	UHL	UHL4X	17.54	148.36	68.00	51.70	9.73						
	Without maximum service inquiry	1	UHL	UHL4W	16.04	94.00	57.00	51.70	9.73						
	Without maximum service inquiry	2	UHL	UHL4W	17.89	94.00	57.00	51.70	9.73						
	Without maximum service inquiry	3	UHL	UHL4W	17.54	94.00	57.00	51.70	9.73						
		1	USL	USLXX	94.93	252.47	157.54	44.70	11.71						
		2	USL	USLXX	177.31	252.47	157.54	44.70	11.71						
		3	USL	USLXX	361.70	252.47	157.54	44.70	11.71						
HIGH CAPACITY															
	Loop - DS1 - Per Mile per		UE3	1L5ND	9.64										
	Loop - DS1 - Facility		UE3	UE3PX	355.33										
	Loop - STS1 - Per Mile per		UDLSX	1L5ND	9.64										
	Loop - STS1 - Facility		UDLSX	UDLS1	367.80										
UNBUNDLED	DEDICATED TRANSPORT														
	DS1 Channel - DS1 - Per Mile per		U1TD1	1L5XX	0.21										
	DS1 Tranport - DS1 - Facility		U1TD1	U1TF1	69.18										
	DS1 Transport - DS3 - Per Mile per		U1TD3	1L5XX	4.70										
	DS1 Transport - DS3 - Facility		U1TD3	U1TF3	809.05										
	STS1 Transport - STS-1 - Per Mile per		U1TS1	1L5XX	4.70										
	STS1 Transport - STS-1 - Facility		U1TS1	U1TFS	806.58										
	Wire Voice Grade		ULDVX, UNCVX	ULDV2	16.07										
	Wire Voice Grade Rev Bat		ULDVX	ULDR2	16.07										
	Wire Voice Grade		ULDVX, UNCVX	ULDV4	17.17										
	1 - Zone 1	1	ULDD1, UNC1X	ULDF1	41.12										

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Inter	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	S1 - Zone 2		2	ULDD1, UNC1X	ULDF1	57.48										
	S1 - Zone 3		3	ULDD1, UNC1X	ULDF1	123.77										
	3 - Per Mile per month			ULDD3, UNC3X	1L5NC	7.96										
	S3 - Facility Termination			ULDD3, UNC3X	ULDF3	479.02										
	S-1 - Per Mile per month			ULDS1, UNCSX	1L5NC	7.96										
	S-1 - Facility Termination			ULDS1, UNCSX	ULDFS	469.76										
ENHANC																
	n-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	e Switch-As-Is Charge and not the n recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	SE IN A COMBINATION															
	ination - Zone 1		1	UNCVX	UEAL2	16.54										
	ination - Zone 2		2	UNCVX	UEAL2	26.28										
	ination - Zone 3		3	UNCVX	UEAL2	41.56										
				UNCVX	1D1VG	0.61										
	E IN A COMBINATION															
	op in Combination - Zone 1		1	UNCVX	UEAL4	29.14										
	op in Combination - Zone 2		2	UNCVX	UEAL4	44.37										
	op in Combination - Zone 3		3	UNCVX	UEAL4	69.02										
	ion - per month			UNCVX	1D1VG	0.61										
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL56	30.00										
	oop in Combination - Zone 2		2	UNCDX	UDL56	41.34										
	oop in Combination - Zone 3		3	UNCDX	UDL56	43.56										
	h (2.4-64kbs)			UNCDX	1D1DD	1.29										
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL64	30.00										
	oop in Combination - Zone 2		2	UNCDX	UDL64	41.34										
	oop in Combination - Zone 3		3	UNCDX	UDL64	43.56										
	ination - per month (2.4-64kbs)			UNCDX	1D1DD	1.29										
	BINATION															
	ion - Zone 1		1	UNCNX	U1L2X	25.16										
	ion - Zone 2		2	UNCNX	U1L2X	37.78										
	ion - Zone 3		3	UNCNX	U1L2X	55.83										
	combination - per month			UNCNX	UC1CA	2.77										
	E IN A COMBINATION															
	bination - Zone 1		1	UNC1X	USLXX	94.93										
	bination - Zone 2		2	UNC1X	USLXX	177.31										
	bination - Zone 3		3	UNC1X	USLXX	361.70										
	onth			UNC1X	UC1D1	14.60										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated Per Mile Per			UNCVX	1L5XX	0.01										
	- Dedicated Facility			UNCVX	U1TV2	24.30										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated Per Mile Per			UNCVX	1L5XX	0.01										
	- Dedicated Facility			UNCVX	U1TV4	21.54										
	COMBINATION															
	- DS1 connection - Per Mile			UNC1X	1L5XX	0.21										
	- DS1 connection - Facility			UNC1X	U1TF1	69.18										
	USE IN A COMBINATION															
	- DS3 connection - Per Mile			UNC3X	1L5XX	4.70										

UNBU - Alabama

Attachment: 2 Ex. B

CATEG	EMENTS	Inter Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- DS3 - Fa Termination per		UNC3X	U1TF3	809.05										
	R USE IN C RINATION														
	- STS-1 - Per Mile		UNCSY	1L5XX	4.70										
	- STS-1 - Facility		UNCSY	U1TFS	806.58										
	56 KBPS OFFICE TRANSP														
	mbination - e 1	1	UNCDX	UDL56	30.00										
	mbination - e 2	2	UNCDX	UDL56	41.34										
	mbination - e 3	3	UNCDX	UDL56	43.56										
	- 4-wire 56 combination -		UNCDX	1L5XX	0.01										
	- 4-wire 56 combination -		UNCDX	U1TD5	17.39										
	LOOP WI 64 KBPS INTEROFFICE NSPORT														
	mbination - e 1	1	UNCDX	UDL64	30.00										
	mbination - e 2	2	UNCDX	UDL64	41.34										
	mbination - e 3	3	UNCDX	UDL64	43.56										
	- 4-wire 64 combination -		UNCDX	1L5XX	0.01										
	- 4-wire 64 combination -		UNCDX	U1TD6	17.39										
	LOOP WI DS0 INTEROFFICE T ORT														
	mbination - e 1	1	UNCDX	UDL56	30.00										
	mbination - e 2	2	UNCDX	UDL56	41.34										
	mbination - e 3	3	UNCDX	UDL56	43.56										
	sport - Do - Per Mile per		UNCDX	1L5XX	0.01										
	sport - Dedi - Facility		UNCDX	U1TD5	17.39										
	LOOP WI DS0 INTEROFFICE TRANSPORT														
	mbination - e 1	1	UNCDX	UDL64	30.00										
	mbination - e 2	2	UNCDX	UDL64	41.34										
	mbination - e 3	3	UNCDX	UDL64	43.56										
	sport - Ded - Per Mile per		UNCDX	1L5XX	0.01										
	sport - Ded - Facility		UNCDX	U1TD6	17.39										
	OFFICE TRANSPORT														
	bination - Zone 1	1	UNC1X	USLXX	94.93										
	bination - Zone 2	2	UNC1X	USLXX	177.31										
	bination - Zone 3	3	UNC1X	USLXX	361.70										
	- DS1 com tion - Per Mile		UNC1X	1L5XX	0.21										
	- DS1 com tion - Facility		UNC1X	U1TF1	69.18										
	ED DS3 INTEROFFICE TRANSPORT														
	- per mile per month		UNC3X	1L5ND	11.08										
	- Facility Termination per month		UNC3X	UE3PX	408.63										
	rd - DS3 - Per Mile per month		UNC3X	1L5XX	4.70										
	- DS3 com tion - Facility		UNC3X	U1TF3	809.05										
	TED STS-1 OFFICE TRANSPORT														
	- per mile per month		UNCSX	1L5ND	11.08										
	- Facility mination per		UNCSY	UDLS1	422.98										

UNBUN - Alabama

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- STS-1 c ation - per mile			UNCSX	1L5XX	4.70										
	- STS-1 c nation - Facility			UNCSX	U1TFS	806.58										
ADDITIC																
	ombined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	etwork elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	twork Eleme s "Switch As Is" Charge (One applies to each combination)															
	ted Frame n - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOpti per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	SF) Option ssignment			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
	l Activity - p S3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
	er month			UNC1X	MQ1	116.22										
	DS0 Chann stem - per ocal Loop			UDL	1D1DD	1.29										
	DS0 Chann stem - per nection to a anelized DS1 C as collocat			U1TUD	1D1DD	1.29										
	1 to DS0 C el Systsem - per			UDN	UC1CA	2.77										
	1 to DS0 C el Systsem - per channelize 1 Local Channel			U1TUB	UC1CA	2.77										
	Channel S m - per month			UEA	1D1VG	0.61										
	Channel S m - per month lized DS1 Channel in the			U1TUC	1D1VG	0.61										
	er month			UNC3X	MQ3	191.05										
	per month			UNCSX	MQ3	191.05										
	onth			USL	UC1D1	14.60										
	to a chan d DS1 Local location) p nth			U1TUA	UC1D1	14.60										
	Channel pe nth			U1TD1	UC1D1	14.60										
	sed with L Channel per			ULDD1	UC1D1	14.60										

- Florida

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Inte	Za	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
UNBUND																
	SCRIBER [illegible] (HDSL) COMPATIBL[illegible] LOOP															
	[illegible] service inquiry			UHL	UHL2X	8.30	159.09	113.41	75.05	15.63						
	[illegible] service inquiry			UHL	UHL2X	11.80	159.09	113.41	75.05	15.63						
	[illegible] service inquiry			UHL	UHL2X	20.94	159.09	113.41	75.05	15.63						
	[illegible] service inquiry			UHL	UHL2W	8.30	134.40	80.69	60.64	9.12						
	[illegible] service inquiry			UHL	UHL2W	11.80	134.40	80.69	60.64	9.12						
	[illegible] service inquiry			UHL	UHL2W	20.94	134.40	80.69	60.64	9.12						
	SCRIBER [illegible] (HDSL) COMPATIBL[illegible] LOOP															
	[illegible] service inquiry			UHL	UHL4X	12.49	193.31	138.98	77.15	12.61						
	[illegible] service inquiry			UHL	UHL4X	17.76	193.31	138.98	77.15	12.61						
	[illegible] service inquiry			UHL	UHL4X	31.50	193.31	138.98	77.15	12.61						
	[illegible] service inquiry			UHL	UHL4W	12.49	168.62	115.47	62.74	11.22						
	[illegible] service inquiry			UHL	UHL4W	17.76	168.62	115.47	62.74	11.22						
	[illegible] service inquiry			UHL	UHL4W	31.50	168.62	115.47	62.74	11.22						
	1		1	USL	USLXX	81.35	313.75	181.48	61.22	13.53						
	2		2	USL	USLXX	115.62	313.75	181.48	61.22	13.53						
	3		3	USL	USLXX	205.15	313.75	181.48	61.22	13.53						
HIGH CA																
	Loop - DS[illegible] Per Mile per			UE3	1L5ND	12.56										
	Loop - DS[illegible] Facility			UE3	UE3PX	444.91										
	Loop - ST[illegible] Per Mile per			UDLSX	1L5ND	12.56										
	Loop - ST[illegible] Facility			UDLSX	UDLS1	490.59										
UNBUND																
	ED TRANSPORT															
	Channel - DS[illegible] Per Mile per			U1TD1	1L5XX	0.21										
	Tranport - D[illegible] Facility			U1TD1	U1TF1	101.71										
	Transport - DS3 - Per Mile per			U1TD3	1L5XX	4.45										
	Transport - DS3 - Facility			U1TD3	U1TF3	1231.65										
	Transport - ST[illegible]1 - Per Mile per			U1TS1	1L5XX	4.45										
	Transport - ST[illegible]1 - Facility			U1TS1	U1TFS	1214.40										
	Wire Voice G[illegible] - Zone 1		1	ULDVX, UNCVX	ULDV2	22.61										
	Wire Voice G[illegible] - Zone 2		2	ULDVX, UNCVX	ULDV2	32.13										
	Wire Voice G[illegible] - Zone 3		3	ULDVX, UNCVX	ULDV2	57.02										

- Florida

Attachment: 2 Ex. B

CATEG	ELEMENTS	Int'v	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							OSS Rates ($)				SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Voice G[illegible] Rev. Bat. -		1	ULDVX	ULDR2	22.61										
	Wire Voice G[illegible] Rev. Bat. -		2	ULDVX	ULDR2	32.13										
	Wire Voice G[illegible] Rev. Bat. -		3	ULDVX	ULDR2	57.02										
	Wire Voice G[illegible] - Zone 1		1	ULDVX, UNCVX	ULDV4	23.52										
	Wire Voice G[illegible] - Zone 2		2	ULDVX, UNCVX	ULDV4	33.42										
	Wire Voice G[illegible] - Zone 3		3	ULDVX, UNCVX	ULDV4	59.29										
	[illegible]1 - Zone 1		1	ULDD1, UNC1X	ULDF1	41.96										
	[illegible]1 - Zone 2		2	ULDD1, UNC1X	ULDF1	59.63										
	[illegible]1 - Zone 3		3	ULDD1, UNC1X	ULDF1	105.80										
	[illegible]3 - Per Mile [illegible] month			ULDD3, UNC3X	1L5NC	9.78										
	[illegible]3 - Facility [illegible]ination			ULDD3, UNC3X	ULDF3	611.70										
	[illegible]S-1- Per Mile [illegible] month			ULDS1, UNCSX	1L5NC	9.78										
	[illegible]S-1 - Facili[illegible]rmination			ULDS1, UNCSX	ULDFS	621.79										
ENHANC	[illegible]n-recurring [illegible]harges below will app[illegible] [illegible]e Switch-As[illegible]s Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	[illegible] Switch-As Charge and not the [illegible]															
	[illegible]E IN A COM[illegible]BINATION															
	[illegible]bination - Zone [illegible]		1	UNCVX	UEAL2	14.08										
	[illegible]bination - Zo[illegible]		2	UNCVX	UEAL2	20.01										
	[illegible]bination - Zo[illegible]		3	UNCVX	UEAL2	35.50										
	[illegible]			UNCVX	1D1VG	1.59										
	[illegible]E IN A COM[illegible]BINATION															
	[illegible]p in Combi[illegible]n - Zone 1		1	UNCVX	UEAL4	21.72										
	[illegible]p in Combi[illegible]n - Zone 2		2	UNCVX	UEAL4	30.87										
	[illegible]p in Combi[illegible]n - Zone 3		3	UNCVX	UEAL4	54.76										
	[illegible]n - per mo[illegible]			UNCVX	1D1VG	1.59										
	[illegible] USE IN A C[illegible]BINATION															
	[illegible]oop in Com[illegible]tion - Zone 1		1	UNCDX	UDL56	25.53										
	[illegible]oop in Com[illegible]tion - Zone 2		2	UNCDX	UDL56	36.29										
	[illegible]oop in Com[illegible]tion - Zone 3		3	UNCDX	UDL56	64.39										
	[illegible]n (2.4-64kb[illegible]			UNCDX	1D1DD	2.42										
	[illegible] USE IN A C[illegible]BINATION															
	[illegible]oop in Com[illegible]tion - Zone 1		1	UNCDX	UDL64	25.53										
	[illegible]oop in Com[illegible]tion - Zone 2		2	UNCDX	UDL64	36.29										
	[illegible]oop in Com[illegible]tion - Zone 3		3	UNCDX	UDL64	64.39										
	[illegible]ination, pe[illegible]th (2.4-64kbs)			UNCDX	1D1DD	2.42										
	[illegible]BINATION															
	[illegible]ion - Zone 1		1	UNCNX	U1L2X	22.17										
	[illegible]ion - Zone 2		2	UNCNX	U1L2X	31.51										
	[illegible]ion - Zone 3		3	UNCNX	U1L2X	55.91										
	[illegible]cumulation[illegible]s results			UNCNX	UC1CA	4.21										
	[illegible]E IN A COM[illegible]BINATION															
	[illegible]bination - Zo[illegible] 1		1	UNC1X	USLXX	81.35										
	[illegible]bination - Zo[illegible] 2		2	UNC1X	USLXX	115.62										
	[illegible]bination - Zo[illegible] 3		3	UNC1X	USLXX	205.15										
	[illegible]month			UNC1X	UC1D1	15.82										
	[illegible] TRANSPO[illegible]OR USE IN A COMB[illegible]ATION															
	[illegible] - Dedicate[illegible]e Mile Per			UNCVX	1L5XX	0.01										
	[illegible] - Dedicate[illegible]acility			UNCVX	U1TV2	29.12										
	[illegible] TRANSPO[illegible]OR USE IN A COMB[illegible]ATION															
	[illegible] - Dedicate[illegible]er Mile Per			UNCVX	1L5XX	0.01										
	[illegible] - Dedicate[illegible]Facility			UNCVX	U1TV4	25.97										

UNBUN - Florida

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Inte	Zo	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	COMBINA															
	- DS1 cor - Per Mile			UNC1X	1L5XX	0.21										
	- DS1 cor - Facility			UNC1X	U1TF1	101.71										
	USE IN A BINATION															
	- DS3 cor - Per Mile			UNC3X	1L5XX	4.45										
	- DS3 - F - Termination per			UNC3X	U1TF3	1231.65										
	R USE IN C BINATION															
	- STS-1 c - Per Mile			UNCSX	1L5XX	4.45										
	- STS-1 c - Facility			UNCSX	U1TFS	1214.40										
	H 56 KBPS INTEROFFICE TRANSPORT															
	mbination - Zone 1		1	UNCDX	UDL56	25.53										
	mbination - Zone 2		2	UNCDX	UDL56	36.29										
	mbination - Zone 3		3	UNCDX	UDL56	64.39										
	- 4-wire 56 s combination -			UNCDX	1L5XX	0.01										
	- 4-wire 56 s combination -			UNCDX	U1TD5	21.21										
	LOOP WI 64 KBPS INTEROFFIC R NSPORT															
	mbination - Zone 1		1	UNCDX	UDL64	25.53										
	mbination - Zone 2		2	UNCDX	UDL64	36.29										
	mbination - Zone 3		3	UNCDX	UDL64	64.39										
	- 4-wire 64 s combination -			UNCDX	1L5XX	0.01										
	- 4-wire 64 s combination -			UNCDX	U1TD6	21.21										
	LOOP WI DS0 INTEROFFICE TRANSPORT															
	mbination - Zone 1		1	UNCDX	UDL56	25.53										
	mbination - Zone 2		2	UNCDX	UDL56	36.29										
	mbination - Zone 3		3	UNCDX	UDL56	64.39										
	sport - Ded - Per Mile per			UNCDX	1L5XX	0.01										
	sport - Dedi - Facility			UNCDX	U1TD5	21.21										
	LOOP WI DS0 INTEROFFICE TRANSPORT															
	mbination - Zone 1		1	UNCDX	UDL64	25.53										
	mbination - Zone 2		2	UNCDX	UDL64	36.29										
	mbination - Zone 3		3	UNCDX	UDL64	64.39										
	sport - Ded - Per Mile per			UNCDX	1L5XX	0.01										
	sport - Dedi - Facility			UNCDX	U1TD6	21.21										
	AND EOFFICE TRANSPORT															
	mbination - Zone 1		1	UNC1X	USLXX	81.35										
	mbination - Zone 2		2	UNC1X	USLXX	115.62										
	mbination - Zone 3		3	UNC1X	USLXX	205.15										
	- DS1 com ation - Per Mile			UNC1X	1L5XX	0.21										
	- DS1 com ation - Facility			UNC1X	U1TF1	101.71										
	ED DS3 INTE FFICE TRANSPORT															
	per mile pe onth			UNC3X	1L5ND	14.44										
	- Facility Te ation per month			UNC3X	UE3PX	511.65										

UNBUN - Florida

Attachment: 2 Ex. B

CATEG	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- DS3 - Pe e per month			UNC3X	1L5XX	4.45										
	- DS3 con ion - Facility			UNC3X	U1TF3	1231.65										
	TED STS-1 EROFFICE TRANSP			UNCSX	1L5ND	14.44										
	- per mile p month			UNCSX	UDLS1	564.18										
	n - Facility ination per			UNCSX	1L5XX	4.45										
	- STS-1 cr ation - per mile			UNCSX	U1TFS	1214.40										
	- STS-1 cr ation - Facility															
ADDITIO																
	ombined fac ity, the non-recurring ch ges do not apply, but a **Switch As Is charge does apply.**															
	etwork elem ts in All States, the no recurring charges apply **and the Switch As Is Charge does not.**															
	twork Elem a "Switch As Is" Charg (One applies to each combination)															
				U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	ad Frame n - per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	FrameOpti per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
	FE) Option equipment			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
	l Activity - n S3															
	r month			UNC1X	MQ1	168.79										
	S0 Chann stem per ical Loop			UDL	1D1DD	2.42										
	DS0 Chann stem - per nection to a nelized DS1 C as collocat			U1TUD	1D1DD	2.42										
	1 to DS0 C l Systsem - per			UDN	UC1CA	4.21										
	1 to DS0 C el Systsem - per channelize 1 Local Channel			U1TUB	UC1CA	4.21										
	Channel T n - per month			UEA	1D1VG	1.59										
	Channel S n - per month ized DS1 Channel in the			U1TUC	1D1VG	1.59										
	r month			UNC3X	MQ3	242.87										
	per month			UNCSX	MQ3	242.87										
	month			USL	UC1D1	15.82										
	to a channe l DS1 Local allocation) p nonth			U1TUA	UC1D1	15.82										
	Channel pe nth			U1TD1	UC1D1	15.82										
	sed with L Channel per			ULDD1	UC1D1	15.82										

- Georgia

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Inter	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUND	SCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL2X	9.06	44.69	31.55	0.00	0.00						
	including manual service inquiry		2	UHL	UHL2X	10.45	44.69	31.55	0.00	0.00						
	including manual service inquiry		3	UHL	UHL2X	16.65	44.69	31.55	0.00	0.00						
	without manual service inquiry		1	UHL	UHL2W	9.06	44.69	31.55	0.00	0.00						
	without manual service inquiry		2	UHL	UHL2W	10.45	44.69	31.55	0.00	0.00						
	without manual service inquiry		3	UHL	UHL2W	16.65	44.69	31.55	0.00	0.00						
	SCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL4X	11.95	44.69	31.55	0.00	0.00						
	including manual service inquiry		2	UHL	UHL4X	13.80	44.69	31.55	0.00	0.00						
	including manual service inquiry		3	UHL	UHL4X	21.93	44.69	31.55	0.00	0.00						
	without manual service inquiry		1	UHL	UHL4W	11.95	44.69	31.55	0.00	0.00						
	without manual service inquiry		2	UHL	UHL4W	13.80	44.69	31.55	0.00	0.00						
	without manual service inquiry		3	UHL	UHL4W	21.93	44.69	31.55	0.00	0.00						
	2		1	USL	USLXX	47.17	211.93	72.49	38.24	7.20						
	2		2	USL	USLXX	53.37	211.93	72.49	38.24	7.20						
	2		3	USL	USLXX	71.33	211.93	72.49	38.24	7.20						
HIGH CA																
	Loop - DS Per Mile per			UE3	1L5ND	12.62										
	Loop - DS Facility			UE3	UE3PX	291.39										
	Loop - STS Per Mile per			UDLSX	1L5ND	12.62										
	Loop - STS Facility			UDLSX	UDLS1	351.23										
UNBUND	ED TRANSPORT															
	Channel - DS Per Mile per			U1TD1	1L5XX	0.13										
	Tranport - DS Facility			U1TD1	U1TF1	39.32										
	Transport - DS3 - Per Mile per			U1TD3	1L5XX	2.91										
	Transport - DS3 - Facility			U1TD3	U1TF3	393.32										
	Transport - STS-1 - Per Mile per			U1TS1	1L5XX	2.92										
	Transport - STS-1 - Facility			U1TS1	U1TFS	412.47										
	Wire Voice Grade			ULDVX, UNCVX	ULDV2	8.90										
	Wire Voice Grade Rev Bat			ULDVX	ULDR2	8.90										
	Wire Voice Grade			ULDVX, UNCVX	ULDV4	10.03										
	Zone 1		1	ULDD1, UNC1X	ULDF1	21.24										

UNBU - Georgia

Attachment: 2 Ex. B

CATEG	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	51 Zone 2		2	ULDD1, UNC1X	ULDF1	64.75										
	51 Zone 3		3	ULDD1, UNC1X	ULDF1	189.41										
	53 - Per Mile per month			ULDD3, UNC3X	1L5NC	1.66										
	53 - Facility Termination			ULDD3, UNC3X	ULDF3	169.06										
	DS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	1.66										
	DS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	177.81										
ENHANC																
	Non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	The Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	USE IN A COMBINATION															
	Termination - Zone 1		1	UNCVX	UEAL2	13.31										
	Termination - Zone 2		2	UNCVX	UEAL2	19.49										
	Termination - Zone 3		3	UNCVX	UEAL2	38.04										
				UNCVX	1D1VG	0.54										
	USE IN A COMBINATION															
	Loop in Combination - Zone 1		1	UNCVX	UEAL4	20.47										
	Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.93										
	Loop in Combination - Zone 3		3	UNCVX	UEAL4	34.79										
	Port - per month			UNCVX	1D1VG	0.54										
	USE IN A COMBINATION															
	Loop in Combination - Zone 1		1	UNCDX	UDL56	25.14										
	Loop in Combination - Zone 2		2	UNCDX	UDL56	32.61										
	Loop in Combination - Zone 3		3	UNCDX	UDL56	43.95										
	Port (2.4-64kbs)			UNCDX	1D1DD	1.15										
	USE IN A COMBINATION															
	Loop in Combination - Zone 1		1	UNCDX	UDL64	25.14										
	Loop in Combination - Zone 2		2	UNCDX	UDL64	32.61										
	Loop in Combination - Zone 3		3	UNCDX	UDL64	43.95										
	Combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.15										
	COMBINATION															
	Combination - Zone 1		1	UNCNX	U1L2X	22.79										
	Combination - Zone 2		2	UNCNX	U1L2X	30.20										
	Combination - Zone 3		3	UNCNX	U1L2X	48.50										
	Port combination - per month			UNCNX	UC1CA	1.91										
	USE IN A COMBINATION															
	Termination - Zone 1		1	UNC1X	USLXX	47.17										
	Termination - Zone 2		2	UNC1X	USLXX	53.37										
	Termination - Zone 3		3	UNC1X	USLXX	71.33										
	Port - month			UNC1X	UC1D1	8.45										
	TRANSPORT FOR USE IN A COMBINATION															
	DS1 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.01										
	DS1 - Dedicated - Facility			UNCVX	U1TV2	14.80										
	TRANSPORT FOR USE IN A COMBINATION															
	DS3 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.01										
	DS3 - Dedicated - Facility			UNCVX	U1TV4	12.40										
	COMBINATION															
	DS1 combination - Per Mile			UNC1X	1L5XX	0.13										
	DS1 combination - Facility			UNC1X	U1TF1	39.32										
	Combination Port - Month			UNC1X	MQ1	80.21										
	USE IN A COMBINATION															
	DS3 combination - Per Mile			UNC3X	1L5XX	2.91										

UNBUN... - Georgia

Attachment: 2 Ex. B

CATEGO...	...EMENTS	Inte...	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		DSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	... - DS3 - Fa... - Termination per			UNC3X	U1TF3	393.32										
	...OR USE IN C...RINATION															
	... - STS-1 ... - Per Mile			UNCSX	1L5XX	2.91										
	... - STS-1 ... - Facility			UNCSX	U1TFS	412.47										
	...L56 KBPS ...EROFFICE TRANSPO...															
	...mbination - ...e 1			UNCDX	UDL56	25.14										
	...mbination - ...e 2			UNCDX	UDL56	32.61										
	...mbination - ...e 3		3	UNCDX	UDL56	43.95										
	... - 4-wire 56... combination -			UNCDX	1L5XX	0.01										
	... - 4-wire 56... combination -			UNCDX	U1TD5	9.00										
	...D LOOP WI... 64 KBPS INTEROFFICE TRANSPORT															
	...mbination - ...e 1		1	UNCDX	UDL64	25.14										
	...mbination - ...e 2		2	UNCDX	UDL64	32.61										
	...mbination - ...e 3		3	UNCDX	UDL64	43.95										
	... - 4-wire 64... combination -			UNCDX	1L5XX	0.01										
	... - 4-wire 64... combination -			UNCDX	U1TD6	9.00										
	...D LOOP WI... 56 INTEROFFICE TRANSPORT															
	...mbination - ...e 1		1	UNCDX	UDL56	25.14										
	...mbination - ...e 2		2	UNCDX	UDL56	32.61										
	...mbination - ...e 3		3	UNCDX	UDL56	43.95										
	...sport - Ded... - Per Mile per			UNCDX	1L5XX	0.01										
	...sport - Ded... - Facility			UNCDX	U1TD5	9.00										
	...D LOOP WI... 56 INTEROFFICE TRANSPORT															
	...mbination - ...e 1		1	UNCDX	UDL64	25.14										
	...mbination - ...e 2		2	UNCDX	UDL64	32.61										
	...mbination - ...e 3		3	UNCDX	UDL64	43.95										
	...sport - Ded... - Per Mile per			UNCDX	1L5XX	0.01										
	...sport - Ded... - Facility			UNCDX	U1TD6	9.00										
	...OFFICE TRANSPORT															
	...bination - Zone 1		1	UNC1X	USLXX	47.17										
	...bination - Zone 2		2	UNC1X	USLXX	53.37										
	...bination - Zone 3		3	UNC1X	USLXX	71.33										
	... - DS1 com... ...tion - Per Mile			UNC1X	1L5XX	0.13										
	... - DS1 com... ...tion - Facility			UNC1X	U1TF1	39.32										
	...ED DS3 INTEROFFICE TRANSPORT															
	... - per mile per month			UNC3X	1L5ND	14.51										
	... - Facility Termination per month			UNC3X	UE3PX	335.10										
	... - DS3 - Per Mile per month			UNC3X	1L5XX	2.91										
	... - DS3 com... ...tion - Facility			UNC3X	U1TF3	393.32										
	...ATED STS-1 IN...EROFFICE TRANSPORT															
	... - per mile per month			UNCSX	1L5ND	14.51										
	... - Facility ...rminating per			UNCSX	UDLS1	403.92										

UNBU - Georgia

Attachment: 2 Ex. B

CATEGO	EMENTS	Inter	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- STS-1 co nation - per mile			UNCSX	1L5XX	2.91										
	- STS-1 co nation - Facility			UNCSX	U1TFS	412.47										
ADDITIO																
	ombined fac ity, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	etwork elec ts in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	twork Eleme ts "Switch As Is" Charge (One applies to each combination)															
	ded Frame C ion - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOptio per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	SF) Option ssessment			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
	l Activity - p DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
	er month			UNC1X	MQ1	80.21										
	DS0 Channe stem - per Local Loop			UDL	1D1DD	1.15										
	DS0 Channe stem - per nection to a ned DS1 G as collocat			U1TUD	1D1DD	1.15										
	l to DS0 C el Subsem - per			UDN	UC1CA	1.91										
	1 to DS0 C el Subsem - per channelize 1 Local Channel			U1TUB	UC1CA	1.91										
	Channel S m - per month			UEA	1D1VG	0.54										
	Channel S m - per month lized DS1 l Channel in the			U1TUC	1D1VG	0.54										
	er month			UNC3X	MQ3	140.18										
	per month			UNCSX	MQ3	140.18										
	month			USL	UC1D1	8.45										
	to a channel DS1 Local allocation) p month			U1TUA	UC1D1	8.45										
	Channel pe nth			U1TD1	UC1D1	8.45										
	sed with l Chan el per			ULDD1	UC1D1	8.45										

- Kentuc

CATEG	EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
UNBUND																
	SCRIBER (HDSL) COMPATIB LOOP															
	including service inquiry		1	UHL	UHL2X	10.06	151.54	89.29	69.09	11.54						
	including service inquiry		2	UHL	UHL2X	10.99	151.54	89.29	69.09	11.54						
	including service inquiry		3	UHL	UHL2X	12.20	151.54	89.29	69.09	11.54						
	without service inquiry		1	UHL	UHL2W	10.06	130.74	78.56	69.09	11.54						
	without service inquiry		2	UHL	UHL2W	10.99	130.74	78.56	69.09	11.54						
	without service inquiry		3	UHL	UHL2W	12.20	130.74	78.56	69.09	11.54						
	SCRIBER (HDSL) COMPATIB LOOP															
	including service inquiry		1	UHL	UHL4X	16.04	185.75	123.50	74.95	14.69						
	including service inquiry		2	UHL	UHL4X	18.03	185.75	123.50	74.95	14.69						
	including service inquiry		3	UHL	UHL4X	19.53	185.75	123.50	74.95	14.69						
	without service inquiry		1	UHL	UHL4W	16.04	164.95	114.04	77.32	15.80						
	without service inquiry		2	UHL	UHL4W	18.03	164.95	114.04	77.32	15.80						
	without service inquiry		3	UHL	UHL4W	19.53	164.95	114.04	77.32	15.80						
			1	USL	USLXX	99.44	306.69	174.44	65.83	14.55						
			2	USL	USLXX	131.22	306.69	174.44	65.83	14.55						
			3	USL	USLXX											
HIGH CA																
	Loop - DS per Mile per			UE3	1L5ND	10.64										
	Loop - DS Facility			UE3	UE3PX	354.56										
	Loop - ST Per Mile per			UDLSY	1L5ND	10.64										
	Loop - ST Facility			UDLSY	UDLS1	368.59										
UNBUND	ED															
	D TRANSPORT															
	Channel - DS - Per Mile per			U1TD1	1L5XX	0.26										
	Transport - DS - Facility			U1TD1	U1TF1	110.45										
	Transport - DS3 - Per Mile per			U1TD3	1L5XX	5.72										
	Transport - DS3 - Facility			U1TD3	U1TF3	1351.42										
	Transport - STS-1 - Per Mile per			U1TS1	1L5XX	5.72										
	Transport - STS-1 - Facility			U1TS1	U1TFS	1321.94										
	Wire Voice Grade			ULDVX, UNCVX	ULDV2	21.36										
	Wire Voice Grade Rev Bat			ULDVX	ULDR2	21.36										
	Wire Voice			ULDVX, UNCVX	ULDV4	22.84										
	1 - Zone 1		1	ULDD1, UNC1X	ULDF1	46.53										

UNBUN - Kentuc

Attachment: 2 Ex. B

CATEG	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
	1 - Zone 2		2	ULDD1, UNC1X	ULDF1	49.90										
	1 - Zone 3		3	ULDD1, UNC1X	ULDF1	189.18										
	3 - Per Mile per month			ULDD3, UNC3X	1L5NC	10.05										
	3 - Facility Termination			ULDD3, UNC3X	ULDF3	662.46										
	S-1- Per Mile per month			ULDS1, UNCSX	1L5NC	10.05										
ENHANC	S-1 - Facility Termination			ULDS1, UNCSX	ULDFS	624.73										
	Non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	e Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	SE IN A COMBINATION															
	ination - Zone 1		1	UNCVX	UEAL2	14.57										
	ination - Zone 2		2	UNCVX	UEAL2	20.07										
	ination - Zone 3		3	UNCVX	UEAL2	38.20										
				UNCVX	1D1VG	0.71										
	SE IN A COMBINATION															
	op in Combination - Zone 1		1	UNCVX	UEAL4	33.65										
	op in Combination - Zone 2		2	UNCVX	UEAL4	39.39										
	op in Combination - Zone 3		3	UNCVX	UEAL4	97.82										
	ion - per month			UNCVX	1D1VG	0.71										
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL56	31.73										
	oop in Combination - Zone 2		2	UNCDX	UDL56	37.35										
	op in Combination - Zone 3		3	UNCDX	UDL56	41.83										
	(2.4-64Kbs			UNCDX	1D1DD	1.52										
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL64	31.73										
	oop in Combination - Zone 2		2	UNCDX	UDL64	37.35										
	oop in Combination - Zone 3		3	UNCDX	UDL64	41.83										
	ination - per month (2.4-64kbs)			UNCDX	1D1DD	1.52										
	MBINATION															
	ion - Zone 1		1	UNCNX	U1L2X	21.21										
	ion - Zone 2		2	UNCNX	U1L2X	28.84										
	ion - Zone 3		3	UNCNX	U1L2X	49.30										
	combination - per month			UNCNX	UC1CA	3.27										
	IN A COMBINATION															
	bination - Zone 1		1	UNC1X	USLXX	99.44										
	bination - Zone 2		2	UNC1X	USLXX	131.22										
	bination - Zone 3		3	UNC1X	USLXX	342.42										
	onth			UNC1X	UC1D1	13.57										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated - Per Mile Per			UNCVX	1L5XX	0.01										
	- Dedicated Facility			UNCVX	U1TV2	27.54										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated - Per Mile Per			UNCVX	1L5XX	0.01										
	- Dedicated Facility			UNCVX	U1TV4	27.54										
	COMBINA															
	- DS1 combination - Per Mile			UNC1X	1L5XX	0.22										
	- DS1 combination - Facility			UNC1X	U1TF1	90.87										
	USE IN A COMBINATION															
	- DS3 combination - Per Mile			UNC3X	1L5XX	4.70										

UNBU - Kentuc

CATEG	EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- DS3 - Fa - Termination per			UNC3X	U1TF3	1111.92										
	R USE IN C BINATION															
	- STS-1 - Per Mile			UNCSX	1L5XX	4.70										
	- STS-1 - Facility			UNCSX	U1TFS	1087.66										
	56 KBPS - ROFFICE TRANSP															
	mbination - e 1		1	UNCDX	UDL56	31.73										
	mbination - e 2		2	UNCDX	UDL56	37.35										
	mbination - e 3		3	UNCDX	UDL56	41.83										
	- 4-wire 56 s combination -			UNCDX	1L5XX	0.01										
	- 4-wire 56 s combination -			UNCDX	U1TD5	19.84										
	LOOP WI 64 KBPS INTEROFFICE RANSPORT															
	mbination - e 1		1	UNCDX	UDL64	31.73										
	mbination - e 2		2	UNCDX	UDL64	37.35										
	mbination - e 3		3	UNCDX	UDL64	41.83										
	- 4-wire 64 s combination -			UNCDX	1L5XX	0.01										
	- 4-wire 64 s combination -			UNCDX	U1TD6	19.84										
	LOOP WI S0 INTEROFFICE T SPORT															
	mbination - e 1		1	UNCDX	UDL56	31.73										
	mbination - e 2		2	UNCDX	UDL56	37.35										
	mbination - e 3		3	UNCDX	UDL56	41.83										
	sport - Dedi - Per Mile per			UNCDX	1L5XX	0.01										
	sport - Dedi - Facility			UNCDX	U1TD5	19.84										
	LOOP WI S0 INTEROFFICE TR SPORT															
	mbination - e 1		1	UNCDX	UDL64	31.73										
	mbination - e 2		2	UNCDX	UDL64	37.35										
	mbination - e 3		3	UNCDX	UDL64	41.83										
	sport - Dedi - Per Mile per			UNCDX	1L5XX	0.01										
	sport - Dedi - Facility			UNCDX	U1TD6	19.84										
	OFFICE TR SPORT															
	bination - Zone 1		1	UNC1X	USLXX	99.44										
	bination - Zone 2		2	UNC1X	USLXX	131.22										
	bination - Zone 3		3	UNC1X	USLXX	342.42										
	- DS1 com ation - Per Mile			UNC1X	1L5XX	0.22										
	- DS1 com ation - Facility			UNC1X	U1TF1	90.87										
	ED DS3 INTEROFFICE TRANSPORT															
	- per mile per month			UNC3X	1L5ND	12.23										
	- Facility Termination per month			UNC3X	UE3PX	407.74										
	- DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	- DS3 com ation - Facility			UNC3X	U1TF3	1111.92										
	TED STS-1 I EROFFICE TRANSPO															
	- per mile per month			UNCSX	1L5ND	12.23										
	- Facility nation per			UNCSX	UDLS1	423.87										

UNBUN		Kentuck										Attachment: 2 Ex. B			
CATEGO	ELEMENTS	Inter	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- STS-1 co ation - per mile			UNCSX	1L5XX	4.70										
	- STS-1 co ation - Facility			UNCSX	U1TFS	1087.66										
ADDITIO	combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	etwork elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	twork Elements "Switch As Is" Charge (One applies to each combination)															
	ted Frame on - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOpti per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	SF) Option segment			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78						
	Activity - p DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
	r month			UNC1X	MQ1	130.33										
	DS0 Chann stem - per ocal Loop			UDL	1D1DD	1.52										
	DS0 Chann stem - per nection to e metized DS1 C as colloca			U1TUD	1D1DD	1.52										
	1 to DS0 C el System - per			UDN	UC1CA	3.27										
	1 to DS0 C el System - per channelize 1 Local Channel			U1TUB	UC1CA	3.27										
	Channel S m - per month			UEA	1D1VG	0.72										
	Channel S m - per month lized DS1 Channel in the			U1TUC	1D1VG	0.72										
	r month			UNC3X	MQ3	181.93										
	per month			UNCSX	MQ3	181.93										
	month			USL	UC1D1	13.57										
	to a chann DS1 Local allocation) p onth			U1TUA	UC1D1	13.57										
	Channel pe nth			U1TD1	UC1D1	13.57										
	ed with 1 Channel per			ULDD1	UC1D1	13.57										

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Int	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUND																
	SCRIBER (HDSL) COMPATIB LOOP															
	including m service inquiry			UHL	UHL2X	11.26	125.50	76.77								
	including m service inquiry			UHL	UHL2X	13.25	125.50	76.77								
	including m service inquiry			UHL	UHL2X	14.65	125.50	76.77								
	without mai service inquiry			UHL	UHL2W	11.26	101.24	64.43								
	without mai service inquiry			UHL	UHL2W	13.25	101.24	64.43								
	without mai service inquiry			UHL	UHL2W	14.65	101.24	64.43								
	SCRIBER (HDSL) COMPATIB LOOP															
	including m service inquiry			UHL	UHL4X	18.68	153.26	104.54								
	including m service inquiry			UHL	UHL4X	19.15	153.26	104.54								
	including m service inquiry			UHL	UHL4X	19.94	153.26	104.54								
	without mai service inquiry			UHL	UHL4W	18.68	129.00	92.20								
	without mai service inquiry			UHL	UHL4W	19.15	129.00	92.20								
	without mai service inquiry			UHL	UHL4W	19.94	129.00	92.20								
	1		1	USL	USLXX	98.56	245.16	152.98								
	2		2	USL	USLXX	224.20	245.16	152.98								
	3		3	USL	USLXX	565.73	245.16	152.98								
HIGH CA																
	Loop - DS Mile per			UE3	1L5ND	11.55										
	Loop - DS			UE3	UE3PX	416.69										
	Loop - ST Per Mile per			UDLSX	1L5ND	11.55										
	Loop - ST Facility			UDLSX	UDLS1	430.74										
UNBUND																
	D TRANSPORT															
	Channel - D Per Mile per			U1TD1	1L5XX	0.30										
	Transport - D Facility			U1TD1	U1TF1	81.04										
	Transport - DS3 - Per Mile per			U1TD3	1L5XX	6.95										
	Transport - DS3 - Facility			U1TD3	U1TF3	978.02										
	Transport - S1 - Per Mile per			U1TS1	1L5XX	6.95										
	Transport - S1 - Facility			U1TS1	U1TFS	954.72										
	Wire Voice G			ULDVX, UNCVX	ULDV2	21.07										
	Wire Voice G Rev Bat			ULDVX	ULDR2	21.07										
	Wire Voice G			ULDVX, UNCVX	ULDV4	22.32										
	1 - Zone 1		1	ULDD1, UNC1X	ULDF1	45.06										

- Louisiana

Attachment: 2 Ex. B

CATEGO	ELEMENTS	Inte	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1 - Zone 2		2	ULDD1, UNC1X	ULDF1	139.82										
	1 - Zone 3		3	ULDD1, UNC1X	ULDF1	80.52										
	3 - Per Mile per month			ULDD3, UNC3X	1L5NC	8.99										
	3 - Facility termination			ULDD3, UNC3X	ULDF3	539.86										
	S-1- Per Mile per month			ULDS1, UNCSX	1L5NC	8.99										
	S-1 - Facility termination			ULDS1, UNCSX	ULDFS	525.80										
ENHANC																
	n-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	e Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	SE IN A COMBINATION															
	ination - Zo		1	UNCVX	UEAL2	17.17										
	ination - Zo		2	UNCVX	UEAL2	29.15										
	ination - Zo		3	UNCVX	UEAL2	58.03										
				UNCVX	1D1VG	0.75										
	SE IN A COMBINATION															
	op in Combination - Zone 1		1	UNCVX	UEAL4	35.43										
	op in Combination - Zone 2		2	UNCVX	UEAL4	44.07										
	op in Combination - Zone 3		3	UNCVX	UEAL4	69.45										
	on - per month			UNCVX	1D1VG	0.75										
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL56	35.64										
	oop in Combination - Zone 2		2	UNCDX	UDL56	42.30										
	oop in Combination - Zone 3		3	UNCDX	UDL56	44.76										
	h (2.4-64kbs			UNCDX	1D1DD	1.59										
	USE IN A COMBINATION															
	oop in Combination - Zone 1		1	UNCDX	UDL64	35.64										
	oop in Combination - Zone 2		2	UNCDX	UDL64	42.30										
	oop in Combination - Zone 3		3	UNCDX	UDL64	44.76										
	ination - per month (2.4-64kbs)			UNCDX	1D1DD	1.59										
	BINATION															
	on - Zone 1		1	UNCNX	U1L2X	25.40										
	on - Zone 2		2	UNCNX	U1L2X	40.57										
	on - Zone 3		3	UNCNX	U1L2X	74.96										
	combination per month			UNCNX	UC1CA	3.40										
	IN A COMBINATION															
	bination - Zone 1		1	UNC1X	USLXX	98.56										
	bination - Zone 2		2	UNC1X	USLXX	224.20										
	bination - Zone 3		3	UNC1X	USLXX	565.73										
	month			UNC1X	UC1D1	13.55										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated Per Mile Per			UNCVX	1L5XX	0.01										
	- Dedicated Facility			UNCVX	U1TV2	25.99										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated Per Mile Per			UNCVX	1L5XX	0.01										
	- Dedicated Facility			UNCVX	U1TV4	22.78										
	COMBINATION															
	- DS1 combination - Per Mile			UNC1X	1L5XX	0.30										
	- DS1 combination - Facility			UNC1X	U1TF1	81.04										
	USE IN A COMBINATION															
	- DS3 combination - Per Mile			UNC3X	1L5XX	6.95										
	- DS3 - Fa Termination per			UNC3X	U1TF3	978.02										

UNBU - Louisia

Attachment: 2 Ex. B

CATEG	ELEMENTS	Inter n	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	R USE IN C BINATION															
	- STS-1 co ation - Per Mile			UNCSX	1L5XX	6.95										
	- STS-1 co ation - Facility			UNCSX	U1TFS	954.72										
	1.56 KBPS OFFICE TRANSP															
	mbination - e 1		1	UNCDX	UDL56	35.64										
	mbination - e 2		2	UNCDX	UDL56	42.30										
	mbination - e 3		3	UNCDX	UDL56	44.76										
	- 4-wire 56 s combination -			UNCDX	1L5XX	0.01										
	- 4-wire 56 s combination -			UNCDX	U1TD5	17.95										
	LOOP WI 1 KBPS INTEROFFICE TRANSPORT															
	mbination - e 1		1	UNCDX	UDL64	35.64										
	mbination - e 2		2	UNCDX	UDL64	42.30										
	mbination - e 3		3	UNCDX	UDL64	44.76										
	- 4-wire 56 s combination -			UNCDX	1L5XX	0.01										
	- 4-wire 64 s combination -			UNCDX	U1TD6	17.95										
	LOOP WI DS0 INTEROFFICE TRANSPORT															
	mbination - e 1		1	UNCDX	UDL56	35.64										
	mbination - e 2		2	UNCDX	UDL56	42.30										
	mbination - e 3		3	UNCDX	UDL56	44.76										
	sport - Ded - Per Mile per			UNCDX	1L5XX	0.01										
	port - Ded - Facility			UNCDX	U1TD5	17.95										
	LOOP WI DS0 INTEROFFICE TRANSPORT															
	mbination - e 1		1	UNCDX	UDL64	35.64										
	mbination - e 2		2	UNCDX	UDL64	42.30										
	mbination - e 3		3	UNCDX	UDL64	44.76										
	sport - Ded - Per Mile per			UNCDX	1L5XX	0.01										
	port - Ded - Facility			UNCDX	U1TD6	17.95										
	OFFICE TRANSPORT															
	bination - Zone 1		1	UNC1X	USLXX	98.56										
	bination - Zone 2		2	UNC1X	USLXX	224.20										
	bination - Zone 3		3	UNC1X	USLXX	565.73										
	- DS1 com ion - Per Mile			UNC1X	1L5XX	0.30										
	- DS1 com ion - Facility			UNC1X	U1TF1	81.04										
	ED DS3 INTE FFICE TRANSPORT															
	- per mile p month			UNC3X	1L5ND	13.28										
	- Facility Termination per month			UNC3X	UE3PX	479.19										
	d - DS3 - Per ile per month			UNC3X	1L5XX	6.95										
	- DS3 com ion - Facility			UNC3X	U1TF3	978.02										
	TED STS-1 INTEROFFICE TRANSPORT															
	- per mile p month			UNCSX	1L5ND	13.28										
	- Facility - minutes per			UNCSX	UDLS1	495.36										
	- STS-1 co ation - per mile			UNCSX	1L5XX	6.95										

UNBU - Louisiana

Attachment: 2 Ex. B

CATEG	EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- STS-1 c nation - Facility			UNCSX	U1TFS	954.72										
ADDITIO																
	ombined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	etwork elem is in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	twork Elem s "Switch As Is" Charg (One applies to each combination)															
				U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOpti per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	F) Option nrecurrent			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
	Activity - r S3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00						
	r month			UNC1X	MQ1	120.85										
	S0 Chann stem per oral Loop			UDL	1D1DD	1.59										
	S0 Chann stem - per nection to a alized DS1 as collocat			U1TUD	1D1DD	1.59										
	to DS0 C al Subsem - per			UDN	UC1CA	3.40										
	to DS0 C al Subsem - per channelize Local Channel			U1TUS	UC1CA	3.40										
	Channel S m - per month			UEA	1D1VG	0.75										
	Channel S m - per month lized DS1 Channel in the			U1TUC	1D1VG	0.75										
	r month			UNC3X	MQ3	231.70										
	per month			UNCSX	MQ3	231.70										
	month			USL	UC1D1	13.55										
	to a chann d DS1 Local allocation) p month			U1TUA	UC1D1	13.55										
	Channel pe nth			U1TD1	UC1D1	13.55										
	ed with l Channel per			ULDD1	UC1D1	13.55										

- Mississippi

Attachment: 2 Ex. B

CATEGORY	ELEMENTS	Interval	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring	Nonrecurring Add'l	Nonrecurring Disconnect	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED																
	SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL2X	10.06	129.98	79.52	50.38	7.93						
	including manual service inquiry		2	UHL	UHL2X	10.60	129.98	79.52	50.38	7.93						
	including manual service inquiry		3	UHL	UHL2X	11.35	129.98	79.52	50.38	7.93						
	including manual service inquiry		4	UHL	UHL2X	12.03	129.98	79.52	50.38	7.93						
	without manual service inquiry		1	UHL	UHL2W	10.06	104.86	66.74	50.38	7.93						
	without manual service inquiry		2	UHL	UHL2W	10.60	104.86	66.74	50.38	7.93						
	without manual service inquiry		3	UHL	UHL2W	11.35	104.86	66.74	50.38	7.93						
	without manual service inquiry		4	UHL	UHL2W	12.03	104.86	66.74	50.38	7.93						
	SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	including manual service inquiry		1	UHL	UHL4X	15.85	158.74	108.28	56.72	10.68						
	including manual service inquiry		2	UHL	UHL4X	15.44	158.74	108.28	56.72	10.68						
	including manual service inquiry		3	UHL	UHL4X	17.93	158.74	108.28	56.72	10.68						
	including manual service inquiry		4	UHL	UHL4X	16.63	158.74	108.28	56.72	10.68						
	without manual service inquiry		1	UHL	UHL4W	15.85	133.62	95.50	56.72	10.68						
	without manual service inquiry		2	UHL	UHL4W	15.44	133.62	95.50	56.72	10.68						
	without manual service inquiry		3	UHL	UHL4W	17.93	133.62	95.50	56.72	10.68						
	without manual service inquiry		4	UHL	UHL4W	16.63	133.62	95.50	56.72	10.68						
			1	USL	USLXX	118.62	253.93	158.45	46.10	12.07						
	2		2	USL	USLXX	148.79	253.93	158.45	46.10	12.07						
	3		3	USL	USLXX	237.75	253.93	158.45	46.10	12.07						
	4		4	USL	USLXX	527.23	253.93	158.45	46.10	12.07						
HIGH CA																
	Loop - DS Per Mile per			UE3	1L5ND	12.88										
	Loop - DS Facility			UE3	UE3PX	375.07										
	Loop - STS Per Mile per			UDLSX	1L5ND	12.88										
	Loop - STS Facility			UDLSX	UDLS1	389.33										
UNBUND																
	ED TRANSPORT															
	Channel - D Per Mile per			U1TD1	1L5XX	0.23										
	Transport - D Facility			U1TD1	U1TF1	65.93										
	Transport Per Mile per			U1TD3	1L5XX	5.47										

UNBU - Mississippi

Attachment: 2 Ex. B

CATEG	EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring	Add'l	Nonrecurring Disconnect	Add'l	OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport - Facility			U1TD3	U1TF3	738.18										
	Transport - Per Mile per			U1TS1	1L5XX	5.47										
	Transport - Facility			U1TS1	U1TFS	740.84										
	Wire Voice C			ULDVX, UNCVX	ULDV2	17.15										
	Wire Voice C Rev Bat			ULDVX	ULDR2	17.15										
	Wire Voice C			ULDVX, UNCVX	ULDV4	18.39										
	S1 - Zone 1		1	ULDD1, UNC1X	ULDF1	42.35										
	S1 - Zone 2		2	ULDD1, UNC1X	ULDF1	41.39										
	S1 - Zone 3		3	ULDD1, UNC1X	ULDF1	254.87										
	S1 - Zone 4		4	ULDD1, UNC1X	ULDF1	254.87										
	3 - Per Mile month			ULDD3, UNC3X	1L5NC	11.11										
	3 - Facility ination			ULDD3, UNC3X	ULDF3	475.95										
	S-1 - Per Mi month			ULDS1, UNCSX	1L5NC	11.11										
	S-1 - Facili ination			ULDS1, UNCSX	ULDFS	469.22										
ENHANC																
	n-recurring charges below will appl and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	Switch-As Charge and not the recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	E IN A COM NATION															
	ination - Zo		1	UNCVX	UEAL2	15.97										
	ination - Zo		2	UNCVX	UEAL2	21.56										
	ination - Zo		3	UNCVX	UEAL2	31.68										
	ination - Zo		4	UNCVX	UEAL2	52.58										
				UNCVX	1D1VG	0.66										
	E IN A COM NATION															
	p in Combi n - Zone 1		1	UNCVX	UEAL4	31.59										
	p in Combi n - Zone 2		2	UNCVX	UEAL4	44.00										
	p in Combi n - Zone 3		3	UNCVX	UEAL4	57.53										
	p in Combi n - Zone 4		4	UNCVX	UEAL4	57.53										
	on - per mon			UNCVX	1D1VG	0.66										
	USE IN A BINATION															
	oop in Com ion - Zone 1		1	UNCDX	UDL56	31.56										
	oop in Com ion - Zone 2		2	UNCDX	UDL56	39.73										
	oop in Com ion - Zone 3		3	UNCDX	UDL56	46.87										
	oop in Com ion - Zone 4		4	UNCDX	UDL56	37.09										
	h (2.4-64kbs			UNCDX	1D1DD	1.40										
	USE IN A BINATION															
	oop in Com ion - Zone 1			UNCDX	UDL64	31.56										
	oop in Com ion - Zone 2			UNCDX	UDL64	39.73										
	oop in Com ion - Zone 3			UNCDX	UDL64	46.87										
	oop in Com ion - Zone 4		4	UNCDX	UDL64	37.09										
	bination - per nth (2.4-64kbs)			UNCDX	1D1DD	1.40										
	MBINATION															
	ion - Zone 1		1	UNCNX	U1L2X	24.16										
	ion - Zone 2		2	UNCNX	U1L2X	31.73										
	ion - Zone 3		3	UNCNX	U1L2X	42.94										
	ion - Zone 4		4	UNCNX	U1L2X	68.06										
	combination - month			UNCNX	UC1CA	3.01										
	E IN A COM ATION															
	bination - Z		1	UNC1X	USLXX	90.94										
	bination - Z		2	UNC1X	USLXX	148.79										
	bination - Z		3	UNC1X	USLXX	237.75										
	bination - Z		4	UNC1X	USLXX	527.23										
	month			UNC1X	UC1D1	3.01										
	TRANSPO OR USE IN A COMB ATION															
	- Dedicate r Mile Per			UNCVX	1L5XX	0.00										

UNBUN - Mississ

Attachment: 2 Ex. B

CATEG	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)				
							Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- Dedicate acility			UNCVX	U1TV2	23.37									
	TRANSPO OR USE IN A COMB TION														
	- Dedicate Mile Per			UNCVX	1L5XX	0.00									
	- Dedicate			UNCVX	U1TV4	20.54									
	COMBINA														
	- DS1 con tion - Per Mile			UNC1X	1L5XX	0.21									
	- DS1 con tion - Facility			UNC1X	U1TF1	59.48									
	USE IN A C BINATION														
	- DS3 con tion - Per Mile			UNC3X	1L5XX	5.47									
	- DS3 - Fa Termination per			UNC3X	U1TF3	738.18									
	R USE IN C BINATION														
	- STS-1 co ation - Per Mile			UNCSX	1L5XX	5.47									
	ation per mile			UNCSX	MQ3	196.22									
	56 KBPS EROFFICE TRANSPO														
	mbination - e 1		1	UNCDX	UDL56	31.56									
	mbination - e 2		2	UNCDX	UDL56	39.73									
	mbination - e 3		3	UNCDX	UDL56	46.87									
	mbination - e 4		4	UNCDX	UDL56	37.09									
	4-wire 56 combination -			UNCDX	1L5XX	0.01									
	4-wire 56 combination -			UNCDX	U1TD5	25.90									
	LOOP WI 64 KBPS INTEROFFICE TRANSPORT														
	mbination e 1		1	UNCDX	UDL64	31.56									
	mbination e 2		2	UNCDX	UDL64	39.73									
	mbination e 3		3	UNCDX	UDL64	46.87									
	mbination e 4		4	UNCDX	UDL64	37.09									
	4-wire 64 combination -			UNCDX	1L5XX	0.01									
	4-wire 64 combination -			UNCDX	U1TD6	25.90									
	LOOP WI DS0 INTEROFFICE TRANSPORT														
	mbination - Zone 1		1	UNCDX	UDL56	31.56									
	mbination - Zone 2		2	UNCDX	UDL56	39.73									
	mbination - Zone 3		3	UNCDX	UDL56	46.87									
	mbination - Zone 4		4	UNCDX	UDL56	37.09									
	sport - Ded 4 - Per Mile per			UNCDX	1L5XX	0.01									
	sport - Dedic - Facility			UNCDX	U1TD5	25.90									
	LOOP WITH DS0 INTEROFFICE TRANSPORT														
	mbination - Zone 1		1	UNCDX	UDL64	31.56									
	mbination - Zone 2		2	UNCDX	UDL64	39.73									
	mbination - Zone 3		3	UNCDX	UDL64	46.87									
	mbination - Zone 4		4	UNCDX	UDL64	37.09									
	sport - Ded - Per Mile per			UNCDX	1L5XX	0.01									
	sport - Dedic - Facility			UNCDX	U1TD6	25.90									
	EROFFICE TRANSPORT														
	bination - Zone 1		1	UNC1X	USLXX	90.94									

- Mississ

Attachment: 2 Ex. B

CATEG	ELEMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
								Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...bination - Zone 2		2	UNC1X	USLXX	148.79										
	...bination - Zone 3		3	UNC1X	USLXX	237.75										
	...n Combination - Zone 4		1	UNC1X	USLXX	527.23										
	...- DS1 con... ...tion - Per Mile			UNC1X	1L5XX	0.21										
	...- DS1 con... ...tion - Facility			UNC1X	U1TF1	59.48										
	...D DS3 INTE... ...FFICE TRANSPORT															
	... per mile p... ...nonth			UNC3X	1L5ND	14.81										
	... Facility Ter... ...nation per month			UNC3X	UE3PX	431.33										
	...- DS3 - Pe... ...e per month			UNC3X	1L5XX	5.47										
	...- DS3 con... ...tion - Facility			UNC3X	U1TF3	738.18										
	...TED STS-1 I... ...ROFFICE TRANSPOR															
	... - per mile p... ...month			UNCSX	1L5ND	14.81										
	... - Facility ... ...nation per			UNCSX	UDLS1	447.73										
	...- STS-1 ... ...ation - per mile			UNCSX	1L5XX	5.47										
	...- STS-1 ... ...ation - Facility			UNCSX	U1TFS	740.84										
ADDITI																
	...mbined fa... ...the non-recurring c...rges do not apply, but a Switch As Is charge does apply.															
	...etwork elem...ts in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	...twork Elem... "Switch As Is" Charge (One applies to each combination)															
	...ted Frame ... ...n - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	... FrameOpti... ...per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	...SF) Option ... ...requested			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76						
	...t Activity - S3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
	...t month			UNC1X	MQ1	118.28										
	...DS0 Channe... ...stem - per ...ocal Loop			UDL	1D1DD	1.40										
	...DS0 Channe... ...stem - per ...nection to a ...nelized DS1			U1TUD	1D1DD	1.40										
	...C as collocat... ...l to DS0 C... ...el Systsem - per			UDN	UC1CA	3.01										
	...l to DS0 C... ...el Systsem - per ...channelize... ...l Local Channel			U1TUR	UC1CA	3.01										
	...Channel T... ...n - per month			UEA	1D1VG	0.66										
	...l Channel S... ...m - per month ...lized DS1 ... ...Channel in the			U1TUC	1D1VG	0.66										
	...r month			UNC3X	MQ3	196.22										
	...per month			UNCSX	MQ3	196.22										
	...month			USL	UC1D1	14.90										
	... to a channe... ...l DS1 Local ...ollocation) pe... ...month			U1TUA	UC1D1	14.90										
	...Channel pe... ...nth			U1TD1	UC1D1	14.90										

| UNBU | - Mississi | | |

- North Carolina

Attachment: 2 Ex. B

CATEGO	EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN																
	SCRIBER L E (HDSL) COMPATIBL LOOP															
	including ma service inquiry		1	UHL	UHL2X	10.36	284.74	163.54					26.94	12.76	0.00	0.00
	including ma service inquiry		2	UHL	UHL2X	17.10	284.74	163.54					26.94	12.76	0.00	0.00
	including ma service inquiry		3	UHL	UHL2X	26.24	284.74	163.54					26.94	12.76	0.00	0.00
	without ma service inquiry		1	UHL	UHL2W	10.36	207.48	132.05					26.94	12.76	0.00	0.00
	without ma service inquiry		2	UHL	UHL2W	17.10	207.48	132.05					26.94	12.76	0.00	0.00
	without ma service inquiry		3	UHL	UHL2W	26.24	207.48	132.05					26.94	12.76	0.00	0.00
	SCRIBER L E (HDSL) COMPATIBL LOOP															
	including ma service inquiry		1	UHL	UHL4X	12.21	341.65	220.45					26.94	12.76	0.00	0.00
	including ma service inquiry		2	UHL	UHL4X	20.32	341.65	220.45					26.94	12.76	0.00	0.00
	including ma service inquiry		3	UHL	UHL4X	31.33	341.65	220.45					26.94	12.76	0.00	0.00
	without ma service inquiry		1	UHL	UHL4W	12.21	264.39	188.96					26.94	12.76	0.00	0.00
	without ma service inquiry		2	UHL	UHL4W	20.32	264.39	188.96					26.94	12.76	0.00	0.00
	without ma service inquiry		3	UHL	UHL4W	31.33	264.39	188.96					26.94	12.76	0.00	0.00
	1		1	USL	USLXX	54.74	714.84	421.47					42.19	12.76	0.00	0.00
	2		2	USL	USLXX	97.01	714.84	421.47					42.19	12.76	0.00	0.00
	3		3	USL	USLXX	154.43	714.84	421.47					42.19	12.76	0.00	0.00
HIGH C																
	Loop - DS Per Mile per			UE3	1L5ND	15.33										
	Loop - DS Facility			UE3	UE3PX	518.29										
	Loop - ST Per Mile per			UDLSX	1L5ND	15.33										
	Loop - ST Facility			UDLSX	UDLS1	533.90										
UNBUN																
	D TRANSP															
	Channel - F Per Mile per			U1TD1	1L5XX	0.66										
	Tranport - F Facility			U1TD1	U1TF1	81.98										
	Transport - Per Mile per			U1TD3	1L5XX	14.93										
	Transport - Facility			U1TD3	U1TF3	828.44										
	Transport - Per Mile per			U1TS1	1L5XX	7.06										
	Transport - Facility			U1TS1	U1TFS	908.93										
	Wire Voice (- Zone 1		1	ULDVX, UNCVX	ULDV2	12.93										
	Wire Voice (- Zone 2		2	ULDVX, UNCVX	ULDV2	22.90										
	Wire Voice (- Zone 3		3	ULDVX, UNCVX	ULDV2	36.46										
	Wire Voice (- Zone 1		1	ULDVX, UNCVX	ULDV4	13.83										

- North Carolina

Attachment: 2 Ex. B

UNBU… CATEG…	…EMENTS	Inte…	Zone	BCS	USOC	RATES ($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates ($)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	…Wire Voice G… - Zone 2		2	ULDVX, UNCVX	ULDV4	24.53										
	…Wire Voice G… - Zone 3		3	ULDVX, UNCVX	ULDV4	39.04										
	…1 - Zone 1		1	ULDD1, UNC1X	ULDF1	31.11										
	…3 - Zone 2		2	ULDD1, UNC1X	ULDF1	55.13										
	…1 - Zone 3		3	ULDD1, UNC1X	ULDF1	87.77										
	…3 - Per Mile …monthly			ULDD3, UNC3X	1L5NC	1.14										
	…3 - Facility …monthly			ULDD3, UNC3X	ULDF3	343.76										
	…S1 - Per Mi… month			ULDS1, UNCSX	1L5NC	1.14										
	…S1 - Faci… mination			ULDS1, UNCSX	ULDFS	329.05										
ENHANC…																
	…nrecurring …harges below will apr…					**…the Switch-As… Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.**										
	…Switch-As… Charge and not the …					**…urring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.**										
	…E IN A COM… NATION															
	…ination - Zo…		1	UNCVX	UEAL2	17.22										
	…ination - Zo…		2	UNCVX	UEAL2	29.82										
	…ination - Zo…		3	UNCVX	UEAL2	46.93										
	…			UNCVX	1D1VG	1.46										
	…E IN A COM… NATION															
	…op in Combi… - Zone 1		1	UNCVX	UEAL4	24.52										
	…op in Combi… - Zone 2		2	UNCVX	UEAL4	41.71										
	…op in Combi… - Zone 3		3	UNCVX	UEAL4	65.06										
	…n - per mo…			UNCVX	1D1VG	1.46										
	…USE IN A C… BINATION															
	…op in Com… ion - Zone 1		1	UNCDX	UDL56	29.12										
	…op in Com… ion - Zone 2		2	UNCDX	UDL56	49.58										
	…op in Com… ion - Zone 3		3	UNCDX	UDL56	77.35										
	…h (2.4-64kbs…			UNCDX	1D1DD	2.30										
	…USE IN A C… BINATION															
	…op in Com… ion - Zone 1		1	UNCDX	UDL64	29.12										
	…op in Com… ion - Zone 2		2	UNCDX	UDL64	49.58										
	…op in Com… ion - Zone 3		3	UNCDX	UDL64	77.35										
	…ination - per … th (2.4-64kbs)			UNCDX	1D1DD	2.30										
	…BINATION															
	…ion - Zone 1		1	UNCNX	U1L2X	22.33										
	…ion - Zone 2		2	UNCNX	U1L2X	37.81										
	…ion - Zone 3		3	UNCNX	U1L2X	58.81										
	…combination … month			UNCNX	UC1CA	4.13										
	…E IN A COM… NATION															
	…bination - Zo… 1		1	UNC1X	USLXX	54.74										
	…bination - Zo… 2		2	UNC1X	USLXX	97.01										
	…bination - Zo… 3		3	UNC1X	USLXX	154.43										
	…month			UNC1X	UC1D1	18.48										
	…E TRANSPO… FOR USE IN A COMBINATION															
	…S - Dedicated … Per Mile Per			UNCVX	1L5XX	0.03										
	…S - Dedicated … Facility			UNCVX	U1TV2	20.70										
	…E TRANSPO… FOR USE IN A COMBINATION															
	…S - Dedicated … Per Mile Per			UNCVX	1L5XX	0.03										
	…S - Dedicated … Facility			UNCVX	U1TV4	22.16										
	…E COMBINATION															
	…H - DS1 com… tion - Per Mile			UNC1X	1L5XX	0.66										
	…H - DS1 com… tion - Facility			UNC1X	U1TF1	81.98										
	…USE IN A C… BINATION															

Attachment: 2 Ex. B

North C[illegible]lina

CATEGO[illegible]	EMENTS	Inte[illegible]	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	[illegible] DS3 com[illegible]tion - Per Mile			UNC3X	1L5XX	14.93										
	[illegible] DS3 - Fa[illegible] Termination per			UNC3X	U1TF3	828.44										
	OR USE IN C[illegible]BINATION															
	[illegible] STS-1 co[illegible]ation - Per Mile			UNCSX	1L5XX	7.06										
	[illegible] STS-1 c[illegible]ation - Facility			UNCSX	U1TFS	908.93										
	H 56 KBPS [illegible]EROFFICE TRANSPOR[illegible]															
	[illegible]mbination - [illegible]e 1		1	UNCDX	UDL56	29.12										
	[illegible]mbination - [illegible]e 2		2	UNCDX	UDL56	49.58										
	[illegible]mbination - [illegible]e 3		3	UNCDX	UDL56	77.35										
	[illegible] - 4-wire 56[illegible]s combination -			UNCDX	1L5XX	0.03										
	[illegible] - 4-wire 56[illegible]s combination -			UNCDX	U1TD5	20.01										
	D LOOP WIT[illegible]4 KBPS INTEROFFIC[illegible]RANSPORT															
	[illegible]mbination - [illegible]e 1		1	UNCDX	UDL64	29.12										
	[illegible]mbination - [illegible]e 2		2	UNCDX	UDL64	49.58										
	[illegible]mbination - [illegible]e 3		3	UNCDX	UDL64	77.35										
	[illegible] - 4-wire 64[illegible]s combination -			UNCDX	1L5XX	0.03										
	[illegible] - 4-wire 64[illegible]s combination -			UNCDX	U1TD6	20.01										
	D LOOP WI[illegible]S0 INTEROFFICE TR[illegible]SPORT															
	[illegible]mbination - [illegible]e 1		1	UNCDX	UDL56	29.12										
	[illegible]mbination - [illegible]e 2		2	UNCDX	UDL56	49.58										
	[illegible]mbination - [illegible]e 3		3	UNCDX	UDL56	77.35										
	[illegible]sport - Ded[illegible]d - Per Mile per			UNCDX	1L5XX	0.03										
	[illegible]sport - Ded[illegible]d - Facility			UNCDX	U1TD5	20.01										
	D LOOP WI[illegible]S0 INTEROFFICE TR[illegible]SPORT															
	[illegible]mbination - [illegible]e 1		1	UNCDX	UDL64	29.12										
	[illegible]mbination - [illegible]e 2		2	UNCDX	UDL64	49.58										
	[illegible]mbination - [illegible]e 3		3	UNCDX	UDL64	77.35										
	[illegible]sport - Ded[illegible]d - Per Mile per			UNCDX	1L5XX	0.03										
	[illegible]nsport - Ded[illegible]d - Facility			UNCDX	U1TD6	20.01										
	[illegible]OFFICE TR[illegible]SPORT															
	[illegible]bination - Zo[illegible]e 1		1	UNC1X	USLXX	54.74										
	[illegible]bination - Zo[illegible]e 2		2	UNC1X	USLXX	97.01										
	[illegible]bination - Z[illegible]e 3		3	UNC1X	USLXX	154.43										
	[illegible] DS1 com[illegible]tion - Per Mile			UNC1X	1L5XX	0.66										
	[illegible] DS1 co[illegible]tion - Facility			UNC1X	U1TF1	81.98										
	[illegible]D DS3 INT[illegible]FFICE TRANSPORT															
	[illegible] per mile p[illegible]onth			UNC3X	1L5ND	15.33										
	[illegible] Facility Te[illegible]ation per month			UNC3X	UE3PX	518.29										
	[illegible] DS3 - Fa[illegible]e per month			UNC3X	1L5XX	14.93										
	[illegible] DS3 com[illegible]tion - Facility			UNC3X	U1TF3	828.44										
	[illegible]TED STS-1 I[illegible]EROFFICE TRANSPOR[illegible]															
	[illegible] per mile [illegible]month			UNCSX	1L5ND	15.33										

UNBUN

CATEG

ADDITIC

- North Carolina

EMENTS	Int	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Facility per			UNCSX	UDLS1	533.90										
STS-1 per mile			UNCSY	1L5XX	7.06										
STS-1 Facility			UNCSY	U1TFS	908.93										
ombined fa the non-recurring charges do not apply, but a Switch As Is charge does apply.															
etwork elec in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
twork Elem "Switch As Is" Cha (One applies to each combination)															
ted Frame n - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
FrameOpti per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
SF) Option Assignment			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
Activity - DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00						
r month			UNC1X	MQ1	168.69										
DS0 Channe stem - per Local Loop			UDL	1D1DD	2.30										
DS0 Channe ation - per nection to a nalized DS1 as collocat			U1TUD	1D1DD	2.30										
to DS0 Cl al Systsem - per			UDN	UC1CA	4.13										
1 to DS0 C nel Systsem - per channelize 1 Local Channel			U1TUB	UC1CA	4.13										
Channel n - per month			UEA	1D1VG	1.46										
Channel n - per month lized DS1 Channel in the			U1TUC	1D1VG	1.46										
r month			UNC3X	MQ3	268.06										
per month			UNCSY	MQ3	268.06										
month			USL	UC1D1	18.48										
to a chann d DS1 Local collocation) pe month			U1TUA	UC1D1	18.48										
Channel per month			U1TD1	UC1D1	18.48										
used with L Channel per			ULDD1	UC1D1	18.48										

- South Carolina

CATEGO	EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUND																
	RSCRIBER L (HDSL) COMPATIBL LOOP															
	including mo service inquiry			UHL	UHL2X	11.02	129.52	79.24	50.37	7.93						
	including mo service inquiry			UHL	UHL2X	12.56	129.52	79.24	50.37	7.93						
	including mo service inquiry			UHL	UHL2X	13.11	129.52	79.24	50.37	7.93						
	without mai service inquiry			UHL	UHL2W	11.02	104.49	66.50	50.37	7.93						
	without mai service inquiry			UHL	UHL2W	12.56	104.49	66.50	50.37	7.93						
	without mai service inquiry			UHL	UHL2W	13.11	104.49	66.50	50.37	7.93						
	SCRIBER L (HDSL) COMPATIBL															
	including mo service inquiry			UHL	UHL4X	18.42	158.18	107.89	55.12	10.38						
	including mo service inquiry			UHL	UHL4X	16.48	158.18	107.89	55.12	10.38						
	including mo service inquiry			UHL	UHL4X	19.37	158.18	107.89	55.12	10.38						
	without mai service inquiry			UHL	UHL4W	18.42	133.14	95.16	55.12	10.38						
	without mai service inquiry			UHL	UHL4W	16.48	133.14	95.16	55.12	10.38						
	without mai service inquiry			UHL	UHL4W	19.37	133.14	95.16	55.12	10.38						
				USL	USLXX	91.44	253.03	157.89	44.80	11.73						
	2			USL	USLXX	156.40	253.03	157.89	44.80	11.73						
	3			USL	USLXX	263.52	253.03	157.89	44.80	11.73						
HIGH CA																
	Loop - DS Per MW per			UE3	1L5ND	14.10										
	Loop - DS MW			UE3	UE3PX	352.31										
	Loop - ST Per Mile per			UDLSX	1L5ND	14.10										
	Loop - ST Facility			UDLSX	UDLS1	360.51										
UNBUND																
	D TRANSP															
	Channel - T Per Mile per			U1TD1	1L5XX	0.39										
	Transport - T Facility			U1TD1	U1TF1	88.71										
	Transport T - Per Mile per			U1TD3	1L5XX	9.22										
	Transport T Facility			U1TD3	U1TF3	1012.75										
	Transport T - Per Mile per			U1TS1	1L5XX	9.22										
	Transport T - Facility			U1TS1	U1TFS	1012.63										
	Wire Voice C			ULDVX	ULDV2	17.63										
	Wire Voice C Per Bat			ULDVX	ULDR2	17.63										
	Wire Voice C			ULDVX, UNCVX	ULDV4	19.02										
	1 - Zone 1		1	ULDD1, UNC1X	ULDF1	49.01										

Attachment: 2 Ex. B

CATEGO	EMENTS	Inter-	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1 - Zone 2		2	ULDD1	UNC1X	ULDF1	80.87									
	1 - Zone 3		3	ULDD1	UNC1X	ULDF1	219.28									
	3 - Per Mile month			ULDD3	UNC3X	1L5NC	13.72									
	3 - Facility termination			ULDD3	UNC3X	ULDF3	512.90									
	3-1- Per Mile month			ULDS1	UNCSX	1L5NC	13.72									
	3-1 - Facility termination			ULDS1	UNCSX	ULDFS	500.37									
ENHAN																
	nrecurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	Switch-As charge and not the nonrecurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	SE IN A COMBINATION															
	ination - Zone 1		1	UNCVX	UEAL2	19.18										
	ination - Zone 2		2	UNCVX	UEAL2	26.60										
	ination - Zone 3		3	UNCVX	UEAL2	32.73										
				UNCVX	1D1VG	0.64										
	SE IN A COMBINATION															
	op in Combination - Zone 1		1	UNCVX	UEAL4	37.48										
	op in Combination - Zone 2		2	UNCVX	UEAL4	50.47										
	op in Combination - Zone 3		3	UNCVX	UEAL4	49.89										
	tion - per mo			UNCVX	1D1VG	0.64										
	USE IN A COMBINATION															
	nop in Combination - Zone 1		1	UNCDX	UDL56	34.42										
	nop in Combination - Zone 2		2	UNCDX	UDL56	39.09										
	nop in Combination - Zone 3		3	UNCDX	UDL56	39.95										
	th (2.4-64kbs			UNCDX	1D1DD	1.37										
	USE IN A COMBINATION															
	nop in Combination - Zone 1		1	UNCDX	UDL64	34.42										
	nop in Combination - Zone 2		2	UNCDX	UDL64	39.09										
	nop in Combination - Zone 3		3	UNCDX	UDL64	39.95										
	ination - per month (2.4-64kbs)			UNCDX	1D1DD	1.37										
	MBINATION															
	tion - Zone 1		1	UNCNX	U1L2X	28.99										
	tion - Zone 2		2	UNCNX	U1L2X	37.67										
	tion - Zone 3		3	UNCNX	U1L2X	43.36										
	combination - per month			UNCNX	UC1CA	2.94										
	IN A COMBINATION															
	bination - Zone 1		1	UNC1X	USLXX	104.50										
	bination - Zone 2		2	UNC1X	USLXX	178.74										
	bination - Zone 3		3	UNC1X	USLXX	301.17										
	month			UNC1X	UC1D1	9.94										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated Per Mile Per			UNCVX	1L5XX	0.02										
	- Dedicated Facility			UNCVX	U1TV2	22.36										
	TRANSPORT FOR USE IN A COMBINATION															
	- Dedicated Per Mile Per			UNCVX	1L5XX	0.02										
	- Dedicated Facility			UNCVX	U1TV4	19.58										
	COMBINATION															
	- DS1 combination - Per Mile			UNC1X	1L5XX	0.31										
	- DS1 combination - Facility			UNC1X	U1TF1	70.97										
	USE IN A COMBINATION															
	- DS3 combination - Per Mile			UNC3X	1L5XX	7.38										
	- DS3 - Facility Termination per			UNC3X	U1TF3	810.20										

- South Carolina

Attachment: 2 Ex. B

UNBU... CATEG...	ELEMENTS	Inter...	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	...OR USE IN COMBINATION															
	... - STS-1 c... ...ation - Per Mile			UNCSX	1L5XX	7.38										
	... - STS-1 ... ...e - Facility			UNCSX	U1TFS	810.11										
	...H 56 KBPS ... ...SPORT															
	...mbination - ... 1		1	UNCDX	UDL56	34.42										
	...mbination - ... 2		2	UNCDX	UDL56	39.09										
	...mbination - ... 3		3	UNCDX	UDL56	39.95										
	... - 4-wire 56 ... ...ination -			UNCDX	1L5XX	0.02										
	... - 4-wire 56 ... ...ination -			UNCDX	U1TD5	15.42										
	...D LOOP WI... ...1 KBPS INTEROFFI... ...RANSPORT															
	...mbination ... 1		1	UNCDX	UDL64	34.42										
	...mbination ... 2		2	UNCDX	UDL64	39.09										
	...mbination ... 3		3	UNCDX	UDL64	39.95										
	... - 4-wire 5... ...ination -			UNCDX	1L5XX	0.02										
	... - 4-wire 5... ...ination -			UNCDX	U1TD6	15.42										
	...D LOOP WI... ...S0 INTEROFFICE TR...SPORT															
	...mbination ... 1		1	UNCDX	UDL56	34.42										
	...mbination ... 2		2	UNCDX	UDL56	39.09										
	...mbination ... 3		3	UNCDX	UDL56	39.95										
	...sport - De... ...Per Mile per			UNCDX	1L5XX	0.02										
	...rt - De...			UNCDX	U1TD5	15.42										
	...D LOOP WI... ...S0 INTEROFFICE TRANSPORT															
	...mbination ... 1		1	UNCDX	UDL64	34.42										
	...mbination ... 2		2	UNCDX	UDL64	39.09										
	...mbination ... 3		3	UNCDX	UDL64	39.95										
	...sport - Dec... ...Per Mile per			UNCDX	1L5XX	0.02										
	...sport - Ded... ...Facility			UNCDX	U1TD6	15.42										
	...OFFICE TR... ...SPORT															
	...bination - Z... 1		1	UNC1X	USLXX	104.50										
	...bination - Z... 2		2	UNC1X	USLXX	178.74										
	...bination - Z... 3		3	UNC1X	USLXX	301.17										
	... - DS1 con... ...Per Mile			UNC1X	1L5XX	0.31										
	... - DS1 con... ...Facility			UNC1X	U1TF1	70.97										
	...ED DS3 INT... ...FICE TRANSPORT															
	... per mile p... ...ed%			UNC3X	1L5ND	14.10										
	... - Facility Tr... ...ation per month			UNC3X	UE3PX	352.31										
	... - DS3 - Pe... ...per month			UNC3X	1L5XX	7.38										
	... - DS3 con... ...Facility			UNC3X	U1TF3	810.20										
	...FED STS-1 ... ...OFFICE TRANSPO...															
	... - per mile p... ...ed%			UNCSX	1L5ND	14.10										
	... - Facility ... ...ation per			UNCSX	UDLS1	360.51										
	... - STS-1 co... ...ation - per mile			UNCSX	1L5XX	7.38										

UNBU		South C											Attachment: 2 Ex. B			
CATEGO	EMENTS	Inte	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	T1 STS-1			UNCSX	U1TFS	810.11										
ADDITIO																
	ombined fa			gs do not apply, but a Switch As Is charge does apply.												
	etwork ele			ring charges apply and the Switch As Is Charge does not.												
	twork Ele			e applies to each combination)												
	fied Fram	DS1		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOpti	per DS1		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	SF) Optio	required		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
	t Activity -	DS3		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
		per month		UNC1X	MQ1	123.71										
	DS0 Chan	ation per		UDL	1D1DD	1.37										
	DS0 Chan	ation per		U1TUD	1D1DD	1.37										
	to DS0 C	Subsystem - per		UDN	UC1CA	2.94										
	to DS0 C	Subsystem - per channelize		U1TUS	UC1CA	2.94										
	Channel	per month		UEA	1D1VG	0.64										
	Channel S	m - per month		U1TUC	1D1VG	0.64										
		per month		UNC3X	MQ3	165.62										
		per month		UNCSX	MQ3	165.62										
		month		USL	UC1D1	9.94										
	to a chan	DS1 Local		U1TUA	UC1D1	9.94										
	collocation)	month		U1TD1	UC1D1	9.94										
	Channel p	nth		ULDD1	UC1D1	9.94										
		Channel per														

Attachment: 2 Ex. B

CATEGORY	ELEMENTS	Interval	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN	SCRIBER [illegible] (HDSL) COMPATIBLE LOOP															
	including [illegible] service inquiry		1	UHL	UHL2X	12.45	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	including [illegible] service inquiry		2	UHL	UHL2X	16.27	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	including [illegible] service inquiry		3	UHL	UHL2X	21.28	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	without [illegible] service inquiry		1	UHL	UHL2W	12.45	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without [illegible] service inquiry		2	UHL	UHL2W	16.27	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without [illegible] service inquiry		3	UHL	UHL2W	21.28	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	SCRIBER [illegible] (HDSL) COMPATIBLE LOOP															
	including [illegible] service inquiry		1	UHL	UHL4X	16.02	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	including [illegible] service inquiry		2	UHL	UHL4X	20.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	including [illegible] service inquiry		3	UHL	UHL4X	27.37	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	without [illegible] service inquiry		1	UHL	UHL4W	16.02	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without [illegible] service inquiry		2	UHL	UHL4W	20.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	without [illegible] service inquiry		3	UHL	UHL4W	27.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	[illegible]		1	USL	USLXX	66.39	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	[illegible]		2	USL	USLXX	86.71	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	[illegible]		3	USL	USLXX	113.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
HIGH CA	Loop - DS [illegible] per			UE3	1L5ND	10.57										
	Loop - DS [illegible]			UE3	UE3PX	430.38										
	Loop - S[illegible] per			UDLSX	1L5ND	10.57										
	Loop - S[illegible]			UDLSX	UDLS1	447.75										
UNBUN	D TRANS[illegible]															
	Channel [illegible] Per Mile per			U1TD1	1L5XX	0.41										
	Transport [illegible] Facility			U1TD1	U1TF1	89.54										
	Transport [illegible] Per Mile per			U1TD3	1L5XX	2.69										
	Transport [illegible] Facility			U1TD3	U1TF3	976.34										
	Transport [illegible] Per Mile per			U1TS1	1L5XX	2.69										
	Transport [illegible] Facility			U1TS1	U1TFS	976.70										
	Wire Voice [illegible]	Zone 1	1	ULDVX, UNCVX	ULDV2	19.76										
	Wire Voice [illegible]	Zone 2	2	ULDVX, UNCVX	ULDV2	25.81										
	Wire Voice [illegible]	Zone 3	3	ULDVX, UNCVX	ULDV2	33.74										

Attachment: 2 Ex. B

UNBU	Tennes																
CATEGO	EMENTS	Int	Zone	RCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Voice - Per Rat		1	ULDVX	ULDR2	19.76										
	Wire Voice - Per Rat		2	ULDVX	ULDR2	25.81										
	Wire Voice - Per Rat		3	ULDVX	ULDR2	33.74										
	Wire Voice - Zone 1		1	ULDVX, UNCVX	ULDV4	20.91										
	Wire Voice - Zone 2		2	ULDVX, UNCVX	ULDV4	27.30										
	Wire Voice - 3		3	ULDVX, UNCVX	ULDV4	35.71										
	1 - Zone 1		1	ULDD1, UNC1X	ULDF1	41.68										
	1 - Zone 2		2	ULDD1, UNC1X	ULDF1	54.43										
	1 - Zone 3		3	ULDD1, UNC1X	ULDF1	71.17										
	3 - Per Mile			ULDD3, UNC3X	1L5NC	8.22										
	3 - Facility			ULDD3, UNC3X	ULDF3	703.00										
	1- Per Mile			ULDS1, UNCSX	1L5NC	8.22										
	1 - Facility			ULDS1, UNCSX	ULDFS	689.53										
ENHANC	EIR COMP TS															
	-recurring rges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
	Switch-As Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
	E IN A CO INATION															
	ination - Zo		1	UNCVX	UEAL2	19.04										
	ination - Zo		2	UNCVX	UEAL2	24.87										
	ination - Zo		3	UNCVX	UEAL2	32.52										
				UNCVX	1D1VG	1.05										
	E IN A CO INATION															
	op in Combi Zone 1		1	UNCVX	UEAL4	28.40										
	op in Combi Zone 2		2	UNCVX	UEAL4	37.10										
	op in Combi Zone 3		3	UNCVX	UEAL4	48.51										
	n - per mo			UNCVX	1D1VG	1.05										
	USE IN A C INATION															
	op in Com Zone 1		1	UNCDX	UDL56	35.76										
	op in Com Zone 2		2	UNCDX	UDL56	46.70										
	op in Com Zone 3		3	UNCDX	UDL56	61.08										
	(2.4-64kb			UNCDX	1D1DD	1.05										
	USE IN A RINATION															
	op in Com Zone 1		1	UNCDX	UDL64	35.76										
	op in Com Zone 2		2	UNCDX	UDL64	46.70										
	op in Com Zone 3		3	UNCDX	UDL64	61.08										
	ination - pe (2.4-64kbs)			UNCDX	1D1DD	1.05										
	BINATION															
	ion - Zone 1		1	UNCNX	U1L2X	25.55										
	ion - Zone 2		2	UNCNX	U1L2X	33.37										
	ion - Zone 3		3	UNCNX	U1L2X	43.64										
	combination per month			UNCNX	UC1CA	3.73										
	IN A COMB INATION															
	bination - Z 1		1	UNC1X	USLXX	66.39										
	bination - Zone 2		2	UNC1X	USLXX	86.71										
	bination - Zone 3		3	UNC1X	USLXX	113.38										
	month			UNC1X	UC1D1	20.22										
	TRANSPOR FOR USE IN A COMBINATION															
	- Dedicate Per Mile Per			UNCVX	1L5XX	0.02										
	- Dedicate			UNCVX	U1TV2	25.06										
	TRANSPOR FOR USE IN A COMBINATION															
	- Dedicate Per Mile Per			UNCVX	1L5XX	0.02										
	- Dedicate			UNCVX	U1TV4	31.40										

- Tennes

Attachment: 2 Ex. B

CATEGO	EMENTS	Inter	Zone	BCS	USOC	RATES ($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates ($) SOMEC	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN	OSS Rates ($) SOMAN
	COMBINATION															
	- DS1 con	iber		UNC1X	1L5XX	0.41										
	- DS1 con	iber	Facility	UNC1X	U1TF1	89.54										
	mbination Per Month			UNC1X	MQ1	92.89										
	USE IN A C BINATION															
	- DS3 con	iber	Per Mile	UNC3X	1L5XX	2.69										
	- DS3 - Fa		Termination per	UNC3X	U1TF3	983.22										
	R USE IN C BINATION															
	- STS-1 c		Per Mile	UNCSX	1L5XX	2.69										
	ation per mon			UNCSX	MQ3	256.43										
	56 KBPS		ICE TRANSPO													
	mbination -	e 1		UNCDX	UDL56	35.76										
	mbination -	e 2		UNCDX	UDL56	46.70										
	mbination -	e 3		UNCDX	UDL56	61.08										
	- 4-wire 5		mination -	UNCDX	1L5XX	0.02										
	- 4-wire 5		mination -	UNCDX	U1TD5	24.37										
	LOOP WI		4 KBPS INTEROFFICE TRANSPORT													
	mbination -	e 1		UNCDX	UDL64	35.76										
	mbination	e 2		UNCDX	UDL64	46.70										
	mbination	e 3		UNCDX	UDL64	61.08										
	- 4-wire 5		mination -	UNCDX	1L5XX	0.02										
	4-wire 5		mination -	UNCDX	U1TD6	24.37										
	LOOP WI		S0 INTEROFFICE TRANSPORT													
	mbination	e 1		UNCDX	UDL56	35.76										
	mbination	e 2		UNCDX	UDL56	46.70										
	mbination	e 3		UNCDX	UDL56	61.08										
	sport - Ded		Mile per	UNCDX	1L5XX	0.02										
	port - Ded		acility	UNCDX	U1TD5	24.37										
	LOOP WI		S0 INTEROFFICE TRANSPORT													
	mbination	e 1		UNCDX	UDL64	35.76										
	mbination	e 2		UNCDX	UDL64	46.70										
	mbination	e 3		UNCDX	UDL64	61.08										
	sport - Ded		Mile per	UNCDX	1L5XX	0.02										
	port - Ded		acility	UNCDX	U1TD6	24.37										
	OFFICE TR SPOR															
	bination - Z	1		UNC1X	USLXX	66.39										
	bination - Z	2		UNC1X	USLXX	86.71										
	bination - Z	3		UNC1X	USLXX	113.38										
	- DS1 con	iber	Per Mile	UNC1X	1L5XX	0.41										
	- DS1 cor	iber	Facility	UNC1X	U1TF1	89.54										
	D DS3 INTE		FICE TRANSPORT													
	per mile p		nth	UNC3X	1L5ND	10.57										
	- Facility Te		ation per month	UNC3X	UE3PX	429.49										

UNBUN - Tennessee

CATEGO	ELEMENTS	Inter	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates ($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- DS3 - Fe per month			UNC3X	1L5XX	2.69										
	- DS3 cos Facility			UNC3X	U1TF3	983.22										
S	TED STS-1 ROFICE TRANSPO															
	- per mile month			UNCSY	1L5ND	10.57										
	- Facility per			UNCSY	UDLS1	453.74										
	- STS-1 per mile			UNCSX	1L5XX	2.69										
	- STS-1 Facility			UNCSX	U1TFS	976.70										
ADDITIO																
W	ombined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
W	etwork elem s in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
N	twork Elem s "Switch As Is" Charge (One applies to each combination)															
O																
	ded Frame per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	FrameOpti per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	EF) Option Assignment			ULDD1, U1TD1, UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79						
	l Activity - per DS			U1TD1, ULDD1, UE3, UNCSY	NRCC3		219.46	7.68	0.7637	0.00						
	r month			UNC1X	MQ1	92.89										
	DS0 Chann ls - per ocal Loop			UDL	1D1DD	2.09										
	DS0 Chann stra - per nection to p nalized DS1 C as collocati			U1TUD	1D1DD	2.09										
	1 to DS0 C el Subsystem - per			UDN	UC1CA	3.56										
	1 to DS0 C el Subsystem - per channelize Local Channel			U1TUR	UC1CA	3.56										
	Channel S per month			UEA	1D1VG	1.05										
	Channel S per month lized DS1 Channel in the			U1TUC	1D1VG	1.05										
	r month			UNC3X	MQ3	256.43										
	per month			UNCSX	MQ3	256.43										
	month			USL	UC1D1	20.22										
	to a channe DS1 Local collocation) p month			U1TUA	UC1D1	20.22										
	Channel pe month			U1TD1	UC1D1	20.22										
	used with Le Channel per			ULDD1	UC1D1	20.22										

LOCAL														Attachment: 3 Exh. A			
CATEGO		EMENTS	Inte... Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALP																
		er 56Kbps Fa...ity				15.46	35.53	35.53	16.44	16.44						
		er STP Port		UDB	PT8SX	130.83										
		AP Message				0.0000569										
		er link (A link)		UDB	TPP6A	15.46	35.53	35.53	16.44	16.44						
		er link (B lin... lso Known as D link)		UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
		witched acces... service, interface ...S1 level pa... ...th bit stream		UDB	TPP6X	15.46	35.53	35.53	16.44	16.44						
		...link, per mon...		UDB	TPP9A	15.46	35.53	35.53	16.44	16.44						
		...link(also kn... as D link) per		UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
		witched acces... service, interface ...S3 level pa... ...th bit stream		UDB	TPP9X	15.46	35.53	35.53	16.44	16.44						
		...P Messag...				0.0000142										
		...te, per link p... LATA		UDB	STU56	650.33										
		...r Originatin... nt Code														
		...STP affecte...		UDB	CCAPO		29.01	29.01	35.57	35.57						

Attachment: 3 Exh. A

ELEMENTS	Inter	Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI															
er STP Port				UDB	PT8SX	135.05									
AP Messag						0.0000607									
r link (A lin				UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
r link (B lir				UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
vitched acc				UDB	TPP6X	17.93	43.57	43.57	18.31	18.31						
ink, per mor				UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
vitched acc				UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
S3 level po				UDB	TPP9X	17.93	43.57	43.57	18.31	18.31						
UP Message						0.0000152									
nte, per link p				UDB	STU56	694.32									
r Originatin				UDB	CCAPO		46.03	46.03	46.03	46.03						
STP affecter															

LOCAL													Attachment: 3 Exh. A			
CATEGO		LEMENTS	Inter-	Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI																	
		er STP Port			UDB	PT8SX	108.80										
		AP Messag					0.0000527										
		r link (A link | ame as E.3.1)		UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
		r link (B lin	lso known as D		UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
		witched acc	service, interface S1 level pa	ith bit stream	UDB	TPP6X	8.73	34.77	34.77	16.91	16.91						
		r link (A link | ame as E.3.1)		UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						
		nk(also kn | s D link) per		UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
		witched acc	service, interface S3 level pa	ith bit stream	UDB	TPP9X	8.73	34.77	34.77	16.91	16.91						
		P Message	me as E.3.3)				0.0000132										
		te, per link			UDB	STU56	907.44										
		tablishmen	Change, per STP		UDB	CCAPO		28.15	28.15	33.32	33.32						

LOCAL													Attachment: 3 Exh. A			
CATEGO	ELEMENTS	Int	Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI																
	er STP Port			UDB	PT8SX	151.39										
	AP Messag					0.0000656										
	r link (A lin			UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
	link (B lin so known as D			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	witched acc service, interface S1 level pa bit stream			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45						
	link, per mo			UDB	TPP9A	20.71	43.56	43.56	22.45	22.45						
	link(also kn s D link) per			UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
	witched acc service, interface S3 level pa bit stream			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						
	IP Message					0.0000164										
	te, per link p LATA			UDB	STU56	751.08										
	r Originatin nt Code															
	STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	r Destinatio nt Code															
	Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						

LOCAL													Attachment: 3 Exh. A			
CATEGO		EMENTS	Intr	Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI																	
		er STP Port			UDB	PT8SX	147.60										
		AP Messag					0.000064										
		or link (A link			UDB	TPP6A	15.77	34.50	34.50								
		or link (B lin	so known as D		UDB	TPP6B	15.77	34.50	34.50								
		witched acc	service, interface S1 level pat	th bit stream	UDB	TPP6X	15.77	34.50	34.50								
		link, per mon			UDB	TPP9A	15.77	34.50	34.50								
		ink(also kn | s D link) per		UDB	TPP9B	15.77	34.50	34.50								
		witched acc	service, interface S3 level pat	th bit stream	UDB	TPP9X	15.77	34.50	34.50								
		IP Message					0.000016										
		ate, per link	LATA		UDB	STU56	732.10										
		r Originatin	int Code														
		STP affecte			UDB	CCAPO		28.17	28.17								
		r Destinatio	int Code														
		Stp Affecte			UDB	CCAPD		28.17	28.17								

LOCAL													Attachment: 3 Exh. A			
CATEGO	ELEMENTS	Inter	Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI																
	er STP Port			UDB	PT8SX	132.21										
	AP Messag					0.0000597										
	er link (A lin			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	er link (B lin	so known as D		UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	witched acc	service, interface														
	S1 level pa	b bit stream		UDB	TPP6X	16.55	35.74	35.74	16.53	16.53						
	ink, per mo			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	nk(also kn	as D link) per		UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	witched acc	service, interface														
	S3 level pa	b bit stream		UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
	P Messag					0.0000149										
	ile, per link	ATA		UDB	STU56	683.55										
	r Originatin	nt Code														
	STP affecte			UDB	CCAPO		29.18	29.18	35.78	35.78						

LOCAL ... Carolina

Attachment: 3 Exh. A

CATEGO...	...EMENTS	Inte...	Zone	BCS	USOC	RATES($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											OSS Rates($) SOMEC	OSS Rates($) SOMAN	OSS Rates($) SOMAN	OSS Rates($) SOMAN	OSS Rates($) SOMAN	OSS Rates($) SOMAN
SIGNALI...																
	...er link (A link			UDB	TPP6A	18.22	278.02	278.02								
	...er link (B link ...so known as D			UDB	TPP6B	18.22	278.02	278.02								
	...witched acces... service, interface ...S1 level pat... Mb bit stream			UDB	TPP6X	18.22	278.02	278.02								
	...link, per mon...			UDB	TPP9A	18.22	278.02	278.02								
	...nk(also kno... as D link) per			UDB	TPP9B	18.22	278.02	278.02								
	...witched acces... service, interface ...S3 level pat... Mb bit stream			UDB	TPP9X	18.22	278.02	278.02								
	...er STP Port			UDB	PT8SX	132.83										
	...IP Message					0.00004										
	...AP Message					0.00005										
	...ate, per link p... LATA			UDB	STU56	338.98										
	...r Originating ...nt Code															
	...GTP affected			UDB	CCAPO		40.00	40.00								
	...r Destinatio... nt Code															
	...Stp Affected			UDB	CCAPD		8.00	8.00								

LOCAL		Carolina											Attachment: 3 Exh. A			
CATEGO		EMENTS	Intr	Zone	BCS	USOC	RATES($)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates($)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI																	
		r STP Port			UDB	PT8SX	163.49										
		AP Message					0.0000692										
		r link (A lin			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						
		r link (B lin	eq known as D		UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
		witched acc	ervice, interface S1 level pa	th bit stream	UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
		link, per mo			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48						
		link(also kn | s D link) per		UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
		witched acc	ervice, interface S3 level pa	th bit stream	UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
		UP Message					0.0000173										
		te, per link	LATA		UDB	STU56	791.37										
		r Originatin	t Code														
		STP affecte			UDB	CCAPO		29.08	29.08	35.65	35.65						
		r Destinatio	t Code														
		Stp Affecte			UDB	CCAPD		29.08	29.08	35.65	35.65						

LOCAL														Attachment: 3 Exh. A			
CATEGO			ELEMENTS	Inter-	Zone	BCS	USOC	RATES($)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates($)			
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI																	
			Per STP Port			UDB	PT8SX	138.41									
			CAP Message					0.0000916									
			er link (A link			UDB	TPP6A	17.84	130.84	130.84				20.35	20.35	13.32	13.32
			er link (B link also known as D link)			UDB	TPP6B	17.84	130.84	130.84				20.35	20.35	13.32	13.32
			witched acce service, interface DS1 level pat th bit stream			UDB	TPP6X	17.84	130.84	130.84				20.35	20.35	13.32	13.32
			link, per mon			UDB	TPP9A	17.84	130.84	130.84				20.35	20.35	13.32	13.32
			nk(also kno s D link) per			UDB	TPP9B	17.84	130.84	130.84				20.35	20.35	13.32	13.32
			witched acce service, interface DS3 level pat th bit stream			UDB	TPP9X	17.84	130.84	130.84				20.35	20.35	13.32	13.32
			UP Message					0.0000373									
			nlo, per link n LATA			UDB	STU56	352.30									
			rating Point e Establishment			UDB	CCAPO		121.77	121.77				20.35	20.35	13.32	13.32