050427-TP

BELLSOUTH

BellSouth Telecommunications, Inc.

150 South Monroe Street Suite 400 Tallahassee, FL 32303-1556

Marshall.criser@bellsouth.com

June 21, 2005

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Ring Connection, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, unbundling, resale and collocation Agreement with Ring Connection, Inc. The underlying agreement was filed on 7/21/04 in docket no. 040770-TP.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

MM Cush III FN Regulatory Vice President

FPSC-COMMISSION CLERK

Amendment to the Agreement Between Ring Connection, Inc. and BellSouth Telecommunications, Inc. Dated May 15, 2004

Pursuant to this Amendment, (the "Amendment"), Ring Connection, Inc. ("Ring Connection"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 15, 2004 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and Ring Connection entered into the Agreement on May 15, 2004, and;

WHEREAS, BellSouth and Ring Connection desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

10 BASIC 911 AND E911 INTERCONNECTION

- 10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 10.2 <u>Basic 911 Interconnection.</u> BellSouth will provide to Ring Connection a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Ring Connection will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. Ring Connection will

Version: TRRO Amendment

be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Ring Connection will be required to begin using E911 procedures.

10.3 E911 Interconnection. Ring Connection shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Ring Connection shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Ring Connection will be required to provide BellSouth daily updates to the E911 database. Ring Connection will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Ring Connection will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Ring Connection shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

- 10.4 Trunks and facilities for 911 Interconnection may be ordered by Ring Connection from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

SS7 Network Interconnection is the interconnection of Ring Connection local signaling transfer point switches or Ring Connection local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Ring Connection local or tandem switching systems, and other third-party

Version: TRRO Amendment

switching systems directly connected to the BellSouth SS7 network.

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Ring Connection or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a Ring Connection Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Ring Connection local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
- 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Ring Connection local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Ring Connection local STPs and shall not include SCCP Subsystem Management of the destination.
- 11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

Version: TRRO Amendment

- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- Interface Requirements. The following SS7 Network
 Interconnection interface options are available to connect Ring
 Connection or Ring Connection-designated local or tandem
 switching systems or signaling transfer point switches to the
 BellSouth SS7 network:
- 11.9.1 A-link interface from Ring Connection local or tandem switching systems; and
- 11.9.2 B-link interface from Ring Connection STPs.
- 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.9.5 The protocol interface requirements for SS7 Network
 Interconnection include the MTP, ISDNUP, SCCP, and TCAP.
 These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.9.6 BellSouth shall set message screening parameters to accept messages from Ring Connection local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Ring Connection switching system has a valid signaling relationship.
- 3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
- 4. The Parties agree to add Section 3.8 to Attachment 6 as follows:
 - 3.8 If Ring Connection modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Ring Connection in accordance with FCC No. 1 Tariff, Section 5.

Version: TRRO Amendment

- 5. All of the other provisions of the Agreement dated May 15, 2004 shall remain unchanged and in full force and effect.
- 6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: TRRO Amendment

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.

D.,,

Title: Director

Name: Kristen Rowe

By:

Date: 6/3

Ring Connection, Inc.

Name: Dana Parce

Title: Director of Operations

Date: 5/24/05

Version: TRRO Amendment

Exhibit 1 Attachment 2 Page 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	
2	LOOPS	7
3	LINE SPLITTING	27
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	29
5	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	31
6	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEME	NT SYSTEM (ALI/DMS)36
7	OSS	37
Rat	tes	Exhibit A
Rat	tes	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Ring Connection for Ring Connection's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Ring Connection (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Ring Connection to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Ring Connection purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Ring Connection may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Ring Connection shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Ring Connection pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Ring Connection pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as

of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Ring Connection. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Ring Connection and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Ring Connection may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Ring Connection has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to Ring Connection.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Ring Connection shall undertake a reasonably diligent inquiry to determine whether Ring Connection is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Ring Connection self-certifies that to the best of Ring Connection's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Ring Connection's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 Ring Connection may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to

the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Ring Connection, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Ring Connection has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Ring Connection must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.

1.13 Ordering Guidelines and Processes

- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Ring Connection should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Ring Connection's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Ring Connection's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment.

1.13.4 <u>Testing/Trouble Reporting.</u>

- 1.13.4.1 Ring Connection will be responsible for testing and isolating troubles on Network Elements. Ring Connection must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Ring Connection will be required to provide the results of the Ring Connection test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once Ring Connection has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Ring Connection reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Ring Connection a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Ring Connection (e.g.,

incomplete address, incorrect contact name/number, etc.), BellSouth will bill Ring Connection for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- General. The local loop Network Element is defined as a transmission facility that 2.1 BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Ring Connection shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Ring Connection on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Ring Connection. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Ring Connection with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Ring Connection as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2.

 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Ring Connection's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.5 During the Transition Period, the rates for Ring Connection's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to Ring Connection's Embedded Base and Ring Connection shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Ring Connection in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Ring Connection wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Ring Connection may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Ring Connection shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.

- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and Ring Connection to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Ring Connection's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- OC-TS allows Ring Connection to order a specific time for OC to take place. 2.1.8.2 BellSouth will make commercially reasonable efforts to accommodate Ring Connection's specific conversion time request. However, BellSouth reserves the right to negotiate with Ring Connection a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Ring Connection may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Ring Connection specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option — ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Ring Connection must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by Ring Connection when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Ring Connection's Interconnection Agreement before requesting a conversion.

Version: ATT 2 TRRO Amendment - DS0

- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.9.3 The Loops converted to Ring Connection pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

- 2.1.10.1 BellSouth will make available to Ring Connection a Bulk Migration process pursuant to which Ring Connection may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should Ring Connection request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Ring Connection must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2,2,1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Ring Connection will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1)</u>. Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Ring Connection, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Ring Connection may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Ring Connection may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Ring Connection. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Ring Connection to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2.3.2.1	2-wire Unbundled ISDN Digital Loop
2.3.2.2	2-wire Unbundled ADSL Compatible Loop
2.3.2.3	2-wire Unbundled HDSL Compatible Loop
2.3.2.4	4-wire Unbundled HDSL Compatible Loop
2.3.2.5	4-wire Unbundled DS1 Digital Loop
2.3.2.6	4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
2.3.2.7	DS3 Loop
2.3.2.8	STS-1 Loop
2.3.3	2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Ring Connection will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
2.3.4	2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
2.3.5	2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
2.3.6	4-wire Unbundled DS1 Digital Loop.
2.3.6.1	This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1

and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-2ire copper Loops capable of providing high-bit rate digital subscriber line

services, such as 2-wire and 4-wire HDSL Compatible Loops.

- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Ring Connection at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Ring Connection may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.

- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Ring Connection.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Ring Connection to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Ring Connection can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Ring Connection may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Ring Connection to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Ring Connection may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Ring Connection which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Ring Connection, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Ring Connection. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Ring Connection may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Ring Connection requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Ring Connection will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Ring Connection shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Ring Connection desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Ring Connection, Ring Connection will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Ring Connection is available at the location for which the ULM was requested, Ring Connection will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Ring Connection will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 <u>Loop Provisioning Involving IDLC</u>
- 2.6.1 Where Ring Connection has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Ring Connection. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Ring Connection (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Ring Connection, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Ring Connection will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Ring Connection to connect Ring Connection's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Ring Connection may access the End User's premises wiring by any of the following means and Ring Connection shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Ring Connection to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire

from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures: or

- 2.7.3.1.4 Ring Connection may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Ring Connection's responsibility to ensure there is no safety hazard, and Ring Connection will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Ring Connection shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Ring Connection shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Ring Connection to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Ring Connection's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Ring Connection may request BellSouth to do additional work to the NID on a

time and material basis. When Ring Connection deploys its own local loops in a multiple-line termination device, Ring Connection shall specify the quantity of NID connections that it requires within such device.

- 2.8 Subloop Elements.
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Ring Connection requests a UCSL and it is not available, Ring Connection may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Ring Connection, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-

INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Ring Connection's use on this cross-connect panel. Ring Connection will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Ring Connection shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Ring Connection's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Ring Connection is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Ring Connection's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Ring Connection can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Ring Connection's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Ring Connection will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Ring Connection requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Ring Connection for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Ring Connection does own or control such wiring, Ring Connection will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Ring Connection.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Ring Connection for each pair activated commensurate to the price specified in Ring Connection's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

- 2.8.4 Dark Fiber Loop.
- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Ring Connection to utilize Dark Fiber Loops.
- 2.8.4.2 <u>Transition for Dark Fiber Loop</u>
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Ring Connection as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Ring Connection at the terms and conditions set forth in this Attachment.
- 2.8.4.4 The rates for Ring Connection's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Ring Connection's Embedded Base and Ring Connection shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Ring Connection LMU information with respect to Loops that are required to be unbundled under this Agreement so that Ring Connection can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Ring Connection intends to install and the services Ring Connection wishes to provide. LMU is a preordering transaction, distinct from Ring Connection ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide Ring Connection LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Ring Connection as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- Ring Connection may choose to use equipment that it deems will enable it to 2.9.1.5 provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Ring Connection and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Ring Connection's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Ring Connection or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Ring Connection is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Ring Connection, according to the applicable network disclosure requirements. It will be Ring Connection's responsibility to move any service it may provide over such facilities to alternative facilities. If Ring Connection fails to move the service to

alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

- Ring Connection may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Ring Connection needs further Loop information in order to determine Loop service capability, Ring Connection may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Ring Connection will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Ring Connection does not reserve facilities upon an initial LMUSI, Ring Connection's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Ring Connection has reserved multiple Loop facilities on a single reservation, Ring Connection may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Ring Connection, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Ring Connection.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Ring Connection provides its own switching or obtains switching from a third party, Ring Connection may engage in line splitting arrangements with another CLEC using a splitter, provided by Ring Connection, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

3.3 Provisioning Line Splitting and Splitter Space

- 3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Ring Connection or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.
- An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 <u>CLEC Provided Splitter Line Splitting</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, Ring Connection must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Ring Connection must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.4.3 Ring Connection may purchase, install and maintain central office POTS splitters in its collocation arrangements. Ring Connection may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.4 Any splitters installed by Ring Connection in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Ring Connection may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 <u>Maintenance Line Splitting.</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- Ring Connection shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages,

injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Ring Connection are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Ring Connection are not already combined by BellSouth in the location requested by Ring Connection but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Ring Connection are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Ring Connection requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A

and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Ring Connection.
- 4.3 Enhanced Extended Links (EELs)
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Ring Connection with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Ring Connection thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Ring Connection's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Ring Connection must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Ring Connection has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Ring Connection will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Ring Connection will have at least one (1) active DS1 local service interconnection trunk over which Ring Connection will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Ring Connection's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Ring Connection failed to comply with the service eligibility criteria, Ring Connection must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Ring Connection did not comply in any material respect with the service eligibility criteria, Ring Connection shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Ring Connection did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Ring Connection for its reasonable and demonstrable costs associated with the audit. Ring Connection will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Ring Connection converts special access services to UNEs, Ring Connection shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Ring Connection. Including but not limited to DS1, DS3 and OCn level services, as well as dark

fiber, dedicated to Ring Connection. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Ring Connection unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

- 5.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3</u> Entrance Facilities
- 5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for Ring Connection as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5.

 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for Ring Connection's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.4.3 During the Transition Period, the rates for Ring Connection's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B and the rates for Ring Connection's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 5.2 shall be as set forth in Exhibit A.
- 5.2.4.4 The Transition Period shall apply only to Ring Connection's Embedded Base and Ring Connection shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.
- 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.

- 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center. 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected. 5.3 BellSouth shall: 5.3.1 Provide Ring Connection exclusive use of Dedicated Transport to a particular customer or carrier; 5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section; 5.3.3 Permit, to the extent technically feasible, Ring Connection to connect Dedicated Transport to equipment designated by Ring Connection, including but not limited to, Ring Connection's collocated facilities; and 5.3.4 Permit, to the extent technically feasible, Ring Connection to obtain the functionality provided by BellSouth's digital cross-connect systems. 5.4 BellSouth shall offer Dedicated Transport: 5.4.1 As capacity on a shared facility; and 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Ring Connection. 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 5.6 Ring Connection may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.7 <u>Technical Requirements</u>
- 5.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements

specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.7.2.1 DS0 Equivalent;
- 5.7.2.2 DS1;
- 5.7.2.3 DS3; and
- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Ring Connection shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 Unbundled Channelization (Multiplexing)
- To the extent Ring Connection is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Ring Connection may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Ring Connection's channelization equipment must adhere strictly to form and protocol standards. Ring Connection must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for Ring Connection as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for Ring Connection's Embedded Base during the Transition Period:
- 5.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

5.9.1.5 During the Transition Period, the rates for Ring Connection's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B and the rates for Ring Connection's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 5.9.1 shall be as set forth in Exhibit A. 5.9.1.6 The Transition Period shall apply only to Ring Connection's Embedded Base and Ring Connection shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement. 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center. 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected. 5.10 Rearrangements 5.10.1 A request to move a working Ring Connection CFA to another Ring Connection CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A. 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply. 5.10.3 Upon request of Ring Connection, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Ring Connection may request OC-TS for such orders. 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between Ring Connection and another carrier that will allow Ring Connection to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport. 6 Automatic Location Identification/Data Management System (ALI/DMS) 6.1 911 and E911 Databases 6.1.1 BellSouth shall provide Ring Connection with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f). 6.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The

ALI/DMS database is used to provide enhanced routing flexibility for E911. Ring Connection will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.

- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide Ring Connection the capability of providing updates to the ALI/DMS database through a specified electronic interface. Ring Connection shall contact BellSouth's 911 database vendor directly to request interface. Ring Connection shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Ring Connection and BellSouth shall not be liable for the transactions between Ring Connection and BellSouth's 911 database vendor.
- 6.2.2 It is Ring Connection's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 Ring Connection shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Ring Connection, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Ring Connection to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Ring Connection that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Ring Connection shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Ring Connection within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Ring Connection shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Ring Connection's records.
- 7 OSS

- 7.1 BellSouth has developed and made available electronic interfaces by which Ring Connection may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
- 7.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 7.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 7.5 <u>Denial/Restoral OSS Charge.</u> BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event Ring Connection provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

													Attachment: 2 Exh. A	:: 2 Exh. A		
											Svc Order	Svc Order	Incremental Incremental		Incremental	incremental
CATEGORY RATE E	RATE ELEMENTS	Interim 2	Zone	BCS	nsoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Cnarge - Manual Svc Order vs.
													1st	Add'I	Disc 1st	Disc Add"
			+			Rec	Nonrecurring First Ao	curring Add'I	Nonrecurrin First	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	SOMAN	OSS Rates (\$) AN SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers	or stand-alone loops or loops as	part of a cc	mbinatic		aphically De	averaged UNE	to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website.	v Geographics	Illy Deaverage	d UNE Zone De	signations	v Central O	ffice. refer to	internet Web	site	
http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm OPERATIONAL_SUPPORT EXETENS (OSS) ."DECIONAL DATES"	h.com/become a clec/html/inter	connection	.htm			0										
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may	ontract negotiator if it prefers th	e "state spe	ecific" 05	S charges as orc	ered by the	State Commis	sions. The OSS	charges curre	intly contained	1 in this rate ex	hibit are the	BellSouth	regional" ser	vice ordering	charges. CL	EC may
elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.	ssion ordered rates for the servi	ce ordering	y charges	, or CLEC may el	ect the regio	nal service on	dering charge, h	owever, CLEC	can not obtai	n a mixture of 1	the two rega	rdless if C∟I	EC has a inter	rconnection c	ontract estab	lished in
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN,	ordered electronically will be bill oresent per the LOH, the listed St	ed accordir	ng to the in this ca	SOMEC rate liste tegory reflects the	d in this cate e charge tha	gory. Please t would be bill	refer to BellSout led to a CLEC or	th's Local Ord	ering Handbo ordering capa	ok (LOH) to det bilities come o	ermine if a p	roduct can at element.	be ordered el Otherwise, th	ectronically.	For those ele lering charge	ments that SOMAN,
will be applied to a CLECs bill when it submits an LSR to BellSouth.	it submits an LSR to BellSouth.	-	-													
Request (LSR) - UNE Only	USS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order C (LSR) - UNE Only	harge, Per Local Service Request.				SOMAN		15.66	00 0	1 97	000						
UNE SERVICE DATE ADVANCEMENT CHARGE NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff.	GE maintained commensurate with E	lellSouth's	FCC No.		Section 5 as applicable.	<u>ie</u>										
			-													
UNE Expedite Charge per Circu Day NBUNDLED EXCHANGE ACCESS LOOP	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	UEF, UEANL, UCL, UEF, UDF, UEG, UEF, UTTD, UTTR, UTTD, UTTD, UTTR, UTTD, UTTD3, UTTD1, UTTD3, UTTD2, UTTD3, UTTD2, UTTD3, UCC, UCCL, UCCC, UCCL, UCCTC, UCTR, UCCTC, UCCTC, UCCTC, UCCTC, UCCTC, UCCTC, UCCTC, UCCTC, UCCTC, UNLD1, UNCCX, UTTUC, UTTUC, UTTUC,	SDASP		200.00									
2-WIRE ANALOG VOICE GRADE LOOP	Ь															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	op - Service Level 1- Zone 1		T		UEAL2	12.58		17.56		5.30						
2-Wire Analog Voice Grade Log	op - Service Level 1- Zone 2		2 OE		UEAL2	21.05		17.56								
2-Wire Analog Voice Grade Loo	op - Service Level 1- Zone 1			UEANL	JEASI	12.58		17.56							1	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	op - Service Level 1- Zone 2		2 UEANL		UEASL	21.05	37.81	17.56	23.49	5.30						
Unbundled Miscellaneous Rate	z-wire Ahalog voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User				UEASL	34.34		17.56								
Premise I oon Testion - Basic 1st Half Hr	200		UEANI		URETL		8.33	0.83								
Loop Testing - Basic Additional Half Hour	Haff Hour	+	UEANI		URETA		19.85	19.85								

Page 1 of 89

CATEGORY												Sun Order			1-4	Intercement
CATEGORY					_				•		Svc Order		Incremental	ncrementa	ncremental	
	RATE ELEMENTS	Interim Zo	Zone	BCS	nsoc			RATES (\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs.		Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
				-									Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
			+			Rec	Nonrecu	Nonrecurring	Nonrecurring C	Disconnect	COME	NAMOS	SOMAN	OSS Rates (\$)	MAMOS	NAMOS
	CLEC to CLEC Conversion Charge Without Outside Dispatch		u d		O Section					1	21100		NUMBER	NUMBER	NY MOS	OMEN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	-	OEA		OKEWO		15.78	8.94								
	providing make-up (Engineering Information - E.I.)		UEANI		UEANM		13.44			_						
	Manual Order Coordination for UVL-SL1s (per loop)		DEAN		JEAMC		8.15	8.15								
	Order Coolumnation for Specified Conversion Time for OVL-SCI (per LSR)		UEAN		Ocosi		18 09			_						
2-WIRE	2-WIRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1				JEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	2 UEQ		UEQ2X	13.27	34.14	15.10	21.25	4.15						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	T		V	0.01	41.11	13.10	27.12	4.13						
	Premise		OEO		URETL		8.33	0.83		_						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	_	UEO		USBMC		5									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		-													
	BST providing make-up (Engineering Information - E.I.)				UEQMU		13.44									
	Loop Testing - Basic Additional Half Hour	+			UREIT		34.16	34.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch		2				3	20:20								
	(UCL-ND)		UEO		UREWO		14.27	7.43		_						
ONBUNULED E	UNBUNDLED EXCHANGE ACCESS LOOP		+				1									
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-													
	Zone 1 2 With Anglas Voins Grade Lan Saning Land 1 Line Sellither		1 PE	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
	Z vvije Analog voice Grade Loop-Service Level 1-Line Spiriting- Zone 1		1 UEP	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		0 1100	8383118383	EATO	5	27 07	17.50	9 50							
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			Γ	ובערה	20.12	10.75	00:71	25.49	9.30						
	Zone 2 2 Wite Angles Voice Grade Loca Service Local 4 Line Selimina	1	2 UEP	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	Z wile Arrang voice Grade Loop-Service Level 1-Line Splitting- Zone 3	9	3 UEPS	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30					-	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1 100	8389118389	0000	70.70	27 07	74								
JNBUNDLED E.	UNBUNDLED EXCHANGE ACCESS LOOP		Т		JEMBS	45.45	37.01	96.71	23.49	5.30						
2-WIRE	ΙÌ															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1 1 1 4		I IEA! 2	44 39	00 88	00 33	NC 73	7 7 7						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				4	P.	80.80	90.00	+7· /+							
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loon - Service Level 2 will one or	1	2 UEA		UEAL2	22.85	88.00	22.00	47.24	7.44						
	Ground Start Signaling - Zone 3	'n	3 UEA		UEAL2	36.14	88.00	25.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)		NEA		JSOOC		18.09									
	z-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1 UEA		UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2 2-Wire Analon Voice Grade Loon - Service Louel 2 w/Beverce		2 UEA		UEAR2	22.85	88.00	22.00	47.24	7.44						
	Battery Signaling - Zone 3		3 UEA	•	UEAR2	36.14	88.00	22.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)		UEA		COSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch		EA		UREWO		87.72	36.36								
4-WIRE	4-WIRE ANALOG VOICE GRADE LOOP		N N		ואר ור וראלו		11.21	1.10								
-	4-Wire Analog Voice Grade Loop - Zone 1		П		EAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2	2 6	2 UEA		JEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wile Ariatog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	7	J CEA		OEAL4	60.02	131.97	94.51	59.14	14.50						
	CLEC to CLEC Conversion Charge without outside dispatch	-	NEA!		REWO		87.72	36,36								

Page 2 of 89

Particular Par	UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Alabama								:				Attachment: 2 Exh. A	t: 2 Exh. A		
UNITY ULICAY UL	CATEGORY	RATE ELEMENTS		one	BCS	nsoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add:	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Charge - Manual Svc Order vs. Electronic-
March Marc				+				Nonrect	rrina	Nonrecurring	Disconnect			OSS	Rates (\$)		
UNA							Rec	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1,000, 0,010, 0	Z-WIK	SISDN DIGITAL GRADE LOOP		-		>>	24 90	117.04	17.07	c c	1.07						
UDN ULICX 46.55 117.24 78.77 52.58 1.0		2-Wire ISDN Digital Grade Loop - Zone 2		Т		11.2X	32.85	117 24	70.77	52.88	10.34						
UDN UDCOSL 16.09 44.16		2-Wire ISDN Digital Grade Loop - Zone 3		П		11_2X	48.55	117.24	79.77	52.88	10.54						
UAL		Order Coordination For Specified Conversion Time (per LSR)				COSL		18.09									
UAL UAL2X 11.01 110.00 68.00 47.24 77 17 17 17 17 17 17 1		CLEC to CLEC Conversion Charge without outside dispatch	_			IREWO		91.63	44.16								
UAL	2-WIR	2 Wire Thundled ADST 1000 Including months (ADSL) COMP	ATIBLE LO	<u>م</u>													
UAL UALZX 12.73 110.00 68.00 47.24 7 UAL UALZW 14.30 110.00 68.00 47.24 7 UAL UALZW 11.01 80.00 57.00 47.24 7 UAL UALZW 11.01 80.00 57.00 47.24 7 UAL UALZW 12.73 80.00 57.00 47.24 7 UAL UALZW 11.01 80.00 57.00 47.24 7 UAL UALZW 10.17 110.00 68.00 47.24 7 UAL UALZW 10.17 110.00 68.00 47.24 7 UAL UHLZW 11.14 110.00 68.00 47.24 7 UHL UHLZW 11.14 90.00 57.00 47.24 7 UHL UHLZW 11.14 90.00 57.00 47.24 7 UHL UHLZW 11.44 90.00 57.00		z wire Onounded ADSL Loop Including manual service inquiry & facility reservation - Zone 1		<u>-</u>		JAL2X	11.01	110 00	68.00	47 24	7 44						
2 UAL UALZX 12.73 110.00 66.00 47.24 9 UAL UALZX 14.30 110.00 66.00 47.24 1 UAL UALZX 11.01 90.00 57.00 47.24 2 UAL UALZX 11.01 90.00 57.00 47.24 3 UAL UALZX 11.01 90.00 57.00 47.24 4 UAL UALZX 11.01 90.00 57.00 47.24 5 UAL UALZX 11.01 68.00 47.24 6 UAL UALZX 11.44 110.00 68.00 47.24 6 UAL UALZX 11.44 110.00 68.00 47.24 1 UAL UALZX 11.44 110.00 68.00 47.24 1 UAL UALZX 11.44 90.00 57.00 47.24 1 UAL UALZX 11.44 90.00 57.00		2 Wire Unbundled ADSL Loop including manual service inquiry															
9 UAL UALZX 14.30 110.00 68.00 47.24 1 UAL DOCOSEL 11.01 90.00 57.00 47.24 2 UAL UALZW 12.73 90.00 57.00 47.24 3 UAL UALZW 14.30 90.00 57.00 47.24 4 UAL UALZW 14.30 90.00 57.00 47.24 4 UAL UALZW 14.30 90.00 57.00 47.24 4 UAL UALZW 10.17 110.00 68.00 47.24 4 UAL UALZW 10.17 110.00 68.00 47.24 5 UAL UALZW 11.44 90.00 57.00 47.24 6 UAL UALZW 11.44 90.00 57.00 47.24 7 UAL UALZW 11.44 90.00 57.00 47.24 8 UAL UALZW 11.44 90.00 57.00 47.24 9 UAL UALZW 11.44 90.00 57.00 47.24 <td></td> <td>& facility reservation - Zone 2</td> <td></td> <td>Т</td> <td></td> <td>AL2X</td> <td>12.73</td> <td>110.00</td> <td>68.00</td> <td>47.24</td> <td>7.44</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		& facility reservation - Zone 2		Т		AL2X	12.73	110.00	68.00	47.24	7.44						
UAL UALZW 11.01 90.00 57.00 47.24 UAL UALZW 11.01 90.00 57.00 47.24 UAL UALZW 12.73 90.00 57.00 47.24 UAL UALZW 12.73 90.00 57.00 47.24 UAL UALZW 14.30 90.00 57.00 47.24 UAL UHLZX 11.44 110.00 68.00 47.24 UAL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLXW 10.17 90.00 57.00 47.24 UHL UHLXW 15.56 148.36 68.00 51.70 UHL UHLXX 15.26 148.36 68.00 51.70 UHL		2 ville Uniburioled ADSC Coup including manual service inquiry & facility reservation - Zone 3				IAL2X	14.30	110.00	68.00	47.24	7.44						
UAL UALZW 11.01 90.00 57.00 47.24 1.0.44 1.0.44 1.0.73 90.00 57.00 47.24 1.0.44 1.0.20 1.0.42 1.0.00 57.00 47.24 1.0.44 1.0.00 57.00 47.24 1.0.44 1.0.00 68.00 47.24 1.0.44 1.0.00 68.00 47.24 1.0.44 1.0.00 68.00 47.24 1.0.44 1.0.00 68.00 47.24 1.0.44 1.0.00 68.00 47.24 1.0.44 1.0.44 1.0.00 57.00 47.24 1.0.44 1.0.44 1.0.40 68.00 57.00 47.24 1.0.44 1.0.40 57.00 47.24 1.0.44 1.0.40 68.00 57.00 47.24 1.0.44 1.0.40 68.00 57.00 47.24 1.0.44 1.0.40 68.00 57.00 47.24 1.0.44 1.0.40 68.00 57.00 57.70 47.24 1.0.44 1.0.40 1		Order Coordination for Specified Conversion Time (per LSR)		Ϋ́		TSOO		18.09									
2 UAL UALZW 12.73 90.00 57.00 47.24 9 UAL UALZW 12.73 90.00 57.00 47.24 UAL UAL UALZW 14.30 90.00 57.00 47.24 UAL UNEWO 86.20 40.40 47.24 UAL UNILX 10.17 110.00 68.00 47.24 UHL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLZW 11.44 90.00 57.00 47.24 UHL UHLZW 11.44 90.00 57.00 47.24 UHL UHLXX 13.95 148.36 68.00 51.70 UHL UHLXX 15.56 148.36 68.00 51.70 UHL UHLXX 15.56 148.36 68.00 51.70 <td></td> <td>2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1</td> <td></td> <td></td> <td></td> <td>AIC IAI</td> <td></td> <td>00 00</td> <td>67.00</td> <td>VC 2V</td> <td>7 44</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1				AIC IAI		00 00	67.00	VC 2V	7 44						
UAL UAL2W 12.73 90.00 57.00 47.24 UAL UAL2W 14.30 90.00 57.00 47.24 UAL UAL2W 14.30 90.00 57.00 47.24 UAL UAL2W 10.17 110.00 68.00 47.24 UAL UAL2X 10.17 110.00 68.00 47.24 UAL UAL2X 11.44 110.00 68.00 47.24 UAL UAL2X 11.44 110.00 68.00 47.24 UAL UAL2W 11.44 110.00 68.00 47.24 UAL UAL2W 11.44 90.00 57.00 47.24 UAL UAL2W 11.44 90.00 57.00 47.24 UAL UAL2W 11.44 90.00 57.00 47.24 UAL UAL4X 13.35 148.36 68.00 51.70 UAL UAL4X 15.26 148.36 68.00 51.70 U		2 Wire Unbundled ADSL Loop without manual service inquiry &		T			9	00.00	DO:	17:11	14.7						
UAL UALZW 14.30 90.00 57.00 47.24 UAL UNL UNLZW 8.74 110.00 68.00 47.24 UAL UHLZX 10.17 110.00 68.00 47.24 UHL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZW 8.74 90.00 57.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLZW 13.95 148.36 68.00 51.70 UHL UHLAX 15.56 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAX 15.26 94.00 57.00 51.70		facility reservaton - Zone 2				AL2W	12.73	90:00	57.00	47.24	7.44						
UAL UNITY 13.95 148.36 140.70 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 157.00 147.24 140.00 147.24 140.00 157.00 147.24 140.00 147.24		2 Wire Unbundled ADSL Loop without manual service inquiry & facility recentation - 2009.3				, vic. 14	24.20	- 0	1	70.0							
UAL UREWO 86.20 40.40 UAL UHEWO 87.4 110.00 68.00 47.24 UHL UHL2X 10.17 110.00 68.00 47.24 UHL UHL2X 11.44 110.00 68.00 47.24 UHL UHL2X 11.44 110.00 68.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL UHL4X 13.95 148.36 68.00 51.70 UHL UHL4X 15.56 148.36 68.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 UHL UHL4W 15		Order Coordination for Specified Conversion Time (per LSR)				COSI	14.30	90.00	97.00	47.24	7.44						
UHL		CLEC to CLEC Conversion Charge without outside dispatch		Π		REWO		86.20	40.40								
UHL UHLZX 110.00 68.00 47.24 UHL UHLZX 11.44 110.00 68.00 47.24 UHL UHLZW 11.44 110.00 68.00 47.24 UHL UHLZW 87.4 90.00 57.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLZW 11.44 90.00 57.00 47.24 UHL UHLZW 11.44 90.00 57.00 47.24 UHL UHLZW 11.48 96.14 40.40 77.00 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAW 15.26 148.36 68.00 51.70 UHL UHLAW 15.26 148.36 68.00 51.70 UHL UHLAW 15.26 94.00 57.00 51.70 UHL UHLA	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE LOOF														
UHL UHL2X 11.44 110.00 68.00 47.24 UHL UHL2X 11.44 110.00 68.00 47.24 UHL UHL2W 8.74 90.00 57.00 47.24 UHL UHL2W 10.17 90.00 57.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL UHL4X 13.36 148.36 68.00 51.70 UHL UHL4X 15.26 148.36 68.00 51.70 UHL UHL4W 15.26 148.36 68.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 U		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1				X	- 1/2 a	40.00	00	70.47	7.44						
UHL UHL2X 10.17 110.00 68.00 47.24 UHL UHL2X 11.44 110.00 68.00 47.24 UHL UHL2W 8.74 90.00 57.00 47.24 UHL UHL2W 10.17 90.00 57.00 47.24 UHL UHL2W 10.17 90.00 57.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL UHL4X 13.95 148.36 68.00 51.70 UHL UHL4X 15.56 148.36 68.00 51.70 UHL UHL4X 15.56 148.36 68.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 UHL<		2 Wire Unbundled HDSL Loop including manual service inquiry		Т		¥ 7	1	20.0	00.00	17:11	#.						
UHL UHL2X 1144 110 00 68.00 47.24 UHL OCOSI. 16.09 68.00 47.24 UHL UHL2W 8.74 90.00 57.00 47.24 UHL UHL2W 10.17 90.00 57.00 47.24 UHL UHLXW 11.44 90.00 57.00 47.24 UHL UHLXX 13.95 148.36 68.00 51.70 UHL UHLXX 15.56 148.36 68.00 51.70 UHL UHL4X 15.56 148.36 68.00 51.70 UHL UHL4X 15.56 148.36 68.00 51.70 UHL UHL4W 15.56 94.00 57.00 51.70 UHL UHL4W 15.56 94.00 57.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 UHL UHL4W<		& facility reservation - Zone 2				HL2X	10.17	110.00	68.00	47.24	7.44						
UHL		2 Wire Unbundled HDSL Loop including manual service inquiry & facility recentation - Zone 3				2			000	71.05	,						
UHL UHL2W 8.74 90.00 57.00 47.24 UHL UHL2W 10.17 90.00 57.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL UHLAX 13.95 148.36 68.00 51.70 UHL UHLAX 15.56 148.36 68.00 51.70 UHL UHLAX 15.25 148.36 68.00 51.70 UHL UHLAW 15.25 148.36 68.00 51.70 UHL UHLAW 15.25 94.00 57.00 51.70 UHL </td <td></td> <td>Order Coordination for Specified Conversion Time (per LSR)</td> <td></td> <td>Т</td> <td></td> <td>COSL</td> <td></td> <td>18.09</td> <td>00.00</td> <td>47.74</td> <td>44.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		Order Coordination for Specified Conversion Time (per LSR)		Т		COSL		18.09	00.00	47.74	44.						
UHL UHLZW 8.74 90.00 57.00 47.24 UHL UHLZW 10.17 90.00 57.00 47.24 UHL UHLZW 11.44 90.00 57.00 47.24 UHL UHLXX 11.395 148.36 68.00 51.70 UHL UHLXX 15.25 94.00 57.00 51.70 UHL UHLXW 15.25 94.00 57.00 51.70 UHL<		2 Wire Unbundled HDSL Loop without manual service inquiry		-													
UHL UHL2W 10.17 90.00 57.00 47.24 UHL UHL2W 11.44 90.00 57.00 47.24 UHL OCGSL 18.09 57.00 47.24 UHL UHL4X 13.35 148.36 68.00 51.70 UHL UHL4X 15.25 148.36 68.00 51.70 UHL UHL4X 15.25 148.36 68.00 51.70 UHL UHL4X 13.95 94.00 57.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 UHL UML4W 15.26 94.00 57.00 51.70 UHL UML4W </td <td></td> <td>and facility reservation - Zone 1</td> <td></td> <td><u>=</u></td> <td></td> <td>HL2W</td> <td>8.74</td> <td>90.00</td> <td>57.00</td> <td>47.24</td> <td>7.44</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		and facility reservation - Zone 1		<u>=</u>		HL2W	8.74	90.00	57.00	47.24	7.44						
UHL UHL2W 11.44 90.00 57.00 47.24 UHL OCOSEL 18.09 57.00 47.24 UHL UNL4X 13.95 148.36 68.00 51.70 UHL UHL4X 15.25 148.36 68.00 51.70 UHL UHL4X 15.25 148.36 68.00 51.70 UHL UHL4X 15.25 148.36 88.00 51.70 UHL UHL4W 13.95 94.00 57.00 51.70 UHL UHL4W 15.26 94.00 57.00 51.70 UHL UNL4W 15.26 94.00 57.00 51.70 UHL UNL4W 15.26 94.00 57.00 51.70 USL USLXX		2 write Unburhdled HUSL Loop without manual service inquiry and facility reservation - Zone 2				HL2W	10.17	00.08	57.00	47.24	7.44						
UHL UNILLAW 11.44 90.00 \$7.00 47.24 UHL UNEWO 86.14 40.40 7.24 UHL UNILLX 13.95 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAW 13.95 94.00 57.00 51.70 UHL UHLAW 15.26 94.00 57.00 51.70 UHL UHLAW 15.26 94.00 57.00 51.70 UHL UHLAW 15.26 94.00 57.00 51.70 UHL UNILAW 15.26 94.00 57.00 51.70 UHL U		2 Wire Unbundled HDSL Loop without manual service inquiry															
UHL UNEWO 86.14 40.40 UHL UHLAX 13.95 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAX 15.26 148.36 68.00 51.70 UHL UHLAW 13.95 94.00 57.00 51.70 UHL UHLAW 15.26 94.00 57.00 51.70 UHL UNICAW 15.26 94.00 57.00 51.70 UHL UNICAW 15.26 94.00 57.00 51.70 UHL UNICAW 15.26 94.00 57.00 51.70 USI USIXX 82.55 252.47 157.54 44.70 1 USI USIXX<		And Tacility reservation - Zone 3 Order Contribution for Specified Conversion Time (ner LSB)	+	Т		H.2W	11.44	90.00	57.00	47.24	7.44						
UHL UHLAX 13.95 148.36 68.00 51.70 UHL UHLAX 15.56 148.36 68.00 51.70 UHL UHLAX 15.25 148.36 68.00 51.70 UHL UHLAW 13.95 94.00 57.00 51.70 UHL UHLAW 15.26 94.00 57.00 51.70 UHL UNEWO 86.14 40.40 51.70 UHL USEXX 82.56 252.47 157.54 44.70 1 USI USIXX 163.18 252.47 157.54 44.70 1 USI USIX 18.09 157.54 44.70 1		CLEC to CLEC Conversion Charge without outside dispatch				REWO		86.14	40.40								
UHL UHL4X 13.95 148.36 68.00 51.70 UHL UHL4X 15.56 148.36 68.00 51.70 UHL UHL4X 15.25 148.36 68.00 51.70 UHL UHL4W 13.95 94.00 57.00 51.70 UHL UHL4W 15.56 94.00 57.00 51.70 UHL UHL4W 15.25 94.00 57.00 51.70 UHL UMEWO 16.25 94.00 57.00 51.70 UHL UMEWO 16.24 44.70 1 USL USLXX 157.44 44.70 1 USL USLXX 34.45 157.54 44.70 1 USL 00.051 18.09	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE LOOF	Г				i i	2								
1.25 1.45 1.55 1.46 1.46		4 Wire Unbundled HDSL Loop including manual service inquiry and facility recentation - Zone 1				\ \ \ \ \	12.05	140 26	9	27.75							
1.20ne 2 UHLAX 15.56 148.36 68.00 51.70 1.20ne 3 UHL		4-Wire Unbundled HDSL Loop including manual service inquiry					3	20.00	200	2	2						
1- Loop introducing manual service inquiry 1- Zone 3 UHL UHL4X 15.25 148.36 68.00 51.70 1- Zone 3 UHL OCCSL 15.25 148.36 68.00 51.70 1- Zone 3 UHL UHL4W 13.95 94.00 57.00 51.70 1- Zone 2 UHL UHL4W 13.95 94.00 57.00 51.70 1- Zone 2 UHL UHL4W 15.56 94.00 57.00 51.70 1- Zone 2 UHL UHL4W 15.56 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 USL UHL4W 15.25 94.00 57.00 51.70 1- Zone 3 USL UKL UHL4W 15.25 94.00 1- Zone 3 USL UHL4W 15.25 1- Zone 3 USL UKL UHL4W 15.25 1- Zone 3 USL UHL4W 15.25 1- Zone		and facility reservation - Zone 2		T		H_4X	15.56	148.36	68.00	51.70	9.73						
1. Specified Conversion Time (per LSR) UHL OCOSL 18.09 OCOSL		4-wire Unbundled HUSL Loop including manual service inquiry and facility reservation - Zone 3				H 4X	15.25	148.36	68.00	51.70	9 73						
SSL Loop without manual service inquity 1 UHL 4W 13.95 94.00 57.00 51.70 SSL Loop without manual service inquity 2 UHL UHL4W 15.56 94.00 57.00 51.70 SSL Loop without manual service inquity 3 UHL UHL4W 15.25 94.00 57.00 51.70 SSL Loop without manual service inquity 3 UHL UNEWO 15.25 94.00 57.00 51.70 SSL Loop without manual service inquity 3 UHL UNEWO 15.25 94.00 57.00 51.70 SSL Loop without outside dispatch UHL UNEWO 86.14 40.40 7 SSC Sone 2 2 USL 10SL 157.54 44.70 1 SS SON 2 2 LOST USL 10SL 157.54 44.70 1 SS SON 2 2 LOST 10SL 10SL 10SL 40.70 1 SS SON 3 3 USL USL 31.45 31.47 47.70 1 SS		Order Coordination for Specified Conversion Time (per LSR)		П		COSL		18.09			3						-
1.20ne 2 25.00 without manual service inquiry 2 UHL UHLAW 15.56 94.00 57.00 51.70		4-Wire Unbundled HDSL Loop without manual service inquiry and facility recentation - Zone 1		-			10 05	20	24 00	5. 23	0.40						
1 - Zone 2 2 UHL UHL4W 15.56 94.00 57.00 51.70 1 - Zone 3 1 - Zone 3 UHL UHL4W 15.25 94.00 57.00 51.70 1 - Zone 3 1 - Zone 3 UHL OCOSL 18.09 51.70 51.70 1 - Specified Conversion Time (per LSR) UHL UNEWO 86.14 40.40 7 1 - Sone 2 USL USLXX 82.55 222.47 157.54 44.70 1 0 - Zone 2 2 - USL USL 1 USL 1 USL 157.54 44.70 1 0 - Zone 2 2 USL USL 1 USL <		4-Wire Unbundled HDSL Loop without manual service inquiry		-			200	2.00	5	0/-10	9.10						
1. Loop without manual service inquiry 1. Loop without outside dispatch 1. Loop without 1. Loop without outside dispatch 1. Loop		and facility reservation - Zone 2		T		HL4W	15.56	94.00	57.00	51.70	9.73						
Specified Conversion Time (per LSR) UHL OCOSL 18 09 18 09		4-vvire Unbundled HUSL Loop without manual service Inquiry and facility reservation - Zone 3				HL4W	15.25	94.00	57.00	51.70	9.73						
op - Zone 1 LOSELXX 82.55 252.47 157.54 44.70 op - Zone 2 2 USL USLXX 82.55 252.47 157.54 44.70 op - Zone 2 2 USL USLXX 154.18 252.47 157.54 44.70 op - Zone 3 3 USL USLXX 314.52 252.47 157.54 44.70 r Specified Conversion Time (per LSR) USL 0COSL 18.09 157.54 44.70		Order Coordination for Specified Conversion Time (per LSR)		Ī		COST		18.09			5						
op - Zone 1 1 USL USLXX 82.55 252.47 157.54 44.70 op - Zone 2 2 USL USLXX 154.18 252.47 157.54 44.70 op - Zone 3 3 USL USLXX 314.52 252.47 157.54 44.70 r Specified Conversion Time (per LSR) USL 0COSL 18.09 157.54 44.70	4-WIPE	CLEC to CLEC Conversion Charge without outside dispatch		되		REWO		86.14	40.40								
2 USL USLXX 154.18 252.47 157.54 44.70 3 USLXX 314.52 252.47 157.54 44.70 USLX USLXX 314.52 252.47 157.54 44.70 USL		4-Wire DS1 Digital Loop - Zone 1		Т		××is	82.55	252 47	157 54	44 70	11 71						*
3 USL USLXX 314.52 252.47 157.54 44.70 USL OCOSL 1809		4-Wire DS1 Digital Loop - Zone 2		Т		SLXX	154.18	252.47	157.54	44.70	11.71						
USI OCOSI		4-Wire DS1 Digital Loop - Zone 3		3 US		SLXX	314.52	252.47	157.54	44.70	11.71						
		Order Coordination for Specified Conversion Time (per LSR)		NS.		COSL		18.09									

Page 3 of 89

											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs.			
							2			i			1st	Add"	Disc 1st	Disc Add'I
		Ī	-			Rec	Nonrec	Nonrecurring st Add'l	Firet Add'	Disconnect	COMEC	NAMOS	SSO	OSS Rates (5)	MANCO	144400
	CLEC to CLEC Conversion Charge without outside dispatch		٦	USL	UREWO		101.09	43.05					SOUR			N CHIEF
4-WIK	4 Wire Unbundled Dinital 19.2 Khos		-	2	01 10	90 90	175 77	00 00	25							
	4 Wire Unbundled Digital 19 2 Kbps		- ^	200	UDL 19	35 05	126.27	88.80	59.14							
	4 Wire Unbundled Digital 19.2 Kbps		T	TOT TOT	1101 19	37.88	126 27	88 80								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		Т	NDF.	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	TGD.	UDL56	37.88	126.27	88.80								
1	4 Wire Unbundled Digital Lone 64 Khrs Zone 1		7	7 2	OCOSI.	90	18.09	00 00								
	4 Wire Unbundled Digital Loop 64 Khps - Zone 2		Т		UDI 64	35.05	120.27	88.80								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3 0	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			70	OCOSE		18.09									
C C	CLEC to CLEC Conversion Charge without outside dispatch		귀	Dr.	UREWO		102.13	49.75								
TANAL T	2-Wire Unbundled Copper Loop. Designed including manual		+													
	service inquiry & facility reservation - Zone 1		٦	NCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual			<u> </u>	2	42.42	440 40	00.10	70.5							
	2 Wire Unduny & Jacilly Teservation - 20ne 2		Т	7	UCLFB	12.73	112.45	65.30	47.24	7.44						
	service inquiry & facility reservation - Zone 3		3	ncr ncr	UCLPB	14.30	112.46	65.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop))	ر ر	UCLMC		8.15	8.15								
	2-wire Unbundted Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	_	-	100	IICI PW	11 01	91 46	54 30	47.24	7 44						
	2-Wire Unbundled Copper Loop-Designed without manual		П													
-	service inquiry and facility reservation - Zone 2	-	2	nor.	UCLPW	12.73	91.46	54.30	47.24	7.44						
	z-vvire Unburiated Copper Loop-Designed Without manual service inquiry and facility reservation - Zone 3	_	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)		П	UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch		_==	ī	CWES		04.00	4 4								
4-WIRE	4-WIRE COPPER LOOP)	UCL	OWEWO		97.23	42.48								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		<u>-</u>	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9 73						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Lons (per loop)	<u> </u>	5 5		UCL4S	28.21	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry		-		200		2	2								
	and facility reservation - Zone 1	-	5	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	_	2	ncr	UCL4W	20.76	114.21	67.05	51.70	9 73						
	4-Wire Copper Loop-Designed without manual service inquiry		Г													
+	and facility reservation - Zone 3	-	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Cider Continuation for Unduring Copper Loops (per loop)) <u>-</u>	7,	DCLMC DELAC		8.15	8.15				1				
OOP MODIFIC	ATION		-		מאפאס		97.73	47.48				\dagger				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair fess than or equal to 18k ft. per Unbundled Loop		<u> </u>	UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMZŁ		00.0	00.0								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	-	5	UHL, UCL, UEA	ULMAL		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal,		<u> </u>	UAL, UCL, UEQ,ULS,UEA, UEANL, UEPSR,	ļ.		***									
		-										_				

Page 4 of 89

Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Upu-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Upu-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	Interim Zone	BCS	osn			RATES (\$)	1		Svc Order Svc Submitted Subr Elec Man	5 77 .	Incremental Incremental Charge - Charge - Manual Svc Manual Svc	Incremental Incremental Charge - Charge - Manual Svc Manual Svc	al Incremental Charge -
	Interim — — — —	98	nsoc			RATES (\$)					rge - Cha al Svc Manu		- Charge
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set Up Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3									~				Order vs.
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3								i		1st	at Ac	Add'l Disc 1st	Disc Add'I
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3				Rec	First Ad	Add'I	First Add'l	Add'l	SOMEC SOI	SOMAN SOMAN	USS Kates (\$)	(a)	SOMAN
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		-							-+-			H	+
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Sub-Loop - Per Building Equipment Room - CLEC Feeder Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 4 Cone 4 Cone 4 Cone 5 Cone 4 Cone 5 Cone 4 Cone 5 Cone 4 Cone 5		UEANL	USBSA		244.42						-		
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		UEANL	USBSB		22.64								
Sub-Loop - Per Building Equipment Room - Per 26 Pair Panel Suel-Loop Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pa Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 3 Corter Coordination for Inhundled Suh-Loops ner sub-hoon par Corter Coordination for Inhundled Suh-Loops one sub-hoon par	-	DEANI	CRRC		177 45								
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Zone 2 Zone 2 Zone 2 Zone 2 Zone 3 Zone 3 Zone 1 Zone 1 Zone 3 Zone 3 Zone 3 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Zone 6 Zone 1 Zone 1 Zone 1 Zone 1 Zone 1 Zone 1 Zone 2 Zone 3	-		0000		2								
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Cone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Cone 3		UEANL	OSBSD		55.15								
Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pa Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Z		UEANL	USBNZ	11.21	65.80	30.96	45.25	6.70					
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pa Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Corter Coordination for Libhundled Suh-Loops ner sub-hoop pa		UEANL	USBN2	11.94	65.80	30.96	45.25	6.70					
Order Coordination for Unbundled Sub-Loops, per sub-loop pa Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		UEANL	USBN2	16.86	65.80	30.96	45.25	6.70					
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		UEANL	USBMC		8.15	8.15							
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 Corter Coordination for Highlandiad Sub-Loops ner sub-hoop ner sub-hoop ner sub-hoop ner	3 2	UEANI	USBN4	8.46	79.03	44 19	49 71	20 0					
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop Zone 3 Zone 3 Order Coordination for Hohmodled Suh-Loops ner sub-hone ne	3 8	HAMI	USBNA	16.67	70.03	44 10	40 71	20.0					
Order Coordination for Hihundlad Suh-Looks ner suh-loon na		UEAN	USBN4	32.57	79.03	44 19	49.71	20.6					
and done one and indicate one of the contract		UEANL	USBMC		8.15	8.15							
Sub-Loop 2-Wire Intrabuilding Network Cabte (INC)	-	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	izi	UEANL	USBMC USBR4	5.16	8.15	8.15	49.71	9.07					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.5	UEANL	USBMC		8.15	8.15							
Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		UEANL	URETA		34.16	34.16				-			
2 Wire Copper Unbundled Sub-Laop Distribution - Zone 1	-	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70					
2 Wrre Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3 2	UEF	UCSZX	11.27	65.80	30.96	45.25	6.70					
Order Coordination for Unbundled Sub-Loops, per sub-loop pai	. <u>1</u> 2		USBMC		8.15	8.15							
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		UEF	UCS4X	6.11	79.03	44.19	49.71	9.07					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UCS4X	15.36	79.03	44.19	49.71	9.07	-				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		8 15	8.15	-						
Loop Testing - Basic 1st Half Hour		UEF	URET1		34.16	34.16							
Loop Testing - Basic Additional Half Hour		UEF	URETA		19.85	19.85							
Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.40	30.01					-			
Network Interface Device (NID)													
Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		UENTW	UND12		43.23	28.38				+			
Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		5.87	5.87							
Network Interface Device Cross Connect - 4W OTHER PROVISIONING ON Y - NO BATE		UENTW	UNDC4		5.87	5.87							
NID - Dispatch and Service Order for NID installation		UENTW	UNDBX	00:0	00.00								
יייי ביייי פריייי פרייייי פריייייייי איייייייייי		UEANL, UEF, UEQ, U	_	000	00.0								
Unbundled Contract Name, Provisioning Only - No Rate		ENTW	UNECN	0.00	0.00								

Page 5 of 89

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2 Exh. A	\vdash	1 1	
											Svc Order	Svc Order	=	<u>16</u>	tal	Incremental
CATEGORY	RATE ELEMENTS	Interim	Zone	SOB	nsoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
	A AND AND AND AND AND AND AND AND AND AN					Rec	Nonrec	Nonrecurring	Nonrecurring Disconnect	Disconnect			SSO	OSS Rates (\$)		
			+				First	Add'I	First	Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate		35	UAL, UCL, UDC, UDL, UDN, UEA, UHL, USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		_ 5	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		=	2	0	900	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate		5 5	UEA,USL,UCL,UUL USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		ISI		CCOEF	0.00	0.00									
HIGH CAPACIT	HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3		1L5ND	8.38									_	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3		UE3PX	308.98	519.248	303.531	137.4135	96.117						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		_5	UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		5		UDLS1	319.83	519.248	303.531	137.4135	96.117						
LOOP MAKE-UP	d		-													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		¥ 5		UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility		=	INAK	D INV		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or		5				0 1									
LINE SPLITTIN	Spare racility queried (Mechanized)		COMP		OMKMC		ec.u	60.0								
LINES	LINE SPLITTING															
END U	SER ORDERING CENTRAL OFFICE BASED	1	-		0010											
	Line Splitting - per line activation DLEC owned splitter	+	5 =	-	REOS	0.61	37.04	21 19	20.02	0 83						
	Line Splitting - per line activation BST owned - virtual		5 5	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
MAINT	MAINTENANCE					1										
NOTE	NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tarif	ellSouth's	FCC		f, Section 13.3.1 as applicable.	cable.	SO ON	55.00				1				
	No Trouble Found - per 1/2 hour increments - Overtime		ļ				90.06	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
INTERC	INTEROFFICE CHANNEL - DEDICATED TRANSPORT		-													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		=	XVT11	11 5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination		5		U1TV2	21.13	40.54	27.41	16.74	08.9	-					
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month		===		11 5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Bacilly Termination		=		HTD3	21 12	40 64	27.44	12 21	0						
	definity communication of the state of the s		5 =		115XX	0 008838	15.01	14:17	1,00	08:0						
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		5 - 3			200000		7								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		5			27.0	10.01	14:17	1	0.0						
	per month		2	U1TDX	1L5XX	0.008838										
	Fireforme Chairmer - Dedicated Transport - 50 Kpps - Facility Termination		5	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
~	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		77	иттрх	1L5XX	0.008838	·									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		=	YOTH!	HTDS	15.12	40 54	27.41	16.74	0 8						
	1		<u>i</u>		3	1	10.01	1 12:17	1 101	20:00						

Page 6 of 89

UNBUNDL	UNBUNDLED NETWORK ELEMENTS - Alabama										į		Attachment: 2 Exh. A	t: 2 Exh. A		
											Svc Order	Svc Order	:1=	75	Incremental	1=
CATEGORY	RATE ELEMENTS	Interim Zone	Cone	BCS	nsoc			RATES (\$)			Submitted Submitted Elec Manually per LSR per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	ν	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
			+			Rec	Nonrecurring First Ar	urring Add'I	Nonrecurring	Disconnect	COMEC	NAMOS	OSS Rates (\$)	Rates (\$)	MANOS	MANCO
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		Ξ	MEN	1 5XX	07	i			200	2000	NO.	NAMOS	NAMOS	NAMES	NA MAN
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination		Ξ	TI TI	INTE1	60 15	80 27	8181	16 35	14 44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		5 5	(J1TD3	11.5XX	4 09			2	Ť.						
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		5	U1TD3	U1TE3	703.52	278.75	162 76	60.20	28 46						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		5	U1TS1	1L5XX	4 09										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		2	U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
DARK FIBER	1									-0.10						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		_ 5	UDF, UDFCX	1L5DC	69.37										
	Dark Fiber, Four Fiber Strands, Per Route Mite or Fraction Thereof per month - Interoffice Channel NIPC Dark Fiber - Interoffice Channel		99	UDF, UDFCX	1L5DF	23.29	000	70 507		20,						
	Dark Fiber, Four Fiber Stands, Per Route Mile or Fraction Thereof per month - Local Local		3 5	X2 100 100	1 2	000	6038.08	137.07	91.715	197.00						
VIRTUAL COLLOCATION	LLOCATION		3	T, ODLOY	1001	08:37										
) o replacement	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		3	UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
PHTSICAL C	PHYSICAL COLLOCATION PHYSICAL COLLOCATION PHYSICAL COLLOCATION	+	+			1			1							
FNHANCED	I hysical Conocanolicz wite cross Conflects (LOOP) for tine Spiritine Spiritine Spiritine UEPSR U		쀵	PSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
NOTE	: The monthly recurring and non-recurring charges below will a	pply and th	e Switch	-As-Is Charge wi	I not apply fo	r UNE combina	tions provisio	ned as ' Ordin	arily Combined	' Network Ele	ments.					
NOTE 2-WIR	NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges 2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	e non-recu	rring ch	arges below will a	pply for UNE	below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.	rovisioned as	Currently Co	mbined' Netwo	rk Elements.						
	2-Wire VG Loop (SL2) in Combination - Zone 1		N)		UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 2		S.		JEAL2	22.85	88.00	55.00	47.24	7.44						
	Voice Grade COCI - Per Month			UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
4-WIR	4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION		5		2	000	00.00	4.12								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2		5 3		UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
4-WIR	Voice Grade COC in combination - per month 4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		Š		1D1VG	0.53	6.58	4.72								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	JDL56	26.09	126.27	88.80	59.14	14.50						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		2 S		95101	35.95	126.27	88.80	59.14	14.50						
	OCU-DP COCI (data) per month (2.4-64kbs)		П		D1DD	1.12	6.58	4.72	200	00.1						
YIAA-+	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		Š		1,01,64	26.09	126.27	88 80	50 14	14 50	1					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		Z Z		JDL64	35.95	126.27	88.80	59.14	14.50						
	A-Wire 64Kbps Digital Grade Loop in Combination - Zone 3				UDL64	37.88	126.27	88.80	59.14	14.50						
2-WIR	2-WIRE ISDN LOOP FOR USE IN COMBINATION		5		חטונם	71.1	6.38	4.72				+				
	2-Wire ISDN Loop in Combination - Zone 1		П	UNCNX	J1L2X	21.88	117.24	79.77	52.88	10.54		-				I
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		2 2		U1L2X	32.85	117.24	79.77	52.88	10.54						
	2-wire ISDN COCI (BRITE) - in combination - per month	$\frac{1}{1}$	T		C1CA	2.41	6.58	4.72	32.00	10.01						
A-WIR	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION 14-Wire DS1 Digital Loop in Combination - Zone 1		Į.	NC1X	N igi	97.55	262.47	457.64	14.70	44 74						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2 CNC		NSLXX	154.18	252.47	157.54	44.70	11.71	1		1			
1	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	NSLXX	314.52	252.47	157.54	44.70	11.71						
	UST COCI in combination per month	-) O		JC1D1	12.70	6.58	4.72								

Page 7 of 89

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Alabama		:										Attachment: 2 Exh. A	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim Zo	Zone	BCS	nsoc			RATES (\$)	'		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	E 5 Y	Incremental Charge - Manual Svc Order vs.
													1st	Add	Disc 1st	Disc Add'I
			+		T	Rec	First Ac	- E	Nonrecurring Disconnect	Disconnect	COME	MAMOS	OSSI	OSS Rates (\$)	MANOS	14400
2 WIRE	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	MBINATION	L								2	ALC HOS	NUMBER	NO	NA PAR	OCEAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		XACINET		11 5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility		5		-	0.0000										T
4 WIRE	Termination per month 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	MBINATION	UNCVX		U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	_	200		3	600000										
	months Trensport - 4-wire VG - Dedicated - Facility	 	5		I SAX	0.008838										
DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION		ONCOX		U1TV4	18.73	40.54	27.41	16.74	06'9						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X		1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		Y CIVI		11751	80.16	20 06	0	0.00							
DS3 IN	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION		5			00.00	09.27	0,	10:55	4.44						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		CNC3X		11.5XX	4 09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per					00:										
<u> </u>	month 3/1 Channel System in combination per month		UNC3X		U1TF3	703.52	278.75	162.76	60.20	58.46						
STS-11	INTEROFFICE TRANSPORT FOR USE IN COMBINATION		2		S S S S S S S S S S S S S S S S S S S	100.13	1,0,14	83.87	33.20	31.83						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		-													
	Interoffice Transport - Dedicated - STS-1 combination - Facility	+	CNCSA		LSVV	90.4										
	Termination per month		UNCSX		UITES	701.37	278.75	162.76	60.20	58.46						
4-WIRE	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT	PORT	ON C		MQ3	166.13	178.14	93.97	33.26	31.83					+	
	4-wire 56 kbps Local Loop in combination - Zone 1		UNCDX		JDL56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2	210	2 UNC		UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 36 kbps Local Loop In combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3 ONCDX		JDL56	37.88	126.27	88.80	59.14	14.50						
	Per Mile per month		UNCDX		1L5XX	0.008838						·				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		XCDNC		111705	15 12	40.54	27.41	16 74	6 90						
4-WIRE	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT	FICE TRANS	SPORT							0.00						
1	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		Т		JDL64	26.09	126.27	88.80	59.14	14.50						
	4-Wife 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3	3 5	ONCDX ONCDX		UDL64	35.95	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		XCON		11 5XX	0.00838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month				14TDs	15 35	24	27.44	10.37	000						
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	TRANSPOR	Т		8	13.12	40.04	14.77	10.74	0.90						
	4-wire 56 kbps Local Loop in combination - Zone 1	-			UDLS6	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2	2 2	ONCDX		UDLS6	35.95	126.27	88.80	59.14	14.50						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	2			200	- 1	17.071	08.80	4.	14.50						
	month 4-wire 56 khns Internetice Transport - Dedicated - Earlith		CNCDX		1L5XX	0.008838										
	Termination per month		UNCDX		U1TDS	15.12	40.54	27.41	16.74	6.90		-				
4-WIRE	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	TRANSPOR	T.		10164	00.90	176 27	00 00	ED 44	14.50						
	4-wire 64 kbps Local Loop in combination - Zone 2	2	Π		UDL64	35.95	126.27	88.80	59.14	14.50						
1	4-wire 64 kbps Local Loop in combination - Zone 3 14-wire 65 kbns Internffice Transport - Dedicated - Der Mile ner	3			JDL64	37.88	126.27	88.80	59.14	14.50						
	marke of supported the property of the propert		UNCDX		1L5XX	0.008838										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination ner month		YOU		HTDE	17 45	40.54	27.44	16 71	00.5						
7			2		31.10	41.0	40.04	11217	1.5.7	0.90						

Page 8 of 89

ICINITALIA	INBIINDI ED NETWORK EI EMENTS Alabama															
CNDONO	CO NELWORN ELEMENTS - AIGUALIA		-									-+	Attachment: 2 Exh. A	t: 2 Exh. A	-	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc			RATES (\$)	•		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually I per LSR	Incremental Incremental Charge - Charge - Manual Svc Manual Svc Order vs. Electronic- Electronic- 1st Add'I	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	April delay control						Nonrecurring	mind	Nonrecurring Disconnect	Disconnect			1000	Dates (¢)		
						Rec	First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	AN SOMAN	SOMAN	SOMAN
DS1	DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1		Т	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 2		7 6	UNCTX	USLXX	154.18	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	× C	2000	20.4.0	14:707	10.70	10/1							
	per month)	UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		_5	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
DS31	P WITH DEDICATED DS3 INTER	DRT			!											
	USS Local Loop in combination - per mile per month		-	UNC3X	1L5ND	9.637			1							
	DS3 Local Loop in combination - Facility Termination per month		<u></u> 5 :		UE3PX	355.327	519.248	303.531	137.4135	96.117						
	Interoffice Transport - Dedicated - DS3 - Per Wile per month			UNC3X	1L5XX	4.09										
0.00	Termination per month		5	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
0.0	STS-1 UIGHAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT	SPORT	+	INCSX	11 5ND	9 637						1				
	STS-1 Local Loop in combination - Facility Termination per		-													
	Interoffice Transport - Dedicated - STS-1 combination - per mile		٥	UNCSX	UDLS1	367.8045	519.248	303.531	137.4135	96.117						
	per month		5	UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			ASOM	9	70.407	77. 07.0	C C C C	0000	5						
ADDITIONAL	ADDITIONAL NETWORK ELEMENTS		j .	VC3A	210	/01.3/	2/8/2	162.76	07.70	58.46						
When	used as a part of a currently combined facility, the non-recur	ng charges	do not	apply, but a Switt	h As Is charge	does apply.										
Nonre	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does Nonrecurring Currently Combined Network Elements "Switch As is." Charge (One annies to each combined Network Elements "Switch As is." Charge (One annies to each combined Network Elements).	Charge (On	urring of	rarges apply and t	he Switch As I	s Charge does	not.									
	Nonrecuring Currently Combined Network Elements Switch -As- IUNC1X, UNC3X, INCCX, UNC3		<u> 55</u> 5 5	NCVX, UNCDX, IC1X, UNC3X,	, ,											
Optio	Optional Features & Functions:		5	CINCSY	2000		80.0	60.0	0.00	0.30						
	Clear Channel Capability Extended Frame Option - per DS1	_	<u>5 5</u>	U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0:00	00:00						
	Clear Channel Capability Super FrameOption - per DS1	-	ÞΞ		CCOSF		000	000	0	9						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1		5 5		NRCCC		184 85	23 84	9	277.41						
	C-bit Parity Option - Subsequent Activity - per DS3	_	5 5	U1TD3, ULDD3, UE3, UNC3X	NRCC3		219 13	797	0.7355							
MULT	MULTIPLEXERS															
	OCIT-DP COOL(data) - DS1 to DS0 Channel System - per		5	UNC1X	MO1	101.06	91.04	62.57	10.54	9.79						
	month (2.4-64kbs) used for a Local Loop		מַ		10100	1.12	6.58	4.72	0.00	00:00						
***	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		<u>خ</u>	U1TUD	10100	1.12	6.58	4.72	0.00	0.00						
	month for a Local Loop		ž	NDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation		5	U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade CUCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA		1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
	Same SWC as collocation		5		1D1VG	0.53	6.58	4.72	0.00	0.00						
	STS-1 to DS1 Channel System per month			UNCSX	MO3	166.13	178.14	93.97	33.26	31.83		+				
	DS1 COCI used with Loop per month		USL		UC1D1	12.70	6.58	4.72	0.00	0.00						

Page 9 of 89

Page 10 of 89

2002
: 03/15
TRRO
Version

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2 Exh. A	:2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim Zone	Zone	BCS	OSOC			RATES (\$)			Svc Order Submitted Elec per LSR	vc Order Svc Order I ubmitted Submitted Elec Manually I per LSR per LSR	Incremental Incremental Charge - Charge - Manual Svc Order vs. Order vs. Electronic - Electronic - 1st Add'l	Svc Order Svc Order Incremental Incremental Incremental Submitted Submitted Charge - Charge - Charge - Charge - Ranually Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						-	Nonrec	Nonrecurring	Nonrecurring Disconnect	Disconnect			OSS	OSS Rates (\$)		
						צפנ	First	Add'I	First	Add	SOMEC	SOMAN	SOMAN SOMAN		SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local			İ												
	Channel in the same SWC as collocation) per month			J1TUA	UC1D1	12.70	6.58	4.72	00:00	00:00						
	DS1 COCI used with Interoffice Channel per month			J1TD1	UC1D1	12.70	6.58	4.72	00.00	00.0						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month		_	JLDD1	UC1D1	12.70	6.58	4.72	00:00	00:00						
Note:	Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.	It of a Co	mmissio	n order.												

Svc Order Svc Order Increm Submitted Submitted Char, Elec Manually Manual per LSR per LSR Order Order 1st	Rec Nonrecurring Nonrecurring OSS Rates (\$) First Add'l First Add'l SOMEC SOMAN SOMAN SOMAN SOMAN	os or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: EB:	NOTE: (1) CLEC should contact negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in a states.	NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.	Service 3.50 0.00 3.50 0.00	NAMO CO	i shla		U1TUB,		1 UEANL UEAL2 10.69 49.57 22.83 25.62	2 UEANL UEAL2 15.20 49.57 22.83 25.62	3 UEANL UEAL2 26.97 49.57 22.83 25.62	1 UEANL UEASL 10.69 49.57 22.83 25.62	2 UEANL UEASL 15.20	70:07	
	Rec	efers to Geographically Deaveraged UNE	harges as ordered by the State Commiss CLEC may elect the regional service ord	AEC rate listed in this category. Please roory reflects the charge that would be bille	SOMEC	NAMON	wiff Section 5 as annicable	In the control of the	U1TUA.		UEAL2	UEAL2	UEAL2	UEASL	UEASL		
		s part of a combination resconnection.htm	he "state specific" OSS (lled according to the SO SOMEC rate in this categ			BellSouth's ECC No 1 T	USAL L USAL L US	UTTUB		 - -		3		3 2))	
CATEGORY RATE ELEMENTS		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination relates//www.interconnection.belisouth.com/become a clec/html/interconnection.htm OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	CLEC should contact its contract negotiator if it prefers t rive state specific Commission ordered rates for the serv 9 states.	NOTE: (2) Any element that can be ordered electronically will be billed according to the SOM cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this categor will be applied to a CLECs bill when it submits an LSR to BellSouth.	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only	UNE SERVICE DATE ADVANCEMENT CHARGE NOTE: The Expedite charge will be maintained commensurate with	CCOIL TAKE TAKE A Section of Control of Cont	λ	UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	/ire Analog Voice Grade Loop - Service Level 1- Zone 2	/ire Analog Voice Grade Loop - Service Level 1- Zone 3	fire Analog Voice Grade Loop - Service Level 1- Zone 1	2-Wire Analog Voice Grade Loop - Service Level 1. Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1. Zone 3	Unbundled Miscellaneous Rate Element, Tag Loop at End User	

Page 11 of 89

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Florida												A.44	4 4 4 6 7		
											0.00		Attachment: 2 Exh. A	_	-	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc			RATES (\$)			Submitted Submitted Elec Manually per LSR per LSR		Incremental Incremental Charge - Charge - Manual Svc Manual Svc Order vs. Order vs.		Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'I
						Zec.	Nonrecurring		Nonrecurring Disconnect	Disconnect			OSS	OSS Rates (\$)		
	CLEC to CLEC Conversion Charge Without Outside Dispatch (IM) -SI 1)			I A A II	OWIG		15.70	7	FIRST	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			TIEAN!	ON THE STATE OF TH		0.70	0.00								
	lg		\parallel	UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSE		23.02									
2-WIR	2-WIRE Unbundled COPPER LOOP															
	2 Wire Unbundled Copper Loop - Non-Designed Zone 1	1	- ~	OEO DEO	UEQ2X	7.69	44.98 44.98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEO	URETL		8.33	0.83						-		
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)	-		UEO	USBMC		00 6									
	Unbundted Copper Loop, Non-Design Cooper Loop, billing for															
	Loop Testing - Basic 1st Half Hour			JEG CE	UEGMU LIBET1	1	13.49	48 65							1	
	Loop Testing - Basic Additional Half Hour		_	UEQ	URETA		23.95	23.95	ŀ				İ			
	CLEC to CLEC Conversion Charge Without Outside Dispatch			-	CAND		14.07	1								
UNBUNDLED	UNBUNDLED EXCHANGE ACCESS LOOP		-	O III	D NEW C		14.27	7.43								
2-WIR	2-WIRE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1			UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		-	HEPSR LIFPSB	IFARS	10.69	49.57	22 83	25.62	5.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2			asasi asasi	D D H	5 4	40 67	2	25.52	000						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		+	20 27	200	03:50	5.0	77.00	70.07	0.0		l				
	Zone 2 2 Wire Analog Voice Grade Loon-Senice Level 1.1 ine Splitting.		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		 	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
UNBUNDLED	UNBUNDLED EXCHANGE ACCESS LOOP		H													
MiA-7	O Wite Analog Voice Grade Lour Senies Lour 3 will one or		+		+		+									
	. ;		-	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Stonaling - Zone 3		~	1 P.A	LIFA! 2	30.87	135 75	82.47	63 53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)		,	UEA	TSOOO		23.02	7.70	6.00	2						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1			UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UFA	IFAR2	17.40	135 75	82.47	63 53	10.01		-				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							!								
	Date Signating - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	m	UEA	OCOSI	30.87	135.75	82.47	63.53	12.01	†				1	
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
4-WIRE	Loop Tagging - Service Level 2 (SL2) 4-WIRE ANALOG VOICE GRADE LOOP			UEA	URETL		11.21	1.10								
	4-Wire Analog Voice Grade Loop - Zone 1		-	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						Ī
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	8	UEA	OCOSI.	47.62	167.86	115.15	67.08	15.56						T
	CLEC to CLEC Conversion Charge without outside dispatch		H	UEA	UREWO		87.71	36.35								

[CCCS Amendment 56 of 179]

Page 12 of 89

Part Part	UNBUND	UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2 Exh. A	t: 2 Exh. A		
CLEAN CLICKY CLICKY CLICKY	CATEGORY	RATE ELEMENTS		20пе	BCS	nsoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st			incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
CLDN ULLCN			\parallel			Rec	Nonrec	curring	Nonrecurrin	g Disconnect			SSO	Rates (\$)			
UNA	2-W	IRE ISDN DIGITAL GRADE LOOP		+				FIFST	Addi	First	Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 UDN UILXX 27.40 147.69 94.41 62.23 9 UDN UILXX 48.62 147.69 94.41 62.23 1 UDN UOLEX 48.62 147.69 94.41 62.23 1 UDN UNAL UALX 1.80 1.49.53 103.86 75.05 2 UAL UALX 1.80 1.49.53 103.86 75.05 2 UAL UALX 20.94 149.53 103.86 75.05 3 UAL UALX 20.94 124.83 71.12 60.64 4 UAL UALX 20.94 124.83 71.12 60.64 4 UAL UALX 7.22 159.09 113.41 75.05 9 UAL UALX 7.22 159.09 113.41 75.05 1 UAL UALX 7.22 159.09 113.41 75.05 1 UHL UHLX 7.22 <		2-Wire ISDN Digital Grade Loop - Zone 1		-	NDO	U1L2X	19.28	147.69		62.23							
UMA		2-Wire ISDN Digital Grade Loop - Zone 2		7 0	NO	U1L2X	27.40	147.69		62.23							
UAL UALX 18.30 149.53 103.86 75.05		Order Coordination For Specified Conversion Time (per LSR)	T	2	NO	NCOSI	48.62	747.69		62.23							
P UAL UALZX 8.30 149.53 103.85 75.05 2 UAL UALZX 1.80 149.53 103.85 75.05 3 UAL UALZX 20.94 149.53 103.85 75.05 4 UAL UALZX 20.94 149.53 103.85 75.05 5 UAL UALZX 20.94 149.53 103.85 75.05 6 UAL UALZX 20.94 149.53 77.12 60.64 1 UAL UALZX 20.94 124.83 77.12 60.64 2 UAL UALZX 13.90 173.41 75.05 2 UAL UALZX 10.26 13.44 80.69 60.64 3 UAL UALZX 10.26 134.40 80.69 60.64 4 UAL UHLZX 7.22 134.40 80.69 60.64 4 UHL UHLZX 7.22 134.40 80.69		CLEC to CLEC Conversion Charge without outside dispatch	T	\mid	NGO	UREWO		91.61	44 15								
1 UAL UALZX 8.30 148.53 103.85 75.05 2 UAL UALZX 11.80 149.53 103.85 75.05 3 UAL UALZX 20.34 149.53 103.85 75.05 4 UAL UALZW 11.80 124.83 71.12 60.64 5 UAL UALZW 20.94 124.83 71.12 60.64 6 UAL UALZW 20.94 124.83 71.12 60.64 8 UAL UALZW 20.94 124.83 71.12 60.64 9 UAL UALZW 20.94 13.43 71.12 60.64 9 UAL UALZW 20.94 13.43 71.12 60.64 9 UAL UALZW 7.22 159.09 113.41 75.05 9 UHL UHLZW 7.22 134.40 80.69 60.64 9 UHL UHLZW 10.26 13.44	2-W	(IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE LC	30P													
2 UAL UALZX 1180 149.53 103.85 75.05 3 UAL UALZX 20.94 149.53 103.85 75.05 4 UAL OCCOST 23.02 23.02 17.12 60.64 5 UAL UALZW 11.80 124.83 77.12 60.64 6 UAL UALZW 20.94 124.83 77.12 60.64 9 UAL UALZW 20.94 124.83 77.12 60.64 9 UAL UALZW 20.94 124.83 77.12 60.64 9 UAL UALZW 7.22 158.09 113.41 75.05 1 UHL UHLZX 10.26 158.09 113.41 75.05 1 UHL UHLZW 10.26 134.40 80.69 60.64 2 UHL UHLZW 10.26 134.40 80.69 60.64 3 UHL UHLZW 10.26 134.40 <td></td> <td>2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1</td> <td></td> <td>-</td> <td>141</td> <td>X2 1VI 1</td> <td>8 30</td> <td>140 53</td> <td>103.85</td> <td>75.05</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		-	141	X2 1VI 1	8 30	140 53	103.85	75.05							
193,33 193,89 77,15 19,99 19,39 73,09 73		2 Wire Unbundled ADSL Loop including manual service inquiry		- ,	1	72-141	95.9	CC:Ct1	20.00	0.0.							
UAL		2 Vice Unbundled ADSL Loop including manual service inquiry		7	5	OALZA	00.1	148:00	103.83	79.00							
UAL UAL2W 8.30 124.83 71.12 60.64		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		6	UAL	UAL2X	20.94	149.53	103.85	75.0£							
2 UAL UALZW 1180 124.83 71.12 60.64 3 UAL UALZW 20.94 124.83 71.12 60.64 4 UAL UALZW 20.94 124.83 71.12 60.64 6 UAL UALZW 20.94 124.83 71.12 60.64 1 UAL UALZX 722 159.09 113.41 75.05 2 UAL UHLZX 722 159.09 113.41 75.05 3 UHL UHLZX 722 134.40 80.69 60.64 4 UHL UHLZW 10.26 134.40 80.69 60.64 4 UHL UHLZW 16.26 134.40 80.69 60.64 4 UHL UHLZW 16.24 183.31 138.98 77.15 4 UHL UHLXX 16.44 189.31 138.98 77.15 4 UHL UHLXX 27.39 183.31		2 Wire Unbundled ADSL Loop without manual service inquiry & facility recentation 2 200 4		-	1 1	ARC 1011	000	424 63	17	1000							
UAL UALZW 20.94 124.83 71.12 60.64		2 Wire Unburned ADDL Loop without manual service inquiry & facility connected ADDL		-	5	ONLEW TAL DIE	0.30	124.03	11.12	90.00							
UAL UALZW 20.94 124.83 71.12 60.64		2 Wire Unbundled ADSL Loop without manual service inquiry &		7	OAL OAL	OALZW	00.11	124.83		90.09							
UAL UNEWO 86.19 40.39 1 UHL UHLZX 7.22 159.09 113.41 75.05 1 UHL UHLZX 10.26 159.09 113.41 75.05 1 UHL UHLZX 10.26 159.09 113.41 75.05 1 UHL UHLZX 18.21 159.09 113.41 75.05 1 UHL UHLZX 10.26 134.40 80.69 60.64 2 UHL UHLZW 10.26 134.40 80.69 60.64 3 UHL UHLZW 18.21 134.40 80.69 60.64 4 UHL UHLZW 18.21 134.40 80.69 60.64 9 UHL UHLZW 16.86 193.31 138.98 77.15 1 UHL UHLAX 27.39 193.31 138.98 77.15 2 UHL UHLAX 27.39 193.31 138.98 77.15		facility reservation - Zone 3		е	UAL	UALZW	20.94	124.83		60.64							
UHL UHL2X 7.22 159.09 113.41 75.05		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		23.02									
1 UHL X 72 159.09 113.41 75.05 2 UHL UHLZX 10.26 159.09 113.41 75.05 3 UHL UHLZX 18.21 159.09 113.41 75.05 4 UHL UHLZX 7.22 134.40 80.69 60.64 5 UHL UHLZX 10.26 134.40 80.69 60.64 9 UHL UHLZX 18.21 134.40 80.69 60.64 9 UHL UHLZX 18.21 134.40 80.69 60.64 9 UHL UHLZX 18.21 134.40 80.69 60.64 9 UHL UHLXX 18.21 139.31 138.98 77.15 1 UHL UHLXX 15.44 193.31 138.98 77.15 2 UHL UHLXX 27.39 188.31 138.98 77.15 3 UHL UHLXX 27.39 188.62	2-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLE LOC	JP													
9 UHL UHL2X 10.26 159.09 113.41 75.05 9 UHL UHL2X 18.21 159.09 113.41 75.05 1 UHL UHL2W 7.22 134.40 80.69 60.64 2 UHL UHL2W 10.26 134.40 80.69 60.64 8 UHL UHL2W 18.21 134.40 80.69 60.64 9 UHL UHL2W 18.21 134.40 80.69 60.64 9 UHL UHL2W 18.21 134.40 80.69 60.64 9 UHL UHL4X 16.86 139.31 138.98 77.15 10 UHL UHL4X 15.44 139.31 138.98 77.15 2 UHL UHL4X 27.39 193.31 138.98 77.15 3 UHL UHL4W 10.86 168.62 115.47 62.74 4 UHL UHL4W 27.39 188.62		Wire Unbundled HDSL Loop including manual service inquiry Agaility reservation - Zone 1		-	UHL	UHL2X	7.22	159.09	113.41	75.05							
9 UHL UHL2X 18.21 159.09 113.41 75.05 1 UHL OCCOSL 23.02 80.69 60.64 2 UHL UHL2W 10.26 134.40 80.69 60.64 3 UHL UHL2W 10.26 134.40 80.69 60.64 4 UHL UHL2W 18.21 23.02 40.39 60.64 4 UHL UHLXX 10.86 193.31 138.98 77.15 2 UHL UHL4X 27.39 183.31 138.98 77.15 3 UHL UHL4X 27.39 183.31 138.98 77.15 4 UHL UHL4X 27.39 183.31 138.98 77.15 4 UHL UHL4X 27.39 188.62 115.47 62.74 4 UHL UHL4W 10.86 186.62 115.47 62.74 5 UHL UHL4W 27.39 188.62 115.4		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05							
UHL UHLZW 7.22 134.40 80.69 60.64 UHL UHLZW 10.26 134.40 80.69 60.64 UHL UHLZW 18.21 134.40 80.69 60.64 UHL UHLZW 18.21 134.40 80.69 60.64 UHL UHLZW 18.21 134.40 80.69 60.64 UHL UHLXX 10.86 183.31 138.98 77.15 UHL UHLXX 27.39 199.31 115.47 62.74 UHL UHLXW 27.39 186.62 115.47 62.74		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		· ·	Ī	XZ HIT	18.21	150 00	113 41	75.05							
UHL UHLZW 7.22 134.40 80.69 60.64 UHL UHLZW 10.26 134.40 80.69 60.64 UHL UHLZW 18.21 134.40 80.69 60.64 UHL UHLZW 18.21 134.40 80.69 60.64 UHL UHLXX 10.86 183.31 138.98 77.15 UHL UHLXX 27.39 193.31 138.98 77.15 UHL UHLXW 10.86 16.62 115.47 62.74 UHL UHLXW 27.39 186.62 115.47 62.74		Order Coordination for Specified Conversion Time (per LSR)		,	E E	OCOSE	7.0	23.02	t o	10.01	2						
2 UHL UHL2W 10.26 134.40 80.69 60.64 3 UHL UHL2W 18.21 134.40 80.69 60.64 9 UHL UHL4X 10.86 193.31 138.98 77.15 1 UHL UHL4X 27.39 193.31 138.98 77.15 2 UHL UHL4X 27.39 193.31 138.98 77.15 3 UHL UHL4X 27.39 193.31 138.98 77.15 4 UHL UHL4X 27.39 193.31 138.98 77.15 5 UHL UHL4W 10.86 168.62 115.47 62.74 6 UHL UHL4W 27.39 188.62 115.47 62.74 9 UHL UHL4W 27.39 188.62 115.47 62.74 10 UHL UHL4W 27.39 188.62 115.47 62.74 10 UHL UHL4W 27.39 1		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		-	품	UHL2W	7.22	134.40	80.69	60.64							
3 UHL UHLZW 18.21 134.40 80.69 60.64 UHL OCCOSL 23.02 40.39 60.64 UHL UHLAX 10.86 193.31 138.98 77.15 UHL UHLAX 27.39 183.31 138.98 77.15 UHL UHLAX 27.39 188.21 158.98 77.15 UHL UHLAW 27.39 168.62 115.47 62.74 UHL UHLAW 15.44 168.62 115.47 62.74 UHL UHLAW 27.39 168.62 115.47 62.74 UHL UNEWO 86.12 40.39 62.74 UHL USLXX 70.74 313.75 181.48 61.22 USL		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	胀	UHL2W	10.26	134.40	80.69	60.64							
UHL OCOSIL 23.02 UHL UNEWO 86.12 40.39 UHL UHL4X 10.86 193.31 138.98 77.15 UHL UHL4X 27.39 193.31 138.98 77.15 UHL UHL4X 27.39 193.31 138.98 77.15 UHL UHL4X 27.39 188.62 115.47 62.74 UHL UHL4W 15.44 168.62 115.47 62.74 UHL UHL4W 27.39 188.62 115.47 62.74 UHL UHL4W 27.39 138.62 115.47 62.74 UHL UHL4W 27.39 131.375 181.48 61.22 USL USL 10.54 313.75 181.48 <td></td> <td>2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3</td> <td></td> <td>67</td> <td>! ! !</td> <td>IIHI 2W</td> <td>18.21</td> <td>134 40</td> <td></td> <td>60.64</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		67	! ! !	IIHI 2W	18.21	134 40		60.64							
UHL UREWO 86.12 40.39 UHL UHL4X 10.86 193.31 138.98 77.15 UHL UHL4X 27.39 193.31 138.98 77.15 UHL UHL4X 27.39 193.31 138.98 77.15 UHL UHL4X 27.39 188.62 115.47 62.74 UHL UHL4W 15.44 166.62 115.47 62.74 UHL UHL4W 27.39 188.62 115.47 62.74 UHL UHL4W 27.39 131.375 40.39 61.22 USL USLXX 100.54 313.75 181.48 61.22 USL USLX 100.54 313.75 181.48 61.22 USL USL		Order Coordination for Specified Conversion Time (per LSR)			CHL	OCOSE		23.02									
UHL UHL4X 10.86 193.31 138.98 77.15 UHL UHL4X 27.39 193.31 138.98 77.15 UHL UHL4X 27.39 193.31 138.98 77.15 UHL UHL4W 10.86 168.62 115.47 62.74 UHL UHL4W 15.44 168.62 115.47 62.74 UHL UHL4W 27.39 188.62 115.47 62.74 UHL UHL4W 27.39 188.62 115.47 62.74 UHL UHL4W 27.39 188.62 115.47 62.74 UHL UHEWO 27.39 188.62 115.47 62.74 UHL UREWO 86.12 40.39 62.74 UHL UREWO 10.54 313.75 181.48 61.22 USL USLXX 10.54 313.75 181.48 61.22 USL USL 10.54 313.75 181.48 61.22 USL	4-WI	CLEC to CLEC Conversion Charge without outside dispatch "IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI	BLE LOC	<u></u>	귀	UREWO		86.12									
18		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		-	≣	IIHI 4X	10.86	103.31	138 98	77 15							
SSL Loop including manual service inquiry 3 UHL UHL4X 27.39 193.31 138.98 77.15 1 Secrified Conversion Time (per LSR) 1 UHL OCOSL 23.02 17.15 2 SL Loop without manual service inquiry 1 UHL UHL4W 15.44 168.62 115.47 62.74 3 Loop without manual service inquiry 2 UHL UHL4W 27.39 168.62 115.47 62.74 5. Zone 3 3 UHL UHL4W 27.39 168.62 115.47 62.74 5. Zone 3 3 UHL UHL4W 27.39 168.62 115.47 62.74 5. Zone 3 4 186.62 115.47 62.74 62.74 5. Zone 3 4 10HL UHL4W 27.39 168.62 115.47 62.74 60 - Zone 3 4 10HL UHL4W 27.39 168.62 115.47 62.74 60 - Zone 3 4 10HL UHL4W 27.39 168.62 115.47 6		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation. Zone 2		-		THI 4X	15.44	103 31	138 08	77 15							
Second Conversion Time (per LSR)		4-Wire Unbundled HDSL Loop including manual service inquity		, ,		<u> </u>	27.20	100 21	73000	1 1							
SEL Loop without manual service inquiry 1 UHL UHL4W 10.86 168.62 115.47 62.74 SEL Loop without manual service inquiry 2 UHL UHL4W 15.44 168.62 115.47 62.74 SEL Loop without manual service inquiry 2 UHL UHL4W 27.39 168.62 115.47 62.74 SEL Loop without manual service inquiry 3 UHL UHL4W 27.39 168.62 115.47 62.74 Securified Conversion Time (per LSR) UHL UNEWO 86.12 40.39 Securified Conversion Time (per LSR) 1 USL USL USLXX 100.54 313.75 181.48 61.22 USL USLXX 176.39	Order Coordination for Specified Conversion Time (per LSR)		,	불	OCOSL	60:17	23.02	0000	7								
State Control of the control of	·	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		-	됨	UHL4W	10.86	168.62	115.47	62.74							
SST_Loop without manual service inquiry 3 UHL OLD-LAW 27.39 168.62 115.47 62.74		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	됨	UHL4W	15.44	168.62	115.47	62.74							
Second Conversion Time (per LSR)		4-Wire Unbundled HDSL Loop without manual service inquiry		,		717	00.70	150 67	115 47	17.03							
prison Charge without outside dispatch UHL UREWO 86 12 40.39 op - Zone 2 1 USL USLXX 70.74 313.75 181.48 61.22 op - Zone 2 2 USL USLXX 100.54 313.75 181.48 61.22 op - Zone 2 3 USL USLXX 178.39 313.75 181.48 61.22 op - Zone 3 3 USL USLXX 178.39 313.75 181.48 61.22 op - Zone 3 1SL OCCSI 178.39 313.75 181.48 61.22		Order Coordination for Specified Conversion Time (per LSR)	T	2	ᆲ	OCOSE	60:17	23.02	113.47	02.74							
op - Zone 1 1 USL USLXX 70.74 313.75 181.48 61.22 op - Zone 2 2 USL USLXX 100.54 313.75 181.48 61.22 op - Zone 2 3 USL USLXX 100.54 313.75 181.48 61.22 op - Zone 3 3 USL USLXX 178.39 313.75 181.48 61.22 op - Zone 3 3 USL USLXX 178.39 313.75 181.48 61.22 op - Zone 3 10SL OCOSI 130.75 181.48 61.22	7 19	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
2 USL USLX 100.54 313.75 181.48 61.22 3 USL USLX 178.39 313.75 181.48 61.22 USLX 178.39 313.75 181.48 61.22	44.4	4-Wire DS1 Digital Loop - Zone 1	+	-	USL	XXISN	70.74	313.75		61.22			T				
3 USL USLX 178.39 313.75 181.48 61.22		4-Wire DS1 Digital Loop - Zone 2	$\ $	2	USL	NSLXX	100.54	313.75		61.22	Ц						
	1	4-Wire DS1 Digital Loop - Zone 3	†	9	USL	USLXX	178.39	313.75		61.22			Ī				

Page 13 of 89

	Page 14 of 89

[CCCS Amendment 58 of 179]

	UNBUNDLED NEI WURK ELEMENIS - FIORIGA															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	osn			RATES (\$)		,	Svc Order Submitted Elec per LSR	Svc Order Submitted Submitted Submitted Elec Manually per LSR per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Charge - Charge - Charge - Charge - Charge - Charge - Order vs. Order vs. Electronic - Electronic - Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring	urring	Nonrecurrin	Nonrecurring Disconnect		١.	SSO	OSS Rates (\$)		
Ĭ	LEC to CLEC Conversion Charge without outside dispatch		1	USI	IRFWO		101.07	Add'I	First	Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIRE 19	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP							200								
4	4 Wire Unbundled Digital 19.2 Kbps		-	UDL	UDL 19	22.20		108.85	67.08							
4	4 Wire Unbundled Digital 19.2 Kbps		2	TON	UDI.19	31.56		108.85	67.08							
4 4	4 Wire Unbundled Digital 19.2 Kbps		e +	TOD!	UDL 19	55.99		108.85	67.08							
1 0	4 Wire Unbundled Digital Loop 56 Khps - Zone 1		- '	3	00156	22.20		108.85	67.08							
4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3 6		00000	31.30		108.85	67.08	15.56						
Ő	Order Coordination for Specified Conversion Time (per LSR)		,	UDL	OCOSE	2000		00.00	00.70							
4	Wire Unbundled Digital Loop 64 Kbps - Zone 1		ļ	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
4 6	Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	dn	UDL64	31.56	161.56	108.85	67.08	15.56						
, Ö	Order Coordination for Specified Conversion Time (per LSR)		2		00081	55.99	161.56	108.85	67.08	15.56						
CI	LEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-WIRE U	Inbundled COPPER LOOP															
-5 %	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation , Zone 1		,	2	99 (3)	020	140 50	40.00	10 10							
2-	2-Wire Unbundled Copper Loop-Designed including manual		+		2	00:00	140.30	102.82	0.67	15.63						
Se	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63				•		
se se	z Wife Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		er.		ad 101	20 04	148 50	100 00	76.05	45.63						
ō	Order Coordination for Unbundled Copper Loops (per loop)		,	NGL	UCLMC	10.03	9:00	9.00	(3.03	50.01						
2-	Wire Unbundled Copper Loop-Designed without manual		•	2	Wid Co	000	700 007	ş								
2-1	2-Wire Unbundled Copper Loop-Designed without manual		+	3	*	00.00	123.01	60.07	90.04	9.12						
Se	service inquity and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
Se.	z-wire unburiated Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		m	nor	UCLPW	20.94	123.81	90.07	60 64	9 12						
ōō	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00		;						
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)				UREWO		07.21	71.01								
4-WIRE CL	4-WIRE COPPER LOOP						2:16	14.74								
4-)	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		-	nor	UCL4S	11.83	177.87	132 76	77 15	17 73						
4 F	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		,	2	10148	16.81	177 97	37 001	77 45	47.72						
4-1	Wire Copper Loop-Designed including manual service inquiry		-					0.70	2	2						
E 0	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (ner Inch)		e	<u> </u>	UCL4S	29.82	177.87	132.76	77.15	17.73						
4-1	4-Wire Copper Loop-Designed without manual service inquiry						3	90.0								
4-1	4-Wire Copper Loop-Designed without manual service inquiry		-	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
ue .	and facility reservation - Zone 2		2	ncr	UCL4W	16.81	153.18	100.03	62.74	11.22	-				-	
4 6	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3			<u> </u>	777	20 00	450 40									
Ö	der Coordination for Unbundled Copper Loops (per loop)		,	nor nor	UCLMC	70.67	00.6	100.03	02.14	11.22						
OL MODIES	CLEC to CLEC Conversion Charge without outside dispatch			ncr	UREWO		97.21	42.47								
un ned	Unbundled Loop Modification, Removal of Load Coils - 2 Wire Bair less than or equal to 18k ft. ner Inhundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ē,		6									
12 sā	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL UCL UEA	III M4II		000	000								
	Unbundled Loop Modification Removal of Bridged Tap Removal.			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, HEPSR	L C											
						-			•							

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2 Exh. A	1: 2 Exh. A		
	And the state of t		-										=	tal	Ē	Incremental
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'1	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'I
			+			2	Nonrect	Nonrecurring	Nonrecurring Disconnect	Disconnect			OSS Rates (\$)	Rates (\$)		
						Jay	First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-ane	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	-	ļ	IRANI	ISBSA		487 23									
	Crit Lann Day Cross Day I analisa Day 25 Dais Day 15 Cel 13	-	_	III ANI	99991		9									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Comittee Control of the Cont			OCENIE	00000		160.26									
	r acuty servop Bacutop - Per Building Equipment Room - Per 25 Pair Panel			TEAN!	00000		27.60									
	oer-up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	-	 -	LIFANI	USBN2	6.46	60.05	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		. 2	UEANL	USBNZ	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9:00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		<u>_</u>	UEANL	USBN4	7.37	68.83	30.42	49.71	09.9						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	09.9						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		en	UEANL	USBN4	18.58	68.83	30.42	49.71	09:9						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		00.6	00.6								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_	+	UEANL	USBR4	9.37	55.91	17.51	49.71	09.9						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC 1 IDET1		9.00	9.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		-	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X UCS2X	12.98	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		0.00	00.6								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		- (UEF	UCS4X	5.36	68.83	30.42	49.71	09.9						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- -	3 6		UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			JĒ,	USBMC		00.6	00.6								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	48.65								
Inhall	Loop Testing - Basic Additional Half Hour		+	UEF	URETA		23.95	23.95								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
Netwo	Network Interface Device (NID)	1			0,0											
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		-	UENTW	UND16	1	113.89	48.87				1		+	+	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
UNE OTHER. P	UNE OTHER, PROVISIONING ONLY - NO RATE		$\frac{1}{1}$	UENTW	CNDC4		7.63	7.63								
	allatic		\prod	UENTW	UNDBX	0.00	0.00									
1	UNTW Circuit Id Establishment, Provisioning Only - No Rate		_ 5	UEANL UEF DEO U	CENCE	0.00	0.00						+			
O TUE	Unbundled Contract Name, Provisioning Only - No Rate		1	WIN	UNECN	0.00	0.00									
CINE CITIES,	ROVISIONING ONLT - NO RALE										1					

Page 15 of 89

DNRONDLE	D NETWORK ELEMENTS - Florida										·	1		1: 2. Exh. A	. :	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec		urring Add'l	Nonrecurring First		SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	1,00							7,4447		7.007			1		1	1
	Ulahundlad Centest Name Bendalarian Only as sate			UAL,UCL,UDC,UDL. UDN,UEA,UHL.USL	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		-	UDIN, UEA, OHL, USL	UNECN	0.00	0.00	·			ļ	1			1	1
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				1				ì	
i	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no									i ·	t	İ			İ	İ
1	rate		<u> </u>	UEA,USL,UCL,UDL	USBFR	0.00	0.00								1	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00							[1	
	Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0.00	0.00		ľ						1	
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			USL	CCOLF	0.00	0.00		-		_	 				1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per											T				
	month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility														Ī	Ì
	Termination per month		<u> </u>	UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility		-	UDLOX	ICSIAD	10.52									1	
	Termination per month	İ	l	UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111,366					l	
LOOP MAKE-	ÚP					120,00	000.0200		100.0000							
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility							1					Ī		Ì	
	queried (Manual).		<u> </u>	UMK	UMKLP		55.07	55.07							Į	
ì	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	1		UMK	UMKMQ		0.6784	0.6784								
LINE SPLITTI	NG			OWIN	UNIKIVIQ		0.0704	0.0704							}	1
	SPLITTING														}	j
END U	SER ORDERING-CENTRAL OFFICE BASED														7	Ì
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										Į
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61			<u></u>		[į.
18 A ILITELI A ME	Line Splitting - per line activation BST owned - virtual	<u> </u>	<u> </u>	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	: The Expedite charge will be maintained commensurate with I	RellSouth	's ECC	No.1 Tariff, Section 1	3 3 1 as ann	licable.			 			-	-		ŧ.	٠.
14011	No Trouble Found - per 1/2 hour increments - Basic	enoouti.	3100	to.1 Tann, Section	о.о. г оз орр	ilicabic.	80.00	55.00	 				1		í	1
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75,00								
	DEDICATED TRANSPORT											<u> </u>				
NIER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				-											
	Per Mile per month			UITVX	1L5XX	0.0091					1				l	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UIIVA.	120701	0.0001						<u> </u>				Í
	Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat, - Per Mile per month			U1TVX	1L5XX	0.0091					L					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat					05.00	47.05	24.70	40.04	7.00		ļ				
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		-	U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Per Mile per month			U1TVX	1L5XX	0.0091						1				
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		_		TLO7W.				<u> </u>						!	1
	- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			UITDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LUTDY	LIATOE	40.44	47.05	24.70	40.24	7.00						
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						4
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					2.0001					<u> </u>					
	Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						

ONBONDER	ED NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring				OSS	Rates (\$)		
 	Little Colonial Date of Colonial Date Date of Colonial Da						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
!]	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month	ł		U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטווטו	ILSXX	0.1606										i
1 1	Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						i
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	01101	01111	00.44	100.54	30.47	21,47	10.00				1		1
	month		•	U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility													1		1
1 1	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															1
	month			U1TS1	1L5XX	3.87										
1	Interoffice Channel - Dedicated Transport - STS-1 - Facility		1													Ī
	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FIBER		_														
Ì	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEON	11 EDC	50.7		1								
-	Thereof per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DC	53.87			-						_	
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85		•								[
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20.00	751.34	193.88	356.21	230.11						ł
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-		001,00107	051 14		101.54	100.00		200.11	_				1	ŧ
	Thereof per month - Local Loop	[UDF, UDFCX	1L5DL	53.87										
VIRTUAL COL				ODI, ODI GX	TLODE.	33.07			-							<u> </u>
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line										_					t
	Splitting	1		UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO																
T	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
	EXTENDED LINK (EELs)															Ţ
	: The monthly recurring and non-recurring charges below will															
NOTE	: The monthly recurring and the Switch-As-is Charge and not t	he non-re	curring	charges below will	apply for UN	E combinations	s provisioned	as ' Currently	Combined' Net	vork Elements						1
Z-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						-
	2-Wire VG Loop (\$L2) in Combination - Zone 2			UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81					-	
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	72.10	2.01		-				
4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION			I I I I I I I I I I I I I I I I I I I		1.00	70.01	7.50								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	00.04		60.54	42.79	2.81						
			- 4	014047	UEAL4	26.84	127.59									Ť
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59 127.59	60.54		2.81						
	Voice Grade COCI in combination - per month		3							2.81						
4-WIR	Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX	1D1VG	47.62 1.38	127.59 10.07	60.54 7.08	42.79							
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCVX UNCVX UNCDX	UEAL4 1D1VG UDL56	47.62 1.38 22.20	127.59 10.07 127.59	60.54 7.08 60.54	42.79	2.81						
4-WIR	Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 14-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 14-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		1 2	UNCVX UNCVX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56	47.62 1.38 22.20 31.56	127.59 10.07 127.59 127.59	60.54 7.08 60.54 60.54	42.79 42.79 42.79	2.81 2.81					•	
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		1 2	UNCVX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56	47.62 1.38 22.20 31.56 55.99	127.59 10.07 127.59 127.59 127.59	60.54 7.08 60.54 60.54 60.54	42.79 42.79 42.79 42.79	2.81						
	Voice Grade COCI in combination - per month ite 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION ite 56 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 56 KBps Digital Grade Loop in Combination - Zone 2 4-Wire 56 KBps Digital Grade Loop in Combination - Zone 2 0 CU-DP COCI (data) per month (2.4-64kbs)		1 2	UNCVX UNCVX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56	47.62 1.38 22.20 31.56	127.59 10.07 127.59 127.59	60.54 7.08 60.54 60.54	42.79 42.79 42.79 42.79	2.81 2.81					*	
	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2	UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	47.62 1.38 22.20 31.56 55.99 2.10	127.59 10.07 127.59 127.59 127.59 10.07	60.54 7.08 60.54 60.54 60.54 7.08	42.79 42.79 42.79 42.79	2.81 2.81 2.81						
	Voice Grade COCI in combination - per month 15 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 14-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 14-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 14-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 15 CU-DP COCI (data) per month (2.4-64kbs) 15 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 15 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD	47.62 1.38 22.20 31.56 55.99 2.10	127.59 10.07 127.59 127.59 127.59 10.07	60.54 7.08 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81						
	Voice Grade COCI in combination - per month it es 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION if 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 0-CU-DP COCI (data) per month (2.4-64kbs) its 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION its 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3	UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56	127.59 10.07 127.59 127.59 127.59 10.07 127.59	60.54 7.08 60.54 60.54 7.08 50.54 60.54	42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81						
	Volce Grade COCI in combination - per month		1 2 3	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59	60.54 7.08 60.54 60.54 60.54 7.08 60.54 60.54 60.54	42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81						
4-WIR	Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 14-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3	UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56	127.59 10.07 127.59 127.59 127.59 10.07 127.59	60.54 7.08 60.54 60.54 7.08 50.54 60.54	42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81						
4-WIR	Voice Grade COCI in combination - per month Es 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 OCU-DP COCI (data) per month (2.4-64kbs) GCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) E ISDN LOOP FOR USE IN COMBINATION		1 2 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 1D1DD	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07	60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 14-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3 1 2 3	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59	60.54 7.08 60.54 60.54 60.54 7.08 60.54 60.54 60.54	42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81						
4-WIR	Volce Grade COCI in combination - per month		1 2 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 21.00	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 10.07	60.54 7.08 60.54 60.54 7.08 60.54 7.08 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	Volce Grade COCI in combination - per month Es 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) E ISDN Loop FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3		1 2 3 1 2 3 1 2 3 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.58 55.99 2.10 22.21 19.28 27.40	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07	60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	Volce Grade COCI in combination - per month		1 2 3	UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX	UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL62 UDL64 UDL66	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.21 27.40 48.62 3.66	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 10.07	60.54 7.08 60.54 60.54 7.08 60.54 60.54 7.08 60.54 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	Volce Grade COCI in combination - per month		1 2 3 1 2 3 1 2 3	UNCOX UNCOX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 19.28 27.40 48.62 3.66	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 10.07 127.59	60.54 7.08 80.54 60.54 7.08 60.54 7.08 60.54 7.08 60.54 7.08 60.60 60.60 60.60	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 51.44	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	Volce Grade COCI in combination - per month		1 2 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 3 3 3 3	UNCOX UNCOX	UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL62 UDL64 UDL66	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 2.10 48.62 3.66 70.74	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59	60.54 7.08 60.54 60.54 7.08 60.54 7.08 60.54 7.08 60.60 60.60 7.08	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						
4-WIR	Volce Grade COCI in combination - per month		1 2 3 3 1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 3 1	UNCOX UNCOX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 19.28 27.40 48.62 3.66	127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 127.59 10.07 127.59 127.59 10.07 127.59	60.54 7.08 80.54 60.54 7.08 60.54 7.08 60.54 7.08 60.54 7.08 60.60 60.60 60.60	42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 51.44	2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81						

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachmer	11: 2 Exh. A		
CATE	EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
				-			Ren	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2 WIR	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ION	1		1 "	71.50	/luu i	1,1.51	7,00		EXIID		•	1	1
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091									1	1
		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53					†	1
	4 MIDI	Termination per month E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION	UNCVA	1011172	25.32	94.70	52.59	50.49	21.53					 	-
	4 4411	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	i Direction	7		+									+	-	
_	<u> </u>	Month		<u> </u>	UNCVX	1L5XX	0.0091										
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53					ļ	
	D\$1 IN	TEROFFICE TRANSPORT FOR COMBINATION													t	t	İ
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										ĺ
	\top	Interoffice Transport - Dedicated - DS1 combination - Facility						474.40							İ	<u> </u>	
	DS3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION		<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
		Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGAY	41.500	3.87										
<u> </u>	+	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	1L5XX											
	STS.1	month INTEROFFICE TRANSPORT FOR USE IN COMBINATION	ļ	<u> </u>	UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						-
	313-1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		 								·			f		
		Per Month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23					ļ	
	4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT]												<u>[</u>
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		[[[
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						<u>ļ</u>
	-	4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						₩
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	l												
	4 MIDI	Facility Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	ECICE TO	ANEDO	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						1
	4-VVIRI	4-wire 64 kbps Looal Loop in Combination - Zone 1	FFIGE IN		LINCOX	UDL64	22.20	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	1	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1													
	-	Per Mile per month		ļ	UNCDX	1L5XX	0.0091										1 .
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS														(
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						Ĺ
		4-wire 56 kbps Local Loop in combination - Zone 2			ŲNCĐX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	1	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility							FD 51	F0.45	0.1.55						
	4-WIPE	Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	POPT	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						1
	4-11480	4-wire 64 kbps Local Loop in combination - Zone 1	- (M/40)		UNCDX	UDL64	22.20	127,59	60.54	42.79	2.81						
		4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						t
		I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per									,	· '	<u> </u>	' '			Ì
	1	month	-	\vdash	UNCDX	1L5XX	0.0091	-		Ļ							
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	1	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						

UNBUNDL	.ED NETWORK ELEMENTS - Florida													t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1	İ	1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			***					
AILGORI	RATE ELEMENTS	mem	Zone	000	0300			104160 (9)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
												ľ	Electronic-	Electronic-	Electronic-	Electronic-
													1et	Addʻl	Disc 1st	Disc Add1
			+		-		Nonrec	urring	Nonrecurring	Disconnect	+		OSS	Rates (\$)		
		+	-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AND BOARD AND A CONTRACT OF THE CONTRACT OF TH	-		LINIOAV	USLXX	100.54	217.75	121.62		14.45	SOMEC	SUMIAN	SOMAN	SOWIAN	SOMAN	JOHIAN
	4-Wire DS1 Digital Loop in Combination - Zone 2	-		UNC1X					51.44	14.45	1					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1					
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1		1						1	l				1
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility			1							1					
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPI	ORT										1.				
	DS3 Local Loop in combination - per mile per month	1	1	UNC3X	1L5ND	12.558										
	DO COOL COOL IN CONTROL OF THE CONTR				1.20.12											
i	DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	444.912	639.8255	394,4615	159.9995	111.366	1	!				
			 				038.0233	334,4010	103.3333	111.000	+					<u> </u>
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	-		UNC3X	1L5XX	3.87					-					
	Interoffice Transport - Dedicated - DS3 combination - Facility			LINIONY	LIATES	4.000.00										
	Termination per month	<u></u>	1	UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56	1					
STS	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT														
	STS-1 Local Lolp in combination - per mile per month		1	UNCSX	1L5ND	12.558					İ			l		
	STS-1 Local Loop in combination - Facility Termination per															
	month		ļ	UNCSX	UDLS1	490.59	639.8255	394.4615	159.9995	111.366	i	1				
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87						ĺ				
	Interoffice Transport - Dedicated - STS-1 combination - Facility	-		0.1007	120701	. 0.07					1 .					
1	Termination per month		1	UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23	1					
DDITIONA	L NETWORK ELEMENTS	-		UNCSX	UIIFS	1,056.00	314.45	130,00	30.00	10.23	 					ļ
			L	L	لـــــــــــــــــــــــــــــــــــــ											ļ
	n used as a part of a currently combined facility, the non-recur										 		·			ļ
	n used as ordinarily combined network elements in All States, t					Is Charge doe	s not.									
Non	recurring Currently Combined Network Elements "Switch As Is"	Charge (One app		nation)											
				UNCVX, UNCDX,					i							
1	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X, UNC3X,							1					
	Is Charge - 2 wire/4-Wire VG			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Opti	onal Features & Functions:															
				U1TD1.					1							
	Clear Channel Capability Extended Frame Option - per DS1	1 .		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
_	Code Granier Copacinty Extended France Option per Ser	+		U1TD1.	10002				0.00							-
	Clear Channel Capability Super FrameOption - per DS1	١		ULDD1,UNC1X	CCOSF	1	0.00	0.00	0.00	0.00						
		 '			CCOSF		0.00	0.00	0.00	0.00	 					
	Clear Channel Capability (SF/ESF) Option - Subsequent	١.		ULDD1, U1TD1,	1	- 1					1					
_	Activity - per DS1			UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
1				U1TD3, ULDD3,							1					ļ.
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
MUL	TIPLEXERS															L
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08]					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	_			112.55	2					 					
- 1	month (2.4-64kbs) used for connection to a channelized DS1	1			i !		- 1				1	ļ				
- 1	Local Channel in the same SWC as collocation	ı		U1TUD	1,5,55	0.40	40.07	7.00		0.00	I .					
-		-		01100	1D1DD	2.10	10.07	7.08	0.00	0.00						
i	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1		l	l				1 1		1					
-	month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1			1 1				i i		1					1
	month used for connection to a channelized DS1 Local Channel				1							-				
	in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00	1					
	Voice Grade COCI - DS1 to DS0 Channel System - per month										1					
	used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1											
	used for connection to a channelized DS1 Local Channel in the															
J	same SWC as collocation	i	i i	U1TUC	1D1VG	4.00	40.07	7.00	0.00	0.00	1 1	'		·		ľ
						1.38	10.07	7.08	0.00	0.00		- 4				
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
			. 1	UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month															
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08								
									0.00	0.00						

UNBUND	ED NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
		T												Incremental	Incremental	Incremental
						i					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			i _								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			1									l	Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	l'bbA	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month	L		ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
Note	: Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.												

Pa e 21 f 89

	_									_	Attachment: 2 Exh. A	_	l H	
CATEGORY RATE ELEMENTS	Interim Zone	<u>,,</u>	nsoc			RATES (\$)	,		Svc Order Submitted S Elec per LSR	Svc Order Submitted Manually per L.SR	Incremental Incremental Charge - Charge - Manual Svc Order vs. Order vs. Electronic - Electronic - 1st Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge • Manual Svc Order vs. Electronic- Disc Add'i
				Rec	Nonrec	Nonrecurring st Add'1	Nonrecurring Disconnect First Add'l	Disconnect Add'	SOMEC	SOMAN	SOMAN	OSS Rates (\$)	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website.	vart of a comb	ination refers to Geog n	graphically De	averaged UNE	Zones. To vie	ew Geographic	ally Deaverage	d UNE Zone D	esignations	y Central C	ffice, refer to	internet Web	site:	
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) LEC should contact in contract negative fit prefers the "state specific" OSS charges as ordered by the State Commissions.	"state specifi	c" OSS charges as or	dered by the S	tate Commiss	ions. The OS	S charges curre	The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may	in this rate ex	xhibit are the	BellSouth	regional" se	vice ordering	charges, CL	EC may
each the tres states. Seach of the States. NOTE: (2) Any element that can be ordered faces for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BeliSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that can be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be abolised to a CLECs which is an LSB to Antecome.	e ordering cha d according to MEC rate in th	arges, or CLEC may e the SOMEC rate liste his category reflects the	lect the region ed in this cate he charge that	ral service ordi gory. Please n would be bille	ering charge, t efer to BellSou ed to a CLEC o	however, CLEC uth's Local Ord once electronic	can not obtair lering Handboo ordering capal	n a mixture of nk (LOH) to del bilities come c	the two regar termine if a p	dless if CL roduct can at element.	EC has a inte be ordered e Otherwise, ti	rconnection c lectronically.	ontract estab For those ele ering charge,	lished in ments that SOMAN,
OCC Classics Service Stden Glenge, Per Local Service										-			-	
nequest (LSR) - UNE Unity OSS - Manual Service Order Charge, Per Local Service Request			SOMEC		3.50	0.00	3.50	0.00		+				
(LSR) - UNE Only			SOMAN		11.73	0.00	6.13	0.00						
OTE: The Expedite charge will be maintained commensurate with	ellSouth's FCC	f, Section	5 as applicable	6										
UNE Expedite Charge per Circuit or Line Assignable USOC, per		UAL, UEANI, UCL, UEF, UDC, UDT, UDN, UEA, UHT, ULC, USL, UTT2, UTT3, ULD3, ULD												
UNBUNDLED EXCHANGE ACCESS LOOP														
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	UEAN	UFAI 2	10.51	40.02	0	100							
2-Wire Analog Voice Grade Loop - Service Level 1. Zone 2	2		UEAL2	15.85	40.02	9.99	5.61	172						
2-Wire Analog Voice Grade Loop - Service Level 1. Zone 3	m .		UEAL2	31.97	40.02	66.6	5.61	172					T	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	- 6		UEASL	10.51	40.02	66.6	5.61	1.72						
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3 8	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72					\parallel	
Unbundled Miscellaneous Rate Element, Tag Loop at End User				20:00	40.05	B	10.0	1.72						
Premise Loop Testing - Basic 1st Half Hour		UEANL	URET. URET1		8.33	0.83				1				
Loop Testing - Basic Additional Half Hour			INSETA		1 00 00	40.62								

BUNDLEC	NETWORK ELEMENTS - Georgia												Attachmen	it: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonre			Disconnect				Rates (\$)		
_,							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	CLEC to CLEC Conversion Charge Without Outside Dispatch		1			l 1										
	(UVL-SL1)	<u> </u>		UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST					1 1										
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		18.92	18.92			ļi					,
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		l .													
	UNBUNDLED COPPER LOOP - NON-DESIGNED	<u> </u>		UEANL	OCOSL		57.79									}
				1.00												}
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40								ļ
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	ļ	2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00	ļ					ļ
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		l		1				1						l
	Premise	\vdash	\vdash	UEQ	URETL		8.33	0.83			J					
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	I	l		į l]					1
	Non-Designed (per loop)		L	UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		-			Ι Τ	- i			1	7					1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1	l	25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
1 19	CLEC to CLEC Conversion Charge Without Outside Dispatch										1 1					ĺ
	(UCL-ND)			UEQ	UREWO	L [14.25	7.42								
	XCHANGE ACCESS LOOP	l									("	i (·	(
	ANALOG VOICE GRADE LOOP									İ	(((
UNE Loc	op Rates for Line Splitting (In Ga. PSC ordered the line spli	tting loop	USOC	match the lower p	ort-loop com	no rates UEPL)	0									(
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28	t					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- 1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28 1.28	ĺĺ					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28	1					
1 1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	-	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28	t i		1			
NDLED EX	KCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1					
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87	l [
7	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								,5,52		· · · · · · · · · · · · · · · · · · ·					
	Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87	i					1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	-		T			21.00	10.02	, .0,	† †					
	Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87			ľ			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.00	57.79	24.00	10.32	7,07	 					1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-		-0000		01.73) <u>†</u>		1			
	Battery Signaling - Zone 1		1 1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>		20,112	11.07	7 9.03	24.00	10.92	7.07						
	Battery Signaling - Zone 2	i	2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			001	JEANE	10.33	19.00	24.00	10.94	7.87	, ,					L
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	33.00	57.79	24.00	10.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch	 		UEA	UREWO		87.72	36.36								L
	_oop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP		\vdash	ULA	OKEIL		11.19	1.10								L
	I-Wire Analog Voice Grade Loop - Zone 1			UEA	ŲEAL4	17.80	02.64	20 47	40.50	0.40	• •					
	I-Wire Analog Voice Grade Loop - Zone 2		_	UEA	UEAL4		93.01	28.17	19.52	8.12						L
1 2	I-Wire Analog Voice Grade Loop - Zone 3			UEA		21.68 30.25	93.01	28.17	19.52	8.12						
1	Order Coordination for Specified Conversion Time (per LSR)			UEA	UEAL4 OCOSL	30.25	93.01	28.17	19.52	8.12						
	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA			57.79	20.00								
2.WIRE	ISDN DIGITAL GRADE LOOP		-	UEA	UREWO		87.72	36.36								
	2-Wire ISDN Digital Grade Loop - Zone 1		1	LIDN	144.00		455.5									
4				UDN UDN	U1L2X U1L2X	21.89 25.27	180.06	35.25	18.23	6.97						
2	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>		UDN	U1L2X	40.17	180.06 180.06	35.25 35.25	18.23 18.23	6.97 6.97						

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - C Manual Svc Order vs.	Charge - Manual Sve Order vs.
T		 	 	-		ļ .	Nonre	urring	Nonrecurring	Disconnect			000	Rates (\$)		
		 				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch	 		UDN	UREWO		120.98	33.04			COME	COMPAN	Johnson	_ COMMAN	- SOMIAIC	1
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMI	ATIBLE I	OOP		,	1					1				,	r
	2 Wire Unbundled ADSL Loop including manual service inquiry		Ĭ													i
j	& facility reservation - Zone 1		. 1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00	,)	
1	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00					Į	1
	2 Wire Unbundled ADSL Loop Including manual service inquiry		_													ı
	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X	20.62	44.69 57.79	31.55	0.00	0.00						4
l	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	UAL	OCOSL	 	57.79				<u> </u>	<u> </u>				f
	facility reservation - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		i .				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	<u> </u>	O/ C	U/ ILLII	,,,,,	14.00	05	0.00		-					
1 1	facility reservaton - Zone 2	1 1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	1]				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00	L					f
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									L
	CLEC to CLEC Conversion Charge without outside dispatch	1 !		UAL	UREWO		44.69	29.29								L
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP		1											
ļ .	2 Wire Unbundled HDSL Loop Including manual service inquiry										1	l I			İ	
 	& facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00		-			Į.	į .
	2 Wire Unbundled HDSt Loop including manual service inquiry & facility reservation - Zone 2	١.	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSt, Loop Including manual service inquiry	- '-	-	UNL	Uniczn	9.09	44.03	31.33	0.00	0.00						F
	& facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00		l i				1
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	-	UHL	OCOSL	14.45	57.79	000	0,00	4.00				t		t
	2 Wire Unbundled HDSL Loop without manual service inquiry															t
	and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop without manual service inquiry															[
	and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00				l		L
1	2 Wire Unbundled HDSL Loop without manual service inquiry				1									Ī		ĺ
	and facility reservation - Zone 3		3	UHL	UHL5M	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL		57.79 44.69	24.55								
1 1410	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	TIDLETO	NOB.	UHL	UREWO	ļ	44.69	31.55								1
4-971	14 Wire Unbundled HDSt, Loop including manual service inquiry	A HIBLE LO	IOP												-	
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00					l	i .
	4-Wire Unbundled HDSL Loop including manual service inquiry					7,77	11100									
1	and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						1
	4-Wire Unbundled HDSL Loop including manual service inquiry															ſ
	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						L
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
i i	4-Wire Unbundled HDSL Loop without manual service inquiry			l												ſ
L	and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00		-				├
	4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	111.11.4547	12.00	44.00	04.55	0.00	0.00				l		i
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	- '		UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						-
	and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00				!		1
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	75.57	57.79	51.05	0.00	0.00	·				f ·	r
1	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31,55								r
4-WII	RE DS1 DIGITAL LOOP	 	1								1					Γ
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20						ſ
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						[
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57.79									-
14 1400	CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	USL	UREWO		100.91	42.97								
4-7711	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	10.00	7.20				-	L	+
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-	2	UDL	UDL19	21.86 28.36	196.66	37.00	18.82 18.82	7,20 7,20		L (-	L	+
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.22	196.66	37.00	18.82	7.20				}	-	-
	1 o onounded Digital 10.2 Nups	1		/UL/L	COLIN	30.22	180.00	37.00	10.02	7.20						i .

ABONDEED HET	WORK ELEMENTS - Georgia													t: 2 Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	7.00				ļ	Rec	Nonrec			Disconnect				Rates (\$)		
4110	7.1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Digital Loop 56 Kbps - Zone 1 Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	Unbundled Digital Loop 56 Kbps - Zone 2 Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56 UDL56	28.36 38.22	196.66 196.66	37.00 37.00	18.82	7.20						
	Coordination for Specified Conversion Time (per LSR)		1 3	UDL	OCOSL	38.22	57,79	37.00	18.82	7.20						
1 de l	Conditiation for Specified Conversion Time (per LSK)	 		UDL	UDL64	21.86		27.00	40.00	7.20						
4 Wire	Unbundled Digital Loop 64 Kbps - Zone 2	-	2	UDL	UDL64	28.36	195.65 195.65	37.00 37.00	18.82 18.82	7.20						
4 Wire	Unbundled Digital Loop 64 Kbps - Zone 3		3	UOL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Coordination for Specified Conversion Time (per LSR)		ľ	UDL	OCOSL	30.22	57.79	37.00	10.02	7.20		-			-	1
	CLEC Conversion Charge without outside dispatc h			NOL	UREWO		101.95	49.66	-						-	
	dled COPPER LOOP			DDC	UNE VI		101.83	45.00								ł
	Unbundled Copper Loop-Designed including manual		-													ł
service	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	Unbundled Copper Loop-Designed Including manual									0.00						
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	Inbundled Copper Loop-Designed including manual											1				
service	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
Order C	coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92				1		i i		1
2-Wire	Unbundled Copper Loop-Designed without manual															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
2-Wire	Inbundled Copper Loop-Designed without manual	I														i
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	Inbundled Copper Loop-Designed without manual													1		
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44.69	31,55	0.00	0.00						
	cordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92						'		
	CLEC Conversion Charge without outside dispatch			}	1											Ī
(UCL-D		<u> </u>		UCL	UREWO		44.69	31.55								
4-WIRE COPPE		1														
	Copper Loop-Designed including manual service inquiry	1														
	lity reservation - Zone 1	₩	_1_	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	Copper Loop-Designed including manual service inquiry															
	ility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	Copper Loop-Designed including manual service inquiry lifty reservation - Zone 3	,	3	UCL	1101.40	20.55	44.00	24.55								
	cordination for Unbundled Copper Loops (per loop)		3		UCL4S UCLMC	30.55	44.69	31.55	0.00	0.00		·-				
	Copper Loop-Designed without manual service inquiry			UCL	UCLMC		18.92	18.92								
	lity reservation - Zone 1			UCL	UCL4W	16.65	44.69	31.55	0.00	0.00				1		
	Copper Loop-Designed without manual service inquiry			UCL	UCL4W	10.00	44.69	31.55	0.00	0.00						
	lity reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	Copper Loop-Designed without manual service inquiry			000	OCL4VV	13.22	44.03	31.33	0.00	0.00						
	lity reservation - Zone 3	l ,	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	00.00	18.92	18.92	0.00	. 0.00						
	CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55			-					
P MODIFICATION	OCCES CONVERSION CHANGE WANTED CONTROL CONTROL			1	BILLITO		77.03	51.00						1		
				UAL, UHL, UCL,	1							1		. 1		
			ļ	UEQ, ULS, UEA.												
Unbund	led Loop Modification, Removal of Load Coils - 2 Wire	ļ	ļ	UEANL, UEPSR.												
	than or equal to 18k ft, per Unbundled Loop	1	(UEPSB	ULM2L		0.00	0.00								
	led Loop Modification Removal of Load Coils - 4 Wire				1							1			1	
	n or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,	1					_		,		1	1	1
1 1				UEQ, ULS, UEA,			ļ									
	led Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.		1										
per Unb	undled Loop			UEPSB	ULMBT		17.91									
-LOOPS												, ,		1		
Sub-Loop Dist																
Sub-Loc	p - Per Cross Box Location - CLEC Feeder Facility Set-															
Up	·			UEANL	USBSA		255.76									

BUNDLE	D NETWORK ELEMENTS - Georgia												Attachmer	it; 2 Exh. A		
-											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increm
		1	ł		1							Submitted	Charge -	Charge -	Charge -	Char
											Elec		Manual Svc	Manual Svc	Manual Svc	Manu
GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	•		RATES (\$)				Manually				
GURY	KATE ELEMENTS	Interim	Zone	603	USUC	i		KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Orde
		1										ı	Electronic-	Electronic-	Electronic-	Electi
			ŀ									l	1st	Add'l	Disc 1st	Disc
			l								i					1
			1			D	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOL
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		7.29		i	i			l		ł	i .
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	1												t ·	ř	1
ı	Facility Set-Up	1		UEANL	USBSC	i 1	175.09				l				l	1
1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	_		CENTE	00000		170.00							ł	ł	1
	Set-Up	f	ı	UEANL	USBSD		51.61		-		1	l			1	1
_	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working			UEAIVL	03030		31.01						ļ	1	1	1
		ŀ									l	1		i	ľ	l
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						1
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working					1					I	ĺ				ſ
	and Spare Loop Activation			UEANI.	USBRD	7.67	31.07	4.79	2.27	0.01					1	1
1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1									I				
	Zone 1	L	1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			i							1				Ť	t
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01	•	l				İ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	32.012	- COUNTE	10.10	20.10		2.20	0.01						
1	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
_	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OCANG	USBINZ	19.01	20.40	3.00	2.40	0.01				 		l
1	Zone 1		١.		1		24.07	4.70			l					ı
			7	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01				.		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										l	1			i	l .
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01					1	1
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
1	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
																i
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		LIEANL	USBMC I		18.92	18.92								
+	Sub-Loop 2-Wire Intrabultding Network Cable (INC)		-	UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						t
+	Coo Ecop 2 17 To 1 Trade and Trade of the Control			00.442	CODINE	0.01	20.70	0.00		0.01						1 .
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92			1			1		
+			-											-	1	
+	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL.	USBR4	7.67	31.07	4.79	2.27	0.01						
					l l											Į.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								Į
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01				,		<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	9.22	28.45	3.85	2.20	0.01						
					1									·		<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	l	UEF	USBMC		18.92	18.92			i			[
1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01	-					
1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01				ł i		i
 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3	UEF										-		
	+ write Copper Undunated Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01				1		1
		1		l	l		1				İ			l I		i
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18,92								
	Loop Testing - Basic 1st Half Hour			UEF	URET1	L	25.12	25.12								1
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62						[
Unbun	ndled Network Terminating Wire (UNTW)							-								1
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28						t		1
Netwo	rk Interface Device (NID)				1									t		
1	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.85	20.69						ł		
1	Network Interface Device (NID) - 1-2 lines		 	UENTW	UND16		56.03	43.86						-		
ł	Network Interface Device (NID) - 1-8 lines Network Interface Device Cross Connect - 2 W															
 		_		UENTW	UNDC2		2.45	2.45						į į		
1	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
THER, I	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX	0.00	0.00							Ţ .		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								- '	
				UEANL.UEF.UEQ.U												
	Unbundled Contract Name, Provisioning Only - No Rate	l		ENTW	UNECN	0.00	0.00]		
	PROVISIONING ONLY - NO RATE	4			CIACOIA	0.00	4.44			-				l —		-

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attachmer	t: 2 Exh. A		
CATEGORY	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	d Charge - Manual Svo Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge -
			 	-			Rec	Nonrec First	Add'l	Nonrecurring First	Add'I	SOMEC SOMA	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL. UDN,UEA,UHL,USL	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			LIEA LIBALLIOI LIBO	LIGHTO	0.00	0.00									·
		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00		-							t .
		Unbundled DS1 Loop - Expanded Superframe Format option -				00055	0.00	0.00									,
HIGH C	APACI	Y UNBUNDLED LOCAL LOOP	_		USL	CCOEF	0.00	0.00									İ
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.97										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262						
LOOP N	AKE-L		-														
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								ļ
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)]		UMK	UMKMQ		0.82	0.82								
LINE SF		G PLITTING					-										
		SER ORDERING-CENTRAL OFFICE BASED	-							-							
		Line Splitting - per line activation DLEC owned splitter	ĺ	Ĺ	UEPSR UEPSB	UREOS	0.61									1	İ
		Line Splitting - per line activation BST owned - physical				UREBP	0.6297	20.10	12.40	7.68	4.30						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						<u> </u>
MAINTE	NANC	OF SERVICE The Expedite charge will be maintained commensurate with	BallSouth	's ECC	No 1 Tariff Section	3 3 1 as and	licable								<u> </u>		
	NOTE:	No Trouble Found - per 1/2 hour increments - Basic	BellSouti	SPCC	No.1 Tariii, Section	13.3.1 45 491	Allicable.	80.00	55.00	-							-
		No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
		No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00					<u> </u>			Ļ
		EDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT								-			_				 -
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						40.40	40.40	40.50	5.00						
		Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-		U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			U1TVX	1L5XX	0.0057					·					
		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00	 		-			
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0057						<u> </u>			<u> </u>	
		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00	<u> </u>		 		<u></u>	
ļ. <u></u> -	_	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0057			ļ		ļ] }	-
ļ.,		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00	ļ					
		per month			U1TDX	1L5XX	0.0057					ļ	ļ			ļ	
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00					Į	.

UNBUNDLED NETWORK	(ELEMENTS - Georgia											Svc Order	incremental	t: 2 Exh. A Incremental	incremental	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES (\$)						Submitted Manually per LSR	Manual Svo	Charge - Manual Svc Order vs. Electronic- Add'I	Order vs.	Order vs.
					}	1	<u> </u>			i		1				
lmonth	•			U1TD1	1L5XX	0.1154										1
	nnel - Dedicated Tranport - DS1 - Facility	1		01101	ILSXX	0.1154										
Termination	nnel - Dedicated Transport - DS3 - Per Mile per	1		U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
month	mei - Dedicated Transport - DS3 - Per Mile per			U1TD3	1L5XX	2.53										
	nnel - Dedicated Transport - DS3 - Facility															
Termination pe	r month nnel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81			ļ			
month	<u> </u>			U1TS1	1L5XX	2.53										
Interoffice Cha	nnel - Dedicated Transport - STS-1 - Facility			LIATOA	MITEC	252.57	200.47	20.00	00.77							
ARK FIBER		1		U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
	ur Fiber Strands, Per Route Mile or Fraction															
	onth - Local Channel or Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DC	46.84					ļ					
Thereof per mo	onth - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	er - Interoffice Channel	I		UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
	ur Fiber Strands, Per Route Mile or Fraction onth - Local Loop			UDF, UDFCX	1L5DL	46.84			*							
IRTUAL COLLOCATION				ODI, ODI OX	TESSE	40.04										
	ion-2 Wire Cross Connects (Loop) for Line															
Splitting HYSICAL COLLOCATION		 		UEPSR UEPSB	VE1L\$	0.0188	0.00	0.00	0.00	0.00						
	ation-2 Wire Cross Connects (Loop) for Line	t			+				-							
Splitting				UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
NOTE: The monthly r	(EELS) curring and non-recurring charges below will	apply and	the Su	vitch-As-le Charge v	vill not apply	for LINE combin	nations provis	lanad as ' Ordi	narily Cambina	d' Natural, E						
NOTE: The monthly re	curring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combinations	provisioned	as ' Currently C	ombined Netw	ork Elements	i.					
2-WIRE VOICE GRAD	E LOOP FOR USE IN A COMBINATION	ļ														
	p (SL2) in Combination - Zone 1 p (SL2) in Combination - Zone 2			UNCVX	UEAL2 UEAL2	11.57 16.95	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	p (SL2) in Combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	OCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					-	
	LOOP FOR USE IN A COMBINATION					.= -=										
	Voice Grade Loop in Combination - Zone 1 Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4 UEAL4	17.80 21.68	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						····
	Voice Grade Loop in Combination - Zone 3	 		UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	DCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	TAL LOOP FOR USE IN A COMBINATION															
4-Wire 56Kbps	Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Digital Grade Loop in Combination - Zone 3 (data) per month (2.4-64kbs)		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	TAL LOOP FOR USE IN A COMBINATION			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
4-Wire 64Kbps	Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	-	-				
	Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	(data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	 	1				
2-WIRE ISDN LOOP F	OR USE IN COMBINATION															
	pop in Combination - Zone 1			UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	pop in Combination - Zone 2			UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	pop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	CI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	IOOP FOR USE IN A COMBINATION ital Loop in Combination - Zone 1			LINIOAN	LIGUACI						<u></u>					
			1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
4-Wire DS1 Dig																
4-Wire DS1 Dig 4-Wire DS1 Dig	ital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
4-Wire DS1 Dig 4-Wire DS1 Dig 4-Wire DS1 Dig			3						37.91 37.91 16.86	6.86 6.86 1.04						

UNBI	JNDLE!	D NETWORK ELEMENTS - Georgia											_	Attachmen	nt: 2 Exh. A		1
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)	-			Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	<u> </u>						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION	J										l	l	
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		I													
	1	Month			UNCVX	1L5XX	0.0057										i
	1	Interoffice Transport - 2-wire VG - Dedicated - Facility		1					•							1	
	1	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60				1		l
	4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION								1			1	i	i e
	1	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	1	Ť.											 	1	
	j	Month		ł	UNCVX	1L5XX	0.0057								1	1	
i	1	Interoffice Transport - 4-wire VG - Dedicated - Facility	1	†	J. C. C. C. C. C. C. C. C. C. C. C. C. C.	12.0.0	- Grader					·			1		
		Termination per month		}	UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60				ļ	ļ	ŀ
	DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION	:	i –	UNGTA	101111	100	55.50	00.01	70.72	1.7,00	 				1	†
	1501	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1			· · · · · · · · · · · · · · · · · · ·								1		1
		per month			UNC1X	1L5XX	0.1154										Ì
	 	Interoffice Transport - Dedicated - DS1 combination - Facility	 	1	UNCIA	TEURA	0.1104								1	1	
		Termination per month		1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97			l			
	Des in	TEROFFICE TRANSPORT FOR USE IN A COMBINATION	1	ł	IONO IA	10111	34.13	67.70	40.73	43.00	21.51	 			 	1	-
	Dan HA	Interoffice Transport - Dedicated - DS3 combination - Per Mile	·	 								+			1		-
		Per Month			UNC3X	1L5XX	2.53								Ì		
	-		1	├	UNCSA	ILOAA	2.55									h	
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month]	1	LINCOV	U1TF3	342.02	325.91	77.07	49.56	32.88			l			
ł	CTC 4		1	·	UNC3X	1011153	342.02	320.91	77.07	49.50	32.00	+	-	_	-	1	
{	1212-1	NTEROFFICE TRANSPORT FOR USE IN COMBINATION	<u> </u>	-		-				-		 			 	1	
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINCOV	41.500	2.52			i i				1	1		
}	ł	Per Month	-	-	UNCSX	1L5XX	2.53					 			ļ	}	
		Interoffice Transport - Dedicated - STS-1 combination - Facility		1			050.57	205.04	77.07	49.56	20.00			i	L	1	
l	ł	Termination per month	ļ		UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88	 			<u> </u>	<u> </u>	├
ł	14-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAI	SPORT	l			2.00	105.01	22.25	10.10						 	
	Į	4-wire 56 kbps Local Loop in combination - Zone 1		1 1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86			.		 	ļ.
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38		6.86					 	ļ
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	<u> </u>					
ĺ		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		l			0.0057										
ļ	!	Per Mile per month	 	!	UNCDX	1L5XX	0.0057					 				ļ	ļ
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			l						i						
	Į.	Facility Termination per month	<u> </u>	<u> </u>	UNCDX	U1TD5	7.83	66.53	33,61	43.42	27.60					J	<u>.</u>
ļ	14-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERC	FFICE TE												ļ	<u> </u>	.
ļ	Į	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	ļ		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86					ļ	ļ
	.[4-wire 64 kbps Lcoal Loop in Combination - Zone 2	ļ		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	ļ				ļ	.
ļ	1	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	1 .	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86			Ļ	_	1	ļ
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -								ì							l
	1	Per Mile per month	<u> </u>		UNCDX	1L5XX	0.0057						ļ			ļ	<u> </u>
	1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1			1			1							ł
	1 .	Facility Termination per month	ļ	J	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60			ļ	ļ	ļ	<u> </u>
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	l											ļ	
!	ļ	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38		6.86						
	1	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		l]]		
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		L				
	1	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	Į	month		L	UNCDX	1L5XX	0.0057			l			L				Į
	1	4-wire 56 kbps Interoffice Transport - Dedicated - Facility								1							
i	Į	Termination per month	1		UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	4-WIR	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	1											<u> </u>	
	l	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86					ļ	
	1	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	1	4-wire 64 kbps Local Loop in combination - Zone 3	1		UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						<u> </u>
-	1	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per											1				
	1	month		1	UNCDX	1L5XX	0.0057			L							4
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60					1	,
	DS1 D	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	1	1	1	I]										,
	1	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86		1				

MROMOLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: Z Exn. A		
			1				н				Svc Order	Svc Order		Incremental	Incremental	Increment
			ì									Submitted	Charge -	Charge -	Charge -	Charge
			-								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l.								,		Electronic-	Electronic-	Electronic-	Electronic
		ł														
		1											1st	Add'l	Disc 1st	Disc Add
		 	+		+		Name		Managarina	0:				D-4 (\$)		!
			+			Rec	Nonrec			Disconnect				Rates (\$)		
		+					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
i	per month	1	1	UNC1X	1L5XX	0.1154					i					į
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	+	011017	123///	0.1154										
	Termination per month			1,0,0,417												-
		<u> </u>	-	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
DS3 D	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT	11													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.6155										
		1														
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	291.387	2,016.2145	151.685	400.0465	07.000						
		 					2,010.2145	C89.1 C1	129.8465	87.262						
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
			}	1	1					32.88						
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	NSPORT					· · · · · ·									
	STS-1 Local Lolp in combination - per mile per month	1	_	UNCSX	1L5ND	12.6155										1
_	STS-1 Local Loop in combination - Facility Termination per	4	+	DINCOX	TESIND	12.0100										
		İ	i													į.
	month			UNCSX	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262						
1	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month		1	UNCSX	1L5XX	2.53										
t	Interoffice Transport - Dedicated - STS-1 combination - Facility	-		DITOOX	TLOWN.	2.00										
	Termination per month	1	1	LINGOV	LIATEO	250.07	005.04		40.50							
				UNÇŞX	U1TFS	358.67	325.91	77.07	49.56	32.88						
ITIONAL																
	ETWORK ELEMENTS							1								
		rng charg	es do n	ot apply, but a Sw	itch As Is char	ge does apply										
When	used as a part of a currently combined facility, the non-recur	rng charg	es do n	ot apply, but a Sw	itch As Is char	ge does apply	es not									
When When	used as a part of a currently combined facility, the non-recurused as ordinarily combined network elements in All States, t	he non-re	curring	charges apply and	the Switch As	ge does apply Is Charge do	s not.						-			
When When	used as a part of a currently combined facility, the non-recur	he non-re	curring	charges apply and	the Switch As	ge does apply Is Charge do	s not.									
When When	used as a part of a currently combined facility, the non-recurused as ordinarily combined network elements in All States, t	he non-re	curring	charges apply and dies to each combi	the Switch As	ge does apply Is Charge do	es not.				. "		-			
When When	used as a part of a currently combined facility, the non-recurused as ordinarily combined network elements in All States, tourring Currently Combined Network Elements "Switch As Is"	he non-re	curring	charges apply and plies to each combi	the Switch As	ge does apply Is Charge do	s not.								<u>.</u>	
When When	used as a part of a currently combined facility, the non-recur- used as ordinarily combined network elements in All States, t curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	he non-re	curring	charges apply and blies to each combi UNCVX, UNCDX, UNC1X, UNC3X,	the Switch As nation)	ge does apply Is Charge do	s not.									-
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge	he non-re	curring	charges apply and plies to each combi	the Switch As nation)	ge does apply Is Charge do	s not.	5.70	6,61	6.61						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge	he non-re	curring	charges apply and blies to each combi UNCVX, UNCDX, UNC1X, UNC3X,	the Switch As	ge does apply Is Charge do	s not.	5.70	6.61	6.61						-
When When Nonre	used as a part of a currently combined facility, the non-recur- used as ordinarily combined network elements in All States, t curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	he non-re	curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	the Switch As nation)	ge does apply Is Charge do	s not.	5.70	6.61	6.61						
When When Nonre	used as a part of a currently combined facility, the non-recur- used as ordinarily combined network elements in All States, t curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions:	he non-re	curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	the Switch As nation)	ge does apply Is Charge do	s not. 5.70									
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge	he non-re	curring	charges apply and blies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC5X U1TD1, ULDD1,UNC1X	the Switch As nation)	ge does apply Is Charge do	s not.	5.70	6.61	6.61						-
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	he non-re	curring	charges apply and blies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1.	UNCCC CCOEF	ge does apply 8 Is Charge do	5.70 0.00	0.00	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	he non-re	curring	charges apply and blies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC5X U1TD1, ULDD1,UNC1X	the Switch As nation)	ge does apply Is Charge do	s not. 5.70									
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	he non-re	curring	charges apply and lites to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X	UNCCC CCOEF	ge does apply s is Charge do	5.70 0.00	0.00	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	he non-re Charge (curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC3X, UNC5X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X	the Switch Analion) UNCCC CCOEF CCOSF	ge does apply Is Charge do	5.70 0.00	0.00	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	he non-re	curring	charges apply and olies to each combine to eac	UNCCC CCOEF	ge does apply t is Charge do	5.70 0.00	0.00	0.00	0.00						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	he non-re Charge (curring	Charges apply and olies to each combine to each combine to the com	UNCCC CCOEF CCOSF NRCCC	ge does apply 8 Is Charge do	5.70 0.00 0.00	0.00 0.00 23.78	0.00 0.00 2.03	0.00 0.00 0.79						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	he non-re Charge (curring	charges apply and olies to each combine to eac	the Switch Analion) UNCCC CCOEF CCOSF	ge does apply 8 Is Charge do	5.70 0.00	0.00	0.00	0.00		7- da ² - 1-11-da ² - 1-11-da ²				
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	he non-re Charge (curring	Charges apply and olies to each combine to eac	UNCCC CCOEF CCOSF NRCCC	ge does apply t Is Charge do	5.70 0.00 0.00	0.00 0.00 23.78	0.00 0.00 2.03	0.00 0.00 0.79						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	he non-re Charge (curring	Charges apply and olies to each combine to eac	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge do	5.70 0.00 0.00 184.62 218.74	0.00 0.00 23.78	0.00 0.00 2.03	0.00 0.00 0.79						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month	he non-re Charge (curring	Charges apply and olies to each combine to each combine to the com	UNCCC CCOEF CCOSF NRCCC	ge does apply t is Charge do	5.70 0.00 0.00	0.00 0.00 23.78	0.00 0.00 2.03	0.00 0.00 0.79						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non-re Charge (curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULTD1, ULD01,UNC1X ULTD1, ULTD1, UNC1X, USL U1TD3, ULD03, UE3, UNC3X UNC1X	the Switch Amation) UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge do	5.70 0.00 0.00 184.62 218.74 86.10	0.00 0.00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
When When Nonre	Jack das a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non-re Charge (curring	Charges apply and olies to each combine to eac	UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge do	5.70 0.00 0.00 184.62 218.74	0.00 0.00 23.78	0.00 0.00 2.03	0.00 0.00 0.79						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non-re Charge (curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULTD1, ULD01,UNC1X ULTD1, ULTD1, UNC1X, USL U1TD3, ULD03, UE3, UNC3X UNC1X	the Switch Amation) UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge do	5.70 0.00 0.00 184.62 218.74 86.10	0.00 0.00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
When When Nonre	Jack das a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non-re Charge (curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULTD1, ULD01,UNC1X ULTD1, ULTD1, UNC1X, USL U1TD3, ULD03, UE3, UNC3X UNC1X	the Switch Amation) UNCCC CCOEF CCOSF NRCCC NRCC3	s Is Charge do	5.70 0.00 0.00 184.62 218.74 86.10	0.00 0.00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is as Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non-re	curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULTD1, ULDD1,UNC1X ULTD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, ULB3, UNC3X UNC1X	unccc ccoef ccosf NRCCC NRCC3 MQ1 1D1DD	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10	0.00 0.00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is as Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non-re	curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULTD1, ULD01,UNC1X ULTD1, ULTD1, UNC1X, USL U1TD3, ULD03, UE3, UNC3X UNC1X	unccc ccoef ccosf NRCCC NRCC3	s Is Charge do	5.70 0.00 0.00 184.62 218.74 86.10	0.00 0.00 23.78 7.66	0.00 0.00 2.03 0.7591	0.00 0.00 0.79 0.00						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch - Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch 2-wire IS	he non-re	curring	Charges apply and control of the con	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10 11.98	0.00 c 0.00 c 23.78 c 7.66 c 11.39	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch 2-wire IS	he non-fe	curring	charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULTD1, ULDD1,UNC1X ULTD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD3, ULB3, UNC3X UNC1X	unccc ccoef ccosf NRCCC NRCC3 MQ1 1D1DD	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10	0.00 0.00 23.78 7.66	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00						
When When Nonre	Jack das a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS3 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	he non-fe	curring	Charges apply and control of the con	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10 11.98	0.00 c 0.00 c 23.78 c 7.66 c 11.39	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch 2-wire IS	he non-fe	curring	Charges apply and control of the con	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10 11.98	0.00 c 0.00 c 23.78 c 7.66 c 11.39	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch 2-wire IS — sannel System - per month for a Local Loop - wire IS — sannel System - per month for a Local Loop - wire IS — cocal Channel System - per month for a Local Loop - wire IS — cocal Channel System - per month used for connection to a channel system - per mo	he non-fe	curring	Charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X UNT03, ULDO3, UE3, UNC3X UNC1X UDL	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10 11.98	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.79 0.00 6.61 6.61						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is a Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch Local Ch wire IS wire IS month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-fe	curring	Charges apply and control of the con	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10 11.98	0.00 c 0.00 c 23.78 c 7.66 c 11.39	0.00 0.00 2.03 0.7591 6.61	0.00 0.00 0.79 0.00 6.61						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month	he non-fe	curring	Charges apply and olies to each combine to eac	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	69.75 0.9963 1.66	5.70 0.00 0.00 184.62 218.74 86.10 11.98 11.98	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch 2-wire IS month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	he non-fe	curring	Charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X UNT03, ULDO3, UE3, UNC3X UNC1X UDL	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	69.75 0.9963	5.70 0.00 0.00 184.62 218.74 86.10 11.98	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.79 0.00 6.61 6.61						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is a Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Cobin Date of Cobine Capability (SF/ESF) Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch Local Ch Swire IS Local Chop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	he non-fe	curring	Charges apply and olies to each combine to eac	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	69.75 0.9963 1.66	5.70 0.00 0.00 184.62 218.74 86.10 11.98 11.98	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch 2-wire IS month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	he non-fe	curring	Charges apply and olies to each combine to eac	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	69.75 0.9963 1.66	5.70 0.00 0.00 184.62 218.74 86.10 11.98 11.98	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
When When Nonre	Josef as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	he non-fe	curring	Charges apply and colors to each combine to ea	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA 1D1VG	69.75 0.9963 1.66 0.4689	5.70 0.00 0.00 184.62 218.74 86.10 11.98 15.81 15.81 11.98	0.00 0.00 23.78 7.66 11.39 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61 6.61						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch Local Ch 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop Ovice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-fe	curring	Charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC1X, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG	69.75 0.9963 1.66 0.4689	5.70 0.00 0.00 184.62 218.74 86.10 11.98 11.98	0.00 0.00 23.78 7.66 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61	0.00 0.00 0.79 0.00 6.61 6.61						
When When Nonre	used as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -Asis Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop DS3 to DS1 Channel System per month	he non-fe	curring	Charges apply and olies to each combi UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDDI, UNCDD	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCCS MQ1 1D1DD 1D1DD UC1CA 1D1VG 1D1VG MQ3	69.75 0.9963 1.66 0.4689	5.70 0.00 0.00 184.62 218.74 86.10 11.98 15.81 15.81 11.98	0.00 0.00 23.78 7.66 11.39 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61 6.61						
When When Nonre	Ised as a part of a currently combined facility, the non-recursed as ordinarily combined network elements in All States, turring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch As Is is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Ch Local Ch 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop Ovice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non-fe	curring	Charges apply and lies to each combi UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC1X, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC	the Switch Arnation) UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG	69.75 0.9963 1.66 0.4689	5.70 0.00 0.00 184.62 218.74 86.10 11.98 15.81 15.81 11.98	0.00 0.00 23.78 7.66 11.39 11.39 11.39	0.00 0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61 6.61						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t; 2 Exh. A		
1]						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					l								Charge -	Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
					1								Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>	 			Do.	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	l .	
		ļ				Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local										SOMEC	SOMAN			SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1				First		SOMEC	SOMAN			SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Channel in the same SWC as collocation) per month				UC1D1	7.35	First 15.81	Add'I 11.39	First 6.61	Add'i 6.61	SOMEC	SOMAN			SOMAN	SOMAN
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	First 15.81	Add'I 11.39	First 6.61 6.61	Add'i 6.61	SOMEC	SOMAN			SOMAN	SOMAN

BUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	it: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)		·		Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc Ac
						Rec	Nonred First	curring Add'l	Nonrecurrin First	g Disconnect	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMA
								L		İ	<u> </u>		·			
	one" shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically De	averaged UNE	Zones. To vie	ew Geographic	cally Deaverag	ed UNE Zone D	esignations	s by Central	Office, refer t	o internet We	bsite:	
	ww.interconnection.bellsouth.com/become_a_clec/html/intell. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnecti	on.htm	1				Γ		1		T	r · · · · · · · · · · · · · · · · · · ·	[
	(1) CLEC should contact its contract negotiator if it prefers the	o "etato s	pocific'	OSS oborgon on ass	darad by the	State Commissi	one The OS	S abargan aur	rontly contains	d in this rate o	whill are th	o Policouth	"rogional" s	oprice arderin	a charges C	I EC mai
i	ther the state specific Commission ordered rates for the serv	ice oraeri	ng char	ges, or CLEC may er	ect the region	iai service orde	ering charge,	nowever, CLE	C can not obta	in a mixture of	the two reg	jardiess ii C	LEC has a mi	erconnection	contract esta	biisnea
	f the 9 states.															
	(2) Any element that can be ordered electronically will be bill															
cannot	be ordered electronically at present per the LOH, the listed S	OMEC rat	te in thi	s category reflects th	e charge that	would be bille	d to a CLEC	once electroni	c ordering cap	abilities come	on-line for t	that element	. Otherwise,	the manual or	dering charg	e, SOM
will be	applied to a CLECs bill when it submits an LSR to BellSouth															
	OSS - Electronic Service Order Charge, Per Local Service							1								
	Request (LSR) - UNE Only		1.		SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request		T													
	(LSR) - UNE Only				SOMAN	- 1	7.86	0.00	0.99	0.00						
SERVICE	DATE ADVANCEMENT CHARGE															
NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	5 as applicab	le.				1						
			1													
				UAL, UEANL, UCL.	l f						i					I
				UEF, UDF, UEQ.				i			{		İ			1
1			1	UDL, UENTW, UDN]			1			1					:
				UEA, UHL, ULC.				ĺ			İ		j i			1
				USL, U1T12, U1T48						1						1
										ŀ						1
				U1TD1, U1TD3,												1
				U1TDX, U1TO3,								1				1
				U1TS1, U1TVX,												I
			ĺ	UC1BC, UC1BL,							1				ì	1
				UC1CC, UC1CL,						ļ						i
			i	UC1DC, UC1DL,	ì					Į.	ł					i
				UC1EC, UC1EL,		1			i	1			i			ı
				UC1FC, UC1FL,					1							ı
				UC1GC, UC1GL.												ı
				UC1HC, UC1HL,								į				ı
				UDL12, UDL48.]	İ				i
			-	UDLO3, UDLSX,												i
				UE3, ULD12,		1					1					i
1 1											i					i
1 1				ULD48, ULDD1,	l l	1	i				·					í
				ULDD3, ULDDX,		1			l							í
				ULDO3, ULDS1,		i			1	l						i
				ULDVX, UNC1X,		1										í
ì l				UNC3X, UNCDX,												í
				UNCNX, UNCSX,												i
				UNCVX, UNLD1,					}							i
				UNLD3, UXTD1,		ŀ										1
			ł	UXTD3, UXTS1,												í
	UNE Expedite Charge per Circuit or Line Assignable USOC, per		1	U1TUC, U1TUD,	1		1				1					i
	Day	L	1	U1TUB, U1TUA	SDASP	J	200.00]])				
	XCHANGE ACCESS LOOP					1			1							
2-WIRE	ANALOG VOICE GRADE LOOP										l	1				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	T					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65	J	 		·		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	I	3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65	1					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL.	10.56	46.66	22.57	26.65	7.65		· · · · ·				$\overline{}$
T	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	1	-		-		
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>	OLANE	JEAGE	31.11	40.00	22.37	20.03	7.65		-		-		
	Premise			UEANL	URETL		8.33	0.83				1	!	1		
L	Loop Testing - Basic 1st Half Hour			UEANL							-					
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		-	UEANL	URET1 URETA		46.88	46.88	<u> </u>		ļ .					
							24.16	24.16								

NRONDL	ED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	Charge -
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch								1						1	
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST					1										
	providing make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		13.49	13.49								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)]				
2 16(1)	RE Unbundled COPPER LOOP	-		UEANL	OCOSL		23.01	23.01				<u> </u>				-
2-0017	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	0.05						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
_+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		3	UEQ	UEQ2X	13.19	44.97	20.89		6.65 6.65	-					<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	-3-	UEU	UEQZX	13.19	44.97	20.89	25.64	6.65	-				ļ	
	Premise			UEQ	URETL		8.33	0.83			1					
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		\vdash	UEQ	UKEIL		0.33	0.83			i			ļ		
	Non-Designed (per loop)			UEQ	USBMC	i	9.00	9.00	1 1							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		-		COBINC		3.00	3.00	 							
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49	1						į	
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88	 			 				
-	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16				 				
	CLEC to CLEC Conversion Charge Without Outside Dispatch	t —		oc.q	ORETA		24.10	24.10	-			 				
1	(UCL-ND)	l		UEQ	UREWO		14.27	7.43			1	l				
BUNDLED	EXCHANGE ACCESS LOOP	-		024	JUNEAU		17.4	. 7.70				<u> </u>				
	RE ANALOG VOICE GRADE LOOP				!							 				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-		1											
	Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
_	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				0 41 120	10.00	10.00	EL:O	20.50	1.00						
	Zone 1		1 1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		i i													
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		1				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-														,	
	Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65	ı					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
	Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65				<u> </u>		
	EXCHANGE ACCESS LOOP		L				i									
2-WIF	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
-	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3													
	Order Coordination for Specified Conversion Time (per LSR)	ļ	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL		23.01									
	Battery Signaling - Zone 1		,	UEA	UEAR2	40.07	404.00	04.07	70.05	44.00						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<u> </u>		UEA	UEARZ	12.67	134.89	81.87	73.65	14.88						
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	04.07	72.05	44.00						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		UEA	UEARZ	17.45	134.69	81.87	73.65	14.88						
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL	33.22	23.01	01.07	73.03	14.08		-		_	•	
	CLEC to CLEC Conversion Charge without outside dispatch	·		UEA	UREWO		87.72	36.36				-			-	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10	-							
4-WIF	RE ANALOG VOICE GRADE LOOP			ULA	SINETE		11.21	1.10	+-							
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66			-			
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66		-		_		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.00	23.01	112.30	70.31	10.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachmer	nt: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge -	Charge - Manual Svc Order vs.	Charge -
			11			,						ļ			DISC 1SI	DISC AGG
			1			Rec	Nonrec		Nonrecurring					Rates (\$)		1 22 11 11
2 14/17/5	ISDN DIGITAL GRADE LOOP		1		- {-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1	UDN	1741.07	18,44	146.77	05.00	74.00	40.00						+
	2-Wire ISDN Digital Grade Loop - Zone 1				U1L2X			95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2		3	UDN	U1L2X U1L2X	25.08 42.87	146.77 146.77	95.02	71.38	13.83 13.83	ļ	—				+
	2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN		42.87		95.02	71.38	13.83						+
	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL UREWO		23.01	44.16			ļ					
	CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	A TIPLE I	000	UDN	UREWO		91.63	44.16			ļ		ļ			1
		AHBLE	-00P						ļ		ļ					
	2 Wire Unbundled ADSL Loop including manual service inquiry		1 . 1	****												
	§ facility reservation - Zone 1		1 1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47				ļ	L	
	Wire Unbundled ADSL Loop including manual service inquiry		1 . 1											1		
	3 facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	Wire Unbundled ADSL Loop including manual service inquiry														1	
	3 facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						ļ
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	acility reservaton - Zone 1	<u> </u>	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						l
	2 Wire Unbundled ADSL Loop without manual service inquiry &]]		ļ				i					í
	acility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54				1		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	acility reservaton - Zone 3		3	ŲAL	UAL2W	12.87	121.18	69.00	69.09	11.54					l	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP												Î	
2	Wire Unbundled HDSL Loop including manual service inquiry													1		
8	k facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						1
2	Wire Unbundled HDSL Loop including manual service inquiry														1	
	3 facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
2	Wire Unbundled HDSL Loop including manual service inquiry															
	I facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54					i	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	Wire Unbundled HDSL Loop without manual service inquiry												-	l		1
a	and facility reservation - Zone 1		1 1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54					!	
2	Wire Unbundled HDSL Loop without manual service inquiry														ļ	1
a	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.0.	23.01	10.00	00.00					-		
	CLEC to CLEC Conversion Charge without outside dispatch	· · · · · ·		UHL	UREWO		86.14	40.40					•			<u> </u>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP	0.10				10.10								
	Wire Unbundled HDSL Loop including manual service inquiry	1														
	and facility reservation - Zone 1		1 1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
	-Wire Unbundled HDSL Loop including manual service inquiry	t	+	OIL	GIILTA	10.50	100.73	720.00	74.33	14.03						
	and facility reservation - Zone 2	1 .	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						ĺ
	I-Wire Unbundled HDSL Loop including manual service inquiry			OIIL	UTILAN	13.06	165.75	123.30	74.95	14.09	ļ					
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						İ
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.98	23.01	123.50	74.95	14.69						
	I-Wire Unbundled HDSL Loop without manual service inquiry			Unt	UCUSE		23.01		I - I					<u> </u>		
	r-vvire Unbundled HDSL Coop without manual service inquiry and facility reservation - Zone 1		, l	UHL	LIBULADA	13.95	101.05	444.01	77.00	45.00						
	I-Wire Unbundled HDSL Loop without manual service inquiry			UTL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	ind facility reservation - Zone 2		2	UHL	UHL4W	15.68	101.05	444.04	77.00	45.00						
	Indiracinty reservation - Zone 2 I-Wire Unbundled HDSL Loop without manual service inquiry	-		UHL	UHL4VV	15.68	164.95	114.04	77.32	15.80						-
	ind facility reservation - Zone 3		3	1.1141	UHL4W	10.00	164.65	444.04	77.00	45.00						
	order Coordination for Specified Conversion Time (per LSR)		3	UHL		16.98	164.95	114.04	77.32	15.80						.
	CLEC to CLEC Conversion Charge without outside dispatch				OCOSL		23.01	40 :-								-
				UHL	UREWO		86.14	40.40								
	DS1 DIGITAL LOOP															
	-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						
	-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55						
	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
1 C	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01		1							

INBUNDER	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svo	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge Manual S
47200A7	NATE ELEMENTS	mem	Zone	, 603	USUC						per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-			-				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		USL	UREWO		101.09	43.04								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				11											
	4 Wire Unbundled Digital 19.2 Kbps		1 1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UD1.	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	T	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	T	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						·
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	T	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						-
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	55.61	23.01	100.00	70.51	,0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UDL	UREWO		102.13	49.75								
2-WIR	Unbundled COPPER LOOP				1 2		102.13	40.10								
	2-Wire Unbundled Copper Loop-Designed including manual	-			+											
1	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		l :				1
	2-Wire Unbundled Copper Loop-Designed including manual		- '-	UCL	OCLEB	10.62	140.95	78.70	69.09	11.54						·
	service inquiry & facility reservation - Zone 2		2	4101												1
			2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual	ľ														l .
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						i
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
1	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
ì	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		l i		i		i e
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						i
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00		11.04						
	CLEC to CLEC Conversion Charge without outside dispatch				1		0.00	0.00		·						
	(UCL-Des)			UCL	UREWO	1	97.23	42.48				·				i .
4-WIRE	COPPER LOOP				DIVENTO		07.20	42.40								
	4-Wire Copper Loop-Designed including manual service inquiry				 											
	and facility reservation - Zone 1	1	1	UCL	UCL4S	16.92	170.31	400.00	74.05	44.00						
	4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	10.92	170.31	108.06	74.95	14.69						
	and facility reservation - Zone 2			1101	1101.45	47.00	470.04									
	4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4-wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69	-					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
1	4-Wire Copper Loop-Designed without manual service inquiry				1											
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69			- 1	- 1		
1	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69				- 1		
- 1	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69			1		-	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	20110	9.00	9.00	7 4.00	14.03						
	CLEC to CLEC Conversion Charge without outside dispatch						0.00	3.00								
	(UCL-Des)	1 1		UCL	UREWO	-	97.23	42.48				1				
P MODIFIC	CATION			UUL	UNLIVE		31.23	42.40								
				UAL, UHL, UCL,												
			- 1	UEQ, ULS, UEA,	1	- 1						i				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.04	0.54								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCLOB	OLWIZL		9.24	9.24								
	less than or equal to 18K ft, per Unbundled Loop			THE LICE LIES												
+	ness than or equal to Tok it, per Unburidled Loop		_	UHL, UCL, UEA	ULM4L		9.24	9.24								
				UAL, UHL, UCL,												
	Unbundled Loop Medification Demonstrate A Section 1 To 1			UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
	per unbundled loop			UEPSB	ULMBT		10.47	10.47								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1			Rec	First	curring Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
ISUB-LOOPS							, 1131	7441	Fire	Auui	JOMEC	JOHIAN	SOMAN	JOWAN	JOMAN	SOMAN
	pop Distribution		<u> </u>						ſ						1	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								f						ì	ì
	Up	Į.		UEANL	USBSA		207.91	207.91	1			1				
												1				[
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	!	_	UEANL	USBSB		12.50	12.50	L		<u> </u>					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		00.07	20.07								
 	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		_	UEANL	USBSC		80.87	80.87								1
	Set-Up		1	UEANL	USBSD		45.04	45.04	İ							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			V				40.04		-		l			}	ì
	Zone 1		_1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
1 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										Ī	1				
-	Zone 2	_	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		<u> </u>				} .
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3		LIGDNIG	44.00	05.00									
	2011e 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90	ļ	-	1		}	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	OLDATE	OODMO		3.00	3.00				}		1		
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										1	Ì				Ì
	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								l
· · · · · · · · · · · · · · · · · · ·	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		_	UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						L
	San English E Tring Interesting Notificial States (1170)			OLANC	COBINE	2.01	00.55	22.50	05.01	7.50					L	L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00				ĺ			ļ	1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88	-							
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL	URETA		24.16	24.16								
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2	UEF	UCS2X UCS2X	5.45 7.06	85.03 85.03	39.05	59.81	7.90						
<u> </u>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.67	85.03	39.05 39.05	59.81 59.81	7.90 7.90						
		<u>'</u>	<u> </u>	02.	00021	3.07	00.00	35.03	35.61	7.50						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88				-		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair															
	Loop Testing - Basic 1st Half Hour		ļ.——	UEF UEF	USBMC URET1		9.00	9.00								<u> </u>
	Loop Testing - Basic Additional Half Hour			UEF	URETA		46.88 24.16	46.88 24.16								
Unbun	dled Network Terminating Wire (UNTW)			001	UKLIA		24.10	24.10		-						-
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51							-	
Netwo	k Interface Device (NID)											-				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91							·	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8,56								
LINE OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE			UENTW	UNDC4		8.56	8.56								
OHE OTHER, I	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00									
				ULITITY	OLINOL	0.00	0.00									
	g only to take															
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									

UNBUNDL	_ED NETWORK ELEMENTS - Kentucky										····	•••	Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES (\$)	Nonrecurring	3 Disconnect	Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	····				1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00	7.44		,		JOINT NO	GOMPAN .	John III	Somme	Johnson
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									1
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOSF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00		 					·		ŀ
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25						,				
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	634.087	388.792	198.95	138.483		Ï			,	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per						554.561	555.732	100.80	100.400						
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	9.25										
	Termination per month			UDLSX	UDLS1	320.51	634.087	388.792	198.95	138.483						
LOOP MAKE	E-UP Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40							· • ·	
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		24.85	24.85								
1 015 001 05	spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SPLIT	SPLITTING															
	USER ORDERING-CENTRAL OFFICE BASED								h							
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	ŲREBP	0.61	37.02	21.20	21.10	9.87						
MAI	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						ļ
	E: The Expedite charge will be maintained commensurate with	BellSouth	's FCC !	Vo 1 Tariff Section 1	3 3 1 as ann	licable			-							ļ
	No Trouble Found - per 1/2 hour increments - Basic	Jenoout.	3,00	to: rum, dedici:	0.0.1 us upp	licable.	80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
LILLIAN TO THE STATE OF THE STA	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
	D DEDICATED TRANSPORT ROFFICE CHANNEL - DEDICATED TRANSPORT															
INTE	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2		47.04	04.70	00.77							
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade					29.11	47.34	31.78	22.77	8.75					-	
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.01										
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						,
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0115		0,,,0	22 (············				
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile	·· ·		U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0115										
	Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		† · ·				Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.23							ļ			ļ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	96.04	105.52	00.40	00.00	00.40			i			
1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			UTIVI	UITEL	96.04	105.52	98.46	23.09	20.49			ł	1		1
	month			U1TD3	1L5XX	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1		1								Ì	i		Ì
	Termination per month	L	<u> </u>	U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per]		
	month		ļ	U1TS1	1L5XX	4.97					,					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		İ	U1TS1	U1TFS	1,149.51	335.40	219.24	90.57	07.75						
DARK FIBER	To Think and T		+	01131	UllFo	1,149.51	335.40	219.24	89.57	87.75						1
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<u> </u>	1		t · -	i i										
j l	Thereof per month - Local Channel		J	UDF, UDFCX	1L5DC	54.06			į			ļ				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															ĺ
ļ ,	Thereof per month - Interoffice Channel			UDF. UDFCX	1L5DF	30.74										
ļ	NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		 	UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
	Thereof per month - Local Loop	i	1	UDF, UDFCX	1L5DL	54.06										
VIRTUAL COL		-		ODF, ODFCX	TESDE	54.06										
ĺ	Virtual Collocation-2 Wire Cross Connects (Loop) for Line								ì							t
L	Splitting			UEPSR UEPSB	VE1LS_	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO		l	ļ													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEDOD UEDOS	954.5											
ENHANCED E	XTENDED LINK (EELs)			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
	The monthly recurring and non-recurring charges below will a	apply an	the Sw	itch-As-Is Charge w	ill not annly	for UNE combin	nations provis	ioned as ' Ordi	narily Combine	d' Natwork El	oments					1
NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	he non-re	curring	charges below will	apply for UN	E combinations	provisioned	as ' Currently C	ombined' Net	vork Elements						†
2-WIR	VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Voice Grade COCI - Per Month		3	UNCVX	UEAL2 1D1VG	33.22 0.62	125.22 6.71	60.48 4.84	59.69	7.84					~~~	↓
4-WIRI	VOICE GRADE LOOP FOR USE IN A COMBINATION		-	UNCVA	IDIVG	0.62	0.71	4.84						-		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	ÜEAL4	29.26	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
4-WIRI	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1	LINODY	UDIEO	27.52	105.55									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56 UDL56	27.59 32.48	125.22	60.48	59.69	7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	36.37	125.22 125.22	60.48 60.48	59.69 59.69	7.84 7.84						
	OCU-DP COCI (data) per month (2.4-64kbs)		1	UNCDX	1D1DD	1.32	6.71	4.84	35.09	7.04						
4-WIRI	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		t			52	3.71	7.04			-					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		-				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
2.WIRE	OCU-DP COCI (data) - in combination - per month (2.4-64kbs) EISDN LOOP FOR USE IN COMBINATION			UNCDX	1D1DD	1.32	6.71	4.84								
2-1111	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18,44	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84		···						
4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		2	UNC1X UNC1X	USLXX	114.10 297.76	210.70	114.60 114.60	63.96	17.97						-
	DS1 COCI in combination per month		3	UNC1X	UC1D1	11.80	6.71	114.60	63.96	17.97						

JNBUNDLED NETW	VORK ELEMENTS - Kentucky												Attachmer	t: 2 Exh. A		
ATEGORY	RATF FLFMFNTS	Interim	7 one	всѕ	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Ado
<u></u>															DISC 1St	DISC Add
		<u> </u>				Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	SOMAN	2014111
2 WIDE VOICE O	GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON		- t		First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SOMAN
	e Transport - 2-wire VG - Dedicated- Per Mile Per	JWIBINAII	ON	-				··			-	-				1
Month	e Transport - 2-wire vo - Dedicated- Per Mile Per	1		UNCVX	1L5XX	0.01					İ					1
	e Transport - 2-wire VG - Dedicated - Facility	-		UNCVA	ILDAA	0.01					1					
	ion per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42	1					i
	GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MIDINIATI	ON	DINCVA	UTIVZ	23.90	96.09	33.07	30.31	22.42						
	e Transport - 4-wire VG - Dedicated - Per Mile Per	JWIBINATI	ON													
Month	e Transport - 4-wire vo - Dedicated - 7 er iville r er			UNCVX	1L5XX	0.01						1				1
	e Transport - 4-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.01			-					ļ		
	ion per month			UNCVX	U1TV4	23.95	98.09	53.67	56.31	22.42						i
	CE TRANSPORT FOR COMBINATION			ONCOX	011144	20.30	30.03	33.01	30.31	42.42				-		r
	e Transport - Dedicated - DS1 combination - Per Mile										 					i
per mont		1		UNC1X	1L5XX	0.19										i
	e Transport - Degicated - Do Lcompination - Facility	(CAVCASA	1,2300	0.75			(·		-			i
	ion per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
1/0 Chan	inelization System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	·					
DS3 INTEROFFIC	CE TRANSPORT FOR USE IN A COMBINATION															
	e Transport - Dedicated - DS3 combination - Per Mile							-								(
Per Mont				UNC3X	1L5XX	4.09						i				i
	e Transport - Dedicated - DS3 - Facility Termination per			0.100.1												
month	- · · · · · · · · · · · · · · · · · · ·	!		UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						į.
STS-1 INTEROF	FICE TRANSPORT FOR USE IN COMBINATION						000.00	711100	10.00	20.00	 					
	e Transport - Dedicated - STS-1 combination - Per Mile															
Per Mont	:h]		UNCSX	1L5XX	4.09	ļ									1
Interoffice	e Transport - Dedicated - STS-1 combination - Facility															
	ion per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT							1							
4-wire 56	kbps Local Loop in combination - Zone 1	I	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		- 1			***************************************	
	kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
Interoffice	Transport - Dedicated - 4-wire 56 kbps combination -							·								
Per Mile p	per month			UNCDX	1L5XX	0.01	ł]		i					
Interaffice	Transport - Dedicated - 4-wire 56 kbps combination -															
Facility Te	ermination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
4-WIRE 64 KBPS	DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TRA	NSPO	RT			~									
4-wire 64	kbps Lcoal Loop in Combination - Zone 1	I I	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	1					
	khps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Interoffice	e Trai edicated - 4-wire 64 kbps combination -															
F	J			UNCDX	1L5XX	0.01										
	e Transport - Dedicated - 4-wire 64 kbps combination -															
	ermination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANSF														
	6 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	kbps Local Loop in combination - Zone 2		. 2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Skbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	56 kbps Interoffice Transport - Dedicated - Per Mile per															
month				UNCDX	1L5XX	0.01										
	Skbps Interoffice Transport - Dedicated - Facility															
	on per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRANSP	ORT	LINODY	Lieu Ci											
	kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			,			
month	5 kbps Interoffice Transport - Dedicated - Per Mile per			LINCDY	41.5704							,				i
	Ohno letraffica Tananad D. P. J. J. T. 200			UNCDX	1L5XX	0.01										
	kbps Interoffice Transport - Dedicated - Facility															i
	on per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42]					
IUST DIGUAL LO	OP AND DS1 INTERFOFFICE TRANSPORT	ı I			1 1						!					

	ED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
TEGORY	DITE PLENENTA	Interim	Zone	BCS	usoc						Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1-st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			—													
						Rec	Nonrec		Nonrecurring					Rates (\$)	201111	001111
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month	1		UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility										l					
	Termination per month	1		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	İ					
DS3 D	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT														
- 0000	DS3 Local Loop in combination - per mile per month	T		UNC3X	1L5ND	10.6375									-	
	Dos coda coop in combination - per mile per month		 	011007	TESTAD	10.0010										
	DC3			UNC3X	UEADY	254 5565	624.007	200 702	198.95	138.483						
-	DS3 Local Loop in combination - Facility Termination per month		-		UE3PX	354.5565	634.087	388.792	196.95	130.483	-					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		-	UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility							,								
	Termination per month		1	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT				<u> </u>						L				
	STS-1 Local Lolp in combination - per mile per month]	UNCSX	1L5ND	10.6375										
	STS-1 Local Loop in combination - Facility Termination per															
-	month	1		UNCSX	UDLS1	368.5865	634.087	388.792	198.95	138.483	1					
	Interoffice Transport - Dedicated - STS-1 combination - per mile		†	- Contract	10000	000.000										
1	per month			UNCSX	1L5XX	4.09						1				
		_		UNCOX	ILSAA.	4.09										-
ĺ	Interoffice Transport - Dedicated - STS-1 combination - Facility						252.52		40.00							
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	NETWORK ELEMENTS	L		L												
When	used as a part of a currently combined facility, the non-recurr	rng charg	es do n	ot apply, but a Sw	itch As Is cha	rge does apply.						<u>.</u>				
When	used as ordinarily combined network elements in All States, t	he non-re	curring	charges apply and	the Switch A	s Is Charge doe	s not.									
	ecurring Currently Combined Network Elements "Switch As Is"										1					
110		T T	1	UNCVX, UNCDX.	T						1					
	Nonrecurring Currently Combined Network Elements Switch -As-	l	1	UNC1X, UNC3X,	i	1	1				l			!		
		7			1]	I		44.47	11.17	1		l .	1		
		1		LINICCY	LINICCC		0.00 1	0.00						1	1	
	ls Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
Optio	Is Charge nal Features & Functions:				UNCCC		8.98	8.98	11.17	11.17						
Optio	nal Features & Functions:			UTTD1,												
Option		1			CCOEF		0.00	0.00	0.00	0.00						
Option	nal Features & Functions:			UTTD1,	CCOEF			0.00	0.00	0.00						
Optio	onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X U1TD1,												
Option	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1			U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
Optio	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
Optio	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	1		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL	CCOEF		0.00	0.00	0.00	0.00						
Optio	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOEF CCOSF NRCCC		0.00 0.00 184.91	0.00 0.00 23.82	0.00 6.00 1.99	0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	1		UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1, UITD1, UNC1X, USL	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC		0.00 0.00 184.91 205.70	0.00 0.00 23.82 7.20	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPPLEXERS DS1 to DS0 Channel System per month	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOEF CCOSF NRCCC	113.33	0.00 0.00 184.91	0.00 0.00 23.82	0.00 6.00 1.99	0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC	113.33	0.00 0.00 184.91 205.70	0.00 0.00 23.82 7.20	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channel zed DS1	1		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTTD1, UNC1X, USL UTTD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop Local Channel in the same SWC as collocation	I I		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	1		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	I I		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTTD1, UNC1X, USL UTTD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	l i		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month DCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop DCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month tor a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel	I I		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Cocal Loop 1	1		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month	1		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Cocal Loop 1	1		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for Connection to a channelized DS1 Local Channel in the same SWC as collocation	i i		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UTTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.32 1.32 2.84 2.84 0.6228	0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08	0.00 6.00 1.99 0.6924	0.00 0.00 0.78 0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	1		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, UTTD1, UNC1X, USL U1TD3, ULDD3, UC3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.32 1.32 2.84 2.84 0.6228	0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07	7.08 7.08 7.08	0.00 0.00 1.99 0.6924 1.86	0.00 0.00 0.78 0.00 1.67						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEKERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Connection to a channelized DS1 Local Channel in the same SWC as collocation	i i		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	1.32 1.32 2.84 2.84 0.6228 0.6228	0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07 10.07 10.07 10.07	7.08 7.08 7.08 7.08	0.00 0.00 1.99 0.6924 1.86	0.00 0.00 0.78 0.00 1.67						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	I I		UTTD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, UTTD1, UNC1X, USL U1TD3, ULDD3, UC3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.32 1.32 2.84 2.84 0.6228	0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07	7.08 7.08 7.08	0.00 0.00 1.99 0.6924 1.86	0.00 0.00 0.78 0.00 1.67						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
CATEGORY	RATE FLEMENTS	Interim	Zone	BCS	usoc	DC RATES (\$) Rec Nonrecurring Nonrecurring Disconnect				Submitted	Submitted Manually	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	
						Dan I	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						1 Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local	T														
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08								1
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08			†	†				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1										1				
	month			ULDD1	UC1D1	11.80	10.07	7.08				1				
Note: I	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissio	on order.		1										-

ÜNBI	INDLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Evh. A		
CATE		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	The "Z	│ one" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Geog	raphically De	averaged UNE	Zones. To vie	w Geographic	ally Deaverag	ed LINE Zone D	esignations	by Central	Office refer to	o internet We	hsite:	L
	http://v	www.interconnection.bellsouth.com/become a clec/html/inter	connection	on.htm						any boarding		e ang mane ma	o y commun	O.1100, 10101 1			
OPER.		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	 		000 -1			<u> </u>	<u> </u>	L	l	l		L			
	elect ei	(1) CLEC should contact its contract negotiator if it prefers the ither the state specific Commission ordered rates for the servi	ie states ice orderii	pecific	nes or CLEC may ele	erea by the	State Commis	sions. The US	S charges curi	rently contains	ed in this rate e	the two red	ie BellSouti	n "regional" se	ervice orderin	g charges. C	LEC may
	each o	f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
	cannot	t be ordered electronically at present per the LOH, the listed S applied to a CLECs bill when it submits an LSR to BellSouth.	OMEC rat	e in this	category reflects th	e charge tha	t would be bil	led to a CLEC	once electroni	c ordering cap	abilitles come	on-line for t	hat element	t. Otherwise,	the manual or	dering charg	e, SOMAN,
	Will De	OSS - Electronic Service Order Charge, Per Local Service	<u> </u>	1			·		Γ	ľ	ı		1				1
		Request (LSR) - UNE Only	<u> </u>			SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only		ĺ		SOMAN		15.20									
UNE S	ERVICE	DATE ADVANCEMENT CHARGE	1	 		ISOIVAN		15.20	0.00	15.20	0.00		 				
		The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 5	as applicat	ile.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UAL, UEANIL, UCL, UEF, UDF, UDF, UDF, UDN, UDN, UDN, UDN, UDN, UDN, USA, UHLD, ULC, USA, UTTO3, UTTO3, UTTO3, UTTO3, UTTO3, UTTO3, UTTO3, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1B												
IINRIII	DI ED E	Day EXCHANGE ACCESS LOOP		<u> </u>	U1TUB, U1TUA	SDASP		200.00									ļ
-,01		E ANALOG VOICE GRADE LOOP		-							 						<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87			-					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	23.33	36.54 36.54	16.87 16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	48.43	36.54	16.87								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL.	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour		-		URETI		33.17	33.17		}						
		Loop Testing - Basic Additional Half Hour	·			URETA		19.28	19.28				ļ	l			1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs.
									.				Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
			1		-	Rec	Nonreci First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
1	CLEC to CLEC Conversion Charge Without Outside Dispatch	1			-1		riist	Addi	FIISL	Auu	JONIEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
	(UVL-SL1)			UEANL	UREWO		15.75	8.93								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)		<u> </u>	UEANL	UEANM		13.04	13.04							ļ	ļ
ł-—	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1	-	ļ	UEANL	UEAMC		7.92	7.92								ļ
	(per LSR)			UEANL	OCOSL		17.56	17.56								
2-WIF	RE Unbundled COPPER LOOP	1		CETAL	100002		17.50	17.50	1		1					i
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.40	35.27	15.60	1 1		1					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.32	35.27	15.60	[]		Í	1				
ļ	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	16.87	35.27	15.60]					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEO	LIDET:											1
+-+-	Premise Manual Order Coordination 2 Wire Unbundled Copper Loop -	 	-	UEQ	URETL	 	8.33	0.83	 		ļ	ļ .				1
	Non-Designed (per loop)			UEQ	USBMC		7.92	7.92				1				1
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	1			00000	 	1.52	1.02	ì		1					1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04				l				
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17	[1	1				[
ļ	Loop Testing - Basic Additional Half Hour			ÚEQ	URETA		19.28	19.28]		}]				i
	CLEC to CLEC Conversion Charge Without Outside Dispatch															ŀ
LIMBUMDLED	(UCL-ND)			UEQ	UREWO		14.25	7.42								ś
	EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP	1	 						}							į.
2.441	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 		• • •	1		}		1							ł
	Zone 1	ì	1 :	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-								0.00	0.00						ľ
l	Zone 1	<u> </u>	. 1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						t.
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-									_						[
	Zone 2	 	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						.
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	LIEARC	22.22	26.54	16.07	0.00	0.00						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	- 2	DEPSR DEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						ł
	Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						1
 	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			32, 31, 32, 33	020	10.10	00.01	. 10.07	0.00	0.00						· · · · · ·
L	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						l
	EXCHANGE ACCESS LOOP									_						<u>. </u>
2-WIF	E ANALOG VOICE GRADE LOOP	<u> </u>										<u> </u>				.
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		4	UEA	UEAL2	14.93	102.10	65.72								1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	┼		0E*	UEALZ	14.93	102.10	05.72	1							}- · ·
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72								ĺ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1							i							ĺ
	Ground Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	50.46	102.10	65.72								<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	. 7					-								1
	Battery Signaling - Zone 1	 	1 1	UEA	UEAR2	14.93	102.10	65.72			ļ					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		,	UEA	UEAR2	25.35	102.10	65.72			1					Í
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+	-	J-C	ULARZ	23.33	102.10	05.72	1							t
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								(
	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL		17.56		į		1	į i				(
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30	[[i
	Loop Tagging - Service Level 2 (SL2)			ÜEA	URETL	. 1	11.20	1.10				[i
4-WIF	E ANALOG VOICE GRADE LOOP		١		_ 						į .					ļ
 	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81	127.40	91.02								į
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		2	UEA UEA	UEAL4 UEAL4	38.32 60.39	127.40	91.02 91.02	}		1	}				ŧ
	Order Coordination for Specified Conversion Time (per LSR)	+	3	UEA UEA	OCOSL	60.39	127.40 17.56	91.02	1		1	-				i
	CLEC to CLEC Conversion Charge without outside dispatch	 	-	UEA	UREWO		87.59	36.30	1		f	ŀ				t

JNBUNDL	ED NETWORK ELEMENTS - Louisiana	*			-	•	•				•		Attachmen	t; 2 Exh. A		
CATEGORY		Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
-+		<u> </u>	<u> </u>			Rec	Nonred First	Add'i	First	g Disconnect	CONTC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
2.36/11	RE ISDN DIGITAL GRADE LOOP	+	-	-	+		FIISt	Addi	First	Addi	SOMEC	SUMAN	SUNIAN	SOMAN	SUMAN	SUMAN
12-4411	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	22.09	113.34	76.96	l		1	 		-	 	
	2-Wire ISDN Digital Grade Loop - Zone 2	+	2	UDN	U1L2X	35.28	113.34	76.96	-	+	-	-		-		
	2-Wire ISDN Digital Grade Loop - Zone 3	1		UDN	U1L2X	65.18	113.34	76.96		 	 	 	-			
	Order Coordination For Specified Conversion Time (per LSR)	+	۱Ů	UDN	OCOSL	03.10	17.56	10.50		·	 	 				
	CLEC to CLEC Conversion Charge without outside dispatch	+		UDN	UREWO	 	91.49	44.09		 	 					
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM	PATIRIF	OOP	CDIV	ONLIVO	 	31.73	44.00		<u> </u>	 	 				
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	1		 	l					 	 				
	& facility reservation - Zone 1	İ	1	UAL	UAL2X	12.29	117.08	68.36								İ
	2 Wire Unbundled ADSL Loop including manual service inquiry	+	<u> </u>	O/ C	Oncen	12.23	117.00	00.00	<u> </u>	 		†		·		
	& facility reservation - Zone 2	1	2	UAL	UAL2X	14.09	117.08	68.36					ļ			i
	2 Wire Unbundled ADSL Loop including manual service inquiry	†	-	0.12	GALLA	14.00		00.00		1	l .	1			· · · · · · · · · · · · · · · · · · ·	
	& facility reservation - Zone 3		3	LIAL	UAL2X	15.75	117.08	68.36					}			İ
	Order Coordination for Specified Conversion Time (per LSR)	+	 	UAL	OCOSL	10.10	17.56	00.00		 	ł	 		-		
	2 Wire Unbundled ADSL Loop without manual service inquiry &	+		07.12	00000	· · · · · ·	11.00			·	·	 		-	·	
	facility reservaton - Zone 1		1	lual	UAL2W	12.29	92.83	56.02			į.		ļ			
	2 Wire Unbundled ADSL Loop without manual service inquiry &	+	<u> </u>	UAL .	UNLEVI	12.20	52.00	30.02.	• • • • • • • • • • • • • • • • • • • •	+		 				t
1	facility reservation - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02			ł					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	+		OAL	UNLEVV	14.03	32.00	30.02			†	-				
1	facility reservaton - Zone 3	ł	3	UAL	UAL2W	15.75	92.83	56.02	1							4
+	Order Coordination for Specified Conversion Time (per LSR)	1	<u> </u>	UAL	OCOSL	15.15	17.56	30.02		+	 	 				
- -	CLEC to CLEC Conversion Charge without outside dispatch	+		UAL	UREWO		86.07	40.34		 	 	 	· · · · · · · · · · · · · · · · · · ·	 	-	-
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE LC	IOP	OAL	OKEWO	+ +	00.07			 	 					
	2 Wire Unbundled HDSL Loop including manual service inquiry	T	,		 		-			-						
	& facility reservation - Zone 1	ĺ	1	UHL	UHL2X	9.79	125.50	76.77		1		j		İ		1
	2 Wire Unbundled HDSL Loop including manual service inquiry	·	<u>'</u>	OTTE	OTILEX	9.75	120.00	10.17		 	 	 				
	& facility reservation - Zone 2	1	2	UHL	UHL2X	11.52	125.50	76.77	}		1					1
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		OTTL	OTILEX	11.02	120.00	10,17		 	 	 			-	
	& facility reservation - Zone 3	}	3	UHL	UHL2X	12.74	125.50	76.77								1
	Order Coordination for Specified Conversion Time (per LSR)	 	ا ا	UHL	OCOSL	12.14	17.56	10.77		 		-		· .		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	 	OTIL .	10000		11.50		 	+		ļ				-
	and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43	1			1				ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry	+	<u> </u>		DITELL	0.10	101.24	04.40	-	+						·
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								i -
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	-	OTIL	- CHILLY	11.02	101.24	04.43	· · · · · · · · · · · · · · · · · · ·	· · · · · ·	 	 		·		
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43		1 .						l
	Order Coordination for Specified Conversion Time (per LSR)	+	- 3	UHL	OCOSL	12.14	17.56	04.43		+	ļ					
	CLEC to CLEC Conversion Charge without outside dispatch	+		UHL	UREWO		86.00	40.34		 	 	 				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE LO		OTIL	UNLIVE	 	00.00	40.54		 	1					l
	4 Wire Unbundled HDSL Loop including manual service inquiry	1	· ·		+											
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								1
	4-Wire Unbundled HDSL Loop including manual service inquiry	1		OTTE.	OTIE TX	70.24	100.20	104.04		+			···			
	and facility reservation - Zone 2	1	2	UHL	UHL4X	16.65	153.26	104.54		1						1
	4-Wire Unbundled HDSL Loop including manual service inquiry	 		DI IL	JULIA .	10.00	100.20	101.01		+	 	t				
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54		1						1
	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL	17.54	17.56	. 104.54		-	 					
	4-Wire Unbundled HDSL Loop without manual service inquiry	+		OFIL	OCCUSE		17.30			 	 	 				
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20	-			1				1
	4-Wire Unbundled HDSL Loop without manual service inquiry	+		U. IL	OT IL-TVY	10.24	129.00	82.20								
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								1
	4-Wire Unbundled HDSL Loop without manual service inquiry	 			OT IL TVV	10.03	125.00	32.20		+						
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								1
	Order Coordination for Specified Conversion Time (per LSR)	+		UHL	OCOSL	17.34	17.56	32.20	-	<u> </u>						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34		+	1					· · · · · · · · · · · · · · · · · · ·
4-WIE	RE DS1 DIGITAL LOOP	 		UTIL	CILLARO		30.00	40.34		 	 	 				
17-1711	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98		 	ļ	<u> </u>				
-+-	4-Wire DS1 Digital Loop - Zone 2	+		USL	USLXX	194.96	245.16	152.98		+						
	4-Wire DS1 Digital Loop - Zone 3	†	3	USL	USLXX	491.94	245.16	152.98	 	 					-	
	Order Coordination for Specified Conversion Time (per LSR)	+		USL	OCOSL	451.54	17.56	102.96		-	 	·	ļ			

INBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmer	t; 2 Exh. A		
ATEGORY		Interim	Zone	всѕ	usoc)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		ļ.,	-				Nonrec	urring	Nontecutrin	g Disconnect	ļ			Rates (\$)	2,00 .00	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98			l					
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	ļ	1								J					
ļ	4 Wire Unbundled Digital 19.2 Kbps	ļ	1_1_	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps	1	2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps	ļ	3	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 	1 2	UDL	UDL56 UDL56	30.99 36.78	121.86	85.48 85.48		ļ				 		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL	UDL56	38.92	121.86 121.86	85.48				-		ļ		
	Order Coordination for Specified Conversion Time (per LSR)	 		UDL	OCOSL	36.92	17.56	60.46		-						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<u> </u>	1	UDL	UDL64	30.99	121.86	85.48		 						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 	2	UDL	UDL64	36.78	121.86	85.48		1.						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	· · · · · · · · · · · · · · · · · · ·	3	UDL	UDL64	38.92	121.86	85.48		·						
	Order Coordination for Specified Conversion Time (per LSR)		1	UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67					Ī			
2-W1	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual						i		1							
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46			<u> </u>					
	2-Wire Unbundled Copper Loop-Designed including manual	ļ.									1					
	service inquiry & facility reservation - Zone 2	<u> </u>	2	UCL	UCLPB	14.09	116.18	67.46			1					
	2 Wire Unbundled Copper Loop-Designed including manual		_		1				i							
	service inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	15.75	116.18	67.46			ļ					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92		ļ						
	2-Wire Unbundled Copper Loop-Designed without manual					40.00	24.00	55.40	1							
	service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	12.29	91.92	55.12			ļ	ļ				
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12						ļ		
	2-Wire Unbundled Copper Loop-Designed without manual	+		1001	BOLI W	14.05	91.32	JJ. 12		 	 	 				
1	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12			l	l .				
	Order Coordination for Unbundled Copper Loops (per loop)		T .	UCL	UCLMC	10.1.0	7.92	7.92		· · · · · ·	 	 		· · · · · · · · · · · · · · · · · · ·		
	CLEC to CLEC Conversion Charge without outside dispatch	T			1						 	l				
İ	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WI	RE COPPER LOOP		1								1					
-	4-Wire Copper Loop-Designed including manual service inquiry										1					
	and facility reservation - Zone 1	<u> </u>	1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry		ľ				ŀ									
	and facility reservation - Zone 3	ļ	3	UCL	UCL4S	10.99	139.69	90.96								
	Order Coordination for Unbundled Copper Loops (per loop)	_		UCL	UCLMC		7.92	7.92				ļ				
	4-Wire Copper Loop-Designed without manual service inquiry		١.,			20.07	445.40	70.00								
_+	and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry	1	1	UCL	UCL4W	22.27	115.43	78.63				ļ				
	and facility reservation - Zone 2	1	2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry	+	2	DCL	UCL4VV	10.95	110.40	76.03								
	and facility reservation - Zone 3		3	lucL	UCL4W	10.99	115.43	78.63								
	Order Coordination for Unbundled Copper Loops (per loop)	 		UCL	UCLMC	. 10.00	7.92	7.92	-		1					
1	CLEC to CLEC Conversion Charge without outside dispatch	1	1					1.02		t	i i	•			· 1	
	(UCL-Des)	1		UCL	UREWO		91.92	42.47								
OP MODII	FICATION		1	1			Î			Ī :: : : - : - : - : - : - : - :	1	· · ·			· · · · · · · · · · · · · · · · · · ·	
			1	UAL, UHL, UCL,			ľ									
			1	UEQ, ULS, UEA,						1						
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l	1	UEANL. UEPSR.	1											
	pair less than or equal to 18k ft, per Unbundled Loop		<u> </u>	UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	ļ		UHL, UCL, UEA	ULM4L		0.00	0.00		1						
			-	UAL, UHL, UCL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA, UEANL, UEPSR.		ì										
- 1	per unbundled loop	1		UEANL, UEPSR.	ULMBT		12.15	12.15								

UNBUNDI	ED NETWORK ELEMENTS - Louisiana			- · · · · · · · · · · · · · · · · · · ·									Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)		-	1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec			g Disconnect	COMEC	COMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
SUB-LOOPS		1	Ì				First	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	Loop Distribution	-	 						†							
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										İ					
	Up		ļ	UEANL	USBSA		144.09	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	· ·										<u> </u>				
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	7.57	63.89	30.06		ļ					-	
	Zone 2	1	2	UEANL	USBN2	12.75	63.89	30.06		ļ						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92	:							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92		 						
-	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		7.92	7,92			ļ					
 	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.91	51.48	17.65								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	,	7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71	ļ							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
ļ	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	2.00	19.28	19.28								
—	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1			UCS2X	6.26	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UC\$2X UC\$2X	10.07 12.70	63.89 63.89	30.06 30.06								
						12.70		30.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	8.03	7.92 76.75	7.92 42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 		UEF	UCS4X	10.71	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	6.08	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28			-				•	
Unbu	Indled Network Terminating Wire (UNTW)															
Notes	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)			UENTW	UENPP	0.3454	14.72	14.72								
Ivetw	Network Interface Device (NID) - 1-2 lines			ÜENTW	UND12		42.26	27.83				-				
-	Network Interface Device (NID) - 1-5 lines				UND16		62.86	48.43								
	Network Interface Device Cross Connect - 2 W				UNDC2		5.73	5.73								
	Network Interface Device Cross Connect - 4W				UNDC4		5.73	5.73								
UNE OTHER	, PROVISIONING ONLY - NO RATE															
<u> </u>	NID - Dispatch and Service Order for NID installation				UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL, UEF, UEQ, U	UENCE	0.00	0.00		-							
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE	L		ENTW	UNECN	0.00	0.00									
JAL VIIILK	THE REPORT OF TH					1										

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachmer	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		1				Rec	Nonrec			g Disconnect	F-17-1		OSS	Rates (\$)		
		-					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL.						1	1			1		1
	Inbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00					i				
	Inbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	 		UDN,UEA,UAL,USL	UNECIN	0.00	0.00			-	 					
	ate			UEA,UDN,UCL,UDC	USBEO	0.00	0.00				1					
U	Inbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	<u> </u>		02.402.4002.00							1					
ra	ate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Inbundled DS1 Loop - Superframe Format Option - no rate	L		USL	CCOSF	0.00	0.00				Ī					
	Inbundled DS1 Loop - Expanded Superframe Format option -															
	o rate			USL	CCOEF	0.00	0.00									
	UNBUNDLED LOCAL LOOP										ļ					
	figh Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	4) END	40.04										
	ligh Capacity Unbundled Local Loop - DS3 - Facility		-	UE3	1L5ND	10.04										
	ermination per month			UE3	UE3PX	362.34	504.229	294.745								
	ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per	-		OLO.	OLOF A	302.34	304.228	254.745	-							
	nonth	1		UDLSX	1L5ND	10.04				1	1					
	ligh Capacity Unbundled Local Loop - STS-1 - Facility				125.12											
l Te	ermination per month			UDLSX	UDLS1	374.56	504.229	294.745		1	ĺ	1				
LOOP MAKE-UP																
Lo	oop Makeup - Preordering Without Reservation, per working or			-												
	pare facility queried (Manual).			UMK	UMKLW		23.29	23.29								L
	oop Makeup - Preordering With Reservation, per spare facility										1					
	ueried (Manual).			UMK	UMKLP		24.70	24.70		<u></u>						
	oop MakeupWith or Without Reservation, per working or								1		1	i				
	pare facility queried (Mechanized)	ļ		UMK	UMKMQ		0.19	0.19			ļ					
LINE SPLITTING									ļ	 						
	R ORDERING-CENTRAL OFFICE BASED									<u> </u>	ļ					
	ine Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61				 	 					
	ine Splitting - per line activation BST owned - physical	l			UREBP	0.61	17.97	10.29		-	 					
	ine Splitting - per line activation BST owned - virtual	l			UREBV	0.61	17.97	10.29		-						
MAINTENANCE C						0.07		70.20				-				
	he Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	licable.				 	1					
No.	o Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	o Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	o Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
	DICATED TRANSPORT									<u> </u>						ļ
	FICE CHANNEL - DEDICATED TRANSPORT Iteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -									ļ						
	er Mile per month			U1TVX	1L5XX	0.013								1		1
	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -	_		UTIVA	ILDAA	0.013										
	acifity Termination	i i		U1TVX	U1TV2	22.60	39.36	26.62		i	i i					1
	teroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTA	OTIVE	22.00		20.02								
	ev Bat Per Mile per month		J	U1TVX	1L5XX	0.013										
Int	teroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.											r "				i
	acility Termination			U1TVX	U1TR2	22.60	39.36	26.62			1					1
	teroffice Channet - Dedicated Transport - 4-Wire Voice Grade															1
	er Mile per month			U1TVX	1L5XX	0.013										i
int	teroffice Channel - Dedicated Transport - 4- Wire Voice Grade	1 1														i
	Facility Termination	L		U1TVX	U1TV4	19.81	39.36	26.62								Í
	teroffice Channel - Dedicated Transport - 56 kbps - per mile er month			LIATEN	41.577											
	er month teroffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.013										
	ermination			U1TDX	U1TD5	15.61	39.37	00.00								
	teroffice Channel - Dedicated Transport - 64 kbps - per mile			OTIDA	01103	15.61	38.37	26.62		ŀ						
	er month			U1TDX	1L5XX	0.013				1						
	teroffice Channel - Dedicated Transport - 64 kbps - Facility	- ·				0.0.0					1					
	ermination			XOTTU	U1TD6	15.61	39.37	26.62								

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmer	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	i Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring		<u> </u>			Rates (\$)		
		ļ	ļ			, ACO	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			LIATE	41.5307	0.0050										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	ļ	-	U1TD1	1L5XX	0.2652					↓		ł	}		}.
	Termination			U1TD1	U1TF1	70.47	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.04									,	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	 	_	01103	ILSAA	6.04			1		1	1		ł		· · · · · · · · · · · · · · · · · · ·
	Termination per month	<u> </u>	1	U1TD3	U1TF3	850.45	270.69	158.05				ļ				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TS1	1L5XX	6.04					Ì				'	
	Interoffice Channet - Dedicated Transport - STS-1 - Facility	 	\vdash	01131	ILDAX	0.04			1			ł				
	Termination			U1TS1	U1TFS	830.19	270.69	158.05								
DARK FIBER	2											1				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								T		l	1			·	
	Thereof per month - Local Channel	<u> </u>	<u> </u>	UDF, UDFCX	1L5DC	60.06			ļ			1				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		ŀ													
-	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	 	 -	UDF, UDFCX UDF, UDFCX	1L5DF UDF14	25.28	620.60	133.88	} -	L		}				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	 	UUF, UUFCX	IUDF 14		620.60	133.88		•						
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.06										
VIRTUAL CO	DLLOCATION		†	3,5,7,00,00,00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	33.00			i i			1				
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				Ì	İ						Ì				
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00	l					
PHYSIÇAL C	OLLOCATION				1											
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting															
NUANCED	EXTENDED LINK (EELs)			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00	<u> </u>					
	E: The monthly recurring and non-recurring charges below will	anniv and	the Su	itch-∆s-Is Charge w	ill not apply	for LINE combin	nations provis	ioned as 'Oro	linarily Combine	ad' Natwork E	lements					
	E: The monthly recurring and the Switch-As-Is Charge and not t											 				
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	T	T .		T	ĺ	•				i	· · · · · · · · · · · · · · · · · · ·				
- "	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09								
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09				Î				
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09		·						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
4-WII	RE VOICE GRADE LOOP FOR USE IN A COMBINATION		.	1010101					<u> </u>							
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2	ļ		UNCVX	UEAL4 UEAL4	30.81	94.21 94.21	45.09 45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	-		UNCVX	UEAL4	38.32 60.39	94.21	45.09	1							
	Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.6497	5.91	45.09	 			-				
4-WII	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			011017	15175	0.0401	0.51	4.20	 -							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09	 		 					
- + -	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09	1			1				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	38.92	94.21	45.09								
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
4.38/16	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON							. ,								
1-4-4411	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
14-7711		1		UNCDX	UDL64	36.78	94.21	45.09								
3-7007	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	· · · · · · · · · · · · · · · · · · ·			UDL64	38.92	94.21	45.09	 							
7-7/11	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX				4.26								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		3	UNCDX	1D1DD	1.38	5.91	7.20								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION			UNCDX	1D1DD				ļI	·						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1	UNCDX	1D1DD U1L2X	22.09	94.21	45.09		·						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2	UNCDX UNCNX UNCNX	U1L2X U1L2X	22.09 35.28	94.21 94.21	45.09 45.09		·						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		1 2 3	UNCDX UNCNX UNCNX UNCNX	U1L2X U1L2X U1L2X U1L2X	22.09 35.28 65.18	94.21 94.21 94.21	45.09 45.09 45.09								
2-Wif	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2 3	UNCDX UNCNX UNCNX	U1L2X U1L2X	22.09 35.28	94.21 94.21	45.09 45.09								
2-Wif	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month		1 2 3	UNCDX UNCNX UNCNX UNCNX	U1L2X U1L2X U1L2X U1L2X	22.09 35.28 65.18 2.96	94.21 94.21 94.21	45.09 45.09 45.09 4.26								
2-Wif	A-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month RE DS1 DigITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1		1 2 3	UNCDX UNCNX UNCNX UNCNX UNCNX	U1L2X U1L2X U1L2X U1L2X UC1CA	22.09 35.28 65.18	94.21 94.21 94.21 5.91	45.09 45.09 45.09								
2-Wif	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1		1 2 3	UNCDX UNCNX UNCNX UNCNX UNCNX UNCNX UNCNX	U1L2X U1L2X U1L2X U1L2X U1L2X UC1CA	22.09 35.28 65.18 2.96	94.21 94.21 94.21 5.91	45.09 45.09 45.09 4.26								

JNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring Di	sconnect			oss	Rates (\$)		1
12 2232			<u> </u>			REC	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per	OMBINATI	ON													+
	Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
4 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.013								_		
	Termination per month	İ		UNCVX	U1TV4	19.81	72.60	41.75								1
DS1 I	NTEROFFICE TRANSPORT FOR COMBINATION					75.61	72.00									
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652							- 1, 1, 1	_		
	Interoffice Transport - Dedicated - DS1 combination - Facility		-	10170	TEOXOL	0.2032								***		
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
DS3 1	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	}		UNC3X	1L5XX	6.04										ĺ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNCSA	ILOAA	6.04										
	month			UNC3X	U1TF3	850.45	270.69	158.05			ì					1
STS-	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.04										<u> </u>
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	830.19	270.69	158.05								ĺ
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT		UNCOX	UTIFS	630.19	270.09	100.00	-						-	
	4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09	—————————————————————————————————————							
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09						-		
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		1				_		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	LIMTOS	45.04	70.00	44.75	1							1
4.14/16	Facility Termination per month RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	ECICE TO	ANSBO	UNCDX	U1TD5	15.61	72.60	41.75								
4-4411	4-wire 64 kbps Looal Loop in Combination - Zone 1	FFICE IR	1	UNCDX	UDL64	30.99	94.21	45.09								
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09						_		
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								i
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -									į						i
	Per Mile per month	ļ		UNCDX	1L5XX	0.013										i
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75		1)	į.
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	F TRANS	PORT	DINCEX	01100		12.00	41.75	1	-						ĺ
1	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09		į						i
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09		- 1				-		
	4-wire 56 kbps Locat Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		į			[i
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			LINGS	1,, =, 0,		\exists		1	ĺ						i
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.013				ļ	ł				ļ	1
	Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								i
4-WIR	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	ORT	1	0,100	13.01	72.00	41.10		ì	i		İ		İ	i
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09		i i	T i		ĵ		j	i
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09		į	j		j		ļ	į
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09		Ì	ļ				[
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			Lucay	41.53.07				ľ	ĺ						i
	month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.013				ŀ						i
ı				l		1					Ī					i
	Termination per month			UNCDX	U1TD6	15.61	72.60	41.75		1	F F					

UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attachmer	t: 2 Exh. A		
U.12011D	The state of the s		1	T	T				· · · · · · · · · · · · · · · · · · ·			Svc Order	Incremental	Incremental	Incremental	
			1		l .						Submitted	Submitted		Charge -	Charge -	Charge -
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	RY RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											ļ ·	· .	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							· · · ·				1	<u> </u>	1			1 -10-11
						Rec	Nonre			Disconnect				Rates (\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			<u> </u>					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															4
	per month	1		UNC1X	1L5XX	0.2652		L								
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month		.1	UNC1X	U1TF1	70.47	143.58	103.88		i						
DS	S3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANS	PORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.546										L
	DS3 Local Loop in combination - Facility Termination per month	1		UNC3X	UE3PX	416.691	504.229	294.745					L	L		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04								L		
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month		L	UNC3X	U1TF3	850.45	270.69	158.05			L					
ST	TS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRA	NSPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.546										
	STS-1 Local Loop in combination - Facility Termination per				" [·								
1 1	month			UNCSX	UDLS1	430.744	504.229	294.745			1					
	Interoffice Transport - Dedicated - STS-1 combination - per mile	•														
	per month			UNCSX	1L5XX	6.04]			
	Interoffice Transport - Dedicated - STS-1 combination - Facility		1		1											
	Termination per month	1		UNCSX	U1TFS	830.19	270.69	158.05								
ADDITION/	IAL NETWORK ELEMENTS														-	
Wh	hen used as a part of a currently combined facility, the non-recu	rrng charg	es do n	ot apply, but a Swi	tch As Is cha	rge does apply.										
	hen used as ordinarily combined network elements in All States,						s not.				†					1
	onrecurring Currently Combined Network Elements "Switch As Is												·			
		1	1	UNCVX, UNCDX,		1					i i					
) j	Nonrecurring Currently Combined Network Elements Switch -A	s-	i	UNC1X, UNC3X,	ł	1			i :		i	İ	i			i
	Is Charge		1	UNCSX	UNCCC	1	5.43	5.43								
Opt	ptional Features & Functions:		Ť T													
		1		U1TD1,							Ì	ĺ				
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
			†	U1TD1.							i					
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00	1					
	Clear Channel Capability (SF/ESF) Option - Subsequent	- 	1	ULDD1, U1TD1.							† · · · · · · · · · · · · · · · · · · ·					
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
- t-	- Patring por Doi	1 -		U1TD3, ULDD3.	1411000		104.00	20.10	1.07	0.71	!					
	Chit Barity Cation College Addition and BC2				NDOOO		240.70	7.00	0.7000	0.00						1
	C-bit Perity Option - Subsequent Activity - per DS3 ULTIPLEXERS	<u> </u>	<u> </u>	UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00			ļ			ļ
MIU	DS1 to DS0 Channel System per month		 	UNC1X	MQ1	105.09	59.97	12.96			.					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	UNCIX	MQ1	105.09	59.97	12.96			<u> </u>					
l		1		(UD)	10.100	4.00		4 50			i					i
ļ <u>-</u>	month (2.4-64kbs) used for a Local Loop	 	 	UDL	1D1DD	1.38	6.39	4.58	ļ		ļ					<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	Į.	1		1						Į.					1
	month (2.4-64kbs) used for connection to a channelized DS1	l l	1		1				!		j					
 	Local Channel in the same SWC as collocation	<u> </u>	1	U1TUD	1D1DD	1.38	6.39	4.58			.					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - pe	er									ļ					
	month for a Local Loop	_	1	UDN	UC1CA	2.96	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - pe		1		1	1										
	month used for connection to a channelized DS1 Local Channel	el							. 1							
	in the same SWC as collocation		ļ	U1TUB	UC1CA	2.96	6.39	4.58								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1						1					
	used for a Local Loop		.	UEA	1D1VG	0.6497	6.39	4.58								
		1	1		1											
	Voice Grade COCI - DS1 to DS0 Channel System - per month					4					1					1
	used for connection to a channelized DS1 Local Channel in the	;	ì								1					
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation	:		U1TUC	1D1VG	0.6497	6.39	4.58								
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month		ļ	UNC3X	MQ3	201.48	107.05	91.25								
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation															

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l	_					D. 4 T. T. C. (4)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											l		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		1	Rec	Nonred	urring	Nonrecurring	Disconnect	t T		oss	Rates (\$)	1	, -
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	DS1 COCI (used for connection to a channelized DS1 Local															1 1
1	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58				l				
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58			1					1 1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				1						1					1
	month			ULDD1	UC1D1	11.78	6.39	4.58			ļ					
Note:	Rates displaying an "I" in Interim column are interim as a resu	It of a Co	mmissi	on order.												1 1

NBUNDLED NET	WORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
						Rec	Nonrec First	urring Add'1	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOM
The "Zone" sh	own in the sections for stand-alone loops or loops as	nart of a	combin	ation refers to Geom	raphically Dear	veraged LIME	Zones To view	v Goographics	Illy Dominion	d Likie Zono Do	clanations	bu Control (Office refer to	internet Wel	i	
http://www.int	erconnection.bellsouth.com/become a clec/html/inter				rapinically bear	veragea one i	10 VIC	Cograpino	my Deaverage	a ONL Zone De	aignations	by Gential (Jilice, lelel to	internet wet	/3ite.	
	ORT SYSTEMS (OSS) - "REGIONAL RATES"			L	<u></u>										<u> </u>	<u> </u>
	C should contact its contract negotiator if it prefers the state specific Commission ordered rates for the servi															
each of the 9 s		ce ordern	ig chai	ges, or out of may er	ect the regiona	ir service orde	ring charge, is	owever, CLEC	Call Hot obtain	r a mixture or i	ne two rega	iluless ii Gi	.EC nas a me	rconnection	commact esta	unsnea
	element that can be ordered electronically will be bill															
	ered electronically at present per the LOH, the listed S	OMEC rat	e in thi	s category reflects th	e charge that v	would be bille	d to a CLEC or	nce electronic	ordering capa	bilities come o	n-line for th	at element.	Otherwise, to	he manual or	dering charge	, SOM
	I to a CLECs bill when it submits an LSR to BellSouth, Electronic Service Order Charge, Per Local Service	-	1	T						τ	ı				1	1
	st (LSR) - UNE Only		1		SOMEC		3.50	0.00	3.50	0.00						
	Manual Service Order Charge, Per Local Service Request]														
	UNE Only ADVANCEMENT CHARGE				SOMAN		15.75	0.00	1.97	0.00					}	├
	pedite charge will be maintained commensurate with	l BellSouth	's FCC	No.1 Tariff, Section	5 as applicable											
				I						 						1
			Ì	UAL, UEANL, UCL, UEF, UDF, UEQ,	İ											1
				UDL. UENTW. UDN		I										1
				UEA, UHL, ULC,		ĺ	ļ								Ì	1
		ļ		USL, U1T12, U1T48												
				U1TD1, U1TD3, U1TDX, U1TO3,]						
				U1TS1, U1TVX,						i						
				UC1BC, UC1BL,												
				UC1CC, UC1CL, UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												1
				UC1GC, UC1GL, UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,			ł									
				UE3, ULD12.												
				ULD48, ULDD1, ULDD3, ULDDX,												
				ULDO3, ULDS1,						į						
				ULDVX, UNC1X,												
				UNC3X, UNCDX, UNCNX, UNCSX,												
				UNCVX, UNLD1,			ŀ									
				UNLD3, UXTD1,	i											
LINE ES	xpedite Charge per Circuit or Line Assignable USOC, per			UXTD3, UXTS1, U1TUC, U1TUD.												
Day	specifie diffarge per directit of Eine Assignable 0000, per l				SDASP	1	200.00	i								
	IGE ACCESS LOOP															
	OG VOICE GRADE LOOP Analog Voice Grade Loop - Service Level 1- Zone 1		-	LIFAND	LIEAL S	40.00	07.00	47.55	00.10							ļ
2-Wire	Analog Voice Grade Loop - Service Level 1- Zone 1 Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEAL2 UEAL2	12.03 16.87	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						
2-Wire	Analog Voice Grade Loop - Service Level 1- Zone 3		. 3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
	Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						
	Analog Voice Grade Loop - Service Level 1- Zone 1 Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	12.03 16.87	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						
2-Wire	Analog Voice Grade Loop - Service Level 1- Zone 3				UEASL	25.68	37.92	17.55	23.48	5.25						
2-Wire	Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17 55	23 48	5.25						
1 IUnbund	dled Miscellaneous Rate Element, Tag Loop at End User			UEANL												
Premise					URETL		8.33	0.83								

	D NETWORK ELEMENTS - Mississippi												Attachmen	nt: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															Disc 1st	DISC Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92			1					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		İ												1	i
	providing make-up (Engineering Information - E.I.)	-		UEANL	UEANM		13.51	13.51							l	
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1	İ					Ì				1				1	1
	(per LSR)			UEANL	OCOSL		18.19	18.19								
2-WIR	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1													()	
	Premise			UEQ	URETL		8.33	0.83							L	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -														()	
	Non-Designed (per loop)			UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	1													()	
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25	l				i l	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25				1 !		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															· · · · · ·
	Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25				1		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1		-		1							
	Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI GIT OLI OB	JOEP LEG	20.00	01.52	11.00	20.40	0.20						
	Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			our or our co	Julia	20.00	01.02	17.00	25.40	0.20					-	
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25				'		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI ON OLI OB	JOLACO	45.05	51.52	17.55	25.46	3.23				-		
	Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25				'		1
NBUNDI ED	EXCHANGE ACCESS LOOP	 		DET ON OLF OD	- DEADO	40.00	51.52	11.55	20.40			-	•••			
	ANALOG VOICE GRADE LOOP			<u>-</u>												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					-	-							ļI		
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37				1 1	, ,	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	ULALZ	13.69	105.50	00.20	32.02	10.37						-
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37					, ,	l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	18.75	105.96	08.28	52.82	10.37				ļ		
			3	UEA	LIEAL O	07.55	405.00		50.00	40.07				()		
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37				·		
	Ground Start Signaling - Zone 4		4	UEA	LIENIA	45.70	405.00	00.00	50.00	40.07				(!		
	Order Coordination for Specified Conversion Time (per LSR)		4	UEA	UEAL2 OCOSL	45.72	105.96	68.28	52.82	10.37				ļ	,	
		·		UEA	OCOSL		18.19					-		\leftarrow		-
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1			1154	LUEADO	40.00	405.65	00.00	50.55	40						
			1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		~	1154	UEAGO											
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														,	
			3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 3															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						

ADOMULE	D NETWORK ELEMENTS - Mississippi			1		r							Attachmen			
EGORY		Interim	Zone	·	usoc				-			Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UEA	UREWO		First 87.56	Add'l 36.29	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIR	ANALOG VOICE GRADE LOOP	 		0.0,1	GILLIE		71.10	1,10	 							·
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
_	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								<u> </u>
2-WIR	ISDN DIGITAL GRADE LOOP		1	UDN	141 614											ļ
-	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	21.01 27.59	117.61	79.92 79.92	52.82	10.37						
_	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X U1L2X	37.34	117.61 117.61	79.92	52.82 52.82	10.37 10.37		-				<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL	33.10	18.19	13.32	32.62	10.57						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								
2-WIR	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP	0011	UNETTO		31.40	77.07								
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	1													
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						ĺ
	2 Wire Unbundled ADSL Loop including manual service inquiry	· · · · ·														
	& facility reservation - Zone 2	l	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						1
	2 Wire Unbundled ADSL Loop including manual service inquiry				i -											
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						1
	2 Wire Unbundled ADSL Loop including manual service inquiry													i		
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93				i		L
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &											-		i		1
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	44.47	00.45	50.00	50.00	7.00						l
+	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UALZW	11.47	96.15	58.03	50.38	7.93						ļ
	facility reservation - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.00	7.93						1
4	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UALZVV	11.74	96.15	58.03	50.38	7.93		-	~- }			ŀ
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93				1	i	i
1	Order Coordination for Specified Conversion Time (per LSR)		7	UAL	OCOSL	12.03	18.19	36.03	30.36	. 7.83		1		·—		i
	CLEC to CLEC Conversion Charge without outside dispatch	·		UAL	UREWO	1	86.04	40.33		-						
2-WIR	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP		- OINEING		- 50.0-7	40.00	i :			i i				i
	2 Wire Unbundled HDSL Loop including manual service inquiry				T								i			1
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						1
	2 Wire Unbundled HDSL Loop including manual service inquiry											ĺ	i			1
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93			į			1
	2 Wire Unbundled HDSL Loop including manual service inquiry															i
	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93			J			i
	2 Wire Unbundled HDSL Loop including manual service inquiry															i
ļ	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93]				1
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		18.19	•					1			
	and facility reservation - Zone 1			UHL	10000	0.75	404.00	20.71								i
	2 Wire Unbundled HDSL Loop without manual service inquiry	_		UnL	UHL2W	8.75	104.86	66.74	50.38	7.93			1			ł
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						ĺ
-	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	UTILZVV	9.22	104.00	00.74	30.36	7.93			1	i		i
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						ĺ
ì	2 Wire Unbundled HDSL Loop without manual service inquiry				- OTTLETT	0.01	104.00	00.14	00.00	7.0,3	· 1		į	• •		Í
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						ł
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19						ì	i		I
į .	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				1	ì	İ		i
1												Ì	Ì	j		i
	4 Wire Unbundled HDSL Loop including manual service inquiry						i						ľ	Ì		
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						1

UNBUNE	DLE	NETWORK ELEMENTS - Mississippi	-											Attachmer	t: 2 Exh. A		
CATEGOR		RATE ELEMENTS	Interim	Zone		usoc		Nonrec	RATES (\$)	Nonrecurring	1 Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		4-Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	1	<u> </u>	+	1	LIISI	Auu	FIISL	Auui	JOWEC	JOWAN	SUMAN	SOMMI	JOWAN	SOMAN
1 1		and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry										1					
		and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
1		4-Wire Unbundled HDSL Loop including manual service inquiry															1
 		and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68	ļ					-
├		Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry	ļ	1	UHL	OCOSL		18.19					-				
		and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68	1					
 		4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>		5112	I CITICATO	13.70	100.02	55.50	30.72	10.00						† · · · · · · · ·
1		and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry		i -	İ							-					i
		and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
1		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
\vdash		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		18.19 85.98	40.33	-							
4.3	MIDE	DS1 DIGITAL LOOP	 		UHL	UREWO		85.98	40.33								
	VVIKE	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
 		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
4-1	WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				ļ											Ļ
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19 UDL19	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						
		4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64	 			<u> </u>	-	
\vdash		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64	 					
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19								<u> </u>	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		3	UDL	UDL64 UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64					v	
	\rightarrow	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	32.23	18.19	00.00	00.08	14.04				-		
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-1	WIRE	Unbundled COPPER LOOP				T											
	T	2-Wire Unbundled Copper Loop-Designed including manual															I
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual		_	UCL	HCLES	11.74	120.34	69.87	50.38	7.93						
		service inquiry & facility reservation - Zone 3 2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	11.74	120.34	89.87	50.38	7.93						
		service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12.05	8.20	8.20	00.00	,.55						
		2-Wire Unbundled Copper Loop-Designed without manual				1		-			***						
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual		3	UCL	UCLPW	11.74	95.21	57.09	E0 20	7.93						
\leftarrow		service inquiry and facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual		3	UUL	UCLPVV	11.74	95.21	57.09	50.38	7.93	-					
		service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						

NRONDLE	D NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			 		-	Rec	First	urring Add'l	Nonrecurring First	Add'I	SOMEC	COMAN		Rates (\$)	6014411	1 001141
-	CLEC to CLEC Conversion Charge without outside dispatch	· · · · · · · · · · · · · · · · · · ·			+		First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	(UCL-Des)		-	UCL	UREWO		95.21	42.40				1	l			
4-WIR	E COPPER LOOP		1	000	JOINETTO		33.21	42.40		-						ł
1	4-Wire Copper Loop-Designed including manual service inquiry	<u> </u>	f													t
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry				1											i
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
1	4-Wire Copper Loop-Designed including manual service inquiry															ĺ
	and facility reservation - Zone 3		. 3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry				1											1
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						1
+	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	 	UCL	UCLMC		8.20	8.20								1
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	ľ		UCL		47.00	440.50									ı
 -	4-Wire Copper Loop-Designed without manual service inquiry			UCL	UCL4W	17.30	119.56	81.44	56.72	10.68	} :		}		}	}
1	and facility reservation - Zone 2	l	2	UCL	UCL4W	18.84	119.56	81.44	FC 70	40.00						ı
	4-Wire Copper Loop-Designed without manual service inquiry	-	 	UCL	OCL4VV	10.04	119.50	61.44	56.72	10.68			})	}
1	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						ĺ
+-	4-Wire Copper Loop-Designed without manual service inquiry	 	Ť	002	1002411	21.00	119.50	61.44	30.72	10.00						
1	and facility reservation - Zone 4	1	4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						ĺ
7	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	21.00	8.20	8.20	50.72	10.00			}			ì
1	CLEC to CLEC Conversion Charge without outside dispatch						0.20	0.20					,		1	1
İ	(UCL-Des)		i	UCL	UREWO	i i	95.21	42.40								
MODIF	CATION								į į						ì	f
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire			021 00	OLIVIZE		02.01	52.57			1					ł
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
-LOOPS													Į į			[
Sub-L	pop Distribution		ļ													Ĺ
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															1
	Up			UEANL	USBSA		259.69				L					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		١,	UEANL	USBSB											
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	OSBSB		22.77								L	<u> </u>
	Facility Set-Up			UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		1/8.4/									
	Set-Up			UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANE	LOSDSD		30.38								L !	+
	Zone 1	1	1 1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						1
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLAITE.	OODINZ	7.10	00.16	31.14	45.30	0.71						Ł
	Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
,	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			02.412	1000112	3.01	00.10	31,14	40.00	0.71		- '		. '	- '	L
	Zone 3	1	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								10.00	<u> </u>			-	. '	-	L
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
-									(10,00 (_ '	L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															-
	Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															•
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Mississippi												Attachme	nt: 2 Exh. A		
		T]	1							Svc Order	Svc Order		Incremental	Incremental	Incrementa
		1	1	İ								Submitted		Charge -	Charge -	Charge -
		1	1	i							Elec		Manual Svc		Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	İ	USOC			RATES (\$)					Order vs.		Order vs.	Order vs.
		1		,	0000						per LSR	per LSR		Order vs.		1
		l	1	l									Electronic-	Electronic-	Electronic	Electronic-
		l	l		1								1st	Add'l	Disc 1st	Disc Add'l
t T		 	i -	t	i	1	Nonred	utting	Nonrecurring	Disconnect			000	Rates (\$)		
 		İ	1			Rec	First	Add'i	First	Addil	SOMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ļ		-			LIISI	Auu	FIISL	Addi	SUMEC	SUMIAN	SUMAN	SOMAN	SOWAN	SOMAN
1 1	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35	1					1
<u> </u>	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	U3BN4	10.73	79.49	44.45	31.27	9.33	}			ļ		-
1 !	Zone 4		4	UEANL	USBN4	40.70	70.40	44.45	51.27	9.35	i					1
-	Zone 4	 	4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC									Ì		
l	Order Coordination for Unburidled Sub-Loops, per sub-loop pair	ļ		UEANL	DSBMC		8.20	8.20						-		1
	<u> </u>	<u>I</u> .	J.		,									Į.		į
	10.1.0.0.5.5.6.6.81. # 10.1.1															
ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 		UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35			_			ļ
	Onto Onto Karling Salling Barrier															1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36								-
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	6.06	66.18	31.14	45.36	6.71	1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
																ſ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	T	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35			•			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ĩ	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
											1	-				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20			1					1
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEF	URET1		34.36	34.36			t			-		
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								t
Unhur	ndled Network Terminating Wire (UNTW)			021	O.C.IX			10.01								i
10	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55		-							
Netwo	rk Interface Device (NID)			OLIVIV	OLIVI I	0.3300	30.33									
7101110	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36			+					·
 	Network Interface Device Cross Connect - 2 W	-		DENTW	UNDC2		5.94	5.94								·
L	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		5.94	5.94			-					
TIME OTHER	PROVISIONING ONLY - NO RATE	-		DENTA	UNDC4		5.94	5.94								
DIVE OTHER,	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				1					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		ļ	UENTW	UENCE	0.00	0.00				-					t
	DN W Circuit to Establishment, Provisioning Only - No Rate			UEANL,UEF.UEQ,U	DENCE	0.00	0.00									
1	Unbundled Contract Name, Provisioning Only - No Rate	İ	į i	ENTW	UNECN	0.00	0.00		1		i i			i i		i
INE OTHER	PROVISIONING ONLY - NO RATE			ENTV	UNECN	0.00	0.00							ļ		
UNE UTHER,	PROVISIONING UNLY - NO RATE															
				UAL,UCL,UDC,UDL.												1
	Unbundled Contact Name, Provisioning Only - no rate	L	L	UDN,UEA,UHL,USL	UNECN	0.00	0.00							ļ		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1			1					1 1			i		i
	rate			UEA.UDN,UCL,UDC	USBFQ	0.00	0.00									i
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no								- 1							i
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									i
	Unbundled DS1 Loop - Expanded Superframe Format option -												-			i
	no rate			USL	CCOEF	0.00	0.00									l
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP															1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															1
	month			UE3	1L5ND	11.20										(
	High Capacity Unbundled Local Loop - DS3 - Facility										1					i
	Termination per month			UE3	UE3PX	326.15	522.2495	305.2905	141.7145	99.1185						1
	4							335.2330		\$5100						
	High Capacit, Unbundled Local Loop - STS-1 - Per Mile per						i				1 1			1		

JNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachmer	t: 2 Exh. A	l.	
CATEGORY	RATE ELEMENTS	Interim	Zone	·	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual S Order vs
		l				Rec	Nonre		Nonrecurring			1		Rates (\$)		
	High Capacity Unbundled Local Loop - STS-1 - Facility	ł			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per month			UDLSX	UDLS1	338.55	522.2495	305.2905	141.7145	99.1185		1			i	
OOP MAKE-				ODESA	UDEST	330.33	322.2493	303.2903	141.7145	99.1160		{ -				+
1	Loop Makeup - Preordering Without Reservation, per working or	·			+				-		 	 				+
	spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility	í							İ			1				1
	gueried (Manual)	ļļ		UMK	UMKLP		25.58	25.58	<u> </u>]			
	Loop MakeupWith or Without Reservation, per working or				1						l		Ī			
INË SPLITTI	spare facility queried (Mechanized)	!1		UMK	UMKMQ		0.6652	0.6652				[Į.
	REPLITTING															
	SER ORDERING-CENTRAL OFFICE BASED														· · · · · · · · · · · · · · · · · · ·	
EWD 0	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									-	+
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		 				+
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
	E OF SERVICE									50	-	1			-	
NOTE:	The Expedite charge will be maintained commensurate with I	BellSouth'	s FCC	No.1 Tariff, Section	13.3.1 as app	licable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
	DEDICATED TRANSPORT															1
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
1	Per Mile per month	l i		U1TVX	1L5XX	0.0098								:		1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		-	UTIVA	ICSAA	0.0098										
	Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade			01147	101112		40.17	21.01	17.20	7,111	<u> </u>					
	Rev Bat Per Mile per month		i	U1TVX	1L5XX	0.0098						i				
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat										·					1
	Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		l. '		-		1
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0098										ļ
	- Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	47.00	7.44						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	19.79	40.77	27.57	17.26	7.11						
	per month			U1TDX	1L5XX	0.0098	j									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	1,50,00	0.0000		-			ļ					
	Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile													***		
	per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	İ			1]										
	Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			LIATOA	41 0000							1	'	'		ł
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.201					<u> </u>					ļ
	Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						l
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01101	0.111	07.33	09.79	02.20	10.00	14.50						
	menth			U1TD3	1L5XX	4.76										l
	Interoffice Channel - Dedicated Transport - DS3 - Facility								-							
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						l
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	- 1														
	month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicali d Transport - STS-1 - Facility			UATOA				,								
ARK FIBER	Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
ANK TIDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+											
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	68.94										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1	30.54										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.27										

MOUNDEL	D NETWORK ELEMENTS - Mississippi												Attachmer	t: 2 Exh. A		
											1	Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	Charge
ATEGORY	RATE ELEMENTS	Interim	Zone	,	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
		 					Nonrec	urring	Nonrecurring	Disconnect			000	Rates (\$)		L
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel	 		UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85	SOME	JONIAN	JONIAN	JOWAN	SONIAN	JOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 		OBT, OBT OX	1001.17	-	042.13	130.07	320.51	203.03					-	-
	Thereof per month - Local Loop		ļ	UDF, UDFCX	1L5DL	68.94										
IRTUAL COLI		1		ODI, ODI OX	TESSE	00.34					 					
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	+			+ +		-		-							
	Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						İ
HYSICAL COI				OLI SIN OLI SB	VEILS	0.0200	12.37	11.07	0.04	5.45				-		-
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+				 							
	Solitting	1		UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
NHANCED ET	(TENDED LINK (EELs)	 		UEFSK UEFSB	PEILS	0.0288	12.37	11.87	6.04	5.45						
	The monthly recurring and non-recurring charges below will	apply and	the C.	itch Ac Ic Chara	will not annie f	or LIME combine	tions provide	nod as I C-iii	nasily Camb's	di Managaria El	L					
NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not	the non re	CUEFIC -	charge balow wi	Il apply for this	combinations	mons provisio	Currentin C	narily combined	I NELWORK ER	ments.					-
2-WIDE	VOICE GRADE LOOP FOR USE IN A COMBINATION	ine non-re	carring	charges below wi	n apply for UNE	combinations	Jiovisioned as	Currently C	ombined Netwo	OIK Elements.	·					
Z-VVIRE	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.00	60.00	F0.00	10.07				-		
	2-Wire VG Loop (SL2) in Combination - Zone 1	+	2	UNCVX	UEAL2	13.89	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						
		 														ļ
	2-Wire VG Loop (SL2) in Combination - Zone 3 2-Wire VG Loop (SL2) in Combination - Zone 4	-	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Voice Grade COC1 - Per Month	<u> </u>	- 4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						<u> </u>
4 WIDE				UNCVX	1D1VG	0.5737	6.62	4.74	-							
4-VVIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION	 		1 (1 100) B /					ļ					ļ		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	ļ	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 4	-	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
4 14055	Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.5737	6.62	4.74								L
4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						L
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						1
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74								
4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	1							ll							l
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64				i i		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74								
2-WIRE	ISDN LOOP FOR USE IN COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	21.01	117.61	79.92	52.82	10,37						
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37			-			
	2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	1							ſ
4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	·					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 4			UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 GOCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	40.10	12.07						
	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON	2.131/	100101	2.02	0.02	7.74					~~			
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per) I	···													
	Month			UNCVX	1L5XX	0.00088										1
	Interoffice Transport - 2-wire VG - Dedicated - Facility	 		5.101/	15000	0.00066										
	Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						1
4 WIDE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MPINATE	ON	ONOVA	UTIVZ	20.32	40.77	21.51	17.26	7.11						
- WIKE	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	JAIDINA II	CIN		+											·
	Month			UNCVX	1L5XX	0.00088	l									
				UNCVA	ILDAX	0.00088										
	Intereffice Transport Auris VC Dedicated E															
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						ŧ

NBUNDLED N	NETWORK ELEMENTS - Mississippi											1		t: 2 Exh. A		T
TEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electroni Disc Add
						Rec		curring		Disconnect				Rates (\$)	,	T
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	teroffice Transport - Dedicated - DS1 combination - Per Mile															
	er month	<u> </u>		UNC1X	1L5XX	0.1813			ļ				-			
	teroffice Transport - Dedicated - DS1 combination - Facility	1		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	PROFFICE TRANSPORT FOR USE IN A COMBINATION		-	UNCTX	Ullel	51.72	09.79	62.26	10.00	14.50	+	1			 	
	teroffice Transport - Dedicated - DS3 combination - Per Mile		+	 		-						† ·			t	
	er Month			UNC3X	1L5XX	4.76				}						
	teroffice Transport - Dedicated - DS3 - Facility Termination per			0110071	120701											
	onth			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29			l			1
STS-1 INT	FEROFFICE TRANSPORT FOR USE IN COMBINATION															
int	teroffice Transport - Dedicated - STS-1 combination - Per Mile															1
	er Month	L		UNCSX	1L5XX	4.76							<u> </u>	ļ		
	teroffice Transport - Dedicated - STS-1 combination - Facility											1				
	ermination per month	<u></u> _		UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		 	<u> </u>			
	6 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT	—	/ II I O D V	LIBLES	27.44	400.50	88.85	60.68	14.64		ļ				
	wire 56 kbps Local Loop in combination - Zone 1	-	1	UNCDX	UDL56		126.53			14.64		 				
	wire 56 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55	126.53 126.53	88.85 88.85		14.64		 				
	wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	40.76 32.25	126.53	88.85		14.64		 				
4-1	wire 56 kbps Local Loop in combination - Zone 4 teroffice Transport - Dedicated - 4-wire 56 kbps combination -		4	UNCDX	UDL56	32.23	120.33	88.63	00.00	14.04	 	 	 			—
	er Mile per month			UNCDX	1L5XX	0.0098										
	teroffice Transport - Dedicated - 4-wire 56 kbps combination -	 	+	UNCOX	ILOXX	0.0030										
	acility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11		1				1
	4 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO		-						1		T			
	wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		I				
	wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	wire 64 kbps Logal Loop in Combination - Zone 3	+	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		T	I			
4-1	wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		L				
Int	teroffice Transport - Dedicated - 4-wire 64 kbps combination -								I .							1
Pe	er Mile per month			UNCDX	1L5XX	0.0098						L				-
	teroffice Transport - Dedicated - 4-wire 64 kbps combination -										1	1				
	acility Termination per month		<u></u>	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11	ļ	-			ļ	
	6 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT										-	ļ	ļ	+
	-wire 56 kbps Local Loop in combination - Zone 1	-	1 1	UNCDX	UDL56	27.44	126.53	88.85		14.64			 			
	-wire 56 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55 40.76	126.53	88.85 88.85		14.64 14.64		 		 		
	-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX			126.53	88.85		14.64		 				+
	-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.04					 	+
	-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1	1	UNCDX	1L5XX	0.0098										
	-wire 56 kbps Interoffice Transport - Dedicated - Facility		+	UNCDX	ILSAA	0.0096			 		+	+				
	ermination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
A MIDE 6	4 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	F TRANS	PORT	DIVODA	101100	22.02	70.70	21.07	11120		·	<u> </u>	· · · · · · · · · · · · · · · · · · ·		†··	1
	-wire 64 kbps Local Loop in combination - Zone 1	I	1 1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1		<u> </u>			
	-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85		14.64						
	-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85		14.64						
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per								"		1					
	onth			UNCDX	1L5XX	0.0098					.l	1				
4-	-wire 64 kbps Interoffice Transport - Dedicated - Facility										1		1		1	
	ermination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						-
	TAL LOOP AND DS1 INTERFOFFICE TRANSPORT															-
	Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45		12.07						+
	Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45								+
	Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45								+
	-wire DS1 Digital Looal Loop in Combination - Zone 4	-	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					 	+
	teroffice Transport - Dedicated - DS1 combination - Per Mile				41 8100										1	
	er month			UNC1X	1L5XX	0.1813							-			-
	teroffice Transport - Dedicated - DS1 combination - Facility															
i Te	ermination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													t: 2 Exh. A	<u></u>	
		T	I						_		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	1	1	1		1	1						Submitted	Charge -	Charge -	Charge -	Charge -
		1			1	1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	l .	usoc	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						ı					per Lak	per Lok	Electronic-	Electronic-	Electronic-	
		1	i		ı	į.										
		1	1	1	1	ì							1st	Add'l	Disc 1st	Disc Add'l
	1	1					Nonre	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	1
			1		t	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT			-			710001	1	Addi	0020		Comple		1	1 00
12.53	DS3 Local Loop in combination - per mile per month	T	1	UNC3X	1L5ND	12.88									ł	1 .
		† —		0110011	1120112	12.00						i i		1	t	1
i	DS3 Local Loop in combination - Facility Termination per month	1	i	UNC3X	UE3PX	375.0725	522.2495	305.2905	141.7145	99.1185		ĺ		f	ļ	1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	4.76		500.2000	-		t			1	t	†
	Interoffice Transport - Dedicated - DS3 combination - Facility		1			1									1	†
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	1				1	t
STS	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRA	NSPORT				7.1.00	200,0		52100	39.20	_			†	ŧ	t
	STS-1 Local Lotp in combination - per mile per month	1	1	UNCSX	1L5ND	12.88					1				t	t
	STS-1 Local Loop in combination - Facility Termination per	1	· · · · · ·			-			t							t
	month		1	UNCSX	UDLS1	389.3325	522.2495	305.2905	141.7145	99.1185						
	Interoffice Transport - Dedicated - STS-1 combination - per mile	1	1													†
	per month			UNCSX	1L5XX	4.76										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility				+											f
1	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						1
ADDITIONAL	L NETWORK ELEMENTS												-		t	t
Whe	n used as a part of a currently combined facility, the non-recur	rng charg	es do n	ot apply, but a Swi	ch As Is cha	rge does apply.			 					1	t	t
	n used as ordinarily combined network elements in All States,						not.								t	t
Non	recurring Currently Combined Network Elements "Switch As Is"	Charge (One app	lies to each combin	ation	1										_
		1	T	UNCVX, UNCDX,	T /	1										†
	Nonrecurring Currently Combined Network Elements Switch -As	:-		UNC1X, UNC3X,	1	1 !										1
	ls Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Optio	onal Features & Functions:														t	t
				U1TD1.												1
	Clear Channel Capability Extended Frame Option - per DS1	1 .	ĺ	ULDD1.UNC1X	CCOEF	1 1	0.00	0.00	0.00	0.00						
				U1TD1,		1				0.00			-			t
	Clear Channel Capability Super FrameOption - per DS1		1	ULDD1,UNG1X	CCOSF	1	0.00	0.00	0.00	0.00						-
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	+	1	0.00									<u> </u>
	Activity - per DS1	1		UNC1X, USL	NRCCC	1 1	184.60	23.78	1.96	0.76					İ	
			1	U1TD3, ULDD3,					-							t
	C-bit Parity Option - Subsequent Activity - per DS3	i	J	UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
MUL	TIPLEXERS		1			1							-		1	1
	DS1 to DS0 Channel System per month			JNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per														Ť .	
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		I													
	month (2.4-64kbs) used for connection to a channelized DS1	1	1		1						1					
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		[1							
	month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		!				7-1-0-1									
	month used for connection to a channelized DS1 Local Channel	4	I]	1	1										
	in the same SWC as collocation			U1TUB	UC1ÇA	2.62	6.62	4.74							!	
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			ŲEA	1D1VG	0.5737	6.62	4.74								l .
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the								Į į							
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74						l		4
	DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52		32.82						Į
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						Į.
	DS1 COCI used with Loop per month		L	USL	UC1D1	12.96	6.62	4.74							ĺ.	į.
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74						i		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month	1	1	ULDD1	UC1D1	12.96	6.62	4.74								
	Rates displaying an "I" in Interim column are interim as a res				100101	12.30 1	0.02	7.17								

RONDEE	NETWORK ELEMENTS - North Carolina				·									t: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual Order v Electror
												}	fst	Add'l	Disc 1st	Disc Ad
· · ·		1			1		Nonrec	urring	Nonrecurrin	g Disconnect	1	•	088	Rates (\$)	•	
		1	1			Rec		Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
											,					,
Ť				· ··· · · · · · · · · · · · · · · · ·												
h																
RAT																
N																
e																
N.			_									-		_		
C.																
	applied to a CLECs bill when it submits an LSR to BellSouth.															
WIII DE	OSS - Electronic Service Order Charge, Per Local Service				т ——— т		1		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	Ι'	1	ı	1
	Request (LSR) - UNE Only				OMEC		3.50	0.00	3.50	0.00						
_	OSS - Manual Service Order Charge, Per Local Service	Ì	T-		† †		5.55	0.00	5.00	2.00	Í	İ	ĺ	l	···	1
	Request (LSR) - UNE Only				OMAN		15.20	0.00	15.20	0.00	<u> </u>	<u> </u>]			
	DATE ADVANCEMENT CHARGE									1						
NOTE:	The Expedite charge will be maintained commensurate with	BellSouti	h's FCC	No.1 Tariff, Section 5	5 as applicab					<u> </u>			<u> </u>			
			1								1					
				UAL, UEANL, UCL,							ł			1		
				UEF, UDF, UEQ,										}		
				UDL, UENTW, UDN,						•	1					
			ļ	UEA, UHL, ULC,	1					•						
				USL, U1T12, U1T48,	1		1							l		
			1	U1TD1, U1TD3,							ļ					
			1	U1TDX, U1TO3.	!						i		1			
				U1TS1, U1TVX,						1						
				UC1BC, UC1BL,	1					i						
			}	UC1CC, UC1CL,		i				1						
1				UC1DC, UC1DL,	ĺĺ					1						
				UC1EC, UC1EL,								ļ				
				UC1FC, UC1FL,								1				
				UC1GC, UC1GL,		1						ļ				
				UC1HC, UC1HL,								1				
				UDL12. UDL48,								1				
				UÐLO3, UDLSX.								l				
				UE3, ULD12.								1				
				ULD48. ULDD1,						1		1	İ			
				ULDD3, ULDDX,						1	1	Ì	ļ			1
				ULDO3, ULDS1,						1	1	1	1			
				ULDVX, UNC1X,			ĺ			1	1	1	ì			1
1 1				UNC3X, UNCDX,							1		ĺ			1
				UNCNX, UNCSX,	1		İ				ŀ		•			1
				UNCVX, UNLD1,			i			1			ļ			ŀ
1 1		1		UNLD3, UXTD1,						1	į		ŀ			1
1				UXTD3, UXTS1,		ł		i		1						
	UNE Expedite Charge per Circuit or Line Assignable USOC, per		}	U1TUC, U1TUD,		f	_			İ			1			
	Day Control of the Co	L	ļ	U1TUB, U1TUA	SDASP		200.00			<u> </u>	ļ	!	<u> </u>			
	XCHANGE ACCESS LOOP		1	1					L	ļ	<u> </u>	ļ	 			ļ
	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	WEANL	UEAL2	12.11	57.99	42.07		ļ	 	<u> </u>				
+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2		UEAL2 UEAL2	21.24	57.99 57.99	42.37 42.37		_		ļ	.			
+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2 UEAL2	33.65	57.99 57.99	42.37		}	 	-	ļ			
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	-	1		UEASL	12.11	57.99	42.37		 	 	 	 	_		-
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	-	2		UEASL	21.24				 	1	 	 			-
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2			UEANL	UEASL	33.65	57.99 57.99	42. <u>37</u> 42.37		}		 	 			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	CHINE	DEWOF -	33.50	57.99	42.37		 	 	 	ł			
	Premise		1	UEANL	URETL		8.33	0.83				1	1			-
	Loop Testing - Basic 1st Half Hour		1		URET1		76.24	76.24		†		· ·				+

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachmer	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		ļ				Rec	Nonre		Nonrecurring		001150			Rates (\$)	0014411	2011411
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	CLEC to CLEC Conversion Charge Without Outside Dispatch	1			I						i	ļ i				1
	(UVL-SL1)			UEANL	UREWO		15.76	8.93	ļ		ļ					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	ŀ							1							
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
ļ.	Order Coordination for Specified Conversion Time for UVL-SL1					ļ										
	(per LSR)			UEANL	OCOSL		45.34	45.34								
2-WIR	E Unbundled COPPER LOOP								<u> </u>							
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.16	35.27	15.60				ļ				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60	ļ							
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60	-							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEO	LIDET		0.00	0.55								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			UEQ	URETL		8.33	0.83	-							
	Non-Designed (per loop)			UEQ .	USBMC		61.38	61.38								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ .	USBIVIC		61.36	61.36								
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74			ļ					
	Loop Testing - Basic 1st Half Hour	-		UEQ	URET1		76.24	76.24								
	Loop Testing - Basic Tst Hall Hour			UEQ	URETA		39.51	39.51			ļ					
	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	UEQ	UKEIA		39.51	39.51								
	(UCL-ND)			UEQ	UREWO		14.26	7.42	1 1							i
INBLINDI ED	EXCHANGE ACCESS LOOP			UEU	UKEVVO		14.26	7.42								
	E ANALOG VOICE GRADE LOOP	-		·												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+											
i i	Zone 1		4	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI SIX OLI SB	ULALS	12.11	37.88	42.37	0.00	0,00						
	Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00					i	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		-	OLI ON OLI OD	OD NOC	12.11	01.00	72.07	0.00	0.00						
ļ	Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OB	OLALO	21.24	37.33	42.37	0.00	0.00						
	Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	OLI OK OLI OB	ULADO	21.24	31.83	42.31	0.00	0.00						
ŀ	Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00		1		i		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				100,00	00:00	- 01.55	72.01	0.00	0.00						
	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00						
INBUNDLED	EXCHANGE ACCESS LOOP				1			12.01	0.00							
2-WIR	ANALOG VOICE GRADE LOOP				1 1		-				-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					i			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56				- 1		ļ		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56				1				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34			***						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												****	·		
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56							ŀ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									·						
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56							1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										-					
	Battery Signaling - Zone 3			UEA	UEAR2	40.81	142.97	106.56								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.32	288.47	237.45								
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36.27	288.47	237.45								
_	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	56.57	288.47	237.45								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33				T				

ONDONDE	ED NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES (\$)	T.M.	ng Disconnect	Svc Order Submitted Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		+	-	-		Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
2-WI	RE ISDN DIGITAL GRADE LOOP	 	!		_		11130	Auu i	11130	Auu	SOMEC	SOWAN	SOMIAN	SOMAN	JUNIAN	SUMIAN
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31		+	1					
	2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	32.88	325.91	251.31								
~	2-Wire ISDN Digital Grade Loop - Zone 3	+	3	UDN	U1L2X	51.14	325.91									-
	Order Coordination For Specified Conversion Time (per LSR)		-3			51.14		251.31	<u> </u>							<u> </u>
				UDN	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch		l	UDN	UREWO		91.55	44.12								
2-VVI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM	PATIBLE	OOP													l
	2 Wire Unbundled ADSL Loop including manual service inquiry		ĺ													
	& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60			1					ĺ
l	2 Wire Unbundled ADSL Loop including manual service inquiry										1					†
1	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60			1					1
	2 Wire Unbundled ADSL Loop including manual service inquiry								1							
i	& facility reservation - Zone 3	1	3	UAL	IJAL2X	28.42	264.71	145.60			l .					1
	Order Coordination for Specified Conversion Time (per LSR)	+		UAL	OCOSL	20.42	45.34	143.00		+	 					
	2 Wire Unbundled ADSL Loop without manual service inquiry &		├	OAL	OCCUL		45.54			+	 					
1	facility reservaton - Zone 1	1	1	UAL		44.00	400.05									1
			1	UAL	UAL2W	11.00	190.25	114.82	İ		ļ					
.	2 Wire Unbundled ADSL Loop without manual service inquiry &				1				Í							1
	facility reservaton - Zone 2	1	2	UAL	UAL2W	18.39	190.25	114.82	ł							1 .
1	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				l				1
I	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34			·						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36	<u> </u>	 	1					
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIBLETO	OP		0.12770		- 00.12	10.00			1					
	2 Wire Unbundled HDSL Loop including manual service inquiry	T T			_				 	+	1					
	& facility reservation - Zone 1	1	1	UHL	UHL2X	0.04	284.74	163.54								1
			· · · · · ·	UHL	UHLZX	9.01	284.74	163.54								
	2 Wire Unbundled HDSL Loop including manual service inquiry		į								1					ì
	& facility reservation - Zone 2	ļ	2	UHL	UHL2X	14.87	284.74	163.54								1
	2 Wire Unbundled HDSL Loop including manual service inquiry		İ				i									
	& facility reservation - Zone 3	ł	3	UHL	UHL2X	22.82	284.74	163.54		1						1
	Order Coordination for Specified Conversion Time (per LSR)	T .	T T	UHL	OCOSL		45.34			1			*****			
	2 Wire Unbundled HDSL Loop without manual service inquiry								i e							
	and facility reservation - Zone 1		1 1	UHL	UHL2W	9.01	207.48	132.05	i	1						1
	2 Wire Unbundled HDSL Loop without manual service inquiry			0112	O. ICEV	0.01	201.40	132.00		-	1					
	and facility reservation - Zone 2		2	UHL	UHL2W	14,87	207.48	132.05								1
	2 Wire Unbundled HDSL Loop without manual service inquiry	+		OFIL	UIILZVV	14.07	207.46	132.05								
ł			3													l
	and facility reservation - Zone 3	ļ	3	UHL	UHL2W	22.82	207.48	132.05								
	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL		45.34									İ
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36	j				į			Ĺ
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIBLE LC	OP													
	4 Wire Unbundled HDSt. Loop including manual service inquiry										, , , ,					
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45	1							
	4-Wire Unbundled HDSL Loop including manual service inquiry									T						
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45	1							l
	4-Wire Unbundled HDSL Loop including manual service inquiry	+		Unic	10172-17	17.07	341.00	220.40	!	-						<u> </u>
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45	ſ							l
	Order Coordination for Specified Conversion Time (per LSR)		٥			21.24		220.45			<u> </u>					
	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL		45.34									<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 1		1_1_	UHL	UHL4W	10.62	264.39	188.96	L							
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96								1
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34	100.00		+	f	i	1			
	CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO		86.06	40.36	 							
4.00	RE DS1 DIGITAL LOOP	+		J. 7L	OILEVVO		80.00	40.36		+	-					
4-641	4-Wire DS1 Digital Loop - Zone 1	+	1	USL	USLXX	47.60	714.84	421.47			1					
									-	1						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714.84	421.47		-						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47					1			L
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48.31						7			1

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-			Rec	Nonrec			g Disconnect	501450	50111		Rates (\$)	001441	SOMAN
-+	CLEC to CLEC Conversion Charge without outside dispatch	-	<u> </u>	USL	UREWO		First 100.99	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 10/10	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 	-	USL	UREWU		100.99	43.00								ļ
4-VVIR		 	1				1,2-2-2				<u> </u>					ļ
	4 Wire Unbundled Digital 19.2 Kbps	ļ		UDL	UDL19	25.32	489.04	337.51			i					
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51			<u>. </u>					
	4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL	UDL19	67.26	489.04	337.51			<u> </u>	ļ				<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1 1	UDL	UDL56	25.32	489.04	337.51		ļ						L
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51								l
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	L	3	UDL	UDL56	67.26	489.04	337.51								
	Order Coordination for Specified Conversion Time (per LSR)		l	UDL	OCOSL		45.34									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51	•							
- 1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO	1	102.03	49.70								T
2-WIR	Unbundled COPPER LOOP															
1	2-Wire Unbundled Copper Loop-Designed including manual															
- 1	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75	!		1					İ
	2-Wire Unbundled Copper Loop-Designed including manual				1235.5		EUL/OU	1,0.10								
1	service inquiry & facility reservation - Zone 2	!	2	UCL.	UCLPB	22.39	262.86	143.75					i			1
	2 Wire Unbundled Copper Loop-Designed including manual	-		301.	TOOLI D	22.00	202.00	143.75								—
ľ	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75		i						1
	Order Coordination for Unbundled Copper Loops (per loop)	 	<u>-</u> -	UCL	UCLMC	34.60	61.38	61.38		ļ						
	2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>		001	OCLIVIC		01.30	01.30	ļ							
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	42.20	100.20	442.00								ĺ
	2-Wire Unbundled Copper Loop-Designed without manual	-	<u>'</u>	UCL	UCLPW	13.26	188.39	112.96								!
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	20.00	400.00]					1
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPW	22.39	188.39	112.96	ļ							ļ
									ļ							l .
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96								l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								L
	CLEC to CLEC Conversion Charge without outside dispatch				1	1				1						ĺ
	(UCL-Des)			UCL	UREWO		97.14	42.44								<u> </u>
4-WIRI	COPPER LOOP															1
	4-Wire Copper Loop including manual service inquiry and facility					1										1
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93		<u> </u>						ĺ .
	4-Wire Copper Loop including manual service inquiry and facility				·											1
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility					ŀ	-									
	reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Copper Loop without manual service inquiry and facility															
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14								1
	4-Wire Copper Loop without manual service inquiry and facility															
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14								(
	4-Wire Copper Loop without manual service inquiry and facility									···						
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14								1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	40.20	61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch			<u> </u>	OCLINO		01.30	01.50								
	(UCL-Des)			UCL	UREWO		97.14	42.44			1					i
P MODIFI				Ų OL	UNEVVO		97.14	42.44								
1				UAL, UHL, UCL.	+					-		-				
				UEQ, ULS, UEA,								1				i
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												1
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		24.24	24.24								1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UEFOB	ULMZL		21.24	21.24								
	less than or equal to 18K ft, per Unbundled Loop			IIII HOL HES			04.61						i			1
	reas than of equal to Tok It, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24								
				UAL, UHL, UCL,												
	Unbundled Leep Medification Demonstrate Printers Town			UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												1
	per unbundled loop			UEPSB	ULMBT		24.84	24.84								1

UNBUN	IDLE	NETWORK ELEMENTS - North Carolina												Attachmer	t: 2 Exh. A		
				T		T						Svc Order	Svc Order		Incremental	Incremental	Incrementa
			1	ļ								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ł	1		i									Elec	Manually		Manual Svc	Manual Svc	Manual Sv
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
	1											per Lor	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
	1		1	J									1	1st	Add'l	Disc 1st	Disc Add'l
				l										151	Addi	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)	•	,
_							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOC				L								1					[
S		op Distribution				ŀ					Ī]					1
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								j l		l					1
ļ.,		Up	- 1	ļ.,,	UEANL	USBSA		373.57			L	I	1]
1 1					İ.,_,,,								1				
ļ.—.ļ.	ļ	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		33.78			Ī	ļ	ļ				ļ ,
	- 1									1	}	\	-				
├ ──		Facility Set-Up	1		UEANL	USBSC		234.76									ļ
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	i .														
		Set-Up	1		UEANL	USBSD		81.05	-				 				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	١.		UEANL	USBN2	7.04	400.00									
				1 1	UEANL	USBN2	7.31	126.03	54.54			ļ					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	44.00	400.00	54.54				ļ				i
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	· · ·		UEANL	USBNZ	11.93	126.03	54.54								
		Zone 3	,	3	UEANL	USBN2	18.20	126.03	54.54								
 		zone 3	1	3	UEANL	USBNZ	18.20	126.03	54.54								
	[Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								l i
	+	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIVIC		01.30	01.30								
		Zone 1		1	UEANL	USBN4	8.44	156.52	79.66	i							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			DEAINL	036144	0.44	130.32	79.00							<u> </u>	
		Zone 2		2	UEANL	USBN4	13.81	156.52	79.66								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	OLAIVE	OSBN4	13.61	130.32	79.00								
		Zone 3		3	UEANL	USBN4	21.10	156.52	79.66								
				- ŭ	CEANCE	DODITY.	27.10	150.52	13.00							-	
	- 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.79	114.05	37.20						-		
								111100	01120								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	ľ	61.38	61.38				1				
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	9.70	137.10	60.24								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	ŲEF	UCS2X	14.59	137.10	60.24								
	į																
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.58	162.24	85.38								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2				UCS4X	10.51	162.24	85.38								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38								
		Order Consideration for University 1.5.1.1															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
		oop Testing - Basic 1st Half Hour			UEF	URET1		76.24	76.24								-
		_oop Testing - Basic Additional Half Hour led Network Terminating Wire (UNTW)			UEF	URETA		39.51	39.51								
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98									
NJ.	letwork	Interface Device (NID)			Ų⊏141VV	UENPP	0.4351	64.98									
		Network Interface Device (NID) - 1-2 lines	,		UENTW	UND12		86.37	56.69								
		Network Interface Device (NID) - 1-6 lines	-			UND16		127.93	98.21								
		Network Interface Device Cross Connect - 2 W	- i -			UNDC2		11.68	11.68								
		Network Interface Device Cross Connect - 4W	<u> </u>		UENTW	UNDC4		11.68	11.68								
UNE OTH		ROVISIONING ONLY - NO RATE	·			514504		11.00	11.08								
T		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									-
		JNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		January 13 Hale			UEANL, UEF, UEQ.U		0.00	0.00									
	t	Jnbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
		ROVISIONING ONLY - NO RATE															

UNDUNDEE	D NETWORK ELEMENTS - North Carolina													t: 2 Exh. A	ļ	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Name	RATES (\$)	Manager	ng Disconnect	Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
		+				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	· ·· 	ļ			 	t	1030	Augi	71131	Addi	SOME	JONAN	SOMAN	JOHAN	JONIAN	JONIAN
				UAL,UCL,UDC,UDL.]			1					
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00				1					İ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		İ	-						
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			l												
	rate				USBFR	0.00	0.00									L
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -	\vdash		USL	CCOSF	0.00	0.00		ļ							
	no rate			USL	CCOEF	0.00	0.00			İ						1
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP	 		USL	CCOEF	0.00	0.00									
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per										 					
	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility					1			1							
	Termination per month			UE3	UE3PX	450.69	1,231.65	743.038	1							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	13.33				1	f			ļ		
	High Capacity Unbundled Local Loop - STS-1 - Facility												i			1
LOOP MAKE-U	Termination per month			UDLSX	UDLS1	464.26	1,231.65	743.038			ļi					
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					1			i
	Loop Makeup - Preordering With Reservation, per spare facility			ÇIVIK	OWNEV		55.44	55.44								
	queried (Manual).	ĺĺ		UMK	UMKLP		55.73	55.73	ļ	1						
	Loop MakeupWith or Without Reservation, per working or				OWN.C.		55.75	85.10		1						
	spare facility queried (Mechanized)			UMK	UMKMQ	ĺ	0.6960821	0.6960821]			İ		
LINE SPLITTIN										 						
	PLITTING															
	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical				UREOS	0.61										
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61	56.92	28.59								
MAINTENANCE	E OF SERVICE			UEFSK UEFSB	UKEBV	0.61	56.92	28.59		-						
	The Expedite charge will be maintained commensurate with	BellSouth'	s FCC	No 1 Tariff Section 1	3 3 1 ac ann	licable				-						
	No Trouble Found - per 1/2 hour increments - Basic		3100	ito.: Turni, Geodon 1	о.о. таз арр	il Cable.	80.00	55.00		+						
	No Trouble Found - per 1/2 hour increments - Overtime		-				90.00	65.00						- 1		-
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
	DEDICATED TRANSPORT												-	-		
	OFFICE CHANNEL - DEDICATED TRANSPORT															
i	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month															
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	-		U1TVX	1L5XX	0.0125										
	Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58		1	1					
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	01172	18.00	137.48	52.58								
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125			•	į					1	
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTTVA	TESTON.	0.0123				-						
	Facility Termination			U1TVX	U1TR2]	18.00	137.48	52.58						-		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -									1	-					
	Per Mile per month			U1TVX	1L5XX	0.0125								i		
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		1								* *					
	- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95								
	Interoffice Channel - Dedi , 6 kbps - per mile per month			LIATOV	4) 5007											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0282				ļ						
	Termination			U1TDX	LIATOR	17.40	107.10	50.50				-				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			UTIDA	U1TD5	17.40	137.48	52.58								
	per month			U1TDX	1L5XX	0.0282	1									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					0.0202										
		1	1	MILL		- 1						f	1		1	

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A	1	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)	1			Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1			7,001	1 11.51	Auu	COMILO	COMPAN	JOHNAN	JOHIAN	JOHIAN	JOHIAN
	month			U1TD1	1L5XX	0.5753				[
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	71.29	217.17	163.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12.98										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility				120701	12.00			İ	1	1				1	l
	Termination per month			U1TD3	U1TF3	720.38	794.94	579.55								
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.14										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	790.37	642.23	408.89								
OARK FIBER				01151	UTIFS	790.37	642.23	408.89								-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction													Na Nasara		
-	Thereof per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DC	73.65										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	2	1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
/IRTUAL COL	Thereof per month - Local Łoop			UDF, UDFCX	1L5DL	73.65										
THE OUL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															-
	Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						1
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00		1				
	XTENDED LINK (EELs)														,	
NOTE	: The monthly recurring and non-recurring charges below will	apply and	the Sw	itch-As-Is Charge v	vill not apply	for UNE combin	nations provis	ioned as ' Ord	inarily Combin	ed' Network El	ements.					
2-WIR	: The monthly recurring and the Switch-As-Is Charge and not t E VOICE GRADE LOOP FOR USE IN A COMBINATION	ne non-re	curring	charges below will	apply for UN	E combinations	provisioned a	s Currently	Jombined' Net	work Elements						
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month		3	UNCVX	UEAL2 1D1VG	40.81 1.27	142.97 13.09	106.56								
4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION			ONCVX	TIDIVG	1.21	13.09	9.38								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	36.27	288.47	237.45								
	4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month		3	UNCVX	UEAL4 1D1VG	56.57	288.47 13.09	237.45								
4-WIR	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCVA	IDIVG	1.27	13.09	9.38								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								-
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		3	UNCDX	UDL56	67.26	489.04	337.51								
4.WIRI	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCDX	1D1DD	2.00	15.76	11.28								
- 1	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51	· ·							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
0.14"5	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
2-WIRI	E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	10.40	225.04	254.24								
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.42 32.88	325.91 325.91	251.31 251.31								
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	51.14	325.91	251.31								
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28								
4-WIRI	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	A-Mire DS1 Digital Loop in Combination - Zana 2															
	4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month			UNC1X UNC1X	USLXX UC1D1	134.29 16.07	714.84	421.47 9.38								

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonre	RATES (\$)	Nonrecursi	ng Disconnect	1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
			1		<u> </u>	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION				, , , , ,		11130	Audi	JOINEO	JOHIAN	SOMAN	SOMMIN	JUNIAN	SUMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1							†	-		 				
	Month			UNCVX	1L5XX	0.0282							i			
	Interoffice Transport - 2-wire VG - Dedicated - Facility															ļ
	Termination per month	l	L	UNCVX	U1TV2	18.00	137.48	52.58				1				ĺ
4 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month To Table 160 D to the first transfer of the first transfer o			UNCVX	1L5XX	0.0282					<u> </u>					L
ŀ	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month	1		UNCVX												
DS11	NTEROFFICE TRANSPORT FOR COMBINATION	1	 	UNCVX	U1TV4	22.16	106.11	65.95	ļ			ļ. ——				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 									-	ļ				
	per month			UNC1X	1L5XX	16.07				İ		1				1
	Interoffice Transport - Dedicated - DS1 combination - Facility				1	10.0						-				
	Termination per month			UNC1X	U1TF1	71.29	217.17	. 163.75								I
DS3 I	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION									1	i					
İ	Interoffice Transport - Dedicated - DS3 combination - Per Mile	Ì														
	Per Month			UNC3X	1L5XX	12.98					l					1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	ŀ	1		1		_									
STS-1	month INTEROFFICE TRANSPORT FOR USE IN COMBINATION			UNC3X	U1TF3	720.38	794.94	579.55								
313-	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	ļ	<u> </u>							- -						
	Per Month			UNCSX	1L5XX	6.14										i
	Interoffice Transport - Dedicated - STS-1 combination - Facility	†		DINCOX	ILSAA	0.14				 						
i	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89								i
4-WIR	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT				700.01	0.2.20	100.00		†						
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51		· · · · · · · · · · · · · · · · · · ·		-				
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		l													
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	<u> </u>	<u> </u>	UNCDX	1L5XX	0.0282										
	Facility Termination per month			UNCDX	LIATOR	47.40	407.40									i
A-WIE	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE TO	ANIEDO	UNCUX	U1TD5	17.40	137.48	52.58								ļ
7 1111	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	THE IK		UNCDX	UDL64	25.32	489.04	337.51		<u> </u>						
~ 1	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	1		UNCDX	UDL64	43.11	489.04	337.51	-	+	 					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	 		UNCDX	UDL64	67.26	489.04	337.51	<u> </u>	 				i		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			-												
	Per Mile per month			UNCDX	1L5XX	0.0282										i
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month	L		UNCDX	U1TD6	17.40	137.48	52.58								
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANSI								ļ	<u> </u>					
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	25.32	489.04	337,51		ļ						
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	43.11	489.04	337.51		Ļ						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCUX	UDL56	67.26	489.04	337.51								·
	month			UNCDX	1L5XX	0.0282										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UU.	TLOXX	0.0202				+						
}	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58						I		
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	ORT					02.00	-							
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51		T						
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	l4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month					T					-					
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.0282										
	Termination per month			UNCDX	U1TD6	17.40	137.48	50.50								
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	-		ONODA	01100	17.40	137.48	52.58		 				-		
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47		 						

	ED NETWORK ELEMENTS - North Carolina												Attachment	t: 2 Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Sve Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		 	 			Rec	Nonrec			Disconnect				Rates (\$)		
	4-Wire DS1 Digital Loop in Combination - Zone 2		 _	LINOW			First	Add'l_	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X UNC1X	USLXX	84.36	714.84	421.47								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		- 3	UNCIX	USLXX	134.29	714.84	421.47								
	per month			UNC1X	1L5XX	16.07										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month	1		UNC1X	U1TF1	71.29	217.17	163.75								
DS3 E	HIGHTAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12				į				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98								-		
i	Interoffice Transport - Dedicated - DS3 combination - Facility															
-	Termination per month			UNC3X	U1TF3	720.38	794.94	579.55								
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAM	SPORT											$\overline{}$	$\overline{}$		
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33						~ +		+		
-	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	464.26	1,071.00	646.12							1	
i	Interoffice Transport - Dedicated - STS-1 combination - per mile												+			
	per month			UNCSX	1L5XX	6.14	i						i	1		
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89							- 1	
TIONAL	NETWORK ELEMENTS						0.12.12.0	700.08				+				
When	used as a part of a currently combined facility, the non-recurr	ng charge	es do no	ot apply, but a Sw	itch As Is char	ge does apply										
wnen	used as ordinarily combined network elements in All States, t	he non-rei	currina	charges apply and	the Switch As	Is Charge does	not							-		
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge (C	one ann	lies to each combi	nation	is charge does	not.									
		30 (4	пе сър	UNCVX, UNCDX.	1	-										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X.	i i	İ			ſ		1			i		
1	Is Charge															
	Is Charge			UNCSX	LINCCC		21.75	21.75	22.20	40.00	- 1					
Option	nal Features & Functions:			UNCSX	UNCCC		21.75	21.75	32.28	10.96						
Option					UNCCC		21.75	21.75	32.28	10.96						
Option	al Features & Functions:			U1TD1,												
Option		ı		U1TD1, ULDD1.UNC1X	UNCCC		21.75	21.75	32.28	10.96				-		
Option	al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
Option	Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X												
Option	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	1		U1TD1, ULDD1.UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
Option	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1.UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOEF		0.00	0.00	0.00	0.00				-		
Option	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOEF CCOSF NRCCC		0.00 0.00 184.76	0.00	0.00	0.00						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	1		U1TD1, ULDD1.UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOEF		0.00	0.00	0.00	0.00				-		
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.76 218.92	0.00 0.00 23.80	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOEF CCOSF NRCCC	146.69	0.00 0.00 184.76	0.00 0.00 23.80	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	I I I		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3	146.69	0.00 0.00 184.76 218.92	0.00 0.00 23.80 7.66	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3	146.69	0.00 0.00 184.76 218.92	0.00 0.00 23.80 7.66 140.06	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.76 218.92	0.00 0.00 23.80 7.66	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD		0.00 0.00 184.76 218.92	0.00 0.00 23.80 7.66 140.06	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 184.76 218.92	0.00 0.00 23.80 7.66 140.06 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1D1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I I		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Cocal Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	1 1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1D1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1D1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month (bright of the System) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1D1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month vice Grade COCI - DS1 to DS0 Channel System - per month vice Grade COCI - DS1 to DS0 Channel System - per month Vice Grade COCI - DS1 to DS0 Channel System - per month	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month (broad Channel System) - per month (broad Channel System) - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	2.00 2.00 3.59	0 00 0 00 184.76 218.92 197.78 13.09 13.09	0.00 0.00 23.80 7.66 140.06 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month (bright of the System) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month (bright of the System) 1 the same SWC as collocation 2-wire GSDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire Grade COCI - DS1 to DS0 Channel System - per month or a channel system - per month or a channel system - per month or a channel system - per month or a channel system - per month or a channel system - per month or a channel system - per month used for a Local Loop	1 1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	2.00	0 00 0 00 184.76 218.92 197.78 13.09	0.00 0.00 23.80 7.66 140.06 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop **Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop **Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the used for connection to a channelized DS1 Local Channel in the	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	2.00 2.00 3.59	0 00 0 00 184.76 218.92 197.78 13.09 13.09	0.00 0.00 23.80 7.66 140.06 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	1 1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	2.00 2.00 3.59 3.59	0 00 0 00 184.76 218.92 197.78 13.09 13.09 13.09	9.38 9.38 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 1	1 1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	2.00 2.00 3.59 3.59 1.27	0 00 0 00 184.76 218.92 197.78 13.09 13.09 13.09 13.09	0.00 0.00 23.80 7.66 140.06 9.38 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MO3	2.00 2.00 3.59 3.59 1.27 1.27 233.10	0 00 0 00 184.76 218.92 197.78 13.09 13.09 13.09 13.09 13.09	9.38 9.38 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	1 1 1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNC3X UNC3X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3	2.00 2.00 3.59 3.59 1.27 1.27 233.10 233.10	0 00 0 00 184.76 218.92 197.78 13.09 13.09 13.09 13.09 13.09	9.38 9.38 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for active control to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month DS3 to DS1 Channel System per month DS1 COCI used with Loop per month DS1 COCI used with Loop per month	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MO3	2.00 2.00 3.59 3.59 1.27 1.27 233.10	0 00 0 00 184.76 218.92 197.78 13.09 13.09 13.09 13.09 13.09	9.38 9.38 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						
	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	1		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNC3X UNC3X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3	2.00 2.00 3.59 3.59 1.27 1.27 233.10 233.10	0 00 0 00 184.76 218.92 197.78 13.09 13.09 13.09 13.09 13.09	9.38 9.38 9.38 9.38	0.00 0.00 1.99	0.00 0.00 0.78						

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
		T									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental :
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1									j	Electronic-	Electronic-	Electronic-	Electronic-
ļ										1st	Add'l	Disc 1st	Disc Add'l			
1		<u> </u>	†—			n	Nonrec	urring	Nonrecurring	Disconnect	<u> </u>		oss	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	16.07	13.09	9.38								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month	1	1	ULDD1	UC1D1	16.07	13.09	9.38	Į Į							
		į i	1 0													

															ŗ.	Γ	-
ATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronk Disc Add
							Rec	Nonre	curring	Nonrecurring					Rates (\$)		
			1					First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	T			<u> </u>	h		4			· 	l	L			1	l	L
	h																
PERAT	T							•		-		<i>_</i>			•		
l l	NOTE.	(1) CLEC should contact its contract negotiator if it prefers the	'state spec	cific" OS	SS charges as ordere	d by the Stat	e Commissions 1	The OSS chare	es currently co	ontained in this r	ate exhibit are t	he RellSout	"regional"	service order	ing charges ('I FC may also	ct either the
	state sp	pecific Commiss on ordered rates for the service ordering charg	es, or CLE	C may	elect the regional sen	ice ordering	charge, however.	, CLEC can not	obtain a mixtu	re of the two re	pardless if CLE	C has a inter	connection	contract esta	blished in eacl	of the 9 state	25 .
	NOTE:	(2) Any element that can be ordered electronically will be billed	according	to the 5	SOMEC rate listed in t	his category	Please refer to B	ellSouth's Loc	ol Ordering Ha	ndbook (LOH) to	determine if a	product can	be ordered	electronically.	For those ele	ments that ca	nnot be
į.	orderec bill w ba	delectronically at present per the LOH, the listed SOMEC rate in enit submits an LSR to BellSouth.	this categ	ory refle	cts the charge that w	ould be bille	d to a CLEC once	electronic orde	ring capabilitie	es come on-line f	or that element	. Otherwise	, the manua	l ordering cha	rge, SOMAN,	will be applied	to a CLEC
	DINI WIN	ICSS - Electronic Service Order Charge, Per Local Service	T	,		ı ——-											
		Request (LSR) - UNE Only		l	1	OMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request										-					
NE SE	RVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				OMAN .		15.69	0.00	1.97	0.00						
		The Expedite charge will be maintained commensurate with Be	ISouth's I	FCC No	.1 Tariff. Section 5 as	policable.				-							
											•	t					
NBUND	NLED E	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANIL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN UEA, UHL, ULC, USL, UTTAB JITOX JIT	SDASP		200.00									
		ANALOG VOICE GRADE LOOP				-											
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	14.94	37.92	17.62		5.32						
+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2	21.39	37.92	17.62	23.56	5.32						
-+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62 17.62	23.56	5.32 5.32	\longrightarrow					-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEASL	21.39	37.92	17.62		5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEASL	26.72	37.92	17.62		5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			LIE AND	UDET											
-		Loop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		8,33 34,23	0.83 34.23								
		Loop Testing - Basic Additional Half Hour	1		UEANI.	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch	-	f			-		,0.80						-		
-+		(UVL-SL1)			UEANI.	UREWO		15.81	8.96								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		12.47	40.47								
		Manual Order Coordination for UVL-SL1s (per loop)				UEANM UEAMC		13.47	13.47			1				1	

NRONDLEDI	NETWORK ELEMENTS - South Carolina												Attachmer	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order ve Electroni Disc Add
					1	Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	der Coordination for Specified Conversion Time for UVL-SL1					-					1	ĺ	1			
(p c				UEANL	OCOSL		18.13	18.13								
	bundled COPPER LOOP		L													
Z-V	Vire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	Vire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42	L					
12 V	Vire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4,42			<u> </u>			İ
Dr.	bundled Miscellaneous Rate Element. Tag Loop at End User			Luca												
	inual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEO	URETL		8.33	0.83								
	indal Order Coordination 2 wire Unbundred Copper Loop - Non-, signed (per loop)				1											
				UEQ	USBMC		8.17	8.17								
l lon	bundled Copper Loop, Non-Design Copper Loop, billing for] .					
BS	T providing make-up (Engineering Information - E.I.)		!	UEQ	UEQMU		13.47	13.47								İ
	op Testing - Basic 1st Half Hour DD Testing - Basic Additional Half Hour			UEQ	URET1		34.23	34.23								
	EC to CLEC Conversion Charge Without Outside Dispatch		-	UEQ	URETA		19.90	19.90	L							
	EC to CLEC Conversion Charge Without Outside Dispatch CL-ND)								ļ .		li					į.
	HANGE ACCESS LOOP			UEQ	UREWO		14.30	7,45								
2 MUDE AN	HANGE ACCESS LOUP															l
	ALOG VOICE GRADE LOOP								·							
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.		li											1
	ne 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-			l 	1						l l					
	ne 1			UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1											1
	ne 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_		1				l i					f I		
	ne 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-		۱ ـ		1	[1
	ne 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1				}							i
	ne 3 HANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						L
	ALOG VOICE GRADE LOOP															
	Vire Analog Voice Grade Loop - Service Level 2 w/Loop or				I I											ĺ
	ound Start Signaling - Zone 1	ļ	11	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
2-V	Vire Analog Voice Grade Loop - Service Level 2 w/Loop or			l	1											ĺ
	ound Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Vire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		1											1
	ound Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	der Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	Vire Analog Voice Grade Loop - Service Level 2 w/Reverse					ļ.	1									1
	tery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	Vire Analog Voice Grade Loop - Service Level 2 w/Reverse								l i		1					i .
	ttery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	Vire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	tery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	der Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	EC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								L
Loc	pp Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
	ALOG VOICE GRADE LOOP															1
	Vire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
4-V	Vire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
4-V	Vire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
Ord	der Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	7	18.13									
	C to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
2-WIRE ISD	N DIGITAL GRADE LOOP				1											
2-W	/ire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
2-W	vire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
2-W	/ire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
Ord	ler Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	C to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25								
	YMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	IBLE LO	OP													
2 W	/ire Unbundled ADSL Loop including manual service inquiry &															
I foci	lity reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						

INBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachmen			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs Electronk
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrect		Nonrecurring					Rates (\$)		
	2.MG-15-1	ļ	ļ				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						1
	2 Wire Unbundled ADSL Loop including manual service inquiry &			OAL	OALZA	15.77	120.04	70.50	30.57	7.93						
	facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	13.71	95.01	37.02	50.37	7,93						
	facility reservator - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LOC	P													
	2 Wire Unbundled HDSL Loop including manual service inquiry &		1	UHL	UHL2X	9.58	120.55	70.04	50.37	7.00						l
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry 8		-	UNL	UHLZX	9.58	129.52	79.24	50.37	7.93						
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						1
	2 Wire Unbundled HDSL Loop including manual service inquiry &		-	OTIC	GITEZX	10.52	120.52	10.24	30.01	7.50						
	facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	i	18.13									
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		,			40.00	404.40	66.50	50 OF	# 00						
-	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		-				
	facility reservation - Zone 3		3	UHL	UHL2W	11.40	104,49	66.50	50.37	7.93			'			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13	00.00	00.07							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT		P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSI, Loop including manual service inquiry and			OTTE	I STIETA	1-7.55	136,10	107.03	33.12	10.36						
	facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13			i.						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						<u> </u>
	facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38					i	
	4-Wire Unbundled HDSL Loop without manual service inquiry and			TOTIL	GIILAW	14.55	133.14	55.10	33,12	10.36						
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHŁ	OCOSL		18,13	_								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	RE DS1 DIGITAL LOOP				4101307		050.00	157.00								
-	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	79.51 136.00	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Order Coordination for Specified Conversion Time (per LSR)		J	USL	OCOSL	223.13	18.13	137.08	44.00	11.73				-		****
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3 1	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDI	UDL56	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL.	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13	30,12	00.00							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	29.93	126.66	89.12	59.35	14.61						**********
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Sv Order vs
						Rec -		curring	Nonrecurring					Rates (\$)		
2.4/10	E Unbundled COPPER LOOP			<u> </u>	- i		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
,2-77113	2-Wire Unbundled Copper Loop-Designed including manual	T	ī	İ	1	· · · · · · · · · · · · · · · · · · ·				·		1 1				1
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12,19	119,91	69.62	50.37	7,93						
,	2-Wire Unbundled Copper Loop-Designed including manual							i	· · · · · · · · · · · · · · · · · · ·		1	1 1	•	-		1
,	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93]				1
	2 Wire Unbundled Copper Loop-Designed including manual service				İ		•						'.			
	inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93			4			
•	2-Wire Unbundled Copper Loop-Designed without manual service		-	UCL	UCLMC	+	8.17	8.17	ļ							ł
	inquiry and facility reservation - Zone 1		1	UCL.	UCLPW	12,19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service		<u> </u>	1001	1002, 11	12,10	34.07	30.09	30.37	7.33						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service				l I											
Į.	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								ļ
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	1			LIDEIUG		01.07	40.55								1
4.WIR	E COPPER LOOP	-	-	UCL	UREWO		94.87	42.57	{ .			1				4 /
14-1111	4-Wire Copper Loop-Designed including manual service inquiry	· · · · · · ·	.						ł				1			4
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry					1						1				1
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		<u> </u>				L
1	4-Wire Copper Loop-Designed including manual service inquiry				1											
	and facility reservation - Zone 3	ļ	. 3	UCL	UCL4S	19.34	144,17	93.88	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.17	8.17							-	
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		4	UCL	UCL4W	19.64	119.13	04.45	55.40	10.38						1
	4-Wire Copper Loop-Designed without manual service inquiry and		- '-	JUCIL .	UCL4VV	19.64	119.13	81.15	55,12	10.38						
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and		1	1	1 1					10.00					·····	Ì
	facility reservation - Zone 3		3	UCL	UCL4W	19,34	119.13	81.15	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	İ	1		1	1										ľ
OOP MODIFIC	Des)	ļ	ļ	UCL	UREWO		94.87	42.57								i
OUF MODIFIC	LATION	 -	 	UAL, UHL, UCL,	+ +				ļ				-			ļ
		ŀ	l	UEQ, ULS, UEA,	1 1											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	Ĭ	1	UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less		1													
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46	ļ							Į.
				UAL, UHL, UCL,												Ì
	Unbundled Lean Medification Democral of Dridged Tea Democral			UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		32,48	32.48			'					
UB LOOPS	per uniburialed loop			UEFSB	OLIVID 1	+	32,40	32.46	 							·
	pop Distribution				1											t
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1 1	İ						-				1
	Up	1		UEANL	USBSA		241.42	241.42	J	_				j		
]			Ì		1	,	Ì
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.69	22,69	Į Į							Į.
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		ŀ													
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		-	UEANL	USBSC		177.84	177.84	ļ		,					
	Un	1		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			DELLINE	IOOBOD		33.58	99.58				-		•		
	Zone 1	1	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				1							1				1
	Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
			_		1 T	-7						Ì				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_		1					_						
	Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						<u></u>

<u>UNBUNI</u>	DLE	NETWORK ELEMENTS - South Carolina													t: 2 Exh. A		
ATEGOR	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							Rec					-			1 1.7		r ·
			1	· · · · · ·				1					•				<u> </u>
		Zone 1		1	UEANL	USBN4	14,11	79.21	44.29	49.82	9.09						<u> </u>
į.	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09	1					ŀ
1		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
					VET IIIE	W W 1111	70.00	1.2.2.	,,,			f	1		į i		Ė
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			JEANL	USBMC		8,17	8.17								1
	_	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6,71						[
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	i	8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
						I — —											
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour		-	UEANL	URET1		34.23 19.90	34.23 19.90								
		Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	7,11	65.94	31.03	45.35	6.71						-
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
														I			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		JEF	UŞBMÇ		8.17	8,17								
-		Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85 14.17	79.21 79.21	44.29 44.29	49.82 49.82	9.09						
		Wire Copper Unbundled Sub-Loop Distribution - Zone 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X UCS4X	12,64	79.21	44.29	49.82	9.09				•		ł · · ·
		The copper distances due to be distinguish.			001	0004/	12,04	17.21	77120	40.02	E.HH.						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEF	USBMC		8.17	8.17								
	\Box	Loop Testing - Basic 1st Half Hour		Ĺ	UEF	URET1		34.23	34.23								
	<u> !</u>	Loop Testing - Basic Additional Half Hour		<u> </u>	UEF	URETA		19.90	19.90								
Ur	nbund	led Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair	_	-	UENTW	UENPP	0.3303	30.20	30.20								
Ne		Interface Device (NID)			OZITI V	DEW!	0.0000	55.25	30.23								
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
INF OTH		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE			UENTW	UNDC4		5.92	5.92								-
DNEOLD		NID - Dispatch and Service Order for NID installation	 		UENTW	UNDBX	0.00	0.00			· · · · · · · · · · · · · · · · · · ·						
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00	,							-	
					UEANL, UEF, UEQ, U												
		Unbundled Contract Name, Provisioning Only - No Rate		ļ	ENTW	UNECN	0.00	0.00									
UNE OTH	ER, P	ROVISIONING ONLY - NO RATE															ļ
	- 1				UAL,UCL,UDC,UDL.												
Ì	ŀ	Unbundled Contact Name, Provisioning Only - no rate			UDN.UEA.UHL. USL	UNECN	0.00	0.00									
		700															
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
			l					0.77									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		<u> </u>	UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00				-			-		-
	-	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no			USL	CCOSF	0.00	0.00									-
1		ale			USL	CCOEF	0.00	0.00									
IIGH CAP	ACIT	UNBUNDLED LOCAL LOOP													[]		1
																	[
<u> </u>		High Capacity Unbundled Local Loop - DS3 - Per Mile per month		<u> </u>	UE3	1L5ND	12.26										1
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	306.36	520.398	304.2095	137.7125	96.3355						1
		per monta	 		023	O LOF A	300.36	520.335	JU4.2095	137.7123	20.3333						
		High Capacity Unbundled Loca! Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
222.1		Termination per month			UDLSX	UDLS1	313.49	520.398	304.2095	137.7125	96,3355						
OOP MAI		Loop Makeup - Preordering Without Reservation, per working or				-									} -		1
1	- 1	Edop Makeup - Preordering without Reservation, per working or spare facility queried (Manual).	1	l	UMK	UMKLW	1	24,04	24.04			ľ			l		1

UNRC	INDLE	D NETWORK ELEMENTS - South Carolina												Attachmer	t: 2 Exh. A		
CATEG	SORY		Interim	Zone	BCS	Usoc						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			<u> </u>	ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	 	Loop Makeup - Preordering With Reservation, per spare facility						First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		queried (Manual).			UMK	UMKLP		25.49	25.49								
		Loop MakeupWith or Without Reservation, per working or spare										1.					
		facility queried (Mechanized)	<u> </u>		UMK	UMKMQ		0.34	0.34								
LINE SI	PLITTIN	G PLITTING	ļ														
		SER ORDERING-CENTRAL OFFICE BASED		-													
		Line Splitting - per line activation DLEC owned splitter	 		UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
	1	Line Splitting - per fine activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21,24	20.07	9.85						
MAINTE		OF SERVICE															
	NOTE:	The Expedite charge will be maintained commensurate with Be	llSouth's	FCC No	p.1 Tariff, Section 13	.3.1 as applica	ole.			<u>-</u>							
-	-	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	-	-				80.00	55.00 65.00								-
	-	No Trouble Found - per 1/2 hour increments - Premium	 					100.00	75.00								-
UNBUN	DLED I	DEDICATED TRANSPORT						100.00	75.00							*******	
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT												***************************************	*	*	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	-	Per Mile per month			U1TVX	1L5XX	0.0167					L		~			
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	10.77							1
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-		UTIVX	UTIVZ	24.30	40.63	27.47	16.77	6,91						-
		Rev Bat Per Mile per month	1		U1TVX	1L5XX	9.0167		[İ
		Interoffice Channel - Dedicated Transport- 2- Wire VG. Rev Bat															<u> </u>
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1														
	ļ	Per Mile per month		ļ	U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination	l		U1TVX	U1TV4	24.20	40.63	27.47	40.77	2.04						
	· · · · · ·	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			UTIVA	01174	21.29	40.83	27.47	16.77	6.91	-					
	ļ	month	1		U1TDX	1L5XX	0.0167										
	1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						Ĺ
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
		month Interoffice Channel Dedicated Transport 64 three Facility			U1TDX	1L5XX	0.0167										
		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	†	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTTOX	TOTTES	10.70	40.03	21,41	10.77	0.91						<u> </u>
		manth	Ì		U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				1											
	į	Termination			U1TD1	U1TF1	77,14	89.47	81.99	16.39	14.48						
	i	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility	_		U,1103	ILOAA	0.02										ł
		Termination per month		i	U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						ĺ
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			1			1									Γ- ···
		month			U1TS1	1L5XX	8.02										<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	İ					· · · · · I									ĺ
DARK F		Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						1
DARK	IDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof				-											Ì
		per month - Local Channel			UDF, UDFCX	1L5DC	112.30	J									i
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof			,	† 											
		per month - Interoffice Channel	<u> </u>		UDF, UDFCX	1L5DF	36.41	}									
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11]					
	ł	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof	Ι.					7									İ
VIRTUA	ו רחני	per month - Local Loop OCATION	 		UDF, UDFCX	1L5DL	112.30	-					}		-		1
• (K. 1 U.F	TE COLL	CONTINU	 		<u> </u>	1		ł		ł		}	ŀ				í
	i	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						i
PHYSIC	AL COL	LOCATION									00	j i	į		į		i
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	L	Splitting TENDED LINK (EELs)			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						

		+	 			4				71:0			<u> </u>		Interoffice Transport - Dedicated - DS3 - Facility Termination per	
			 			69.88	\$6.09	21.831	75.972	Sp. 6 SB. 407	1L5XX U1TF3	NC3X				
				ļ						073	***************************************	NC3X			Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	
	 		 		1	18.6	00:01	1.1:70	F7116	101101	1		ļ		INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	csa
-	 	 	 -		1	84.41	95.01	17.23	91,24	25.701	NOT	NACIX	 -	 	1/0 Channelization System in combination Per Month	
						87.71	06.31	66. ↑8	74.68	17.18	ratru	nacix			Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	
										72.0	XX97↓	NAC1X			quou	
	 	1			 	+		 	<u> </u>		-			 	INTEROFFICE TRANSPORT FOR COMBINATION Interofflice Transport - Dedicated - DS1 combination - Per Mile per	90
						16.9	77.91	74.72	40.63	£0.71	₽VTIU	ПИСЛХ			Termination per month	30
					 		i			D.0134	1F2XX	NACAX		ļ	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility	_
			-	ļ								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	 	 -		1	+	16.8	77.91	74.75	£9.0¢	pp 61	SVTIU	NACAX	N N	OITANISA	IRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COI	M Þ
															Interoffice Transport - 2-wire VG - Dedicated - Facility Termination	
										0.0134	T EXXX	пислх			Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	
							T						N	OITANIBA	IRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	w s
				<u> </u>		1	0000	£7.4	69.9	79.8	neigi	UNCIX			DS1 COC1 in combination per month	
	 			+		E7.11	08.44	68.721	253.03	68.18S	XXTSN	UNCIX	ε	ļ	4-Wire DS1 Digital Loop in Combination - Zone 3	
		 			 	67.11	08.44	68.731	500:03	55.631	NSFXX	UNCIX	Z	ļ	2 enoS - noitenidmoO ni good laligid 120 eriW-5	
	 	 		+	+	64 11	08 77	08 721	253.03	78.09	XXTSN	UNCIX	1		1 anoZ - notisenidmoO ni qooJ tstigiQ 120 aniW-4	
	+	+			 			0.05	00:0	00:3				ļ	IRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	V-4
		 			 	10:01	00:00	4.73	65.8	2.56	ADIOU	писих		<u> </u>	2-wire ISDN COCI (BRITE) - in combination - per month	
		 		+		19.01	90.68	60.08	88.711	07.78	กมกรx	NACAX		ļ	S-Wire ISDN Leop in Combination - Zone 3	
		 -		-	+	19.01	90.68 90.68	80.03	86.711	37.76	U1L2X	ПИСИХ			2-Wire ISDN Loop in Combination - Zone 2	
				 	!	1901	30.63	£0.08	88.711	12.21	NIFSX	ПИСИХ	t		2-Wire ISDN Loop in Combination - Zone 1	
	+	 -	-		i 	00.0	00.0	0.05	66.0				<u> </u>		IRE ISDN LOOP FOR USE IN COMBINATION	V-2
	<u> </u>	 	-		 	19.41	98.68	S1.98 E7.4	99.921	61.1	agrar	NACDX			OCN-DE COCI (data) - in combination - per month (2.4-64kbs)	
	+	 	-			19.41	35.63	21.68	99.921	47.48	nbre4	NACDX			4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	
	 	†·		+	+	1971	SE.63	21.98	126.66	33.99	#97GN	писрх			2 ano S - noitenidino O ni qoo Loo Bitogital Grade Loop in Compination - A	
	+	 	•	+	+	1577	30 03	CF 08	33 361	£6.6Z	nDFe4	писрх	ŀ	ļ	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	
	1				 -	00.0	00.0	£7.4	65'9	91.1	00101	VOONIO			IRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	N-17
	1	 				19.41	98'69	S1.88	126.66	47.4E	UDL56	NACDX			OCO-DB COCI (data) per month (2.4-64kbs)	
					1	19.41	98.68	21.68	126.66	66.65	0DF29	NACDX	3		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	
			1		1	19.41	36.63	S1.98	99'921	£6.6Z	99701	NACDX NACDX	i		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	
						1	1 2003	0,00	33 307	10000	93 IGI I	XUSINI				
					1	00.0	00.0	£7.4	65'9	99.0	1D1VG	NACAX			Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	Λ- P
						19.41	36.93	64.83	132.38	86.64	UEAL4	NACAX	3		4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month	
						19.41	SE.93		132,38	68.Eh	UEAL4	NACAX		-	S ano Z - antienidmo O ni goo Laber O soio V polen A attivité A ano Z - antienidmo O ni goo Laber O ario V polen A attivité D	
						19.41	98.98	84.83	132.38	35.59	UEAL4	NACAX	ı		4-Wire Analog Voice Grade Loop in Combination - Zone 1	
						1						AMOINI		 	MRE VOICE GRADE LOOP FOR USE IN A COMBINATION	A-+-
						00.0	00.0	£7.4	69.9	99'0	1D1AG	ΠΝΟΛΧ			Voice Grade COCI - Per Month	10
						10.01	80.68	£4.89	86.30f	28.46	SJABU	NACVX	3		2-Wire VG Loop (SL2) in Combination - Zone 3	
						10.01	80.68	£4.89	86.801	23.13	SJABU	NACAX	7.		S and S and S Loop (SL2) in Combination - Zone S	
		1				19.01	90'89	£4.89	86.301	89.91	UEAL2	NACAX	- L	<u> </u>	Z-Wire VG Loop (SL2) in Combination - Zone 1	
															NOT TANIBROOM AND SECUND TOTAL SECUND TOTAL SECUNDARIAN TOTAL SECU	A-7
						.atne	Network Eleme	ntly Combined	oned as ' Curn	isivorg enoitsnide	y for UNE con	irges below will appl	ան շր	non-recur	aution due agreup si-sw-upiline autique fourignal (indicour au tier auticul au tier auticul au tier auticul au tier auticul au	241
					1	Elements.	trowtell 'henide	Ordinarily Con	as banoisivoro	E combinations	NU 101 Vidge 10	-As-Is Charge will no	Switch	aug pue A	TE: The monthly recurring and non-recurring charges below will app	אר
					1			PbbA	121i7	дес				, , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,	
NAMOS	NAMOS	NAMOS		NAMOS	SOMEC	1'bbA	1sni-i									1
Charge - Wanusi Sa Order vs Electronic Disc Add	Charge - Manual Svc Order vs. Electronke- Disc 1st	Charge - Manual Svc Order vs. Order vs. Electronic- Add'i Sates (\$)		Mannally Per LSR	SOMEC ber LSR Elec	Disconnect	Monrecurring	(\$) SETAR	Monrec		neoc	SOB	auoz	minetal	Y RATE ELEMENTS	яоээт
Charge Manual S Order vs Electroni Disc Add	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'i Rates (\$)	Charge - Manual Svc Order vs. Electronic- 1st	bathimule VilsuneM REL 19q	Submitted Sec RELSR	toennocaid i'bbA	1sni-i	Buimu	Йоптес	100	neoc	BCS	əuoz	minetal	STNEMENTS Y	EGOK
S launaM V 19b1O Plectron Disc Adi	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Add'i Agtes (\$)	Incremental Charge - Manual Svc Order va. Electronic- 1st	bathimule VilsuneM REL 19q	Ser LSR	toennocaid i'bbA	1sni-i	Buimu	Мопе		neoc	BCS	auoZ	minetal	Y RATE ELEMENTS	 BODE

BUNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Syc Order ve Electronic-	Incremental Charge - Manual Syc Order vs Electronic-	Charge Manual S Order v Electron
													1st	Addil	Disc 1st	Disc Add
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				+		FIRST	Addi	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
	Facility Termination per month	1	1	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FICETR	ANSPO													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoaf Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	PORT								-					
	4-wire 56 kbps Local Loop in combination - Zone 1		1-	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	1					——
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month	<u> </u>		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	PORT	LULIO POL	1	20.00										
	4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	29.93 33.99	126.66	89.12 89.12	59.35	14.61 14.61						
	4-wire 64 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL64 UDL64	33.99	126.66 126.66	89.12	59.35 59.35	14.61						
-	4-wire 64 kbps Local Loop in combination - Zone 3 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		-3-	UNCDX	UDL64	34./4	120.00	89.12	59.35	14.61						<u> </u>
_	month 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.0134										
	Termination per month	i		UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91	!					
DS1 D	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			DNCDX	101108	13.41	40.03	21.41	10.77	0.91						-
Dairbi	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	·			-		-
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3	 	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		, ·	UNC1X	1L5XX	0.27	200.00	101.00	11.00							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			**			
DS3 D	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT		DIVOIX	101111	01.71	00.41	01.33	10.55	14,40						
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	12.26										
													- /			
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42					_					_
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT		-												
	STS-1 Local Lolp in combination - per mile per month	 	\vdash	UNCSX	1L5ND	12.26										-
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						1
-	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		 	UNCSX	1L5XX		432.32	204.55	119.73	83.77						
+-	Interoffice Transport - Dedicated - STS-1 combination - Facility					6.42										
A LAMOLTIC	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	used as a part of a currently combined facility, the non-recurring	charges o	to not a	nnhy hut a Switch A	s k charne do	as annh										
When	used as a part of a correctly combined facility, the non-recurring	non-recur	ring ch	rges apply and the S	Switch As le Ch	arge does not										
Nonrec	curring Currently Combined Network Elements "Switch As Is" Ch	narge (On	e applie	s to each combination	on)	30										
	Nonrecurring Currently Combined Network Elements Switch -As-Is		.,	UNCVX, UNCDX, UNC1X, UNC3X,												
	Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Option	al Features & Functions:															
	01-01-10-17-51-17-01-			U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	1		ULDD1,UNC1X ULDD1, Ü17D1,	CCOSF		6.00	0.00	0.00	0.00						
	per DS1		L	UNC1X, USL	NRCCC		185.26	23.86	1,99	0.78						

JNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Sys Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Sys Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
		ļ	ļ		ļ		Nonrec		Nonrecurring	Di					Disc 1st	DISC AUG
			-			Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		_	+	U1TD3, ULDD3,	-	 	Filst	Auu 1	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SOMAN	SOMAN
	C-bit Parity Option - Subsequent Activity - per DS3	l ,		UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
MULT	PLEXERS	 	 	DES, ONOSA	INCCS		219.50	7.09	0.737	0.00						
-	DS1 to DS0 Channel System per month	1	t -	UNC1X	MQ1	107,57	91.24	62.71	10.56	9.81					 	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month				-	101.01	01,24	- 02	10.00	0.01						
	(2.4-64kbs) used for a Local Loop	ł		UDL	1D1DD	1.19	6.59	4.73			i					l
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation			U1TUD	1D1DD	1,19	6.59	4.73							i	1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		-				
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73	25,00	2.100	-					
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	8.64	6.59	4.73								
Note:	Rates displaying an "I" in Interim column are interim as a result o															

IBUNDLED	NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc		Charge
			ļ., .				Nonrecurring		Nonrecurrin	Disconnect			oss	Rates (\$)		
	7.00	<u> </u>								i		1	i			i
	ne" shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically D	eaveraged UN	Zones. To vie	w Geographic	ally Deaverage	d UNE Zone D	esignations	by Central	Office, refer t	o internet We	osite:	
JHttp://wv	ww.interconnection.bellsouth.com/become_a_clec/html/inte SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnecti	on.htm				_				т					
	1) CLEC should contact its contract negotiator if it prefers the	ne "state s	pecific'	" OSS charges as ord	lered by the	State Commis	sions. The OS	S charges curr	ently containe	d in this rate e	xhibit are th	e BellSouth	"regional" s	ervice orderin	g charges. C	LEC m
	her the state specific Commission ordered rates for the serv	ice orderi	ng char	ges, or CLEC may el	ect the regio	nal service or	dering charge, l	nowever, CLEC	can not obta	in a mixture of	the two reg	ardless if C	LEC has a int	erconnection	contract esta	blished
	the 9 states. 2) Any element that can be ordered electronically will be bill	od seest	ling to	the SOMEC rate lists	d in this cat	agany Planca	refer to BallCa	th's Local Ore	lering Handha	ak (LOU) ta da	tarmina if a		- ho	-la etrapically	For those o	lament
	be ordered electronically at present per the LOH, the listed S															
will be a	pplied to a CLECs bill when it submits an LSR to BellSouth				_											,
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE O	nly **Plez	ee see	applicable rate eleme	nt for SOM	A* charge**					I					
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
SERVICE D	ATE ADVANCEMENT CHARGE								5.00		t					
NOTE: 1	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	as applicat	ole.										
				UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TB1, U1TD3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULDD1, ULD03, ULD51, ULD03, ULD51, ULDVX, UNC1X, UNC3X, UNCOX, UNCXX, UNCOX, UNCYX, UNCD1, UNLD1, UNLD1, UNLD1, UNLD1, UNCD1, UNCD1, UNCXX, UNCXX, UNCYX, UNCD1, UNCD1, UNLD1, UNLD1, UNLD1, UNLD1, UNLD1, UNC1X, UNCXX, UNCYX, UNLD1, UNLD1, UNLD1, UNLD1, UNLD1, UNLD1, UNLD1, UNLD3, UNCD1, UNCXX, UNCYX, UNCYX, UNLD1, UNLD1, UNLD1, UNLD3, UNLD1, UNLD3, UNLD1, UNLD3, UNCD1, UNLD3, UNCD1, UNLD3, UNCD1, UNLD3, UNCD1, UNLD3, UNCD1, UNLD3, UNLD1, UNLD3, UNLD1, UNLD3, UNLD1, UNLD3, UNTD1,												
UNDLED EX	INE Expedite Charge per Circuit or Line Assignable USOC, per Day ICHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP			UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00	, .								
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL UEANL	UEAL2 UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 -Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1	UEANL	UEAL2 UEASL	22.53 13.19	31.99 31.99	20.02	10.65	1.41			20.35	10.54 10.54	13.32 13.32	
2	-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
2	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Inbundled Miscellaneous Rate Element, Tag Loop at End User			LIEANII	UDET:											
	Premise cop Testing - Basic 1st Half Hour		-	UEANL UEANL	URETL URET1		8.33	0.83					20.35	10.54 10.54	13.32	
	oop Testing - Basic 1st Hair Hour			UEANL	URETA		78.92	78.92 23.33			}		20,35	10.54	13.32 13.32	
	CLEC to CLEC Conversion Charge Without Outside Dispatch			SE 1/1E	D.L.		20.55						20.35	10.54	13.32	
) JC																

	ED NETWORK ELEMENTS - Tennessee												Attachmen	it; 2 Exh. A		
	TOTAL PROPERTY OF THE PROPERTY		1	I	T						Suo Ordor	Svc Order		Incremental	Incremental	Increment
			1	ł					•							
			1		1 '						Submitted		J .	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	: Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		Ī											Electronic-	Electronic-	Electronic-	Electronic
																Disc Add'l
		ì		4	i i								1st	Add'l	Disc 1st	DISC AGG
$\overline{}$		ł		i	i		Nonrecurring		Nonrecurring	Disconnect	ì		220	Rates (\$)		
		1				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The district of the party of the last both to both	ł	ļ				FIISL	Auu I	riisi	Maai	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMINIA
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	ļ	1		1				J i				i	ļ		
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)		ļ.	UEANL	OCOSL		34.29	34.29			ŀ			İ		1
2-WIR	E Unbundled COPPER LOOP															1
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
				VEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41	-	-	20.35	10.54		
-+-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2										ļ	ļ			13.32	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41	ļ		20.35	10.54	13.32	13.3
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83			L		20.35	10.54	13.32	13.3
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)	1		UEQ	USBMC		36.52	36.52						1		
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		1										1			1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80			1		20.35	10.54	13.32	13.3
	Loop Testing - Basic 1st Half Hour		-	UEQ	URET1		78.92	78.92			 		20.35	10.54	13.32	
-		!									ļ			10.54	13.32	
	Loop Testing - Basic Additional Half Hour	ļ		UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge Without Outside Dispatch													1		1
	(UCL-ND)	l		UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
JNBUNDLED	EXCHANGE ACCESS LOOP	1														1
2-WIR	E ANALOG VOICE GRADE LOOP														1	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
	Zone 1	1	1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 		OLI SIX OLI SID	ULALO	10.10	31.33	20.02	10.00	1.41	 		20.55	10.04	10.02	10.02
1 1				UEBOB UEBOB		40.40	04.00	00.00	40.05		1		00.05	40.54	40.00	40.0
	Zone 1	ļ	11	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-								Į i		i		i		Ì	
	Zone 2	L	2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-													1		
	Zone 2	ł	2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1											1
	Zone 3	l	3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OEF SK OEF SE	OLALO	22.00	31.33	20.02	10.05	1.41		-	20.00	10.04	10.02	10.02
		l	3	UEPSR UEPSB	LIEADO	22.53	24.00	20.02	40.05	1.41			20.35	10.54	13.32	13.32
1110111101100	Zone 3		3	DEPSK DEPSB	UEABS	22.53	31.99	20.02	10.65	1.41		ļ	20.35	10.54	13.32	13.34
	EXCHANGE ACCESS LOOP	<u> </u>														
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		i				İ					1				
	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or												I			
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.33
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or												† 			1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
-	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL.	20.20	34.29	40.20	20.70	17.04		—	20.00	10.54	15.52	15.5
-				UEA	UCUSL		34.29									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			1											
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	i	Ì						1						1	
	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64	ŀ		20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												l	1	l .	
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.33
+-	Order Coordination for Specified Conversion Time (per LSR)		- T	UEA	OCOSL	20.20	34.29	10.20	20.70		1		20.00			1
+-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41				 	20.35	10.54	13.32	13.32
												-		10.54	13.32	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.3
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	24.70	122.76	85.57	76.35	39.16	L		20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16		1	20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29		1	22710		<u> </u>				1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41			 		20.35	10.54	13.32	13.3
				JULIA .	Invessó		75.06	30.41			i.	1	20.35	10.54	13.32	13.3
2 141151	E ISDN DIGITAL GRADE LOOP															

NRONDLED NETWOR	K ELEMENTS - Tennessee												Attachmer	t: 2 Exh. A	l	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
	· · · · · · · · · · · · · · · · · · ·					Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88		39.16			20.35	10.54	13.32	13.:
	Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.:
	nation For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	C Conversion Charge without outside dispatch	1		UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.3
	ICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AURLEL	OUP								ļ					
	ndled ADSL Loop including manual service inquiry evalion - Zone 1			UAL		40.00					1		1			
	ndled ADSL Loop including manual service inquiry		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	roation - Zone 2		2	UAL	UAL2X	40.05	270.04	004.00	74.54	20.44	ĺ			40.54		
	ndled ADSL Loop including manual service inquiry		- 2	UAL	UALZX	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	rvation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	42.22	40.
	nation for Specified Conversion Time (per LSR)			UAL	OCOSL	23.00	34.29	234.03	74.54	39.14	ļ		20.35	10.54	13.32	13.
	ndled ADSL Loop without manual service inquiry &	1		UAL	OCOSE		34.29		1							
	aton - Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	ndled ADSL Loop without manual service inquiry &		-	UAL .	- OACZIV	10.02	31.33	20.02	10.03	1.41			20.33	10.54	13.32	13.,
	aton - Zone 2		2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.0
	ndled ADSL Loop without manual service inquiry &	 	٤	0/12	OACZIV	10.03	31.33	20.02	10.03	1.41			20.35	10.34	13.32	13
	aton - Zone 3	1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.0
	nation for Specified Conversion Time (per LSR)			UAL	OCOSL	23.00	34.29	20.02	10.03	1.41			20.33	10.54	13.32	13.
	C Conversion Charge without outside dispatch	 		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.
	ATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP	O/ C	OILLAND		31.55	20.02					20.55	10.54	13.32	10
	ndled HDSL Loop including manual service inquiry	THE E														
	rvation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	ndled HDSL Loop including manual service inquiry			0112	- OHEEN	10.00	2,0.01	204.00	74.54	00.14	 		20.00	10.04	10.52	, ,,,,
	rvation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	ndled HDSL Loop including manual service inquiry		-	0110	OTILEX	14.10	210.01	204.00	74.04	55.14	<u> </u>		20.33	10.54	10.02	10.0
	rvation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74,54	39.14]		20.35	10.54	13.32	13.3
	nation for Specified Conversion Time (per LSR)			UHL	OCOSL	10700	34.29		7.1.0	00			20.00	10.01	10.02	
	ndled HDSL Loop without manual service inquiry						0.720				<u> </u>					
	servation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	ndled HDSL Loop without manual service inquiry															
	servation - Zone 2	1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.:
2 Wire Unbur	ndled HDSL Loop without manual service inquiry															
and facility re	servation - Zone 3	1	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
Order Coordi	nation for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29	•				,			·	
CLEC to CLE	C Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
4-WIRE HIGH BIT RA	ATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP												· · · · · · · · · · · · · · · · · · ·	
4 Wire Unbur	ndled HDSL Loop including manual service inquiry															
and facility re	servation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
4-Wire Unbur	ndled HDSL Loop including manual service inquiry															
and facility re	servation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	ndled HDSL Loop including manual service inquiry															
	servation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14	1	i	20.35	10.54	13.32	13.3
	nation for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
4-Wire Unbur	ndled HDSL Loop without manual service inquiry															
	servation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	ndled HDSL Loop without manual service inquiry								1							
	servation - Zone 2	- 1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.0
	ndled HDSL Loop without manual service inquiry															
	servation - Zone 3	!	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.0
	nation for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	C Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.
4-WIRE DS1 DIGITA		ļ														
	igital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45	L		18.98	8.43	11.95	11.
4-Wire DS1 E	ligital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.
	igital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.
	nation for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
	C Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.
14-WIRE 19.2, 56 OR	64 KBPS DIGITAL GRADE LOOP	1												l l		

UNBUND	DLE	NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
CATEGOR	ŧΥ		Interim	Zone	BCS	usoc				-		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						-1		Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44,18			20.35	10.54	13.32	13.3
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		11	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	L	3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.33
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-V		Unbundled COPPER LOOP		-													
		2-Wire Unbundled Copper Loop-Designed including manual	١.														
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual	l .	١ ـ	l <u>_</u> .												
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual				1											
		service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		36.52	36.52								
		2-Wire Unbundled Copper Loop-Designed without manual				l]							
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual		_													
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual		_										_			
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		36.52	36.52								
	- 1	CLEC to CLEC Conversion Charge without outside dispatch	١.							1					}		l
	WIDE.	(UCL-Des) COPPER LOOP	<u> </u>		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-v																	
		4-Wire Copper Loop-Designed including manual service inquiry	l .				04.70	400.70		70.05							
		and facility reservation - Zone 1	<u> </u>		UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	1,3.32
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	١,	2	UCL	UCL4S	32.25	400.70	85.57	70.05	00.40			20.05	40.54	40.00	40.00
├ ─		4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		and facility reservation - Zone 3	١,	3	UCL	UCL4S	42.17	400.70	05.53	70.05	00.40			00.05	40.54	40.00	40.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL4S UCLMC	42.17	122.76	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry	ļi		UCL	UCLIVIC		36.52	36.52								
	1	and facility reservation - Zone 1		1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16	Ì		20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry			DOL	OCL4VV	24.70	122.70	65.57	76.33	39.10		-	20.35	10.54	13.32	13.32
		and facility reservation - Zone 2	1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry			OCL	OCLAVV	32.23	122.70	65.57	70.33	39.10			20.35	10.54	13,32	13.32
		and facility reservation - Zone 3		3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	72.17	36.52	36.52	. 70.33	39.10			20.33	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			OOL	GOLIVIC		30.32	, 30.02								\vdash
ĺ		(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
.00P MOD			<u> </u>		DOL	UNLWO		31.55	20.02		!		1	20.35	10.54	13.32	13.32
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,				 !					Ì	,	j	
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR. UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.3
SUB-LOOP			,		95	32,,,,,,		. 00.44	03.74			1		20.55	10.04	10.02	10.02

DUNDEC	NETWORK ELEMENTS - Tennessee	1	1								l			nt: 2 Exh. A		1.
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electron Disc Add
			<u> </u>			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	C. L		<u> </u>				First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	HCDCA		547.05	547.05								
	ОР			UEAINL	USBSA		517.25	517.25			ļ		20.35	10.54	13.32	13.
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.3
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		-	02.00	00000		42.00	42.00	†		 		20.33	10.34	13.32	13.0
	Facility Set-Up	1	Ì	UEANL	USBSC	1	313.01	313.01					20.35	10.54	13.32	13.3
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide				l						1					
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ĺ		UEANL	USBMC		34.29	34.29						i i		}
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			DEANL	OSBMC		34.29	34.29						-		
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1000111		741.00	10.11	30.50	10.50			20.55	10.54	13.32	13
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -													1		
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	0.1.0 5.45 6.114 8.104.1			l							l i					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	1.35	34.29	34.29						10.51	10.00	
+	Sob-Loop 2-vviile intrabilitioning Network Cable (INC)	'		DEANL	USBRZ	1.35	94.56	29.35					20.35	10.54	13.32	13.:
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.0
								-					20.00	10.07	.0.02	10.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF UEF	UCS2X	5.16 6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3	UEF	UCS2X UCS2X	8.81	110.71 110.71	37.89 37.89	94.41 94.41	13.09 13.09			20.35 20.35	10.54 10.54	13.32	13.3 13.3
	2 Wile Copper Britandies Coo-Loop Bismbanon - Zone 3	'		ULI	0032	0.01	110.71	37.09	94.41	13.09			20.35	10.54	13.32	13
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29	1							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	_	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98	i i	***	20.35	10.54	13.32	13.:
]]	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.:
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.:
	0.4.0 % % 6.444 % 10.44										1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEF UEF	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEF	URET1 URETA		78.92 23.33	78.92 23.33								
	led Network Terminating Wire (UNTW)			OL1	UKEIA		23.33	23.33								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.3
	Interface Device (NID)			32	J. I.	0.4500	2.40	2.40					20.55	10.54	13.32	13.0
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.3
	Network Interface Device (NID) - 1-6 fines		***	UENTW	UND16		129.65	94.51	0.6522	0.6522		-	20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.3
	ROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UNDBX	0.00	0.00									
	DIVI W Circuit io Establishment, Provisioning Only - No Rate			UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
	ROVISIONING ONLY - NO RATE			CIVIV	ONCON	0.00	0.00		· · ·					-		
				UAL,UCL,UDC,UDL,												
1	laboration Contraction Contraction Contraction			UDN, UEA, UHL, USL .	LINECKI	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			OUN, DEA, OHE, OSE	DIAFCIA	0.00	0.00 /									

UNBUI	NDLE	NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
ATEG	ORY		Interim	Zone	BCS	usoc							Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			ļ	-	·		Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				l		FIRST	Add 1	First	Addi	SUMIEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									l
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate	l	}	USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP	-		USL	CCOEF	0.00	0.00						 			
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					 						-				
		month			UE3	1L5ND	9.19										İ
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.24	684.6755	350.175	270.0545	195.684			20.35	10,54		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	389.35	684.6755	350.175	248.193	173.8225			20.35	10.54		
): Rates provided in TN for both electronic and manual Loop	Makeup	re inte	im and subject to re	tro-active tro	ue-up adjustme	nts pending a	permanent rat	e ruling on the	se rate elemer	ts from the	Tennessee	Regulatory A	uthority.		
LOOP N	IAKE-U																ļ
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	R		имк	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
LINE SP		G PLITTING															
		SER ORDERING-CENTRAL OFFICE BASED													ļ		
- 1		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					-					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
l		Line Splitting - per fine activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10,79			20.35	10.54	13.32	13.32
		OF SERVICE The Expedite charge will be maintained commensurate with I	DallCaust	'a FCC	No. 4 Torist Continue	12 2 4	N-at-la										
		No Trouble Found - per 1/2 hour increments - Basic	pensouth	SFUC	No.1 Tann, Section	is.s.i as app	ilicable.	80.00	55.00								ł
		No Trouble Found - per 1/2 hour increments - Overtime		-				90.00	65.00						-		
		No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
		EDICATED TRANSPORT															
		PFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
ļ		Per Mile per month			U1TVX	1L5XX	0.0054										1
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTOX	TLOXX	0.0054										
		Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		L
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										l
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0174	07.01		00.70	10.07			10.00	10.00		
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	47.27	27.00	2.51			00.05	24.00		
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month						55.39	17.37	27.96	3.51			20.35	21.09		
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		-	U1TDX	1L5XX	0.0174	· · · · · · · · · · · · · · · · · · ·	•——	1							1
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		month			U1TD1	1L5XX	0.3562				· · · · · · · · · · · · · · · · · · ·						
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		l

<u>TURNUNTED NE</u>	TWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A	İ	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
				ļ		Rec	Nonrecurring		Nonrecurring					Rates (\$)		
Untor	office Channel - Dedicated Transport - DS3 - Per Mile per	 			1		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
mont				U1TD3	1L5XX	2.34			1							
	office Channel - Dedicated Transport - DS3 - Facility	 		01103	1L3AA	2.34			-							
	nination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91		1	36.84	36.84		
	office Channel - Dedicated Transport - STS-1 - Per Mile per	· · · · · · ·			1	0.0.00	000.20	11 0.00	100.07	100.01	1	1	50.04	50.54	ĺ	
mont	th			U1TS1	1L5XX	2.34					1					
Interd	office Channel - Dedicated Transport - STS-1 - Facility										İ	1			Ì	i i
	ination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
ARK FIBER]				
	Fiber, Four Fiber Strands, Per Route Mile or Fraction								1 1							
	eof per month - Local Channel		ļ	UDF, UDFCX	1L5DC	67.65						!				
	Fiber, Four Fiber Strands, Per Route Mile or Fraction eof per month - Interoffice Channel	ļ		UDF, UDFCX	1L5DF	28.74					ļ					
	Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	28.74	1,121.00	153.19	580.26	357.17		1	20.35	10.54	13.32	13.3
	Fiber, Four Fiber Strands, Per Route Mile or Fraction			JODI , ODI CA	1001 14		1,121.00	100.19	560.20	357.17		† · · · · · · · · · · · · · · · · · · ·	20.33	10.34	10.02	13.0
	eof per month - Local Loop			UDF, UDFCX	1L5DL	67.65]]]]				
RTUAL COLLOCA																
Virtua	al Collocation-2 Wire Cross Connects (Loop) for Line				1				1							
Splitt	ing			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.9
HYSICAL COLLOC								·								
	ical Collocation-2 Wire Cross Connects (Loop) for Line															
Splitt				UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.9
NHANCED EXTEND											L					
NOTE: The m	nonthly recurring and non-recurring charges below will	apply and	the Sw	ritch-As-Is Charge v	ill not apply	for UNE combi	nations provisi	oned as 'Ord	inarily Combine	ed' Network E	lements.					L
	nonthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combination:	s provisioned a	s Currently	Combined' Nety	work Elements	5.					
	CE GRADE LOOP FOR USE IN A COMBINATION ire VG Loop (SL2) in Combination - Zone 1		- 1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86	-		20.35	21.09		
	ire VG Loop (SL2) in Combination - Zone 1		 2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86	-	 	20.35	21.09	- · ·	
	ire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86	 	·	20.35	21.09		
	Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42	12.54	10.00	1		20.33	21.03		L
	CE GRADE LOOP FOR USE IN A COMBINATION			0.1017	1.0.1.0	0.07	5.10				 			-		
4-Wi	re Analog Voice Grade Loop in Combination - Zone 1		1	ÙNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	 		20.35	21.09		
	ire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1		20.35	21.09		
	ire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	BPS DIGITAL LOOP FOR USE IN A COMBINATION															
	re 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86	L		20.35	21.09		
	ire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86		1	20.35	21.09		
	re 56Kbps Digital Grade Loop in Combination - Zone 3 -DP COCI (data) per month (2.4-64kbs)		3	UNCDX	UDL56 1D1DD	53.11 0.91	108.76 5.70	35.47 4.42	72.94	10.86			20.35	21.09		
	BPS DIGITAL LOOP FOR USE IN A COMBINATION			UNGDA	יטטוטו.	0.91	5.70	4.42				-	-			
	re 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86		1	20.35	21.09		
	re 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	 	ł	20.35	21.09		
	re 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	12.04	.0.00		1	20.00	21.03		
2-WIRE ISDN	LOOP FOR USE IN COMBINATION								1							-
	re ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	re ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	re ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	e ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
	DIGITAL LOOP FOR USE IN A COMBINATION															
	e DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	e DS1 Digital Loop in Combination - Zone 2 e DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	COCI in combination per month		-	UNC1X UNC1X	USLXX UC1D1	98.59 17.58	228.40 5.70	161.74 4.42	79.87	24.88			20.35	21.09		
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MRINATI		011017	100101	17.58	5.70	4.42				-				
	office Transport - 2-wire VG - Dedicated - Per Mile Per		~		 		-								~	

IBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachmer	t: 2 Exh. A		
			1									Svc Order	Incremental	Incremental		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						, n	Nonrecurring		Nonrecurring	Disconnect	Ī		oss	Rates (\$)	-	
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
T .	Interoffice Transport - 2-wire VG - Dedicated - Facility	1	į –										T	1		
	Termination per month	L	1	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00	ļ		20.35	21.09		
4 Wil	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION								İ					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	1			41.530	0.0174]						ļ	1		
	Month	-	-	UNCVX	1L5XX	0.01/4					-					
	Interoffice Transport - 4-wire VG - Dedicated - Facility		1			1					1	1				
	Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		1
DS1	INTEROFFICE TRANSPORT FOR COMBINATION		_	DIVOVA	1011144	27.30	18.03	44.00	08.52	31.00	1		20.55	21.03		-
1031	Interoffice Transport - Dedicated - DS1 combination - Per Mile	_	 								 			-		
	per month			UNC1X	1L5XX	0.3562										l
-	Interoffice Transport - Dedicated - DS1 combination - Facility	!	_	DINC IX	ILUAA	0.3302						-		 	-	
	Termination per month		1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		
DE3	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	 	 	UNCIX	UTIFI	77.00	171.24	113.12	70.07	30.90	-		20.33	21.05		
D33 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile		+								 					
1	Per Month			UNC3X	1L5XX	2.34					1					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		+	DINCSX	ILOAA	2.34					+			-		
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
e Te	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION	-	 	UNCSX	Ulira	654.97	402.01	100.01	04.43	30.43	-		30.04	30.04		
313-	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		-								 					
	Per Month			UNCSX	1L5XX	2.34					1					1
_	Interoffice Transport - Dedicated - STS-1 combination - Facility	_	-	UNCSX	ILSAA	2.34					1	-				-
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		i
4 10/10	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	EDODT	 	UNCSX	UTIFS	049.30	402.01	103.61	04.43	30.43	 		30.04	30.04		
4-941	4-wire 56 kbps Local Loop in combination - Zone 1	T	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86	+					-
	4-wire 56 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
-	4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	+	-				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	UNCOX	ODESO	33.11	100.70	33.47	12.54	10.60	 		-			
	Per Mile per month	į.		UNCDX	1L5XX	0.0174						i				1
_	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	DINCOX	ILOAA	0.0174					 					
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00	1		20.35	21.09		l
4-14/16	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE TE	ANSPO		01103	21.13	7 3.00	44.00	05.52	31.00	†		20.00	21.00		
4-4411	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	T TOL TH		UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86				-		
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	+		UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			· ··-	 		
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	 	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1	ONCOX	00004	39.11	100.70	30.47	72.04	10.00			· · · · · · · · · · · · · · · · · · ·			
-	Per Mile per month	İ	1	UNCDX	1L5XX	0.0174						}	!			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		 	OIVODA	TESAN.	0.0174										
	Facility Termination per month		ĺ	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
4.WII	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	F TRANS	PORT	ONOBA	0.1120	20	70.00	71.00	00.02	01100	 		20.00			
	4-wire 56 kbps Local Loop in combination - Zone 1	I	1 1	UNCDX	UDL56	31,10	108.76	35.47	72.94	10.86						1
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86		-				-
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			 			
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	 		DINCEX	OULSO	33.11	100.70	30.47	12.34	10.00						
	month			UNCDX	1L5XX	0.0174					1		1	}		
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	ILOAA	0.0174							-			
	Termination per month	1	l	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00		1	20.35	21.09		
2:001	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	FTRANS	PORT	UNCDX	פעווט	21.19	/9.03	44.08	09.32	31.00	 		20.30	21.03		
+	4-wire 64 kbps Local Loop in combination - Zone 1	1	1 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	 					
	4-wire 64 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
		 	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1					
	4-wire 64 khps Local Loop in combination - Zone 3				102207		100.70	55.71	72.54	.0.00						1
	4-wire 64 kbps Local Loop in combination - Zone 3	1		l							1					1
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	11.5XX	0.0174							1			
	i4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174					<u> </u>					1
	i4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility						70 02	44.09	60 22	31.00			20.35	21.09		
Deal	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	1L5XX U1TD6	0.0174 21.19	79.83	44.08	69.32	31.00			20.35	21.09		
DS1 I	Id-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		1	UNCDX	U1TD6	21.19							20.35	21.09		
DS1 I	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		1 2				79.83 228.40 228.40	44.08 161.74 161.74	69.32 79.87 79.87	31.00 24.88 24.88			20.35	21.09		

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee				-	·					•		Attachmen	it: 2 Exh. A		* - · · · · · · ·
										-				Incremental	Incremental		Incrementa
													Submitted		Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svo Order vs.
												percor	perLSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		I Name and the second	D'a a a a a a a a	ļ					
-	+					+	Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Per Mile						11130	Addi	11131	Aug i	JOINEO	JOHAN	SOMAN	JOHIAN	SOMAN	SOMAN
		per month			UNC1X	1L5XX	0.3562						ĺ				
1		Interoffice Transport - Dedicated - DS1 combination - Facility	i														
<u> </u>	Dea Di	Termination per month GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<u> </u>
}	וט נפט	DS3 Local Loop in combination - per mile per month	<u> Т</u>		UNC3X	1L5ND	9.19					ļ	ļ				
	<u> </u>	Ded Essen Essep in Combination per mail		 	UNCOA	TESIND	9.19										
	1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.34										
	1	Interoffice Transport - Dedicated - DS3 combination - Facility															
ļ	CTC 4	Termination per month	1	-	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
-	315-71	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT			ļ											
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19					1					
		STS-1 Local Loop in combination - Facility Termination per															
		month		ļ	UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.4										
	 	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	TLSXX	2.34										
	1	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43	ļ		36.84	36.84		
ADDIT		ETWORK ELEMENTS							100.01	04.40	50.40			30.04	50.54		
	When t	used as a part of a currently combined facility, the non-recurr	ng charge	es do n	ot apply, but a Swi	tch As Is char	ge does apply.									-	<u> </u>
<u> </u>		used as ordinarily combined network elements in All States, the					s Is Charge doe	s not.									
ļ	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge (C	ne app	lies to each combir	nation)					 						
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
		Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Option.	al Features & Functions:												00.10			
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1	i i		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	-	Clear Channel Capability (SF/ESF) Option - Subsequent	'		ULDD1, U1TD1,	CCOar		0.00	0.00	0.00	0.00						
		Activity - per DS1	4		UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79			45.68	1.76		
					U1TD3, ULDD3,												<u> </u>
		C-bit Parity Option - Subsequent Activity - per DS3	i i		UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00			45.68	1.76		
		PLEXERS			LINCAY	1404		155.35									
		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80		
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1	,.02	0.01	4.00	-					0.00		
		month (2.4-64kbs) used for connection to a channelized DS1						i		l							ļ
<u></u>		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			IDN	UC1CA	0.40	0.07									
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	-		UDN	JUCTUA .	3.10	6.07	4.66	{			-				}
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
1		Voice Grade COC! - DS1 to DS0 Channel System - per month															1
		used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
1		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
		DS3 to DS1 Channel System per month		_	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		*	20.35	9.80		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66			<u> </u>					
		DS1 COCI (used for connection to a channelized DS1 Local															
l .		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								l .
	1	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
]]								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						ļ						1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect	r		oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per										1					
			1	UI DD1	JC1D1	17,58	6.07	4.66								
	N 4 1 1 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1														Ī	

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmer			
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
							Nonred	urring	Nonrecurring	Disconnect	-	1	OSS	Rates (\$)	L	
					-	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1											
	EXCHANGE ACCESS LOOP															
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.05	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.70	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	13.16	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	10.05	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	11.70	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry					40.4-	00.0-		47.01							
	and facility reservation - Zone 3	T.D. F.	3	UHL	UHL2W	13.16	90.00	57.00	47.24	7.44						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	HREE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.04	148.36	68.00	51.70	9.73					l i	
	4-Wire Unbundled HDSL Loop including manual service inquiry			UIIL	Unit-4V	10.04	140.30	00.00	31.70	3.13						
į	and facility reservation - Zone 2		2	UHL	UHL4X	17.89	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry			Uni	UTILAY	17.03	140.00	00.00	31.70	0.75	-					
	and facility reservation - Zone 3		3	UHL	UHL4X	17.54	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTAL	OTIL-TA	. 17.07	140.00	00.00	01110	31.0						
	and facility reservation - Zone 1	-	1	UHL.	UHL4W	16.04	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	17.89	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry		1													
	and facility reservation - Zone 3		3	UHL	UHL4W	17.54	94.00	57.00	51.70	9.73						
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	94.93	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31 361.70	252.47 252.47	157.54 157.54	44.70 44.70	11.71						
ICH CARACI	4-Wire DS1 Digital Loop - Zone 3 TY UNBUNDLED LOCAL LOOP		3	USL	USLXX	361.70	252.47	157.54	44.70	11.71						
IGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per								-							
	month			UE3	1L5ND	9.64										
	High Capacity Unbundled Local Loop - DS3 - Facility		 	023	1123140	3.04										
ļ	Termination per month		}	IUE3	UE3PX	355.33	1		1 1		1	}		1	1 1	
	High Capacity Unbundled Local Loop - STS-1 - Per Milo por															
	month			UDLSX	1L5ND	9.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDL\$X	UDLS1	367.80										
	DEDICATED TRANSPORT				1											
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			114704	ALTYV	0.04										
	month			U1TD1	1L5XX	0.21										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	69.18										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			UTIUI	OTIF	09.18										
	month			U1TD3	1L5XX	4,70										
*	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	809.05										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	806.58										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	16.07										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	16.07										
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	17.17										
	Local Channel - Dedicated - DS1 - Zone 1		. 1	ULDD1, UNC1X	ULDF1	41.12										

	1	+
	1.	-
	1	
	1	+
	1	
	+	
		-
	ļ	
	ļ	
	·	
	1	
	1	<u> </u>
		-
	1	
	I	
	1	
	 	
	———	
	1	
	1	
	+	
	1	
	1	
	1.	
	1	
$\overline{}$		_
		1
		1
	L	
	1	
	1	
		
	-	
	1	
	T	
	4	
	1	
	1	1
	+	
	1	
	1	T
	NAMOS	NAIM
NAMOC	INVINUS	
NAMOS		
NAMOS		a 220
NAMOS	(\$) sates	
NAMOS		
	(\$) sates	,
Disc 1st		tef
tar said	l'bbA (\$) sates	
tar said	l'bbA (\$) sates	
-Electronic- tal paid	Electronic- Add'i Rates (\$)	tronic-
-Electronic- tal paid	Electronic- Add'i Rates (\$)	tronic-
tar said	l'bbA (\$) sates	let vs.
Order vs. Electronic- Disc 1st	Order vs. Electronic- Add'i Agtes (\$)	let vs.
-Electronic- tal paid	Order vs. Electronic- Add'i Agtes (\$)	let vs.
Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Add'i Ades (\$)	Ual Svc Nu let vs. tronic-
Order vs. Electronic- Disc 1st	Order vs. Electronic- Add'i Agtes (\$)	Ual Svc Nu let vs. tronic-
Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svc Order va. Electronic- Add'i	agge - Name of Syc. Name of Syc. Name of Syc. Biggs
Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svc Order va. Electronic- Add'i	agge - Name of Syc. Name of Syc. Name of Syc. Biggs
Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'i	agge - Name of Syc. Name of Syc. Name of Syc. Biggs

JNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attachmer	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	First	curring Add'l		g Disconnect	BOMES	COMAN		Rates (\$)	SOMAN	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		 		-		FIFSt	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOMAN
1	month			UNC3X	U1TF3	809.05					1					
STS-	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION				101110	000.00			<u> </u>	 	†					
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile								1						-	
	Per Month			UNCSX	1L5XX	4.70										L
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
4 14/15	Termination per month RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	CDODT		UNCSX	U1TFS	806.58			ļ <u>.</u>							
4-4415	4-wire 56 kbps Local Loop in combination - Zone 1	SPURI	1	UNCDX	UDL56	30.00			ļ <u>-</u>							
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	41.34			 	-						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	43.56				 						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					10.00			-		 			 		
	Per Mite per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
4 10 11	Facility Termination per month			UNCDX	U1TD5	17.39										
4-WIN	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO 4-wire 64 kbps Looal Loop in Combination - Zone 1	FFICE T			Luni at	20.00			<u> </u>							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64 UDL64	30.00 41.34				ļ						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	43.56										ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	ODE04	43.30										ļ
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -								1	<u> </u>						
	Facility Termination per month			UNCDX	U1TD6	17.39					l i					
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.00										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	41.34					ļ					
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL56	43.56										
	month			UNCDX	1L5XX	0.01]	ı				
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			ONCOX	ILOAA	0.01										
	Termination per month			UNCDX	U1TD5	17.39										
4-WIR	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	TRAN	SPORT							† "						
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.00				1						
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	41.34										
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	43.56				ļ						
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			LINODY	41.500	204										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.01	· · · · · · · · · · · · · · · · · · ·								Man	
	Termination per month			UNCDX	U1TD6	17.39			1							
DS1 D	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			O. CODA	01100	17.00				-					-	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	94.93									· ·····	
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	177.31										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.21				<u> </u>						
-	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	20.40						l				
DS3 D	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	PT		UNCIX	UTIFT	69.18					ļ					
250	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.08				 	-					
					120.10											
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	408.63										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
CTC 4	Termination per month	2000-		UNC3X	U1TF3	809.05	w									
315-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN STS-1 Local Lolp in combination - per mile per month	SPORT		LINICEV	11 END	11.00				ļ						
	STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per			UNCSX	1L5ND	11.08										
	month			UNCSX	UDLS1	422.98										

MOUNDLE	D NETWORK ELEMENTS - Alabama		,										Attachmer	t: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (5)				Submitted Manually	Charge - Manual Sve Order vs.	Charge - Manual Svo Order vs.	Incremental Charge - Manual Svo Order vs.	Charge Manual S Order vs
													Electronic- 1st	Electronic-	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	1
	1.476 . T		ļ. <u>.</u>			Nec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	4.70					ì .				\ '	
İ	Termination per month															-
DITIONAL	NETWORK ELEMENTS			UNCSX	U1TFS	806.58									ŀ	
			L													
When	used as a part of a currently combined facility, the non-recurr	ng chai	ges do	not apply, but a	Switch As Is c	harge does app	ly.									
Monre	used as ordinarily combined network elements in All States, the	ie non-	recurri	ng charges apply a	and the Switch	As Is Charge d	oes not.									
Ontine	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)											
Option	an i comica a i anguons.			U1TD1												
	Clear Channel Capability Extended Frame Option - per DS1			UTTD1. ULDD1.UNC1X	CCOEF											
	Gear Charmer Capacility Extended Frame Option - per 031				CCOEF		0.00	0.00	0.00	0.00						
1	Clear Channel Capability Super FrameOption - per DS1	1		U1TD1,												
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
Ì	Activity - per DS1			ULDD1, U1TD1, UNC1X, USL								i				
	Parting - per 001				NRCCC		184.85	23.81	1.99	0.7741						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3,	NDCCO				[
MULT	PLEXERS			UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
WIOCI	DS1 to DS0 Channel System per month			LINGAY	1,104	110.00										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	116.22			-							
	month (2.4-64kbs) used for a Local Loop			UDL	10100				i							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.29										
	month (2.4-64kbs) used for connection to a channelized DS1								1							
	Local Channel in the same SWC as collocation			U1TUD	1D1DD						i					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	10100	1.29										
	month for a Local Loop			UDN	UC1CA	2.77										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDIN	UCICA	2.11										
1	month used for connection to a channelized DS1 Local Channel											1				
9	in the same SWC as collocation			U1TUB	UC1CA	2.77						İ			i	
	Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	DOTOR	2.77										
	used for a Local Loop			UEA	1D1VG	0.61							1			
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	10100	0.61										
	used for connection to a channelized DS1 Local Channel in the								-							
	same SWC as collocation			U1TUC	1D1VG	0.61										
	DS3 to DS1 Channel System per month			JNC3X	MQ3	191.05										
	STS-1 to DS1 Channel System per month			JNCSX	MQ3	191.05										
	DS1 COCI used with Loop per month			JSL	UC1D1	14.60										
	DS1 COCI (used for connection to a channelized DS1 Local				-0101	14.00										
	Channel in the same SWC as collocation) per month			JITUA	UC1D1	14.60				i						
	DS1 COCI used with Interoffice Channel per month			J1TD1	UC1D1	14.60										
	DS3 Interface Unit (DS1 COCi) used with Local Channel per				1-2.2											
	month			ULDD1	UC1D1	14.60										

JNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachmer	at: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		g Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
							FIISt	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
NBUNDLED	EXCHANGE ACCESS LOOP									 	ļ					
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP						 	 	 					
	2 Wire Unbundled HDSL Loop including manual service inquiry		1							 	-					1
	& facility reservation - Zone 1		1	UHL	UHL2X	8.30	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry			0114	OTILEX	0.00	100.00	110.41	13.03	10.00						-
	& facility reservation - Zone 2		2	UHL	UHL2X	11.80	159.09	113.41	75.05	15.63	i					
	2 Wire Unbundled HDSL Loop including manual service inquiry							110.41	10.00	10.00	†					
	& facility reservation - Zone 3		3	UHL	UHL2X	20.94	159.09	113.41	75.05	15.63	!					
	2 Wire Unbundled HDSL Loop without manual service inquiry				- CONTEST	20.01	100.00	110.41	10.00	13.03						
	and facility reservation - Zone 1		1	UHL.	UHL2W	8.30	134.40	80.69	60.64	9.12				i		1
	2 Wire Unbundled HDSL Loop without manual service inquiry					0.00	10 11 10	- 00.00	00.01	0.12	 					
	and facility reservation - Zone 2		2	UHI.	UHL2W	11.80	134.40	80.69	60.64	9.12						1
	2 Wire Unbundled HDSL Loop without manual service inquiry					.1,30	104.40	00.03	00.04	0.12						
	and facility reservation - Zone 3		3	UHL	UHL2W	20.94	134.40	80.69	60.64	9.12						1
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP			20.34	10-1-01	00.03	00.04	5.12						
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	12.49	193.31	138.98	77.15	12.61						1
	4-Wire Unbundled HDSL Loop including manual service inquiry			0.12	10.12.01	72.75	100.01	130.50	77.10	12.01	 					
į	and facility reservation - Zone 2		2	UHL	UHL4X	17.76	193.31	138.98	77.15	12.61						1
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	0.16	0116474	17.70	100.01	150.80	77.13	12.01	·					
	and facility reservation - Zone 3		3	UHL	UHL4X	31.50	193.31	138.98	77.15	12.61]					1
	4-Wire Unbundled HDSL Loop without manual service inquiry		- 0	0112	Ot LAN	01.00	183.31	100.50	17.13	12.01					-	
1	and facility reservation - Zone 1		1	UHL	UHL4W	12.49	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry				- 10114	72.40	100.02	110.41	02.74	11,22						
-	and facility reservation - Zone 2		2	UHL	UHL4W	17.76	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry			0.12	- OTTE TV		100.02	110.41	02.14	11.22						
	and facility reservation - Zone 3		3	UHL	UHL4W	31.50	168.62	115.47	62.74	11.22						
4-WIR	RE DS1 DIGITAL LOOP				OTTE TO	01.00	700.02	110.71	02.14	11.22						
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	81.35	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	115.62	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	205.15	313.75	181.48	61.22	13.53						
IGH CAPAC	ITY UNBUNDLED LOCAL LOOP						0.0110		022	10.00						
T	High Capacity Unhundled Local Loop - DS3 - Per Mile per				-											
	month	1		UE3	1L5ND	12.56										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	444,91								i		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	12.56										
	High Capacity Unbundled Local Loop - STS-1 - Facility								-							
	Termination per month			UDLSX	UDLS1	490.59										
NBUNDLED	DEDICATED TRANSPORT															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.21							Ì		i	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	101.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per											-				
	month			U1TD3	1L5XX	4.45					-					
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1231.65										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	4.45								-		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	1214.40										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV2	22.61										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV2	32.13										
-	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDV2	57.02										

INRONDF	ED NETWORK ELEMENTS - Florida												Attachmer	nt: 2 Ex. B	[
		1	I		T	T					Svc Order	Svc Order	Incremental	·———	Incremental	Increment
											Submitted		Charge -	Charge -	Charge -	Charge -
		1]			, -	
*****	0475 51 51151770	Interi	_	200		l .		DATES (6)			Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
						i i					1	İ	1st	Add'I	Disc 1st	Disc Add'I
						1					1	}	}	,,,,,,	5.00 100	0.007.00
1						1 _ T	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		1		1			1.00	15	- ruuri	1 00	- BOILINGIN	JOINAN	- COMPAN	1-00	COMPAN
!	Zone 1		1	ULDVX	ULDR2	22.61		j		1	1	ĺ				l
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat			OLDVA	ULDINZ	22.01				 	 					
								1		i	1					
	Zone 2		2	ULDVX	ULDR2	32.13					1					
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
į	Zone 3		3	ULDVX	ULDR2	57.02				1	1					
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1 1	ULDVX. UNCVX	ULDV4	23.52		1		 	†			 		
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	 		ULDVX, UNCVX	ULDV4	33.42		 				ł		·		
·	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3	 		ULDVX, UNCVX	ULDV4	59.29	·	<u> </u>			-					
		·							<u> </u>		<u> </u>	ļ	~~~~~			
	Local Channel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	41.96		<u> </u>					L		ļ	
	Local Channel - Derlicated - DS1 - Zone 2	1		ULDD1, UNC1X	ULDF1	59.63										
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	105.80										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	9.78					1			1		1
	Local Channel - Dedicated - DS3 - Facility Termination	†	†	ULDD3, UNC3X	ULDF3	611.70		 		1					t	
	Local Channel - Dedicated - STS-1- Per Mile per month	+	 	ULDS1, UNCSX	1L5NC	9.78		 	+	+	+				 	
	Local Channel - Dedicated - STS-1 - Fer Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	-	-							+	-				-	ł
				ULDS1, UNCSX	ULDFS	621.79		<u> </u>						ļ	ļ	
	EXTENDED LINK (EELs)	<u> </u>	L			<u> </u>		<u> </u>		İ				i		
NOTE	E: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not ap	ply for UNE com	binations pro	visioned as '	Ordinarily Con	nbined' Networ	k Elements.					
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ng charges below	will apply for	UNE combination	ons provision	ed as ' Curren	tly Combined'	Network Elem	ents.				<u> </u>	<u> </u>
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	T		······	T	T T			1	T	T					
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.08			 	-					-	
	2-Wire VG Loop (SL2) in Combination - Zone 2							 	 							
				UNCVX	UEAL2	20.01				<u> </u>						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	35.50		<u> </u>								
1	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.59										
4-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION									i						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	21.72				 						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	·	2	UNCVX	UEAL4	30.87		 		 	 				 	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	-	3	UNCVX	UEAL4	54.76		 		+	 				-	
		-	1 3					ļ	ļ						 	
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.59										
4-WIF	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														L	l
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.53										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.29			T							l
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	64.39										
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.42			-		+					
4 1410			-	UNCUA	שטוטו	2.42		-	 	-	ļ					
4-4415	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53			L							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL64	36.29										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39										
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.42									1	
2-WIF	RE ISDN LOOP FOR USE IN COMBINATION	1			T				 	1	1					
	2-Wire ISDN Loop in Combination - Zone 1	 	1	UNCNX	U1L2X	22.17					+		····			
		ļ								+	1				L	
	2-Wire ISDN Loop in Combination - Zone 2	ļ	2	UNCNX	U1L2X	31.51										ļ
	2-Wire ISDN Loop in Combination - Zone 3	L	3	UNCNX	U1L2X	55.91				1						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	4.21										
4-WIF	RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION								T	1	1					
	4-Wire DS1 Digital Loop in Combination - Zone 1	 	1	UNC1X	USLXX	81.35			-	 						
	4-Wire DS1 Digital Loop in Combination - Zone 2	 		UNC1X	USLXX	115.62		<u> </u>		+						
	4-Wire DS1 Digital Loop in Combination - Zone 3	 						-		 					ļ	-
		 		UNC1X	USLXX	205.15			1		<u> </u>					
	DS1 COCI in combination per month	1		UNC1X	UC1D1	15.82										
2 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION		<u> </u>											
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1														
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility	l			1	T			1		1					
	Termination per month			UNCVX	U1TV2	29.12										
4 14/10	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	DAADIN'S	TION	DIACAN	01172	29.12			 	1	ļ					
4 9711		NIRINY	IIUN					-	ļ							
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.01				1	1					
	Interoffice Transport - 4-wire VG - Dedicated - Facility								T	1						
	Termination per month			UNCVX	U1TV4	25.97										

INBUNDLED	NETWORK ELEMENTS - Florida												Attachmen	nt·2 Fx R		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs. Electronic Disc Add
						Rec		curring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	11.500	0.04										1
	per month Interoffice Transport - Dedicated - DS1 combination - Facility	 		UNC1X	1L5XX	0.21			-	+						
	Termination per month			UNC1X	บ1TF1	101.71		!								
	EROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			***************************************				1		1						
	Per Month			UNC3X	1L5XX	4.45		i								
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	1231.65										
	NTEROFFICE TRANSPORT FOR USE IN COMBINATION										<u> </u>					
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1			j								1
	Per Month		ļ	UNCSX	1L5XX	4.45										
	Interoffice Transport - Dedicated - STS-1 combination - Facility	Í		Í	1			1	1							
	Termination per month			UNCSX	U1TFS	1214.40										
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.53										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.29										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	64.39										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01		l		1						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	21.21										
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSI	PORT											<u> </u>	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.53										
- 4	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.29										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -									1						
	Per Mile per month			UNCDX	1L5XX	0.01		ļ				1				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	21.21				i						
	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT					1								
	4-wire 56 kbps Local Loop in combination - Zone 1	T		UNCDX	UDL56	25.53					1					
	4-wire 56 kbps Local Loop in combination - Zone 2	 		UNCDX	UDL56	36.29					———					
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	64.39				†						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per									T						
	month			UNCDX	1L5XX	0.01										i
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility	-			-					T						
	Termination per month			UNCDX	U1TD5	21.21		1								
	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT							<u> </u>						
	4-wire 64 kbps Local Loop in combination - Zone 1	T		UNCDX	UDL64	25.53				1	<u> </u>					
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.29				 						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	64.39		-		 						
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	 		ONODA	100004	04.03										
	month]		UNCDX	1L5XX	0.01			1				1			1
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility	 	-	OIVODA	TESAA	0.01			 	+	 	-				
	Termination per month	1		UNCDX	U1TD6	21.21										
	SITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		-	0.100%	- 01180			!								
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35		 		 	-					
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	115.62				 						
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	205.15		-								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			0.1017	302/01	200.10				1						
	per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility	-		GIVOIA	ILJAA	0.21				+						
	Termination per month			UNC1X	U1TF1	101.71										
	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	PT		014017	01171	101./1			-							
	DS3 Local Loop in combination - per mile per month	1		UNC3X	1L5ND	14.44				-						
	000 cook: Loop ii: combination - per mile per month	-		014097	ILOND	14.44				+	-	-				
				UNC3X	UE3PX	511.65										

ADOIADEL	ED NETWORK ELEMENTS - Florida		,										Attachme	nt: 2 Ex. B		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		-	Submitted Elec	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Charge -	Charge Manual & Order v
						Rec	Nonrec		Nonrecurring					Rates (\$)	I	
	Interest Control of Co						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45										
	Interoffice Transport - Dedicated - DS3 combination - Facility		i													
CTC 1	Termination per_month DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN			UNC3X	U1TF3	1231.65					<u> </u>					
313-1		SPORT														
	STS-1 Local Lolp in combination - per mile per month		<u> </u>	UNCSX	1L5ND	14.44								I		
	STS-1 Local Loop in combination - Facility Termination per					}										
	month			UNCSX	UDLS1	564.18										
	Interoffice Transport - Dedicated - STS-1 combination - per mile		i													
	per month		<u> </u>	UNCSX	1L5XX	4.45										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															1
	Termination per month			UNCSX	U1TFS	1214.40								l		
	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is c	harge does app	ly.									
When	used as ordinarily combined network elements in All States, the	ne non-	recurri	ng charges apply a	and the Switch	As Is Charge of	loes not.									-
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each con	nbination)											1
Option	nal Features & Functions:													 		†
				U1TD1,											-	
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1.	00021		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1	i	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1.	10000		0.00	0.00	0.00	0.00	-					
	Activity - per DS1	1		UNC1X, USL	NRCCC		104.00	22.00			j					
	7 WHITE DOT			U1TD3, ULDD3.	NACCC		184.92	23.82	2.07	08.0						1
	C-bit Parity Option - Subsequent Activity - per 983	i		UE3, UNC3X	NRCC3		242.22									1
MELLT	TPLEXERS		<u></u> -	DES, DNUSA	INKUL3		219.09	7.67	0.773	0.00						
HOLI	DS1 to DS0 Channel System per month			110101414	140.4											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	168.79										
1							1		1							
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.42										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				i				l i							
	month (2.4-64kbs: used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.42			i							l
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1													
	rnonth for a Local Loop			UDN	UC1CA	4.21										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		i												**	
	month used for connection to a channelized DS1 Local Channel				1											1
	in the same SWC as collecation			U1TUB	UC1CA	4.21										-
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	1.59	I									
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the					1										
	same SWC as collocation			U1TUC	1D1VG	1.59										
	DS3 to DS1 Channel System per month			UNC3X	MQ3	242.87								***************************************		
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	242.87										
	DS1 COCI used with Loop per month			USL	UC1D1	15.82										
	DS1 COCI (used for connection to a channelized DS1 Local			C 67 C	00.01	13.02										
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	15.82										
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	15.82										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			UTIDI	OCIDI	15.82										

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachmer	nt: 2 Ex. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ			Rec	Nonrec			Disconnect				Rates (\$)		
		 	 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBLINDI EL	EXCHANGE ACCESS LOOP	 	 	ļ										<u> </u>		
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIRIE	LOOP	ļ												
2-7711	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	I	-												
	& facility reservation - Zone 1	1 .	1	UHL	UHL2X	9.06	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry	† <u>-</u> -	<u> </u>	OTIC	OTILEX	5.00	44.08	31.30	0.00	0.00				 		
	& facility reservation - Zone 2	1	2	UHL	UHL2X	10.45	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	 		UNILLY		11.00	01.00	0.00	0.00						
	& facility reservation - Zone 3	1 1	3	UHL	UHL2X	16.65	44.69	31.55	0.00	0.00				•		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1														
	and facility reservation - Zone 1		1	UHL	UHL2W	9.06	44.69	31.55	0.00	0.00				Ì		1
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	1	2	UHL	UHL2W	10.45	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	1 1	3	UHL	UHL2W	16.65	44.69	31.55	0.00	0.00						
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	11.95	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry	١.	١.									i				
	and facility reservation - Zone 2	1	2	UHL	UHL4X	13.80	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	Ι.		UHL												
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	3	UHL	UHL4X	21.93	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 1	۱,	1	UHL.	UHL4W	11.95	44.69	04.55	0.00							
	4-Wire Unbundled HDSL Loop without manual service inquiry	 '	 ' -	IOUL	UnL4VV	11.95	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 2	1	2	UHL	UHL4W	13.80	44.69	31.55	0.00	0.00		ı				
	4-Wire Unbundled HDSL Loop without manual service inquiry	 		TO TE	- Olicary	13.00	44.05	31.33	0.00	0.00						
	and facility reservation - Zone 3	1 1	3	UHL	UHL4W	21.93	44.69	31.55	0.00	0.00						
4-WIF	RE DS1 DIGITAL LOOP		 		1	21100	11.00	01.00	0.00	0.00						
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	47.17	211.93	72.49	38.24	7.20						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	53.37	211.93	72.49	38.24	7.20						
	4-Wire DS1 Digital Loop - Zone 3		. 3	USL	USLXX	71.33	211.93	72.49	38.24	7.20						
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	12.62										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month	ļ		UE3	UE3PX	291.39										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			1101 014												
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	12.62										
	Termination per month			UDLSX	UDLS1	351.23										
INBLINDI ED	DEDICATED TRANSPORT	 		UDESA	UDLST	331.23										
	ROFFICE CHANNEL - DEDICATED TRANSPORT	 		l												
,	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 			 											·····
	month			U1TD1	1L5XX	0.13	I									
	Interoffice Channe - Dedicated Tranport - DS1 - Facility	1				0.13										
	Termination			U1TD1	U1TF1	39.32										
	Interoffice Channe - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	2.91										
	Interoffice Channe - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	393.32										
	Interoffice Channe - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	2.92										
	Interoffice Channe - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	412.47										
	Local Channel - Dedicated - 2-Wire Voice Grade	1		ULDVX, UNCVX	ULDV2	8.90										
		T		LILDIA		0										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX ULDVX, UNCVX	ULDR2 ULDV4	8.90 10.03										

MOUNDLE	D NETWORK ELEMENTS - Georgia												Attachmer	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		-	Submitted Elec per LSR	Submitted		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		- 				Rec		curring		g Disconnect				Rates (\$)		
	Local Channel - Cedicated - DS1 Zone 2	 		ULDD1, UNC1X	ULDF1	64.75	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Eedicated - DS1 Zone 3			ULDD1, UNC1X	ULDF1	189.41		+		 						
	Local Channel - Dedicated - DS3 - Per Mile per month	 		ULDD3, UNC3X	1L5NC	1.66			+					ļ		
	Local Channel - Dedicated - DS3 - Facility Termination	 		ULDD3, UNG3X	ULDF3	169.06		 			 					
	Local Channel - Dedicated - STS-1- Per Mile per month	—		ULDS1, UNCSX	1L5NC	1.66		+	-				···			
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	177.81				-						
HANCED EX	XTENDED LINK (EELs)					111101				 						
NOTE:	The monthly recurring and non-recurring charges below will	apply at	id the	Switch-As-Is Charg	ge will not app	ly for UNE com	binations pr	ovisioned as '	Ordinarily Con	bined' Netwo	rk Flements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not	the non-	recurri	ng charges below	will apply for t	JNE combination	ns provisio	ned as ' Currer	tly Combined	Network Elem	ents.					
2-WIRE	E VOICE GRADE LOOP FOR USE IN A COMBINATION						***************************************	1	T	T						
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	13.31										
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	19.49										
	2-Wire VG Loop (St.2) in Combination - Zone 3		3	UNCVX	UEAL2	38.04										
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.54										
4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION	 														
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1	UNCVX	UEAL4	20.47										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	ļ	2	UNCVX	UEAL4	24.93										
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	ļ		UNCVX	UEAL4	34.79										
4 14/15/5	Voice Grade COCI in combination - per month	-		NUCAX	1D1VG	0.54										
4-VVIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	25.14			1							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	32.61			<u> </u>	<u> </u>						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	-		UNCDX	UDL56	43.95										
4 10/10 0	OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	ļ		UNCDX	1D1DD	1.15			<u> </u>							
4-1415		ļ		UU O D V	1/51.64				ļ							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	 		UNCDX	UDL64	25.14		ļ								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	-		UNCDX	UDL64	32.61										
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	UDL64 1D1DD	43.95		-								
2-WIRE	EISDN LOOP FOR USE IN COMBINATION			UNCEX	טטוטו	1.15										
2-111112	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.79										
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	30.20		 								
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.50		 								
	2-wire ISDN COCI(BRITE) - in combination - per month			UNCNX	UC1CA	1.91		 	 							
4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION	1		0.10.10.	10010/1	1.51		 	-							
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17		 	+							
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	53.37				 	+					
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	71.33			+		+					
	DS1 COCI in combination per month			UNC1X	UC1D1	8.45			 	 	+					
2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per										<u> </u>		***************************************			***************************************
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility								T	1						
	Termination per month	i i	- 1	UNCVX	U1TV2	14.80				l			1			
4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA'	TION							<u> </u>	1					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
504	Termination per month	1		UNCVX	U1TV4	12.40										
	TEROFFICE TRANSPORT FOR COMBINATION												1			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.13										
	Interoffice Transport - Dedicated - DS1 combination - Facility]											
	Termination per month			UNC1X	U1TF1	39.32										
D.C.3	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.21										
	TEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1						1		1						

RONDE	ED NETWORK ELEMENTS - Georgia												Attachmer	t: 2 Ex. B		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svo		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			†				Nonre	curring	Nonrecurrin	g Disconnect	-	1	OSS	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
0.70	month		<u> </u>	UNC3X	U1TF3	393.32										
STS-	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month											1				
	Interoffice Transport - Dedicated - STS-1 combination - Facility		-	UNCSX	1L5XX	2.91				<u> </u>	L					
	Termination per month			UNCSX	U1TFS	412.47		1								
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	CDODT		UNUSA	UTIFS	412.47				ļ	ļ					
	4-wire 56 kbps Local Loop in combination - Zone 1	SFORT	1	UNCDX	UDL56	25.14					-					
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.61				-						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	43.95										
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				30230	43.53			+							
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				TLOXIC	0.01										
	Facility Termination per month			UNCDX	U1TD5	9.00										
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICET	RANSI	PORT		0.00			1	•	1					
	4-wire 64 kbps Loal Loop in Combination - Zone 1		1	UNCDX	UDL64	25.14										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.61										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	43.95			†		t					—
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -									 						
	Per Mile per month			UNCDX	1L5XX	0.01				ì				1		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -								1	1	 					
	Facility Termination per month			UNCDX	U1TD6	9.00			-			i		1		1
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRAN	SPORT													
	4-wire 56 kbps Lccal Loop in combination - Zone 1		1	UNCDX	UDL56	25.14										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.61										
<u> </u>	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	43.95										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month College To the			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month								1							
4.34/10	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE			UNCDX	U1TD5	9.00					<u> </u>					
4-4411	4-wire 64 kbps Local Loop in combination - Zone 1	IKAN						***************************************								
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	25.14										
	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	32.61 43.95										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		- 3	UNCUA	UDL64	43.95										
-	month	- 1		UNCDX	1L5XX	0.01					\ \	Į.			Į.	
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			0,100,1	11.000	0.011										
	Termination per month			UNCDX	U1TD6	9.00			1		i :	ì	I		1	
DS1 C	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT				10000											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	53.37										
	4-Wire DS1 Digital Loop in Combination ~ Zone 3			UNC1X	USLXX	71.33					<u> </u>				-	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															-
	per month			UNC1X	1L5XX	0.13							ŀ	-		
	Interoffice Transport - Dedicated - DS1 combination - Facility										·					
	Termination per month			UNC1X	U1TF1	39.32							i	1		
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.51										
	DS3 Level Leve in section in the Country Towns															
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	335.10										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	1L5XX	2.91										
	Termination per month			LINGOV												
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS	PODT		UNC3X	U1TF3	393.32										
010-1	STS-1 Local Lolp in combination - per mile per month	PURI		UNCSX	11.5115											
	STS-1 Local Loop in combination - Facility Termination per			UNUSX	1L5ND	14.51										

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attachme	nt: 2 Ex. B		
\TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						†	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.91					JOMES	COMPAR	COMPAN	COMPAN	JOIN AIT	SOWIA
ŀ	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	412.47										
	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurr	ng char	ges do	not apply, but a \$	Switch As Is c	harge does app	tv.									
When	used as ordinarily combined network elements in All States, the	ne non-	recurrin	ng charges apply a	nd the Switch	As Is Charge	loes not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	polies to each com	hination)	1					-					
	nal Features & Functions:	I	10.10	pprice to eden con	T	 										
	The state of the s			U1TD1.		ļ										ļ
	Clear Channel Canability Extended Frame Option - per DS1	- 1	1 1	UI.DD1,UNC1X	CCOEF	l i	0.00	0.00	0.00	0.00						
	Orear Offarmer Californity Extended Frame Option - per Da I	<u> </u>		U1TD1.	CCOEF		0.00	0.00	0.00	0.00						
1	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSE											
	Clear Channel Capability (SF/ESF) Option - Subsequent				CCOSF		0.00	0.00	0.00	0.00						
	Activity - per DS1			ULDD1, U1TD1,												
	Activity - per DST			UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
	2522			U1TD3, ULDD3.												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3. UNC3X	NRCC3		2.18.74	7.66	0.7591	0.00						
	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.21										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.15										1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1											i				
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.15										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	1.91					i	- 1				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per				1											
	month used for connection to a channelized DS1 Local Channel						- 1									
	in the same SWC as collocation			U1TUB	UC1CA	1.91						İ				
	Voice Grade COCI - DS1 to DS0 Channel System - per month											-				
	used for a Local Lcop			UEA	1D1VG	0.54					1					(
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collecation			U1TUC	1D1VG	0.54						-				
	DS3 to DS1 Channel System per month			UNC3X	MQ3	140.18										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	140.18										
	DS1 COCI used with Loop per month			USL	UC1D1	8.45										
	DS1 COCI (used for connection to a channelized DS1 Local					5740										
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.45										
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.45										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			0	100101	0.40										
					1										1	1

OMBONDI	ED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Ex. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	-	-		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs. Electronic Disc Add
		+				Rec	Nonrec			g Disconnect			oss	Rates (\$)		
*******			 	ļ			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLE	D EXCHANGE ACCESS LOOP	+	 	 						<u> </u>	ļ					
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIDIE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry	MIIBLE	LOOP													
i	& facility reservation - Zone 1		1	UHL	UHL2X	40.00	454.54					}				
	2 Wire Unbundlec HDSL Loop including manual service inquiry	+	+-	UnL	UFILZX	10.06	151.54	89.29	69.09	11.54						
	& facility reservation - Zone 2		2	UHL	UHL2X	10.00	454.54									
	2 Wire Unbundlec HDSL Loop including manual service inquiry	+		UNL	UHLZX	10.99	151.54	89.29	69.09	11.54						
	& facility reservation - Zone 3	1	1 2	UHL		40.00										
	2 Wire Unbundlec HDSL Loop without manual service inquiry	 	3	UHL	UHL2X	12.20	151.54	89.29	69.09	11.54						
	and facility reservation - Zone 1		1	UHL		40.00										
	2 Wire Unbundlec HDSL Loop without manual service inquiry	-		UNL	UHL2W	10.06	130.74	78.56	69.09	11.54						
	and facility reservation - Zone 2		2	UHL	UHL2W	40.00	400 7	70.5								
	2 Wire Unbundled HDSL Loop without manual service inquiry	+	- 2	UHL	UML2VV	10.99	130.74	78.56	69.09	11.54						
	and facility reservation - Zone 3		3	UHL	LILIN ONAL	40.00	400.74					ŀ				
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIRIF	OOP	Of IL	UHL2W	12.20	130.74	78.56	69.09	11.54						
	4 Wire Unbundled HDSL Loop including manual service inquiry	TIOLE	T													
}	and facility reservation - Zone 1		1	UHL	UHL4X	16.04	105.75	422.50	74.05							
	4-Wire Unbundlec HDSL Loop including manual service inquiry	+	- '-	UTAL	UNL4X	16.04	185.75	123.50	74.95	14.69						
İ	and facility reservation - Zone 2		2	UHL	UHL4X	18.03	405.75	100.50]			l		
	4-Wire Unbundled HDSL Loop including manual service inquiry	+'	-	UNL	UHL4X	18.03	185.75	123.50	74.95	14.69		i				
	and facility reservation - Zone 3		3	UHL	Lun Av	40.50								1		
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	-	UHL	UHL4X	19.53	185.75	123.50	74.95	14.69						
1 .	and facility reservation - Zone 1	1	1	UHL	UHL4W	40.04						1				
	4-Wire Unbundled HDSL Loop without manual service inquiry	 		Uni	UHL4VV	16.04	164.95	114.04	77.32	15.80						
	and facility reservation - Zone 2		2	UHL												
	4-Wire Unbundled HDSL Loop without manual service inquiry			URL	UHL4W	18.03	164.95	114.04	77.32	15.80						
	and facility reservation - Zone 3		3	UHL	UHL4W	45.55										
4-WII	RE DS1 DIGITAL LOOP	 		Ont	UHL4VV	19.53	164.95	114.04	77.32	15.80						
	4-Wire DS1 Digital Loop - Zone 1	 	1	1161	USLXX	99.44	200.00	474.47								
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	131.22	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	342.42	306.69 306.69	174.44	65.83	14.55						
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP	 	- 3	UGL	USLAA	342.42	306.69	174.44	65.83	14.55						
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
- }	Imonth	}	i '	UE3	1L5ND	10.64	}	ļ.			1	,	- 1	1		
	High Capacity Unbundled Local Loop - DS3 - Facility	 			TESIAD	10.04										
1	Termination per month	1		UE3	UE3PX	354.56	. 1			·						
	High Capacity Unbundled Local Loop - STS-1 - Per Mite per	-		020	- DESFX	334.30										
	month			UDLSX	1L5ND	10.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility				120.10	10.04		w-+								
	Termination per month	į.		UDLSX	UDLS1	368.59										
UNBUNDLED	DEDICATED TRANSPORT				10000	500.55		770.1								······
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	T														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.26										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		-		1,20,01	. 0.20										
	Termination			U1TD1	U1TF1	110.45										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1	110.30										
	month			U1TD3	1L5XX	5.72						-				
	Interoffice Channel - Dedicated Transport - DS3 - Facility							-								
	Termination per month			U1TD3	U1TF3	1351.42										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					1							-			
	month	<u> </u>		U1TS1	1L5XX	5.72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	1321.94										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	21.36				-						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	21.36		***								
				ULDVX ULDVX, UNCVX ULDD1, UNC1X	ULDR2 ULDV4	21.36 22.84										

UNBUNDLED NE	TWORK ELEMENTS - Kentucky	,											Attachmer	nt: 2 Ex. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		-	ļ			Rec		curring		g Disconnect				Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	l Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	49.90		<u> </u>				l				
Loca	l Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	189.18				<u> </u>						
	l Channel - Dedicated - DS3 - Per Mile per month	-	<u> </u>	ULDD3, UNC3X	1L5NC	10.05										
	Channel - Dedicated - DS3 - Facility Termination	-		ULDD3, UNC3X	ULDF3	662.46					1					
	Channel - Dedicated - STS-1- Per Mile per month		ļ	ULDS1, UNCSX	1L5NC	10.05										
	l Channel - Dedicated - STS-1 - Facility Termination		ļ	ULDS1, UNCSX	ULDFS	624.73										
ENHANCED EXTEN		J	1	<u> </u>		L			<u> </u>							
NOTE: The n	monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not ap	ply for UNE con	nbinations pro	visioned as '	Ordinarily Con	nbined' Networl	k Elements.					
NUTE: THE II	nonthly recurring and the Switch-As-Is Charge and not i CE GRADE LOOP FOR USE IN A COMBINATION	the non-	recurr	ng charges below v	vill apply for	UNE combinati	ons provision	ed as ' Curren	tly Combined	Network Eleme	nts.					
	ire VG Loop (\$L2) in Combination - Zone 1	 		1016104	UE II o		·									
	ire VG Loop (SL2) in Combination - Zone 1 ire VG Loop (SL2) in Combination - Zone 2	-		UNCVX	UEAL2	14.57										
	ire VG Loop (SL2) in Combination - Zone 2 ire VG Loop (SL2) in Combination - Zone 3	-	3	UNCVX	UEAL2 UEAL2	20.07 38.20					ļ					
	e Grade COCI - Per Month	 	3	UNCVX					_							
	CE GRADE LOOP FOR USE IN A COMBINATION	-		UNCAX	1D1VG	0.71										
4-14/16 4010	ire Analog Voice Grade Loop in Combination - Zone 1	-	1	LINIONA	-						ļ					
4-701	ire Analog Voice Grade Loop in Combination - Zone 1	ļ	1 2	UNCVX	UEAL4 UEAL4	33.65 39.39			ļ							
	ire Analog Voice Grade Loop in Combination - Zone 3	-														1
	e Grade COCI in combination - per month	-	3	UNCVX	UEAL4	97.82				<u> </u>						1
	BPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCVX	1D1VG	0.71				ļ						
4-WIKE 30 K	ire 56Kbps Digital Grade Loop in Combination - Zone 1		1	11110001												1
				UNCDX	UDL56	31.73					ļ					L
	ire 56Kbps Digital Grade Loop in Combination - Zone 2	1		UNCDX	UDL56	37.35										1
4-791	ire 56Kbps Digital Grade Loop in Combination - Zone 3 -DP COCI (data) per month (2.4-64kbs)		3	UNCDX	UDL56	41.83				<u> </u>						1
	BPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCDX	1D1DD	1.52				ļ						L
					4											i
	ire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.73										İ
	ire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ		UNCDX	UDL64	37.35										
	ire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	41.83										
2 MIDE IEDM	-DP COCI (data) - in combination - per month (2.4-64kbs) N LOOP FOR JSE IN COMBINATION			UNCDX	1D1DD	1.52										.
													····			
	ire ISDN Loop in Combination - Zone 1 ire ISDN Loop in Combination - Zone 2		1	UNCNX	U1L2X	21.21										
			2	UNCNX	U1L2X	28.84							· · · · · · · · · · · · · · · · · · ·			
2-991	ire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.30										
A MUDE DO	e ISDN COCI 'BRITE) - in combination - per month DIGITAL LOOP FOR USE IN A COMBINATION			UNCNX	UC1CA	3.27				ļ						
	e DS1 Digital Loop in Combination - Zone 1		1	10.00												
	re DS1 Digital Loop in Combination - Zone 2		2	UNC1X UNC1X	USLXX	99.44				ļ						ļ
	re DS1 Digital Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	131.22										
	COCI in combination per month		3			342.42										
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MADINIA	TION	UNC1X	UC1D1	13.57			-							
	office Transport - 2-wire VG - Dedicated- Per Mile Per	JMBINA	TION						<u> </u>							
Month		1		UNCVX	41.500											
	office Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.01			ļ							
	ination per month			LINOVAC						1						i
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	NA 17 (A) (A)	TION	UNCVX	U1TV2	27.54										
	office Transport - 4-wire VG - Dedicated - Per Mile Per	JMBINA	HUN													
Month				LINIONAL								1			1	
	office Transport - 4-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.01			ļ							
	ination per month			UNCVX	U1TV4	27.51										
Termi	materi per menti			DMCAY	UTIV4	27.54		***************************************								
DS1 INTERO	FFICE TRANSPORT FOR COMBINATION				-											
	office Transport - Dedicated - DS1 combination - Per Mile															
per m				LINCAY	41 5101	0.00										
	ionin Fice Transport - Dedicated - DS1 combination - Facility	-		UNC1X	1L5XX	0.22										
	ination per month			UNICAN												
	FFICE TRANSPORT FOR USE IN A COMBINATION			UNC1X	U1TF1	90.87										
	office Transport - Dedicated - DS3 combination - Per Mile									<u> </u>						
Per M			i									i				
prer M	IOTRE I			UNC3X	1L5XX	4.70										

BUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmer	nt; 2 Ex. B		
EGORY	DATE EI EMENTS	Interi m	Zone	всѕ	usoc			DATES (f.)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec		curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	1111.92				1						
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1 1				1					1	}	
	Termination per month			UNCSX	U1TFS	1087.66					<u> </u>					
4-WIRI	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.73								<u> </u>	İ	
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	37.35				<u> </u>	L			L		L
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	41.83										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -										1					
	Facility Termination per month			UNCDX	U1TD5	19.84										
4-WIRI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FICET	RANSI	PORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.73										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	37.35										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	41.83		7.0								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01								1		1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	19.84					1					1
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	TRAN	SPOR1													
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.73										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	37.35					1					
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	41.83										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.01										ĺ
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	19.84										ĺ
4-WIRE	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	TRAN	SPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	31.73				1						i
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	37.35										· · · · · · · · · · · · · · · · · · ·
	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	41.83					 					·
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			ONODA	ODEO4	71.00					 					
	month			UNCDX	1L5XX	0.01										i .
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			CITODA	TEGAX	0.07					-					
	Termination per month			UNCDX	U1TD6	19.84										
DS1 DI	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			CHODA	01100	15.04										·
5010	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44					 					
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	131.22										
	4-Wire DS1 Digital _oop in Combination - Zone 3			UNC1X	USLXX	342,42										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNCIX	USLXX	342.42							~			
	per month			UNC1X	1L5XX	0.22			}	Į.	1 1	1		}	}	i
	Interoffice Transport Designated DC4 combination Feetile			UNUIX	TLOAA	0.22										
	reministration for the file of the second se				ווווווווווווווווווווווווווווווווווווווו	,,,,										1
D63 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	OT		UNUTA .	(UIIFI	90.87					-					
- Das Di	DS3 Local Loop in combination - per mile per month	1 75		UNC3X	1L5ND	10.00					ļ					ł
*	1200 coda coop in combination - per mile per month			DIVESA	I LEGIND	12.23										ł
	DS3 Local Loop in combination - Facility Termination per month			LINCSY	UE3PX	407.74										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	1L5XX	4.70									_	1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			DINCOX	ILDAX	4.70			-							
	Termination per month			INCOV	LIATES	4444.00										
STC.4	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	EDON-		UNC3X	U1TF3	1111.92										ł
515-7	STS-1 Local Lolp in combination - per mile per month	SPURT		INICEY	AL END	10.00										+
	STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per			UNCSX	1L5ND	12.23				11111				l		1
	13 13-1 Lucai Loop in combination - Facility Termination ber				1 1	- 1										

ONDONOLLD	NETWORK ELEMENTS - Kentucky												Attachmer	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Sve Order vs.	Incremental Charge - Manual Sva Order vs.	Incremental Charge - Manual Sva Order vs.	Charge
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Add
						Res	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)	L	l
						Rec	First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
p	nteroffice Transport - Dedicated - STS-1 combination - per mile er month			UNCSX	1L5XX	4.70										
	nteroffice Transport - Dedicated - STS-1 combination - Facility			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,												
	ermination per mcnth			UNCSX	U1TFS	1087.66										
	TWORK ELEMENTS										 					
When us	ed as a part of a currently combined facility, the non-recurr	ng cha	ges do	not apply, but a S	witch As Is c	harge does app	lv.					-			-	
when us	ed as ordinarily combined network elements in All States, the	ne non-	recurrii	og charges apply a	nd the Switch	As Is Charge	loes not				 					
Nonrecur	rring Currently Combined Network Elements "Switch As Is"	Charge	(One a	oplies to each con	hination)	T T	ioco not.									
Optional	Features & Functions:	9	()	pp. 100 to odon oon	The state of the s											l
				UITD1,							 	ļ				
0	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00)					1
				U1TD1,	10002		0.00	0.00	0.00	0.00	ļ					
c	Dear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00			1					
C	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1.	CCOSF		0.00	0.00	0.00	0.00						
A	activity - per DS1	,			Lunana											
	CONTY - DELEGGI			UNC1X. USL	NRCCC		184.91	23.82	1.99	0.78						
	-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3,												
MULTIPL				UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
	IS1 to DS0 Channel System per month															
				UNC1X	MQ1	130.33										
10	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		i i													
	nonth (2.4-64kbs) iised for a Local Loop			UDL	1D1DD	1.52				i	1					
1 10	CU-DP COCI (data) - DS1 to DS0 Channel System - per															
lu.	nonth (2.4-64kbs) used for connection to a channelized DS1				i											
L	ocal Channel in the same SWC as collocation			U1TUD	1D1DD	1.52										
	-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per												**			
	nonth for a Local Loop			UDN	UC1CA	3.27										
	-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
m	onth used for connection to a channelized DS1 Local Channel											[
	the same SWC as collocation			U1TUB	UC1CA	3.27			i	i						
V	oice Grade COCI - DS1 to DS0 Channel System - per month				1001011	V.E7										
US	sed for a Local Loop			UEA	1D1VG	0.72										
	oice Grade COCI - DS1 to DS0 Channel System - per month			V	1070	0.72										
	sed for connection to a channelized DS1 Local Channel in the															
	ame SWC as collocation			U1TUC	1D1VG	0.72										
	S3 to DS1 Channel System per month			UNC3X	MQ3	181.93										
S	TS-1 to DS1 Channel System per month			UNCSX	MQ3	181.93										
	S1 COCI used with Loop per month															
	S1 COCI (used for connection to a channelized DS1 Local			USL	UC1D1	13.57										
	hannel in the same SWC as collocation) per month			1477114	lucia.											
				J1TUA	UC1D1	13.57										
	S1 COCI used with Interoffice Channel per month			J1TD1	UC1D1	13.57										
	S3 Interface Unit (DS1 COCI) used with Local Channel per															
m	onth		1	JLDD1	UC1D1	13.57										

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmer	t: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
		ļ	!			Rec	Nonrec			g Disconnect				Rates (\$)		
ļ		ļ					First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INDUNED CO	D EXCHANGE ACCESS LOOP		1	 						-	ļ	ļ	ļ		ł	
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	LOOP	 						 	 					
2-771	2 Wire Unbundled HDSt. Loop including manual service inquiry	I	LOOF							1			ł		ł	ł
į	& facility reservation - Zone 1	ł	1	UHL	UHL2X	11.26	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry	· · · · · · ·		OT IL	OFFICER	11.20	120.50	70.77		 	 					
	& facility reservation - Zone 2	İ	2	UHL	UHL2X	13.25	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry									i	ĺ					f
	& facility reservation - Zone 3	İ	3	UHL	UHL2X	14.65	125.50	76.77		1						
	2 Wire Unbundled HDSL Loop without manual service inquiry										1					
	and facility reservation - Zone 1		1	UHL	UHL2W	11.26	101.24	64.43				l				l
	2 Wire Unbundled HDSL Loop without manual service inquiry															
ļļ	and facility reservation - Zone 2		2	UHL	UHL2W	13.25	101.24	64.43				ļ				ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry		1		1							!				
	and facility reservation - Zone 3		3	UHL	UHL2W	14.65	101.24	64.43								<u> </u>
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP		_											ļ
!!	and facility reservation - Zone 1		1	UHL	UHL4X	18.68	153.26	104.54								
 	4-Wire Unbundled HDSL Loop including manual service inquiry	-	 '-	UNL	UnL4X	10.00	133.26	104.54			<u> </u>					
	and facility reservation - Zone 2	1	2	UHL	UHL4X	19.15	153.26	104.54		1						
-	4-Wire Unbundled HDSL Loop including manual service inquiry		 -	Onc	UFILAN	15.13	100.20	104,34		+						
	and facility reservation - Zone 3		3	UHL	UHL4X	19.94	153.26	104.54		1						1
	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	OTIL	OT IL TA	13.04	100.20	104,54			-					-
	and facility reservation - Zone 1		1	UHL	UHL4W	18.68	129.00	92.20								l
	4-Wire Unbundled HDSL Loop without manual service inquiry						120,00			†						
	and facility reservation - Zone 2		2	UHL	UHL4W	19.15	129.00	92.20			1		1			1
	4-Wire Unbundled HDSL Loop without manual service inquiry												·			(
	and facility reservation - Zone 3		3	UHL	UHL4W	19.94	129.00	92.20			l					1
4-W!	RE DS1 DIGITAL LOOP										L					İ
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	98.56	245.16	152.98							ļ	
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	224.20	245.16	152.98					ļ		ļ	ļ
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	565,73	245.16	152.98					ļ		ļ	
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP		ļ		4								ļ			↓
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			1150	41.5315	44.55							ĺ		i	l
			ļ <u> </u>	UE3	1L5ND	11.55				-		ļ			ļ	ļ
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		Į.	UE3	UE3PX	416.69				l.						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		 	UES	DESPX	410.09					 					
	month			UDLSX	1L5ND	11.55				1						1
	High Capacity Unbundled Local Loop - STS-1 - Facility		 	ODEOX	TLOND	11.00		-		-		····				+
	Termination per month			UDLSX	UDLS1	430.74										
UNBUNDLED	D DEDICATED TRANSPORT		 	I DECOX	TODEO!	700.17									· · · · · · · · · · · · · · · · · · ·	
	ROFFICE CHANNEL - DEDICATED TRANSPORT										<u> </u>					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per											·····				
	month			U1TD1	1L5XX	0.30						İ				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		†	T	1-27-1											
	Termination		ŀ	U1TD1	U1TF1	81.04				i						ĺ
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
L	month		<u> </u>	U1TD3	1L5XX	6.95									ļ	
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	<u> </u>	Ļ	U1TD3	U1TF3	978.02				.						L
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			Í						1						
	month		Ь_	U1TS1	1L5XX	6.95				ļ						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility									l						
	Termination	 	<u> </u>	U1TS1	U1TFS	954.72										-
	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	L	<u> </u>	ULDVX, UNCVX ULDVX	ULDV2 ULDR2	21.07										ł
 	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		 	ULDVX, UNCVX	ULDK2 ULDV4	21.07 22.32										-
	TEOCOT CHOTHIC! T DEGICALED " 4" WHE VOICE CHARE			IULDVA, UNUVA							1					1

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachmer	nt: 2 Ex. B		
		T	T		T	T					Svc Order	Svc Order		Incremental	Incremental	Increment
										*. *						
						1					1	Submitted		Charge -	Charge -	Charge -
		Interi	1_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY		m	Zone	BCS	usoc						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				i		1							Electronic-	Electronic-	Electronic-	Electronic
-													1st	Add'l	Disc 1st	Disc Add
													1	, Audi	5130 131	Disc Add
		1	T				Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
			T		T	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS1 - Zone 2	-	2	ULDD1, UNC1X	ULDF1	139.82			1	7144	1					
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	80.52		 	+	+	-				 	
	Local Channel - Dedicated - DS3 - Per Mile per month		1	ULDD3, UNC3X	1L5NC	8.99			 	+			 			
	Local Channel - Dedicated - DS3 - Facility Termination	-	-	ULDD3, UNC3X	ULDF3	539.86		-		+	 			<u> </u>		
		-	-					-	-		1					
	Local Channel - Dedicated - STS-1- Per Mile per month		—	ULDS1, UNCSX	1L5NC	8.99										
	Local Channel - Dedicated - STS-1 - Facility Termination		\perp	ULDS1, UNCSX	ULDFS	525.80								L		
	TENDED LINK (EELs)	L			1											
	The monthly recurring and non-recurring charges below will															
NOTE: T	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ng charges below v	vill apply for	UNE combinati	ions provision	ed as ' Curren	tly Combined'	Network Eleme	ents.					
2-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION	T	T		T	1	Ι	Γ	1	1	1					
	2-Wire VG Loop (SL2) in Combination - Zone 1	 	1	UNCVX	UEAL2	17,17			 		 					
	2-Wire VG Loop (SL2) in Combination - Zone 2	†		UNCVX	UEAL2	29.15			 	1	1					
	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	58.03			+	+						
	Voice Grade COCI - Per Month	1	3	UNCVX	1D1VG	0.75			+	-						
	VOICE GRADE LOOP FOR USE IN A COMBINATION		-	DIACAY	IDIVG	0.75		-								
		1	ļ		 				1	ļ	ļ					
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	35.43										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	44.07			l					l	L	L
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	69.45										
l l	Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0.75								1		
4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION				1				1		1					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.64										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	42.30					+					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	44.76				1	1					
	OCU-DP COCI (data) per month (2.4-64kbs)	 		UNCDX	1D1DD				 	+	-					
			 	UNCDX	טטוטו	1.59			 							
	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION				<u> </u>						1.					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	35.64										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	42.30										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76										
I	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.59										
2-WIRE I	ISDN LOOP FOR USE IN COMBINATION				1				1	1	1					
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.40			<u> </u>							
	2-Wire ISDN Loop in Combination - Zone 2	 		UNCNX	U1L2X	40.57			 	 						
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	74.96			+	+	_					
	2-wire ISDN COCI (BRITE) - in combination - per month		3.		UC1CA	3.40				-	-					
				UNCNX	UCTCA	3.40					-			ļ		
	DS1 DIGITAL LOOP FOR USE IN A COMBINATION		<u> </u>													
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	98.56								L		
4	4-Wire DS1 Digital Loop in Combination - Zone 2	1	3	UNC1X	USLXX	224.20			L						L	
4	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73			1]]		,	
	DS1 COCI in combination per month			UNC1X	UC1D1	13.55										
2 WIRE V	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION			T			1		1					
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1	T		1	<u> </u>			ſ	1	1	1	ĺ		[
	Month		1	UNCVX	1L5XX	0.01	ļ				1		4		1	
	Interoffice Transport - 2-wire VG - Dedicated - Facility	 	 	ONOVA	ILOAA	0.01			1	 	-					
			1	LINOLAY	11470.00	25.00	l				1					
	Termination per month	1	<u> </u>	UNCVX	U1TV2	25.99				↓	<u> </u>	ļ	<u> </u>			
	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINA	LION			<u> </u>				1						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		ı				I				1		1		1	
	Month	L	<u> </u>	UNCVX	1L5XX	0.01					L		1	l		
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	22.78							j	ŀ		
DS1 INT	EROFFICE TRANSPORT FOR COMBINATION		1		1	T	ĺ	1	1	i	i '		1			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		†	l'				1"	1				I		t	
	per month			UNC1X	1L5XX	0.30	ł	l			1					
	Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNUIA	1.20//	0.30		t .						1		
				LINICAY	UATE A			1			1					
	Termination per month			UNC1X	LJ1TF1	81.04					1					
	EROFFICE TRANSPORT FOR USE IN A COMBINATION				_					1					j	
	interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	6.95	ļ	1			I .			ļ.	l l	
10	Interoffice Transport - Dedicated - DS3 - Facility Termination per						F		Ī	f			1		[
	month			UNC3X	U1TF3	978.02					l		1		l	

NBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Ex. B		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
STS.	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION		 	+			7 17 51	1.001		7.00	1					
313	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		 					1								
	Per Month			UNCSX	1L5XX	6.95					İ					
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0110011				1		1						
	Termination per month			UNCSX	U1TFS	954.72		!			1				l	
4-WII	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	Ţ	1	UNCDX	UDL56	35.64										
	4-wire 56 kbps Local Loop in combination - Zone 2	İ	2	UNCDX	UDL56	42.30										
	4-wire 56 kbps Local Loop in combination - Zone 3	İ		UNCDX	UDL56	44.76										
- i	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	İ														
	Per Mile per month	İ		UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	i														
	Facility Termination per month			UNCDX	U1TD5	17.95										
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS	PORT							L					
	4-wire 64 kbps Looal Loop in Combination - Zone 1	T	1	UNCDX	UDL64	35.64										
	4-wire 64 kbps Logal Loop in Combination - Zone 2		2	UNCDX	UDL64	42.30										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76				ļ						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 	-													
	Per Mile per month			UNCDX	1L5XX	0.01		1		i						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1													
- 1	Facility Termination per month			UNCDX	U1TD6	17.95		1	-	1	1	{				
4-Wil	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPOR													
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	35.64										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	42.30					1					
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	44.76										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	†	1										1			
	month			UNCDX	1L5XX	0.01						İ				
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			1	1.207.07			1								
	Termination per month			UNCDX	U1TD5	17.95										
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPOR						1							
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	35.64										
	4-wire 64 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL64	42.30				**	1					
1	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	44.76					1					
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		1													
İ	month		-	UNCDX	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility										***************************************					
	Termination per month		l	UNCDX	U1TD6	17.95									i	
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		† 													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-														
	per month			UNC1X	1L5XX	0.30					1					
	Interoffice Transport - Dedicated - DS1 combination - Facility	1														
- 1	Termination per month		į .	UNC1X	U1TF1	81.04					1					
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.28			1	T						
				1						1						
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	479.19			1	}	1	}			1	
1	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.95		1	1		1					
	Interoffice Transport - Dedicated - DS3 combination - Facility	T								1						
	Termination per month			UNC3X	U1TF3	978.02										
STS-	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT	1					1		T	1					
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.28				1						
	STS-1 Local Loop in combination - Facility Termination per									1						
	month			UNCSX	UDLS1	495.36										
	Interoffice Transport - Dedicated - STS-1 combination - per mile		-	2,100/1	00001	400.00				T	· · · · · · ·					
	per month			UNCSX	1L5XX	6.95		1								

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachmer	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		_	RATES (\$)		-	Submitted Elec	Submitted	Incremental Charge - Manual Syc		Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increme Charge Manual Order v Electros Disc Ad
			T			n	Nonrec	curring	Nonrecurring	g Disconnect	 		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Facility														-	
DITION A	Termination per month			UNCSX	U1TFS	954.72									į	
DITIONAL	NETWORK ELEMENTS										i					·
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is o	harge does app	oly.				-					
when	used as ordinarily combined network elements in All States, th	ie non-	recurri	ng charges apply :	and the Switch	As Is Charge	loes not.									_
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each cor	nbination)											
Option	al Features & Functions:															
			†	U1TD1.												ļ
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1.UNC1X	CCOEF					1						
	Color Ordenics Contracting Extended Frame Option - per 001				CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,		1										
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						1
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						1
				U1TD3, ULDD3.				20.70	1.31	0.77						
-	C-bit Parity Option - Subsequent Activity - per DS3	i	1 !	UE3, UNC3X	NRCC3		240.70	7.00				i				1
	PLEXERS			DES, DNOSA	INRCC3		218.78	7.66	0.7263	0.00						
	DS1 to DS0 Channel System per month			UNC1X	MQ1	120.85										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIX	MQ1	120.85										
	month (2.4-64kbs) used for a Local Loop			1.170.1	1											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.59										1
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation															
	Lucial Channel in the same SWC as collocation			U1TUD	1D1DD	1.59										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					1										
	month for a Local Loop			UDN	UC1CA	3.40										i
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1			1										i
	month used for connection to a channelized DS1 Local Channel											l			ļ	į.
	in the same SWC as collocation			U1TUB	UC1CA	3.40			ĺ							i
	Voice Grade COCI - DS1 to DS0 Channel System - per month						1									
	used for a Local Loop			UEA	1D1VG	0.75						ŀ				
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.75										
	DS3 to DS1 Channel System per month			UNC3X	MQ3	231.70										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	231.70					***************************************					
	DS1 COCI used with Loop per month			USL	UC1D1	13.55										
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.55									i	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.55			****							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				30101	15,55										
	month			ULDD1	UC1D1	13.55					į					

	ED NETWORK ELEMENTS - Mississippi												Attachmer	t: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	·		RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			 					Add'l		Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED	EXCHANGE ACCESS LOOP							····								<u> </u>
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB													L
	2 Wire Unbundled HDSL Loop including manual service inquiry	IIDLE	LOOP													L
1	& facility reservation - Zone 1		1	UHL	UHL2X	10.06	129.98	79.52	F0.00	7.00	ŀ					ĺ
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	UNLZA	10.06	129.98	/9.52	50.38	7.93						
	& facility reservation - Zone 2		2	UHL	UHL2X	10.60	129.98	79.52	50.38	7.93						1
	2 Wire Unbundled HDSL Loop including manual service inquiry			0112	OTICZX	10.00	123.30	79.32	30.36	7.93						
	& facility reservation - Zone 3		3	UHL	UHL2X	11.35	129.98	79.52	50.38	7.93						1
	2 Wire Unbundled HDSL Loop including manual service inquiry				UTILE A	11.50	123.30	19.02	30.36	7.83						ļ
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03	129.98	79.52	50.38	7.93						1
	2 Wire Unbundled HDSL Loop without manual service inquiry				O I ILLY	12.00	120.00	73.32	30.36	7,53						
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06	104.86	66.74	50.38	7.93						1
	2 Wire Unbundled HDSL Loop without manual service inquiry						70 1130		50.50	1.00					••-	
	and facility reservation - Zone 2		2	UHL	UHL2W	10.60	104.86	66.74	50.38	7.93						1
	2 Wire Unbundled HDSL Loop without manual service inquiry															—
1	and facility reservation - Zone 3		3	UHL	UHL2W	11.35	104.86	66.74	50.38	7.93				į		ı
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	. 12.03	104.86	66.74	50.38	7.93		į.				i
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													·
	4 Wire Unbundled HDSL Loop including manual service inquiry									-						ľ
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85	158.74	108.28	56.72	10.68						i
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry				1 1											
	and facility reservation - Zone 3		3	UHL	UHL4X	17.93	158.74	108.28	56.72	10.68		i				l
	4-Wire Unbundled HDSL Loop including manual service inquiry						1									1
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63	158.74	108.28	56.72	10.68						i
	4-Wire Unbundled HDSL Loop without manual service inquiry				1		}									
	and facility reservation - Zone 1		1	UHL	UHL4W	15.85	133.62	95.50	56.72	10.68						i .
	4-Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 2		2	UHL	UHL4W	15.44	133.62	95.50	56.72	10.68						l
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3															
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4W	17.93	133.62	95.50	56.72	10.68						
	and facility reservation - Zone 4		4	UHL	1	40.00						ŀ				
4.WIR	E DS1 DIGITAL LOOP		4	UML	UHL4W	16.63	133.62	95.50	56.72	10.68						
	4-Wire DS1 Digital Loop - Zone 1		1	Hel	USLXX	110.00	252.00	450.45	10.10	42.07						
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	118.62 148.79	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	237.75	253.93 253.93	158.45 158.45	46.10	12.07	******					
	4-Wire DS1 Digital Loop - Zone 4		4		USLXX	527.23	253.93	158.45	46.10	12.07						
IIGH CAPAC	ITY UNBUNDLED LOCAL LOOP			UUL	USLAA	521.23	253.93	156.45	46.10	12.07						
T	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	12.88]								
	High Capacity Unbundled Local Loop - DS3 - Facility				120140	12.00										
	Termination per month			UE3	UE3PX	375.07			1							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per				OLOI A	370.01										
	month	- 1		UDLSX	1L5ND	12.88										
	High Capacity Unbundled Local Loop - STS-1 - Facility				1.20112	12.00										
	Termination per month			UDLSX	UDLS1	389.33										
	DEDICATED TRANSPORT	*														
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT			***************************************												
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	65.93										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	5.47										

	D NETWORK ELEMENTS - Mississippi											Attachmer	t: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES (\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Charge -
						Rec	Nonrecurring	Nonrecurrin	g Disconnect	1		OSS	Rates (\$)	L	
						Kec	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1												
	Termination per month		 	U1TD3	U1TF3	738.18			<u> </u>						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		İ	U1TS1	11.500	5.17			Ì						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01151	1L5XX	5.47			ļ						
	Termination			U1TS1	U1TFS	740.84		1						[
	Local Channel - Dedicated - 2-Wire Voice Grade		 	ULDVX. UNCVX	ULDV2	17.15				+	-				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	†	ļ	ULDVX	ULDR2	17.15				+	<u> </u>				
	Local Channel - Dedicated - 4-Wire Voice Grade		 	ULDVX, UNCVX	ULDV4	18.39			 	-	f				
	Local Channel - Dedicated - DS1 - Zone 1	İ	1	ULDD1, UNC1X	ULDF1	42.35			 						
	Local Channel - Derlicated - DS1 - Zone 2	T		ULDD1, UNC1X	ULDF1	41.39			1	 					
	Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	254.87			· · · · · · · · · · · · · · · · · · ·						
	Local Channel - Dedicated - DS1 - Zone 4			ULDD1, UNC1X	ULDF1	254.87									
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	11.11				1					
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	475.95									
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	11.11									
	Local Channel - Dedicated - STS-1 - Facility Termination	<u> </u>		ULDS1, UNCSX	ULDFS	469.22									
	XTENDED LINK (EELs)		L												
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	je will not app	ly for UNE combi	inations provisioned as '	Ordinarily Com	bined' Networ	k Elements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ing charges below	will apply for I	UNE combination	is provisioned as ' Currei	ntly Combined'	Network Elem	ents.					
2-WIR	VOICE GRADE LOOP FOR USE IN A COMBINATION	L													
	2-Wire VG Loop (SL2) in Combination - Zone 1	ļ		UNCVX	UEAL2	15.97									
	2-Wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	21.56									
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	31.68									
	2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	52.58									
4	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.66									L
4-WIRI	VOICE GRADE LOOP FOR USE IN A COMBINATION	ļ	ļ												ļ
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	31.59			1	ļ			,		ļ
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	44.00									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	57.53									-
	4-Wire Analog Voice Grade Loop in Combination - Zone 4 Voice Grade COCI in combination - per month	<u> </u>	4	UNCVX	UEAL4	57.53			ļ						ļ
4 14/10/	5 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCVX	1D1VG	0.66				<u> </u>					ļ
4-74116	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			LINCOV	LIDLES	24.50									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	31.56			ļ						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		2	UNCDX	UDL56 UDL56	39.73				ļ					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	46.87 37.09		·	ļ						
	OCU-DP COCI (data) per month (2,4-64kbs)		4	UNCDX	1D1DD	1.40			ļ	ļ			_		·
4-MIDI	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCDX	טטוטו	1.40		1							·
- 1	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.56				-					·
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	39.73			ļ	+					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	46.87									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4			UNCDX	UDL64	37.09			<u> </u>	 					
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.40			ļ						
2-WIRI	ISDN LOOP FOR USE IN COMBINATION			DI TOO A	1.0,00	7.40		+		1					
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	24.16				+					
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	31.73		+ -	 	+					
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.94				 			-		
	2-Wire ISDN Loop in Combination - Zone 4			UNCNX	U1L2X	68.06									
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1GA	3.01		†	t	1					
4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION				1			1	1	1					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.94								***	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79									
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	237.75									
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23									
	4-Wire DS1 Digital Loop in Combination - Zone 4 DS1 COCI in combination per month			UNC1X UNC1X		527.23 3.01									
2 WIRE	4-Wire DS1 Digital Loop in Combination - Zone 4	MBINA			USLXX										

ARANDLED	NETWORK ELEMENTS - Mississippi												Attachmer	t: 2 Ex. B		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES	5 (\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Adi
						- 1	Nonrecurring	No	onrecurring	Disconnect		i	oss	Rates (\$)	L	l
						Rec	Add			Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
11	Interoffice Transport - 2-wire VG - Tedicated - Facility						- Aug	-		Audi	SOMEC	BOWAN	JOHAN	JOHIAN	SOMAN	JOWA
	Terminatic			UNCVX	U1TV2	23.37						j l				
	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MRINA	TION	ONOVA	UTIVE	23.31										
	nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per	JANIO INA	HOIV									ļ				
	Month			UNCVX	1L5XX	0.00						1 1				
	nteroffice Transport - 4-wire VG - Dedicated - Facility			UNCVA	ILDAX	0.00					<u> </u>					
				LINIONA	111777.44			j								
	Termination per month			UNCVX	U1TV4	20.54										
	EROFFICE TRANSPORT FOR COMBINATION															
	nteroffice Transport - Dedicated - DS1 combination - Per Mile							ĺ	1							
	per month			UNC1X	1L5XX	0.21					1					
	nteroffice Transport - Dedicated - DS1 combination - Facility				1											
	Termination per month			UNC1X	U1TF1	59.48	l				1					
	EROFFICE TRANSPORT FOR USE IN A COMBINATION															
li li	nteroffice Transport - Dedicated - DS3 combination - Per Mile															
P	Per Month			UNC3X	1L5XX	5.47										
lr.	nteroffice Transport - Dedicated - DS3 - Facility Termination per								-							
FT	nonth			UNC3X	U1TF3	738.18	1				1					
STS-1 IN	ITEROFFICE TRANSPORT FOR USE IN COMBINATION										 					
	nteroffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	5.47										
	3/1 Channel System in combination per month			UNCSX	MQ3	196.22					ļ					
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SDODT		UNCSA	IVIQ3	190.22										
	I-wire 56 kbps Local Loop in combination - Zone 1	SPURI	1	101051	UDL56											
				UNCDX		31.56										
	-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.73										
	-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	46.87										
	-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	37.09										
	nteroffice Transport - Dedicated 4-wire 56 kbps combination -	'	- 1			1	1		ì					ĺ		
	Per Mile per month			UNCDX	1L5XX	0.01										
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -					ŀ	l		I							
	Facility Termination per month			UNCDX	U1TD5	25.90		- 1	1							
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FICE TR	RANSF	PORT												
	l-wire 64 kbps Looal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.56										
4	-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	39.73										
4	l-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	46.87					† — — — — — — — — — — — — — — — — — — —					
4	-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	37.09										
	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month	- 1	ı	UNCDX	1L5XX	0.01										
	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -				120707	0.07					+					
	acility Termination per month	1	-	UNCDX	U1TD6	25.90			1							
	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	POPT		01100	20.50					ļ					
	4-wire 56 kbps Local Loop in combination - Zone 1	- 110		UNCDX	UDL56	24.50										
						31.56										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.73										
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	46.87										
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	37.09						[
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	nonth			UNGDX	1L5XX	0.01							1			
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility										Ţ					
	ermination per month			UNCDX	U1TD5	25.90										
	4 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	PORT							***************************************						
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.56										
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	39.73										
	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	46.87										
	4-wire 64 kbps Local Loop in combination - Zone 4			UNCDX	UDL64	37.09					t					
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per					97.00					ļ ————					
	nonth			UNCDX	1L5XX	0.01					Į l					
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility		-	5OA	TEVAA	0.01					ļ					
	ermination per month			UNCDX	U1TD6	25.90										
DS1 DIGI	ITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		-	ONODA	סטווט	25.90					ļ					
	-Wire DS1 Digital Loop in Combination - Zone 1		-1	UNC1X	USLXX	90.94										

	LED NETWORK												Attachmer	nt: 2 Ex. B		
			1		T .						Svc Order	Svc Order	Incremental		Incremental	Increments
											Submitted		Charge -	Charge -	Charge -	Charge -
		ļ														
0475000	, , , , , , , , , , , , , , , , , , , ,	Interi		200	11000			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	i	ĺ									l .	-	Electronic-	Electronic-	Electronic-	Electronic
													1st	l'bbA	Disc 1st	Disc Add'
		ļ											151	Addi	Disc ist	DISC Add I
		 	+		1		Monro	curring	Monroquerino	Disconnect	,		000	Rates (\$)		1
			+-			Rec	Nonie		Noisecanni		201150					
ļ								Add'l		Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79		j					j			
1	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75										
	4-wire DS1 Digital Local Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23							ì	i i	i i	ì
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1						····					1		
1	per month	ļ		UNC1X	1L5XX	0.21								1		
				UNCIA	ILDAA	0.21										
1	Interoffice Transport - Dedicated - DS1 combination - Facility													ŀ	l i	
1	Termination per month	l		UNC1X	U1TF1	59.48		J		ŀ					j j	
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT						1		Ì				i	1	1
	DS3 Local Loop in combination - per mile per month	1	+	UNC3X	1L5ND	14.81		i	f	f	1			r	f (f
l 1	Dod cook coop in combination - per time per month	 		ONOSX	TEOINE	14.01			1						· · · · · · · · · · · · · · · · · · ·	
	D001														Ì	
	DS3 Local Loop in combination - Facility Termination per month		_	UNC3X	UE3PX	431.33										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47										
1	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	738.18			Ī			,		l		
STS	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	EDODI	-	B. TOOM	00	100.10			1							
313		Bruk	<u>'</u>	11110011					1).		
, !	STS-1 Local Lolp in combination - per mile per month		<u> </u>	UNCSX	1L5ND	14.81										
ļ .		1	1	1												
		ļ)	Concort	UULU	771.10								,		
	Interoffice Transport - Dedicated - STS-1 combination - per mile		1					·								
1 1	per month			UNCSX	1L5XX	5.47										
 		ļ		UNCOA	ILDAX	5.47										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		i													
	Termination per month			UNCSX	U1TFS	740.84										
ADDITIONA	L NETWORK ELEMENTS		T													
1.00																
l Whe	en used as a part of a currently combined facility, the non-recurr	no cha	raes de	not apply, but a S	witch As Is c	narge does ann	lv.									
Whe	en used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does app	oly.									
Whe	en used as ordinarily combined network elements in All States, the	he non-	-recurri	ng charges apply a	nd the Switch	arge does app As Is Charge o	oly. loes not.									
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is"	he non-	-recurri	ng charges apply a	nd the Switch	narge does app As Is Charge o	oly. loes not.									
Whe Non	en used as ordinarily combined network elements in All States, the	he non-	-recurri	ng charges apply a applies to each com	nd the Switch	harge does app As Is Charge o	oly. loes not.									
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions:	he non-	-recurri	ng charges apply a applies to each com	nd the Switch	As is Charge o	oly. does not.									
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions:	he non-	-recurri	ng charges apply a applies to each com	nd the Switch bination)	harge does app As Is Charge o	loes not.	0.00	0.00	0.00						
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is"	charge	-recurri	ng charges apply a applies to each com U1TD1, ULDD1,UNC1X	nd the Switch	harge does app As is Charge o	oly. does not.	0.00	0.00	0.00			-			
Whe Non	en used as ordinarily combined network elements in All States, the incurring Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	Charge	-recurri	ng charges apply a applies to each com U1TD1, ULDD1,UNC1X U1TD1,	nd the Switch bination) CCOEF	harge does app As Is Charge o	0.00									
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	charge	-recurri	ng charges apply a applies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X	nd the Switch bination)	narge does app As is Charge o	loes not.	0.00	0.00	0.00						
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	he non- Charge	-recurri	ng charges apply a applies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X	nd the Switch bination) CCOEF	narge does app As is Charge o	0.00 0.00	0.00	0.00	0.00						
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	Charge	-recurri	ng charges apply a applies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X	nd the Switch bination) CCOEF	narge does app As is Charge o	0.00									
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	he non- Charge	-recurri	ng charges apply a applies to each com U1TD1. ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	nd the Switch bination) CCOEF	harge does app As is Charge o	0.00 0.00	0.00	0.00	0.00						
Whe Non	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	he non- Charge	-recurri	ng charges apply a spplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL ULDD3, ULDD3	nd the Switch bination) CCOEF CCOSF NRCCC	narge does app As Is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	he non- Charge	-recurri	ng charges apply a applies to each com U1TD1. ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	nd the Switch bination) CCOEF	narge does app Ås is Charge o	0.00 0.00	0.00	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increatering Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS	he non- Charge	-recurri	ng charges apply a spplies to each com U17D1. ULDD1.UNC1X U17D1, ULDD1.UNC1X ULDD1.UNC1X ULDD1.UTD1. UNC1X, USL U17D3, ULDD3, UL	ccosf NRCCC	As Is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the inscruring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month	he non- Charge	-recurri	ng charges apply a spplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL ULDD3, ULDD3	nd the Switch bination) CCOEF CCOSF NRCCC	harge does app As is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increatering Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS	he non- Charge	-recurri	ng charges apply a spplies to each com U17D1. ULDD1.UNC1X U17D1, ULDD1.UNC1X ULDD1.UNC1X ULDD1.UTD1. UNC1X, USL U17D3, ULDD3, UL	ccosf NRCCC	As Is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the inscripting Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non- Charge	-recurri	ng charges apply a spplies to each com U1TD1. ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNTD1, UNC1X, USL UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	ccoef ccosf NRCCC NRCC3	As is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increaturing Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non- Charge	-recurri	ng charges apply a spplies to each com U17D1. ULDD1.UNC1X U17D1, ULDD1.UNC1X ULDD1.UNC1X ULDD1.UTD1. UNC1X, USL U17D3, ULDD3, UL	ccosf NRCCC	As Is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the inceruring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Crief Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non- Charge	-recurri	ng charges apply a spplies to each com U1TD1. ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNTD1, UNC1X, USL UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	ccoef ccosf NRCCC NRCC3	As is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the incorring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X U1TD1, ULDD1.UNC1X USLDD1.UNC1X. USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increaturing Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non- Charge	-recurri	ng charges apply a spplies to each com U1TD1. ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNTD1, UNC1X, USL UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	ccoef ccosf NRCCC NRCC3	As is Charge o	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the incorring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X U1TD1, ULDD1.UNC1X USLDD1.UNC1X. USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Chit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD3, UE3, UNC3X, UE3, UNC3X UDLL U1TD3, ULDD3, UE3, UNC1X, UDLL U1TUD	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the incecurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for concern to a channelized DS1 to Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE month for a Local Loop Total Channel in the same SWC as collocation to a channel so the same so the same	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X U1TD1, ULDD1.UNC1X USLDD1.UNC1X. USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increaturing Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD3, UE3, UNC3X, UE3, UNC3X UDLL U1TD3, ULDD3, UE3, UNC1X, UDLL U1TUD	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Chil Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DR COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month used for connection to a channelized DS1 Local Channel	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD3, UE3, UNC3X, UE3, UNC3X UNC1X UDL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increaturing Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 to Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (RRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD3, UE3, UNC3X, UE3, UNC3X UDLL U1TD3, ULDD3, UE3, UNC1X, UDLL U1TUD	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	118.28 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Chil Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DR COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month used for connection to a channelized DS1 Local Channel	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD3, UE3, UNC3X, UE3, UNC3X UNC1X UDL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the increaturing Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 to Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (RRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation to a channelized DS1 Local Channel in the same SWC as collocation	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X ULDD1.UNC1X ULDD1.UNC1X. ULDD1.UTD1. UNC1X. USL U1TD3. ULDD3. UE3. UNC3X UNC1X UDL U1TUD	ccoef ccosf NRCCC NRCC3 MQ1 1D1DD UC1CA	118.28 1.40 3.01	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the inceruring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Chil Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel system - per month for a Local Loop	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD3, UE3, UNC3X, UE3, UNC3X UNC1X UDL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	118.28 1.40 1.40	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Z-wire ISDN COCI (RRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (RRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for collocal Loop	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X ULDD1.UNC1X ULDD1.UNC1X. ULDD1.UTD1. UNC1X. USL U1TD3. ULDD3. UE3. UNC3X UNC1X UDL U1TUD	ccoef ccosf NRCCC NRCC3 MQ1 1D1DD UC1CA	118.28 1.40 3.01	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the inceruring Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Cbit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X ULDD1.UNC1X ULDD1.UNC1X. ULDD1.UTD1. UNC1X. USL U1TD3. ULDD3. UE3. UNC3X UNC1X UDL U1TUD	ccoef ccosf NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG	118.28 1.40 3.01 3.01 0.66	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month for a Coci Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TD3, ULDD3, UE3, UNC1X UDL U1TUB UDN UDN UDN U1TUB UDN	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG	118.28 1.40 1.40 3.01 0.66	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (RRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X ULDD1.UNC1X ULDD1.UNC1X. ULDD1.UTD1. UNC1X. USL U1TD3. ULDD3. UE3. UNC3X UNC1X UDL U1TUD	ccoef ccosf NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG	118.28 1.40 3.01 3.01 0.66	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month for a Coci Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1, ULDD1.UNC1X U1TD1, ULDD1.UNC1X UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN UTTUB UEA	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA 1D1VG ID1VG MQ3	118.28 1.40 1.40 3.01 3.01 0.66	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the inceruring Currently Combined Network Elements "Switch As is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Chil Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a local Loop 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X ULDD1.UNC1X ULDD1.UNC1X. ULDD1.UNC1X. USL U1TD3. ULDD3. UE3. UNC3X UNC1X UDL U1TUB UDN UTTUB UEA	ccoef ccosf NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG 1D1VG 1D1VG 1D1VG 1D1VG 1D1VG	118.28 1.40 3.01 3.01 0.66 196.22 196.22	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1, ULDD1.UNC1X U1TD1, ULDD1.UNC1X UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN UTTUB UEA	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD UC1CA UC1CA 1D1VG ID1VG MQ3	118.28 1.40 1.40 3.01 3.01 0.66	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE month for a Local Loop 2-wire ISDN COCI (RRITE) - DS1 month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used for connection to a channelized DS1 Local DS1 COCI (used for connection to a channelized DS1 Local	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X. USL U1TD3, ULDD1.UTD1. UNC1X. USL U1TD3, ULDD3. UE3, UNC3X UNC1X UDL. U1TUD UDN UDN UTTUB UEA U1TUB UEA U1TUC UNC3X UNC3X UNC3X UNC3X UNC3X USL UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC5X USL	nd the Switch bination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG MQ3 MQ3 UC1D1	118.28 1.40 1.40 3.01 0.66 196.22 196.22 14.90	0.00 0.00 184.60	0.00 23.78	0.00	0.00						
Whe Non Opti	en used as ordinarily combined network elements in All States, the recurring Currently Combined Network Elements "Switch As Is" lonal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 month for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month	he non- Charge	-recurri	ng charges apply a speplies to each com U1TD1. ULDD1.UNC1X U1TD1. ULDD1.UNC1X ULDD1.UNC1X ULDD1.UNC1X. ULDD1.UNC1X. USL U1TD3. ULDD3. UE3. UNC3X UNC1X UDL U1TUB UDN UTTUB UEA	ccoef ccosf NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG 1D1VG 1D1VG 1D1VG 1D1VG 1D1VG	118.28 1.40 3.01 3.01 0.66 196.22 196.22	0.00 0.00 184.60	0.00 23.78	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													t: 2 Ex. B		
															Incremental	Incremental
		ĺ											Charge -	Charge -	Charge -	Charge -
		Interi	Zone								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	no	Zone	BCS	USOC	Ī		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
}			1 1										Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'i	Disc 1st	Disc Add'l
			1			Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Nec.		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
					UC1D1											

JNBUNDL	ED NETWORK ELEMENTS - North Carolina						*******						Attachmer	t: 2 Ex. B	1	
TEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)		· · · · · · · · · · · · · · · · · · ·		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
		├─	┿	 	-	Rec	Nonrec First	Add'i	First	g Disconnect Add'i	POMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
			 	 	_		FIFSE	Addi	FIISL	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
BUNDLED	EXCHANGE ACCESS LOOP		1		1	t				1	+		 			1
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	1	+					 	· · ·	† 7				t
	2 Wire Unbundled HDSL Loop including manual service inquiry	1								+	1					
	& facility reservation - Zone 1	1	1	UHL	UHL2X	10.36	284.74	163.54	1		1		26.94	12.76	0.00	0.
	2 Wire Unbundled HDSL Loop including manual service inquiry									T	1					
	& facility reservation - Zone 2	L	2	UHL	UHL2X	17.10	284.74	163.54		1	J		26.94	12.76	0.00	0.
- 1	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	26.24	284.74	163.54			1		26.94	12.76	0.00	0.
	2 Wire Unbundled HDSL Loop without manual service inquiry		١.	l							1					
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	├	1-1-	UHL	UHL2W	10.36	207.48	132.05			ļ		26.94	12.76	0.00	0.
	and facility reservation - Zone 2		,	UHL	UHL2W	17.10	207.48	132.05					20.04	12.76	0.00	١ ,
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	+	UnL	UTILZYV	17.10	207.46	132.05			-		26.94	12.76	0.00	0.
i	and facility reservation - Zone 3	1	1 2	UHL	UHL2W	26.24	207.48	132.05	1	1			26.94	12.76	0.00	0.
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBI F	LOOP	QT IC	C: ILZVV	20.24	207.40	102.00	h		-		20.54	12.70	0.00	ł ".
	4 Wire Unbundled HDSL Loop including manual service inquiry		T		 	f				 				-		
1	and facility reservation - Zone 1	İ	1 1	UHL	UHL4X	12.21	341.65	220.45		1	1		26.94	12.76	0.00	0.
	4-Wire Unbundled HDSL Loop including manual service inquiry		1							<u> </u>	1					
	and facility reservation - Zone 2		2	UHL	UHL4X	20.32	341.65	220.45					26.94	12.76	0.00	0.
	4-Wire Unbundled HDSL Loop including manual service inquiry		1								İ					
	and facility reservation - Zone 3		3	UHL	UHL4X	31.33	341.65	220.45					26.94	12.76	0.00	0.
	4-Wire Unbundled HDSL Loop without manual service inquiry		1		-											
	and facility reservation - Zone 1	1	1 1	UHL	UHL4W	12.21	264.39	188.96			<u> </u>	i	26.94	12.76	0.00	0.
- 1	4-Wire Unbundled HDSL Loop without manual service inquiry															
1	and facility reservation - Zone 2		2	UHL	UHL4W	20.32	264.39	188.96		1	1		26.94	12.76	0.00	0.
	4-Wire Unbundled HDSL Loop without manual service inquiry		1		1											
	and facility reservation - Zone 3		3	UHL	UHL4W	31.33	264.39	188.96	<u></u>				26.94	12.76	0.00	0.
4-WI	RE DS1 DIGITAL LOOP		 -		1	-2 -2										
	4-Wire DS1 Digital Loop - Zone 1	-		USL USL	USLXX	54.74	714.84 714.84	421.47 421.47		ļ			42.19	12.76	0.00	0.
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	97.01 154.43	714.84	421.47		1	 		42.19 42.19	12.76 12.76	0.00	0.
HCAPAC	CITY UNBUNDLED LOCAL LOOP		1 3	USL	USLA	154.45	/ 14.04	421.47		 			42.19	12.70	0.00	٠ ١
TOATAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per		+	 						 		1074				
1	month		1	UE3	1L5ND	15.33			i		l					
	High Capacity Unbundled Local Loop - DS3 - Facility		1		1,20110	10.00				1	 					
- 1	Termination per month		1	UE3	UE3PX	518.29				i	1				l	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		 					, u								
	month			UDLSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	533.90										
	DEDICATED TRANSPORT			L							L					
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT		1													
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1							I						
	month		↓	U1TD1	1L5XX	0.66						Ļ		<u></u>		Ļ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1													ŀ
	Termination	!	├ ──	U1TD1	U1TF1	81.98					ļ					4
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			114700	41 500	44.00			l							
	month Interoffice Channel - Dedicated Transport - DS3 - Facility		+	U1TD3	1L5XX	14.93					 	-		·		
	Termination per month	ĺ		U1TD3	U1TF3	828.44										
	'nteroffice Channel - Dedicated Transport - STS-1 - Per Mile per	 	-	01100	011173	020,44				+						
	month			U1TS1	1L5XX	7.06					J	}				
	nteroffice Channel - Dedicated Transport - STS-1 - Facility		1-	1	12077	7.00				1	t		·	Ī	· ·	1
	Termination	i		U1TS1	U1TFS	908.93										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1 1	ULDVX, UNCVX	ULDV2	12.93			ļ	1	f				-	
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV2	22.90				1	1			7	Ţ	7
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV2	36.46				1	7				7	
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV4	13.83)				T))

ONRONDLE	D NETWORK ELEMENTS - North Carolina												Attachmer	nt: 2 Ex. B		
		T						, ,			Svc Order	Svc Order	Incremental		Incremental	Incremen
												Submitted		Charge -	Charge -	Charge
		Interi									Elec		Manual Svc		Manual Svc	Manual S
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
		m									perLok	perLon		Order vs.	Order vs.	Order vs.
			1										Electronic-	Electronic-	Electronic-	Electronic
			1	1									1st	Add'l	Disc 1st	Disc Add'l
		+	+		+	———	Monro	curring	N	g Disconnect		L	L		l	1
			+	 	 	Rec -					201150			Rates (\$)		
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	-	+	ULDVX, UNCVX	LII DVA	24.52	First	Add'l	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2				ULDV4	24.53					1					
		-		ULDVX, UNCVX	ULDV4	39.04										1
	Local Channel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	31.11										
	Local Channel - Dedicated - DS1 - Zone 2			ULDD1, UNC1X	ULDF1	55.13										
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	87.77										
	Local Channel - Dedicated - DS3 - Per Mile per month		1.	ULDD3, UNC3X	1L5NC	1.14										
	Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3, UNC3X	ULDF3	343.76					*	1				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	1.14				1	1	····				
	Local Channel - Dedicated - STS-1 - Facility Termination		1	ULDS1, UNCSX	ULDFS	329.05										
NHANCED EX	(TENDED LINK (EELs)	-	†			CEC.OO			+	 						
NOTE:	The monthly recurring and non-recurring charges below will	l annly a	nd the	Switch-Ac-le Char	ne will not ann	ly for LINE com	bingtions are	i	Oudin sails. Care	L	<u> </u>					
NOTE:	The monthly recurring and the Switch As Is Charge and not	the say	TO CITE	owitch-Ma-ia Chan	ye will not app	INF	billations pro	visioned as	Ordinarily Con	ibinea Network	Elements.					ļ
2 MIDE	The monthly recurring and the Switch-As-Is Charge and not VOICE GRADE LOOP FOR USE IN A COMBINATION	THE HOR	-recurr	ing charges below	will apply for i	JNE combinatio	ns provision	ed as Curren	itly Combined	Network Eleme	nts.					
2-1011(0																
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	17.22										
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	29.82										
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	46.93										
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.46									TTT-1	
4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION									1						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.52										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	41.71			1							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	65.06										
	Voice Grade COCI in combination - per month	 	1	UNCVX	1D1VG	1.46			·							
4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		<u> </u>	- CONTRACTOR	10110	1.40			<u> </u>	+		 				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+	1	UNCDX	UDL56	29.12			+	 						ļ
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	+	2	UNCDX	UDL56	49.58				 						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3									ļ						1
			3	UNCDX	UDL56	77.35							77178744			l
4 14(15)	OCU-DP COCI (data) per month (2.4-64kbs)		 	UNCDX	1D1DD	2.30										
4-1/11/12	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		<u> </u>													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	_	1	UNCDX	UDL64	29.12										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	49.58										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	77.35										
n.c.	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.30										
2-WIRE	ISDN LOOP FOR USE IN COMBINATION		T							<u> </u>						· · · · · · · · · · · · · · · · · · ·
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.33				· · · · · · · · · · · · · · · · · · ·						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	37.81			+					- I		·
	2-Wire ISDN Loop in Combination - Zone 3	——		UNCNX	U1L2X	58.81			·							t
	2-wire ISDN COCI (BRITE) - in combination - per month	 	1 -	UNCNX	UC1CA	4.13		L	 						****	
4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION	-	1	0.40147	JOIGA	4.13			 							+
7 771112	4-Wire DS1 Digital Loop in Combination - Zone 1	-	1	UNC1X	USLXX	54.74				+						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2	+	2						·	ļ						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	97.01										
		├	3	UNC1X	USLXX	154.43										1
	DS1 COCI in combination per month	<u> </u>	L	UNC1X	UC1D1	18.48				<u>L</u>						İ
2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION													ł
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			1												1
	Month			UNCVX	1L5XX	0.03			ļ							í
	Interoffice Transport - 2-wire VG - Dedicated - Facility													-		
	Termination per month			UNCVX	U1TV2	20.70										1
4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	TION							 						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	T	T					***************************************	-							
	Month			UNCVX	1L5XX	0.03										ı
	Interoffice Transport - 4-wire VG - Dedicated - Facility	1	 		ILUMA	0.03			+							/
	Termination per month			UNCVX	U1TV4	20.40										4
DC1 IN	TEROFFICE TRANSPORT FOR COMBINATION	-	-	DINCAY	UTIV4	22.16										-
Darin	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-			+											
																(
	per month	-	<u> </u>	UNC1X	1L5XX	0.66			1							(.
	Interoffice Transport - Dedicated - DS1 combination - Facility															i
	Termination per month			UNC1X	U1TF1	81.98										1
DS3 IN	FEROFFICE TRANSPORT FOR USE IN A COMBINATION								 							

NBU	NULE	D NETWORK ELEMENTS - North Carolina												Attachmer	nt: 2 Ex. B		
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		,	Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
		- 								.,				1st	Add'l	Disc 1st	Disc Add'
-							Rec		curring		g Disconnect				Rates (\$)	···	
		Interoffice Transport - Dedicated - DS3 combination - Per Mile		i	ļ			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Per Month			UNC3X	1L5XX	14.93					ı					
		Interoffice Transport - Dedicated - DS3 - Facility Termination per			OROSX -	ILOAA	14.83		<u> </u>		1	- 					
		month			UNC3X	U1TF3	828.44			1		J					ļ
	STS-11	NTEROFFICE TRANSPORT FOR USE IN COMBINATION	-/													-	
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	7.06]						
- 1		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	ı							1		1					
	AJMIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	CDODT		UNCSX	U1TFS	908.93			ļ							
	4-11000	4-wire 56 kbps Local Loop in combination - Zone 1	SPURI	1	UNCDX	UDL56	29.12			ļ		-					
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	49.58		~~~~	 	ļ						
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	77.35				 	-					
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					17.00			<u> </u>	 			~ ~~~~			
		Per Mile per month			UNCDX	1L5XX	0.03										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -										1					
	4 44455	Facility Termination per month			UNCDX	U1TD5	20.01			l							
		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FICE T							<u> </u>							
		4-wire 64 kbps Looal Loop in Combination - Zone 1 4-wire 64 kbps Looal Loop in Combination - Zone 2			UNCDX	UDL64	29.12										
-		4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	49.58				+						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONCOX	UDL64	77.35					ļ					
		Per Mile per month			UNCDX	1L5XX	0.03										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	TEUXX	0.03						······································				
		Facility Termination per month	ļ		UNCDX	U1TD6	20.01										
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRAN	SPORT							†	····					
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.12					†					
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	49.58										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	77.35										
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			INODY	4,500											
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.03					_					
		Termination per month			UNCDX	U1TD5	20.01				Į.						
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	SPORT		101103	20.01				ļ	+					
		4-wire 64 kbps Local Loop in combination - Zone 1	- 110		UNCDX	UDL64	29.12			 	l	+					
		4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	49.58			 	 	1					
		4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	77.35				<u> </u>						
- !		14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
		month			UNCDX	1L5XX	0.03				<u></u>						
1		4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	ì		UNCDX	LIATER	20.04	'		•		1					
	nsi Dia	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			DNCDX	U1TD6	20.01										
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	54.74		·····		ļ	-					
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	97.01					+					
		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	154.43				-						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile													·		
		per month			UNC1X	1L5XX	0.66					1 :		İ			
		Interoffice Transport - Dedicated - DS1 combination - Facility									1						
	202.2	Termination per month			UNC1X	U1TF1	81.98										
		DS2 Local Loop in combination and mile per month	RΤ		LINGOV	1,515											
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	15.33										
		DS3 Local Loop in combination - Facility Termination per month			LINCOV	HESEN	510.55										
\dashv		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	UE3PX	518.29										
		Interoffice Transport - Dedicated - DS3 - Per Mile per Horitin			DINCOX	1L5XX	14.93										
		Termination per month			UNC3X	U1TF3	828.44										
	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS	PORT			101110	020.44				 	-					
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	15.33				<u> </u>	 					

UNDUNULED NE	WORK ELEMENTS - North Carolina												Attachmer	t: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
month	Local Loop in combination - Facility Termination per			UNCSX	UDLS1	533.90										
	fice Transport - Dedicated - STS-1 combination - per mile		1		1									-		
per mo				UNCSX	1L5XX	7.06										
	fice Transport - Dedicated - STS-1 combination - Facility				7											
	ation per month			UNCSX	U1TFS	908.93										
DITIONAL NETWO																
When used as	a part of a currently combined facility, the non-recurr	ng char	ges do	not apply, but a S	witch As Is c	harge does app	lv.									***************************************
When used as	ordinarily combined network elements in All States, the	e non-	recurri	ng charges apply a	nd the Switch	As Is Charge d	loes not.	- un								
Nonrecurring	Currently Combined Network Elements "Switch As Is" (Charge	(One a	pplies to each com	bination)	I I										
Optional Feati	ures & Functions:		Ì		T											
				U1TD1.	 	 								******		
Clear (Channel Capability Extended Frame Option - per DS1	1		ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	and the state of t	<u> </u>		U1TD1.	CCOLI		0.00	0.00	0.00	0.00						
	Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	.0.00	0.00	0.00		į				
	Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
Activity	- per DS1	1		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78		l				
				U1TD3, ULDD3.												
	arity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00		1				
MULTIPLEXE					1											
DS1 to	DS0 Channel System per month			UNC1X	MQ1	168.69										
OCU-D	P COCI (data) - DS1 to DS0 Channel System - per			·······												
	(2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.30										
	P COCI (data) - DS1 to DS0 Channel System - per				113.133	2.00										
	(2.4-64kbs) used for connection to a channelized DS1						ł									
	Channel in the same SWC as collocation		i i	U1TUD	1D1DD	2.30							1		Ī	
2-wire	SDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	TOTOD	2.30										
	for a Local Loop			UDN	UC1CA	4.13										
2-wire	SDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIV	UCICA	4.13										
month	used for connection to a channelized DS1 Local Channel						1									
	same SWC as collocation			U1TUB	UC1CA	4.13										
	Grade COCI - DS1 to DS0 Channel System - per month			UTIUB	UCICA	4.13				~						
	or a Local Loop			UEA	1D1VG	4.40	i					-	1	1		
	Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	1.46										
	or connection to a channelized DS1 Local Channel in the														Į.	
	SWC as collocation			U1TUC	40440											
	DS1 Channel System per month			UNC3X	1D1VG	1.46										
	to DS1 Channel System per month				MQ3	268.06								1		
	DCI used with Loop per month			UNCSX	MQ3	268.06										
100100	DOLOGEO WITH LOOP PER MONTH			USL.	UC1D1	18.48						i				
	OCI (used for connection to a channelized DS1 Local															
	el in the same SWC as collocation) per month			U1TUA	UC1D1	18.48										
DS1 CC	OCI used with Interoffice Channel per month			U1TD1	UC1D1	18.48										
	erface Unit (DS1 COCI) used with Local Channel per															
month				ULDD1	UC1D1	18.48										

NEONDE	D NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
		-					First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NBUNDLED	EXCHANGE ACCESS LOOP	-														
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDIEI	OOB													
	2 Wire Unbundled HDSL Loop including manual service inquiry	IIIDLE	100													
	& facility reservation - Zone 1		1	UHL												1
	2 Wire Unbundled HDSL Loop including manual service inquiry			Uni	UHL2X	11.02	129.52	79.24	50.37	7.93						i.
	& facility reservation - Zone 2	l i	2	UHL	UHL2X											
	2 Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHLZX	12.56	129.52	79.24	50.37	7.93						
	& facility reservation - Zone 3	i	3	UHL	LILII AV	40.44					-					
	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL2X	13.11	129.52	79.24	50.37	7.93						i
	and facility reservation - Zone 1		1	UHL							i					
	2 Wire Unbundled HDSL Loop without manual service inquiry			UIL	UHL2W	11.02	104.49	66.50	50.37	7.93						
	and facility reservation - Zone 2		2	UHL	UHL2W	12.56	40.4									
	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHLZW	12.56	104.49	66.50	50.37	7.93						
	and facility reservation - Zone 3		3	UHL	UHL2W	40	404.00									
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLEI	000	Unt.	UHL.2VV	13.11	104.49	66.50	50.37	7.93						
	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDEL L	COF													
į	and facility reservation - Zone 1		1	UHL	UHL4X	40.40	450.40									
	4-Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHL4X	18.42	158.18	107.89	55.12	10.38						
ļ	and facility reservation - Zone 2		2 1	UHL	UHL4X	40.40	450.40					1				
	4-Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHL4X	16.48	158.18	107.89	55.12	10.38						
	and facility reservation - Zone 3	1	3 1	UHL	UHL4X	40.07	150.10									
	4-Wire Unbundled HDSL Loop without manual service inquiry		3 1	UHL	UHL4X	19.37	158.18	107.89	55.12	10.38						
	and facility reservation - Zone 1		4 1	UHL	Lun and	40.40					1					
	4-Wire Unbundled HDSL Loop without manual service inquiry			JITE.	UHL4W	18.42	133.14	95.16	55.12	10.38						
ŀ	and facility reservation - Zone 2	-	2 1	JHL												
	4-Wire Unbundled HDSL Loop without manual service inquiry		2 1	JUL	UHL4W	16.48	133.14	95.16	55.12	10.38						
	and facility reservation - Zone 3		3 1	JHL	UHL4W	40.07			1			T				
4-WIRE	DS1 DIGITAL LOOP		3 1	2116	UHL4YV	19.37	133.14	95.16	55.12	10.38						
	4-Wire DS1 Digital Loop - Zone 1		1 1	101	USLXX	91.44	252.00									
	4-Wire DS1 Digital Loop - Zone 2		2 1		USLXX		253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3	-	3 1		USLXX	156.40	253.03	157.89	44.80	11.73						
H CAPACIT	Y UNBUNDLED LOCAL LOOP		3 10	JOL	USLAX	263.52	253.03	157.89	44.80	11.73						
T I	High Capacity Unbundled Local Loop - DS3 - Per Mile per				-											
	month			JE3	1L5ND	44.40				i						
	High Capacity Unbundled Local Loop - DS3 - Facility			JE3	1L5ND	14.10								j		
	Termination per month		- 1.	JE3	UE ADV			1								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		- 10)E3	UE3PX	352.31									ĺ	
	month		١,	JDLSX												
	High Capacity Unbundled Local Loop - STS-1 - Facility			DLSA	1L5ND	14.10										
	Termination per month			JDLSX	LUTTI DA											
	EDICATED TRANSPORT			DLSX	UDLS1	360.51							1			
	FFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month	- 1	1			1								-		
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		U	ITD1	1L5XX	0.39							-			
	Termination															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		U	1TD1	U1TF1	88.71			1		1		1			
	month															
	nteroffice Channel - Dedicated Transport - DS3 - Facility		U	1TD3	1L5XX	9.22	i			-			1			
1	Termination per month		l.,													
	nteroffice Channel - Dedicated Transport - STS-1 - Per Mile per		U	1TD3	U1TF3	1012.75				1					1	
	nonth			170.1		and the same of th										
	nteroffice Channel - Dedicated Transport - STS-1 - Facility		U	ITS1	1L5XX	9.22										
	Termination			1770												
	ocal Channel - Dedicated - 2-Wire Voice Grade			1TS1	U1TFS	1012.63										
	ocal Channel - Dedicated - 2-Wire Voice Grade			LDVX	ULDV2	17.63										
	ocal Channel - Dedicated - 2-Wire Voice Grade Rev Bat			LDVX	ULDR2	17.63										
	ocal Channel - Dedicated - DS1 - Zone 1			LDVX, UNCVX	ULDV4	19.02										
	area Granier - Dedicated - UST - Zone 1		1111	LDD1, UNC1X	ULDF1	49.01										

ONDONDELD N	ETWORK ELEMENTS - South Carolina												Attachme	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	pcs	USOC			RATES (\$)				Svc Order Submitted Manually BeF LSR	Incremental	Incremental Charge - Manual Sve Order vs. Electronic- Add'l	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Incremen Charge Manuel S Ofder vs Electroni Disc Add
					+		Nonre	curring	Nonrecurrin	ng Disconnect	-			Rates (\$)	Disc 1st	Disc Add
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Loc	al Channel - Dedicated - DS1 - Zone 2	<u> </u>		ULDD1, UNC1X	ULDF1	80.87					1					- OOMAN
Loc	al Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	219.28			T		1					
Loc	al Channel - Dedicated - DS3 - Per Mile per month	<u> </u>		ULDD3, UNC3X	1L5NC	13.72										
	al Channel - Dedicated - DS3 - Facility Termination	ļ		ULDD3, UNC3X	ULDF3	512.90										
	al Channel - Dedicated - STS-1- Per Mile per month al Channel - Dedicated - STS-1 - Facility Termination	ļ		ULDS1, UNCSX	1L5NC	13.72	•									
HANCED EXTEN	NDED LINK (EELs)	-		ULDS1, UNCSX	ULDFS	500.37										
NOTE: The	monthly recurring and non-recurring charges below will	annle a	1	Coultab As Is Char		I										
	monthly recurring and non-recurring charges below will	арріу а	nd the	Switch-As-is Charg	e will not app	bly for UNE con	nbinations pro	visioned as ' (Ordinarily Com	nbined' Networ	k Elements.					
NOTE: The	monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below v	wilf apply for	UNE combinati	ons provision	ed as ' Current	lly Combined'	Network Eleme	ents.					
2-VVIIVE VO	ICE GRADE LOOP FOR USE IN A COMBINATION	ļ														
2-1/	Vire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	19.18										
2-1/	Vire VG Loop (SL2) in Combination - Zone 2 Vire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	26.60										
	ce Grade COCI - Per Month		3	UNCVX	UEAL2	32.73										
	ICE GRADE LOOP FOR USE IN A COMBINATION			UNCVX	1D1VG	0.64			1							
	Vire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	37.48			-							
4-W	Vire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	50.47										
	Vire Analog Voice Grade Loop in Combination - Zone 3	 		UNCVX	UEAL4	49.89		ļ	ļ	+						
Voic	ce Grade COCI in combination - per month			UNCVX	1D1VG	0.64				 						
4-WIRE 56 I	KBPS DIGITAL LOOP FOR USE IN A COMBINATION				1	0.04				 	 					
4-W	Vire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	34.42				+						
	Vire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	39.09						-				
	Vire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	39.95				 				_		
	J-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.37										
4-WIRE 64 F	KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-W	Vire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	34.42					1					
4-V)	Vire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	39.09										
4-4	Vire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	39.95										
2-WIRE ISD	J-DP COCI (data) - in combination - per month (2.4-64kbs) N LOOP FOR USE IN COMBINATION			UNCDX	1D1DD	1.37										
	Vire ISDN Loop in Combination - Zone 1			I I I I I I I I I I I I I I I I I I I	 											
	/ire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	28.99										
	/ire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	37.67										
2-wis	re ISDN COCI (BRITE) - in combination - per month			UNCNX	U1L2X UC1CA	43.36 2.94				ļ						
4-WIRE DS1	DIGITAL LOOP FOR USE IN A COMBINATION			DIVCIVA	UCTUA	2.94					L				1	
	ire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50					4					
	ire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178.74					ļ					
	ire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	301.17					 					
DS1	COCI in combination per month			UNC1X	UC1D1	9.94										
2 WIRE VOI	CE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINA	TION			0.04					 					
	roffice Transport - 2-wire VG - Dedicated- Per Mile Per									 	-					
Mon				UNCVX	1L5XX	0.02					1	1		!	l	
	office Transport - 2-wire VG - Dedicated - Facility										1			-		
	nination per month			UNCVX	U1TV2	22.36	ļ				1 1		1		1	
	CE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINA	LION							1	1		-			***************************************
Mont	office Transport - 4-wire VG - Dedicated - Per Mile Per	ŀ														
	office Transport - 4-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.02						+		- 1		
Term	nination per month		1.		l l											
	OFFICE TRANSPORT FOR COMBINATION			UNCVX	U1TV4	19.58										
	office Transport - Dedicated - DS1 combination - Per Mile															
pern	month			UNC1X	1L5XX	0.24						T				
	office Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSXX	0.31										
Term	nination per month			JNC1X	U1TF1	70.97										
DS3 INTERO	OFFICE TRANSPORT FOR USE IN A COMBINATION		'	J.101A	01161	70.97				ļ						
Interd	office Transport - Dedicated - DS3 combination - Per Mile				 											
Per M	Month		1	JNC3X	1L5XX	7.38										
Interd	office Transport - Dedicated - DS3 - Facility Termination per					7.00										
mont	th			JNC3X	U1TF3	810.20										

MOUNDEED	NETWORK ELEMENTS - South Carolina		,										Attachmer	t: 2 Ex. B		
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		÷		Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring		g Disconnect			oss	Rates (\$)		
	TOP A WALL S TO SELECT THE SELECT		L			1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TEROFFICE TRANSPORT FOR USE IN COMBINATION								1							
l lr	nteroffice Transport - Dedicated - STS-1 combination - Per Mile				1 1								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7	
	Per Month			UNCSX	1L5XX	7.38										
	nteroffice Transport - Dedicated - STS-1 combination - Facility				1				1							
	ermination per month			UNCSX	U1TFS	810.11										
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														
	-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	34.42										
	-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.09										
- 4	-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	39.95										
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -				1 1											
	er Mile per month			UNCDX	1L5XX	0.02										
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -					- 1										
4 MUDE C	aclify Termination per month			UNCDX	U1TD5	15.42		<u> </u>								
	4 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE						ļ <u>.</u>								
	-wire 64 kbps Local Loop in Combination - Zone 1			UNCDX	UDL64	34.42										
	-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX .	UDL64	39.09										
	-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	39.95										
	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -				l i											
	er Mile per month			UNCDX	1L5XX	0.02										
	steroffice Transport - Dedicated - 4-wire 64 kbps combination -				1			1								
	acility Termination per month			UNCDX	U1TD6	15.42				1		İ				
4-VVIKE 5	6 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRANS								L						
	I-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	34.42										************
	-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	39.09										
	-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	39.95										
	-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per								Ĭ							
	onth			UNCDX	1L5XX	0.02				i .						
	-wire 56 kbps Interoffice Transport - Dedicated - Facility								T							
	ermination per month			UNCDX	U1TD5	15.42										
	4 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS														
	-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	34.42										
	-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	39.09			1							
	-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	39.95			1							
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per								1							-
	onth			UNCDX	1L5XX	0.02						ľ				
	-wire 64 kbps Interoffice Transport - Dedicated - Facility							-	 							
	ermination per month			UNCDX	U1TD6	15.42						i			1	
	TAL LOOP AND DS1 INTERFOFFICE TRANSPORT	i										-				
	-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	104.50			1							
	Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178.74							****			
	Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17			1							
	teroffice Transport - Dedicated - DS1 combination - Per Mile				F				1							
pe	er month	i		UNC1X	1L5XX	0.31			1 .				ŀ	l		
Int	teroffice Transport - Dedicated - DS1 combination - Facility															
	ermination per month			UNC1X	LUATE 4	70.07										
	TAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DT		UNCIX	U1TF1	70.97										
	S3 Local Loop in combination - per mile per month	'K !		UNC3X	1L5ND											
1 - 150	DO ECCEN EGOP IN COMBINATION - PER MINE PER MONTH			UNCSA	1L5ND	14.10										
D.	S3 Local Loop in combination - Facility Termination per month		ł	UNC3X	UESDY	250.04										
Int	teroffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	UE3PX 1L5XX	352.31										
Int	teroffice Transport - Dedicated - DS3 combination - Facility			ONOOA	ILDAA	7.38										
	ermination per month			LINCSY	LIATES	040.00										
	GITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS	TROPE		UNC3X	U1TF3	810.20										
	TS-1 Local Lolp in combination - per mile per month	SPURI		UNICOV	44.51/5											
	TS-1 Local Loop in combination - per mile per month TS-1 Local Loop in combination - Facility Termination per		\rightarrow	UNCSX	1L5ND	14.10					I					
	enth	į		LINCOV	LUDI DA	202.5										
~+	teroffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	360.51										
	er month	İ		LINIONY		_										
l lbe	or money			UNCSX	1L5XX	7.38									- 1	

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachme	nt: 2 Ex. B	Ì	
T					T -	T -					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
i						1						Submitted		Charge -	Charge -	Charge
i			1								Elec				Manual Syc	
CATEGORY		Interi	Zone	BCS	USOC	1						per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									percan	per Lor				
													Electronic-	Electronic-	Electronic-	Electronic
ĺ			1		1	ĺ					l	1	1st	Add'i	Disc 1st	Disc Add
			-				Nonrec	weine	Nonrecurring	Disconnect			066	Rates (\$)	<u> </u>	
					_	Rec	First	Add'l	First	Add'I	SOMEC	6011411	SOMAN		5015411	
	Interoffice Transport 1 combination - Facility		 				FIFST	Addi	FIRST	Addi	SUMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Termination per month			UNCSX	U1TFS	810.11						İ			l	
	ETWORK ELEMENTS			UNCOX	UIIFS	610.11									ļ	
			ــــــــــــــــــــــــــــــــــــــ			ļt						ļ				
When u	sed as a part of a currently combined facility, the non-recurr	ng chai	rges do	not apply, but a S	Switch As Is c	harge does app	у								<u></u>	<u> </u>
When u	sed as ordinarily combined network elements in All States, the	ie non-	recurri	ng charges apply a	nd the Switch	As Is Charge d	oes not.					1				1
	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)										1	
Optiona	I Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,							1				<u> </u>	T
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1.		tt	V		0,00	0.00	 	 		 	 	
	Activity - per DS1			UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78		İ		l	İ	
 	Activity per 80 ?			U1TD3, ULDD3.	HALCEC	 	100.20	23.00	1.55	0.70	 	 			 	
	C-bit Parity Option - Subsequent Activity - per DS3	,		UE3, UNC3X	NRCC3		219.58	7.69	0.707	0.00		1				
	LEXERS	1		UES, UNUSA	INRCCS		219.58	7.69	0.737	0.00		 		<u> </u>		
	DS1 to DS0 Channel System per month				1101	400.74						 		ļ		ļ
	DS1 to USU Channel System per month OCU-DP COC! (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	123.71					 					
				LIE	45455						l			l	l	l
	moi .		1	UDL	1D1DD	1.37						ļ				ļ
	OC per					1	}				Ì	ļ				
	month (2.4-64kbs) used for connection to a channelized DS1) .		1		j		1		ļ	1				
\	Local Channel in the same SWC as collocation		ļ !	U1 <u>TUD</u>	1D1DD	1.37	ļ				1			!	1	1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per													ł	1	
	month for a Local Loop			UDN	UC1CA	2.94			<u></u>			l ,			L	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															ĺ
	month used for connection to a channelized DS1 Local Channel		 			1						1			Ĭ	
	in the same SWC as collocation			U1TUB	UC1CA	2.94										
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1											
i i i	used for a Local Loop			UEA	1D1VG	0.64										
	Voice Grade COCI - DS1 to DS0 Channel System - per month							••	· · · · · ·		i				T	
	used for connection to a channelized DS1 Local Channel in the											1				
	same SWC as collocation			U1TUC	1D1VG	0.64						1				
	DS3 to DS1 Channel System per month		t	UNC3X	MQ3	165.62	-		i	·	·	† · · · · · · · · ·			 	1
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	165.62			 		 	 		h	 	
	DS1 COCI used with Loop per month		 	USL	UC1D1	9.94		-				1			 	
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		ł	UGL	00101	9.94					ł —			ł	}	∤
				1447114	110454											1
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	9.94						 			ļ	
	DS1 COCI used with Interoffice Channel per month		<u> </u>	U1 <u>TD1</u>	UC1D1	9.94										
, , ,	DS3 Interface Unit (DS1 COCI) used with Local Channel per				!	1	,		,					ł		
	month			ULDD1	UC1D1	9.94			1							

MOUNDL	ED NETWORK ELEMENTS - Tennessee			·									Attachmer	nt: 2 Ex. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Sva Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	-	ļ		Rec	Nonrecurring			g Disconnect				Rates (\$)		
		 	-	ļ			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NBUNDLED	EXCHANGE ACCESS LOOP	 	 													
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry	T	7													
	& facility reservation - Zone 1		1	UHL	UHL2X	12.45	270.01	234.63	74.54	39.14			20.35	10.54	13.32	40.0
	2 Wire Unbundled HDSL Loop including manual service inquiry	†			UNIZZA	12.40	270.01	204.03	74.54	39.14			20.35	10.54	13.32	13.3
	& facility reservation - Zone 2	l	2	UHL	UHL2X	16.27	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>				2.70.01	254.00	14.04	35.14			20.33	10.34	13.32	13.3
	& facility reservation - Zone 3		3	UHL	UHL2X	21.28	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry		1							00.11			20.55	10.04	10.02	10.0
	and facility reservation - Zone 1	1	1	UHL	UHL2W	12.45	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry												20.00	10.04	10.02	10.0
	and facility reservation - Zone 2		2	UHL	UHL2W	16.27	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry				1				***************************************						2	
	and facility reservation - Zone 3		3	UHL.	UHL2W	21.28	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		١													
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	l	_													
	4 Mire 1 Inhundred UDCL Leaving Liding and Landing	-	2	UHL	UHL4X	20.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		_		1											
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	27.37	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	and facility reservation - Zone 1	١,	4	UHL.		40.00	24.22									
	4-Wire Unbundled HDSL Loop without manual service inquiry	 '	1	UHL.	UHL4W	16.02	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	and facility reservation - Zone 2	١,	2	UHL	UHL4W	20.93	24.00									
	4-Wire Unbundled HDSL Loop without manual service inquiry	١,	2	UNL	UHL4YV	20.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	and facility reservation - Zone 3	1 .	3	UHL	UHL4W	27.37	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	
4-WIF	RE DS1 DIGITAL LOOP			0112	OT ILATO	27.51	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	66.39	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	86.71	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	113.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
GH CAPAC	ITY UNBUNDLED LOCAL LOOP							2.0.12	00.00	70.70			10.50	0.43	11.55	11.8
	High Capacity Unbundled Local Loop - DS3 - Per Mile per											-				
	month		ĺ	UE3	1L5ND	10.57	ļ									
	High Capacity Unbundled Local Loop - DS3 - Facility							*								
	Termination per month			UE3	UE3PX	430.38	1				- 1	1	i			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
IDIIIIDI ED	Termination per month DEDICATED TRANSPORT			UDLSX	UDLS1	447.75										
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
INTE	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	AL EVY											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			ומווטו	1L5XX	0.41										
	Termination			U1TD1	U1TF1	89.54										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01101	UTIFT	09.54										
	month			U1TD3	1L5XX	2.69						-				
	Interoffice Channel - Dedicated Transport - DS3 - Facility	-		000	120AA	2.09										
	Termination per month			U1TD3	U1TF3	976.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-			1	370.04										
	month			U1TS1	1L5XX	2.69										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility					2.00										
	Termination			U1TS1	U1TFS	976.70										
	Local Channel Cadinated Cities Village Cont. 7		1	ULDVX, UNCVX	ULDV2	19.76										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1															
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		2	ULDVX, UNCVX ULDVX, UNCVX	ULDV2	25.81										

Page 35 of 37

			Attachmen	l									4		O NETWORK ELEMENTS - Tennessee	77.01	00.
inemerori - egradO	I Istramenati - agradO	Incremental - Charge -			19b1O ov& bettimdu&												
v2 leuneM .ev 19b1O	Manual Svc Order vs.	Order vs.	Manual Svc Order vs.	Manually				(\$) S∃I¥8			neoc	BCS	əuoz	insteri m	STNEMELTS	YAO	ĐΞT.
Electronic Disc Add	Electronic- Disc 1st	Electronic-	-Slectronic- fat			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		T- isanosadoM	I							
NAMOS	NAMOS	Rates (\$)	NAMOS	NAMOS	SOMEC	l'bbA	gnimecuring feni3	l'bbA	Monrecurring First	зәу					Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bal		
										97.91	ОГОВС	חרםאא	L		r anoZ		
										18.81	กะอหร	NLDVX	Z		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 2		
										\$3.74	กะอหร	חרםאג	3		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bal Zone 3		
	ļ		~~~~~							16.02	ULDV4	ОГДАХ' ПИСЛХ	Į.		Local Channet - Dedicated - 4-Wire Voice Grade - Zone 1		
		 				 				06.7S 17.8E	ULDV4	ПГДЛХ' ПИСЛХ			Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		
	1								7	89.14	ULDF1	ULDD1, UNC1X	l		Local Channel - Dedicated - DS1 - Zone 1		
										54.42	ULDF1	ULDD1, UNC1X			Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS1 - Zone 3		_
										71.17 SS.8	1F2NC	ULDD3, UNC3X			Focal Channel - Dedicated - DS3 - Per Mile per month		_
										00.607	ULDF3	пгррз' писзх			Local Channel - Dedicated - DS3 - Facility Termination		Ė
	 	 				-				SS.88 55.689	ULDFS 1L6NC	NEDS1' NACSX			Local Channel - Dedicated - STS-1 - Pecility Termination Local Channel - Dedicated - STS-1 - Facility Termination		-
															TENDED LINK (EELS) AND THEIR COMPONETS	CED EX	N
					Elements.	ined' Network	rdinarily Comb	O ' se banoisi	vorg provisions	for UNE com	(lqqs ton lliw a	Switch-As-Is Charg	att b	apply an	The monthly recurring and non-recurring charges below will	NOTE:	-
	-				'611	THE EIGHT	N paulguiga K	INIBINA SEL	alinisivoid eiid	מוופווותוווחם די	in tot fidde	A MOISO PSÖIMIN S.	ll lines	1-11011 211	VOICE GRADE LOOP FOR USE IN A COMBINATION	2-WIRE	_
										40.91	UEAL2	NUCAX			2-Wire VG Loop (SL2) in Combination - Zone 1		_
	 			-						78.42 S3.52	SJABU	NACAX NACAX		-	2-Wire VG Loop (SL2) in Combination - Zone 3 2-Wire VG Loop (SL2) in Combination - Zone 3		\vdash
					ļ				ļ	90.1	101/0	NUCVX			Voice Grade COCI - Per Month		_
										V, 00					VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Applied Grade Loop in Combination - Zone 1	4-MIRE	
				-						01.7E	UEAL4	NACAX NACAX			4-Wire Analog Voice Grade Logo in Combination - Aone 7 A-Mine Analog Voice Grade Logo in Combination - Aone 7		
				ļ						18.84	₽T∀∃N	ПИСЛХ			4-Wire Analog Voice Grade Loop in Combination - Zone 3		
										30.1	10106	ПИСЛХ			26 KBPS DIGITAL LOOP FOR USE IN A COMBINATION See KBPS DIGITAL LOOP FOR USE IN A COMBINATION	4-WIRE	H
					<u> </u>					35.76	n D ree	писрх			4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		Ē
										07.84	noree	NACDX			4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		H
		ļ		-		-			+	80.18	IDIDD ODF20	NACDX NACDX			4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		F
															64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI/ON		L
	+	ļ		ļ .	<u> </u>	 		-	 	35.35 35.35	NDF64	ПИСВХ ПИСВХ		-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination -		\vdash
	ļ	ļ		-		!				80.18	UDL64	ПИСВХ			4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		Г
										30.1	aarar	писрх			OCU-DP COCI (dala) - in combination - per month (2.4-64kbs)	LII/VI C	-
				†	 			-	 	S5.55	U1L2X	NUCUX	1	-	ISDN LOOP FOR USE IN COMBINATION 1- Sone 1 2-Wire ISDN Loop in Combination - Zone 1	3 NI M-7	\vdash
	-				-	ļ				7£.££	N1L2X	NUCUX			2-Wire ISDN Loop in Combination - Zone 2		
										t9 Et	NIFSX	NONX			2-Wire ISDN Loop in Combination - Zone 3		H
		 			 	-			+	£7.£	ADIOU	ПИСИХ	1		2-wire ISDN COCI (BRITE) - in combination - per month DS1 DIGITAL LOOP FOR USE IN A COMBINATION	4-WIRE	H
			ļ							6E.33	narxx	NACIX	1 (1-Wire DS1 Digital Loop in Combination - Zone		I
										17.38	Narxx	NOCIX			4-Wire DS1 Digital Loop in Combination - Zone 2		┝
	 	· · · · · · · · · · · · · · · · · · ·		ļ					-	85.511 SS.0S	ncidi narxx	NICIX NICIX		-	4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month		-
		-			ļ								NOI.	TANIBMO	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	2 WIRE	-
										20.0	1F2XX	NACVX	1		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		
					ļ										Interoffice Transport - 2-wire VG - Dedicated - Facility		
	 	 	 	1	 	 	 	 		52.06	SVTIU	NCAX	NOI.	TANIBMO	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	4 WIRE	₽
		 		ļ						ļ					Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		
				1	† · · · ·		 	-	†	20.0	1F2XX	ТИСЛХ	1	-	Month Interoffice Transport - 4-wire VG - Dedicated - Facility		⊦
										1	1 - 1			1	fusion I - normalized - OA oak + - vodeuni - courrent	l	1

INBUNDLED	NETWORK ELEMENTS - Tennessee												Attachmer	t: 2 Ex. B		
ATEGORY	ALTE SI SLISIE	Interi m	Zone	BCS	usoc		-					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
							Nanananana		Managanain	a Disassusset	 		056	Rates (\$)		L
	- Special Control Cont		-			Rec	Nonrecurring First	Add'l	First	g Disconnect Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DC4 INT	EROFFICE TRANSPORT FOR COMBINATION	 	 ——				FIRST	Addi	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		-	-								 				 	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			100414	141.500	0.44			1	Į.					1	
	per month	-	 	UNC1X	1L5XX	0.41									 	
	Interoffice Transport - Dedicated - DS1 combination - Facility			1110414		89.54								1		
	Termination per month 1/0 Channelization System in combination Per Month			UNC1X	U1TF1 MQ1	92.89										
			ļ	UNC1X	MQ1	92.89				-						
	EROFFICE TRANSPORT FOR USE IN A COMBINATION		-							 	+					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				41.550	2.00	į			1						
	Per Month	ļ	ļ	UNC3X	1L5XX	2.69				ļ						
	Interoffice Transport - Dedicated - DS3 - Facility Termination per														1	
	month			UNC3X	U1TF3	983.22					ļ		-			
	NTEROFFICE TRANSPORT FOR USE IN COMBINATION										 				1	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINGOV	41.5304	2.00										
	Per Month		 	UNCSX	1L5XX	2.69			ļ		-					
	3/1 Channel System in combination per month	1005=		UNCSX	MQ3	256.43										
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT		· · · · · · · · · · · · · · · · · · ·	1,151,55											
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	35.76				ļ						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	61.08				***************************************						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						i									1
	Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -													1	1	l
	Facility Termination per month			UNCDX	U1TD5	24.37										
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	35.76										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	46.70										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	61.08										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	T														
	Per Mile per month	J		UNCDX	1L5XX	0.02					1					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -										1					
	Facility Termination per month			UNCDX	U1TD6	24.37						L				
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.76										
	4-wire 56 kbps Local Loop in combination - Zone 2	I	2	UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	61.08										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1														
	month	ŀ	İ	UNCDX	1L5XX	0.02										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility										T					
	Termination per month		ĺ	UNCDX	U1TD5	24.37					<u> </u>		i			
	64 KBPS DIGITAL EXTENDED LOOP WITH DSD INTEROFFIC	ETRAN														
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	35.76					1					
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	46.70					I					
	4-wire 64 kbps Local Loop in combination - Zone 3	T	3	UNCDX	UDL64	61.08										
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		T													
	month		1	UNCDX	1L5XX	0.02						1				
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility									T						
	Termination per month	-		UNCDX	U1TD6	24.37			1		1		1			
DS1 DIC	SITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	1	1								1	·				
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	66.39										
	4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X	USLXX	86.71					1					
	4-Wire DS1 Digital Loop in Combination - Zone 3	1	3	UNC1X	USLXX	113.38					1					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1							1							
	per month	ľ	ľ	UNC1X	1L5XX	0.41	İ]	ſ					
	Interoffice Transport - Dedicated - DS1 combination - Facility	-		- Y William Tanana			· · · · · · · · · · · · · · · · · · ·			4						
	Termination per month			UNC1X	U1TF1	89.54										
	STAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT			1				1) ·-					1	
	DS3 Local Loop in combination - per mile per month	T		UNC3X	1L5ND	10.57	-		1		1					
	The second of th		1			10.01				†						
	DS3 Local Loop in combination - Facility Termination per month	i		UNC3X	UE3PX	429.49										

INRONDEF 2 ME	ETWORK ELEMENTS - Tennessee												Attachmer	t: 2 Ex. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
		.									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Indeed.			1 1						Elec		Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs
		m									percan	percon				1
		1									1		Electronic-	Electronic-	Electronic-	Electronic
		}			l i								1st	Add'l	Disc 1st	Disc Add'
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inter	roffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69			1	71001	3023	00	DOMAIN	JOMPAIL	COMPAR	DOMAN
Inter	roffice Transport - Dedicated - DS3 combination - Facility								<u> </u>							
	mination per month			UNC3X	U1TF3	983.22	İ								1	
STS-1 DIGIT	TAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT				000722		· -								
	S-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.57										
	S-1 Local Loop in combination - Facility Termination per			0.1007	120110	10.01			1							
mon				UNCSX	UDLS1	453.74										
	roffice Transport - Dedicated - STS-1 combination - per mile			01400/(100001	400.74			 							
	month			UNCSX	1L5XX	2.69										
	roffice Transport - Dedicated - STS-1 combination - Facility			DIVOON	ILUAA	2.69										
	mination per month			UNCSX	UITES	976.70										
	VORK ELEMENTS			UNCOA	UIIFO	9/0.70										
									-							
When used	as a part of a currently combined facility, the non-recurr	ng charg	jes ao	not apply, but a	SWITCH AS IS CI	large does app	oly.									
	as ordinarily combined network elements in All States, the					As Is Charge	does not.									
	ng Currently Combined Network Elements "Switch As Is"	Charge (One a	pplies to each con	nbination)											
Optional Fe	eatures & Functions:											li				
		-	i	U1TD1,							ĺ					
Clea	ar Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		1		U1TD1,								,				
	ar Channel Capability Super FrameOption - per DS1	_ i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	ar Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
Activ	vily - per DS1	+		UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79						
				U1TD3, ULDD3.												
	it Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00						
MULTIPLEX	XERS															
DS1	1 to DS0 Channel System per month			UNC1X	MQ1	92.89										
OCL	U-DP COCI (data) - DS1 to DS0 Channel System - per															
mon	oth (2.4-64kbs) used for a Local Loop			UDL	10100	2.09										
OCL	U-DP COCI (data) - DS1 to DS0 Channel System - per															
mon	oth (2.4-64kbs) used for connection to a channelized DS1		- 1													
Loca	at Channel in the same SWC as collocation	-	- 1	U1TUD	1D100	2.09			İ							
2-wii	re ISON COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	ith for a Local Loop		- 1	UDN	UC1CA	3.56	ł]							
2-wii	ire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
mon	th used for connection to a channelized DS1 Local Channel	1														
in th	ne same SWC as collocation			U1TUB	UC1GA	3.56			1							
	te Grade COCI - DS1 to DS0 Channel System - per month			01100	10010/1	0.00					·····					
	d for a Local Loop		ı	UEA	1D1VG	1.05										
	ce Grade COCI - DS1 to DS0 Channel System - per month			OL/	1810	1.00			 							
	d for connection to a channelized DS1 Local Channel in the										j					
	ne SWC as collocation			U1TUC	1D1VG	1.05										
	B to DS1 Channel System per month			UNC3X	MQ3	256.43										
	5-1 to DS1 Channel System per month	-		UNCSX	MQ3	256.43			 							
	I COCI used with Loop per month															
				USL	UC1D1	20.22			ļ							
	COCI (used for connection to a channelized DS1 Local			114 Trus	lugur,											
	nnel in the same SWC as collocation) per month			U1TUA	UC1D1	20.22										
	COCI used with Interoffice Channel per month			U1TD1	UC1D1	20.22							_			
	Interface Unit (DS1 COCI) used with Local Channel per															
l lmon	ntn			ULDD1	UC1D1	20.22										

LOCAL INT	ERCONNECTION - Alabama					***		***************************************		***************************************						
		1	T	r							,		Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge -
	The state of the s						Nonrec	urrina	Nonrecurring	Disconnect	 	1	088	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CICNALING (COMIZIT	COMAN
SIGNALING (†			-		
	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83			***************************************	10/11	<u> </u>					
	CCS7 Signaling Usage, Per TCAP Message		T			0.0000569					 					ļ
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per link (B link) (also known as D				7		00.00	00.00	10.44	10.44	 					ļ
	link)	l		UDB	TPP6B	15.46	35.53	35.53	16.44	16.44					1	
1	CCS7 Signaling Connection, Switched access service, interface	1			∃""°5	10.40	35.55	33.33	10.44	10.44					ļ'	
	groups, transmissiom paths 6 DS1 level path with bit stream											1			1 '	
	signating	1		UDB	TPP6X	15.46	35.53	35.53	16.44	16.44	1				1 /	
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44					<u>'</u>	
	CCS7 Signaling Connection-B link(also known as D link) per			000	1 3	13.40	33.33	33.33	16.44	16.44						
	month	ļ		UDB	TPP9B	15.46	35.53	35.53	16.44		1					Í
	CCS7 Signaling Connection, Switched access service, interface			-	-1'''	10.40	35.53	35.53	16.44	16.44						
	groups, transmissiom paths 9 DS3 level path with bit stream															1
	signaling			UDB	TPP9X	15.46	35,53	25.50	40.44							1
	CCS7 Signaling Usage, Per ISUP Message			000	ILLAY	0.0000142	35.53	35.53	16.44	16.44						ļ
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										1
	CCS7 Signaling Point Code, per Originating Point Code			000	31036	650.33		-								
	Establishment or Change, per STP affected			UDB	CCAPO		00.04									
	Tanto and or change, per of ranected	L		מטט	JULIAPO		29.01	29.01	35.57	35.57					1	

LOCAL INT	ERCONNECTION - Florida												Attachment:	3 Fxh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge - Manual Syc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	 -	L	OSS	Rates(\$)	I	L
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)															
,	CCS7 Signaling Termination, Per STP Port		1 1	UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message	-	1-1	000	F 103A	0.0000607										
	CCS7 Signaling Connection, Per link (A link)		 	UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	43.57	18.31							
	CCS7 Signaling Connection-A link, per month	-		UDB	TPP9A	17.93	43.57	43.57	18.31	18.31 18.31	ļ					
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream								10.01	10.01		-				
	signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message				-	0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			NDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		,				

LOCAL INT	ERCONNECTION - Georgia												Attachment:	3 Exh. A		
CATEGORY	RATE ELEMENTS	Interi	Zone	всѕ	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svo	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect	1		OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
SIGNALING (0007											-				
SIGNALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										-
	CGS7 Signaling Usage, Per TCAP Message	-		000	11007	0.0000527								 		
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1)			UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection-B link(also known as D link) per month (same as E.3.1)			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	8.73	34.77	34.77	16.91	16.91						ļ
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB	STU56	907.44										
	CCS7 Signating Usage Surrogate, per link CCS7 Signating Point Code, Establishment or Change, per STP			UUB	51056	907.44							 			
	affected			UDB	CCAPO		28.15	28.15	33.32	33.32	-					

LOCAL INT	ERCONNECTION - Kentucky												Attachment:	3 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-		-		Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)		+													
	CCS7 Signaling Termination, Per STP Port	İ		UDB	PT8SX	151.39										
	CCS7 Signaling Usage, Per TCAP Message	-				0.0000656										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-A link, per month		1	UDB	TPP9A	20.71	43.56	43.56	22.45	22.45					1	
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	трр9В	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signating Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message					0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						

LOCAL INT	ERCONNECTION - Louisiana												Attachment:	3 Exh. A		
		1									Submitted	Submitted	Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge - Manual Syc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				perLSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
			┼			·			1				1st	Add'i	Disc 1st	Disc Add'l
	0 01 1 00000000000000000000000000000000		┼─		-	Rec	Nonrec First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
			1				7.1.01	7.00	1,130	Addi	30.1120	- COMPANY	COMAN	JOINAIT	COMPA	JOHAN
SIGNALING (1					
l	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60						I				
	CCS7 Signaling Usage, Per TCAP Message					0.000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.77	34.50	34.50			-					
	CCS7 Signaling Connection. Per link (B link) (also known as D		1							1	1					
	link)		i	UDB	TPP6B	15.77	34.50	34.50			1					
	CCS7 Signaling Connection, Switched access service, interface										1					
	groups, transmissiom paths 6 DS1 level path with bit stream					İ										
	signaling			UDB	TPP6X	15.77	34.50	34.50	İ							
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.77	34.50	34.50								
	CCS7 Signaling Connection-B link(also known as D link) per										1					
	month		1	UDB	TPP9B	15.77	34.50	34.50		İ						1
	CCS7 Signaling Connection. Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream															
i	signaling		ì	UDB	TPP9X	15.77	34.50	34.50		1						1 1
	CCS7 Signaling Usage, Per ISUP Message		1			0.000016			ļ							
	CCS7 Signaling Usage Surrogate, per link per LATA		T	UDB	STU56	732.10										
	GCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								

LOCAL INT	ERCONNECTION - Mississippi									·			Attachment:	3 Exh. A		***************************************
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	fncrementaf Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
				*****			Nonrec	urring	Nonrecurring D	Disconnect		J	OSS	Rates(\$)	1	l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)										ļ					
,	CCS7 Signaling Termination, Per STP Port		 	UDB	PT8SX	132.21						!				
	CCS7 Signaling Usage, Per TCAP Message		1	000	1 100/	0.0000597	+					 				
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection. Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling									1						
	CCS7 Signaling Connection-A link, per month			UDB	TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-B link, per month CCS7 Signaling Connection-B link(also known as D link) per			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53		ļ				
	month			UDB	TPP98	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message	-				0.0000149		33.74	10.00	10.00	 	 				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55					 					
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						

LOCAL INT	ERCONNECTION - North Carolina	T										Svc Order	Attachment: Incremental Charge -		Incremental Charge -	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR					Manual Svo Order vs.
		1		{		Rec	Nonrec	urring	Nonrecurrir	g Disconnect			oss	Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS71	 	-			<u></u>				ļ						
	CCS7 Signaling Connection, Per link (A link)	 	1	UDB	TPP6A	18.22	278.02	278.02		+		<u></u>				
	GCS7 Signaling Connection, Per link (B link) (also known as D			1		10.22	210.02	210.02			 					
	(ink)	1	1	lubb	TPP6B	18.22	278.02	278 02		l	!					
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with hit stream															
	signaling			UDB	TPP6X	18.22	278.02	278.02								
	CCS7 Signaling Connection-A link, per month	1		UDB	TPP9A	18.22	278.02	278.02		 						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	ТРР9В	18.22	278.02	278.02								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream						210.02	2.0.02								
	signaling			UDB	TPP9X	18.22	278.02	278.02		ì		i				
<u> </u>	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message					0.00004										
ļ	CCS7 Signaling Usage, Per TCAP Message					0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								

LOCAL INT	ERCONNECTION - South Carolina												Attachment:	3 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			1		-	T	Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (L CCS7)															
T	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49					1					
	CCS7 Signaling Usage, Per TCAP Message				1	0.0000692					-					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface			ODD	ILLOR	16.93	33.01	33.01	10.46	10.40	ļ	 				-
	groups, transmissiom paths 6 DS1 level path with hit stream isignaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48					İ	
ļ	CCS7 Signaling Connection-A link, per month		ļ	UDB	TPP9A	16.93	35.61	35.61	16.48	16.48	ļ					
	CCS7 Signaling Connection-8 link(also known as D link) per			UUB	IPPSA	16.93	33.01	35.61	10.40	10.40	 					
	month			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48					ļ	
	CCS7 Signaling Usage, Per ISUP Message					0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						

OCAL INT	ERCONNECTION - Tennessee												Attachment:			
										-	Submitted	Submitted	Incremental Charge - Manual Svo	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LGR		Order vs.	Order ve.	Ordor ve.	Order ve
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrecu			g Disconnect				Rates(\$)		001111
						1	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										ļ		ļ				
SIGNALING (<u> </u>	_							ļ	_	ļ				
	CCS7 Signaling Termination. Per STP Port	ļ	1	UDB	PT8SX	138.41				ļ		ļ				
	CCS7 Signaling Usage, Per TCAP Message	ļ			TPP6A	0.0000916	130.84	130.84		 	-		20.35	20.35	13.32	13.3
	CCS7 Signaling Connection, Per link (A link)	-	-	NDB	TPP6A	17.84	130.84	130.84			1	·	20.33	20.00	10.52	10.5
	CCS7 Signaling Connection, Per link (8 link) (also known as D link)			UDB	ТРР6В	17.84	130.84	130.84					20.35	20.35	13.32	13.3
	CCS7 Signaling Connection, Switched access service, interface												1			1
	groups, transmissiom paths 6 DS1 level path with bit stream													00.05	40.00	40.0
	signaling			UDB	TPP6X	17.84	130.84	130.84		<u> </u>	ļ		20.35	20.35 20.35	13.32	
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.84	130.84	130.84			ļ	1	20.35	20.35	13.32	13.3
	CCS7 Signaling Connection-8 link(also known as D link) per			ŲDB	TPP9B	17.84	130.84	130.84					20.35	20.35	13.32	13.3
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream			UDB	трр9х	17.84	130.84	130.84					20.35	20.35	13.32	13.3
	signaling	+	+	UUD	16637	0.0000373	130.04	130.04			 		10.00			
	CCS7 Signaling Usage, Per ISUP Message		+	UDB	STU56	352.30					 					
	CCS7 Signaling Usage Surrogate, per link per LATA	-	-	000	5.030	302.30				 	1	t			-	
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.3